Deploying Microservices on OpenShift

Skills
Network

Estimated time needed: 30 minutes

You will have the opportunity to deploy a containerized application on OpenShift.

Learning Objectives

- Access the OpenShift console
- Deploy an application on OpenShift using a git repository
- Explore the OpenShift build and route

Step 1: Access the OpenShift Console

This lab environment includes access to an OpenShift cluster. Accessing the OpenShift console is the easiest way to get started with OpenShift.

1. To open openshift web console, click on the Skills Network button on the right, it will open the **"Skills Network Toolbox"**. Then click the **Cloud** then **Open OpenShift console** as shown in the following image.

2. When the console loads, ensure that you are in the developer perspective.

Step 2: Deploy an Application on OpenShift

1. Click **+Add** in the left navigation to create an application on OpenShift.

2. Click **From Git**. This will let us deploy an application directly from a git repo.

3. Enter https://github.com/sclorg/nodejs-ex.git as the git repo URL.

This should automatically select the Node.js builder image since OpenShift detects that this is a Node.js app. This is a sample application provided by OpenShift.

4. Leave all the default options and click **Create** at the bottom. This will take you to the topology view.

5. Note the application in the topology view. It provides links to several key things. The outer circle is the application. The inner circle is the deployment. The GitHub logo links out to the git repository used for this deployment. This two arrows in a circle link to the build for this app. This will be a green checkmark if the build is complete. And the arrow pointing out of a box links to the route for this app. The route is what makes the app available on the internet.

Step 3: Explore the Deployment Resources

Let's explore the resources that we mentioned above that come with this deployment.

1. Click the two arrows in a circle. This will take you to the logs for the build. The build takes the git repository and builds it into a container that can run on OpenShift.

2. The logs for the build show how the git repository is downloaded, a Dockerfile is generated, and the built container image is pushed to the registry.

3. Click **Topology** to return.

4. Click the arrow coming out of the box. This is the route. This will launch this sample app.

5. Read through the welcome note and instructions for this app. This is maintained by OpenShift, so we cannot guarantee that all links will redirect, but reading through it will give you some basic insights into powerful OpenShift features.

Summary

In this lab, you have accessed the OpenShift console, deployed an application on it, and explored the deployment resources.

Changelog

Date	Version	Changed by	Change Description
11.01.2023	1.1	K Sundararajan	**Summary** section updated
13.01.2023	1.2	K Sundararajan	Added **Estimated time needed**