

## 1 Mike Questions

1. What is the difference between  $\vec{c}_i$  and  $c_i$ ? Should we just use  $\vec{c}$  and  $c_i$ ?
2. Why does a  $\vec{c}_i$  term appear in the denominator? is  $\omega_j$  a function of  $\vec{c}_i$  in this notation?
3.  $\vec{c}$  denotes the entire genome, correct?
4. If  $\vec{c}$  does denote the whole genome, should  $\phi$  have some sort of subscript relating it to the current gene in the genome?
5. Is it alright if I use  $\nu$  to denote the number of synonyms to  $c_i$ ?
6. Where do the mutation terms go? I think I'll include them for completeness. Just turn  $\exp \left[ - \sum_j \beta_j \omega_j(\vec{c}_i) \phi \right]$  into  $\exp \left[ - \sum_j (\mu_j - \beta_j \omega_j(\vec{c}_i)) \phi \right]$ ?
7.  $\mathbb{C}$  only contains synonymous sequences, correct?

## 2 Notation

$\vec{c}$  is the vector of codons (of length  $n$ , the length of the ??genome/gene??)

?? $\vec{c}_i/c_i$ ?? is the  $i^{th}$  codon of  $\vec{c}$

$\vec{\theta}$  is our given conditions, including  $\beta, \phi, \omega$ , and the effective population size

$\sum_j$  is shorthand for  $\sum_{j=1}^n$ , the sum over the whole ??genome/gene??

$\beta_j$  is the cost of codon translation. In the NSE model, this is constant. In the ROC model, this is the main variable.

$\omega_j$  is the odds of a nonsense error at codon  $j$ ,  $\frac{p_j}{1-p_j}$

$\phi$  is the expression level of the gene

$\mathbb{C}$  is the set of all possible ??synonymous?? sequences

$\nu$  is the number of synonymous codons to  $\vec{c}_i$

## 3 Math

“The probability of seeing codon  $\vec{c}_i$  at position  $i$  (given our conditions) is approximately the fitness of that sequence divided by the sum of the fitness of all possible synonymous sequences”

$$P(\vec{c}_i | \vec{\theta}) \approx \frac{\exp \left[ - \sum_j \beta_j \omega_j(\vec{c}_i) \phi \right]}{\sum_{K \in \mathbb{C}} \exp \left[ - \sum_j \beta_j \omega_j(\vec{c}_i) \phi \right]}$$

Rewrite the sum as the sum across the synonyms. Added notation:

$\nu$  is the number of synonyms for the given codon  $i$

$$\approx \frac{\sum_{K \in \mathbb{C} | c_k = c_l} \exp \left[ - \sum_j \beta_j \omega_j(\vec{c}_l) \phi \right]}{\sum_{\ell=1}^{\nu} \sum_{K \in \mathbb{C} | c_k = c_\ell} \exp \left[ - \sum_j \beta_j \omega_j(\vec{c}_l) \phi \right]}$$

Pull out the term for the current codon chain, where  $c_j = c_i$

$$\approx \frac{\left[ \sum_{K \in \mathbb{C}} \exp \left[ - \sum_{j \neq k} \beta_j \omega_j(\vec{c}_l) \phi \right] \right] (\exp [-\beta_k \omega_k(\vec{c}_l) \phi])}{\sum_{\ell=1}^{\nu} \sum_{K \in \mathbb{C} | c_k = c_\ell} \exp \left[ - \sum_j \beta_j \omega_j(\vec{c}_l) \phi \right]}$$

Which cancels to

$$\approx \frac{\exp [-\beta_k \omega_k(\vec{c}_l) \phi]}{\sum_{\ell=1}^{\nu} \exp \left[ - \sum_j \beta_j \omega_j(\vec{c}_l) \phi \right]}$$