## **Contents**

1	Base	e 6 - Rationalized Planck units	2
	1.1	Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban	
		Numbering	2

1 Contents

This document uses natural units, where  $\epsilon_0 = 1$  and  $G = \frac{1}{2\tau}$ . These are rationalized Planck units.

## 1 Base 6 - Rationalized Planck units

## 1.1 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

```
1 ni'uvo-M = 10^{-40} = 0.435155 m_p (*)
Proton mass = 1.14250 \cdot 10^{-40}
Electron mass = 52.4450 \cdot 10^{-50}
                                                                                      1 ni'umu-M = 10^{-50} = 0.0103302 m_e
Elementary charge = 0.145224 \cdot 10^0
                                                                                      1 Q = 1 = 3.14514 e
\mathring{A}^{1} = 11.5212 \cdot 10^{50}
                                                                                      1 \text{ mu-}L = 10^{50} = 0.0432054 \,\text{Å}
Bohr radius ^2 = 4.10223 \cdot 10^{50}
                                                                                      1 mu-L = 10^{50} = 0.123412 a_0
Fine structure constant ^3= 0.00132425 \cdot 10^0
                                                                                      1 = 1 = 345.012 \,\alpha
                                                                                      1 ni'upano-\frac{ML^2}{T^2} = 10^{-100} = 0.00514501 \, Ry
1 ni'urevo-\frac{1}{L^3} = 10^{-240} = 0.00102103 \, \rho_{\text{max}}
Rydberg Energy ^4 = 104.425 \cdot 10^{-100}
|\psi_{100}(0)|^2 = 535.355 \cdot 10^{-240}
                                                                                      1 m drevo L^3 = 10^{-100} = 0.00102100 p_{\text{max}}

1 ni'upano-\frac{ML^2}{T^2} = 10^{-100} = 0.200043 \,\text{eV} (**)

1 \frac{ML^2}{T} = 1 = 1.00000 \cdot \hbar (***)
eV = 2.55452 \cdot 10^{-100} (*)
\hbar^{6} = 1.00000 \quad (***)
                                                                                      1 pano-L = 10^{100} = 1.01000 \cdot \lambda_{\text{yellow}} (**)
\lambda_{\text{vellow}} = 0.550100 \cdot 10^{100} \quad (*)
                                                                                      1 ni'upano-\frac{1}{L} = 10^{-100} = 0.0532410 \cdot k_{\text{yellow}}
k_{\text{yellow}} <sup>7</sup>= 10.2425 \cdot 10^{-100}
                                                                                      1 ni'uvo-\frac{1}{L} = 10<sup>-40</sup> = 0.00120015 · k_{X-Ray} (*)
k_{\rm X-Ray} <sup>8</sup> = 425.454 · 10<sup>-40</sup>
                                                                                      1 ni'upaci-\frac{ML}{T^2} = 10^{-130} = 0.534301 · Earth g
Earth g = 1.02222 \cdot 10^{-130}
cm = 0.210202 \cdot 10^{110}
                                                                                      1 papa-L = 10^{110} = 2.43132 \,\mathrm{cm}
\min = 0.00121541 \cdot 10^{140}
                                                                                      1 pavo-T = 10^{140} = 415.402 \,\mathrm{min}
hour = 0.215130 \cdot 10^{140}
                                                                                      1 pavo-T = 10^{140} = 2.33223 \text{ h}
                                                                                      1 \text{ civo-} L^3 = 10^{340} = 4305.54 \, l \quad (*)
Liter = 115.413 \cdot 10^{330}
                                                                                      1 \text{ revo-} L^2 = 10^{240} = 1023.44 A
Area of a soccer field = 533.150 \cdot 10^{230}
                                                                                      1 \operatorname{reci-}L^2 = 10^{230} = 0.204340 \cdot 244 \,\mathrm{m}^2
244 \,\mathrm{m}^2{}^9 = 2.45300 \cdot 10^{230} \quad (*)
                                                                                      1 ni'ure-\frac{L}{T} = 10^{-20} = 0.255032 \,\mathrm{km/h} (*)
km/h = 2.00340 \cdot 10^{-20} (*)
                                                                                      1 ni'ure-\frac{\hat{L}}{T} = 10^{-20} = 0.150314 mi/h
mi/h = 3.12504 \cdot 10^{-20}
inch ^{10} = 0.530553 \cdot 10^{110}
                                                                                      1 papa-L = 10^{110} = 1.03025 in
                                                                                      1 pare-L = 10^{120} = 0.444355 \text{ mi} (*)
mile = 1.13012 \cdot 10^{120}
                                                                                      1 \text{ re-} M = 10^{20} = 45.2441 \text{ pound}
pound = 0.0111553 \cdot 10^{20} (*)
                                                                                      1 ni'upavo-\frac{ML^2}{T^3}=10^{-140}=211.120\,\mathrm{horsepower}
1 ni'upa-\frac{ML^2}{T^2}=10^{-10}=2.45410\,\mathrm{kcal}
horsepower = 0.00242053 \cdot 10^{-140}
kcal = 0.204244 \cdot 10^{-10}
                                                                                      1 \frac{ML^2}{T^2} = 1 = 413.140 \,\text{kWh}
kWh = 0.00122422 \cdot 10^0
                                                                                      1 ni'urepa-\frac{ML}{T^2Q} = 10^{-210} = 0.251045 E_{\rm H}
Household electric field = 2.03222 \cdot 10^{-210}
```

 $<sup>^{1}</sup>$ Length in atomic and solid state physics, 1/14 nm

<sup>&</sup>lt;sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$ 

<sup>&</sup>lt;sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}}e^2$ 

 $<sup>{}^{4}\</sup>mathrm{Ry} = \frac{m_{\mathrm{e}}\alpha^{2}}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>&</sup>lt;sup>5</sup>Maximum probability density of electron in hydrogen - at the core.  $\frac{1}{\pi a_0^3}$ 

<sup>&</sup>lt;sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

 $<sup>\</sup>frac{7}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>&</sup>lt;sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>&</sup>lt;sup>9</sup>Size of a home

 $<sup>^{10}100 \</sup>text{ in} = 1 \text{ yd} = 3 \text{ ft}$ 

```
Age of the Universe = 52.3321 \cdot 10^{200}
Size of the observable Universe = 3.03222 \cdot 10^{210}
Average density of the Universe = 0.203145 \cdot 10^{-430}
Earth mass = 2.00433 \cdot 10^{110}
Sun mass ^{12} = 22.2323 \cdot 10^{120}
Year = 0.0233503 \cdot 10^{150}
Speed of Light = 1.00000 (***)
Parsec = 0.123004 \cdot 10^{150} (*)
Astronomical unit = 0.0153123 \cdot 10^{140}
Earth radius = 0.0345324 \cdot 10^{130}
```

Distance Earth-Moon =  $10.2233 \cdot 10^{130}$ 

Momentum of someone walking =  $3141.00 \cdot 10^0$ 

Earth magnetic field =  $0.0300555 \cdot 10^{-200}$  (\*\*)

Height of an average man  $^{11}$ = 144.110 · 10 $^{110}$ Mass of an average man =  $5.12321 \cdot 10^{20}$ 

Stefan-Boltzmann constant  $^{13}$  =  $0.0553104 \cdot 10^{0}$  $mol = 2.42022 \cdot 10^{50}$ Standard temperature  $^{14}$  = 0.0231210 · 10<sup>-100</sup> Room - standard temperature  $^{15}$  =  $0.00104045 \cdot 10^{-100}$  $atm = 12.2134 \cdot 10^{-350}$ Particle density at STP  $^{16}$  =  $314.532 \cdot 10^{-250}$ Speed of sound in air =  $0.0153103 \cdot 10^{-10}$ 

$$\mu_0 = 1.00000 \quad (***)$$
 $G = 0.0251045 \cdot 10^0$ 

1 ni'ureno-
$$\frac{M}{TQ}=10^{-200}=15.5202\,B_E\quad(*)$$
  
1 pare- $L=10^{120}=3210.44\,\overline{h}$   
1 re- $M=10^{20}=0.105124\,\overline{m}$ 

$$\begin{array}{l} 1\ {\rm reno}\text{-}T = 10^{200} = 0.0103433\ t_U \\ 1\ {\rm repa}\text{-}L = 10^{210} = 0.153450\ l_U \\ 1\ {\rm ni'uvoci}\text{-}\frac{M}{L^3} = 10^{-430} = 2.51134\ \rho_U \\ 1\ {\rm papa}\text{-}M = 10^{110} = 0.254510\ m_E \\ 1\ {\rm pare}\text{-}M = 10^{120} = 0.0225454\ m_S \\ 1\ {\rm pamu}\text{-}T = 10^{150} = 21.4505\ {\rm y} \\ 1\ \frac{L}{T} = 1 = 1.00000\ c \quad (***) \\ 1\ {\rm pamu}\text{-}L = 10^{150} = 4.12231\ {\rm pc} \\ 1\ {\rm pavo}\text{-}L = 10^{140} = 30.4151\ {\rm au} \\ 1\ {\rm paci}\text{-}L = 10^{130} = 13.2305\ r_E \\ 1\ {\rm paci}\text{-}L = 10^{130} = 0.0534204\ d_M \\ 1\ {\rm pa}\text{-}\frac{ML}{T} = 10^{10} = 145.450\ p \end{array}$$

$$\begin{array}{l} 1 \, \frac{M}{T^3 \Theta^4} = 1 = 10.0251 \, \sigma \quad (*) \\ 1 \, \mathrm{mu-} = 10^{50} = 0.211144 \, \mathrm{mol} \\ 1 \, \mathrm{ni'upano-}\Theta = 10^{-100} = 22.1041 \, T_0 \\ 1 \, \mathrm{ni'upano-}\Theta = 10^{-100} = 521.424 \, \Theta_R \\ 1 \, \mathrm{ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 0.0414404 \, \mathrm{atm} \\ 1 \, \mathrm{ni'urevo-} \frac{1}{L^3} = 10^{-240} = 1452.15 \, n_0 \\ 1 \, \mathrm{ni'upa-} \frac{L}{T} = 10^{-10} = 30.4223 \, c_s \end{array}$$

$$1 \frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0 \quad (***)$$
$$1 \frac{L^3}{MT^2} = 1 = 20.3222 \cdot G$$

## Extensive list of SI units

```
1 = 1.00000 \quad (***)
1\frac{1}{s} = 0.111124 \cdot 10^{-130}
1\frac{1}{s^2} = 0.0123540 \cdot 10^{-300}
1 \,\mathrm{s} = 4.55453 \cdot 10^{130}
1\,\mathrm{m} = 100.134 \cdot 10^{110}
1\frac{\mathrm{m}}{\mathrm{s}} = 11.1322 \cdot 10^{-20}
1\frac{\mathrm{m}}{\mathrm{s}^2} = 1.24155 \cdot 10^{-150}
1\,\mathrm{m\,s} = 501.055 \cdot 10^{240}
1\,\mathrm{m}^2 = 0.0100313 \cdot 10^{230}
1\frac{m^2}{s} = 0.00111520 \cdot 10^{100}
1\frac{m^2}{s^2} = 124.420 \cdot 10^{-40}
1\,\mathrm{m}^2\,\mathrm{s} = 0.0502303 \cdot 10^{400}
1\frac{1}{m} = 5542.22 \cdot 10^{-120}
1\frac{1}{m\,\mathrm{s}} = 0.00110531 \cdot 10^{-240}
1\frac{1}{\mathrm{m}\,\mathrm{s}^2} = 123.321 \cdot 10^{-420}
1\frac{s}{m} = 0.0454254 \cdot 10^{20}
```

```
1 = 1 = 1.00000 (***)
1 ni'upaci-\frac{1}{T} = 10^{-130} = 4.55453 \frac{1}{s} (*)
1 ni'ucino-\frac{1}{T^2} = 10^{-300} = 40.5412 \frac{1}{s^2}
1 paci-T = 10^{130} = 0.111124 \text{ s}
1 pare-L = 10^{120} = 5542.22 \text{ m} (*)
1 ni'ure-\frac{L}{T} = 10^{-20} = 0.0454254 \frac{\text{m}}{\text{s}}
1 ni'upamu-\frac{L}{T^2} = 10^{-150} = 0.404332 \frac{\text{m}}{\text{s}^2}
1 \text{ revo-}LT = 10^{240} = 0.00110531 \text{ m s}
1 \operatorname{reci-}L^2 = 10^{230} = 55.2451 \text{ m}^2
1 pano-\frac{L^2}{T} = 10^{100} = 453.100 \frac{\text{m}^2}{\text{s}} (*)
1 ni'uvo-\frac{L^2}{T^2} = 10<sup>-40</sup> = 0.00403254 \frac{\text{m}^2}{\text{s}^2}
1 \text{ vono-} L^2 T = 10^{400} = 11.0335 \text{ m}^2 \text{ s}^2
1 ni'upapa-\frac{1}{L} = 10^{-110} = 100.134 \, \frac{1}{\text{m}} \quad (*)
1 ni'urevo-\frac{1}{LT} = 10<sup>-240</sup> = 501.055 \frac{1}{ms} (*)
1 ni'uvore-\frac{L_1}{LT^2} = 10^{-420} = 0.00410453 \frac{1}{\text{m/s}^2}
1 \text{ re-} \frac{T}{L} = 10^{20} = 11.1322 \frac{\text{s}}{\text{m}}
```

<sup>&</sup>lt;sup>11</sup>in developed countries

 $<sup>^{12}</sup>$ The Schwarzschild radius of a mass M is 2GM

 $<sup>^{13}\</sup>sigma = \frac{\tau^2}{1040}$   $^{14}0^{\circ}\mathrm{C}$  measured from absolute zero

<sup>&</sup>lt;sup>16</sup>Ideal gas law:  $N/V = p/T = \text{atm}/T_0$ 

1 222	1 000
$1\frac{1}{m^2} = 55.2451 \cdot 10^{-230}  (*)$	1 ni'ureci- $\frac{1}{L^2}$ = $10^{-230}$ = $0.0100313 \frac{1}{m^2}$ (*)
$1\frac{1}{\text{m}^2\text{s}} = 11.0335 \cdot 10^{-400}$	1 ni'uvono- $\frac{1}{L^2T} = 10^{-400} = 0.0502303 \frac{1}{\text{m}^2 \text{s}}$
$1\frac{1}{\text{m}^2\text{s}^2} = 1.23102 \cdot 10^{-530}$	1 ni'umuci- $\frac{1}{L_c^2T^2} = 10^{-530} = 0.411540 \frac{1}{\text{m}^2\text{s}^2}$
$1_{\frac{s}{m^2}} = 453.100 \cdot 10^{-100}  (*)$	1 ni'upano- $\frac{T}{L^2} = 10^{-100} = 0.00111520 \frac{\text{s}}{\text{m}^2}$
$1\frac{1}{m^3} = 0.551122 \cdot 10^{-340}  (*)$	1 ni'ucivo- $\frac{1}{L^3} = 10^{-340} = 1.00451 \frac{1}{m^3}$ (*)
$1\frac{1}{\text{m}^3\text{s}} = 0.110142 \cdot 10^{-510}$	1 ni'umupa- $\frac{1}{L^3T}$ = $10^{-510}$ = $5.03514 \frac{1}{\text{m}^3 \text{ s}}$
$1\frac{1}{m^3}\frac{1}{s^2} = 0.0122444 \cdot 10^{-1040}$	1 ni'upanovo- $\frac{1}{L^3T^2} = 10^{-1040} = 41.3025 \frac{1}{\text{m}^3 \text{s}^2}$
$1\frac{s}{m^3} = 4.51504 \cdot 10^{-210}$	1 ni'urepa- $\frac{T}{L^3} = 10^{-210} = 0.112115 \frac{\text{s}}{\text{m}^3}$
$1 \mathrm{kg} = 0.0240550 \cdot 10^{20}  (*)$	$1 \text{ re-}M = 10^{20} = 21.2105 \text{ kg}$
$1\frac{\text{kg}}{\text{s}} = 3122.52 \cdot 10^{-120}$	1 ni'upapa- $\frac{M}{T} = 10^{-110} = 150.431 \frac{\text{kg}}{\text{s}}$
$1\frac{\log}{\mathrm{s}^2} = 351.530 \cdot 10^{-250}$	1 ni'urevo- $\frac{M}{T^2} = 10^{-240} = 1313.24 \frac{\text{kg}}{\text{s}^2}$
$1  \text{kg s} = 0.212422 \cdot 10^{150}$	1 pamu- $MT = 10^{150} = 2.40153 \text{ kg s}$
$1 \mathrm{kg} \mathrm{m} = 2.41410 \cdot 10^{130}$	$1 \text{ paci-}ML = 10^{130} = 0.211332 \text{ kg m}$
$1\frac{\text{kg m}}{\text{s}} = 0.313204 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 1.50133 \frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}^2} = 0.0352544 \cdot 10^{-130}$	1 ni'upaci- $\frac{ML}{T^2} = 10^{-130} = 13.1055 \frac{\text{kg m}}{\text{s}^2}$ (*)
$1 \mathrm{kg} \mathrm{m} \mathrm{s} = 21.3200 \cdot 10^{300}  (*)$	$1 \operatorname{cino-}MLT = 10^{300} = 0.0235335 \text{ kg m s}$
$1\mathrm{kg}\mathrm{m}^2 = 242.232 \cdot 10^{240}$	$1 \text{ revo-} ML^2 = 10^{240} = 0.00211001 \text{ kg m}^2  (*)$
$1\frac{\text{kg m}^2}{\text{s}} = 31.4121 \cdot 10^{110}$	1 papa- $\frac{ML^2}{T} = 10^{110} = 0.0145435 \frac{\text{kg m}^2}{\text{s}}$
$1\frac{\text{kg m}^2}{s^2} = 3.54003 \cdot 10^{-20}$ (*)	1 ni'ure- $\frac{ML^2}{T^2} = 10^{-20} = 0.130431 \frac{\text{kg m}^2}{\text{s}^2}$
$1  \text{kg m}^2  \text{s} = 0.00213535 \cdot 10^{420}$	1 vore- $ML^2T = 10^{420} = 234.522 \text{ kg m}^2 \text{ s}$
$1\frac{\text{kg}}{m} = 240.131 \cdot 10^{-100}$	1 ni'upano- $\frac{M}{L} = 10^{-100} = 0.00212442 \frac{\text{kg}}{\text{m}}$
$1\frac{\frac{11}{\text{kg}}}{\frac{1}{\text{ms}}} = 31.1342 \cdot 10^{-230}$	1 ni'ureci- $\frac{M}{LT}$ = $10^{-230}$ = $0.0151131 \frac{\text{kg}}{\text{ms}}$
$1\frac{\frac{11}{8}}{\frac{1}{8}} = 3.50514 \cdot 10^{-400}$	1 ni'uvono- $\frac{M}{LT^2} = 10^{-400} = 0.131554 \frac{\text{ms}}{\text{ms}^2}$ (*)
$1\frac{\text{kgs}}{\text{kg}} = 0.00212045 \cdot 10^{40}$	1 vo- $\frac{MT}{L}$ = $10^{40}$ = 241.013 $\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg}}{\text{m}^2} = 2.35313 \cdot 10^{-210}$	1 ni'urepa- $\frac{M}{L^2} = 10^{-210} = 0.213220 \frac{\text{kg}}{\text{m}^2}$
$1\frac{\frac{kg}{kg}}{\frac{kg}{m^2s}} = 0.310433 \cdot 10^{-340}$	1 ni'ucivo- $\frac{M}{L^2T}$ = 10 <sup>-340</sup> = 1.51432 $\frac{\frac{m^2}{kg}}{m^2s}$
$1\frac{\frac{m-s}{kg}}{\frac{m^2 s^2}{m^2 s^2}} = 0.0345504 \cdot 10^{-510}  (*)$	1 ni'umupa- $\frac{M}{L^2T^2}$ = $10^{-510}$ = $13.2224 \frac{\text{kg}}{\text{m}^2\text{s}^2}$
$1\frac{\text{kgs}}{\text{m}^2} = 21.1312 \cdot 10^{-40}$	1 ni'uvo- $\frac{MT}{L^2}$ = 10 <sup>-40</sup> = 0.0241433 $\frac{\text{kg s}}{\text{m}^2}$
$1\frac{\frac{m^2}{kg}}{m^3} = 0.0234500 \cdot 10^{-320}  (*)$	1 ni'ucire- $\frac{M}{I^3} = 10^{-320} = 21.3555 \frac{\text{kg}}{\text{m}^3}$ (**)
$1\frac{\text{kg}}{\text{m}^3\text{s}} = 3055.25 \cdot 10^{-500}$ (*)	1 ni'uvomu- $\frac{M}{I^{3T}}$ = 10 <sup>-450</sup> = 152.133 $\frac{\text{kg}}{\text{m}^3 \text{ s}}$
	L 1
$1\frac{-3}{3} = 344.500 \cdot 10^{-1000}$ (*)	$1 \text{ III upanore-} \frac{1}{13772} = 10$ $\frac{1}{13} = 1324.33 = \frac{1}{133.2}$ (1)
$ 1\frac{\text{kg}}{\text{m}^3 \text{s}^2} = 344.500 \cdot 10^{-1030}  (*)  1\frac{\text{kg s}}{\text{s}^3} = 0.210541 \cdot 10^{-150} $	1 ni'upanore- $\frac{M}{L^3T^2} = 10^{-1020} = 1324.55 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$ (*) 1 ni'upamu- $\frac{MT}{T^3} = 10^{-150} = 2.42255 \frac{\text{kg}}{\text{s}^3}$ (*)
$1\frac{\text{kgs}}{\text{m}^3} = 0.210541 \cdot 10^{-150}$	1 ni'upamu- $\frac{MT}{L^3}$ = $10^{-150}$ = $2.42255 \frac{\text{kg s}}{\text{m}^3}$ (*)
$\frac{1\frac{\text{kgs}}{\text{m}^3} = 0.210541 \cdot 10^{-150}}{1\frac{1}{\text{C}} = 2.30130 \cdot 10^{-40}}$	$\frac{1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255 \frac{\text{kg s}}{\text{m}^3} \text{ (*)}}{1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{C}}$
$ \frac{1\frac{\text{kg s}}{\text{m}^3} = 0.210541 \cdot 10^{-150}}{1\frac{1}{\text{C}} = 2.30130 \cdot 10^{-40}} \\ 1\frac{1}{\text{s} \cdot \text{C}} = 0.300224 \cdot 10^{-210}  (*) $	$\frac{1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255 \frac{\text{kg s}}{\text{m}^3} \text{ (*)}}{1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{\text{C}}}$ $1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421 \frac{1}{\text{sC}} \text{ (*)}}$
$ \frac{1\frac{\text{kg s}}{\text{m}^3} = 0.210541 \cdot 10^{-150}}{1\frac{1}{\text{C}} = 2.30130 \cdot 10^{-40}} \\ 1\frac{1}{\text{sC}} = 0.300224 \cdot 10^{-210}  (*) \\ 1\frac{1}{\text{s}^2\text{C}} = 0.0334120 \cdot 10^{-340} $	$ \frac{1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255 \frac{\text{kg s}}{\text{m}^3} \text{ (*)}}{1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{\text{C}}} $ $ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421 \frac{1}{\text{sC}} \text{ (*)}} $ $ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414 \frac{1}{\text{s}^2\text{C}} $
$ \frac{1\frac{\text{kg s}}{\text{m}^3} = 0.210541 \cdot 10^{-150}}{1\frac{1}{\text{C}} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{\text{s} \text{C}} = 0.300224 \cdot 10^{-210}}{1\frac{1}{\text{s}^2 \text{C}} = 0.0334120 \cdot 10^{-340}} \\ \frac{1\frac{1}{\text{s}^2 \text{C}} = 20.3045 \cdot 10^{50}}{10^{-340}} $	
$ \frac{1\frac{\text{kg s}}{\text{m}^3} = 0.210541 \cdot 10^{-150}}{1\frac{1}{\text{C}} = 2.30130 \cdot 10^{-40}} \\ 1\frac{1}{\text{s}} = 0.300224 \cdot 10^{-210}  (*) \\ 1\frac{1}{\text{s}^2\text{C}} = 0.0334120 \cdot 10^{-340} \\ 1\frac{\text{s}}{\text{C}} = 20.3045 \cdot 10^{50} \\ 1\frac{\text{m}}{\text{C}} = 230.532 \cdot 10^{30} $	$\frac{1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255 \frac{\text{kg s}}{\text{m}^3} \text{ (*)}}{1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{\text{C}}}$ $1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421 \frac{1}{\text{sC}} \text{ (*)}$ $1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414 \frac{1}{\text{s}^2\text{C}}$ $1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255 \frac{\text{s}}{\text{C}} \text{ (*)}$ $1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04 \frac{\text{m}}{\text{C}}$
$ \frac{1\frac{\text{kg s}}{\text{m}^3} = 0.210541 \cdot 10^{-150}}{1\frac{1}{\text{C}} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{\text{sC}} = 0.300224 \cdot 10^{-210}}{1\frac{1}{\text{s}^2\text{C}} = 0.0334120 \cdot 10^{-340}} \\ \frac{1\frac{1}{\text{s}^2\text{C}} = 0.0345 \cdot 10^{50}}{1\frac{\text{m}}{\text{C}} = 230.532 \cdot 10^{30}} \\ \frac{1\frac{\text{m}}{\text{s}^2\text{C}} = 30.1115 \cdot 10^{-100}}{1\frac{\text{m}}{\text{s}^2\text{C}}} = 30.1115 \cdot 10^{-100} $	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{s C}}  \text{ (*)} \end{array} $
$\begin{split} \frac{1\frac{\log s}{m^3} &= 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{sC} &= 0.300224 \cdot 10^{-210}}{1\frac{1}{s^2C} = 0.0334120 \cdot 10^{-340}} \\ \frac{1}{s\frac{1}{C}} &= 0.0334120 \cdot 10^{-340}} \\ \frac{1}{s\frac{1}{C}} &= 20.3045 \cdot 10^{50}} \\ \frac{1}{c} &= 230.532 \cdot 10^{30}} \\ \frac{1}{c} &= 30.1115 \cdot 10^{-100}} \\ \frac{1}{s^2C} &= 3.35110 \cdot 10^{-230}} \end{split}$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \end{array} $
$\begin{split} \frac{1\frac{\log s}{m^3} &= 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{c} &= 2.30130 \cdot 10^{-40}}{1\frac{1}{s^{C}} &= 0.300224 \cdot 10^{-210}}  (*) \\ \frac{1\frac{1}{s^{C}} &= 0.0334120 \cdot 10^{-340}}{1\frac{s}{C} &= 20.3045 \cdot 10^{50}} \\ \frac{1\frac{m}{C} &= 230.532 \cdot 10^{30}}{1\frac{m}{s^{C}} &= 30.1115 \cdot 10^{-100}} \\ \frac{1\frac{m}{s^{C}} &= 3.35110 \cdot 10^{-230}}{1\frac{ms}{C} &= 2034.10 \cdot 10^{200}} \end{split}$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \\ 1 \text{ repa-} \frac{LT}{Q} = 10^{210} = 250.421  \frac{\text{ms}}{\text{C}} \end{array} $
$\begin{split} \frac{1\frac{\log s}{m^3} &= 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{c} &= 2.300224 \cdot 10^{-210}}{10^{-210}} & (*) \\ \frac{1\frac{1}{s^2C}}{10^{-210}} &= 0.0334120 \cdot 10^{-340}} \\ \frac{1\frac{s}{c}}{10^{-210}} &= 20.3045 \cdot 10^{50}} \\ \frac{1\frac{m}{C}}{10^{-210}} &= 230.532 \cdot 10^{30}} \\ \frac{1\frac{m}{s^2C}}{10^{-210}} &= 3.35110 \cdot 10^{-230}} \\ \frac{1\frac{m}{s^2C}}{10^{-210}} &= 20.0231335 \cdot 10^{150}} \\ \frac{1\frac{m}{C}}{C} &= 0.0231335 \cdot 10^{150}} \end{split}$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \\ 1 \text{ repa-} \frac{L^2}{Q} = 10^{150} = 250.421  \frac{\text{m s}}{\text{C}} \\ 1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520  \frac{\text{m}^2}{\text{C}} \end{array} $
$\begin{split} \frac{1\frac{\log s}{m^3} &= 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{c} &= 2.30130 \cdot 10^{-40}}{1\frac{1}{s^{C}} &= 0.300224 \cdot 10^{-210}}  (*) \\ \frac{1\frac{1}{s^{C}} &= 0.0334120 \cdot 10^{-340}}{1\frac{s}{C} &= 20.3045 \cdot 10^{50}} \\ \frac{1\frac{m}{C} &= 230.532 \cdot 10^{30}}{1\frac{m}{s^{C}} &= 30.1115 \cdot 10^{-100}} \\ \frac{1\frac{m}{s^{C}} &= 3.35110 \cdot 10^{-230}}{1\frac{ms}{C} &= 2034.10 \cdot 10^{200}} \\ \frac{1\frac{ms}{C} &= 0.0231335 \cdot 10^{150}}{1\frac{m^{2}}{s^{C}} &= 0.00302011 \cdot 10^{20}} \end{split}$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \\ 1 \text{ repa-} \frac{LT}{Q} = 10^{210} = 250.421  \frac{\text{ms}}{\text{C}} \\ 1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520  \frac{\text{m}^2}{\text{C}} \\ 1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400  \frac{\text{m}^2}{\text{s C}}  \text{ (*)} \end{array} $
$\begin{split} \frac{1\frac{\log s}{m^3} &= 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{c} &= 2.30130 \cdot 10^{-40}}{1\frac{1}{s^2C}} &= 0.300224 \cdot 10^{-210}  (*) \\ \frac{1}{s^2C} &= 0.0334120 \cdot 10^{-340}} \\ \frac{1}{s} &= 20.3045 \cdot 10^{50}} \\ \frac{1}{m} &= 230.532 \cdot 10^{30}} \\ \frac{1}{m} &= 230.532 \cdot 10^{30}} \\ \frac{1}{m} &= 30.1115 \cdot 10^{-100}} \\ \frac{1}{m} &= 3.35110 \cdot 10^{-230}} \\ \frac{1}{m} &= 2034.10 \cdot 10^{200}} \\ \frac{1}{m} &= 0.0231335 \cdot 10^{150}} \\ \frac{1}{m} &= 0.00302011 \cdot 10^{20}} \\ \frac{1}{m} &= 340.101 \cdot 10^{-120}} \end{split}$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \\ 1 \text{ repa-} \frac{LT}{Q} = 10^{210} = 250.421  \frac{\text{ms}}{\text{C}} \\ 1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520  \frac{\text{m}^2}{\text{C}} \\ 1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400  \frac{\text{m}^2}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'upare-} \frac{L^2}{T^2Q} = 10^{-120} = 0.00134500  \frac{\text{m}^2}{\text{s}^2\text{C}}  \text{ (*)} \end{array}$
$\begin{split} \frac{1\frac{\log s}{m^3} &= 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{c} &= 2.30130 \cdot 10^{-40}}{1\frac{1}{s^{C}} &= 0.300224 \cdot 10^{-210}}  (*) \\ \frac{1\frac{1}{s^{C}} &= 0.0334120 \cdot 10^{-340}}{1\frac{s}{C} &= 20.3045 \cdot 10^{50}} \\ \frac{1\frac{m}{C} &= 230.532 \cdot 10^{30}}{1\frac{m}{s^{C}} &= 30.1115 \cdot 10^{-100}} \\ \frac{1\frac{m}{s^{C}} &= 3.35110 \cdot 10^{-230}}{1\frac{ms}{C} &= 2034.10 \cdot 10^{200}} \\ \frac{1\frac{ms}{C} &= 0.0231335 \cdot 10^{150}}{1\frac{m^{2}}{s^{C}} &= 0.00302011 \cdot 10^{20}} \end{split}$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{s C}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \\ 1 \text{ repa-} \frac{LT}{Q} = 10^{210} = 250.421  \frac{\text{ms}}{\text{C}} \\ 1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520  \frac{\text{m}^2}{\text{C}} \\ 1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400  \frac{\text{m}^2}{\text{s C}}  \text{ (*)} \end{array} $
$\begin{split} \frac{1\frac{\log s}{m^3} &= 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}} \\ \frac{1\frac{1}{c} &= 2.30130 \cdot 10^{-40}}{1\frac{1}{s^2C}} &= 0.300224 \cdot 10^{-210}  (*) \\ \frac{1}{s^2C} &= 0.0334120 \cdot 10^{-340}} \\ \frac{1}{s} &= 20.3045 \cdot 10^{50}} \\ \frac{1}{m} &= 230.532 \cdot 10^{30}} \\ \frac{1}{m} &= 230.532 \cdot 10^{30}} \\ \frac{1}{m} &= 30.1115 \cdot 10^{-100}} \\ \frac{1}{m} &= 3.35110 \cdot 10^{-230}} \\ \frac{1}{m} &= 2034.10 \cdot 10^{200}} \\ \frac{1}{m} &= 0.0231335 \cdot 10^{150}} \\ \frac{1}{m} &= 0.00302011 \cdot 10^{20}} \\ \frac{1}{m} &= 340.101 \cdot 10^{-120}} \end{split}$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \\ 1 \text{ repa-} \frac{LT}{Q} = 10^{210} = 250.421  \frac{\text{ms}}{\text{C}} \\ 1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520  \frac{\text{m}^2}{\text{C}} \\ 1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400  \frac{\text{m}^2}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'upare-} \frac{L^2}{T^2Q} = 10^{-120} = 0.00134500  \frac{\text{m}^2}{\text{s}^2\text{C}}  \text{ (*)} \\ 1 \text{ cire-} \frac{L^2T}{Q} = 10^{320} = 2.45545  \frac{\text{m}^2\text{s}}{\text{C}}  \text{ (*)} \end{array} $
$\frac{1\frac{\log s}{m^3} = 0.210541 \cdot 10^{-150}}{1\frac{1}{C} = 2.30130 \cdot 10^{-40}}$ $\frac{1\frac{1}{sC} = 0.300224 \cdot 10^{-210}}{1\frac{1}{s^2C} = 0.0334120 \cdot 10^{-340}}$ $\frac{1\frac{s}{C} = 20.3045 \cdot 10^{50}}{1\frac{m}{C} = 230.532 \cdot 10^{30}}$ $\frac{1\frac{m}{sC} = 30.1115 \cdot 10^{-100}}{1\frac{m}{s^2C} = 3.35110 \cdot 10^{-230}}$ $\frac{1\frac{ms}{C} = 2034.10 \cdot 10^{200}}{1\frac{m^2}{c} = 0.0231335 \cdot 10^{150}}$ $\frac{1\frac{m^2}{s^2C} = 340.101 \cdot 10^{-120}}{1\frac{m^2}{s^2C} = 340.101 \cdot 10^{-120}}$ $\frac{1\frac{m^2}{s^2C} = 0.204132 \cdot 10^{320}}{10000000000000000000000000000000000$	$ \begin{array}{c} 1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255  \frac{\text{kg s}}{\text{m}^3}  \text{ (*)} \\ 1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054  \frac{1}{\text{C}} \\ 1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421  \frac{1}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414  \frac{1}{\text{s}^2\text{C}} \\ 1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255  \frac{\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04  \frac{\text{m}}{\text{C}} \\ 1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110  \frac{\text{m}}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135  \frac{\text{m}}{\text{s}^2\text{C}} \\ 1 \text{ repa-} \frac{L^T}{Q} = 10^{210} = 250.421  \frac{\text{ms}}{\text{C}} \\ 1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520  \frac{\text{m}^2}{\text{C}} \\ 1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400  \frac{\text{m}^2}{\text{sC}}  \text{ (*)} \\ 1 \text{ ni'upare-} \frac{L^2}{T^2Q} = 10^{-120} = 0.00134500  \frac{\text{m}^2}{\text{s}^2\text{C}}  \text{ (*)} \\ 1 \text{ cire-} \frac{L^2T}{Q} = 10^{320} = 2.45545  \frac{\text{m}^2\text{s}}{\text{C}}  \text{ (*)} \\ 1 \text{ ni'upamu-} \frac{1}{LQ} = 10^{-150} = 22.2445  \frac{1}{\text{mC}} \end{array}$
$\frac{1\frac{\log s}{m^3}}{1\frac{1}{C}} = 0.210541 \cdot 10^{-150}$ $\frac{1}{1}\frac{1}{C} = 2.30130 \cdot 10^{-40}$ $1\frac{1}{s^2C} = 0.300224 \cdot 10^{-210}  (*)$ $1\frac{1}{s^2C} = 0.0334120 \cdot 10^{-340}$ $1\frac{s}{C} = 20.3045 \cdot 10^{50}$ $1\frac{m}{C} = 230.532 \cdot 10^{30}$ $1\frac{m}{sC} = 30.1115 \cdot 10^{-100}$ $1\frac{m}{s^2C} = 3.35110 \cdot 10^{-230}$ $1\frac{ms}{C} = 2034.10 \cdot 10^{200}$ $1\frac{m^2}{C} = 0.0231335 \cdot 10^{150}$ $1\frac{m^2}{s^2C} = 0.00302011 \cdot 10^{20}$ $1\frac{m^2}{s^2C} = 340.101 \cdot 10^{-120}$ $1\frac{m^2}{s^2C} = 0.204132 \cdot 10^{320}$ $1\frac{1}{mC} = 0.0225330 \cdot 10^{-150}$ $1\frac{1}{mC} = 0.00255335 \cdot 10^{-320}  (*)$	$1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255 \frac{\text{kg s}}{\text{m}^3} \text{ (*)}$ $1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{C}$ $1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421 \frac{1}{\text{sC}} \text{ (*)}$ $1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414 \frac{1}{\text{s}^2C}$ $1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255 \frac{\text{s}}{C} \text{ (*)}$ $1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04 \frac{\text{m}}{C}$ $1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110 \frac{\text{m}}{\text{sC}} \text{ (*)}$ $1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135 \frac{\text{m}}{\text{s}^2C}$ $1 \text{ repa-} \frac{LT}{Q} = 10^{210} = 250.421 \frac{\text{ms}}{C}$ $1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520 \frac{\text{m}^2}{C}$ $1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400 \frac{\text{m}^2}{\text{sC}} \text{ (*)}$ $1 \text{ ni'upare-} \frac{L^2}{T^2Q} = 10^{-120} = 0.00134500 \frac{\text{m}^2}{\text{s}^2C} \text{ (*)}$ $1 \text{ cire-} \frac{L^2T}{Q} = 10^{320} = 2.45545 \frac{\text{m}^2\text{s}}{C} \text{ (*)}$ $1 \text{ ni'upamu-} \frac{1}{LQ} = 10^{-150} = 22.2445 \frac{1}{\text{mC}}$ $1 \text{ ni'ucire-} \frac{1}{LTQ} = 10^{-320} = 200.133 \frac{1}{\text{m s}C} \text{ (*)}$
$\frac{1\frac{\log s}{m^3}}{1\frac{1}{C}} = 0.210541 \cdot 10^{-150}$ $\frac{1}{1}\frac{1}{C} = 2.30130 \cdot 10^{-40}$ $1\frac{1}{sC} = 0.300224 \cdot 10^{-210}  (*)$ $1\frac{1}{s^2C} = 0.0334120 \cdot 10^{-340}$ $1\frac{s}{C} = 20.3045 \cdot 10^{50}$ $1\frac{m}{C} = 230.532 \cdot 10^{30}$ $1\frac{m}{sC} = 30.1115 \cdot 10^{-100}$ $1\frac{m}{s^2C} = 3.35110 \cdot 10^{-230}$ $1\frac{ms}{C} = 2034.10 \cdot 10^{200}$ $1\frac{m^2}{C} = 0.0231335 \cdot 10^{150}$ $1\frac{m^2}{sC} = 0.00302011 \cdot 10^{20}$ $1\frac{m^2}{s^2C} = 340.101 \cdot 10^{-120}$ $1\frac{m^2}{s^2C} = 340.101 \cdot 10^{-150}$ $1\frac{1}{m} = 0.0225330 \cdot 10^{-150}$ $1\frac{1}{m} = 0.00255335 \cdot 10^{-320}  (*)$ $1\frac{1}{m} = 0.333.131 \cdot 10^{-500}$	$1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255 \frac{\text{kg s}}{\text{m}^3} \text{ (*)}$ $1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{C}$ $1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421 \frac{1}{\text{sC}} \text{ (*)}$ $1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414 \frac{1}{\text{s}^2C}$ $1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255 \frac{\text{s}}{C} \text{ (*)}$ $1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04 \frac{\text{m}}{C}$ $1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110 \frac{\text{m}}{\text{sC}} \text{ (*)}$ $1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135 \frac{\text{m}}{\text{s}^2C}$ $1 \text{ repa-} \frac{L^2}{Q} = 10^{210} = 250.421 \frac{\text{ms}}{C}$ $1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520 \frac{\text{m}^2}{C}$ $1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400 \frac{\text{m}^2}{\text{sC}} \text{ (*)}$ $1 \text{ ni'upare-} \frac{L^2}{T^2Q} = 10^{-120} = 0.00134500 \frac{\text{m}^2}{\text{s}^2C} \text{ (*)}$ $1 \text{ ni'upamu-} \frac{1}{LQ} = 10^{-150} = 22.2445 \frac{1}{\text{mC}}$ $1 \text{ ni'ucire-} \frac{1}{LTQ} = 10^{-320} = 200.133 \frac{1}{\text{msC}} \text{ (*)}$ $1 \text{ ni'ucire-} \frac{1}{LTQ} = 10^{-320} = 200.133 \frac{1}{\text{msC}} \text{ (*)}$ $1 \text{ ni'umuno-} \frac{1}{LT^2Q} = 10^{-500} = 0.00140054 \frac{1}{\text{ms}^2C} \text{ (*)}$
$\frac{1\frac{\log s}{m^3}}{1\frac{1}{C}} = 0.210541 \cdot 10^{-150}$ $\frac{1}{1}\frac{1}{C} = 2.30130 \cdot 10^{-40}$ $1\frac{1}{s^2C} = 0.300224 \cdot 10^{-210}  (*)$ $1\frac{1}{s^2C} = 0.0334120 \cdot 10^{-340}$ $1\frac{s}{C} = 20.3045 \cdot 10^{50}$ $1\frac{m}{C} = 230.532 \cdot 10^{30}$ $1\frac{m}{sC} = 30.1115 \cdot 10^{-100}$ $1\frac{m}{s^2C} = 3.35110 \cdot 10^{-230}$ $1\frac{ms}{C} = 2034.10 \cdot 10^{200}$ $1\frac{m^2}{C} = 0.0231335 \cdot 10^{150}$ $1\frac{m^2}{s^2C} = 0.00302011 \cdot 10^{20}$ $1\frac{m^2}{s^2C} = 340.101 \cdot 10^{-120}$ $1\frac{m^2}{s^2C} = 0.204132 \cdot 10^{320}$ $1\frac{1}{mC} = 0.0225330 \cdot 10^{-150}$ $1\frac{1}{mC} = 0.00255335 \cdot 10^{-320}  (*)$	$1 \text{ ni'upamu-} \frac{MT}{L^3} = 10^{-150} = 2.42255 \frac{\text{kg s}}{\text{m}^3} \text{ (*)}$ $1 \text{ ni'uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{C}$ $1 \text{ ni'urepa-} \frac{1}{TQ} = 10^{-210} = 1.55421 \frac{1}{\text{sC}} \text{ (*)}$ $1 \text{ ni'ucivo-} \frac{1}{T^2Q} = 10^{-340} = 13.5414 \frac{1}{\text{s}^2C}$ $1 \text{ mu-} \frac{T}{Q} = 10^{50} = 0.0251255 \frac{\text{s}}{C} \text{ (*)}$ $1 \text{ vo-} \frac{L}{Q} = 10^{40} = 2213.04 \frac{\text{m}}{C}$ $1 \text{ ni'upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110 \frac{\text{m}}{\text{sC}} \text{ (*)}$ $1 \text{ ni'ureci-} \frac{L}{T^2Q} = 10^{-230} = 0.135135 \frac{\text{m}}{\text{s}^2C}$ $1 \text{ repa-} \frac{LT}{Q} = 10^{210} = 250.421 \frac{\text{ms}}{C}$ $1 \text{ pamu-} \frac{L^2}{Q} = 10^{150} = 22.0520 \frac{\text{m}^2}{C}$ $1 \text{ re-} \frac{L^2}{TQ} = 10^{20} = 154.400 \frac{\text{m}^2}{\text{sC}} \text{ (*)}$ $1 \text{ ni'upare-} \frac{L^2}{T^2Q} = 10^{-120} = 0.00134500 \frac{\text{m}^2}{\text{s}^2C} \text{ (*)}$ $1 \text{ cire-} \frac{L^2T}{Q} = 10^{320} = 2.45545 \frac{\text{m}^2\text{s}}{C} \text{ (*)}$ $1 \text{ ni'upamu-} \frac{1}{LQ} = 10^{-150} = 22.2445 \frac{1}{\text{mC}}$ $1 \text{ ni'ucire-} \frac{1}{LTQ} = 10^{-320} = 200.133 \frac{1}{\text{m s}C} \text{ (*)}$

1 440	1 440 1 (1)
$1\frac{1}{\text{m}^2 \text{s C}} = 25.4451 \cdot 10^{-440}$	1 ni'uvovo- $\frac{1}{L^2TQ} = 10^{-440} = 0.0200445 \frac{1}{\text{m}^2 \text{s C}}$ (*)
$1\frac{1}{m^2 s^2 C} = 3.32144 \cdot 10^{-1010}$	1 ni'upanopa- $\frac{1}{L^2T^2Q} = 10^{-1010} = 0.140335 \frac{1}{\text{m}^2\text{s}^2\text{C}}$
$1\frac{s}{m^2C} = 2020.10 \cdot 10^{-140}$	1 ni'upaci- $\frac{T}{L^2Q} = 10^{-130} = 253.014 \frac{s}{m^2 C}$
$1\frac{1}{m^3C} = 2.24132 \cdot 10^{-420}$	1 ni'uvore- $\frac{1}{L^3Q} = 10^{-420} = 0.224034 \frac{1}{\text{m}^3 \text{ C}}$
$1\frac{1}{m^3  \text{s.c.}} = 0.254004 \cdot 10^{-550}  (*)$	1 ni'umumu- $\frac{1}{L^3TQ} = 10^{-550} = 2.01203 \frac{1}{\text{m}^3 \text{ s C}}$
$1\frac{1}{m^3 s^2 C} = 0.0331203 \cdot 10^{-1120}$	1 ni'upapare- $\frac{1}{L^3T^2O} = 10^{-1120} = 14.1021 \frac{1}{\text{m}^3\text{ s}^2\text{ C}}$
$1 \frac{\frac{1}{8} + \frac{1}{8}}{\frac{1}{8}} = 20.1251 \cdot 10^{-250}$	1 ni'uremu- $\frac{T}{L^3Q} = 10^{-250} = 0.0253455 \frac{\text{m}}{\text{m}^3 \text{ C}}$ (*)
$\frac{1}{1} \frac{\log C}{C} = 0.104304 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{M}{Q} = 10^{-20} = 5.15525 \frac{\text{kg}}{\text{C}}  (*)$
$1\frac{\text{kg}}{\text{sC}} = 0.0120401 \cdot 10^{-150}$	1 ni'upamu- $\frac{M}{TO}$ = 10 <sup>-150</sup> = 42.3434 $\frac{\text{kg}}{\text{sC}}$
$1\frac{\text{kg}}{\text{s}^2\text{C}} = 0.00134244 \cdot 10^{-320}$	1 m dpoint $_{TQ} = 10^{-320} = 12.016  {\rm f}_{\rm sC}$ 1 mi'ucire- $\frac{M}{T^2O} = 10^{-320} = 341.002  {\rm kgg}_{\rm s^2C}$ (*)
$1_{\rm s^2C}^{\rm C} = 0.00134244^{\circ}10$ $1_{\rm sgs}^{\rm kgs} = 0.534220 \cdot 10^{110}$	1 m dence $_{T^2Q} = 10^{-1000} = 341.002 _{s^2C}$ ( ) 1 papa- $\frac{MT}{Q} = 10^{110} = 1.02231 \frac{\text{kg s}}{C}$
.0	
$1\frac{\text{kg m}}{C} = 10.4453 \cdot 10^{50}$	$1 \text{ mu-} \frac{ML}{Q} = 10^{50} = 0.0514254 \frac{\text{kg m}}{C}$
$1\frac{\text{kg m}}{\text{s C}} = 1.21011 \cdot 10^{-40}$	1 ni'uvo- $\frac{ML}{TQ}$ = 10 <sup>-40</sup> = 0.422330 $\frac{\text{kg m}}{\text{s C}}$
$1\frac{\text{kg m}}{\text{kg m}} = 0.134522 \cdot 10^{-210}$	1 ni'urepa- $\frac{ML}{T^2Q}$ = 10 <sup>-210</sup> = 3.40005 $\frac{\text{kg m}}{\text{s}^2 \text{ C}}$ (**)
$1\frac{\text{kg m s}}{\text{C}} = 53.5523 \cdot 10^{220}  (*)$	$1 \operatorname{rere-} \frac{MLT}{Q} = 10^{220} = 0.0102045 \frac{\operatorname{kg m s}}{C}$
$1\frac{\text{kg m}^2}{\text{C}} = 1050.43 \cdot 10^{200}$	$1 \text{ repa-} \frac{ML^2}{Q} = 10^{210} = 513.025 \frac{\text{kg m}^2}{\text{C}}$
$1\frac{\text{kg m}^2}{\text{s C}} = 121.222 \cdot 10^{30}$	$1 \text{ vo-} \frac{ML^2}{TO} = 10^{40} = 4212.25 \frac{\text{kg m}^2}{\text{s C}}$
$1\frac{\text{kg m}^2}{\text{s}^2 C} = 13.5201 \cdot 10^{-100}$	1 ni'upano- $\frac{ML^2}{T^2O} = 10^{-100} = 0.0335014 \frac{\text{kg m}^2}{\text{s}^2 \text{ C}}$
$1\frac{\log^{3} s}{G} = 0.00541231 \cdot 10^{340}$	$1 \text{ civo-} \frac{ML^2T}{Q} = 10^{340} = 101.504 \frac{\text{kg m}^2 \text{ s}}{Q}$
$1\frac{\text{kg}}{\text{mC}} = 1041.15 \cdot 10^{-140}$	1 ni'upaci- $\frac{M}{LO}$ = 10 <sup>-130</sup> = 521.203 $\frac{\text{kg}}{\text{mC}}$
$1 \frac{\frac{\text{m C}}{\text{kg}}}{\frac{\text{m SC}}{\text{m SC}}} = 120.151 \cdot 10^{-310}$	1 ni'ucino- $\frac{M}{LTO}$ = 10 <sup>-300</sup> = 4245.44 $\frac{\text{kg}}{\text{ms C}}$
$1 \frac{\text{kg}}{\text{ms}^2 C} = 13.4010 \cdot 10^{-440}$	1 ni'uvovo- $\frac{M}{LT^2Q}$ = 10 <sup>-440</sup> = 0.0342000 $\frac{\text{kg}}{\text{m s}^2\text{ C}}$ (**)
$1\frac{\text{kg s}}{\text{mC}} = 0.00532520 \cdot 10^0$	$1 \frac{M}{W} \frac{W}{W} = 1 = 102.413 \frac{\text{kg s}}{\text{m C}}$
$1\frac{kg}{mC} = 0.00332320 \cdot 10$ $1\frac{kg}{m^2C} = 10.3531 \cdot 10^{-250}$	1 $\frac{1}{LQ}$ = 1 = 102.413 $\frac{1}{mC}$ 1 ni'uremu- $\frac{M}{L^2Q}$ = 10 <sup>-250</sup> = 0.0522443 $\frac{kg}{m^2C}$
$1\frac{kg}{m^2sC} = 10.5531 \cdot 10$ $1\frac{kg}{m^2sC} = 1.15542 \cdot 10^{-420}  (*)$	
	1 ni'uvore- $\frac{M}{L^2TQ}$ = 10 <sup>-420</sup> = 0.430055 $\frac{\text{kg}}{\text{m}^2 \text{ s C}}$ (*)
$1\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}} = 0.133333 \cdot 10^{-550}$	1 ni'umumu- $\frac{\dot{M}}{L^2T^2Q}$ = 10 <sup>-550</sup> = 3.43000 $\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}}$ (**)
$1\frac{\text{kg s}}{\text{m}^2\text{C}} = 53.1223 \cdot 10^{-120}$	1 ni'upare- $\frac{MT}{L^2Q}$ = 10 <sup>-120</sup> = 0.0102555 $\frac{\text{kg s}}{\text{m}^2\text{C}}$ (**)
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.103343 \cdot 10^{-400}$	1 ni'uvono- $\frac{M}{L^3Q}$ = $10^{-400}$ = $5.24125 \frac{\text{kg}}{\text{m}^3 \text{ C}}$
$1\frac{\text{kg}}{\text{m}^3 \text{ s C}} = 0.0115333 \cdot 10^{-530}$	1 ni'umuci- $\frac{M}{L^3TQ}$ = $10^{-530}$ = $43.1213 \frac{\text{kg}}{\text{m}^3 \text{ s C}}$
$1\frac{\frac{kg}{m^3 s^2 C}}{m^3 s^2 C} = 0.00133101 \cdot 10^{-1100}$	1 ni'upapano- $\frac{M}{L^3T^2Q} = 10^{-1100} = 344.002 \frac{\text{kg}}{\text{m}^3 \text{ s}^2 \text{ C}}$ (*)
$1\frac{\text{kg s}}{\text{m}^3 \text{ C}} = 0.525532 \cdot 10^{-230}  (*)$	1 ni'ureci- $\frac{MT}{L^3Q} = 10^{-230} = 1.03142 \frac{\text{kg s}}{\text{m}^3 \text{ C}}$
$1 C = 0.222054 \cdot 10^{40}$	$1 \text{ vo-} Q = 10^{40} = 2.30130 \text{ C}$
$1\frac{C}{s} = 0.0251255 \cdot 10^{-50}  (*)$	1 ni'umu- $\frac{Q}{T}$ = $10^{-50}$ = $20.3045 \frac{C}{s}$
$1\frac{\dot{C}}{s^2} = 0.00324152 \cdot 10^{-220}$	1 ni'urere- $\frac{Q}{T^2} = 10^{-220} = 142.315 \frac{C}{s^2}$
$1 \mathrm{s} \mathrm{C} = 1.55421 \cdot 10^{210}  (*)$	$1 \text{ repa-}TQ = 10^{210} = 0.300224 \text{ s C}$ (*)
$1 \mathrm{mC} = 22.2445 \cdot 10^{150}$	1 pamu- $LQ = 10^{150} = 0.0225330 \text{ m C}$
$1\frac{\text{mC}}{\text{s}} = 2.52134 \cdot 10^{20}$	$1 \text{ re-} \frac{LQ}{T} = 10^{20} = 0.202325 \frac{\text{m C}}{\text{s}}$
$1\frac{\text{m C}}{\text{s}^2} = 0.325125 \cdot 10^{-110}$	1 ni'upapa- $\frac{LQ}{T^2} = 10^{-110} = 1.42031  \frac{\text{m C}}{\text{s}^2}$
$1 \mathrm{m}\mathrm{s}\mathrm{C} = 200.133 \cdot 10^{320}  (*)$	$1 \operatorname{cire-}LTQ = 10^{320} = 0.00255335 \text{ m s C}$ (*)
$1 \mathrm{m}^2 \mathrm{C} = 2232.41 \cdot 10^{300}$	$1 \text{ cipa-}L^2Q = 10^{310} = 224.531 \text{ m}^2\text{ C}$
$1\frac{\text{m}^2 \text{ C}}{\text{s}} = 253.014 \cdot 10^{130}$	1 pavo- $\frac{L^2Q}{T} = 10^{140} = 2020.10 \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1\frac{\rm m^2C}{\rm s^2} = 33.0103 \cdot 10^0$	$1 \frac{L^2 Q}{T^2} = 1 = 0.0141343 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \mathrm{m}^2 \mathrm{s} \mathrm{C} = 0.0200445 \cdot 10^{440}  (*)$	1 vovo- $L^2TQ = 10^{440} = 25.4451 \text{ m}^2 \text{ s C}$
$1\frac{C}{m} = 2213.04 \cdot 10^{-40}$	1 ni'uci- $\frac{Q}{L} = 10^{-30} = 230.532 \frac{C}{m}$
$1\frac{C}{ms} = 250.421 \cdot 10^{-210}$	1 ni'ureno- $\frac{Q}{LT} = 10^{-200} = 2034.10 \frac{C}{ms}$
$1\frac{C}{ms^2} = 32.3221 \cdot 10^{-340}$	1 ni'ucivo- $\frac{Q}{LT^2} = 10^{-340} = 0.0143004 \frac{C}{m s^2}$ (*)
$1\frac{\text{sC}}{\text{m}} = 0.0155110 \cdot 10^{100}  (*)$	1 pano- $\frac{TQ}{L} = 10^{100} = 30.1115 \frac{\text{s C}}{\text{m}}$
$1\frac{\ddot{C}}{m^2} = 22.0520 \cdot 10^{-150}$	1 ni'upamu- $\frac{Q}{L^2} = 10^{-150} = 0.0231335 \frac{C}{m^2}$

1 C 0 AFFAF 10-320 (*)	1 · · · · · · · · · · · · · · · · · · ·
$1\frac{C}{m^2s} = 2.45545 \cdot 10^{-320}$ (*)	1 ni'ucire- $\frac{Q}{L^2T}$ = $10^{-320}$ = 0.204132 $\frac{C}{m^2s}$
$1\frac{C}{m^2 s^2} = 0.322252 \cdot 10^{-450}$	1 ni'uvomu- $\frac{Q}{L^2T^2} = 10^{-450} = 1.43253 \frac{C}{m^2 s^2}$
$1\frac{\text{s.C}}{\text{m}^2} = 154.400 \cdot 10^{-20} \text{ (*)}$	1 ni'ure- $\frac{TQ}{L^2}$ = 10 <sup>-20</sup> = 0.00302011 $\frac{\text{s C}}{\text{m}^2}$
$1\frac{\ddot{C}}{m^3} = 0.220132 \cdot 10^{-300}$	1 ni'ucino- $\frac{Q}{L_3}$ = 10 <sup>-300</sup> = 2.32142 $\frac{C}{m^3}$
$1\frac{C}{m^3s} = 0.0245113 \cdot 10^{-430}$	1 ni'uvoci- $\frac{Q}{L^3T}$ = 10 <sup>-430</sup> = 20.4455 $\frac{C}{m^3 s}$ (*)
$1\frac{C}{m^3 s^2} = 0.00321324 \cdot 10^{-1000}$	1 ni'upanono- $\frac{Q}{L^3T^2} = 10^{-1000} = 143.544 \frac{C}{m^3 s^2}$
$1\frac{\text{sC}}{\text{m}^3} = 1.54051 \cdot 10^{-130}$	1 ni'upaci- $\frac{TQ}{L^3}$ = $10^{-130}$ = $0.302505 \frac{\text{s C}}{\text{m}^3}$
$1 \log C = 0.0102403 \cdot 10^{100}$	1 pano- $MQ = 10^{100} = 53.3010 \text{ kg C}$
$1\frac{\text{kg C}}{\text{s}} = 1142.44 \cdot 10^{-40}$	1 ni'uci- $\frac{MQ}{T}$ = 10 <sup>-30</sup> = 435.205 $\frac{\text{kg C}}{\text{s}}$
$1\frac{\text{kgC}}{\text{s}^2} = 131.451 \cdot 10^{-210}$	1 ni'ureno- $\frac{MQ}{T^2} = 10^{-200} = 3511.55 \frac{\text{kg C}}{\text{s}^2}$ (*)
$1 \mathrm{kg} \mathrm{s} \mathrm{C} = 0.0521114 \cdot 10^{230}$	$1 \operatorname{reci-}MTQ = 10^{230} = 10.4125 \text{ kg s C}$
$1 \log m C = 1.02545 \cdot 10^{210}$	1 repa- $MLQ = 10^{210} = 0.531313 \text{ kg m C}$
$1\frac{\ker C}{s} = 0.114451 \cdot 10^{40}$	$1 \text{ vo-} \frac{MLQ}{T} = 10^{40} = 4.34041 \frac{\text{kg m C}}{\text{s}}$
$1\frac{\ker C}{s^2} = 0.0132121 \cdot 10^{-50}$	1 ni'umu- $\frac{MLQ}{T^2} = 10^{-50} = 35.0144 \frac{\text{kg m C}}{\text{s}^2}$
$1  \text{kg m s C} = 5.22353 \cdot 10^{340}$	$1 \text{ civo-} MLTQ = 10^{340} = 0.103541 \text{ kg m s C}$
$1 \text{ kg m}^2 \text{ C} = 103.132 \cdot 10^{320}$	1 cire- $ML^2Q = 10^{320} = 0.00530021 \text{ kg m}^2\text{ C}$ (*)
$1\frac{\text{kg m}^2 \text{ C}}{\text{s}} = 11.5054 \cdot 10^{150}$	1 pamu- $\frac{ML^2Q}{T} = 10^{150} = 0.0432520 \frac{\text{kg m}^2 \text{ C}}{\text{s}}$
$1\frac{\text{kg m}^2 \text{ C}}{\text{s}^2} = 1.32352 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2Q}{T^2} = 10^{20} = 0.345134 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2}$
$1 \mathrm{kg} \mathrm{m}^2 \mathrm{s} \mathrm{C} = 524.035 \cdot 10^{450}$	$1 \text{ muno-} ML^2TQ = 10^{500} = 1033.53 \text{ kg m}^2 \text{ s C}$
$1\frac{\text{kg C}}{m} = 102.221 \cdot 10^{-20}$	1 ni'ure- $\frac{MQ}{L} = 10^{-20} = 0.00534311 \frac{\text{kg C}}{\text{m}}$
$1\frac{\frac{\text{kgC}}{\text{ms}}}{\frac{\text{kgC}}{\text{ms}^2}} = 11.4042 \cdot 10^{-150}$ $1\frac{\frac{\text{kgC}}{\text{ms}^2}}{1.31222 \cdot 10^{-320}}$	1 ni'upamu- $\frac{MQ}{LT} = 10^{-150} = 0.0440335 \frac{\text{kg C}}{\text{m s}}$
$1\frac{\text{kg C}}{\text{m s}^2} = 1.31222 \cdot 10^{-320}$	$1 - 2 - 2 - 1 - MQ^{-1}$ $10 - 320$ 0.250011 kg C
$1\frac{\frac{\text{kg s C}}{m}}{m} = 515.441 \cdot 10^{110}$	1 in ucire- $\frac{1}{LT^2} = 10^{-328} = 0.352211 \frac{1}{ms^2}$ 1 pare- $\frac{MTQ}{L} = 10^{120} = 1043.14 \frac{kg s C}{m}$
$1\frac{\text{kg C}}{m^2} = 1.02040 \cdot 10^{-130}$	1 ni'upaci- $\frac{MQ}{L^2}$ = 10 <sup>-130</sup> = 0.540013 $\frac{\text{kg C}}{m^2}$ (*)
$1\frac{{\rm kig} C}{{\rm m}^2 {\rm s}} = 0.113440 \cdot 10^{-300}$	1 ni'ucino- $\frac{MQ}{L^2T} = 10^{-300} = 4.41511 \frac{\text{kg}^{\circ}\text{C}}{\text{m}^2 \text{ s}}$
$1 \frac{\frac{\text{kg C}}{\text{m}^2 \text{ s}^2}}{\frac{\text{kg C}}{\text{m}^2 \text{ s}^2}} = 0.0130553 \cdot 10^{-430}  (*)$	1 ni'uvoci $\frac{MQ}{L^2T^2} = 10^{-430} = 35.3230 \frac{\text{m/sgC}}{\text{m^2 s^2}}$
$1\frac{\frac{\ln^2 s}{\log s}}{m^2} = 5.14210$	$1 \frac{MTQ}{L^2} = 1 = 0.104503 \frac{\text{kg s C}}{\text{m}^2}$
$1\frac{{\rm kgC}}{{\rm m}^3} = 0.0101455 \cdot 10^{-240}  (*)$	1 ni'urevo- $\frac{MQ}{I^3} = 10^{-240} = 54.1322 \frac{\text{kg C}}{\text{m}^3}$
$1\frac{\frac{\text{kg C}}{\text{kg C}}}{\frac{1}{\text{kg C}}} = 1132.35 \cdot 10^{-420}$	1 ni'uvopa- $\frac{LQ}{L^3T} = 10^{-410} = 443.045 \frac{\frac{MQ}{m^3 s}}{m^3 s}$
$1_{\frac{\text{kg C}}{\text{m}^3 \text{ s}}}^{\frac{\text{kg C}}{\text{m}^3 \text{ s}}} = 1132.35 \cdot 10^{-420}$ $1_{\frac{\text{kg C}}{\text{m}^3 \text{ s}^2}}^{\frac{\text{kg C}}{\text{c}}} = 130.325 \cdot 10^{-550}$	1 ni'umuvo- $\frac{MQ}{L^3T^2} = 10^{-540} = 3542.50 \frac{\text{kg C}}{\text{m}^3 \text{s}^2}$
$1\frac{\frac{\log s}{\log s}}{m^3} = 0.0512541 \cdot 10^{-110}$	1 ni'upapa- $\frac{MTQ}{L^3} = 10^{-110} = 10.5053 \frac{\text{kg s C}}{\text{m}^3}$
$\frac{1}{1} \frac{1}{K} = 0.0255345 \cdot 10^{110}  (*)$	$1 \text{ papa-}\frac{1}{\Theta} = 10^{110} = 20.0125 \frac{1}{K}  (*)$
$1\frac{1}{9} = 0.00333143 \cdot 10^{-20}$	1 ni'ure- $\frac{1}{T\Theta}$ = 10 <sup>-20</sup> = 140.051 $\frac{1}{sK}$ (*)
$1\frac{1}{c^2 \text{ K}} = 415.145 \cdot 10^{-200}$	1 ni'ureno- $\frac{1}{T^2\Theta}$ = $10^{-200}$ = $0.00122023 \frac{1}{s^2 \text{ K}}$
$1\frac{s}{K} = 0.225335 \cdot 10^{240}$	$1 \text{ revo-} \frac{T}{\Theta} = 10^{240} = 2.22440 \frac{\text{s}}{\text{K}}$
$1_{\overline{K}}^{R} = 3.00235 \cdot 10^{220}  (*)$	$1 \text{ rere-} \frac{L}{\Theta} = 10^{220} = 0.155413 \frac{\kappa}{K}  (*)$
$1\frac{R}{gK} = 0.334131 \cdot 10^{50}$	$1 \text{ mu-} \frac{\overset{\frown}{L}}{\overset{\frown}{T\Theta}} = 10^{50} = 1.35411 \frac{\overset{\frown}{m}}{\overset{\frown}{s}\overset{\frown}{K}}$
$1\frac{s  K}{s^2  K} = 0.0420244 \cdot 10^{-40}$	1 ni'uvo- $\frac{L}{T^2\Theta} = 10^{-40} = 12.1411 \frac{\text{m}}{\text{c}^2 \text{ K}}$
$1\frac{\frac{ms}{K}}{K} = 23.0135 \cdot 10^{350}$	$1 \text{ cimu-} \frac{LT}{\Theta} = 10^{350} = 0.0222050 \frac{\text{m/s}}{\text{K}}$
$1\frac{M^2}{K} = 301.125 \cdot 10^{330}$	$1 \text{ civo-} \frac{L^{\Theta}}{\Theta} = 10^{340} = 1551.02 \frac{\text{m}^2}{\text{K}} (*)$
$1\frac{K}{sK} = 33.5121 \cdot 10^{200}$	1 reno- $\frac{L^2}{T\Theta}$ = 10 <sup>200</sup> = 0.0135131 $\frac{\text{m}^2}{\text{s K}}$
$1\frac{m^2}{s^2K} = 4.21344 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2}{T^2 \Theta} = 10^{30} = 0.121155 \frac{\text{m}^2}{\text{s}^2 \text{ K}}  (*)$
$1\frac{\text{m}^2\text{ K}}{\text{s}^2} = 2305.41 \cdot 10^{500}$	$1 \text{ mupa-} \frac{L^2T}{\Theta} = 10^{510} = 221.300 \frac{\text{m}^2 \text{ s}}{\text{K}}  (*)$
$1\frac{1}{K} = 2505.41 \cdot 10$ $1\frac{1}{M} = 254.501 \cdot 10^{-10}$	$1 \frac{1}{1 \Theta} = 10 = 221.300 \frac{1}{K} $ $1 \frac{1}{1 \Theta} = 1 = 2004.41 \frac{1}{m} $ (*)
$1\frac{1}{m \text{ K}} = 234.301 \cdot 10$ $1\frac{1}{m \text{ sK}} = 33.2200 \cdot 10^{-140}$ (*)	$1 \frac{1}{L\Theta} = 1 - 2004.41 \frac{1}{mK} $ ( ) $1 \text{ ni'upavo-} \frac{1}{LT\Theta} = 10^{-140} = 0.0140332 \frac{1}{msK}$
$1 \frac{1}{\text{m s K}} = 33.2200 \cdot 10$ $1 \frac{1}{\text{m s}^2 \text{K}} = 4.14053 \cdot 10^{-310}$	1 in upavo- $\frac{1}{LT\Theta}$ = 10 = 0.014032 $\frac{1}{\text{m s K}}$ 1 ni'ucipa- $\frac{1}{LT^2\Theta}$ = 10 <sup>-310</sup> = 0.122240 $\frac{1}{\text{m s}^2\text{K}}$
$1 \frac{1}{\text{m s}^2 \text{ K}} = 4.14033 \cdot 10$ $1 \frac{\text{s}}{\text{m K}} = 2245.40 \cdot 10^{120}$	1 in delpa- $\frac{T}{LT^2\Theta} = 10^{-10} = 0.122240 \frac{1}{\text{m/s}^2 \text{ K}}$ 1 paci- $\frac{T}{L\Theta} = 10^{130} = 223.232 \frac{\text{s}}{\text{m/K}}$
$1\frac{1}{mK} = 2.54014 \cdot 10^{-120}$ $1\frac{1}{m^2K} = 2.54014 \cdot 10^{-120}$	1 paci- $\frac{1}{L\Theta}$ = 10 = 225.252 $\frac{1}{mK}$ 1 ni'upare- $\frac{1}{L^2\Theta}$ = 10 <sup>-120</sup> = 0.201155 $\frac{1}{m^2K}$ (*)
$1\frac{1}{m^2 K} = 2.34014 \cdot 10$ $1\frac{1}{m^2 s K} = 0.331214 \cdot 10^{-250}$	1 in upare- $\frac{1}{L^2\Theta} = 10^{-250} = 0.201133 \frac{1}{m^2 K}$ ( ) 1 ni'uremu- $\frac{1}{L^2T\Theta} = 10^{-250} = 1.41014 \frac{1}{m^2 s K}$
$1_{\frac{m^2 \text{ s K}}{m^2 \text{ s}^2 \text{ K}}} = 0.331214 \cdot 10$ $1_{\frac{m^2 \text{ s}^2 \text{ K}}{m^2 \text{ s}^2 \text{ K}}} = 0.0413002 \cdot 10^{-420}  (*)$	1 in dremd- $\frac{1}{L^2T\Theta} = 10^{-1} = 1.41014 \frac{1}{m^2 \text{ s K}}$ 1 ni'uvore- $\frac{1}{L^2T^2\Theta} = 10^{-420} = 12.2453 \frac{1}{m^2 \text{ s}^2 \text{ K}}$
$m^2 s^2 K = 0.0410002 \cdot 10$	$L^{2}T^{2}\Theta = 10 = 12.2400 \frac{1}{\text{m}^{2} \text{s}^{2} \text{K}}$

	. T
$1\frac{s}{m^2K} = 22.4141 \cdot 10^{10}$	$1 \text{ pa-} \frac{T}{L^2\Theta} = 10^{10} = 0.0224025 \frac{\text{s}}{\text{m}^2 \text{K}}$
$1\frac{1}{m^3 K} = 0.0253132 \cdot 10^{-230}$	1 ni'ureci- $\frac{1}{L^3\Theta}$ = $10^{-230}$ = $20.1513 \frac{1}{m^3 \text{ K}}$
$1\frac{1}{\text{m}^3 \text{ s.K}} = 0.00330234 \cdot 10^{-400}$	1 ni'uvono- $\frac{1}{L^3T\Theta} = 10^{-400} = 141.300 \frac{1}{\text{m}^3 \text{ s} \text{ K}}$ (*)
$1\frac{1}{m^3 s^2 K} = 411.513 \cdot 10^{-540}$	1 ni'umuvo- $\frac{1}{L^3T^2\Theta} = 10^{-540} = 0.00123111 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$
$1\frac{s}{m^3 K} = 0.223344 \cdot 10^{-100}$	1 ni'upano- $\frac{T}{L^3\Theta} = 10^{-100} = 2.24423 \frac{\text{s}}{\text{m}^3 \text{K}}$
$1\frac{\text{kg}}{\text{K}} = 1201.54 \cdot 10^{120}$	1 paci- $\frac{M}{\Theta} = 10^{130} = 424.531 \frac{\text{kg}}{\text{K}}$
$1\frac{\text{kg}}{\text{s.K}} = 134.014 \cdot 10^{-10}$	$1 \frac{M}{T\Theta} = 1 = 3415.45 \frac{\text{kg}}{\text{s K}}$
$1\frac{\text{kg}}{\text{s}^2\text{K}} = 15.3420 \cdot 10^{-140}$	1 ni'upavo- $\frac{M}{T^2\Theta} = 10^{-140} = 0.0303310 \frac{\text{kg}}{\text{s}^2 \text{ K}}$
$1\frac{\text{kg s}}{\text{K}} = 0.0104121 \cdot 10^{300}$	$1 \text{ cino-} \frac{MT}{\Theta} = 10^{300} = 52.1144 \frac{\text{kg s}}{\text{K}}$
$1\frac{\text{kg m}}{\text{K}} = 0.120404 \cdot 10^{240}$	$1 \text{ revo-} \frac{ML}{\Theta} = 10^{240} = 4.23421 \frac{\text{kg m}}{\text{K}}$
$1\frac{\text{kg m}}{\text{s K}} = 0.0134251 \cdot 10^{110}$	1 papa- $\frac{ML}{T\Theta}$ = $10^{110}$ = $34.0550 \frac{\text{kg m}}{\text{s K}}$ (*)
$1\frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.00154124 \cdot 10^{-20}$	1 ni'ure- $\frac{ML}{T^{2}\Theta} = 10^{-20} = 302.412 \frac{\text{kg m}}{\text{s}^{2} \text{ K}}$
$1\frac{\text{kg m s}}{\text{K}} = 1.04310 \cdot 10^{410}$	1 vopa- $\frac{MLT}{\Theta}$ = $10^{410} = 0.515510 \frac{\text{kg m s}}{\text{K}}$ (*)
$1\frac{\text{kg m}^2}{\text{K}} = 12.1014 \cdot 10^{350}$	$1 \text{ cimu-} \frac{ML^2}{\Theta} = 10^{350} = 0.0422313 \frac{\text{kg m}^2}{\text{K}}$
$1\frac{\text{kg m}^2}{\text{s K}} = 1.34525 \cdot 10^{220}$	$1 \text{ rere-} \frac{ML^2}{T\Theta} = 10^{220} = 0.335554 \frac{\text{kg m}^2}{\text{s K}}$ (**)
$1\frac{\text{kg m}^2}{\text{s}^2\text{ K}} = 0.154434 \cdot 10^{50}$	$1 \text{ mu-} \frac{ML^2}{T^2\Omega} = 10^{50} = 3.01514 \frac{\text{kg m}^2}{\text{c}^2 \text{ K}}$
$1\frac{\lg m^2 s}{\kappa} = 104.500 \cdot 10^{520}  (*)$	$1 \text{ mure-} \frac{ML^2T}{\Omega} = 10^{520} = 0.00514235 \frac{\text{kg m}^2 \text{ s}}{V}$
$1 \frac{kg}{mK} = 11.5544 \cdot 10^{10}$ (*)	1 pa- $\frac{M}{L\Theta} = 10^{10} = 0.0430042 \frac{\text{kg}}{\text{m K}}$ (*)
$1 \frac{\frac{m  K}{kg}}{m  s  K} = 1.33341 \cdot 10^{-120}$	1 ni'upare- $\frac{M}{LT\Theta} = 10^{-120} = 0.342545 \frac{\text{kg}}{\text{ms K}}$
$1 \frac{\frac{\text{ms K}}{\text{kg}}}{\frac{\text{kg}}{\text{ms}^2 \text{K}}} = 0.153112 \cdot 10^{-250}$	1 ni'uremu- $\frac{M}{LT^2\Theta} = 10^{-250} = 3.04210 \frac{\frac{m \text{ kg}}{kg}}{m \text{ s}^2 \text{ K}}$
$1 \frac{\text{ms}^2 \text{ K}}{\text{m K}} = 103.533 \cdot 10^{140}$	1 pavo- $\frac{MT}{L\Theta} = 10^{140} = 0.00522424 \frac{\text{kg s}}{\text{m K}}$
$1_{\frac{\text{m K}}{\text{m}^2\text{K}}}^{\frac{\text{m K}}{\text{kg}}} = 0.115335 \cdot 10^{-100}$	1 ni'upano- $\frac{M}{L^2\Theta} = 10^{-100} = 4.31200 \frac{\text{m K}}{\text{m}^2\text{K}}$ (*)
$1 \frac{\frac{m^2  \text{K}}{\text{kg}}}{\frac{m^2  \text{S}}{\text{K}}} = 0.0133104 \cdot 10^{-230}$	1 ni'ureci- $\frac{M}{L^{2T\Theta}}$ = $10^{-230}$ = $34.3550 \frac{\text{m}^2 \text{ kg}}{\text{m}^2 \text{ s}^{\text{ K}}}$ (*)
$1 \frac{\frac{\text{m}^2 \text{s K}}{\text{kg}}}{\frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}} = 0.00152410 \cdot 10^{-400}$	1 ni'uvono- $\frac{M}{L^2T^2\Theta}$ = $10^{-400}$ = $305.111 \frac{\text{kg}}{\text{m}^2\text{s}^2\text{K}}$
$1 \frac{\frac{m^2 s^2 K}{kgs}}{\frac{kgs}{m^2 K}} = 1.03345 \cdot 10^{30}$	$1 \text{ ci-} \frac{MT}{L^2\Theta} = 10^{30} = 0.524110 \frac{\text{kg s}}{\text{m}^2 \text{ k}}$
$1 \frac{\frac{\text{m}^2  \text{K}}{\text{kg}}}{\frac{\text{kg}}{\text{m}^3  \text{K}}} = 1151.31 \cdot 10^{-220}$	1 ni'urepa- $\frac{M}{L^3\Theta}$ = $10^{-210}$ = $432.315 \frac{\text{kg}}{\text{m}^3 \text{ K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 132.433 \cdot 10^{-350}$	1 ni'ucivo- $\frac{M}{L^3T\Theta}$ = $10^{-340}$ = $3445.54 \frac{\text{kg}}{\text{m}^3 \text{s K}}$ (*)
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 15.2104 \cdot 10^{-520}$	1 ni'umure- $\frac{M}{L^3T^2\Theta}$ = 10 <sup>-520</sup> = 0.0310014 $\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$ (*)
$1 \frac{\text{kg s}}{\text{m}^3 \text{ K}} = 0.0103202 \cdot 10^{-40}$	1 ni'uvo- $\frac{MT}{L^3\Theta}$ = $10^{-40}$ = $52.5354 \frac{\text{kg s}}{\text{m}^3 \text{ K}}$
$\frac{m^3 K}{1 K = 20.0125 \cdot 10^{-110}} $ (*)	$L^{3\Theta}$ 1 ni'upapa- $\Theta = 10^{-110} = 0.0255345 \text{ K}$ (*)
$1\frac{K}{s} = 2.22440 \cdot 10^{-240}$	1 ni'urevo- $\frac{\Theta}{T} = 10^{-240} = 0.225335 \frac{K}{s}$
$1\frac{1}{6} = 0.252124 \cdot 10^{-410}$	1 ni'uvopa- $\frac{\Theta}{T^2}$ = $10^{-410}$ = 2.02333 $\frac{K}{s^2}$
$1 \mathrm{s} \mathrm{K} = 140.051 \cdot 10^{20}  (*)$	$1 \text{ re-}T\Theta = 10^{20} = 0.00333143 \text{ s K}$
$1 \mathrm{mK} = 2004.41 \cdot 10^0  (*)$	1 pa- $L\Theta = 10^{10} = 254.501 \text{ m K}$
$1\frac{\text{mK}}{\text{s}} = 223.232 \cdot 10^{-130}$	1 ni'upare- $\frac{L\Theta}{T} = 10^{-120} = 2245.40 \frac{\text{m K}}{\text{s}}$
$1\frac{\text{m K}}{\text{s}^2} = 25.3004 \cdot 10^{-300}$ (*)	1 ni'ucino- $\frac{L\Theta}{T^2}$ = 10 <sup>-300</sup> = 0.0202014 $\frac{\text{m K}}{\text{s}^2}$
$1 \text{ m s K} = 0.0140332 \cdot 10^{140}$	1 pavo- $LT\Theta = 10^{140} = 33.2200 \text{ m s K}$ (*)
$1 \mathrm{m}^2 \mathrm{K} = 0.201155 \cdot 10^{120}  (*)$	1 pare- $L^2\Theta = 10^{120} = 2.54014 \text{ m}^2 \text{ K}$
$1\frac{\text{m}^2 \text{ K}}{\text{s}} = 0.0224025 \cdot 10^{-10}$	1 ni'upa- $\frac{L^2\Theta}{T}$ = 10 <sup>-10</sup> = 22.4141 $\frac{m^2 K}{s}$
$1\frac{m^2 K}{c^2} = 0.00253445 \cdot 10^{-140}$	1 ni'upavo- $\frac{L^2\Theta}{T^2}$ = $10^{-140}$ = $201.255 \frac{\text{m}^2 \text{K}}{\text{c}^2}$ (*)
$1 \text{ m}^2 \text{ s K} = 1.41014 \cdot 10^{250}$	1 remu- $L^2T\Theta = 10^{250} = 0.331214 \text{ m}^2 \text{ s K}$
$1\frac{K}{m} = 0.155413 \cdot 10^{-220}  (*)$	1 ni'urere- $\frac{\Theta}{L}$ = 10 <sup>-220</sup> = 3.00235 $\frac{K}{m}$ (*)
$1\frac{K}{m} = 0.0222050 \cdot 10^{-350}$	1 ni'ucimu- $\frac{\Theta}{LT}$ = 10 <sup>-350</sup> = 23.0135 $\frac{K}{ms}$
$1\frac{ms}{ms^2} = 0.00251245 \cdot 10^{-520}$	1 ni'umure- $\frac{\Theta}{LT^2}$ = $10^{-520}$ = $203.053 \frac{\text{K}}{\text{ms}^2}$
$1\frac{\text{sK}}{\text{m}} = 1.35411 \cdot 10^{-50}$	1 ni'umu- $\frac{T\Theta}{L}$ = 10 <sup>-50</sup> = 0.334131 $\frac{\text{sK}}{\text{m}}$
$1\frac{K}{m^2} = 1551.02 \cdot 10^{-340}$ (*)	1 ni'ucici- $\frac{\Theta}{L^2} = 10^{-330} = 301.125 \frac{K}{m^2}$
$1\frac{K}{m^2} = 221.300 \cdot 10^{-510}$ (*)	1 ni'umuno- $\frac{\Theta}{L^2T}$ = 10 = 501.126 $\frac{K}{m^2}$ 1 ni'umuno- $\frac{\Theta}{L^2T}$ = 10 <sup>-500</sup> = 2305.41 $\frac{K}{m^2}$ s
$1\frac{\text{K}}{\text{m}^2\text{s}^2} = 25.0411 \cdot 10^{-1040}$	1 m diffully $L^{2}T = 10^{-1040} = 2503.41^{-102} = 10^{-1040} = 0.0203415 \frac{K}{m^2 s^2}$
$1\frac{\mathrm{s}^{2}}{\mathrm{m}^{2}} = 0.0135131 \cdot 10^{-200}$	1 m upunovo $\frac{T\Theta}{L^2}$ = 10 = 0.0200 H s $\frac{K}{m^2}$ s <sup>2</sup> 1 ni'ureno- $\frac{T\Theta}{L^2}$ = 10 <sup>-200</sup> = 33.5121 $\frac{K}{m^2}$
$1\frac{\mathrm{K}}{\mathrm{K}^3} = 15.4352 \cdot 10^{-450}$	1 m drong $L^2 = 10^{-450} = 30.0121 \frac{\text{K}}{\text{m}^2}$ 1 ni'uvomu- $\frac{6}{L^3} = 10^{-450} = 0.0302022 \frac{\text{K}}{\text{m}^3}$
mo	$L^3$ = 0 0.000 $L^3$ m <sup>3</sup>

1 K 2 20 K 1 1 2 1020	1 A 10.20 0.221244 K
$1\frac{K}{m^3s} = 2.20511 \cdot 10^{-1020}$	1 ni'upanore- $\frac{\Theta}{L^3T}$ = 10 <sup>-1020</sup> = 0.231344 $\frac{K}{m^3}$ s
$1\frac{K}{m^3s^2} = 0.245535 \cdot 10^{-1150}  (*)$	1 ni'upapamu- $\frac{\Theta}{L^3T^2} = 10^{-1150} = 2.04141 \frac{K}{m^3 s^2}$
$1\frac{sK}{m^3} = 134.452 \cdot 10^{-320}$	1 ni'ucire- $\frac{T\Theta}{L^3}$ = $10^{-320}$ = $0.00340113 \frac{\text{s K}}{\text{m}^3}$
$1 \log K = 0.522334 \cdot 10^{-50}$	1 ni'umu- $M\Theta = 10^{-50} = 1.03543 \text{ kg K}$
$1\frac{\lg K}{s} = 0.102543 \cdot 10^{-220}$	1 ni'urere- $\frac{M\Theta}{T}$ = 10 <sup>-220</sup> = 5.31332 $\frac{\text{kg K}}{\text{s}}$
$1\frac{\lg K}{s^2} = 0.0114444 \cdot 10^{-350}$	1 ni'ucimu- $\frac{\overline{M}\Theta}{T^2}$ = 10 <sup>-350</sup> = 43.4055 $\frac{\overline{\text{kg K}}}{s^2}$ (*)
$1 \log s K = 4.30002 \cdot 10^{40}  (**)$	1 vo- $MT\Theta = 10^{40} = 0.115555 \text{ kg s K}$ (***)
$1 \text{ kg m K} = 52.4020 \cdot 10^{20}$	$1 \text{ re-}ML\Theta = 10^{20} = 0.0103355 \text{ kg m K} $ (*)
$1\frac{\lg m  K}{s} = 10.3130 \cdot 10^{-110}$	1 ni'upapa- $\frac{ML\Theta}{T}$ = 10 <sup>-110</sup> = 0.0530040 $\frac{\text{kg m K}}{\text{s}}$ (*)
$1\frac{\lg m K}{s^2} = 1.15052 \cdot 10^{-240}$	1 ni'urevo- $\frac{ML\Theta}{T^2}$ = $10^{-240}$ = $0.432533 \frac{\text{kg m K}}{\text{s}^2}$
$1  \text{kg m s } K = 431.115 \cdot 10^{150}$	$1 \text{ reno-}MLT\Theta = 10^{200} = 1153.51 \text{ kg m s K}$
$1 \text{ kg m}^2 \text{ K} = 0.00525304 \cdot 10^{140}$	1 pavo- $ML^2\Theta = 10^{140} = 103.212 \text{ kg m}^2 \text{ K}$
$1\frac{\lg m^2 K}{s} = 1033.13 \cdot 10^0$	1 pa- $\frac{ML^2\Theta}{T}$ = $10^{10}$ = $524.351 \frac{\text{kg m}^2 \text{ K}}{\text{s}}$
$1\frac{\lg m^2 K}{s^2} = 115.300 \cdot 10^{-130}  (*)$	1 ni'upare- $\frac{ML^2\Theta}{T^2} = 10^{-120} = 4314.13 \frac{\text{kg m}^2 \text{K}}{\text{s}^2}$
$1 \mathrm{kg} \mathrm{m}^2 \mathrm{s} \mathrm{K} = 0.0432234 \cdot 10^{310}$	$1 \text{ cipa-}ML^2T\Theta = 10^{310} = 11.5142 \text{ kg m}^2 \text{ s K}$
$1\frac{\log K}{m_{r}} = 0.00521055 \cdot 10^{-200}  (*)$	1 ni'ureno- $\frac{M\Theta}{L} = 10^{-200} = 104.131 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{ms}} = 1024.01 \cdot 10^{-340}$	1 ni'ucici- $\frac{M\Theta}{LT}$ = $10^{-330}$ = $533.030 \frac{\text{kg K}}{\text{m s}}$
$1\frac{\log K}{m s^2} = 114.241 \cdot 10^{-510}$	1 ni'umuno- $\frac{M\Theta}{LT^2} = 10^{-500} = 4352.23 \frac{\text{kg K}}{\text{m s}^2}$
$1\frac{\lg s  K}{m} = 0.0424451 \cdot 10^{-30}$	1 ni'uci- $\frac{MT\Theta}{L} = 10^{-30} = 12.0205 \frac{\text{kg s K}}{\text{m}}$
$1\frac{\lg K}{m_{\star}^2} = 51.5422 \cdot 10^{-320}$	1 ni'ucire- $\frac{M\Theta}{L^2}$ = $10^{-320}$ = $0.0104320 \frac{\text{kg K}}{\text{m}^2}$
$1\frac{\text{kg K}}{\text{m}^2\text{s}} = 10.2215 \cdot 10^{-450}$	1 ni'uvomu- $\frac{M\Theta}{L^2T}$ = $10^{-450}$ = $0.0534330 \frac{\text{kg K}}{\text{m}^2\text{s}}$
$1\frac{kg K}{m^2 s_{**}^2} = 1.14035 \cdot 10^{-1020}$	1 ni'upanore- $\frac{M\Theta}{L^2T^2} = 10^{-1020} = 0.440353 \frac{\text{kg K}}{\text{m}^2\text{s}^2}$
$1\frac{\bar{\text{kg s K}}}{m^2} = 423.341 \cdot 10^{-150}$	1 ni'upavo- $\frac{M\overline{T}\Theta}{L^2} = 10^{-140} = 1204.15 \frac{\text{kg s K}}{\text{m}^2}$
$1\frac{\text{kg K}}{\text{m}^3} = 0.514151 \cdot 10^{-430}$	1 ni'uvoci- $\frac{M\Theta}{L^3}$ = $10^{-430}$ = $1.04510 \frac{\text{kg K}}{\text{m}^3}$
$1\frac{\overline{\log K}}{m^3 s} = 0.102034 \cdot 10^{-1000}$	1 ni'upanono- $\frac{M\Theta}{L^3T} = 10^{-1000} = 5.40033 \frac{\text{kg K}}{\text{m}^3 \text{s}}$ (*)
$1\frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.0113433 \cdot 10^{-1130}$	1 ni'upapaci- $\frac{M\Theta}{L_0^3T^2} = 10^{-1130} = 44.1525 \frac{\text{kg K}}{\text{m}_0^3\text{s}^2}$
$1\frac{\frac{\text{kg s K}}{\text{m}^3}}{\text{m}^3} = 4.22234 \cdot 10^{-300}$	1 ni'ucino- $\frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}$
$\frac{1\frac{\text{kg s K}}{\text{m}^3} = 4.22234 \cdot 10^{-300}}{1\frac{\text{K}}{\text{C}} = 50.1041 \cdot 10^{-150}}$	$\frac{1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}}{1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}}}$
$\frac{1\frac{\lg s  K}{m^3} = 4.22234 \cdot 10^{-300}}{1\frac{K}{s  C} = 50.1041 \cdot 10^{-150}}$ $1\frac{K}{s  C} = 10.0132 \cdot 10^{-320}  (*)$	$ \frac{1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}}{1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}}}{1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*)} $
$\frac{1\frac{\text{kg s K}}{\text{m}^3} = 4.22234 \cdot 10^{-300}}{1\frac{\text{K}}{\text{C}} = 50.1041 \cdot 10^{-150}}$	$\frac{1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}}{1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}}}$
$\frac{1\frac{\lg s  K}{m^3} = 4.22234 \cdot 10^{-300}}{1\frac{K}{s  C} = 50.1041 \cdot 10^{-150}}$ $1\frac{K}{s  C} = 10.0132 \cdot 10^{-320}  (*)$	$ \frac{1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}}{1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}}}{1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*)} $
$\frac{1\frac{\text{kg s K}}{\text{m}^3} = 4.22234 \cdot 10^{-300}}{1\frac{\text{K}}{\text{C}} = 50.1041 \cdot 10^{-150}}$ $1\frac{\text{K}}{\text{s C}} = 10.0132 \cdot 10^{-320}  (*)$ $1\frac{\text{K}}{\text{s}^2\text{C}} = 1.11320 \cdot 10^{-450}$	$1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}$ $1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}}$ $1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*)$ $1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2 \text{ C}}$
$\frac{1\frac{\text{kg s K}}{\text{m}^3} = 4.22234 \cdot 10^{-300}}{1\frac{\text{K}}{\text{C}} = 50.1041 \cdot 10^{-150}}$ $1\frac{\text{K}}{\text{s C}} = 10.0132 \cdot 10^{-320}  (*)$ $1\frac{\text{K}}{\text{s}^2\text{C}} = 1.11320 \cdot 10^{-450}$ $1\frac{\text{K}}{\text{C}} = 410.441 \cdot 10^{-20}$	$ \begin{array}{c} 1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025  \frac{\text{kg s K}}{\text{m}^3} \\ 1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534  \frac{\text{K}}{\text{C}} \\ 1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242  \frac{\text{K}}{\text{s C}}  (*) \\ 1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312  \frac{\text{K}}{\text{s}^2  \text{C}} \\ 1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323  \frac{\text{s K}}{\text{C}} \\ 1 \text{ ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341  \frac{\text{m K}}{\text{C}} \end{array} $
$\frac{1\frac{\lg s  K}{m^3} = 4.22234 \cdot 10^{-300}}{1\frac{K}{c} = 50.1041 \cdot 10^{-150}}$ $\frac{1\frac{K}{s  C} = 10.0132 \cdot 10^{-320}}{1\frac{K}{s^2  C} = 1.11320 \cdot 10^{-450}}$ $\frac{1\frac{s  K}{c} = 410.441 \cdot 10^{-20}}{1\frac{m  K}{C} = 5022.45 \cdot 10^{-40}}$	$ \begin{array}{c} 1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*) \\ 1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2\text{ C}} \\ 1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \text{ ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s C}}  (*) \end{array} $
$\begin{split} \frac{1\frac{\log sK}{m^3} &= 4.22234\cdot 10^{-300} \\ \frac{1K}{C} &= 50.1041\cdot 10^{-150} \\ 1\frac{K}{sC} &= 10.0132\cdot 10^{-320}  (*) \\ 1\frac{s^2}{c^2} &= 1.11320\cdot 10^{-450} \\ 1\frac{sK}{C} &= 410.441\cdot 10^{-20} \\ 1\frac{mK}{C} &= 5022.45\cdot 10^{-40} \\ 1\frac{mK}{sC} &= 0.00100310\cdot 10^{-200}  (*) \end{split}$	$ \begin{array}{l} 1 \ \mathrm{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025  \frac{\mathrm{kgsK}}{\mathrm{m}^3} \\ 1 \ \mathrm{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534  \frac{\mathrm{K}}{\mathrm{C}} \\ 1 \ \mathrm{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242  \frac{\mathrm{K}}{\mathrm{sC}}  (*) \\ 1 \ \mathrm{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312  \frac{\mathrm{K}}{\mathrm{s}^2\mathrm{C}} \\ 1 \ \mathrm{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323  \frac{\mathrm{sK}}{\mathrm{C}} \\ 1 \ \mathrm{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341  \frac{\mathrm{mK}}{\mathrm{C}} \\ 1 \ \mathrm{ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511  \frac{\mathrm{mK}}{\mathrm{sC}}  (*) \\ 1 \ \mathrm{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114  \frac{\mathrm{mK}}{\mathrm{s}^2\mathrm{C}} \end{array} $
$\begin{split} \frac{1\frac{\log sK}{m^3}}{1\frac{K}{C}} &= 4.22234\cdot 10^{-300} \\ \frac{1\frac{K}{C}}{1\frac{K}{S}} &= 50.1041\cdot 10^{-150} \\ \frac{1\frac{K}{S}}{1\frac{K}{S}} &= 10.0132\cdot 10^{-320}  (*) \\ \frac{1\frac{K}{S^2}}{1\frac{K}{C}} &= 1.11320\cdot 10^{-450} \\ \frac{1\frac{S}{C}}{C} &= 410.441\cdot 10^{-20} \\ \frac{1\frac{M}{C}}{C} &= 5022.45\cdot 10^{-40} \\ \frac{1\frac{M}{S}}{S} &= 0.00100310\cdot 10^{-200}  (*) \\ \frac{1\frac{M}{S}}{S^2} &= 111.514\cdot 10^{-340} \\ \frac{1\frac{M}{S}}{C} &= 0.0411524\cdot 10^{100} \end{split}$	$ \begin{array}{c} 1 \ \mathrm{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025  \frac{\mathrm{kgsK}}{\mathrm{m}^3} \\ 1 \ \mathrm{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534  \frac{\mathrm{K}}{\mathrm{C}} \\ 1 \ \mathrm{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242  \frac{\mathrm{K}}{\mathrm{sC}}  (*) \\ 1 \ \mathrm{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312  \frac{\mathrm{K}}{\mathrm{s}^2\mathrm{C}} \\ 1 \ \mathrm{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323  \frac{\mathrm{sK}}{\mathrm{C}} \\ 1 \ \mathrm{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341  \frac{\mathrm{mK}}{\mathrm{C}} \\ 1 \ \mathrm{ni'ucio-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511  \frac{\mathrm{mK}}{\mathrm{sC}}  (*) \\ 1 \ \mathrm{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114  \frac{\mathrm{mK}}{\mathrm{s}^2\mathrm{C}} \\ 1 \ \mathrm{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105  \frac{\mathrm{msK}}{\mathrm{C}} \end{array} $
$\begin{split} \frac{1\frac{\log sK}{m^3}}{1\frac{K}{C}} &= 4.22234\cdot 10^{-300} \\ \frac{1\frac{K}{C}}{1\frac{K}{sC}} &= 10.0132\cdot 10^{-320}  (*) \\ \frac{1\frac{K}{sC}}{1\frac{K}{sC}} &= 1.11320\cdot 10^{-450} \\ \frac{1\frac{sK}{C}}{1\frac{sK}{C}} &= 410.441\cdot 10^{-20} \\ \frac{1\frac{mK}{C}}{1\frac{mK}{C}} &= 5022.45\cdot 10^{-40} \\ \frac{1\frac{mK}{sC}}{1\frac{mK}{sC}} &= 0.00100310\cdot 10^{-200}  (*) \\ \frac{1\frac{mK}{sC}}{1\frac{mK}{s^2C}} &= 111.514\cdot 10^{-340} \\ \frac{1\frac{msK}{C}}{1\frac{mSC}{C}} &= 0.0411524\cdot 10^{100} \\ \frac{1\frac{m^2K}{C}}{1\frac{mSC}{C}} &= 0.503455\cdot 10^{40}  (*) \end{split}$	$ \begin{array}{c} 1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*) \\ 1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2\text{C}} \\ 1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \text{ ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \text{ ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \text{ vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{ K}}{\text{C}} \end{array} $
$ \frac{1\frac{\log s  K}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300} $ $ \frac{1\frac{K}{C}}{1\frac{K}{SC}} = 50.1041 \cdot 10^{-150} $ $ \frac{1\frac{K}{S^2}}{1\frac{K}{S^2}} = 1.11320 \cdot 10^{-450} $ $ \frac{1\frac{S  K}{C}}{1\frac{S  K}{C}} = 410.441 \cdot 10^{-20} $ $ \frac{1\frac{M  K}{C}}{1\frac{M  K}{S^2}} = 5022.45 \cdot 10^{-40} $ $ \frac{1\frac{M  K}{S^2}}{1\frac{M  K}{S^2}} = 0.00100310 \cdot 10^{-200}  $ $ \frac{1\frac{M  K}{S^2}}{1\frac{M  K}{S^2}} = 111.514 \cdot 10^{-340} $ $ \frac{1\frac{M  S  K}{S^2}}{1\frac{M  S  K}{S^2}} = 0.0411524 \cdot 10^{100} $ $ \frac{1\frac{M^2  K}{S^2}}{1\frac{M^2  K}{S^2}} = 0.503455 \cdot 10^{40}  $ $ \frac{1\frac{M^2  K}{S^2}}{1\frac{M^2  K}{S^2}} = 0.100445 \cdot 10^{-50}  $ $ \frac{1\frac{M^2  K}{S^2}}{1\frac{M^2  K}{S^2}} = 0.100445 \cdot 10^{-50}  $ $ \frac{1}{S^2} = 0.100445 \cdot 10^{-50}  $	$\begin{array}{l} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \ \text{ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{ K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{ K}}{\text{s C}}  (*) \end{array}$
$\begin{split} \frac{1\frac{\log sK}{m^3}}{1\frac{K}{C}} &= 4.22234\cdot 10^{-300} \\ \frac{1\frac{K}{C}}{1\frac{K}{sC}} &= 10.0132\cdot 10^{-320}  (*) \\ \frac{1\frac{K}{sC}}{1\frac{SC}{c}} &= 1.11320\cdot 10^{-450} \\ \frac{1\frac{sK}{C}}{1\frac{SC}{c}} &= 410.441\cdot 10^{-20} \\ \frac{1\frac{mK}{C}}{1\frac{mK}{c}} &= 5022.45\cdot 10^{-40} \\ \frac{1\frac{mK}{sC}}{1\frac{mK}{sC}} &= 0.00100310\cdot 10^{-200}  (*) \\ \frac{1\frac{mK}{sC}}{1\frac{mSC}{c}} &= 111.514\cdot 10^{-340} \\ \frac{1\frac{mSK}{c}}{1\frac{mSC}{c}} &= 0.0411524\cdot 10^{100} \\ \frac{1\frac{m^2K}{c}}{1\frac{m^2K}{sC}} &= 0.503455\cdot 10^{40}  (*) \\ \frac{1\frac{m^2K}{sC}}{1\frac{m^2K}{sC}} &= 0.100445\cdot 10^{-50}  (*) \\ \frac{1\frac{m^2K}{s^2C}}{1\frac{m^2K}{s^2C}} &= 0.0112113\cdot 10^{-220} \end{split}$	$ \begin{array}{c} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025  \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534  \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242  \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312  \frac{\text{K}}{\text{s}^2\text{ C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323  \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341  \frac{\text{m K}}{\text{C}} \\ 1 \ \text{ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511  \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114  \frac{\text{m K}}{\text{s}^2\text{ C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105  \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145  \frac{\text{m}^2\text{ K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142  \frac{\text{m}^2\text{ K}}{\text{s C}}  (*) \\ 1 \ \text{ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522  \frac{\text{m}^2\text{ K}}{\text{s}^2\text{ C}} \end{array} $
$ \frac{1\frac{\log s  K}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300} $ $ \frac{1\frac{K}{C}}{1\frac{K}{SC}} = 50.1041 \cdot 10^{-150} $ $ \frac{1\frac{K}{S^2}}{1\frac{K}{S^2}} = 1.11320 \cdot 10^{-450} $ $ \frac{1\frac{S  K}{C}}{1\frac{S  K}{C}} = 410.441 \cdot 10^{-20} $ $ \frac{1\frac{M  K}{C}}{1\frac{M  K}{S^2}} = 5022.45 \cdot 10^{-40} $ $ \frac{1\frac{M  K}{S^2}}{1\frac{M  K}{S^2}} = 0.00100310 \cdot 10^{-200}  $ $ \frac{1\frac{M  K}{S^2}}{1\frac{M  K}{S^2}} = 111.514 \cdot 10^{-340} $ $ \frac{1\frac{M  S  K}{S^2}}{1\frac{M  S^2}{S^2}} = 0.0411524 \cdot 10^{100} $ $ \frac{1\frac{M^2  K}{S^2}}{1\frac{M^2  K}{S^2}} = 0.100445 \cdot 10^{-50}  $ $ \frac{1\frac{M^2  K}{S^2  C}}{1\frac{M^2  K}{S^2  C}} = 0.0112113 \cdot 10^{-220} $ $ \frac{1\frac{M^2  S  K}{S^2  C}}{1\frac{M^2  S  K}{C}} = 4.13013 \cdot 10^{210} $	$\begin{array}{l} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \ \text{ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{T^2Q} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{repa-} \frac{L^2T\Theta}{Q} = 10^{210} = 0.122451 \frac{\text{m}^2\text{s K}}{\text{C}} \end{array}$
$\begin{split} \frac{1\frac{\log sK}{m^3}}{1\frac{K}{C}} &= 4.22234\cdot 10^{-300} \\ \frac{1\frac{K}{C}}{1\frac{K}{sC}} &= 10.0132\cdot 10^{-320}  (*) \\ \frac{1\frac{K}{sC}}{1\frac{K}{c}} &= 1.11320\cdot 10^{-450} \\ \frac{1\frac{sK}{c}}{C} &= 410.441\cdot 10^{-20} \\ \frac{1\frac{mK}{c}}{C} &= 5022.45\cdot 10^{-40} \\ \frac{1\frac{mK}{sC}}{1\frac{mK}{sC}} &= 0.00100310\cdot 10^{-200}  (*) \\ \frac{1\frac{mK}{sC}}{1\frac{mSK}{c}} &= 111.514\cdot 10^{-340} \\ \frac{1\frac{mSK}{c}}{C} &= 0.0411524\cdot 10^{100} \\ \frac{1\frac{m^2K}{c}}{C} &= 0.503455\cdot 10^{40}  (*) \\ \frac{1\frac{m^2K}{sC}}{sC} &= 0.100445\cdot 10^{-50}  (*) \\ \frac{1\frac{m^2K}{s^2C}}{C} &= 0.0112113\cdot 10^{-220} \\ \frac{1\frac{m^2sK}{c}}{C} &= 4.13013\cdot 10^{210} \\ \frac{1\frac{K}{mC}}{C} &= 0.455435\cdot 10^{-300}  (*) \end{split}$	$\begin{array}{l} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025  \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534  \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242  \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312  \frac{\text{K}}{\text{s}^2\text{ C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323  \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341  \frac{\text{m K}}{\text{C}} \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511  \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114  \frac{\text{m K}}{\text{s}^2\text{ C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105  \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145  \frac{\text{m}^2\text{ K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142  \frac{\text{m}^2\text{ K}}{\text{s C}}  (*) \\ 1 \ \text{ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522  \frac{\text{m}^2\text{ K}}{\text{c}^2\text{ C}} \\ 1 \ \text{repa-} \frac{L^2T\Theta}{Q} = 10^{210} = 0.122451  \frac{\text{m}^2\text{ s K}}{\text{C}} \\ 1 \ \text{ni'ucino-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131  \frac{\text{K}}{\text{m C}} \end{array}$
$\frac{1\frac{\log s  K}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300}$ $\frac{1\frac{K}{C}}{1\frac{K}{SC}} = 10.0132 \cdot 10^{-320}  (*)$ $\frac{1\frac{K}{S^2} = 1.11320 \cdot 10^{-450}}{1\frac{S^2}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{SK}{C}}{1\frac{S}{C}} = 410.441 \cdot 10^{-20}$ $\frac{1\frac{MK}{C}}{1\frac{MK}{S^2}} = 5022.45 \cdot 10^{-40}$ $\frac{1\frac{MK}{S^2}}{1\frac{S^2}{C}} = 111.514 \cdot 10^{-200}  (*)$ $\frac{1\frac{MS}{S^2}}{1\frac{S^2}{C}} = 111.514 \cdot 10^{-340}$ $\frac{1\frac{MS}{S^2}}{1\frac{MS}{S^2}} = 0.0411524 \cdot 10^{100}$ $\frac{1\frac{MS}{C}}{1\frac{MS}{S^2}} = 0.503455 \cdot 10^{40}  (*)$ $\frac{1\frac{MS}{S^2}}{1\frac{MS}{S^2}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{MS}{S^2}}{1\frac{MS}{S^2}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{MS}{S^2}}{1\frac{MS}{S^2}} = 0.455435 \cdot 10^{-300}  (*)$ $\frac{1\frac{K}{MS}}{1\frac{MS}{MS}} = 0.0555540 \cdot 10^{-430}  (****)$	$\begin{array}{l} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \ \text{ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{T^2Q} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{repa-} \frac{L^2\Theta}{Q} = 10^{210} = 0.122451 \frac{\text{m}^2\text{s K}}{\text{C}} \\ 1 \ \text{ni'ucino-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}} \\ 1 \ \text{ni'ucino-} \frac{\Theta}{LTQ} = 10^{-430} = 10.0002 \frac{\text{K}}{\text{m s C}}  (***) \end{array}$
$\frac{1\frac{\log s  K}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300}$ $\frac{1\frac{K}{C}}{1\frac{K}{SC}} = 10.0132 \cdot 10^{-320}  (*)$ $\frac{1\frac{K}{S^2}}{1\frac{K}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{SK}{C}}{1\frac{SK}{C}} = 410.441 \cdot 10^{-20}$ $\frac{1\frac{MK}{C}}{1\frac{MK}{C}} = 5022.45 \cdot 10^{-40}$ $\frac{1\frac{MK}{S^2}}{1\frac{MK}{S^2}} = 0.00100310 \cdot 10^{-200}  (*)$ $\frac{1\frac{MK}{S^2}}{1\frac{MK}{S^2}} = 111.514 \cdot 10^{-340}$ $\frac{1\frac{MS}{S^2}}{1\frac{MS}{C}} = 0.0411524 \cdot 10^{100}$ $\frac{1\frac{M^2K}{C}}{1\frac{M^2K}{S^2}} = 0.503455 \cdot 10^{40}  (*)$ $\frac{1\frac{M^2K}{S^2}}{1\frac{M^2S}{S^2}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{M^2S}{S^2}}{1\frac{M}{S^2}} = 4.13013 \cdot 10^{210}$ $\frac{1\frac{K}{MC}}{1\frac{K}{MC}} = 0.455435 \cdot 10^{-300}  (*)$ $\frac{1\frac{K}{MS}}{1\frac{K}{MS}} = 0.0555540 \cdot 10^{-430}  (***)$ $\frac{1\frac{K}{MS^2}}{1\frac{K}{MS^2}} = 0.01111122 \cdot 10^{-1000}$	$\begin{array}{l} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025  \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534  \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242  \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312  \frac{\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323  \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341  \frac{\text{m K}}{\text{C}} \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511  \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114  \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105  \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145  \frac{\text{m}^2\text{K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142  \frac{\text{m}^2\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522  \frac{\text{m}^2\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{repa-} \frac{L^2T\Theta}{Q} = 10^{-300} = 1.11131  \frac{\text{K}}{\text{m C}} \\ 1 \ \text{ni'ucino-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131  \frac{\text{K}}{\text{m C}} \\ 1 \ \text{ni'uvoci-} \frac{\Theta}{LTQ} = 10^{-430} = 10.0002  \frac{\text{K}}{\text{m s C}}  (***) \\ 1 \ \text{ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-1000} = 45.5512  \frac{\text{K}}{\text{m s}^2\text{C}}  (**) \\ \end{array}$
$\frac{1\frac{kgsK}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300}$ $\frac{1\frac{K}{C}}{1\frac{K}{S^2}} = 10.0132 \cdot 10^{-320}  (*)$ $\frac{1\frac{K}{S^2}}{1\frac{S^2}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{SK}{C}}{1\frac{S^2}{C}} = 410.441 \cdot 10^{-20}$ $\frac{1\frac{mK}{C}}{1\frac{mK}{S^2}} = 5022.45 \cdot 10^{-40}$ $\frac{1\frac{mK}{S^2}}{1\frac{S^2}{S^2}} = 111.514 \cdot 10^{-340}  (*)$ $\frac{1\frac{msK}{S^2}}{1\frac{msK}{S^2}} = 0.0411524 \cdot 10^{100}$ $\frac{1\frac{m^2K}{S^2}}{1\frac{m^2K}{S^2}} = 0.100445 \cdot 10^{-50}  (*)$ $\frac{1\frac{m^2K}{S^2C}}{1\frac{m^2SK}{S^2}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{m^2SK}{S^2}}{1\frac{m^2SK}{S^2}} = 4.13013 \cdot 10^{210}$ $\frac{1\frac{K}{mC}}{1\frac{K}{mS^2}} = 0.0555540 \cdot 10^{-430}  (***)$ $\frac{1\frac{K}{mS^2}}{1\frac{K}{mS^2}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{mK}}{1\frac{K}{mS^2}} = 4.05355 \cdot 10^{-130}  (*)$	$\begin{array}{l} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \ \text{ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{T^2Q} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{repa-} \frac{L^2\Theta}{Q} = 10^{210} = 0.122451 \frac{\text{m}^2\text{s K}}{\text{C}} \\ 1 \ \text{ni'ucino-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}} \\ 1 \ \text{ni'uvoci-} \frac{\Theta}{LT^2Q} = 10^{-430} = 10.0002 \frac{\text{K}}{\text{m s C}}  (***) \\ 1 \ \text{ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-1000} = 45.5512 \frac{\text{K}}{\text{m c}} \\ 1 \ \text{ni'upaci-} \frac{T\Theta}{LQ} = 10^{-130} = 0.123543 \frac{\text{s K}}{\text{m C}} \\ \end{array} $
$\frac{1\frac{\log s  K}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300}$ $\frac{1\frac{K}{C}}{1\frac{K}{SC}} = 10.0132 \cdot 10^{-320}  (*)$ $\frac{1\frac{K}{S^2}}{1\frac{K}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{SK}{C}}{1\frac{SK}{C}} = 410.441 \cdot 10^{-20}$ $\frac{1\frac{MK}{C}}{1\frac{MK}{C}} = 5022.45 \cdot 10^{-40}$ $\frac{1\frac{MK}{SC}}{1\frac{MK}{S^2}} = 0.00100310 \cdot 10^{-200}  (*)$ $\frac{1\frac{MK}{S^2}}{1\frac{MS}{S^2}} = 111.514 \cdot 10^{-340}$ $\frac{1\frac{MS}{S^2}}{1\frac{MS}{C}} = 0.0411524 \cdot 10^{100}$ $\frac{1\frac{M^2K}{C}}{1\frac{M^2K}{S^2}} = 0.503455 \cdot 10^{40}  (*)$ $\frac{1\frac{M^2K}{S^2}}{1\frac{M^2S}{S^2}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{M^2S}{S^2}}{1\frac{MS}{C}} = 0.01555540 \cdot 10^{-300}  (*)$ $\frac{1\frac{K}{MC}}{1\frac{MS}{MS^2}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{MS^2}}{1\frac{MS}{MC}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{SK}{MC}}{1\frac{MS}{MC}} = 4.05355 \cdot 10^{-130}  (*)$ $\frac{1\frac{K}{M^2}}{1\frac{MS}{M^2}} = 4542.40 \cdot 10^{-420}$	$\begin{array}{l} 1 \ \text{ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \ \text{ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \ \text{ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2\text{C}} \\ 1 \ \text{ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \ \text{ni'ureno-} \frac{L\Theta}{LQ} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{c}} \\ 1 \ \text{ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s C}}  (*) \\ 1 \ \text{ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \ \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \ \text{vo-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{K}}{\text{C}} \\ 1 \ \text{ni'umu-} \frac{L^2\Theta}{T^2Q} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{K}}{\text{s C}}  (*) \\ 1 \ \text{ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{K}}{\text{c}^2\text{C}} \\ 1 \ \text{ni'urono-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}} \\ 1 \ \text{ni'uvoci-} \frac{\Theta}{LQ} = 10^{-430} = 10.0002 \frac{\text{K}}{\text{m s C}}  (***) \\ 1 \ \text{ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-1000} = 45.5512 \frac{\text{K}}{\text{m S}^2\text{C}}  (**) \\ 1 \ \text{ni'upaci-} \frac{T\Theta}{LQ} = 10^{-130} = 0.123543 \frac{\text{s K}}{\text{m C}} \\ 1 \ \text{ni'uvopa-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{C}} \end{array}$
$\frac{1\frac{kgsK}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300}$ $\frac{1\frac{K}{C}}{1\frac{K}{S^2C}} = 10.0132 \cdot 10^{-320}  (*)$ $\frac{1\frac{K}{s^2C}}{1\frac{S^2C}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{S^2C}{C}}{1\frac{S^2C}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{S^2C}{C}}{1\frac{S^2C}{C}} = 3.022.45 \cdot 10^{-40}$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 3.0411524 \cdot 10^{-200}  (*)$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 0.0411524 \cdot 10^{100}$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 0.0112113 \cdot 10^{-20}  (*)$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 3.0111122 \cdot 10^{-300}  (*)$ $\frac{1\frac{K}{M^2C}}{1\frac{K}{M^2C}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{M^2C}}{1\frac{K^2C}{S^2C}} = 4.542.40 \cdot 10^{-420}$ $\frac{1\frac{K}{M^2C}}{M^2S^2C}} = 554.202 \cdot 10^{-550}  (*)$	$\frac{1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}}{1 \text{ ni'upamu-} \frac{\Theta}{Q}} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}}}$ $1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{sC}}} \text{ (*)}$ $1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2C}}$ $1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}}}$ $1 \text{ ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}}}$ $1 \text{ ni'ureno-} \frac{L\Theta}{TQ} = 10^{-30} = 552.511 \frac{\text{m K}}{\text{s C}}} \text{ (*)}$ $1 \text{ ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2C}}$ $1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}}}$ $1 \text{ ni'uru-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{ K}}{\text{C}}}$ $1 \text{ ni'urere-} \frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{ K}}{\text{s}^2\text{ C}}}$ $1 \text{ ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{ K}}{\text{s}^2\text{ C}}}$ $1 \text{ ni'ureno-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}}}$ $1 \text{ ni'uvoci-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}}}$ $1 \text{ ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-1000} = 45.5512 \frac{\text{K}}{\text{m s}^2\text{ C}}} \text{ (***)}$ $1 \text{ ni'upaci-} \frac{T\Theta}{LQ} = 10^{-130} = 0.123543 \frac{\text{s K}}{\text{m C}}}$ $1 \text{ ni'uvopa-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{ C}}}$ $1 \text{ ni'umuvo-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{ C}}} \text{ (**)}$
$\frac{1\frac{kgsK}{m^3} = 4.22234 \cdot 10^{-300}}{1\frac{K}{C} = 50.1041 \cdot 10^{-150}}$ $\frac{1\frac{K}{SC} = 10.0132 \cdot 10^{-320}}{10^{-450}} $ (*) $\frac{1\frac{K}{s^2C} = 1.11320 \cdot 10^{-450}}{10^{-450}}$ $\frac{1\frac{K}{S^2C} = 410.441 \cdot 10^{-20}}{10^{-450}}$ $\frac{1\frac{mK}{C} = 5022.45 \cdot 10^{-40}}{10^{-450}}$ $\frac{1\frac{mK}{SC} = 0.00100310 \cdot 10^{-200}}{10^{-200}} $ (*) $\frac{1\frac{mK}{S^2C} = 111.514 \cdot 10^{-340}}{10^{-340}}$ $\frac{1\frac{m^2K}{S^2C} = 0.0411524 \cdot 10^{100}}{10^{-200}}$ $\frac{1\frac{m^2K}{S^2C} = 0.503455 \cdot 10^{40}}{10^{-200}} $ (*) $\frac{1\frac{m^2K}{S^2C} = 0.0112113 \cdot 10^{-220}}{10^{-220}}$ $\frac{1\frac{m^2S}{S^2C}}{10^{-220}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{m^2S}{S^2C}}{10^{-220}} = 0.0555540 \cdot 10^{-430} $ (***) $\frac{1\frac{K}{msC}}{10^{-220}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{ms^2C}}{10^{-220}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{ms^2C}}{10^{-220}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{m^2S}}{10^{-220}} = 0.0111122 \cdot 10^{-1120}$	$ \begin{array}{l} 1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K'}}{\text{m}^3} \\ 1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s'C}}  \text{(*)} \\ 1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s'C}} \\ 1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \text{ ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s'C}}  \text{(*)} \\ 1 \text{ ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s'C}} \\ 1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{ K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{T^2Q} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{ K}}{\text{s'C}}  \text{(*)} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{ K}}{\text{c'}} \\ 1 \text{ ni'urino-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}} \\ 1 \text{ ni'uvoci-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}} \\ 1 \text{ ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-430} = 10.0002 \frac{\text{K}}{\text{m s'C}}  \text{(***)} \\ 1 \text{ ni'upaci-} \frac{T\Theta}{LQ} = 10^{-130} = 0.123543 \frac{\text{s K}}{\text{m'C}} \\ 1 \text{ ni'upaci-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{ C}} \\ 1 \text{ ni'umuvo-} \frac{\Theta}{L^2TQ} = 10^{-540} = 1001.40 \frac{\text{K}}{\text{m}^2\text{ s'C}} \\ 1 \text{ ni'upapare-} \frac{\Theta}{L^2T^2Q} = 10^{-1120} = 0.00501114 \frac{\text{K}}{\text{m}^2\text{ s'C}} \\ \end{array}$
$\frac{1\frac{kgsK}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300}$ $\frac{1\frac{K}{C}}{1\frac{K}{S^2C}} = 10.0132 \cdot 10^{-320}  (*)$ $\frac{1\frac{K}{s^2C}}{1\frac{S^2C}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{S^2C}{C}}{1\frac{S^2C}{C}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{S^2C}{C}}{1\frac{S^2C}{C}} = 3.022.45 \cdot 10^{-40}$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 3.0411524 \cdot 10^{-200}  (*)$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 0.0411524 \cdot 10^{100}$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 0.0112113 \cdot 10^{-20}  (*)$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{M^2C}{S^2C}}{1\frac{M^2C}{S^2C}} = 3.0111122 \cdot 10^{-300}  (*)$ $\frac{1\frac{K}{M^2C}}{1\frac{K}{M^2C}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{M^2C}}{1\frac{K^2C}{S^2C}} = 4.542.40 \cdot 10^{-420}$ $\frac{1\frac{K}{M^2C}}{M^2S^2C}} = 554.202 \cdot 10^{-550}  (*)$	$\frac{1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3}}{1 \text{ ni'upamu-} \frac{\Theta}{Q}} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}}}$ $1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{sC}}} \text{ (*)}$ $1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s}^2C}}$ $1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}}}$ $1 \text{ ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}}}$ $1 \text{ ni'ureno-} \frac{L\Theta}{TQ} = 10^{-30} = 552.511 \frac{\text{m K}}{\text{s C}}} \text{ (*)}$ $1 \text{ ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2C}}$ $1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}}}$ $1 \text{ ni'uru-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{ K}}{\text{C}}}$ $1 \text{ ni'urere-} \frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{ K}}{\text{s}^2\text{ C}}}$ $1 \text{ ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{ K}}{\text{s}^2\text{ C}}}$ $1 \text{ ni'ureno-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}}}$ $1 \text{ ni'uvoci-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}}}$ $1 \text{ ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-1000} = 45.5512 \frac{\text{K}}{\text{m s}^2\text{ C}}} \text{ (***)}$ $1 \text{ ni'upaci-} \frac{T\Theta}{LQ} = 10^{-130} = 0.123543 \frac{\text{s K}}{\text{m C}}}$ $1 \text{ ni'uvopa-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{ C}}}$ $1 \text{ ni'umuvo-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{ C}}} \text{ (**)}$
$\frac{1\frac{kgsK}{m^3} = 4.22234 \cdot 10^{-300}}{1\frac{K}{C} = 50.1041 \cdot 10^{-150}}$ $\frac{1\frac{K}{SC} = 10.0132 \cdot 10^{-320}}{10^{-450}} $ (*) $\frac{1\frac{K}{s^2C} = 1.11320 \cdot 10^{-450}}{10^{-450}}$ $\frac{1\frac{K}{S^2C} = 410.441 \cdot 10^{-20}}{10^{-450}}$ $\frac{1\frac{mK}{C} = 5022.45 \cdot 10^{-40}}{10^{-450}}$ $\frac{1\frac{mK}{SC} = 0.00100310 \cdot 10^{-200}}{10^{-200}} $ (*) $\frac{1\frac{mK}{S^2C} = 111.514 \cdot 10^{-340}}{10^{-340}}$ $\frac{1\frac{m^2K}{S^2C} = 0.0411524 \cdot 10^{100}}{10^{-200}}$ $\frac{1\frac{m^2K}{S^2C} = 0.503455 \cdot 10^{40}}{10^{-200}} $ (*) $\frac{1\frac{m^2K}{S^2C} = 0.0112113 \cdot 10^{-220}}{10^{-220}}$ $\frac{1\frac{m^2S}{S^2C}}{10^{-220}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{m^2S}{S^2C}}{10^{-220}} = 0.0555540 \cdot 10^{-430} $ (***) $\frac{1\frac{K}{msC}}{10^{-220}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{ms^2C}}{10^{-220}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{ms^2C}}{10^{-220}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{m^2S}}{10^{-220}} = 0.0111122 \cdot 10^{-1120}$	$ \begin{array}{l} 1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K'}}{\text{m}^3} \\ 1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{s'C}}  \text{(*)} \\ 1 \text{ ni'uvomu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{s'C}} \\ 1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \text{ ni'uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{s'C}}  \text{(*)} \\ 1 \text{ ni'ucivo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s'C}} \\ 1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{ K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{T^2Q} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{ K}}{\text{s'C}}  \text{(*)} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{ K}}{\text{c'}} \\ 1 \text{ ni'urino-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}} \\ 1 \text{ ni'uvoci-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{m C}} \\ 1 \text{ ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-430} = 10.0002 \frac{\text{K}}{\text{m s'C}}  \text{(***)} \\ 1 \text{ ni'upaci-} \frac{T\Theta}{LQ} = 10^{-130} = 0.123543 \frac{\text{s K}}{\text{m'C}} \\ 1 \text{ ni'upaci-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{ C}} \\ 1 \text{ ni'umuvo-} \frac{\Theta}{L^2TQ} = 10^{-540} = 1001.40 \frac{\text{K}}{\text{m}^2\text{ s'C}} \\ 1 \text{ ni'upapare-} \frac{\Theta}{L^2T^2Q} = 10^{-1120} = 0.00501114 \frac{\text{K}}{\text{m}^2\text{ s'C}} \\ \end{array}$
$\frac{1\frac{kgsK}{m^3}}{1\frac{K}{C}} = 4.22234 \cdot 10^{-300}$ $\frac{1\frac{K}{C}}{1\frac{K}{C}} = 50.1041 \cdot 10^{-150}$ $\frac{1\frac{K}{S}}{1\frac{K}{S}} = 10.0132 \cdot 10^{-320}  (*)$ $\frac{1\frac{K}{S}}{1\frac{K}{S}} = 1.11320 \cdot 10^{-450}$ $\frac{1\frac{K}{S}}{1\frac{K}{C}} = 410.441 \cdot 10^{-20}$ $\frac{1\frac{mK}{S}}{1\frac{K}{C}} = 0.00100310 \cdot 10^{-200}  (*)$ $\frac{1\frac{mK}{S}}{1\frac{K}{S}} = 0.0411524 \cdot 10^{100}$ $\frac{1\frac{mS}{S}}{1\frac{K}{S}} = 0.503455 \cdot 10^{40}  (*)$ $\frac{1\frac{m^2K}{S}}{1\frac{K}{S}} = 0.100445 \cdot 10^{-50}  (*)$ $\frac{1\frac{m^2K}{S^2C}}{1\frac{K}{S^2C}} = 0.0112113 \cdot 10^{-220}$ $\frac{1\frac{m^2S}{S^2C}}{1\frac{K}{S}} = 4.13013 \cdot 10^{210}$ $\frac{1\frac{K}{mC}}{1\frac{K}{mS}} = 0.0555540 \cdot 10^{-430}  (***)$ $\frac{1\frac{K}{mS}}{1\frac{K}{S}} = 0.0111122 \cdot 10^{-1000}$ $\frac{1\frac{K}{mS}}{1\frac{K}{S}} = 4.05355 \cdot 10^{-130}  (*)$ $\frac{1\frac{K}{m^2C}}{1\frac{K}{S}} = 4542.40 \cdot 10^{-420}$ $\frac{1\frac{K}{m^2S}}{1\frac{K}{S}} = 554.202 \cdot 10^{-550}  (*)$ $\frac{1\frac{K}{m^2S^2C}}{1\frac{K}{S}} = 554.202 \cdot 10^{-550}  (*)$ $\frac{1\frac{K}{m^2S^2C}}{1\frac{K}{S}} = 110.525 \cdot 10^{-1120}$ $\frac{1\frac{SK}{m^2C}}{1\frac{K}{S}} = 0.0404320 \cdot 10^{-240}$	$\begin{array}{c} 1 \text{ ni'ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.121025 \frac{\text{kg s K}}{\text{m}^3} \\ 1 \text{ ni'upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.0110534 \frac{\text{K}}{\text{C}} \\ 1 \text{ ni'ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.0554242 \frac{\text{K}}{\text{sC}}  \text{(*)} \\ 1 \text{ ni'uromu-} \frac{\Theta}{T^2Q} = 10^{-450} = 0.454312 \frac{\text{K}}{\text{sC}} \\ 1 \text{ ni'ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}} \\ 1 \text{ ni'ure-} \frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.511 \frac{\text{m K}}{\text{sC}}  \text{(*)} \\ 1 \text{ ni'uriovo-} \frac{L\Theta}{T^2Q} = 10^{-340} = 0.00453114 \frac{\text{m K}}{\text{s}^2\text{C}} \\ 1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.3105 \frac{\text{m s K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{Q} = 10^{40} = 1.10145 \frac{\text{m}^2\text{K}}{\text{C}} \\ 1 \text{ ni'ureno-} \frac{L^2\Theta}{Q} = 10^{-50} = 5.51142 \frac{\text{m}^2\text{K}}{\text{sC}}  \text{(*)} \\ 1 \text{ ni'urere-} \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.1522 \frac{\text{m}^2\text{K}}{\text{s}^2\text{C}} \\ 1 \text{ ni'urino-} \frac{\Theta}{Q} = 10^{210} = 0.122451 \frac{\text{m}^2\text{s K}}{\text{c}} \\ 1 \text{ ni'urino-} \frac{\Theta}{LQ} = 10^{-300} = 1.11131 \frac{\text{K}}{\text{mC}} \\ 1 \text{ ni'upanono-} \frac{\Theta}{LTQ} = 10^{-430} = 10.0002 \frac{\text{K}}{\text{ms S}}  \text{(***)} \\ 1 \text{ ni'upanono-} \frac{\Theta}{LT^2Q} = 10^{-1000} = 45.5512 \frac{\text{K}}{\text{m}^2\text{C}}  \text{(**)} \\ 1 \text{ ni'upaci-} \frac{T\Theta}{LQ} = 10^{-130} = 0.123543 \frac{\text{s K}}{\text{mC}} \\ 1 \text{ ni'upaci-} \frac{\Theta}{L^2Q} = 10^{-410} = 111.325 \frac{\text{K}}{\text{m}^2\text{C}} \\ 1 \text{ ni'upapare-} \frac{\Theta}{L^2TQ} = 10^{-540} = 1001.40 \frac{\text{K}}{\text{m}^2\text{s C}}  \text{(*)} \\ 1 \text{ ni'upapare-} \frac{\Theta}{L^2TQ} = 10^{-1120} = 0.00501114 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\ 1 \text{ ni'urevo-} \frac{T\Theta}{L^2Q} = 10^{-240} = 12.4202 \frac{\text{s K}}{\text{m}^2\text{C}} \\ 1 \text{ ni'urevo-} \frac{T\Theta}{L^2Q} = 10^{-240} = 12.4202 \frac{\text{s K}}{\text{m}^2\text{C}} \\ \end{array}$

1 K 1 10222 10-1230	1 -: ' Θ 10-1230 0 509292 K
$1\frac{K}{m^3s^2C} = 1.10332 \cdot 10^{-1230}$	1 ni'upareci- $\frac{\Theta}{L^3T^2Q}$ = $10^{-1230}$ = $0.502322 \frac{K}{m^3 s^2 C}$
$1\frac{sK}{m^3C} = 403.242 \cdot 10^{-400}$	1 ni'uvono- $\frac{T\Theta}{L^{3}Q}$ = $10^{-400}$ = $0.00124423 \frac{\text{s K}}{\text{m}^{3}\text{C}}$
$1\frac{\log K}{C} = 2.13151 \cdot 10^{-130}$	1 ni'upaci- $\frac{M\Theta}{Q}$ = $10^{-130}$ = $0.235344 \frac{\text{kg K}}{C}$
$1\frac{\text{kg K}}{\text{s C}} = 0.241401 \cdot 10^{-300}$	1 ni'ucino- $\frac{M\Theta}{TQ}$ = $10^{-300}$ = 2.11341 $\frac{\text{kg K}}{\text{s C}}$
$1 \frac{\lg K}{\lg^2 C} = 0.0313154 \cdot 10^{-430}$	1 ni'uvoci- $\frac{M\Theta}{T^2Q}$ = $10^{-430}$ = $15.0140 \frac{\text{kg K}}{\text{s}^2 \text{ C}}$
$1 \frac{\lg s  K}{C} = 15.1410 \cdot 10^0$	$1 \frac{MT\Theta}{Q} = 1 = 0.0310512 \frac{\text{kg s K}}{C}$
$1\frac{\lg m K}{C} = 213.530 \cdot 10^{-20}$	1 ni'ure- $\frac{ML\Theta}{Q}$ = 10 <sup>-20</sup> = 0.00234531 $\frac{\text{kg m K}}{C}$
$1\frac{\lg m  K}{\lg C} = 24.2222 \cdot 10^{-150}$	1 ni'upamu- $\frac{ML\Theta}{TQ} = 10^{-150} = 0.0211005 \frac{\text{kg m K}}{\text{s C}}$ (*)
$1\frac{\text{kg m K}}{\text{s}^2 \text{ C}} = 3.14111 \cdot 10^{-320}$	1 ni'ucire- $\frac{ML\Theta}{T^2Q} = 10^{-320} = 0.145442 \frac{\text{kg m K}}{\text{s}^2 \text{ C}}$
$1\frac{\lg m s K}{C} = 0.00152111 \cdot 10^{120}$	1 pare- $\frac{MLT\Theta}{Q} = 10^{120} = 310.005 \frac{\text{kg m s K}}{\text{C}}$ (**)
$1\frac{\text{kg m}^2 \text{ K}}{\text{C}} = 0.0214311 \cdot 10^{100}$	$1 \text{ pano-} \frac{ML^2\Theta}{Q} = 10^{100} = 23.4115 \frac{\text{kg m}^2 \text{ K}}{\text{C}}$
$1\frac{\text{kg m}^2 \text{ K}}{\text{s C}} = 2430.45 \cdot 10^{-40}$	1 ni'uci- $\frac{ML^2\Theta}{TO} = 10^{-30} = 210.235 \frac{\text{kg m}^2 \text{ K}}{\text{s C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} = 315.025 \cdot 10^{-210}$	1 ni'ureno- $\frac{\dot{M}L^2\Theta}{T^2O} = 10^{-200} = 1451.45 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2 \text{ C}}$
$1\frac{\lg m^2 s K}{G} = 0.152413 \cdot 10^{230}$	$1 \text{ reci-} \frac{ML^2T\Theta}{O} = 10^{230} = 3.05102 \frac{\text{kg m}^2 \text{s K}}{\text{C}}$
$1 \frac{\log K}{mC} = 0.0212413 \cdot 10^{-240}$	1 ni'urevo- $\frac{M\Theta}{LQ} = 10^{-240} = 24.0203 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{ms C}} = 2405.41 \cdot 10^{-420}$	1 ni'uvopa- $\frac{M\Theta}{LTO}$ = 10 <sup>-410</sup> = 212.113 $\frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\log K}{\log^2 C} = 312.242 \cdot 10^{-550}$	1 ni'umuvo- $\frac{M\Theta}{LT^2O} = 10^{-540} = 1504.35 \frac{\text{kg K}}{\text{m s}^2 \text{ C}}$
$1 \frac{\text{kg s K}}{\text{mcC}} = 0.151105 \cdot 10^{-110}$	1 ni'upapa- $\frac{MT\Theta}{LQ}$ = $10^{-110}$ = $3.11422 \frac{\text{kgs K}}{\text{mC}}$
$1 \frac{\text{m C}}{\text{m^2 C}} = 212.040 \cdot 10^{-400}$	1 ni'uvono- $\frac{M\Theta}{L^2Q} = 10^{-400} = 0.00241022 \frac{\text{kg K}}{\text{m}^2 \text{ C}}$
$1 \frac{\text{m}^2 \text{ C}}{\text{m}^2 \text{ kg K}} = 24.0121 \cdot 10^{-530}$	1 ni'umuci- $\frac{MO}{L^2TO} = 10^{-530} = 0.0211022 \frac{\text{m}^2 \text{ C}}{\text{kg K}}$ 1 ni'umuci- $\frac{MO}{L^2TO} = 10^{-530} = 0.0212450 \frac{\text{kg K}}{\text{m}^2 \text{ s C}}$
$1_{\text{m}^2 \text{ s } C} = 24.0121 \cdot 10$ $1_{\frac{\text{kg K}}{m^2 \text{ s}^2 C}} = 3.11331 \cdot 10^{-1100}$	1 ni'upapano- $\frac{\dot{M}\Theta}{L^2T^2Q} = 10^{-1100} = 0.151135 \frac{\text{kg K}}{\text{m}^2\text{s}^2\text{C}}$
$1 \frac{\log s  K}{m^2  C} = 0.00150410 \cdot 10^{-220}$	1 ni'urere- $\frac{MT\Theta}{L^2Q}$ = 10 = 0.131135 $\frac{\text{kg s K}}{\text{m}^2\text{ s}^2\text{ C}}$ 1 ni'urere- $\frac{MT\Theta}{L^2Q}$ = 10 <sup>-220</sup> = 312.332 $\frac{\text{kg s K}}{\text{m}^2\text{ C}}$
$1 \frac{\log K}{m^3 C} = 0.00130410 \cdot 10$ $1 \frac{\log K}{m^3 C} = 2.11304 \cdot 10^{-510}$	12 q
	1 ni'umupa- $\frac{M\Theta}{L^3Q} = 10^{-510} = 0.241443 \frac{\text{kg K}}{\text{m}^3 \text{ C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{ s C}} = 0.235303 \cdot 10^{-1040}$	1 ni'upanovo- $\frac{\dot{M}\Theta}{L^3TQ} = 10^{-1040} = 2.13225 \frac{\text{kg K}}{\text{m}^3 \text{ s C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.0310422 \cdot 10^{-1210}$	1 ni'uparepa- $\frac{M\Theta}{L^3T^2Q} = 10^{-1210} = 15.1435 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^3 \text{ C}} = 15.0111 \cdot 10^{-340}$	1 ni'ucivo- $\frac{MT\Theta}{L^3Q}$ = $10^{-340}$ = 0.0313244 $\frac{\text{kg s K}}{\text{m}^3 \text{ C}}$
$1  \text{CK} = 4.44523 \cdot 10^{-30}$	1 ni'uci- $Q\Theta = 10^{-30} = 0.112550 \text{ CK}$ (*)
$1\frac{CK}{s} = 0.543405 \cdot 10^{-200}$ $1\frac{CK}{s^2} = 0.105325 \cdot 10^{-330}$	1 ni'ureno- $\frac{Q\Theta}{T} = 10^{-200} = 1.01235 \frac{CK}{s}$ 1 ni'ucici- $\frac{Q\Theta}{T^2} = 10^{-330} = 5.11003 \frac{CK}{s^2}$ (*)
$1 \cdot \frac{1}{s^2} = 0.105325 \cdot 10^{-360}$ $1 \cdot s \cdot C \cdot K = 35.5540 \cdot 10^{100}  (**)$	1 in ucici- $\frac{1}{T^2} = 10^{-350} = 5.11003 \frac{1}{8^2}$ (*) 1 pano- $TQ\Theta = 10^{100} = 0.0130005 \text{ s C K}$ (**)
$1 \text{ m C K} = 35.5540 \cdot 10 \qquad (4)$ $1 \text{ m C K} = 450.110 \cdot 10^{40}$	1 pano- $IQ\Theta = 10^{-4} = 0.0130003 \text{ s.c. K}$ (**) 1 vo- $LQ\Theta = 10^{40} = 0.00112350 \text{ m.c. K}$
$1 \frac{\text{m CK}}{1 + 10} = 430.110 \cdot 10$ $1 \frac{\text{m CK}}{1 + 10} = 54.5124 \cdot 10^{-50}$	1 vi'umu- $\frac{LQ\Theta}{T}$ = 10 <sup>-50</sup> = 0.0101055 $\frac{\text{mCK}}{\text{s}}$ (*)
$1 = \frac{8}{1000} = 10.5124$	1 ni'urere- $\frac{LQ\Theta}{T^2}$ = $10^{-220}$ = $0.0505344 \frac{\text{mCK}}{\text{c}^2}$
$1 \text{ m s C K} = 0.00401004 \cdot 10^{220}  (*)$	1 rere- $LTQ\Theta = 10^{220} = 125.342 \text{ m s C K}$
$1 \mathrm{m^2  C  K} = 0.0451255 \cdot 10^{200}  (*)$	$1 \text{ reno-} L^2 Q\Theta = 10^{200} = 11.2151 \text{ m}^2 \text{ C K}$
$1\frac{\text{m}^2\text{CK}}{\text{s}} = 5504.45 \cdot 10^{20}  (*)$	$1 \text{ ci-} \frac{L^2 Q\Theta}{T} = 10^{30} = 100.520 \frac{\text{m}^2 \text{ C K}}{\text{s}}  (*)$
$1 \frac{\text{m}^2 \text{ CK}}{\text{c}^2} = 0.00110112 \cdot 10^{-100}$	1 ni'upano- $\frac{L^2Q\Theta}{T^2}$ = $10^{-100}$ = $504.131 \frac{\text{m}^2 \text{ CK}}{\text{c}^2}$
$1  \text{m}^2  \text{s}  \text{CK} = 0.402034 \cdot 10^{330}$	$T^{2} = 1.25120 \text{ m}^{2} \text{ s}^{2}$ $1 \text{ cici-}L^{2}TQ\Theta = 10^{330} = 1.25120 \text{ m}^{2} \text{ s C K}$
$1\frac{CK}{m} = 0.0443342 \cdot 10^{-140}$	1 ni'upavo- $\frac{Q\Theta}{L} = 10^{-140} = 11.3151 \frac{CK}{m}$
$1\frac{\text{CK}}{\text{CK}} = 5420.53 \cdot 10^{-320}$	1 ni'ucipa- $\frac{Q_{LT}^{\Theta}}{LT}$ = 10 <sup>-310</sup> = 101.415 $\frac{C_{LT}^{M}}{m_{S}}$
$1\frac{\text{CK}}{\text{m s}^2} = 0.00105135 \cdot 10^{-440}$	1 ni'uvovo- $\frac{Q\Theta}{LT^2} = 10^{-440} = 512.225 \frac{\text{CK}}{\text{m/s}^2}$
$1\frac{\text{sCK}}{m} = 0.354513 \cdot 10^{-10}$	1 ni'upa- $\frac{TQ\Theta}{L} = 10^{-10} = 1.30232 \frac{\text{s CK}}{\text{m}}$
$1\frac{CK}{m^2} = 442.204 \cdot 10^{-300}$	1 ni'ucino- $\frac{Q\Theta}{L^2}$ = $10^{-300}$ = $0.00113352 \frac{CK}{m^2}$
$1\frac{CK}{m^2s} = 54.0343 \cdot 10^{-430}$	1 ni'uvoci- $\frac{\ddot{Q}\Theta}{L^2T} = 10^{-430} = 0.0102000 \frac{\ddot{C}K}{m^2 s}$ (**)
$1\frac{\overset{\circ}{\text{C K}}}{\text{m}^2\text{s}^2} = 10.4545 \cdot 10^{-1000}$	1 ni'upanono- $\frac{Q\Theta}{L^2T^2} = 10^{-1000} = 0.0513453 \frac{\text{C K}}{\text{m}^2 \text{s}^2}$
$1\frac{\text{sCK}}{\text{m}^2} = 0.00353453 \cdot 10^{-120}$	1 ni'upare- $\frac{TQ\Theta}{L_c^2} = 10^{-120} = 130.455 \frac{\text{s C K}}{\text{m}^2}$ (*)
$1\frac{CK}{m^3} = 4.41031 \cdot 10^{-410}$	1 ni'uvopa- $\frac{Q\Theta}{L_3^3}$ = $10^{-410}$ = 0.113553 $\frac{CK}{m^3}$ (*)
$1\frac{\ddot{C}K}{m^3s} = 0.535035 \cdot 10^{-540}$	1 ni'umuvo- $\frac{\overline{Q\Theta}}{L^3T} = 10^{-540} = 1.02142 \frac{\overline{C} \mathrm{K}}{\mathrm{m}^3 \mathrm{s}}$

$1\frac{CK}{m^3s^2} = 0.104355 \cdot 10^{-1110}$ (*)	1 ni'upapapa- $\frac{Q\Theta}{L^3T^2} = 10^{-1110} = 5.15123 \frac{\text{C K}}{\text{m}^3 \text{ s}^2}$
$1\frac{\text{SCK}}{\text{m}^3} = 35.2434 \cdot 10^{-240}$	1 ni'urevo- $\frac{TQ\Theta}{L^3} = 10^{-240} = 0.0131124 \frac{\text{s CK}}{\text{m}^3}$
$1 \mathrm{kg} \mathrm{C} \mathrm{K} = 0.205343 \cdot 10^{-10}$	1 ni'upa- $MQ\Theta = 10^{-10} = 2.44102  \mathrm{kg}  \mathrm{C}  \mathrm{K}$
$1\frac{\lg CK}{s} = 0.0233124 \cdot 10^{-140}$	1 ni'upavo- $\frac{MQ\Theta}{T} = 10^{-140} = 21.5221 \frac{\text{kg C K}}{\text{s}}$
$1\frac{\text{kg C K}}{\text{s}^2} = 3040.00 \cdot 10^{-320}  (**)$	1 ni'ucipa- $\frac{M\hat{Q}\Theta}{T^2} = 10^{-310} = 153.232 \frac{\text{kg °C K}}{\text{s}^2}$
$1  \text{kg s C K} = 1.44343 \cdot 10^{120}$	1 pare- $MTQ\Theta = 10^{120} = 0.320155 \text{ kg s C K}$ (*)
$1 \mathrm{kg} \mathrm{m} \mathrm{C} \mathrm{K} = 21.0112 \cdot 10^{100}$	1 pano- $MLQ\Theta = 10^{100} = 0.0243233 \text{ kg m C K}$
$1\frac{\text{kg m C K}}{\text{s}} = 2.33535 \cdot 10^{-30}$	1 ni'uci- $\frac{MLQ\Theta}{T}$ = 10 <sup>-30</sup> = 0.214440 $\frac{\text{kg m C K}}{\text{s}}$
$1\frac{\text{kg m C K}}{\text{s}^2} = 0.304501 \cdot 10^{-200}$	1 ni'ureno- $\frac{MLQ\Theta}{T^2} = 10^{-200} = 1.52525 \frac{\text{kg m C K}}{\text{s}^2}$
$1  \text{kg m s C K} = 145.035 \cdot 10^{230}$	$1 \text{ revo-} MLTQ\Theta = 10^{240} = 3152.34 \text{ kg m s C K}$
$1 \mathrm{kg} \mathrm{m}^2 \mathrm{C} \mathrm{K} = 0.00210442 \cdot 10^{220}$	$1 \text{ rere-} ML^2Q\Theta = 10^{220} = 242.410 \text{ kg m}^2 \text{ C K}$
$1\frac{\text{kg m}^2 \text{ CK}}{\text{s}} = 234.350 \cdot 10^{40}$	$1 \text{ vo-} \frac{ML^2Q\Theta}{T} = 10^{40} = 0.00214100 \frac{\text{kg m}^2 \text{ CK}}{\text{s}}$ (*)
$1\frac{\log m^2 C K}{s^2} = 30.5403 \cdot 10^{-50}$	1 ni'umu- $\frac{ML^2Q\Theta}{T^2}$ = $10^{-50}$ = $0.0152223 \frac{\text{kg m}^2 \text{ C K}}{\text{s}^2}$
$1 \mathrm{kg} \mathrm{m}^2 \mathrm{s} \mathrm{C} \mathrm{K} = 0.0145332 \cdot 10^{350}$	$1 \text{ cimu-} ML^2TQ\Theta = 10^{350} = 31.4315 \text{ kg m}^2 \text{ s C K}$
$1\frac{\lg CK}{m} = 0.00205015 \cdot 10^{-120}$	1 ni'upare- $\frac{MQ\Theta}{L} = 10^{-120} = 244.531 \frac{\text{kg C K}}{\text{m}}$
$1\frac{\text{kg °C K}}{\text{m s}} = 232.315 \cdot 10^{-300}$	1 ni'ucino- $\frac{M\ddot{Q}\Theta}{LT}$ = $10^{-300}$ = $0.00220004 \frac{\text{kg C K}}{\text{ms}}$ (**)
$1\frac{\frac{\text{kgCK}}{\text{m s}^2}}{\text{m s}^2} = 30.3101 \cdot 10^{-430}$	1 ni'ucino- $\frac{MQ\Theta}{LT}$ = $10^{-300}$ = $0.00220004 \frac{\text{kg C K}}{\text{ms}}$ (**) 1 ni'uvoci- $\frac{MQ\Theta}{LT^2}$ = $10^{-430}$ = $0.0153540 \frac{\text{kg C K}}{\text{ms}^2}$
$1\frac{\frac{\text{kgsCK}}{m}}{m} = 0.0144051 \cdot 10^{10}$	$1 \text{ pa-} \frac{MTQ\Theta}{L} = 10^{10} = 32.1121 \frac{\text{kg s C K}}{m}$
$1\frac{\lg \ddot{C}K}{m^2} = 20.4251 \cdot 10^{-240}$	1 ni'urevo- $\frac{MQ\Theta}{L^2}$ = $10^{-240}$ = $0.0245402 \frac{\text{kg C K}}{\text{m}^2}$
$1\frac{\frac{\text{kgCK}}{m^2 \text{ s}}}{m^2 \text{ s}} = 2.31511 \cdot 10^{-410}$	1 ni'uvopa- $\frac{MQ\Theta}{L^2T} = 10^{-410} = 0.220351 \frac{\text{kg } \text{C K}}{\text{m}^2\text{ s}}$
$1\frac{\frac{\text{kgCK}}{\text{m}^2 c^2}}{\frac{\text{kgCK}}{\text{m}^2 c^2}} = 0.302203 \cdot 10^{-540}$	1 ni'umuvo- $\frac{MQ\Theta}{L^2T^2} = 10^{-540} = 1.54245 \frac{\text{kg C K}}{\text{m}^2\text{ s}^2}$
$1 \frac{\underset{m^2}{\text{kg s CK}}}{\underset{m^2}{\text{CK}}} = 143.400 \cdot 10^{-110}  (*)$	1 ni'upano- $\frac{MTQ\Theta}{L^2} = 10^{-100} = 3220.45 \frac{\frac{MgsCK}{m^2}}{m^2}$
$1\frac{\text{kgCK}}{\text{m}^3} = 0.203525 \cdot 10^{-350}$	1 ni'ucimu- $\frac{MQ\Theta}{L^3}$ = $10^{-350}$ = $2.50234 \frac{\text{kg CK}}{\text{m}^3}$
$1\frac{\frac{\text{kgCK}}{\text{m}^3 \text{ s}}}{\text{m}^3 \text{ s}} = 0.0231104 \cdot 10^{-520}$	1 ni'umure- $\frac{MQ\Theta}{I^{3}T}$ = $10^{-520}$ = 22.1140 $\frac{\text{kgC K}}{\text{m}^{3}\text{ s}}$
$1 \frac{\frac{\text{kg C K}}{\text{kg C K}}}{\frac{\text{kg C K}}{\text{m}^3 \text{ s}^2}} = 3013.11 \cdot 10^{-1100}$	1 ni'upanomu- $\frac{MQ\Theta}{I^{3}T^{2}} = 10^{-1050} = 154.555 \frac{\text{kg C K}}{\text{m}^{3}\text{s}^{2}}$ (**)
$1 \frac{\frac{\text{kg s C K}}{\text{res K}}}{\frac{\text{kg s C K}}{\text{mas}}} = 1.43111 \cdot 10^{-220}$	1 ni'urere- $\frac{MTQ\Theta}{I^3}$ = $10^{-220}$ = 0.323014 $\frac{\text{kg s CK}}{\text{m}^3}$
m <sup>o</sup>	L <sup>3</sup> m <sup>3</sup>