

## Contents

## **Part I**

# **Partially Rationalized Planck units**

This part uses natural units, where  $\epsilon_0 = 1$  and  $G = 1$ . These are partially rationalized Planck units.

# 1 Base 6 - ??

## 1.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

Proton mass = $0.210354 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo-}M = 10^{-40} = 2.42510 m_p$
Electron mass = $13.1304 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu-}M = 10^{-50} = 0.0352022 m_e$
Elementary charge = $0.145224 \cdot 10^0$	$1 Q = 1 = 3.14514 e$
$\text{\AA}^1 = 43.5531 \cdot 10^{50}$ (*)	$1 \text{ mu-}L = 10^{50} = 0.0114150 \text{\AA}$
Bohr radius <sup>2</sup> = $22.4510 \cdot 10^{50}$	$1 \text{ mu-}L = 10^{50} = 0.0223302 a_0$
Fine structure constant <sup>3</sup> = $0.00132425 \cdot 10^0$	$1 = 1 = 345.012 \alpha$
Rydberg Energy <sup>4</sup> = $15.2545 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano-} \frac{ML^2}{T^2} = 10^{-100} = 0.0304430 Ry$
$ \psi^{100}(0) ^2^5 = 4.32331 \cdot 10^{-240}$	$1 \text{ ni}'\text{urevo-} \frac{1}{L^3} = 10^{-240} = 0.115125 \rho_{\max}$
eV = $0.502252 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano-} \frac{ML^2}{T^2} = 10^{-100} = 1.10340 \text{ eV}$
$\hbar^6 = 1.00000$ (***)	$1 \frac{ML^2}{T} = 1 = 1.00000 \cdot \hbar$ (***)
$\lambda_{\text{yellow}} = 3.24101 \cdot 10^{100}$	$1 \text{ pano-}L = 10^{100} = 0.142343 \cdot \lambda_{\text{yellow}}$
$k_{\text{yellow}}^7 = 1.45325 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano-} \frac{1}{L} = 10^{-100} = 0.314324 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^8 = 113.352 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo-} \frac{1}{L} = 10^{-40} = 0.00442201 \cdot k_{\text{X-Ray}}$
Earth g = $0.0302001 \cdot 10^{-130}$ (*)	$1 \text{ ni}'\text{upaci-} \frac{ML}{T^2} = 10^{-130} = 15.4404 \cdot \text{Earth g}$
cm = $1.14142 \cdot 10^{110}$	$1 \text{ papa-}L = 10^{110} = 0.440001 \text{ cm}$ (**)
min = $0.00453023 \cdot 10^{140}$	$1 \text{ pavo-}T = 10^{140} = 111.530 \text{ min}$
hour = $1.21104 \cdot 10^{140}$	$1 \text{ pavo-}T = 10^{140} = 0.422032 \text{ h}$
Liter = $0.0135012 \cdot 10^{340}$	$1 \text{ civo-}L^3 = 10^{340} = 33.5415 l$
Area of a soccer field = $0.0154134 \cdot 10^{240}$	$1 \text{ revo-}L^2 = 10^{240} = 30.2355 A$ (*)
$244 \text{ m}^2^9 = 55.2325 \cdot 10^{230}$ (*)	$1 \text{ reci-}L^2 = 10^{230} = 0.0100325 \cdot 244 \text{ m}^2$ (*)
km/h = $2.00340 \cdot 10^{-20}$ (*)	$1 \text{ ni}'\text{ure-} \frac{L}{T} = 10^{-20} = 0.255032 \text{ km/h}$ (*)
mi/h = $3.12504 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure-} \frac{L}{T} = 10^{-20} = 0.150314 \text{ mi/h}$
inch <sup>10</sup> = $3.13322 \cdot 10^{110}$	$1 \text{ papa-}L = 10^{110} = 0.150051 \text{ in}$ (*)
mile = $4.23352 \cdot 10^{120}$	$1 \text{ pare-}L = 10^{120} = 0.120413 \text{ mi}$
pound = $0.00202241 \cdot 10^{20}$	$1 \text{ re-}M = 10^{20} = 252.240 \text{ pound}$
horsepower = $114.511 \cdot 10^{-150}$	$1 \text{ ni}'\text{upavo-} \frac{ML^2}{T^3} = 10^{-140} = 4335.31 \text{ horsepower}$
kcal = $0.0333231 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa-} \frac{ML^2}{T^2} = 10^{-10} = 14.0030 \text{ kcal}$ (*)
kWh = $221.511 \cdot 10^{-10}$	$1 \frac{ML^2}{T^2} = 1 = 2303.21 \text{ kWh}$
Typical household electric field = $0.100000 \cdot 10^{-210}$ (***)	$1 \text{ ni}'\text{urepa-} \frac{ML}{T^2Q} = 10^{-210} = 10.0000 E_H$ (**)
$Earthmagneticfield = 0.00124013 \cdot 10^{-200}$	$1 \text{ ni}'\text{ureno-} \frac{M}{TQ} = 10^{-200} = 405.230 \cdot Earthmagneticfield$

<sup>1</sup>Length in atomic and solid state physics,  $1/14$  nm

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>100 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.00101532 \cdot 10^{120}$

Mass of an average man =  $1.25105 \cdot 10^{20}$

Age of the Universe =  $311.313 \cdot 10^{200}$

Size of the observable Universe =  $14.5452 \cdot 10^{210}$

Average density of the Universe =  $251.000 \cdot 10^{-440}$  (\*\*)

Earth mass =  $0.323055 \cdot 10^{110}$  (\*)

Sun mass<sup>12</sup> =  $4.02310 \cdot 10^{120}$

Year =  $0.131241 \cdot 10^{150}$

Speed of Light = 1.00000 (\*\*\*)

Parsec =  $0.500503 \cdot 10^{150}$  (\*)

Astronomical unit =  $0.104524 \cdot 10^{140}$

Earth radius =  $0.213140 \cdot 10^{130}$

Distance Earth-Moon =  $34.4121 \cdot 10^{130}$

Momentum of someone walking<sup>13</sup> =  $532.001 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.0553104 \cdot 10^0$  (\*)

mol =  $2.42022 \cdot 10^{50}$

Standard temperature<sup>14</sup> =  $0.00414344 \cdot 10^{-100}$

Room - standard temperature<sup>15</sup> =  $151.533 \cdot 10^{-110}$

atm =  $0.0152432 \cdot 10^{-350}$

$c_s$  =  $0.0153103 \cdot 10^{-10}$

$\mu_0$  = 1.00000 (\*\*\*)

$G$  = 1.00000 (\*\*\*)

$1\text{m} = 114.354 \cdot 10^{-10}$

$1 = 1.00000$  (\*\*\*)

$1\text{k} = 4344.00 \cdot 10^0$  (\*)

$1\text{m}\frac{1}{\text{s}} = 2.34505 \cdot 10^{-140}$

$1\frac{1}{\text{s}} = 0.0201105 \cdot 10^{-130}$

$1\text{k}\frac{1}{\text{s}} = 132.251 \cdot 10^{-130}$

$1\text{m}\frac{1}{\text{s}^2} = 0.0520504 \cdot 10^{-310}$

$1\frac{1}{\text{s}^2} = 404.450 \cdot 10^{-310}$

$1\text{k}\frac{1}{\text{s}^2} = 3.10453 \cdot 10^{-300}$

$1\text{m s} = 3454.05 \cdot 10^{120}$

$1\text{s} = 25.4124 \cdot 10^{130}$

$1\text{k s} = 0.213551 \cdot 10^{140}$  (\*)

$1\text{m m} = 0.0434343 \cdot 10^{110}$

$1\text{m} = 332.323 \cdot 10^{110}$

$1\text{k m} = 2.43112 \cdot 10^{120}$

$1\text{m}\frac{\text{m}}{\text{s}} = 0.00132244 \cdot 10^{-20}$

$1\frac{\text{m}}{\text{s}} = 11.1322 \cdot 10^{-20}$

$1\text{k}\frac{\text{m}}{\text{s}} = 0.0533410 \cdot 10^{-10}$

$1\text{m}\frac{\text{m}}{\text{s}^2} = 31.0443 \cdot 10^{-200}$

$1\text{ pare-}L = 10^{120} = 541.004 \bar{h}$  (\*)

$1\text{ re-}M = 10^{20} = 0.402105 \bar{m}$

$1\text{ reno-}T = 10^{200} = 0.00151145 t_U$

$1\text{ repa-}L = 10^{210} = 0.0314052 l_U$

$1\text{ ni'uvovo-}\frac{M}{L^3} = 10^{-440} = 0.00203255 \rho_U$  (\*)

$1\text{ papa-}M = 10^{110} = 1.43045 m_E$

$1\text{ pare-}M = 10^{120} = 0.125023 m_S$

$1\text{ pamu-}T = 10^{150} = 3.52124 \text{ y}$

$1\frac{L}{T} = 1 = 1.00000 c$  (\*\*\*)

$1\text{ pamu-}L = 10^{150} = 1.10555 \text{ pc}$  (\*\*)

$1\text{ pavo-}L = 10^{140} = 5.14032 \text{ au}$

$1\text{ paci-}L = 10^{130} = 2.35401 r_E$

$1\text{ paci-}L = 10^{130} = 0.0133030 d_M$

$1\frac{ML}{T} = 1 = 0.00102514 \cdot \text{Momentum of someone walking}$

$1\frac{M}{T^3\Theta^4} = 1 = 10.0251 \frac{\pi^2}{140} = \sigma$

$1\text{ mu-} = 10^{50} = 0.211144 \text{ mol}$

$1\text{ ni'upano-}\Theta = 10^{-100} = 122.142 T_0$

$1\text{ ni'upano-}\Theta = 10^{-100} = 3102.45 \Theta_R$

$1\text{ ni'ucimu-}\frac{M}{LT^2} = 10^{-350} = 30.5031 \text{ atm}$

$1\text{ ni'upa-}\frac{L}{T} = 10^{-10} = 30.4223 \cdot c_s$

$1\frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0$  (\*\*\*)

$1\frac{L^3}{MT^2} = 1 = 1.00000 \cdot G$  (\*\*\*)

### Extensive list of SI units

$1 = 1 = 4344.00 \text{ m}$  (\*)

$1 = 1 = 1.00000$  (\*\*\*)

$1\text{ pa-} = 10^{10} = 114.354 \text{ k}$

$1\text{ ni'upavo-}\frac{1}{T} = 10^{-140} = 0.213551 \text{ m}\frac{1}{\text{s}}$  (\*)

$1\text{ ni'upaci-}\frac{1}{T} = 10^{-130} = 25.4124 \frac{1}{\text{s}}$

$1\text{ ni'upare-}\frac{1}{T} = 10^{-120} = 3454.05 \frac{\text{k}}{\text{s}}$

$1\text{ ni'ucipa-}\frac{1}{T^2} = 10^{-310} = 10.4153 \text{ m}\frac{1}{\text{s}^2}$

$1\text{ ni'ucino-}\frac{1}{T^2} = 10^{-300} = 1241.31 \frac{1}{\text{s}^2}$

$1\text{ ni'ucino-}\frac{1}{T^2} = 10^{-300} = 0.151420 \text{ k}\frac{1}{\text{s}^2}$

$1\text{ paci-}T = 10^{130} = 132.251 \text{ m s}$

$1\text{ paci-}T = 10^{130} = 0.0201105 \text{ s}$

$1\text{ pavo-}T = 10^{140} = 2.34505 \text{ k s}$

$1\text{ papa-}L = 10^{110} = 11.4400 \text{ m m}$  (\*)

$1\text{ pare-}L = 10^{120} = 1402.52 \text{ m}$

$1\text{ pare-}L = 10^{120} = 0.210215 \text{ k m}$

$1\text{ ni'ure-}\frac{L}{T} = 10^{-20} = 345.420 \text{ m}\frac{\text{m}}{\text{s}}$

$1\text{ ni'ure-}\frac{L}{T} = 10^{-20} = 0.0454254 \frac{\text{m}}{\text{s}}$

$1\text{ ni'upa-}\frac{L}{T} = 10^{-10} = 10.2320 \text{ k}\frac{\text{m}}{\text{s}}$

$1\text{ ni'ureno-}\frac{L}{T^2} = 10^{-200} = 0.0151424 \text{ m}\frac{\text{m}}{\text{s}^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>32 °C

$1 \frac{m}{s^2} = 0.224324 \cdot 10^{-150}$	$1 ni'upamu \frac{L}{T^2} = 10^{-150} = 2.23443 \frac{m}{s^2}$
$1 k \frac{m}{s^2} = 0.00152202 \cdot 10^{-140}$	$1 ni'upavo \frac{L}{T^2} = 10^{-140} = 305.440 k \frac{m}{s^2}$
$1 m \text{ ms} = 2.13543 \cdot 10^{240}$	$1 revo-LT = 10^{240} = 0.234514 \text{ m ms}$
$1 m \text{ s} = 0.0143123 \cdot 10^{250}$	$1 remu-LT = 10^{250} = 32.2544 \text{ m s}$
$1 k \text{ ms} = 120.444 \cdot 10^{250}$	$1 cino-LT = 10^{300} = 4232.10 \text{ k ms}$
$1 m \text{ m}^2 = 24.3103 \cdot 10^{220}$	$1 rere-L^2 = 10^{220} = 0.0210223 \text{ m m}^2$
$1 m^2 = 0.204310 \cdot 10^{230}$	$1 reci-L^2 = 10^{230} = 2.45340 \text{ m}^2$
$1 k \text{ m}^2 = 0.00135015 \cdot 10^{240}$	$1 revo-L^2 = 10^{240} = 335.404 \text{ k m}^2$
$1 m \frac{m^2}{s} = 0.533351 \cdot 10^{50}$	$1 mu-\frac{L^2}{T} = 10^{50} = 1.02322 m \frac{m^2}{s}$
$1 \frac{m^2}{s} = 0.00415331 \cdot 10^{100}$	$1 pano-\frac{L^2}{T} = 10^{100} = 121.551 \frac{m^2}{s} \quad (*)$
$1 k \frac{m^2}{s} = 32.0020 \cdot 10^{100} \quad (*)$	$1 pano-\frac{L^2}{T} = 10^{100} = 0.0144435 k \frac{m^2}{s}$
$1 m \frac{m^2}{s^2} = 0.0152155 \cdot 10^{-40} \quad (*)$	$1 ni'uvo-\frac{L^2}{T^2} = 10^{-40} = 30.5450 m \frac{m^2}{s^2}$
$1 \frac{m^2}{s^2} = 124.420 \cdot 10^{-40}$	$1 ni'uvo-\frac{L^2}{T^2} = 10^{-40} = 0.00403254 \frac{m^2}{s^2}$
$1 k \frac{m^2}{s^2} = 1.04403 \cdot 10^{-30}$	$1 ni'uci-\frac{L^2}{T^2} = 10^{-30} = 0.515052 k \frac{m^2}{s^2}$
$1 m \text{ m}^2 \text{ s} = 0.00120441 \cdot 10^{400}$	$1 vono-L^2 T = 10^{400} = 423.222 \text{ m m}^2 \text{ s}$
$1 m^2 \text{ s} = 10.1350 \cdot 10^{400}$	$1 vono-L^2 T = 10^{400} = 0.0542330 \text{ m}^2 \text{ s}$
$1 k \text{ m}^2 \text{ s} = 0.0450133 \cdot 10^{410}$	$1 vopa-L^2 T = 10^{410} = 11.2342 \text{ k m}^2 \text{ s}$
$1 m \frac{1}{m} = 0.210215 \cdot 10^{-120}$	$1 ni'upare-\frac{1}{L} = 10^{-120} = 2.43112 m \frac{1}{m}$
$1 \frac{1}{m} = 1402.52 \cdot 10^{-120}$	$1 ni'upapa-\frac{1}{L} = 10^{-110} = 332.323 \frac{1}{m}$
$1 k \frac{1}{m} = 11.4400 \cdot 10^{-110} \quad (*)$	$1 ni'upapa-\frac{1}{L} = 10^{-110} = 0.0434343 k \frac{1}{m}$
$1 m \frac{1}{m s} = 4232.10 \cdot 10^{-300}$	$1 ni'uremu-\frac{1}{LT} = 10^{-250} = 120.444 m \frac{1}{ms}$
$1 \frac{1}{m s} = 32.2544 \cdot 10^{-250}$	$1 ni'uremu-\frac{1}{LT} = 10^{-250} = 0.0143123 \frac{1}{ms}$
$1 k \frac{1}{m s} = 0.234514 \cdot 10^{-240}$	$1 ni'urevo-\frac{1}{LT} = 10^{-240} = 2.13543 k \frac{1}{ms}$
$1 m \frac{1}{m s^2} = 130.000 \cdot 10^{-430} \quad (**)$	$1 ni'uvore-\frac{1}{LT^2} = 10^{-420} = 4000.00 m \frac{1}{ms^2} \quad (**)$
$1 \frac{1}{m s^2} = 1.05400 \cdot 10^{-420} \quad (*)$	$1 ni'uvore-\frac{1}{LT^2} = 10^{-420} = 0.510343 \frac{1}{ms^2}$
$1 k \frac{1}{m s^2} = 5205.22 \cdot 10^{-420}$	$1 ni'uvopa-\frac{1}{LT^2} = 10^{-410} = 104.151 k \frac{1}{ms^2}$
$1 m \frac{s}{m} = 10.2320 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 0.0533410 m \frac{s}{m}$
$1 \frac{s}{m} = 0.0454254 \cdot 10^{20}$	$1 re-\frac{T}{L} = 10^{20} = 11.1322 \frac{s}{m}$
$1 k \frac{s}{m} = 345.420 \cdot 10^{20}$	$1 re-\frac{T}{L} = 10^{20} = 0.00132244 k \frac{s}{m}$
$1 m \frac{1}{m^2} = 335.404 \cdot 10^{-240}$	$1 ni'urevo-\frac{1}{L^2} = 10^{-240} = 0.00135015 m \frac{1}{m^2}$
$1 \frac{1}{m^2} = 2.45340 \cdot 10^{-230}$	$1 ni'ureci-\frac{1}{L^2} = 10^{-230} = 0.204310 \frac{1}{m^2}$
$1 k \frac{1}{m^2} = 0.0210223 \cdot 10^{-220}$	$1 ni'urere-\frac{1}{L^2} = 10^{-220} = 24.3103 k \frac{1}{m^2}$
$1 m \frac{1}{m^2 s} = 11.2342 \cdot 10^{-410}$	$1 ni'uvopa-\frac{1}{L^2 T} = 10^{-410} = 0.0450133 m \frac{1}{m^2 s}$
$1 \frac{1}{m^2 s} = 0.0542330 \cdot 10^{-400}$	$1 ni'uvono-\frac{1}{L^2 T} = 10^{-400} = 10.1350 \frac{1}{m^2 s}$
$1 k \frac{1}{m^2 s} = 423.222 \cdot 10^{-400}$	$1 ni'uvono-\frac{1}{L^2 T} = 10^{-400} = 0.00120441 k \frac{1}{m^2 s}$
$1 m \frac{1}{m^2 s^2} = 0.230420 \cdot 10^{-540}$	$1 ni'umuovo-\frac{1}{L^2 T^2} = 10^{-540} = 2.21414 m \frac{1}{m^2 s^2}$
$1 \frac{1}{m^2 s^2} = 1540.00 \cdot 10^{-540} \quad (*)$	$1 ni'umuci-\frac{1}{L^2 T^2} = 10^{-530} = 303.030 \frac{1}{m^2 s^2}$
$1 k \frac{1}{m^2 s^2} = 13.0003 \cdot 10^{-530} \quad (**)$	$1 ni'umuci-\frac{1}{L^2 T^2} = 10^{-530} = 0.0355545 k \frac{1}{m^2 s^2} \quad (**)$
$1 m \frac{1}{m^2} = 0.0144435 \cdot 10^{-100}$	$1 ni'upano-\frac{1}{L^2} = 10^{-100} = 32.0020 m \frac{s}{m^2} \quad (*)$
$1 \frac{s}{m^2} = 121.551 \cdot 10^{-100} \quad (*)$	$1 ni'upano-\frac{1}{L^2} = 10^{-100} = 0.00415331 \frac{s}{m^2}$
$1 k \frac{s}{m^2} = 1.02322 \cdot 10^{-50}$	$1 ni'umu-\frac{T}{L^2} = 10^{-50} = 0.533351 k \frac{s}{m^2}$
$1 m \frac{1}{m^3} = 1.00512 \cdot 10^{-350} \quad (*)$	$1 ni'ucimu-\frac{1}{L^3} = 10^{-350} = 0.550520 m \frac{1}{m^3} \quad (*)$
$1 \frac{1}{m^3} = 0.00442413 \cdot 10^{-340}$	$1 ni'ucivo-\frac{1}{L^3} = 10^{-340} = 113.315 \frac{1}{m^3}$
$1 k \frac{1}{m^3} = 33.5415 \cdot 10^{-340}$	$1 ni'ucivo-\frac{1}{L^3} = 10^{-340} = 0.0135012 k \frac{1}{m^3}$
$1 m \frac{1}{m^3 s} = 0.0202545 \cdot 10^{-520}$	$1 ni'umure-\frac{1}{L^3 T} = 10^{-520} = 25.1421 m \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s} = 133.502 \cdot 10^{-520}$	$1 ni'umure-\frac{1}{L^3 T} = 10^{-520} = 0.00342233 \frac{1}{m^3 s}$
$1 k \frac{1}{m^3 s} = 1.12345 \cdot 10^{-510}$	$1 ni'umupa-\frac{1}{L^3 T} = 10^{-510} = 0.450120 k \frac{1}{m^3 s}$
$1 m \frac{1}{m^3 s^2} = 412.225 \cdot 10^{-1100}$	$1 ni'upapano-\frac{1}{L^3 T^2} = 10^{-1100} = 0.00123004 m \frac{1}{m^3 s^2} \quad (*)$
$1 \frac{1}{m^3 s^2} = 3.13334 \cdot 10^{-1050}$	$1 ni'upanomu-\frac{1}{L^3 T^2} = 10^{-1050} = 0.150042 \frac{1}{m^3 s^2} \quad (*)$
$1 k \frac{1}{m^3 s^2} = 0.0230424 \cdot 10^{-1040}$	$1 ni'upanovo-\frac{1}{L^3 T^2} = 10^{-1040} = 22.1410 k \frac{1}{m^3 s^2}$

$1\text{m}\frac{\text{s}}{\text{m}^3} = 30.0452 \cdot 10^{-220}$	$1\text{ni}'\text{urere}-\frac{T}{L^3} = 10^{-220} = 0.0155243 \text{m}\frac{\text{s}}{\text{m}^3}$ (*)
$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.215544 \cdot 10^{-210}$ (*)	$1\text{ni}'\text{urepa}-\frac{T}{L^3} = 10^{-210} = 2.32340 \frac{\text{s}}{\text{m}^3}$
$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.00144442 \cdot 10^{-200}$	$1\text{ni}'\text{ureno}-\frac{T}{L^3} = 10^{-200} = 320.005 \text{k}\frac{\text{s}}{\text{m}^3}$ (*)
$1\text{m kg} = 0.552415 \cdot 10^{10}$ (*)	$1\text{pa-}M = 10^{10} = 1.00320 \text{m kg}$ (*)
$1\text{kg} = 0.00432045 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 115.213 \text{kg}$
$1\text{k kg} = 33.0351 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 0.0141222 \text{k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 0.0200025 \cdot 10^{-120}$ (**)	$1\text{ni}'\text{upare}-\frac{M}{T} = 10^{-120} = 25.5514 \text{m}\frac{\text{kg}}{\text{s}}$ (*)
$1\text{k}\frac{\text{kg}}{\text{s}} = 131.341 \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\frac{M}{T} = 10^{-120} = 0.00351452 \frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 1.10525 \cdot 10^{-110}$	$1\text{ni}'\text{upapa}-\frac{M}{T} = 10^{-110} = 0.501111 \text{k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 402.313 \cdot 10^{-300}$	$1\text{ni}'\text{ucino}-\frac{M}{T^2} = 10^{-300} = 0.00125022 \text{m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 3.05024 \cdot 10^{-250}$	$1\text{ni}'\text{uremu}-\frac{M}{T^2} = 10^{-250} = 0.152434 \frac{\text{kg}}{\text{s}^2}$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 0.0223130 \cdot 10^{-240}$	$1\text{ni}'\text{urevo}-\frac{M}{T^2} = 10^{-240} = 22.5043 \text{k}\frac{\text{kg}}{\text{s}^2}$
$1\text{m kg s} = 25.2343 \cdot 10^{140}$	$1\text{pavo-}MT = 10^{140} = 0.0202153 \text{m kg s}$
$1\text{kg s} = 0.212422 \cdot 10^{150}$	$1\text{pamu-}MT = 10^{150} = 2.40153 \text{kg s}$
$1\text{k kg s} = 0.00142143 \cdot 10^{200}$	$1\text{reno-}MT = 10^{200} = 324.500 \text{k kg s}$ (*)
$1\text{m kg m} = 330.341 \cdot 10^{120}$	$1\text{pare-}ML = 10^{120} = 0.00141230 \text{m kg m}$
$1\text{kg m} = 2.41410 \cdot 10^{130}$	$1\text{paci-}ML = 10^{130} = 0.211332 \text{kg m}$
$1\text{k kg m} = 0.0203215 \cdot 10^{140}$	$1\text{pavo-}ML = 10^{140} = 25.1053 \text{k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 11.0523 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML}{T} = 10^{-10} = 0.0501125 \text{m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.0530343 \cdot 10^0$	$1\frac{ML}{T} = 1 = 10.3052 \frac{\text{kg m}}{\text{s}}$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 413.133 \cdot 10^0$	$1\frac{ML}{T} = 1 = 0.00122423 \text{k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 0.223121 \cdot 10^{-140}$	$1\text{ni}'\text{upavo}-\frac{ML}{T^2} = 10^{-140} = 2.25052 \text{m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 1511.50 \cdot 10^{-140}$	$1\text{ni}'\text{upaci}-\frac{ML}{T^2} = 10^{-130} = 311.311 \frac{\text{kg m}}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 12.3533 \cdot 10^{-130}$	$1\text{ni}'\text{upaci}-\frac{ML}{T^2} = 10^{-130} = 0.0405422 \text{k}\frac{\text{kg m}}{\text{s}^2}$
$1\text{m kg m s} = 0.0142140 \cdot 10^{300}$	$1\text{cino-}MLT = 10^{300} = 32.4510 \text{m kg m s}$
$1\text{kg m s} = 120.015 \cdot 10^{300}$	$1\text{cino-}MLT = 10^{300} = 0.00425453 \text{kg m s}$
$1\text{k kg m s} = 1.01025 \cdot 10^{310}$	$1\text{cipa-}MLT = 10^{310} = 0.545420 \text{k kg m s}$
$1\text{m kg m}^2 = 0.203211 \cdot 10^{240}$	$1\text{revo-}ML^2 = 10^{240} = 2.51102 \text{m kg m}^2$
$1\text{kg m}^2 = 1340.53 \cdot 10^{240}$	$1\text{remu-}ML^2 = 10^{250} = 341.415 \text{kg m}^2$
$1\text{k kg m}^2 = 11.2512 \cdot 10^{250}$	$1\text{remu-}ML^2 = 10^{250} = 0.0445145 \text{k kg m}^2$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 4131.20 \cdot 10^{100}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 122.430 \text{m}\frac{\text{kg m}^2}{\text{s}}$
$1\frac{\text{kg m}^2}{\text{s}} = 31.4121 \cdot 10^{110}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 0.0145435 \frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.231121 \cdot 10^{120}$	$1\text{pare-}\frac{ML^2}{T} = 10^{120} = 2.21124 \text{k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 123.531 \cdot 10^{-30}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 4054.34 \text{m}\frac{\text{kg m}^2}{\text{s}^2}$
$1\frac{\text{kg m}^2}{\text{s}^2} = 1.04021 \cdot 10^{-20}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 0.522034 \frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 5052.50 \cdot 10^{-20}$	$1\text{ni}'\text{upa-}\frac{ML^2}{T^2} = 10^{-10} = 105.532 \text{k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2 \text{s} = 10.1023 \cdot 10^{410}$	$1\text{vopa-}ML^2T = 10^{410} = 0.0545435 \text{m kg m}^2 \text{s}$
$1\text{kg m}^2 \text{s} = 0.0443341 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 11.3151 \text{kg m}^2 \text{s}$
$1\text{k kg m}^2 \text{s} = 340.231 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 0.00134420 \text{k kg m}^2 \text{s}$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.00135321 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 334.320 \text{m}\frac{\text{kg}}{\text{m}}$
$1\frac{\text{kg}}{\text{m}} = 11.3543 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 0.0441111 \frac{\text{kg}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = 0.0552434 \cdot 10^{-50}$ (*)	$1\text{ni}'\text{umu-}\frac{M}{L} = 10^{-50} = 10.0314 \text{k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = 32.1032 \cdot 10^{-240}$	$1\text{ni}'\text{urevo-}\frac{M}{LT} = 10^{-240} = 0.0144114 \text{m}\frac{\text{kg}}{\text{m s}}$
$1\frac{\text{kg}}{\text{m s}} = 0.233234 \cdot 10^{-230}$	$1\text{ni}'\text{ureci-}\frac{M}{LT} = 10^{-230} = 2.15120 \frac{\text{kg}}{\text{m s}}$
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.00200033 \cdot 10^{-220}$ (**)	$1\text{ni}'\text{urere-}\frac{M}{LT} = 10^{-220} = 255.505 \text{k}\frac{\text{kg}}{\text{m s}}$ (*)
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 1.05011 \cdot 10^{-410}$	$1\text{ni}'\text{uvopa-}\frac{M}{LT^2} = 10^{-410} = 0.513301 \text{m}\frac{\text{kg}}{\text{m s}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 0.00513545 \cdot 10^{-400}$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 104.534 \frac{\text{kg}}{\text{m s}^2}$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 40.2325 \cdot 10^{-400}$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 0.0125015 \text{k}\frac{\text{kg}}{\text{m s}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 0.0451435 \cdot 10^{30}$	$1\text{ci-}\frac{MT}{L} = 10^{30} = 11.2123 \text{m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 343.344 \cdot 10^{30}$	$1\text{vo-}\frac{MT}{L} = 10^{40} = 1332.00 \frac{\text{kg s}}{\text{m}}$ (*)

$1k \frac{kg\cdot s}{m} = 2.52353 \cdot 10^{40}$	$1vo \frac{MT}{L} = 10^{40} = 0.202150 k \frac{kg\cdot s}{m}$
$1m \frac{kg}{m^2} = 2.44022 \cdot 10^{-220}$	$1ni'urere \frac{M}{L^2} = 10^{-220} = 0.205413 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 0.0205113 \cdot 10^{-210}$	$1ni'urepa \frac{M}{L^2} = 10^{-210} = 24.4414 \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 135.324 \cdot 10^{-210}$	$1ni'ureno \frac{M}{L^2} = 10^{-200} = 3343.05 k \frac{kg}{m^2}$
$1m \frac{kg}{m^2\cdot s} = 0.0535240 \cdot 10^{-350}$	$1ni'ucimu \frac{M}{L^2T} = 10^{-350} = 10.2120 m \frac{kg}{m^2\cdot s}$
$1 \frac{kg}{m^2\cdot s} = 420.551 \cdot 10^{-350} (*)$	$1ni'ucivo \frac{M}{L^2T} = 10^{-340} = 1213.12 \frac{kg}{m^2\cdot s}$
$1k \frac{kg}{m^2\cdot s} = 3.21043 \cdot 10^{-340}$	$1ni'ucivo \frac{M}{L^2T} = 10^{-340} = 0.144111 k \frac{kg}{m^2\cdot s}$
$1m \frac{kg}{m^2\cdot s^2} = 0.00152534 \cdot 10^{-520}$	$1ni'umure \frac{M}{L^2T^2} = 10^{-520} = 304.445 m \frac{kg}{m^2\cdot s^2}$
$1 \frac{kg}{m^2\cdot s^2} = 12.5105 \cdot 10^{-520}$	$1ni'umure \frac{M}{L^2T^2} = 10^{-520} = 0.0402105 \frac{kg}{m^2\cdot s^2}$
$1k \frac{kg}{m^2\cdot s^2} = 0.105013 \cdot 10^{-510}$	$1ni'umupa \frac{M}{L^2T^2} = 10^{-510} = 5.13243 k \frac{kg}{m^2\cdot s^2}$
$1m \frac{kg}{m^2} = 121.115 \cdot 10^{-50}$	$1ni'uvo \frac{MT}{L^2} = 10^{-40} = 4215.54 m \frac{kg\cdot s}{m^2}$
$1 \frac{kg}{m^2} = 1.01551 \cdot 10^{-40} (*)$	$1ni'uvo \frac{MT}{L^2} = 10^{-40} = 0.540432 \frac{kg\cdot s}{m^2}$
$1k \frac{kg\cdot s}{m^2} = 4514.53 \cdot 10^{-40}$	$1ni'uci \frac{MT}{L^2} = 10^{-30} = 112.121 k \frac{kg\cdot s}{m^2}$
$1m \frac{kg}{m^3} = 4400.40 \cdot 10^{-340} (*)$	$1ni'ucici \frac{M}{L^3} = 10^{-330} = 114.131 m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 33.3415 \cdot 10^{-330}$	$1ni'ucici \frac{M}{L^3} = 10^{-330} = 0.0135540 \frac{kg}{m^3} (*)$
$1k \frac{kg}{m^3} = 0.244031 \cdot 10^{-320}$	$1ni'ucire \frac{M}{L^3} = 10^{-320} = 2.05405 k \frac{kg}{m^3}$
$1m \frac{kg}{m^3\cdot s} = 132.544 \cdot 10^{-510}$	$1ni'umuno \frac{M}{L^3T} = 10^{-500} = 3443.01 m \frac{kg}{m^3\cdot s}$
$1 \frac{kg}{m^3\cdot s} = 1.11542 \cdot 10^{-500}$	$1ni'umuno \frac{M}{L^3T} = 10^{-500} = 0.452525 \frac{kg}{m^3\cdot s}$
$1k \frac{kg}{m^3\cdot s^2} = 5352.54 \cdot 10^{-500}$	$1ni'uvomu \frac{M}{L^3T} = 10^{-450} = 102.114 k \frac{kg}{m^3\cdot s}$
$1m \frac{kg}{m^3\cdot s^2} = 3.11452 \cdot 10^{-1040}$	$1ni'upanovo \frac{M}{L^3T^2} = 10^{-1040} = 0.151051 m \frac{kg}{m^3\cdot s^2}$
$1 \frac{kg}{m^3\cdot s^2} = 0.0225211 \cdot 10^{-1030}$	$1ni'upanoci \frac{M}{L^3T^2} = 10^{-1030} = 22.3003 \frac{kg}{m^3\cdot s^2} (*)$
$1k \frac{kg}{m^3\cdot s^2} = 152.542 \cdot 10^{-1030}$	$1ni'upanore \frac{M}{L^3T^2} = 10^{-1020} = 3044.35 k \frac{kg}{m^3\cdot s^2}$
$1m \frac{kg}{m^3} = 0.214404 \cdot 10^{-200}$	$1ni'ureno \frac{MT}{L^3} = 10^{-200} = 2.34013 m \frac{kg\cdot s}{m^3}$
$1 \frac{kg}{m^3} = 1434.45 \cdot 10^{-200}$	$1ni'upamu \frac{MT}{L^3} = 10^{-150} = 321.513 \frac{kg\cdot s}{m^3}$
$1k \frac{kg}{m^3} = 12.1122 \cdot 10^{-150}$	$1ni'upamu \frac{MT}{L^3} = 10^{-150} = 0.0421542 k \frac{kg\cdot s}{m^3}$
$1m \frac{1}{C} = 312.545 \cdot 10^{-50}$	$1ni'ubo \frac{1}{Q} = 10^{-40} = 1502.52 m \frac{1}{C}$
$1 \frac{1}{C} = 2.30130 \cdot 10^{-40}$	$1ni'ubo \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{C}$
$1k \frac{1}{C} = 0.0153350 \cdot 10^{-30}$	$1ni'uci \frac{1}{Q} = 10^{-30} = 30.3355 k \frac{1}{C} (*)$
$1m \frac{1}{s\cdot C} = 10.3345 \cdot 10^{-220}$	$1ni'urere \frac{1}{T\cdot Q} = 10^{-220} = 0.0524110 m \frac{1}{s\cdot C}$
$1 \frac{1}{s\cdot C} = 0.0503254 \cdot 10^{-210}$	$1ni'urepa \frac{1}{T\cdot Q} = 10^{-210} = 11.0214 \frac{1}{s\cdot C}$
$1k \frac{1}{s\cdot C} = 353.330 \cdot 10^{-210}$	$1ni'ureno \frac{1}{T\cdot Q} = 10^{-200} = 1305.31 k \frac{1}{s\cdot C}$
$1m \frac{1}{s^2\cdot C} = 0.212325 \cdot 10^{-350}$	$1ni'ucimu \frac{1}{T^2\cdot Q} = 10^{-350} = 2.40300 m \frac{1}{s^2\cdot C} (*)$
$1 \frac{1}{s^2\cdot C} = 0.00142102 \cdot 10^{-340}$	$1ni'ucivo \frac{1}{T^2\cdot Q} = 10^{-340} = 325.022 \frac{1}{s^2\cdot C}$
$1k \frac{1}{s^2\cdot C} = 11.5551 \cdot 10^{-340} (**)$	$1ni'ucivo \frac{1}{T^2\cdot Q} = 10^{-340} = 0.0430030 k \frac{1}{s^2\cdot C} (*)$
$1m \frac{s}{C} = 0.0133311 \cdot 10^{50}$	$1mu \frac{T}{Q} = 10^{50} = 34.3055 m \frac{s}{C} (*)$
$1 \frac{s}{C} = 112.220 \cdot 10^{50}$	$1pano \frac{T}{Q} = 10^{100} = 4511.01 \frac{s}{C}$
$1k \frac{s}{C} = 0.541303 \cdot 10^{100}$	$1pano \frac{T}{Q} = 10^{100} = 1.01501 k \frac{s}{C}$
$1m \frac{m}{C} = 0.153342 \cdot 10^{30}$	$1ci \frac{L}{Q} = 10^{30} = 3.03405 m \frac{m}{C}$
$1 \frac{m}{C} = 0.00125420 \cdot 10^{40}$	$1vo \frac{L}{Q} = 10^{40} = 400.430 \frac{m}{C} (*)$
$1k \frac{m}{C} = 10.5241 \cdot 10^{40}$	$1vo \frac{L}{Q} = 10^{40} = 0.0511333 k \frac{m}{C}$
$1m \frac{m}{s\cdot C} = 0.00353314 \cdot 10^{-100}$	$1ni'upano \frac{L}{T\cdot Q} = 10^{-100} = 130.534 m \frac{m}{s\cdot C}$
$1 \frac{m}{s\cdot C} = 30.1115 \cdot 10^{-100}$	$1ni'upano \frac{L}{T\cdot Q} = 10^{-100} = 0.0155110 \frac{m}{s\cdot C} (*)$
$1k \frac{m}{s\cdot C} = 0.220135 \cdot 10^{-50}$	$1ni'umu \frac{L}{T\cdot Q} = 10^{-50} = 2.32134 k \frac{m}{s\cdot C}$
$1m \frac{m}{s^2\cdot C} = 115.544 \cdot 10^{-240}$	$1ni'urevo \frac{L}{T^2\cdot Q} = 10^{-240} = 0.00430043 m \frac{m}{s^2\cdot C} (*)$
$1 \frac{m}{s^2\cdot C} = 1.01002 \cdot 10^{-230} (*)$	$1ni'ureci \frac{L}{T^2\cdot Q} = 10^{-230} = 0.550040 \frac{m}{s^2\cdot C} (**)$
$1k \frac{m}{s^2\cdot C} = 0.00443201 \cdot 10^{-220}$	$1ni'urere \frac{L}{T^2\cdot Q} = 10^{-220} = 113.215 k \frac{m}{s^2\cdot C}$
$1m \frac{ms}{C} = 5.41244 \cdot 10^{200}$	$1reno \frac{LT}{Q} = 10^{200} = 0.101503 m \frac{ms}{C}$
$1 \frac{ms}{C} = 0.0422312 \cdot 10^{210}$	$1repa \frac{LT}{Q} = 10^{210} = 12.1014 \frac{ms}{C}$
$1k \frac{ms}{C} = 322.155 \cdot 10^{210} (*)$	$1rere \frac{LT}{Q} = 10^{220} = 1433.22 k \frac{ms}{C}$

$1\text{m}\frac{\text{m}^2}{\text{C}} = 105.235 \cdot 10^{140}$	$1\text{pavo-}\frac{L^2}{Q} = 10^{140} = 0.00511351 \text{m}\frac{\text{m}^2}{\text{C}}$
$1\text{k}\frac{\text{m}^2}{\text{C}} = 0.515505 \cdot 10^{150} \quad (*)$	$1\text{pamu-}\frac{L^2}{Q} = 10^{150} = 1.04311 \frac{\text{m}^2}{\text{C}}$
$1\text{k}\frac{\text{m}^2}{\text{C}} = 0.00404012 \cdot 10^{200}$	$1\text{reno-}\frac{L^2}{Q} = 10^{200} = 124.310 \text{k}\frac{\text{m}^2}{\text{C}}$
$1\text{m}\frac{\text{m}^2}{\text{sC}} = 2.20131 \cdot 10^{10}$	$1\text{pa-}\frac{L^2}{TQ} = 10^{10} = 0.232143 \text{m}\frac{\text{m}^2}{\text{sC}}$
$1\frac{\text{m}^2}{\text{sC}} = 0.0145002 \cdot 10^{20} \quad (*)$	$1\text{re-}\frac{L^2}{TQ} = 10^{20} = 31.5340 \frac{\text{m}^2}{\text{sC}}$
$1\text{k}\frac{\text{m}^2}{\text{sC}} = 122.055 \cdot 10^{20} \quad (*)$	$1\text{re-}\frac{L^2}{TQ} = 10^{20} = 0.00415004 \text{k}\frac{\text{m}^2}{\text{sC}} \quad (*)$
$1\text{m}\frac{\text{m}^2}{\text{s}^2\text{C}} = 0.0443144 \cdot 10^{-120}$	$1\text{ni'upare-}\frac{L^2}{T^2Q} = 10^{-120} = 11.3221 \text{m}\frac{\text{m}^2}{\text{s}^2\text{C}}$
$1\frac{\text{m}^2}{\text{s}^2\text{C}} = 340.101 \cdot 10^{-120}$	$1\text{ni'upare-}\frac{L^2}{T^2Q} = 10^{-120} = 0.00134500 \frac{\text{m}^2}{\text{s}^2\text{C}} \quad (*)$
$1\text{k}\frac{\text{m}^2}{\text{s}^2\text{C}} = 2.45553 \cdot 10^{-110} \quad (**)$	$1\text{ni'upapa-}\frac{L^2}{T^2Q} = 10^{-110} = 0.204125 \text{k}\frac{\text{m}^2}{\text{s}^2\text{C}}$
$1\text{m}\frac{\text{m}^2\text{s}}{\text{C}} = 0.00322144 \cdot 10^{320}$	$1\text{cire-}\frac{L^2T}{Q} = 10^{320} = 143.330 \text{m}\frac{\text{m}^2\text{s}}{\text{C}}$
$1\frac{\text{m}^2\text{s}}{\text{C}} = 23.4211 \cdot 10^{320}$	$1\text{cire-}\frac{L^2T}{Q} = 10^{320} = 0.0214223 \frac{\text{m}^2\text{s}}{\text{C}}$
$1\text{k}\frac{\text{m}^2\text{s}}{\text{C}} = 0.200452 \cdot 10^{330} \quad (*)$	$1\text{cici-}\frac{L^2T}{Q} = 10^{330} = 2.54443 \text{k}\frac{\text{m}^2\text{s}}{\text{C}}$
$1\text{m}\frac{1}{\text{mC}} = 0.524301 \cdot 10^{-200}$	$1\text{ni'ureno-}\frac{1}{LQ} = 10^{-200} = 1.03323 \text{m}\frac{1}{\text{mC}}$
$1\frac{1}{\text{mC}} = 4113.43 \cdot 10^{-200}$	$1\text{ni'upamu-}\frac{1}{LQ} = 10^{-150} = 123.141 \frac{1}{\text{mC}}$
$1\text{k}\frac{1}{\text{mC}} = 31.2555 \cdot 10^{-150} \quad (**)$	$1\text{ni'upamu-}\frac{1}{LQ} = 10^{-150} = 0.0150244 \text{k}\frac{1}{\text{mC}}$
$1\text{m}\frac{1}{\text{msC}} = 0.0150331 \cdot 10^{-330}$	$1\text{ni'ucici-}\frac{1}{LTQ} = 10^{-330} = 31.2441 \text{m}\frac{1}{\text{msC}}$
$1\frac{1}{\text{msC}} = 123.214 \cdot 10^{-330}$	$1\text{ni'ucire-}\frac{1}{LTQ} = 10^{-320} = 4112.03 \frac{1}{\text{msC}}$
$1\text{k}\frac{1}{\text{msC}} = 1.03351 \cdot 10^{-320}$	$1\text{ni'ucire-}\frac{1}{LTQ} = 10^{-320} = 0.524052 \text{k}\frac{1}{\text{msC}}$
$1\text{m}\frac{1}{\text{ms}^2\text{C}} = 343.213 \cdot 10^{-510}$	$1\text{ni'umuno-}\frac{1}{LT^2Q} = 10^{-500} = 1332.35 \text{m}\frac{1}{\text{ms}^2\text{C}}$
$1\frac{1}{\text{ms}^2\text{C}} = 2.52243 \cdot 10^{-500}$	$1\text{ni'umuno-}\frac{1}{LT^2Q} = 10^{-500} = 0.202235 \frac{1}{\text{ms}^2\text{C}}$
$1\text{k}\frac{1}{\text{ms}^2\text{C}} = 0.0212334 \cdot 10^{-450}$	$1\text{ni'uvomu-}\frac{1}{LT^2Q} = 10^{-450} = 24.0251 \text{k}\frac{1}{\text{ms}^2\text{C}}$
$1\text{m}\frac{s}{\text{mC}} = 24.0353 \cdot 10^{-30}$	$1\text{ni'uci-}\frac{T}{LQ} = 10^{-30} = 0.0212242 \text{m}\frac{s}{\text{mC}}$
$1\frac{s}{\text{mC}} = 0.202325 \cdot 10^{-20}$	$1\text{ni'ure-}\frac{T}{LQ} = 10^{-20} = 2.52134 \frac{s}{\text{mC}}$
$1\text{k}\frac{s}{\text{mC}} = 1333.14 \cdot 10^{-20}$	$1\text{ni'upa-}\frac{T}{LQ} = 10^{-10} = 343.044 \text{k}\frac{s}{\text{mC}}$
$1\text{m}\frac{1}{\text{m}^2\text{C}} = 1310.05 \cdot 10^{-320}$	$1\text{ni'ucipa-}\frac{1}{L^2Q} = 10^{-310} = 353.154 \text{m}\frac{1}{\text{m}^2\text{C}}$
$1\frac{1}{\text{m}^2\text{C}} = 11.0242 \cdot 10^{-310}$	$1\text{ni'ucipa-}\frac{1}{L^2Q} = 10^{-310} = 0.0503054 \frac{1}{\text{m}^2\text{C}}$
$1\text{k}\frac{1}{\text{m}^2\text{C}} = 0.0524320 \cdot 10^{-300}$	$1\text{ni'ucino-}\frac{1}{L^2Q} = 10^{-300} = 10.3321 \text{k}\frac{1}{\text{m}^2\text{C}}$
$1\text{m}\frac{1}{\text{m}^2\text{sC}} = 30.3511 \cdot 10^{-450}$	$1\text{ni'uvomo-}\frac{1}{L^2TQ} = 10^{-450} = 0.0153302 \text{m}\frac{1}{\text{m}^2\text{sC}}$
$1\frac{1}{\text{m}^2\text{sC}} = 0.222152 \cdot 10^{-440}$	$1\text{ni'uvovo-}\frac{1}{L^2TQ} = 10^{-440} = 2.30031 \frac{1}{\text{m}^2\text{sC}} \quad (*)$
$1\text{k}\frac{1}{\text{m}^2\text{sC}} = 1503.34 \cdot 10^{-440}$	$1\text{ni'uvoci-}\frac{1}{L^2TQ} = 10^{-430} = 312.431 \text{k}\frac{1}{\text{m}^2\text{sC}}$
$1\text{m}\frac{1}{\text{m}^2\text{s}^2\text{C}} = 1.01524 \cdot 10^{-1020}$	$1\text{ni'upanore-}\frac{1}{L^2T^2Q} = 10^{-1020} = 0.541050 \text{m}\frac{1}{\text{m}^2\text{s}^2\text{C}}$
$1\frac{1}{\text{m}^2\text{s}^2\text{C}} = 4512.54 \cdot 10^{-1020}$	$1\text{ni'upanopa-}\frac{1}{L^2T^2Q} = 10^{-1010} = 112.151 \frac{1}{\text{m}^2\text{s}^2\text{C}}$
$1\text{k}\frac{1}{\text{m}^2\text{s}^2\text{C}} = 34.3224 \cdot 10^{-1010}$	$1\text{ni'upanopa-}\frac{1}{L^2T^2Q} = 10^{-1010} = 0.0133232 \text{k}\frac{1}{\text{m}^2\text{s}^2\text{C}}$
$1\text{m}\frac{s}{\text{m}^2\text{C}} = 0.0430214 \cdot 10^{-140}$	$1\text{ni'upavo-}\frac{T}{L^2Q} = 10^{-140} = 11.5520 \text{m}\frac{s}{\text{m}^2\text{C}} \quad (*)$
$1\frac{s}{\text{m}^2\text{C}} = 325.143 \cdot 10^{-140}$	$1\text{ni'upavo-}\frac{T}{L^2Q} = 10^{-140} = 0.00142021 \frac{s}{\text{m}^2\text{C}}$
$1\text{k}\frac{s}{\text{m}^2\text{C}} = 2.40402 \cdot 10^{-130}$	$1\text{ni'upaci-}\frac{T}{L^2Q} = 10^{-130} = 0.212233 \text{k}\frac{s}{\text{m}^2\text{C}}$
$1\text{m}\frac{1}{\text{m}^3\text{C}} = 2.32235 \cdot 10^{-430}$	$1\text{ni'uvoci-}\frac{1}{L^3Q} = 10^{-430} = 0.220042 \text{m}\frac{1}{\text{m}^3\text{C}} \quad (*)$
$1\frac{1}{\text{m}^3\text{C}} = 0.0155155 \cdot 10^{-420} \quad (*)$	$1\text{ni'uvore-}\frac{1}{L^3Q} = 10^{-420} = 30.1004 \frac{1}{\text{m}^3\text{C}} \quad (*)$
$1\text{k}\frac{1}{\text{m}^3\text{C}} = 131.012 \cdot 10^{-420}$	$1\text{ni'uvore-}\frac{1}{L^3Q} = 10^{-420} = 0.00353142 \text{k}\frac{1}{\text{m}^3\text{C}}$
$1\text{m}\frac{1}{\text{m}^3\text{sC}} = 0.0511535 \cdot 10^{-1000}$	$1\text{ni'upanomo-}\frac{1}{L^3TQ} = 10^{-1000} = 10.5213 \text{m}\frac{1}{\text{m}^3\text{sC}}$
$1\frac{1}{\text{m}^3\text{sC}} = 401.003 \cdot 10^{-1000} \quad (*)$	$1\text{ni'upanomo-}\frac{1}{L^3TQ} = 10^{-1000} = 0.00125342 \frac{1}{\text{m}^3\text{sC}}$
$1\text{k}\frac{1}{\text{m}^3\text{sC}} = 3.03521 \cdot 10^{-550}$	$1\text{ni'umumu-}\frac{1}{L^3TQ} = 10^{-550} = 0.153255 \text{k}\frac{1}{\text{m}^3\text{sC}} \quad (*)$
$1\text{m}\frac{1}{\text{m}^3\text{s}^2\text{C}} = 1434.04 \cdot 10^{-1140}$	$1\text{ni'upapaci-}\frac{1}{L^3T^2Q} = 10^{-1130} = 322.035 \text{m}\frac{1}{\text{m}^3\text{s}^2\text{C}}$
$1\frac{1}{\text{m}^3\text{s}^2\text{C}} = 12.1050 \cdot 10^{-1130}$	$1\text{ni'upapaci-}\frac{1}{L^3T^2Q} = 10^{-1130} = 0.0422125 \frac{1}{\text{m}^3\text{s}^2\text{C}}$
$1\text{k}\frac{1}{\text{m}^3\text{s}^2\text{C}} = 0.101530 \cdot 10^{-1120}$	$1\text{ni'upapare-}\frac{1}{L^3T^2Q} = 10^{-1120} = 5.41031 \text{k}\frac{1}{\text{m}^3\text{s}^2\text{C}}$
$1\text{m}\frac{s}{\text{m}^3\text{C}} = 113.245 \cdot 10^{-300}$	$1\text{ni'ucino-}\frac{T}{L^3Q} = 10^{-300} = 0.00443005 \text{m}\frac{s}{\text{m}^3\text{C}} \quad (*)$
$1\frac{s}{\text{m}^3\text{C}} = 0.550255 \cdot 10^{-250} \quad (*)$	$1\text{ni'uremu-}\frac{T}{L^3Q} = 10^{-250} = 1.00535 \frac{s}{\text{m}^3\text{C}} \quad (*)$

$1k \frac{s}{m^3 C} = 0.00430231 \cdot 10^{-240}$	$1 ni'urevo- \frac{T}{L^3 Q} = 10^{-240} = 115.513 k \frac{s}{m^3 C}$
$1m \frac{kg}{C} = 2.24514 \cdot 10^{-30}$	$1 ni'uci- \frac{M}{Q} = 10^{-30} = 0.223254 m \frac{kg}{C}$
$1 \frac{kg}{C} = 0.0152325 \cdot 10^{-20}$	$1 ni'ure- \frac{M}{Q} = 10^{-20} = 30.5215 \frac{kg}{C}$
$1k \frac{kg}{C} = 124.530 \cdot 10^{-20}$	$1 ni'ure- \frac{M}{Q} = 10^{-20} = 0.00402541 k \frac{kg}{C}$
$1m \frac{kg}{s^2 C} = 0.0500411 \cdot 10^{-200}$ (*)	$1 ni'ureno- \frac{M}{TQ} = 10^{-200} = 11.1011 m \frac{kg}{s^2 C}$
$1 \frac{kg}{s^2 C} = 351.233 \cdot 10^{-200}$	$1 ni'ureno- \frac{M}{TQ} = 10^{-200} = 0.00131434 \frac{kg}{s^2 C}$
$1k \frac{kg}{s^2 C} = 2.55330 \cdot 10^{-150}$ (*)	$1 ni'upamu- \frac{M}{TQ} = 10^{-150} = 0.200140 k \frac{kg}{s^2 C}$ (*)
$1m \frac{kg}{s^2 C} = 1411.22 \cdot 10^{-340}$	$1 ni'ucici- \frac{M}{T^2 Q} = 10^{-330} = 330.555 m \frac{kg}{s^2 C}$ (**)
$1 \frac{kg}{s^2 C} = 11.5125 \cdot 10^{-330}$	$1 ni'ucici- \frac{M}{T^2 Q} = 10^{-330} = 0.0432330 \frac{kg}{s^2 C}$
$1k \frac{kg}{s^2 C} = 0.100242 \cdot 10^{-320}$ (*)	$1 ni'ucire- \frac{M}{T^2 Q} = 10^{-320} = 5.53145 k \frac{kg}{s^2 C}$
$1m \frac{kg s}{C} = 111.415 \cdot 10^{100}$	$1 pano- \frac{MT}{Q} = 10^{100} = 0.00453513 m \frac{kg s}{C}$
$1 \frac{kg s}{C} = 0.534220 \cdot 10^{110}$	$1 papa- \frac{MT}{Q} = 10^{110} = 1.02231 \frac{kg s}{C}$
$1k \frac{kg s}{C} = 0.00420100 \cdot 10^{120}$ (*)	$1 pare- \frac{MT}{Q} = 10^{120} = 121.443 k \frac{kg s}{C}$
$1m \frac{kg m}{C} = 1245.23 \cdot 10^{40}$	$1 mu- \frac{ML}{Q} = 10^{50} = 402.553 m \frac{kg m}{C}$ (*)
$1 \frac{kg m}{C} = 10.4453 \cdot 10^{50}$	$1 mu- \frac{ML}{Q} = 10^{50} = 0.0514254 \frac{kg m}{C}$
$1k \frac{kg m}{C} = 0.0512553 \cdot 10^{100}$ (*)	$1 pano- \frac{ML}{Q} = 10^{100} = 10.5052 k \frac{kg m}{C}$
$1m \frac{kg m}{s^2 C} = 25.5321 \cdot 10^{-50}$	$1 ni'umu- \frac{ML}{TQ} = 10^{-50} = 0.0200144 m \frac{kg m}{s^2 C}$ (*)
$1 \frac{kg m}{s^2 C} = 0.214554 \cdot 10^{-40}$ (*)	$1 ni'uvo- \frac{ML}{TQ} = 10^{-40} = 2.33410 \frac{kg m}{s^2 C}$
$1k \frac{kg m}{s^2 C} = 1440.12 \cdot 10^{-40}$	$1 ni'uci- \frac{ML}{TQ} = 10^{-30} = 321.233 k \frac{kg m}{s^2 C}$
$1m \frac{kg m}{s^2 C} = 1.00240 \cdot 10^{-220}$ (*)	$1 ni'urere- \frac{ML}{T^2 Q} = 10^{-220} = 0.553205 m \frac{kg m}{s^2 C}$ (*)
$1 \frac{kg m}{s^2 C} = 4404.22 \cdot 10^{-220}$	$1 ni'urepa- \frac{ML}{T^2 Q} = 10^{-210} = 114.030 \frac{kg m}{s^2 C}$
$1k \frac{kg m}{s^2 C} = 33.4110 \cdot 10^{-210}$	$1 ni'urepa- \frac{ML}{T^2 Q} = 10^{-210} = 0.0135421 k \frac{kg m}{s^2 C}$
$1m \frac{kg m s}{C} = 0.0420043 \cdot 10^{220}$ (*)	$1 rere- \frac{MLT}{Q} = 10^{220} = 12.1450 m \frac{kg ms}{C}$
$1 \frac{kg m s}{C} = 320.245 \cdot 10^{220}$	$1 rere- \frac{MLT}{Q} = 10^{220} = 0.00144314 \frac{kg ms}{C}$
$1k \frac{kg m s}{C} = 2.32542 \cdot 10^{230}$	$1 reci- \frac{MLT}{Q} = 10^{230} = 0.215353 k \frac{kg ms}{C}$
$1m \frac{kg m^2}{C} = 0.512535 \cdot 10^{200}$	$1 reno- \frac{ML^2}{Q} = 10^{200} = 1.05054 m \frac{kg m^2}{C}$
$1 \frac{kg m^2}{C} = 4014.42 \cdot 10^{200}$	$1 repa- \frac{ML^2}{Q} = 10^{210} = 125.201 \frac{kg m^2}{C}$
$1k \frac{kg m^2}{C} = 30.4254 \cdot 10^{210}$	$1 repa- \frac{ML^2}{Q} = 10^{210} = 0.0153043 k \frac{kg m^2}{C}$
$1m \frac{kg m^2}{s^2 C} = 0.0144005 \cdot 10^{30}$ (*)	$1 ci- \frac{ML^2}{TQ} = 10^{30} = 32.1243 m \frac{kg m^2}{s^2 C}$
$1 \frac{kg m^2}{s^2 C} = 121.222 \cdot 10^{30}$	$1 vo- \frac{ML^2}{TQ} = 10^{40} = 4212.25 \frac{kg m^2}{s^2 C}$
$1k \frac{kg m^2}{s^2 C} = 1.02041 \cdot 10^{40}$	$1 vo- \frac{ML^2}{TQ} = 10^{40} = 0.540001 k \frac{kg m^2}{s^2 C}$ (**)
$1m \frac{kg m^2}{s^2 C} = 334.055 \cdot 10^{-110}$ (*)	$1 ni'upano- \frac{ML^2}{T^2 Q} = 10^{-100} = 1354.24 m \frac{kg m^2}{s^2 C}$
$1 \frac{kg m^2}{s^2 C} = 2.44234 \cdot 10^{-100}$	$1 ni'upano- \frac{ML^2}{T^2 Q} = 10^{-100} = 0.205231 \frac{kg m^2}{s^2 C}$
$1k \frac{kg m^2}{s^2 C} = 0.0205255 \cdot 10^{-50}$ (*)	$1 ni'umu- \frac{ML^2}{T^2 Q} = 10^{-50} = 24.4202 k \frac{kg m^2}{s^2 C}$
$1m \frac{kg m^2 s}{C} = 23.2533 \cdot 10^{330}$	$1 cici- \frac{ML^2 T}{Q} = 10^{330} = 0.0215402 m \frac{kg m^2 s}{C}$
$1 \frac{kg m^2 s}{C} = 0.155413 \cdot 10^{340}$ (*)	$1 civo- \frac{ML^2 T}{Q} = 10^{340} = 3.00240 \frac{kg m^2 s}{C}$ (*)
$1k \frac{kg m^2 s}{C} = 1311.55 \cdot 10^{340}$ (*)	$1 cimu- \frac{ML^2 T}{Q} = 10^{350} = 352.313 k \frac{kg m^2 s}{C}$
$1m \frac{kg}{m C} = 0.00405153 \cdot 10^{-140}$	$1 ni'upavo- \frac{M}{LQ} = 10^{-140} = 124.024 m \frac{kg}{m C}$
$1 \frac{kg}{m C} = 31.1115 \cdot 10^{-140}$	$1 ni'upavo- \frac{M}{LQ} = 10^{-140} = 0.0151254 \frac{kg}{m C}$
$1k \frac{kg}{m C} = 0.224523 \cdot 10^{-130}$	$1 ni'upaci- \frac{M}{LQ} = 10^{-130} = 2.23245 k \frac{kg}{m C}$
$1m \frac{kg}{ms C} = 122.333 \cdot 10^{-320}$	$1 ni'ucire- \frac{M}{LTQ} = 10^{-320} = 0.00413404 m \frac{kg}{ms C}$
$1 \frac{kg}{ms C} = 1.03013 \cdot 10^{-310}$	$1 ni'ucipa- \frac{M}{LTQ} = 10^{-310} = 0.531102 \frac{kg}{ms C}$
$1k \frac{kg}{ms C} = 0.00500425 \cdot 10^{-300}$ (*)	$1 ni'ucino- \frac{M}{LTQ} = 10^{-300} = 111.005 k \frac{kg}{ms C}$ (*)
$1m \frac{kg}{ms^2 C} = 2.50512 \cdot 10^{-450}$	$1 ni'uvomu- \frac{M}{LT^2 Q} = 10^{-450} = 0.203332 m \frac{kg}{ms^2 C}$
$1 \frac{kg}{ms^2 C} = 0.0211213 \cdot 10^{-440}$	$1 ni'uvovo- \frac{M}{LT^2 Q} = 10^{-440} = 24.1545 \frac{kg}{ms^2 C}$
$1k \frac{kg}{ms^2 C} = 141.125 \cdot 10^{-440}$	$1 ni'uvovo- \frac{M}{LT^2 Q} = 10^{-440} = 0.00330544 k \frac{kg}{ms^2 C}$
$1m \frac{kg s}{m C} = 0.201240 \cdot 10^{-10}$	$1 ni'upa- \frac{MT}{LQ} = 10^{-10} = 2.53513 m \frac{kg s}{m C}$

$$\begin{aligned}
1 \frac{\text{kg s}}{\text{m C}} &= 0.00132401 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 11.1421 \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 10.5451 \cdot 10^{-300} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.0521322 \cdot 10^{-250} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 405.205 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.221001 \cdot 10^{-430} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.00145331 \cdot 10^{-420} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 12.2340 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.00444454 \cdot 10^{-1000} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 34.1204 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.250521 \cdot 10^{-550} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 323.220 \cdot 10^{-130} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 2.35113 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.0201244 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.0154124 \cdot 10^{-410} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 130.111 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 1.05453 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 354.451 \cdot 10^{-550} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 3.02110 \cdot 10^{-540} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.0221005 \cdot 10^{-530} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 12.0221 \cdot 10^{-1120} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.101201 \cdot 10^{-1110} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 444.511 \cdot 10^{-1110} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.543144 \cdot 10^{-240} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 4235.41 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 32.3230 \cdot 10^{-230} \\
1 \text{m C} &= 30.3355 \cdot 10^{30} \quad (*) \\
1 \text{C} &= 0.222054 \cdot 10^{40} \\
1 \text{k C} &= 1502.52 \cdot 10^{40} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 1.01501 \cdot 10^{-100} \\
1 \frac{\text{C}}{\text{s}} &= 4511.01 \cdot 10^{-100} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 34.3055 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= 0.0204532 \cdot 10^{-230} \\
1 \frac{\text{C}}{\text{s}^2} &= 135.205 \cdot 10^{-230} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 1.13445 \cdot 10^{-220} \\
1 \text{m s C} &= 1305.31 \cdot 10^{200} \\
1 \text{s C} &= 11.0214 \cdot 10^{210} \\
1 \text{k s C} &= 0.0524110 \cdot 10^{220} \\
1 \text{m m C} &= 0.0150244 \cdot 10^{150} \\
1 \text{m C} &= 123.141 \cdot 10^{150} \\
1 \text{k m C} &= 1.03323 \cdot 10^{200} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 343.044 \cdot 10^{10} \\
1 \frac{\text{m C}}{\text{s}} &= 2.52134 \cdot 10^{20} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.0212242 \cdot 10^{30} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 11.3442 \cdot 10^{-120} \\
1 \frac{\text{m C}}{\text{s}^2} &= 0.0551553 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 431.323 \cdot 10^{-110} \\
1 \text{m m s C} &= 0.524052 \cdot 10^{320} \\
1 \text{m s C} &= 4112.03 \cdot 10^{320}
\end{aligned}$$

$$\begin{aligned}
1 \frac{MT}{LQ} &= 1 = 345.114 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.0453455 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \text{ni'ucino-} \frac{M}{L^2 Q} &= 10^{-300} = 0.0505552 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (***) \\
1 \text{ni'uremu-} \frac{M}{L^2 Q} &= 10^{-250} = 10.4101 \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{M}{L^2 Q} &= 10^{-240} = 1240.22 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'uvoci-} \frac{M}{L^2 TQ} &= 10^{-430} = 2.31251 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uvore-} \frac{M}{L^2 TQ} &= 10^{-420} = 314.320 \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uvore-} \frac{M}{L^2 TQ} &= 10^{-420} = 0.0413352 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'upanono-} \frac{M}{L^2 T^2 Q} &= 10^{-1000} = 112.555 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \quad (**) \\
1 \text{ni'upanono-} \frac{M}{L^2 T^2 Q} &= 10^{-1000} = 0.0134151 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'umumu-} \frac{M}{L^2 T^2 Q} &= 10^{-550} = 2.03324 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upare-} \frac{MT}{L^2 Q} &= 10^{-120} = 1430.04 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'upare-} \frac{MT}{L^2 Q} &= 10^{-120} = 0.213402 \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'upapa-} \frac{MT}{L^2 Q} &= 10^{-110} = 25.3504 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uvopa-} \frac{M}{L^3 Q} &= 10^{-410} = 30.2412 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uvono-} \frac{M}{L^3 Q} &= 10^{-400} = 3552.50 \frac{\text{kg}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'uvono-} \frac{M}{L^3 Q} &= 10^{-400} = 0.505534 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'umuovo-} \frac{M}{L^3 TQ} &= 10^{-540} = 1302.41 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'umuovo-} \frac{M}{L^3 TQ} &= 10^{-540} = 0.154323 \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'umuci-} \frac{M}{L^3 TQ} &= 10^{-530} = 23.1242 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upapare-} \frac{M}{L^3 T^2 Q} &= 10^{-1120} = 0.0424405 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upapapa-} \frac{M}{L^3 T^2 Q} &= 10^{-1110} = 5.44131 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upapano-} \frac{M}{L^3 T^2 Q} &= 10^{-1100} = 1125.52 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{MT}{L^3 Q} &= 10^{-240} = 1.01302 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'ureci-} \frac{MT}{L^3 Q} &= 10^{-230} = 120.341 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'ureci-} \frac{MT}{L^3 Q} &= 10^{-230} = 0.0143001 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ci-Q} &= 10^{30} = 0.0153350 \text{m C} \\
1 \text{vo-Q} &= 10^{40} = 2.30130 \text{C} \\
1 \text{mu-Q} &= 10^{50} = 312.545 \text{k C} \\
1 \text{ni'upano-} \frac{Q}{T} &= 10^{-100} = 0.541303 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{ni'umu-} \frac{Q}{T} &= 10^{-50} = 112.220 \frac{\text{C}}{\text{s}} \\
1 \text{ni'umu-} \frac{Q}{T} &= 10^{-50} = 0.0133311 \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{ni'ureci-} \frac{Q}{T^2} &= 10^{-230} = 24.5030 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'urere-} \frac{Q}{T^2} &= 10^{-220} = 3350.01 \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'urere-} \frac{Q}{T^2} &= 10^{-220} = 0.441441 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{repa-TQ} &= 10^{210} = 353.330 \text{m s C} \\
1 \text{repa-TQ} &= 10^{210} = 0.0503254 \text{s C} \\
1 \text{rere-TQ} &= 10^{220} = 10.3345 \text{k s C} \\
1 \text{pamu-LQ} &= 10^{150} = 31.2555 \text{m m C} \quad (**) \\
1 \text{reno-LQ} &= 10^{200} = 4113.43 \text{ m C} \\
1 \text{reno-LQ} &= 10^{200} = 0.524301 \text{k m C} \\
1 \text{re-} \frac{LQ}{T} &= 10^{20} = 1333.14 \text{m} \frac{\text{m C}}{\text{s}} \\
1 \text{re-} \frac{LQ}{T} &= 10^{20} = 0.202325 \frac{\text{m C}}{\text{s}} \\
1 \text{ci-} \frac{LQ}{T} &= 10^{30} = 24.0353 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{ni'upare-} \frac{LQ}{T^2} &= 10^{-120} = 0.0441454 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'upapa-} \frac{LQ}{T^2} &= 10^{-110} = 10.0403 \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'upano-} \frac{LQ}{T^2} &= 10^{-100} = 1153.13 \text{k} \frac{\text{m C}}{\text{s}^2} \\
1 \text{cire-LTQ} &= 10^{320} = 1.03351 \text{m m s C} \\
1 \text{cici-LTQ} &= 10^{330} = 123.214 \text{ m s C}
\end{aligned}$$

$1 \text{k m s C} = 31.2441 \cdot 10^{330}$	$1 \text{cici-}LTQ = 10^{330} = 0.0150331 \text{k m s C}$
$1 \text{m m}^2 \text{C} = 10.3321 \cdot 10^{300}$	$1 \text{cino-}L^2Q = 10^{300} = 0.0524320 \text{m m}^2 \text{C}$
$1 \text{m}^2 \text{C} = 0.0503054 \cdot 10^{310}$	$1 \text{cipa-}L^2Q = 10^{310} = 11.0242 \text{m}^2 \text{C}$
$1 \text{k m}^2 \text{C} = 353.154 \cdot 10^{310}$	$1 \text{cire-}L^2Q = 10^{320} = 1310.05 \text{k m}^2 \text{C}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} = 0.212233 \cdot 10^{130}$	$1 \text{paci-}\frac{L^2Q}{T} = 10^{130} = 2.40402 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 0.00142021 \cdot 10^{140}$	$1 \text{pavo-}\frac{L^2Q}{T} = 10^{140} = 325.143 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} = 11.5520 \cdot 10^{140} \quad (*)$	$1 \text{pavo-}\frac{L^2Q}{T} = 10^{140} = 0.0430214 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 0.00431310 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 115.315 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 33.0103 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 0.0141343 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} = 0.241210 \cdot 10^{10}$	$1 \text{pa-}\frac{L^2Q}{T^2} = 10^{10} = 2.11512 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m m}^2 \text{s C} = 312.431 \cdot 10^{430}$	$1 \text{vovo-}L^2TQ = 10^{440} = 1503.34 \text{m m}^2 \text{s C}$
$1 \text{m}^2 \text{s C} = 2.30031 \cdot 10^{440} \quad (*)$	$1 \text{vovo-}L^2TQ = 10^{440} = 0.222152 \text{m}^2 \text{s C}$
$1 \text{k m}^2 \text{s C} = 0.0153302 \cdot 10^{450}$	$1 \text{vomu-}L^2TQ = 10^{450} = 30.3511 \text{k m}^2 \text{s C}$
$1 \text{m}^{\frac{\text{C}}{\text{m}}} = 0.0511333 \cdot 10^{-40}$	$1 \text{ni'uvuo-}\frac{Q}{L} = 10^{-40} = 10.5241 \text{m}^{\frac{\text{C}}{\text{m}}}$
$1 \text{C}^{\frac{1}{\text{m}}} = 400.430 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvuo-}\frac{Q}{L} = 10^{-40} = 0.00125420 \frac{\text{C}}{\text{m}}$
$1 \text{k} \frac{\text{C}}{\text{m}} = 3.03405 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{Q}{L} = 10^{-30} = 0.153342 \text{k} \frac{\text{C}}{\text{m}}$
$1 \text{m}^{\frac{\text{C}}{\text{m s}}} = 1433.22 \cdot 10^{-220}$	$1 \text{ni'urepa-}\frac{Q}{LT} = 10^{-210} = 322.155 \text{m}^{\frac{\text{C}}{\text{m s}}} \quad (*)$
$1 \frac{\text{C}}{\text{m s}} = 12.1014 \cdot 10^{-210}$	$1 \text{ni'urepa-}\frac{Q}{LT} = 10^{-210} = 0.0422312 \frac{\text{C}}{\text{m s}}$
$1 \text{k} \frac{\text{C}}{\text{m s}} = 0.101503 \cdot 10^{-200}$	$1 \text{ni'ureno-}\frac{Q}{LT} = 10^{-200} = 5.41244 \text{k} \frac{\text{C}}{\text{m s}}$
$1 \text{m}^{\frac{\text{C}}{\text{m s}^2}} = 33.3123 \cdot 10^{-350}$	$1 \text{ni'ucimu-}\frac{Q}{LT^2} = 10^{-350} = 0.0140100 \text{m}^{\frac{\text{C}}{\text{m s}^2}} \quad (*)$
$1 \frac{\text{C}}{\text{m s}^2} = 0.243420 \cdot 10^{-340}$	$1 \text{ni'ucivo-}\frac{Q}{LT^2} = 10^{-340} = 2.05551 \frac{\text{C}}{\text{m s}^2} \quad (**)$
$1 \text{k} \frac{\text{C}}{\text{m s}^2} = 2045.40 \cdot 10^{-340}$	$1 \text{ni'ucici-}\frac{Q}{LT^2} = 10^{-330} = 245.021 \text{k} \frac{\text{C}}{\text{m s}^2}$
$1 \text{m}^{\frac{\text{s C}}{\text{m}}} = 2.32134 \cdot 10^{50}$	$1 \text{mu-}\frac{TQ}{L} = 10^{50} = 0.220135 \text{m}^{\frac{\text{s C}}{\text{m}}}$
$1 \frac{\text{s C}}{\text{m}} = 0.0155110 \cdot 10^{100} \quad (*)$	$1 \text{pano-}\frac{TQ}{L} = 10^{100} = 30.1115 \frac{\text{s C}}{\text{m}}$
$1 \text{k} \frac{\text{s C}}{\text{m}} = 130.534 \cdot 10^{100}$	$1 \text{pano-}\frac{TQ}{L} = 10^{100} = 0.00353314 \text{k} \frac{\text{s C}}{\text{m}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2}} = 124.310 \cdot 10^{-200}$	$1 \text{ni'ureno-}\frac{Q}{L^2} = 10^{-200} = 0.00404012 \text{m}^{\frac{\text{C}}{\text{m}^2}}$
$1 \frac{\text{C}}{\text{m}^2} = 1.04311 \cdot 10^{-150}$	$1 \text{ni'upamu-}\frac{Q}{L^2} = 10^{-150} = 0.515505 \frac{\text{C}}{\text{m}^2} \quad (*)$
$1 \text{k} \frac{\text{C}}{\text{m}^2} = 0.00511351 \cdot 10^{-140}$	$1 \text{ni'upavo-}\frac{Q}{L^2} = 10^{-140} = 105.235 \text{k} \frac{\text{C}}{\text{m}^2}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}}} = 2.54443 \cdot 10^{-330}$	$1 \text{ni'ucici-}\frac{Q}{L^2T} = 10^{-330} = 0.200452 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}}} \quad (*)$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0214223 \cdot 10^{-320}$	$1 \text{ni'ucire-}\frac{Q}{L^2T} = 10^{-320} = 23.4211 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} = 143.330 \cdot 10^{-320}$	$1 \text{ni'ucire-}\frac{Q}{L^2T} = 10^{-320} = 0.00322144 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} = 0.100104 \cdot 10^{-500} \quad (*)$	$1 \text{ni'umuno-}\frac{Q}{L^2T^2} = 10^{-500} = 5.54515 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 435.311 \cdot 10^{-500}$	$1 \text{ni'umuno-}\frac{Q}{L^2T^2} = 10^{-500} = 0.00114230 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} = 3.33134 \cdot 10^{-450}$	$1 \text{ni'uvomu-}\frac{Q}{L^2T^2} = 10^{-450} = 0.140053 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*)$
$1 \text{m}^{\frac{\text{s C}}{\text{m}^2}} = 0.00415004 \cdot 10^{-20} \quad (*)$	$1 \text{ni'ure-}\frac{TQ}{L^2} = 10^{-20} = 122.055 \text{m}^{\frac{\text{s C}}{\text{m}^2}} \quad (*)$
$1 \frac{\text{s C}}{\text{m}^2} = 31.5340 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{TQ}{L^2} = 10^{-20} = 0.0145002 \frac{\text{s C}}{\text{m}^2} \quad (*)$
$1 \text{k} \frac{\text{s C}}{\text{m}^2} = 0.232143 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{TQ}{L^2} = 10^{-10} = 2.20131 \text{k} \frac{\text{s C}}{\text{m}^2}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3}} = 0.224125 \cdot 10^{-310}$	$1 \text{ni'ucipa-}\frac{Q}{L^3} = 10^{-310} = 2.24041 \text{m}^{\frac{\text{C}}{\text{m}^3}}$
$1 \frac{\text{C}}{\text{m}^3} = 0.00152032 \cdot 10^{-300}$	$1 \text{ni'ucino-}\frac{Q}{L^3} = 10^{-300} = 310.111 \frac{\text{C}}{\text{m}^3}$
$1 \text{k} \frac{\text{C}}{\text{m}^3} = 12.4313 \cdot 10^{-300}$	$1 \text{ni'ucino-}\frac{Q}{L^3} = 10^{-300} = 0.0404000 \text{k} \frac{\text{C}}{\text{m}^3} \quad (**)$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}}} = 0.00455230 \cdot 10^{-440} \quad (*)$	$1 \text{ni'uvovo-}\frac{Q}{L^3T} = 10^{-440} = 111.202 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 35.0235 \cdot 10^{-440}$	$1 \text{ni'uvovo-}\frac{Q}{L^3T} = 10^{-440} = 0.0132101 \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} = 0.254453 \cdot 10^{-430}$	$1 \text{ni'uvoci-}\frac{Q}{L^3T} = 10^{-430} = 2.00444 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*)$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}} = 140.444 \cdot 10^{-1020}$	$1 \text{ni'upanore-}\frac{Q}{L^3T^2} = 10^{-1020} = 0.00331523 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 1.14525 \cdot 10^{-1010}$	$1 \text{ni'upanopa-}\frac{Q}{L^3T^2} = 10^{-1010} = 0.433433 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0100110 \cdot 10^{-1000} \quad (*)$	$1 \text{ni'upanono-}\frac{Q}{L^3T^2} = 10^{-1000} = 55.4455 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{m}^{\frac{\text{s C}}{\text{m}^3}} = 11.1224 \cdot 10^{-140}$	$1 \text{ni'upavo-}\frac{TQ}{L^3} = 10^{-140} = 0.0455052 \text{m}^{\frac{\text{s C}}{\text{m}^3}} \quad (*)$
$1 \frac{\text{s C}}{\text{m}^3} = 0.0532541 \cdot 10^{-130}$	$1 \text{ni'upaci-}\frac{TQ}{L^3} = 10^{-130} = 10.2410 \frac{\text{s C}}{\text{m}^3}$
$1 \text{k} \frac{\text{s C}}{\text{m}^3} = 415.020 \cdot 10^{-130}$	$1 \text{ni'upare-}\frac{TQ}{L^3} = 10^{-120} = 1220.52 \text{k} \frac{\text{s C}}{\text{m}^3}$
$1 \text{m kg C} = 0.220503 \cdot 10^{50}$	$1 \text{mu-}MQ = 10^{50} = 2.31351 \text{m kg C}$

$$\begin{aligned}
1 \text{ kg C} &= 0.00145250 \cdot 10^{100} \\
1 \text{k kg C} &= 12.2304 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 0.00444302 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{s}} &= 34.1035 \cdot 10^{-40} \\
1 \text{kg} \frac{\text{C}}{\text{s}} &= 0.250413 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 134.242 \cdot 10^{-220} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 1.13034 \cdot 10^{-210} \\
1 \text{kg} \frac{\text{C}}{\text{s}^2} &= 0.00544451 \cdot 10^{-200} \\
1 \text{m kg s C} &= 10.5423 \cdot 10^{220} \\
1 \text{kg s C} &= 0.0521114 \cdot 10^{230} \\
1 \text{k kg s C} &= 405.030 \cdot 10^{230} \\
1 \text{m kg m C} &= 122.301 \cdot 10^{200} \\
1 \text{kg m C} &= 1.02545 \cdot 10^{210} \\
1 \text{k kg m C} &= 0.00500230 \cdot 10^{220} \quad (*) \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 2.50403 \cdot 10^{30} \\
1 \frac{\text{kg m C}}{\text{s}} &= 0.0211122 \cdot 10^{40} \\
1 \text{kg} \frac{\text{m C}}{\text{s}} &= 141.045 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 0.0544432 \cdot 10^{-100} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 425.030 \cdot 10^{-100} \\
1 \text{kg} \frac{\text{m C}}{\text{s}^2} &= 3.24143 \cdot 10^{-50} \\
1 \text{m kg m s C} &= 0.00405014 \cdot 10^{340} \\
1 \text{kg m s C} &= 31.1001 \cdot 10^{340} \quad (*) \\
1 \text{k kg m s C} &= 0.224424 \cdot 10^{350} \\
1 \text{m kg m}^2 \text{C} &= 0.0500212 \cdot 10^{320} \quad (*) \\
1 \text{kg m}^2 \text{C} &= 351.102 \cdot 10^{320} \\
1 \text{k kg m}^2 \text{C} &= 2.55220 \cdot 10^{330} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 1410.42 \cdot 10^{140} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 11.5054 \cdot 10^{150} \\
1 \text{kg} \frac{\text{m}^2 \text{C}}{\text{s}} &= 0.100220 \cdot 10^{200} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 32.4132 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.235514 \cdot 10^{20} \quad (*) \\
1 \text{kg} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 2015.52 \cdot 10^{20} \\
1 \text{m kg m}^2 \text{s C} &= 2.24415 \cdot 10^{450} \\
1 \text{kg m}^2 \text{s C} &= 0.0152242 \cdot 10^{500} \\
1 \text{k kg m}^2 \text{s C} &= 124.453 \cdot 10^{500} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 354.315 \cdot 10^{-30} \\
1 \frac{\text{kg C}}{\text{m}} &= 3.01554 \cdot 10^{-20} \quad (*) \\
1 \text{kg} \frac{\text{C}}{\text{m}} &= 0.0220512 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 12.0145 \cdot 10^{-200} \\
1 \frac{\text{kg C}}{\text{m s}} &= 0.101134 \cdot 10^{-150} \\
1 \text{kg} \frac{\text{C}}{\text{m s}} &= 444.315 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 0.242112 \cdot 10^{-330} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 0.00203435 \cdot 10^{-320} \\
1 \text{kg} \frac{\text{C}}{\text{m s}^2} &= 13.4245 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 0.0154041 \cdot 10^{110} \\
1 \frac{\text{kg s C}}{\text{m}} &= 130.034 \cdot 10^{110} \\
1 \text{kg} \frac{\text{s C}}{\text{m}} &= 1.05425 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 1.03525 \cdot 10^{-140} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 5044.42 \cdot 10^{-140} \\
1 \text{kg} \frac{\text{C}}{\text{m}^2} &= 35.4330 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 \text{ pano-}MQ &= 10^{100} = 314.435 \text{ kg C} \\
1 \text{ pano-}MQ &= 10^{100} = 0.0413533 \text{ k kg C} \\
1 \text{ ni'}\text{uvo-} \frac{MQ}{T} &= 10^{-40} = 113.025 \text{ m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{T} &= 10^{-40} = 0.0134231 \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{uci-} \frac{MQ}{T} &= 10^{-30} = 2.03414 \text{ k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{urere-} \frac{MQ}{T^2} &= 10^{-220} = 0.00341010 \text{ m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{urepa-} \frac{MQ}{T^2} &= 10^{-210} = 0.444223 \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{ureno-} \frac{MQ}{T^2} &= 10^{-200} = 101.124 \text{ k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ rere-}MTQ &= 10^{220} = 0.0510154 \text{ m kg s C} \\
1 \text{ reci-}MTQ &= 10^{230} = 10.4125 \text{ kg s C} \\
1 \text{ revo-}MTQ &= 10^{240} = 1240.54 \text{ k kg s C} \\
1 \text{ reno-}MLQ &= 10^{200} = 0.00413545 \text{ m kg m C} \\
1 \text{ repa-}MLQ &= 10^{210} = 0.531313 \text{ kg m C} \\
1 \text{ rere-}MLQ &= 10^{220} = 111.034 \text{ k kg m C} \\
1 \text{ ci-} \frac{MLQ}{T} &= 10^{30} = 0.203422 \text{ m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ vo-} \frac{MLQ}{T} &= 10^{40} = 24.2051 \frac{\text{kg m C}}{\text{s}} \\
1 \text{ vo-} \frac{MLQ}{T} &= 10^{40} = 0.00331110 \text{ k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ ni'}\text{upano-} \frac{MLQ}{T^2} &= 10^{-100} = 10.1130 \text{ m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ ni'}\text{upano-} \frac{MLQ}{T^2} &= 10^{-100} = 0.00120135 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ ni'}\text{umu-} \frac{MLQ}{T^2} &= 10^{-50} = 0.142322 \text{ k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ civo-}MLTQ &= 10^{340} = 124.101 \text{ m kg m s C} \\
1 \text{ civo-}MLTQ &= 10^{340} = 0.0151341 \text{ kg m s C} \\
1 \text{ cimu-}MLTQ &= 10^{350} = 2.23344 \text{ k kg m s C} \\
1 \text{ cire-}ML^2Q &= 10^{320} = 11.1040 \text{ m kg m}^2 \text{C} \\
1 \text{ cire-}ML^2Q &= 10^{320} = 0.00131512 \text{ kg m}^2 \text{C} \\
1 \text{ cici-}ML^2Q &= 10^{330} = 0.200225 \text{ k kg m}^2 \text{C} \quad (*) \\
1 \text{ pamu-} \frac{ML^2Q}{T} &= 10^{150} = 331.121 \text{ m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{ pamu-} \frac{ML^2Q}{T} &= 10^{150} = 0.0432520 \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{ reno-} \frac{ML^2Q}{T} &= 10^{200} = 5.53410 \text{ k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 0.0142325 \text{ m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{ re-} \frac{ML^2Q}{T^2} &= 10^{20} = 2.13034 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{ ci-} \frac{ML^2Q}{T^2} &= 10^{30} = 253.035 \text{ k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{ vomu-}ML^2TQ &= 10^{450} = 0.223352 \text{ m kg m}^2 \text{s C} \\
1 \text{ muno-}ML^2TQ &= 10^{500} = 30.5332 \text{ kg m}^2 \text{s C} \\
1 \text{ muno-}ML^2TQ &= 10^{500} = 0.00403115 \text{ k kg m}^2 \text{s C} \\
1 \text{ ni'}\text{ure-} \frac{MQ}{L} &= 10^{-20} = 1303.15 \text{ m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{ure-} \frac{MQ}{L} &= 10^{-20} = 0.154410 \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{L} &= 10^{-10} = 23.1342 \text{ k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{ureno-} \frac{MQ}{LT} &= 10^{-200} = 0.0424553 \text{ m} \frac{\text{kg C}}{\text{ms}} \quad (*) \\
1 \text{ ni'}\text{upamu-} \frac{MQ}{LT} &= 10^{-150} = 5.44345 \frac{\text{kg C}}{\text{ms}} \\
1 \text{ ni'}\text{upavo-} \frac{MQ}{LT} &= 10^{-140} = 1130.22 \text{ k} \frac{\text{kg C}}{\text{ms}} \\
1 \text{ ni'}\text{ucici-} \frac{MQ}{LT^2} &= 10^{-330} = 2.11103 \text{ m} \frac{\text{kg C}}{\text{ms}^2} \\
1 \text{ ni'}\text{ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 250.342 \frac{\text{kg C}}{\text{ms}^2} \\
1 \text{ ni'}\text{ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 0.0340555 \text{ k} \frac{\text{kg C}}{\text{ms}^2} \quad (***) \\
1 \text{ papa-} \frac{MTQ}{L} &= 10^{110} = 30.2523 \text{ m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ pare-} \frac{MTQ}{L} &= 10^{120} = 3554.22 \frac{\text{kg s C}}{\text{m}} \quad (*) \\
1 \text{ pare-} \frac{MTQ}{L} &= 10^{120} = 0.510140 \text{ k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ni'}\text{upavo-} \frac{MQ}{L^2} &= 10^{-140} = 0.522453 \text{ m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'}\text{upaci-} \frac{MQ}{L^2} &= 10^{-130} = 110.025 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'}\text{upaci-} \frac{MQ}{L^2} &= 10^{-130} = 0.0130312 \text{ k} \frac{\text{kg C}}{\text{m}^2}
\end{aligned}$$

$1m \frac{kg\ C}{m^2 s} = 0.0213052 \cdot 10^{-310}$	$1 ni'ucipa - \frac{MQ}{L^2 T} = 10^{-310} = 23.5454 m \frac{kg\ C}{m^2 s}$
$1 kg \frac{C}{m^2 s} = 142.341 \cdot 10^{-310}$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 3241.04 \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 1.20152 \cdot 10^{-300}$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 0.424540 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 432.553 \cdot 10^{-450}$ (*)	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 1150.44 m \frac{kg\ C}{m^2 s^2}$
$1 kg \frac{C}{m^2 s^2} = 3.31150 \cdot 10^{-440}$	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 0.141030 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 0.0242121 \cdot 10^{-430}$	$1 ni'uvoci - \frac{MQ}{L^2 T^2} = 10^{-430} = 21.1055 k \frac{kg\ C}{m^2 s^2}$ (*)
$1m \frac{kg\ s\ C}{m^2} = 31.3443 \cdot 10^{-10}$	$1 ni'upa - \frac{MTQ}{L^2} = 10^{-10} = 0.0150003 m \frac{kg\ s\ C}{m^2}$ (**)
$1 kg \frac{s\ C}{m^2} = 0.230520 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 2.21320 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 1540.44 \cdot 10^0$	$1 pa - \frac{MTQ}{L^2} = 10^{10} = 302.514 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 1510.20 \cdot 10^{-300}$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 311.544 m \frac{kg\ C}{m^3}$
$1 kg \frac{C}{m^3} = 12.3424 \cdot 10^{-250}$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 0.0410142 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 0.103532 \cdot 10^{-240}$	$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 5.22434 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 34.4200 \cdot 10^{-430}$ (*)	$1 ni'uvoci - \frac{MQ}{L^3 T} = 10^{-430} = 0.0133012 m \frac{kg\ C}{m^3 s}$
$1 kg \frac{C}{m^3 s} = 0.253110 \cdot 10^{-420}$	$1 ni'uvore - \frac{MQ}{L^3 T} = 10^{-420} = 2.01531 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 2131.01 \cdot 10^{-420}$	$1 ni'uvopa - \frac{MQ}{L^3 T} = 10^{-410} = 235.445 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 1.14111 \cdot 10^{-1000}$	$1 ni'upanono - \frac{MQ}{L^3 T^2} = 10^{-1000} = 0.440154 m \frac{kg\ C}{m^3 s^2}$
$1 kg \frac{C}{m^3 s^2} = 5535.13 \cdot 10^{-1000}$ (*)	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 100.205 \frac{kg\ C}{m^3 s^2}$ (*)
$1k \frac{kg\ C}{m^3 s^2} = 43.3010 \cdot 10^{-550}$	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 0.0115042 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 0.0525522 \cdot 10^{-120}$ (*)	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 10.3143 m \frac{kg\ s\ C}{m^3}$
$1 kg \frac{s\ C}{m^3} = 412.411 \cdot 10^{-120}$	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 0.00122532 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 3.13454 \cdot 10^{-110}$	$1 ni'upapa - \frac{MTQ}{L^3} = 10^{-110} = 0.150000 k \frac{kg\ s\ C}{m^3}$ (**)
$1m \frac{1}{K} = 21.4230 \cdot 10^{100}$	$1 pano - \frac{1}{\Theta} = 10^{100} = 0.0234204 m \frac{1}{K}$
$1 \frac{1}{K} = 0.143332 \cdot 10^{110}$	$1 papa - \frac{1}{\Theta} = 10^{110} = 3.22140 \frac{1}{K}$
$1k \frac{1}{K} = 0.00121023 \cdot 10^{120}$	$1 pare - \frac{1}{\Theta} = 10^{120} = 422.250 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.435321 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.14224 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.00333143 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.051 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.3432 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.0205540 k \frac{1}{sK}$ (*)
$1m \frac{1}{s^2 K} = 0.0132440 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 34.4542 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 111.451 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 0.00453255 \frac{1}{s^2 K}$ (*)
$1k \frac{1}{s^2 K} = 0.534454 \cdot 10^{-150}$	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 1.02201 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.00104312 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 515.454 m \frac{s}{K}$
$1 \frac{s}{K} = 5.11401 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 0.105234 \frac{s}{K}$
$1k \frac{s}{K} = 0.0400450 \cdot 10^{250}$ (*)	$1 remu - \frac{T}{\Theta} = 10^{250} = 12.5411 k \frac{s}{K}$
$1m \frac{m}{K} = 0.0121020 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 42.2303 m \frac{m}{K}$
$1 \frac{m}{K} = 101.504 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.00541233 \frac{m}{K}$
$1k \frac{m}{K} = 0.451124 \cdot 10^{230}$	$1 reci - \frac{L}{\Theta} = 10^{230} = 1.12213 k \frac{m}{K}$
$1m \frac{m}{sK} = 243.423 \cdot 10^{40}$	$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.00205545 m \frac{m}{sK}$ (*)
$1 \frac{m}{sK} = 2.04543 \cdot 10^{50}$	$1 mu - \frac{L}{T\Theta} = 10^{50} = 0.245013 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.0135214 \cdot 10^{100}$	$1 pano - \frac{L}{T\Theta} = 10^{100} = 33.4542 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.34435 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.102203 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.0420244 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.1411 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.421 \cdot 10^{-40}$	$1 ni'ubo - \frac{L}{T^2\Theta} = 10^{-40} = 0.00144225 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 0.400435 \cdot 10^{350}$ (*)	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 1.25414 m \frac{ms}{K}$
$1 \frac{ms}{K} = 0.00303413 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 153.340 \frac{ms}{K}$
$1k \frac{ms}{K} = 22.2110 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 0.0230115 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 4.51111 \cdot 10^{330}$	$1 cici - \frac{L^2}{\Theta} = 10^{330} = 0.112215 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.0343104 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 13.3305 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 252.151 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 0.00202314 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.135211 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 3.34553 m \frac{m^2}{sK}$ (*)
$1 \frac{m^2}{sK} = 1134.50 \cdot 10^{200}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 441.431 \frac{m^2}{sK}$

$1k \frac{m^2}{s^2 K} = 5.52023 \cdot 10^{210}$	$1 repa \frac{L^2}{T\Theta} = 10^{210} = 0.100400 k \frac{m^2}{s^2 K}$ (*)
$1m \frac{m^2}{s^2 K} = 3204.11 \cdot 10^{20}$	$1 ci \frac{L^2}{T^2\Theta} = 10^{30} = 144.232 m \frac{m^2}{s^2 K}$
$1 \frac{m^2}{s^2 K} = 23.3044 \cdot 10^{30}$	$1 ci \frac{L^2}{T^2\Theta} = 10^{30} = 0.0215255 \frac{m^2}{s^2 K}$ (*)
$1k \frac{m}{s^2 K} = 0.155510 \cdot 10^{40}$ (**)	$1 vo \frac{L^2}{T^2\Theta} = 10^{40} = 3.00114 k \frac{m^2}{s^2 K}$ (*)
$1m \frac{m^2 s}{K} = 222.101 \cdot 10^{500}$	$1 muno \frac{L^2 T}{\Theta} = 10^{500} = 0.00230123 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 1.50254 \cdot 10^{510}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 0.312541 \frac{m^2 s}{K}$
$1k \frac{m^2 s}{K} = 0.0123150 \cdot 10^{520}$	$1 mure \frac{L^2 T}{\Theta} = 10^{520} = 41.1322 k \frac{m^2 s}{K}$
$1m \frac{1}{m K} = 0.0350243 \cdot 10^{-10}$	$1 ni'upa \frac{1}{L\Theta} = 10^{-10} = 13.2055 m \frac{1}{m K}$ (*)
$1 \frac{1}{m K} = 254.501 \cdot 10^{-10}$	$1 \frac{1}{L\Theta} = 1 = 2004.41 \frac{1}{m K}$ (*)
$1k \frac{1}{m K} = 2.14234$	$1 \frac{1}{L\Theta} = 1 = 0.234155 k \frac{1}{m K}$ (*)
$1m \frac{1}{m s K} = 0.00114530 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT\Theta} = 10^{-140} = 433.423 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 10.0112 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT\Theta} = 10^{-140} = 0.0554444 \frac{1}{m s K}$ (*)
$1k \frac{1}{m s K} = 0.0435334 \cdot 10^{-130}$	$1 ni'upaci \frac{1}{LT\Theta} = 10^{-130} = 11.4222 k \frac{1}{m s K}$
$1m \frac{1}{m s^2 K} = 23.5220 \cdot 10^{-320}$	$1 ni'ucire \frac{1}{LT^2\Theta} = 10^{-320} = 0.0213304 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 0.201334 \cdot 10^{-310}$	$1 ni'ucipa \frac{1}{LT^2\Theta} = 10^{-310} = 2.53352 \frac{1}{m s^2 K}$
$1k \frac{1}{m s^2 K} = 0.00132443 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{LT^2\Theta} = 10^{-300} = 344.531 k \frac{1}{m s^2 K}$
$1m \frac{s}{m K} = 1.52034 \cdot 10^{120}$	$1 pare \frac{T}{L\Theta} = 10^{120} = 0.310103 m \frac{s}{m K}$
$1 \frac{s}{m K} = 0.0124315 \cdot 10^{130}$	$1 paci \frac{T}{L\Theta} = 10^{130} = 40.3551 \frac{s}{m K}$ (*)
$1k \frac{s}{m K} = 104.314 \cdot 10^{130}$	$1 pavo \frac{T}{L\Theta} = 10^{140} = 5154.40 k \frac{s}{m K}$
$1m \frac{1}{m^2 K} = 102.434 \cdot 10^{-130}$	$1 ni'upare \frac{1}{L^2\Theta} = 10^{-120} = 5323.23 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 0.455254 \cdot 10^{-120}$ (*)	$1 ni'upare \frac{1}{L^2\Theta} = 10^{-120} = 1.11154 \frac{1}{m^2 K}$
$1k \frac{1}{m^2 K} = 3502.55 \cdot 10^{-120}$ (*)	$1 ni'upapa \frac{1}{L^2\Theta} = 10^{-110} = 132.052 k \frac{1}{m^2 K}$
$1m \frac{1}{m^2 s K} = 2.10454 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2 T\Theta} = 10^{-300} = 0.242353 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.0140453 \cdot 10^{-250}$	$1 ni'uremu \frac{1}{L^2 T\Theta} = 10^{-250} = 33.1504 \frac{1}{m^2 s K}$
$1k \frac{1}{m^2 s K} = 114.533 \cdot 10^{-250}$	$1 ni'urevo \frac{1}{L^2 T\Theta} = 10^{-240} = 4334.11 k \frac{1}{m^2 s K}$
$1m \frac{1}{m^2 s^2 K} = 0.0424131 \cdot 10^{-430}$	$1 ni'uvoci \frac{1}{L^2 T^2\Theta} = 10^{-430} = 12.0305 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 323.353 \cdot 10^{-430}$	$1 ni'uvore \frac{1}{L^2 T^2\Theta} = 10^{-420} = 1425.15 \frac{1}{m^2 s^2 K}$
$1k \frac{1}{m^2 s^2 K} = 2.35225 \cdot 10^{-420}$	$1 ni'uvore \frac{1}{L^2 T^2\Theta} = 10^{-420} = 0.213300 k \frac{1}{m^2 s^2 K}$ (*)
$1m \frac{s}{m^2 K} = 3102.30 \cdot 10^0$	$1 pa \frac{T}{L^2\Theta} = 10^{10} = 151.544 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.4141 \cdot 10^{10}$	$1 pa \frac{T}{L^2\Theta} = 10^{10} = 0.0224025 \frac{s}{m^2 K}$
$1k \frac{s}{m^2 K} = 0.152042 \cdot 10^{20}$	$1 re \frac{T}{L^2\Theta} = 10^{20} = 3.10053 k \frac{s}{m^2 K}$ (*)
$1m \frac{1}{m^3 K} = 0.145045 \cdot 10^{-240}$	$1 ni'urevo \frac{1}{L^3\Theta} = 10^{-240} = 3.15215 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 1221.32 \cdot 10^{-240}$	$1 ni'ureci \frac{1}{L^3\Theta} = 10^{-230} = 414.420 \frac{1}{m^3 K}$
$1k \frac{1}{m^3 K} = 10.2440 \cdot 10^{-230}$	$1 ni'ureci \frac{1}{L^3\Theta} = 10^{-230} = 0.0532304 k \frac{1}{m^3 K}$
$1m \frac{1}{m^3 s K} = 3402.32 \cdot 10^{-420}$	$1 ni'uvopa \frac{1}{L^3 T\Theta} = 10^{-410} = 134.420 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 25.0103 \cdot 10^{-410}$	$1 ni'uvopa \frac{1}{L^3 T\Theta} = 10^{-410} = 0.0204034 \frac{1}{m^3 s K}$
$1k \frac{1}{m^3 s K} = 0.210502 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T\Theta} = 10^{-400} = 2.42344 k \frac{1}{m^3 s K}$
$1m \frac{1}{m^3 s^2 K} = 112.512 \cdot 10^{-550}$	$1 ni'umuovo \frac{1}{L^3 T^2\Theta} = 10^{-540} = 4451.43 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.543424 \cdot 10^{-540}$	$1 ni'umuovo \frac{1}{L^3 T^2\Theta} = 10^{-540} = 1.01233 \frac{1}{m^3 s^2 K}$
$1k \frac{1}{m^3 s^2 K} = 4241.43 \cdot 10^{-540}$	$1 ni'umuci \frac{1}{L^3 T^2\Theta} = 10^{-530} = 120.302 k \frac{1}{m^3 s^2 K}$
$1m \frac{s}{m^3 K} = 5.20120 \cdot 10^{-110}$	$1 ni'upapa \frac{T}{L^3\Theta} = 10^{-110} = 0.104242 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.0404153 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3\Theta} = 10^{-100} = 12.4232 \frac{s}{m^3 K}$
$1k \frac{s}{m^3 K} = 310.240 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3\Theta} = 10^{-100} = 0.00151540 k \frac{s}{m^3 K}$
$1m \frac{kg}{K} = 0.142343 \cdot 10^{120}$	$1 pare \frac{M}{\Theta} = 10^{120} = 3.24100 m \frac{kg}{K}$ (*)
$1 \frac{kg}{K} = 1201.54 \cdot 10^{120}$	$1 paci \frac{M}{\Theta} = 10^{130} = 424.531 \frac{kg}{K}$
$1k \frac{kg}{K} = 10.1142 \cdot 10^{130}$	$1 paci \frac{M}{\Theta} = 10^{130} = 0.0544315 k \frac{kg}{K}$
$1m \frac{kg}{s K} = 3311.54 \cdot 10^{-20}$	$1 ni'upa \frac{M}{T\Theta} = 10^{-10} = 141.024 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 24.2125 \cdot 10^{-10}$	$1 ni'upa \frac{M}{T\Theta} = 10^{-10} = 0.0211052 \frac{kg}{s K}$
$1k \frac{kg}{s K} = 0.203450 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 2.50325 k \frac{kg}{s K}$
$1m \frac{kg}{s^2 K} = 111.051 \cdot 10^{-150}$	$1 ni'upavo \frac{M}{T^2\Theta} = 10^{-140} = 5001.23 m \frac{kg}{s^2 K}$ (*)

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.531424 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 4140.42 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 5.04453 \cdot 10^{250} \\
1 \frac{\text{kg s}}{\text{K}} &= 0.0354335 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 302.012 \cdot 10^{300} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 101.140 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.444325 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 3410.55 \cdot 10^{240} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.03442 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.0134251 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.042 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0414030 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 314.520 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 2.31423 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 3020.02 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 22.0515 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.145255 \cdot 10^{420} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 0.0341044 \cdot 10^{350} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 250.420 \cdot 10^{350} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 2.11132 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.00113040 \cdot 10^{220} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 5.44503 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 0.0425052 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.1414 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.154434 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.00130335 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.45252 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0122305 \cdot 10^{530} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 102.553 \cdot 10^{530} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 253.114 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2.13103 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.0142350 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 5.53524 \cdot 10^{-130} \\
1 \frac{\text{kg}}{\text{m s K}} &= 0.0433015 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 331.205 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.200252 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 1315.32 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 11.1053 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.0123430 \cdot 10^{140} \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.533 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.504510 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.452432 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00344220 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 25.3123 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0135521 \cdot 10^{-240} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 114.115 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.553543 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 321.435 \cdot 10^{-420} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 2.33544 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.0200300 \cdot 10^{-400} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upavo-} \frac{M}{T^2 \Theta} &= 10^{-140} = 1.02533 \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upaci-} \frac{M}{T^2 \Theta} &= 10^{-130} = 122.242 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{remu-} \frac{MT}{\Theta} &= 10^{250} = 0.110024 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 13.0310 \frac{\text{kg s}}{\text{K}} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 0.00154400 \text{k} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 5443.34 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 1.13021 \frac{\text{kg m}}{\text{K}} \\
1 \text{remu-} \frac{ML}{\Theta} &= 10^{250} = 134.221 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano-} \frac{ML}{T \Theta} &= 10^{100} = 0.250334 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa-} \frac{ML}{T \Theta} &= 10^{110} = 34.0550 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare-} \frac{ML}{T \Theta} &= 10^{120} = 4442.00 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni}'\text{uci-} \frac{ML}{T^2 \Theta} &= 10^{-30} = 12.2245 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 1452.23 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 0.220433 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 154.404 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 0.0231335 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore-} \frac{MLT}{\Theta} &= 10^{420} = 3.14420 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 13.4225 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 2034.11 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 0.242035 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 444.213 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 0.101122 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci-} \frac{ML^2}{T \Theta} &= 10^{230} = 12.0131 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo-} \frac{ML^2}{T^2 \Theta} &= 10^{40} = 0.0220442 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu-} \frac{ML^2}{T^2 \Theta} &= 10^{50} = 3.01514 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2}{T^2 \Theta} &= 10^{100} = 354.224 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.314431 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci-} \frac{ML^2 T}{\Theta} &= 10^{530} = 41.3523 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muovo-} \frac{ML^2 T}{\Theta} &= 10^{540} = 5312.43 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.00201524 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 0.235441 \frac{\text{kg}}{\text{m K}} \\
1 \text{re-} \frac{M}{L \Theta} &= 10^{20} = 32.4045 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni}'\text{upaci-} \frac{M}{LT \Theta} &= 10^{-130} = 0.100204 \text{m} \frac{\text{kg}}{\text{m s K}} \quad (*) \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 11.5040 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 0.00141020 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{ucino-} \frac{M}{LT^2 \Theta} &= 10^{-300} = 2.55141 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{uremu-} \frac{M}{LT^2 \Theta} &= 10^{-250} = 351.012 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uremu-} \frac{M}{LT^2 \Theta} &= 10^{-250} = 0.0500105 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 41.0132 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 0.00522424 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu-} \frac{MT}{L \Theta} &= 10^{150} = 1.10022 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{upapa-} \frac{M}{L^2 \Theta} &= 10^{-110} = 1.11554 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{M}{L^2 \Theta} &= 10^{-100} = 133.003 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{M}{L^2 \Theta} &= 10^{-100} = 0.0201520 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{urevo-} \frac{M}{L^2 T \Theta} &= 10^{-240} = 33.3455 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni}'\text{urevo-} \frac{M}{L^2 T \Theta} &= 10^{-240} = 0.00440131 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{ureci-} \frac{M}{L^2 T \Theta} &= 10^{-230} = 1.00202 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni}'\text{uvore-} \frac{M}{L^2 T^2 \Theta} &= 10^{-420} = 0.00143505 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvopa-} \frac{M}{L^2 T^2 \Theta} &= 10^{-410} = 0.214432 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvono-} \frac{M}{L^2 T^2 \Theta} &= 10^{-400} = 25.5131 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}
\end{aligned}$$

$1m \frac{kg\ s}{m^2 K} = 22.2535 \cdot 10^{20}$	$1 re - \frac{MT}{L^2 \Theta} = 10^{20} = 0.0225235 m \frac{kg\ s}{m^2 K}$
$1 \frac{kg\ s}{m^2 K} = 0.151030 \cdot 10^{30}$	$1 ci - \frac{MT}{L^2 \Theta} = 10^{30} = 3.11525 \frac{kg\ s}{m^2 K}$
$1k \frac{kg\ s}{m^2 K} = 0.00123433 \cdot 10^{40}$	$1 vo - \frac{MT}{L^2 \Theta} = 10^{40} = 410.121 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.00121255 \cdot 10^{-220}$ (*)	$1 ni'urere - \frac{M}{L^3 \Theta} = 10^{-220} = 421.040 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 10.2105 \cdot 10^{-220}$	$1 ni'urere - \frac{M}{L^3 \Theta} = 10^{-220} = 0.0535341 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 0.0452450 \cdot 10^{-210}$	$1 ni'urepa - \frac{M}{L^3 \Theta} = 10^{-210} = 11.1552 k \frac{kg}{m^3 K}$ (*)
$1m \frac{kg}{m^3 s K} = 24.4343 \cdot 10^{-400}$	$1 ni'uvono - \frac{M}{L^3 T \Theta} = 10^{-400} = 0.0205140 m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.205351 \cdot 10^{-350}$	$1 ni'ucimu - \frac{M}{L^3 T \Theta} = 10^{-350} = 2.44053 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 0.00135525 \cdot 10^{-340}$ (*)	$1 ni'ucivo - \frac{M}{L^3 T \Theta} = 10^{-340} = 333.444 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 0.540330 \cdot 10^{-530}$	$1 ni'umuci - \frac{M}{L^3 T^2 \Theta} = 10^{-530} = 1.02002 m \frac{kg}{m^3 s^2 K}$ (*)
$1 \frac{kg}{m^3 s^2 K} = 0.00421505 \cdot 10^{-520}$	$1 ni'umure - \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 121.132 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 32.1445 \cdot 10^{-520}$	$1 ni'umure - \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 0.0143502 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 0.0402022 \cdot 10^{-50}$	$1 ni'umu - \frac{MT}{L^3 \Theta} = 10^{-50} = 12.5123 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg}{m^3 K} = 304.412 \cdot 10^{-50}$	$1 ni'uvo - \frac{MT}{L^3 \Theta} = 10^{-40} = 1525.55 \frac{kg\ s}{m^3 K}$ (*)
$1k \frac{kg\ s}{m^3 K} = 2.22544 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3 \Theta} = 10^{-40} = 0.225230 k \frac{kg\ s}{m^3 K}$
$1m K = 422.250 \cdot 10^{-120}$	$1 ni'upare-\Theta = 10^{-120} = 0.00121023 m\ K$
$1 K = 3.22140 \cdot 10^{-110}$	$1 ni'upapa-\Theta = 10^{-110} = 0.143332 K$
$1k K = 0.0234204 \cdot 10^{-100}$	$1 ni'upano-\Theta = 10^{-100} = 21.4230 k\ K$
$1m \frac{K}{s} = 12.5411 \cdot 10^{-250}$	$1 ni'uremu - \frac{\Theta}{T} = 10^{-250} = 0.0400450 m \frac{K}{s}$ (*)
$1 \frac{K}{s} = 0.105234 \cdot 10^{-240}$	$1 ni'urevo - \frac{\Theta}{T} = 10^{-240} = 5.11401 \frac{K}{s}$
$1k \frac{K}{s} = 515.454 \cdot 10^{-240}$	$1 ni'urevo - \frac{\Theta}{T} = 10^{-240} = 0.00104312 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.301102 \cdot 10^{-420}$	$1 ni'uvore - \frac{\Theta}{T^2} = 10^{-420} = 1.55121 m \frac{K}{s^2}$ (*)
$1 \frac{K}{s^2} = 2201.24 \cdot 10^{-420}$	$1 ni'uvopa - \frac{\Theta}{T^2} = 10^{-410} = 232.150 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 14.5000 \cdot 10^{-410}$ (**)	$1 ni'uvopa - \frac{\Theta}{T^2} = 10^{-410} = 0.0315344 k \frac{K}{s^2}$
$1m s K = 0.0205540 \cdot 10^{20}$ (*)	$1 re-T\Theta = 10^{20} = 24.3432 m\ s\ K$
$1 s K = 140.051 \cdot 10^{20}$	$1 re-T\Theta = 10^{20} = 0.00333143 s\ K$
$1k s K = 1.14224 \cdot 10^{30}$	$1 ci-T\Theta = 10^{30} = 0.435321 k\ s\ K$
$1m m K = 0.234155 \cdot 10^0$ (*)	$1 L\Theta = 1 = 2.14234 m\ m\ K$
$1 m K = 2004.41 \cdot 10^0$ (*)	$1 pa-L\Theta = 10^{10} = 254.501 m\ K$
$1k m K = 13.2055 \cdot 10^{10}$ (*)	$1 pa-L\Theta = 10^{10} = 0.0350243 k\ m\ K$
$1m \frac{m\ K}{s} = 5154.40 \cdot 10^{-140}$	$1 ni'upaci - \frac{L\Theta}{T} = 10^{-130} = 104.314 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 40.3551 \cdot 10^{-130}$ (*)	$1 ni'upaci - \frac{L\Theta}{T} = 10^{-130} = 0.0124315 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 0.310103 \cdot 10^{-120}$	$1 ni'upare - \frac{L\Theta}{T} = 10^{-120} = 1.52034 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 144.553 \cdot 10^{-310}$ (*)	$1 ni'ucino - \frac{L\Theta}{T^2} = 10^{-300} = 3153.55 m \frac{m\ K}{s^2}$ (*)
$1 \frac{m\ K}{s^2} = 1.22051 \cdot 10^{-300}$	$1 ni'ucino - \frac{L\Theta}{T^2} = 10^{-300} = 0.415025 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.0102405 \cdot 10^{-250}$	$1 ni'uremu - \frac{L\Theta}{T^2} = 10^{-250} = 53.2552 k \frac{m\ K}{s^2}$ (*)
$1m m s K = 11.4222 \cdot 10^{130}$	$1 paci-LT\Theta = 10^{130} = 0.0435334 m\ m\ s\ K$
$1 m s K = 0.0554444 \cdot 10^{140}$ (*)	$1 pavo-LT\Theta = 10^{140} = 10.0112 m\ s\ K$
$1k m s K = 433.423 \cdot 10^{140}$	$1 pavo-LT\Theta = 10^{140} = 0.00114530 k\ m\ s\ K$
$1m m^2 K = 132.052 \cdot 10^{110}$	$1 pare-L^2\Theta = 10^{120} = 3502.55 m\ m^2 K$ (*)
$1 m^2 K = 1.11154 \cdot 10^{120}$	$1 pare-L^2\Theta = 10^{120} = 0.455254 m^2 K$ (*)
$1k m^2 K = 5323.23 \cdot 10^{120}$	$1 paci-L^2\Theta = 10^{130} = 102.434 k\ m^2 K$
$1m \frac{m^2 K}{s} = 3.10053 \cdot 10^{-20}$ (*)	$1 ni'ure - \frac{L^2\Theta}{T} = 10^{-20} = 0.152042 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.0224025 \cdot 10^{-10}$	$1 ni'upa - \frac{L^2\Theta}{T} = 10^{-10} = 22.4141 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 151.544 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 3102.30 k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.102403 \cdot 10^{-150}$	$1 ni'upamu - \frac{L^2\Theta}{T^2} = 10^{-150} = 5.33011 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 455.024 \cdot 10^{-150}$ (*)	$1 ni'upavo - \frac{L^2\Theta}{T^2} = 10^{-140} = 1112.31 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 3.50102 \cdot 10^{-140}$	$1 ni'upavo - \frac{L^2\Theta}{T^2} = 10^{-140} = 0.132140 k \frac{m^2 K}{s^2}$
$1m m^2 s K = 4334.11 \cdot 10^{240}$	$1 remu-L^2T\Theta = 10^{250} = 114.533 m\ m^2 s\ K$
$1 m^2 s K = 33.1504 \cdot 10^{250}$	$1 remu-L^2T\Theta = 10^{250} = 0.0140453 m^2 s\ K$

$$\begin{aligned}
1 \text{k m}^2 \text{s K} &= 0.242353 \cdot 10^{300} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 1.12213 \cdot 10^{-230} \\
1 \frac{\text{K}}{\text{m}} &= 0.00541233 \cdot 10^{-220} \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 42.2303 \cdot 10^{-220} \\
1 \text{m} \frac{\text{K}}{\text{m s}} &= 0.0230115 \cdot 10^{-400} \\
1 \frac{\text{K}}{\text{m s}} &= 153.340 \cdot 10^{-400} \\
1 \text{k} \frac{\text{K}}{\text{m s}} &= 1.25414 \cdot 10^{-350} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2} &= 503.230 \cdot 10^{-540} \\
1 \frac{\text{K}}{\text{m s}^2} &= 3.53310 \cdot 10^{-530} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2} &= 0.0301112 \cdot 10^{-520} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 33.4542 \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^2} &= 0.245013 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s K}}{\text{m}} &= 0.00205545 \cdot 10^{-40} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 0.00202314 \cdot 10^{-340} \\
1 \frac{\text{K}}{\text{m}^2} &= 13.3305 \cdot 10^{-340} \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 0.112215 \cdot 10^{-330} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 41.1322 \cdot 10^{-520} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.312541 \cdot 10^{-510} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.00230123 \cdot 10^{-500} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 1.23205 \cdot 10^{-1050} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.0103344 \cdot 10^{-1040} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 50.3244 \cdot 10^{-1040} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2} &= 0.100400 \cdot 10^{-210} \quad (*) \\
1 \frac{\text{s K}}{\text{m}^2} &= 441.431 \cdot 10^{-210} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2} &= 3.34553 \cdot 10^{-200} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 3.25124 \cdot 10^{-500} \\
1 \frac{\text{K}}{\text{m}^3} &= 0.0240350 \cdot 10^{-450} \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 202.322 \cdot 10^{-450} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.110235 \cdot 10^{-1030} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= 524.251 \cdot 10^{-1030} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 4.11334 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.00222141 \cdot 10^{-1200} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 15.0324 \cdot 10^{-1200} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.123212 \cdot 10^{-1150} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3} &= 141.334 \cdot 10^{-330} \\
1 \frac{\text{s K}}{\text{m}^3} &= 1.15311 \cdot 10^{-320} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3} &= 0.0100402 \cdot 10^{-310} \quad (*) \\
1 \text{m kg K} &= 3.20231 \cdot 10^{-100} \\
1 \text{kg K} &= 0.0232530 \cdot 10^{-50} \\
1 \text{k kg K} &= 155.410 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 0.104450 \cdot 10^{-230} \\
1 \frac{\text{kg K}}{\text{s}} &= 512.524 \cdot 10^{-230} \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 4.01433 \cdot 10^{-220} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 0.00214543 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 14.4003 \cdot 10^{-400} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 0.121221 \cdot 10^{-350} \\
1 \text{m kg s K} &= 135.122 \cdot 10^{30} \\
1 \text{kg s K} &= 1.13412 \cdot 10^{40} \\
1 \text{k kg s K} &= 5513.30 \cdot 10^{40} \quad (*) \\
1 \text{m kg m K} &= 0.00155402 \cdot 10^{20} \quad (*) \\
1 \text{kg m K} &= 13.1150 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{cino-} L^2 T \Theta &= 10^{300} = 2.10454 \text{k m}^2 \text{s K} \\
1 \text{ni'ureci-} \frac{\Theta}{L} &= 10^{-230} = 0.451124 \text{m} \frac{\text{K}}{\text{m}} \\
1 \text{ni'urere-} \frac{\Theta}{L} &= 10^{-220} = 101.504 \frac{\text{K}}{\text{m}} \\
1 \text{ni'urere-} \frac{\Theta}{L} &= 10^{-220} = 0.0121020 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uvono-} \frac{\Theta}{LT} &= 10^{-400} = 22.2110 \text{m} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'uvono-} \frac{\Theta}{LT} &= 10^{-400} = 0.00303413 \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ucimu-} \frac{\Theta}{LT} &= 10^{-350} = 0.400435 \text{k} \frac{\text{K}}{\text{m s}} \quad (*) \\
1 \text{ni'umuovo-} \frac{\Theta}{LT^2} &= 10^{-540} = 0.00110221 \text{m} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'umuci-} \frac{\Theta}{LT^2} &= 10^{-530} = 0.130540 \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'umure-} \frac{\Theta}{LT^2} &= 10^{-520} = 15.5113 \text{k} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{\Theta}{L} &= 10^{-100} = 0.0135214 \text{m} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'umu-} \frac{T\Theta}{L} &= 10^{-50} = 2.04543 \frac{\text{s K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{T\Theta}{L} &= 10^{-40} = 243.423 \text{k} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{\Theta}{L^2} &= 10^{-340} = 252.151 \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucivo-} \frac{\Theta}{L^2} &= 10^{-340} = 0.0343104 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucici-} \frac{\Theta}{L^2} &= 10^{-330} = 4.51111 \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'umure-} \frac{\Theta}{L^2 T} &= 10^{-520} = 0.0123150 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'umupa-} \frac{\Theta}{L^2 T} &= 10^{-510} = 1.50254 \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuno-} \frac{\Theta}{L^2 T} &= 10^{-500} = 222.101 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanomu-} \frac{\Theta}{L^2 T^2} &= 10^{-1050} = 0.411224 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 52.4121 \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.0110215 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'urepa-} \frac{T\Theta}{L^2} &= 10^{-210} = 5.52023 \text{m} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureno-} \frac{T\Theta}{L^2} &= 10^{-200} = 1134.50 \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureno-} \frac{T\Theta}{L^2} &= 10^{-200} = 0.135211 \text{k} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'umuno-} \frac{\Theta}{L^3} &= 10^{-500} = 0.142031 \text{m} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'uvomu-} \frac{\Theta}{L^3} &= 10^{-450} = 21.2244 \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{\Theta}{L^3} &= 10^{-440} = 2521.41 \text{k} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'upanoci-} \frac{\Theta}{L^3 T} &= 10^{-1030} = 5.03122 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 1033.25 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 0.123143 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upareno-} \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 230.043 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upareno-} \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.0312445 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapamu-} \frac{\Theta}{L^3 T^2} &= 10^{-1150} = 4.11212 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'ucire-} \frac{T\Theta}{L^3} &= 10^{-320} = 3301.22 \text{m} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ucire-} \frac{T\Theta}{L^3} &= 10^{-320} = 0.431332 \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ucipa-} \frac{T\Theta}{L^3} &= 10^{-310} = 55.2004 \text{k} \frac{\text{s K}}{\text{m}^3} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upano-} M\Theta &= 10^{-100} = 0.144324 \text{m kg K} \\
1 \text{ni'umu-} M\Theta &= 10^{-50} = 21.5405 \text{kg K} \\
1 \text{ni'uvu-} M\Theta &= 10^{-40} = 3002.43 \text{k kg K} \quad (*) \\
1 \text{ni'ureci-} \frac{M\Theta}{T} &= 10^{-230} = 5.14323 \text{m} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'urere-} \frac{M\Theta}{T} &= 10^{-220} = 1050.55 \frac{\text{kg K}}{\text{s}} \quad (*) \\
1 \text{ni'urere-} \frac{M\Theta}{T} &= 10^{-220} = 0.125203 \text{k} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'uvono-} \frac{M\Theta}{T^2} &= 10^{-400} = 233.422 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'uvono-} \frac{M\Theta}{T^2} &= 10^{-400} = 0.0321251 \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ucimu-} \frac{M\Theta}{T^2} &= 10^{-350} = 4.21234 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{vo-} MT\Theta &= 10^{40} = 3351.42 \text{m kg s K} \\
1 \text{vo-} MT\Theta &= 10^{40} = 0.442052 \text{kg s K} \\
1 \text{mu-} MT\Theta &= 10^{50} = 100.430 \text{k kg s K} \quad (*) \\
1 \text{re-} ML\Theta &= 10^{20} = 300.253 \text{m kg m K} \quad (*) \\
1 \text{re-} ML\Theta &= 10^{20} = 0.0352333 \text{kg m K}
\end{aligned}$$

$$\begin{aligned}
1 \text{k kg m K} &= 0.110402 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 40.1421 \cdot 10^{-120} \\
1 \frac{\text{kg m K}}{\text{s}} &= 0.304240 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 0.00222433 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.21214 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 0.0102034 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 45.2222 \cdot 10^{-240} \\
1 \text{m kg m s K} &= 0.0551311 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.115 \cdot 10^{150} \\
1 \text{kg m s K} &= 3.25535 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.10400 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.00525304 \cdot 10^{140} \\
1 \text{kg m}^2 \text{K} &= 41.2224 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0222424 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 150.533 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1.23351 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 452.204 \cdot 10^{-140} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 3.44024 \cdot 10^{-130} \\
1 \text{kg} \frac{\text{m}^2 \text{K}}{\text{s}^2} &= 0.0252555 \cdot 10^{-120} \quad (***) \\
1 \text{m kg m}^2 \text{s K} &= 32.5524 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.241053 \cdot 10^{310} \\
1 \text{kg m}^2 \text{s K} &= 0.00202544 \cdot 10^{320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 5341.51 \cdot 10^{-220} \\
1 \frac{\text{kg K}}{\text{m}} &= 42.0034 \cdot 10^{-210} \quad (*) \\
1 \text{kg} \frac{\text{kg K}}{\text{m}} &= 0.320241 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 152.315 \cdot 10^{-350} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1.24521 \cdot 10^{-340} \\
1 \text{kg} \frac{\text{kg K}}{\text{m s}} &= 0.0104452 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 3.51213 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.0255313 \cdot 10^{-510} \quad (*) \\
1 \text{kg} \frac{\text{kg K}}{\text{m s}^2} &= 214.552 \cdot 10^{-510} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.243302 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 2044.41 \cdot 10^{-40} \\
1 \text{kg} \frac{\text{kg s K}}{\text{m}} &= 13.5125 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13.2352 \cdot 10^{-330} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.111413 \cdot 10^{-320} \\
1 \text{kg} \frac{\text{kg K}}{\text{m}^2} &= 534.205 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.311101 \cdot 10^{-500} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 2245.11 \cdot 10^{-500} \\
1 \text{kg} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 15.2323 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.0103005 \cdot 10^{-1030} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 50.0401 \cdot 10^{-1030} \\
1 \text{kg} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.351224 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 435.102 \cdot 10^{-200} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 3.32555 \cdot 10^{-150} \quad (***) \\
1 \text{kg} \frac{\text{kg s K}}{\text{m}^2} &= 0.0243311 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.0235101 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 201.233 \cdot 10^{-440} \\
1 \text{kg} \frac{\text{kg K}}{\text{m}^3} &= 1.32355 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 521.253 \cdot 10^{-1020}
\end{aligned}$$

$$\begin{aligned}
1 \text{ci-ML}\Theta &= 10^{30} = 5.02114 \text{ k kg m K} \\
1 \text{ni'upare-} \frac{ML\Theta}{T} &= 10^{-120} = 0.0125210 \text{ m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 1.53053 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 225.343 \text{ k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uremu-} \frac{ML\Theta}{T^2} &= 10^{-250} = 0.421250 \text{ m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 54.0030 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.0112030 \text{ k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{pamu-} MLT\Theta &= 10^{150} = 10.0432 \text{ m kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 1153.51 \text{ kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 0.141425 \text{ k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.502132 \text{ m kg m}^2 \text{ K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.212 \text{ kg m}^2 \text{ K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.0123005 \text{ k kg m}^2 \text{ K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 22.5352 \text{ m} \frac{\text{kg m}^2 \text{ K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00312103 \frac{\text{kg m}^2 \text{ K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.410323 \text{ k} \frac{\text{kg m}^2 \text{ K}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML^2\Theta}{T^2} &= 10^{-140} = 0.00112032 \text{ m} \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 0.133051 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 20.2021 \text{ k} \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.0141432 \text{ m kg m}^2 \text{ s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 2.12012 \text{ kg m}^2 \text{ s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 251.422 \text{ k kg m}^2 \text{ s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 102.234 \text{ m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.0121452 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 1.44321 \text{ k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 3052.33 \text{ m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 0.403002 \frac{\text{kg K}}{\text{m s}} \quad (*) \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 51.4305 \text{ k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umure-} \frac{M\Theta}{LT^2} &= 10^{-520} = 0.131443 \text{ m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 20.0150 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 2334.13 \text{ k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{MT\Theta}{L} &= 10^{-40} = 2.10051 \text{ m} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 245.140 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 0.0335131 \text{ k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ucici-} \frac{M\Theta}{L^2} &= 10^{-330} = 0.0345134 \text{ m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 4.53523 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.00102232 \text{ k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{L^2 T} &= 10^{-500} = 1.51304 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2 T} &= 10^{-450} = 223.301 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2 T} &= 10^{-450} = 0.0305223 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2 T^2} &= 10^{-1030} = 53.1131 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2 T^2} &= 10^{-1030} = 0.0111012 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2 T^2} &= 10^{-1020} = 1.31440 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ureno-} \frac{MT\Theta}{L^2} &= 10^{-200} = 0.00114303 \text{ m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 0.140141 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 21.0043 \text{ k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 21.3413 \text{ m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.00253521 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.345123 \text{ k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^3 T} &= 10^{-1020} = 0.00104105 \text{ m} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 4.05144 \cdot 10^{-1010}$	$1 \text{ni}'\text{upanopa}-\frac{M\Theta}{L^3 T} = 10^{-1010} = 0.124030 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.0311111 \cdot 10^{-1000}$	$1 \text{ni}'\text{upanono}-\frac{M\Theta}{L^3 T} = 10^{-1000} = 15.1300 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} (*)$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 14.5322 \cdot 10^{-1150}$	$1 \text{ni}'\text{upapamu}-\frac{M\Theta}{L^3 T^2} = 10^{-1150} = 0.0314334 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.122331 \cdot 10^{-1140}$	$1 \text{ni}'\text{upapavo}-\frac{M\Theta}{L^3 T^2} = 10^{-1140} = 4.13413 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 1030.12 \cdot 10^{-1140}$	$1 \text{ni}'\text{upapaci}-\frac{M\Theta}{L^3 T^2} = 10^{-1130} = 531.113 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = 1.14451 \cdot 10^{-310}$	$1 \text{ni}'\text{ucipa}-\frac{MT\Theta}{L^3} = 10^{-310} = 0.434042 \text{m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 0.0100042 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{MT\Theta}{L^3} = 10^{-300} = 55.5143 \frac{\text{kg s K}}{\text{m}^3} (*)$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 43.5115 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{MT\Theta}{L^3} = 10^{-300} = 0.0114301 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
<hr/>	<hr/>
$1 \text{m} \frac{\text{K}}{\text{C}} = 1501.14 \cdot 10^{-200}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{Q} = 10^{-150} = 313.234 \text{m} \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{C}} = 12.3032 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{Q} = 10^{-150} = 0.0412110 \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 0.103231 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{Q} = 10^{-140} = 5.25125 \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{s C}} = 34.2342 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici}-\frac{\Theta}{TQ} = 10^{-330} = 0.0133433 \text{m} \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.251513 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire}-\frac{\Theta}{TQ} = 10^{-320} = 2.02510 \frac{\text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{K}}{\text{s C}} = 2120.53 \cdot 10^{-320}$	$1 \text{ni}'\text{ucipa}-\frac{\Theta}{TQ} = 10^{-310} = 241.004 \text{k} \frac{\text{K}}{\text{s C}} (*)$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 1.13341 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno}-\frac{\Theta}{T^2 Q} = 10^{-500} = 0.442244 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 5511.05 \cdot 10^{-500} (*)$	$1 \text{ni}'\text{uvomu}-\frac{\Theta}{T^2 Q} = 10^{-450} = 100.453 \frac{\text{K}}{\text{s}^2 \text{C}} (*)$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 43.0542 \cdot 10^{-450}$	$1 \text{ni}'\text{uvomu}-\frac{\Theta}{T^2 Q} = 10^{-450} = 0.0115415 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{s K}}{\text{C}} = 0.0523225 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{T\Theta}{Q} = 10^{-20} = 10.3443 \text{m} \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 410.441 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{\text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{s K}}{\text{C}} = 3.12202 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{T\Theta}{Q} = 10^{-10} = 0.150501 \text{k} \frac{\text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{C}} = 1.03225 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{L\Theta}{Q} = 10^{-40} = 0.525144 \text{m} \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 5022.45 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{\text{m K}}{\text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{C}} = 35.2443 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{L\Theta}{Q} = 10^{-30} = 0.0131122 \text{k} \frac{\text{m K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{s C}} = 0.0212044 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{L\Theta}{TQ} = 10^{-210} = 24.1013 \text{m} \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s C}} = 141.455 \cdot 10^{-210} (*)$	$1 \text{ni}'\text{ureno}-\frac{L\Theta}{TQ} = 10^{-200} = 3254.33 \frac{\text{m K}}{\text{s C}}$
$1 \text{k} \frac{\text{m K}}{\text{s C}} = 1.15413 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{L\Theta}{TQ} = 10^{-200} = 0.430554 \text{k} \frac{\text{m K}}{\text{s C}} (*)$
$1 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 430.530 \cdot 10^{-350}$	$1 \text{ni}'\text{ucivo}-\frac{L\Theta}{T^2 Q} = 10^{-340} = 1154.22 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 3.25412 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{L\Theta}{T^2 Q} = 10^{-340} = 0.141505 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.0240555 \cdot 10^{-330} (**)$	$1 \text{ni}'\text{ucici}-\frac{L\Theta}{T^2 Q} = 10^{-330} = 21.2100 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} (*)$
$1 \text{m} \frac{\text{m s K}}{\text{C}} = 31.2152 \cdot 10^{50}$	$1 \text{mu}-\frac{LT\Theta}{Q} = 10^{50} = 0.0150504 \text{m} \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.225430 \cdot 10^{100}$	$1 \text{pano}-\frac{LT\Theta}{Q} = 10^{100} = 2.22351 \frac{\text{m s K}}{\text{C}}$
$1 \text{k} \frac{\text{m s K}}{\text{C}} = 1531.30 \cdot 10^{100}$	$1 \text{papa}-\frac{LT\Theta}{Q} = 10^{110} = 304.142 \text{k} \frac{\text{m s K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 352.432 \cdot 10^{30}$	$1 \text{vo}-\frac{L^2 \Theta}{Q} = 10^{40} = 1311.25 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 3.00340 \cdot 10^{40} (*)$	$1 \text{vo}-\frac{L^2 \Theta}{Q} = 10^{40} = 0.155333 \frac{\text{m}^2 \text{K}}{\text{C}} (*)$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.0215450 \cdot 10^{50}$	$1 \text{mu}-\frac{L^2 \Theta}{Q} = 10^{50} = 23.2442 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 11.5410 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L^2 \Theta}{TQ} = 10^{-100} = 0.0431011 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.100445 \cdot 10^{-50} (*)$	$1 \text{ni}'\text{umu}-\frac{L^2 \Theta}{TQ} = 10^{-50} = 5.51142 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 442.215 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{L^2 \Theta}{TQ} = 10^{-40} = 1133.50 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.240550 \cdot 10^{-230} (*)$	$1 \text{ni}'\text{ureci}-\frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 2.12105 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.00202454 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 251.532 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 13.3423 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.0342404 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.0153122 \cdot 10^{210}$	$1 \text{repa}-\frac{L^2 T\Theta}{Q} = 10^{210} = 30.4152 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 125.231 \cdot 10^{210}$	$1 \text{rere}-\frac{L^2 T\Theta}{Q} = 10^{220} = 4013.21 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 1.05120 \cdot 10^{220}$	$1 \text{rere}-\frac{L^2 T\Theta}{Q} = 10^{220} = 0.512352 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{m C}} = 3.03125 \cdot 10^{-310}$	$1 \text{ni}'\text{ucipa}-\frac{\Theta}{LQ} = 10^{-310} = 0.153523 \text{m} \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.0221501 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{\Theta}{LQ} = 10^{-300} = 23.0332 \frac{\text{K}}{\text{m C}}$
$1 \text{k} \frac{\text{K}}{\text{m C}} = 150.122 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{\Theta}{LQ} = 10^{-300} = 0.00313224 \text{k} \frac{\text{K}}{\text{m C}}$
$1 \text{m} \frac{\text{K}}{\text{m s C}} = 0.101410 \cdot 10^{-440}$	$1 \text{ni}'\text{uvovo}-\frac{\Theta}{LTQ} = 10^{-440} = 5.42142 \text{m} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{m s C}} &= 450.303 \cdot 10^{-440} \\
1 \text{k} \frac{\text{K}}{\text{m s C}} &= 3.42354 \cdot 10^{-430} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2 \text{C}} &= 2043.50 \cdot 10^{-1020} \\
1 \frac{\text{K}}{\text{m s}^2 \text{C}} &= 13.5045 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2 \text{C}} &= 0.113344 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s K}}{\text{m C}} &= 130.415 \cdot 10^{-140} \\
1 \frac{\text{s K}}{\text{m C}} &= 1.10115 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s K}}{\text{m C}} &= 0.00523243 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.00510521 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 40.0113 \cdot 10^{-420} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.303134 \cdot 10^{-410} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s C}} &= 143.155 \cdot 10^{-1000} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2 \text{s C}} &= 1.20511 \cdot 10^{-550} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s C}} &= 0.0101412 \cdot 10^{-540} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3.32431 \cdot 10^{-1130} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0243203 \cdot 10^{-1120} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 204.354 \cdot 10^{-1120} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2 \text{C}} &= 0.231532 \cdot 10^{-250} \\
1 \frac{\text{s K}}{\text{m}^2 \text{C}} &= 0.00154533 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2 \text{C}} &= 13.0422 \cdot 10^{-240} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 12.4155 \cdot 10^{-540} \quad (*) \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.104214 \cdot 10^{-530} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 510.534 \cdot 10^{-530} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s C}} &= 0.254221 \cdot 10^{-1110} \\
1 \frac{\text{K}}{\text{m}^3 \text{s C}} &= 0.00214032 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s C}} &= 14.3202 \cdot 10^{-1100} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0100015 \cdot 10^{-1240} \quad (***) \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 43.4523 \cdot 10^{-1240} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.332441 \cdot 10^{-1230} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3 \text{C}} &= 414.234 \cdot 10^{-410} \\
1 \frac{\text{s K}}{\text{m}^3 \text{C}} &= 3.15055 \cdot 10^{-400} \quad (*) \\
1 \text{k} \frac{\text{s K}}{\text{m}^3 \text{C}} &= 0.0231541 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kg K}}{\text{C}} &= 12.2152 \cdot 10^{-140} \\
1 \frac{\text{kg K}}{\text{C}} &= 0.102454 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg K}}{\text{C}} &= 455.424 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{s C}} &= 0.250144 \cdot 10^{-310} \\
1 \frac{\text{kg K}}{\text{s C}} &= 0.00210533 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg K}}{\text{s C}} &= 14.0523 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 0.00543551 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 42.4251 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 0.323454 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s K}}{\text{C}} &= 404.253 \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{C}} &= 3.10324 \\
1 \text{k} \frac{\text{kg s K}}{\text{C}} &= 0.0224224 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m K}}{\text{C}} &= 0.00455410 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{kg m K}}{\text{C}} &= 35.0353 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m K}}{\text{C}} &= 0.254553 \cdot 10^{-10} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvovo-} \frac{\Theta}{LTQ} &= 10^{-440} = 0.00112321 \frac{\text{K}}{\text{m s C}} \\
1 \text{ni}'\text{uvoci-} \frac{\Theta}{LTQ} &= 10^{-430} = 0.133425 \text{k} \frac{\text{K}}{\text{m s C}} \\
1 \text{ni}'\text{upanopa-} \frac{\Theta}{LT^2Q} &= 10^{-1010} = 245.244 \text{m} \frac{\text{K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upanopa-} \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.0335300 \frac{\text{K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{upanono-} \frac{\Theta}{LT^2Q} &= 10^{-1000} = 4.42231 \text{k} \frac{\text{K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upavo-} \frac{T\Theta}{LQ} &= 10^{-140} = 0.00354041 \text{m} \frac{\text{s K}}{\text{m C}} \\
1 \text{ni}'\text{upaci-} \frac{T\Theta}{LQ} &= 10^{-130} = 0.504103 \frac{\text{s K}}{\text{m C}} \\
1 \text{ni}'\text{upare-} \frac{T\Theta}{LQ} &= 10^{-120} = 103.441 \text{k} \frac{\text{s K}}{\text{m C}} \\
1 \text{ni}'\text{uvore-} \frac{\Theta}{L^2Q} &= 10^{-420} = 105.335 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uvore-} \frac{\Theta}{L^2Q} &= 10^{-420} = 0.0125531 \frac{\text{K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{uvopa-} \frac{\Theta}{L^2Q} &= 10^{-410} = 1.53515 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upanono-} \frac{\Theta}{L^2TQ} &= 10^{-1000} = 0.00322442 \text{m} \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{umumu-} \frac{\Theta}{L^2TQ} &= 10^{-550} = 0.423045 \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{umuvo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 54.2123 \text{k} \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{upapaci-} \frac{\Theta}{L^2T^2Q} &= 10^{-1130} = 0.140221 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upapare-} \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 21.0135 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upapare-} \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 0.00245235 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uremu-} \frac{T\Theta}{L^2Q} &= 10^{-250} = 2.20332 \text{m} \frac{\text{s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 301.344 \frac{\text{s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 0.0354025 \text{k} \frac{\text{s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umuovo-} \frac{\Theta}{L^3Q} &= 10^{-540} = 0.0404332 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{umuci-} \frac{\Theta}{L^3Q} &= 10^{-530} = 5.20325 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{umure-} \frac{\Theta}{L^3Q} &= 10^{-520} = 1053.33 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{upapapa-} \frac{\Theta}{L^3TQ} &= 10^{-1110} = 2.01031 \text{m} \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{ni}'\text{upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 234.420 \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{ni}'\text{upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.0322432 \text{k} \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{ni}'\text{uparevo-} \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 55.5405 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{uparevo-} \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 0.0114331 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upareci-} \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 1.40214 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 1222.04 \text{m} \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.145131 \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{ucimu-} \frac{T\Theta}{L^3Q} &= 10^{-350} = 22.0323 \text{k} \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{upavo-} \frac{M\Theta}{Q} &= 10^{-140} = 0.0414314 \text{m} \frac{\text{kg K}}{\text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{Q} &= 10^{-130} = 5.32143 \frac{\text{kg K}}{\text{C}} \\
1 \text{ni}'\text{upare-} \frac{M\Theta}{Q} &= 10^{-120} = 1111.33 \text{k} \frac{\text{kg K}}{\text{C}} \\
1 \text{ni}'\text{ucipa-} \frac{M\Theta}{TQ} &= 10^{-310} = 2.04003 \text{m} \frac{\text{kg K}}{\text{s C}} \quad (*) \\
1 \text{ni}'\text{ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 242.303 \frac{\text{kg K}}{\text{s C}} \\
1 \text{ni}'\text{ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 0.0331402 \text{k} \frac{\text{kg K}}{\text{s C}} \\
1 \text{ni}'\text{uvovo-} \frac{M\Theta}{T^2Q} &= 10^{-440} = 101.220 \text{m} \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvovo-} \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.0120242 \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvoci-} \frac{M\Theta}{T^2Q} &= 10^{-430} = 1.42444 \text{k} \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 1242.11 \text{m} \frac{\text{kg s K}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.151512 \frac{\text{kg s K}}{\text{C}} \\
1 \text{pa-} \frac{MT\Theta}{Q} &= 10^{10} = 22.3543 \text{k} \frac{\text{kg s K}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 111.135 \text{m} \frac{\text{kg m K}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 0.0132030 \frac{\text{kg m K}}{\text{C}} \\
1 \text{ni}'\text{upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 2.00403 \text{k} \frac{\text{kg m K}}{\text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 140.520 \cdot 10^{-200} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 1.14552 \cdot 10^{-150} \quad (*) \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 0.0100130 \cdot 10^{-140} \quad (*) \\
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 3.23444 \cdot 10^{-330} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 0.0235304 \cdot 10^{-320} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 201.412 \cdot 10^{-320} \\
1m \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.224215 \cdot 10^{110} \\
1 \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.00152111 \cdot 10^{120} \\
1k \frac{kg \cdot m \cdot s \cdot K}{C} &= 12.4342 \cdot 10^{120} \\
1m \frac{kg \cdot m^2 \cdot K}{C} &= 2.54543 \cdot 10^{50} \\
1 \frac{kg \cdot m^2 \cdot K}{C} &= 0.0214311 \cdot 10^{100} \\
1k \frac{kg \cdot m^2 \cdot K}{C} &= 143.403 \cdot 10^{100} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.100125 \cdot 10^{-40} \quad (*) \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 435.443 \cdot 10^{-40} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 3.33245 \cdot 10^{-30} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 2014.04 \cdot 10^{-220} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 13.2505 \cdot 10^{-210} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.111512 \cdot 10^{-200} \\
1m \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 124.340 \cdot 10^{220} \\
1 \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 1.04332 \cdot 10^{230} \\
1k \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.00511533 \cdot 10^{240} \\
1m \frac{kg \cdot K}{m \cdot C} &= 0.0220311 \cdot 10^{-250} \\
1 \frac{kg \cdot K}{m \cdot C} &= 145.120 \cdot 10^{-250} \\
1k \frac{kg \cdot K}{m \cdot C} &= 1.22155 \cdot 10^{-240} \quad (*) \\
1m \frac{kg \cdot K}{m \cdot s \cdot C} &= 443.510 \cdot 10^{-430} \\
1 \frac{kg \cdot K}{m \cdot s \cdot C} &= 3.40335 \cdot 10^{-420} \\
1k \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.0250153 \cdot 10^{-410} \\
1m \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 13.4123 \cdot 10^{-1000} \\
1 \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.112534 \cdot 10^{-550} \\
1k \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 544.010 \cdot 10^{-550} \\
1m \frac{kg \cdot s \cdot K}{m \cdot C} &= 1.05325 \cdot 10^{-120} \\
1 \frac{kg \cdot s \cdot K}{m \cdot C} &= 5202.53 \cdot 10^{-120} \\
1k \frac{kg \cdot s \cdot K}{m \cdot C} &= 40.4305 \cdot 10^{-110} \\
1m \frac{kg \cdot K}{m^2 \cdot C} &= 35.4003 \cdot 10^{-410} \quad (*) \\
1 \frac{kg \cdot K}{m^2 \cdot C} &= 0.301325 \cdot 10^{-400} \\
1k \frac{kg \cdot K}{m^2 \cdot C} &= 2203.15 \cdot 10^{-400} \\
1m \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 1.20042 \cdot 10^{-540} \quad (*) \\
1 \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.0101044 \cdot 10^{-530} \\
1k \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 44.3523 \cdot 10^{-530} \\
1m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.0241501 \cdot 10^{-1110} \\
1 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 203.254 \cdot 10^{-1110} \\
1k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 1.34130 \cdot 10^{-1100} \\
1m \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 1535.04 \cdot 10^{-240} \\
1 \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 12.5522 \cdot 10^{-230} \quad (*) \\
1k \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.105331 \cdot 10^{-220} \\
1m \frac{kg \cdot K}{m^3 \cdot C} &= 0.103433 \cdot 10^{-520} \\
1 \frac{kg \cdot K}{m^3 \cdot C} &= 504.033 \cdot 10^{-520}
\end{aligned}$$

$$\begin{aligned}
1 ni'ureno \frac{ML\Theta}{TQ} &= 10^{-200} = 0.00331413 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'upamu \frac{ML\Theta}{TQ} &= 10^{-150} = 0.433302 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'upavo \frac{ML\Theta}{TQ} &= 10^{-140} = 55.4300 k \frac{kg \cdot m \cdot K}{s^2 C} \quad (***) \\
1 ni'ucici \frac{ML\Theta}{T^2 Q} &= 10^{-330} = 0.142452 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucire \frac{ML\Theta}{T^2 Q} &= 10^{-320} = 21.3224 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucire \frac{ML\Theta}{T^2 Q} &= 10^{-320} = 0.00253301 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 papa \frac{MLT\Theta}{Q} &= 10^{110} = 2.23552 m \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 pare \frac{MLT\Theta}{Q} &= 10^{120} = 310.005 \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 pare \frac{MLT\Theta}{Q} &= 10^{120} = 0.0403435 k \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 mu \frac{ML^2\Theta}{Q} &= 10^{50} = 0.200411 m \frac{kg \cdot m^2 \cdot K}{C} \quad (*) \\
1 pano \frac{ML^2\Theta}{Q} &= 10^{100} = 23.4115 \frac{kg \cdot m^2 \cdot K}{C} \\
1 pano \frac{ML^2\Theta}{Q} &= 10^{100} = 0.00322040 k \frac{kg \cdot m^2 \cdot K}{C} \\
1 ni'uvu \frac{ML^2\Theta}{TQ} &= 10^{-40} = 5.54315 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'uvu \frac{ML^2\Theta}{TQ} &= 10^{-40} = 0.00114202 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'uci \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.140021 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 ni'urepa \frac{ML^2\Theta}{T^2 Q} &= 10^{-210} = 253.310 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'urepa \frac{ML^2\Theta}{T^2 Q} &= 10^{-210} = 0.0344433 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'ureno \frac{ML^2\Theta}{T^2 Q} &= 10^{-200} = 4.53125 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 rere \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.00403450 m \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 reci \frac{ML^2T\Theta}{Q} &= 10^{230} = 0.515321 \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 revo \frac{ML^2T\Theta}{Q} &= 10^{240} = 105.213 k \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 ni'uremu \frac{M\Theta}{LQ} &= 10^{-250} = 23.1554 m \frac{kg \cdot K}{m \cdot C} \quad (*) \\
1 ni'urevo \frac{M\Theta}{LQ} &= 10^{-240} = 3151.15 \frac{kg \cdot K}{m \cdot C} \\
1 ni'urevo \frac{M\Theta}{LQ} &= 10^{-240} = 0.414302 k \frac{kg \cdot K}{m \cdot C} \\
1 ni'uvore \frac{M\Theta}{LTQ} &= 10^{-420} = 1131.25 m \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'uvore \frac{M\Theta}{LTQ} &= 10^{-420} = 0.134350 \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'uvopa \frac{M\Theta}{LTQ} &= 10^{-410} = 20.3555 k \frac{kg \cdot K}{m \cdot s \cdot C} \quad (***) \\
1 ni'upanono \frac{M\Theta}{LT^2 Q} &= 10^{-1000} = 0.0341310 m \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'umumu \frac{M\Theta}{LT^2 Q} &= 10^{-550} = 4.45015 \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'umuovo \frac{M\Theta}{LT^2 Q} &= 10^{-540} = 1012.14 k \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'upare \frac{MT\Theta}{LQ} &= 10^{-120} = 0.511005 m \frac{kg \cdot s \cdot K}{m \cdot C} \quad (*) \\
1 ni'upapa \frac{MT\Theta}{LQ} &= 10^{-110} = 104.222 \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'upapa \frac{MT\Theta}{LQ} &= 10^{-110} = 0.0124205 k \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'uvopa \frac{M\Theta}{L^2 Q} &= 10^{-410} = 0.0130431 m \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'uvono \frac{M\Theta}{L^2 Q} &= 10^{-400} = 1.54544 \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'ucimu \frac{M\Theta}{L^2 Q} &= 10^{-350} = 231.545 k \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'umuovo \frac{M\Theta}{L^2 TQ} &= 10^{-540} = 0.425332 m \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umuci \frac{M\Theta}{L^2 TQ} &= 10^{-530} = 54.5231 \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umuci \frac{M\Theta}{L^2 TQ} &= 10^{-530} = 0.0113123 k \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'upapapa \frac{M\Theta}{L^2 T^2 Q} &= 10^{-1110} = 21.1252 m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upapano \frac{M\Theta}{L^2 T^2 Q} &= 10^{-1100} = 2510.01 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upapano \frac{M\Theta}{L^2 T^2 Q} &= 10^{-1100} = 0.341255 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \quad (*) \\
1 ni'ureci \frac{MT\Theta}{L^2 Q} &= 10^{-230} = 303.154 m \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni'ureci \frac{MT\Theta}{L^2 Q} &= 10^{-230} = 0.0400135 \frac{kg \cdot s \cdot K}{m^2 \cdot C} \quad (*) \\
1 ni'urere \frac{MT\Theta}{L^2 Q} &= 10^{-220} = 5.10552 k \frac{kg \cdot s \cdot K}{m^2 \cdot C} \quad (*) \\
1 ni'umure \frac{M\Theta}{L^3 Q} &= 10^{-520} = 5.23315 m \frac{kg \cdot K}{m^3 \cdot C} \\
1 ni'umure \frac{M\Theta}{L^3 Q} &= 10^{-520} = 0.00110124 \frac{kg \cdot K}{m^3 \cdot C}
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = 3.54015 \cdot 10^{-510}$	$1 ni' umupa - \frac{M\Theta}{L^3 Q} = 10^{-510} = 0.130424 k \frac{kg\ K}{m^3 C}$
$1m \frac{kg\ K}{m^3 s\ C} = 2125.03 \cdot 10^{-1100}$	$1 ni' upanomu - \frac{M\Theta}{L^3 TQ} = 10^{-1050} = 240.104 m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 14.2214 \cdot 10^{-1050}$	$1 ni' upanomu - \frac{M\Theta}{L^3 TQ} = 10^{-1050} = 0.0324353 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.120045 \cdot 10^{-1040}$ (*)	$1 ni' upanovo - \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 4.25315 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 43.2211 \cdot 10^{-1230}$	$1 ni' upareci - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1230} = 0.0115151 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 0.330455 \cdot 10^{-1220}$ (*)	$1 ni' uparere - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 1.41151 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 2415.10 \cdot 10^{-1220}$	$1 ni' uparepa - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 211.243 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 3.13204 \cdot 10^{-350}$	$1 ni' ucimu - \frac{MT\Theta}{L^3 Q} = 10^{-350} = 0.150133 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 0.0230315 \cdot 10^{-340}$	$1 ni' ucivo - \frac{MT\Theta}{L^3 Q} = 10^{-340} = 22.1513 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 153.512 \cdot 10^{-340}$	$1 ni' ucivo - \frac{MT\Theta}{L^3 Q} = 10^{-340} = 0.00303144 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 143.114 \cdot 10^{-40}$	$1 ni' uvo - Q\Theta = 10^{-40} = 0.00323003 m CK \quad (*)$
$1 CK = 1.20435 \cdot 10^{-30}$	$1 ni' uci - Q\Theta = 10^{-30} = 0.423232 CK$
$1k CK = 0.0101345 \cdot 10^{-20}$	$1 ni' ure - Q\Theta = 10^{-20} = 54.2341 k CK$
$1m \frac{CK}{s} = 3.32304 \cdot 10^{-210}$	$1 ni' urepa - \frac{Q\Theta}{T} = 10^{-210} = 0.140301 m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.0243100 \cdot 10^{-200}$ (*)	$1 ni' ureno - \frac{Q\Theta}{T} = 10^{-200} = 21.0230 \frac{CK}{s}$
$1k \frac{CK}{s} = 204.303 \cdot 10^{-200}$	$1 ni' ureno - \frac{Q\Theta}{T} = 10^{-200} = 0.00245343 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 0.111314 \cdot 10^{-340}$	$1 ni' ucivo - \frac{Q\Theta}{T^2} = 10^{-340} = 4.54321 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 533.340 \cdot 10^{-340}$	$1 ni' ucivo - \frac{Q\Theta}{T^2} = 10^{-340} = 0.00102323 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 4.15322 \cdot 10^{-330}$	$1 ni' ucici - \frac{Q\Theta}{T^2} = 10^{-330} = 0.121553 k \frac{CK}{s^2} \quad (*)$
$1m s CK = 0.00510315 \cdot 10^{100}$	$1 pano - TQ\Theta = 10^{100} = 105.404 m s CK$
$1 s CK = 35.5540 \cdot 10^{100}$ (*)	$1 pano - TQ\Theta = 10^{100} = 0.0130005 s CK \quad (**)$
$1k s CK = 0.303023 \cdot 10^{110}$	$1 papa - TQ\Theta = 10^{110} = 1.54003 k s CK \quad (*)$
$1m m CK = 0.101343 \cdot 10^{40}$	$1 vo - LQ\Theta = 10^{40} = 5.42400 m m CK \quad (*)$
$1 m CK = 450.110 \cdot 10^{40}$	$1 vo - LQ\Theta = 10^{40} = 0.00112350 m CK$
$1k m CK = 3.42224 \cdot 10^{50}$	$1 mu - LQ\Theta = 10^{50} = 0.133504 k m CK$
$1m \frac{m CK}{s} = 2042.55 \cdot 10^{-100}$ (*)	$1 ni' umu - \frac{LQ\Theta}{T} = 10^{-50} = 245.353 m \frac{m CK}{s}$
$1 \frac{m CK}{s} = 13.5010 \cdot 10^{-50}$	$1 ni' umu - \frac{LQ\Theta}{T} = 10^{-50} = 0.0335424 \frac{m CK}{s}$
$1k \frac{m CK}{s} = 0.113314 \cdot 10^{-40}$	$1 ni' uvo - \frac{LQ\Theta}{T} = 10^{-40} = 4.42423 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 41.5310 \cdot 10^{-230}$	$1 ni' ureci - \frac{LQ\Theta}{T^2} = 10^{-230} = 0.0122000 m \frac{m CK}{s^2} \quad (**)$
$1 \frac{m CK}{s^2} = 0.320001 \cdot 10^{-220}$ (**)	$1 ni' urere - \frac{LQ\Theta}{T^2} = 10^{-220} = 1.44444 \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 2323.33 \cdot 10^{-220}$	$1 ni' urepa - \frac{LQ\Theta}{T^2} = 10^{-210} = 215.551 k \frac{m CK}{s^2} \quad (*)$
$1m m s CK = 3.03013 \cdot 10^{210}$	$1 repa - LTQ\Theta = 10^{210} = 0.154010 m m s CK$
$1 m s CK = 0.0221403 \cdot 10^{220}$	$1 rere - LTQ\Theta = 10^{220} = 23.0432 m s CK$
$1k m s CK = 150.040 \cdot 10^{220}$	$1 rere - LTQ\Theta = 10^{220} = 0.00313342 k m s CK$
$1m m^2 CK = 34.2213 \cdot 10^{150}$	$1 pamu - L^2 Q\Theta = 10^{150} = 0.0133511 m^2 CK$
$1 m^2 CK = 0.251404 \cdot 10^{200}$	$1 reno - L^2 Q\Theta = 10^{200} = 2.02555 m^2 CK \quad (**)$
$1k m^2 CK = 2120.01 \cdot 10^{200}$	$1 repa - L^2 Q\Theta = 10^{210} = 241.110 k m^2 CK$
$1m \frac{m^2 CK}{s} = 1.13311 \cdot 10^{20}$	$1 re - \frac{L^2 Q\Theta}{T} = 10^{20} = 0.442440 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 5504.45 \cdot 10^{20}$ (*)	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 100.520 \frac{m^2 CK}{s} \quad (*)$
$1k \frac{m^2 CK}{s} = 43.0354 \cdot 10^{30}$	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 0.0115450 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 0.0232324 \cdot 10^{-110}$	$1 ni' upapa - \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 21.5555 m \frac{m^2 CK}{s^2} \quad (**)$
$1 \frac{m^2 CK}{s^2} = 155.233 \cdot 10^{-110}$ (*)	$1 ni' upano - \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 3005.10 \frac{m^2 CK}{s^2} \quad (*)$
$1k \frac{m^2 CK}{s^2} = 1.31041 \cdot 10^{-100}$	$1 ni' upano - \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.353030 k \frac{m^2 CK}{s^2}$
$1m m^2 s CK = 1500.32 \cdot 10^{320}$ (*)	$1 cici - L^2 TQ\Theta = 10^{330} = 313.352 m^2 s CK$
$1 m^2 s CK = 12.3000 \cdot 10^{330}$ (**)	$1 cici - L^2 TQ\Theta = 10^{330} = 0.0412251 m^2 s CK$
$1k m^2 s CK = 0.103204 \cdot 10^{340}$	$1 civo - L^2 TQ\Theta = 10^{340} = 5.25335 k m^2 s CK$
$1m \frac{CK}{m} = 0.254111 \cdot 10^{-150}$	$1 ni' upamu - \frac{Q\Theta}{L} = 10^{-150} = 2.01120 m \frac{CK}{m}$
$1 \frac{CK}{m} = 0.00213540 \cdot 10^{-140}$	$1 ni' upavo - \frac{Q\Theta}{L} = 10^{-140} = 234.521 \frac{CK}{m}$
$1k \frac{CK}{m} = 14.3121 \cdot 10^{-140}$	$1 ni' upavo - \frac{Q\Theta}{L} = 10^{-140} = 0.0322552 k \frac{CK}{m} \quad (*)$

$$\begin{aligned}
1 \text{m CK}_{\text{ms}} &= 0.00555525 \cdot 10^{-320} \quad (**)
\\
1 \text{CK}_{\text{ms}} &= 43.4334 \cdot 10^{-320}
\\
1 \text{k CK}_{\text{ms}} &= 0.332315 \cdot 10^{-310}
\\
1 \text{m CK}_{\text{ms}^2} &= 201.055 \cdot 10^{-500} \quad (*)
\\
1 \text{CK}_{\text{ms}^2} &= 1.32242 \cdot 10^{-450}
\\
1 \text{k CK}_{\text{ms}^2} &= 0.0111321 \cdot 10^{-440}
\\
1 \text{m s CK}_\text{m} &= 12.4123 \cdot 10^{-20}
\\
1 \text{s CK}_{\text{m}} &= 0.104150 \cdot 10^{-10}
\\
1 \text{k s CK}_{\text{m}} &= 510.333 \cdot 10^{-10}
\\
1 \text{m CK}_{\text{m}^2} &= 454.230 \cdot 10^{-310}
\\
1 \text{CK}_{\text{m}^2} &= 3.45400 \cdot 10^{-300} \quad (*)
\\
1 \text{k CK}_{\text{m}^2} &= 0.0254121 \cdot 10^{-250}
\\
1 \text{m CK}_{\text{m}^2 \text{s}} &= 14.0243 \cdot 10^{-440}
\\
1 \text{CK}_{\text{m}^2 \text{s}} &= 0.114352 \cdot 10^{-430}
\\
1 \text{k CK}_{\text{m}^2 \text{s}} &= 555.545 \cdot 10^{-430} \quad (**)
\\
1 \text{m CK}_{\text{m}^2 \text{s}^2} &= 0.322530 \cdot 10^{-1010}
\\
1 \text{CK}_{\text{m}^2 \text{s}^2} &= 0.00234502 \cdot 10^{-1000}
\\
1 \text{k CK}_{\text{m}^2 \text{s}^2} &= 20.1103 \cdot 10^{-1000}
\\
1 \text{m s CK}_{\text{m}^2} &= 0.0223431 \cdot 10^{-130}
\\
1 \text{s CK}_{\text{m}^2} &= 151.414 \cdot 10^{-130}
\\
1 \text{k s CK}_{\text{m}^2} &= 1.24125 \cdot 10^{-120}
\\
1 \text{m CK}_{\text{m}^3} &= 1.21543 \cdot 10^{-420}
\\
1 \text{CK}_{\text{m}^3} &= 0.0102314 \cdot 10^{-410}
\\
1 \text{k CK}_{\text{m}^3} &= 45.4243 \cdot 10^{-410}
\\
1 \text{m CK}_{\text{m}^3 \text{s}} &= 0.0245323 \cdot 10^{-550}
\\
1 \text{CK}_{\text{m}^3 \text{s}} &= 210.212 \cdot 10^{-550}
\\
1 \text{k CK}_{\text{m}^3 \text{s}} &= 1.40250 \cdot 10^{-540}
\\
1 \text{m CK}_{\text{m}^3 \text{s}^2} &= 542.300 \cdot 10^{-1130} \quad (*)
\\
1 \text{CK}_{\text{m}^3 \text{s}^2} &= 4.23201 \cdot 10^{-1120}
\\
1 \text{k CK}_{\text{m}^3 \text{s}^2} &= 0.0322540 \cdot 10^{-1110}
\\
1 \text{m s CK}_{\text{m}^3} &= 40.3233 \cdot 10^{-250}
\\
1 \text{s CK}_{\text{m}^3} &= 0.305432 \cdot 10^{-240}
\\
1 \text{k s CK}_{\text{m}^3} &= 2234.40 \cdot 10^{-240}
\\
1 \text{m kg CK} &= 1.20011 \cdot 10^{-20} \quad (*)
\\
1 \text{kg CK} &= 0.0101022 \cdot 10^{-10}
\\
1 \text{k kg CK} &= 44.3331 \cdot 10^{-10}
\\
1 \text{m kg CK} &= 0.0241354 \cdot 10^{-150}
\\
1 \text{k kg CK}_{\text{s}} &= 203.204 \cdot 10^{-150}
\\
1 \text{k kg CK}_{\text{s}} &= 1.34051 \cdot 10^{-140}
\\
1 \text{m kg CK}_{\text{s}^2} &= 530.314 \cdot 10^{-330}
\\
1 \text{k kg CK}_{\text{s}^2} &= 4.13111 \cdot 10^{-320}
\\
1 \text{k kg CK}_{\text{s}^2} &= 0.0314113 \cdot 10^{-310}
\\
1 \text{m kg s CK} &= 35.3431 \cdot 10^{110}
\\
1 \text{kg s CK} &= 0.301214 \cdot 10^{120}
\\
1 \text{k kg s CK} &= 2202.22 \cdot 10^{120}
\\
1 \text{m kg m CK} &= 443.314 \cdot 10^{50}
\\
1 \text{kg m CK} &= 3.40211 \cdot 10^{100}
\\
1 \text{k kg m CK} &= 0.0250045 \cdot 10^{110} \quad (*)
\\
1 \text{m kg m CK}_{\text{s}} &= 13.4044 \cdot 10^{-40}
\\
1 \text{k kg m CK}_{\text{s}} &= 0.112504 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 100.003 \text{m CK}_{\text{ms}} \quad (*)
\\
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 0.0114402 \text{CK}_{\text{ms}}
\\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 1.40254 \text{k CK}_{\text{ms}}
\\
1 \text{ni'umuno-} \frac{Q\Theta}{LT^2} &= 10^{-500} = 0.00254141 \text{m CK}_{\text{ms}^2}
\\
1 \text{ni'uvomu-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 0.345425 \text{CK}_{\text{ms}^2}
\\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 45.4304 \text{k CK}_{\text{ms}^2}
\\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.0404511 \text{m s CK}_{\text{m}}
\\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 5.20533 \text{s CK}_{\text{m}}
\\
1 \frac{TQ\Theta}{L} &= 1 = 1054.01 \text{k s CK}_{\text{m}}
\\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 1113.30 \text{m CK}_{\text{m}^2}
\\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.132253 \text{CK}_{\text{m}^2}
\\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 20.1112 \text{k CK}_{\text{m}^2}
\\
1 \text{ni'uvovo-} \frac{Q\Theta}{L^2 T} &= 10^{-440} = 0.0332342 \text{m CK}_{\text{m}^2 \text{s}}
\\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 4.34410 \text{CK}_{\text{m}^2 \text{s}}
\\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1000.01 \text{k CK}_{\text{m}^2 \text{s}} \quad (**)
\\
1 \text{ni'upanopa-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1010} = 1.43133 \text{m CK}_{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 213.554 \text{CK}_{\text{m}^2 \text{s}^2} \quad (*)
\\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.0254132 \text{k CK}_{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 22.4340 \text{m s CK}_{\text{m}^2}
\\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 3105.01 \text{s CK}_{\text{m}^2}
\\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.404455 \text{k s CK}_{\text{m}^2} \quad (*)
\\
1 \text{ni'uvore-} \frac{Q\Theta}{L^3} &= 10^{-420} = 0.415353 \text{m CK}_{\text{m}^3}
\\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 53.3421 \text{CK}_{\text{m}^3}
\\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.0111324 \text{k CK}_{\text{m}^3}
\\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3 T} &= 10^{-550} = 20.4321 \text{m CK}_{\text{m}^3 \text{s}}
\\
1 \text{ni'umuvo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 2431.20 \text{CK}_{\text{m}^3 \text{s}}
\\
1 \text{ni'umuvo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 0.332331 \text{k CK}_{\text{m}^3 \text{s}}
\\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 1013.54 \text{m CK}_{\text{m}^3 \text{s}^2}
\\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.120445 \text{CK}_{\text{m}^3 \text{s}^2}
\\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 14.3130 \text{k CK}_{\text{m}^3 \text{s}^2}
\\
1 \text{ni'uremu-} \frac{TQ\Theta}{L^3} &= 10^{-250} = 0.0124424 \text{m s CK}_{\text{m}^3}
\\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 1.52205 \text{s CK}_{\text{m}^3}
\\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 224.331 \text{k s CK}_{\text{m}^3}
\\
1 \text{ni'ure-} M Q\Theta &= 10^{-20} = 0.425515 \text{m kg CK} \quad (*)
\\
1 \text{ni'upa-} M Q\Theta &= 10^{-10} = 54.5450 \text{kg CK}
\\
1 \text{ni'upa-} M Q\Theta &= 10^{-10} = 0.0113153 \text{k kg CK}
\\
1 \text{ni'upamu-} \frac{M Q\Theta}{T} &= 10^{-150} = 21.1343 \text{m kg CK}_{\text{s}}
\\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 2511.10 \text{kg CK}_{\text{s}}
\\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 0.341424 \text{k kg CK}_{\text{s}}
\\
1 \text{ni'ucire-} \frac{M Q\Theta}{T^2} &= 10^{-320} = 1031.00 \text{m kg CK}_{\text{s}^2} \quad (*)
\\
1 \text{ni'ucire-} \frac{M Q\Theta}{T^2} &= 10^{-320} = 0.122432 \text{kg CK}_{\text{s}^2}
\\
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 14.5441 \text{k kg CK}_{\text{s}^2}
\\
1 \text{papa-} M T Q\Theta &= 10^{110} = 0.0130505 \text{m kg s CK}
\\
1 \text{pare-} M T Q\Theta &= 10^{120} = 1.55032 \text{kg s CK} \quad (*)
\\
1 \text{paci-} M T Q\Theta &= 10^{130} = 232.045 \text{k kg s CK}
\\
1 \text{pano-} M L Q\Theta &= 10^{100} = 1131.55 \text{m kg m CK} \quad (*)
\\
1 \text{pano-} M L Q\Theta &= 10^{100} = 0.134425 \text{kg m CK}
\\
1 \text{papa-} M L Q\Theta &= 10^{110} = 20.4045 \text{k kg m CK}
\\
1 \text{ni'uvo-} \frac{M L Q\Theta}{T} &= 10^{-40} = 0.0341435 \text{m kg m CK}_{\text{s}}
\\
1 \text{ni'uci-} \frac{M L Q\Theta}{T} &= 10^{-30} = 4.45212 \text{kg m CK}_{\text{s}}
\end{aligned}$$

$1k \frac{kg\ m\ CK}{s} = 543.352 \cdot 10^{-30}$	$1 ni'ure - \frac{MLQ\Theta}{T} = 10^{-20} = 1012.41 k \frac{kg\ m\ CK}{s}$
$1m \frac{kg\ m\ CK}{s^2} = 0.314103 \cdot 10^{-210}$	$1 ni'urepa - \frac{MLQ\Theta}{T^2} = 10^{-210} = 1.45444 m \frac{kg\ m\ CK}{s^2}$
$1 \frac{kg\ m\ CK}{s^2} = 0.00231105 \cdot 10^{-200}$	$1 ni'ureno - \frac{MLQ\Theta}{T^2} = 10^{-200} = 221.135 \frac{kg\ m\ CK}{s^2}$
$1k \frac{kg\ m\ CK}{s^2} = 15.4210 \cdot 10^{-200}$	$1 ni'ureno - \frac{MLQ\Theta}{T^2} = 10^{-200} = 0.0302303 k \frac{kg\ m\ CK}{s^2}$
$1m\ kg\ m\ s\ CK = 0.0220213 \cdot 10^{230}$	$1 reci - MLTQ\Theta = 10^{230} = 23.2054 m\ kg\ m\ s\ CK$
$1 kg\ m\ s\ CK = 145.035 \cdot 10^{230}$	$1 revo - MLTQ\Theta = 10^{240} = 3152.34 kg\ m\ s\ CK$
$1k\ kg\ m\ s\ CK = 1.22123 \cdot 10^{240}$	$1 revo - MLTQ\Theta = 10^{240} = 0.414443 k\ kg\ m\ s\ CK$
$1m\ kg\ m^2\ CK = 0.250040 \cdot 10^{210}$	$1 repa - ML^2Q\Theta = 10^{210} = 2.04053 m\ kg\ m^2\ CK$
$1 kg\ m^2\ CK = 0.00210442 \cdot 10^{220}$	$1 rere - ML^2Q\Theta = 10^{220} = 242.410 kg\ m^2\ CK$
$1k\ kg\ m^2\ CK = 14.0443 \cdot 10^{220}$	$1 rere - ML^2Q\Theta = 10^{220} = 0.0331524 k\ kg\ m^2\ CK$
$1m \frac{kg\ m^2\ CK}{s} = 0.00543333 \cdot 10^{40}$	$1 vo - \frac{ML^2Q\Theta}{T} = 10^{40} = 101.243 m \frac{kg\ m^2\ CK}{s}$
$1 \frac{kg\ m^2\ CK}{s} = 42.4104 \cdot 10^{40}$	$1 vo - \frac{ML^2Q\Theta}{T} = 10^{40} = 0.0120314 \frac{kg\ m^2\ CK}{s}$
$1k \frac{kg\ m^2\ CK}{s^5} = 0.323333 \cdot 10^{50}$	$1 mu - \frac{ML^2Q\Theta}{T} = 10^{50} = 1.42525 k \frac{kg\ m^2\ CK}{s}$
$1m \frac{kg\ m^2\ CK}{s^2} = 154.202 \cdot 10^{-100}$	$1 ni'upano - \frac{ML^2Q\Theta}{T^2} = 10^{-100} = 0.00302313 m \frac{kg\ m^2\ CK}{s^2}$
$1 \frac{kg\ m^2\ CK}{s^2} = 1.30140 \cdot 10^{-50}$	$1 ni'umu - \frac{ML^2Q\Theta}{T^2} = 10^{-50} = 0.355132 \frac{kg\ m^2\ CK}{s^2}$
$1k \frac{kg\ m^2\ CK}{s^2} = 0.0105514 \cdot 10^{-40}$	$(*)$
$1m\ kg\ m^2\ s\ CK = 12.2120 \cdot 10^{340}$	$1 ni'uvoo - \frac{ML^2Q\Theta}{T^2} = 10^{-40} = 50.5400 k \frac{kg\ m^2\ CK}{s^2}$
$1 kg\ m^2\ s\ CK = 0.102431 \cdot 10^{350}$	$(*)$
$1k\ kg\ m^2\ s\ CK = 455.225 \cdot 10^{350}$	$1 cimu - ML^2TQ\Theta = 10^{350} = 5.32354 kg\ m^2\ s\ CK$
$1m \frac{kg\ CK}{m} = 2124.11 \cdot 10^{-140}$	$1 vono - ML^2TQ\Theta = 10^{400} = 1112.02 k\ kg\ m^2\ s\ CK$
$1 \frac{kg\ CK}{m} = 14.2134 \cdot 10^{-130}$	$1 ni'upaci - \frac{MQ\Theta}{L} = 10^{-130} = 240.210 m \frac{kg\ CK}{m}$
$1k \frac{kg\ CK}{m} = 0.120014 \cdot 10^{-120}$	$(*)$
$1m \frac{kg\ CK}{ms} = 43.2022 \cdot 10^{-310}$	$1 ni'upaci - \frac{MQ\Theta}{L} = 10^{-130} = 0.0324515 \frac{kg\ CK}{m}$
$1 \frac{kg\ CK}{ms} = 0.330332 \cdot 10^{-300}$	$1 ni'upare - \frac{MQ\Theta}{L} = 10^{-120} = 4.25503 k \frac{kg\ CK}{m}$
$1k \frac{kg\ CK}{ms} = 2414.03 \cdot 10^{-300}$	$(*)$
$1m \frac{kg\ CK}{ms^2} = 1.31332 \cdot 10^{-440}$	$1 ni'ucipa - \frac{MQ\Theta}{LT} = 10^{-310} = 0.0115221 m \frac{kg\ CK}{ms}$
$1 \frac{kg\ CK}{ms^2} = 0.0110522 \cdot 10^{-430}$	$1 ni'ucino - \frac{MQ\Theta}{LT} = 10^{-300} = 1.41232 \frac{kg\ CK}{ms}$
$1k \frac{kg\ CK}{ms^2} = 53.0333 \cdot 10^{-430}$	$1 ni'uremu - \frac{MQ\Theta}{LT} = 10^{-250} = 211.335 k \frac{kg\ CK}{ms}$
$1m \frac{kg\ s\ CK}{m} = 0.103405 \cdot 10^0$	$1 ni'uvovo - \frac{MQ\Theta}{LT^2} = 10^{-440} = 0.351512 m \frac{kg\ CK}{ms^2}$
$1 \frac{kg\ s\ CK}{m} = 503.432 \cdot 10^0$	$1 ni'uvoci - \frac{MQ\Theta}{LT^2} = 10^{-430} = 50.1135 \frac{kg\ CK}{ms^2}$
$1k \frac{kg\ s\ CK}{m} = 3.53443 \cdot 10^{10}$	$1 ni'uvoci - \frac{MQ\Theta}{LT^2} = 10^{-430} = 0.0103053 k \frac{kg\ CK}{ms^2}$
$1m \frac{kg\ CK}{m^2} = 3.43324 \cdot 10^{-250}$	$1 \frac{MTQ\Theta}{L} = 1 = 5.23524 m \frac{kg\ s\ CK}{m}$
$1 \frac{kg\ CK}{m^2} = 0.0252340 \cdot 10^{-240}$	$1 \frac{MTQ\Theta}{L} = 1 = 0.00110152 \frac{kg\ s\ CK}{m}$
$1k \frac{kg\ CK}{m^2} = 212.415 \cdot 10^{-240}$	$1 pa - \frac{MTQ\Theta}{L} = 10^{10} = 0.130502 k \frac{kg\ s\ CK}{m}$
$1m \frac{kg\ CK}{m^2\ s} = 0.113535 \cdot 10^{-420}$	$1 ni'uremu - \frac{MQ\Theta}{L^2} = 10^{-250} = 0.133205 m \frac{kg\ CK}{m^2}$
$1 \frac{kg\ CK}{m^2\ s} = 552.403 \cdot 10^{-420}$	$(*)$
$1k \frac{kg\ CK}{m^2\ s} = 4.32035 \cdot 10^{-410}$	$1 ni'urevo - \frac{MQ\Theta}{L^2} = 10^{-240} = 20.2200 \frac{kg\ CK}{m^2}$
$1m \frac{kg\ CK}{m^2\ s^2} = 2332.22 \cdot 10^{-1000}$	$(*)$
$1 \frac{kg\ CK}{m^2\ s^2} = 20.0023 \cdot 10^{-550}$	$1 ni'urevo - \frac{MQ\Theta}{L^2} = 10^{-240} = 0.00240201 k \frac{kg\ CK}{m^2}$
$1k \frac{kg\ CK}{m^2\ s^2} = 0.131335 \cdot 10^{-540}$	$1 ni'uvore - \frac{MQ\Theta}{L^2T} = 10^{-420} = 4.41134 m \frac{kg\ CK}{m^2\ s}$
$1m \frac{kg\ s\ CK}{m^2} = 150.404 \cdot 10^{-120}$	$1 ni'uvore - \frac{MQ\Theta}{L^2T} = 10^{-420} = 0.00100321 \frac{kg\ CK}{m^2\ s}$
$1 \frac{kg\ s\ CK}{m^2} = 1.23242 \cdot 10^{-110}$	$1 ni'uvopa - \frac{MQ\Theta}{L^2T} = 10^{-410} = 0.115215 k \frac{kg\ CK}{m^2\ s}$
$1k \frac{kg\ s\ CK}{m^2} = 0.0103412 \cdot 10^{-100}$	$1 ni'umumu - \frac{MQ\Theta}{L^2T^2} = 10^{-550} = 215.131 m \frac{kg\ CK}{m^2\ s^2}$
$1m \frac{kg\ CK}{m^3} = 0.0101544 \cdot 10^{-400}$	$1 ni'umumu - \frac{MQ\Theta}{L^2T^2} = 10^{-550} = 0.0255522 \frac{kg\ CK}{m^2\ s^2}$
$1 \frac{kg\ CK}{m^3} = 45.1425 \cdot 10^{-400}$	$(**)$
$1k \frac{kg\ CK}{m^3} = 0.343335 \cdot 10^{-350}$	$1 ni'umuvo - \frac{MQ\Theta}{L^2T^2} = 10^{-540} = 3.51501 k \frac{kg\ CK}{m^2\ s^2}$
$1m \frac{kg\ CK}{m^3\ s} = 205.103 \cdot 10^{-540}$	$1 ni'upare - \frac{MTQ\Theta}{L^2} = 10^{-120} = 0.00312340 m \frac{kg\ s\ CK}{m^2}$
$1 \frac{kg\ CK}{m^3\ s} = 1.35315 \cdot 10^{-530}$	$1 ni'upapa - \frac{MTQ\Theta}{L^2} = 10^{-110} = 0.411043 \frac{kg\ s\ CK}{m^2}$
$1k \frac{kg\ CK}{m^3\ s} = 0.0113541 \cdot 10^{-520}$	$1 ni'upano - \frac{MTQ\Theta}{L^2} = 10^{-100} = 52.3510 k \frac{kg\ s\ CK}{m^2}$
$1m \frac{kg\ CK}{m^3\ s^2} = 4.20525 \cdot 10^{-1110}$	$1 ni'uvono - \frac{MQ\Theta}{L^3} = 10^{-400} = 54.0501 m \frac{kg\ CK}{m^3}$

$$\begin{aligned} 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.0321024 \cdot 10^{-1100} \\ 1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 233.231 \cdot 10^{-1100} \\ 1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.304011 \cdot 10^{-230} \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.00222240 \cdot 10^{-220} \\ 1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 15.0411 \cdot 10^{-220} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upapano}-\frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 14.4120 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{upapano}-\frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 0.00215123 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{ureci}-\frac{MTQ\Theta}{L^3} &= 10^{-230} = 1.53225 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{urere}-\frac{MTQ\Theta}{L^3} &= 10^{-220} = 225.542 \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{urere}-\frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.0312330 \text{k} \frac{\text{kg s CK}}{\text{m}^3} \end{aligned}$$

## 1.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= 0.210354 \cdot 10^{-40} \\ \text{Electron mass} &= 13.1304 \cdot 10^{-50} \\ \text{Elementary charge} &= 0.145224 \cdot 10^0 \\ \text{\AA}^{16} &= 43.5531 \cdot 10^{50} \quad (*) \\ \text{Bohr radius}^{17} &= 22.4510 \cdot 10^{50} \\ \text{Fine structure constant}^{18} &= 0.00132425 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 15.2545 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^{20} &= 4.32331 \cdot 10^{-240} \\ \text{eV} &= 0.502252 \cdot 10^{-100} \\ \hbar^{21} &= 1.00000 \quad (***) \\ \lambda_{\text{yellow}} &= 3.24101 \cdot 10^{100} \\ k_{\text{yellow}}^{22} &= 1.45325 \cdot 10^{-100} \\ k_{\text{X-Ray}}^{23} &= 113.352 \cdot 10^{-40} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{uvo-}M &= 10^{-40} = 2.42510 m_p \\ 1 \text{ni}'\text{umu-}M &= 10^{-50} = 0.0352022 m_e \\ 1 Q &= 1 = 3.14514 e \\ 1 \text{mu-}L &= 10^{50} = 0.0114150 \text{\AA} \\ 1 \text{mu-}L &= 10^{50} = 0.0223302 a_0 \\ 1 &= 1 = 345.012 \alpha \\ 1 \text{ni}'\text{upano-}\frac{ML^2}{T^2} &= 10^{-100} = 0.0304430 Ry \\ 1 \text{ni}'\text{urevo-}\frac{1}{L^3} &= 10^{-240} = 0.115125 \rho_{\max} \\ 1 \text{ni}'\text{upano-}\frac{ML^2}{T^2} &= 10^{-100} = 1.10340 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.00000 \cdot \hbar \quad (***) \\ 1 \text{pano-}L &= 10^{100} = 0.142343 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni}'\text{upano-}\frac{1}{L} &= 10^{-100} = 0.314324 \cdot k_{\text{yellow}} \\ 1 \text{ni}'\text{uvo-}\frac{1}{L} &= 10^{-40} = 0.00442201 \cdot k_{\text{X-Ray}} \end{aligned}$$

$$\begin{aligned} \text{Earth g} &= 0.0302001 \cdot 10^{-130} \quad (*) \\ \text{cm} &= 1.14142 \cdot 10^{110} \\ \text{min} &= 0.00453023 \cdot 10^{140} \\ \text{hour} &= 1.21104 \cdot 10^{140} \\ \text{Liter} &= 0.0135012 \cdot 10^{340} \\ \text{Area of a soccer field} &= 0.0154134 \cdot 10^{240} \\ 244 \text{m}^2^{24} &= 55.2325 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.00340 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.12504 \cdot 10^{-20} \\ \text{inch}^{25} &= 3.13322 \cdot 10^{110} \\ \text{mile} &= 4.23352 \cdot 10^{120} \\ \text{pound} &= 0.00202241 \cdot 10^{20} \\ \text{horsepower} &= 114.511 \cdot 10^{-150} \\ \text{kcal} &= 0.0333231 \cdot 10^{-10} \\ \text{kWh} &= 221.511 \cdot 10^{-10} \\ \text{Typical household electric field} &= 0.100000 \cdot 10^{-210} \quad (***) \\ \text{Earth magnetic field} &= 0.00124013 \cdot 10^{-200} \\ \text{Height of an average man}^{26} &= 0.00101532 \cdot 10^{120} \\ 1 \text{ni}'\text{upaci-}\frac{ML}{T^2} &= 10^{-130} = 15.4404 \cdot \text{Earth g} \\ 1 \text{papa-}L &= 10^{110} = 0.440001 \text{cm} \quad (**) \\ 1 \text{pavo-}T &= 10^{140} = 111.530 \text{min} \\ 1 \text{pavo-}T &= 10^{140} = 0.422032 \text{ h} \\ 1 \text{civo-}L^3 &= 10^{340} = 33.5415 l \\ 1 \text{revo-}L^2 &= 10^{240} = 30.2355 A \quad (*) \\ 1 \text{reci-}L^2 &= 10^{230} = 0.0100325 \cdot 244 \text{m}^2 \quad (*) \\ 1 \text{ni}'\text{ure-}\frac{L}{T} &= 10^{-20} = 0.255032 \text{km/h} \quad (*) \\ 1 \text{ni}'\text{ure-}\frac{L}{T} &= 10^{-20} = 0.150314 \text{mi/h} \\ 1 \text{papa-}L &= 10^{110} = 0.150051 \text{ in} \quad (*) \\ 1 \text{pare-}L &= 10^{120} = 0.120413 \text{ mi} \\ 1 \text{re-}M &= 10^{20} = 252.240 \text{ pound} \\ 1 \text{ni}'\text{upavo-}\frac{ML^2}{T^3} &= 10^{-140} = 4335.31 \text{horsepower} \\ 1 \text{ni}'\text{upa-}\frac{ML^2}{T^2} &= 10^{-10} = 14.0030 \text{kcal} \quad (*) \\ 1 \frac{ML^2}{T^2} &= 1 = 2303.21 \text{kWh} \\ 1 \text{ni}'\text{urepa-}\frac{ML}{T^2Q} &= 10^{-210} = 10.0000 E_H \quad (**) \\ 1 \text{ni}'\text{ureno-}\frac{M}{TQ} &= 10^{-200} = 405.230 \cdot \text{Earth magnetic field} \\ 1 \text{pare-}L &= 10^{120} = 541.004 \bar{h} \quad (*) \end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/14 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>100 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

Mass of an average man =  $1.25105 \cdot 10^{20}$

Age of the Universe =  $311.313 \cdot 10^{200}$

Size of the observable Universe =  $14.5452 \cdot 10^{210}$

Average density of the Universe =  $251.000 \cdot 10^{-440}$  (\*\*)

Earth mass =  $0.323055 \cdot 10^{110}$  (\*)

Sun mass<sup>27</sup> =  $4.02310 \cdot 10^{120}$

Year =  $0.131241 \cdot 10^{150}$

Speed of Light = 1.00000 (\*\*\*)

Parsec =  $0.500503 \cdot 10^{150}$  (\*)

Astronomical unit =  $0.104524 \cdot 10^{140}$

Earth radius =  $0.213140 \cdot 10^{130}$

Distance Earth-Moon =  $34.4121 \cdot 10^{130}$

Momentum of someone walking<sup>28</sup> =  $532.001 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.0553104 \cdot 10^0$  (\*)

mol =  $2.42022 \cdot 10^{50}$

Standard temperature<sup>29</sup> =  $0.00414344 \cdot 10^{-100}$

Room - standard temperature<sup>30</sup> =  $151.533 \cdot 10^{-110}$

atm =  $0.0152432 \cdot 10^{-350}$

$c_s = 0.0153103 \cdot 10^{-10}$

$\mu_0 = 1.00000$  (\*\*\*)

$G = 1.00000$  (\*\*\*)

$1 \text{ re-}M = 10^{20} = 0.402105 \bar{m}$

$1 \text{ reno-}T = 10^{200} = 0.00151145 t_U$

$1 \text{ repa-}L = 10^{210} = 0.0314052 l_U$

$1 \text{ ni'}\text{uvovo-}\frac{M}{L^3} = 10^{-440} = 0.00203255 \rho_U$  (\*)

$1 \text{ papa-}M = 10^{110} = 1.43045 m_E$

$1 \text{ pare-}M = 10^{120} = 0.125023 m_S$

$1 \text{ pamu-}T = 10^{150} = 3.52124 \text{ y}$

$1 \frac{L}{T} = 1 = 1.00000 c$  (\*\*\*)

$1 \text{ pamu-}L = 10^{150} = 1.10555 \text{ pc}$  (\*\*)

$1 \text{ pavo-}L = 10^{140} = 5.14032 \text{ au}$

$1 \text{ paci-}L = 10^{130} = 2.35401 r_E$

$1 \text{ paci-}L = 10^{130} = 0.0133030 d_M$

$1 \frac{ML}{T} = 1 = 0.00102514 \cdot \text{Momentum of someone walking}$

$1 \frac{M}{T^3 \Theta^4} = 1 = 10.0251 \frac{\pi^2}{140} = \sigma$

$1 \text{ mu-} = 10^{50} = 0.211144 \text{ mol}$

$1 \text{ ni'}\text{upano-}\Theta = 10^{-100} = 122.142 T_0$

$1 \text{ ni'}\text{upano-}\Theta = 10^{-100} = 3102.45 \Theta_R$

$1 \text{ ni'}\text{ucimu-}\frac{M}{LT^2} = 10^{-350} = 30.5031 \text{ atm}$

$1 \text{ ni'}\text{upa-}\frac{L}{T} = 10^{-10} = 30.4223 \cdot c_s$

$1 \frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0$  (\*\*\*)

$1 \frac{L^3}{MT^2} = 1 = 1.00000 \cdot G$  (\*\*\*)

### Extensive list of SI units

$1 \text{ m} = 114.354 \cdot 10^{-10}$

$1 = 1.00000$  (\*\*\*)

$1 \text{ k} = 4344.00 \cdot 10^0$  (\*)

$1 \text{ m} \frac{1}{\text{s}} = 2.34505 \cdot 10^{-140}$

$1 \frac{1}{\text{s}} = 0.0201105 \cdot 10^{-130}$

$1 \text{ k} \frac{1}{\text{s}} = 132.251 \cdot 10^{-130}$

$1 \text{ m} \frac{1}{\text{s}^2} = 0.0520504 \cdot 10^{-310}$

$1 \frac{1}{\text{s}^2} = 404.450 \cdot 10^{-310}$

$1 \text{ k} \frac{1}{\text{s}^2} = 3.10453 \cdot 10^{-300}$

$1 \text{ m s} = 3454.05 \cdot 10^{120}$

$1 \text{ s} = 25.4124 \cdot 10^{130}$

$1 \text{ k s} = 0.213551 \cdot 10^{140}$  (\*)

$1 \text{ m m} = 0.0434343 \cdot 10^{110}$

$1 \text{ m} = 332.323 \cdot 10^{110}$

$1 \text{ k m} = 2.43112 \cdot 10^{120}$

$1 \text{ m} \frac{\text{m}}{\text{s}} = 0.00132244 \cdot 10^{-20}$

$1 \frac{\text{m}}{\text{s}} = 11.1322 \cdot 10^{-20}$

$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.0533410 \cdot 10^{-10}$

$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 31.0443 \cdot 10^{-200}$

$1 \frac{\text{m}}{\text{s}^2} = 0.224324 \cdot 10^{-150}$

$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 0.00152202 \cdot 10^{-140}$

$1 = 1 = 4344.00 \text{ m}$  (\*)

$1 = 1 = 1.00000$  (\*\*\*)

$1 \text{ pa-} = 10^{10} = 114.354 \text{ k}$

$1 \text{ ni'}\text{upavo-}\frac{1}{T} = 10^{-140} = 0.213551 \text{ m} \frac{1}{\text{s}}$  (\*)

$1 \text{ ni'}\text{upaci-}\frac{1}{T} = 10^{-130} = 25.4124 \frac{1}{\text{s}}$

$1 \text{ ni'}\text{upare-}\frac{1}{T} = 10^{-120} = 3454.05 \text{ k} \frac{1}{\text{s}}$

$1 \text{ ni'}\text{ucipa-}\frac{1}{T^2} = 10^{-310} = 10.4153 \text{ m} \frac{1}{\text{s}^2}$

$1 \text{ ni'}\text{ucino-}\frac{1}{T^2} = 10^{-300} = 1241.31 \frac{1}{\text{s}^2}$

$1 \text{ ni'}\text{ucino-}\frac{1}{T^2} = 10^{-300} = 0.151420 \text{ k} \frac{1}{\text{s}^2}$

$1 \text{ paci-}T = 10^{130} = 132.251 \text{ m s}$

$1 \text{ paci-}T = 10^{130} = 0.0201105 \text{ s}$

$1 \text{ pavo-}T = 10^{140} = 2.34505 \text{ k s}$

$1 \text{ papa-}L = 10^{110} = 11.4400 \text{ m m}$  (\*)

$1 \text{ pare-}L = 10^{120} = 1402.52 \text{ m}$

$1 \text{ pare-}L = 10^{120} = 0.210215 \text{ k m}$

$1 \text{ ni'}\text{ure-}\frac{L}{T} = 10^{-20} = 345.420 \text{ m} \frac{\text{m}}{\text{s}}$

$1 \text{ ni'}\text{ure-}\frac{L}{T} = 10^{-20} = 0.0454254 \frac{\text{m}}{\text{s}}$

$1 \text{ ni'}\text{upa-}\frac{L}{T} = 10^{-10} = 10.2320 \text{ k} \frac{\text{m}}{\text{s}}$

$1 \text{ ni'}\text{ureno-}\frac{L}{T^2} = 10^{-200} = 0.0151424 \text{ m} \frac{\text{m}}{\text{s}^2}$

$1 \text{ ni'}\text{upamu-}\frac{L}{T^2} = 10^{-150} = 2.23443 \frac{\text{m}}{\text{s}^2}$

$1 \text{ ni'}\text{upavo-}\frac{L}{T^2} = 10^{-140} = 305.440 \text{ k} \frac{\text{m}}{\text{s}^2}$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>32 °C

$1 \text{m m s} = 2.13543 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 0.234514 \text{ m m s}$
$1 \text{m s} = 0.0143123 \cdot 10^{250}$	$1 \text{remu-}LT = 10^{250} = 32.2544 \text{ m s}$
$1 \text{k m s} = 120.444 \cdot 10^{250}$	$1 \text{cino-}LT = 10^{300} = 4232.10 \text{ k m s}$
$1 \text{m m}^2 = 24.3103 \cdot 10^{220}$	$1 \text{rere-}L^2 = 10^{220} = 0.0210223 \text{ m m}^2$
$1 \text{m}^2 = 0.204310 \cdot 10^{230}$	$1 \text{reci-}L^2 = 10^{230} = 2.45340 \text{ m}^2$
$1 \text{k m}^2 = 0.00135015 \cdot 10^{240}$	$1 \text{revo-}L^2 = 10^{240} = 335.404 \text{ k m}^2$
$1 \text{m} \frac{\text{m}^2}{\text{s}} = 0.533351 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2}{T} = 10^{50} = 1.02322 \text{ m} \frac{\text{m}^2}{\text{s}}$
$1 \frac{\text{m}^2}{\text{s}} = 0.00415331 \cdot 10^{100}$	$1 \text{pano-} \frac{L^2}{T} = 10^{100} = 121.551 \frac{\text{m}^2}{\text{s}} \quad (*)$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 32.0020 \cdot 10^{100} \quad (*)$	$1 \text{pano-} \frac{L^2}{T^2} = 10^{100} = 0.0144435 \text{ k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m} \frac{\text{m}^2}{\text{s}^2} = 0.0152155 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvu-} \frac{L^2}{T^2} = 10^{-40} = 30.5450 \text{ m} \frac{\text{m}^2}{\text{s}^2}$
$1 \frac{\text{m}^2}{\text{s}^2} = 124.420 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{L^2}{T^2} = 10^{-40} = 0.00403254 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 1.04403 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{L^2}{T^2} = 10^{-30} = 0.515052 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 0.00120441 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 423.222 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 10.1350 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 0.0542330 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.0450133 \cdot 10^{410}$	$1 \text{vopa-}L^2T = 10^{410} = 11.2342 \text{ k m}^2 \text{s}$
$1 \text{m} \frac{1}{\text{m}} = 0.210215 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{1}{L} = 10^{-120} = 2.43112 \text{ m} \frac{1}{\text{m}}$
$1 \frac{1}{\text{m}} = 1402.52 \cdot 10^{-120}$	$1 \text{ni'upapa-} \frac{1}{L} = 10^{-110} = 332.323 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 11.4400 \cdot 10^{-110} \quad (*)$	$1 \text{ni'upapa-} \frac{1}{L} = 10^{-110} = 0.0434343 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 4232.10 \cdot 10^{-300}$	$1 \text{ni'uremu-} \frac{1}{LT} = 10^{-250} = 120.444 \text{ m} \frac{1}{\text{m s}}$
$1 \frac{1}{\text{m s}} = 32.2544 \cdot 10^{-250}$	$1 \text{ni'uremu-} \frac{1}{LT} = 10^{-250} = 0.0143123 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 0.234514 \cdot 10^{-240}$	$1 \text{ni'urevo-} \frac{1}{LT} = 10^{-240} = 2.13543 \text{ k} \frac{1}{\text{m s}}$
$1 \text{m} \frac{1}{\text{m s}^2} = 130.000 \cdot 10^{-430} \quad (**)$	$1 \text{ni'uvore-} \frac{1}{LT^2} = 10^{-420} = 4000.00 \text{ m} \frac{1}{\text{m s}^2} \quad (**)$
$1 \frac{1}{\text{m s}^2} = 1.05400 \cdot 10^{-420} \quad (*)$	$1 \text{ni'uvore-} \frac{1}{LT^2} = 10^{-420} = 0.510343 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 5205.22 \cdot 10^{-420}$	$1 \text{ni'uvopa-} \frac{1}{LT^2} = 10^{-410} = 104.151 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m} \frac{\text{s}}{\text{m}} = 10.2320 \cdot 10^{10}$	$1 \text{pa-} \frac{T}{L} = 10^{10} = 0.0533410 \text{ m} \frac{\text{s}}{\text{m}}$
$1 \frac{\text{s}}{\text{m}} = 0.0454254 \cdot 10^{20}$	$1 \text{re-} \frac{T}{L} = 10^{20} = 11.1322 \frac{\text{s}}{\text{m}}$
$1 \text{k} \frac{\text{s}}{\text{m}} = 345.420 \cdot 10^{20}$	$1 \text{re-} \frac{T}{L} = 10^{20} = 0.00132244 \text{ k} \frac{\text{s}}{\text{m}}$
$1 \text{m} \frac{1}{\text{m}^2} = 335.404 \cdot 10^{-240}$	$1 \text{ni'urevo-} \frac{1}{L^2} = 10^{-240} = 0.00135015 \text{ m} \frac{1}{\text{m}^2}$
$1 \frac{1}{\text{m}^2} = 2.45340 \cdot 10^{-230}$	$1 \text{ni'ureci-} \frac{1}{L^2} = 10^{-230} = 0.204310 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.0210223 \cdot 10^{-220}$	$1 \text{ni'urere-} \frac{1}{L^2} = 10^{-220} = 24.3103 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m} \frac{1}{\text{m}^2 \text{s}} = 11.2342 \cdot 10^{-410}$	$1 \text{ni'uvopa-} \frac{1}{L^2 T} = 10^{-410} = 0.0450133 \text{ m} \frac{1}{\text{m}^2 \text{s}}$
$1 \frac{1}{\text{m}^2 \text{s}} = 0.0542330 \cdot 10^{-400}$	$1 \text{ni'uvono-} \frac{1}{L^2 T} = 10^{-400} = 10.1350 \frac{1}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{1}{\text{m}^2 \text{s}} = 423.222 \cdot 10^{-400}$	$1 \text{ni'uvono-} \frac{1}{L^2 T} = 10^{-400} = 0.00120441 \text{ k} \frac{1}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{1}{\text{m}^2 \text{s}^2} = 0.230420 \cdot 10^{-540}$	$1 \text{ni'umuovo-} \frac{1}{L^2 T^2} = 10^{-540} = 2.21414 \text{ m} \frac{1}{\text{m}^2 \text{s}^2}$
$1 \frac{1}{\text{m}^2 \text{s}^2} = 1540.00 \cdot 10^{-540} \quad (*)$	$1 \text{ni'umuci-} \frac{1}{L^2 T^2} = 10^{-530} = 303.030 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{1}{\text{m}^2 \text{s}^2} = 13.0003 \cdot 10^{-530} \quad (**)$	$1 \text{ni'umuci-} \frac{1}{L^2 T^2} = 10^{-530} = 0.0355545 \text{ k} \frac{1}{\text{m}^2 \text{s}^2} \quad (**)$
$1 \text{m} \frac{\text{s}}{\text{m}^2} = 0.0144435 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{1}{L^2} = 10^{-100} = 32.0020 \text{ m} \frac{\text{s}}{\text{m}^2} \quad (*)$
$1 \frac{\text{s}}{\text{m}^2} = 121.551 \cdot 10^{-100} \quad (*)$	$1 \text{ni'upano-} \frac{1}{L^2} = 10^{-100} = 0.00415331 \frac{\text{s}}{\text{m}^2}$
$1 \text{k} \frac{\text{s}}{\text{m}^2} = 1.02322 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{T}{L^2} = 10^{-50} = 0.533351 \text{ k} \frac{\text{s}}{\text{m}^2}$
$1 \text{m} \frac{1}{\text{m}^3} = 1.00512 \cdot 10^{-350} \quad (*)$	$1 \text{ni'ucimu-} \frac{1}{L^3} = 10^{-350} = 0.550520 \text{ m} \frac{1}{\text{m}^3} \quad (*)$
$1 \frac{1}{\text{m}^3} = 0.00442413 \cdot 10^{-340}$	$1 \text{ni'ucivo-} \frac{1}{L^3} = 10^{-340} = 113.315 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 33.5415 \cdot 10^{-340}$	$1 \text{ni'ucivo-} \frac{1}{L^3} = 10^{-340} = 0.0135012 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{m}^3 \text{s}} = 0.0202545 \cdot 10^{-520}$	$1 \text{ni'umure-} \frac{1}{L^3 T} = 10^{-520} = 25.1421 \text{ m} \frac{1}{\text{m}^3 \text{s}}$
$1 \frac{1}{\text{m}^3 \text{s}} = 133.502 \cdot 10^{-520}$	$1 \text{ni'umure-} \frac{1}{L^3 T} = 10^{-520} = 0.00342233 \frac{1}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{1}{\text{m}^3 \text{s}} = 1.12345 \cdot 10^{-510}$	$1 \text{ni'umupa-} \frac{1}{L^3 T} = 10^{-510} = 0.450120 \text{ k} \frac{1}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{1}{\text{m}^3 \text{s}^2} = 412.225 \cdot 10^{-1100}$	$1 \text{ni'upapano-} \frac{1}{L^3 T^2} = 10^{-1100} = 0.00123004 \text{ m} \frac{1}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{s}^2} = 3.13334 \cdot 10^{-1050}$	$1 \text{ni'upanomu-} \frac{1}{L^3 T^2} = 10^{-1050} = 0.150042 \frac{1}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{k} \frac{1}{\text{m}^3 \text{s}^2} = 0.0230424 \cdot 10^{-1040}$	$1 \text{ni'upanovo-} \frac{1}{L^3 T^2} = 10^{-1040} = 22.1410 \text{ k} \frac{1}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{s}}{\text{m}^3} = 30.0452 \cdot 10^{-220}$	$1 \text{ni'urere-} \frac{T}{L^3} = 10^{-220} = 0.0155243 \text{ m} \frac{\text{s}}{\text{m}^3} \quad (*)$
$1 \frac{\text{s}}{\text{m}^3} = 0.215544 \cdot 10^{-210} \quad (*)$	$1 \text{ni'urepa-} \frac{T}{L^3} = 10^{-210} = 2.32340 \frac{\text{s}}{\text{m}^3}$

$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.00144442 \cdot 10^{-200}$	
$1\text{m kg} = 0.552415 \cdot 10^{10}$	(*)
$1\text{kg} = 0.00432045 \cdot 10^{20}$	
$1\text{k kg} = 33.0351 \cdot 10^{20}$	
$1\text{m}\frac{\text{kg}}{\text{s}} = 0.0200025 \cdot 10^{-120}$	(**)
$1\frac{\text{kg}}{\text{s}} = 131.341 \cdot 10^{-120}$	
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 1.10525 \cdot 10^{-110}$	
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 402.313 \cdot 10^{-300}$	
$1\frac{\text{kg}}{\text{s}^2} = 3.05024 \cdot 10^{-250}$	
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 0.0223130 \cdot 10^{-240}$	
$1\text{m kg s} = 25.2343 \cdot 10^{140}$	
$1\text{kg s} = 0.212422 \cdot 10^{150}$	
$1\text{k kg s} = 0.00142143 \cdot 10^{200}$	
$1\text{m kg m} = 330.341 \cdot 10^{120}$	
$1\text{kg m} = 2.41410 \cdot 10^{130}$	
$1\text{k kg m} = 0.0203215 \cdot 10^{140}$	
$1\text{m}\frac{\text{kg m}}{\text{s}} = 11.0523 \cdot 10^{-10}$	
$1\frac{\text{kg m}}{\text{s}} = 0.0530343 \cdot 10^0$	
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 413.133 \cdot 10^0$	
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 0.223121 \cdot 10^{-140}$	
$1\frac{\text{kg m}}{\text{s}^2} = 1511.50 \cdot 10^{-140}$	
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 12.3533 \cdot 10^{-130}$	
$1\text{m kg m s} = 0.0142140 \cdot 10^{300}$	
$1\text{kg m s} = 120.015 \cdot 10^{300}$	
$1\text{k kg m s} = 1.01025 \cdot 10^{310}$	
$1\text{m kg m}^2 = 0.203211 \cdot 10^{240}$	
$1\text{kg m}^2 = 1340.53 \cdot 10^{240}$	
$1\text{k kg m}^2 = 11.2512 \cdot 10^{250}$	
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 4131.20 \cdot 10^{100}$	
$1\frac{\text{kg m}^2}{\text{s}} = 31.4121 \cdot 10^{110}$	
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 0.231121 \cdot 10^{120}$	
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 123.531 \cdot 10^{-30}$	
$1\frac{\text{kg m}^2}{\text{s}^2} = 1.04021 \cdot 10^{-20}$	
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 5052.50 \cdot 10^{-20}$	
$1\text{m kg m}^2 \text{s} = 10.1023 \cdot 10^{410}$	
$1\text{kg m}^2 \text{s} = 0.0443341 \cdot 10^{420}$	
$1\text{k kg m}^2 \text{s} = 340.231 \cdot 10^{420}$	
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.00135321 \cdot 10^{-100}$	
$1\frac{\text{kg}}{\text{m}} = 11.3543 \cdot 10^{-100}$	
$1\text{k}\frac{\text{kg}}{\text{m}^2} = 0.0552434 \cdot 10^{-50}$	(*)
$1\text{m}\frac{\text{kg}}{\text{m}^2} = 32.1032 \cdot 10^{-240}$	
$1\frac{\text{kg}}{\text{m}^2} = 0.233234 \cdot 10^{-230}$	
$1\text{k}\frac{\text{kg}}{\text{m}^2} = 0.00200033 \cdot 10^{-220}$	(**)
$1\text{m}\frac{\text{kg}}{\text{m}^2} = 1.05011 \cdot 10^{-410}$	
$1\frac{\text{kg}}{\text{m}^2} = 0.00513545 \cdot 10^{-400}$	
$1\text{k}\frac{\text{kg}}{\text{m}^2} = 40.2325 \cdot 10^{-400}$	
$1\text{m}\frac{\text{kg s}}{\text{m}} = 0.0451435 \cdot 10^{30}$	
$1\frac{\text{kg s}}{\text{m}} = 343.344 \cdot 10^{30}$	
$1\text{k}\frac{\text{kg s}}{\text{m}} = 2.52353 \cdot 10^{40}$	
$1\text{m}\frac{\text{kg s}}{\text{m}^2} = 2.44022 \cdot 10^{-220}$	

$1\text{ni'ureno-}\frac{T}{L^3} = 10^{-200} = 320.005 \text{k}\frac{\text{s}}{\text{m}^3}$	(*)
$1\text{pa-M} = 10^{10} = 1.00320 \text{m kg}$	(*)
$1\text{re-M} = 10^{20} = 115.213 \text{kg}$	
$1\text{re-M} = 10^{20} = 0.0141222 \text{k kg}$	
$1\text{ni'upare-}\frac{M}{T} = 10^{-120} = 25.5514 \text{m}\frac{\text{kg}}{\text{s}}$	(*)
$1\text{ni'upare-}\frac{M}{T} = 10^{-120} = 0.00351452 \frac{\text{kg}}{\text{s}}$	
$1\text{ni'upapa-}\frac{M}{T} = 10^{-110} = 0.501111 \text{k}\frac{\text{kg}}{\text{s}}$	
$1\text{ni'ucino-}\frac{M}{T^2} = 10^{-300} = 0.00125022 \text{m}\frac{\text{kg}}{\text{s}^2}$	
$1\text{ni'uremu-}\frac{M}{T^2} = 10^{-250} = 0.152434 \frac{\text{kg}}{\text{s}^2}$	
$1\text{ni'urevo-}\frac{M}{T^2} = 10^{-240} = 22.5043 \text{k}\frac{\text{kg}}{\text{s}^2}$	
$1\text{pavo-MT} = 10^{140} = 0.0202153 \text{m kg s}$	
$1\text{pamu-MT} = 10^{150} = 2.40153 \text{kg s}$	
$1\text{reno-MT} = 10^{200} = 324.500 \text{k kg s}$	(*)
$1\text{pare-ML} = 10^{120} = 0.00141230 \text{m kg m}$	
$1\text{paci-ML} = 10^{130} = 0.211332 \text{kg m}$	
$1\text{pavo-ML} = 10^{140} = 25.1053 \text{k kg m}$	
$1\text{ni'upa-}\frac{ML}{T} = 10^{-10} = 0.0501125 \text{m}\frac{\text{kg m}}{\text{s}}$	
$1\frac{ML}{T} = 1 = 10.3052 \frac{\text{kg m}}{\text{s}}$	
$1\frac{ML}{T} = 1 = 0.00122423 \text{k}\frac{\text{kg m}}{\text{s}}$	
$1\text{ni'upavo-}\frac{ML}{T^2} = 10^{-140} = 2.25052 \text{m}\frac{\text{kg m}}{\text{s}^2}$	
$1\text{ni'upaci-}\frac{ML}{T^2} = 10^{-130} = 311.311 \frac{\text{kg m}}{\text{s}^2}$	
$1\text{ni'upaci-}\frac{ML}{T^2} = 10^{-130} = 0.0405422 \text{k}\frac{\text{kg m}}{\text{s}^2}$	
$1\text{cino-MLT} = 10^{300} = 32.4510 \text{m kg m s}$	
$1\text{cino-MLT} = 10^{300} = 0.00425453 \text{kg m s}$	
$1\text{cipa-MLT} = 10^{310} = 0.545420 \text{k kg m s}$	
$1\text{revo-ML}^2 = 10^{240} = 2.51102 \text{m kg m}^2$	
$1\text{remu-ML}^2 = 10^{250} = 341.415 \text{kg m}^2$	
$1\text{remu-ML}^2 = 10^{250} = 0.0445145 \text{k kg m}^2$	
$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 122.430 \text{m}\frac{\text{kg m}^2}{\text{s}}$	
$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 0.0145435 \frac{\text{kg m}^2}{\text{s}}$	
$1\text{pare-}\frac{ML^2}{T} = 10^{120} = 2.21124 \text{k}\frac{\text{kg m}^2}{\text{s}}$	
$1\text{ni'ure-}\frac{ML^2}{T^2} = 10^{-20} = 4054.34 \text{m}\frac{\text{kg m}^2}{\text{s}^2}$	
$1\text{ni'ure-}\frac{ML^2}{T^2} = 10^{-20} = 0.522034 \frac{\text{kg m}^2}{\text{s}^2}$	
$1\text{ni'upa-}\frac{ML^2}{T^2} = 10^{-10} = 105.532 \text{k}\frac{\text{kg m}^2}{\text{s}^2}$	
$1\text{vopa-ML}^2 T = 10^{410} = 0.0545435 \text{m kg m}^2 \text{s}$	
$1\text{vore-ML}^2 T = 10^{420} = 11.3151 \text{kg m}^2 \text{s}$	
$1\text{vore-ML}^2 T = 10^{420} = 0.00134420 \text{k kg m}^2 \text{s}$	
$1\text{ni'upano-}\frac{M}{L} = 10^{-100} = 334.320 \text{m}\frac{\text{kg}}{\text{m}}$	
$1\text{ni'upano-}\frac{M}{L} = 10^{-100} = 0.0441111 \frac{\text{kg}}{\text{m}}$	
$1\text{ni'umu-}\frac{M}{L} = 10^{-50} = 10.0314 \text{k}\frac{\text{kg}}{\text{m}}$	
$1\text{ni'urevo-}\frac{M}{LT} = 10^{-240} = 0.01441114 \text{m}\frac{\text{kg}}{\text{m s}}$	
$1\text{ni'ureci-}\frac{M}{LT} = 10^{-230} = 2.15120 \frac{\text{kg}}{\text{m s}}$	
$1\text{ni'urere-}\frac{M}{LT} = 10^{-220} = 255.505 \text{k}\frac{\text{kg}}{\text{m s}}$	(*)
$1\text{ni'uvopa-}\frac{M}{LT^2} = 10^{-410} = 0.513301 \text{m}\frac{\text{kg}}{\text{m s}^2}$	
$1\text{ni'uvono-}\frac{M}{LT^2} = 10^{-400} = 104.534 \frac{\text{kg}}{\text{m s}^2}$	
$1\text{ni'uvono-}\frac{M}{LT^2} = 10^{-400} = 0.0125015 \text{k}\frac{\text{kg}}{\text{m s}^2}$	
$1\text{ci-}\frac{MT}{L} = 10^{30} = 11.2123 \text{m}\frac{\text{kg s}}{\text{m}}$	
$1\text{vo-}\frac{MT}{L} = 10^{40} = 1332.00 \frac{\text{kg s}}{\text{m}}$	(*)
$1\text{vo-}\frac{MT}{L} = 10^{40} = 0.202150 \text{k}\frac{\text{kg s}}{\text{m}}$	
$1\text{ni'urere-}\frac{M}{L^2} = 10^{-220} = 0.205413 \text{m}\frac{\text{kg}}{\text{m}^2}$	

$1 \frac{\text{kg}}{\text{m}^2} = 0.0205113 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa-} \frac{M}{L^2} = 10^{-210} = 24.4414 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 135.324 \cdot 10^{-210}$	$1 \text{ni}'\text{ureno-} \frac{M}{L^2} = 10^{-200} = 3343.05 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.0535240 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu-} \frac{M}{L^2 T} = 10^{-350} = 10.2120 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 420.551 \cdot 10^{-350} \quad (*)$	$1 \text{ni}'\text{ucivo-} \frac{M}{L^2 T} = 10^{-340} = 1213.12 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 3.21043 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo-} \frac{M}{L^2 T^2} = 10^{-340} = 0.144111 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.00152534 \cdot 10^{-520}$	$1 \text{ni}'\text{umure-} \frac{M}{L^2 T^2} = 10^{-520} = 304.445 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 12.5105 \cdot 10^{-520}$	$1 \text{ni}'\text{umure-} \frac{M}{L^2 T^2} = 10^{-520} = 0.0402105 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.105013 \cdot 10^{-510}$	$1 \text{ni}'\text{umupa-} \frac{M}{L^2 T^2} = 10^{-510} = 5.13243 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 121.115 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo-} \frac{MT}{L^2} = 10^{-40} = 4215.54 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 1.01551 \cdot 10^{-40} \quad (*)$	$1 \text{ni}'\text{uvo-} \frac{MT}{L^2} = 10^{-40} = 0.540432 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 4514.53 \cdot 10^{-40}$	$1 \text{ni}'\text{uci-} \frac{MT}{L^2} = 10^{-30} = 112.121 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4400.40 \cdot 10^{-340} \quad (*)$	$1 \text{ni}'\text{ucici-} \frac{M}{L^3} = 10^{-330} = 114.131 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 33.3415 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici-} \frac{M}{L^3} = 10^{-330} = 0.0135540 \frac{\text{kg}}{\text{m}^3} \quad (*)$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.244031 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire-} \frac{M}{L^3} = 10^{-320} = 2.05405 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 132.544 \cdot 10^{-510}$	$1 \text{ni}'\text{umuno-} \frac{M}{L^3 T} = 10^{-500} = 3443.01 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.11542 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno-} \frac{M}{L^3 T} = 10^{-500} = 0.452525 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 5352.54 \cdot 10^{-500}$	$1 \text{ni}'\text{uvomu-} \frac{M}{L^3 T} = 10^{-450} = 102.114 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 3.11452 \cdot 10^{-1040}$	$1 \text{ni}'\text{upanovo-} \frac{M}{L^3 T^2} = 10^{-1040} = 0.151051 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.0225211 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanoci-} \frac{M}{L^3 T^2} = 10^{-1030} = 22.3003 \frac{\text{kg}}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 152.542 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanore-} \frac{M}{L^3 T^2} = 10^{-1020} = 3044.35 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.214404 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno-} \frac{MT}{L^3} = 10^{-200} = 2.34013 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 1434.45 \cdot 10^{-200}$	$1 \text{ni}'\text{upamu-} \frac{MT}{L^3} = 10^{-150} = 321.513 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 12.1122 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{MT}{L^3} = 10^{-150} = 0.0421542 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{C} = 312.545 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo-} \frac{1}{Q} = 10^{-40} = 1502.52 \text{m} \frac{1}{C}$
$1 \frac{1}{C} = 2.30130 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{C}$
$1 \text{k} \frac{1}{C} = 0.0153350 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \frac{1}{Q} = 10^{-30} = 30.3355 \text{k} \frac{1}{C} \quad (*)$
$1 \text{m} \frac{1}{sC} = 10.3345 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{1}{TQ} = 10^{-220} = 0.0524110 \text{m} \frac{1}{sC}$
$1 \frac{1}{sC} = 0.0503254 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa-} \frac{1}{TQ} = 10^{-210} = 11.0214 \frac{1}{sC}$
$1 \text{k} \frac{1}{sC} = 353.330 \cdot 10^{-210}$	$1 \text{ni}'\text{ureno-} \frac{1}{TQ} = 10^{-200} = 1305.31 \text{k} \frac{1}{sC}$
$1 \text{m} \frac{1}{s^2 C} = 0.212325 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu-} \frac{1}{T^2 Q} = 10^{-350} = 2.40300 \text{m} \frac{1}{s^2 C} \quad (*)$
$1 \frac{1}{s^2 C} = 0.00142102 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo-} \frac{1}{T^2 Q} = 10^{-340} = 325.022 \frac{1}{s^2 C}$
$1 \text{k} \frac{1}{s^2 C} = 11.5551 \cdot 10^{-340} \quad (**)$	$1 \text{ni}'\text{ucivo-} \frac{1}{T^2 Q} = 10^{-340} = 0.0430030 \text{k} \frac{1}{s^2 C} \quad (*)$
$1 \text{m} \frac{s}{C} = 0.0133311 \cdot 10^{50}$	$1 \text{mu-} \frac{T}{Q} = 10^{50} = 34.3055 \text{m} \frac{s}{C} \quad (*)$
$1 \frac{s}{C} = 112.220 \cdot 10^{50}$	$1 \text{pano-} \frac{T}{Q} = 10^{100} = 4511.01 \frac{s}{C}$
$1 \text{k} \frac{s}{C} = 0.541303 \cdot 10^{100}$	$1 \text{pano-} \frac{T}{Q} = 10^{100} = 1.01501 \text{k} \frac{s}{C}$
$1 \text{m} \frac{m}{C} = 0.153342 \cdot 10^{30}$	$1 \text{ci-} \frac{L}{Q} = 10^{30} = 3.03405 \text{m} \frac{m}{C}$
$1 \frac{m}{C} = 0.00125420 \cdot 10^{40}$	$1 \text{vo-} \frac{L}{Q} = 10^{40} = 400.430 \frac{m}{C} \quad (*)$
$1 \text{k} \frac{m}{C} = 10.5241 \cdot 10^{40}$	$1 \text{vo-} \frac{L}{Q} = 10^{40} = 0.0511333 \text{k} \frac{m}{C}$
$1 \text{m} \frac{m}{sC} = 0.00353314 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{L}{TQ} = 10^{-100} = 130.534 \text{m} \frac{m}{sC}$
$1 \frac{m}{sC} = 30.1115 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110 \frac{m}{sC} \quad (*)$
$1 \text{k} \frac{m}{sC} = 0.220135 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L}{TQ} = 10^{-50} = 2.32134 \text{k} \frac{m}{sC}$
$1 \text{m} \frac{m}{s^2 C} = 115.544 \cdot 10^{-240}$	$1 \text{ni}'\text{urevo-} \frac{L}{T^2 Q} = 10^{-240} = 0.00430043 \text{m} \frac{m}{s^2 C} \quad (*)$
$1 \frac{m}{s^2 C} = 1.01002 \cdot 10^{-230} \quad (*)$	$1 \text{ni}'\text{ureci-} \frac{L}{T^2 Q} = 10^{-230} = 0.550040 \frac{m}{s^2 C} \quad (**)$
$1 \text{k} \frac{m}{s^2 C} = 0.00443201 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{L}{T^2 Q} = 10^{-220} = 113.215 \text{k} \frac{m}{s^2 C}$
$1 \text{m} \frac{ms}{C} = 5.41244 \cdot 10^{200}$	$1 \text{reno-} \frac{LT}{Q} = 10^{200} = 0.101503 \text{m} \frac{ms}{C}$
$1 \frac{ms}{C} = 0.0422312 \cdot 10^{210}$	$1 \text{repa-} \frac{LT}{Q} = 10^{210} = 12.1014 \frac{ms}{C}$
$1 \text{k} \frac{ms}{C} = 322.155 \cdot 10^{210} \quad (*)$	$1 \text{rere-} \frac{LT}{Q} = 10^{220} = 1433.22 \text{k} \frac{ms}{C}$
$1 \text{m} \frac{m^2}{C} = 105.235 \cdot 10^{140}$	$1 \text{pavo-} \frac{L^2}{Q} = 10^{140} = 0.00511351 \text{m} \frac{m^2}{C}$
$1 \frac{m^2}{C} = 0.515505 \cdot 10^{150} \quad (*)$	$1 \text{pamu-} \frac{L^2}{Q} = 10^{150} = 1.04311 \frac{m^2}{C}$

$$\begin{aligned}
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 0.00404012 \cdot 10^{200} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 2.20131 \cdot 10^{10} \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.0145002 \cdot 10^{20} \quad (*) \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 122.055 \cdot 10^{20} \quad (*) \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 0.0443144 \cdot 10^{-120} \\
1 \frac{\text{m}^2}{\text{s}^2\text{C}} &= 340.101 \cdot 10^{-120} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 2.45553 \cdot 10^{-110} \quad (***) \\
1 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} &= 0.00322144 \cdot 10^{320} \\
1 \frac{\text{m}^2\text{s}}{\text{C}} &= 23.4211 \cdot 10^{320} \\
1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} &= 0.200452 \cdot 10^{330} \quad (*) \\
1 \text{m} \frac{1}{\text{mC}} &= 0.524301 \cdot 10^{-200} \\
1 \frac{1}{\text{mC}} &= 4113.43 \cdot 10^{-200} \\
1 \text{k} \frac{1}{\text{mC}} &= 31.2555 \cdot 10^{-150} \quad (***) \\
1 \text{m} \frac{1}{\text{msC}} &= 0.0150331 \cdot 10^{-330} \\
1 \frac{1}{\text{msC}} &= 123.214 \cdot 10^{-330} \\
1 \text{k} \frac{1}{\text{msC}} &= 1.03351 \cdot 10^{-320} \\
1 \text{m} \frac{1}{\text{ms}^2\text{C}} &= 343.213 \cdot 10^{-510} \\
1 \frac{1}{\text{ms}^2\text{C}} &= 2.52243 \cdot 10^{-500} \\
1 \text{k} \frac{1}{\text{ms}^2\text{C}} &= 0.0212334 \cdot 10^{-450} \\
1 \text{m} \frac{s}{\text{mC}} &= 24.0353 \cdot 10^{-30} \\
1 \frac{s}{\text{mC}} &= 0.202325 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{mC}} &= 1333.14 \cdot 10^{-20} \\
1 \text{m} \frac{1}{\text{m}^2\text{C}} &= 1310.05 \cdot 10^{-320} \\
1 \frac{1}{\text{m}^2\text{C}} &= 11.0242 \cdot 10^{-310} \\
1 \text{k} \frac{1}{\text{m}^2\text{C}} &= 0.0524320 \cdot 10^{-300} \\
1 \text{m} \frac{1}{\text{m}^2\text{sC}} &= 30.3511 \cdot 10^{-450} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 0.222152 \cdot 10^{-440} \\
1 \text{k} \frac{1}{\text{m}^2\text{sC}} &= 1503.34 \cdot 10^{-440} \\
1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 1.01524 \cdot 10^{-1020} \\
1 \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 4512.54 \cdot 10^{-1020} \\
1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 34.3224 \cdot 10^{-1010} \\
1 \text{m} \frac{s}{\text{m}^2\text{C}} &= 0.0430214 \cdot 10^{-140} \\
1 \frac{s}{\text{m}^2\text{C}} &= 325.143 \cdot 10^{-140} \\
1 \text{k} \frac{s}{\text{m}^2\text{C}} &= 2.40402 \cdot 10^{-130} \\
1 \text{m} \frac{1}{\text{m}^3\text{C}} &= 2.32235 \cdot 10^{-430} \\
1 \frac{1}{\text{m}^3\text{C}} &= 0.0155155 \cdot 10^{-420} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3\text{C}} &= 131.012 \cdot 10^{-420} \\
1 \text{m} \frac{1}{\text{m}^3\text{sC}} &= 0.0511535 \cdot 10^{-1000} \\
1 \frac{1}{\text{m}^3\text{sC}} &= 401.003 \cdot 10^{-1000} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3\text{sC}} &= 3.03521 \cdot 10^{-550} \\
1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 1434.04 \cdot 10^{-1140} \\
1 \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 12.1050 \cdot 10^{-1130} \\
1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.101530 \cdot 10^{-1120} \\
1 \text{m} \frac{s}{\text{m}^3\text{C}} &= 113.245 \cdot 10^{-300} \\
1 \frac{s}{\text{m}^3\text{C}} &= 0.550255 \cdot 10^{-250} \quad (*) \\
1 \text{k} \frac{s}{\text{m}^3\text{C}} &= 0.00430231 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 2.24514 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 124.310 \text{k} \frac{\text{m}^2}{\text{C}} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 0.232143 \text{m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 31.5340 \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.00415004 \text{k} \frac{\text{m}^2}{\text{sC}} \quad (*) \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 11.3221 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 0.00134500 \frac{\text{m}^2}{\text{s}^2\text{C}} \quad (*) \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.204125 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 143.330 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 0.0214223 \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{cici-} \frac{L^2T}{Q} &= 10^{330} = 2.54443 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 1.03323 \text{m} \frac{1}{\text{mC}} \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 123.141 \frac{1}{\text{mC}} \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 0.0150244 \text{k} \frac{1}{\text{mC}} \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 31.2441 \text{m} \frac{1}{\text{msC}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 4112.03 \frac{1}{\text{msC}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.524052 \text{k} \frac{1}{\text{msC}} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 1332.35 \text{m} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.202235 \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'uvomu-} \frac{1}{LT^2Q} &= 10^{-450} = 24.0251 \text{k} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'uci-} \frac{T}{LQ} &= 10^{-30} = 0.0212242 \text{m} \frac{s}{\text{mC}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 2.52134 \frac{s}{\text{mC}} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 343.044 \text{k} \frac{s}{\text{mC}} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 353.154 \text{m} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 0.0503054 \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 10.3321 \text{k} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uvomu-} \frac{1}{L^2TQ} &= 10^{-450} = 0.0153302 \text{m} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 2.30031 \frac{1}{\text{m}^2\text{sC}} \quad (*) \\
1 \text{ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 312.431 \text{k} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'upanore-} \frac{1}{L^2T^2Q} &= 10^{-1020} = 0.541050 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 112.151 \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 0.0133232 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 11.5520 \text{m} \frac{s}{\text{m}^2\text{C}} \quad (*) \\
1 \text{ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 0.00142021 \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 0.212233 \text{k} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uvoci-} \frac{1}{L^3Q} &= 10^{-430} = 0.220042 \text{m} \frac{1}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 30.1004 \frac{1}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.00353142 \text{k} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 10.5213 \text{m} \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 0.00125342 \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 0.153255 \text{k} \frac{1}{\text{m}^3\text{sC}} \quad (*) \\
1 \text{ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 322.035 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 0.0422125 \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 5.41031 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'ucino-} \frac{T}{L^3Q} &= 10^{-300} = 0.00443005 \text{m} \frac{s}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 1.00535 \frac{s}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 115.513 \text{k} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'uci-} \frac{M}{Q} &= 10^{-30} = 0.223254 \text{m} \frac{\text{kg}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.0152325 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 124.530 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{sC}} &= 0.0500411 \cdot 10^{-200} \quad (*) \\
1 \frac{\text{kg}}{\text{sC}} &= 351.233 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg}}{\text{sC}} &= 2.55330 \cdot 10^{-150} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{s}^2\text{C}} &= 1411.22 \cdot 10^{-340} \\
1 \frac{\text{kg}}{\text{s}^2\text{C}} &= 11.5125 \cdot 10^{-330} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2\text{C}} &= 0.100242 \cdot 10^{-320} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 111.415 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 0.534220 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.00420100 \cdot 10^{120} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 1245.23 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 10.4453 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.0512553 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{sC}} &= 25.5321 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{sC}} &= 0.214554 \cdot 10^{-40} \quad (*) \\
1 \text{k} \frac{\text{kg m}}{\text{sC}} &= 1440.12 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2\text{C}} &= 1.00240 \cdot 10^{-220} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}^2\text{C}} &= 4404.22 \cdot 10^{-220} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2\text{C}} &= 33.4110 \cdot 10^{-210} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.0420043 \cdot 10^{220} \quad (*) \\
1 \frac{\text{kg m s}}{\text{C}} &= 320.245 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 2.32542 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.512535 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 4014.42 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 30.4254 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{sC}} &= 0.0144005 \cdot 10^{30} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{sC}} &= 121.222 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{sC}} &= 1.02041 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2\text{C}} &= 334.055 \cdot 10^{-110} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s}^2\text{C}} &= 2.44234 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2\text{C}} &= 0.0205255 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2\text{s}}{\text{C}} &= 23.2533 \cdot 10^{330} \\
1 \frac{\text{kg m}^2\text{s}}{\text{C}} &= 0.155413 \cdot 10^{340} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2\text{s}}{\text{C}} &= 1311.55 \cdot 10^{340} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{mC}} &= 0.00405153 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{mC}} &= 31.1115 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{mC}} &= 0.224523 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg}}{\text{msC}} &= 122.333 \cdot 10^{-320} \\
1 \frac{\text{kg}}{\text{msC}} &= 1.03013 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{msC}} &= 0.00500425 \cdot 10^{-300} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{ms}^2\text{C}} &= 2.50512 \cdot 10^{-450} \\
1 \frac{\text{kg}}{\text{ms}^2\text{C}} &= 0.0211213 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{ms}^2\text{C}} &= 141.125 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg s}}{\text{mC}} &= 0.201240 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{mC}} &= 0.00132401 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{mC}} &= 11.1421 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 30.5215 \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 0.00402541 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 11.1011 \text{m} \frac{\text{kg}}{\text{sC}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 0.00131434 \frac{\text{kg}}{\text{sC}} \\
1 \text{ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 0.200140 \text{k} \frac{\text{kg}}{\text{sC}} \quad (*) \\
1 \text{ni'ucici-} \frac{M}{T^2Q} &= 10^{-330} = 330.555 \text{m} \frac{\text{kg}}{\text{s}^2\text{C}} \quad (***) \\
1 \text{ni'ucici-} \frac{M}{T^2Q} &= 10^{-330} = 0.0432330 \frac{\text{kg}}{\text{s}^2\text{C}} \\
1 \text{ni'ucirci-} \frac{M}{T^2Q} &= 10^{-320} = 5.53145 \text{k} \frac{\text{kg}}{\text{s}^2\text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.00453513 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 1.02231 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 121.443 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 402.553 \text{m} \frac{\text{kg m}}{\text{C}} \quad (*) \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.0514254 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 10.5052 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'umu-} \frac{ML}{TQ} &= 10^{-50} = 0.0200144 \text{m} \frac{\text{kg m}}{\text{sC}} \quad (*) \\
1 \text{ni'uvvo-} \frac{ML}{TQ} &= 10^{-40} = 2.33410 \frac{\text{kg m}}{\text{sC}} \\
1 \text{ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 321.233 \text{k} \frac{\text{kg m}}{\text{sC}} \\
1 \text{ni'urere-} \frac{ML}{T^2Q} &= 10^{-220} = 0.553205 \text{m} \frac{\text{kg m}}{\text{s}^2\text{C}} \quad (*) \\
1 \text{ni'urepa-} \frac{ML}{T^2Q} &= 10^{-210} = 114.030 \frac{\text{kg m}}{\text{s}^2\text{C}} \\
1 \text{ni'urepa-} \frac{ML}{T^2Q} &= 10^{-210} = 0.0135421 \text{k} \frac{\text{kg m}}{\text{s}^2\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 12.1450 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.00144314 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 0.215353 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 1.05054 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 125.201 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.0153043 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{TQ} &= 10^{30} = 32.1243 \text{m} \frac{\text{kg m}^2}{\text{sC}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 4212.25 \frac{\text{kg m}^2}{\text{sC}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.540001 \text{k} \frac{\text{kg m}^2}{\text{sC}} \quad (***) \\
1 \text{ni'upano-} \frac{ML^2}{T^2Q} &= 10^{-100} = 1354.24 \text{m} \frac{\text{kg m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'upano-} \frac{ML^2}{T^2Q} &= 10^{-100} = 0.205231 \frac{\text{kg m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'umu-} \frac{ML^2}{T^2Q} &= 10^{-50} = 24.4202 \text{k} \frac{\text{kg m}^2}{\text{s}^2\text{C}} \\
1 \text{cici-} \frac{ML^2T}{Q} &= 10^{330} = 0.0215402 \text{m} \frac{\text{kg m}^2\text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2T}{Q} &= 10^{340} = 3.00240 \frac{\text{kg m}^2\text{s}}{\text{C}} \quad (*) \\
1 \text{cimu-} \frac{ML^2T}{Q} &= 10^{350} = 352.313 \text{k} \frac{\text{kg m}^2\text{s}}{\text{C}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 124.024 \text{m} \frac{\text{kg}}{\text{mC}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 0.0151254 \frac{\text{kg}}{\text{mC}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 2.23245 \text{k} \frac{\text{kg}}{\text{mC}} \\
1 \text{ni'ucire-} \frac{M}{LTQ} &= 10^{-320} = 0.00413404 \text{m} \frac{\text{kg}}{\text{msC}} \\
1 \text{ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 0.531102 \frac{\text{kg}}{\text{msC}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 111.005 \text{k} \frac{\text{kg}}{\text{msC}} \quad (*) \\
1 \text{ni'uvomu-} \frac{M}{LT^2Q} &= 10^{-450} = 0.203332 \text{m} \frac{\text{kg}}{\text{ms}^2\text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2Q} &= 10^{-440} = 24.1545 \frac{\text{kg}}{\text{ms}^2\text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2Q} &= 10^{-440} = 0.00330544 \text{k} \frac{\text{kg}}{\text{ms}^2\text{C}} \\
1 \text{ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 2.53513 \text{m} \frac{\text{kg s}}{\text{mC}} \\
1 \frac{MT}{LQ} &= 1 = 345.114 \frac{\text{kg s}}{\text{mC}} \\
1 \frac{MT}{LQ} &= 1 = 0.0453455 \text{k} \frac{\text{kg s}}{\text{mC}} \quad (*)
\end{aligned}$$

$1m \frac{kg}{m^2 C} = 10.5451 \cdot 10^{-300}$	$1 ni'ucino - \frac{M}{L^2 Q} = 10^{-300} = 0.0505552 m \frac{kg}{m^2 C}$ (**)
$1 \frac{kg}{m^2 C} = 0.0521322 \cdot 10^{-250}$	$1 ni'uremu - \frac{M}{L^2 Q} = 10^{-250} = 10.4101 \frac{kg}{m^2 C}$
$1k \frac{kg}{m^2 C} = 405.205 \cdot 10^{-250}$	$1 ni'urevo - \frac{M}{L^2 Q} = 10^{-240} = 1240.22 k \frac{kg}{m^2 C}$
$1m \frac{kg}{m^2 s C} = 0.221001 \cdot 10^{-430}$ (*)	$1 ni'uvoci - \frac{M}{L^2 T Q} = 10^{-430} = 2.31251 m \frac{kg}{m^2 s C}$
$1 \frac{kg}{m^2 s C} = 0.00145331 \cdot 10^{-420}$	$1 ni'uvore - \frac{M}{L^2 T Q} = 10^{-420} = 314.320 \frac{kg}{m^2 s C}$
$1k \frac{kg}{m^2 s C} = 12.2340 \cdot 10^{-420}$	$1 ni'uvore - \frac{M}{L^2 T Q} = 10^{-420} = 0.0413352 k \frac{kg}{m^2 s C}$
$1m \frac{kg}{m^2 s^2 C} = 0.00444454 \cdot 10^{-1000}$	$1 ni'upanono - \frac{M}{L^2 T^2 Q} = 10^{-1000} = 112.555 m \frac{kg}{m^2 s^2 C}$ (**)
$1 \frac{kg}{m^2 s^2 C} = 34.1204 \cdot 10^{-1000}$	$1 ni'upanono - \frac{M}{L^2 T^2 Q} = 10^{-1000} = 0.0134151 \frac{kg}{m^2 s^2 C}$
$1k \frac{kg}{m^2 s^2 C} = 0.250521 \cdot 10^{-550}$	$1 ni'umumu - \frac{M}{L^2 T^2 Q} = 10^{-550} = 2.03324 k \frac{kg}{m^2 s^2 C}$
$1m \frac{kg s}{m^2 C} = 323.220 \cdot 10^{-130}$	$1 ni'upare - \frac{MT}{L^2 Q} = 10^{-120} = 1430.04 m \frac{kg s}{m^2 C}$
$1 \frac{kg s}{m^2 C} = 2.35113 \cdot 10^{-120}$	$1 ni'upare - \frac{MT}{L^2 Q} = 10^{-120} = 0.213402 \frac{kg s}{m^2 C}$
$1k \frac{kg s}{m^2 C} = 0.0201244 \cdot 10^{-110}$	$1 ni'upapa - \frac{MT}{L^2 Q} = 10^{-110} = 25.3504 k \frac{kg s}{m^2 C}$
$1m \frac{kg}{m^3 C} = 0.0154124 \cdot 10^{-410}$	$1 ni'uvopa - \frac{M}{L^3 Q} = 10^{-410} = 30.2412 m \frac{kg}{m^3 C}$
$1 \frac{kg}{m^3 C} = 130.111 \cdot 10^{-410}$	$1 ni'uvono - \frac{M}{L^3 Q} = 10^{-400} = 3552.50 \frac{kg}{m^3 C}$ (*)
$1k \frac{kg}{m^3 C} = 1.05453 \cdot 10^{-400}$	$1 ni'uvono - \frac{M}{L^3 Q} = 10^{-400} = 0.505534 k \frac{kg}{m^3 C}$ (*)
$1m \frac{kg}{m^3 s C} = 354.451 \cdot 10^{-550}$	$1 ni'umuovo - \frac{M}{L^3 T Q} = 10^{-540} = 1302.41 m \frac{kg}{m^3 s C}$
$1 \frac{kg}{m^3 s C} = 3.02110 \cdot 10^{-540}$	$1 ni'umuovo - \frac{M}{L^3 T Q} = 10^{-540} = 0.154323 \frac{kg}{m^3 s C}$
$1k \frac{kg}{m^3 s C} = 0.0221005 \cdot 10^{-530}$ (*)	$1 ni'umuci - \frac{M}{L^3 T Q} = 10^{-530} = 23.1242 k \frac{kg}{m^3 s C}$
$1m \frac{kg}{m^3 s^2 C} = 12.0221 \cdot 10^{-1120}$	$1 ni'upapare - \frac{M}{L^3 T^2 Q} = 10^{-1120} = 0.0424405 m \frac{kg}{m^3 s^2 C}$
$1 \frac{kg}{m^3 s^2 C} = 0.101201 \cdot 10^{-1110}$	$1 ni'upapapa - \frac{M}{L^3 T^2 Q} = 10^{-1110} = 5.44131 \frac{kg}{m^3 s^2 C}$
$1k \frac{kg}{m^3 s^2 C} = 444.511 \cdot 10^{-1110}$	$1 ni'upapano - \frac{M}{L^3 T^2 Q} = 10^{-1100} = 1125.52 k \frac{kg}{m^3 s^2 C}$
$1m \frac{kg s}{m^3 C} = 0.543144 \cdot 10^{-240}$	$1 ni'urevo - \frac{MT}{L^3 Q} = 10^{-240} = 1.01302 m \frac{kg s}{m^3 C}$
$1 \frac{kg s}{m^3 C} = 4235.41 \cdot 10^{-240}$	$1 ni'ureci - \frac{MT}{L^3 Q} = 10^{-230} = 120.341 \frac{kg s}{m^3 C}$
$1k \frac{kg s}{m^3 C} = 32.3230 \cdot 10^{-230}$	$1 ni'ureci - \frac{MT}{L^3 Q} = 10^{-230} = 0.0143001 k \frac{kg s}{m^3 C}$ (*)
$1m C = 30.3355 \cdot 10^{30}$ (*)	$1 ci-Q = 10^{30} = 0.0153350 m C$
$1 C = 0.222054 \cdot 10^{40}$	$1 vo-Q = 10^{40} = 2.30130 C$
$1k C = 1502.52 \cdot 10^{40}$	$1 mu-Q = 10^{50} = 312.545 k C$
$1m \frac{C}{s} = 1.01501 \cdot 10^{-100}$	$1 ni'upano - \frac{Q}{T} = 10^{-100} = 0.541303 m \frac{C}{s}$
$1 \frac{C}{s} = 4511.01 \cdot 10^{-100}$	$1 ni'umu - \frac{Q}{T} = 10^{-50} = 112.220 \frac{C}{s}$
$1k \frac{C}{s} = 34.3055 \cdot 10^{-50}$ (*)	$1 ni'umu - \frac{Q}{T} = 10^{-50} = 0.0133311 k \frac{C}{s}$
$1m \frac{C}{s^2} = 0.0204532 \cdot 10^{-230}$	$1 ni'ureci - \frac{Q}{T^2} = 10^{-230} = 24.5030 m \frac{C}{s^2}$
$1 \frac{C}{s^2} = 135.205 \cdot 10^{-230}$	$1 ni'urere - \frac{Q}{T^2} = 10^{-220} = 3350.01 \frac{C}{s^2}$
$1k \frac{C}{s^2} = 1.13445 \cdot 10^{-220}$	$1 ni'urere - \frac{Q}{T^2} = 10^{-220} = 0.441441 k \frac{C}{s^2}$
$1m s C = 1305.31 \cdot 10^{200}$	$1 repa-TQ = 10^{210} = 353.330 m s C$
$1 s C = 11.0214 \cdot 10^{210}$	$1 repa-TQ = 10^{210} = 0.0503254 s C$
$1k s C = 0.0524110 \cdot 10^{220}$	$1 rere-TQ = 10^{220} = 10.3345 k s C$
$1m m C = 0.0150244 \cdot 10^{150}$	$1 pamu-LQ = 10^{150} = 31.2555 m m C$ (**)
$1m C = 123.141 \cdot 10^{150}$	$1 reno-LQ = 10^{200} = 4113.43 m C$
$1k m C = 1.03323 \cdot 10^{200}$	$1 reno-LQ = 10^{200} = 0.524301 k m C$
$1m \frac{m C}{s} = 343.044 \cdot 10^{10}$	$1 re - \frac{LQ}{T} = 10^{20} = 1333.14 m \frac{m C}{s}$
$1 \frac{m C}{s} = 2.52134 \cdot 10^{20}$	$1 re - \frac{LQ}{T} = 10^{20} = 0.202325 \frac{m C}{s}$
$1k \frac{m C}{s} = 0.0212242 \cdot 10^{30}$	$1 ci - \frac{LQ}{T} = 10^{30} = 24.0353 k \frac{m C}{s}$
$1m \frac{m C}{s^2} = 11.3442 \cdot 10^{-120}$	$1 ni'upare - \frac{LQ}{T^2} = 10^{-120} = 0.0441454 m \frac{m C}{s^2}$
$1 \frac{m C}{s^2} = 0.0551553 \cdot 10^{-110}$ (*)	$1 ni'upapa - \frac{LQ}{T^2} = 10^{-110} = 10.0403 \frac{m C}{s^2}$
$1k \frac{m C}{s^2} = 431.323 \cdot 10^{-110}$	$1 ni'upano - \frac{LQ}{T^2} = 10^{-100} = 1153.13 k \frac{m C}{s^2}$
$1m m s C = 0.524052 \cdot 10^{320}$	$1 cire-LTQ = 10^{320} = 1.03351 m m s C$
$1m s C = 4112.03 \cdot 10^{320}$	$1 cici-LTQ = 10^{330} = 123.214 m s C$
$1k m s C = 31.2441 \cdot 10^{330}$	$1 cici-LTQ = 10^{330} = 0.0150331 k m s C$
$1m m^2 C = 10.3321 \cdot 10^{300}$	$1 cino-L^2 Q = 10^{300} = 0.0524320 m m^2 C$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.0503054 \cdot 10^{310} \\
1 \text{k m}^2 \text{ C} &= 353.154 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.212233 \cdot 10^{130} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.00142021 \cdot 10^{140} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 11.5520 \cdot 10^{140} \quad (*) \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.00431310 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 33.0103 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.241210 \cdot 10^{10} \\
1 \text{m m}^2 \text{ s C} &= 312.431 \cdot 10^{430} \\
1 \text{m}^2 \text{ s C} &= 2.30031 \cdot 10^{440} \quad (*) \\
1 \text{k m}^2 \text{ s C} &= 0.0153302 \cdot 10^{450} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.0511333 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}} &= 400.430 \cdot 10^{-40} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 3.03405 \cdot 10^{-30} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 1433.22 \cdot 10^{-220} \\
1 \frac{\text{C}}{\text{m s}} &= 12.1014 \cdot 10^{-210} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.101503 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 33.3123 \cdot 10^{-350} \\
1 \frac{\text{C}}{\text{m s}^2} &= 0.243420 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 2045.40 \cdot 10^{-340} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 2.32134 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.0155110 \cdot 10^{100} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 130.534 \cdot 10^{100} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 124.310 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 1.04311 \cdot 10^{-150} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.00511351 \cdot 10^{-140} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 2.54443 \cdot 10^{-330} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.0214223 \cdot 10^{-320} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 143.330 \cdot 10^{-320} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.100104 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 435.311 \cdot 10^{-500} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 3.33134 \cdot 10^{-450} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.00415004 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{s C}}{\text{m}^2} &= 31.5340 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.232143 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 0.224125 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 0.00152032 \cdot 10^{-300} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 12.4313 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.00455230 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 35.0235 \cdot 10^{-440} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.254453 \cdot 10^{-430} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 140.444 \cdot 10^{-1020} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 1.14525 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.0100110 \cdot 10^{-1000} \quad (*) \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 11.1224 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.0532541 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 415.020 \cdot 10^{-130} \\
1 \text{m kg C} &= 0.220503 \cdot 10^{50} \\
1 \text{kg C} &= 0.00145250 \cdot 10^{100} \\
1 \text{k kg C} &= 12.2304 \cdot 10^{100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ cipa-}L^2Q &= 10^{310} = 11.0242 \text{ m}^2 \text{ C} \\
1 \text{ cire-}L^2Q &= 10^{320} = 1310.05 \text{ k m}^2 \text{ C} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 2.40402 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 325.143 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 0.0430214 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 115.315 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.0141343 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 2.11512 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 1503.34 \text{ m m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 0.222152 \text{ m}^2 \text{ s C} \\
1 \text{ vomu-}L^2TQ &= 10^{450} = 30.3511 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 10.5241 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 0.00125420 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 0.153342 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 322.155 \text{ m} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 0.0422312 \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'uren-} \frac{Q}{LT} &= 10^{-200} = 5.41244 \text{ k} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ucimu-} \frac{Q}{LT^2} &= 10^{-350} = 0.0140100 \text{ m} \frac{\text{C}}{\text{m s}^2} \quad (*) \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 2.05551 \frac{\text{C}}{\text{m s}^2} \quad (**) \\
1 \text{ ni'ucici-} \frac{Q}{LT^2} &= 10^{-330} = 245.021 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 0.220135 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 30.1115 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.00353314 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'uren-} \frac{Q}{L^2} &= 10^{-200} = 0.00404012 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 0.515505 \frac{\text{C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 105.235 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucici-} \frac{Q}{L^2T} &= 10^{-330} = 0.200452 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 23.4211 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 0.00322144 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 5.54515 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 0.00114230 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvomu-} \frac{Q}{L^2T^2} &= 10^{-450} = 0.140053 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 122.055 \text{ m} \frac{\text{s C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.0145002 \frac{\text{s C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 2.20131 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 2.24041 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 310.111 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 0.0404000 \text{ k} \frac{\text{C}}{\text{m}^3} \quad (**) \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 111.202 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 0.0132101 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3T} &= 10^{-430} = 2.00444 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'upanore-} \frac{Q}{L^3T^2} &= 10^{-1020} = 0.00331523 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3T^2} &= 10^{-1010} = 0.433433 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 55.4455 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \quad (*) \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.0455052 \text{ m} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 10.2410 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 1220.52 \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ mu-MQ} &= 10^{50} = 2.31351 \text{ m kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 314.435 \text{ kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 0.0413533 \text{ k kg C}
\end{aligned}$$

$1m \frac{kg\ C}{s} = 0.00444302 \cdot 10^{-40}$	$1 ni' uvo - \frac{MQ}{T} = 10^{-40} = 113.025 m \frac{kg\ C}{s}$
$1 \frac{kg\ C}{s} = 34.1035 \cdot 10^{-40}$	$1 ni' uvo - \frac{MQ}{T} = 10^{-40} = 0.0134231 \frac{kg\ C}{s}$
$1k \frac{kg\ C}{s} = 0.250413 \cdot 10^{-30}$	$1 ni' uci - \frac{MQ}{T} = 10^{-30} = 2.03414 k \frac{kg\ C}{s}$
$1m \frac{kg\ C}{s^2} = 134.242 \cdot 10^{-220}$	$1 ni' urere - \frac{MQ}{T^2} = 10^{-220} = 0.00341010 m \frac{kg\ C}{s^2}$
$1 \frac{kg\ C}{s^2} = 1.13034 \cdot 10^{-210}$	$1 ni' urepa - \frac{MQ}{T^2} = 10^{-210} = 0.444223 \frac{kg\ C}{s^2}$
$1k \frac{kg\ C}{s^2} = 0.00544451 \cdot 10^{-200}$	$1 ni' ureno - \frac{MQ}{T^2} = 10^{-200} = 101.124 k \frac{kg\ C}{s^2}$
$1m kg\ s\ C = 10.5423 \cdot 10^{220}$	$1 rere - MTQ = 10^{220} = 0.0510154 m\ kg\ s\ C$
$1 kg\ s\ C = 0.0521114 \cdot 10^{230}$	$1 reci - MTQ = 10^{230} = 10.4125 kg\ s\ C$
$1k kg\ s\ C = 405.030 \cdot 10^{230}$	$1 revo - MTQ = 10^{240} = 1240.54 k\ kg\ s\ C$
$1m kg\ m\ C = 122.301 \cdot 10^{200}$	$1 reno - MLQ = 10^{200} = 0.00413545 m\ kg\ m\ C$
$1 kg\ m\ C = 1.02545 \cdot 10^{210}$	$1 repa - MLQ = 10^{210} = 0.531313 kg\ m\ C$
$1k kg\ m\ C = 0.00500230 \cdot 10^{220}$ (*)	$1 rere - MLQ = 10^{220} = 111.034 k\ kg\ m\ C$
$1m \frac{kg\ m\ C}{s} = 2.50403 \cdot 10^{30}$	$1 ci - \frac{MLQ}{T} = 10^{30} = 0.203422 m \frac{kg\ m\ C}{s}$
$1 \frac{kg\ m\ C}{s} = 0.0211122 \cdot 10^{40}$	$1 vo - \frac{MLQ}{T} = 10^{40} = 24.2051 \frac{kg\ m\ C}{s}$
$1k \frac{kg\ m\ C}{s} = 141.045 \cdot 10^{40}$	$1 vo - \frac{MLQ}{T} = 10^{40} = 0.00331110 k \frac{kg\ m\ C}{s}$
$1m \frac{kg\ m\ C}{s^2} = 0.0544432 \cdot 10^{-100}$	$1 ni' upano - \frac{MLQ}{T^2} = 10^{-100} = 10.1130 m \frac{kg\ m\ C}{s^2}$
$1 \frac{kg\ m\ C}{s^2} = 425.030 \cdot 10^{-100}$	$1 ni' upano - \frac{MLQ}{T^2} = 10^{-100} = 0.00120135 \frac{kg\ m\ C}{s^2}$
$1k \frac{kg\ m\ C}{s^2} = 3.24143 \cdot 10^{-50}$	$1 ni' umu - \frac{MLQ}{T^2} = 10^{-50} = 0.142322 k \frac{kg\ m\ C}{s^2}$
$1m kg\ m\ s\ C = 0.00405014 \cdot 10^{340}$	$1 civo - MLTQ = 10^{340} = 124.101 m\ kg\ m\ s\ C$
$1 kg\ m\ s\ C = 31.1001 \cdot 10^{340}$ (*)	$1 civo - MLTQ = 10^{340} = 0.0151341 kg\ m\ s\ C$
$1k kg\ m\ s\ C = 0.224424 \cdot 10^{350}$	$1 cimu - MLTQ = 10^{350} = 2.23344 k\ kg\ m\ s\ C$
$1m kg\ m^2\ C = 0.0500212 \cdot 10^{320}$ (*)	$1 cire - ML^2Q = 10^{320} = 11.1040 m\ kg\ m^2\ C$
$1 kg\ m^2\ C = 351.102 \cdot 10^{320}$	$1 cire - ML^2Q = 10^{320} = 0.00131512 kg\ m^2\ C$
$1k kg\ m^2\ C = 2.55220 \cdot 10^{330}$ (*)	$1 cici - ML^2Q = 10^{330} = 0.200225 k\ kg\ m^2\ C$ (*)
$1m \frac{kg\ m^2\ C}{s} = 1410.42 \cdot 10^{140}$	$1 pamu - \frac{ML^2Q}{T} = 10^{150} = 331.121 m \frac{kg\ m^2\ C}{s}$
$1 \frac{kg\ m^2\ C}{s} = 11.5054 \cdot 10^{150}$	$1 pamu - \frac{ML^2Q}{T} = 10^{150} = 0.0432520 \frac{kg\ m^2\ C}{s}$
$1k \frac{kg\ m^2\ C}{s} = 0.100220 \cdot 10^{200}$ (*)	$1 reno - \frac{ML^2Q}{T} = 10^{200} = 5.53410 k \frac{kg\ m^2\ C}{s}$
$1m \frac{kg\ m^2\ C}{s^2} = 32.4132 \cdot 10^{10}$	$1 pa - \frac{ML^2Q}{T^2} = 10^{10} = 0.0142325 m \frac{kg\ m^2\ C}{s^2}$
$1 \frac{kg\ m^2\ C}{s^2} = 0.235514 \cdot 10^{20}$ (*)	$1 re - \frac{ML^2Q}{T^2} = 10^{20} = 2.13034 \frac{kg\ m^2\ C}{s^2}$
$1k \frac{kg\ m^2\ C}{s^2} = 2015.52 \cdot 10^{20}$	$1 ci - \frac{ML^2Q}{T^2} = 10^{30} = 253.035 k \frac{kg\ m^2\ C}{s^2}$
$1m kg\ m^2\ s\ C = 2.24415 \cdot 10^{450}$	$1 vomu - ML^2TQ = 10^{450} = 0.223352 m\ kg\ m^2\ s\ C$
$1 kg\ m^2\ s\ C = 0.0152242 \cdot 10^{500}$	$1 muno - ML^2TQ = 10^{500} = 30.5332 kg\ m^2\ s\ C$
$1k kg\ m^2\ s\ C = 124.453 \cdot 10^{500}$	$1 muno - ML^2TQ = 10^{500} = 0.00403115 k\ kg\ m^2\ s\ C$
$1m \frac{kg\ C}{m} = 354.315 \cdot 10^{-30}$	$1 ni' ure - \frac{MQ}{L} = 10^{-20} = 1303.15 m \frac{kg\ C}{m}$
$1 \frac{kg\ C}{m} = 3.01554 \cdot 10^{-20}$ (*)	$1 ni' ure - \frac{MQ}{L} = 10^{-20} = 0.154410 \frac{kg\ C}{m}$
$1k \frac{kg\ C}{m} = 0.0220512 \cdot 10^{-10}$	$1 ni' upa - \frac{MQ}{L} = 10^{-10} = 23.1342 k \frac{kg\ C}{m}$
$1m \frac{kg\ C}{m\ s} = 12.0145 \cdot 10^{-200}$	$1 ni' ureno - \frac{MQ}{LT} = 10^{-200} = 0.0424553 m \frac{kg\ C}{ms}$ (*)
$1 \frac{kg\ C}{m\ s} = 0.101134 \cdot 10^{-150}$	$1 ni' upamu - \frac{MQ}{LT} = 10^{-150} = 5.44345 \frac{kg\ C}{ms}$
$1k \frac{kg\ C}{m\ s} = 444.315 \cdot 10^{-150}$	$1 ni' upavo - \frac{MQ}{LT} = 10^{-140} = 1130.22 k \frac{kg\ C}{ms}$
$1m \frac{kg\ C}{m\ s^2} = 0.242112 \cdot 10^{-330}$	$1 ni' ucici - \frac{MQ}{LT^2} = 10^{-330} = 2.11103 m \frac{kg\ C}{m^2s}$
$1 \frac{kg\ C}{m\ s^2} = 0.00203435 \cdot 10^{-320}$	$1 ni' ucire - \frac{MQ}{LT^2} = 10^{-320} = 250.342 \frac{kg\ C}{m^2s}$
$1k \frac{kg\ C}{m\ s^2} = 13.4245 \cdot 10^{-320}$	$1 ni' ucire - \frac{MQ}{LT^2} = 10^{-320} = 0.0340555 k \frac{kg\ C}{m^2s}$ (**)
$1m \frac{kg\ s\ C}{m} = 0.0154041 \cdot 10^{110}$	$1 papa - \frac{MTQ}{L} = 10^{110} = 30.2523 m \frac{kg\ s\ C}{m}$
$1 \frac{kg\ s\ C}{m} = 130.034 \cdot 10^{110}$	$1 pare - \frac{MTQ}{L} = 10^{120} = 3554.22 \frac{kg\ s\ C}{m}$ (*)
$1k \frac{kg\ s\ C}{m} = 1.05425 \cdot 10^{120}$	$1 pare - \frac{MTQ}{L} = 10^{120} = 0.510140 k \frac{kg\ s\ C}{m}$
$1m \frac{kg\ C}{m^2} = 1.03525 \cdot 10^{-140}$	$1 ni' upavo - \frac{MQ}{L^2} = 10^{-140} = 0.522453 m \frac{kg\ C}{m^2}$
$1 \frac{kg\ C}{m^2} = 5044.42 \cdot 10^{-140}$	$1 ni' upaci - \frac{MQ}{L^2} = 10^{-130} = 110.025 \frac{kg\ C}{m^2}$
$1k \frac{kg\ C}{m^2} = 35.4330 \cdot 10^{-130}$	$1 ni' upaci - \frac{MQ}{L^2} = 10^{-130} = 0.0130312 k \frac{kg\ C}{m^2}$
$1m \frac{kg\ C}{m^2\ s} = 0.0213052 \cdot 10^{-310}$	$1 ni' ucipa - \frac{MQ}{L^2T} = 10^{-310} = 23.5454 m \frac{kg\ C}{m^2s}$
$1 \frac{kg\ C}{m^2\ s} = 142.341 \cdot 10^{-310}$	$1 ni' ucino - \frac{MQ}{L^2T} = 10^{-300} = 3241.04 \frac{kg\ C}{m^2s}$

$1k \frac{kg\ C}{m^2 s} = 1.20152 \cdot 10^{-300}$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 0.424540 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 432.553 \cdot 10^{-450}$ (*)	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 1150.44 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 3.31150 \cdot 10^{-440}$	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 0.141030 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 0.0242121 \cdot 10^{-430}$	$1 ni'uvoci - \frac{MQ}{L^2 T^2} = 10^{-430} = 21.1055 k \frac{kg\ C}{m^2 s^2}$ (*)
$1m \frac{kg\ s\ C}{m^2} = 31.3443 \cdot 10^{-10}$	$1 ni'upa - \frac{MTQ}{L^2} = 10^{-10} = 0.0150003 m \frac{kg\ s\ C}{m^2}$ (**)
$1 \frac{kg\ s\ C}{m^2} = 0.230520 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 2.21320 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 1540.44 \cdot 10^0$	$1 pa - \frac{MTQ}{L^2} = 10^{10} = 302.514 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 1510.20 \cdot 10^{-300}$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 311.544 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 12.3424 \cdot 10^{-250}$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 0.0410142 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 0.103532 \cdot 10^{-240}$	$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 5.22434 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 34.4200 \cdot 10^{-430}$ (*)	$1 ni'uvoci - \frac{MQ}{L^3 T} = 10^{-430} = 0.0133012 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.253110 \cdot 10^{-420}$	$1 ni'uvore - \frac{MQ}{L^3 T} = 10^{-420} = 2.01531 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 2131.01 \cdot 10^{-420}$	$1 ni'uvopa - \frac{MQ}{L^3 T} = 10^{-410} = 235.445 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 1.14111 \cdot 10^{-1000}$	$1 ni'upanono - \frac{MQ}{L^3 T^2} = 10^{-1000} = 0.440154 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 5535.13 \cdot 10^{-1000}$ (*)	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 100.205 \frac{kg\ C}{m^3 s^2}$ (*)
$1k \frac{kg\ C}{m^3 s^2} = 43.3010 \cdot 10^{-550}$	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 0.0115042 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 0.0525522 \cdot 10^{-120}$ (*)	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 10.3143 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 412.411 \cdot 10^{-120}$	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 0.00122532 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 3.13454 \cdot 10^{-110}$	$1 ni'upapa - \frac{MTQ}{L^3} = 10^{-110} = 0.150000 k \frac{kg\ s\ C}{m^3}$ (**)
<hr/>	<hr/>
$1m \frac{1}{K} = 21.4230 \cdot 10^{100}$	$1 pano - \frac{1}{\Theta} = 10^{100} = 0.0234204 m \frac{1}{K}$
$1 \frac{1}{K} = 0.143332 \cdot 10^{110}$	$1 papa - \frac{1}{\Theta} = 10^{110} = 3.22140 \frac{1}{K}$
$1k \frac{1}{K} = 0.00121023 \cdot 10^{120}$	$1 pare - \frac{1}{\Theta} = 10^{120} = 422.250 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.435321 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.14224 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.00333143 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.051 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.3432 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.0205540 k \frac{1}{sK}$ (*)
$1m \frac{1}{s^2 K} = 0.0132440 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 34.4542 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 111.451 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 0.00453255 \frac{1}{s^2 K}$ (*)
$1k \frac{1}{s^2 K} = 0.534454 \cdot 10^{-150}$	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 1.02201 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.00104312 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 515.454 m \frac{s}{K}$
$1 \frac{s}{K} = 5.11401 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 0.105234 \frac{s}{K}$
$1k \frac{s}{K} = 0.0400450 \cdot 10^{250}$ (*)	$1 remu - \frac{T}{\Theta} = 10^{250} = 12.5411 k \frac{s}{K}$
$1m \frac{m}{K} = 0.0121020 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 42.2303 m \frac{m}{K}$
$1 \frac{m}{K} = 101.504 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.00541233 \frac{m}{K}$
$1k \frac{m}{K} = 0.451124 \cdot 10^{230}$	$1 reci - \frac{L}{\Theta} = 10^{230} = 1.12213 k \frac{m}{K}$
$1m \frac{m}{sK} = 243.423 \cdot 10^{40}$	$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.00205545 m \frac{m}{sK}$ (*)
$1 \frac{m}{sK} = 2.04543 \cdot 10^{50}$	$1 mu - \frac{L}{T\Theta} = 10^{50} = 0.245013 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.0135214 \cdot 10^{100}$	$1 pano - \frac{L}{T\Theta} = 10^{100} = 33.4542 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.34435 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.102203 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.0420244 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.1411 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.421 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 0.00144225 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 0.400435 \cdot 10^{350}$ (*)	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 1.25414 m \frac{ms}{K}$
$1 \frac{ms}{K} = 0.00303413 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 153.340 \frac{ms}{K}$
$1k \frac{ms}{K} = 22.2110 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 0.0230115 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 4.51111 \cdot 10^{330}$	$1 cici - \frac{L^2}{\Theta} = 10^{330} = 0.112215 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.0343104 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 13.3305 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 252.151 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 0.00202314 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.135211 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 3.34553 m \frac{m^2}{sK}$ (*)
$1 \frac{m^2}{sK} = 1134.50 \cdot 10^{200}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 441.431 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 5.52023 \cdot 10^{210}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 0.100400 k \frac{m^2}{sK}$ (*)
$1m \frac{m^2}{s^2 K} = 3204.11 \cdot 10^{20}$	$1 ci - \frac{L^2}{T^2\Theta} = 10^{30} = 144.232 m \frac{m^2}{s^2 K}$

$1 \frac{m^2}{s^2 K} = 23.3044 \cdot 10^{30}$	$1 ci \cdot \frac{L^2}{T^2 \Theta} = 10^{30} = 0.0215255 \frac{m^2}{s^2 K}$ (*)
$1 k \frac{m^2}{s^2 K} = 0.155510 \cdot 10^{40}$ (**)	$1 vo \cdot \frac{L^2}{T^2 \Theta} = 10^{40} = 3.00114 k \frac{m^2}{s^2 K}$ (*)
$1 m \frac{m^2 s}{K} = 222.101 \cdot 10^{500}$	$1 muno \cdot \frac{L^2 T}{\Theta} = 10^{500} = 0.00230123 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 1.50254 \cdot 10^{510}$	$1 mupa \cdot \frac{L^2 T}{\Theta} = 10^{510} = 0.312541 \frac{m^2 s}{K}$
$1 k \frac{m^2 s}{K} = 0.0123150 \cdot 10^{520}$	$1 mure \cdot \frac{L^2 T}{\Theta} = 10^{520} = 41.1322 k \frac{m^2 s}{K}$
$1 m \frac{1}{m K} = 0.0350243 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{1}{L \Theta} = 10^{-10} = 13.2055 m \frac{1}{m K}$ (*)
$1 \frac{1}{m K} = 254.501 \cdot 10^{-10}$	$1 \frac{1}{L \Theta} = 1 = 2004.41 \frac{1}{m K}$ (*)
$1 k \frac{1}{m K} = 2.14234$	$1 \frac{1}{L \Theta} = 1 = 0.234155 k \frac{1}{m K}$ (*)
$1 m \frac{1}{m s K} = 0.00114530 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{1}{LT \Theta} = 10^{-140} = 433.423 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 10.0112 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{1}{LT \Theta} = 10^{-140} = 0.0554444 \frac{1}{m s K}$ (*)
$1 k \frac{1}{m s K} = 0.0435334 \cdot 10^{-130}$	$1 ni'upaci \cdot \frac{1}{LT \Theta} = 10^{-130} = 11.4222 k \frac{1}{m s K}$
$1 m \frac{1}{m s^2 K} = 23.5220 \cdot 10^{-320}$	$1 ni'ucire \cdot \frac{1}{LT^2 \Theta} = 10^{-320} = 0.0213304 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 0.201334 \cdot 10^{-310}$	$1 ni'ucipa \cdot \frac{1}{LT^2 \Theta} = 10^{-310} = 2.53352 \frac{1}{m s^2 K}$
$1 k \frac{1}{m s^2 K} = 0.00132443 \cdot 10^{-300}$	$1 ni'ucino \cdot \frac{1}{LT^2 \Theta} = 10^{-300} = 344.531 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 1.52034 \cdot 10^{120}$	$1 pare \cdot \frac{T}{L \Theta} = 10^{120} = 0.310103 m \frac{s}{m K}$
$1 \frac{s}{m K} = 0.0124315 \cdot 10^{130}$	$1 paci \cdot \frac{T}{L \Theta} = 10^{130} = 40.3551 \frac{s}{m K}$ (*)
$1 k \frac{s}{m K} = 104.314 \cdot 10^{130}$	$1 pavo \cdot \frac{T}{L \Theta} = 10^{140} = 5154.40 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 102.434 \cdot 10^{-130}$	$1 ni'upare \cdot \frac{1}{L^2 \Theta} = 10^{-120} = 5323.23 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 0.455254 \cdot 10^{-120}$ (*)	$1 ni'upare \cdot \frac{1}{L^2 \Theta} = 10^{-120} = 1.11154 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 3502.55 \cdot 10^{-120}$ (*)	$1 ni'upapa \cdot \frac{1}{L^2 \Theta} = 10^{-110} = 132.052 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 2.10454 \cdot 10^{-300}$	$1 ni'ucino \cdot \frac{1}{L^2 T \Theta} = 10^{-300} = 0.242353 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.0140453 \cdot 10^{-250}$	$1 ni'uremu \cdot \frac{1}{L^2 T \Theta} = 10^{-250} = 33.1504 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 114.533 \cdot 10^{-250}$	$1 ni'urevo \cdot \frac{1}{L^2 T \Theta} = 10^{-240} = 4334.11 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 0.0424131 \cdot 10^{-430}$	$1 ni'uvoci \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-430} = 12.0305 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 323.353 \cdot 10^{-430}$	$1 ni'uvore \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 1425.15 \frac{1}{m^2 s^2 K}$
$1 k \frac{1}{m^2 s^2 K} = 2.35225 \cdot 10^{-420}$	$1 ni'uvore \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 0.213300 k \frac{1}{m^2 s^2 K}$ (*)
$1 m \frac{s}{m^2 K} = 3102.30 \cdot 10^0$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 151.544 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.4141 \cdot 10^{10}$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 0.0224025 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.152042 \cdot 10^{20}$	$1 re \cdot \frac{T}{L^2 \Theta} = 10^{20} = 3.10053 k \frac{s}{m^2 K}$ (*)
$1 m \frac{1}{m^3 K} = 0.145045 \cdot 10^{-240}$	$1 ni'urevo \cdot \frac{1}{L^3 \Theta} = 10^{-240} = 3.15215 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 1221.32 \cdot 10^{-240}$	$1 ni'ureci \cdot \frac{1}{L^3 \Theta} = 10^{-230} = 414.420 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 10.2440 \cdot 10^{-230}$	$1 ni'ureci \cdot \frac{1}{L^3 \Theta} = 10^{-230} = 0.0532304 k \frac{1}{m^3 K}$
$1 m \frac{1}{m^3 s K} = 3402.32 \cdot 10^{-420}$	$1 ni'uvopa \cdot \frac{1}{L^3 T \Theta} = 10^{-410} = 134.420 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 25.0103 \cdot 10^{-410}$	$1 ni'uvopa \cdot \frac{1}{L^3 T \Theta} = 10^{-410} = 0.0204034 \frac{1}{m^3 s K}$
$1 k \frac{1}{m^3 s K} = 0.210502 \cdot 10^{-400}$	$1 ni'uvono \cdot \frac{1}{L^3 T \Theta} = 10^{-400} = 2.42344 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 112.512 \cdot 10^{-550}$	$1 ni'umuovo \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 4451.43 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.543424 \cdot 10^{-540}$	$1 ni'umuovo \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 1.01233 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 4241.43 \cdot 10^{-540}$	$1 ni'umuci \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 120.302 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 5.20120 \cdot 10^{-110}$	$1 ni'upapa \cdot \frac{T}{L^3 \Theta} = 10^{-110} = 0.104242 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.0404153 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{T}{L^3 \Theta} = 10^{-100} = 12.4232 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 310.240 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{T}{L^3 \Theta} = 10^{-100} = 0.00151540 k \frac{s}{m^3 K}$
$1 m \frac{kg}{K} = 0.142343 \cdot 10^{120}$	$1 pare \cdot \frac{M}{\Theta} = 10^{120} = 3.24100 m \frac{kg}{K}$ (*)
$1 \frac{kg}{K} = 1201.54 \cdot 10^{120}$	$1 paci \cdot \frac{M}{\Theta} = 10^{130} = 424.531 \frac{kg}{K}$
$1 k \frac{kg}{K} = 10.1142 \cdot 10^{130}$	$1 paci \cdot \frac{M}{\Theta} = 10^{130} = 0.0544315 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 3311.54 \cdot 10^{-20}$	$1 ni'upa \cdot \frac{M}{T \Theta} = 10^{-10} = 141.024 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 24.2125 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{M}{T \Theta} = 10^{-10} = 0.0211052 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 0.203450 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 2.50325 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 111.051 \cdot 10^{-150}$	$1 ni'upavo \cdot \frac{M}{T^2 \Theta} = 10^{-140} = 5001.23 m \frac{kg}{s^2 K}$ (*)
$1 \frac{kg}{s^2 K} = 0.531424 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{M}{T^2 \Theta} = 10^{-140} = 1.02533 \frac{kg}{s^2 K}$
$1 k \frac{kg}{s^2 K} = 4140.42 \cdot 10^{-140}$	$1 ni'upaci \cdot \frac{M}{T^2 \Theta} = 10^{-130} = 122.242 k \frac{kg}{s^2 K}$

$$\begin{aligned}
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 5.04453 \cdot 10^{250} \\
1 \frac{\text{kg s}}{\text{K}} &= 0.0354335 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 302.012 \cdot 10^{300} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 101.140 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.444325 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 3410.55 \cdot 10^{240} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.03442 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.0134251 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.042 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0414030 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 314.520 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 2.31423 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 3020.02 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 22.0515 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.145255 \cdot 10^{420} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 0.0341044 \cdot 10^{350} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 250.420 \cdot 10^{350} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 2.11132 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.00113040 \cdot 10^{220} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 5.44503 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 0.0425052 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.1414 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.154434 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.00130335 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.45252 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0122305 \cdot 10^{530} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 102.553 \cdot 10^{530} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 253.114 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2.13103 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.0142350 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 5.53524 \cdot 10^{-130} \\
1 \frac{\text{kg}}{\text{m s K}} &= 0.0433015 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 331.205 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.200252 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 1315.32 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 11.1053 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.0123430 \cdot 10^{140} \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.533 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.504510 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.452432 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00344220 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 25.3123 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0135521 \cdot 10^{-240} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 114.115 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.553543 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 321.435 \cdot 10^{-420} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 2.33544 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.0200300 \cdot 10^{-400} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 22.2535 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.151030 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu} \frac{MT}{\Theta} &= 10^{250} = 0.110024 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 13.0310 \frac{\text{kg s}}{\text{K}} \\
1 \text{cino} \frac{ML}{\Theta} &= 10^{300} = 0.00154400 \text{k} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 5443.34 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 1.13021 \frac{\text{kg m}}{\text{K}} \\
1 \text{remu} \frac{ML}{\Theta} &= 10^{250} = 134.221 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano} \frac{ML}{T\Theta} &= 10^{100} = 0.250334 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa} \frac{ML}{T\Theta} &= 10^{110} = 34.0550 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare} \frac{ML}{T\Theta} &= 10^{120} = 4442.00 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni'uci} \frac{ML}{T^2\Theta} &= 10^{-30} = 12.2245 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 1452.23 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.220433 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 154.404 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 0.0231335 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore} \frac{MLT}{\Theta} &= 10^{420} = 3.14420 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{cimu} \frac{ML^2}{\Theta} &= 10^{350} = 13.4225 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 2034.11 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 0.242035 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 444.213 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 0.101122 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci} \frac{ML^2}{T\Theta} &= 10^{230} = 12.0131 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.0220442 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.01514 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.224 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.314431 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci} \frac{ML^2 T}{\Theta} &= 10^{530} = 41.3523 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muovo} \frac{ML^2 T}{\Theta} &= 10^{540} = 5312.43 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00201524 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 0.235441 \frac{\text{kg}}{\text{m K}} \\
1 \text{re} \frac{M}{L\Theta} &= 10^{20} = 32.4045 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'upaci} \frac{M}{LT\Theta} &= 10^{-130} = 0.100204 \text{m} \frac{\text{kg}}{\text{m s K}} \quad (*) \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 11.5040 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 0.00141020 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'ucino} \frac{M}{LT^2\Theta} &= 10^{-300} = 2.55141 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 351.012 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 0.0500105 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 41.0132 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 0.00522424 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu} \frac{MT}{L\Theta} &= 10^{150} = 1.10022 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'upapa} \frac{M}{L^2\Theta} &= 10^{-110} = 1.11554 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 133.003 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 0.0201520 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 33.3455 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 0.00440131 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'ureci} \frac{M}{L^2T\Theta} &= 10^{-230} = 1.00202 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'uvore} \frac{M}{L^2T^2\Theta} &= 10^{-420} = 0.00143505 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvopa} \frac{M}{L^2T^2\Theta} &= 10^{-410} = 0.214432 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvono} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 25.5131 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{re} \frac{MT}{L^2\Theta} &= 10^{20} = 0.0225235 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{ci} \frac{MT}{L^2\Theta} &= 10^{30} = 3.11525 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}} = 0.00123433 \cdot 10^{40}$	$1\text{vo}-\frac{MT}{L^2\Theta} = 10^{40} = 410.121\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.00121255 \cdot 10^{-220}$ (*)	$1\text{ni}'\text{urere}-\frac{M}{L^3\Theta} = 10^{-220} = 421.040\text{m}\frac{\text{kg}}{\text{m}^3\text{K}}$
$1\frac{\text{kg}}{\text{m}^3\text{K}} = 10.2105 \cdot 10^{-220}$	$1\text{ni}'\text{urere}-\frac{M}{L^3\Theta} = 10^{-220} = 0.0535341\frac{\text{kg}}{\text{m}^3\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.0452450 \cdot 10^{-210}$	$1\text{ni}'\text{urepa}-\frac{M}{L^3\Theta} = 10^{-210} = 11.1552\text{k}\frac{\text{kg}}{\text{m}^3\text{K}}$ (*)
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s K}} = 24.4343 \cdot 10^{-400}$	$1\text{ni}'\text{uvono}-\frac{M}{L^3\Theta} = 10^{-400} = 0.0205140\text{m}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.205351 \cdot 10^{-350}$	$1\text{ni}'\text{ucimu}-\frac{M}{L^3T\Theta} = 10^{-350} = 2.44053\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.00135525 \cdot 10^{-340}$ (*)	$1\text{ni}'\text{ucivo}-\frac{M}{L^3T\Theta} = 10^{-340} = 333.444\text{k}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.540330 \cdot 10^{-530}$	$1\text{ni}'\text{umuci}-\frac{M}{L^3T^2\Theta} = 10^{-530} = 1.02002\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$ (*)
$1\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.00421505 \cdot 10^{-520}$	$1\text{ni}'\text{umure}-\frac{M}{L^3T^2\Theta} = 10^{-520} = 121.132\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 32.1445 \cdot 10^{-520}$	$1\text{ni}'\text{umure}-\frac{M}{L^3T^2\Theta} = 10^{-520} = 0.0143502\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.0402022 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{MT}{L^3\Theta} = 10^{-50} = 12.5123\text{m}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\frac{\text{kg s}}{\text{m}^3\text{K}} = 304.412 \cdot 10^{-50}$	$1\text{ni}'\text{uvo}-\frac{MT}{L^3\Theta} = 10^{-40} = 1525.55\frac{\text{kg s}}{\text{m}^3\text{K}}$ (*)
$1\text{k}\frac{\text{kg s}}{\text{m}^3\text{K}} = 2.22544 \cdot 10^{-40}$	$1\text{ni}'\text{uvo}-\frac{MT}{L^3\Theta} = 10^{-40} = 0.225230\text{k}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\text{m K} = 422.250 \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\Theta = 10^{-120} = 0.00121023\text{m K}$
$1\text{K} = 3.22140 \cdot 10^{-110}$	$1\text{ni}'\text{upapa}-\Theta = 10^{-110} = 0.143332\text{K}$
$1\text{k K} = 0.0234204 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\Theta = 10^{-100} = 21.4230\text{k K}$
$1\text{m}\frac{\text{K}}{\text{s}} = 12.5411 \cdot 10^{-250}$	$1\text{ni}'\text{uremu}-\frac{\Theta}{T} = 10^{-250} = 0.0400450\text{m}\frac{\text{K}}{\text{s}}$ (*)
$1\frac{\text{K}}{\text{s}} = 0.105234 \cdot 10^{-240}$	$1\text{ni}'\text{urevo}-\frac{\Theta}{T} = 10^{-240} = 5.11401\frac{\text{K}}{\text{s}}$
$1\text{k}\frac{\text{K}}{\text{s}} = 515.454 \cdot 10^{-240}$	$1\text{ni}'\text{urevo}-\frac{\Theta}{T} = 10^{-240} = 0.00104312\text{k}\frac{\text{K}}{\text{s}}$
$1\text{m}\frac{\text{K}}{\text{s}^2} = 0.301102 \cdot 10^{-420}$	$1\text{ni}'\text{uvore}-\frac{\Theta}{T^2} = 10^{-420} = 1.55121\text{m}\frac{\text{K}}{\text{s}^2}$ (*)
$1\frac{\text{K}}{\text{s}^2} = 2201.24 \cdot 10^{-420}$	$1\text{ni}'\text{uvopa}-\frac{\Theta}{T^2} = 10^{-410} = 232.150\frac{\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{K}}{\text{s}^2} = 14.5000 \cdot 10^{-410}$ (**)	$1\text{ni}'\text{uvopa}-\frac{\Theta}{T^2} = 10^{-410} = 0.0315344\text{k}\frac{\text{K}}{\text{s}^2}$
$1\text{m s K} = 0.0205540 \cdot 10^{20}$ (*)	$1\text{re-T}\Theta = 10^{20} = 24.3432\text{m s K}$
$1\text{s K} = 140.051 \cdot 10^{20}$	$1\text{re-T}\Theta = 10^{20} = 0.00333143\text{s K}$
$1\text{k s K} = 1.14224 \cdot 10^{30}$	$1\text{ci-T}\Theta = 10^{30} = 0.435321\text{k s K}$
$1\text{m m K} = 0.234155 \cdot 10^0$ (*)	$1L\Theta = 1 = 2.14234\text{m m K}$
$1\text{m K} = 2004.41 \cdot 10^0$ (*)	$1\text{pa-L}\Theta = 10^{10} = 254.501\text{m K}$
$1\text{k m K} = 13.2055 \cdot 10^{10}$ (*)	$1\text{pa-L}\Theta = 10^{10} = 0.0350243\text{k m K}$
$1\text{m}\frac{\text{m K}}{\text{s}} = 5154.40 \cdot 10^{-140}$	$1\text{ni}'\text{upaci}-\frac{L\Theta}{T} = 10^{-130} = 104.314\text{m}\frac{\text{m K}}{\text{s}}$
$1\frac{\text{m K}}{\text{s}} = 40.3551 \cdot 10^{-130}$ (*)	$1\text{ni}'\text{upaci}-\frac{L\Theta}{T} = 10^{-130} = 0.0124315\frac{\text{m K}}{\text{s}}$
$1\text{k}\frac{\text{m K}}{\text{s}} = 0.310103 \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\frac{L\Theta}{T} = 10^{-120} = 1.52034\text{k}\frac{\text{m K}}{\text{s}}$
$1\text{m}\frac{\text{m K}}{\text{s}^2} = 144.553 \cdot 10^{-310}$ (*)	$1\text{ni}'\text{ucino}-\frac{L\Theta}{T^2} = 10^{-300} = 3153.55\text{m}\frac{\text{m K}}{\text{s}^2}$ (*)
$1\frac{\text{m K}}{\text{s}^2} = 1.22051 \cdot 10^{-300}$	$1\text{ni}'\text{ucino}-\frac{L\Theta}{T^2} = 10^{-300} = 0.415025\frac{\text{m K}}{\text{s}^2}$
$1\text{k}\frac{\text{m K}}{\text{s}^2} = 0.0102405 \cdot 10^{-250}$	$1\text{ni}'\text{uremu}-\frac{L\Theta}{T^2} = 10^{-250} = 53.2552\text{k}\frac{\text{m K}}{\text{s}^2}$ (*)
$1\text{m m s K} = 11.4222 \cdot 10^{130}$	$1\text{paci-LT}\Theta = 10^{130} = 0.0435334\text{m m s K}$
$1\text{m s K} = 0.0554444 \cdot 10^{140}$ (*)	$1\text{pavo-LT}\Theta = 10^{140} = 10.0112\text{m s K}$
$1\text{k m s K} = 433.423 \cdot 10^{140}$	$1\text{pavo-LT}\Theta = 10^{140} = 0.00114530\text{k m s K}$
$1\text{m m}^2\text{K} = 132.052 \cdot 10^{110}$	$1\text{pare-L}^2\Theta = 10^{120} = 3502.55\text{m m}^2\text{K}$ (*)
$1\text{m}^2\text{K} = 1.11154 \cdot 10^{120}$	$1\text{pare-L}^2\Theta = 10^{120} = 0.455254\text{m}^2\text{K}$ (*)
$1\text{k m}^2\text{K} = 5323.23 \cdot 10^{120}$	$1\text{paci-L}^2\Theta = 10^{130} = 102.434\text{k m}^2\text{K}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}} = 3.10053 \cdot 10^{-20}$ (*)	$1\text{ni}'\text{ure}-\frac{L^2\Theta}{T} = 10^{-20} = 0.152042\text{m}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\frac{\text{m}^2\text{K}}{\text{s}} = 0.0224025 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{L^2\Theta}{T} = 10^{-10} = 22.4141\frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}} = 151.544 \cdot 10^{-10}$	$1\frac{L^2\Theta}{T} = 1 = 3102.30\text{k}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}^2} = 0.102403 \cdot 10^{-150}$	$1\text{ni}'\text{upamu}-\frac{L^2\Theta}{T^2} = 10^{-150} = 5.33011\text{m}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\frac{\text{m}^2\text{K}}{\text{s}^2} = 455.024 \cdot 10^{-150}$ (*)	$1\text{ni}'\text{upavo}-\frac{L^2\Theta}{T^2} = 10^{-140} = 1112.31\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}^2} = 3.50102 \cdot 10^{-140}$	$1\text{ni}'\text{upavo}-\frac{L^2\Theta}{T^2} = 10^{-140} = 0.132140\text{k}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{m m}^2\text{s K} = 4334.11 \cdot 10^{240}$	$1\text{remu-L}^2T\Theta = 10^{250} = 114.533\text{m m}^2\text{s K}$
$1\text{m}^2\text{s K} = 33.1504 \cdot 10^{250}$	$1\text{remu-L}^2T\Theta = 10^{250} = 0.0140453\text{m}^2\text{s K}$
$1\text{k m}^2\text{s K} = 0.242353 \cdot 10^{300}$	$1\text{cino-L}^2T\Theta = 10^{300} = 2.10454\text{k m}^2\text{s K}$
$1\text{m}\frac{\text{K}}{\text{m}} = 1.12213 \cdot 10^{-230}$	$1\text{ni}'\text{ureci}-\frac{\Theta}{L} = 10^{-230} = 0.451124\text{m}\frac{\text{K}}{\text{m}}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.00541233 \cdot 10^{-220} \\
1 k \frac{K}{m} &= 42.2303 \cdot 10^{-220} \\
1 m \frac{K}{ms} &= 0.0230115 \cdot 10^{-400} \\
1 \frac{K}{ms} &= 153.340 \cdot 10^{-400} \\
1 k \frac{K}{ms} &= 1.25414 \cdot 10^{-350} \\
1 m \frac{K}{ms^2} &= 503.230 \cdot 10^{-540} \\
1 \frac{K}{ms^2} &= 3.53310 \cdot 10^{-530} \\
1 k \frac{K}{ms^2} &= 0.0301112 \cdot 10^{-520} \\
1 m \frac{sK}{m} &= 33.4542 \cdot 10^{-100} \\
1 \frac{sK}{m} &= 0.245013 \cdot 10^{-50} \\
1 k \frac{sK}{m} &= 0.00205545 \cdot 10^{-40} \quad (*) \\
1 m \frac{K}{m^2} &= 0.00202314 \cdot 10^{-340} \\
1 \frac{K}{m^2} &= 13.3305 \cdot 10^{-340} \\
1 k \frac{K}{m^2} &= 0.112215 \cdot 10^{-330} \\
1 m \frac{K}{m^2 s} &= 41.1322 \cdot 10^{-520} \\
1 \frac{K}{m^2 s} &= 0.312541 \cdot 10^{-510} \\
1 k \frac{K}{m^2 s} &= 0.00230123 \cdot 10^{-500} \\
1 m \frac{K}{m^2 s^2} &= 1.23205 \cdot 10^{-1050} \\
1 \frac{K}{m^2 s^2} &= 0.0103344 \cdot 10^{-1040} \\
1 k \frac{K}{m^2 s^2} &= 50.3244 \cdot 10^{-1040} \\
1 m \frac{sK}{m^2} &= 0.100400 \cdot 10^{-210} \quad (*) \\
1 \frac{sK}{m^2} &= 441.431 \cdot 10^{-210} \\
1 k \frac{sK}{m^2} &= 3.34553 \cdot 10^{-200} \quad (*) \\
1 m \frac{K}{m^3} &= 3.25124 \cdot 10^{-500} \\
1 \frac{K}{m^3} &= 0.0240350 \cdot 10^{-450} \\
1 k \frac{K}{m^3} &= 202.322 \cdot 10^{-450} \\
1 m \frac{K}{m^3 s} &= 0.110235 \cdot 10^{-1030} \\
1 \frac{K}{m^3 s} &= 524.251 \cdot 10^{-1030} \\
1 k \frac{K}{m^3 s} &= 4.11334 \cdot 10^{-1020} \\
1 m \frac{K}{m^3 s^2} &= 0.00222141 \cdot 10^{-1200} \\
1 \frac{K}{m^3 s^2} &= 15.0324 \cdot 10^{-1200} \\
1 k \frac{K}{m^3 s^2} &= 0.123212 \cdot 10^{-1150} \\
1 m \frac{sK}{m^3} &= 141.334 \cdot 10^{-330} \\
1 \frac{sK}{m^3} &= 1.15311 \cdot 10^{-320} \\
1 k \frac{sK}{m^3} &= 0.0100402 \cdot 10^{-310} \quad (*) \\
1 m kg K &= 3.20231 \cdot 10^{-100} \\
1 kg K &= 0.0232530 \cdot 10^{-50} \\
1 k kg K &= 155.410 \cdot 10^{-50} \quad (*) \\
1 m \frac{kg K}{s} &= 0.104450 \cdot 10^{-230} \\
1 \frac{kg K}{s} &= 512.524 \cdot 10^{-230} \\
1 k \frac{kg K}{s} &= 4.01433 \cdot 10^{-220} \\
1 m \frac{kg K}{s^2} &= 0.00214543 \cdot 10^{-400} \\
1 \frac{kg K}{s^2} &= 14.4003 \cdot 10^{-400} \quad (*) \\
1 k \frac{kg K}{s^2} &= 0.121221 \cdot 10^{-350} \\
1 m kg s K &= 135.122 \cdot 10^{30} \\
1 kg s K &= 1.13412 \cdot 10^{40} \\
1 k kg s K &= 5513.30 \cdot 10^{40} \quad (*) \\
1 m kg m K &= 0.00155402 \cdot 10^{20} \quad (*) \\
1 kg m K &= 13.1150 \cdot 10^{20} \\
1 k kg m K &= 0.110402 \cdot 10^{30} \\
1 m \frac{kg m K}{s} &= 40.1421 \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 ni'urere-\frac{\Theta}{L} &= 10^{-220} = 101.504 \frac{K}{m} \\
1 ni'urere-\frac{\Theta}{L} &= 10^{-220} = 0.0121020 k \frac{K}{m} \\
1 ni'uvono-\frac{\Theta}{LT} &= 10^{-400} = 22.2110 m \frac{K}{ms} \\
1 ni'uvono-\frac{\Theta}{LT} &= 10^{-400} = 0.00303413 \frac{K}{ms} \\
1 ni'ucimu-\frac{\Theta}{LT} &= 10^{-350} = 0.400435 k \frac{K}{ms} \quad (*) \\
1 ni'umuovo-\frac{\Theta}{LT^2} &= 10^{-540} = 0.00110221 m \frac{K}{ms^2} \\
1 ni'umuci-\frac{\Theta}{LT^2} &= 10^{-530} = 0.130540 \frac{K}{ms^2} \\
1 ni'umure-\frac{\Theta}{LT^2} &= 10^{-520} = 15.5113 k \frac{K}{ms^2} \\
1 ni'upano-\frac{T\Theta}{L} &= 10^{-100} = 0.0135214 m \frac{sK}{m} \\
1 ni'umu-\frac{T\Theta}{L} &= 10^{-50} = 2.04543 \frac{sK}{m} \\
1 ni'uvo-\frac{T\Theta}{L} &= 10^{-40} = 243.423 k \frac{sK}{m} \\
1 ni'ucivo-\frac{\Theta}{L^2} &= 10^{-340} = 252.151 m \frac{K}{m^2} \\
1 ni'ucivo-\frac{\Theta}{L^2} &= 10^{-340} = 0.0343104 \frac{K}{m^2} \\
1 ni'ucici-\frac{\Theta}{L^2} &= 10^{-330} = 4.51111 k \frac{K}{m^2} \\
1 ni'umure-\frac{\Theta}{L^2 T} &= 10^{-520} = 0.0123150 m \frac{K}{m^2 s} \\
1 ni'umupa-\frac{\Theta}{L^2 T} &= 10^{-510} = 1.50254 \frac{K}{m^2 s} \\
1 ni'umuno-\frac{\Theta}{L^2 T} &= 10^{-500} = 222.101 k \frac{K}{m^2 s} \\
1 ni'upanomu-\frac{\Theta}{L^2 T^2} &= 10^{-1050} = 0.411224 m \frac{K}{m^2 s^2} \\
1 ni'upanovo-\frac{\Theta}{L^2 T^2} &= 10^{-1040} = 52.4121 \frac{K}{m^2 s^2} \\
1 ni'upanovo-\frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.0110215 k \frac{K}{m^2 s^2} \\
1 ni'urepa-\frac{T\Theta}{L^2} &= 10^{-210} = 5.52023 m \frac{sK}{m^2} \\
1 ni'ureno-\frac{T\Theta}{L^2} &= 10^{-200} = 1134.50 \frac{sK}{m^2} \\
1 ni'ureno-\frac{T\Theta}{L^2} &= 10^{-200} = 0.135211 k \frac{sK}{m^2} \\
1 ni'umuno-\frac{\Theta}{L^3} &= 10^{-500} = 0.142031 m \frac{K}{m^3} \\
1 ni'uvomu-\frac{\Theta}{L^3} &= 10^{-450} = 21.2244 \frac{K}{m^3} \\
1 ni'uvovo-\frac{\Theta}{L^3} &= 10^{-440} = 2521.41 k \frac{K}{m^3} \\
1 ni'upanoci-\frac{\Theta}{L^3 T} &= 10^{-1030} = 5.03122 m \frac{K}{m^3 s} \\
1 ni'upanore-\frac{\Theta}{L^3 T} &= 10^{-1020} = 1033.25 \frac{K}{m^3 s} \\
1 ni'upanore-\frac{\Theta}{L^3 T} &= 10^{-1020} = 0.123143 k \frac{K}{m^3 s} \\
1 ni'upareno-\frac{\Theta}{L^3 T^2} &= 10^{-1200} = 230.043 m \frac{K}{m^3 s^2} \\
1 ni'upareno-\frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.0312445 \frac{K}{m^3 s^2} \\
1 ni'upapamu-\frac{\Theta}{L^3 T^2} &= 10^{-1150} = 4.11212 k \frac{K}{m^3 s^2} \\
1 ni'ucire-\frac{T\Theta}{L^3} &= 10^{-320} = 3301.22 m \frac{sK}{m^3} \\
1 ni'ucire-\frac{T\Theta}{L^3} &= 10^{-320} = 0.431332 \frac{sK}{m^3} \\
1 ni'ucipa-\frac{T\Theta}{L^3} &= 10^{-310} = 55.2004 k \frac{sK}{m^3} \quad (**)
\end{aligned}$$

1 ni'upano- $M\Theta$  =  $10^{-100}$  = 0.144324 m kg K  
 1 ni'umu- $M\Theta$  =  $10^{-50}$  = 21.5405 kg K  
 1 ni'ubo- $M\Theta$  =  $10^{-40}$  = 3002.43 k kg K \quad (\*)  
 1 ni'ureci- $\frac{M\Theta}{T}$  =  $10^{-230}$  = 5.14323 m  $\frac{kg K}{s}$   
 1 ni'urere- $\frac{M\Theta}{T}$  =  $10^{-220}$  = 1050.55  $\frac{kg K}{s}$  \quad (\*)  
 1 ni'urere- $\frac{M\Theta}{T}$  =  $10^{-220}$  = 0.125203 k  $\frac{kg K}{s}$   
 1 ni'uvono- $\frac{M\Theta}{T^2}$  =  $10^{-400}$  = 233.422 m  $\frac{kg K}{s^2}$   
 1 ni'uvono- $\frac{M\Theta}{T^2}$  =  $10^{-400}$  = 0.0321251  $\frac{kg K}{s^2}$   
 1 ni'ucimu- $\frac{M\Theta}{T^2}$  =  $10^{-350}$  = 4.21234 k  $\frac{kg K}{s^2}$   
 1 vo- $MT\Theta$  =  $10^{40}$  = 3351.42 m kg s K  
 1 vo- $MT\Theta$  =  $10^{40}$  = 0.442052 kg s K  
 1 mu- $MT\Theta$  =  $10^{50}$  = 100.430 k kg s K \quad (\*)  
 1 re- $ML\Theta$  =  $10^{20}$  = 300.253 m kg m K \quad (\*)  
 1 re- $ML\Theta$  =  $10^{20}$  = 0.0352333 kg m K  
 1 ci- $ML\Theta$  =  $10^{30}$  = 5.02114 k kg m K  
 1 ni'upare- $\frac{ML\Theta}{T}$  =  $10^{-120}$  = 0.0125210 m  $\frac{kg m K}{s}$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.304240 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00222433 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.21214 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 0.0102034 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 45.2222 \cdot 10^{-240} \\
1 \text{m kg m s K} &= 0.0551311 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.115 \cdot 10^{150} \\
1 \text{k kg m s K} &= 3.25535 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.10400 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.00525304 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.2224 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0222424 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 150.533 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1.23351 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 452.204 \cdot 10^{-140} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 3.44024 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.0252555 \cdot 10^{-120} \quad (***) \\
1 \text{m kg m}^2 \text{s K} &= 32.5524 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.241053 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 0.00202544 \cdot 10^{320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 5341.51 \cdot 10^{-220} \\
1 \frac{\text{kg K}}{\text{m}} &= 42.0034 \cdot 10^{-210} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.320241 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 152.315 \cdot 10^{-350} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1.24521 \cdot 10^{-340} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 0.0104452 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 3.51213 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.0255313 \cdot 10^{-510} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 214.552 \cdot 10^{-510} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.243302 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 2044.41 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 13.5125 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13.2352 \cdot 10^{-330} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.111413 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 534.205 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.311101 \cdot 10^{-500} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 2245.11 \cdot 10^{-500} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 15.2323 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.0103005 \cdot 10^{-1030} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 50.0401 \cdot 10^{-1030} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.351224 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 435.102 \cdot 10^{-200} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 3.32555 \cdot 10^{-150} \quad (***) \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 0.0243311 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.0235101 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 201.233 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 1.32355 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 521.253 \cdot 10^{-1020} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 4.05144 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0311111 \cdot 10^{-1000}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 1.53053 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 225.343 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uremu-} \frac{ML\Theta}{T^2} &= 10^{-250} = 0.421250 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 54.0030 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.0112030 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{pamu-} MLT\Theta &= 10^{150} = 10.0432 \text{m kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 1153.51 \text{kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 0.141425 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.502132 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.212 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.0123005 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 22.5352 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00312103 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.410323 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML^2\Theta}{T^2} &= 10^{-140} = 0.00112032 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 0.133051 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 20.2021 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.0141432 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 2.12012 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 251.422 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 102.234 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.0121452 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 1.44321 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 3052.33 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 0.403002 \frac{\text{kg K}}{\text{m s}} \quad (*) \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 51.4305 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umure-} \frac{M\Theta}{LT^2} &= 10^{-520} = 0.131443 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 20.0150 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 2334.13 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L} &= 10^{-40} = 2.10051 \text{m} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 245.140 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 0.0335131 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ucici-} \frac{M\Theta}{L^2} &= 10^{-330} = 0.0345134 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 4.53523 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.00102232 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{L^2T} &= 10^{-500} = 1.51304 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 223.301 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 0.0305223 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 53.1131 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 0.0111012 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 1.31440 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ureno-} \frac{MT\Theta}{L^2} &= 10^{-200} = 0.00114303 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 0.140141 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 21.0043 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 21.3413 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.00253521 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.345123 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^3T} &= 10^{-1020} = 0.00104105 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^3T} &= 10^{-1010} = 0.124030 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 15.1300 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*)
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 14.5322 \cdot 10^{-1150}$	$1 ni'upapamu-\frac{M\Theta}{L^3 T^2} = 10^{-1150} = 0.0314334 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.122331 \cdot 10^{-1140}$	$1 ni'upapavo-\frac{M\Theta}{L^3 T^2} = 10^{-1140} = 4.13413 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 1030.12 \cdot 10^{-1140}$	$1 ni'upapaci-\frac{M\Theta}{L^3 T^2} = 10^{-1130} = 531.113 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 1.14451 \cdot 10^{-310}$	$1 ni'ucipa-\frac{MT\Theta}{L^3} = 10^{-310} = 0.434042 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 0.0100042 \cdot 10^{-300}$	$1 ni'ucino-\frac{MT\Theta}{L^3} = 10^{-300} = 55.5143 \frac{kg\ s\ K}{m^3} (*)$
$1k \frac{kg\ s\ K}{m^3} = 43.5115 \cdot 10^{-300}$	$1 ni'ucino-\frac{MT\Theta}{L^3} = 10^{-300} = 0.0114301 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 1501.14 \cdot 10^{-200}$	$1 ni'upamu-\frac{\Theta}{Q} = 10^{-150} = 313.234 m \frac{K}{C}$
$1 \frac{K}{C} = 12.3032 \cdot 10^{-150}$	$1 ni'upamu-\frac{\Theta}{Q} = 10^{-150} = 0.0412110 \frac{K}{C}$
$1k \frac{K}{C} = 0.103231 \cdot 10^{-140}$	$1 ni'upavo-\frac{\Theta}{Q} = 10^{-140} = 5.25125 k \frac{K}{C}$
$1m \frac{K}{sC} = 34.2342 \cdot 10^{-330}$	$1 ni'ucici-\frac{\Theta}{TQ} = 10^{-330} = 0.0133433 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.251513 \cdot 10^{-320}$	$1 ni'ucire-\frac{\Theta}{TQ} = 10^{-320} = 2.02510 \frac{K}{sC}$
$1k \frac{K}{sC} = 2120.53 \cdot 10^{-320}$	$1 ni'ucipa-\frac{\Theta}{TQ} = 10^{-310} = 241.004 k \frac{K}{sC} (*)$
$1m \frac{K}{s^2C} = 1.13341 \cdot 10^{-500}$	$1 ni'umuno-\frac{\Theta}{T^2Q} = 10^{-500} = 0.442244 m \frac{K}{s^2C}$
$1 \frac{K}{s^2C} = 5511.05 \cdot 10^{-500}$	$1 ni'uvomu-\frac{\Theta}{T^2Q} = 10^{-450} = 100.453 \frac{K}{s^2C} (*)$
$1k \frac{K}{s^2C} = 43.0542 \cdot 10^{-450}$	$1 ni'uvomu-\frac{\Theta}{T^2Q} = 10^{-450} = 0.0115415 k \frac{K}{s^2C}$
$1m \frac{sK}{C} = 0.0523225 \cdot 10^{-20}$	$1 ni'ure-\frac{T\Theta}{Q} = 10^{-20} = 10.3443 m \frac{sK}{C}$
$1 \frac{sK}{C} = 410.441 \cdot 10^{-20}$	$1 ni'ure-\frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{sK}{C}$
$1k \frac{sK}{C} = 3.12202 \cdot 10^{-10}$	$1 ni'upa-\frac{T\Theta}{Q} = 10^{-10} = 0.150501 k \frac{sK}{C}$
$1m \frac{mK}{C} = 1.03225 \cdot 10^{-40}$	$1 ni'uvo-\frac{L\Theta}{Q} = 10^{-40} = 0.525144 m \frac{mK}{C}$
$1 \frac{mK}{C} = 5022.45 \cdot 10^{-40}$	$1 ni'uci-\frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{mK}{C}$
$1k \frac{mK}{C} = 35.2443 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{Q} = 10^{-30} = 0.0131122 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 0.0212044 \cdot 10^{-210}$	$1 ni'urepa-\frac{L\Theta}{TQ} = 10^{-210} = 24.1013 m \frac{mK}{sC}$
$1 \frac{mK}{sC} = 141.455 \cdot 10^{-210}$	$1 ni'ureno-\frac{L\Theta}{TQ} = 10^{-200} = 3254.33 \frac{mK}{sC}$
$1k \frac{mK}{sC} = 1.15413 \cdot 10^{-200}$	$1 ni'ureno-\frac{L\Theta}{TQ} = 10^{-200} = 0.430554 k \frac{mK}{sC} (*)$
$1m \frac{mK}{s^2C} = 430.530 \cdot 10^{-350}$	$1 ni'ucivo-\frac{L\Theta}{T^2Q} = 10^{-340} = 1154.22 m \frac{mK}{s^2C}$
$1 \frac{mK}{s^2C} = 3.25412 \cdot 10^{-340}$	$1 ni'ucivo-\frac{L\Theta}{T^2Q} = 10^{-340} = 0.141505 \frac{mK}{s^2C}$
$1k \frac{mK}{s^2C} = 0.0240555 \cdot 10^{-330}$	$1 ni'ucici-\frac{L\Theta}{T^2Q} = 10^{-330} = 21.2100 k \frac{mK}{s^2C} (*)$
$1m \frac{msK}{C} = 31.2152 \cdot 10^{50}$	$1 mu-\frac{LT\Theta}{Q} = 10^{50} = 0.0150504 m \frac{msK}{C}$
$1 \frac{msK}{C} = 0.225430 \cdot 10^{100}$	$1 pano-\frac{LT\Theta}{Q} = 10^{100} = 2.22351 \frac{msK}{C}$
$1k \frac{msK}{C} = 1531.30 \cdot 10^{100}$	$1 papa-\frac{LT\Theta}{Q} = 10^{110} = 304.142 k \frac{msK}{C}$
$1m \frac{m^2K}{C} = 352.432 \cdot 10^{30}$	$1 vo-\frac{L^2\Theta}{Q} = 10^{40} = 1311.25 m \frac{m^2K}{C}$
$1 \frac{m^2K}{C} = 3.00340 \cdot 10^{40}$	$1 vo-\frac{L^2\Theta}{Q} = 10^{40} = 0.155333 \frac{m^2K}{C} (*)$
$1k \frac{m^2K}{C} = 0.0215450 \cdot 10^{50}$	$1 mu-\frac{L^2\Theta}{Q} = 10^{50} = 23.2442 k \frac{m^2K}{C}$
$1m \frac{m^2K}{sC} = 11.5410 \cdot 10^{-100}$	$1 ni'upano-\frac{L^2\Theta}{TQ} = 10^{-100} = 0.0431011 m \frac{m^2K}{sC}$
$1 \frac{m^2K}{sC} = 0.100445 \cdot 10^{-50}$	$1 ni'umu-\frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142 \frac{m^2K}{sC}$
$1k \frac{m^2K}{sC} = 442.215 \cdot 10^{-50}$	$1 ni'uvo-\frac{L^2\Theta}{TQ} = 10^{-40} = 1133.50 k \frac{m^2K}{sC}$
$1m \frac{m^2K}{s^2C} = 0.240550 \cdot 10^{-230}$	$1 ni'ureci-\frac{L^2\Theta}{T^2Q} = 10^{-230} = 2.12105 m \frac{m^2K}{s^2C}$
$1 \frac{m^2K}{s^2C} = 0.00202454 \cdot 10^{-220}$	$1 ni'urere-\frac{L^2\Theta}{T^2Q} = 10^{-220} = 251.532 \frac{m^2K}{s^2C}$
$1k \frac{m^2K}{s^2C} = 13.3423 \cdot 10^{-220}$	$1 ni'urere-\frac{L^2\Theta}{T^2Q} = 10^{-220} = 0.0342404 k \frac{m^2K}{s^2C}$
$1m \frac{m^2sK}{C} = 0.0153122 \cdot 10^{210}$	$1 repa-\frac{L^2T\Theta}{Q} = 10^{210} = 30.4152 m \frac{m^2sK}{C}$
$1 \frac{m^2sK}{C} = 125.231 \cdot 10^{210}$	$1 rere-\frac{L^2T\Theta}{Q} = 10^{220} = 4013.21 \frac{m^2sK}{C}$
$1k \frac{m^2sK}{C} = 1.05120 \cdot 10^{220}$	$1 rere-\frac{L^2T\Theta}{Q} = 10^{220} = 0.512352 k \frac{m^2sK}{C}$
$1m \frac{K}{mC} = 3.03125 \cdot 10^{-310}$	$1 ni'ucipa-\frac{\Theta}{LQ} = 10^{-310} = 0.153523 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.0221501 \cdot 10^{-300}$	$1 ni'ucino-\frac{\Theta}{LQ} = 10^{-300} = 23.0332 \frac{K}{mC}$
$1k \frac{K}{mC} = 150.122 \cdot 10^{-300}$	$1 ni'ucino-\frac{\Theta}{LQ} = 10^{-300} = 0.00313224 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.101410 \cdot 10^{-440}$	$1 ni'uvovo-\frac{\Theta}{LTQ} = 10^{-440} = 5.42142 m \frac{K}{msC}$
$1 \frac{K}{msC} = 450.303 \cdot 10^{-440}$	$1 ni'uvovo-\frac{\Theta}{LTQ} = 10^{-440} = 0.00112321 \frac{K}{msC}$
$1k \frac{K}{msC} = 3.42354 \cdot 10^{-430}$	$1 ni'uvoci-\frac{\Theta}{LTQ} = 10^{-430} = 0.133425 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 2043.50 \cdot 10^{-1020} \\
1 \frac{K}{ms^2C} &= 13.5045 \cdot 10^{-1010} \\
1k \frac{K}{ms^2C} &= 0.113344 \cdot 10^{-1000} \\
1m \frac{sK}{mC} &= 130.415 \cdot 10^{-140} \\
1 \frac{sK}{mC} &= 1.10115 \cdot 10^{-130} \\
1k \frac{sK}{mC} &= 0.00523243 \cdot 10^{-120} \\
1m \frac{K}{m^2C} &= 0.00510521 \cdot 10^{-420} \\
1 \frac{K}{m^2C} &= 40.0113 \cdot 10^{-420} \\
1k \frac{K}{m^2C} &= 0.303134 \cdot 10^{-410} \\
1m \frac{K}{m^2sC} &= 143.155 \cdot 10^{-1000} \quad (*) \\
1 \frac{K}{m^2sC} &= 1.20511 \cdot 10^{-550} \\
1k \frac{K}{m^2sC} &= 0.0101412 \cdot 10^{-540} \\
1m \frac{K}{m^2s^2C} &= 3.32431 \cdot 10^{-1130} \\
1 \frac{K}{m^2s^2C} &= 0.0243203 \cdot 10^{-1120} \\
1k \frac{K}{m^2s^2C} &= 204.354 \cdot 10^{-1120} \\
1m \frac{sK}{m^2C} &= 0.231532 \cdot 10^{-250} \\
1 \frac{sK}{m^2C} &= 0.00154533 \cdot 10^{-240} \\
1k \frac{sK}{m^2C} &= 13.0422 \cdot 10^{-240} \\
1m \frac{K}{m^3C} &= 12.4155 \cdot 10^{-540} \quad (*) \\
1 \frac{K}{m^3C} &= 0.104214 \cdot 10^{-530} \\
1k \frac{K}{m^3C} &= 510.534 \cdot 10^{-530} \\
1m \frac{K}{m^3sC} &= 0.254221 \cdot 10^{-1110} \\
1 \frac{K}{m^3sC} &= 0.00214032 \cdot 10^{-1100} \\
1k \frac{K}{m^3sC} &= 14.3202 \cdot 10^{-1100} \\
1m \frac{K}{m^3s^2C} &= 0.0100015 \cdot 10^{-1240} \quad (**)
\end{aligned}$$


---


$$\begin{aligned}
1 \frac{K}{m^3s^2C} &= 43.4523 \cdot 10^{-1240} \\
1k \frac{K}{m^3s^2C} &= 0.332441 \cdot 10^{-1230} \\
1m \frac{sK}{m^3C} &= 414.234 \cdot 10^{-410} \\
1 \frac{sK}{m^3C} &= 3.15055 \cdot 10^{-400} \quad (*) \\
1k \frac{sK}{m^3C} &= 0.0231541 \cdot 10^{-350} \\
1m \frac{kgK}{C} &= 12.2152 \cdot 10^{-140} \\
1 \frac{kgK}{C} &= 0.102454 \cdot 10^{-130} \\
1k \frac{kgK}{C} &= 455.424 \cdot 10^{-130} \quad (*) \\
1m \frac{kgK}{sC} &= 0.250144 \cdot 10^{-310} \\
1 \frac{kgK}{sC} &= 0.00210533 \cdot 10^{-300} \\
1k \frac{kgK}{sC} &= 14.0523 \cdot 10^{-300} \\
1m \frac{kgK}{s^2C} &= 0.00543551 \cdot 10^{-440} \quad (*) \\
1 \frac{kgK}{s^2C} &= 42.4251 \cdot 10^{-440} \\
1k \frac{kgK}{s^2C} &= 0.323454 \cdot 10^{-430} \\
1m \frac{kg sK}{C} &= 404.253 \cdot 10^{-10} \\
1 \frac{kg sK}{C} &= 3.10324 \\
1k \frac{kg sK}{C} &= 0.0224224 \cdot 10^{10} \\
1m \frac{kg mK}{C} &= 0.00455410 \cdot 10^{-20} \quad (*) \\
1 \frac{kg mK}{C} &= 35.0353 \cdot 10^{-20} \\
1k \frac{kg mK}{C} &= 0.254553 \cdot 10^{-10} \quad (*) \\
1m \frac{kg mK}{sC} &= 140.520 \cdot 10^{-200} \\
1 \frac{kg mK}{sC} &= 1.14552 \cdot 10^{-150} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 ni'upanopa \frac{\Theta}{LT^2Q} &= 10^{-1010} = 245.244 m \frac{K}{ms^2C} \\
1 ni'upanopa \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.0335300 \frac{K}{ms^2C} \quad (*) \\
1 ni'upanono \frac{\Theta}{LT^2Q} &= 10^{-1000} = 4.42231 k \frac{K}{ms^2C} \\
1 ni'upavo \frac{T\Theta}{LQ} &= 10^{-140} = 0.00354041 m \frac{sK}{mC} \\
1 ni'upaci \frac{T\Theta}{LQ} &= 10^{-130} = 0.504103 \frac{sK}{mC} \\
1 ni'upare \frac{T\Theta}{LQ} &= 10^{-120} = 103.441 k \frac{sK}{mC} \\
1 ni'uvore \frac{\Theta}{L^2Q} &= 10^{-420} = 105.335 m \frac{K}{m^2C} \\
1 ni'uvore \frac{\Theta}{L^2Q} &= 10^{-420} = 0.0125531 \frac{K}{m^2C} \quad (*) \\
1 ni'uvopa \frac{\Theta}{L^2Q} &= 10^{-410} = 1.53515 k \frac{K}{m^2C} \\
1 ni'upanono \frac{\Theta}{L^2TQ} &= 10^{-1000} = 0.00322442 m \frac{K}{m^2sC} \\
1 ni'umumu \frac{\Theta}{L^2TQ} &= 10^{-550} = 0.423045 \frac{K}{m^2sC} \\
1 ni'umuvo \frac{\Theta}{L^2TQ} &= 10^{-540} = 54.2123 k \frac{K}{m^2sC} \\
1 ni'upapaci \frac{\Theta}{L^2T^2Q} &= 10^{-1130} = 0.140221 m \frac{K}{m^2s^2C} \\
1 ni'upapare \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 21.0135 \frac{K}{m^2s^2C} \\
1 ni'upapare \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 0.00245235 k \frac{K}{m^2s^2C} \\
1 ni'uremu \frac{T\Theta}{L^2Q} &= 10^{-250} = 2.20332 m \frac{sK}{m^2C} \\
1 ni'urevo \frac{T\Theta}{L^2Q} &= 10^{-240} = 301.344 \frac{sK}{m^2C} \\
1 ni'urevo \frac{T\Theta}{L^2Q} &= 10^{-240} = 0.0354025 k \frac{sK}{m^2C} \\
1 ni'umuvo \frac{\Theta}{L^3Q} &= 10^{-540} = 0.0404332 m \frac{K}{m^3C} \\
1 ni'umuci \frac{\Theta}{L^3Q} &= 10^{-530} = 5.20325 \frac{K}{m^3C} \\
1 ni'umure \frac{\Theta}{L^3Q} &= 10^{-520} = 1053.33 k \frac{K}{m^3C} \\
1 ni'upapapa \frac{\Theta}{L^3TQ} &= 10^{-1110} = 2.01031 m \frac{K}{m^3sC} \\
1 ni'upapano \frac{\Theta}{L^3TQ} &= 10^{-1100} = 234.420 \frac{K}{m^3sC} \\
1 ni'upapano \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.0322432 k \frac{K}{m^3sC} \\
1 ni'uparevo \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 55.5405 m \frac{K}{m^3s^2C} \quad (*) \\
1 ni'uparevo \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 0.0114331 \frac{K}{m^3s^2C} \\
1 ni'upareci \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 1.40214 k \frac{K}{m^3s^2C} \\
1 ni'uvono \frac{T\Theta}{L^3Q} &= 10^{-400} = 1222.04 m \frac{sK}{m^3C} \\
1 ni'uvono \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.145131 \frac{sK}{m^3C} \\
1 ni'ucimu \frac{T\Theta}{L^3Q} &= 10^{-350} = 22.0323 k \frac{sK}{m^3C} \\
1 ni'upavo \frac{M\Theta}{Q} &= 10^{-140} = 0.0414314 m \frac{kgK}{C} \\
1 ni'upaci \frac{M\Theta}{Q} &= 10^{-130} = 5.32143 \frac{kgK}{C} \\
1 ni'upare \frac{M\Theta}{Q} &= 10^{-120} = 1111.33 k \frac{kgK}{C} \\
1 ni'ucipa \frac{M\Theta}{TQ} &= 10^{-310} = 2.04003 m \frac{kgK}{sC} \quad (*) \\
1 ni'ucino \frac{M\Theta}{TQ} &= 10^{-300} = 242.303 \frac{kgK}{sC} \\
1 ni'ucino \frac{M\Theta}{TQ} &= 10^{-300} = 0.0331402 k \frac{kgK}{sC} \\
1 ni'uvovo \frac{M\Theta}{T^2Q} &= 10^{-440} = 101.220 m \frac{kgK}{s^2C} \\
1 ni'uvovo \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.0120242 \frac{kgK}{s^2C} \\
1 ni'uvoci \frac{M\Theta}{T^2Q} &= 10^{-430} = 1.42444 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 1242.11 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.151512 \frac{kg sK}{C} \\
1 pa \frac{MT\Theta}{Q} &= 10^{10} = 22.3543 k \frac{kg sK}{C} \\
1 ni'ure \frac{ML\Theta}{Q} &= 10^{-20} = 111.135 m \frac{kg mK}{C} \\
1 ni'ure \frac{ML\Theta}{Q} &= 10^{-20} = 0.0132030 \frac{kg mK}{C} \\
1 ni'upa \frac{ML\Theta}{Q} &= 10^{-10} = 2.00403 k \frac{kg mK}{C} \quad (*) \\
1 ni'ureno \frac{ML\Theta}{TQ} &= 10^{-200} = 0.00331413 m \frac{kg mK}{sC} \\
1 ni'upamu \frac{ML\Theta}{TQ} &= 10^{-150} = 0.433302 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.0100130 \cdot 10^{-140} \quad (*) \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 3.23444 \cdot 10^{-330} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.0235304 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 201.412 \cdot 10^{-320} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 0.224215 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.00152111 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 12.4342 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 2.54543 \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.0214311 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 143.403 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.100125 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 435.443 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 3.33245 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2014.04 \cdot 10^{-220} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 13.2505 \cdot 10^{-210} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.111512 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 124.340 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 1.04332 \cdot 10^{230} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.00511533 \cdot 10^{240} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.0220311 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 145.120 \cdot 10^{-250} \\
1k \frac{\text{kg K}}{\text{m C}} &= 1.22155 \cdot 10^{-240} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s C}} &= 443.510 \cdot 10^{-430} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 3.40335 \cdot 10^{-420} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.0250153 \cdot 10^{-410} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 13.4123 \cdot 10^{-1000} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.112534 \cdot 10^{-550} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 544.010 \cdot 10^{-550} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 1.05325 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 5202.53 \cdot 10^{-120} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 40.4305 \cdot 10^{-110} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 35.4003 \cdot 10^{-410} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.301325 \cdot 10^{-400} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 2203.15 \cdot 10^{-400} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 1.20042 \cdot 10^{-540} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.0101044 \cdot 10^{-530} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 44.3523 \cdot 10^{-530} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0241501 \cdot 10^{-1110} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 203.254 \cdot 10^{-1110} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 1.34130 \cdot 10^{-1100} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 1535.04 \cdot 10^{-240} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 12.5522 \cdot 10^{-230} \quad (*) \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.105331 \cdot 10^{-220} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.103433 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 504.033 \cdot 10^{-520} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 3.54015 \cdot 10^{-510}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 55.4300 \text{ k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \quad (***) \\
1 \text{ ni'ucici-} \frac{ML\Theta}{TQ} &= 10^{-330} = 0.142452 \text{ m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{TQ} &= 10^{-320} = 21.3224 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 0.00253301 \text{ k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ papa-} \frac{MLT\Theta}{Q} &= 10^{110} = 2.23552 \text{ m} \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 310.005 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 0.0403435 \text{ k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.200411 \text{ m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \quad (*) \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 23.4115 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 0.00322040 \text{ k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 5.54315 \text{ m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 0.00114202 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.140021 \text{ k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 253.310 \text{ m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 0.0344433 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 4.53125 \text{ k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.00403450 \text{ m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 0.515321 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 105.213 \text{ k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ ni'uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 23.1554 \text{ m} \frac{\text{kg K}}{\text{m C}} \quad (*) \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 3151.15 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 0.414302 \text{ k} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 1131.25 \text{ m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 0.134350 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 20.3555 \text{ k} \frac{\text{kg K}}{\text{m s C}} \quad (***) \\
1 \text{ ni'upanono-} \frac{M\Theta}{LT^2Q} &= 10^{-1000} = 0.0341310 \text{ m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 4.45015 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umuvo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 1012.14 \text{ k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.511005 \text{ m} \frac{\text{kg s K}}{\text{m C}} \quad (*) \\
1 \text{ ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 104.222 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 0.0124205 \text{ k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'uvopa-} \frac{M\Theta}{L^2Q} &= 10^{-410} = 0.0130431 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 1.54544 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 231.545 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umuvo-} \frac{M\Theta}{L^2TQ} &= 10^{-540} = 0.425332 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 54.5231 \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 0.0113123 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ ni'upapapa-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1110} = 21.1252 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 2510.01 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.341255 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 303.154 \text{ m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 0.0400135 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 5.10552 \text{ k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni'umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 5.23315 \text{ m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 0.00110124 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 0.130424 \text{ k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s C} = 2125.03 \cdot 10^{-1100}$	$1 ni' upanomu- \frac{M\Theta}{L^3 T Q} = 10^{-1050} = 240.104 m \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s C} = 14.2214 \cdot 10^{-1050}$	$1 ni' upanomu- \frac{M\Theta}{L^3 T Q} = 10^{-1050} = 0.0324353 \frac{kg\ K}{m^3 s C}$
$1k \frac{kg\ K}{m^3 s C} = 0.120045 \cdot 10^{-1040}$ (*)	$1 ni' upanovo- \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 4.25315 k \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 43.2211 \cdot 10^{-1230}$	$1 ni' upareci- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1230} = 0.0115151 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 0.330455 \cdot 10^{-1220}$ (*)	$1 ni' uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 1.41151 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 2415.10 \cdot 10^{-1220}$	$1 ni' uparepa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 211.243 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 3.13204 \cdot 10^{-350}$	$1 ni' ucimu- \frac{MT\Theta}{L^3 Q} = 10^{-350} = 0.150133 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 0.0230315 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 22.1513 \frac{kg\ s\ K}{m^3 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 153.512 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 0.00303144 k \frac{kg\ s\ K}{m^3 C}$
<hr/>	<hr/>
$1m CK = 143.114 \cdot 10^{-40}$	$1 ni' uvo-Q\Theta = 10^{-40} = 0.00323003 m CK$ (*)
$1 CK = 1.20435 \cdot 10^{-30}$	$1 ni' uci-Q\Theta = 10^{-30} = 0.423232 CK$
$1k CK = 0.0101345 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 54.2341 k CK$
$1m \frac{CK}{s} = 3.32304 \cdot 10^{-210}$	$1 ni' urepa- \frac{Q\Theta}{T} = 10^{-210} = 0.140301 m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.0243100 \cdot 10^{-200}$ (*)	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 21.0230 \frac{CK}{s}$
$1k \frac{CK}{s} = 204.303 \cdot 10^{-200}$	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 0.00245343 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 0.111314 \cdot 10^{-340}$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 4.54321 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 533.340 \cdot 10^{-340}$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 0.00102323 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 4.15322 \cdot 10^{-330}$	$1 ni' ucici- \frac{Q\Theta}{T^2} = 10^{-330} = 0.121553 k \frac{CK}{s^2}$ (*)
$1m s CK = 0.00510315 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 105.404 m s CK$
$1s CK = 35.5540 \cdot 10^{100}$ (*)	$1 pano-TQ\Theta = 10^{100} = 0.0130005 s CK$ (**)
$1ks CK = 0.303023 \cdot 10^{110}$	$1 papa-TQ\Theta = 10^{110} = 1.54003 ks CK$ (*)
$1mm CK = 0.101343 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 5.42400 m m CK$ (*)
$1m CK = 450.110 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 0.00112350 m CK$
$1km CK = 3.42224 \cdot 10^{50}$	$1 mu-LQ\Theta = 10^{50} = 0.133504 km CK$
$1m \frac{m CK}{s} = 2042.55 \cdot 10^{-100}$ (*)	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 245.353 m \frac{m CK}{s}$
$1 \frac{m CK}{s} = 13.5010 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 0.0335424 \frac{m CK}{s}$
$1k \frac{m CK}{s} = 0.113314 \cdot 10^{-40}$	$1 ni' uvo- \frac{LQ\Theta}{T} = 10^{-40} = 4.42423 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 41.5310 \cdot 10^{-230}$	$1 ni' ureci- \frac{LQ\Theta}{T^2} = 10^{-230} = 0.0122000 m \frac{m CK}{s^2}$ (**)
$1 \frac{m CK}{s^2} = 0.320001 \cdot 10^{-220}$ (**)	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 1.44444 \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 2323.33 \cdot 10^{-220}$	$1 ni' urepa- \frac{LQ\Theta}{T^2} = 10^{-210} = 215.551 k \frac{m CK}{s^2}$ (*)
$1m ms CK = 3.03013 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 0.154010 mm CK$
$1ms CK = 0.0221403 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 23.0432 ms CK$
$1km s CK = 150.040 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.00313342 km ms CK$
$1mm^2 CK = 34.2213 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.0133511 mm^2 CK$
$1m^2 CK = 0.251404 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 2.02555 m^2 CK$ (**)
$1km^2 CK = 2120.01 \cdot 10^{200}$	$1 repa-L^2 Q\Theta = 10^{210} = 241.110 km^2 CK$
$1m \frac{m^2 CK}{s} = 1.13311 \cdot 10^{20}$	$1 re- \frac{L^2 Q\Theta}{T} = 10^{20} = 0.442440 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 5504.45 \cdot 10^{20}$ (*)	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 100.520 \frac{m^2 CK}{s}$ (*)
$1k \frac{m^2 CK}{s} = 43.0354 \cdot 10^{30}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 0.0115450 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 0.0232324 \cdot 10^{-110}$	$1 ni' upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 21.5555 m \frac{m^2 CK}{s^2}$ (**)
$1 \frac{m^2 CK}{s^2} = 155.233 \cdot 10^{-110}$ (*)	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 3005.10 \frac{m^2 CK}{s^2}$ (*)
$1k \frac{m^2 CK}{s^2} = 1.31041 \cdot 10^{-100}$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.353030 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 1500.32 \cdot 10^{320}$ (*)	$1 cici-L^2 TQ\Theta = 10^{330} = 313.352 mm^2 s CK$
$1m^2 s CK = 12.3000 \cdot 10^{330}$ (**)	$1 cici-L^2 TQ\Theta = 10^{330} = 0.0412251 m^2 s CK$
$1km^2 s CK = 0.103204 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 5.25335 km^2 s CK$
$1m \frac{CK}{m} = 0.254111 \cdot 10^{-150}$	$1 ni' upamu- \frac{Q\Theta}{L} = 10^{-150} = 2.01120 m \frac{CK}{m}$
$1 \frac{CK}{m} = 0.00213540 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 234.521 \frac{CK}{m}$
$1k \frac{CK}{m} = 14.3121 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 0.0322552 k \frac{CK}{m}$ (*)
$1m \frac{CK}{ms} = 0.00555525 \cdot 10^{-320}$ (**)	$1 ni' ucire- \frac{Q\Theta}{LT} = 10^{-320} = 100.003 m \frac{CK}{ms}$ (*)

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 43.4334 \cdot 10^{-320} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 0.332315 \cdot 10^{-310} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 201.055 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{CK}}{\text{m s}^2} &= 1.32242 \cdot 10^{-450} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 0.0111321 \cdot 10^{-440} \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 12.4123 \cdot 10^{-20} \\
1 \frac{\text{s CK}}{\text{m}} &= 0.104150 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 510.333 \cdot 10^{-10} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 454.230 \cdot 10^{-310} \\
1 \frac{\text{CK}}{\text{m}^2} &= 3.45400 \cdot 10^{-300} \quad (*) \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.0254121 \cdot 10^{-250} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 14.0243 \cdot 10^{-440} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.114352 \cdot 10^{-430} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 555.545 \cdot 10^{-430} \quad (***) \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.322530 \cdot 10^{-1010} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.00234502 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 20.1103 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.0223431 \cdot 10^{-130} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 151.414 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 1.24125 \cdot 10^{-120} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 1.21543 \cdot 10^{-420} \\
1 \frac{\text{CK}}{\text{m}^3} &= 0.0102314 \cdot 10^{-410} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 45.4243 \cdot 10^{-410} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.0245323 \cdot 10^{-550} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 210.212 \cdot 10^{-550} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 1.40250 \cdot 10^{-540} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 542.300 \cdot 10^{-1130} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 4.23201 \cdot 10^{-1120} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.0322540 \cdot 10^{-1110} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 40.3233 \cdot 10^{-250} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 0.305432 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 2234.40 \cdot 10^{-240} \\
1 \text{m kg CK} &= 1.20011 \cdot 10^{-20} \quad (*) \\
1 \text{kg CK} &= 0.0101022 \cdot 10^{-10} \\
1 \text{k kg CK} &= 44.3331 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 0.0241354 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{s}} &= 203.204 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 1.34051 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 530.314 \cdot 10^{-330} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 4.13111 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 0.0314113 \cdot 10^{-310} \\
1 \text{m kg s CK} &= 35.3431 \cdot 10^{110} \\
1 \text{kg s CK} &= 0.301214 \cdot 10^{120} \\
1 \text{k kg s CK} &= 2202.22 \cdot 10^{120} \\
1 \text{m kg m CK} &= 443.314 \cdot 10^{50} \\
1 \text{kg m CK} &= 3.40211 \cdot 10^{100} \\
1 \text{k kg m CK} &= 0.0250045 \cdot 10^{110} \quad (*) \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 13.4044 \cdot 10^{-40} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.112504 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 543.352 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 0.0114402 \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 1.40254 \text{k} \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'umuno-} \frac{Q\Theta}{LT^2} &= 10^{-500} = 0.00254141 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvomo-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 0.345425 \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 45.4304 \text{k} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.0404511 \text{m} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 5.20533 \frac{\text{s CK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 1054.01 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 1113.30 \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.132253 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 20.1112 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{L^2 T} &= 10^{-440} = 0.0332342 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 4.34410 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1000.01 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (**) \\
1 \text{ni'upanopa-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1010} = 1.43133 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 213.554 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.0254132 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 22.4340 \text{m} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 3105.01 \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.404455 \text{k} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^3} &= 10^{-420} = 0.415353 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 53.3421 \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.0111324 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3 T} &= 10^{-550} = 20.4321 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 2431.20 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 0.332331 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 1013.54 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.120445 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 14.3130 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uremu-} \frac{TQ\Theta}{L^3} &= 10^{-250} = 0.0124424 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 1.52205 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 224.331 \text{k} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ure-MQ}\Theta &= 10^{-20} = 0.425515 \text{m kg CK} \quad (*) \\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 54.5450 \text{kg CK} \\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 0.0113153 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 21.1343 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 2511.10 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 0.341424 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 1031.00 \text{m} \frac{\text{kg CK}}{\text{s}^2} \quad (*) \\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 0.122432 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 14.5441 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{papa-MTQ}\Theta &= 10^{110} = 0.0130505 \text{m kg s CK} \\
1 \text{pare-MTQ}\Theta &= 10^{120} = 1.55032 \text{kg s CK} \quad (*) \\
1 \text{paci-MTQ}\Theta &= 10^{130} = 232.045 \text{k kg s CK} \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 1131.55 \text{m kg m CK} \quad (*) \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 0.134425 \text{kg m CK} \\
1 \text{papa-MLQ}\Theta &= 10^{110} = 20.4045 \text{k kg m CK} \\
1 \text{ni'uvo-} \frac{MLQ\Theta}{T} &= 10^{-40} = 0.0341435 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{MLQ\Theta}{T} &= 10^{-30} = 4.45212 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 1012.41 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 0.314103 \cdot 10^{-210} \\
1 \text{kg m CK} &= 0.00231105 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 15.4210 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 0.0220213 \cdot 10^{230} \\
1 \text{kg m s CK} &= 145.035 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 1.22123 \cdot 10^{240} \\
1 \text{m kg m}^2 \text{CK} &= 0.250040 \cdot 10^{210} \quad (*) \\
1 \text{kg m}^2 \text{CK} &= 0.00210442 \cdot 10^{220} \\
1 \text{k kg m}^2 \text{CK} &= 14.0443 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.00543333 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 42.4104 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.323333 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 154.202 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 1.30140 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.0105514 \cdot 10^{-40} \quad (*) \\
1 \text{m kg m}^2 \text{s CK} &= 12.2120 \cdot 10^{340} \\
1 \text{kg m}^2 \text{s CK} &= 0.102431 \cdot 10^{350} \\
1 \text{k kg m}^2 \text{s CK} &= 455.225 \cdot 10^{350} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 2124.11 \cdot 10^{-140} \\
1 \frac{\text{kg CK}}{\text{m}} &= 14.2134 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 0.120014 \cdot 10^{-120} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 43.2022 \cdot 10^{-310} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.330332 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 2414.03 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 1.31332 \cdot 10^{-440} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.0110522 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 53.0333 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 0.103405 \cdot 10^0 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 503.432 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 3.53443 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 3.43324 \cdot 10^{-250} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0252340 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 212.415 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.113535 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 552.403 \cdot 10^{-420} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 4.32035 \cdot 10^{-410} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2332.22 \cdot 10^{-1000} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 20.0023 \cdot 10^{-550} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.131335 \cdot 10^{-540} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 150.404 \cdot 10^{-120} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 1.23242 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 0.0103412 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 0.0101544 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 45.1425 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.343335 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 205.103 \cdot 10^{-540} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 1.35315 \cdot 10^{-530} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.0113541 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 4.20525 \cdot 10^{-1110} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.0321024 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{n}'urepa- \frac{MLQ\Theta}{T^2} &= 10^{-210} = 1.45444 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{n}'ureno- \frac{MLQ\Theta}{T^2} &= 10^{-200} = 221.135 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{n}'ureno- \frac{MLQ\Theta}{T^2} &= 10^{-200} = 0.0302303 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-}MLTQ\Theta &= 10^{230} = 23.2054 \text{m kg m s CK} \\
1 \text{revo-}MLTQ\Theta &= 10^{240} = 3152.34 \text{kg m s CK} \\
1 \text{revo-}MLTQ\Theta &= 10^{240} = 0.414443 \text{k kg m s CK} \\
1 \text{repa-}ML^2Q\Theta &= 10^{210} = 2.04053 \text{m kg m}^2 \text{CK} \\
1 \text{rere-}ML^2Q\Theta &= 10^{220} = 242.410 \text{kg m}^2 \text{CK} \\
1 \text{rere-}ML^2Q\Theta &= 10^{220} = 0.0331524 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 101.243 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.0120314 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 1.42525 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{n}'upano- \frac{ML^2Q\Theta}{T^2} &= 10^{-100} = 0.00302313 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{n}'umu- \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.355132 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \quad (*) \\
1 \text{n}'uvo- \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 50.5400 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \quad (*) \\
1 \text{civo-}ML^2TQ\Theta &= 10^{340} = 0.0414455 \text{m kg m}^2 \text{s CK} \quad (*) \\
1 \text{cimu-}ML^2TQ\Theta &= 10^{350} = 5.32354 \text{kg m}^2 \text{s CK} \\
1 \text{vono-}ML^2TQ\Theta &= 10^{400} = 1112.02 \text{k kg m}^2 \text{s CK} \\
1 \text{n}'upaci- \frac{MQ\Theta}{L} &= 10^{-130} = 240.210 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{n}'upaci- \frac{MQ\Theta}{L} &= 10^{-130} = 0.0324515 \frac{\text{kg CK}}{\text{m}} \\
1 \text{n}'upare- \frac{MQ\Theta}{L} &= 10^{-120} = 4.25503 \text{k} \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{n}'ucipa- \frac{MQ\Theta}{LT} &= 10^{-310} = 0.0115221 \text{m} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{n}'ucino- \frac{MQ\Theta}{LT} &= 10^{-300} = 1.41232 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{n}'uremu- \frac{MQ\Theta}{LT} &= 10^{-250} = 211.335 \text{k} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{n}'uvovo- \frac{MQ\Theta}{LT^2} &= 10^{-440} = 0.351512 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{n}'uvoci- \frac{MQ\Theta}{LT^2} &= 10^{-430} = 50.1135 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{n}'uvoci- \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.0103053 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 5.23524 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00110152 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 0.130502 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{n}'uremu- \frac{MQ\Theta}{L^2} &= 10^{-250} = 0.133205 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{n}'urevo- \frac{MQ\Theta}{L^2} &= 10^{-240} = 20.2200 \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{n}'urevo- \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.00240201 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{n}'uvore- \frac{MQ\Theta}{L^2T} &= 10^{-420} = 4.41134 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{n}'uvore- \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.00100321 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{n}'uvopa- \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.115215 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{n}'umumu- \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 215.131 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n}'umumu- \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 0.0255522 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \quad (***) \\
1 \text{n}'umuvo- \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 3.51501 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n}'upare- \frac{MTQ\Theta}{L^2} &= 10^{-120} = 0.00312340 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{n}'upapa- \frac{MTQ\Theta}{L^2} &= 10^{-110} = 0.411043 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{n}'upano- \frac{MTQ\Theta}{L^2} &= 10^{-100} = 52.3510 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{n}'uvono- \frac{MQ\Theta}{L^3} &= 10^{-400} = 54.0501 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{n}'uvono- \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.0112125 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{n}'ucimu- \frac{MQ\Theta}{L^3} &= 10^{-350} = 1.33202 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{n}'umuvo- \frac{MQ\Theta}{L^3T} &= 10^{-540} = 0.00244430 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{n}'umuci- \frac{MQ\Theta}{L^3T} &= 10^{-530} = 0.334324 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{n}'umure- \frac{MQ\Theta}{L^3T} &= 10^{-520} = 44.1121 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{n}'upapapa- \frac{MQ\Theta}{L^3T^2} &= 10^{-1110} = 0.121320 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n}'upapano- \frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 14.4120 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 233.231 \cdot 10^{-1100} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.304011 \cdot 10^{-230} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.00222240 \cdot 10^{-220} \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 15.0411 \cdot 10^{-220}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upapano-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1100} = 0.00215123 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{ni'ureci-} \frac{MTQ\Theta}{L^3} &= 10^{-230} = 1.53225 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 225.542 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.0312330 \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

### 1.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= 0.210354 \cdot 10^{-40} \\ \text{Electron mass} &= 13.1304 \cdot 10^{-50} \\ \text{Elementary charge} &= 0.145224 \cdot 10^0 \\ \text{Å}^{31} &= 43.5531 \cdot 10^{50} \quad (*) \\ \text{Bohr radius}^{32} &= 22.4510 \cdot 10^{50} \\ \text{Fine structure constant}^{33} &= 0.00132425 \cdot 10^0 \\ \text{Rydberg Energy}^{34} &= 15.2545 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^{35} &= 4.32331 \cdot 10^{-240} \\ \text{eV} &= 0.502252 \cdot 10^{-100} \\ \hbar^{36} &= 1.00000 \quad (***) \\ \lambda_{\text{yellow}} &= 3.24101 \cdot 10^{100} \\ k_{\text{yellow}}^{37} &= 1.45325 \cdot 10^{-100} \\ k_{\text{X-Ray}}^{38} &= 113.352 \cdot 10^{-40}\end{aligned}$$

$$\begin{aligned}1 \text{ni'uvu-M} &= 10^{-40} = 2.42510 m_p \\ 1 \text{ni'umu-M} &= 10^{-50} = 0.0352022 m_e \\ 1 Q &= 1 = 3.14514 e \\ 1 \text{mu-L} &= 10^{50} = 0.0114150 \text{Å} \\ 1 \text{mu-L} &= 10^{50} = 0.0223302 a_0 \\ 1 &= 1 = 345.012 \alpha \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.0304430 Ry \\ 1 \text{ni'urevo-} \frac{1}{L^3} &= 10^{-240} = 0.115125 \rho_{\max} \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 1.10340 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.00000 \cdot \hbar \quad (***) \\ 1 \text{pano-L} &= 10^{100} = 0.142343 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni'upano-} \frac{1}{L} &= 10^{-100} = 0.314324 \cdot k_{\text{yellow}} \\ 1 \text{ni'uvu-} \frac{1}{L} &= 10^{-40} = 0.00442201 \cdot k_{\text{X-Ray}}\end{aligned}$$

$$\begin{aligned}\text{Earth g} &= 0.0302001 \cdot 10^{-130} \quad (*) \\ \text{cm} &= 1.14142 \cdot 10^{110} \\ \text{min} &= 0.00453023 \cdot 10^{140} \\ \text{hour} &= 1.21104 \cdot 10^{140} \\ \text{Liter} &= 0.0135012 \cdot 10^{340} \\ \text{Area of a soccer field} &= 0.0154134 \cdot 10^{240} \\ 244 \text{m}^2^{39} &= 55.2325 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.00340 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.12504 \cdot 10^{-20} \\ \text{inch}^{40} &= 3.13322 \cdot 10^{110} \\ \text{mile} &= 4.23352 \cdot 10^{120} \\ \text{pound} &= 0.00202241 \cdot 10^{20} \\ \text{horsepower} &= 114.511 \cdot 10^{-150} \\ \text{kcal} &= 0.0333231 \cdot 10^{-10} \\ \text{kWh} &= 221.511 \cdot 10^{-10} \\ \text{Typical household electric field} &= 0.100000 \cdot 10^{-210} \quad (***) \\ \text{Earth magnetic field} &= 0.00124013 \cdot 10^{-200} \\ \text{Height of an average man}^{41} &= 0.00101532 \cdot 10^{120}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 15.4404 \cdot \text{Earth g} \\ 1 \text{papa-L} &= 10^{110} = 0.440001 \text{cm} \quad (**) \\ 1 \text{pavo-T} &= 10^{140} = 111.530 \text{min} \\ 1 \text{pavo-T} &= 10^{140} = 0.422032 \text{ h} \\ 1 \text{civo-L}^3 &= 10^{340} = 33.5415 l \\ 1 \text{revo-L}^2 &= 10^{240} = 30.2355 A \quad (*) \\ 1 \text{reci-L}^2 &= 10^{230} = 0.0100325 \cdot 244 \text{m}^2 \quad (*) \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.255032 \text{km/h} \quad (*) \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.150314 \text{mi/h} \\ 1 \text{papa-L} &= 10^{110} = 0.150051 \text{ in} \quad (*) \\ 1 \text{pare-L} &= 10^{120} = 0.120413 \text{ mi} \\ 1 \text{re-M} &= 10^{20} = 252.240 \text{ pound} \\ 1 \text{ni'upavo-} \frac{ML^2}{T^3} &= 10^{-140} = 4335.31 \text{horsepower} \\ 1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 14.0030 \text{kcal} \quad (*) \\ 1 \frac{ML^2}{T^2} &= 1 = 2303.21 \text{kWh} \\ 1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 10.0000 E_H \quad (**) \\ 1 \text{ni'ureno-} \frac{M}{T Q} &= 10^{-200} = 405.230 \cdot \text{Earth magnetic field} \\ 1 \text{pare-L} &= 10^{120} = 541.004 \bar{h} \quad (*)\end{aligned}$$

<sup>31</sup>Length in atomic and solid state physics, 1/14 nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>36</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\pi}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>100 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

Mass of an average man =  $1.25105 \cdot 10^{20}$

$1 \text{ re-}M = 10^{20} = 0.402105 \text{ m}$

Age of the Universe =  $311.313 \cdot 10^{200}$

$1 \text{ reno-}T = 10^{200} = 0.00151145 t_U$

Size of the observable Universe =  $14.5452 \cdot 10^{210}$

$1 \text{ repa-}L = 10^{210} = 0.0314052 l_U$

Average density of the Universe =  $251.000 \cdot 10^{-440}$  (\*\*)

$1 \text{ ni'uvovo-} \frac{M}{L^3} = 10^{-440} = 0.00203255 \rho_U$  (\*)

Earth mass =  $0.323055 \cdot 10^{110}$  (\*)

$1 \text{ papa-}M = 10^{110} = 1.43045 m_E$

Sun mass<sup>42</sup> =  $4.02310 \cdot 10^{120}$

$1 \text{ pare-}M = 10^{120} = 0.125023 m_S$

Year =  $0.131241 \cdot 10^{150}$

$1 \text{ pamu-}T = 10^{150} = 3.52124 \text{ y}$

Speed of Light =  $1.00000$  (\*\*\*)

$1 \frac{L}{T} = 1 = 1.00000 c$  (\*\*\*)

Parsec =  $0.500503 \cdot 10^{150}$  (\*)

$1 \text{ pamu-}L = 10^{150} = 1.10555 \text{ pc}$  (\*\*)

Astronomical unit =  $0.104524 \cdot 10^{140}$

$1 \text{ pavo-}L = 10^{140} = 5.14032 \text{ au}$

Earth radius =  $0.213140 \cdot 10^{130}$

$1 \text{ paci-}L = 10^{130} = 2.35401 r_E$

Distance Earth-Moon =  $34.4121 \cdot 10^{130}$

$1 \text{ paci-}L = 10^{130} = 0.0133030 d_M$

Momentum of someone walking<sup>43</sup> =  $532.001 \cdot 10^0$  (\*)

$1 \frac{ML}{T} = 1 = 0.00102514 \cdot \text{Momentum of someone walking}$

Stefan-Boltzmann constant =  $0.0553104 \cdot 10^0$  (\*)

$1 \frac{M}{T^3 \Theta^4} = 1 = 10.0251 \frac{\pi^2}{140} = \sigma$

mol =  $2.42022 \cdot 10^{50}$

$1 \text{ mu-} = 10^{50} = 0.211144 \text{ mol}$

Standard temperature<sup>44</sup> =  $0.00414344 \cdot 10^{-100}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 122.142 T_0$

Room - standard temperature<sup>45</sup> =  $151.533 \cdot 10^{-110}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 3102.45 \Theta_R$

atm =  $0.0152432 \cdot 10^{-350}$

$1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 30.5031 \text{ atm}$

$c_s = 0.0153103 \cdot 10^{-10}$

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.4223 \cdot c_s$

$\mu_0 = 1.00000$  (\*\*\*)

$1 \frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0$  (\*\*\*)

$G = 1.00000$  (\*\*\*)

$1 \frac{L^3}{MT^2} = 1 = 1.00000 \cdot G$  (\*\*\*)

### Extensive list of SI units

$1 \text{ m} = 114.354 \cdot 10^{-10}$

$1 = 1 = 4344.00 \text{ m}$  (\*)

$1 = 1 = 1.00000$  (\*\*\*)

$1 = 1 = 1.00000$  (\*\*\*)

$1 \text{ k} = 4344.00 \cdot 10^0$  (\*)

$1 \text{ pa-} = 10^{10} = 114.354 \text{ k}$

$1 \text{ m} \frac{1}{\text{s}} = 2.34505 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.213551 \text{ m} \frac{1}{\text{s}}$  (\*)

$1 \frac{1}{\text{s}} = 0.0201105 \cdot 10^{-130}$

$1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 25.4124 \frac{1}{\text{s}}$

$1 \text{ k} \frac{1}{\text{s}} = 132.251 \cdot 10^{-130}$

$1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 3454.05 \text{ k} \frac{1}{\text{s}}$

$1 \text{ m} \frac{1}{\text{s}^2} = 0.0520504 \cdot 10^{-310}$

$1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 10.4153 \text{ m} \frac{1}{\text{s}^2}$

$1 \frac{1}{\text{s}^2} = 404.450 \cdot 10^{-310}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 1241.31 \frac{1}{\text{s}^2}$

$1 \text{ k} \frac{1}{\text{s}^2} = 3.10453 \cdot 10^{-300}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.151420 \text{ k} \frac{1}{\text{s}^2}$

$1 \text{ m s} = 3454.05 \cdot 10^{120}$

$1 \text{ paci-}T = 10^{130} = 132.251 \text{ m s}$

$1 \text{ s} = 25.4124 \cdot 10^{130}$

$1 \text{ paci-}T = 10^{130} = 0.0201105 \text{ s}$

$1 \text{ k s} = 0.213551 \cdot 10^{140}$  (\*)

$1 \text{ pavo-}T = 10^{140} = 2.34505 \text{ k s}$

$1 \text{ m m} = 0.0434343 \cdot 10^{110}$

$1 \text{ papa-}L = 10^{110} = 11.4400 \text{ m m}$  (\*)

$1 \text{ m} = 332.323 \cdot 10^{110}$

$1 \text{ pare-}L = 10^{120} = 1402.52 \text{ m}$

$1 \text{ k m} = 2.43112 \cdot 10^{120}$

$1 \text{ pare-}L = 10^{120} = 0.210215 \text{ k m}$

$1 \text{ m} \frac{\text{m}}{\text{s}} = 0.00132244 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.420 \text{ m} \frac{\text{m}}{\text{s}}$

$1 \frac{\text{m}}{\text{s}} = 11.1322 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.0454254 \frac{\text{m}}{\text{s}}$

$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.0533410 \cdot 10^{-10}$

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.2320 \text{ k} \frac{\text{m}}{\text{s}}$

$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 31.0443 \cdot 10^{-200}$

$1 \text{ ni'ureno-} \frac{L}{T^2} = 10^{-200} = 0.0151424 \text{ m} \frac{\text{m}}{\text{s}^2}$

$1 \frac{\text{m}}{\text{s}^2} = 0.224324 \cdot 10^{-150}$

$1 \text{ ni'upamu-} \frac{L}{T^2} = 10^{-150} = 2.23443 \frac{\text{m}}{\text{s}^2}$

$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 0.00152202 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{L}{T^2} = 10^{-140} = 305.440 \text{ k} \frac{\text{m}}{\text{s}^2}$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>32 °C

$1 \text{m m s} = 2.13543 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 0.234514 \text{ m m s}$
$1 \text{m s} = 0.0143123 \cdot 10^{250}$	$1 \text{remu-}LT = 10^{250} = 32.2544 \text{ m s}$
$1 \text{k m s} = 120.444 \cdot 10^{250}$	$1 \text{cino-}LT = 10^{300} = 4232.10 \text{ k m s}$
$1 \text{m m}^2 = 24.3103 \cdot 10^{220}$	$1 \text{rere-}L^2 = 10^{220} = 0.0210223 \text{ m m}^2$
$1 \text{m}^2 = 0.204310 \cdot 10^{230}$	$1 \text{reci-}L^2 = 10^{230} = 2.45340 \text{ m}^2$
$1 \text{k m}^2 = 0.00135015 \cdot 10^{240}$	$1 \text{revo-}L^2 = 10^{240} = 335.404 \text{ k m}^2$
$1 \text{m} \frac{\text{m}^2}{\text{s}} = 0.533351 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2}{T} = 10^{50} = 1.02322 \text{ m} \frac{\text{m}^2}{\text{s}}$
$1 \frac{\text{m}^2}{\text{s}} = 0.00415331 \cdot 10^{100}$	$1 \text{pano-} \frac{L^2}{T} = 10^{100} = 121.551 \frac{\text{m}^2}{\text{s}} \quad (*)$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 32.0020 \cdot 10^{100} \quad (*)$	$1 \text{pano-} \frac{L^2}{T^2} = 10^{100} = 0.0144435 \text{ k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m} \frac{\text{m}^2}{\text{s}^2} = 0.0152155 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvu-} \frac{L^2}{T^2} = 10^{-40} = 30.5450 \text{ m} \frac{\text{m}^2}{\text{s}^2}$
$1 \frac{\text{m}^2}{\text{s}^2} = 124.420 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{L^2}{T^2} = 10^{-40} = 0.00403254 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 1.04403 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{L^2}{T^2} = 10^{-30} = 0.515052 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 0.00120441 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 423.222 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 10.1350 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 0.0542330 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.0450133 \cdot 10^{410}$	$1 \text{vopa-}L^2T = 10^{410} = 11.2342 \text{ k m}^2 \text{s}$
$1 \text{m} \frac{1}{\text{m}} = 0.210215 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{1}{L} = 10^{-120} = 2.43112 \text{ m} \frac{1}{\text{m}}$
$1 \frac{1}{\text{m}} = 1402.52 \cdot 10^{-120}$	$1 \text{ni'upapa-} \frac{1}{L} = 10^{-110} = 332.323 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 11.4400 \cdot 10^{-110} \quad (*)$	$1 \text{ni'upapa-} \frac{1}{L} = 10^{-110} = 0.0434343 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 4232.10 \cdot 10^{-300}$	$1 \text{ni'uremu-} \frac{1}{LT} = 10^{-250} = 120.444 \text{ m} \frac{1}{\text{m s}}$
$1 \frac{1}{\text{m s}} = 32.2544 \cdot 10^{-250}$	$1 \text{ni'uremu-} \frac{1}{LT} = 10^{-250} = 0.0143123 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 0.234514 \cdot 10^{-240}$	$1 \text{ni'urevo-} \frac{1}{LT} = 10^{-240} = 2.13543 \text{ k} \frac{1}{\text{m s}}$
$1 \text{m} \frac{1}{\text{m s}^2} = 130.000 \cdot 10^{-430} \quad (**)$	$1 \text{ni'uvore-} \frac{1}{LT^2} = 10^{-420} = 4000.00 \text{ m} \frac{1}{\text{m s}^2} \quad (**)$
$1 \frac{1}{\text{m s}^2} = 1.05400 \cdot 10^{-420} \quad (*)$	$1 \text{ni'uvore-} \frac{1}{LT^2} = 10^{-420} = 0.510343 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 5205.22 \cdot 10^{-420}$	$1 \text{ni'uvopa-} \frac{1}{LT^2} = 10^{-410} = 104.151 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m} \frac{\text{s}}{\text{m}} = 10.2320 \cdot 10^{10}$	$1 \text{pa-} \frac{T}{L} = 10^{10} = 0.0533410 \text{ m} \frac{\text{s}}{\text{m}}$
$1 \frac{\text{s}}{\text{m}} = 0.0454254 \cdot 10^{20}$	$1 \text{re-} \frac{T}{L} = 10^{20} = 11.1322 \frac{\text{s}}{\text{m}}$
$1 \text{k} \frac{\text{s}}{\text{m}} = 345.420 \cdot 10^{20}$	$1 \text{re-} \frac{T}{L} = 10^{20} = 0.00132244 \text{ k} \frac{\text{s}}{\text{m}}$
$1 \text{m} \frac{1}{\text{m}^2} = 335.404 \cdot 10^{-240}$	$1 \text{ni'urevo-} \frac{1}{L^2} = 10^{-240} = 0.00135015 \text{ m} \frac{1}{\text{m}^2}$
$1 \frac{1}{\text{m}^2} = 2.45340 \cdot 10^{-230}$	$1 \text{ni'ureci-} \frac{1}{L^2} = 10^{-230} = 0.204310 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.0210223 \cdot 10^{-220}$	$1 \text{ni'urere-} \frac{1}{L^2} = 10^{-220} = 24.3103 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m} \frac{1}{\text{m}^2 \text{s}} = 11.2342 \cdot 10^{-410}$	$1 \text{ni'uvopa-} \frac{1}{L^2 T} = 10^{-410} = 0.0450133 \text{ m} \frac{1}{\text{m}^2 \text{s}}$
$1 \frac{1}{\text{m}^2 \text{s}} = 0.0542330 \cdot 10^{-400}$	$1 \text{ni'uvono-} \frac{1}{L^2 T} = 10^{-400} = 10.1350 \frac{1}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{1}{\text{m}^2 \text{s}} = 423.222 \cdot 10^{-400}$	$1 \text{ni'uvono-} \frac{1}{L^2 T} = 10^{-400} = 0.00120441 \text{ k} \frac{1}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{1}{\text{m}^2 \text{s}^2} = 0.230420 \cdot 10^{-540}$	$1 \text{ni'umuovo-} \frac{1}{L^2 T^2} = 10^{-540} = 2.21414 \text{ m} \frac{1}{\text{m}^2 \text{s}^2}$
$1 \frac{1}{\text{m}^2 \text{s}^2} = 1540.00 \cdot 10^{-540} \quad (*)$	$1 \text{ni'umuci-} \frac{1}{L^2 T^2} = 10^{-530} = 303.030 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{1}{\text{m}^2 \text{s}^2} = 13.0003 \cdot 10^{-530} \quad (**)$	$1 \text{ni'umuci-} \frac{1}{L^2 T^2} = 10^{-530} = 0.0355545 \text{ k} \frac{1}{\text{m}^2 \text{s}^2} \quad (**)$
$1 \text{m} \frac{\text{s}}{\text{m}^2} = 0.0144435 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{1}{L^2} = 10^{-100} = 32.0020 \text{ m} \frac{\text{s}}{\text{m}^2} \quad (*)$
$1 \frac{\text{s}}{\text{m}^2} = 121.551 \cdot 10^{-100} \quad (*)$	$1 \text{ni'upano-} \frac{1}{L^2} = 10^{-100} = 0.00415331 \frac{\text{s}}{\text{m}^2}$
$1 \text{k} \frac{\text{s}}{\text{m}^2} = 1.02322 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{T}{L^2} = 10^{-50} = 0.533351 \text{ k} \frac{\text{s}}{\text{m}^2}$
$1 \text{m} \frac{1}{\text{m}^3} = 1.00512 \cdot 10^{-350} \quad (*)$	$1 \text{ni'ucimu-} \frac{1}{L^3} = 10^{-350} = 0.550520 \text{ m} \frac{1}{\text{m}^3} \quad (*)$
$1 \frac{1}{\text{m}^3} = 0.00442413 \cdot 10^{-340}$	$1 \text{ni'ucivo-} \frac{1}{L^3} = 10^{-340} = 113.315 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 33.5415 \cdot 10^{-340}$	$1 \text{ni'ucivo-} \frac{1}{L^3} = 10^{-340} = 0.0135012 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{m}^3 \text{s}} = 0.0202545 \cdot 10^{-520}$	$1 \text{ni'umure-} \frac{1}{L^3 T} = 10^{-520} = 25.1421 \text{ m} \frac{1}{\text{m}^3 \text{s}}$
$1 \frac{1}{\text{m}^3 \text{s}} = 133.502 \cdot 10^{-520}$	$1 \text{ni'umure-} \frac{1}{L^3 T} = 10^{-520} = 0.00342233 \frac{1}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{1}{\text{m}^3 \text{s}} = 1.12345 \cdot 10^{-510}$	$1 \text{ni'umupa-} \frac{1}{L^3 T} = 10^{-510} = 0.450120 \text{ k} \frac{1}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{1}{\text{m}^3 \text{s}^2} = 412.225 \cdot 10^{-1100}$	$1 \text{ni'upapano-} \frac{1}{L^3 T^2} = 10^{-1100} = 0.00123004 \text{ m} \frac{1}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{s}^2} = 3.13334 \cdot 10^{-1050}$	$1 \text{ni'upanomu-} \frac{1}{L^3 T^2} = 10^{-1050} = 0.150042 \frac{1}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{k} \frac{1}{\text{m}^3 \text{s}^2} = 0.0230424 \cdot 10^{-1040}$	$1 \text{ni'upanovo-} \frac{1}{L^3 T^2} = 10^{-1040} = 22.1410 \text{ k} \frac{1}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{s}}{\text{m}^3} = 30.0452 \cdot 10^{-220}$	$1 \text{ni'urere-} \frac{T}{L^3} = 10^{-220} = 0.0155243 \text{ m} \frac{\text{s}}{\text{m}^3} \quad (*)$
$1 \frac{\text{s}}{\text{m}^3} = 0.215544 \cdot 10^{-210} \quad (*)$	$1 \text{ni'urepa-} \frac{T}{L^3} = 10^{-210} = 2.32340 \frac{\text{s}}{\text{m}^3}$

$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.00144442 \cdot 10^{-200}$	$1\text{ni}'\text{ureno-}\frac{T}{L^3} = 10^{-200} = 320.005\text{k}\frac{\text{s}}{\text{m}^3}$ (*)
$1\text{m kg} = 0.552415 \cdot 10^{10}$ (*)	$1\text{pa-}M = 10^{10} = 1.00320\text{ m kg}$ (*)
$1\text{kg} = 0.00432045 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 115.213\text{ kg}$
$1\text{k kg} = 33.0351 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 0.0141222\text{ k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 0.0200025 \cdot 10^{-120}$ (**)	$1\text{ni}'\text{upare-}\frac{M}{T} = 10^{-120} = 25.5514\text{ m}\frac{\text{kg}}{\text{s}}$ (*)
$1\frac{\text{kg}}{\text{s}} = 131.341 \cdot 10^{-120}$	$1\text{ni}'\text{upare-}\frac{M}{T} = 10^{-120} = 0.00351452\text{ }\frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 1.10525 \cdot 10^{-110}$	$1\text{ni}'\text{upapa-}\frac{M}{T} = 10^{-110} = 0.501111\text{ k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 402.313 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-}\frac{M}{T^2} = 10^{-300} = 0.00125022\text{ m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 3.05024 \cdot 10^{-250}$	$1\text{ni}'\text{uremu-}\frac{M}{T^2} = 10^{-250} = 0.152434\text{ }\frac{\text{kg}}{\text{s}^2}$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 0.0223130 \cdot 10^{-240}$	$1\text{ni}'\text{urevo-}\frac{M}{T^2} = 10^{-240} = 22.5043\text{ k}\frac{\text{kg}}{\text{s}^2}$
$1\text{m kg s} = 25.2343 \cdot 10^{140}$	$1\text{pavo-}MT = 10^{140} = 0.0202153\text{ m kg s}$
$1\text{kg s} = 0.212422 \cdot 10^{150}$	$1\text{pamu-}MT = 10^{150} = 2.40153\text{ kg s}$
$1\text{k kg s} = 0.00142143 \cdot 10^{200}$	$1\text{reno-}MT = 10^{200} = 324.500\text{ k kg s}$ (*)
$1\text{m kg m} = 330.341 \cdot 10^{120}$	$1\text{pare-}ML = 10^{120} = 0.00141230\text{ m kg m}$
$1\text{kg m} = 2.41410 \cdot 10^{130}$	$1\text{paci-}ML = 10^{130} = 0.211332\text{ kg m}$
$1\text{k kg m} = 0.0203215 \cdot 10^{140}$	$1\text{pavo-}ML = 10^{140} = 25.1053\text{ k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 11.0523 \cdot 10^{-10}$	$1\text{ni}'\text{upa-}\frac{ML}{T} = 10^{-10} = 0.0501125\text{ m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.0530343 \cdot 10^0$	$1\frac{ML}{T} = 1 = 10.3052\text{ }\frac{\text{kg m}}{\text{s}}$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 413.133 \cdot 10^0$	$1\frac{ML}{T} = 1 = 0.00122423\text{ k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 0.223121 \cdot 10^{-140}$	$1\text{ni}'\text{upavo-}\frac{ML}{T^2} = 10^{-140} = 2.25052\text{ m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 1511.50 \cdot 10^{-140}$	$1\text{ni}'\text{upaci-}\frac{ML}{T^2} = 10^{-130} = 311.311\text{ }\frac{\text{kg m}}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 12.3533 \cdot 10^{-130}$	$1\text{ni}'\text{upaci-}\frac{ML}{T^2} = 10^{-130} = 0.0405422\text{ k}\frac{\text{kg m}}{\text{s}^2}$
$1\text{m kg m s} = 0.0142140 \cdot 10^{300}$	$1\text{cino-}MLT = 10^{300} = 32.4510\text{ m kg m s}$
$1\text{kg m s} = 120.015 \cdot 10^{300}$	$1\text{cino-}MLT = 10^{300} = 0.00425453\text{ kg m s}$
$1\text{k kg m s} = 1.01025 \cdot 10^{310}$	$1\text{cipa-}MLT = 10^{310} = 0.545420\text{ k kg m s}$
$1\text{m kg m}^2 = 0.203211 \cdot 10^{240}$	$1\text{revo-}ML^2 = 10^{240} = 2.51102\text{ m kg m}^2$
$1\text{kg m}^2 = 1340.53 \cdot 10^{240}$	$1\text{remu-}ML^2 = 10^{250} = 341.415\text{ kg m}^2$
$1\text{k kg m}^2 = 11.2512 \cdot 10^{250}$	$1\text{remu-}ML^2 = 10^{250} = 0.0445145\text{ k kg m}^2$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 4131.20 \cdot 10^{100}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 122.430\text{ m}\frac{\text{kg m}^2}{\text{s}}$
$1\frac{\text{kg m}^2}{\text{s}} = 31.4121 \cdot 10^{110}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 0.0145435\text{ }\frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.231121 \cdot 10^{120}$	$1\text{pare-}\frac{ML^2}{T} = 10^{120} = 2.21124\text{ k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 123.531 \cdot 10^{-30}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 4054.34\text{ m}\frac{\text{kg m}^2}{\text{s}^2}$
$1\frac{\text{kg m}^2}{\text{s}^2} = 1.04021 \cdot 10^{-20}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 0.522034\text{ }\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 5052.50 \cdot 10^{-20}$	$1\text{ni}'\text{upa-}\frac{ML^2}{T^2} = 10^{-10} = 105.532\text{ k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2\text{s} = 10.1023 \cdot 10^{410}$	$1\text{vopa-}ML^2T = 10^{410} = 0.0545435\text{ m kg m}^2\text{s}$
$1\text{kg m}^2\text{s} = 0.0443341 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 11.3151\text{ kg m}^2\text{s}$
$1\text{k kg m}^2\text{s} = 340.231 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 0.00134420\text{ k kg m}^2\text{s}$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.00135321 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 334.320\text{ m}\frac{\text{kg}}{\text{m}}$
$1\frac{\text{kg}}{\text{m}} = 11.3543 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 0.0441111\text{ }\frac{\text{kg}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = 0.0552434 \cdot 10^{-50}$ (*)	$1\text{ni}'\text{umu-}\frac{M}{L} = 10^{-50} = 10.0314\text{ k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = 32.1032 \cdot 10^{-240}$	$1\text{ni}'\text{urevo-}\frac{M}{LT} = 10^{-240} = 0.01441114\text{ m}\frac{\text{kg}}{\text{m s}}$
$1\frac{\text{kg}}{\text{m s}} = 0.233234 \cdot 10^{-230}$	$1\text{ni}'\text{ureci-}\frac{M}{LT} = 10^{-230} = 2.15120\text{ }\frac{\text{kg}}{\text{m s}}$
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.00200033 \cdot 10^{-220}$ (**)	$1\text{ni}'\text{urere-}\frac{M}{LT} = 10^{-220} = 255.505\text{ k}\frac{\text{kg}}{\text{m s}}$ (*)
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 1.05011 \cdot 10^{-410}$	$1\text{ni}'\text{uvopa-}\frac{M}{LT^2} = 10^{-410} = 0.513301\text{ m}\frac{\text{kg}}{\text{m s}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 0.00513545 \cdot 10^{-400}$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 104.534\text{ }\frac{\text{kg}}{\text{m s}^2}$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 40.2325 \cdot 10^{-400}$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 0.0125015\text{ k}\frac{\text{kg}}{\text{m s}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 0.0451435 \cdot 10^{30}$	$1\text{ci-}\frac{MT}{L} = 10^{30} = 11.2123\text{ m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 343.344 \cdot 10^{30}$	$1\text{vo-}\frac{MT}{L} = 10^{40} = 1332.00\text{ }\frac{\text{kg s}}{\text{m}}$ (*)
$1\text{k}\frac{\text{kg s}}{\text{m}} = 2.52353 \cdot 10^{40}$	$1\text{vo-}\frac{MT}{L} = 10^{40} = 0.202150\text{ k}\frac{\text{kg s}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m}^2} = 2.44022 \cdot 10^{-220}$	$1\text{ni}'\text{urere-}\frac{M}{L^2} = 10^{-220} = 0.205413\text{ m}\frac{\text{kg}}{\text{m}^2}$

$1 \frac{\text{kg}}{\text{m}^2} = 0.0205113 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa-} \frac{M}{L^2} = 10^{-210} = 24.4414 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 135.324 \cdot 10^{-210}$	$1 \text{ni}'\text{ureno-} \frac{M}{L^2} = 10^{-200} = 3343.05 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.0535240 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu-} \frac{M}{L^2 T} = 10^{-350} = 10.2120 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 420.551 \cdot 10^{-350} \quad (*)$	$1 \text{ni}'\text{ucivo-} \frac{M}{L^2 T} = 10^{-340} = 1213.12 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 3.21043 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo-} \frac{M}{L^2 T^2} = 10^{-340} = 0.144111 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.00152534 \cdot 10^{-520}$	$1 \text{ni}'\text{umure-} \frac{M}{L^2 T^2} = 10^{-520} = 304.445 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 12.5105 \cdot 10^{-520}$	$1 \text{ni}'\text{umure-} \frac{M}{L^2 T^2} = 10^{-520} = 0.0402105 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.105013 \cdot 10^{-510}$	$1 \text{ni}'\text{umupa-} \frac{M}{L^2 T^2} = 10^{-510} = 5.13243 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 121.115 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo-} \frac{MT}{L^2} = 10^{-40} = 4215.54 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 1.01551 \cdot 10^{-40} \quad (*)$	$1 \text{ni}'\text{uvo-} \frac{MT}{L^2} = 10^{-40} = 0.540432 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 4514.53 \cdot 10^{-40}$	$1 \text{ni}'\text{uci-} \frac{MT}{L^2} = 10^{-30} = 112.121 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4400.40 \cdot 10^{-340} \quad (*)$	$1 \text{ni}'\text{ucici-} \frac{M}{L^3} = 10^{-330} = 114.131 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 33.3415 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici-} \frac{M}{L^3} = 10^{-330} = 0.0135540 \frac{\text{kg}}{\text{m}^3} \quad (*)$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.244031 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire-} \frac{M}{L^3} = 10^{-320} = 2.05405 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 132.544 \cdot 10^{-510}$	$1 \text{ni}'\text{umuno-} \frac{M}{L^3 T} = 10^{-500} = 3443.01 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.11542 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno-} \frac{M}{L^3 T} = 10^{-500} = 0.452525 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 5352.54 \cdot 10^{-500}$	$1 \text{ni}'\text{uvomu-} \frac{M}{L^3 T} = 10^{-450} = 102.114 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 3.11452 \cdot 10^{-1040}$	$1 \text{ni}'\text{upanovo-} \frac{M}{L^3 T^2} = 10^{-1040} = 0.151051 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.0225211 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanoci-} \frac{M}{L^3 T^2} = 10^{-1030} = 22.3003 \frac{\text{kg}}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 152.542 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanore-} \frac{M}{L^3 T^2} = 10^{-1020} = 3044.35 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.214404 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno-} \frac{MT}{L^3} = 10^{-200} = 2.34013 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 1434.45 \cdot 10^{-200}$	$1 \text{ni}'\text{upamu-} \frac{MT}{L^3} = 10^{-150} = 321.513 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 12.1122 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{MT}{L^3} = 10^{-150} = 0.0421542 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 312.545 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo-} \frac{1}{Q} = 10^{-40} = 1502.52 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 2.30130 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{1}{Q} = 10^{-40} = 0.222054 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.0153350 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \frac{1}{Q} = 10^{-30} = 30.3355 \text{k} \frac{1}{\text{C}} \quad (*)$
$1 \text{m} \frac{1}{\text{s C}} = 10.3345 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{1}{TQ} = 10^{-220} = 0.0524110 \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 0.0503254 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa-} \frac{1}{TQ} = 10^{-210} = 11.0214 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 353.330 \cdot 10^{-210}$	$1 \text{ni}'\text{ureno-} \frac{1}{TQ} = 10^{-200} = 1305.31 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.212325 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu-} \frac{1}{T^2 Q} = 10^{-350} = 2.40300 \text{m} \frac{1}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.00142102 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo-} \frac{1}{T^2 Q} = 10^{-340} = 325.022 \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 11.5551 \cdot 10^{-340} \quad (**)$	$1 \text{ni}'\text{ucivo-} \frac{1}{T^2 Q} = 10^{-340} = 0.0430030 \text{k} \frac{1}{\text{s}^2 \text{C}} \quad (*)$
$1 \text{m} \frac{s}{\text{C}} = 0.0133311 \cdot 10^{50}$	$1 \text{mu-} \frac{T}{Q} = 10^{50} = 34.3055 \text{m} \frac{s}{\text{C}} \quad (*)$
$1 \frac{s}{\text{C}} = 112.220 \cdot 10^{50}$	$1 \text{pano-} \frac{T}{Q} = 10^{100} = 4511.01 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 0.541303 \cdot 10^{100}$	$1 \text{pano-} \frac{T}{Q} = 10^{100} = 1.01501 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 0.153342 \cdot 10^{30}$	$1 \text{ci-} \frac{L}{Q} = 10^{30} = 3.03405 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 0.00125420 \cdot 10^{40}$	$1 \text{vo-} \frac{L}{Q} = 10^{40} = 400.430 \frac{m}{\text{C}} \quad (*)$
$1 \text{k} \frac{m}{\text{C}} = 10.5241 \cdot 10^{40}$	$1 \text{vo-} \frac{L}{Q} = 10^{40} = 0.0511333 \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.00353314 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{L}{TQ} = 10^{-100} = 130.534 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 30.1115 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{L}{TQ} = 10^{-100} = 0.0155110 \frac{m}{\text{s C}} \quad (*)$
$1 \text{k} \frac{m}{\text{s C}} = 0.220135 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L}{TQ} = 10^{-50} = 2.32134 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 115.544 \cdot 10^{-240}$	$1 \text{ni}'\text{urevo-} \frac{L}{T^2 Q} = 10^{-240} = 0.00430043 \text{m} \frac{m}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{m}{\text{s}^2 \text{C}} = 1.01002 \cdot 10^{-230} \quad (*)$	$1 \text{ni}'\text{ureci-} \frac{L}{T^2 Q} = 10^{-230} = 0.550040 \frac{m}{\text{s}^2 \text{C}} \quad (**)$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.00443201 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{L}{T^2 Q} = 10^{-220} = 113.215 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 5.41244 \cdot 10^{200}$	$1 \text{reno-} \frac{LT}{Q} = 10^{200} = 0.101503 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 0.0422312 \cdot 10^{210}$	$1 \text{repa-} \frac{LT}{Q} = 10^{210} = 12.1014 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 322.155 \cdot 10^{210} \quad (*)$	$1 \text{rere-} \frac{LT}{Q} = 10^{220} = 1433.22 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 105.235 \cdot 10^{140}$	$1 \text{pavo-} \frac{L^2}{Q} = 10^{140} = 0.00511351 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 0.515505 \cdot 10^{150} \quad (*)$	$1 \text{pamu-} \frac{L^2}{Q} = 10^{150} = 1.04311 \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 0.00404012 \cdot 10^{200} \\
1m \frac{m^2}{sC} &= 2.20131 \cdot 10^{10} \\
1 \frac{m^2}{sC} &= 0.0145002 \cdot 10^{20} \quad (*) \\
1k \frac{m^2}{sC} &= 122.055 \cdot 10^{20} \quad (*) \\
1m \frac{m^2}{s^2C} &= 0.0443144 \cdot 10^{-120} \\
1 \frac{m^2}{s^2C} &= 340.101 \cdot 10^{-120} \\
1k \frac{m^2}{s^2C} &= 2.45553 \cdot 10^{-110} \quad (***) \\
1m \frac{m^2 s}{C} &= 0.00322144 \cdot 10^{320} \\
1 \frac{m^2 s}{C} &= 23.4211 \cdot 10^{320} \\
1k \frac{m^2 s}{C} &= 0.200452 \cdot 10^{330} \quad (*) \\
1m \frac{1}{mC} &= 0.524301 \cdot 10^{-200} \\
1 \frac{1}{mC} &= 4113.43 \cdot 10^{-200} \\
1k \frac{1}{mC} &= 31.2555 \cdot 10^{-150} \quad (***) \\
1m \frac{1}{msC} &= 0.0150331 \cdot 10^{-330} \\
1 \frac{1}{msC} &= 123.214 \cdot 10^{-330} \\
1k \frac{1}{msC} &= 1.03351 \cdot 10^{-320} \\
1m \frac{1}{ms^2C} &= 343.213 \cdot 10^{-510} \\
1 \frac{1}{ms^2C} &= 2.52243 \cdot 10^{-500} \\
1k \frac{1}{ms^2C} &= 0.0212334 \cdot 10^{-450} \\
1m \frac{s}{mC} &= 24.0353 \cdot 10^{-30} \\
1 \frac{s}{mC} &= 0.202325 \cdot 10^{-20} \\
1k \frac{s}{mC} &= 1333.14 \cdot 10^{-20} \\
1m \frac{1}{m^2C} &= 1310.05 \cdot 10^{-320} \\
1 \frac{1}{m^2C} &= 11.0242 \cdot 10^{-310} \\
1k \frac{1}{m^2C} &= 0.0524320 \cdot 10^{-300} \\
1m \frac{1}{m^2sC} &= 30.3511 \cdot 10^{-450} \\
1 \frac{1}{m^2sC} &= 0.222152 \cdot 10^{-440} \\
1k \frac{1}{m^2sC} &= 1503.34 \cdot 10^{-440} \\
1m \frac{1}{m^2s^2C} &= 1.01524 \cdot 10^{-1020} \\
1 \frac{1}{m^2s^2C} &= 4512.54 \cdot 10^{-1020} \\
1k \frac{1}{m^2s^2C} &= 34.3224 \cdot 10^{-1010} \\
1m \frac{s}{m^2C} &= 0.0430214 \cdot 10^{-140} \\
1 \frac{s}{m^2C} &= 325.143 \cdot 10^{-140} \\
1k \frac{s}{m^2C} &= 2.40402 \cdot 10^{-130} \\
1m \frac{1}{m^3C} &= 2.32235 \cdot 10^{-430} \\
1 \frac{1}{m^3C} &= 0.0155155 \cdot 10^{-420} \quad (*) \\
1k \frac{1}{m^3C} &= 131.012 \cdot 10^{-420} \\
1m \frac{1}{m^3sC} &= 0.0511535 \cdot 10^{-1000} \\
1 \frac{1}{m^3sC} &= 401.003 \cdot 10^{-1000} \quad (*) \\
1k \frac{1}{m^3sC} &= 3.03521 \cdot 10^{-550} \\
1m \frac{1}{m^3s^2C} &= 1434.04 \cdot 10^{-1140} \\
1 \frac{1}{m^3s^2C} &= 12.1050 \cdot 10^{-1130} \\
1k \frac{1}{m^3s^2C} &= 0.101530 \cdot 10^{-1120} \\
1m \frac{s}{m^3C} &= 113.245 \cdot 10^{-300} \\
1 \frac{s}{m^3C} &= 0.550255 \cdot 10^{-250} \quad (*) \\
1k \frac{s}{m^3C} &= 0.00430231 \cdot 10^{-240} \\
1m \frac{kg}{C} &= 2.24514 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ reno-} \frac{L^2}{Q} &= 10^{200} = 124.310 \mathbf{k} \frac{m^2}{C} \\
1 \text{ pa-} \frac{L^2}{TQ} &= 10^{10} = 0.232143 \mathbf{m} \frac{m^2}{sC} \\
1 \text{ re-} \frac{L^2}{TQ} &= 10^{20} = 31.5340 \frac{m^2}{sC} \\
1 \text{ re-} \frac{L^2}{TQ} &= 10^{20} = 0.00415004 \mathbf{k} \frac{m^2}{sC} \quad (*) \\
1 \text{ ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 11.3221 \mathbf{m} \frac{m^2}{s^2C} \\
1 \text{ ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 0.00134500 \frac{m^2}{s^2C} \quad (*) \\
1 \text{ ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.204125 \mathbf{k} \frac{m^2}{s^2C} \\
1 \text{ cire-} \frac{L^2T}{Q} &= 10^{320} = 143.330 \mathbf{m} \frac{m^2 s}{C} \\
1 \text{ cire-} \frac{L^2T}{Q} &= 10^{320} = 0.0214223 \frac{m^2 s}{C} \\
1 \text{ cici-} \frac{L^2T}{Q} &= 10^{330} = 2.54443 \mathbf{k} \frac{m^2 s}{C} \\
1 \text{ ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 1.03323 \mathbf{m} \frac{1}{mC} \\
1 \text{ ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 123.141 \frac{1}{mC} \\
1 \text{ ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 0.0150244 \mathbf{k} \frac{1}{mC} \\
1 \text{ ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 31.2441 \mathbf{m} \frac{1}{msC} \\
1 \text{ ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 4112.03 \frac{1}{msC} \\
1 \text{ ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.524052 \mathbf{k} \frac{1}{msC} \\
1 \text{ ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 1332.35 \mathbf{m} \frac{1}{ms^2C} \\
1 \text{ ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.202235 \frac{1}{ms^2C} \\
1 \text{ ni'uvomu-} \frac{1}{LT^2Q} &= 10^{-450} = 24.0251 \mathbf{k} \frac{1}{ms^2C} \\
1 \text{ ni'uci-} \frac{T}{LQ} &= 10^{-30} = 0.0212242 \mathbf{m} \frac{s}{mC} \\
1 \text{ ni'ure-} \frac{T}{LQ} &= 10^{-20} = 2.52134 \frac{s}{mC} \\
1 \text{ ni'upa-} \frac{T}{LQ} &= 10^{-10} = 343.044 \mathbf{k} \frac{s}{mC} \\
1 \text{ ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 353.154 \mathbf{m} \frac{1}{m^2C} \\
1 \text{ ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 0.0503054 \frac{1}{m^2C} \\
1 \text{ ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 10.3321 \mathbf{k} \frac{1}{m^2C} \\
1 \text{ ni'uvomu-} \frac{1}{L^2TQ} &= 10^{-450} = 0.0153302 \mathbf{m} \frac{1}{m^2sC} \\
1 \text{ ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 2.30031 \frac{1}{m^2sC} \quad (*) \\
1 \text{ ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 312.431 \mathbf{k} \frac{1}{m^2sC} \\
1 \text{ ni'upanore-} \frac{1}{L^2T^2Q} &= 10^{-1020} = 0.541050 \mathbf{m} \frac{1}{m^2s^2C} \\
1 \text{ ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 112.151 \frac{1}{m^2s^2C} \\
1 \text{ ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 0.0133232 \mathbf{k} \frac{1}{m^2s^2C} \\
1 \text{ ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 11.5520 \mathbf{m} \frac{s}{m^2C} \quad (*) \\
1 \text{ ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 0.00142021 \frac{s}{m^2C} \\
1 \text{ ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 0.212233 \mathbf{k} \frac{s}{m^2C} \\
1 \text{ ni'uvoci-} \frac{1}{L^3Q} &= 10^{-430} = 0.220042 \mathbf{m} \frac{1}{m^3C} \quad (*) \\
1 \text{ ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 30.1004 \frac{1}{m^3C} \quad (*) \\
1 \text{ ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.00353142 \mathbf{k} \frac{1}{m^3C} \\
1 \text{ ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 10.5213 \mathbf{m} \frac{1}{m^3sC} \\
1 \text{ ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 0.00125342 \frac{1}{m^3sC} \\
1 \text{ ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 0.153255 \mathbf{k} \frac{1}{m^3sC} \quad (*) \\
1 \text{ ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 322.035 \mathbf{m} \frac{1}{m^3s^2C} \\
1 \text{ ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 0.0422125 \frac{1}{m^3s^2C} \\
1 \text{ ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 5.41031 \mathbf{k} \frac{1}{m^3s^2C} \\
1 \text{ ni'ucino-} \frac{T}{L^3Q} &= 10^{-300} = 0.00443005 \mathbf{m} \frac{s}{m^3C} \quad (*) \\
1 \text{ ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 1.00535 \frac{s}{m^3C} \quad (*) \\
1 \text{ ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 115.513 \mathbf{k} \frac{s}{m^3C} \\
1 \text{ ni'uci-} \frac{M}{Q} &= 10^{-30} = 0.223254 \mathbf{m} \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.0152325 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 124.530 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{sC}} &= 0.0500411 \cdot 10^{-200} \quad (*) \\
1 \frac{\text{kg}}{\text{sC}} &= 351.233 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg}}{\text{sC}} &= 2.55330 \cdot 10^{-150} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{s}^2\text{C}} &= 1411.22 \cdot 10^{-340} \\
1 \frac{\text{kg}}{\text{s}^2\text{C}} &= 11.5125 \cdot 10^{-330} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2\text{C}} &= 0.100242 \cdot 10^{-320} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 111.415 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 0.534220 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.00420100 \cdot 10^{120} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 1245.23 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 10.4453 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.0512553 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{sC}} &= 25.5321 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{sC}} &= 0.214554 \cdot 10^{-40} \quad (*) \\
1 \text{k} \frac{\text{kg m}}{\text{sC}} &= 1440.12 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2\text{C}} &= 1.00240 \cdot 10^{-220} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}^2\text{C}} &= 4404.22 \cdot 10^{-220} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2\text{C}} &= 33.4110 \cdot 10^{-210} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.0420043 \cdot 10^{220} \quad (*) \\
1 \frac{\text{kg m s}}{\text{C}} &= 320.245 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 2.32542 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.512535 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 4014.42 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 30.4254 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{sC}} &= 0.0144005 \cdot 10^{30} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{sC}} &= 121.222 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{sC}} &= 1.02041 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2\text{C}} &= 334.055 \cdot 10^{-110} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s}^2\text{C}} &= 2.44234 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2\text{C}} &= 0.0205255 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2\text{s}}{\text{C}} &= 23.2533 \cdot 10^{330} \\
1 \frac{\text{kg m}^2\text{s}}{\text{C}} &= 0.155413 \cdot 10^{340} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2\text{s}}{\text{C}} &= 1311.55 \cdot 10^{340} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{mC}} &= 0.00405153 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{mC}} &= 31.1115 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{mC}} &= 0.224523 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg}}{\text{msC}} &= 122.333 \cdot 10^{-320} \\
1 \frac{\text{kg}}{\text{msC}} &= 1.03013 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{msC}} &= 0.00500425 \cdot 10^{-300} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{ms}^2\text{C}} &= 2.50512 \cdot 10^{-450} \\
1 \frac{\text{kg}}{\text{ms}^2\text{C}} &= 0.0211213 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{ms}^2\text{C}} &= 141.125 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg s}}{\text{mC}} &= 0.201240 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{mC}} &= 0.00132401 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{mC}} &= 11.1421 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 30.5215 \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 0.00402541 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 11.1011 \text{m} \frac{\text{kg}}{\text{sC}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 0.00131434 \frac{\text{kg}}{\text{sC}} \\
1 \text{ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 0.200140 \text{k} \frac{\text{kg}}{\text{sC}} \quad (*) \\
1 \text{ni'ucici-} \frac{M}{T^2Q} &= 10^{-330} = 330.555 \text{m} \frac{\text{kg}}{\text{s}^2\text{C}} \quad (***) \\
1 \text{ni'ucici-} \frac{M}{T^2Q} &= 10^{-330} = 0.0432330 \frac{\text{kg}}{\text{s}^2\text{C}} \\
1 \text{ni'ucirci-} \frac{M}{T^2Q} &= 10^{-320} = 5.53145 \text{k} \frac{\text{kg}}{\text{s}^2\text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.00453513 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 1.02231 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 121.443 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 402.553 \text{m} \frac{\text{kg m}}{\text{C}} \quad (*) \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.0514254 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 10.5052 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'umu-} \frac{ML}{TQ} &= 10^{-50} = 0.0200144 \text{m} \frac{\text{kg m}}{\text{sC}} \quad (*) \\
1 \text{ni'uvvo-} \frac{ML}{TQ} &= 10^{-40} = 2.33410 \frac{\text{kg m}}{\text{sC}} \\
1 \text{ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 321.233 \text{k} \frac{\text{kg m}}{\text{sC}} \\
1 \text{ni'urere-} \frac{ML}{T^2Q} &= 10^{-220} = 0.553205 \text{m} \frac{\text{kg m}}{\text{s}^2\text{C}} \quad (*) \\
1 \text{ni'urepa-} \frac{ML}{T^2Q} &= 10^{-210} = 114.030 \frac{\text{kg m}}{\text{s}^2\text{C}} \\
1 \text{ni'urepa-} \frac{ML}{T^2Q} &= 10^{-210} = 0.0135421 \text{k} \frac{\text{kg m}}{\text{s}^2\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 12.1450 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.00144314 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 0.215353 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 1.05054 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 125.201 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.0153043 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{TQ} &= 10^{30} = 32.1243 \text{m} \frac{\text{kg m}^2}{\text{sC}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 4212.25 \frac{\text{kg m}^2}{\text{sC}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.540001 \text{k} \frac{\text{kg m}^2}{\text{sC}} \quad (***) \\
1 \text{ni'upano-} \frac{ML^2}{T^2Q} &= 10^{-100} = 1354.24 \text{m} \frac{\text{kg m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'upano-} \frac{ML^2}{T^2Q} &= 10^{-100} = 0.205231 \frac{\text{kg m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'umu-} \frac{ML^2}{T^2Q} &= 10^{-50} = 24.4202 \text{k} \frac{\text{kg m}^2}{\text{s}^2\text{C}} \\
1 \text{cici-} \frac{ML^2T}{Q} &= 10^{330} = 0.0215402 \text{m} \frac{\text{kg m}^2\text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2T}{Q} &= 10^{340} = 3.00240 \frac{\text{kg m}^2\text{s}}{\text{C}} \quad (*) \\
1 \text{cimu-} \frac{ML^2T}{Q} &= 10^{350} = 352.313 \text{k} \frac{\text{kg m}^2\text{s}}{\text{C}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 124.024 \text{m} \frac{\text{kg}}{\text{mC}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 0.0151254 \frac{\text{kg}}{\text{mC}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 2.23245 \text{k} \frac{\text{kg}}{\text{mC}} \\
1 \text{ni'ucire-} \frac{M}{LTQ} &= 10^{-320} = 0.00413404 \text{m} \frac{\text{kg}}{\text{msC}} \\
1 \text{ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 0.531102 \frac{\text{kg}}{\text{msC}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 111.005 \text{k} \frac{\text{kg}}{\text{msC}} \quad (*) \\
1 \text{ni'uvomu-} \frac{M}{LT^2Q} &= 10^{-450} = 0.203332 \text{m} \frac{\text{kg}}{\text{ms}^2\text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2Q} &= 10^{-440} = 24.1545 \frac{\text{kg}}{\text{ms}^2\text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2Q} &= 10^{-440} = 0.00330544 \text{k} \frac{\text{kg}}{\text{ms}^2\text{C}} \\
1 \text{ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 2.53513 \text{m} \frac{\text{kg s}}{\text{mC}} \\
1 \frac{MT}{LQ} &= 1 = 345.114 \frac{\text{kg s}}{\text{mC}} \\
1 \frac{MT}{LQ} &= 1 = 0.0453455 \text{k} \frac{\text{kg s}}{\text{mC}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg}{m^2 C} &= 10.5451 \cdot 10^{-300} \\
1 \frac{kg}{m^2 C} &= 0.0521322 \cdot 10^{-250} \\
1k \frac{kg}{m^2 C} &= 405.205 \cdot 10^{-250} \\
1m \frac{kg}{m^2 s C} &= 0.221001 \cdot 10^{-430} \quad (*) \\
1 \frac{kg}{m^2 s C} &= 0.00145331 \cdot 10^{-420} \\
1k \frac{kg}{m^2 s C} &= 12.2340 \cdot 10^{-420} \\
1m \frac{kg}{m^2 s^2 C} &= 0.00444454 \cdot 10^{-1000} \\
1 \frac{kg}{m^2 s^2 C} &= 34.1204 \cdot 10^{-1000} \\
1k \frac{kg}{m^2 s^2 C} &= 0.250521 \cdot 10^{-550} \\
1m \frac{kg s}{m^2 C} &= 323.220 \cdot 10^{-130} \\
1 \frac{kg s}{m^2 C} &= 2.35113 \cdot 10^{-120} \\
1k \frac{kg s}{m^2 C} &= 0.0201244 \cdot 10^{-110} \\
1m \frac{kg}{m^3 C} &= 0.0154124 \cdot 10^{-410} \\
1 \frac{kg}{m^3 C} &= 130.111 \cdot 10^{-410} \\
1k \frac{kg}{m^3 C} &= 1.05453 \cdot 10^{-400} \\
1m \frac{kg}{m^3 s C} &= 354.451 \cdot 10^{-550} \\
1 \frac{kg}{m^3 s C} &= 3.02110 \cdot 10^{-540} \\
1k \frac{kg}{m^3 s C} &= 0.0221005 \cdot 10^{-530} \quad (*) \\
1m \frac{kg}{m^3 s^2 C} &= 12.0221 \cdot 10^{-1120} \\
1 \frac{kg}{m^3 s^2 C} &= 0.101201 \cdot 10^{-1110} \\
1k \frac{kg}{m^3 s^2 C} &= 444.511 \cdot 10^{-1110} \\
1m \frac{kg s}{m^3 C} &= 0.543144 \cdot 10^{-240} \\
1 \frac{kg s}{m^3 C} &= 4235.41 \cdot 10^{-240} \\
1k \frac{kg s}{m^3 C} &= 32.3230 \cdot 10^{-230}
\end{aligned}$$

$$\begin{aligned}
1m C &= 30.3355 \cdot 10^{30} \quad (*) \\
1 C &= 0.222054 \cdot 10^{40} \\
1k C &= 1502.52 \cdot 10^{40} \\
1m \frac{C}{s} &= 1.01501 \cdot 10^{-100} \\
1 \frac{C}{s} &= 4511.01 \cdot 10^{-100} \\
1k \frac{C}{s} &= 34.3055 \cdot 10^{-50} \quad (*) \\
1m \frac{C}{s^2} &= 0.0204532 \cdot 10^{-230} \\
1 \frac{C}{s^2} &= 135.205 \cdot 10^{-230} \\
1k \frac{C}{s^2} &= 1.13445 \cdot 10^{-220} \\
1m s C &= 1305.31 \cdot 10^{200} \\
1 s C &= 11.0214 \cdot 10^{210} \\
1k s C &= 0.0524110 \cdot 10^{220} \\
1m m C &= 0.0150244 \cdot 10^{150} \\
1m C &= 123.141 \cdot 10^{150} \\
1k m C &= 1.03323 \cdot 10^{200} \\
1m \frac{m C}{s} &= 343.044 \cdot 10^{10} \\
1 \frac{m C}{s} &= 2.52134 \cdot 10^{20} \\
1k \frac{m C}{s} &= 0.0212242 \cdot 10^{30} \\
1m \frac{m C}{s^2} &= 11.3442 \cdot 10^{-120} \\
1 \frac{m C}{s^2} &= 0.0551553 \cdot 10^{-110} \quad (*) \\
1k \frac{m C}{s^2} &= 431.323 \cdot 10^{-110} \\
1m m s C &= 0.524052 \cdot 10^{320} \\
1m s C &= 4112.03 \cdot 10^{320} \\
1k m s C &= 31.2441 \cdot 10^{330} \\
1m m^2 C &= 10.3321 \cdot 10^{300}
\end{aligned}$$

$$\begin{aligned}
1 ni'ucino-\frac{M}{L^2 Q} &= 10^{-300} = 0.0505552 m \frac{kg}{m^2 C} \quad (***) \\
1 ni'uremu-\frac{M}{L^2 Q} &= 10^{-250} = 10.4101 \frac{kg}{m^2 C} \\
1 ni'urevo-\frac{M}{L^2 Q} &= 10^{-240} = 1240.22 k \frac{kg}{m^2 C} \\
1 ni'uvoci-\frac{M}{L^2 T Q} &= 10^{-430} = 2.31251 m \frac{kg}{m^2 s C} \\
1 ni'uvore-\frac{M}{L^2 T Q} &= 10^{-420} = 314.320 \frac{kg}{m^2 s C} \\
1 ni'uvore-\frac{M}{L^2 T Q} &= 10^{-420} = 0.0413352 k \frac{kg}{m^2 s C} \\
1 ni'upanono-\frac{M}{L^2 T^2 Q} &= 10^{-1000} = 112.555 m \frac{kg}{m^2 s^2 C} \quad (**) \\
1 ni'upanono-\frac{M}{L^2 T^2 Q} &= 10^{-1000} = 0.0134151 \frac{kg}{m^2 s^2 C} \\
1 ni'umumu-\frac{M}{L^2 T^2 Q} &= 10^{-550} = 2.03324 k \frac{kg}{m^2 s^2 C} \\
1 ni'upare-\frac{MT}{L^2 Q} &= 10^{-120} = 1430.04 m \frac{kg s}{m^2 C} \\
1 ni'upare-\frac{MT}{L^2 Q} &= 10^{-120} = 0.213402 \frac{kg s}{m^2 C} \\
1 ni'upapa-\frac{MT}{L^2 Q} &= 10^{-110} = 25.3504 k \frac{kg s}{m^2 C} \\
1 ni'uvopa-\frac{M}{L^3 Q} &= 10^{-410} = 30.2412 m \frac{kg}{m^3 C} \\
1 ni'uvono-\frac{M}{L^3 Q} &= 10^{-400} = 3552.50 \frac{kg}{m^3 C} \quad (*) \\
1 ni'uvono-\frac{M}{L^3 Q} &= 10^{-400} = 0.505534 k \frac{kg}{m^3 C} \quad (*) \\
1 ni'umuovo-\frac{M}{L^3 T Q} &= 10^{-540} = 1302.41 m \frac{kg}{m^3 s C} \\
1 ni'umuovo-\frac{M}{L^3 T Q} &= 10^{-540} = 0.154323 \frac{kg}{m^3 s C} \\
1 ni'umuci-\frac{M}{L^3 T Q} &= 10^{-530} = 23.1242 k \frac{kg}{m^3 s C} \\
1 ni'upapare-\frac{M}{L^3 T^2 Q} &= 10^{-1120} = 0.0424405 m \frac{kg}{m^3 s^2 C} \\
1 ni'upapapa-\frac{M}{L^3 T^2 Q} &= 10^{-1110} = 5.44131 \frac{kg}{m^3 s^2 C} \\
1 ni'upapano-\frac{M}{L^3 T^2 Q} &= 10^{-1100} = 1125.52 k \frac{kg}{m^3 s^2 C} \\
1 ni'urevo-\frac{MT}{L^3 Q} &= 10^{-240} = 1.01302 m \frac{kg s}{m^3 C} \\
1 ni'ureci-\frac{MT}{L^3 Q} &= 10^{-230} = 120.341 \frac{kg s}{m^3 C} \\
1 ni'ureci-\frac{MT}{L^3 Q} &= 10^{-230} = 0.0143001 k \frac{kg s}{m^3 C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 ci-Q &= 10^{30} = 0.0153350 m C \\
1 vo-Q &= 10^{40} = 2.30130 C \\
1 mu-Q &= 10^{50} = 312.545 k C \\
1 ni'upano-\frac{Q}{T} &= 10^{-100} = 0.541303 m \frac{C}{s} \\
1 ni'umu-\frac{Q}{T} &= 10^{-50} = 112.220 \frac{C}{s} \\
1 ni'umu-\frac{Q}{T} &= 10^{-50} = 0.0133311 k \frac{C}{s} \\
1 ni'ureci-\frac{Q}{T^2} &= 10^{-230} = 24.5030 m \frac{C}{s^2} \\
1 ni'urere-\frac{Q}{T^2} &= 10^{-220} = 3350.01 \frac{C}{s^2} \\
1 ni'urere-\frac{Q}{T^2} &= 10^{-220} = 0.441441 k \frac{C}{s^2} \\
1 repa-T Q &= 10^{210} = 353.330 m s C \\
1 repa-T Q &= 10^{210} = 0.0503254 s C \\
1 rere-T Q &= 10^{220} = 10.3345 k s C \\
1 pamu-L Q &= 10^{150} = 31.2555 m m C \quad (**) \\
1 reno-L Q &= 10^{200} = 4113.43 m C \\
1 reno-L Q &= 10^{200} = 0.524301 k m C \\
1 re-\frac{L Q}{T} &= 10^{20} = 1333.14 m \frac{m C}{s} \\
1 re-\frac{L Q}{T} &= 10^{20} = 0.202325 \frac{m C}{s} \\
1 ci-\frac{L Q}{T} &= 10^{30} = 24.0353 k \frac{m C}{s} \\
1 ni'upare-\frac{L Q}{T^2} &= 10^{-120} = 0.0441454 m \frac{m C}{s^2} \\
1 ni'upapa-\frac{L Q}{T^2} &= 10^{-110} = 10.0403 \frac{m C}{s^2} \\
1 ni'upano-\frac{L Q}{T^2} &= 10^{-100} = 1153.13 k \frac{m C}{s^2} \\
1 cire-L T Q &= 10^{320} = 1.03351 m m s C \\
1 cici-L T Q &= 10^{330} = 123.214 m s C \\
1 cici-L T Q &= 10^{330} = 0.0150331 k m s C \\
1 cino-L^2 Q &= 10^{300} = 0.0524320 m m^2 C
\end{aligned}$$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.0503054 \cdot 10^{310} \\
1 \text{k m}^2 \text{ C} &= 353.154 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.212233 \cdot 10^{130} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.00142021 \cdot 10^{140} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 11.5520 \cdot 10^{140} \quad (*) \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.00431310 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 33.0103 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.241210 \cdot 10^{10} \\
1 \text{m m}^2 \text{ s C} &= 312.431 \cdot 10^{430} \\
1 \text{m}^2 \text{ s C} &= 2.30031 \cdot 10^{440} \quad (*) \\
1 \text{k m}^2 \text{ s C} &= 0.0153302 \cdot 10^{450} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.0511333 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}} &= 400.430 \cdot 10^{-40} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 3.03405 \cdot 10^{-30} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 1433.22 \cdot 10^{-220} \\
1 \frac{\text{C}}{\text{m s}} &= 12.1014 \cdot 10^{-210} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.101503 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 33.3123 \cdot 10^{-350} \\
1 \frac{\text{C}}{\text{m s}^2} &= 0.243420 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 2045.40 \cdot 10^{-340} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 2.32134 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.0155110 \cdot 10^{100} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 130.534 \cdot 10^{100} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 124.310 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 1.04311 \cdot 10^{-150} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.00511351 \cdot 10^{-140} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 2.54443 \cdot 10^{-330} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.0214223 \cdot 10^{-320} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 143.330 \cdot 10^{-320} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.100104 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 435.311 \cdot 10^{-500} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 3.33134 \cdot 10^{-450} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.00415004 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{s C}}{\text{m}^2} &= 31.5340 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.232143 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 0.224125 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 0.00152032 \cdot 10^{-300} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 12.4313 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.00455230 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 35.0235 \cdot 10^{-440} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.254453 \cdot 10^{-430} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 140.444 \cdot 10^{-1020} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 1.14525 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.0100110 \cdot 10^{-1000} \quad (*) \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 11.1224 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.0532541 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 415.020 \cdot 10^{-130} \\
1 \text{m kg C} &= 0.220503 \cdot 10^{50} \\
1 \text{kg C} &= 0.00145250 \cdot 10^{100} \\
1 \text{k kg C} &= 12.2304 \cdot 10^{100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ cipa-}L^2Q &= 10^{310} = 11.0242 \text{ m}^2 \text{ C} \\
1 \text{ cire-}L^2Q &= 10^{320} = 1310.05 \text{ k m}^2 \text{ C} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 2.40402 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 325.143 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 0.0430214 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 115.315 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.0141343 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 2.11512 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 1503.34 \text{ m m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 0.222152 \text{ m}^2 \text{ s C} \\
1 \text{ vomu-}L^2TQ &= 10^{450} = 30.3511 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 10.5241 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 0.00125420 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 0.153342 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 322.155 \text{ m} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 0.0422312 \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'uren-} \frac{Q}{LT} &= 10^{-200} = 5.41244 \text{ k} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ucimu-} \frac{Q}{LT^2} &= 10^{-350} = 0.0140100 \text{ m} \frac{\text{C}}{\text{m s}^2} \quad (*) \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 2.05551 \frac{\text{C}}{\text{m s}^2} \quad (**) \\
1 \text{ ni'ucici-} \frac{Q}{LT^2} &= 10^{-330} = 245.021 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 0.220135 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 30.1115 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.00353314 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'uren-} \frac{Q}{L^2} &= 10^{-200} = 0.00404012 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 0.515505 \frac{\text{C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 105.235 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucici-} \frac{Q}{L^2T} &= 10^{-330} = 0.200452 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 23.4211 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 0.00322144 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 5.54515 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 0.00114230 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvomu-} \frac{Q}{L^2T^2} &= 10^{-450} = 0.140053 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 122.055 \text{ m} \frac{\text{s C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.0145002 \frac{\text{s C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 2.20131 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 2.24041 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 310.111 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 0.0404000 \text{ k} \frac{\text{C}}{\text{m}^3} \quad (**) \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 111.202 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 0.0132101 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3T} &= 10^{-430} = 2.00444 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'upanore-} \frac{Q}{L^3T^2} &= 10^{-1020} = 0.00331523 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3T^2} &= 10^{-1010} = 0.433433 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 55.4455 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \quad (*) \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.0455052 \text{ m} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 10.2410 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 1220.52 \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ mu-MQ} &= 10^{50} = 2.31351 \text{ m kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 314.435 \text{ kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 0.0413533 \text{ k kg C}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot C}{s} &= 0.00444302 \cdot 10^{-40} \\
1 \frac{kg \cdot C}{s} &= 34.1035 \cdot 10^{-40} \\
1k \frac{kg \cdot C}{s} &= 0.250413 \cdot 10^{-30} \\
1m \frac{kg \cdot C}{s^2} &= 134.242 \cdot 10^{-220} \\
1 \frac{kg \cdot C}{s^2} &= 1.13034 \cdot 10^{-210} \\
1k \frac{kg \cdot C}{s^2} &= 0.00544451 \cdot 10^{-200} \\
1m kg \cdot s \cdot C &= 10.5423 \cdot 10^{220} \\
1 kg \cdot s \cdot C &= 0.0521114 \cdot 10^{230} \\
1k kg \cdot s \cdot C &= 405.030 \cdot 10^{230} \\
1m kg \cdot m \cdot C &= 122.301 \cdot 10^{200} \\
1 kg \cdot m \cdot C &= 1.02545 \cdot 10^{210} \\
1k kg \cdot m \cdot C &= 0.00500230 \cdot 10^{220} \quad (*) \\
1m \frac{kg \cdot m \cdot C}{s} &= 2.50403 \cdot 10^{30} \\
1 \frac{kg \cdot m \cdot C}{s} &= 0.0211122 \cdot 10^{40} \\
1k \frac{kg \cdot m \cdot C}{s} &= 141.045 \cdot 10^{40} \\
1m \frac{kg \cdot m \cdot C}{s^2} &= 0.0544432 \cdot 10^{-100} \\
1 \frac{kg \cdot m \cdot C}{s^2} &= 425.030 \cdot 10^{-100} \\
1k \frac{kg \cdot m \cdot C}{s^2} &= 3.24143 \cdot 10^{-50} \\
1m kg \cdot m \cdot s \cdot C &= 0.00405014 \cdot 10^{340} \\
1 kg \cdot m \cdot s \cdot C &= 31.1001 \cdot 10^{340} \quad (*) \\
1k kg \cdot m \cdot s \cdot C &= 0.224424 \cdot 10^{350} \\
1m kg \cdot m^2 \cdot C &= 0.0500212 \cdot 10^{320} \quad (*) \\
1 kg \cdot m^2 \cdot C &= 351.102 \cdot 10^{320} \\
1k kg \cdot m^2 \cdot C &= 2.55220 \cdot 10^{330} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot C}{s} &= 1410.42 \cdot 10^{140} \\
1 \frac{kg \cdot m^2 \cdot C}{s} &= 11.5054 \cdot 10^{150} \\
1k \frac{kg \cdot m^2 \cdot C}{s} &= 0.100220 \cdot 10^{200} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot C}{s^2} &= 32.4132 \cdot 10^{10} \\
1 \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.235514 \cdot 10^{20} \quad (*) \\
1k \frac{kg \cdot m^2 \cdot C}{s^2} &= 2015.52 \cdot 10^{20} \\
1m kg \cdot m^2 \cdot s \cdot C &= 2.24415 \cdot 10^{450} \\
1 kg \cdot m^2 \cdot s \cdot C &= 0.0152242 \cdot 10^{500} \\
1k kg \cdot m^2 \cdot s \cdot C &= 124.453 \cdot 10^{500} \\
1m \frac{kg \cdot C}{m} &= 354.315 \cdot 10^{-30} \\
1 \frac{kg \cdot C}{m} &= 3.01554 \cdot 10^{-20} \quad (*) \\
1k \frac{kg \cdot C}{m} &= 0.0220512 \cdot 10^{-10} \\
1m \frac{kg \cdot C}{m \cdot s} &= 12.0145 \cdot 10^{-200} \\
1 \frac{kg \cdot C}{m \cdot s} &= 0.101134 \cdot 10^{-150} \\
1k \frac{kg \cdot C}{m \cdot s} &= 444.315 \cdot 10^{-150} \\
1m \frac{kg \cdot C}{m \cdot s^2} &= 0.242112 \cdot 10^{-330} \\
1 \frac{kg \cdot C}{m \cdot s^2} &= 0.00203435 \cdot 10^{-320} \\
1k \frac{kg \cdot C}{m \cdot s^2} &= 13.4245 \cdot 10^{-320} \\
1m \frac{kg \cdot s \cdot C}{m} &= 0.0154041 \cdot 10^{110} \\
1 \frac{kg \cdot s \cdot C}{m} &= 130.034 \cdot 10^{110} \\
1k \frac{kg \cdot s \cdot C}{m} &= 1.05425 \cdot 10^{120} \\
1m \frac{kg \cdot C}{m^2} &= 1.03525 \cdot 10^{-140} \\
1 \frac{kg \cdot C}{m^2} &= 5044.42 \cdot 10^{-140} \\
1k \frac{kg \cdot C}{m^2} &= 35.4330 \cdot 10^{-130} \\
1m \frac{kg \cdot C}{m^2 \cdot s} &= 0.0213052 \cdot 10^{-310} \\
1 \frac{kg \cdot C}{m^2 \cdot s} &= 142.341 \cdot 10^{-310}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo \frac{MQ}{T} &= 10^{-40} = 113.025 m \frac{kg \cdot C}{s} \\
1 ni' uvo \frac{MQ}{T} &= 10^{-40} = 0.0134231 \frac{kg \cdot C}{s} \\
1 ni' uci \frac{MQ}{T} &= 10^{-30} = 2.03414 k \frac{kg \cdot C}{s} \\
1 ni' urere \frac{MQ}{T^2} &= 10^{-220} = 0.00341010 m \frac{kg \cdot C}{s^2} \\
1 ni' urepa \frac{MQ}{T^2} &= 10^{-210} = 0.444223 \frac{kg \cdot C}{s^2} \\
1 ni' ureno \frac{MQ}{T^2} &= 10^{-200} = 101.124 k \frac{kg \cdot C}{s^2} \\
1 rere-MLQ &= 10^{220} = 0.0510154 m kg \cdot s \cdot C \\
1 reci-MLQ &= 10^{230} = 10.4125 kg \cdot s \cdot C \\
1 revo-MLQ &= 10^{240} = 1240.54 k kg \cdot s \cdot C \\
1 reno-MLQ &= 10^{200} = 0.00413545 m kg \cdot m \cdot C \\
1 repa-MLQ &= 10^{210} = 0.531313 kg \cdot m \cdot C \\
1 rere-MLQ &= 10^{220} = 111.034 k kg \cdot m \cdot C \\
1 ci- \frac{MLQ}{T} &= 10^{30} = 0.203422 m \frac{kg \cdot m \cdot C}{s} \\
1 vo- \frac{MLQ}{T} &= 10^{40} = 24.2051 \frac{kg \cdot m \cdot C}{s} \\
1 vo- \frac{MLQ}{T} &= 10^{40} = 0.00331110 k \frac{kg \cdot m \cdot C}{s} \\
1 ni' upano- \frac{MLQ}{T^2} &= 10^{-100} = 10.1130 m \frac{kg \cdot m \cdot C}{s^2} \\
1 ni' upano- \frac{MLQ}{T^2} &= 10^{-100} = 0.00120135 \frac{kg \cdot m \cdot C}{s^2} \\
1 ni' umu- \frac{MLQ}{T^2} &= 10^{-50} = 0.142322 k \frac{kg \cdot m \cdot C}{s^2} \\
1 civo-MLTQ &= 10^{340} = 124.101 m kg \cdot m \cdot s \cdot C \\
1 civo-MLTQ &= 10^{340} = 0.0151341 kg \cdot m \cdot s \cdot C \\
1 cimu-MLTQ &= 10^{350} = 2.23344 k kg \cdot m \cdot s \cdot C \\
1 cire-ML^2Q &= 10^{320} = 11.1040 m kg \cdot m^2 \cdot C \\
1 cire-ML^2Q &= 10^{320} = 0.00131512 kg \cdot m^2 \cdot C \\
1 cici-ML^2Q &= 10^{330} = 0.200225 k kg \cdot m^2 \cdot C \quad (*) \\
1 pamu- \frac{ML^2Q}{T} &= 10^{150} = 331.121 m \frac{kg \cdot m^2 \cdot C}{s} \\
1 pamu- \frac{ML^2Q}{T} &= 10^{150} = 0.0432520 \frac{kg \cdot m^2 \cdot C}{s} \\
1 reno- \frac{ML^2Q}{T} &= 10^{200} = 5.53410 k \frac{kg \cdot m^2 \cdot C}{s} \\
1 pa- \frac{ML^2Q}{T^2} &= 10^{10} = 0.0142325 m \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 re- \frac{ML^2Q}{T^2} &= 10^{20} = 2.13034 \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 ci- \frac{ML^2Q}{T^2} &= 10^{30} = 253.035 k \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 vomu-ML^2TQ &= 10^{450} = 0.223352 m kg \cdot m^2 \cdot s \cdot C \\
1 muno-ML^2TQ &= 10^{500} = 30.5332 kg \cdot m^2 \cdot s \cdot C \\
1 muno-ML^2TQ &= 10^{500} = 0.00403115 k kg \cdot m^2 \cdot s \cdot C \\
1 ni' ure- \frac{MQ}{L} &= 10^{-20} = 1303.15 m \frac{kg \cdot C}{m} \\
1 ni' ure- \frac{MQ}{L} &= 10^{-20} = 0.154410 \frac{kg \cdot C}{m} \\
1 ni' upa- \frac{MQ}{L} &= 10^{-10} = 23.1342 k \frac{kg \cdot C}{m} \\
1 ni' ureno- \frac{MQ}{LT} &= 10^{-200} = 0.0424553 m \frac{kg \cdot C}{ms} \quad (*) \\
1 ni' upamu- \frac{MQ}{LT} &= 10^{-150} = 5.44345 \frac{kg \cdot C}{ms} \\
1 ni' upavo- \frac{MQ}{LT} &= 10^{-140} = 1130.22 k \frac{kg \cdot C}{ms} \\
1 ni' ucici- \frac{MQ}{LT^2} &= 10^{-330} = 2.11103 m \frac{kg \cdot C}{m \cdot s^2} \\
1 ni' ucire- \frac{MQ}{LT^2} &= 10^{-320} = 250.342 \frac{kg \cdot C}{m \cdot s^2} \\
1 ni' ucire- \frac{MQ}{LT^2} &= 10^{-320} = 0.0340555 k \frac{kg \cdot C}{m \cdot s^2} \quad (**) \\
1 papa- \frac{MTQ}{L} &= 10^{110} = 30.2523 m \frac{kg \cdot s \cdot C}{m} \\
1 pare- \frac{MTQ}{L} &= 10^{120} = 3554.22 \frac{kg \cdot s \cdot C}{m} \quad (*) \\
1 pare- \frac{MTQ}{L} &= 10^{120} = 0.510140 k \frac{kg \cdot s \cdot C}{m} \\
1 ni' upavo- \frac{MQ}{L^2} &= 10^{-140} = 0.522453 m \frac{kg \cdot C}{m^2} \\
1 ni' upaci- \frac{MQ}{L^2} &= 10^{-130} = 110.025 \frac{kg \cdot C}{m^2} \\
1 ni' upaci- \frac{MQ}{L^2} &= 10^{-130} = 0.0130312 k \frac{kg \cdot C}{m^2} \\
1 ni' ucipa- \frac{MQ}{L^2T} &= 10^{-310} = 23.5454 m \frac{kg \cdot C}{m^2 \cdot s} \\
1 ni' ucino- \frac{MQ}{L^2T} &= 10^{-300} = 3241.04 \frac{kg \cdot C}{m^2 \cdot s}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 1.20152 \cdot 10^{-300}$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 0.424540 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 432.553 \cdot 10^{-450}$ (*)	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 1150.44 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 3.31150 \cdot 10^{-440}$	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 0.141030 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 0.0242121 \cdot 10^{-430}$	$1 ni'uvoci - \frac{MQ}{L^2 T^2} = 10^{-430} = 21.1055 k \frac{kg\ C}{m^2 s^2}$ (*)
$1m \frac{kg\ s\ C}{m^2} = 31.3443 \cdot 10^{-10}$	$1 ni'upa - \frac{MTQ}{L^2} = 10^{-10} = 0.0150003 m \frac{kg\ s\ C}{m^2}$ (**)
$1 \frac{kg\ s\ C}{m^2} = 0.230520 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 2.21320 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 1540.44 \cdot 10^0$	$1 pa - \frac{MTQ}{L^2} = 10^{10} = 302.514 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 1510.20 \cdot 10^{-300}$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 311.544 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 12.3424 \cdot 10^{-250}$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 0.0410142 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 0.103532 \cdot 10^{-240}$	$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 5.22434 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 34.4200 \cdot 10^{-430}$ (*)	$1 ni'uvoci - \frac{MQ}{L^3 T} = 10^{-430} = 0.0133012 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.253110 \cdot 10^{-420}$	$1 ni'uvore - \frac{MQ}{L^3 T} = 10^{-420} = 2.01531 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 2131.01 \cdot 10^{-420}$	$1 ni'uvopa - \frac{MQ}{L^3 T} = 10^{-410} = 235.445 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 1.14111 \cdot 10^{-1000}$	$1 ni'upanono - \frac{MQ}{L^3 T^2} = 10^{-1000} = 0.440154 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 5535.13 \cdot 10^{-1000}$ (*)	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 100.205 \frac{kg\ C}{m^3 s^2}$ (*)
$1k \frac{kg\ C}{m^3 s^2} = 43.3010 \cdot 10^{-550}$	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 0.0115042 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 0.0525522 \cdot 10^{-120}$ (*)	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 10.3143 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 412.411 \cdot 10^{-120}$	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 0.00122532 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 3.13454 \cdot 10^{-110}$	$1 ni'upapa - \frac{MTQ}{L^3} = 10^{-110} = 0.150000 k \frac{kg\ s\ C}{m^3}$ (**)
<hr/>	<hr/>
$1m \frac{1}{K} = 21.4230 \cdot 10^{100}$	$1 pano - \frac{1}{\Theta} = 10^{100} = 0.0234204 m \frac{1}{K}$
$1 \frac{1}{K} = 0.143332 \cdot 10^{110}$	$1 papa - \frac{1}{\Theta} = 10^{110} = 3.22140 \frac{1}{K}$
$1k \frac{1}{K} = 0.00121023 \cdot 10^{120}$	$1 pare - \frac{1}{\Theta} = 10^{120} = 422.250 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.435321 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.14224 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.00333143 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.051 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.3432 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.0205540 k \frac{1}{sK}$ (*)
$1m \frac{1}{s^2 K} = 0.0132440 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 34.4542 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 111.451 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 0.00453255 \frac{1}{s^2 K}$ (*)
$1k \frac{1}{s^2 K} = 0.534454 \cdot 10^{-150}$	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 1.02201 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.00104312 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 515.454 m \frac{s}{K}$
$1 \frac{s}{K} = 5.11401 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 0.105234 \frac{s}{K}$
$1k \frac{s}{K} = 0.0400450 \cdot 10^{250}$ (*)	$1 remu - \frac{T}{\Theta} = 10^{250} = 12.5411 k \frac{s}{K}$
$1m \frac{m}{K} = 0.0121020 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 42.2303 m \frac{m}{K}$
$1 \frac{m}{K} = 101.504 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.00541233 \frac{m}{K}$
$1k \frac{m}{K} = 0.451124 \cdot 10^{230}$	$1 reci - \frac{L}{\Theta} = 10^{230} = 1.12213 k \frac{m}{K}$
$1m \frac{m}{sK} = 243.423 \cdot 10^{40}$	$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.00205545 m \frac{m}{sK}$ (*)
$1 \frac{m}{sK} = 2.04543 \cdot 10^{50}$	$1 mu - \frac{L}{T\Theta} = 10^{50} = 0.245013 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.0135214 \cdot 10^{100}$	$1 pano - \frac{L}{T\Theta} = 10^{100} = 33.4542 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.34435 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.102203 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.0420244 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.1411 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.421 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 0.00144225 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 0.400435 \cdot 10^{350}$ (*)	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 1.25414 m \frac{ms}{K}$
$1 \frac{ms}{K} = 0.00303413 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 153.340 \frac{ms}{K}$
$1k \frac{ms}{K} = 22.2110 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 0.0230115 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 4.51111 \cdot 10^{330}$	$1 cici - \frac{L^2}{\Theta} = 10^{330} = 0.112215 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.0343104 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 13.3305 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 252.151 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 0.00202314 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.135211 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 3.34553 m \frac{m^2}{sK}$ (*)
$1 \frac{m^2}{sK} = 1134.50 \cdot 10^{200}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 441.431 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 5.52023 \cdot 10^{210}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 0.100400 k \frac{m^2}{sK}$ (*)
$1m \frac{m^2}{s^2 K} = 3204.11 \cdot 10^{20}$	$1 ci - \frac{L^2}{T^2\Theta} = 10^{30} = 144.232 m \frac{m^2}{s^2 K}$

$1 \frac{m^2}{s^2 K} = 23.3044 \cdot 10^{30}$	$1 ci \cdot \frac{L^2}{T^2 \Theta} = 10^{30} = 0.0215255 \frac{m^2}{s^2 K}$ (*)
$1 k \frac{m^2}{s^2 K} = 0.155510 \cdot 10^{40}$ (**)	$1 vo \cdot \frac{L^2}{T^2 \Theta} = 10^{40} = 3.00114 k \frac{m^2}{s^2 K}$ (*)
$1 m \frac{m^2 s}{K} = 222.101 \cdot 10^{500}$	$1 muno \cdot \frac{L^2 T}{\Theta} = 10^{500} = 0.00230123 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 1.50254 \cdot 10^{510}$	$1 mupa \cdot \frac{L^2 T}{\Theta} = 10^{510} = 0.312541 \frac{m^2 s}{K}$
$1 k \frac{m^2 s}{K} = 0.0123150 \cdot 10^{520}$	$1 mure \cdot \frac{L^2 T}{\Theta} = 10^{520} = 41.1322 k \frac{m^2 s}{K}$
$1 m \frac{1}{m K} = 0.0350243 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{1}{L \Theta} = 10^{-10} = 13.2055 m \frac{1}{m K}$ (*)
$1 \frac{1}{m K} = 254.501 \cdot 10^{-10}$	$1 \frac{1}{L \Theta} = 1 = 2004.41 \frac{1}{m K}$ (*)
$1 k \frac{1}{m K} = 2.14234$	$1 \frac{1}{L \Theta} = 1 = 0.234155 k \frac{1}{m K}$ (*)
$1 m \frac{1}{m s K} = 0.00114530 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{1}{LT \Theta} = 10^{-140} = 433.423 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 10.0112 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{1}{LT \Theta} = 10^{-140} = 0.0554444 \frac{1}{m s K}$ (*)
$1 k \frac{1}{m s K} = 0.0435334 \cdot 10^{-130}$	$1 ni'upaci \cdot \frac{1}{LT \Theta} = 10^{-130} = 11.4222 k \frac{1}{m s K}$
$1 m \frac{1}{m s^2 K} = 23.5220 \cdot 10^{-320}$	$1 ni'ucire \cdot \frac{1}{LT^2 \Theta} = 10^{-320} = 0.0213304 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 0.201334 \cdot 10^{-310}$	$1 ni'ucipa \cdot \frac{1}{LT^2 \Theta} = 10^{-310} = 2.53352 \frac{1}{m s^2 K}$
$1 k \frac{1}{m s^2 K} = 0.00132443 \cdot 10^{-300}$	$1 ni'ucino \cdot \frac{1}{LT^2 \Theta} = 10^{-300} = 344.531 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 1.52034 \cdot 10^{120}$	$1 pare \cdot \frac{T}{L \Theta} = 10^{120} = 0.310103 m \frac{s}{m K}$
$1 \frac{s}{m K} = 0.0124315 \cdot 10^{130}$	$1 paci \cdot \frac{T}{L \Theta} = 10^{130} = 40.3551 \frac{s}{m K}$ (*)
$1 k \frac{s}{m K} = 104.314 \cdot 10^{130}$	$1 pavo \cdot \frac{T}{L \Theta} = 10^{140} = 5154.40 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 102.434 \cdot 10^{-130}$	$1 ni'upare \cdot \frac{1}{L^2 \Theta} = 10^{-120} = 5323.23 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 0.455254 \cdot 10^{-120}$ (*)	$1 ni'upare \cdot \frac{1}{L^2 \Theta} = 10^{-120} = 1.11154 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 3502.55 \cdot 10^{-120}$ (*)	$1 ni'upapa \cdot \frac{1}{L^2 \Theta} = 10^{-110} = 132.052 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 2.10454 \cdot 10^{-300}$	$1 ni'ucino \cdot \frac{1}{L^2 T \Theta} = 10^{-300} = 0.242353 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.0140453 \cdot 10^{-250}$	$1 ni'uremu \cdot \frac{1}{L^2 T \Theta} = 10^{-250} = 33.1504 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 114.533 \cdot 10^{-250}$	$1 ni'urevo \cdot \frac{1}{L^2 T \Theta} = 10^{-240} = 4334.11 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 0.0424131 \cdot 10^{-430}$	$1 ni'uvoci \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-430} = 12.0305 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 323.353 \cdot 10^{-430}$	$1 ni'uvore \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 1425.15 \frac{1}{m^2 s^2 K}$
$1 k \frac{1}{m^2 s^2 K} = 2.35225 \cdot 10^{-420}$	$1 ni'uvore \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 0.213300 k \frac{1}{m^2 s^2 K}$ (*)
$1 m \frac{s}{m^2 K} = 3102.30 \cdot 10^0$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 151.544 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.4141 \cdot 10^{10}$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 0.0224025 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.152042 \cdot 10^{20}$	$1 re \cdot \frac{T}{L^2 \Theta} = 10^{20} = 3.10053 k \frac{s}{m^2 K}$ (*)
$1 m \frac{1}{m^3 K} = 0.145045 \cdot 10^{-240}$	$1 ni'urevo \cdot \frac{1}{L^3 \Theta} = 10^{-240} = 3.15215 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 1221.32 \cdot 10^{-240}$	$1 ni'ureci \cdot \frac{1}{L^3 \Theta} = 10^{-230} = 414.420 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 10.2440 \cdot 10^{-230}$	$1 ni'ureci \cdot \frac{1}{L^3 \Theta} = 10^{-230} = 0.0532304 k \frac{1}{m^3 K}$
$1 m \frac{1}{m^3 s K} = 3402.32 \cdot 10^{-420}$	$1 ni'uvopa \cdot \frac{1}{L^3 T \Theta} = 10^{-410} = 134.420 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 25.0103 \cdot 10^{-410}$	$1 ni'uvopa \cdot \frac{1}{L^3 T \Theta} = 10^{-410} = 0.0204034 \frac{1}{m^3 s K}$
$1 k \frac{1}{m^3 s K} = 0.210502 \cdot 10^{-400}$	$1 ni'uvono \cdot \frac{1}{L^3 T \Theta} = 10^{-400} = 2.42344 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 112.512 \cdot 10^{-550}$	$1 ni'umuovo \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 4451.43 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.543424 \cdot 10^{-540}$	$1 ni'umuovo \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 1.01233 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 4241.43 \cdot 10^{-540}$	$1 ni'umuci \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 120.302 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 5.20120 \cdot 10^{-110}$	$1 ni'upapa \cdot \frac{T}{L^3 \Theta} = 10^{-110} = 0.104242 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.0404153 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{T}{L^3 \Theta} = 10^{-100} = 12.4232 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 310.240 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{T}{L^3 \Theta} = 10^{-100} = 0.00151540 k \frac{s}{m^3 K}$
$1 m \frac{kg}{K} = 0.142343 \cdot 10^{120}$	$1 pare \cdot \frac{M}{\Theta} = 10^{120} = 3.24100 m \frac{kg}{K}$ (*)
$1 \frac{kg}{K} = 1201.54 \cdot 10^{120}$	$1 paci \cdot \frac{M}{\Theta} = 10^{130} = 424.531 \frac{kg}{K}$
$1 k \frac{kg}{K} = 10.1142 \cdot 10^{130}$	$1 paci \cdot \frac{M}{\Theta} = 10^{130} = 0.0544315 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 3311.54 \cdot 10^{-20}$	$1 ni'upa \cdot \frac{M}{T \Theta} = 10^{-10} = 141.024 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 24.2125 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{M}{T \Theta} = 10^{-10} = 0.0211052 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 0.203450 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 2.50325 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 111.051 \cdot 10^{-150}$	$1 ni'upavo \cdot \frac{M}{T^2 \Theta} = 10^{-140} = 5001.23 m \frac{kg}{s^2 K}$ (*)
$1 \frac{kg}{s^2 K} = 0.531424 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{M}{T^2 \Theta} = 10^{-140} = 1.02533 \frac{kg}{s^2 K}$
$1 k \frac{kg}{s^2 K} = 4140.42 \cdot 10^{-140}$	$1 ni'upaci \cdot \frac{M}{T^2 \Theta} = 10^{-130} = 122.242 k \frac{kg}{s^2 K}$

$$\begin{aligned}
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 5.04453 \cdot 10^{250} \\
1 \frac{\text{kg s}}{\text{K}} &= 0.0354335 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 302.012 \cdot 10^{300} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 101.140 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.444325 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 3410.55 \cdot 10^{240} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.03442 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.0134251 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.042 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0414030 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 314.520 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 2.31423 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 3020.02 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 22.0515 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.145255 \cdot 10^{420} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 0.0341044 \cdot 10^{350} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 250.420 \cdot 10^{350} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 2.11132 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.00113040 \cdot 10^{220} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 5.44503 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 0.0425052 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.1414 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.154434 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.00130335 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.45252 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0122305 \cdot 10^{530} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 102.553 \cdot 10^{530} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 253.114 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2.13103 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.0142350 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 5.53524 \cdot 10^{-130} \\
1 \frac{\text{kg}}{\text{m s K}} &= 0.0433015 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 331.205 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.200252 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 1315.32 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 11.1053 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.0123430 \cdot 10^{140} \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.533 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.504510 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.452432 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00344220 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 25.3123 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0135521 \cdot 10^{-240} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 114.115 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.553543 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 321.435 \cdot 10^{-420} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 2.33544 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.0200300 \cdot 10^{-400} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 22.2535 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.151030 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu} \frac{MT}{\Theta} &= 10^{250} = 0.110024 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 13.0310 \frac{\text{kg s}}{\text{K}} \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 0.00154400 \text{k} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 5443.34 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 1.13021 \frac{\text{kg m}}{\text{K}} \\
1 \text{remu} \frac{ML}{\Theta} &= 10^{250} = 134.221 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano} \frac{ML}{T\Theta} &= 10^{100} = 0.250334 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa} \frac{ML}{T\Theta} &= 10^{110} = 34.0550 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare} \frac{ML}{T\Theta} &= 10^{120} = 4442.00 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni'uci} \frac{ML}{T^2\Theta} &= 10^{-30} = 12.2245 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 1452.23 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.220433 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 154.404 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 0.0231335 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore} \frac{MLT}{\Theta} &= 10^{420} = 3.14420 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{cimu} \frac{ML^2}{\Theta} &= 10^{350} = 13.4225 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 2034.11 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 0.242035 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 444.213 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 0.101122 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci} \frac{ML^2}{T\Theta} &= 10^{230} = 12.0131 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.0220442 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.01514 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.224 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.314431 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci} \frac{ML^2 T}{\Theta} &= 10^{530} = 41.3523 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muovo} \frac{ML^2 T}{\Theta} &= 10^{540} = 5312.43 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00201524 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 0.235441 \frac{\text{kg}}{\text{m K}} \\
1 \text{re} \frac{M}{L\Theta} &= 10^{20} = 32.4045 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'upaci} \frac{M}{LT\Theta} &= 10^{-130} = 0.100204 \text{m} \frac{\text{kg}}{\text{m s K}} \quad (*) \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 11.5040 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 0.00141020 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'ucino} \frac{M}{LT^2\Theta} &= 10^{-300} = 2.55141 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 351.012 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 0.0500105 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 41.0132 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 0.00522424 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu} \frac{MT}{L\Theta} &= 10^{150} = 1.10022 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'upapa} \frac{M}{L^2\Theta} &= 10^{-110} = 1.11554 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 133.003 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 0.0201520 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 33.3455 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 0.00440131 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'ureci} \frac{M}{L^2T\Theta} &= 10^{-230} = 1.00202 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'uvore} \frac{M}{L^2T^2\Theta} &= 10^{-420} = 0.00143505 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvopa} \frac{M}{L^2T^2\Theta} &= 10^{-410} = 0.214432 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvono} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 25.5131 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{re} \frac{MT}{L^2\Theta} &= 10^{20} = 0.0225235 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{ci} \frac{MT}{L^2\Theta} &= 10^{30} = 3.11525 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}} = 0.00123433 \cdot 10^{40}$	$1\text{vo-}\frac{MT}{L^2\Theta} = 10^{40} = 410.121\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.00121255 \cdot 10^{-220}$ (*)	$1\text{ni'urere-}\frac{M}{L^3\Theta} = 10^{-220} = 421.040\text{m}\frac{\text{kg}}{\text{m}^3\text{K}}$
$1\frac{\text{kg}}{\text{m}^3\text{K}} = 10.2105 \cdot 10^{-220}$	$1\text{ni'urere-}\frac{M}{L^3\Theta} = 10^{-220} = 0.0535341\frac{\text{kg}}{\text{m}^3\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.0452450 \cdot 10^{-210}$	$1\text{ni'urepa-}\frac{M}{L^3\Theta} = 10^{-210} = 11.1552\text{k}\frac{\text{kg}}{\text{m}^3\text{K}}$ (*)
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s K}} = 24.4343 \cdot 10^{-400}$	$1\text{ni'uvono-}\frac{M}{L^3\Theta} = 10^{-400} = 0.0205140\text{m}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.205351 \cdot 10^{-350}$	$1\text{ni'ucimu-}\frac{M}{L^3T\Theta} = 10^{-350} = 2.44053\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.00135525 \cdot 10^{-340}$ (*)	$1\text{ni'ucivo-}\frac{M}{L^3T\Theta} = 10^{-340} = 333.444\text{k}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.540330 \cdot 10^{-530}$	$1\text{ni'umuci-}\frac{M}{L^3T^2\Theta} = 10^{-530} = 1.02002\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$ (*)
$1\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.00421505 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{M}{L^3T^2\Theta} = 10^{-520} = 121.132\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 32.1445 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{M}{L^3T^2\Theta} = 10^{-520} = 0.0143502\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.0402022 \cdot 10^{-50}$	$1\text{ni'umu-}\frac{MT}{L^3\Theta} = 10^{-50} = 12.5123\text{m}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\frac{\text{kg s}}{\text{m}^3\text{K}} = 304.412 \cdot 10^{-50}$	$1\text{ni'uvo-}\frac{MT}{L^3\Theta} = 10^{-40} = 1525.55\frac{\text{kg s}}{\text{m}^3\text{K}}$ (*)
$1\text{k}\frac{\text{kg s}}{\text{m}^3\text{K}} = 2.22544 \cdot 10^{-40}$	$1\text{ni'uvo-}\frac{MT}{L^3\Theta} = 10^{-40} = 0.225230\text{k}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\text{m K} = 422.250 \cdot 10^{-120}$	$1\text{ni'upare-}\Theta = 10^{-120} = 0.00121023\text{m K}$
$1\text{K} = 3.22140 \cdot 10^{-110}$	$1\text{ni'upapa-}\Theta = 10^{-110} = 0.143332\text{K}$
$1\text{k K} = 0.0234204 \cdot 10^{-100}$	$1\text{ni'upano-}\Theta = 10^{-100} = 21.4230\text{k K}$
$1\text{m}\frac{\text{K}}{\text{s}} = 12.5411 \cdot 10^{-250}$	$1\text{ni'uremu-}\frac{\Theta}{T} = 10^{-250} = 0.0400450\text{m}\frac{\text{K}}{\text{s}}$ (*)
$1\frac{\text{K}}{\text{s}} = 0.105234 \cdot 10^{-240}$	$1\text{ni'urevo-}\frac{\Theta}{T} = 10^{-240} = 5.11401\frac{\text{K}}{\text{s}}$
$1\text{k}\frac{\text{K}}{\text{s}} = 515.454 \cdot 10^{-240}$	$1\text{ni'urevo-}\frac{\Theta}{T} = 10^{-240} = 0.00104312\text{k}\frac{\text{K}}{\text{s}}$
$1\text{m}\frac{\text{K}}{\text{s}^2} = 0.301102 \cdot 10^{-420}$	$1\text{ni'uvore-}\frac{\Theta}{T^2} = 10^{-420} = 1.55121\text{m}\frac{\text{K}}{\text{s}^2}$ (*)
$1\frac{\text{K}}{\text{s}^2} = 2201.24 \cdot 10^{-420}$	$1\text{ni'uvopa-}\frac{\Theta}{T^2} = 10^{-410} = 232.150\frac{\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{K}}{\text{s}^2} = 14.5000 \cdot 10^{-410}$ (**)	$1\text{ni'uvopa-}\frac{\Theta}{T^2} = 10^{-410} = 0.0315344\text{k}\frac{\text{K}}{\text{s}^2}$
$1\text{m s K} = 0.0205540 \cdot 10^{20}$ (*)	$1\text{re-T}\Theta = 10^{20} = 24.3432\text{m s K}$
$1\text{s K} = 140.051 \cdot 10^{20}$	$1\text{re-T}\Theta = 10^{20} = 0.00333143\text{s K}$
$1\text{k s K} = 1.14224 \cdot 10^{30}$	$1\text{ci-T}\Theta = 10^{30} = 0.435321\text{k s K}$
$1\text{m m K} = 0.234155 \cdot 10^0$ (*)	$1L\Theta = 1 = 2.14234\text{m m K}$
$1\text{m K} = 2004.41 \cdot 10^0$ (*)	$1\text{pa-L}\Theta = 10^{10} = 254.501\text{m K}$
$1\text{k m K} = 13.2055 \cdot 10^{10}$ (*)	$1\text{pa-L}\Theta = 10^{10} = 0.0350243\text{k m K}$
$1\text{m}\frac{\text{m K}}{\text{s}} = 5154.40 \cdot 10^{-140}$	$1\text{ni'upaci-}\frac{L\Theta}{T} = 10^{-130} = 104.314\text{m}\frac{\text{m K}}{\text{s}}$
$1\frac{\text{m K}}{\text{s}} = 40.3551 \cdot 10^{-130}$ (*)	$1\text{ni'upaci-}\frac{L\Theta}{T} = 10^{-130} = 0.0124315\frac{\text{m K}}{\text{s}}$
$1\text{k}\frac{\text{m K}}{\text{s}} = 0.310103 \cdot 10^{-120}$	$1\text{ni'upare-}\frac{L\Theta}{T} = 10^{-120} = 1.52034\text{k}\frac{\text{m K}}{\text{s}}$
$1\text{m}\frac{\text{m K}}{\text{s}^2} = 144.553 \cdot 10^{-310}$ (*)	$1\text{ni'ucino-}\frac{L\Theta}{T^2} = 10^{-300} = 3153.55\text{m}\frac{\text{m K}}{\text{s}^2}$ (*)
$1\frac{\text{m K}}{\text{s}^2} = 1.22051 \cdot 10^{-300}$	$1\text{ni'ucino-}\frac{L\Theta}{T^2} = 10^{-300} = 0.415025\frac{\text{m K}}{\text{s}^2}$
$1\text{k}\frac{\text{m K}}{\text{s}^2} = 0.0102405 \cdot 10^{-250}$	$1\text{ni'uremu-}\frac{L\Theta}{T^2} = 10^{-250} = 53.2552\text{k}\frac{\text{m K}}{\text{s}^2}$ (*)
$1\text{m m s K} = 11.4222 \cdot 10^{130}$	$1\text{paci-LT}\Theta = 10^{130} = 0.0435334\text{m m s K}$
$1\text{m s K} = 0.0554444 \cdot 10^{140}$ (*)	$1\text{pavo-LT}\Theta = 10^{140} = 10.0112\text{m s K}$
$1\text{k m s K} = 433.423 \cdot 10^{140}$	$1\text{pavo-LT}\Theta = 10^{140} = 0.00114530\text{k m s K}$
$1\text{m m}^2\text{K} = 132.052 \cdot 10^{110}$	$1\text{pare-L}^2\Theta = 10^{120} = 3502.55\text{m m}^2\text{K}$ (*)
$1\text{m}^2\text{K} = 1.11154 \cdot 10^{120}$	$1\text{pare-L}^2\Theta = 10^{120} = 0.455254\text{m}^2\text{K}$ (*)
$1\text{k m}^2\text{K} = 5323.23 \cdot 10^{120}$	$1\text{paci-L}^2\Theta = 10^{130} = 102.434\text{k m}^2\text{K}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}} = 3.10053 \cdot 10^{-20}$ (*)	$1\text{ni'ure-}\frac{L^2\Theta}{T} = 10^{-20} = 0.152042\text{m}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\frac{\text{m}^2\text{K}}{\text{s}} = 0.0224025 \cdot 10^{-10}$	$1\text{ni'upa-}\frac{L^2\Theta}{T} = 10^{-10} = 22.4141\frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}} = 151.544 \cdot 10^{-10}$	$1\frac{L^2\Theta}{T} = 1 = 3102.30\text{k}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}^2} = 0.102403 \cdot 10^{-150}$	$1\text{ni'upamu-}\frac{L^2\Theta}{T^2} = 10^{-150} = 5.33011\text{m}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\frac{\text{m}^2\text{K}}{\text{s}^2} = 455.024 \cdot 10^{-150}$ (*)	$1\text{ni'upavo-}\frac{L^2\Theta}{T^2} = 10^{-140} = 1112.31\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}^2} = 3.50102 \cdot 10^{-140}$	$1\text{ni'upavo-}\frac{L^2\Theta}{T^2} = 10^{-140} = 0.132140\text{k}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{m m}^2\text{s K} = 4334.11 \cdot 10^{240}$	$1\text{remu-L}^2T\Theta = 10^{250} = 114.533\text{m m}^2\text{s K}$
$1\text{m}^2\text{s K} = 33.1504 \cdot 10^{250}$	$1\text{remu-L}^2T\Theta = 10^{250} = 0.0140453\text{m}^2\text{s K}$
$1\text{k m}^2\text{s K} = 0.242353 \cdot 10^{300}$	$1\text{cino-L}^2T\Theta = 10^{300} = 2.10454\text{k m}^2\text{s K}$
$1\text{m}\frac{\text{K}}{\text{m}} = 1.12213 \cdot 10^{-230}$	$1\text{ni'ureci-}\frac{\Theta}{L} = 10^{-230} = 0.451124\text{m}\frac{\text{K}}{\text{m}}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.00541233 \cdot 10^{-220} \\
1 k \frac{K}{m} &= 42.2303 \cdot 10^{-220} \\
1 m \frac{K}{ms} &= 0.0230115 \cdot 10^{-400} \\
1 \frac{K}{ms} &= 153.340 \cdot 10^{-400} \\
1 k \frac{K}{ms} &= 1.25414 \cdot 10^{-350} \\
1 m \frac{K}{ms^2} &= 503.230 \cdot 10^{-540} \\
1 \frac{K}{ms^2} &= 3.53310 \cdot 10^{-530} \\
1 k \frac{K}{ms^2} &= 0.0301112 \cdot 10^{-520} \\
1 m \frac{sK}{m} &= 33.4542 \cdot 10^{-100} \\
1 \frac{sK}{m} &= 0.245013 \cdot 10^{-50} \\
1 k \frac{sK}{m} &= 0.00205545 \cdot 10^{-40} \quad (*) \\
1 m \frac{K}{m^2} &= 0.00202314 \cdot 10^{-340} \\
1 \frac{K}{m^2} &= 13.3305 \cdot 10^{-340} \\
1 k \frac{K}{m^2} &= 0.112215 \cdot 10^{-330} \\
1 m \frac{K}{m^2 s} &= 41.1322 \cdot 10^{-520} \\
1 \frac{K}{m^2 s} &= 0.312541 \cdot 10^{-510} \\
1 k \frac{K}{m^2 s} &= 0.00230123 \cdot 10^{-500} \\
1 m \frac{K}{m^2 s^2} &= 1.23205 \cdot 10^{-1050} \\
1 \frac{K}{m^2 s^2} &= 0.0103344 \cdot 10^{-1040} \\
1 k \frac{K}{m^2 s^2} &= 50.3244 \cdot 10^{-1040} \\
1 m \frac{sK}{m^2} &= 0.100400 \cdot 10^{-210} \quad (*) \\
1 \frac{sK}{m^2} &= 441.431 \cdot 10^{-210} \\
1 k \frac{sK}{m^2} &= 3.34553 \cdot 10^{-200} \quad (*) \\
1 m \frac{K}{m^3} &= 3.25124 \cdot 10^{-500} \\
1 \frac{K}{m^3} &= 0.0240350 \cdot 10^{-450} \\
1 k \frac{K}{m^3} &= 202.322 \cdot 10^{-450} \\
1 m \frac{K}{m^3 s} &= 0.110235 \cdot 10^{-1030} \\
1 \frac{K}{m^3 s} &= 524.251 \cdot 10^{-1030} \\
1 k \frac{K}{m^3 s} &= 4.11334 \cdot 10^{-1020} \\
1 m \frac{K}{m^3 s^2} &= 0.00222141 \cdot 10^{-1200} \\
1 \frac{K}{m^3 s^2} &= 15.0324 \cdot 10^{-1200} \\
1 k \frac{K}{m^3 s^2} &= 0.123212 \cdot 10^{-1150} \\
1 m \frac{sK}{m^3} &= 141.334 \cdot 10^{-330} \\
1 \frac{sK}{m^3} &= 1.15311 \cdot 10^{-320} \\
1 k \frac{sK}{m^3} &= 0.0100402 \cdot 10^{-310} \quad (*) \\
1 m kg K &= 3.20231 \cdot 10^{-100} \\
1 kg K &= 0.0232530 \cdot 10^{-50} \\
1 k kg K &= 155.410 \cdot 10^{-50} \quad (*) \\
1 m \frac{kg K}{s} &= 0.104450 \cdot 10^{-230} \\
1 \frac{kg K}{s} &= 512.524 \cdot 10^{-230} \\
1 k \frac{kg K}{s} &= 4.01433 \cdot 10^{-220} \\
1 m \frac{kg K}{s^2} &= 0.00214543 \cdot 10^{-400} \\
1 \frac{kg K}{s^2} &= 14.4003 \cdot 10^{-400} \quad (*) \\
1 k \frac{kg K}{s^2} &= 0.121221 \cdot 10^{-350} \\
1 m kg s K &= 135.122 \cdot 10^{30} \\
1 kg s K &= 1.13412 \cdot 10^{40} \\
1 k kg s K &= 5513.30 \cdot 10^{40} \quad (*) \\
1 m kg m K &= 0.00155402 \cdot 10^{20} \quad (*) \\
1 kg m K &= 13.1150 \cdot 10^{20} \\
1 k kg m K &= 0.110402 \cdot 10^{30} \\
1 m \frac{kg m K}{s} &= 40.1421 \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 ni'urere-\frac{\Theta}{L} &= 10^{-220} = 101.504 \frac{K}{m} \\
1 ni'urere-\frac{\Theta}{L} &= 10^{-220} = 0.0121020 k \frac{K}{m} \\
1 ni'uvono-\frac{\Theta}{LT} &= 10^{-400} = 22.2110 m \frac{K}{ms} \\
1 ni'uvono-\frac{\Theta}{LT} &= 10^{-400} = 0.00303413 \frac{K}{ms} \\
1 ni'ucimu-\frac{\Theta}{LT} &= 10^{-350} = 0.400435 k \frac{K}{ms} \quad (*) \\
1 ni'umuovo-\frac{\Theta}{LT^2} &= 10^{-540} = 0.00110221 m \frac{K}{ms^2} \\
1 ni'umuci-\frac{\Theta}{LT^2} &= 10^{-530} = 0.130540 \frac{K}{ms^2} \\
1 ni'umure-\frac{\Theta}{LT^2} &= 10^{-520} = 15.5113 k \frac{K}{ms^2} \\
1 ni'upano-\frac{T\Theta}{L} &= 10^{-100} = 0.0135214 m \frac{sK}{m} \\
1 ni'umu-\frac{T\Theta}{L} &= 10^{-50} = 2.04543 \frac{sK}{m} \\
1 ni'uvo-\frac{T\Theta}{L} &= 10^{-40} = 243.423 k \frac{sK}{m} \\
1 ni'ucivo-\frac{\Theta}{L^2} &= 10^{-340} = 252.151 m \frac{K}{m^2} \\
1 ni'ucivo-\frac{\Theta}{L^2} &= 10^{-340} = 0.0343104 \frac{K}{m^2} \\
1 ni'ucici-\frac{\Theta}{L^2} &= 10^{-330} = 4.51111 k \frac{K}{m^2} \\
1 ni'umure-\frac{\Theta}{L^2 T} &= 10^{-520} = 0.0123150 m \frac{K}{m^2 s} \\
1 ni'umupa-\frac{\Theta}{L^2 T} &= 10^{-510} = 1.50254 \frac{K}{m^2 s} \\
1 ni'umuno-\frac{\Theta}{L^2 T} &= 10^{-500} = 222.101 k \frac{K}{m^2 s} \\
1 ni'upanomu-\frac{\Theta}{L^2 T^2} &= 10^{-1050} = 0.411224 m \frac{K}{m^2 s^2} \\
1 ni'upanovo-\frac{\Theta}{L^2 T^2} &= 10^{-1040} = 52.4121 \frac{K}{m^2 s^2} \\
1 ni'upanovo-\frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.0110215 k \frac{K}{m^2 s^2} \\
1 ni'urepa-\frac{T\Theta}{L^2} &= 10^{-210} = 5.52023 m \frac{sK}{m^2} \\
1 ni'ureno-\frac{T\Theta}{L^2} &= 10^{-200} = 1134.50 \frac{sK}{m^2} \\
1 ni'ureno-\frac{T\Theta}{L^2} &= 10^{-200} = 0.135211 k \frac{sK}{m^2} \\
1 ni'umuno-\frac{\Theta}{L^3} &= 10^{-500} = 0.142031 m \frac{K}{m^3} \\
1 ni'uvomu-\frac{\Theta}{L^3} &= 10^{-450} = 21.2244 \frac{K}{m^3} \\
1 ni'uvovo-\frac{\Theta}{L^3} &= 10^{-440} = 2521.41 k \frac{K}{m^3} \\
1 ni'upanoci-\frac{\Theta}{L^3 T} &= 10^{-1030} = 5.03122 m \frac{K}{m^3 s} \\
1 ni'upanore-\frac{\Theta}{L^3 T} &= 10^{-1020} = 1033.25 \frac{K}{m^3 s} \\
1 ni'upanore-\frac{\Theta}{L^3 T} &= 10^{-1020} = 0.123143 k \frac{K}{m^3 s} \\
1 ni'upareno-\frac{\Theta}{L^3 T^2} &= 10^{-1200} = 230.043 m \frac{K}{m^3 s^2} \\
1 ni'upareno-\frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.0312445 \frac{K}{m^3 s^2} \\
1 ni'upapamu-\frac{\Theta}{L^3 T^2} &= 10^{-1150} = 4.11212 k \frac{K}{m^3 s^2} \\
1 ni'ucire-\frac{T\Theta}{L^3} &= 10^{-320} = 3301.22 m \frac{sK}{m^3} \\
1 ni'ucire-\frac{T\Theta}{L^3} &= 10^{-320} = 0.431332 \frac{sK}{m^3} \\
1 ni'ucipa-\frac{T\Theta}{L^3} &= 10^{-310} = 55.2004 k \frac{sK}{m^3} \quad (**)
\end{aligned}$$

1 ni'upano- $M\Theta$  =  $10^{-100}$  = 0.144324 m kg K  
 1 ni'umu- $M\Theta$  =  $10^{-50}$  = 21.5405 kg K  
 1 ni'ubo- $M\Theta$  =  $10^{-40}$  = 3002.43 k kg K \quad (\*)  
 1 ni'ureci- $\frac{M\Theta}{T}$  =  $10^{-230}$  = 5.14323 m  $\frac{kg K}{s}$   
 1 ni'urere- $\frac{M\Theta}{T}$  =  $10^{-220}$  = 1050.55  $\frac{kg K}{s}$  \quad (\*)  
 1 ni'urere- $\frac{M\Theta}{T}$  =  $10^{-220}$  = 0.125203 k  $\frac{kg K}{s}$   
 1 ni'uvono- $\frac{M\Theta}{T^2}$  =  $10^{-400}$  = 233.422 m  $\frac{kg K}{s^2}$   
 1 ni'uvono- $\frac{M\Theta}{T^2}$  =  $10^{-400}$  = 0.0321251  $\frac{kg K}{s^2}$   
 1 ni'ucimu- $\frac{M\Theta}{T^2}$  =  $10^{-350}$  = 4.21234 k  $\frac{kg K}{s^2}$   
 1 vo- $MT\Theta$  =  $10^{40}$  = 3351.42 m kg s K  
 1 vo- $MT\Theta$  =  $10^{40}$  = 0.442052 kg s K  
 1 mu- $MT\Theta$  =  $10^{50}$  = 100.430 k kg s K \quad (\*)  
 1 re- $ML\Theta$  =  $10^{20}$  = 300.253 m kg m K \quad (\*)  
 1 re- $ML\Theta$  =  $10^{20}$  = 0.0352333 kg m K  
 1 ci- $ML\Theta$  =  $10^{30}$  = 5.02114 k kg m K  
 1 ni'upare- $\frac{ML\Theta}{T}$  =  $10^{-120}$  = 0.0125210 m  $\frac{kg m K}{s}$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.304240 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00222433 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.21214 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 0.0102034 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 45.2222 \cdot 10^{-240} \\
1 \text{m kg m s K} &= 0.0551311 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.115 \cdot 10^{150} \\
1 \text{k kg m s K} &= 3.25535 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.10400 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.00525304 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.2224 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0222424 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 150.533 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1.23351 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 452.204 \cdot 10^{-140} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 3.44024 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.0252555 \cdot 10^{-120} \quad (***) \\
1 \text{m kg m}^2 \text{s K} &= 32.5524 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.241053 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 0.00202544 \cdot 10^{320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 5341.51 \cdot 10^{-220} \\
1 \frac{\text{kg K}}{\text{m}} &= 42.0034 \cdot 10^{-210} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.320241 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 152.315 \cdot 10^{-350} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1.24521 \cdot 10^{-340} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 0.0104452 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 3.51213 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.0255313 \cdot 10^{-510} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 214.552 \cdot 10^{-510} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.243302 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 2044.41 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 13.5125 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13.2352 \cdot 10^{-330} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.111413 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 534.205 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.311101 \cdot 10^{-500} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 2245.11 \cdot 10^{-500} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 15.2323 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.0103005 \cdot 10^{-1030} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 50.0401 \cdot 10^{-1030} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.351224 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 435.102 \cdot 10^{-200} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 3.32555 \cdot 10^{-150} \quad (***) \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 0.0243311 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.0235101 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 201.233 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 1.32355 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 521.253 \cdot 10^{-1020} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 4.05144 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0311111 \cdot 10^{-1000}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 1.53053 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni}'\text{upano-} \frac{ML\Theta}{T} &= 10^{-100} = 225.343 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni}'\text{uremu-} \frac{ML\Theta}{T^2} &= 10^{-250} = 0.421250 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni}'\text{urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 54.0030 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni}'\text{urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.0112030 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{pamu-} MLT\Theta &= 10^{150} = 10.0432 \text{m kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 1153.51 \text{kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 0.141425 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.502132 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.212 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.0123005 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 22.5352 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00312103 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.410323 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni}'\text{upavo-} \frac{ML^2\Theta}{T^2} &= 10^{-140} = 0.00112032 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni}'\text{upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 0.133051 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni}'\text{upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 20.2021 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.0141432 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 2.12012 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 251.422 \text{k kg m}^2 \text{s K} \\
1 \text{ni}'\text{urepa-} \frac{M\Theta}{L} &= 10^{-210} = 102.234 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni}'\text{urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.0121452 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni}'\text{ureno-} \frac{M\Theta}{L} &= 10^{-200} = 1.44321 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni}'\text{ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 3052.33 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni}'\text{ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 0.403002 \frac{\text{kg K}}{\text{m s}} \quad (*) \\
1 \text{ni}'\text{ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 51.4305 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni}'\text{umure-} \frac{M\Theta}{LT^2} &= 10^{-520} = 0.131443 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni}'\text{umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 20.0150 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni}'\text{umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 2334.13 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni}'\text{uvo-} \frac{MT\Theta}{L} &= 10^{-40} = 2.10051 \text{m} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni}'\text{uci-} \frac{MT\Theta}{L} &= 10^{-30} = 245.140 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni}'\text{uci-} \frac{MT\Theta}{L} &= 10^{-30} = 0.0335131 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni}'\text{ucici-} \frac{M\Theta}{L^2} &= 10^{-330} = 0.0345134 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni}'\text{ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 4.53523 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni}'\text{ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.00102232 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni}'\text{umuno-} \frac{M\Theta}{L^2 T} &= 10^{-500} = 1.51304 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{uvomu-} \frac{M\Theta}{L^2 T} &= 10^{-450} = 223.301 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{uvomu-} \frac{M\Theta}{L^2 T} &= 10^{-450} = 0.0305223 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{upanoci-} \frac{M\Theta}{L^2 T^2} &= 10^{-1030} = 53.1131 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{upanoci-} \frac{M\Theta}{L^2 T^2} &= 10^{-1030} = 0.0111012 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{upanore-} \frac{M\Theta}{L^2 T^2} &= 10^{-1020} = 1.31440 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{ureno-} \frac{MT\Theta}{L^2} &= 10^{-200} = 0.00114303 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni}'\text{upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 0.140141 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni}'\text{upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 21.0043 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni}'\text{uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 21.3413 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni}'\text{uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.00253521 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni}'\text{uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.345123 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni}'\text{upanore-} \frac{M\Theta}{L^3 T} &= 10^{-1020} = 0.00104105 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{upanopa-} \frac{M\Theta}{L^3 T} &= 10^{-1010} = 0.124030 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{upanono-} \frac{M\Theta}{L^3 T} &= 10^{-1000} = 15.1300 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*)
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 14.5322 \cdot 10^{-1150}$	$1 ni'upapamu-\frac{M\Theta}{L^3 T^2} = 10^{-1150} = 0.0314334 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.122331 \cdot 10^{-1140}$	$1 ni'upapavo-\frac{M\Theta}{L^3 T^2} = 10^{-1140} = 4.13413 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 1030.12 \cdot 10^{-1140}$	$1 ni'upapaci-\frac{M\Theta}{L^3 T^2} = 10^{-1130} = 531.113 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 1.14451 \cdot 10^{-310}$	$1 ni'ucipa-\frac{MT\Theta}{L^3} = 10^{-310} = 0.434042 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 0.0100042 \cdot 10^{-300}$	$1 ni'ucino-\frac{MT\Theta}{L^3} = 10^{-300} = 55.5143 \frac{kg\ s\ K}{m^3} (*)$
$1k \frac{kg\ s\ K}{m^3} = 43.5115 \cdot 10^{-300}$	$1 ni'ucino-\frac{MT\Theta}{L^3} = 10^{-300} = 0.0114301 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 1501.14 \cdot 10^{-200}$	$1 ni'upamu-\frac{\Theta}{Q} = 10^{-150} = 313.234 m \frac{K}{C}$
$1 \frac{K}{C} = 12.3032 \cdot 10^{-150}$	$1 ni'upamu-\frac{\Theta}{Q} = 10^{-150} = 0.0412110 \frac{K}{C}$
$1k \frac{K}{C} = 0.103231 \cdot 10^{-140}$	$1 ni'upavo-\frac{\Theta}{Q} = 10^{-140} = 5.25125 k \frac{K}{C}$
$1m \frac{K}{sC} = 34.2342 \cdot 10^{-330}$	$1 ni'ucici-\frac{\Theta}{TQ} = 10^{-330} = 0.0133433 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.251513 \cdot 10^{-320}$	$1 ni'ucire-\frac{\Theta}{TQ} = 10^{-320} = 2.02510 \frac{K}{sC}$
$1k \frac{K}{sC} = 2120.53 \cdot 10^{-320}$	$1 ni'ucipa-\frac{\Theta}{TQ} = 10^{-310} = 241.004 k \frac{K}{sC} (*)$
$1m \frac{K}{s^2C} = 1.13341 \cdot 10^{-500}$	$1 ni'umuno-\frac{\Theta}{T^2Q} = 10^{-500} = 0.442244 m \frac{K}{s^2C}$
$1 \frac{K}{s^2C} = 5511.05 \cdot 10^{-500}$	$1 ni'uvomu-\frac{\Theta}{T^2Q} = 10^{-450} = 100.453 \frac{K}{s^2C} (*)$
$1k \frac{K}{s^2C} = 43.0542 \cdot 10^{-450}$	$1 ni'uvomu-\frac{\Theta}{T^2Q} = 10^{-450} = 0.0115415 k \frac{K}{s^2C}$
$1m \frac{sK}{C} = 0.0523225 \cdot 10^{-20}$	$1 ni'ure-\frac{T\Theta}{Q} = 10^{-20} = 10.3443 m \frac{sK}{C}$
$1 \frac{sK}{C} = 410.441 \cdot 10^{-20}$	$1 ni'ure-\frac{T\Theta}{Q} = 10^{-20} = 0.00123323 \frac{sK}{C}$
$1k \frac{sK}{C} = 3.12202 \cdot 10^{-10}$	$1 ni'upa-\frac{T\Theta}{Q} = 10^{-10} = 0.150501 k \frac{sK}{C}$
$1m \frac{mK}{C} = 1.03225 \cdot 10^{-40}$	$1 ni'uvo-\frac{L\Theta}{Q} = 10^{-40} = 0.525144 m \frac{mK}{C}$
$1 \frac{mK}{C} = 5022.45 \cdot 10^{-40}$	$1 ni'uci-\frac{L\Theta}{Q} = 10^{-30} = 110.341 \frac{mK}{C}$
$1k \frac{mK}{C} = 35.2443 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{Q} = 10^{-30} = 0.0131122 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 0.0212044 \cdot 10^{-210}$	$1 ni'urepa-\frac{L\Theta}{TQ} = 10^{-210} = 24.1013 m \frac{mK}{sC}$
$1 \frac{mK}{sC} = 141.455 \cdot 10^{-210}$	$1 ni'ureno-\frac{L\Theta}{TQ} = 10^{-200} = 3254.33 \frac{mK}{sC}$
$1k \frac{mK}{sC} = 1.15413 \cdot 10^{-200}$	$1 ni'ureno-\frac{L\Theta}{TQ} = 10^{-200} = 0.430554 k \frac{mK}{sC} (*)$
$1m \frac{mK}{s^2C} = 430.530 \cdot 10^{-350}$	$1 ni'ucivo-\frac{L\Theta}{T^2Q} = 10^{-340} = 1154.22 m \frac{mK}{s^2C}$
$1 \frac{mK}{s^2C} = 3.25412 \cdot 10^{-340}$	$1 ni'ucivo-\frac{L\Theta}{T^2Q} = 10^{-340} = 0.141505 \frac{mK}{s^2C}$
$1k \frac{mK}{s^2C} = 0.0240555 \cdot 10^{-330}$	$1 ni'ucici-\frac{L\Theta}{T^2Q} = 10^{-330} = 21.2100 k \frac{mK}{s^2C} (*)$
$1m \frac{msK}{C} = 31.2152 \cdot 10^{50}$	$1 mu-\frac{LT\Theta}{Q} = 10^{50} = 0.0150504 m \frac{msK}{C}$
$1 \frac{msK}{C} = 0.225430 \cdot 10^{100}$	$1 pano-\frac{LT\Theta}{Q} = 10^{100} = 2.22351 \frac{msK}{C}$
$1k \frac{msK}{C} = 1531.30 \cdot 10^{100}$	$1 papa-\frac{LT\Theta}{Q} = 10^{110} = 304.142 k \frac{msK}{C}$
$1m \frac{m^2K}{C} = 352.432 \cdot 10^{30}$	$1 vo-\frac{L^2\Theta}{Q} = 10^{40} = 1311.25 m \frac{m^2K}{C}$
$1 \frac{m^2K}{C} = 3.00340 \cdot 10^{40}$	$1 vo-\frac{L^2\Theta}{Q} = 10^{40} = 0.155333 \frac{m^2K}{C} (*)$
$1k \frac{m^2K}{C} = 0.0215450 \cdot 10^{50}$	$1 mu-\frac{L^2\Theta}{Q} = 10^{50} = 23.2442 k \frac{m^2K}{C}$
$1m \frac{m^2K}{sC} = 11.5410 \cdot 10^{-100}$	$1 ni'upano-\frac{L^2\Theta}{TQ} = 10^{-100} = 0.0431011 m \frac{m^2K}{sC}$
$1 \frac{m^2K}{sC} = 0.100445 \cdot 10^{-50}$	$1 ni'umu-\frac{L^2\Theta}{TQ} = 10^{-50} = 5.51142 \frac{m^2K}{sC}$
$1k \frac{m^2K}{sC} = 442.215 \cdot 10^{-50}$	$1 ni'uvo-\frac{L^2\Theta}{TQ} = 10^{-40} = 1133.50 k \frac{m^2K}{sC}$
$1m \frac{m^2K}{s^2C} = 0.240550 \cdot 10^{-230}$	$1 ni'ureci-\frac{L^2\Theta}{T^2Q} = 10^{-230} = 2.12105 m \frac{m^2K}{s^2C}$
$1 \frac{m^2K}{s^2C} = 0.00202454 \cdot 10^{-220}$	$1 ni'urere-\frac{L^2\Theta}{T^2Q} = 10^{-220} = 251.532 \frac{m^2K}{s^2C}$
$1k \frac{m^2K}{s^2C} = 13.3423 \cdot 10^{-220}$	$1 ni'urere-\frac{L^2\Theta}{T^2Q} = 10^{-220} = 0.0342404 k \frac{m^2K}{s^2C}$
$1m \frac{m^2sK}{C} = 0.0153122 \cdot 10^{210}$	$1 repa-\frac{L^2T\Theta}{Q} = 10^{210} = 30.4152 m \frac{m^2sK}{C}$
$1 \frac{m^2sK}{C} = 125.231 \cdot 10^{210}$	$1 rere-\frac{L^2T\Theta}{Q} = 10^{220} = 4013.21 \frac{m^2sK}{C}$
$1k \frac{m^2sK}{C} = 1.05120 \cdot 10^{220}$	$1 rere-\frac{L^2T\Theta}{Q} = 10^{220} = 0.512352 k \frac{m^2sK}{C}$
$1m \frac{K}{mC} = 3.03125 \cdot 10^{-310}$	$1 ni'ucipa-\frac{\Theta}{LQ} = 10^{-310} = 0.153523 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.0221501 \cdot 10^{-300}$	$1 ni'ucino-\frac{\Theta}{LQ} = 10^{-300} = 23.0332 \frac{K}{mC}$
$1k \frac{K}{mC} = 150.122 \cdot 10^{-300}$	$1 ni'ucino-\frac{\Theta}{LQ} = 10^{-300} = 0.00313224 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.101410 \cdot 10^{-440}$	$1 ni'uvovo-\frac{\Theta}{LTQ} = 10^{-440} = 5.42142 m \frac{K}{msC}$
$1 \frac{K}{msC} = 450.303 \cdot 10^{-440}$	$1 ni'uvovo-\frac{\Theta}{LTQ} = 10^{-440} = 0.00112321 \frac{K}{msC}$
$1k \frac{K}{msC} = 3.42354 \cdot 10^{-430}$	$1 ni'uvoci-\frac{\Theta}{LTQ} = 10^{-430} = 0.133425 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 2043.50 \cdot 10^{-1020} \\
1 \frac{K}{ms^2C} &= 13.5045 \cdot 10^{-1010} \\
1k \frac{K}{ms^2C} &= 0.113344 \cdot 10^{-1000} \\
1m \frac{sK}{mC} &= 130.415 \cdot 10^{-140} \\
1 \frac{sK}{mC} &= 1.10115 \cdot 10^{-130} \\
1k \frac{sK}{mC} &= 0.00523243 \cdot 10^{-120} \\
1m \frac{K}{m^2C} &= 0.00510521 \cdot 10^{-420} \\
1 \frac{K}{m^2C} &= 40.0113 \cdot 10^{-420} \\
1k \frac{K}{m^2C} &= 0.303134 \cdot 10^{-410} \\
1m \frac{K}{m^2sC} &= 143.155 \cdot 10^{-1000} \quad (*) \\
1 \frac{K}{m^2sC} &= 1.20511 \cdot 10^{-550} \\
1k \frac{K}{m^2sC} &= 0.0101412 \cdot 10^{-540} \\
1m \frac{K}{m^2s^2C} &= 3.32431 \cdot 10^{-1130} \\
1 \frac{K}{m^2s^2C} &= 0.0243203 \cdot 10^{-1120} \\
1k \frac{K}{m^2s^2C} &= 204.354 \cdot 10^{-1120} \\
1m \frac{sK}{m^2C} &= 0.231532 \cdot 10^{-250} \\
1 \frac{sK}{m^2C} &= 0.00154533 \cdot 10^{-240} \\
1k \frac{sK}{m^2C} &= 13.0422 \cdot 10^{-240} \\
1m \frac{K}{m^3C} &= 12.4155 \cdot 10^{-540} \quad (*) \\
1 \frac{K}{m^3C} &= 0.104214 \cdot 10^{-530} \\
1k \frac{K}{m^3C} &= 510.534 \cdot 10^{-530} \\
1m \frac{K}{m^3sC} &= 0.254221 \cdot 10^{-1110} \\
1 \frac{K}{m^3sC} &= 0.00214032 \cdot 10^{-1100} \\
1k \frac{K}{m^3sC} &= 14.3202 \cdot 10^{-1100} \\
1m \frac{K}{m^3s^2C} &= 0.0100015 \cdot 10^{-1240} \quad (**)
\end{aligned}$$


---


$$\begin{aligned}
1 \frac{K}{m^3s^2C} &= 43.4523 \cdot 10^{-1240} \\
1k \frac{K}{m^3s^2C} &= 0.332441 \cdot 10^{-1230} \\
1m \frac{sK}{m^3C} &= 414.234 \cdot 10^{-410} \\
1 \frac{sK}{m^3C} &= 3.15055 \cdot 10^{-400} \quad (*) \\
1k \frac{sK}{m^3C} &= 0.0231541 \cdot 10^{-350} \\
1m \frac{kgK}{C} &= 12.2152 \cdot 10^{-140} \\
1 \frac{kgK}{C} &= 0.102454 \cdot 10^{-130} \\
1k \frac{kgK}{C} &= 455.424 \cdot 10^{-130} \quad (*) \\
1m \frac{kgK}{sC} &= 0.250144 \cdot 10^{-310} \\
1 \frac{kgK}{sC} &= 0.00210533 \cdot 10^{-300} \\
1k \frac{kgK}{sC} &= 14.0523 \cdot 10^{-300} \\
1m \frac{kgK}{s^2C} &= 0.00543551 \cdot 10^{-440} \quad (*) \\
1 \frac{kgK}{s^2C} &= 42.4251 \cdot 10^{-440} \\
1k \frac{kgK}{s^2C} &= 0.323454 \cdot 10^{-430} \\
1m \frac{kg sK}{C} &= 404.253 \cdot 10^{-10} \\
1 \frac{kg sK}{C} &= 3.10324 \\
1k \frac{kg sK}{C} &= 0.0224224 \cdot 10^{10} \\
1m \frac{kg mK}{C} &= 0.00455410 \cdot 10^{-20} \quad (*) \\
1 \frac{kg mK}{C} &= 35.0353 \cdot 10^{-20} \\
1k \frac{kg mK}{C} &= 0.254553 \cdot 10^{-10} \quad (*) \\
1m \frac{kg mK}{sC} &= 140.520 \cdot 10^{-200} \\
1 \frac{kg mK}{sC} &= 1.14552 \cdot 10^{-150} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 ni'upanopa-\frac{\Theta}{LT^2Q} &= 10^{-1010} = 245.244 m \frac{K}{ms^2C} \\
1 ni'upanopa-\frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.0335300 \frac{K}{ms^2C} \quad (*) \\
1 ni'upanono-\frac{\Theta}{LT^2Q} &= 10^{-1000} = 4.42231 k \frac{K}{ms^2C} \\
1 ni'upavo-\frac{T\Theta}{LQ} &= 10^{-140} = 0.00354041 m \frac{sK}{mC} \\
1 ni'upaci-\frac{T\Theta}{LQ} &= 10^{-130} = 0.504103 \frac{sK}{mC} \\
1 ni'upare-\frac{T\Theta}{LQ} &= 10^{-120} = 103.441 k \frac{sK}{mC} \\
1 ni'uvore-\frac{\Theta}{L^2Q} &= 10^{-420} = 105.335 m \frac{K}{m^2C} \\
1 ni'uvore-\frac{\Theta}{L^2Q} &= 10^{-420} = 0.0125531 \frac{K}{m^2C} \quad (*) \\
1 ni'uvopa-\frac{\Theta}{L^2Q} &= 10^{-410} = 1.53515 k \frac{K}{m^2C} \\
1 ni'upanono-\frac{\Theta}{L^2TQ} &= 10^{-1000} = 0.00322442 m \frac{K}{m^2sC} \\
1 ni'umumu-\frac{\Theta}{L^2TQ} &= 10^{-550} = 0.423045 \frac{K}{m^2sC} \\
1 ni'umuvo-\frac{\Theta}{L^2TQ} &= 10^{-540} = 54.2123 k \frac{K}{m^2sC} \\
1 ni'upapaci-\frac{\Theta}{L^2T^2Q} &= 10^{-1130} = 0.140221 m \frac{K}{m^2s^2C} \\
1 ni'upapare-\frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 21.0135 \frac{K}{m^2s^2C} \\
1 ni'upapare-\frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 0.00245235 k \frac{K}{m^2s^2C} \\
1 ni'uremu-\frac{T\Theta}{L^2Q} &= 10^{-250} = 2.20332 m \frac{sK}{m^2C} \\
1 ni'urevo-\frac{T\Theta}{L^2Q} &= 10^{-240} = 301.344 \frac{sK}{m^2C} \\
1 ni'urevo-\frac{T\Theta}{L^2Q} &= 10^{-240} = 0.0354025 k \frac{sK}{m^2C} \\
1 ni'umuvo-\frac{\Theta}{L^3Q} &= 10^{-540} = 0.0404332 m \frac{K}{m^3C} \\
1 ni'umuci-\frac{\Theta}{L^3Q} &= 10^{-530} = 5.20325 \frac{K}{m^3C} \\
1 ni'umure-\frac{\Theta}{L^3Q} &= 10^{-520} = 1053.33 k \frac{K}{m^3C} \\
1 ni'upapapa-\frac{\Theta}{L^3TQ} &= 10^{-1110} = 2.01031 m \frac{K}{m^3sC} \\
1 ni'upapano-\frac{\Theta}{L^3TQ} &= 10^{-1100} = 234.420 \frac{K}{m^3sC} \\
1 ni'upapano-\frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.0322432 k \frac{K}{m^3sC} \\
1 ni'uparevo-\frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 55.5405 m \frac{K}{m^3s^2C} \quad (*) \\
1 ni'uparevo-\frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 0.0114331 \frac{K}{m^3s^2C} \\
1 ni'upareci-\frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 1.40214 k \frac{K}{m^3s^2C} \\
1 ni'uvono-\frac{T\Theta}{L^3Q} &= 10^{-400} = 1222.04 m \frac{sK}{m^3C} \\
1 ni'uvono-\frac{T\Theta}{L^3Q} &= 10^{-400} = 0.145131 \frac{sK}{m^3C} \\
1 ni'ucimu-\frac{T\Theta}{L^3Q} &= 10^{-350} = 22.0323 k \frac{sK}{m^3C} \\
1 ni'upavo-\frac{M\Theta}{Q} &= 10^{-140} = 0.0414314 m \frac{kgK}{C} \\
1 ni'upaci-\frac{M\Theta}{Q} &= 10^{-130} = 5.32143 \frac{kgK}{C} \\
1 ni'upare-\frac{M\Theta}{Q} &= 10^{-120} = 1111.33 k \frac{kgK}{C} \\
1 ni'ucipa-\frac{M\Theta}{TQ} &= 10^{-310} = 2.04003 m \frac{kgK}{sC} \quad (*) \\
1 ni'ucino-\frac{M\Theta}{TQ} &= 10^{-300} = 242.303 \frac{kgK}{sC} \\
1 ni'ucino-\frac{M\Theta}{TQ} &= 10^{-300} = 0.0331402 k \frac{kgK}{sC} \\
1 ni'uvovo-\frac{M\Theta}{T^2Q} &= 10^{-440} = 101.220 m \frac{kgK}{s^2C} \\
1 ni'uvovo-\frac{M\Theta}{T^2Q} &= 10^{-440} = 0.0120242 \frac{kgK}{s^2C} \\
1 ni'uvoci-\frac{M\Theta}{T^2Q} &= 10^{-430} = 1.42444 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 1242.11 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.151512 \frac{kg sK}{C} \\
1 pa-\frac{MT\Theta}{Q} &= 10^{10} = 22.3543 k \frac{kg sK}{C} \\
1 ni'ure-\frac{ML\Theta}{Q} &= 10^{-20} = 111.135 m \frac{kg mK}{C} \\
1 ni'ure-\frac{ML\Theta}{Q} &= 10^{-20} = 0.0132030 \frac{kg mK}{C} \\
1 ni'upa-\frac{ML\Theta}{Q} &= 10^{-10} = 2.00403 k \frac{kg mK}{C} \quad (*) \\
1 ni'ureno-\frac{ML\Theta}{TQ} &= 10^{-200} = 0.00331413 m \frac{kg mK}{sC} \\
1 ni'upamu-\frac{ML\Theta}{TQ} &= 10^{-150} = 0.433302 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.0100130 \cdot 10^{-140} \quad (*) \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 3.23444 \cdot 10^{-330} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.0235304 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 201.412 \cdot 10^{-320} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 0.224215 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.00152111 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 12.4342 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 2.54543 \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.0214311 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 143.403 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.100125 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 435.443 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 3.33245 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2014.04 \cdot 10^{-220} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 13.2505 \cdot 10^{-210} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.111512 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 124.340 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 1.04332 \cdot 10^{230} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.00511533 \cdot 10^{240} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.0220311 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 145.120 \cdot 10^{-250} \\
1k \frac{\text{kg K}}{\text{m C}} &= 1.22155 \cdot 10^{-240} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s C}} &= 443.510 \cdot 10^{-430} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 3.40335 \cdot 10^{-420} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.0250153 \cdot 10^{-410} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 13.4123 \cdot 10^{-1000} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.112534 \cdot 10^{-550} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 544.010 \cdot 10^{-550} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 1.05325 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 5202.53 \cdot 10^{-120} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 40.4305 \cdot 10^{-110} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 35.4003 \cdot 10^{-410} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.301325 \cdot 10^{-400} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 2203.15 \cdot 10^{-400} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 1.20042 \cdot 10^{-540} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.0101044 \cdot 10^{-530} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 44.3523 \cdot 10^{-530} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0241501 \cdot 10^{-1110} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 203.254 \cdot 10^{-1110} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 1.34130 \cdot 10^{-1100} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 1535.04 \cdot 10^{-240} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 12.5522 \cdot 10^{-230} \quad (*) \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.105331 \cdot 10^{-220} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.103433 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 504.033 \cdot 10^{-520} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 3.54015 \cdot 10^{-510}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 55.4300 \text{ k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \quad (***) \\
1 \text{ ni'ucici-} \frac{ML\Theta}{TQ} &= 10^{-330} = 0.142452 \text{ m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{TQ} &= 10^{-320} = 21.3224 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 0.00253301 \text{ k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ papa-} \frac{MLT\Theta}{Q} &= 10^{110} = 2.23552 \text{ m} \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 310.005 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 0.0403435 \text{ k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.200411 \text{ m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \quad (*) \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 23.4115 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 0.00322040 \text{ k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 5.54315 \text{ m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 0.00114202 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.140021 \text{ k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 253.310 \text{ m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 0.0344433 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 4.53125 \text{ k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.00403450 \text{ m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 0.515321 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 105.213 \text{ k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ ni'uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 23.1554 \text{ m} \frac{\text{kg K}}{\text{m C}} \quad (*) \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 3151.15 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 0.414302 \text{ k} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 1131.25 \text{ m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 0.134350 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 20.3555 \text{ k} \frac{\text{kg K}}{\text{m s C}} \quad (**) \\
1 \text{ ni'upanono-} \frac{M\Theta}{LT^2Q} &= 10^{-1000} = 0.0341310 \text{ m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 4.45015 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umuvo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 1012.14 \text{ k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.511005 \text{ m} \frac{\text{kg s K}}{\text{m C}} \quad (*) \\
1 \text{ ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 104.222 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 0.0124205 \text{ k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'uvopa-} \frac{M\Theta}{L^2Q} &= 10^{-410} = 0.0130431 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 1.54544 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 231.545 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umuvo-} \frac{M\Theta}{L^2TQ} &= 10^{-540} = 0.425332 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 54.5231 \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 0.0113123 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ ni'upapapa-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1110} = 21.1252 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 2510.01 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.341255 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 303.154 \text{ m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 0.0400135 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 5.10552 \text{ k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni'umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 5.23315 \text{ m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 0.00110124 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 0.130424 \text{ k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s C} = 2125.03 \cdot 10^{-1100}$	$1 ni' upanomu- \frac{M\Theta}{L^3 T Q} = 10^{-1050} = 240.104 m \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s C} = 14.2214 \cdot 10^{-1050}$	$1 ni' upanomu- \frac{M\Theta}{L^3 T Q} = 10^{-1050} = 0.0324353 \frac{kg\ K}{m^3 s C}$
$1k \frac{kg\ K}{m^3 s C} = 0.120045 \cdot 10^{-1040}$ (*)	$1 ni' upanovo- \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 4.25315 k \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 43.2211 \cdot 10^{-1230}$	$1 ni' upareci- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1230} = 0.0115151 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 0.330455 \cdot 10^{-1220}$ (*)	$1 ni' uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 1.41151 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 2415.10 \cdot 10^{-1220}$	$1 ni' uparepa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 211.243 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 3.13204 \cdot 10^{-350}$	$1 ni' ucimu- \frac{MT\Theta}{L^3 Q} = 10^{-350} = 0.150133 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 0.0230315 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 22.1513 \frac{kg\ s\ K}{m^3 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 153.512 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 0.00303144 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 143.114 \cdot 10^{-40}$	$1 ni' uvo-Q\Theta = 10^{-40} = 0.00323003 m CK$ (*)
$1 CK = 1.20435 \cdot 10^{-30}$	$1 ni' uci-Q\Theta = 10^{-30} = 0.423232 CK$
$1k CK = 0.0101345 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 54.2341 k CK$
$1m \frac{CK}{s} = 3.32304 \cdot 10^{-210}$	$1 ni' urepa- \frac{Q\Theta}{T} = 10^{-210} = 0.140301 m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.0243100 \cdot 10^{-200}$ (*)	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 21.0230 \frac{CK}{s}$
$1k \frac{CK}{s} = 204.303 \cdot 10^{-200}$	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 0.00245343 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 0.111314 \cdot 10^{-340}$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 4.54321 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 533.340 \cdot 10^{-340}$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 0.00102323 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 4.15322 \cdot 10^{-330}$	$1 ni' ucici- \frac{Q\Theta}{T^2} = 10^{-330} = 0.121553 k \frac{CK}{s^2}$ (*)
$1m s CK = 0.00510315 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 105.404 m s CK$
$1s CK = 35.5540 \cdot 10^{100}$ (*)	$1 pano-TQ\Theta = 10^{100} = 0.0130005 s CK$ (**)
$1ks CK = 0.303023 \cdot 10^{110}$	$1 papa-TQ\Theta = 10^{110} = 1.54003 ks CK$ (*)
$1mm CK = 0.101343 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 5.42400 mm CK$ (*)
$1m CK = 450.110 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 0.00112350 m CK$
$1km CK = 3.42224 \cdot 10^{50}$	$1 mu-LQ\Theta = 10^{50} = 0.133504 km CK$
$1m \frac{m CK}{s} = 2042.55 \cdot 10^{-100}$ (*)	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 245.353 m \frac{m CK}{s}$
$1 \frac{m CK}{s} = 13.5010 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 0.0335424 \frac{m CK}{s}$
$1k \frac{m CK}{s} = 0.113314 \cdot 10^{-40}$	$1 ni' uvo- \frac{LQ\Theta}{T} = 10^{-40} = 4.42423 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 41.5310 \cdot 10^{-230}$	$1 ni' ureci- \frac{LQ\Theta}{T^2} = 10^{-230} = 0.0122000 m \frac{m CK}{s^2}$ (**)
$1 \frac{m CK}{s^2} = 0.320001 \cdot 10^{-220}$ (**)	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 1.44444 \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 2323.33 \cdot 10^{-220}$	$1 ni' urepa- \frac{LQ\Theta}{T^2} = 10^{-210} = 215.551 k \frac{m CK}{s^2}$ (*)
$1m ms CK = 3.03013 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 0.154010 mm CK$
$1ms CK = 0.0221403 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 23.0432 ms CK$
$1km s CK = 150.040 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.00313342 km ms CK$
$1mm^2 CK = 34.2213 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.0133511 mm^2 CK$
$1m^2 CK = 0.251404 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 2.02555 m^2 CK$ (**)
$1km^2 CK = 2120.01 \cdot 10^{200}$	$1 repa-L^2 Q\Theta = 10^{210} = 241.110 km^2 CK$
$1m \frac{m^2 CK}{s} = 1.13311 \cdot 10^{20}$	$1 re- \frac{L^2 Q\Theta}{T} = 10^{20} = 0.442440 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 5504.45 \cdot 10^{20}$ (*)	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 100.520 \frac{m^2 CK}{s}$ (*)
$1k \frac{m^2 CK}{s} = 43.0354 \cdot 10^{30}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 0.0115450 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 0.0232324 \cdot 10^{-110}$	$1 ni' upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 21.5555 m \frac{m^2 CK}{s^2}$ (**)
$1 \frac{m^2 CK}{s^2} = 155.233 \cdot 10^{-110}$ (*)	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 3005.10 \frac{m^2 CK}{s^2}$ (*)
$1k \frac{m^2 CK}{s^2} = 1.31041 \cdot 10^{-100}$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.353030 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 1500.32 \cdot 10^{320}$ (*)	$1 cici-L^2 TQ\Theta = 10^{330} = 313.352 mm^2 s CK$
$1m^2 s CK = 12.3000 \cdot 10^{330}$ (**)	$1 cici-L^2 TQ\Theta = 10^{330} = 0.0412251 m^2 s CK$
$1km^2 s CK = 0.103204 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 5.25335 km^2 s CK$
$1m \frac{CK}{m} = 0.254111 \cdot 10^{-150}$	$1 ni' upamu- \frac{Q\Theta}{L} = 10^{-150} = 2.01120 m \frac{CK}{m}$
$1 \frac{CK}{m} = 0.00213540 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 234.521 \frac{CK}{m}$
$1k \frac{CK}{m} = 14.3121 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 0.0322552 k \frac{CK}{m}$ (*)
$1m \frac{CK}{ms} = 0.00555525 \cdot 10^{-320}$ (**)	$1 ni' ucire- \frac{Q\Theta}{LT} = 10^{-320} = 100.003 m \frac{CK}{ms}$ (*)

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 43.4334 \cdot 10^{-320} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 0.332315 \cdot 10^{-310} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 201.055 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{CK}}{\text{m s}^2} &= 1.32242 \cdot 10^{-450} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 0.0111321 \cdot 10^{-440} \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 12.4123 \cdot 10^{-20} \\
1 \frac{\text{s CK}}{\text{m}} &= 0.104150 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 510.333 \cdot 10^{-10} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 454.230 \cdot 10^{-310} \\
1 \frac{\text{CK}}{\text{m}^2} &= 3.45400 \cdot 10^{-300} \quad (*) \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.0254121 \cdot 10^{-250} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 14.0243 \cdot 10^{-440} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.114352 \cdot 10^{-430} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 555.545 \cdot 10^{-430} \quad (***) \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.322530 \cdot 10^{-1010} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.00234502 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 20.1103 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.0223431 \cdot 10^{-130} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 151.414 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 1.24125 \cdot 10^{-120} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 1.21543 \cdot 10^{-420} \\
1 \frac{\text{CK}}{\text{m}^3} &= 0.0102314 \cdot 10^{-410} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 45.4243 \cdot 10^{-410} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.0245323 \cdot 10^{-550} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 210.212 \cdot 10^{-550} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 1.40250 \cdot 10^{-540} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 542.300 \cdot 10^{-1130} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 4.23201 \cdot 10^{-1120} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.0322540 \cdot 10^{-1110} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 40.3233 \cdot 10^{-250} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 0.305432 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 2234.40 \cdot 10^{-240} \\
1 \text{m kg CK} &= 1.20011 \cdot 10^{-20} \quad (*) \\
1 \text{kg CK} &= 0.0101022 \cdot 10^{-10} \\
1 \text{k kg CK} &= 44.3331 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 0.0241354 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{s}} &= 203.204 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 1.34051 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 530.314 \cdot 10^{-330} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 4.13111 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 0.0314113 \cdot 10^{-310} \\
1 \text{m kg s CK} &= 35.3431 \cdot 10^{110} \\
1 \text{kg s CK} &= 0.301214 \cdot 10^{120} \\
1 \text{k kg s CK} &= 2202.22 \cdot 10^{120} \\
1 \text{m kg m CK} &= 443.314 \cdot 10^{50} \\
1 \text{kg m CK} &= 3.40211 \cdot 10^{100} \\
1 \text{k kg m CK} &= 0.0250045 \cdot 10^{110} \quad (*) \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 13.4044 \cdot 10^{-40} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.112504 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 543.352 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 0.0114402 \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 1.40254 \text{k} \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'umuno-} \frac{Q\Theta}{LT^2} &= 10^{-500} = 0.00254141 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvomo-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 0.345425 \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 45.4304 \text{k} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.0404511 \text{m} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 5.20533 \frac{\text{s CK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 1054.01 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 1113.30 \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.132253 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 20.1112 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{L^2 T} &= 10^{-440} = 0.0332342 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 4.34410 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1000.01 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (**) \\
1 \text{ni'upanopa-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1010} = 1.43133 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 213.554 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.0254132 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 22.4340 \text{m} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 3105.01 \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.404455 \text{k} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^3} &= 10^{-420} = 0.415353 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 53.3421 \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.0111324 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3 T} &= 10^{-550} = 20.4321 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 2431.20 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 0.332331 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 1013.54 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.120445 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 14.3130 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uremu-} \frac{TQ\Theta}{L^3} &= 10^{-250} = 0.0124424 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 1.52205 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 224.331 \text{k} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ure-MQ}\Theta &= 10^{-20} = 0.425515 \text{m kg CK} \quad (*) \\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 54.5450 \text{kg CK} \\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 0.0113153 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 21.1343 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 2511.10 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 0.341424 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 1031.00 \text{m} \frac{\text{kg CK}}{\text{s}^2} \quad (*) \\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 0.122432 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 14.5441 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{papa-MTQ}\Theta &= 10^{110} = 0.0130505 \text{m kg s CK} \\
1 \text{pare-MTQ}\Theta &= 10^{120} = 1.55032 \text{kg s CK} \quad (*) \\
1 \text{paci-MTQ}\Theta &= 10^{130} = 232.045 \text{k kg s CK} \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 1131.55 \text{m kg m CK} \quad (*) \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 0.134425 \text{kg m CK} \\
1 \text{papa-MLQ}\Theta &= 10^{110} = 20.4045 \text{k kg m CK} \\
1 \text{ni'uvo-} \frac{MLQ\Theta}{T} &= 10^{-40} = 0.0341435 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{MLQ\Theta}{T} &= 10^{-30} = 4.45212 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 1012.41 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 0.314103 \cdot 10^{-210} \\
1 \text{kg m CK} &= 0.00231105 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 15.4210 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 0.0220213 \cdot 10^{230} \\
1 \text{kg m s CK} &= 145.035 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 1.22123 \cdot 10^{240} \\
1 \text{m kg m}^2 \text{CK} &= 0.250040 \cdot 10^{210} \quad (*) \\
1 \text{kg m}^2 \text{CK} &= 0.00210442 \cdot 10^{220} \\
1 \text{k kg m}^2 \text{CK} &= 14.0443 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.00543333 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 42.4104 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.323333 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 154.202 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 1.30140 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.0105514 \cdot 10^{-40} \quad (*) \\
1 \text{m kg m}^2 \text{s CK} &= 12.2120 \cdot 10^{340} \\
1 \text{kg m}^2 \text{s CK} &= 0.102431 \cdot 10^{350} \\
1 \text{k kg m}^2 \text{s CK} &= 455.225 \cdot 10^{350} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 2124.11 \cdot 10^{-140} \\
1 \frac{\text{kg CK}}{\text{m}} &= 14.2134 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 0.120014 \cdot 10^{-120} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 43.2022 \cdot 10^{-310} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.330332 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 2414.03 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 1.31332 \cdot 10^{-440} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.0110522 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 53.0333 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 0.103405 \cdot 10^0 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 503.432 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 3.53443 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 3.43324 \cdot 10^{-250} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0252340 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 212.415 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.113535 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 552.403 \cdot 10^{-420} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 4.32035 \cdot 10^{-410} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2332.22 \cdot 10^{-1000} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 20.0023 \cdot 10^{-550} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.131335 \cdot 10^{-540} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 150.404 \cdot 10^{-120} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 1.23242 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 0.0103412 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 0.0101544 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 45.1425 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.343335 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 205.103 \cdot 10^{-540} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 1.35315 \cdot 10^{-530} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.0113541 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 4.20525 \cdot 10^{-1110} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.0321024 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{n}'urepa- \frac{MLQ\Theta}{T^2} &= 10^{-210} = 1.45444 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{n}'ureno- \frac{MLQ\Theta}{T^2} &= 10^{-200} = 221.135 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{n}'ureno- \frac{MLQ\Theta}{T^2} &= 10^{-200} = 0.0302303 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-}MLTQ\Theta &= 10^{230} = 23.2054 \text{m kg m s CK} \\
1 \text{revo-}MLTQ\Theta &= 10^{240} = 3152.34 \text{kg m s CK} \\
1 \text{revo-}MLTQ\Theta &= 10^{240} = 0.414443 \text{k kg m s CK} \\
1 \text{repa-}ML^2Q\Theta &= 10^{210} = 2.04053 \text{m kg m}^2 \text{CK} \\
1 \text{rere-}ML^2Q\Theta &= 10^{220} = 242.410 \text{kg m}^2 \text{CK} \\
1 \text{rere-}ML^2Q\Theta &= 10^{220} = 0.0331524 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 101.243 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.0120314 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 1.42525 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{n}'upano- \frac{ML^2Q\Theta}{T^2} &= 10^{-100} = 0.00302313 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{n}'umu- \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.355132 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \quad (*) \\
1 \text{n}'uvo- \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 50.5400 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \quad (*) \\
1 \text{civo-}ML^2TQ\Theta &= 10^{340} = 0.0414455 \text{m kg m}^2 \text{s CK} \quad (*) \\
1 \text{cimu-}ML^2TQ\Theta &= 10^{350} = 5.32354 \text{kg m}^2 \text{s CK} \\
1 \text{vono-}ML^2TQ\Theta &= 10^{400} = 1112.02 \text{k kg m}^2 \text{s CK} \\
1 \text{n}'upaci- \frac{MQ\Theta}{L} &= 10^{-130} = 240.210 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{n}'upaci- \frac{MQ\Theta}{L} &= 10^{-130} = 0.0324515 \frac{\text{kg CK}}{\text{m}} \\
1 \text{n}'upare- \frac{MQ\Theta}{L} &= 10^{-120} = 4.25503 \text{k} \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{n}'ucipa- \frac{MQ\Theta}{LT} &= 10^{-310} = 0.0115221 \text{m} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{n}'ucino- \frac{MQ\Theta}{LT} &= 10^{-300} = 1.41232 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{n}'uremu- \frac{MQ\Theta}{LT} &= 10^{-250} = 211.335 \text{k} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{n}'uvovo- \frac{MQ\Theta}{LT^2} &= 10^{-440} = 0.351512 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{n}'uvoci- \frac{MQ\Theta}{LT^2} &= 10^{-430} = 50.1135 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{n}'uvoci- \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.0103053 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 5.23524 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00110152 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 0.130502 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{n}'uremu- \frac{MQ\Theta}{L^2} &= 10^{-250} = 0.133205 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{n}'urevo- \frac{MQ\Theta}{L^2} &= 10^{-240} = 20.2200 \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{n}'urevo- \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.00240201 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{n}'uvore- \frac{MQ\Theta}{L^2T} &= 10^{-420} = 4.41134 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{n}'uvore- \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.00100321 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{n}'uvopa- \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.115215 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{n}'umumu- \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 215.131 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n}'umumu- \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 0.0255522 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \quad (***) \\
1 \text{n}'umuvo- \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 3.51501 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n}'upare- \frac{MTQ\Theta}{L^2} &= 10^{-120} = 0.00312340 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{n}'upapa- \frac{MTQ\Theta}{L^2} &= 10^{-110} = 0.411043 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{n}'upano- \frac{MTQ\Theta}{L^2} &= 10^{-100} = 52.3510 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{n}'uvono- \frac{MQ\Theta}{L^3} &= 10^{-400} = 54.0501 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{n}'uvono- \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.0112125 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{n}'ucimu- \frac{MQ\Theta}{L^3} &= 10^{-350} = 1.33202 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{n}'umuvo- \frac{MQ\Theta}{L^3T} &= 10^{-540} = 0.00244430 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{n}'umuci- \frac{MQ\Theta}{L^3T} &= 10^{-530} = 0.334324 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{n}'umure- \frac{MQ\Theta}{L^3T} &= 10^{-520} = 44.1121 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{n}'upapapa- \frac{MQ\Theta}{L^3T^2} &= 10^{-1110} = 0.121320 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n}'upapano- \frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 14.4120 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 233.231 \cdot 10^{-1100}$$

$$1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} = 0.304011 \cdot 10^{-230}$$

$$1 \frac{\text{kg s CK}}{\text{m}^3} = 0.00222240 \cdot 10^{-220}$$

$$1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} = 15.0411 \cdot 10^{-220}$$

$$1 \text{ni'upapano-} \frac{MQ\Theta}{L^3 T^2} = 10^{-1100} = 0.00215123 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$$

$$1 \text{ni'ureci-} \frac{MTQ\Theta}{L^3} = 10^{-230} = 1.53225 \text{m} \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} = 10^{-220} = 225.542 \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} = 10^{-220} = 0.0312330 \text{k} \frac{\text{kg s CK}}{\text{m}^3}$$

## 2 Base 10 - ??

### 2.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

Proton mass = $7.68515 \cdot 10^{-20}$	$1 \text{ ni'ure-}M = 10^{-20} = 0.130121 m_p$
Electron mass = $0.00418546 \cdot 10^{-20}$	$1 \text{ ni'ure-}M = 10^{-20} = 238.922 m_e$
Elementary charge = $0.302822 \cdot 10^0$	$1 Q = 1 = 3.30227 e$
$\text{\AA}^1 = 61871.4 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.0000161626 \text{\AA}$
Bohr radius <sup>2</sup> = $32740.9 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.0000305428 a_0$
Fine structure constant <sup>3</sup> = $0.00729735 \cdot 10^0$	$1 = 1 = 137.036 \alpha$
Rydberg Energy <sup>4</sup> = $1114.41 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.000897338 Ry$
$ \psi^{100}(0) ^2^5 = 906935 \cdot 10^{-80}$	$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 11026.1 \rho_{\max}$
eV = $81.9075 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0122089 \text{ eV}$
$\hbar^6 = 1.00000 \text{ } (***)$	$1 \frac{ML^2}{T} = 1 = 1.00000 \cdot \hbar \text{ } (***)$
$\lambda_{\text{yellow}} = 0.0355761 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 28.1088 \cdot \lambda_{\text{yellow}}$
$k_{\text{yellow}}^7 = 176.613 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.00566211 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^8 = 963.410 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.00103798 \cdot k_{\text{X-Ray}}$
Earth g = $0.000810296 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML}{T^2} = 10^{-40} = 1234.12 \cdot \text{Earth g}$
cm = $618.714 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.00161626 \text{ cm}$
min = $111292. \cdot 10^{40}$	$1 \text{ mu-}T = 10^{50} = 89854.1 \text{ min}$
hour = $0.000667749 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 1497.57 \text{ h}$
Liter = $23.6848 \cdot 10^{100}$	$1 \text{ pano-}L^3 = 10^{100} = 0.0422211 l$
Area of a soccer field = $2733.24 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.000365866 A$
$100 \text{ m}^2^9 = 38.2807 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.0261228 \cdot 100 \text{ m}^2$
km/h = $9.26567 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.107925 \text{ km/h}$
mi/h = $14.9116 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.0670617 \text{ mi/h}$
inch <sup>10</sup> = $1571.53 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.000636321 \text{ in}$
mile = $0.00995697 \cdot 10^{40} \text{ } (*)$	$1 \text{ vo-}L = 10^{40} = 100.432 \text{ mi } (*)$
pound = $0.00208411 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 479.822 \text{ pound}$
horsepower = $2.05526 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.486557 \text{ horsepower}$
kcal = $21404.0 \cdot 10^{-10}$	$1 \frac{ML^2}{T^2} = 1 = 467202. \text{ kcal}$
kWh = $0.00184041 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 543.356 \text{ kWh}$
Typical household electric field = $0.0335777 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{ML}{T^2Q} = 10^{-60} = 29.7817 E_H$
$Earthmagneticfield = 62.9083 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M}{TQ} = 10^{-60} = 0.0158962 \cdot Earthmagneticfield$

<sup>1</sup>Length in atomic and solid state physics,  $1/10 \text{ nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>36 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.0000109512 \cdot 10^{40}$   
 Mass of an average man =  $0.321627 \cdot 10^{10}$

Age of the Universe =  $0.0122921 \cdot 10^{60}$   
 Size of the observable Universe =  $54.4469 \cdot 10^{60}$   
 Average density of the Universe =  $19.2052 \cdot 10^{-130}$   
 Earth mass =  $274.394 \cdot 10^{30}$   
 Sun mass<sup>12</sup> =  $0.00913843 \cdot 10^{40}$   
 Year =  $5.85337 \cdot 10^{50}$   
 Speed of Light = 1.00000 (\*\*\*)  
 Parsec =  $19.0917 \cdot 10^{50}$   
 Astronomical unit =  $925583. \cdot 10^{40}$   
 Earth radius =  $39.4183 \cdot 10^{40}$   
 Distance Earth-Moon =  $2378.34 \cdot 10^{40}$   
*Momentum of someone walking*<sup>13</sup> =  $200.007 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.164493 \cdot 10^0$   
 mol =  $6022.14 \cdot 10^{20}$   
 Standard temperature<sup>14</sup> =  $1.92796 \cdot 10^{-30}$   
 Room - standard temperature<sup>15</sup> =  $0.141165 \cdot 10^{-30}$   
 atm =  $21.8705 \cdot 10^{-110}$   
 $c_s = 11441.2 \cdot 10^{-10}$

$\mu_0 = 1.00000$  (\*\*\*)  
 $G = 1.00000$  (\*\*\*)

1 vo- $L = 10^{40} = 91313.8 \bar{h}$   
 1 pa- $M = 10^{10} = 3.10919 \bar{m}$   
 1 xa- $T = 10^{60} = 81.3532 t_U$   
 1 xa- $L = 10^{60} = 0.0183665 l_U$   
 $1 \text{ni'upaci-} \frac{M}{L^3} = 10^{-130} = 0.0520692 \rho_U$   
 $1 \text{ci-} M = 10^{30} = 0.00364440 m_E$   
 $1 \text{vo-} M = 10^{40} = 109.428 m_S$   
 $1 \text{mu-} T = 10^{50} = 0.170842 y$   
 $1 \frac{L}{T} = 1 = 1.00000 c$  (\*\*\*)  
 $1 \text{mu-} L = 10^{50} = 0.0523789 \text{ pc}$   
 $1 \text{mu-} L = 10^{50} = 10804.0 \text{ au}$   
 $1 \text{vo-} L = 10^{40} = 0.0253689 r_E$   
 $1 \text{vo-} L = 10^{40} = 0.000420462 d_M$   
 $1 \frac{ML}{T} = 1 = 0.00499984 \cdot \text{Momentum of someone walking}$  (\*)

$1 \frac{M}{T^3 \Theta^4} = 1 = 6.07927 \frac{\pi^2}{60} = \sigma$   
 $1 \text{re-} = 10^{20} = 0.000166054 \text{ mol}$   
 $1 \text{ni'uci-} \Theta = 10^{-30} = 0.518684 T_0$   
 $1 \text{ni'uci-} \Theta = 10^{-30} = 7.08392 \Theta_R$   
 $1 \text{ni'upapa-} \frac{M}{LT^2} = 10^{-110} = 0.0457236 \text{ atm}$   
 $1 \frac{L}{T} = 1 = 874030. \cdot c_s$

$1 \frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0$  (\*\*\*)  
 $1 \frac{L^3}{MT^2} = 1 = 1.00000 \cdot G$  (\*\*\*)

### Extensive list of SI units

$1 = 1.00000$  (\*\*\*)  
 $1 \frac{1}{s} = 0.000539125 \cdot 10^{-40}$   
 $1 \frac{1}{s^2} = 2906.55 \cdot 10^{-90}$   
 $1 s = 1854.86 \cdot 10^{40}$   
 $1 m = 61871.4 \cdot 10^{30}$   
 $1 \frac{m}{s} = 33.3564 \cdot 10^{-10}$   
 $1 \frac{m}{s^2} = 0.0179833 \cdot 10^{-50}$   
 $1 m s = 0.0114763 \cdot 10^{80}$   
 $1 m^2 = 0.382807 \cdot 10^{70}$   
 $1 \frac{m^2}{s} = 0.000206381 \cdot 10^{30}$   
 $1 \frac{m^2}{s^2} = 1112.65 \cdot 10^{-20}$   
 $1 m^2 s = 710.053 \cdot 10^{110}$   
 $1 \frac{1}{m} = 161626. \cdot 10^{-40}$   
 $1 \frac{1}{m^2} = 87.1363 \cdot 10^{-80}$   
 $1 \frac{1}{m s^2} = 0.0469773 \cdot 10^{-120}$   
 $1 \frac{s}{m} = 0.0299792 \cdot 10^{10}$  (\*)  
 $1 \frac{1}{m^2} = 2.61228 \cdot 10^{-70}$   
 $1 \frac{1}{m^2 s} = 0.00140834 \cdot 10^{-110}$   
 $1 \frac{1}{m^2 s^2} = 7592.73 \cdot 10^{-160}$

$1 = 1 = 1.00000$  (\*\*\*)  
 $1 \text{ni'uvu-} \frac{1}{T} = 10^{-40} = 1854.86 \frac{1}{s}$   
 $1 \text{ni'uso-} \frac{1}{T^2} = 10^{-90} = 0.000344050 \frac{1}{s^2}$   
 $1 \text{vo-} T = 10^{40} = 0.000539125 \text{ s}$   
 $1 \text{vo-} L = 10^{40} = 161626. \text{ m}$   
 $1 \text{ni'upa-} \frac{L}{T} = 10^{-10} = 0.0299792 \frac{m}{s}$  (\*)  
 $1 \text{ni'umu-} \frac{L}{T^2} = 10^{-50} = 55.6073 \frac{m}{s^2}$   
 $1 \text{bi-} LT = 10^{80} = 87.1363 \text{ m s}$   
 $1 \text{ze-} L^2 = 10^{70} = 2.61228 \text{ m}^2$   
 $1 \text{ci-} \frac{L^2}{T} = 10^{30} = 4845.41 \frac{m^2}{s}$   
 $1 \text{ni'ure-} \frac{L^2}{T^2} = 10^{-20} = 0.000898755 \frac{m^2}{s^2}$   
 $1 \text{papa-} L^2 T = 10^{110} = 0.00140834 \text{ m}^2 \text{ s}$   
 $1 \text{ni'uci-} \frac{1}{L} = 10^{-30} = 61871.4 \frac{1}{m}$   
 $1 \text{ni'ubi-} \frac{1}{LT} = 10^{-80} = 0.0114763 \frac{1}{ms}$   
 $1 \text{ni'upare-} \frac{1}{LT^2} = 10^{-120} = 21.2869 \frac{1}{ms^2}$   
 $1 \text{pa-} \frac{T}{L} = 10^{10} = 33.3564 \frac{s}{m}$   
 $1 \text{ni'uze-} \frac{1}{L^2} = 10^{-70} = 0.382807 \frac{1}{m^2}$   
 $1 \text{ni'upapa-} \frac{1}{L^2 T} = 10^{-110} = 710.053 \frac{1}{m^2 s}$   
 $1 \text{ni'upaxa-} \frac{1}{L^2 T^2} = 10^{-160} = 0.000131705 \frac{1}{m^2 s^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>20 °C

$1 \frac{s}{m^2} = 4845.41 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{T}{L^2} = 10^{-30} = 0.000206381 \frac{s}{m^2}$
$1 \frac{1}{m^3} = 0.0000422211 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{1}{L^3} = 10^{-100} = 23684.8 \frac{1}{m^3}$
$1 \frac{1}{m^3 s} = 227.624 \cdot 10^{-150}$	$1 ni'upamu \cdot \frac{1}{L^3 T} = 10^{-150} = 0.00439320 \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s^2} = 0.122718 \cdot 10^{-190}$	$1 ni'upaso \cdot \frac{1}{L^3 T^2} = 10^{-190} = 8.14877 \frac{1}{m^3 s^2}$
$1 \frac{s}{m^3} = 0.0783142 \cdot 10^{-60}$	$1 ni'uxa \cdot \frac{T}{L^3} = 10^{-60} = 12.7691 \frac{s}{m^3}$
$1 kg = 0.00459467 \cdot 10^{10}$	$1 pa \cdot M = 10^{10} = 217.643 kg$
$1 \frac{kg}{s} = 24771.0 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{M}{T} = 10^{-40} = 0.0000403698 \frac{kg}{s}$
$1 \frac{kg}{s^2} = 13.3547 \cdot 10^{-80}$	$1 ni'ubi \cdot \frac{M}{T^2} = 10^{-80} = 0.0748802 \frac{kg}{s^2}$
$1 kg \cdot s = 8.52247 \cdot 10^{50}$	$1 mu \cdot MT = 10^{50} = 0.117337 kg \cdot s$
$1 kg \cdot m = 284.279 \cdot 10^{40}$	$1 vo \cdot ML = 10^{40} = 0.00351767 kg \cdot m$
$1 \frac{kg \cdot m}{s} = 0.153262 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 6.52479 \frac{kg \cdot m}{s}$
$1 \frac{kg \cdot m}{s^2} = 0.0000826272 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{ML}{T^2} = 10^{-40} = 12102.6 \frac{kg \cdot m}{s^2}$
$1 kg \cdot m \cdot s = 527297. \cdot 10^{80}$	$1 so \cdot MLT = 10^{90} = 18964.6 kg \cdot m \cdot s$
$1 kg \cdot m^2 = 0.00175887 \cdot 10^{80}$	$1 bi \cdot ML^2 = 10^{80} = 568.546 kg \cdot m^2$
$1 \frac{kg \cdot m^2}{s} = 9482.52 \cdot 10^{30}$	$1 ci \cdot \frac{ML^2}{T} = 10^{30} = 0.000105457 \frac{kg \cdot m^2}{s}$
$1 \frac{kg \cdot m^2}{s^2} = 5.11226 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{ML^2}{T^2} = 10^{-10} = 0.195608 \frac{kg \cdot m^2}{s^2}$
$1 kg \cdot m^2 \cdot s = 3.26246 \cdot 10^{120}$	$1 pare \cdot ML^2 T = 10^{120} = 0.306517 kg \cdot m^2 \cdot s$
$1 \frac{kg}{m} = 742.616 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{M}{L} = 10^{-30} = 0.00134659 \frac{kg}{m}$
$1 \frac{kg}{m \cdot s} = 0.400363 \cdot 10^{-70} \quad (*)$	$1 ni'uze \cdot \frac{M}{LT} = 10^{-70} = 2.49774 \frac{kg}{ms}$
$1 \frac{kg}{m \cdot s^2} = 0.000215845 \cdot 10^{-110}$	$1 ni'upamu \cdot \frac{M}{LT^2} = 10^{-110} = 4632.95 \frac{kg}{ms^2}$
$1 \frac{kg \cdot s}{m} = 0.000137745 \cdot 10^{20}$	$1 re \cdot \frac{MT}{L} = 10^{20} = 7259.80 \frac{kg \cdot s}{m}$
$1 \frac{kg}{m^2} = 0.0120026 \cdot 10^{-60} \quad (*)$	$1 ni'uxa \cdot \frac{M}{L^2} = 10^{-60} = 83.3155 \frac{kg}{m^2}$
$1 \frac{kg}{m^2 \cdot s} = 64708.8 \cdot 10^{-110}$	$1 ni'upano \cdot \frac{M}{L^2 T} = 10^{-100} = 154538. \frac{kg}{m^2 \cdot s}$
$1 \frac{kg}{m^2 \cdot s^2} = 34.8861 \cdot 10^{-150}$	$1 ni'upamu \cdot \frac{M}{L^2 T^2} = 10^{-150} = 0.0286647 \frac{kg}{m^2 \cdot s^2}$
$1 \frac{kg \cdot s}{m^2} = 22.2631 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{MT}{L^2} = 10^{-20} = 0.0449174 \frac{kg \cdot s}{m^2}$
$1 \frac{kg}{m^3} = 1939.92 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{M}{L^3} = 10^{-100} = 0.000515485 \frac{kg}{m^3}$
$1 \frac{kg}{m^3 \cdot s} = 1.04586 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{M}{L^3 T} = 10^{-140} = 0.956152 \frac{kg}{m^3 \cdot s}$
$1 \frac{kg}{m^3 \cdot s^2} = 0.000563849 \cdot 10^{-180}$	$1 ni'upabi \cdot \frac{M}{L^3 T^2} = 10^{-180} = 1773.53 \frac{kg}{m^3 \cdot s^2}$
$1 \frac{kg \cdot s}{m^3} = 0.000359828 \cdot 10^{-50}$	$1 ni'umu \cdot \frac{MT}{L^3} = 10^{-50} = 2779.11 \frac{kg \cdot s}{m^3}$
$1 \frac{1}{C} = 52.9082 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{1}{Q} = 10^{-20} = 0.0189007 \frac{1}{C} \quad (*)$
$1 \frac{1}{s \cdot C} = 0.0285241 \cdot 10^{-60}$	$1 ni'uxa \cdot \frac{1}{TQ} = 10^{-60} = 35.0581 \frac{1}{s \cdot C}$
$1 \frac{1}{s^2 \cdot C} = 0.0000153780 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{1}{T^2 Q} = 10^{-100} = 65027.8 \frac{1}{s^2 \cdot C}$
$1 \frac{s}{C} = 98137.2 \cdot 10^{20}$	$1 re \cdot \frac{T}{Q} = 10^{20} = 0.0000101898 \frac{s}{C}$
$1 \frac{m}{C} = 0.000327350 \cdot 10^{20}$	$1 re \cdot \frac{L}{Q} = 10^{20} = 3054.83 \frac{m}{C}$
$1 \frac{m}{s \cdot C} = 1764.83 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{L}{TQ} = 10^{-30} = 0.000566628 \frac{m}{s \cdot C}$
$1 \frac{m}{s^2 \cdot C} = 0.951462 \cdot 10^{-70}$	$1 ni'uze \cdot \frac{L}{T^2 Q} = 10^{-70} = 1.05101 \frac{m}{s^2 \cdot C}$
$1 \frac{m}{C} = 0.607189 \cdot 10^{60}$	$1 xa \cdot \frac{LT}{Q} = 10^{60} = 1.64693 \frac{ms}{C}$
$1 \frac{m^2}{C} = 20.2536 \cdot 10^{50}$	$1 mu \cdot \frac{L^2}{Q} = 10^{50} = 0.0493738 \frac{m^2}{C}$
$1 \frac{m^2}{s \cdot C} = 0.0109192 \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{TQ} = 10^{10} = 91.5815 \frac{m^2}{s \cdot C}$
$1 \frac{m^2}{s^2 \cdot C} = 58868.3 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{L^2}{T^2 Q} = 10^{-40} = 0.0000169871 \frac{m^2}{s^2 \cdot C}$
$1 \frac{m^2 \cdot s}{C} = 37567.6 \cdot 10^{90}$	$1 pano \cdot \frac{L^2 T}{Q} = 10^{100} = 266187. \frac{m^2 \cdot s}{C}$
$1 \frac{1}{m \cdot C} = 0.000855131 \cdot 10^{-50}$	$1 ni'umu \cdot \frac{1}{LQ} = 10^{-50} = 1169.41 \frac{1}{m \cdot C}$
$1 \frac{1}{m \cdot s \cdot C} = 4610.22 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{1}{LTQ} = 10^{-100} = 0.000216909 \frac{1}{m \cdot s \cdot C}$
$1 \frac{1}{m \cdot s^2 \cdot C} = 2.48548 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{1}{LT^2 Q} = 10^{-140} = 0.402336 \frac{1}{m \cdot s^2 \cdot C}$
$1 \frac{s}{m \cdot C} = 1.58615 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{T}{LQ} = 10^{-10} = 0.630458 \frac{s}{m \cdot C}$
$1 \frac{1}{m^2 \cdot C} = 138.211 \cdot 10^{-90}$	$1 ni'uso \cdot \frac{1}{L^2 Q} = 10^{-90} = 0.00723531 \frac{1}{m^2 \cdot C}$
$1 \frac{1}{m^2 \cdot s \cdot C} = 0.0745130 \cdot 10^{-130}$	$1 ni'upaci \cdot \frac{1}{L^2 TQ} = 10^{-130} = 13.4205 \frac{1}{m^2 \cdot s \cdot C}$
$1 \frac{1}{m^2 \cdot s^2 \cdot C} = 401718. \cdot 10^{-180}$	$1 ni'upaze \cdot \frac{1}{L^2 T^2 Q} = 10^{-170} = 24893.1 \frac{1}{m^2 \cdot s^2 \cdot C}$
$1 \frac{s}{m^2 \cdot C} = 0.0000256362 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{T}{L^2 Q} = 10^{-40} = 39007.4 \frac{s}{m^2 \cdot C} \quad (*)$

$1 \frac{1}{\text{m}^3 \text{C}} = 0.00223384 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{1}{L^3 Q} = 10^{-120} = 447.659 \frac{1}{\text{m}^3 \text{C}}$
$1 \frac{1}{\text{m}^3 \text{sC}} = 12043.2 \cdot 10^{-170}$	$1 \text{ni}'\text{upaxa}-\frac{1}{L^3 TQ} = 10^{-160} = 830345. \frac{1}{\text{m}^3 \text{sC}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} = 6.49278 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{1}{L^3 T^2 Q} = 10^{-210} = 0.154017 \frac{1}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^3 \text{C}} = 4.14346 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{T}{L^3 Q} = 10^{-80} = 0.241344 \frac{\text{s}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{C}} = 0.243096 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{M}{Q} = 10^{-10} = 4.11361 \frac{\text{kg}}{\text{C}}$
$1 \frac{\text{kg}}{\text{sC}} = 0.000131059 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{TQ} = 10^{-50} = 7630.16 \frac{\text{kg}}{\text{sC}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{C}} = 706.571 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{T^2 Q} = 10^{-100} = 0.00141529 \frac{\text{kg}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{C}} = 450.908 \cdot 10^{30}$	$1 \text{ci}-\frac{MT}{Q} = 10^{30} = 0.00221775 \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{C}} = 15040.7 \cdot 10^{20}$	$1 \text{re}-\frac{\dot{M}L}{Q} = 10^{20} = 0.0000664864 \frac{\text{kg m}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{sC}} = 8.10880 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{ML}{TQ} = 10^{-20} = 0.123323 \frac{\text{kg m}}{\text{sC}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{C}} = 0.00437165 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{ML}{T^2 Q} = 10^{-60} = 228.746 \frac{\text{kg m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg ms}}{\text{C}} = 0.00278983 \cdot 10^{70}$	$1 \text{ze}-\frac{MLT}{Q} = 10^{70} = 358.444 \frac{\text{kg ms}}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 0.0930588 \cdot 10^{60}$	$1 \text{xa}-\frac{ML^2}{Q} = 10^{60} = 10.7459 \frac{\text{kg m}^2}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{sC}} = 0.0000501703 \cdot 10^{20}$	$1 \text{re}-\frac{ML^2}{TQ} = 10^{20} = 19932.1 \frac{\text{kg m}^2}{\text{sC}} (*)$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} = 270.480 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{ML^2}{T^2 Q} = 10^{-30} = 0.00369713 \frac{\text{kg m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{C}} = 172.611 \cdot 10^{100}$	$1 \text{pano}-\frac{ML^2 T}{Q} = 10^{100} = 0.00579338 \frac{\text{kg m}^2 \text{s}}{\text{C}}$
$1 \frac{\text{kg}}{\text{mC}} = 39290.5 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{M}{LQ} = 10^{-40} = 254515. \frac{\text{kg}}{\text{mC}}$
$1 \frac{\text{kg}}{\text{msC}} = 21.1825 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{M}{LTQ} = 10^{-90} = 0.0472089 \frac{\text{kg}}{\text{msC}}$
$1 \frac{\text{kg}}{\text{ms}^2 \text{C}} = 0.0114200 \cdot 10^{-130} (*)$	$1 \text{ni}'\text{upaci}-\frac{M}{LT^2 Q} = 10^{-130} = 87.5658 \frac{\text{kg}}{\text{ms}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{mC}} = 0.00728782 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 137.215 \frac{\text{kg s}}{\text{mC}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.635034 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 Q} = 10^{-80} = 1.57472 \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{sC}} = 0.000342362 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^2 TQ} = 10^{-120} = 2920.88 \frac{\text{kg}}{\text{m}^2 \text{sC}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 1845.76 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze}-\frac{M}{L^2 T^2 Q} = 10^{-170} = 0.000541782 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 1177.90 \cdot 10^{-40}$	$1 \text{ni}'\text{uvvo}-\frac{MT}{L^2 Q} = 10^{-40} = 0.000848970 \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 102638. \cdot 10^{-120}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^3 Q} = 10^{-110} = 97430.1 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{sC}} = 55.3345 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{M}{L^3 TQ} = 10^{-160} = 0.0180719 \frac{\text{kg}}{\text{m}^3 \text{sC}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.0298322 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{M}{L^3 T^2 Q} = 10^{-200} = 33.5208 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.0190378 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MT}{L^3 Q} = 10^{-70} = 52.5270 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{C} = 0.0189007 \cdot 10^{20} (*)$	$1 \text{re}-Q = 10^{20} = 52.9082 \text{ C}$
$1 \frac{\text{C}}{\text{s}} = 0.0000101898 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{Q}{T} = 10^{-20} = 98137.2 \frac{\text{C}}{\text{s}}$
$1 \frac{\text{C}}{\text{s}^2} = 54.9358 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{Q}{T^2} = 10^{-70} = 0.0182031 \frac{\text{C}}{\text{s}^2}$
$1 \text{sC} = 35.0581 \cdot 10^{60}$	$1 \text{xa}-TQ = 10^{60} = 0.0285241 \text{ sC}$
$1 \text{mC} = 1169.41 \cdot 10^{50}$	$1 \text{mu}-LQ = 10^{50} = 0.000855131 \text{ mC}$
$1 \frac{\text{mC}}{\text{s}} = 0.630458 \cdot 10^{10}$	$1 \text{pa}-\frac{LQ}{T} = 10^{10} = 1.58615 \frac{\text{mC}}{\text{s}}$
$1 \frac{\text{mC}}{\text{s}^2} = 0.000339896 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{LQ}{T^2} = 10^{-30} = 2942.08 \frac{\text{mC}}{\text{s}^2}$
$1 \text{m sC} = 0.000216909 \cdot 10^{100}$	$1 \text{pano}-LTQ = 10^{100} = 4610.22 \text{ msC}$
$1 \text{m}^2 \text{C} = 0.00723531 \cdot 10^{90}$	$1 \text{so}-L^2 Q = 10^{90} = 138.211 \text{ m}^2 \text{C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 39007.4 \cdot 10^{40} (*)$	$1 \text{vo}-\frac{L^2 Q}{T} = 10^{40} = 0.0000256362 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 21.0298 \cdot 10^0$	$1 \frac{L^2 Q}{T^2} = 1 = 0.0475515 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m}^2 \text{sC} = 13.4205 \cdot 10^{130}$	$1 \text{paci}-L^2 TQ = 10^{130} = 0.0745130 \text{ m}^2 \text{sC}$
$1 \frac{\text{C}}{\text{m}} = 3054.83 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{Q}{L} = 10^{-20} = 0.000327350 \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m s}} = 1.64693 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q}{LT} = 10^{-60} = 0.607189 \frac{\text{C}}{\text{ms}}$
$1 \frac{\text{C}}{\text{m s}^2} = 0.000887903 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q}{LT^2} = 10^{-100} = 1126.25 \frac{\text{C}}{\text{ms}^2}$
$1 \frac{\text{sC}}{\text{m}} = 0.000566628 \cdot 10^{30}$	$1 \text{ci}-\frac{TQ}{L} = 10^{30} = 1764.83 \frac{\text{sC}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}^2} = 0.0493738 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{Q}{L^2} = 10^{-50} = 20.2536 \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 266187. \cdot 10^{-100}$	$1 \text{ni}'\text{uso}-\frac{Q}{L^2 T} = 10^{-90} = 37567.6 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 143.508 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q}{L^2 T^2} = 10^{-140} = 0.00696826 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{sC}}{\text{m}^2} = 91.5815 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{TQ}{L^2} = 10^{-10} = 0.0109192 \frac{\text{sC}}{\text{m}^2}$

$1 \frac{C}{m^3} = 7980.07 \cdot 10^{-90}$	$1 ni'uso- \frac{Q}{L^3} = 10^{-90} = 0.000125312 \frac{C}{m^3}$
$1 \frac{C}{m^3 s} = 4.30225 \cdot 10^{-130}$	$1 ni'upaci- \frac{Q}{L^3 T} = 10^{-130} = 0.232436 \frac{C}{m^3 s}$
$1 \frac{C}{m^3 s^2} = 0.00231945 \cdot 10^{-170}$	$1 ni'upaze- \frac{Q}{L^3 T^2} = 10^{-170} = 431.136 \frac{C}{m^3 s^2}$
$1 \frac{sC}{m^3} = 0.00148019 \cdot 10^{-40}$	$1 ni'uvo- \frac{TQ}{L^3} = 10^{-40} = 675.589 \frac{sC}{m^3}$
<hr/>	
$1 kg C = 868424 \cdot 10^{20}$	$1 ci-MQ = 10^{30} = 11515.1 kg C$
$1 \frac{kg C}{s} = 468.189 \cdot 10^{-20}$	$1 ni'ure- \frac{MQ}{T} = 10^{-20} = 0.00213589 \frac{kg C}{s}$
$1 \frac{kg C}{s^2} = 0.252412 \cdot 10^{-60}$	$1 ni'uxa- \frac{MQ}{T^2} = 10^{-60} = 3.96178 \frac{kg C}{s^2}$
$1 kg s C = 0.161080 \cdot 10^{70}$	$1 ze-MTQ = 10^{70} = 6.20808 kg s C$
$1 kg m C = 5.37306 \cdot 10^{60}$	$1 xa-MLQ = 10^{60} = 0.186114 kg m C$
$1 \frac{kg m C}{s} = 0.00289675 \cdot 10^{20}$	$1 re- \frac{MLQ}{T} = 10^{20} = 345.215 \frac{kg m C}{s}$
$1 \frac{kg m C}{s^2} = 15617.1 \cdot 10^{-30}$	$1 ni'ure- \frac{MLQ}{T^2} = 10^{-20} = 640324. \frac{kg m C}{s^2}$
$1 kg m s C = 9966.27 \cdot 10^{100} \quad (*)$	$1 pano-MLTQ = 10^{100} = 0.000100338 kg m s C \quad (*)$
$1 kg m^2 C = 0.0000332439 \cdot 10^{100}$	$1 pano-ML^2 Q = 10^{100} = 30080.7 kg m^2 C \quad (*)$
$1 \frac{kg m^2 C}{s} = 179.226 \cdot 10^{50}$	$1 mu- \frac{ML^2 Q}{T} = 10^{50} = 0.00557955 \frac{kg m^2 C}{s}$
$1 \frac{kg m^2 C}{s^2} = 0.0966252 \cdot 10^{10}$	$1 pa- \frac{ML^2 Q}{T^2} = 10^{10} = 10.3493 \frac{kg m^2 C}{s^2}$
$1 kg m^2 s C = 0.0616627 \cdot 10^{140}$	$1 pavo-ML^2 TQ = 10^{140} = 16.2173 kg m^2 s C$
$1 \frac{kg C}{m} = 14.0359 \cdot 10^{-10}$	$1 ni'upa- \frac{MQ}{L} = 10^{-10} = 0.0712457 \frac{kg C}{m}$
$1 \frac{kg C}{m s} = 0.00756712 \cdot 10^{-50}$	$1 ni'umu- \frac{MQ}{LT} = 10^{-50} = 132.151 \frac{kg C}{ms}$
$1 \frac{kg C}{m s^2} = 40796.2 \cdot 10^{-100}$	$1 ni'upano- \frac{MQ}{LT^2} = 10^{-100} = 0.0000245121 \frac{kg C}{ms^2}$
$1 \frac{kg s C}{m} = 26034.7 \cdot 10^{30}$	$1 vo- \frac{MTQ}{L} = 10^{40} = 384103. \frac{kg s C}{m}$
$1 \frac{kg C}{m^2} = 0.000226857 \cdot 10^{-40}$	$1 ni'uvo- \frac{MQ}{L^2} = 10^{-40} = 4408.07 \frac{kg C}{m^2}$
$1 \frac{kg C}{m^2 s} = 1223.04 \cdot 10^{-90}$	$1 ni'uso- \frac{MQ}{L^2 T} = 10^{-90} = 0.000817635 \frac{kg C}{m^2 s}$
$1 \frac{kg C}{m^2 s^2} = 0.659371 \cdot 10^{-130}$	$1 ni'upaci- \frac{MQ}{L^2 T^2} = 10^{-130} = 1.51660 \frac{kg C}{m^2 s^2}$
$1 \frac{kg s C}{m^2} = 0.420787 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 2.37650 \frac{kg s C}{m^2}$
$1 \frac{kg C}{m^3} = 36.6658 \cdot 10^{-80}$	$1 ni'ubi- \frac{MQ}{L^3} = 10^{-80} = 0.0272734 \frac{kg C}{m^3}$
$1 \frac{kg C}{m^3 s} = 0.0197674 \cdot 10^{-120}$	$1 ni'upare- \frac{MQ}{L^3 T} = 10^{-120} = 50.5882 \frac{kg C}{m^3 s}$
$1 \frac{kg C}{m^3 s^2} = 0.0000106571 \cdot 10^{-160}$	$1 ni'upaxa- \frac{MQ}{L^3 T^2} = 10^{-160} = 93834.0 \frac{kg C}{m^3 s^2}$
$1 \frac{kg s C}{m^3} = 68009.9 \cdot 10^{-40} \quad (*)$	$1 ni'uvo- \frac{MTQ}{L^3} = 10^{-40} = 0.0000147037 \frac{kg s C}{m^3}$
<hr/>	
$1 \frac{1}{K} = 141.678 \cdot 10^{30}$	$1 ci- \frac{1}{\Theta} = 10^{30} = 0.00705824 \frac{1}{K}$
$1 \frac{1}{s K} = 0.0763823 \cdot 10^{-10}$	$1 ni'upa- \frac{1}{T\Theta} = 10^{-10} = 13.0920 \frac{1}{s K}$
$1 \frac{1}{s^2 K} = 411796 \cdot 10^{-60}$	$1 ni'umu- \frac{1}{T^2\Theta} = 10^{-50} = 24283.9 \frac{1}{s^2 K}$
$1 \frac{s}{K} = 0.0000262793 \cdot 10^{80}$	$1 bi- \frac{T}{\Theta} = 10^{80} = 38052.7 \frac{s}{K}$
$1 \frac{m}{K} = 0.000876585 \cdot 10^{70}$	$1 ze- \frac{L}{\Theta} = 10^{70} = 1140.79 \frac{m}{K}$
$1 \frac{m}{s K} = 4725.88 \cdot 10^{20}$	$1 re- \frac{L}{T\Theta} = 10^{20} = 0.000211601 \frac{m}{s K}$
$1 \frac{m}{s^2 K} = 2.54784 \cdot 10^{-20}$	$1 ni'ure- \frac{L}{T^2\Theta} = 10^{-20} = 0.392489 \frac{m}{s^2 K}$
$1 \frac{m s}{K} = 1.62594 \cdot 10^{110}$	$1 papa- \frac{LT}{\Theta} = 10^{110} = 0.615029 \frac{ms}{K}$
$1 \frac{m^2}{K} = 54.2355 \cdot 10^{100}$	$1 pano- \frac{L^2}{\Theta} = 10^{100} = 0.0184381 \frac{m^2}{K}$
$1 \frac{m^2}{s K} = 0.0292397 \cdot 10^{60}$	$1 xa- \frac{L^2}{\Theta} = 10^{60} = 34.2001 \frac{m^2}{s K} \quad (*)$
$1 \frac{m^2}{s^2 K} = 0.0000157638 \cdot 10^{20}$	$1 re- \frac{L^2}{T^2\Theta} = 10^{20} = 63436.3 \frac{m^2}{s^2 K}$
$1 \frac{m^2 s}{K} = 100599 \cdot 10^{140} \quad (**)$	$1 pamu- \frac{L^2 T}{\Theta} = 10^{150} = 99404.3 \frac{m^2 s}{K} \quad (*)$
$1 \frac{1}{m K} = 0.00228988 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.703 \frac{1}{m K}$
$1 \frac{1}{m s K} = 12345.3 \cdot 10^{-50}$	$1 ni'uvo- \frac{1}{LT\Theta} = 10^{-40} = 810023. \frac{1}{m s K} \quad (*)$
$1 \frac{1}{m s^2 K} = 6.65567 \cdot 10^{-90}$	$1 ni'uso- \frac{1}{LT^2\Theta} = 10^{-90} = 0.150248 \frac{1}{m s^2 K}$
$1 \frac{s}{m K} = 4.24741 \cdot 10^{40}$	$1 vo- \frac{T}{L\Theta} = 10^{40} = 0.235437 \frac{s}{m K}$
$1 \frac{1}{m^2 K} = 370.104 \cdot 10^{-40}$	$1 ni'uvo- \frac{1}{L^2\Theta} = 10^{-40} = 0.00270195 \frac{1}{m^2 K}$
$1 \frac{1}{m^2 s K} = 0.199532 \cdot 10^{-80} \quad (*)$	$1 ni'ubi- \frac{1}{L^2 T\Theta} = 10^{-80} = 5.01173 \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s^2 K} = 0.000107573 \cdot 10^{-120}$	$1 ni'upare- \frac{1}{L^2 T^2\Theta} = 10^{-120} = 9296.04 \frac{1}{m^2 s^2 K}$
$1 \frac{s}{m^2 K} = 686490 \cdot 10^0$	$1 pa- \frac{T}{L^2\Theta} = 10^{10} = 14566.9 \frac{s}{m^2 K}$
$1 \frac{1}{m^3 K} = 0.00598182 \cdot 10^{-70}$	$1 ni'uze- \frac{1}{L^3\Theta} = 10^{-70} = 167.173 \frac{1}{m^3 K}$
$1 \frac{1}{m^3 s K} = 32249.5 \cdot 10^{-120}$	$1 ni'upare- \frac{1}{L^3 T\Theta} = 10^{-120} = 0.0000310083 \frac{1}{m^3 s K} \quad (*)$

$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 17.3865 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{1}{L^3 T^2 \Theta} = 10^{-160} = 0.0575159 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^3 \text{K}} = 11.0954 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{T}{L^3 \Theta} = 10^{-30} = 0.0901272 \frac{\text{s}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{K}} = 0.650966 \cdot 10^{40}$	$1 \text{vo}-\frac{M}{\Theta} = 10^{40} = 1.53618 \frac{\text{kg}}{\text{K}}$
$1 \frac{\text{kg}}{\text{s K}} = 0.000350952 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 2849.40 \frac{\text{kg}}{\text{s K}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 1892.07 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{T^2 \Theta} = 10^{-50} = 0.000528523 \frac{\text{kg}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{K}} = 1207.45 \cdot 10^{80}$	$1 \text{bi}-\frac{MT}{\Theta} = 10^{80} = 0.000828192 \frac{\text{kg s}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{K}} = 40276.2 \cdot 10^{70}$	$1 \text{bi}-\frac{ML}{\Theta} = 10^{80} = 248286. \frac{\text{kg m}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{s K}} = 21.7139 \cdot 10^{30}$	$1 \text{ci}-\frac{ML}{T \Theta} = 10^{30} = 0.0460535 \frac{\text{kg m}}{\text{s K}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.0117065 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{ML}{T^2 \Theta} = 10^{-10} = 85.4227 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.00747066 \cdot 10^{120}$	$1 \text{pare}-\frac{MLT}{\Theta} = 10^{120} = 133.857 \frac{\text{kg m s}}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{K}} = 0.249194 \cdot 10^{110}$	$1 \text{papa}-\frac{ML^2}{\Theta} = 10^{110} = 4.01293 \frac{\text{kg m}^2}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{s K}} = 0.000134347 \cdot 10^{70}$	$1 \text{ze}-\frac{ML^2}{T \Theta} = 10^{70} = 7443.42 \frac{\text{kg m}^2}{\text{s K}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 724.297 \cdot 10^{20}$	$1 \text{re}-\frac{ML^2}{T^2 \Theta} = 10^{20} = 0.00138065 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 462.220 \cdot 10^{150}$	$1 \text{pamu}-\frac{ML^2 T}{\Theta} = 10^{150} = 0.00216347 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \frac{\text{kg}}{\text{m K}} = 105213. \cdot 10^0$	$1 \text{pa}-\frac{M}{L \Theta} = 10^{10} = 95045.6 \frac{\text{kg}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m s K}} = 56.7227 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{M}{LT \Theta} = 10^{-40} = 0.0176296 \frac{\text{kg}}{\text{m s K}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{K}} = 0.0305806 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{LT^2 \Theta} = 10^{-80} = 32.7004 \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*)$
$1 \frac{\text{kg s}}{\text{m K}} = 0.0195155 \cdot 10^{50}$	$1 \text{mu}-\frac{MT}{L \Theta} = 10^{50} = 51.2414 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 1.70050 \cdot 10^{-30} \quad (*)$	$1 \text{ni}'\text{uci}-\frac{M}{L^2 \Theta} = 10^{-30} = 0.588061 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.000916784 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^2 T \Theta} = 10^{-70} = 1090.77 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 4942.61 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^2 T^2 \Theta} = 10^{-120} = 0.000202322 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 3154.20 \cdot 10^{10}$	$1 \text{pa}-\frac{MT}{L^2 \Theta} = 10^{10} = 0.000317038 \frac{\text{kg s}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.0000274845 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M}{L^3 \Theta} = 10^{-60} = 36384.1 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 148.176 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^3 T \Theta} = 10^{-110} = 0.00674875 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 0.0798852 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M}{L^3 T^2 \Theta} = 10^{-150} = 12.5180 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 0.0509799 \cdot 10^{-20} \quad (*)$	$1 \text{ni}'\text{ure}-\frac{MT}{L^3 \Theta} = 10^{-20} = 19.6156 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \text{K} = 0.00705824 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\Theta = 10^{-30} = 141.678 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 38052.7 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{\Theta}{T} = 10^{-80} = 0.0000262793 \frac{\text{K}}{\text{s}}$
$1 \frac{\text{K}}{\text{s}^2} = 20.5151 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{\Theta}{T^2} = 10^{-120} = 0.0487445 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.0920 \cdot 10^{10}$	$1 \text{pa}-T\Theta = 10^{10} = 0.0763823 \text{ s K}$
$1 \text{m K} = 436.703 \cdot 10^0$	$1 L\Theta = 1 = 0.00228988 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 0.235437 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{L\Theta}{T} = 10^{-40} = 4.24741 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.000126930 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2} = 10^{-80} = 7878.35 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 810023. \cdot 10^{40} \quad (*)$	$1 \text{mu}-LT\Theta = 10^{50} = 12345.3 \text{ m s K}$
$1 \text{m}^2 \text{ K} = 0.00270195 \cdot 10^{40}$	$1 \text{vo}-L^2 \Theta = 10^{40} = 370.104 \text{ m}^2 \text{ K}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}} = 14566.9 \cdot 10^{-10}$	$1 \frac{L^2 \Theta}{T} = 1 = 686490. \frac{\text{m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}^2} = 7.85335 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2 \Theta}{T^2} = 10^{-50} = 0.127334 \frac{\text{m}^2 \text{ K}}{\text{s}^2}$
$1 \text{m}^2 \text{ s K} = 5.01173 \cdot 10^{80}$	$1 \text{bi}-L^2 T\Theta = 10^{80} = 0.199532 \text{ m}^2 \text{ s K} \quad (*)$
$1 \frac{\text{K}}{\text{m}} = 1140.79 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{L} = 10^{-70} = 0.000876585 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 0.615029 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{\Theta}{LT} = 10^{-110} = 1.62594 \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.000331577 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{LT^2} = 10^{-150} = 3015.89 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{s K}}{\text{m}} = 0.000211601 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{\Theta}{L} = 10^{-20} = 4725.88 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 0.0184381 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{\Theta}{L^2} = 10^{-100} = 54.2355 \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 99404.3 \cdot 10^{-150} \quad (*)$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^2 T} = 10^{-140} = 100599. \frac{\text{K}}{\text{m}^2 \text{s}} \quad (**)$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 53.5913 \cdot 10^{-190}$	$1 \text{ni}'\text{upaso}-\frac{\Theta}{L^2 T^2} = 10^{-190} = 0.0186597 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 34.2001 \cdot 10^{-60} \quad (*)$	$1 \text{ni}'\text{uxa}-\frac{\Theta}{L^2} = 10^{-60} = 0.0292397 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 2980.07 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^3} = 10^{-140} = 0.000335563 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 1.60663 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{\Theta}{L^3 T} = 10^{-180} = 0.622422 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 0.000866172 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{\Theta}{L^3 T^2} = 10^{-220} = 1154.50 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.000552760 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{\Theta}{L^3} = 10^{-90} = 1809.10 \frac{\text{s K}}{\text{m}^3}$

$1 \text{ kg K} = 0.0000324303 \cdot 10^{-20}$	$1 \text{ ni'ure-}M\Theta = 10^{-20} = 30835.4 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 174.840 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{M\Theta}{T} = 10^{-70} = 0.00571953 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 0.0942604 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{M\Theta}{T^2} = 10^{-110} = 10.6089 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{ kg s K} = 0.0601536 \cdot 10^{20}$	$1 \text{ re-}MT\Theta = 10^{20} = 16.6241 \text{ kg s K}$
$1 \text{ kg m K} = 2.00651 \cdot 10^{10} \quad (*)$	$1 \text{ pa-}ML\Theta = 10^{10} = 0.498378 \text{ kg m K}$
$1 \frac{\text{kg m K}}{\text{s}} = 0.00108176 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML\Theta}{T} = 10^{-30} = 924.421 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 5832.02 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{ML\Theta}{T^2} = 10^{-80} = 0.000171467 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{ kg m s K} = 3721.79 \cdot 10^{50}$	$1 \text{ mu-}MLT\Theta = 10^{50} = 0.000268688 \text{ kg m s K}$
$1 \text{ kg m}^2 \text{ K} = 124145. \cdot 10^{40}$	$1 \text{ mu-}ML^2\Theta = 10^{50} = 80550.6 \text{ kg m}^2 \text{ K}$
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}} = 66.9299 \cdot 10^0 \quad (*)$	$1 \frac{ML^2\Theta}{T} = 1 = 0.0149410 \frac{\text{kg m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} = 0.0360836 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML^2\Theta}{T^2} = 10^{-40} = 27.7135 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s K} = 0.0230272 \cdot 10^{90}$	$1 \text{ so-}ML^2T\Theta = 10^{90} = 43.4268 \text{ kg m}^2 \text{ s K}$
$1 \frac{\text{kg K}}{\text{m}} = 5.24156 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M\Theta}{L} = 10^{-60} = 0.190783 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 0.00282585 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M\Theta}{LT} = 10^{-100} = 353.875 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 15234.9 \cdot 10^{-150}$	$1 \text{ ni'upavo-} \frac{M\Theta}{LT^2} = 10^{-140} = 656389. \frac{\text{kg K}}{\text{m s}^2}$
$1 \frac{\text{kg s K}}{\text{m}} = 9722.35 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MT\Theta}{L} = 10^{-20} = 0.000102856 \frac{\text{kg s K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m}^2} = 847170. \cdot 10^{-100}$	$1 \text{ ni'uso-} \frac{M\Theta}{L^2} = 10^{-90} = 11804.0 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 456.730 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{M\Theta}{L^2T} = 10^{-140} = 0.00218948 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 0.246234 \cdot 10^{-180}$	$1 \text{ ni'upabi-} \frac{M\Theta}{L^2T^2} = 10^{-180} = 4.06117 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 0.157138 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MT\Theta}{L^2} = 10^{-50} = 6.36383 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 13.6924 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M\Theta}{L^3} = 10^{-130} = 0.0730331 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.00738192 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{M\Theta}{L^3T} = 10^{-170} = 135.466 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 39797.8 \cdot 10^{-220}$	$1 \text{ ni'urere-} \frac{M\Theta}{L^3T^2} = 10^{-220} = 0.0000251270 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 25397.5 \cdot 10^{-90}$	$1 \text{ ni'ubi-} \frac{MT\Theta}{L^3} = 10^{-80} = 393739. \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{C}} = 0.373439 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{\Theta}{Q} = 10^{-50} = 2.67782 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.000201330 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{\Theta}{TQ} = 10^{-90} = 4966.97 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 1085.42 \cdot 10^{-140}$	$1 \text{ ni'upano-} \frac{\Theta}{T^2Q} = 10^{-140} = 0.000921303 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 692.676 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.00144368 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 23105.2 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L\Theta}{Q} = 10^{-20} = 0.0000432804 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 12.4566 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{L\Theta}{TQ} = 10^{-60} = 0.0802789 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.00671564 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{L\Theta}{T^2Q} = 10^{-100} = 148.906 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.00428568 \cdot 10^{30}$	$1 \text{ ci-} \frac{LT\Theta}{Q} = 10^{30} = 233.335 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.142955 \cdot 10^{20}$	$1 \text{ re-} \frac{L^2\Theta}{Q} = 10^{20} = 6.99521 \frac{\text{m}^2 \text{K}}{\text{C}} \quad (*)$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.0000770706 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 12975.1 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 415.506 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{L^2\Theta}{T^2Q} = 10^{-70} = 0.00240670 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 265.161 \cdot 10^{60}$	$1 \text{ xa-} \frac{L^2T\Theta}{Q} = 10^{60} = 0.00377129 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 60357.2 \cdot 10^{-90}$	$1 \text{ ni'ubi-} \frac{\Theta}{LQ} = 10^{-80} = 165680. \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 32.5400 \cdot 10^{-130} \quad (*)$	$1 \text{ ni'upaci-} \frac{\Theta}{LTQ} = 10^{-130} = 0.0307314 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 0.0175431 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{\Theta}{LT^2Q} = 10^{-170} = 57.0023 \frac{\text{K}}{\text{m s}^2 \text{C}} \quad (*)$
$1 \frac{\text{s K}}{\text{m C}} = 0.0111954 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{T\Theta}{LQ} = 10^{-40} = 89.3224 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 0.975526 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{\Theta}{L^2Q} = 10^{-120} = 1.02509 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 0.000525930 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{\Theta}{L^2TQ} = 10^{-160} = 1901.39 \frac{\text{K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 2835.42 \cdot 10^{-210}$	$1 \text{ ni'urepa-} \frac{\Theta}{L^2T^2Q} = 10^{-210} = 0.000352682 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^2 \text{C}} = 1809.46 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{T\Theta}{L^2Q} = 10^{-80} = 0.000552650 \frac{\text{s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 157670. \cdot 10^{-160}$	$1 \text{ ni'upamu-} \frac{\Theta}{L^3Q} = 10^{-150} = 63423.7 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 85.0037 \cdot 10^{-200} \quad (*)$	$1 \text{ ni'uren-} \frac{\Theta}{L^3TQ} = 10^{-200} = 0.0117642 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.0458276 \cdot 10^{-240}$	$1 \text{ ni'urevo-} \frac{\Theta}{L^3T^2Q} = 10^{-240} = 21.8209 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 0.0292455 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{T\Theta}{L^3Q} = 10^{-110} = 34.1933 \frac{\text{s K}}{\text{m}^3 \text{C}}$

$1 \frac{\text{kg K}}{\text{C}} = 0.00171583 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{M\Theta}{Q} = 10^{-40} = 582.809 \frac{\text{kg K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 9250.45 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{M\Theta}{TQ} = 10^{-90} = 0.000108103 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s}^2 \text{C}} = 4.98714 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{M\Theta}{T^2 Q} = 10^{-130} = 0.200516 \frac{\text{kg K}}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg s K}}{\text{C}} = 3.18262$	$1 \frac{MT\Theta}{Q} = 1 = 0.314207 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{C}} = 106.161 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{ML\Theta}{Q} = 10^{-10} = 0.00941968 \frac{\text{kg m K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{s C}} = 0.0572338 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{ML\Theta}{TQ} = 10^{-50} = 17.4722 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} = 308562. \cdot 10^{-100}$	$1 \text{ni}'\text{uso}-\frac{ML\Theta}{T^2 Q} = 10^{-90} = 32408.4 \frac{\text{kg m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m s K}}{\text{C}} = 0.0000196913 \cdot 10^{40}$	$1 \text{vo}-\frac{MLT\Theta}{Q} = 10^{40} = 50783.8 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{C}} = 0.000656831 \cdot 10^{30}$	$1 \text{ci}-\frac{ML^2\Theta}{Q} = 10^{30} = 1522.46 \frac{\text{kg m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} = 3541.14 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{ML^2\Theta}{TQ} = 10^{-20} = 0.000282395 \frac{\text{kg m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} = 1.90912 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{ML^2\Theta}{T^2 Q} = 10^{-60} = 0.523803 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} = 1.21833 \cdot 10^{70}$	$1 \text{ze}-\frac{ML^2 T\Theta}{Q} = 10^{70} = 0.820796 \frac{\text{kg m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 277.321 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M\Theta}{LQ} = 10^{-80} = 0.00360592 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 0.149511 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M\Theta}{LTQ} = 10^{-120} = 6.68848 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} = 0.0000806050 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{M\Theta}{LT^2 Q} = 10^{-160} = 12406.2 \frac{\text{kg K}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m C}} = 514392. \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{MT\Theta}{LQ} = 10^{-30} = 19440.4 \frac{\text{kg s K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{C}} = 0.00448222 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{L^2 Q} = 10^{-110} = 223.104 \frac{\text{kg K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} = 24164.8 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{M\Theta}{L^2 TQ} = 10^{-160} = 0.0000413826 \frac{\text{kg K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} = 13.0278 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{M\Theta}{L^2 T^2 Q} = 10^{-200} = 0.0767588 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} = 8.31389 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MT\Theta}{L^2 Q} = 10^{-70} = 0.120281 \frac{\text{kg s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{C}} = 724.441 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M\Theta}{L^3 Q} = 10^{-150} = 0.00138037 \frac{\text{kg K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s C}} = 0.390564 \cdot 10^{-190}$	$1 \text{ni}'\text{upaso}-\frac{M\Theta}{L^3 TQ} = 10^{-190} = 2.56040 \frac{\text{kg K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.000210563 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci}-\frac{M\Theta}{L^3 T^2 Q} = 10^{-230} = 4749.18 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^3 \text{C}} = 0.000134374 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{MT\Theta}{L^3 Q} = 10^{-100} = 7441.94 \frac{\text{kg s K}}{\text{m}^3 \text{C}}$
$1 \text{CK} = 0.000133405 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-Q\Theta = 10^{-10} = 7495.95 \text{ CK}$
$1 \frac{\text{C K}}{\text{s}} = 719.222 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{T} = 10^{-60} = 0.00139039 \frac{\text{C K}}{\text{s}}$
$1 \frac{\text{C K}}{\text{s}^2} = 0.387750 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{T^2} = 10^{-100} = 2.57898 \frac{\text{C K}}{\text{s}^2}$
$1 \text{s CK} = 0.247448 \cdot 10^{30}$	$1 \text{ci}-TQ\Theta = 10^{30} = 4.04125 \text{ s CK}$
$1 \text{m CK} = 8.25398 \cdot 10^{20}$	$1 \text{re}-LQ\Theta = 10^{20} = 0.121154 \text{ m CK}$
$1 \frac{\text{m CK}}{\text{s}} = 0.00444993 \cdot 10^{-20} \quad (*)$	$1 \text{ni}'\text{ure}-\frac{LQ\Theta}{T} = 10^{-20} = 224.723 \frac{\text{m CK}}{\text{s}}$
$1 \frac{\text{m CK}}{\text{s}^2} = 23990.6 \cdot 10^{-70} \quad (*)$	$1 \text{ni}'\text{uxa}-\frac{LQ\Theta}{T^2} = 10^{-60} = 416829. \frac{\text{m CK}}{\text{s}^2}$
$1 \text{m s CK} = 15310.0 \cdot 10^{60}$	$1 \text{xa}-LTQ\Theta = 10^{60} = 0.0000653169 \text{ m s CK}$
$1 \text{m}^2 \text{ CK} = 0.0000510686 \cdot 10^{60}$	$1 \text{xa}-L^2 Q\Theta = 10^{60} = 19581.5 \text{ m}^2 \text{ CK}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}} = 275.323 \cdot 10^{10}$	$1 \text{pa}-\frac{L^2 Q\Theta}{T} = 10^{10} = 0.00363209 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} = 0.148434 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{L^2 Q\Theta}{T^2} = 10^{-30} = 6.73702 \frac{\text{m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{m}^2 \text{ s CK} = 0.0947250 \cdot 10^{100}$	$1 \text{pano}-L^2 TQ\Theta = 10^{100} = 10.5569 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{C K}}{\text{m}} = 21.5617 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{Q\Theta}{L} = 10^{-50} = 0.0463785 \frac{\text{C K}}{\text{m}}$
$1 \frac{\text{C K}}{\text{m s}} = 0.0116245 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{LT} = 10^{-90} = 86.0255 \frac{\text{C K}}{\text{m s}}$
$1 \frac{\text{C K}}{\text{m s}^2} = 62670.3 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q\Theta}{LT^2} = 10^{-140} = 0.0000159565 \frac{\text{C K}}{\text{m s}^2}$
$1 \frac{\text{s CK}}{\text{m}} = 39993.9 \cdot 10^{-10} \quad (**)$	$1 \frac{TQ\Theta}{L} = 1 = 250038. \frac{\text{s CK}}{\text{m}} \quad (*)$
$1 \frac{\text{C K}}{\text{m}^2} = 0.000348492 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{Q\Theta}{L^2} = 10^{-80} = 2869.50 \frac{\text{C K}}{\text{m}^2}$
$1 \frac{\text{C K}}{\text{m}^2 \text{s}} = 1878.81 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{Q\Theta}{L^2 T} = 10^{-130} = 0.000532252 \frac{\text{C K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C K}}{\text{m}^2 \text{s}^2} = 1.01291 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze}-\frac{Q\Theta}{L^2 T^2} = 10^{-170} = 0.987253 \frac{\text{C K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^2} = 0.646404 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{TQ\Theta}{L^2} = 10^{-40} = 1.54702 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{C K}}{\text{m}^3} = 56.3253 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{Q\Theta}{L^3} = 10^{-120} = 0.0177540 \frac{\text{C K}}{\text{m}^3}$
$1 \frac{\text{C K}}{\text{m}^3 \text{s}} = 0.0303663 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{Q\Theta}{L^3 T} = 10^{-160} = 32.9312 \frac{\text{C K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{C K}}{\text{m}^3 \text{s}^2} = 0.0000163712 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{Q\Theta}{L^3 T^2} = 10^{-200} = 61082.7 \frac{\text{C K}}{\text{m}^3 \text{s}^2}$

$$\begin{aligned}
1 \frac{\text{s CK}}{\text{m}^3} &= 104475 \cdot 10^{-80} \\
1 \text{kg CK} &= 6129.54 \cdot 10^{-10} \\
1 \frac{\text{kg CK}}{\text{s}} &= 3.30459 \cdot 10^{-50} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.00178158 \cdot 10^{-90} \\
1 \text{kg s CK} &= 0.00113694 \cdot 10^{40} \\
1 \text{kg m CK} &= 0.0379243 \cdot 10^{30} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 204459 \cdot 10^{-20} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 110.229 \cdot 10^{-60} \\
1 \text{kg m s CK} &= 70.3443 \cdot 10^{70} \\
1 \text{kg m}^2 \text{CK} &= 2346.43 \cdot 10^{60} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 1.26502 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.000682003 \cdot 10^{-20} \quad (*) \\
1 \text{kg m}^2 \text{s CK} &= 0.000435230 \cdot 10^{110} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.0990690 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m s}} &= 0.0000534105 \cdot 10^{-80} \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 287.949 \cdot 10^{-130} \\
1 \frac{\text{kg s CK}}{\text{m}} &= 183.759 \cdot 10^0 \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 16012.1 \cdot 10^{-80} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 8.63251 \cdot 10^{-120} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.00465400 \cdot 10^{-160} \quad (*) \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.00297001 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.258796 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.000139523 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 752.205 \cdot 10^{-200} \\
1 \frac{\text{kg s CK}}{\text{m}^3} &= 480.030 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{TQ\Theta}{L^3} &= 10^{-70} = 95716.3 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'upa-} MQ\Theta &= 10^{-10} = 0.000163144 \text{ kg CK} \\
1 \text{ni'umu-} \frac{MQ\Theta}{T} &= 10^{-50} = 0.302610 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uso-} \frac{MQ\Theta}{T^2} &= 10^{-90} = 561.298 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{vo-} MTQ\Theta &= 10^{40} = 879.551 \text{ kg s CK} \\
1 \text{ci-} MLQ\Theta &= 10^{30} = 26.3683 \text{ kg m CK} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 48909.4 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} &= 10^{-60} = 0.00907201 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ze-} MLTQ\Theta &= 10^{70} = 0.0142158 \text{ kg m s CK} \\
1 \text{xa-} ML^2Q\Theta &= 10^{60} = 0.000426179 \text{ kg m}^2 \text{CK} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 0.790501 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 1466.27 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{papa-} ML^2TQ\Theta &= 10^{110} = 2297.63 \text{ kg m}^2 \text{s CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{L} &= 10^{-40} = 10.0940 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ubi-} \frac{MQ\Theta}{LT} &= 10^{-80} = 18722.9 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{LT^2} &= 10^{-130} = 0.00347283 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00544191 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'ubi-} \frac{MQ\Theta}{L^2} &= 10^{-80} = 0.0000624529 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L^2 T} &= 10^{-120} = 0.115841 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-160} = 214.869 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 336.699 \frac{\text{kg s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 3.86405 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{L^3 T} &= 10^{-150} = 7167.26 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'ureno-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-200} = 0.00132943 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uze-} \frac{MTQ\Theta}{L^3} &= 10^{-70} = 0.00208320 \frac{\text{kg s CK}}{\text{m}^3}
\end{aligned}$$

## 2.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned}
\text{Proton mass} &= 7.68515 \cdot 10^{-20} \\
\text{Electron mass} &= 0.00418546 \cdot 10^{-20} \\
\text{Elementary charge} &= 0.302822 \cdot 10^0 \\
\text{\AA}^{16} &= 61871.4 \cdot 10^{20} \\
\text{Bohr radius}^{17} &= 32740.9 \cdot 10^{20} \\
\text{Fine structure constant}^{18} &= 0.00729735 \cdot 10^0 \\
\text{Rydberg Energy}^{19} &= 1114.41 \cdot 10^{-30} \\
|\psi^{100}(0)|^{20} &= 906935 \cdot 10^{-80} \\
\text{eV} &= 81.9075 \cdot 10^{-30} \\
\hbar^{21} &= 1.00000 \quad (***) \\
\lambda_{\text{yellow}} &= 0.0355761 \cdot 10^{30} \\
k_{\text{yellow}}^{22} &= 176.613 \cdot 10^{-30} \\
k_{\text{X-Ray}}^{23} &= 963.410 \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} M &= 10^{-20} = 0.130121 m_p \\
1 \text{ni'ure-} M &= 10^{-20} = 238.922 m_e \\
1 Q &= 1 = 3.30227 e \\
1 \text{re-} L &= 10^{20} = 0.0000161626 \text{\AA} \\
1 \text{re-} L &= 10^{20} = 0.0000305428 a_0 \\
1 &= 1 = 137.036 \alpha \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.000897338 Ry \\
1 \text{ni'uze-} \frac{1}{L^3} &= 10^{-70} = 11026.1 \rho_{\max} \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.0122089 \text{eV} \\
1 \frac{ML^2}{T} &= 1 = 1.00000 \cdot \hbar \quad (***) \\
1 \text{ci-} L &= 10^{30} = 28.1088 \cdot \lambda_{\text{yellow}} \\
1 \text{ni'uci-} \frac{1}{L} &= 10^{-30} = 0.00566211 \cdot k_{\text{yellow}} \\
1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 0.00103798 \cdot k_{\text{X-Ray}}
\end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/10 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\tilde{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

Earth g = $0.000810296 \cdot 10^{-40}$	$1 \text{ ni}'\text{u}\text{vo}-\frac{ML}{T^2} = 10^{-40} = 1234.12 \cdot \text{Earth g}$
cm = $618.714 \cdot 10^{30}$	$1 \text{ ci}\text{-}L = 10^{30} = 0.00161626 \text{ cm}$
min = $111292. \cdot 10^{40}$	$1 \text{ mu}\text{-}T = 10^{50} = 89854.1 \text{ min}$
hour = $0.000667749 \cdot 10^{50}$	$1 \text{ mu}\text{-}T = 10^{50} = 1497.57 \text{ h}$
Liter = $23.6848 \cdot 10^{100}$	$1 \text{ pano}\text{-}L^3 = 10^{100} = 0.0422211 l$
Area of a soccer field = $2733.24 \cdot 10^{70}$	$1 \text{ ze}\text{-}L^2 = 10^{70} = 0.000365866 A$
$100 \text{ m}^2$ <sup>24</sup> = $38.2807 \cdot 10^{70}$	$1 \text{ ze}\text{-}L^2 = 10^{70} = 0.0261228 \cdot 100 \text{ m}^2$
km/h = $9.26567 \cdot 10^{-10}$	$1 \text{ ni}'\text{u}\text{pa}-\frac{L}{T} = 10^{-10} = 0.107925 \text{ km/h}$
mi/h = $14.9116 \cdot 10^{-10}$	$1 \text{ ni}'\text{u}\text{pa}-\frac{L}{T} = 10^{-10} = 0.0670617 \text{ mi/h}$
inch <sup>25</sup> = $1571.53 \cdot 10^{30}$	$1 \text{ ci}\text{-}L = 10^{30} = 0.000636321 \text{ in}$
mile = $0.00995697 \cdot 10^{40}$ (*)	$1 \text{ vo}\text{-}L = 10^{40} = 100.432 \text{ mi}$ (*)
pound = $0.00208411 \cdot 10^{10}$	$1 \text{ pa}\text{-}M = 10^{10} = 479.822 \text{ pound}$
horsepower = $2.05526 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu}-\frac{ML^2}{T^3} = 10^{-50} = 0.486557 \text{ horsepower}$
kcal = $21404.0 \cdot 10^{-10}$	$1 \frac{ML^2}{T^2} = 1 = 467202. \text{kcal}$
kWh = $0.00184041 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 543.356 \text{ kWh}$
Typical household electric field = $0.0335777 \cdot 10^{-60}$	$1 \text{ ni}'\text{ux}\text{a}-\frac{ML}{T^2Q} = 10^{-60} = 29.7817 E_H$
<i>Earthmagneticfield</i> = $62.9083 \cdot 10^{-60}$	$1 \text{ ni}'\text{ux}\text{a}-\frac{M}{TQ} = 10^{-60} = 0.0158962 \cdot \text{Earthmagneticfield}$
Height of an average man <sup>26</sup> = $0.0000109512 \cdot 10^{40}$	$1 \text{ vo}\text{-}L = 10^{40} = 91313.8 \bar{h}$
Mass of an average man = $0.321627 \cdot 10^{10}$	$1 \text{ pa}\text{-}M = 10^{10} = 3.10919 \bar{m}$
Age of the Universe = $0.0122921 \cdot 10^{60}$	$1 \text{ xa}\text{-}T = 10^{60} = 81.3532 t_U$
Size of the observable Universe = $54.4469 \cdot 10^{60}$	$1 \text{ xa}\text{-}L = 10^{60} = 0.0183665 l_U$
Average density of the Universe = $19.2052 \cdot 10^{-130}$	$1 \text{ ni}'\text{upaci}-\frac{M}{L^3} = 10^{-130} = 0.0520692 \rho_U$
Earth mass = $274.394 \cdot 10^{30}$	$1 \text{ ci}\text{-}M = 10^{30} = 0.00364440 m_E$
Sun mass <sup>27</sup> = $0.00913843 \cdot 10^{40}$	$1 \text{ vo}\text{-}M = 10^{40} = 109.428 m_S$
Year = $5.85337 \cdot 10^{50}$	$1 \text{ mu}\text{-}T = 10^{50} = 0.170842 \text{ y}$
Speed of Light = 1.00000 (***)	$1 \frac{L}{T} = 1 = 1.00000 c$ (***)
Parsec = $19.0917 \cdot 10^{50}$	$1 \text{ mu}\text{-}L = 10^{50} = 0.0523789 \text{ pc}$
Astronomical unit = $925583. \cdot 10^{40}$	$1 \text{ mu}\text{-}L = 10^{50} = 10804.0 \text{ au}$
Earth radius = $39.4183 \cdot 10^{40}$	$1 \text{ vo}\text{-}L = 10^{40} = 0.0253689 r_E$
Distance Earth-Moon = $2378.34 \cdot 10^{40}$	$1 \text{ vo}\text{-}L = 10^{40} = 0.000420462 d_M$
<i>Momentum of someone walking</i> <sup>28</sup> = $200.007 \cdot 10^0$ (*)	$1 \frac{ML}{T} = 1 = 0.00499984 \cdot \text{Momentum of someone walking}$ (*)
Stefan-Boltzmann constant = $0.164493 \cdot 10^0$	$1 \frac{M}{T^3\Theta^4} = 1 = 6.07927 \frac{\pi^2}{60} = \sigma$
mol = $6022.14 \cdot 10^{20}$	$1 \text{ re}\text{-} = 10^{20} = 0.000166054 \text{ mol}$
Standard temperature <sup>29</sup> = $1.92796 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci}\text{-}\Theta = 10^{-30} = 0.518684 T_0$
Room - standard temperature <sup>30</sup> = $0.141165 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci}\text{-}\Theta = 10^{-30} = 7.08392 \Theta_R$
atm = $21.8705 \cdot 10^{-110}$	$1 \text{ ni}'\text{upapa}-\frac{M}{LT^2} = 10^{-110} = 0.0457236 \text{ atm}$
$c_s = 11441.2 \cdot 10^{-10}$	$1 \frac{L}{T} = 1 = 874030. \cdot c_s$
$\mu_0 = 1.00000$ (***)	$1 \frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0$ (***)
$G = 1.00000$ (***)	$1 \frac{L^3}{MT^2} = 1 = 1.00000 \cdot G$ (***)

## Extensive list of SI units

---

1 = 1.00000 (\*\*\*)

1 = 1 = 1.00000 (\*\*\*)

<sup>24</sup>Size of a home<sup>25</sup>36 in = 1 yd = 3 ft<sup>26</sup>in developed countries<sup>27</sup>The Schwarzschild radius of a mass M is  $2GM$ <sup>28</sup>p<sup>29</sup>0°C measured from absolute zero<sup>30</sup>20 °C

$1 \frac{1}{\text{s}} = 0.000539125 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo}-\frac{1}{T} = 10^{-40} = 1854.86 \frac{1}{\text{s}}$
$1 \frac{1}{\text{s}^2} = 2906.55 \cdot 10^{-90}$	$1 \text{ ni}'\text{uso}-\frac{1}{T^2} = 10^{-90} = 0.000344050 \frac{1}{\text{s}^2}$
$1 \text{s} = 1854.86 \cdot 10^{40}$	$1 \text{ vo-}T = 10^{40} = 0.000539125 \text{ s}$
$1 \text{m} = 61871.4 \cdot 10^{30}$	$1 \text{ vo-}L = 10^{40} = 161626. \text{ m}$
$1 \frac{\text{m}}{\text{s}} = 33.3564 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa}-\frac{L}{T} = 10^{-10} = 0.0299792 \frac{\text{m}}{\text{s}} \quad (*)$
$1 \frac{\text{m}}{\text{s}^2} = 0.0179833 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu}-\frac{L}{T^2} = 10^{-50} = 55.6073 \frac{\text{m}}{\text{s}^2}$
$1 \text{m s} = 0.0114763 \cdot 10^{80}$	$1 \text{ bi-}LT = 10^{80} = 87.1363 \text{ m s}$
$1 \text{m}^2 = 0.382807 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 2.61228 \text{ m}^2$
$1 \frac{\text{m}^2}{\text{s}} = 0.000206381 \cdot 10^{30}$	$1 \text{ ci-}\frac{L^2}{T} = 10^{30} = 4845.41 \frac{\text{m}^2}{\text{s}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 1112.65 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure}-\frac{L^2}{T^2} = 10^{-20} = 0.000898755 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m}^2 \text{s} = 710.053 \cdot 10^{110}$	$1 \text{ papa-}L^2T = 10^{110} = 0.00140834 \text{ m}^2 \text{s}$
$1 \frac{1}{\text{m}} = 161626. \cdot 10^{-40}$	$1 \text{ ni}'\text{uci}-\frac{1}{L} = 10^{-30} = 61871.4 \frac{1}{\text{m}}$
$1 \frac{1}{\text{m s}} = 87.1363 \cdot 10^{-80}$	$1 \text{ ni}'\text{ubi}-\frac{1}{LT} = 10^{-80} = 0.0114763 \frac{1}{\text{m s}}$
$1 \frac{1}{\text{m s}^2} = 0.0469773 \cdot 10^{-120}$	$1 \text{ ni}'\text{upare}-\frac{1}{LT^2} = 10^{-120} = 21.2869 \frac{1}{\text{m s}^2}$
$1 \frac{\text{s}}{\text{m}} = 0.0299792 \cdot 10^{10} \quad (*)$	$1 \text{ pa-}\frac{T}{L} = 10^{10} = 33.3564 \frac{\text{s}}{\text{m}}$
$1 \frac{1}{\text{m}^2} = 2.61228 \cdot 10^{-70}$	$1 \text{ ni}'\text{uze}-\frac{1}{L^2} = 10^{-70} = 0.382807 \frac{1}{\text{m}^2}$
$1 \frac{1}{\text{m}^2 \text{s}} = 0.00140834 \cdot 10^{-110}$	$1 \text{ ni}'\text{upapa}-\frac{1}{L^2T} = 10^{-110} = 710.053 \frac{1}{\text{m}^2 \text{s}}$
$1 \frac{1}{\text{m}^2 \text{s}^2} = 7592.73 \cdot 10^{-160}$	$1 \text{ ni}'\text{upaxa}-\frac{1}{L^2T^2} = 10^{-160} = 0.000131705 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^2} = 4845.41 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci}-\frac{T}{L^2} = 10^{-30} = 0.000206381 \frac{\text{s}}{\text{m}^2}$
$1 \frac{1}{\text{m}^3} = 0.0000422211 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano}-\frac{1}{L^3} = 10^{-100} = 23684.8 \frac{1}{\text{m}^3}$
$1 \frac{1}{\text{m}^3 \text{s}} = 227.624 \cdot 10^{-150}$	$1 \text{ ni}'\text{upamu}-\frac{1}{L^3T} = 10^{-150} = 0.00439320 \frac{1}{\text{m}^3 \text{s}}$
$1 \frac{1}{\text{m}^3 \text{s}^2} = 0.122718 \cdot 10^{-190}$	$1 \text{ ni}'\text{upaso}-\frac{1}{L^3T^2} = 10^{-190} = 8.14877 \frac{1}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^3} = 0.0783142 \cdot 10^{-60}$	$1 \text{ ni}'\text{uxa}-\frac{T}{L^3} = 10^{-60} = 12.7691 \frac{\text{s}}{\text{m}^3}$
$1 \text{kg} = 0.00459467 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 217.643 \text{ kg}$
$1 \frac{\text{kg}}{\text{s}} = 24771.0 \cdot 10^{-40}$	$1 \text{ ni}'\text{ubo}-\frac{M}{T} = 10^{-40} = 0.0000403698 \frac{\text{kg}}{\text{s}}$
$1 \frac{\text{kg}}{\text{s}^2} = 13.3547 \cdot 10^{-80}$	$1 \text{ ni}'\text{ubi}-\frac{M}{T^2} = 10^{-80} = 0.0748802 \frac{\text{kg}}{\text{s}^2}$
$1 \text{kg s} = 8.52247 \cdot 10^{50}$	$1 \text{ mu-}MT = 10^{50} = 0.117337 \text{ kg s}$
$1 \text{kg m} = 284.279 \cdot 10^{40}$	$1 \text{ vo-}ML = 10^{40} = 0.00351767 \text{ kg m}$
$1 \frac{\text{kg m}}{\text{s}} = 0.153262 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 6.52479 \frac{\text{kg m}}{\text{s}}$
$1 \frac{\text{kg m}}{\text{s}^2} = 0.0000826272 \cdot 10^{-40}$	$1 \text{ ni}'\text{ubo}-\frac{ML}{T^2} = 10^{-40} = 12102.6 \frac{\text{kg m}}{\text{s}^2}$
$1 \text{kg m s} = 527297. \cdot 10^{80}$	$1 \text{ so-}MLT = 10^{90} = 18964.6 \text{ kg m s}$
$1 \text{kg m}^2 = 0.00175887 \cdot 10^{80}$	$1 \text{ bi-}ML^2 = 10^{80} = 568.546 \text{ kg m}^2$
$1 \frac{\text{kg m}^2}{\text{s}} = 9482.52 \cdot 10^{30}$	$1 \text{ ci-}\frac{ML^2}{T} = 10^{30} = 0.000105457 \frac{\text{kg m}^2}{\text{s}}$
$1 \frac{\text{kg m}^2}{\text{s}^2} = 5.11226 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.195608 \frac{\text{kg m}^2}{\text{s}^2}$
$1 \text{kg m}^2 \text{s} = 3.26246 \cdot 10^{120}$	$1 \text{ pare-}ML^2T = 10^{120} = 0.306517 \text{ kg m}^2 \text{s}$
$1 \frac{\text{kg}}{\text{m}} = 742.616 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci}-\frac{M}{L} = 10^{-30} = 0.00134659 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 0.400363 \cdot 10^{-70} \quad (*)$	$1 \text{ ni}'\text{uze}-\frac{M}{LT} = 10^{-70} = 2.49774 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m s}^2} = 0.000215845 \cdot 10^{-110}$	$1 \text{ ni}'\text{upapa}-\frac{M}{LT^2} = 10^{-110} = 4632.95 \frac{\text{kg}}{\text{m s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.000137745 \cdot 10^{20}$	$1 \text{ re-}\frac{MT}{L} = 10^{20} = 7259.80 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.0120026 \cdot 10^{-60} \quad (*)$	$1 \text{ ni}'\text{uxa}-\frac{M}{L^2} = 10^{-60} = 83.3155 \frac{\text{kg}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 64708.8 \cdot 10^{-110}$	$1 \text{ ni}'\text{upano}-\frac{M}{L^2T} = 10^{-100} = 154538. \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 34.8861 \cdot 10^{-150}$	$1 \text{ ni}'\text{upamu}-\frac{M}{L^2T^2} = 10^{-150} = 0.0286647 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 22.2631 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.0449174 \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 1939.92 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano}-\frac{M}{L^3} = 10^{-100} = 0.000515485 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.04586 \cdot 10^{-140}$	$1 \text{ ni}'\text{upavo}-\frac{M}{L^3T} = 10^{-140} = 0.956152 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.000563849 \cdot 10^{-180}$	$1 \text{ ni}'\text{upabi}-\frac{M}{L^3T^2} = 10^{-180} = 1773.53 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.000359828 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu}-\frac{MT}{L^3} = 10^{-50} = 2779.11 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 52.9082 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.0189007 \frac{1}{\text{C}} \quad (*)$
$1 \frac{1}{\text{s C}} = 0.0285241 \cdot 10^{-60}$	$1 \text{ ni}'\text{uxa}-\frac{1}{TQ} = 10^{-60} = 35.0581 \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.0000153780 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano}-\frac{1}{T^2 Q} = 10^{-100} = 65027.8 \frac{1}{\text{s}^2 \text{C}}$

$1 \frac{s}{C} = 98137.2 \cdot 10^{20}$	$1 \text{re-} \frac{T}{Q} = 10^{20} = 0.0000101898 \frac{s}{C}$
$1 \frac{m}{C} = 0.000327350 \cdot 10^{20}$	$1 \text{re-} \frac{L}{Q} = 10^{20} = 3054.83 \frac{m}{C}$
$1 \frac{m}{sC} = 1764.83 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{L}{TQ} = 10^{-30} = 0.000566628 \frac{m}{sC}$
$1 \frac{m}{s^2C} = 0.951462 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{L}{T^2Q} = 10^{-70} = 1.05101 \frac{m}{s^2C}$
$1 \frac{ms}{C} = 0.607189 \cdot 10^{60}$	$1 \text{xa-} \frac{LT}{Q} = 10^{60} = 1.64693 \frac{ms}{C}$
$1 \frac{m^2}{C} = 20.2536 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2}{Q} = 10^{50} = 0.0493738 \frac{m^2}{C}$
$1 \frac{m^2}{sC} = 0.0109192 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2}{TQ} = 10^{10} = 91.5815 \frac{m^2}{sC}$
$1 \frac{m^2}{s^2C} = 58868.3 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{L^2}{T^2Q} = 10^{-40} = 0.0000169871 \frac{m^2}{s^2C}$
$1 \frac{m^2s}{C} = 37567.6 \cdot 10^{90}$	$1 \text{pano-} \frac{L^2T}{Q} = 10^{100} = 266187. \frac{m^2s}{C}$
$1 \frac{1}{mC} = 0.000855131 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{1}{LQ} = 10^{-50} = 1169.41 \frac{1}{mC}$
$1 \frac{1}{msC} = 4610.22 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{1}{LTQ} = 10^{-100} = 0.000216909 \frac{1}{msC}$
$1 \frac{1}{ms^2C} = 2.48548 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{1}{LT^2Q} = 10^{-140} = 0.402336 \frac{1}{ms^2C}$
$1 \frac{s}{mC} = 1.58615 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{T}{LQ} = 10^{-10} = 0.630458 \frac{s}{mC}$
$1 \frac{1}{m^2C} = 138.211 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{1}{L^2Q} = 10^{-90} = 0.00723531 \frac{1}{m^2C}$
$1 \frac{1}{m^2sC} = 0.0745130 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{1}{L^2TQ} = 10^{-130} = 13.4205 \frac{1}{m^2sC}$
$1 \frac{1}{m^2s^2C} = 401718. \cdot 10^{-180}$	$1 \text{ni'upaze-} \frac{1}{L^2T^2Q} = 10^{-170} = 24893.1 \frac{1}{m^2s^2C}$
$1 \frac{s}{m^2C} = 0.0000256362 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{T}{L^2Q} = 10^{-40} = 39007.4 \frac{s}{m^2C} (*)$
$1 \frac{1}{m^3C} = 0.00223384 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{1}{L^3Q} = 10^{-120} = 447.659 \frac{1}{m^3C}$
$1 \frac{1}{m^3sC} = 12043.2 \cdot 10^{-170}$	$1 \text{ni'upaxa-} \frac{1}{L^3TQ} = 10^{-160} = 830345. \frac{1}{m^3sC}$
$1 \frac{1}{m^3s^2C} = 6.49278 \cdot 10^{-210}$	$1 \text{ni'urepa-} \frac{1}{L^3T^2Q} = 10^{-210} = 0.154017 \frac{1}{m^3s^2C}$
$1 \frac{s}{m^3C} = 4.14346 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{T}{L^3Q} = 10^{-80} = 0.241344 \frac{s}{m^3C}$
$1 \frac{kg}{C} = 0.243096 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{M}{Q} = 10^{-10} = 4.11361 \frac{kg}{C}$
$1 \frac{kg}{sC} = 0.000131059 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{M}{TQ} = 10^{-50} = 7630.16 \frac{kg}{sC}$
$1 \frac{kg}{s^2C} = 706.571 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{M}{T^2Q} = 10^{-100} = 0.00141529 \frac{kg}{s^2C}$
$1 \frac{kg s}{C} = 450.908 \cdot 10^{30}$	$1 \text{ci-} \frac{MT}{Q} = 10^{30} = 0.00221775 \frac{kg s}{C}$
$1 \frac{kg m}{C} = 15040.7 \cdot 10^{20}$	$1 \text{re-} \frac{ML}{Q} = 10^{20} = 0.0000664864 \frac{kg m}{C}$
$1 \frac{kg m}{sC} = 8.10880 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{ML}{TQ} = 10^{-20} = 0.123323 \frac{kg m}{sC}$
$1 \frac{kg m}{s^2C} = 0.00437165 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{ML}{T^2Q} = 10^{-60} = 228.746 \frac{kg m}{s^2C}$
$1 \frac{kg ms}{C} = 0.00278983 \cdot 10^{70}$	$1 \text{ze-} \frac{MLT}{Q} = 10^{70} = 358.444 \frac{kg ms}{C}$
$1 \frac{kg m^2}{C} = 0.0930588 \cdot 10^{60}$	$1 \text{xa-} \frac{ML^2}{Q} = 10^{60} = 10.7459 \frac{kg m^2}{C}$
$1 \frac{kg m^2}{sC} = 0.0000501703 \cdot 10^{20}$	$1 \text{re-} \frac{ML^2}{TQ} = 10^{20} = 19932.1 \frac{kg m^2}{sC} (*)$
$1 \frac{kg m^2}{s^2C} = 270.480 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{ML^2}{T^2Q} = 10^{-30} = 0.00369713 \frac{kg m^2}{s^2C}$
$1 \frac{kg m^2 s}{C} = 172.611 \cdot 10^{100}$	$1 \text{pano-} \frac{ML^2T}{Q} = 10^{100} = 0.00579338 \frac{kg m^2 s}{C}$
$1 \frac{kg}{mC} = 39290.5 \cdot 10^{-50}$	$1 \text{ni'uvu-} \frac{M}{LQ} = 10^{-40} = 254515. \frac{kg}{mC}$
$1 \frac{kg}{msC} = 21.1825 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.0472089 \frac{kg}{msC}$
$1 \frac{kg}{ms^2C} = 0.0114200 \cdot 10^{-130} (*)$	$1 \text{ni'upaci-} \frac{M}{LT^2Q} = 10^{-130} = 87.5658 \frac{kg}{ms^2C}$
$1 \frac{kg s}{mC} = 0.00728782 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 137.215 \frac{kg s}{mC}$
$1 \frac{kg}{m^2C} = 0.635034 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{M}{L^2Q} = 10^{-80} = 1.57472 \frac{kg}{m^2C}$
$1 \frac{kg}{m^2sC} = 0.000342362 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{M}{L^2TQ} = 10^{-120} = 2920.88 \frac{kg}{m^2sC}$
$1 \frac{kg}{m^2s^2C} = 1845.76 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{M}{L^2T^2Q} = 10^{-170} = 0.000541782 \frac{kg}{m^2s^2C}$
$1 \frac{kg s}{m^2C} = 1177.90 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{MT}{L^2Q} = 10^{-40} = 0.000848970 \frac{kg s}{m^2C}$
$1 \frac{kg}{m^3C} = 102638. \cdot 10^{-120}$	$1 \text{ni'upapa-} \frac{M}{L^3Q} = 10^{-110} = 97430.1 \frac{kg}{m^3C}$
$1 \frac{kg}{m^3sC} = 55.3345 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M}{L^3TQ} = 10^{-160} = 0.0180719 \frac{kg}{m^3sC}$
$1 \frac{kg}{m^3s^2C} = 0.0298322 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M}{L^3T^2Q} = 10^{-200} = 33.5208 \frac{kg}{m^3s^2C}$
$1 \frac{kg s}{m^3C} = 0.0190378 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT}{L^3Q} = 10^{-70} = 52.5270 \frac{kg s}{m^3C}$
$1 C = 0.0189007 \cdot 10^{20} (*)$	$1 \text{re-} Q = 10^{20} = 52.9082 C$
$1 \frac{C}{s} = 0.0000101898 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{T} = 10^{-20} = 98137.2 \frac{C}{s}$

$1 \frac{C}{s^2} = 54.9358 \cdot 10^{-70}$	$1 ni'uze \cdot \frac{Q}{T^2} = 10^{-70} = 0.0182031 \frac{C}{s^2}$
$1 sC = 35.0581 \cdot 10^{60}$	$1 xa \cdot TQ = 10^{60} = 0.0285241 sC$
$1 mC = 1169.41 \cdot 10^{50}$	$1 mu \cdot LQ = 10^{50} = 0.000855131 mC$
$1 \frac{mC}{s} = 0.630458 \cdot 10^{10}$	$1 pa \cdot \frac{LQ}{T} = 10^{10} = 1.58615 \frac{mC}{s}$
$1 \frac{mC}{s^2} = 0.000339896 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{LQ}{T^2} = 10^{-30} = 2942.08 \frac{mC}{s^2}$
$1 msC = 0.000216909 \cdot 10^{100}$	$1 pano \cdot LTQ = 10^{100} = 4610.22 msC$
$1 m^2C = 0.00723531 \cdot 10^{90}$	$1 so \cdot L^2Q = 10^{90} = 138.211 m^2C$
$1 \frac{m^2C}{s} = 39007.4 \cdot 10^{40} \quad (*)$	$1 vo \cdot \frac{L^2Q}{T} = 10^{40} = 0.0000256362 \frac{m^2C}{s}$
$1 \frac{m^2C}{s^2} = 21.0298 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 0.0475515 \frac{m^2C}{s^2}$
$1 m^2sC = 13.4205 \cdot 10^{130}$	$1 paci \cdot L^2TQ = 10^{130} = 0.0745130 m^2sC$
$1 \frac{C}{m} = 3054.83 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{Q}{L} = 10^{-20} = 0.000327350 \frac{C}{m}$
$1 \frac{C}{ms} = 1.64693 \cdot 10^{-60}$	$1 ni'uxa \cdot \frac{Q}{LT} = 10^{-60} = 0.607189 \frac{C}{ms}$
$1 \frac{C}{ms^2} = 0.000887903 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{Q}{LT^2} = 10^{-100} = 1126.25 \frac{C}{ms^2}$
$1 \frac{sC}{m} = 0.000566628 \cdot 10^{30}$	$1 ci \cdot \frac{TQ}{L} = 10^{30} = 1764.83 \frac{sC}{m}$
$1 \frac{C}{m^2} = 0.0493738 \cdot 10^{-50}$	$1 ni'umu \cdot \frac{Q}{L^2} = 10^{-50} = 20.2536 \frac{C}{m^2}$
$1 \frac{C}{m^2s} = 266187. \cdot 10^{-100}$	$1 ni'uso \cdot \frac{Q}{L^2T} = 10^{-90} = 37567.6 \frac{C}{m^2s}$
$1 \frac{C}{m^2s^2} = 143.508 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{Q}{L^2T^2} = 10^{-140} = 0.00696826 \frac{C}{m^2s^2}$
$1 \frac{sC}{m^2} = 91.5815 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{TQ}{L^2} = 10^{-10} = 0.0109192 \frac{sC}{m^2}$
$1 \frac{C}{m^3} = 7980.07 \cdot 10^{-90}$	$1 ni'uso \cdot \frac{Q}{L^3} = 10^{-90} = 0.000125312 \frac{C}{m^3}$
$1 \frac{C}{m^3s} = 4.30225 \cdot 10^{-130}$	$1 ni'upaci \cdot \frac{Q}{L^3T} = 10^{-130} = 0.232436 \frac{C}{m^3s}$
$1 \frac{C}{m^3s^2} = 0.00231945 \cdot 10^{-170}$	$1 ni'upaze \cdot \frac{Q}{L^3T^2} = 10^{-170} = 431.136 \frac{C}{m^3s^2}$
$1 \frac{sC}{m^3} = 0.00148019 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{TQ}{L^3} = 10^{-40} = 675.589 \frac{sC}{m^3}$
$1 kgC = 868424. \cdot 10^{20}$	$1 ci \cdot MQ = 10^{30} = 11515.1 kgC$
$1 \frac{kgC}{s} = 468.189 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{MQ}{T} = 10^{-20} = 0.00213589 \frac{kgC}{s}$
$1 \frac{kgC}{s^2} = 0.252412 \cdot 10^{-60}$	$1 ni'uxa \cdot \frac{MQ}{T^2} = 10^{-60} = 3.96178 \frac{kgC}{s^2}$
$1 kgsC = 0.161080 \cdot 10^{70}$	$1 ze \cdot MTQ = 10^{70} = 6.20808 kgsC$
$1 kgmC = 5.37306 \cdot 10^{60}$	$1 xa \cdot MLQ = 10^{60} = 0.186114 kgmC$
$1 \frac{kgmC}{s} = 0.00289675 \cdot 10^{20}$	$1 re \cdot \frac{MLQ}{T} = 10^{20} = 345.215 \frac{kgmC}{s}$
$1 \frac{kgmC}{s^2} = 15617.1 \cdot 10^{-30}$	$1 ni'ure \cdot \frac{MLQ}{T^2} = 10^{-20} = 640324. \frac{kgmC}{s^2}$
$1 kgmsC = 9966.27 \cdot 10^{100} \quad (*)$	$1 pano \cdot MLTQ = 10^{100} = 0.000100338 kgmsC \quad (*)$
$1 kgm^2C = 0.0000332439 \cdot 10^{100}$	$1 pano \cdot ML^2Q = 10^{100} = 30080.7 kgm^2C \quad (*)$
$1 \frac{kgm^2C}{s} = 179.226 \cdot 10^{50}$	$1 mu \cdot \frac{ML^2Q}{T} = 10^{50} = 0.00557955 \frac{kgm^2C}{s}$
$1 \frac{kgm^2C}{s^2} = 0.0966252 \cdot 10^{10}$	$1 pa \cdot \frac{ML^2Q}{T^2} = 10^{10} = 10.3493 \frac{kgm^2C}{s^2}$
$1 kgm^2sC = 0.0616627 \cdot 10^{140}$	$1 pavo \cdot ML^2TQ = 10^{140} = 16.2173 kgm^2sC$
$1 \frac{kgC}{m} = 14.0359 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{MQ}{L} = 10^{-10} = 0.0712457 \frac{kgC}{m}$
$1 \frac{kgC}{ms} = 0.00756712 \cdot 10^{-50}$	$1 ni'umu \cdot \frac{MQ}{LT} = 10^{-50} = 132.151 \frac{kgC}{ms}$
$1 \frac{kgC}{m^2s} = 40796.2 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{MQ}{LT^2} = 10^{-100} = 0.0000245121 \frac{kgC}{ms^2}$
$1 \frac{kgsC}{m} = 26034.7 \cdot 10^{30}$	$1 vo \cdot \frac{MTQ}{L} = 10^{40} = 384103. \frac{kgsC}{m}$
$1 \frac{kgC}{m^2} = 0.000226857 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{MQ}{L^2} = 10^{-40} = 4408.07 \frac{kgC}{m^2}$
$1 \frac{kgC}{m^2s} = 1223.04 \cdot 10^{-90}$	$1 ni'uso \cdot \frac{MQ}{L^2T} = 10^{-90} = 0.000817635 \frac{kgC}{m^2s}$
$1 \frac{kgC}{m^2s^2} = 0.659371 \cdot 10^{-130}$	$1 ni'upaci \cdot \frac{MQ}{L^2T^2} = 10^{-130} = 1.51660 \frac{kgC}{m^2s^2}$
$1 \frac{kgsC}{m^2} = 0.420787 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 2.37650 \frac{kgsC}{m^2}$
$1 \frac{kgC}{m^3} = 36.6658 \cdot 10^{-80}$	$1 ni'ubi \cdot \frac{MQ}{L^3} = 10^{-80} = 0.0272734 \frac{kgC}{m^3}$
$1 \frac{kgC}{m^3s} = 0.0197674 \cdot 10^{-120}$	$1 ni'upare \cdot \frac{MQ}{L^3T} = 10^{-120} = 50.5882 \frac{kgC}{m^3s}$
$1 \frac{kgC}{m^3s^2} = 0.0000106571 \cdot 10^{-160}$	$1 ni'upaxa \cdot \frac{MQ}{L^3T^2} = 10^{-160} = 93834.0 \frac{kgC}{m^3s^2}$
$1 \frac{kgsC}{m^3} = 68009.9 \cdot 10^{-40} \quad (*)$	$1 ni'uvo \cdot \frac{MTQ}{L^3} = 10^{-40} = 0.0000147037 \frac{kgsC}{m^3}$
$1 \frac{1}{K} = 141.678 \cdot 10^{30}$	$1 ci \cdot \frac{1}{\Theta} = 10^{30} = 0.00705824 \frac{1}{K}$
$1 \frac{1}{sK} = 0.0763823 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{1}{T\Theta} = 10^{-10} = 13.0920 \frac{1}{sK}$
$1 \frac{1}{s^2K} = 411796. \cdot 10^{-60}$	$1 ni'umu \cdot \frac{1}{T^2\Theta} = 10^{-50} = 24283.9 \frac{1}{s^2K}$
$1 \frac{s}{K} = 0.0000262793 \cdot 10^{80}$	$1 bi \cdot \frac{T}{\Theta} = 10^{80} = 38052.7 \frac{s}{K}$

$1 \frac{m}{K} = 0.000876585 \cdot 10^{70}$	$1 ze - \frac{L}{\Theta} = 10^{70} = 1140.79 \frac{m}{K}$
$1 \frac{m}{sK} = 4725.88 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.000211601 \frac{m}{sK}$
$1 \frac{m}{s^2K} = 2.54784 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.392489 \frac{m}{s^2K}$
$1 \frac{m}{K} = 1.62594 \cdot 10^{110}$	$1 papa - \frac{LT}{\Theta} = 10^{110} = 0.615029 \frac{m}{K}$
$1 \frac{m^2}{K} = 54.2355 \cdot 10^{100}$	$1 pano - \frac{L^2}{\Theta} = 10^{100} = 0.0184381 \frac{m^2}{K}$
$1 \frac{m^2}{sK} = 0.0292397 \cdot 10^{60}$	$1 xa - \frac{L^2}{T\Theta} = 10^{60} = 34.2001 \frac{m^2}{sK} (*)$
$1 \frac{m^2}{s^2K} = 0.0000157638 \cdot 10^{20}$	$1 re - \frac{L^2}{T^2\Theta} = 10^{20} = 63436.3 \frac{m^2}{s^2K}$
$1 \frac{m^2}{K} = 100599. \cdot 10^{140} \quad (**)$	$1 pamu - \frac{L^2T}{\Theta} = 10^{150} = 99404.3 \frac{m^2}{K} \quad (*)$
$1 \frac{1}{mK} = 0.00228988 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.703 \frac{1}{mK}$
$1 \frac{1}{msK} = 12345.3 \cdot 10^{-50}$	$1 ni'uvo - \frac{1}{LT\Theta} = 10^{-40} = 810023. \frac{1}{msK} \quad (*)$
$1 \frac{1}{ms^2K} = 6.65567 \cdot 10^{-90}$	$1 ni'uso - \frac{1}{LT^2\Theta} = 10^{-90} = 0.150248 \frac{1}{ms^2K}$
$1 \frac{s}{mK} = 4.24741 \cdot 10^{40}$	$1 vo - \frac{T}{L\Theta} = 10^{40} = 0.235437 \frac{s}{mK}$
$1 \frac{1}{m^2K} = 370.104 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{L^2\Theta} = 10^{-40} = 0.00270195 \frac{1}{m^2K}$
$1 \frac{1}{m^2sK} = 0.199532 \cdot 10^{-80} \quad (*)$	$1 ni'ubi - \frac{1}{L^2T\Theta} = 10^{-80} = 5.01173 \frac{1}{m^2sK}$
$1 \frac{1}{m^2s^2K} = 0.000107573 \cdot 10^{-120}$	$1 ni'upare - \frac{1}{L^2T^2\Theta} = 10^{-120} = 9296.04 \frac{1}{m^2s^2K}$
$1 \frac{s}{m^2K} = 686490. \cdot 10^0$	$1 pa - \frac{T}{L^2\Theta} = 10^{10} = 14566.9 \frac{s}{m^2K}$
$1 \frac{1}{m^3K} = 0.00598182 \cdot 10^{-70}$	$1 ni'uze - \frac{1}{L^3\Theta} = 10^{-70} = 167.173 \frac{1}{m^3K}$
$1 \frac{1}{m^3sK} = 32249.5 \cdot 10^{-120}$	$1 ni'upare - \frac{1}{L^3T\Theta} = 10^{-120} = 0.0000310083 \frac{1}{m^3sK} \quad (*)$
$1 \frac{1}{m^3s^2K} = 17.3865 \cdot 10^{-160}$	$1 ni'upaxa - \frac{1}{L^3T^2\Theta} = 10^{-160} = 0.0575159 \frac{1}{m^3s^2K}$
$1 \frac{s}{m^3K} = 11.0954 \cdot 10^{-30}$	$1 ni'uci - \frac{T}{L^3\Theta} = 10^{-30} = 0.0901272 \frac{s}{m^3K}$
$1 \frac{kg}{K} = 0.650966 \cdot 10^{40}$	$1 vo - \frac{M}{\Theta} = 10^{40} = 1.53618 \frac{kg}{K}$
$1 \frac{kg}{sK} = 0.000350952 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 2849.40 \frac{kg}{sK}$
$1 \frac{kg}{s^2K} = 1892.07 \cdot 10^{-50}$	$1 ni'umu - \frac{M}{T^2\Theta} = 10^{-50} = 0.000528523 \frac{kg}{s^2K}$
$1 \frac{kgs}{K} = 1207.45 \cdot 10^{80}$	$1 bi - \frac{MT}{\Theta} = 10^{80} = 0.000828192 \frac{kg}{s}$
$1 \frac{kgm}{K} = 40276.2 \cdot 10^{70}$	$1 bi - \frac{ML}{\Theta} = 10^{80} = 248286. \frac{kgm}{K}$
$1 \frac{kgm}{sK} = 21.7139 \cdot 10^{30}$	$1 ci - \frac{ML}{T\Theta} = 10^{30} = 0.0460535 \frac{kgm}{sK}$
$1 \frac{kgm}{s^2K} = 0.0117065 \cdot 10^{-10}$	$1 ni'upa - \frac{ML}{T^2\Theta} = 10^{-10} = 85.4227 \frac{kgm}{s^2K}$
$1 \frac{kgms}{K} = 0.00747066 \cdot 10^{120}$	$1 pare - \frac{MLT}{\Theta} = 10^{120} = 133.857 \frac{kgms}{K}$
$1 \frac{kgm^2}{K} = 0.249194 \cdot 10^{110}$	$1 papa - \frac{ML^2}{\Theta} = 10^{110} = 4.01293 \frac{kgm^2}{K}$
$1 \frac{kgm^2}{sK} = 0.000134347 \cdot 10^{70}$	$1 ze - \frac{ML^2}{T\Theta} = 10^{70} = 7443.42 \frac{kgm^2}{sK}$
$1 \frac{kgm^2}{s^2K} = 724.297 \cdot 10^{20}$	$1 re - \frac{ML^2}{T^2\Theta} = 10^{20} = 0.00138065 \frac{kgm^2}{s^2K}$
$1 \frac{kgm^2s}{K} = 462.220 \cdot 10^{150}$	$1 pamu - \frac{ML^2T}{\Theta} = 10^{150} = 0.00216347 \frac{kgm^2}{K}$
$1 \frac{kg}{mK} = 105213. \cdot 10^0$	$1 pa - \frac{M}{L\Theta} = 10^{10} = 95045.6 \frac{kg}{mK}$
$1 \frac{kg}{msK} = 56.7227 \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{LT\Theta} = 10^{-40} = 0.0176296 \frac{kg}{msK}$
$1 \frac{kg}{m^2K} = 0.0305806 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{LT^2\Theta} = 10^{-80} = 32.7004 \frac{kg}{ms^2K} \quad (*)$
$1 \frac{kgs}{mK} = 0.0195155 \cdot 10^{50}$	$1 mu - \frac{MT}{L\Theta} = 10^{50} = 51.2414 \frac{kg}{mK}$
$1 \frac{kg}{m^2K} = 1.70050 \cdot 10^{-30} \quad (*)$	$1 ni'uci - \frac{M}{L^2\Theta} = 10^{-30} = 0.588061 \frac{kg}{m^2K}$
$1 \frac{kg}{m^2sK} = 0.000916784 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{L^2T\Theta} = 10^{-70} = 1090.77 \frac{kg}{m^2sK}$
$1 \frac{kg}{m^2s^2K} = 4942.61 \cdot 10^{-120}$	$1 ni'upare - \frac{M}{L^2T^2\Theta} = 10^{-120} = 0.000202322 \frac{kg}{m^2s^2K}$
$1 \frac{kgs}{m^2K} = 3154.20 \cdot 10^{10}$	$1 pa - \frac{MT}{L^2\Theta} = 10^{10} = 0.000317038 \frac{kg}{m^2K}$
$1 \frac{kg}{m^3K} = 0.0000274845 \cdot 10^{-60}$	$1 ni'uxa - \frac{M}{L^3\Theta} = 10^{-60} = 36384.1 \frac{kg}{m^3K}$
$1 \frac{kg}{m^3sK} = 148.176 \cdot 10^{-110}$	$1 ni'upapa - \frac{M}{L^3T\Theta} = 10^{-110} = 0.00674875 \frac{kg}{m^3sK}$
$1 \frac{kg}{m^3s^2K} = 0.0798852 \cdot 10^{-150}$	$1 ni'upamu - \frac{M}{L^3T^2\Theta} = 10^{-150} = 12.5180 \frac{kg}{m^3s^2K}$
$1 \frac{kgs}{m^3K} = 0.0509799 \cdot 10^{-20} \quad (*)$	$1 ni'ure - \frac{MT}{L^3\Theta} = 10^{-20} = 19.6156 \frac{kg}{m^3K}$
$1 K = 0.00705824 \cdot 10^{-30}$	$1 ni'uci - \Theta = 10^{-30} = 141.678 K$
$1 \frac{K}{s} = 38052.7 \cdot 10^{-80}$	$1 ni'ubi - \frac{\Theta}{T} = 10^{-80} = 0.0000262793 \frac{K}{s}$
$1 \frac{K}{s^2} = 20.5151 \cdot 10^{-120}$	$1 ni'upare - \frac{\Theta}{T^2} = 10^{-120} = 0.0487445 \frac{K}{s^2}$
$1 sK = 13.0920 \cdot 10^{10}$	$1 pa - T\Theta = 10^{10} = 0.0763823 sK$
$1 mK = 436.703 \cdot 10^0$	$1 L\Theta = 1 = 0.00228988 mK$
$1 \frac{mK}{s} = 0.235437 \cdot 10^{-40}$	$1 ni'uvo - \frac{L\Theta}{T} = 10^{-40} = 4.24741 \frac{m}{s}$

$1 \frac{mK}{s^2} = 0.000126930 \cdot 10^{-80}$	$1 ni' ubi \cdot \frac{L\Theta}{T^2} = 10^{-80} = 7878.35 \frac{mK}{s^2}$
$1 m s K = 810023. \cdot 10^{40} \quad (*)$	$1 mu \cdot LT\Theta = 10^{50} = 12345.3 m s K$
$1 m^2 K = 0.00270195 \cdot 10^{40}$	$1 vo \cdot L^2\Theta = 10^{40} = 370.104 m^2 K$
$1 \frac{m^2 K}{s} = 14566.9 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 686490. \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s^2} = 7.85335 \cdot 10^{-50}$	$1 ni' umu \cdot \frac{L^2\Theta}{T^2} = 10^{-50} = 0.127334 \frac{m^2 K}{s^2}$
$1 m^2 s K = 5.01173 \cdot 10^{80}$	$1 bi \cdot L^2 T\Theta = 10^{80} = 0.199532 m^2 s K \quad (*)$
$1 \frac{K}{m} = 1140.79 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{\Theta}{L} = 10^{-70} = 0.000876585 \frac{K}{m}$
$1 \frac{K}{ms} = 0.615029 \cdot 10^{-110}$	$1 ni' upapa \cdot \frac{\Theta}{LT} = 10^{-110} = 1.62594 \frac{K}{ms}$
$1 \frac{K}{ms^2} = 0.000331577 \cdot 10^{-150}$	$1 ni' upamu \cdot \frac{\Theta}{LT^2} = 10^{-150} = 3015.89 \frac{K}{ms^2}$
$1 \frac{sK}{m} = 0.000211601 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T\Theta}{L} = 10^{-20} = 4725.88 \frac{sK}{m}$
$1 \frac{K}{m^2} = 0.0184381 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{\Theta}{L^2} = 10^{-100} = 54.2355 \frac{K}{m^2}$
$1 \frac{K}{m^2 s} = 99404.3 \cdot 10^{-150} \quad (*)$	$1 ni' upavo \cdot \frac{\Theta}{L^2 T} = 10^{-140} = 100599. \frac{K}{m^2 s} \quad (**)$
$1 \frac{K}{m^2 s^2} = 53.5913 \cdot 10^{-190}$	$1 ni' upaso \cdot \frac{\Theta}{L^2 T^2} = 10^{-190} = 0.0186597 \frac{K}{m^2 s^2}$
$1 \frac{sK}{m^2} = 34.2001 \cdot 10^{-60} \quad (*)$	$1 ni' uxa \cdot \frac{T\Theta}{L^2} = 10^{-60} = 0.0292397 \frac{sK}{m^2}$
$1 \frac{K}{m^3} = 2980.07 \cdot 10^{-140}$	$1 ni' upavo \cdot \frac{\Theta}{L^3} = 10^{-140} = 0.000335563 \frac{K}{m^3}$
$1 \frac{K}{m^3 s} = 1.60663 \cdot 10^{-180}$	$1 ni' upabi \cdot \frac{\Theta}{L^3 T} = 10^{-180} = 0.622422 \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s^2} = 0.000866172 \cdot 10^{-220}$	$1 ni' urere \cdot \frac{\Theta}{L^3 T^2} = 10^{-220} = 1154.50 \frac{K}{m^3 s^2}$
$1 \frac{sK}{m^3} = 0.000552760 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{T\Theta}{L^3} = 10^{-90} = 1809.10 \frac{sK}{m^3}$
$1 kg K = 0.0000324303 \cdot 10^{-20}$	$1 ni' ure \cdot M\Theta = 10^{-20} = 30835.4 kg K$
$1 \frac{kg K}{s} = 174.840 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{M\Theta}{T} = 10^{-70} = 0.00571953 \frac{kg K}{s}$
$1 \frac{kg K}{s^2} = 0.0942604 \cdot 10^{-110}$	$1 ni' upapa \cdot \frac{M\Theta}{T^2} = 10^{-110} = 10.6089 \frac{kg K}{s^2}$
$1 kg s K = 0.0601536 \cdot 10^{20}$	$1 re \cdot MT\Theta = 10^{20} = 16.6241 kg s K$
$1 kg m K = 2.00651 \cdot 10^{10} \quad (*)$	$1 pa \cdot ML\Theta = 10^{10} = 0.498378 kg m K$
$1 \frac{kg m K}{s} = 0.00108176 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{ML\Theta}{T} = 10^{-30} = 924.421 \frac{kg m K}{s}$
$1 \frac{kg m K}{s^2} = 5832.02 \cdot 10^{-80}$	$1 ni' ubi \cdot \frac{ML\Theta}{T^2} = 10^{-80} = 0.000171467 \frac{kg m K}{s^2}$
$1 kg m s K = 3721.79 \cdot 10^{50}$	$1 mu \cdot MLT\Theta = 10^{50} = 0.000268688 kg m s K$
$1 kg m^2 K = 124145. \cdot 10^{40}$	$1 mu \cdot ML^2\Theta = 10^{50} = 80550.6 kg m^2 K$
$1 \frac{kg m^2 K}{s} = 66.9299 \cdot 10^0 \quad (*)$	$1 \frac{ML^2\Theta}{T} = 1 = 0.0149410 \frac{kg m^2 K}{s}$
$1 \frac{kg m^2 K}{s^2} = 0.0360836 \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{ML^2\Theta}{T^2} = 10^{-40} = 27.7135 \frac{kg m^2 K}{s^2}$
$1 kg m^2 s K = 0.0230272 \cdot 10^{90}$	$1 so \cdot ML^2 T\Theta = 10^{90} = 43.4268 kg m^2 s K$
$1 \frac{kg K}{m} = 5.24156 \cdot 10^{-60}$	$1 ni' uxa \cdot \frac{M\Theta}{L} = 10^{-60} = 0.190783 \frac{kg K}{m}$
$1 \frac{kg K}{m s} = 0.00282585 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{M\Theta}{LT} = 10^{-100} = 353.875 \frac{kg K}{m s}$
$1 \frac{kg K}{m s^2} = 15234.9 \cdot 10^{-150}$	$1 ni' upavo \cdot \frac{M\Theta}{LT^2} = 10^{-140} = 656389. \frac{kg K}{m s^2}$
$1 \frac{kg s K}{m} = 9722.35 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{MT\Theta}{L} = 10^{-20} = 0.000102856 \frac{kg s K}{m}$
$1 \frac{kg K}{m^2} = 847170. \cdot 10^{-100}$	$1 ni' uso \cdot \frac{M\Theta}{L^2} = 10^{-90} = 11804.0 \frac{kg K}{m^2}$
$1 \frac{kg K}{m^2 s} = 456.730 \cdot 10^{-140}$	$1 ni' upavo \cdot \frac{M\Theta}{L^2 T} = 10^{-140} = 0.00218948 \frac{kg K}{m^2 s}$
$1 \frac{kg s K}{m^2 s^2} = 0.246234 \cdot 10^{-180}$	$1 ni' upabi \cdot \frac{M\Theta}{L^2 T^2} = 10^{-180} = 4.06117 \frac{kg K}{m^2 s^2}$
$1 \frac{kg s K}{m^2} = 0.157138 \cdot 10^{-50}$	$1 ni' umu \cdot \frac{MT\Theta}{L^2} = 10^{-50} = 6.36383 \frac{kg s K}{m^2}$
$1 \frac{kg K}{m^3} = 13.6924 \cdot 10^{-130}$	$1 ni' upaci \cdot \frac{M\Theta}{L^3} = 10^{-130} = 0.0730331 \frac{kg K}{m^3}$
$1 \frac{kg K}{m^3 s} = 0.00738192 \cdot 10^{-170}$	$1 ni' upaze \cdot \frac{M\Theta}{L^3 T} = 10^{-170} = 135.466 \frac{kg K}{m^3 s}$
$1 \frac{kg K}{m^3 s^2} = 39797.8 \cdot 10^{-220}$	$1 ni' urere \cdot \frac{M\Theta}{L^3 T^2} = 10^{-220} = 0.0000251270 \frac{kg K}{m^3 s^2}$
$1 \frac{kg s K}{m^3} = 25397.5 \cdot 10^{-90}$	$1 ni' ubi \cdot \frac{MT\Theta}{L^3} = 10^{-80} = 393739. \frac{kg s K}{m^3}$
$1 \frac{K}{C} = 0.373439 \cdot 10^{-50}$	$1 ni' umu \cdot \frac{\Theta}{Q} = 10^{-50} = 2.67782 \frac{K}{C}$
$1 \frac{K}{sC} = 0.000201330 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{\Theta}{TQ} = 10^{-90} = 4966.97 \frac{K}{sC}$
$1 \frac{K}{s^2 C} = 1085.42 \cdot 10^{-140}$	$1 ni' upavo \cdot \frac{\Theta}{T^2 Q} = 10^{-140} = 0.000921303 \frac{K}{s^2 C}$
$1 \frac{sK}{C} = 692.676 \cdot 10^{-10}$	$1 ni' upa \cdot \frac{T\Theta}{Q} = 10^{-10} = 0.00144368 \frac{sK}{C}$
$1 \frac{mK}{C} = 23105.2 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{L\Theta}{Q} = 10^{-20} = 0.0000432804 \frac{mK}{C}$
$1 \frac{mK}{sC} = 12.4566 \cdot 10^{-60}$	$1 ni' uxa \cdot \frac{L\Theta}{TQ} = 10^{-60} = 0.0802789 \frac{mK}{sC}$
$1 \frac{mK}{s^2 C} = 0.00671564 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{L\Theta}{T^2 Q} = 10^{-100} = 148.906 \frac{mK}{s^2 C}$
$1 \frac{msK}{C} = 0.00428568 \cdot 10^{30}$	$1 ci \cdot \frac{LT\Theta}{Q} = 10^{30} = 233.335 \frac{msK}{C}$

$1 \frac{m^2 K}{C} = 0.142955 \cdot 10^{20}$	$1 re - \frac{L^2 \Theta}{Q} = 10^{20} = 6.99521 \frac{m^2 K}{C} \quad (*)$
$1 \frac{m^2 K}{s C} = 0.0000770706 \cdot 10^{-20}$	$1 ni'ure - \frac{L^2 \Theta}{T Q} = 10^{-20} = 12975.1 \frac{m^2 K}{s C}$
$1 \frac{m^2 K}{s^2 C} = 415.506 \cdot 10^{-70}$	$1 ni'uze - \frac{L^2 \Theta}{T^2 Q} = 10^{-70} = 0.00240670 \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 s K}{C} = 265.161 \cdot 10^{60}$	$1 xa - \frac{L^2 T \Theta}{Q} = 10^{60} = 0.00377129 \frac{m^2 s K}{C}$
$1 \frac{K}{m C} = 60357.2 \cdot 10^{-90}$	$1 ni'ubi - \frac{\Theta}{L Q} = 10^{-80} = 165680. \frac{K}{m C}$
$1 \frac{K}{m s C} = 32.5400 \cdot 10^{-130} \quad (*)$	$1 ni'upaci - \frac{\Theta}{L T Q} = 10^{-130} = 0.0307314 \frac{K}{m s C}$
$1 \frac{K}{m s^2 C} = 0.0175431 \cdot 10^{-170}$	$1 ni'upaze - \frac{\Theta}{L T^2 Q} = 10^{-170} = 57.0023 \frac{K}{m s^2 C} \quad (*)$
$1 \frac{s K}{m C} = 0.0111954 \cdot 10^{-40}$	$1 ni'uvo - \frac{T \Theta}{L Q} = 10^{-40} = 89.3224 \frac{s K}{m C}$
$1 \frac{K}{m^2 C} = 0.975526 \cdot 10^{-120}$	$1 ni'upare - \frac{\Theta}{L^2 Q} = 10^{-120} = 1.02509 \frac{K}{m^2 C}$
$1 \frac{K}{m^2 s C} = 0.000525930 \cdot 10^{-160}$	$1 ni'upaxa - \frac{\Theta}{L^2 T Q} = 10^{-160} = 1901.39 \frac{K}{m^2 s C}$
$1 \frac{K}{m^2 s^2 C} = 2835.42 \cdot 10^{-210}$	$1 ni'urepa - \frac{\Theta}{L^2 T^2 Q} = 10^{-210} = 0.000352682 \frac{K}{m^2 s^2 C}$
$1 \frac{s K}{m^2 C} = 1809.46 \cdot 10^{-80}$	$1 ni'ubi - \frac{T \Theta}{L^2 Q} = 10^{-80} = 0.000552650 \frac{s K}{m^2 C}$
$1 \frac{K}{m^3 C} = 157670. \cdot 10^{-160}$	$1 ni'upamu - \frac{\Theta}{L^3 Q} = 10^{-150} = 63423.7 \frac{K}{m^3 C}$
$1 \frac{K}{m^3 s C} = 85.0037 \cdot 10^{-200} \quad (*)$	$1 ni'ureno - \frac{\Theta}{L^3 T Q} = 10^{-200} = 0.0117642 \frac{K}{m^3 s C}$
$1 \frac{K}{m^3 s^2 C} = 0.0458276 \cdot 10^{-240}$	$1 ni'urevo - \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 21.8209 \frac{K}{m^3 s^2 C}$
$1 \frac{s K}{m^3 C} = 0.0292455 \cdot 10^{-110}$	$1 ni'upapa - \frac{T \Theta}{L^3 Q} = 10^{-110} = 34.1933 \frac{s K}{m^3 C}$
$1 \frac{kg K}{C} = 0.00171583 \cdot 10^{-40}$	$1 ni'uvo - \frac{M \Theta}{Q} = 10^{-40} = 582.809 \frac{kg K}{C}$
$1 \frac{kg K}{s C} = 9250.45 \cdot 10^{-90}$	$1 ni'uso - \frac{M \Theta}{T Q} = 10^{-90} = 0.000108103 \frac{kg K}{s C}$
$1 \frac{kg K}{s^2 C} = 4.98714 \cdot 10^{-130}$	$1 ni'upaci - \frac{M \Theta}{T^2 Q} = 10^{-130} = 0.200516 \frac{kg K}{s^2 C} \quad (*)$
$1 \frac{kg s K}{C} = 3.18262$	$1 \frac{MT \Theta}{Q} = 1 = 0.314207 \frac{kg s K}{C}$
$1 \frac{kg m K}{C} = 106.161 \cdot 10^{-10}$	$1 ni'upa - \frac{ML \Theta}{Q} = 10^{-10} = 0.00941968 \frac{kg m K}{C}$
$1 \frac{kg m K}{s C} = 0.0572338 \cdot 10^{-50}$	$1 ni'umu - \frac{ML \Theta}{T Q} = 10^{-50} = 17.4722 \frac{kg m K}{s C}$
$1 \frac{kg m K}{s^2 C} = 308562. \cdot 10^{-100}$	$1 ni'uso - \frac{ML \Theta}{T^2 Q} = 10^{-90} = 32408.4 \frac{kg m K}{s^2 C}$
$1 \frac{kg m s K}{C} = 0.0000196913 \cdot 10^{40}$	$1 vo - \frac{MLT \Theta}{Q} = 10^{40} = 50783.8 \frac{kg m s K}{C}$
$1 \frac{kg m^2 K}{C} = 0.000656831 \cdot 10^{30}$	$1 ci - \frac{ML^2 \Theta}{Q} = 10^{30} = 1522.46 \frac{kg m^2 K}{C}$
$1 \frac{kg m^2 K}{s C} = 3541.14 \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2 \Theta}{T Q} = 10^{-20} = 0.000282395 \frac{kg m^2 K}{s C}$
$1 \frac{kg m^2 K}{s^2 C} = 1.90912 \cdot 10^{-60}$	$1 ni'uxa - \frac{ML^2 \Theta}{T^2 Q} = 10^{-60} = 0.523803 \frac{kg m^2 K}{s^2 C}$
$1 \frac{kg m^2 s K}{C} = 1.21833 \cdot 10^{70}$	$1 ze - \frac{ML^2 T \Theta}{Q} = 10^{70} = 0.820796 \frac{kg m^2 s K}{C}$
$1 \frac{kg K}{m C} = 277.321 \cdot 10^{-80}$	$1 ni'ubi - \frac{M \Theta}{L Q} = 10^{-80} = 0.00360592 \frac{kg K}{m C}$
$1 \frac{kg K}{m s C} = 0.149511 \cdot 10^{-120}$	$1 ni'upare - \frac{M \Theta}{L T Q} = 10^{-120} = 6.68848 \frac{kg K}{m s C}$
$1 \frac{kg K}{m s^2 C} = 0.0000806050 \cdot 10^{-160}$	$1 ni'upaxa - \frac{M \Theta}{L^2 T Q} = 10^{-160} = 12406.2 \frac{kg K}{m s^2 C}$
$1 \frac{kg s K}{m C} = 514392. \cdot 10^{-40}$	$1 ni'uci - \frac{MT \Theta}{L Q} = 10^{-30} = 19440.4 \frac{kg s K}{m C}$
$1 \frac{kg K}{m^2 C} = 0.00448222 \cdot 10^{-110}$	$1 ni'upapa - \frac{M \Theta}{L^2 Q} = 10^{-110} = 223.104 \frac{kg K}{m^2 C}$
$1 \frac{kg K}{m^2 s C} = 24164.8 \cdot 10^{-160}$	$1 ni'upaxa - \frac{M \Theta}{L^2 T Q} = 10^{-160} = 0.0000413826 \frac{kg K}{m^2 s C}$
$1 \frac{kg K}{m^2 s^2 C} = 13.0278 \cdot 10^{-200}$	$1 ni'ureno - \frac{M \Theta}{L^2 T^2 Q} = 10^{-200} = 0.0767588 \frac{kg K}{m^2 s^2 C}$
$1 \frac{kg s K}{m^2 C} = 8.31389 \cdot 10^{-70}$	$1 ni'uze - \frac{MT \Theta}{L^2 Q} = 10^{-70} = 0.120281 \frac{kg s K}{m^2 C}$
$1 \frac{kg K}{m^3 C} = 724.441 \cdot 10^{-150}$	$1 ni'upamu - \frac{M \Theta}{L^3 Q} = 10^{-150} = 0.00138037 \frac{kg K}{m^3 C}$
$1 \frac{kg K}{m^3 s C} = 0.390564 \cdot 10^{-190}$	$1 ni'upaso - \frac{M \Theta}{L^3 T Q} = 10^{-190} = 2.56040 \frac{kg K}{m^3 s C}$
$1 \frac{kg K}{m^3 s^2 C} = 0.000210563 \cdot 10^{-230}$	$1 ni'ureci - \frac{M \Theta}{L^3 T^2 Q} = 10^{-230} = 4749.18 \frac{kg K}{m^3 s^2 C}$
$1 \frac{kg s K}{m^3 C} = 0.000134374 \cdot 10^{-100}$	$1 ni'upano - \frac{MT \Theta}{L^3 Q} = 10^{-100} = 7441.94 \frac{kg s K}{m^3 C}$
$1 CK = 0.000133405 \cdot 10^{-10}$	$1 ni'upa - Q \Theta = 10^{-10} = 7495.95 CK$
$1 \frac{CK}{C} = 719.222 \cdot 10^{-60}$	$1 ni'uxa - \frac{Q \Theta}{T} = 10^{-60} = 0.00139039 \frac{CK}{s}$
$1 \frac{CK}{s^2} = 0.387750 \cdot 10^{-100}$	$1 ni'upano - \frac{Q \Theta}{T^2} = 10^{-100} = 2.57898 \frac{CK}{s^2}$
$1 s CK = 0.247448 \cdot 10^{30}$	$1 ci - T Q \Theta = 10^{30} = 4.04125 s CK$
$1 m CK = 8.25398 \cdot 10^{20}$	$1 re - L Q \Theta = 10^{20} = 0.121154 m CK$
$1 \frac{m CK}{s} = 0.00444993 \cdot 10^{-20} \quad (*)$	$1 ni'ure - \frac{L Q \Theta}{T} = 10^{-20} = 224.723 \frac{m CK}{s}$
$1 \frac{m CK}{s^2} = 23990.6 \cdot 10^{-70} \quad (*)$	$1 ni'uxa - \frac{L Q \Theta}{T^2} = 10^{-60} = 416829. \frac{m CK}{s^2}$

$1 \text{ m s CK} = 15310.0 \cdot 10^{60}$	$1 \text{ xa-LTQ}\Theta = 10^{60} = 0.0000653169 \text{ m s CK}$
$1 \text{ m}^2 \text{ CK} = 0.0000510686 \cdot 10^{60}$	$1 \text{ xa-L}^2\text{Q}\Theta = 10^{60} = 19581.5 \text{ m}^2 \text{ CK}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}} = 275.323 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2 Q \Theta}{T} = 10^{10} = 0.00363209 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} = 0.148434 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{L^2 Q \Theta}{T^2} = 10^{-30} = 6.73702 \frac{\text{m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{ m}^2 \text{ s CK} = 0.0947250 \cdot 10^{100}$	$1 \text{ pano-L}^2\text{TQ}\Theta = 10^{100} = 10.5569 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{CK}}{\text{m}} = 21.5617 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{Q \Theta}{L} = 10^{-50} = 0.0463785 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{ms}} = 0.0116245 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{Q \Theta}{LT} = 10^{-90} = 86.0255 \frac{\text{CK}}{\text{ms}}$
$1 \frac{\text{CK}}{\text{ms}^2} = 62670.3 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{Q \Theta}{LT^2} = 10^{-140} = 0.0000159565 \frac{\text{CK}}{\text{ms}^2}$
$1 \frac{\text{s CK}}{\text{m}} = 39993.9 \cdot 10^{-10} \quad (**)$	$1 \frac{TQ\Theta}{L} = 1 = 250038. \frac{\text{s CK}}{\text{m}} \quad (*)$
$1 \frac{\text{CK}}{\text{m}^2} = 0.000348492 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q \Theta}{L^2} = 10^{-80} = 2869.50 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 1878.81 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{Q \Theta}{L^2 T} = 10^{-130} = 0.000532252 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 1.01291 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{Q \Theta}{L^2 T^2} = 10^{-170} = 0.987253 \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^2} = 0.646404 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q \Theta}{L^2} = 10^{-40} = 1.54702 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 56.3253 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{Q \Theta}{L^3} = 10^{-120} = 0.0177540 \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.0303663 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{Q \Theta}{L^3 T} = 10^{-160} = 32.9312 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.0000163712 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{Q \Theta}{L^3 T^2} = 10^{-200} = 61082.7 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^3} = 104475. \cdot 10^{-80}$	$1 \text{ ni'uze-} \frac{Q \Theta}{L^3} = 10^{-70} = 95716.3 \frac{\text{s CK}}{\text{m}^3}$
$1 \text{ kg CK} = 6129.54 \cdot 10^{-10}$	$1 \text{ ni'upa-MQ}\Theta = 10^{-10} = 0.000163144 \text{ kg CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 3.30459 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MQ\Theta}{T} = 10^{-50} = 0.302610 \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 0.00178158 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{MQ\Theta}{T^2} = 10^{-90} = 561.298 \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{ kg s CK} = 0.00113694 \cdot 10^{40}$	$1 \text{ vo-MTQ}\Theta = 10^{40} = 879.551 \text{ kg s CK}$
$1 \text{ kg m CK} = 0.0379243 \cdot 10^{30}$	$1 \text{ ci-MLQ}\Theta = 10^{30} = 26.3683 \text{ kg m CK}$
$1 \frac{\text{kg m CK}}{\text{s}} = 204459. \cdot 10^{-20}$	$1 \text{ ni'upa-} \frac{MLQ\Theta}{T} = 10^{-10} = 48909.4 \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}^2} = 110.229 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{MLQ\Theta}{T^2} = 10^{-60} = 0.00907201 \frac{\text{kg m CK}}{\text{s}^2}$
$1 \text{ kg m s CK} = 70.3443 \cdot 10^{70}$	$1 \text{ ze-MLTQ}\Theta = 10^{70} = 0.0142158 \text{ kg m s CK}$
$1 \text{ kg m}^2 \text{ CK} = 2346.43 \cdot 10^{60}$	$1 \text{ xa-ML}^2\text{Q}\Theta = 10^{60} = 0.000426179 \text{ kg m}^2 \text{ CK}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} = 1.26502 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2 Q \Theta}{T} = 10^{20} = 0.790501 \frac{\text{kg m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} = 0.000682003 \cdot 10^{-20} \quad (*)$	$1 \text{ ni'ure-} \frac{ML^2 Q \Theta}{T^2} = 10^{-20} = 1466.27 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s CK} = 0.000435230 \cdot 10^{110}$	$1 \text{ papa-ML}^2\text{TQ}\Theta = 10^{110} = 2297.63 \text{ kg m}^2 \text{ s CK}$
$1 \frac{\text{kg CK}}{\text{m}} = 0.0990690 \cdot 10^{-40} \quad (*)$	$1 \text{ ni'uvvo-} \frac{MQ\Theta}{L} = 10^{-40} = 10.0940 \frac{\text{kg CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m}^2} = 0.0000534105 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{MQ\Theta}{LT} = 10^{-80} = 18722.9 \frac{\text{kg CK}}{\text{ms}}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} = 287.949 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{MQ\Theta}{LT^2} = 10^{-130} = 0.00347283 \frac{\text{kg CK}}{\text{m s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}} = 183.759 \cdot 10^0$	$1 \frac{MTQ\Theta}{L} = 1 = 0.00544191 \frac{\text{kg s CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m}^2} = 16012.1 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{MQ\Theta}{L^2} = 10^{-80} = 0.0000624529 \frac{\text{kg CK}}{\text{m}^2}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} = 8.63251 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{MQ\Theta}{L^2 T} = 10^{-120} = 0.115841 \frac{\text{kg CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} = 0.00465400 \cdot 10^{-160} \quad (*)$	$1 \text{ ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} = 10^{-160} = 214.869 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^2} = 0.00297001 \cdot 10^{-30} \quad (*)$	$1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} = 10^{-30} = 336.699 \frac{\text{kg s CK}}{\text{m}^2} \quad (*)$
$1 \frac{\text{kg CK}}{\text{m}^3} = 0.258796 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{MQ\Theta}{L^3} = 10^{-110} = 3.86405 \frac{\text{kg CK}}{\text{m}^3}$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} = 0.000139523 \cdot 10^{-150}$	$1 \text{ ni'upamu-} \frac{MQ\Theta}{L^3 T} = 10^{-150} = 7167.26 \frac{\text{kg CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 752.205 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{MQ\Theta}{L^3 T^2} = 10^{-200} = 0.00132943 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^3} = 480.030 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{MTQ\Theta}{L^3} = 10^{-70} = 0.00208320 \frac{\text{kg s CK}}{\text{m}^3}$

## 2.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\text{Proton mass} = 7.68515 \cdot 10^{-20}$$

$$\text{Electron mass} = 0.00418546 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.302822 \cdot 10^0$$

$$1 \text{ ni'ure-} M = 10^{-20} = 0.130121 m_p$$

$$1 \text{ ni'ure-} M = 10^{-20} = 238.922 m_e$$

$$1 Q = 1 = 3.30227 e$$

$\text{\AA}^{31} = 61871.4 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.0000161626 \text{\AA}$
Bohr radius <sup>32</sup> = $32740.9 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.0000305428 a_0$
Fine structure constant <sup>33</sup> = $0.00729735 \cdot 10^0$	$1 = 1 = 137.036 \alpha$
Rydberg Energy <sup>34</sup> = $1114.41 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.000897338 Ry$
$ \psi^{100}(0) ^2^{35} = 906935 \cdot 10^{-80}$	$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 11026.1 \rho_{\max}$
eV = $81.9075 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0122089 \text{ eV}$
$\hbar^{36} = 1.00000 \quad (***)$	$1 \frac{ML^2}{T} = 1 = 1.00000 \cdot \hbar \quad (***)$
$\lambda_{\text{yellow}} = 0.0355761 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 28.1088 \cdot \lambda_{\text{yellow}}$
$k_{\text{yellow}}^{37} = 176.613 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.00566211 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^{38} = 963.410 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.00103798 \cdot k_{\text{X-Ray}}$
Earth g = $0.000810296 \cdot 10^{-40}$	$1 \text{ ni'uvu-} \frac{ML}{T^2} = 10^{-40} = 1234.12 \cdot \text{Earth g}$
cm = $618.714 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.00161626 \text{ cm}$
min = $111292. \cdot 10^{40}$	$1 \text{ mu-}T = 10^{50} = 89854.1 \text{ min}$
hour = $0.000667749 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 1497.57 \text{ h}$
Liter = $23.6848 \cdot 10^{100}$	$1 \text{ pano-}L^3 = 10^{100} = 0.0422211 l$
Area of a soccer field = $2733.24 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.000365866 A$
$100 \text{ m}^2^{39} = 38.2807 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.0261228 \cdot 100 \text{ m}^2$
km/h = $9.26567 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.107925 \text{ km/h}$
mi/h = $14.9116 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.0670617 \text{ mi/h}$
inch <sup>40</sup> = $1571.53 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.000636321 \text{ in}$
mile = $0.00995697 \cdot 10^{40} \quad (*)$	$1 \text{ vo-}L = 10^{40} = 100.432 \text{ mi} \quad (*)$
pound = $0.00208411 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 479.822 \text{ pound}$
horsepower = $2.05526 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.486557 \text{ horsepower}$
kcal = $21404.0 \cdot 10^{-10}$	$1 \frac{ML^2}{T^2} = 1 = 467202. \text{kcal}$
kWh = $0.00184041 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 543.356 \text{ kWh}$
Typical household electric field = $0.0335777 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 29.7817 E_H$
<i>Earthmagneticfield</i> = $62.9083 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M}{T Q} = 10^{-60} = 0.0158962 \cdot \text{Earthmagneticfield}$
Height of an average man <sup>41</sup> = $0.0000109512 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 91313.8 \bar{h}$
Mass of an average man = $0.321627 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 3.10919 \bar{m}$
Age of the Universe = $0.0122921 \cdot 10^{60}$	$1 \text{ xa-}T = 10^{60} = 81.3532 t_U$
Size of the observable Universe = $54.4469 \cdot 10^{60}$	$1 \text{ xa-}L = 10^{60} = 0.0183665 l_U$
Average density of the Universe = $19.2052 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M}{L^3} = 10^{-130} = 0.0520692 \rho_U$
Earth mass = $274.394 \cdot 10^{30}$	$1 \text{ ci-}M = 10^{30} = 0.00364440 m_E$
Sun mass <sup>42</sup> = $0.00913843 \cdot 10^{40}$	$1 \text{ vo-}M = 10^{40} = 109.428 m_S$
Year = $5.85337 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 0.170842 \text{ y}$
Speed of Light = $1.00000 \quad (***)$	$1 \frac{L}{T} = 1 = 1.00000 c \quad (***)$
Parsec = $19.0917 \cdot 10^{50}$	$1 \text{ mu-}L = 10^{50} = 0.0523789 \text{ pc}$
Astronomical unit = $925583. \cdot 10^{40}$	$1 \text{ mu-}L = 10^{50} = 10804.0 \text{ au}$
Earth radius = $39.4183 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 0.0253689 r_E$

<sup>31</sup>Length in atomic and solid state physics,  $1/10 \text{ nm}$ <sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$ <sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$ <sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval<sup>39</sup>Size of a home<sup>40</sup>36 in = 1 yd = 3 ft<sup>41</sup>in developed countries<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

$$\text{Distance Earth-Moon} = 2378.34 \cdot 10^{40}$$

$$\text{Momentum of someone walking}^{43} = 200.007 \cdot 10^0 \quad (*)$$

$$\text{Stefan-Boltzmann constant} = 0.164493 \cdot 10^0$$

$$\text{mol} = 6022.14 \cdot 10^{20}$$

$$\text{Standard temperature}^{44} = 1.92796 \cdot 10^{-30}$$

$$\text{Room - standard temperature}^{45} = 0.141165 \cdot 10^{-30}$$

$$\text{atm} = 21.8705 \cdot 10^{-110}$$

$$c_s = 11441.2 \cdot 10^{-10}$$

$$\mu_0 = 1.00000 \quad (***)$$

$$G = 1.00000 \quad (***)$$

$$1 \text{ vo-}L = 10^{40} = 0.000420462 d_M$$

$$1 \frac{ML}{T} = 1 = 0.00499984 \cdot \text{Momentum of someone walking} \quad (*)$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 6.07927 \frac{\pi^2}{60} = \sigma$$

$$1 \text{ re-} = 10^{20} = 0.000166054 \text{ mol}$$

$$1 \text{ ni'uci-} \Theta = 10^{-30} = 0.518684 T_0$$

$$1 \text{ ni'uci-} \Theta = 10^{-30} = 7.08392 \Theta_R$$

$$1 \text{ ni'upapa-} \frac{M}{LT^2} = 10^{-110} = 0.0457236 \text{ atm}$$

$$1 \frac{L}{T} = 1 = 874030. \cdot c_s$$

$$1 \frac{ML}{Q^2} = 1 = 1.00000 \cdot \mu_0 \quad (***)$$

$$1 \frac{L^3}{MT^2} = 1 = 1.00000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1 = 1.00000 \quad (***)$$

$$1 \frac{1}{\text{s}} = 0.000539125 \cdot 10^{-40}$$

$$1 \frac{1}{\text{s}^2} = 2906.55 \cdot 10^{-90}$$

$$1 \text{ s} = 1854.86 \cdot 10^{40}$$

$$1 \text{ m} = 61871.4 \cdot 10^{30}$$

$$1 \frac{\text{m}}{\text{s}} = 33.3564 \cdot 10^{-10}$$

$$1 \frac{\text{m}}{\text{s}^2} = 0.0179833 \cdot 10^{-50}$$

$$1 \text{ m s} = 0.0114763 \cdot 10^{80}$$

$$1 \text{ m}^2 = 0.382807 \cdot 10^{70}$$

$$1 \frac{\text{m}^2}{\text{s}} = 0.000206381 \cdot 10^{30}$$

$$1 \frac{\text{m}^2}{\text{s}^2} = 1112.65 \cdot 10^{-20}$$

$$1 \text{ m}^2 \text{ s} = 710.053 \cdot 10^{110}$$

$$1 \frac{1}{\text{m}} = 161626. \cdot 10^{-40}$$

$$1 \frac{1}{\text{m s}} = 87.1363 \cdot 10^{-80}$$

$$1 \frac{1}{\text{m s}^2} = 0.0469773 \cdot 10^{-120}$$

$$1 \frac{\text{s}}{\text{m}} = 0.0299792 \cdot 10^{10} \quad (*)$$

$$1 \frac{1}{\text{m}^2} = 2.61228 \cdot 10^{-70}$$

$$1 \frac{1}{\text{m}^2 \text{s}} = 0.00140834 \cdot 10^{-110}$$

$$1 \frac{1}{\text{m}^2 \text{s}^2} = 7592.73 \cdot 10^{-160}$$

$$1 \frac{\text{s}}{\text{m}^2} = 4845.41 \cdot 10^{-30}$$

$$1 \frac{1}{\text{m}^3} = 0.0000422211 \cdot 10^{-100}$$

$$1 \frac{1}{\text{m}^3 \text{s}} = 227.624 \cdot 10^{-150}$$

$$1 \frac{1}{\text{m}^3 \text{s}^2} = 0.122718 \cdot 10^{-190}$$

$$1 \frac{\text{s}}{\text{m}^3} = 0.0783142 \cdot 10^{-60}$$

$$1 \text{ kg} = 0.00459467 \cdot 10^{10}$$

$$1 \frac{\text{kg}}{\text{s}} = 24771.0 \cdot 10^{-40}$$

$$1 \frac{\text{kg}}{\text{s}^2} = 13.3547 \cdot 10^{-80}$$

$$1 \text{ kg s} = 8.52247 \cdot 10^{50}$$

$$1 \text{ kg m} = 284.279 \cdot 10^{40}$$

$$1 \frac{\text{kg m}}{\text{s}} = 0.153262 \cdot 10^0$$

$$1 \frac{\text{kg m}}{\text{s}^2} = 0.0000826272 \cdot 10^{-40}$$

$$1 \text{ kg m s} = 527297. \cdot 10^{80}$$

$$1 \text{ kg m}^2 = 0.00175887 \cdot 10^{80}$$

$$1 \frac{\text{kg m}^2}{\text{s}} = 9482.52 \cdot 10^{30}$$

$$1 = 1 = 1.00000 \quad (***)$$

$$1 \text{ ni'uvo-} \frac{1}{T} = 10^{-40} = 1854.86 \frac{1}{\text{s}}$$

$$1 \text{ ni'uso-} \frac{1}{T^2} = 10^{-90} = 0.000344050 \frac{1}{\text{s}^2}$$

$$1 \text{ vo-} T = 10^{40} = 0.000539125 \text{ s}$$

$$1 \text{ vo-} L = 10^{40} = 161626. \text{ m}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.0299792 \frac{\text{m}}{\text{s}} \quad (*)$$

$$1 \text{ ni'umu-} \frac{L}{T^2} = 10^{-50} = 55.6073 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ bi-} LT = 10^{80} = 87.1363 \text{ m s}$$

$$1 \text{ ze-} L^2 = 10^{70} = 2.61228 \text{ m}^2$$

$$1 \text{ ci-} \frac{L^2}{T} = 10^{30} = 4845.41 \frac{\text{m}^2}{\text{s}}$$

$$1 \text{ ni'ure-} \frac{L^2}{T^2} = 10^{-20} = 0.000898755 \frac{\text{m}^2}{\text{s}^2}$$

$$1 \text{ papa-} L^2 T = 10^{110} = 0.00140834 \text{ m}^2 \text{ s}$$

$$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 61871.4 \frac{1}{\text{m}}$$

$$1 \text{ ni'ubi-} \frac{1}{LT} = 10^{-80} = 0.0114763 \frac{1}{\text{m s}}$$

$$1 \text{ ni'upare-} \frac{1}{LT^2} = 10^{-120} = 21.2869 \frac{1}{\text{m s}^2}$$

$$1 \text{ pa-} \frac{T}{L} = 10^{10} = 33.3564 \frac{\text{s}}{\text{m}}$$

$$1 \text{ ni'uze-} \frac{1}{L^2} = 10^{-70} = 0.382807 \frac{1}{\text{m}^2}$$

$$1 \text{ ni'upapa-} \frac{1}{L^2 T} = 10^{-110} = 710.053 \frac{1}{\text{m}^2 \text{s}}$$

$$1 \text{ ni'upaxa-} \frac{1}{L^2 T^2} = 10^{-160} = 0.000131705 \frac{1}{\text{m}^2 \text{s}^2}$$

$$1 \text{ ni'uci-} \frac{T}{L^2} = 10^{-30} = 0.000206381 \frac{\text{s}}{\text{m}^2}$$

$$1 \text{ ni'upano-} \frac{1}{L^3} = 10^{-100} = 23684.8 \frac{1}{\text{m}^3}$$

$$1 \text{ ni'upamu-} \frac{1}{L^3 T} = 10^{-150} = 0.00439320 \frac{1}{\text{m}^3 \text{s}}$$

$$1 \text{ ni'upaso-} \frac{1}{L^3 T^2} = 10^{-190} = 8.14877 \frac{1}{\text{m}^3 \text{s}^2}$$

$$1 \text{ ni'uxa-} \frac{T}{L^3} = 10^{-60} = 12.7691 \frac{\text{s}}{\text{m}^3}$$

$$1 \text{ pa-} M = 10^{10} = 217.643 \text{ kg}$$

$$1 \text{ ni'uvo-} \frac{M}{T} = 10^{-40} = 0.0000403698 \frac{\text{kg}}{\text{s}}$$

$$1 \text{ ni'ubi-} \frac{M}{T^2} = 10^{-80} = 0.0748802 \frac{\text{kg}}{\text{s}^2}$$

$$1 \text{ mu-} MT = 10^{50} = 0.117337 \text{ kg s}$$

$$1 \text{ vo-} ML = 10^{40} = 0.00351767 \text{ kg m}$$

$$1 \frac{ML}{T} = 1 = 6.52479 \frac{\text{kg m}}{\text{s}}$$

$$1 \text{ ni'uvo-} \frac{ML}{T^2} = 10^{-40} = 12102.6 \frac{\text{kg m}}{\text{s}^2}$$

$$1 \text{ so-} ML T = 10^{90} = 18964.6 \text{ kg m s}$$

$$1 \text{ bi-} ML^2 = 10^{80} = 568.546 \text{ kg m}^2$$

$$1 \text{ ci-} \frac{ML^2}{T} = 10^{30} = 0.000105457 \frac{\text{kg m}^2}{\text{s}}$$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>20 °C

$1 \frac{\text{kg m}^2}{\text{s}^2} = 5.11226 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.195608 \frac{\text{kg m}^2}{\text{s}^2}$
$1 \text{kg m}^2 \text{s} = 3.26246 \cdot 10^{120}$	$1 \text{pare}-ML^2T = 10^{120} = 0.306517 \text{kg m}^2 \text{s}$
$1 \frac{\text{kg}}{\text{m}} = 742.616 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{M}{L} = 10^{-30} = 0.00134659 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 0.400363 \cdot 10^{-70} \quad (*)$	$1 \text{ni}'\text{uze}-\frac{M}{LT} = 10^{-70} = 2.49774 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m s}^2} = 0.000215845 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M}{LT^2} = 10^{-110} = 4632.95 \frac{\text{kg}}{\text{m s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.000137745 \cdot 10^{20}$	$1 \text{re}-\frac{MT}{L} = 10^{20} = 7259.80 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.0120026 \cdot 10^{-60} \quad (*)$	$1 \text{ni}'\text{uxa}-\frac{M}{L^2} = 10^{-60} = 83.3155 \frac{\text{kg}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 64708.8 \cdot 10^{-110}$	$1 \text{ni}'\text{upano}-\frac{M}{L^2 T} = 10^{-100} = 154538. \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 34.8861 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M}{L^2 T^2} = 10^{-150} = 0.0286647 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 22.2631 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.0449174 \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 1939.92 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{L^3} = 10^{-100} = 0.000515485 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.04586 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{M}{L^3 T} = 10^{-140} = 0.956152 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.000563849 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{M}{L^3 T^2} = 10^{-180} = 1773.53 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.000359828 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{MT}{L^3} = 10^{-50} = 2779.11 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 52.9082 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.0189007 \frac{1}{\text{C}} \quad (*)$
$1 \frac{1}{\text{s C}} = 0.0285241 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{1}{TQ} = 10^{-60} = 35.0581 \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.0000153780 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{1}{T^2 Q} = 10^{-100} = 65027.8 \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{C}} = 98137.2 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.0000101898 \frac{\text{s}}{\text{C}}$
$1 \frac{\text{m}}{\text{C}} = 0.000327350 \cdot 10^{20}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 3054.83 \frac{\text{m}}{\text{C}}$
$1 \frac{\text{m}}{\text{s C}} = 1764.83 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{L}{TQ} = 10^{-30} = 0.000566628 \frac{\text{m}}{\text{s C}}$
$1 \frac{\text{m}}{\text{s}^2 \text{C}} = 0.951462 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{L}{T^2 Q} = 10^{-70} = 1.05101 \frac{\text{m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s}}{\text{C}} = 0.607189 \cdot 10^{60}$	$1 \text{xa}-\frac{LT}{Q} = 10^{60} = 1.64693 \frac{\text{m s}}{\text{C}}$
$1 \frac{\text{m}^2}{\text{C}} = 20.2536 \cdot 10^{50}$	$1 \text{mu}-\frac{L^2}{Q} = 10^{50} = 0.0493738 \frac{\text{m}^2}{\text{C}}$
$1 \frac{\text{m}^2}{\text{s C}} = 0.0109192 \cdot 10^{10}$	$1 \text{pa}-\frac{L^2}{TQ} = 10^{10} = 91.5815 \frac{\text{m}^2}{\text{s C}}$
$1 \frac{\text{m}^2}{\text{s}^2 \text{C}} = 58868.3 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{L^2}{T^2 Q} = 10^{-40} = 0.0000169871 \frac{\text{m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s}}{\text{C}} = 37567.6 \cdot 10^{90}$	$1 \text{pano}-\frac{L^2 T}{Q} = 10^{100} = 266187. \frac{\text{m}^2 \text{s}}{\text{C}}$
$1 \frac{1}{\text{m C}} = 0.000855131 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{LQ} = 10^{-50} = 1169.41 \frac{1}{\text{m C}}$
$1 \frac{1}{\text{m s C}} = 4610.22 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{1}{LTQ} = 10^{-100} = 0.000216909 \frac{1}{\text{m s C}}$
$1 \frac{1}{\text{m s}^2 \text{C}} = 2.48548 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{1}{LT^2 Q} = 10^{-140} = 0.402336 \frac{1}{\text{m s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m C}} = 1.58615 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{T}{LQ} = 10^{-10} = 0.630458 \frac{\text{s}}{\text{m C}}$
$1 \frac{1}{\text{m}^2 \text{C}} = 138.211 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{1}{L^2 Q} = 10^{-90} = 0.00723531 \frac{1}{\text{m}^2 \text{C}}$
$1 \frac{1}{\text{m}^2 \text{s C}} = 0.0745130 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{1}{L^2 TQ} = 10^{-130} = 13.4205 \frac{1}{\text{m}^2 \text{s C}}$
$1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} = 401718. \cdot 10^{-180}$	$1 \text{ni}'\text{upaze}-\frac{1}{L^2 T^2 Q} = 10^{-170} = 24893.1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^2 \text{C}} = 0.0000256362 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{T}{L^2 Q} = 10^{-40} = 39007.4 \frac{\text{s}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{C}} = 0.00223384 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{1}{L^3 Q} = 10^{-120} = 447.659 \frac{1}{\text{m}^3 \text{C}}$
$1 \frac{1}{\text{m}^3 \text{s C}} = 12043.2 \cdot 10^{-170}$	$1 \text{ni}'\text{upaxa}-\frac{1}{L^3 TQ} = 10^{-160} = 830345. \frac{1}{\text{m}^3 \text{s C}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} = 6.49278 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{1}{L^3 T^2 Q} = 10^{-210} = 0.154017 \frac{1}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^3 \text{C}} = 4.14346 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{T}{L^3 Q} = 10^{-80} = 0.241344 \frac{\text{s}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{C}} = 0.243096 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{M}{Q} = 10^{-10} = 4.11361 \frac{\text{kg}}{\text{C}}$
$1 \frac{\text{kg}}{\text{s C}} = 0.000131059 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{TQ} = 10^{-50} = 7630.16 \frac{\text{kg}}{\text{s C}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{C}} = 706.571 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{T^2 Q} = 10^{-100} = 0.00141529 \frac{\text{kg}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{C}} = 450.908 \cdot 10^{30}$	$1 \text{ci}-\frac{MT}{Q} = 10^{30} = 0.00221775 \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{C}} = 15040.7 \cdot 10^{20}$	$1 \text{re}-\frac{ML}{Q} = 10^{20} = 0.0000664864 \frac{\text{kg m}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{s C}} = 8.10880 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{ML}{TQ} = 10^{-20} = 0.123323 \frac{\text{kg m}}{\text{s C}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{C}} = 0.00437165 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{ML}{T^2 Q} = 10^{-60} = 228.746 \frac{\text{kg m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m s}}{\text{C}} = 0.00278983 \cdot 10^{70}$	$1 \text{ze}-\frac{MLT}{Q} = 10^{70} = 358.444 \frac{\text{kg m s}}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 0.0930588 \cdot 10^{60}$	$1 \text{xa}-\frac{ML^2}{Q} = 10^{60} = 10.7459 \frac{\text{kg m}^2}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{s C}} = 0.0000501703 \cdot 10^{20}$	$1 \text{re}-\frac{ML^2}{TQ} = 10^{20} = 19932.1 \frac{\text{kg m}^2}{\text{s C}} \quad (*)$

$1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} = 270.480 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{ML^2}{T^2 Q} = 10^{-30} = 0.00369713 \frac{\text{kg m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{C}} = 172.611 \cdot 10^{100}$	$1 \text{pano-} \frac{ML^2 T}{Q} = 10^{100} = 0.00579338 \frac{\text{kg m}^2 \text{s}}{\text{C}}$
$1 \frac{\text{kg}}{\text{m C}} = 39290.5 \cdot 10^{-50}$	$1 \text{ni'uvo-} \frac{M}{L Q} = 10^{-40} = 254515. \frac{\text{kg}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m s C}} = 21.1825 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.0472089 \frac{\text{kg}}{\text{m s C}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{C}} = 0.0114200 \cdot 10^{-130} \quad (*)$	$1 \text{ni'upaci-} \frac{M}{LT^2 Q} = 10^{-130} = 87.5658 \frac{\text{kg}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m C}} = 0.00728782 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 137.215 \frac{\text{kg s}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.635034 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{M}{L^2 Q} = 10^{-80} = 1.57472 \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.000342362 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{M}{L^2 TQ} = 10^{-120} = 2920.88 \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 1845.76 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{M}{L^2 T^2 Q} = 10^{-170} = 0.000541782 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 1177.90 \cdot 10^{-40}$	$1 \text{ni'uvvo-} \frac{MT}{L^2 Q} = 10^{-40} = 0.000848970 \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 102638. \cdot 10^{-120}$	$1 \text{ni'upapa-} \frac{M}{L^3 Q} = 10^{-110} = 97430.1 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s C}} = 55.3345 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M}{L^3 TQ} = 10^{-160} = 0.0180719 \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.0298322 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M}{L^3 T^2 Q} = 10^{-200} = 33.5208 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.0190378 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT}{L^3 Q} = 10^{-70} = 52.5270 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{C} = 0.0189007 \cdot 10^{20} \quad (*)$	$1 \text{re-Q} = 10^{20} = 52.9082 \text{ C}$
$1 \frac{\text{C}}{\text{s}} = 0.0000101898 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{T} = 10^{-20} = 98137.2 \frac{\text{C}}{\text{s}}$
$1 \frac{\text{C}}{\text{s}^2} = 54.9358 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{Q}{T^2} = 10^{-70} = 0.0182031 \frac{\text{C}}{\text{s}^2}$
$1 \text{s C} = 35.0581 \cdot 10^{60}$	$1 \text{xa-TQ} = 10^{60} = 0.0285241 \text{ s C}$
$1 \text{m C} = 1169.41 \cdot 10^{50}$	$1 \text{mu-LQ} = 10^{50} = 0.000855131 \text{ m C}$
$1 \frac{\text{m C}}{\text{s}} = 0.630458 \cdot 10^{10}$	$1 \text{pa-} \frac{LQ}{T} = 10^{10} = 1.58615 \frac{\text{m C}}{\text{s}}$
$1 \frac{\text{m C}}{\text{s}^2} = 0.000339896 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{LQ}{T^2} = 10^{-30} = 2942.08 \frac{\text{m C}}{\text{s}^2}$
$1 \text{m s C} = 0.000216909 \cdot 10^{100}$	$1 \text{pano-LTQ} = 10^{100} = 4610.22 \text{ m s C}$
$1 \text{m}^2 \text{C} = 0.00723531 \cdot 10^{90}$	$1 \text{so-L}^2 \text{Q} = 10^{90} = 138.211 \text{ m}^2 \text{C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 39007.4 \cdot 10^{40} \quad (*)$	$1 \text{vo-} \frac{L^2 Q}{T} = 10^{40} = 0.0000256362 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 21.0298 \cdot 10^0$	$1 \frac{L^2 Q}{T^2} = 1 = 0.0475515 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m}^2 \text{s C} = 13.4205 \cdot 10^{130}$	$1 \text{paci-L}^2 \text{TQ} = 10^{130} = 0.0745130 \text{ m}^2 \text{s C}$
$1 \frac{\text{C}}{\text{m}} = 3054.83 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{L} = 10^{-20} = 0.000327350 \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m s}} = 1.64693 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{Q}{LT} = 10^{-60} = 0.607189 \frac{\text{C}}{\text{m s}}$
$1 \frac{\text{C}}{\text{m s}^2} = 0.000887903 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q}{LT^2} = 10^{-100} = 1126.25 \frac{\text{C}}{\text{m s}^2}$
$1 \frac{\text{s C}}{\text{m}} = 0.000566628 \cdot 10^{30}$	$1 \text{ci-} \frac{TQ}{L} = 10^{30} = 1764.83 \frac{\text{s C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}^2} = 0.0493738 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{Q}{L^2} = 10^{-50} = 20.2536 \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 266187. \cdot 10^{-100}$	$1 \text{ni'uso-} \frac{Q}{L^2 T} = 10^{-90} = 37567.6 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 143.508 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{Q}{L^2 T^2} = 10^{-140} = 0.00696826 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s C}}{\text{m}^2} = 91.5815 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.0109192 \frac{\text{s C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^3} = 7980.07 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{Q}{L^3} = 10^{-90} = 0.000125312 \frac{\text{C}}{\text{m}^3}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 4.30225 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{Q}{L^3 T} = 10^{-130} = 0.232436 \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.00231945 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{Q}{L^3 T^2} = 10^{-170} = 431.136 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s C}}{\text{m}^3} = 0.00148019 \cdot 10^{-40}$	$1 \text{ni'uvo-} \frac{TQ}{L^3} = 10^{-40} = 675.589 \frac{\text{s C}}{\text{m}^3}$
$1 \text{kg C} = 868424. \cdot 10^{20}$	$1 \text{ci-MQ} = 10^{30} = 11515.1 \text{ kg C}$
$1 \frac{\text{kg C}}{\text{s}} = 468.189 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{MQ}{T} = 10^{-20} = 0.00213589 \frac{\text{kg C}}{\text{s}}$
$1 \frac{\text{kg C}}{\text{s}^2} = 0.252412 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{MQ}{T^2} = 10^{-60} = 3.96178 \frac{\text{kg C}}{\text{s}^2}$
$1 \text{kg s C} = 0.161080 \cdot 10^{70}$	$1 \text{ze-MTQ} = 10^{70} = 6.20808 \text{ kg s C}$
$1 \text{kg m C} = 5.37306 \cdot 10^{60}$	$1 \text{xa-MLQ} = 10^{60} = 0.186114 \text{ kg m C}$
$1 \frac{\text{kg m C}}{\text{s}} = 0.00289675 \cdot 10^{20}$	$1 \text{re-} \frac{MLQ}{T} = 10^{20} = 345.215 \frac{\text{kg m C}}{\text{s}}$
$1 \frac{\text{kg m C}}{\text{s}^2} = 15617.1 \cdot 10^{-30}$	$1 \text{ni'ure-} \frac{MLQ}{T^2} = 10^{-20} = 640324. \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{kg m s C} = 9966.27 \cdot 10^{100} \quad (*)$	$1 \text{pano-MLTQ} = 10^{100} = 0.000100338 \text{ kg m s C} \quad (*)$
$1 \text{kg m}^2 \text{C} = 0.0000332439 \cdot 10^{100}$	$1 \text{pano-ML}^2 \text{Q} = 10^{100} = 30080.7 \text{ kg m}^2 \text{C} \quad (*)$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}} = 179.226 \cdot 10^{50}$	$1 \text{mu-} \frac{ML^2 Q}{T} = 10^{50} = 0.00557955 \frac{\text{kg m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} = 0.0966252 \cdot 10^{10}$	$1 \text{pa-} \frac{ML^2 Q}{T^2} = 10^{10} = 10.3493 \frac{\text{kg m}^2 \text{C}}{\text{s}^2}$

$1 \text{ kg m}^2 \text{ s C} = 0.0616627 \cdot 10^{140}$	$1 \text{ pavo-}ML^2TQ = 10^{140} = 16.2173 \text{ kg m}^2 \text{ s C}$
$1 \frac{\text{kg C}}{\text{m}} = 14.0359 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{MQ}{L} = 10^{-10} = 0.0712457 \frac{\text{kg C}}{\text{m}}$
$1 \frac{\text{kg C}}{\text{m s}} = 0.00756712 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MQ}{LT} = 10^{-50} = 132.151 \frac{\text{kg C}}{\text{m s}}$
$1 \frac{\text{kg C}}{\text{m s}^2} = 40796.2 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{MQ}{LT^2} = 10^{-100} = 0.0000245121 \frac{\text{kg C}}{\text{m s}^2}$
$1 \frac{\text{kg s C}}{\text{m}} = 26034.7 \cdot 10^{30}$	$1 \text{ vo-} \frac{MTQ}{L} = 10^{40} = 384103. \frac{\text{kg s C}}{\text{m}}$
$1 \frac{\text{kg C}}{\text{m}^2} = 0.000226857 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{MQ}{L^2} = 10^{-40} = 4408.07 \frac{\text{kg C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^2 \text{s}} = 1223.04 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{MQ}{L^2 T} = 10^{-90} = 0.000817635 \frac{\text{kg C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg s C}}{\text{m}^2} = 0.659371 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{MQ}{L^2 T^2} = 10^{-130} = 1.51660 \frac{\text{kg C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s C}}{\text{m}^2} = 0.420787 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 2.37650 \frac{\text{kg s C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^3} = 36.6658 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{MQ}{L^3} = 10^{-80} = 0.0272734 \frac{\text{kg C}}{\text{m}^3}$
$1 \frac{\text{kg C}}{\text{m}^3 \text{s}} = 0.0197674 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{MQ}{L^3 T} = 10^{-120} = 50.5882 \frac{\text{kg C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg C}}{\text{m}^3} = 0.0000106571 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{MQ}{L^3 T^2} = 10^{-160} = 93834.0 \frac{\text{kg C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s C}}{\text{m}^3} = 68009.9 \cdot 10^{-40} \quad (*)$	$1 \text{ ni'uvo-} \frac{MTQ}{L^3} = 10^{-40} = 0.0000147037 \frac{\text{kg s C}}{\text{m}^3}$
$1 \frac{1}{\text{K}} = 141.678 \cdot 10^{30}$	$1 \text{ ci-} \frac{1}{\Theta} = 10^{30} = 0.00705824 \frac{1}{\text{K}}$
$1 \frac{1}{\text{s K}} = 0.0763823 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{1}{T\Theta} = 10^{-10} = 13.0920 \frac{1}{\text{s K}}$
$1 \frac{1}{\text{s}^2 \text{K}} = 411796. \cdot 10^{-60}$	$1 \text{ ni'umu-} \frac{1}{T^2\Theta} = 10^{-50} = 24283.9 \frac{1}{\text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{K}} = 0.0000262793 \cdot 10^{80}$	$1 \text{ bi-} \frac{T}{\Theta} = 10^{80} = 38052.7 \frac{\text{s}}{\text{K}}$
$1 \frac{\text{m}}{\text{K}} = 0.000876585 \cdot 10^{70}$	$1 \text{ ze-} \frac{L}{\Theta} = 10^{70} = 1140.79 \frac{\text{m}}{\text{K}}$
$1 \frac{\text{m}}{\text{s K}} = 4725.88 \cdot 10^{20}$	$1 \text{ re-} \frac{L}{T\Theta} = 10^{20} = 0.000211601 \frac{\text{m}}{\text{s K}}$
$1 \frac{\text{m}}{\text{s}^2 \text{K}} = 2.54784 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L}{T^2\Theta} = 10^{-20} = 0.392489 \frac{\text{m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{m s}}{\text{K}} = 1.62594 \cdot 10^{110}$	$1 \text{ papa-} \frac{LT}{\Theta} = 10^{110} = 0.615029 \frac{\text{m s}}{\text{K}}$
$1 \frac{\text{m}^2}{\text{K}} = 54.2355 \cdot 10^{100}$	$1 \text{ pano-} \frac{L^2}{\Theta} = 10^{100} = 0.0184381 \frac{\text{m}^2}{\text{K}}$
$1 \frac{\text{m}^2}{\text{s K}} = 0.0292397 \cdot 10^{60}$	$1 \text{ xa-} \frac{L^2}{\Theta} = 10^{60} = 34.2001 \frac{\text{m}^2}{\text{s K}} \quad (*)$
$1 \frac{\text{m}^2}{\text{s}^2 \text{K}} = 0.0000157638 \cdot 10^{20}$	$1 \text{ re-} \frac{L^2}{T\Theta} = 10^{20} = 63436.3 \frac{\text{m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{m}^2 \text{s}}{\text{K}} = 100599. \cdot 10^{140} \quad (**)$	$1 \text{ pamu-} \frac{L^2 T}{\Theta} = 10^{150} = 99404.3 \frac{\text{m}^2 \text{s}}{\text{K}} \quad (*)$
$1 \frac{1}{\text{m K}} = 0.00228988 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.703 \frac{1}{\text{m K}}$
$1 \frac{1}{\text{m s K}} = 12345.3 \cdot 10^{-50}$	$1 \text{ ni'uvo-} \frac{1}{LT\Theta} = 10^{-40} = 810023. \frac{1}{\text{m s K}} \quad (*)$
$1 \frac{1}{\text{m s}^2 \text{K}} = 6.65567 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{1}{LT^2\Theta} = 10^{-90} = 0.150248 \frac{1}{\text{m s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m K}} = 4.24741 \cdot 10^{40}$	$1 \text{ vo-} \frac{T}{L\Theta} = 10^{40} = 0.235437 \frac{\text{s}}{\text{m K}}$
$1 \frac{1}{\text{m}^2 \text{K}} = 370.104 \cdot 10^{-40}$	$1 \text{ ni'ubo-} \frac{1}{L^2\Theta} = 10^{-40} = 0.00270195 \frac{1}{\text{m}^2 \text{K}}$
$1 \frac{1}{\text{m}^2 \text{s K}} = 0.199532 \cdot 10^{-80} \quad (*)$	$1 \text{ ni'ure-} \frac{1}{L^2 T\Theta} = 10^{-80} = 5.01173 \frac{1}{\text{m}^2 \text{s K}}$
$1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} = 0.000107573 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{1}{L^2 T^2\Theta} = 10^{-120} = 9296.04 \frac{1}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^2 \text{K}} = 686490. \cdot 10^0$	$1 \text{ pa-} \frac{T}{L^2\Theta} = 10^{10} = 14566.9 \frac{\text{s}}{\text{m}^2 \text{K}}$
$1 \frac{1}{\text{m}^3 \text{K}} = 0.00598182 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{1}{L^3\Theta} = 10^{-70} = 167.173 \frac{1}{\text{m}^3 \text{K}}$
$1 \frac{1}{\text{m}^3 \text{s K}} = 32249.5 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{1}{L^3 T\Theta} = 10^{-120} = 0.0000310083 \frac{1}{\text{m}^3 \text{s K}} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 17.3865 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{1}{L^3 T^2\Theta} = 10^{-160} = 0.0575159 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^3 \text{K}} = 11.0954 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{T}{L^3\Theta} = 10^{-30} = 0.0901272 \frac{\text{s}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{K}} = 0.650966 \cdot 10^{40}$	$1 \text{ vo-} \frac{M}{\Theta} = 10^{40} = 1.53618 \frac{\text{kg}}{\text{K}}$
$1 \frac{\text{kg}}{\text{s K}} = 0.000350952 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 2849.40 \frac{\text{kg}}{\text{s K}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 1892.07 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{M}{T^2\Theta} = 10^{-50} = 0.000528523 \frac{\text{kg}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{K}} = 1207.45 \cdot 10^{80}$	$1 \text{ bi-} \frac{MT}{\Theta} = 10^{80} = 0.000828192 \frac{\text{kg s}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{K}} = 40276.2 \cdot 10^{70}$	$1 \text{ bi-} \frac{ML}{\Theta} = 10^{80} = 248286. \frac{\text{kg m}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{s K}} = 21.7139 \cdot 10^{30}$	$1 \text{ ci-} \frac{ML}{T\Theta} = 10^{30} = 0.0460535 \frac{\text{kg m}}{\text{s K}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.0117065 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{ML}{T^2\Theta} = 10^{-10} = 85.4227 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.00747066 \cdot 10^{120}$	$1 \text{ pare-} \frac{MLT}{\Theta} = 10^{120} = 133.857 \frac{\text{kg m s}}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{K}} = 0.249194 \cdot 10^{110}$	$1 \text{ papa-} \frac{ML^2}{\Theta} = 10^{110} = 4.01293 \frac{\text{kg m}^2}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{s K}} = 0.000134347 \cdot 10^{70}$	$1 \text{ ze-} \frac{ML^2}{T\Theta} = 10^{70} = 7443.42 \frac{\text{kg m}^2}{\text{s K}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 724.297 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2}{T^2\Theta} = 10^{20} = 0.00138065 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 462.220 \cdot 10^{150}$	$1 \text{ pamu-} \frac{ML^2 T}{\Theta} = 10^{150} = 0.00216347 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \frac{\text{kg}}{\text{m K}} = 105213. \cdot 10^0$	$1 \text{ pa-} \frac{M}{L\Theta} = 10^{10} = 95045.6 \frac{\text{kg}}{\text{m K}}$

$1 \frac{\text{kg}}{\text{m s K}} = 56.7227 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{M}{LT^2\Theta} = 10^{-80} = 32.7004 \frac{\text{kg}}{\text{m s}^2 \text{K}}$ (*)
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 0.0305806 \cdot 10^{-80}$	$1 \text{mu}-\frac{MT}{L\Theta} = 10^{50} = 51.2414 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg s}}{\text{m K}} = 0.0195155 \cdot 10^{50}$	$1 \text{ni}'\text{uci}-\frac{M}{L^2\Theta} = 10^{-30} = 0.588061 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 1.70050 \cdot 10^{-30}$ (*)	$1 \text{ni}'\text{uze}-\frac{M}{L^2T\Theta} = 10^{-70} = 1090.77 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.000916784 \cdot 10^{-70}$	$1 \text{ni}'\text{upare}-\frac{M}{L^2T^2\Theta} = 10^{-120} = 0.000202322 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 4942.61 \cdot 10^{-120}$	$1 \text{pa}-\frac{MT}{L^2\Theta} = 10^{10} = 0.000317038 \frac{\text{kg s}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 3154.20 \cdot 10^{10}$	$1 \text{ni}'\text{uxa}-\frac{M}{L^3\Theta} = 10^{-60} = 36384.1 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.0000274845 \cdot 10^{-60}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^3T\Theta} = 10^{-110} = 0.00674875 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 148.176 \cdot 10^{-110}$	$1 \text{ni}'\text{upamu}-\frac{M}{L^3T^2\Theta} = 10^{-150} = 12.5180 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 0.0798852 \cdot 10^{-150}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^3\Theta} = 10^{-20} = 19.6156 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 0.0509799 \cdot 10^{-20}$ (*)	
$1 \text{K} = 0.00705824 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\Theta = 10^{-30} = 141.678 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 38052.7 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{\Theta}{T} = 10^{-80} = 0.0000262793 \frac{\text{K}}{\text{s}}$
$1 \frac{\text{K}}{\text{s}^2} = 20.5151 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{\Theta}{T^2} = 10^{-120} = 0.0487445 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.0920 \cdot 10^{10}$	$1 \text{pa}-T\Theta = 10^{10} = 0.0763823 \text{ s K}$
$1 \text{m K} = 436.703 \cdot 10^0$	$1 L\Theta = 1 = 0.00228988 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 0.235437 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{L\Theta}{T} = 10^{-40} = 4.24741 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.000126930 \cdot 10^{-80}$	$1 \text{ni}'\text{upapa}-\frac{L\Theta}{T^2} = 10^{-80} = 7878.35 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 810023. \cdot 10^{40}$ (*)	$1 \text{mu}-LT\Theta = 10^{50} = 12345.3 \text{ m s K}$
$1 \text{m}^2 \text{K} = 0.00270195 \cdot 10^{40}$	$1 \text{vo}-L^2\Theta = 10^{40} = 370.104 \text{ m}^2 \text{K}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}} = 14566.9 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 686490. \frac{\text{m}^2 \text{K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2} = 7.85335 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2} = 10^{-50} = 0.127334 \frac{\text{m}^2 \text{K}}{\text{s}^2}$
$1 \text{m}^2 \text{s K} = 5.01173 \cdot 10^{80}$	$1 \text{bi}-L^2T\Theta = 10^{80} = 0.199532 \text{ m}^2 \text{s K}$ (*)
$1 \frac{\text{K}}{\text{m}} = 1140.79 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{L} = 10^{-70} = 0.000876585 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 0.615029 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{\Theta}{LT} = 10^{-110} = 1.62594 \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m s}^2} = 0.000331577 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{LT^2} = 10^{-150} = 3015.89 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{s K}}{\text{m}} = 0.000211601 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{\Theta}{L} = 10^{-20} = 4725.88 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 0.0184381 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{\Theta}{L^2} = 10^{-100} = 54.2355 \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 99404.3 \cdot 10^{-150}$ (*)	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^2T} = 10^{-140} = 100599. \frac{\text{K}}{\text{m}^2 \text{s}}$ (**)
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 53.5913 \cdot 10^{-190}$	$1 \text{ni}'\text{upaso}-\frac{\Theta}{L^2T^2} = 10^{-190} = 0.0186597 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 34.2001 \cdot 10^{-60}$ (*)	$1 \text{ni}'\text{uxa}-\frac{\Theta}{L^3} = 10^{-60} = 0.0292397 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 2980.07 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^3} = 10^{-140} = 0.000335563 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 1.60663 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{\Theta}{L^3T} = 10^{-180} = 0.622422 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 0.000866172 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{\Theta}{L^3T^2} = 10^{-220} = 1154.50 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.000552760 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{\Theta}{L^3} = 10^{-90} = 1809.10 \frac{\text{s K}}{\text{m}^3}$
$1 \text{kg K} = 0.0000324303 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-M\Theta = 10^{-20} = 30835.4 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 174.840 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M\Theta}{T} = 10^{-70} = 0.00571953 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 0.0942604 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{T^2} = 10^{-110} = 10.6089 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{kg s K} = 0.0601536 \cdot 10^{20}$	$1 \text{re}-MT\Theta = 10^{20} = 16.6241 \text{ kg s K}$
$1 \text{kg m K} = 2.00651 \cdot 10^{10}$ (*)	$1 \text{pa}-ML\Theta = 10^{10} = 0.498378 \text{ kg m K}$
$1 \frac{\text{kg m K}}{\text{s}} = 0.00108176 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{ML\Theta}{T} = 10^{-30} = 924.421 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 5832.02 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{ML\Theta}{T^2} = 10^{-80} = 0.000171467 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{kg m s K} = 3721.79 \cdot 10^{50}$	$1 \text{mu}-MLT\Theta = 10^{50} = 0.000268688 \text{ kg m s K}$
$1 \text{kg m}^2 \text{K} = 124145. \cdot 10^{40}$	$1 \text{mu}-ML^2\Theta = 10^{50} = 80550.6 \text{ kg m}^2 \text{K}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}} = 66.9299 \cdot 10^0$ (*)	$1 \frac{ML^2\Theta}{T} = 1 = 0.0149410 \frac{\text{kg m}^2 \text{K}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} = 0.0360836 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{ML^2\Theta}{T^2} = 10^{-40} = 27.7135 \frac{\text{kg m}^2 \text{K}}{\text{s}^2}$
$1 \text{kg m}^2 \text{s K} = 0.0230272 \cdot 10^{90}$	$1 \text{so}-ML^2T\Theta = 10^{90} = 43.4268 \text{ kg m}^2 \text{s K}$
$1 \frac{\text{kg K}}{\text{m}} = 5.24156 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M\Theta}{L} = 10^{-60} = 0.190783 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 0.00282585 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M\Theta}{LT} = 10^{-100} = 353.875 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 15234.9 \cdot 10^{-150}$	$1 \text{ni}'\text{upavo}-\frac{M\Theta}{LT^2} = 10^{-140} = 656389. \frac{\text{kg K}}{\text{m s}^2}$

$1 \frac{\text{kg s K}}{\text{m}} = 9722.35 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{MT\Theta}{L} = 10^{-20} = 0.000102856 \frac{\text{kg s K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m}^2} = 847170. \cdot 10^{-100}$	$1 \text{ni}'\text{uso-} \frac{M\Theta}{L^2} = 10^{-90} = 11804.0 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 456.730 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^2 T} = 10^{-140} = 0.00218948 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 0.246234 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi-} \frac{M\Theta}{L^2 T^2} = 10^{-180} = 4.06117 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 0.157138 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{MT\Theta}{L^2} = 10^{-50} = 6.36383 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 13.6924 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci-} \frac{M\Theta}{L^3} = 10^{-130} = 0.0730331 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3} = 0.00738192 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze-} \frac{M\Theta}{L^3 T} = 10^{-170} = 135.466 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 39797.8 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{M\Theta}{L^3 T^2} = 10^{-220} = 0.0000251270 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 25397.5 \cdot 10^{-90}$	$1 \text{ni}'\text{ubi-} \frac{MT\Theta}{L^3} = 10^{-80} = 393739. \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{C}} = 0.373439 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{\Theta}{Q} = 10^{-50} = 2.67782 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.000201330 \cdot 10^{-90}$	$1 \text{ni}'\text{uso-} \frac{\Theta}{T Q} = 10^{-90} = 4966.97 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 1085.42 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{\Theta}{T^2 Q} = 10^{-140} = 0.000921303 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 692.676 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.00144368 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 23105.2 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L\Theta}{Q} = 10^{-20} = 0.0000432804 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 12.4566 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{L\Theta}{T Q} = 10^{-60} = 0.0802789 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.00671564 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{L\Theta}{T^2 Q} = 10^{-100} = 148.906 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.00428568 \cdot 10^{30}$	$1 \text{ci-} \frac{LT\Theta}{Q} = 10^{30} = 233.335 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.142955 \cdot 10^{20}$	$1 \text{re-} \frac{L^2 \Theta}{Q} = 10^{20} = 6.99521 \frac{\text{m}^2 \text{K}}{\text{C}} \quad (*)$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.0000770706 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L^2 \Theta}{T Q} = 10^{-20} = 12975.1 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 415.506 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{L^2 \Theta}{T^2 Q} = 10^{-70} = 0.00240670 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 265.161 \cdot 10^{60}$	$1 \text{xa-} \frac{L^2 T\Theta}{Q} = 10^{60} = 0.00377129 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 60357.2 \cdot 10^{-90}$	$1 \text{ni}'\text{ubi-} \frac{\Theta}{L Q} = 10^{-80} = 165680. \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 32.5400 \cdot 10^{-130} \quad (*)$	$1 \text{ni}'\text{upaci-} \frac{\Theta}{LT Q} = 10^{-130} = 0.0307314 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m s}^2 \text{C}} = 0.0175431 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze-} \frac{\Theta}{LT^2 Q} = 10^{-170} = 57.0023 \frac{\text{K}}{\text{m s}^2 \text{C}} \quad (*)$
$1 \frac{\text{s K}}{\text{m C}} = 0.0111954 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{T\Theta}{L Q} = 10^{-40} = 89.3224 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 0.975526 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{\Theta}{L^2 Q} = 10^{-120} = 1.02509 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 0.000525930 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa-} \frac{\Theta}{L^2 T Q} = 10^{-160} = 1901.39 \frac{\text{K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 2835.42 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa-} \frac{\Theta}{L^2 T^2 Q} = 10^{-210} = 0.000352682 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^2 \text{C}} = 1809.46 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{T\Theta}{L^2 Q} = 10^{-80} = 0.000552650 \frac{\text{s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 157670. \cdot 10^{-160}$	$1 \text{ni}'\text{upamu-} \frac{\Theta}{L^3 Q} = 10^{-150} = 63423.7 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 85.0037 \cdot 10^{-200} \quad (*)$	$1 \text{ni}'\text{ureno-} \frac{\Theta}{L^3 T Q} = 10^{-200} = 0.0117642 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.0458276 \cdot 10^{-240}$	$1 \text{ni}'\text{urevo-} \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 21.8209 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 0.0292455 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{T\Theta}{L^3 Q} = 10^{-110} = 34.1933 \frac{\text{s K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg K}}{\text{C}} = 0.00171583 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{M\Theta}{Q} = 10^{-40} = 582.809 \frac{\text{kg K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 9250.45 \cdot 10^{-90}$	$1 \text{ni}'\text{uso-} \frac{M\Theta}{T Q} = 10^{-90} = 0.000108103 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s}^2 \text{C}} = 4.98714 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci-} \frac{M\Theta}{T^2 Q} = 10^{-130} = 0.200516 \frac{\text{kg K}}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg s K}}{\text{C}} = 3.18262$	$1 \frac{MT\Theta}{Q} = 1 = 0.314207 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{C}} = 106.161 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{ML\Theta}{Q} = 10^{-10} = 0.00941968 \frac{\text{kg m K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{s C}} = 0.0572338 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{ML\Theta}{T Q} = 10^{-50} = 17.4722 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} = 308562. \cdot 10^{-100}$	$1 \text{ni}'\text{uso-} \frac{ML\Theta}{T^2 Q} = 10^{-90} = 32408.4 \frac{\text{kg m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m s K}}{\text{C}} = 0.0000196913 \cdot 10^{40}$	$1 \text{vo-} \frac{MLT\Theta}{Q} = 10^{40} = 50783.8 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{C}} = 0.000656831 \cdot 10^{30}$	$1 \text{ci-} \frac{ML^2 \Theta}{Q} = 10^{30} = 1522.46 \frac{\text{kg m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} = 3541.14 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{ML^2 \Theta}{T Q} = 10^{-20} = 0.000282395 \frac{\text{kg m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} = 1.90912 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{ML^2 \Theta}{T^2 Q} = 10^{-60} = 0.523803 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} = 1.21833 \cdot 10^{70}$	$1 \text{ze-} \frac{ML^2 T\Theta}{Q} = 10^{70} = 0.820796 \frac{\text{kg m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 277.321 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{M\Theta}{L Q} = 10^{-80} = 0.00360592 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 0.149511 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{M\Theta}{LT Q} = 10^{-120} = 6.68848 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} = 0.0000806050 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa-} \frac{M\Theta}{LT^2 Q} = 10^{-160} = 12406.2 \frac{\text{kg K}}{\text{m s}^2 \text{C}}$

$1 \frac{\text{kg s K}}{\text{m C}} = 514392 \cdot 10^{-40}$	$1 \text{ni'uci-} \frac{MT\Theta}{LQ} = 10^{-30} = 19440.4 \frac{\text{kg s K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{C}} = 0.00448222 \cdot 10^{-110}$	$1 \text{ni'upapa-} \frac{M\Theta}{L^2 Q} = 10^{-110} = 223.104 \frac{\text{kg K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} = 24164.8 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M\Theta}{L^2 T Q} = 10^{-160} = 0.0000413826 \frac{\text{kg K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} = 13.0278 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M\Theta}{L^2 T^2 Q} = 10^{-200} = 0.0767588 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} = 8.31389 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT\Theta}{L^2 Q} = 10^{-70} = 0.120281 \frac{\text{kg s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{C}} = 724.441 \cdot 10^{-150}$	$1 \text{ni'upamu-} \frac{M\Theta}{L^3 Q} = 10^{-150} = 0.00138037 \frac{\text{kg K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s C}} = 0.390564 \cdot 10^{-190}$	$1 \text{ni'upaso-} \frac{M\Theta}{L^3 T Q} = 10^{-190} = 2.56040 \frac{\text{kg K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.000210563 \cdot 10^{-230}$	$1 \text{ni'ureci-} \frac{M\Theta}{L^3 T^2 Q} = 10^{-230} = 4749.18 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^3 \text{C}} = 0.000134374 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{MT\Theta}{L^3 Q} = 10^{-100} = 7441.94 \frac{\text{kg s K}}{\text{m}^3 \text{C}}$
$1 \text{CK} = 0.000133405 \cdot 10^{-10}$	$1 \text{ni'upa-} Q\Theta = 10^{-10} = 7495.95 \text{ CK}$
$1 \frac{\text{CK}}{\text{s}} = 719.222 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{Q\Theta}{T} = 10^{-60} = 0.00139039 \frac{\text{CK}}{\text{s}}$
$1 \frac{\text{CK}}{\text{s}^2} = 0.387750 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q\Theta}{T^2} = 10^{-100} = 2.57898 \frac{\text{CK}}{\text{s}^2}$
$1 \text{s CK} = 0.247448 \cdot 10^{30}$	$1 \text{ci-TQ}\Theta = 10^{30} = 4.04125 \text{ s CK}$
$1 \text{m CK} = 8.25398 \cdot 10^{20}$	$1 \text{re-LQ}\Theta = 10^{20} = 0.121154 \text{ m CK}$
$1 \frac{\text{m CK}}{\text{s}} = 0.00444993 \cdot 10^{-20}$ (*)	$1 \text{ni'ure-} \frac{LQ\Theta}{T} = 10^{-20} = 224.723 \frac{\text{m CK}}{\text{s}}$
$1 \frac{\text{m CK}}{\text{s}^2} = 23990.6 \cdot 10^{-70}$ (*)	$1 \text{ni'uxa-} \frac{LQ\Theta}{T^2} = 10^{-60} = 416829. \frac{\text{m CK}}{\text{s}^2}$
$1 \text{m s CK} = 15310.0 \cdot 10^{60}$	$1 \text{xa-LTQ}\Theta = 10^{60} = 0.0000653169 \text{ m s CK}$
$1 \text{m}^2 \text{ CK} = 0.0000510686 \cdot 10^{60}$	$1 \text{xa-L}^2\text{Q}\Theta = 10^{60} = 19581.5 \text{ m}^2 \text{ CK}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}} = 275.323 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2 Q\Theta}{T} = 10^{10} = 0.00363209 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} = 0.148434 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{L^2 Q\Theta}{T^2} = 10^{-30} = 6.73702 \frac{\text{m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{m}^2 \text{ s CK} = 0.0947250 \cdot 10^{100}$	$1 \text{pano-} L^2 T Q\Theta = 10^{100} = 10.5569 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{CK}}{\text{m}} = 21.5617 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{Q\Theta}{L} = 10^{-50} = 0.0463785 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m s}} = 0.0116245 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{Q\Theta}{LT} = 10^{-90} = 86.0255 \frac{\text{CK}}{\text{m s}}$
$1 \frac{\text{CK}}{\text{m s}^2} = 62670.3 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{Q\Theta}{LT^2} = 10^{-140} = 0.0000159565 \frac{\text{CK}}{\text{m s}^2}$
$1 \frac{\text{s CK}}{\text{m}} = 39993.9 \cdot 10^{-10}$ (**)	$1 \frac{TQ\Theta}{L} = 1 = 250038. \frac{\text{s CK}}{\text{m}}$ (*)
$1 \frac{\text{CK}}{\text{m}^2} = 0.000348492 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{Q\Theta}{L^2} = 10^{-80} = 2869.50 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 1878.81 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{Q\Theta}{L^2 T} = 10^{-130} = 0.000532252 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 1.01291 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{Q\Theta}{L^2 T^2} = 10^{-170} = 0.987253 \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^2} = 0.646404 \cdot 10^{-40}$	$1 \text{ni'uvvo-} \frac{TQ\Theta}{L^2} = 10^{-40} = 1.54702 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 56.3253 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{Q\Theta}{L^3} = 10^{-120} = 0.0177540 \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.0303663 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{Q\Theta}{L^3 T} = 10^{-160} = 32.9312 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.0000163712 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{Q\Theta}{L^3 T^2} = 10^{-200} = 61082.7 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^3} = 104475. \cdot 10^{-80}$	$1 \text{ni'uze-} \frac{TQ\Theta}{L^3} = 10^{-70} = 95716.3 \frac{\text{s CK}}{\text{m}^3}$
$1 \text{kg CK} = 6129.54 \cdot 10^{-10}$	$1 \text{ni'upa-} M Q\Theta = 10^{-10} = 0.000163144 \text{ kg CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 3.30459 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{MQ\Theta}{T} = 10^{-50} = 0.302610 \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 0.00178158 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{MQ\Theta}{T^2} = 10^{-90} = 561.298 \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{kg s CK} = 0.00113694 \cdot 10^{40}$	$1 \text{vo-MTQ}\Theta = 10^{40} = 879.551 \text{ kg s CK}$
$1 \text{kg m CK} = 0.0379243 \cdot 10^{30}$	$1 \text{ci-MLQ}\Theta = 10^{30} = 26.3683 \text{ kg m CK}$
$1 \frac{\text{kg m CK}}{\text{s}} = 204459. \cdot 10^{-20}$	$1 \text{ni'upa-} \frac{MLQ\Theta}{T} = 10^{-10} = 48909.4 \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}^2} = 110.229 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} = 10^{-60} = 0.00907201 \frac{\text{kg m CK}}{\text{s}^2}$
$1 \text{kg m s CK} = 70.3443 \cdot 10^{70}$	$1 \text{ze-MLTQ}\Theta = 10^{70} = 0.0142158 \text{ kg m s CK}$
$1 \text{kg m}^2 \text{ CK} = 2346.43 \cdot 10^{60}$	$1 \text{xa-ML}^2\text{Q}\Theta = 10^{60} = 0.000426179 \text{ kg m}^2 \text{ CK}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} = 1.26502 \cdot 10^{20}$	$1 \text{re-} \frac{ML^2 Q\Theta}{T} = 10^{20} = 0.790501 \frac{\text{kg m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} = 0.000682003 \cdot 10^{-20}$ (*)	$1 \text{ni'ure-} \frac{ML^2 Q\Theta}{T^2} = 10^{-20} = 1466.27 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{kg m}^2 \text{ s CK} = 0.000435230 \cdot 10^{110}$	$1 \text{papa-} ML^2 T Q\Theta = 10^{110} = 2297.63 \text{ kg m}^2 \text{ s CK}$
$1 \frac{\text{kg CK}}{\text{m}} = 0.0990690 \cdot 10^{-40}$ (*)	$1 \text{ni'uvvo-} \frac{MQ\Theta}{L} = 10^{-40} = 10.0940 \frac{\text{kg CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m s}} = 0.0000534105 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{MQ\Theta}{LT} = 10^{-80} = 18722.9 \frac{\text{kg CK}}{\text{m s}}$
$1 \frac{\text{kg CK}}{\text{m s}^2} = 287.949 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{MQ\Theta}{LT^2} = 10^{-130} = 0.00347283 \frac{\text{kg CK}}{\text{m s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}} = 183.759 \cdot 10^0$	$1 \frac{MTQ\Theta}{L} = 1 = 0.00544191 \frac{\text{kg s CK}}{\text{m}}$

$$\begin{aligned}
 1 \frac{\text{kg CK}}{\text{m}^2} &= 16012.1 \cdot 10^{-80} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 8.63251 \cdot 10^{-120} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.00465400 \cdot 10^{-160} \quad (*) \\
 1 \frac{\text{kg CK}}{\text{m}^2} &= 0.00297001 \cdot 10^{-30} \quad (*) \\
 1 \frac{\text{kg CK}}{\text{m}^3} &= 0.258796 \cdot 10^{-110} \\
 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.000139523 \cdot 10^{-150} \\
 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 752.205 \cdot 10^{-200} \\
 1 \frac{\text{kg s CK}}{\text{m}^3} &= 480.030 \cdot 10^{-70}
 \end{aligned}$$

$$\begin{aligned}
 1 \text{ ni'ubi-} \frac{MQ\Theta}{L^2} &= 10^{-80} = 0.0000624529 \frac{\text{kg CK}}{\text{m}^2} \\
 1 \text{ ni'upare-} \frac{MQ\Theta}{L^2 T} &= 10^{-120} = 0.115841 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
 1 \text{ ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-160} = 214.869 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
 1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 336.699 \frac{\text{kg s CK}}{\text{m}^2} \quad (*) \\
 1 \text{ ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 3.86405 \frac{\text{kg CK}}{\text{m}^3} \\
 1 \text{ ni'upamu-} \frac{MQ\Theta}{L^3 T} &= 10^{-150} = 7167.26 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
 1 \text{ ni'ureno-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-200} = 0.00132943 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
 1 \text{ ni'uze-} \frac{MTQ\Theta}{L^3} &= 10^{-70} = 0.00208320 \frac{\text{kg s CK}}{\text{m}^3}
 \end{aligned}$$

### 3 Base 12 - ??

#### 3.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

Proton mass = $206768A \cdot 10^{-20}$	$1 \text{ ni'upa-}M = 10^{-10} = 5A4682.B m_p$
Electron mass = $1B13.388 \cdot 10^{-20}$	$1 \text{ ni'ure-}M = 10^{-20} = 0.0006295001 m_e \quad (*)$
Elementary charge = $0.37733A0 \cdot 10^0$	$1 Q = 1 = 3.3763A1 e$
$\text{\AA}^1 = 0.0B25A35A \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 10.A2270 \text{\AA}$
Bohr radius <sup>2</sup> = $0.05B20249 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 20.34498 a_0$
Fine structure constant <sup>3</sup> = $0.01073994 \cdot 10^0$	$1 = 1 = B5.05226 \alpha$
Rydberg Energy <sup>4</sup> = $0.1091060 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{ML^2}{T^2} = 10^{-20} = B.355206 Ry$
$ \psi^{100}(0) ^5 = 2778.541 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{1}{L^3} = 10^{-60} = 0.0004673B98 \rho_{\max}$
eV = $0.00B302A80 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{ML^2}{T^2} = 10^{-20} = 109.6B14 \text{eV}$
$\hbar^6 = 1.000000 \quad (***)$	$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$
$\lambda_{\text{yellow}} = 313.6229 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.003A40439 \cdot \lambda_{\text{yellow}}$
$k_{\text{yellow}}^7 = 0.02031780 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 5B.28371 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^8 = 0.0001945A99 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{1}{L} = 10^{-10} = 68A1.778 \cdot k_{\text{X-Ray}}$
Earth g = $0.0001235B65 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML}{T^2} = 10^{-30} = A0AB.393 \cdot \text{Earth g}$
cm = $2733B92 \cdot 10^{20}$	$1 \text{ ci-}L = 10^{30} = 472B70.7 \text{cm}$
min = $638787.9 \cdot 10^{30}$	$1 \text{ vo-}T = 10^{40} = 1A9A24A \cdot \text{min}$
hour = $0.00002767273 \cdot 10^{40}$	$1 \text{ vo-}T = 10^{40} = 4692A.69 \text{ h}$
Liter = $0.00A2B7656 \cdot 10^{80}$	$1 \text{ bi-}L^3 = 10^{80} = 120.764B l$
Area of a soccer field = $0.0001165474 \cdot 10^{60}$	$1 \text{ xa-}L^2 = 10^{60} = A779.111 A$
$84 \text{ m}^2^9 = 0.000002337646 \cdot 10^{60}$	$1 \text{ xa-}L^2 = 10^{60} = 5335B5.B \cdot 84 \text{ m}^2$
km/h = $4945.445 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.0002615337 \text{ km/h}$
mi/h = $783B.462 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.0001687084 \text{ mi/h}$
inch <sup>10</sup> = $6754139. \cdot 10^{20}$	$1 \text{ ci-}L = 10^{30} = 199015.5 \text{ in}$
mile = $0.1828AB3 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 7.151044 \text{ mi}$
pound = $6B90986. \cdot 10^0$	$1 \text{ pa-}M = 10^{10} = 1876B1.A \text{ pound}$
horsepower = $A9.A78B9 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML^2}{T^3} = 10^{-40} = 0.01137909 \text{ horsepower}$
kcal = $0.000006484002 \cdot 10^0 \quad (*)$	$1 \frac{ML^2}{T^2} = 1 = 1A6456.1 \text{ kcal}$
kWh = $0.00321B544 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 393.4332 \text{ kWh}$
Typical household electric field = $1118.02B \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{ML}{T^2Q} = 10^{-50} = 0.000AB62474 E_H$
<i>Earthmagneticfield</i> = $0.00000122B418 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{M}{TQ} = 10^{-40} = A13757.B \cdot \text{Earthmagneticfield}$

<sup>1</sup>Length in atomic and solid state physics,  $1/\text{A nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>30 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.0003254186 \cdot 10^{30}$   
 Mass of an average man =  $0.0007591573 \cdot 10^{10}$

Age of the Universe =  $799715.9 \cdot 10^{40}$   
 Size of the observable Universe =  $0.001805320 \cdot 10^{50}$   
 Average density of the Universe =  $6.120A86 \cdot 10^{-A0}$   
 Earth mass =  $11A557B \cdot 10^{20}$   
 Sun mass<sup>12</sup> =  $0.1669548 \cdot 10^{30}$   
 Year =  $0.11406A8 \cdot 10^{40}$   
 Speed of Light = 1.000000 (\*\*\*)  
 Parsec =  $0.37602BA \cdot 10^{40}$   
 Astronomical unit =  $0.000004458B59 \cdot 10^{40}$   
 Earth radius =  $3A4.1610 \cdot 10^{30}$   
 Distance Earth-Moon =  $17502.40 \cdot 10^{30}$   
*Momentum of someone walking*<sup>13</sup> =  $148.00B4 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$   
 mol =  $0.01110B95 \cdot 10^{20}$   
 Standard temperature<sup>14</sup> =  $0.000321799A \cdot 10^{-20}$   
 Room - standard temperature<sup>15</sup> =  $0.000029613A2 \cdot 10^{-20}$   
 atm =  $0.0000220BA33 \cdot 10^{-80}$   
 $c_s = 0.0000034BB524 \cdot 10^0$  (\*)

$\mu_0 = 1.000000$  (\*\*\*)  
 $G = 1.000000$  (\*\*\*)

$1 \text{ ci-}L = 10^{30} = 38B4.414\bar{h}$   
 $1 \text{ pa-}M = 10^{10} = 1730.22B\bar{m}$   
 $1 \text{ vo-}T = 10^{40} = 0.000001650985 t_U$   
 $1 \text{ mu-}L = 10^{50} = 722.AAA0 l_U$   
 $1 \text{ ni'}ujauau-\frac{M}{L^3} = 10^{-A0} = 0.1B74731 \rho_U$   
 $1 \text{ ci-}M = 10^{30} = A46A70.0 m_E$   
 $1 \text{ ci-}M = 10^{30} = 7.90AA10 m_S$

$1 \text{ vo-}T = 10^{40} = A.9689A6 y$   
 $1 \frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)  
 $1 \text{ vo-}L = 10^{40} = 3.388070 \text{ pc}$   
 $1 \text{ vo-}L = 10^{40} = 28B169.6 \text{ au}$   
 $1 \text{ ci-}L = 10^{30} = 0.003135319 r_E$   
 $1 \text{ ci-}L = 10^{30} = 0.000074BA5A7 d_M$   
 $1 \frac{ML}{T} = 1 = 0.008781520 \cdot \text{ Momentum of someone walking}$   
 $1 \frac{M}{T^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$   
 $1 \text{ re-} = 10^{20} = B0.01120 \text{ mol}$   
 $1 \text{ ni'}ure-\Theta = 10^{-20} = 3938.6B7 T_0$   
 $1 \text{ ni'}ure-\Theta = 10^{-20} = 43699.56 \Theta_R$   
 $1 \text{ ni'}ubi-\frac{M}{LT^2} = 10^{-80} = 56303.03 \text{ atm}$   
 $1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$

$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0$  (\*\*\*)  
 $1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G$  (\*\*\*)

### Extensive list of SI units

$1 \text{ m} = 0.001889B98 \cdot 10^0$   
 $1 = 1.000000$  (\*\*\*)  
 $1 \text{ k} = 6B4.0000 \cdot 10^0$  (\*\*)  
 $1 \text{ m s}^{\frac{1}{s}} = 145209.3 \cdot 10^{-40}$   
 $1 \text{ s}^{\frac{1}{s}} = 0.00009613001 \cdot 10^{-30}$  (\*)  
 $1 \text{ k s}^{\frac{1}{s}} = 0.05604821 \cdot 10^{-30}$   
 $1 \text{ m s}^{\frac{1}{s^2}} = 11.02A19 \cdot 10^{-70}$   
 $1 \text{ s}^{\frac{1}{s^2}} = 764B.918 \cdot 10^{-70}$   
 $1 \text{ k s}^{\frac{1}{s^2}} = 0.00000443A702 \cdot 10^{-60}$   
 $1 \text{ m s} = 22.203AB \cdot 10^{30}$   
 $1 \text{ s} = 13188.B2 \cdot 10^{30}$   
 $1 \text{ k s} = 0.000008920082 \cdot 10^{40}$  (\*)  
 $1 \text{ m m} = 316493.9 \cdot 10^{20}$   
 $1 \text{ m} = 0.0001987920 \cdot 10^{30}$   
 $1 \text{ k m} = 0.106A070 \cdot 10^{30}$   
 $1 \text{ m s}^{\frac{m}{s}} = 25.8A836 \cdot 10^{-10}$   
 $1 \text{ m s}^{\frac{1}{s}} = 15264.AB \cdot 10^{-10}$   
 $1 \text{ k m s}^{\frac{m}{s^2}} = 0.000009B63212 \cdot 10^0$   
 $1 \text{ m s}^{\frac{m}{s^2}} = 0.001B6968B \cdot 10^{-40}$

$1 = 1 = 6B4.0000 \text{ m}$  (\*\*)  
 $1 = 1 = 1.000000$  (\*\*\*)  
 $1 = 1 = 0.001889B98 \text{ k}$   
 $1 \text{ ni'}uvu-\frac{1}{T} = 10^{-40} = 0.000008920082 \text{ m s}^{\frac{1}{s}}$  (\*)  
 $1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 13188.B2 \frac{1}{s}$   
 $1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 22.203AB \text{ k s}^{\frac{1}{s}}$   
 $1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0B087A54 \text{ m s}^{\frac{1}{s^2}}$   
 $1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0001714139 \frac{1}{s^2}$   
 $1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 290378.A \text{ k s}^{\frac{1}{s^2}}$   
 $1 \text{ ci-}T = 10^{30} = 0.05604821 \text{ m s}$   
 $1 \text{ ci-}T = 10^{30} = 0.00009613001 \text{ s}$  (\*)  
 $1 \text{ vo-}T = 10^{40} = 145209.3 \text{ k s}$   
 $1 \text{ re-}L = 10^{20} = 0.000003A057A6 \text{ m m}$   
 $1 \text{ ci-}L = 10^{30} = 6768.067 \text{ m}$   
 $1 \text{ ci-}L = 10^{30} = B.55806A \text{ k m}$   
 $1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.04A127A8 \text{ m s}^{\frac{m}{s}}$   
 $1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.00008449701 \frac{\text{m}}{s}$   
 $1 \frac{L}{T} = 1 = 1255A8.5 \text{ k s}^{\frac{m}{s}}$   
 $1 \text{ ni'}uvu-\frac{L}{T^2} = 10^{-40} = 613.A917 \text{ m s}^{\frac{m}{s^2}}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>18 °C

$1 \frac{m}{s^2} = 1.177A4A \cdot 10^{-40}$	$1 ni' uvo- \frac{L}{T^2} = 10^{-40} = 0.A685657 \frac{m}{s^2}$
$1 k \frac{m}{s^2} = 7A8.5B6A \cdot 10^{-40}$	$1 ni' uvo- \frac{L}{T^2} = 10^{-40} = 0.00162B436 k \frac{m}{s^2}$
$1 m \text{ ms} = 0.003B44A2A \cdot 10^{60}$	$1 xa-LT = 10^{60} = 305.9335 \text{ m ms}$
$1 \text{ ms} = 2.34B305 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 0.53057A7 \text{ ms}$
$1 k \text{ ms} = 13A4.359 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 0.00090B2237 \text{ k ms}$
$1 m \text{ m}^2 = 57.B2AA8 \cdot 10^{50}$	$1 mu-L^2 = 10^{50} = 0.02152841 \text{ m m}^2$
$1 m^2 = 33394.A4 \cdot 10^{50}$	$1 mu-L^2 = 10^{50} = 0.000037B5179 \text{ m}^2$
$1 k \text{ m}^2 = 0.00001A90339 \cdot 10^{60}$	$1 xa-L^2 = 10^{60} = 63B48.BA \text{ km}^2$
$1 m \frac{m^2}{s} = 0.00459BA67 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 281.2409 \text{ m} \frac{m^2}{s}$
$1 \frac{m^2}{s} = 2.71A05B \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 0.4757499 \frac{m^2}{s}$
$1 k \frac{m^2}{s} = 1604.109 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 0.0007BA228B k \frac{m^2}{s}$
$1 m \frac{m^2}{s^2} = 367A61.9 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 m \frac{m^2}{s^2}$
$1 \frac{m^2}{s^2} = 0.0002082840 \cdot 10^{-10}$	$1 ni' upa- \frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{m^2}{s^2} (*)$
$1 k \frac{m^2}{s^2} = 0.1235146 \cdot 10^{-10}$	$1 ni' upa- \frac{L^2}{T^2} = 10^{-10} = A.0B6589 k \frac{m^2}{s^2}$
$1 m \text{ m}^2 \text{ s} = 718A0A.A \cdot 10^{80}$	$1 bi-L^2T = 10^{80} = 0.00000181A349 \text{ m m}^2 \text{ s}$
$1 m^2 \text{ s} = 0.0004174877 \cdot 10^{90}$	$1 so-L^2T = 10^{90} = 2A9B.18B \text{ m}^2 \text{ s}$
$1 k \text{ m}^2 \text{ s} = 0.2486814 \cdot 10^{90}$	$1 so-L^2T = 10^{90} = 5.022208 \text{ km}^2 \text{ s}$
$1 m \frac{1}{m} = B.55806A \cdot 10^{-30}$	$1 ni' uci- \frac{1}{L} = 10^{-30} = 0.106A070 m \frac{1}{m}$
$1 \frac{1}{m} = 6768.067 \cdot 10^{-30}$	$1 ni' uci- \frac{1}{L} = 10^{-30} = 0.0001987920 \frac{1}{m}$
$1 k \frac{1}{m} = 0.000003A057A6 \cdot 10^{-20}$	$1 ni' ure- \frac{1}{L} = 10^{-20} = 316493.9 k \frac{1}{m}$
$1 m \frac{1}{ms} = 0.00090B2237 \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{LT} = 10^{-60} = 13A4.359 m \frac{1}{ms}$
$1 \frac{1}{ms} = 0.53057A7 \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{LT} = 10^{-60} = 2.34B305 \frac{1}{ms}$
$1 k \frac{1}{ms} = 305.9335 \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{LT} = 10^{-60} = 0.003B44A2A k \frac{1}{ms}$
$1 m \frac{1}{ms^2} = 72396.BA \cdot 10^{-A0}$	$1 ni' ujauau- \frac{1}{LT^2} = 10^{-A0} = 0.00001802950 m \frac{1}{ms^2}$
$1 \frac{1}{ms^2} = 0.000041B5066 \cdot 10^{-90}$	$1 ni' uso- \frac{1}{LT^2} = 10^{-90} = 2A715.51 \frac{1}{ms^2}$
$1 k \frac{1}{ms^2} = 0.024AA785 \cdot 10^{-90}$	$1 ni' uso- \frac{1}{LT^2} = 10^{-90} = 4B.93B47 k \frac{1}{ms^2}$
$1 m \frac{s}{m} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 m \frac{s}{m}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 pa- \frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 k \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 pa- \frac{T}{L} = 10^{10} = 25.8A836 k \frac{s}{m}$
$1 m \frac{1}{m^2} = 63B48.BA \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{L^2} = 10^{-60} = 0.00001A90339 m \frac{1}{m^2}$
$1 \frac{1}{m^2} = 0.000037B5179 \cdot 10^{-50}$	$1 ni' umu- \frac{1}{L^2} = 10^{-50} = 33394.A4 \frac{1}{m^2}$
$1 k \frac{1}{m^2} = 0.02152841 \cdot 10^{-50}$	$1 ni' umu- \frac{1}{L^2} = 10^{-50} = 57.B2AA8 k \frac{1}{m^2}$
$1 m \frac{1}{m^2 s} = 5.022208 \cdot 10^{-90}$	$1 ni' uso- \frac{1}{L^2 T} = 10^{-90} = 0.2486814 m \frac{1}{m^2 s}$
$1 \frac{1}{m^2 s} = 2A9B.18B \cdot 10^{-90}$	$1 ni' uso- \frac{1}{L^2 T} = 10^{-90} = 0.0004174877 \frac{1}{m^2 s}$
$1 k \frac{1}{m^2 s} = 0.00000181A349 \cdot 10^{-80}$	$1 ni' ubi- \frac{1}{L^2 T} = 10^{-80} = 718A0A.A k \frac{1}{m^2 s}$
$1 m \frac{1}{m^2 s^2} = 0.0003B82BA4 \cdot 10^{-100}$	$1 ni' upano- \frac{1}{L^2 T^2} = 10^{-100} = 3029.B92 m \frac{1}{m^2 s^2}$
$1 \frac{1}{m^2 s^2} = 0.2371B50 \cdot 10^{-100}$	$1 ni' upano- \frac{1}{L^2 T^2} = 10^{-100} = 5.274805 \frac{1}{m^2 s^2}$
$1 k \frac{1}{m^2 s^2} = 13B.78A7 \cdot 10^{-100}$	$1 ni' upano- \frac{1}{L^2 T^2} = 10^{-100} = 0.00902497B k \frac{1}{m^2 s^2}$
$1 m \frac{s}{m^2} = 0.0007BA228B \cdot 10^{-20}$	$1 ni' ure- \frac{T}{L^2} = 10^{-20} = 1604.109 m \frac{s}{m^2}$
$1 \frac{s}{m^2} = 0.4757499 \cdot 10^{-20}$	$1 ni' ure- \frac{T}{L^2} = 10^{-20} = 2.71A05B \frac{s}{m^2}$
$1 k \frac{s}{m^2} = 281.2409 \cdot 10^{-20}$	$1 ni' ure- \frac{T}{L^2} = 10^{-20} = 0.00459BA67 k \frac{s}{m^2}$
$1 m \frac{1}{m^3} = 0.00035B62A8 \cdot 10^{-80}$	$1 ni' ubi- \frac{1}{L^3} = 10^{-80} = 3522.276 m \frac{1}{m^3}$
$1 \frac{1}{m^3} = 0.2034800 \cdot 10^{-80} (*)$	$1 ni' ubi- \frac{1}{L^3} = 10^{-80} = 5.B1B502 \frac{1}{m^3}$
$1 k \frac{1}{m^3} = 120.764B \cdot 10^{-80}$	$1 ni' ubi- \frac{1}{L^3} = 10^{-80} = 0.00A2B7656 k \frac{1}{m^3}$
$1 m \frac{1}{m^3 s} = 292B9.8A \cdot 10^{-100}$	$1 ni' upano- \frac{1}{L^3 T} = 10^{-100} = 0.000043B7B6A m \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s} = 0.0000172A883 \cdot 10^{-B0}$	$1 ni' uvaiei- \frac{1}{L^3 T} = 10^{-B0} = 75983.59 \frac{1}{m^3 s}$
$1 k \frac{1}{m^3 s} = 0.00B175182 \cdot 10^{-B0}$	$1 ni' uvaiei- \frac{1}{L^3 T} = 10^{-B0} = 10B.2300 k \frac{1}{m^3 s} (*)$
$1 m \frac{1}{m^3 s^2} = 2.241993 \cdot 10^{-130}$	$1 ni' upaci- \frac{1}{L^3 T^2} = 10^{-130} = 0.557096A m \frac{1}{m^3 s^2}$
$1 \frac{1}{m^3 s^2} = 132B.5B2 \cdot 10^{-130}$	$1 ni' upaci- \frac{1}{L^3 T^2} = 10^{-130} = 0.000954073B \frac{1}{m^3 s^2}$
$1 k \frac{1}{m^3 s^2} = 89A65A.4 \cdot 10^{-130}$	$1 ni' upare- \frac{1}{L^3 T^2} = 10^{-120} = 143A202. k \frac{1}{m^3 s^2}$

$$\begin{aligned}
1 \text{m} \frac{\text{s}}{\text{m}^3} &= 4.4B5404 \cdot 10^{-50} \\
1 \text{m} \frac{\text{s}}{\text{m}^3} &= 2678.988 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.000001589862 \cdot 10^{-40} \\
1 \text{m kg} &= 2270A.86 \cdot 10^0 \\
1 \text{kg} &= 0.00001347965 \cdot 10^{10} \\
1 \text{k kg} &= 0.008AA3564 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.909B87 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{s}} &= 1023.934 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 7080A5.5 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.0001484114 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.097B310A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 57.11615 \cdot 10^{-60} \\
1 \text{m kg s} &= 0.00029680B7 \cdot 10^{40} \\
1 \text{kg s} &= 0.1750414 \cdot 10^{40} \\
1 \text{k kg s} &= B2.A306A \cdot 10^{40} \\
1 \text{m kg m} &= 4.016594 \cdot 10^{30} \\
1 \text{kg m} &= 23A2.842 \cdot 10^{30} \\
1 \text{k kg m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 0.000321778A \cdot 10^0 \\
1 \frac{\text{kg m}}{\text{s}} &= 0.1A0A051 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 109.3183 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 26276.37 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.0000155A2B1 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.00A153977 \cdot 10^{-30} \\
1 \text{m kg ms} &= 508A3.73 \cdot 10^{60} \\
1 \text{kg ms} &= 0.00002B19625 \cdot 10^{70} \\
1 \text{k kg ms} &= 0.01841151 \cdot 10^{70} \\
1 \text{m kg m}^2 &= 0.0007314613 \cdot 10^{60} \\
1 \text{kg m}^2 &= 0.424B679 \cdot 10^{60} \\
1 \text{k kg m}^2 &= 252.116A \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 4.68457B \cdot 10^{-10} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 277A.188 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.000001639993 \cdot 10^0 \\
1 \text{m kg m}^2 s &= 9.1B3290 \cdot 10^{90} \\
1 \text{kg m}^2 s &= 5375.711 \cdot 10^{90} \\
1 \text{k kg m}^2 s &= 0.000003099A1B \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.000128342B \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}} &= 0.08601B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4B.0516B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= B782.27A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}} &= 68A0211. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.003A94266 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.9282386 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 540.7685 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 310985.B \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 1.665705 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}} &= A88.A960 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'umu-} \frac{T}{L^3} &= 10^{-50} = 0.2877068 \text{m} \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'umu-} \frac{T}{L^3} &= 10^{-50} = 0.0004847B52 \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'uvo-} \frac{T}{L^3} &= 10^{-40} = 815334.0 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 M &= 1 = 0.000054BA329 \text{m kg} \\
1 \text{pa-} M &= 10^{10} = 94371.0A \text{ kg} \\
1 \text{pa-} M &= 10^{10} = 142.0779 \text{k kg} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.6A0221B \text{ m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.000B987BA8 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'ure-} \frac{M}{T} &= 10^{-20} = 184A901. \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 8760.604 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 12.AA2B9 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 0.02190873 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{vo-} MT &= 10^{40} = 435B.497 \text{m kg s} \\
1 \text{vo-} MT &= 10^{40} = 7.4B9989 \text{ kg s} \\
1 \text{vo-} MT &= 10^{40} = 0.01099232 \text{k kg s} \\
1 \text{ci-} ML &= 10^{30} = 0.2BAA214 \text{m kg m} \\
1 \text{ci-} ML &= 10^{30} = 0.0005206092 \text{ kg m} \\
1 \text{vo-} ML &= 10^{40} = 8B2608.B \text{k kg m} \\
1 \frac{ML}{T} &= 1 = 3938.952 \text{m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 6.6369B7 \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 0.00B336AA7 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'uvo-} \frac{ML}{T^2} &= 10^{-40} = 0.00004922389 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 8298A.80 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 122.8B63 \text{k} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{xa-} MLT &= 10^{60} = 0.00002454967 \text{m kg m s} \\
1 \text{ze-} MLT &= 10^{70} = 411B3.1B \text{ kg m s} \\
1 \text{ze-} MLT &= 10^{70} = 70.B4B73 \text{k kg m s} \\
1 \text{xa-} ML^2 &= 10^{60} = 17A0.45A \text{m kg m}^2 \\
1 \text{xa-} ML^2 &= 10^{60} = 2.A33993 \text{ kg m}^2 \\
1 \text{xa-} ML^2 &= 10^{60} = 0.004B29106 \text{k kg m}^2 \\
1 \text{re-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \text{m} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.2771279 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.0004671078 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 7A3BA9.8 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{so-} ML^2 T &= 10^{90} = 0.1387442 \text{m kg m}^2 \text{s} \\
1 \text{so-} ML^2 T &= 10^{90} = 0.000231B110 \text{ kg m}^2 \text{s} \\
1 \text{jauau-} ML^2 T &= 10^{40} = 3AB244.5 \text{k kg m}^2 \text{s} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 9976.B0A \text{m} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 14.B3256 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 0.02532B43 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'uxa-} \frac{M}{LT} &= 10^{-60} = 0.0001045500 \text{m} \frac{\text{kg}}{\text{ms}} \quad (*) \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 194635.6 \frac{\text{kg}}{\text{ms}} \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 30B.3347 \text{k} \frac{\text{kg}}{\text{ms}} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 1.3741A6 \text{m} \frac{\text{kg}}{\text{ms}^2} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 0.0022B8992 \frac{\text{kg}}{\text{ms}^2} \\
1 \text{ni'ubi-} \frac{M}{LT^2} &= 10^{-80} = 3A74B60. \text{k} \frac{\text{kg}}{\text{ms}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.7926298 \text{m} \frac{\text{kg s}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.001150975 \frac{\text{kg s}}{\text{m}}
\end{aligned}$$

$1\text{k}\frac{\text{kg s}}{\text{m}} = 626057.4 \cdot 10^{10}$	$1\text{re}-\frac{MT}{L} = 10^{20} = 1B23A6B.\text{k}\frac{\text{kg s}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m}^2} = 0.8148096 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 1.58B033\text{ m}\frac{\text{kg}}{\text{m}^2}$
$1\frac{\text{kg}}{\text{m}^2} = 484.3942 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00267B0B5\frac{\text{kg}}{\text{m}^2}$
$1\text{k}\frac{\text{kg}}{\text{m}^2} = 287476.B \cdot 10^{-50}$	$1\text{ni}'\text{ubo}-\frac{M}{L^2} = 10^{-40} = 44B9310.\text{k}\frac{\text{kg}}{\text{m}^2}$
$1\text{m}\frac{\text{kg}}{\text{m}^2\text{s}} = 0.00006520645 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{L^2T} = 10^{-80} = 1A485.4B\text{ m}\frac{\text{kg}}{\text{m}^2\text{s}}$
$1\frac{\text{kg}}{\text{m}^2\text{s}} = 0.0387AA43 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{L^2T} = 10^{-80} = 32.83A26\frac{\text{kg}}{\text{m}^2\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{m}^2\text{s}} = 21.A1693 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{L^2T} = 10^{-80} = 0.056A41A9\text{k}\frac{\text{kg}}{\text{m}^2\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{m}^2\text{s}^2} = 5119.561 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\frac{M}{L^2T^2} = 10^{-100} = 0.0002431332\text{ m}\frac{\text{kg}}{\text{m}^2\text{s}^2}$
$1\frac{\text{kg}}{\text{m}^2\text{s}^2} = 2B47903. \cdot 10^{-100}$	$1\text{ni}'\text{uvaiei}-\frac{M}{L^2T^2} = 10^{-B0} = 409B85.1\frac{\text{kg}}{\text{m}^2\text{s}^2}$
$1\text{k}\frac{\text{kg}}{\text{m}^2\text{s}^2} = 0.001858B20 \cdot 10^{-B0}$	$1\text{ni}'\text{uvaiei}-\frac{M}{L^2T^2} = 10^{-B0} = 704.6945\text{k}\frac{\text{kg}}{\text{m}^2\text{s}^2}$
$1\text{m}\frac{\text{kg}}{\text{m}^2} = A2AA.530 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.00012086A9\text{ m}\frac{\text{kg s}}{\text{m}^2}$
$1\frac{\text{kg s}}{\text{m}^2} = 5B16199. \cdot 10^{-20}$	$1\text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 203657.0\frac{\text{kg s}}{\text{m}^2}$
$1\text{k}\frac{\text{kg s}}{\text{m}^2} = 0.00351B207 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 35B.9421\text{k}\frac{\text{kg s}}{\text{m}^2}$
$1\text{m}\frac{\text{kg}}{\text{m}^3} = 4597.A8A \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{L^3} = 10^{-80} = 0.0002814870\text{ m}\frac{\text{kg}}{\text{m}^3}$
$1\frac{\text{kg}}{\text{m}^3} = 271789B. \cdot 10^{-80}$	$1\text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 475B61.2\frac{\text{kg}}{\text{m}^3}$
$1\text{k}\frac{\text{kg}}{\text{m}^3} = 0.001602907 \cdot 10^{-70}$	$1\text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 7BA.93AB\text{k}\frac{\text{kg}}{\text{m}^3}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}} = 0.3677431 \cdot 10^{-B0}$	$1\text{ni}'\text{uvaiei}-\frac{M}{L^3T} = 10^{-B0} = 3.4644B5\text{ m}\frac{\text{kg}}{\text{m}^3\text{s}}$
$1\frac{\text{kg}}{\text{m}^3\text{s}} = 208.0A4B \cdot 10^{-B0}$	$1\text{ni}'\text{uvaiei}-\frac{M}{L^3T} = 10^{-B0} = 0.005A053A2\frac{\text{kg}}{\text{m}^3\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}} = 123408.3 \cdot 10^{-B0}$	$1\text{ni}'\text{ujauau}-\frac{M}{L^3T} = 10^{-A0} = A103527.\text{k}\frac{\text{kg}}{\text{m}^3\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2} = 0.00002994920 \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\frac{M}{L^3T^2} = 10^{-120} = 43196.B6\text{ m}\frac{\text{kg}}{\text{m}^3\text{s}^2}$
$1\frac{\text{kg}}{\text{m}^3\text{s}^2} = 0.01767310 \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\frac{M}{L^3T^2} = 10^{-120} = 74.47880\frac{\text{kg}}{\text{m}^3\text{s}^2}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2} = B.39248B \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\frac{M}{L^3T^2} = 10^{-120} = 0.1088961\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2}$
$1\text{m}\frac{\text{kg}}{\text{m}^3} = 0.000057A9A68 \cdot 10^{-40}$	$1\text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 21546.B4\text{ m}\frac{\text{kg s}}{\text{m}^3}$
$1\frac{\text{kg s}}{\text{m}^3} = 0.033365B4 \cdot 10^{-40}$	$1\text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 37.B8485\frac{\text{kg s}}{\text{m}^3}$
$1\text{k}\frac{\text{kg s}}{\text{m}^3} = 1A.8A713 \cdot 10^{-40}$	$1\text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.063BA458\text{k}\frac{\text{kg s}}{\text{m}^3}$
$1\text{m}\frac{1}{\text{C}} = 20410.40 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00005ABAB83\text{ m}\frac{1}{\text{C}}$
$1\frac{1}{\text{C}} = 0.00001210458 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = A2813.72\frac{1}{\text{C}}$
$1\text{k}\frac{1}{\text{C}} = 0.008199B06 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 157.B978\text{k}\frac{1}{\text{C}}$
$1\text{m}\frac{1}{\text{s C}} = 1.735423 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.7571537\text{ m}\frac{1}{\text{s C}}$
$1\frac{1}{\text{s C}} = B1B.3192 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0010A9984\frac{1}{\text{s C}}$
$1\text{k}\frac{1}{\text{s C}} = 656166.3 \cdot 10^{-50}$	$1\text{ni}'\text{ubo}-\frac{1}{TQ} = 10^{-40} = 1A36360.\text{k}\frac{1}{\text{s C}}$
$1\text{m}\frac{1}{\text{s}^2\text{C}} = 0.00013348B1 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{1}{T^2Q} = 10^{-80} = 9509.81B\text{ m}\frac{1}{\text{s}^2\text{C}}$
$1\frac{1}{\text{s}^2\text{C}} = 0.08A16B3B \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{1}{T^2Q} = 10^{-80} = 14.3468B\frac{1}{\text{s}^2\text{C}}$
$1\text{k}\frac{1}{\text{s}^2\text{C}} = 51.50368 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{1}{T^2Q} = 10^{-80} = 0.024174A0\text{k}\frac{1}{\text{s}^2\text{C}}$
$1\text{m}\frac{s}{\text{C}} = 0.0002687441 \cdot 10^{20}$	$1\text{re}-\frac{T}{Q} = 10^{20} = 4830.700\text{ m}\frac{s}{\text{C}} \quad (*)$
$1\frac{s}{\text{C}} = 0.1593995 \cdot 10^{20}$	$1\text{re}-\frac{T}{Q} = 10^{20} = 8.125984\frac{s}{\text{C}}$
$1\text{k}\frac{s}{\text{C}} = A3.545B8 \cdot 10^{20}$	$1\text{re}-\frac{T}{Q} = 10^{20} = 0.011BB827\text{k}\frac{s}{\text{C}} \quad (*)$
$1\text{m}\frac{m}{\text{C}} = 3.80832B \cdot 10^{10}$	$1\text{pa}-\frac{L}{Q} = 10^{10} = 0.3327A98\text{ m}\frac{m}{\text{C}}$
$1\frac{m}{\text{C}} = 215B.553 \cdot 10^{10}$	$1\text{pa}-\frac{L}{Q} = 10^{10} = 0.00057936A4\frac{m}{\text{C}}$
$1\text{k}\frac{m}{\text{C}} = 0.000001290825 \cdot 10^{20}$	$1\text{re}-\frac{L}{Q} = 10^{20} = 991465.9\text{k}\frac{m}{\text{C}}$
$1\text{m}\frac{m}{\text{s C}} = 0.0002AAB179 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 415B.816\text{ m}\frac{m}{\text{s C}}$
$1\frac{m}{\text{s C}} = 0.1825281 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 7.164761\frac{m}{\text{s C}}$
$1\text{k}\frac{m}{\text{s C}} = B8.36B2A \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.01039717\text{k}\frac{m}{\text{s C}}$
$1\text{m}\frac{m}{\text{s}^2\text{C}} = 237B5.54 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{L}{T^2Q} = 10^{-60} = 0.000052571B3\text{ m}\frac{m}{\text{s}^2\text{C}}$
$1\frac{m}{\text{s}^2\text{C}} = 0.000014012A5 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{L}{T^2Q} = 10^{-50} = 8BB37.81\frac{m}{\text{s}^2\text{C}} \quad (*)$
$1\text{k}\frac{m}{\text{s}^2\text{C}} = 0.009320733 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{L}{T^2Q} = 10^{-50} = 136.634B\text{k}\frac{m}{\text{s}^2\text{C}}$
$1\text{m}\frac{ms}{\text{C}} = 47725.BB \cdot 10^{40} \quad (*)$	$1\text{vo}-\frac{LT}{Q} = 10^{40} = 0.0000270B410\text{ m}\frac{ms}{\text{C}}$
$1\frac{ms}{\text{C}} = 0.00002821483 \cdot 10^{50}$	$1\text{mu}-\frac{LT}{Q} = 10^{50} = 45854.7A\frac{ms}{\text{C}}$
$1\text{k}\frac{ms}{\text{C}} = 0.0167543B \cdot 10^{50}$	$1\text{mu}-\frac{LT}{Q} = 10^{50} = 78.97364\text{k}\frac{ms}{\text{C}}$

$$\begin{aligned}
1 \text{m} \frac{\text{m}^2}{\text{C}} &= 0.000678B531 \cdot 10^{40} \\
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 0.3A19612 \cdot 10^{40} \\
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 228.5944 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 53234.42 \cdot 10^0 \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.00003069A02 \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 0.0191B437 \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 4.20A2B2 \cdot 10^{-30} \\
1 \frac{\text{m}^2}{\text{s}^2\text{C}} &= 24B8.718 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 0.000001492843 \cdot 10^{-20} \\
1 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} &= 8.4781A0 \cdot 10^{70} \\
1 \frac{\text{m}^2\text{s}}{\text{C}} &= 4A2A.7B5 \cdot 10^{70} \\
1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} &= 0.000002985487 \cdot 10^{80} \\
1 \text{m} \frac{1}{\text{mC}} &= 0.0001154517 \cdot 10^{-40} \\
1 \frac{1}{\text{mC}} &= 0.079474B5 \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{mC}} &= 46.06098 \cdot 10^{-40} \\
1 \text{m} \frac{1}{\text{msC}} &= A7A4.A54 \cdot 10^{-80} \\
1 \frac{1}{\text{msC}} &= 61BB71A. \cdot 10^{-80} \quad (*) \\
1 \text{k} \frac{1}{\text{msC}} &= 0.00369A524 \cdot 10^{-70} \\
1 \text{m} \frac{1}{\text{ms}^2\text{C}} &= 0.853A213 \cdot 10^{-B0} \\
1 \frac{1}{\text{ms}^2\text{C}} &= 4A7.7480 \cdot 10^{-B0} \\
1 \text{k} \frac{1}{\text{ms}^2\text{C}} &= 29B227.9 \cdot 10^{-B0} \\
1 \text{m} \frac{s}{\text{mC}} &= 1.4B7945 \cdot 10^{-10} \\
1 \frac{s}{\text{mC}} &= 99A.2846 \cdot 10^{-10} \\
1 \text{k} \frac{s}{\text{mC}} &= 582500.A \cdot 10^{-10} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2\text{C}} &= 0.7519A21 \cdot 10^{-70} \\
1 \frac{1}{\text{m}^2\text{C}} &= 437.1388 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m}^2\text{C}} &= 25A345.2 \cdot 10^{-70} \\
1 \text{m} \frac{1}{\text{m}^2\text{sC}} &= 0.00005A78700 \cdot 10^{-A0} \quad (*) \\
1 \frac{1}{\text{m}^2\text{sC}} &= 0.034A6AB3 \cdot 10^{-A0} \\
1 \text{k} \frac{1}{\text{m}^2\text{sC}} &= 1B.7A940 \cdot 10^{-A0} \\
1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 47B8.7A2 \cdot 10^{-120} \\
1 \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 2848892. \cdot 10^{-120} \\
1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 0.00168B5B6 \cdot 10^{-110} \\
1 \text{m} \frac{s}{\text{m}^2\text{C}} &= 9461.511 \cdot 10^{-40} \\
1 \frac{s}{\text{m}^2\text{C}} &= 55139A8. \cdot 10^{-40} \\
1 \text{k} \frac{s}{\text{m}^2\text{C}} &= 0.0031819A8 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^3\text{C}} &= 4130.663 \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^3\text{C}} &= 2460593. \cdot 10^{-A0} \\
1 \text{k} \frac{1}{\text{m}^3\text{C}} &= 0.00145B341 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3\text{sC}} &= 0.3304089 \cdot 10^{-110} \\
1 \frac{1}{\text{m}^3\text{sC}} &= 1A7.0425 \cdot 10^{-110} \\
1 \text{k} \frac{1}{\text{m}^3\text{sC}} &= 110A19.2 \cdot 10^{-110} \\
1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.000026B1345 \cdot 10^{-140} \\
1 \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.015A9168 \cdot 10^{-140} \\
1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= A.43489A \cdot 10^{-140} \\
1 \text{m} \frac{s}{\text{m}^3\text{C}} &= 0.0000521A9A6 \cdot 10^{-60} \\
1 \frac{s}{\text{m}^3\text{C}} &= 0.02BB7A5B \cdot 10^{-60} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 1980.378 \text{m} \frac{\text{m}^2}{\text{C}} \\
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 3.153A73 \frac{\text{m}^2}{\text{C}} \\
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 0.005485213 \text{k} \frac{\text{m}^2}{\text{C}} \\
1 \frac{L^2}{TQ} &= 1 = 0.00002341A07 \text{m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 3B306.BB \frac{\text{m}^2}{\text{sC}} \quad (*) \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 69.7A39B \text{k} \frac{\text{m}^2}{\text{sC}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.2A6169B \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0004B774BA \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'ure} \frac{L^2}{T^2Q} &= 10^{-20} = 870707.9 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.15205B7 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.0002580585 \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{bi} \frac{L^2T}{Q} &= 10^{80} = 4332A0.7 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ni'uvu} \frac{1}{LQ} &= 10^{-40} = A860.0B7 \text{m} \frac{1}{\text{mC}} \\
1 \text{ni'uvu} \frac{1}{LQ} &= 10^{-40} = 16.60707 \frac{1}{\text{mC}} \\
1 \text{ni'uvu} \frac{1}{LQ} &= 10^{-40} = 0.027B84A8 \text{k} \frac{1}{\text{mC}} \\
1 \text{ni'ubi} \frac{1}{LTQ} &= 10^{-80} = 0.000116202A \text{m} \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = 1B4288.0 \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = 344.294A \text{k} \frac{1}{\text{msC}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 1.507A77 \text{m} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 0.002557930 \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{LT^2Q} &= 10^{-A0} = 42B12A0. \text{k} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.859A549 \text{m} \frac{s}{\text{mC}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.00127B487 \frac{s}{\text{mC}} \\
1 \frac{T}{LQ} &= 1 = 21405A1. \text{k} \frac{s}{\text{mC}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 1.747135 \text{m} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 0.00295B049 \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uxa} \frac{1}{L^2Q} &= 10^{-60} = 49A624B. \text{k} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = 20564.82 \text{m} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = 36.32835 \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = 0.06105974 \text{k} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'upare} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.00026A5334 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 454152.2 \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 782.1621 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'uvo} \frac{T}{L^2Q} &= 10^{-40} = 0.000134378B \text{m} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 226588.2 \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 39A.3B31 \text{k} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{L^3Q} &= 10^{-A0} = 0.0002B10058 \text{m} \frac{1}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 5075B1.1 \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 889.1386 \text{k} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 3.833845 \text{m} \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 0.006461257 \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upano} \frac{1}{L^3TQ} &= 10^{-100} = B025893. \text{k} \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 47A61.B1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 80.67922 \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.11AA186 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 23972.29 \text{m} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 40.05609 \frac{s}{\text{m}^3\text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} &= 18.99742 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 0.2726559 \cdot 10^{-10} \\
1 \frac{\text{kg}}{\text{C}} &= 160.8B60 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= A5522.66 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg}}{\text{s}^3 \text{C}} &= 0.00002089443 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s}^3 \text{C}} &= 0.01238B83 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^3 \text{C}} &= 8.348399 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 1771.BA4 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= B41118.4 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.0006690B31 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 3348.037 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 1A96509. \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.001123672 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0000485B227 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.02883A40 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 16.B0559 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 3892.2A6 \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 21AA567. \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.0012BA9BB \cdot 10^{-10} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.2B57B2A \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 186.3B94 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= BA677.96 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.5B36784 \cdot 10^{50} \\
1 \frac{\text{kg m s}}{\text{C}} &= 353.1415 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 1BA633.B \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 8631.0B5 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 4B2155B. \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.002A2B496 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.690400B \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 3AA.839B \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 231771.3 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00005425743 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0311A579 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 19.60406 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.0000A907152 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.06282153 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 37.27548 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m} \text{C}} &= 152B.085 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m} \text{C}} &= 9B8B56.4 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{m} \text{C}} &= 0.0005936A31 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m} \text{s} \text{C}} &= 0.117B674 \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m} \text{s} \text{C}} &= 7A.A7669 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m} \text{s} \text{C}} &= 46AB1.8B \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg}}{\text{m} \text{s}^2 \text{C}} &= 0.00000A9B0990 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m} \text{s}^2 \text{C}} &= 0.006322A39 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m} \text{s}^2 \text{C}} &= 3.761663 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m} \text{C}} &= 0.0000199176B \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'uxa \frac{T}{L^3 Q} &= 10^{-60} = 0.06B01548 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} \\
1 \text{ni}'upa \frac{M}{Q} &= 10^{-10} = 4.744542 \text{m} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'upa \frac{M}{Q} &= 10^{-10} = 0.007B80477 \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'upa \frac{M}{Q} &= 10^{-10} = 0.00001193972 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'uwo \frac{M}{TQ} &= 10^{-40} = 59A53.20 \text{m} \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni}'uwo \frac{M}{TQ} &= 10^{-40} = A0.89A44 \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni}'uwo \frac{M}{TQ} &= 10^{-40} = 0.1547693 \text{k} \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni}'ubi \frac{M}{T^2 Q} &= 10^{-80} = 0.0007421442 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'ubi \frac{M}{T^2 Q} &= 10^{-80} = 0.000001084506 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'uze \frac{M}{T^2 Q} &= 10^{-70} = 19B3.615 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re} \frac{MT}{Q} &= 10^{20} = 0.00037A5353 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci} \frac{MT}{Q} &= 10^{30} = 639833.1 \frac{\text{kg s}}{\text{C}} \\
1 \text{ci} \frac{MT}{Q} &= 10^{30} = AAB.B398 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re} \frac{ML}{Q} &= 10^{20} = 26706.6A \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{re} \frac{ML}{Q} &= 10^{20} = 44.A3085 \frac{\text{kg m}}{\text{C}} \\
1 \text{re} \frac{ML}{Q} &= 10^{20} = 0.0773BAAB \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni}'ure \frac{ML}{TQ} &= 10^{-20} = 0.0003272688 \text{m} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'upa \frac{ML}{TQ} &= 10^{-10} = 568523.7 \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'upa \frac{ML}{TQ} &= 10^{-10} = 973.1930 \text{k} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'umu \frac{ML}{T^2 Q} &= 10^{-50} = 4.086B19 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'umu \frac{ML}{T^2 Q} &= 10^{-50} = 0.007021969 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'umu \frac{ML}{T^2 Q} &= 10^{-50} = 0.00001015657 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu} \frac{MLT}{Q} &= 10^{50} = 2.02A153 \text{m} \frac{\text{kg ms}}{\text{C}} \\
1 \text{mu} \frac{MLT}{Q} &= 10^{50} = 0.0035A6B16 \frac{\text{kg ms}}{\text{C}} \\
1 \text{xa} \frac{MLT}{Q} &= 10^{60} = 6045538. \text{k} \frac{\text{kg ms}}{\text{C}} \\
1 \text{vo} \frac{ML^2}{Q} &= 10^{40} = 0.00014A9478 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu} \frac{ML^2}{Q} &= 10^{50} = 2524A8.5 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu} \frac{ML^2}{Q} &= 10^{50} = 425.6077 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa} \frac{ML^2}{TQ} &= 10^{10} = 1.93AB41 \text{m} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{pa} \frac{ML^2}{TQ} &= 10^{10} = 0.0030A2715 \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{re} \frac{ML^2}{TQ} &= 10^{20} = 5381962. \text{k} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{ni}'ure \frac{ML^2}{T^2 Q} &= 10^{-20} = 22AB6.6A \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'ure \frac{ML^2}{T^2 Q} &= 10^{-20} = 3A.60B42 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'ure \frac{ML^2}{T^2 Q} &= 10^{-20} = 0.068443A4 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi} \frac{ML^2 T}{Q} &= 10^{80} = 11482.36 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi} \frac{ML^2 T}{Q} &= 10^{80} = 1B.17AB8 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi} \frac{ML^2 T}{Q} &= 10^{80} = 0.033B966B \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni}'uve \frac{M}{LQ} &= 10^{-40} = 0.0008426620 \text{m} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'uve \frac{M}{LQ} &= 10^{-40} = 0.000001251BB2 \frac{\text{kg}}{\text{m} \text{C}} \quad (*) \\
1 \text{ni}'uci \frac{M}{LQ} &= 10^{-30} = 20B2.935 \text{k} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'uze \frac{M}{LTQ} &= 10^{-70} = A.657462 \text{m} \frac{\text{kg}}{\text{m} \text{s} \text{C}} \\
1 \text{ni}'uze \frac{M}{LTQ} &= 10^{-70} = 0.01626531 \frac{\text{kg}}{\text{m} \text{s} \text{C}} \\
1 \text{ni}'uze \frac{M}{LTQ} &= 10^{-70} = 0.000027576A7 \text{k} \frac{\text{kg}}{\text{m} \text{s} \text{C}} \\
1 \text{ni}'ujauau \frac{M}{LT^2 Q} &= 10^{-A0} = 11372A.1 \text{m} \frac{\text{kg}}{\text{m} \text{s}^2 \text{C}} \\
1 \text{ni}'ujauau \frac{M}{LT^2 Q} &= 10^{-A0} = 1AB.9643 \frac{\text{kg}}{\text{m} \text{s}^2 \text{C}} \\
1 \text{ni}'ujauau \frac{M}{LT^2 Q} &= 10^{-A0} = 0.3386A4A \text{k} \frac{\text{kg}}{\text{m} \text{s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 674A7.1A \text{m} \frac{\text{kg s}}{\text{m} \text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg s}}{\text{m C}} &= 0.0107153B \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 7.355441 \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.0000096399A_6 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.00561A_6 27 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 3.235046 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 767.0228 \cdot 10^{-A_0} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 445087.5 \cdot 10^{-A_0} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.000264057A \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.05B940BB \cdot 10^{-110} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 35.65643 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 20056.49 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.10032A_9 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 6B.5A_6 16 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 40395.7B \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.0531A_8 29 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 30.67166 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 19199.60 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.000004206657 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.0024B654B \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 1.491557 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 337.A_4 81 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 1AB475.A \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0001134494 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 678.5652 \cdot 10^{-60} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 3A1611.4 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.0002283979 \cdot 10^{-50} \\
1 \text{m C} &= 157.B978 \cdot 10^{10} \\
1 \text{C} &= A2813.72 \cdot 10^{10} \\
1 \text{k C} &= 0.00005ABA_8 3 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 0.011BB827 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{C}}{\text{s}} &= 8.125984 \cdot 10^{-20} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 4830.700 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= B1125B.B \cdot 10^{-60} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.0006503883 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 0.386A_9 A_4 \cdot 10^{-50} \\
1 \text{m s C} &= 1A36360. \cdot 10^{40} \\
1 \text{s C} &= 0.0010A9984 \cdot 10^{50} \\
1 \text{k s C} &= 0.7571537 \cdot 10^{50} \\
1 \text{m m C} &= 0.027B84A_8 \cdot 10^{40} \\
1 \text{m C} &= 16.60707 \cdot 10^{40} \\
1 \text{k m C} &= A860.0B7 \cdot 10^{40} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 21405A_1.. \cdot 10^0 \\
1 \frac{\text{m C}}{\text{s}} &= 0.00127B487 \cdot 10^{10} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.859A_5 49 \cdot 10^{10} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 180.B037 \cdot 10^{-30} \\
1 \frac{\text{m C}}{\text{s}^2} &= B7506.87 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.00006882468 \cdot 10^{-20} \\
1 \text{m m s C} &= 344.294A \cdot 10^{70} \\
1 \text{m s C} &= 1B4288.0 \cdot 10^{70}
\end{aligned}$$

$$\begin{aligned}
1 \frac{MT}{LQ} &= 1 = B5.26B95 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.1791363 \text{k} \frac{\text{kg s}}{\text{m C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 13147B.2 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 221.532B \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 0.3917585 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'ujauau-} \frac{M}{L^2 TQ} &= 10^{-A_0} = 0.00170AB59 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'ujauau-} \frac{M}{L^2 TQ} &= 10^{-A_0} = 0.0000028B68A_8 \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uso-} \frac{M}{L^2 TQ} &= 10^{-90} = 48B6.450 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 20.0A809 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.035724AB \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00005BA7515 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'uci-} \frac{MT}{L^2 Q} &= 10^{-30} = B.B89212 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uci-} \frac{MT}{L^2 Q} &= 10^{-30} = 0.01884487 \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uci-} \frac{MT}{L^2 Q} &= 10^{-30} = 0.00002B92152 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 23.43A42 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 0.03B340B9 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 0.00006984447 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 2A6415.B \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 4B7.B9B8 \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 0.8712827 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upavo-} \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.00376AA17 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upavo-} \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.000006336B22 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{M}{L^3 T^2 Q} &= 10^{-130} = AA14.704 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{MT}{L^3 Q} &= 10^{-60} = 0.001981AA8 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'uxa-} \frac{MT}{L^3 Q} &= 10^{-60} = 0.0000031567A_6 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'umu-} \frac{MT}{L^3 Q} &= 10^{-50} = 5489.B72 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{pa-Q} &= 10^{10} = 0.008199B06 \text{m C} \\
1 \text{pa-Q} &= 10^{10} = 0.00001210458 \text{C} \\
1 \text{re-Q} &= 10^{20} = 20410.40 \text{k C} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = A3.545B8 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 0.1593995 \frac{\text{C}}{\text{s}} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 0.0002687441 \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{ni'uxa-} \frac{Q}{T^2} &= 10^{-60} = 0.0000010B9603 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{Q}{T^2} &= 10^{-50} = 1A52.5BB \frac{\text{C}}{\text{s}^2} \quad (*) \\
1 \text{ni'umu-} \frac{Q}{T^2} &= 10^{-50} = 3.292378 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{mu-TQ} &= 10^{50} = 656166.3 \text{m s C} \\
1 \text{mu-TQ} &= 10^{50} = B1B.3192 \text{s C} \\
1 \text{mu-TQ} &= 10^{50} = 1.735423 \text{k s C} \\
1 \text{vo-LQ} &= 10^{40} = 46.06098 \text{m m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.079474B5 \text{m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.0001154517 \text{k m C} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 582500.A \text{m} \frac{\text{m C}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 99A.2846 \frac{\text{m C}}{\text{s}} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 1.4B7945 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{ni'uci-} \frac{LQ}{T^2} &= 10^{-30} = 0.00720A1A4 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{LQ}{T^2} &= 10^{-30} = 0.00001048912 \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{LQ}{T^2} &= 10^{-20} = 19500.90 \text{k} \frac{\text{m C}}{\text{s}^2} \quad (*) \\
1 \text{ze-LTQ} &= 10^{70} = 0.00369A524 \text{m m s C} \\
1 \text{bi-LTQ} &= 10^{80} = 61BB71A. \text{m s C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k m s C} &= 0.000116202A \cdot 10^{80} \\
1 \text{m m}^2 \text{C} &= 49A624B \cdot 10^{60} \\
1 \text{m}^2 \text{C} &= 0.00295B049 \cdot 10^{70} \\
1 \text{k m}^2 \text{C} &= 1.747135 \cdot 10^{70} \\
1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} &= 39A.3B31 \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{C}}{\text{s}} &= 226588.2 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 0.000134378B \cdot 10^{40} \\
1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} &= 0.03040A8B \cdot 10^0 \\
1 \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 19.04367 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 10205.A0 \cdot 10^0 \\
1 \text{m m}^2 \text{s C} &= 0.06105974 \cdot 10^{A0} \\
1 \text{m}^2 \text{s C} &= 36.32835 \cdot 10^{A0} \\
1 \text{k m}^2 \text{s C} &= 20564.82 \cdot 10^{A0} \\
1 \text{m}^{\frac{\text{C}}{\text{m}}} &= 991465.9 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.00057936A4 \cdot 10^{-10} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.3327A98 \cdot 10^{-10} \\
1 \text{m}^{\frac{\text{C}}{\text{m s}}} &= 78.97364 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 45854.7A \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.0000270B410 \cdot 10^{-40} \\
1 \text{m}^{\frac{\text{C}}{\text{m s}^2}} &= 0.006164B37 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 3.667A3A \cdot 10^{-80} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 2076.270 \cdot 10^{-80} \\
1 \text{m}^{\frac{\text{s C}}{\text{m}}} &= 0.01039717 \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 7.164761 \cdot 10^{20} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 415B.816 \cdot 10^{20} \\
1 \text{m}^{\frac{\text{C}}{\text{m}^2}} &= 0.005485213 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 3.153A73 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 1980.378 \cdot 10^{-40} \\
1 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}}} &= 4332A0.7 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.0002580585 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.15205B7 \cdot 10^{-70} \\
1 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} &= 34.76106 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 1B615.73 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.00001173223 \cdot 10^{-A0} \\
1 \text{m}^{\frac{\text{s C}}{\text{m}^2}} &= 69.7A39B \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 3B306.BB \cdot 10^{-10} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.00002341A07 \cdot 10^0 \\
1 \text{m}^{\frac{\text{C}}{\text{m}^3}} &= 2B.8B580 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^3} &= 1882A.40 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 0.00000BB7A654 \cdot 10^{-60} \quad (*) \\
1 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}}} &= 0.00243A981 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 1.448506 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 959.B982 \cdot 10^{-A0} \\
1 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}} &= 1A5400.9 \cdot 10^{-120} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.00010BA459 \cdot 10^{-110} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.07624856 \cdot 10^{-110} \\
1 \text{m}^{\frac{\text{s C}}{\text{m}^3}} &= 391417.4 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.0002213406 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.1313661 \cdot 10^{-30} \\
1 \text{m kg C} &= 0.001A79A81 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{bi-LTQ} &= 10^{80} = A7A4.A54 \text{k m s C} \\
1 \text{ze-L}^2 \text{Q} &= 10^{70} = 25A345.2 \text{m m}^2 \text{C} \\
1 \text{ze-L}^2 \text{Q} &= 10^{70} = 437.1388 \text{m}^2 \text{C} \\
1 \text{ze-L}^2 \text{Q} &= 10^{70} = 0.7519A21 \text{k m}^2 \text{C} \\
1 \text{ci-} \frac{\text{L}^2 \text{Q}}{\text{T}} &= 10^{30} = 0.0031819A8 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} \\
1 \text{vo-} \frac{\text{L}^2 \text{Q}}{\text{T}} &= 10^{40} = 55139A8. \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \text{vo-} \frac{\text{L}^2 \text{Q}}{\text{T}} &= 10^{40} = 9461.511 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \frac{\text{L}^2 \text{Q}}{\text{T}^2} &= 1 = 3B.674BA \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} \\
1 \frac{\text{L}^2 \text{Q}}{\text{T}^2} &= 1 = 0.06A20402 \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \frac{\text{L}^2 \text{Q}}{\text{T}^2} &= 1 = 0.0000B9BA335 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \text{jauau-L}^2 \text{TQ} &= 10^{A0} = 1B.7A940 \text{m m}^2 \text{s C} \\
1 \text{jauau-L}^2 \text{TQ} &= 10^{A0} = 0.034A6AB3 \text{m}^2 \text{s C} \\
1 \text{jauau-L}^2 \text{TQ} &= 10^{A0} = 0.00005A78700 \text{k m}^2 \text{s C} \quad (*) \\
1 \text{ni'ure-} \frac{\text{Q}}{\text{L}} &= 10^{-20} = 0.000001290825 \text{m}^{\frac{\text{C}}{\text{m}}} \\
1 \text{ni'upa-} \frac{\text{Q}}{\text{L}} &= 10^{-10} = 215B.553 \frac{\text{C}}{\text{m}} \\
1 \text{ni'upa-} \frac{\text{Q}}{\text{L}} &= 10^{-10} = 3.80832B \text{k} \frac{\text{C}}{\text{m}} \\
1 \text{ni'umu-} \frac{\text{Q}}{\text{LT}} &= 10^{-50} = 0.0167543B \text{m}^{\frac{\text{C}}{\text{ms}}} \\
1 \text{ni'umu-} \frac{\text{Q}}{\text{LT}} &= 10^{-50} = 0.00002821483 \frac{\text{C}}{\text{ms}} \\
1 \text{ni'uvo-} \frac{\text{Q}}{\text{LT}} &= 10^{-40} = 47725.BB \text{k} \frac{\text{C}}{\text{ms}} \quad (*) \\
1 \text{ni'ubi-} \frac{\text{Q}}{\text{LT}^2} &= 10^{-80} = 1B5.BA81 \text{m}^{\frac{\text{C}}{\text{ms}^2}} \\
1 \text{ni'ubi-} \frac{\text{Q}}{\text{LT}^2} &= 10^{-80} = 0.3473440 \frac{\text{C}}{\text{ms}^2} \\
1 \text{ni'ubi-} \frac{\text{Q}}{\text{LT}^2} &= 10^{-80} = 0.0005A202A6 \text{k} \frac{\text{C}}{\text{ms}^2} \\
1 \text{re-} \frac{\text{TQ}}{\text{L}} &= 10^{20} = B8.36B2A \text{m}^{\frac{\text{s C}}{\text{m}}} \\
1 \text{re-} \frac{\text{TQ}}{\text{L}} &= 10^{20} = 0.1825281 \frac{\text{s C}}{\text{m}} \\
1 \text{re-} \frac{\text{TQ}}{\text{L}} &= 10^{20} = 0.0002AAB179 \text{k} \frac{\text{s C}}{\text{m}} \\
1 \text{ni'uvo-} \frac{\text{Q}}{\text{L}^2} &= 10^{-40} = 228.5944 \text{m}^{\frac{\text{C}}{\text{m}^2}} \\
1 \text{ni'uvo-} \frac{\text{Q}}{\text{L}^2} &= 10^{-40} = 0.3A19612 \frac{\text{C}}{\text{m}^2} \\
1 \text{ni'uvo-} \frac{\text{Q}}{\text{L}^2} &= 10^{-40} = 0.000678B531 \text{k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\text{Q}}{\text{L}^2 \text{T}} &= 10^{-80} = 0.000002985487 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}}} \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^2 \text{T}} &= 10^{-70} = 4A2A.7B5 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^2 \text{T}} &= 10^{-70} = 8.4781A0 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\text{Q}}{\text{L}^2 \text{T}^2} &= 10^{-B0} = 0.03665008 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} \quad (*) \\
1 \text{ni'uvaiei-} \frac{\text{Q}}{\text{L}^2 \text{T}^2} &= 10^{-B0} = 0.00006160011 \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^2 \text{T}^2} &= 10^{-A0} = A7011.B9 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upa-} \frac{\text{TQ}}{\text{L}^2} &= 10^{-10} = 0.0191B437 \text{m}^{\frac{\text{s C}}{\text{m}^2}} \\
1 \text{ni'upa-} \frac{\text{TQ}}{\text{L}^2} &= 10^{-10} = 0.00003069A02 \frac{\text{s C}}{\text{m}^2} \\
1 \frac{\text{TQ}}{\text{L}^2} &= 1 = 53234.42 \text{k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^3} &= 10^{-70} = 0.04041071 \text{m}^{\frac{\text{C}}{\text{m}^3}} \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^3} &= 10^{-70} = 0.00006B64839 \frac{\text{C}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{\text{Q}}{\text{L}^3} &= 10^{-60} = 100417.0 \text{k} \frac{\text{C}}{\text{m}^3} \quad (*) \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^3 \text{T}} &= 10^{-A0} = 510.0A63 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}}} \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^3 \text{T}} &= 10^{-A0} = 0.8950325 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^3 \text{T}} &= 10^{-A0} = 0.001321B60 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\text{Q}}{\text{L}^3 \text{T}^2} &= 10^{-120} = 0.0000064BA680 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}} \\
1 \text{ni'upapa-} \frac{\text{Q}}{\text{L}^3 \text{T}^2} &= 10^{-110} = B105.69A \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapa-} \frac{\text{Q}}{\text{L}^3 \text{T}^2} &= 10^{-110} = 17.1A834 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'ubo-} \frac{\text{TQ}}{\text{L}^3} &= 10^{-40} = 0.000003237A49 \text{m}^{\frac{\text{s C}}{\text{m}^3}} \\
1 \text{ni'uci-} \frac{\text{TQ}}{\text{L}^3} &= 10^{-30} = 5623.500 \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ni'uci-} \frac{\text{TQ}}{\text{L}^3} &= 10^{-30} = 9.646356 \text{k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{re-MQ} &= 10^{20} = 643.4BA0 \text{m kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{ kg C} &= 1.113801 \cdot 10^{20} \\
1 \text{ k kg C} &= 770.4974 \cdot 10^{20} \\
1 \text{ m} \frac{\text{kg C}}{\text{s}} &= 15B483.2 \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.0000A479287 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.0601734B \cdot 10^{-10} \\
1 \text{ m} \frac{\text{kg C}}{\text{s}^2} &= 12.280B9 \cdot 10^{-50} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 8292.957 \cdot 10^{-50} \\
1 \text{ k} \frac{\text{kg C}}{\text{s}^2} &= 0.00000491A945 \cdot 10^{-40} \\
1 \text{ m kg s C} &= 24.7062A \cdot 10^{50} \\
1 \text{ kg s C} &= 14662.B4 \cdot 10^{50} \\
1 \text{ k kg s C} &= 0.0000096A7451 \cdot 10^{60} \\
1 \text{ m kg m C} &= 350021.8 \cdot 10^{40} \quad (*) \\
1 \text{ kg m C} &= 0.0001B8892A \cdot 10^{50} \\
1 \text{ k kg m C} &= 0.118936A \cdot 10^{50} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}} &= 28.5A4B4 \cdot 10^{10} \\
1 \frac{\text{kg m C}}{\text{s}} &= 16974.B8 \cdot 10^{10} \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}} &= 0.00000AA695A5 \cdot 10^{20} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}^2} &= 0.00218B164 \cdot 10^{-20} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 1.2A93B3 \cdot 10^{-20} \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}^2} &= 875.6143 \cdot 10^{-20} \\
1 \text{ m kg m s C} &= 0.00438B125 \cdot 10^{80} \\
1 \text{ kg m s C} &= 2.5B3B90 \cdot 10^{80} \\
1 \text{ k kg m s C} &= 153B.437 \cdot 10^{80} \\
1 \text{ m kg m}^2 \text{ C} &= 62.26A23 \cdot 10^{70} \\
1 \text{ kg m}^2 \text{ C} &= 36B46.29 \cdot 10^{70} \\
1 \text{ k kg m}^2 \text{ C} &= 0.000020A3007 \cdot 10^{80} \quad (*) \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 0.004A981A1 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 2.A04675 \cdot 10^{40} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 1783.B74 \cdot 10^{40} \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 3A720B.7 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 0.00022B7195 \cdot 10^{10} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 0.1373238 \cdot 10^{10} \\
1 \text{ m kg m}^2 \text{ s C} &= 797AA3.0 \cdot 10^{40} \\
1 \text{ kg m}^2 \text{ s C} &= 0.0004624A86 \cdot 10^{B0} \\
1 \text{ k kg m}^2 \text{ s C} &= 0.2744878 \cdot 10^{B0} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}} &= 10.62125 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{m}} &= 72AA.704 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}} &= 0.0000042362A2 \cdot 10^0 \\
1 \text{ m} \frac{\text{kg C}}{\text{m s}} &= 0.0009ABB720 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg C}}{\text{m s}} &= 0.58A4525 \cdot 10^{-40} \\
1 \text{ k} \frac{\text{kg C}}{\text{m s}} &= 33A.2815 \cdot 10^{-40} \\
1 \text{ m} \frac{\text{kg C}}{\text{m s}^2} &= 7A360.B1 \cdot 10^{-80} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 0.00004669825 \cdot 10^{-70} \\
1 \text{ k} \frac{\text{kg C}}{\text{m s}^2} &= 0.0276B32B \cdot 10^{-70} \\
1 \text{ m} \frac{\text{kg s C}}{\text{m}} &= 139631.4 \cdot 10^{20} \\
1 \frac{\text{kg s C}}{\text{m}} &= 0.00009181571 \cdot 10^{30} \\
1 \text{ k} \frac{\text{kg s C}}{\text{m}} &= 0.053578A2 \cdot 10^{30} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}^2} &= 6AB73.80 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.00004001B4A \cdot 10^{-30} \quad (*) \\
1 \text{ k} \frac{\text{kg C}}{\text{m}^2} &= 0.02395166 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ re-}MQ &= 10^{20} = 0.AB9A081 \text{ kg C} \\
1 \text{ re-}MQ &= 10^{20} = 0.0016B94BB \text{ k kg C} \quad (*) \\
1 \text{ ni'}\text{ure-} \frac{MQ}{T} &= 10^{-20} = 0.000008033130 \text{ m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{T} &= 10^{-10} = 11A43.54 \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{T} &= 10^{-10} = 1B.B5701 \text{ k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{umu-} \frac{MQ}{T^2} &= 10^{-50} = 0.0A15B377 \text{ m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{umu-} \frac{MQ}{T^2} &= 10^{-50} = 0.000155B3A7 \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{uvo-} \frac{MQ}{T^2} &= 10^{-40} = 262948.4 \text{ k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ mu-}MTQ &= 10^{50} = 0.05054489 \text{ m kg s C} \\
1 \text{ mu-}MTQ &= 10^{50} = 0.00008855239 \text{ kg s C} \\
1 \text{ xa-}MTQ &= 10^{60} = 1305B2.2 \text{ k kg s C} \\
1 \text{ vo-}MLQ &= 10^{40} = 0.000003618A82 \text{ m kg m C} \\
1 \text{ mu-}MLQ &= 10^{50} = 609B.061 \text{ kg m C} \\
1 \text{ mu-}MLQ &= 10^{50} = A.5A1738 \text{ k kg m C} \\
1 \text{ pa-} \frac{MLQ}{T} &= 10^{10} = 0.04522B75 \text{ m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ pa-} \frac{MLQ}{T} &= 10^{10} = 0.000077AA844 \frac{\text{kg m C}}{\text{s}} \\
1 \text{ re-} \frac{MLQ}{T} &= 10^{20} = 112996.8 \text{ k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 571.57A1 \text{ m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.97BA2BB \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.00148515A \text{ k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ bi-}MLTQ &= 10^{80} = 294.8B18 \text{ m kg m s C} \\
1 \text{ bi-}MLTQ &= 10^{80} = 0.49859B3 \text{ kg m s C} \\
1 \text{ bi-}MLTQ &= 10^{80} = 0.0008387472 \text{ k kg m s C} \\
1 \text{ ze-}ML^2Q &= 10^{70} = 0.01B34A7A \text{ m kg m}^2 \text{ C} \\
1 \text{ ze-}ML^2Q &= 10^{70} = 0.0000342995A \text{ kg m}^2 \text{ C} \\
1 \text{ bi-}ML^2Q &= 10^{80} = 59638.05 \text{ k kg m}^2 \text{ C} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 254.743B \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.429395A \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.000738A936 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.00000310BBB6 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \quad (***) \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 540B.621 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 9.28918A \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ jauau-}ML^2TQ &= 10^{A0} = 0.000001654966 \text{ m kg m}^2 \text{ s C} \\
1 \text{ vaiei-}ML^2TQ &= 10^{B0} = 27A6.B38 \text{ kg m}^2 \text{ s C} \\
1 \text{ vaiei-}ML^2TQ &= 10^{B0} = 4.711193 \text{ k kg m}^2 \text{ s C} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{L} &= 10^{-10} = 0.0B60B439 \text{ m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{L} &= 10^{-10} = 0.00017A7254 \frac{\text{kg C}}{\text{m}} \\
1 \frac{MQ}{L} &= 1 = 2A4374.8 \text{ k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{uvo-} \frac{MQ}{LT} &= 10^{-40} = 1263.0A9 \text{ m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 2.111463 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 0.003743AB9 \text{ k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubi-} \frac{MQ}{LT^2} &= 10^{-80} = 0.0000163AB42 \text{ m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'}\text{uze-} \frac{MQ}{LT^2} &= 10^{-70} = 27801.22 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'}\text{uze-} \frac{MQ}{LT^2} &= 10^{-70} = 46.87A24 \text{ k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ re-} \frac{MTQ}{L} &= 10^{20} = 0.00000914B462 \text{ m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ci-} \frac{MTQ}{L} &= 10^{30} = 13909.36 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ci-} \frac{MTQ}{L} &= 10^{30} = 23.28537 \text{ k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{L^2} &= 10^{-40} = 0.0000189B1A2 \text{ m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'}\text{uci-} \frac{MQ}{L^2} &= 10^{-30} = 2BBA6.56 \frac{\text{kg C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'}\text{uci-} \frac{MQ}{L^2} &= 10^{-30} = 52.23513 \text{ k} \frac{\text{kg C}}{\text{m}^2}
\end{aligned}$$

$1m \frac{kg\ C}{m^2 s} = 5.58AB15 \cdot 10^{-70}$	$1 ni'uze - \frac{MQ}{L^2 T} = 10^{-70} = 0.2234B43 m \frac{kg\ C}{m^2 s}$
$1 \frac{kg\ C}{m^2 s} = 3206.666 \cdot 10^{-70}$	$1 ni'uze - \frac{MQ}{L^2 T} = 10^{-70} = 0.0003950479 \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 0.000001A02555 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 665995.8 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 0.00044115B9 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 2920.753 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.261918B \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 4.939BBB \frac{kg\ C}{m^2 s^2} (**)$
$1k \frac{kg\ C}{m^2 s^2} = 155.42A1 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.008306AB2 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.0008885681 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 1460.600 m \frac{kg\ s\ C}{m^2} (*)$
$1 \frac{kg\ s\ C}{m^2} = 0.5071530 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 2.462712 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 2B0.9539 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.004134235 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.00039A0664 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 3184.746 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.2263914 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 5.51878B \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 134.2613 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.009469909 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 303A2.57 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^3 T} = 10^{-A0} = 0.00003B6AB2B m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.000019028A6 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 6A265.04 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 0.0101B703 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = BA.08955 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 2.494443 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.5005AB8 m \frac{kg\ C}{m^3 s^2} (*)$
$1 \frac{kg\ C}{m^3 s^2} = 147A.437 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.0008790182 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 977B32.3 \cdot 10^{-110}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 12B3469. k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 4.9A1B02 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.25A56B6 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 2958.67A \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.0004375169 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 0.00000174580A \cdot 10^{-20}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 752454.9 k \frac{kg\ s\ C}{m^3}$
$1m \frac{1}{K} = 1046.233 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000B775604 m \frac{1}{K}$
$1 \frac{1}{K} = 71B439.1 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000001813238 \frac{1}{K}$
$1k \frac{1}{K} = 0.000418A275 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = 2A8A.A86 k \frac{1}{K}$
$1m \frac{1}{s\ K} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{s\ K}$
$1 \frac{1}{s\ K} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{s\ K}$
$1k \frac{1}{s\ K} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{s\ K}$
$1m \frac{1}{s^2\ K} = 0.00000793007A \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 166451.9 m \frac{1}{s^2\ K}$
$1 \frac{1}{s^2\ K} = 0.0045B6A46 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 280.3066 \frac{1}{s^2\ K}$
$1k \frac{1}{s^2\ K} = 2.729041 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.473BA77 k \frac{1}{s^2\ K}$
$1m \frac{s}{K} = 0.0000137516A \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 92774.98 m \frac{s}{K}$
$1 \frac{s}{K} = 0.009056B71 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 13B.2156 \frac{s}{K}$
$1k \frac{s}{K} = 5.292906 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 0.23642AB k \frac{s}{K}$
$1m \frac{m}{K} = 0.1A49A23 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 6.51786A m \frac{m}{K}$
$1 \frac{m}{K} = 10B.6989 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00B136169 \frac{m}{K}$
$1k \frac{m}{K} = 7603B.69 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00001723B56 k \frac{m}{K}$
$1m \frac{m}{s\ K} = 0.0000159016A \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 8141B.A2 m \frac{m}{s\ K}$
$1 \frac{m}{s\ K} = 0.00A332AA8 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 120.2710 \frac{m}{s\ K}$
$1k \frac{m}{s\ K} = 5.B40624 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.202815A k \frac{m}{s\ K}$
$1m \frac{m}{s^2\ K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2\ K}$
$1 \frac{m}{s^2\ K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2\ K}$
$1k \frac{m}{s^2\ K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2\ K}$
$1m \frac{ms}{K} = 2433.053 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.0005115786 m \frac{ms}{K}$
$1 \frac{ms}{K} = 1443B11. \cdot 10^{80}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 89752A.4 \frac{ms}{K}$
$1k \frac{ms}{K} = 0.00095746BB \cdot 10^{90}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 1326.169 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 0.00003466B3A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 36748.3B m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.01B57027 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 61.7825A \frac{m^2}{K}$
$1k \frac{m^2}{K} = 11.6B54A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 0.0A7300A0 k \frac{m^2}{K} (*)$
$1m \frac{m^2}{s\ K} = 2816.87A \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.0004594653 m \frac{m^2}{s\ K}$
$1 \frac{m^2}{s\ K} = 1671601. \cdot 10^{40}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 78B268.6 \frac{m^2}{s\ K}$

$$\begin{aligned}
1k \frac{m^2}{s^2 K} &= 0.000A915906 \cdot 10^{50} \\
1m \frac{m^2}{s^2 K} &= 0.2156202 \cdot 10^{10} \\
1 \frac{m^2}{s^2 K} &= 128.9760 \cdot 10^{10} \\
1k \frac{m}{s^2 K} &= 86396.09 \cdot 10^{10} \\
1m \frac{m^2 s}{K} &= 0.4320936 \cdot 10^{B0} \\
1 \frac{m^2 s}{K} &= 257.4406 \cdot 10^{B0} \\
1k \frac{m^2 s}{K} &= 151795.5 \cdot 10^{B0} \\
1m \frac{1}{m K} &= 0.000006A07374 \cdot 10^0 \\
1 \frac{1}{m K} &= 0.003B59685 \cdot 10^0 \\
1k \frac{1}{m K} &= 2.358B07 \\
1m \frac{1}{m s K} &= 550.23B2 \cdot 10^{-40} \\
1 \frac{1}{m s K} &= 317601.B \cdot 10^{-40} \\
1k \frac{1}{m s K} &= 0.0001993512 \cdot 10^{-30} \\
1m \frac{1}{m s^2 K} &= 0.04362747 \cdot 10^{-70} \\
1 \frac{1}{m s^2 K} &= 25.9921B \cdot 10^{-70} \\
1k \frac{1}{m s^2 K} &= 15305.90 \cdot 10^{-70} \\
1m \frac{s}{m K} &= 0.08766B71 \cdot 10^{30} \\
1 \frac{s}{m K} &= 4B.B1046 \cdot 10^{30} \\
1k \frac{s}{m K} &= 2A817.9B \cdot 10^{30} \\
1m \frac{1}{m^2 K} &= 0.0393B747 \cdot 10^{-30} \\
1 \frac{1}{m^2 K} &= 22.2967B \cdot 10^{-30} \\
1k \frac{1}{m^2 K} &= 13221.03 \cdot 10^{-30} \\
1m \frac{1}{m^2 s K} &= 0.000002BB0502 \cdot 10^{-60} \quad (*) \\
1 \frac{1}{m^2 s K} &= 0.00189536A \cdot 10^{-60} \\
1k \frac{1}{m^2 s K} &= 1.004295 \cdot 10^{-60} \quad (*) \\
1m \frac{1}{m^2 s^2 K} &= 245.66A5 \cdot 10^{-40} \\
1 \frac{1}{m^2 s^2 K} &= 1457A3.8 \cdot 10^{-A0} \\
1k \frac{1}{m^2 s^2 K} &= 0.000096472B0 \cdot 10^{-90} \\
1m \frac{s}{m^2 K} &= 492.5A6B \cdot 10^0 \\
1 \frac{s}{m^2 K} &= 291336.1 \cdot 10^0 \\
1k \frac{s}{m^2 K} &= 0.000171AA24 \cdot 10^{10} \\
1m \frac{1}{m^3 K} &= 210.63A2 \cdot 10^{-60} \\
1 \frac{1}{m^3 K} &= 125ABA.8 \cdot 10^{-60} \\
1k \frac{1}{m^3 K} &= 0.00008478BB0 \cdot 10^{-50} \quad (*) \\
1m \frac{1}{m^3 s K} &= 0.017A1742 \cdot 10^{-90} \\
1 \frac{1}{m^3 s K} &= B.598647 \cdot 10^{-90} \\
1k \frac{1}{m^3 s K} &= 6790.130 \cdot 10^{-90} \\
1m \frac{1}{m^3 s^2 K} &= 0.000001388416 \cdot 10^{-100} \\
1 \frac{1}{m^3 s^2 K} &= 0.000912473A \cdot 10^{-100} \\
1k \frac{1}{m^3 s^2 K} &= 0.5323A82 \cdot 10^{-100} \\
1m \frac{s}{m^3 K} &= 0.00000277323A \cdot 10^{-20} \\
1 \frac{s}{m^3 K} &= 0.001635961 \cdot 10^{-20} \\
1k \frac{s}{m^3 K} &= 0.A702286 \cdot 10^{-20} \\
1m \frac{kg}{K} &= 0.013A5345 \cdot 10^{30} \\
1 \frac{kg}{K} &= 9.226005 \cdot 10^{30} \quad (*) \\
1k \frac{kg}{K} &= 5394.043 \cdot 10^{30} \\
1m \frac{kg}{s K} &= 0.00000106AA00 \cdot 10^0 \quad (*) \\
1 \frac{kg}{s K} &= 0.000733B296 \cdot 10^0 \\
1k \frac{kg}{s K} &= 0.4265401 \cdot 10^0 \\
1m \frac{kg}{s^2 K} &= 9B.6A77A \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 mu \cdot \frac{L^2}{T \Theta} &= 10^{50} = 1147.109 k \frac{m^2}{s K} \\
1 pa \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 5.7A5784 m \frac{m^2}{s^2 K} \\
1 pa \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.009934A29 \frac{m^2}{s^2 K} \\
1 pa \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.000014A7BB3 k \frac{m^2}{s^2 K} \quad (*) \\
1 vaiei \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 2.9927A4 m \frac{m^2 s}{K} \\
1 vaiei \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 0.004A42803 \frac{m^2 s}{K} \\
1 pano \cdot \frac{L^2 T}{\Theta} &= 10^{100} = 849B989. k \frac{m^2 s}{K} \\
1 \frac{1}{L \Theta} &= 1 = 19087B.3 m \frac{1}{m K} \\
1 \frac{1}{L \Theta} &= 1 = 304.8532 \frac{1}{m K} \\
1 \frac{1}{L \Theta} &= 1 = 0.52A758B k \frac{1}{m K} \\
1 ni' uvo \cdot \frac{1}{L T \Theta} &= 10^{-40} = 0.00226B297 m \frac{1}{m s K} \\
1 ni' uvo \cdot \frac{1}{L T \Theta} &= 10^{-40} = 0.0000039B1560 \frac{1}{m s K} \\
1 ni' uci \cdot \frac{1}{L T \Theta} &= 10^{-30} = 6744.081 k \frac{1}{m s K} \\
1 ni' uze \cdot \frac{1}{L T^2 \Theta} &= 10^{-70} = 29.65BA0 m \frac{1}{m s^2 K} \\
1 ni' uze \cdot \frac{1}{L T^2 \Theta} &= 10^{-70} = 0.049B6271 \frac{1}{m s^2 K} \\
1 ni' uze \cdot \frac{1}{L T^2 \Theta} &= 10^{-70} = 0.0000841A317 k \frac{1}{m s^2 K} \\
1 ci \cdot \frac{T}{L \Theta} &= 10^{30} = 14.83074 m \frac{s}{m K} \\
1 ci \cdot \frac{T}{L \Theta} &= 10^{30} = 0.024A057B \frac{s}{m K} \\
1 ci \cdot \frac{T}{L \Theta} &= 10^{30} = 0.0000419B57A k \frac{s}{m K} \\
1 ni' uci \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 32.15321 m \frac{1}{m^2 K} \\
1 ni' uci \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.055A5548 \frac{1}{m^2 K} \\
1 ni' uci \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.0000959AA34 k \frac{1}{m^2 K} \\
1 ni' uxa \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 401358.A m \frac{1}{m^2 s K} \\
1 ni' uxa \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 6B1.6822 \frac{1}{m^2 s K} \\
1 ni' uxa \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 0.BB79407 k \frac{1}{m^2 s K} \quad (*) \\
1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.005086614 m \frac{1}{m^2 s^2 K} \\
1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.0000088AB081 \frac{1}{m^2 s^2 K} \\
1 ni' uso \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-90} = 13134.BB k \frac{1}{m^2 s^2 K} \quad (*) \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.002625780 m \frac{s}{m^2 K} \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.000004424214 \frac{s}{m^2 K} \\
1 pa \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 7623.B51 k \frac{s}{m^2 K} \\
1 ni' uxa \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.0058BBA04 m \frac{1}{m^3 K} \quad (*) \\
1 ni' uxa \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.000009B2915B \frac{1}{m^3 K} \\
1 ni' umu \cdot \frac{1}{L^3 \Theta} &= 10^{-50} = 15204.30 k \frac{1}{m^3 K} \\
1 ni' uso \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 73.0B0A3 m \frac{1}{m^3 s K} \\
1 ni' uso \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.1065762 \frac{1}{m^3 s K} \\
1 ni' uso \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.0001980157 k \frac{1}{m^3 s K} \\
1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 91A844.A m \frac{1}{m^3 s^2 K} \\
1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 139A.861 \frac{1}{m^3 s^2 K} \\
1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 2.341738 k \frac{1}{m^3 s^2 K} \\
1 ni' ure \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 468108.4 m \frac{s}{m^3 K} \\
1 ni' ure \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 7A5.8788 \frac{s}{m^3 K} \\
1 ni' ure \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 1.17309B k \frac{s}{m^3 K} \\
1 ci \cdot \frac{M}{\Theta} &= 10^{30} = 90.A7486 m \frac{kg}{K} \\
1 ci \cdot \frac{M}{\Theta} &= 10^{30} = 0.13819BB \frac{kg}{K} \quad (*) \\
1 ci \cdot \frac{M}{\Theta} &= 10^{30} = 0.0002311650 k \frac{kg}{K} \\
1 \frac{M}{T \Theta} &= 1 = B54B57.3 m \frac{kg}{s K} \\
1 \frac{M}{T \Theta} &= 1 = 1795.48B \frac{kg}{s K} \\
1 \frac{M}{T \Theta} &= 1 = 2.A23909 k \frac{kg}{s K} \\
1 ni' uvo \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.01254BA6 m \frac{kg}{s^2 K}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 59245.A6 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.000034065A2 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 180.4050 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= B7100.27 \cdot 10^{60} \quad (*) \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 0.0000685A356 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 0.000002488576 \cdot 10^{60} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.001475959 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 0.9753659 \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0160526A \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= A.530264 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 6059.757 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 0.030302B0 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 18.B8B83 \cdot 10^{90} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 10182.BA \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 43B.B262 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 2610A6.1 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 0.000154B550 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.0352495A \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1B.A13B2 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 1196A.68 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.00005574A88 \cdot 10^{100} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0031B8139 \cdot 10^{100} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.9B84BA \cdot 10^{100} \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 89.26759 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 50A78.7B \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.00002B29AB6 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 0.006B45254 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 4.02B558 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 23B0.628 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 560897.A \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.0003229118 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.1A1599B \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 4A1635.1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0002977AB9 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1757237 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3A.08646 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 227A3.2B \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0000135127A \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.00305B675 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.9154A8 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1028.0A7 \cdot 10^{-90}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uovo-} \frac{M}{T^2 \Theta} &= 10^{-40} = 0.000020B7B4A \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{uci-} \frac{M}{T^2 \Theta} &= 10^{-30} = 37199.76 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.007234241 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.00001051101 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 19576.54 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 501A4B.9 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 87B.47A1 \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1.2B75A0 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T \Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 7B.982B5 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.11967B0 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.0001BA0B45 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 3B.80018 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.06A45019 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.0000BA3B9B5 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.0029298A0 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.000004951904 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 832A.16B \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 35.B3756 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.06058571 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.0000A52A268 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 224020.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 396.0A52 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 0.6677437 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.01451057 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.00002446953 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 4105B.73 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 188.8834 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.2B99664 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.00051A829B \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 221A839. \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 3924.A17 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 6.61334A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 2588A02. \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 4345.348 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 7.492607 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{L^2 T \Theta} &= 10^{-60} = 0.03162525 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{L^2 T \Theta} &= 10^{-60} = 0.0000549B4A4 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{umu-} \frac{M}{L^2 T \Theta} &= 10^{-50} = 94036.B6 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 3B4.1A91 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 0.69993AA \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 0.000B946168 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}
\end{aligned}$$

$1m \frac{kg\ s}{m^2 K} = 0.00614340B \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 1B6.8111 m \frac{kg\ s}{m^2 K}$
$1 \frac{kg\ s}{m^2 K} = 3.655063 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.3485649 \frac{kg\ s}{m^2 K}$
$1k \frac{kg\ s}{m^2 K} = 2069.784 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0005A40890 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.002814414 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 459.8629 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1.67015B \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.78B9535 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = A90.8244 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.0011480B5 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s K} = 215434.A \cdot 10^{-90}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 57AA801. m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.000128864B \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 9941.654 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 0.08631B24 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 14.A92B4 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 18.1B660 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.07184883 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = B803.599 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001041093 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 6904825. \cdot 10^{-100}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 193A92.5 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 34.63B39 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.03677A24 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1B553.46 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000061817B0 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 0.0000116A542 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A7395.AB k \frac{kg}{m^3 K}$
$1m K = 2A8A.A86 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.000418A275 m K$
$1 K = 0.000001813238 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 71B439.1 K$
$1k K = 0.000B775604 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 1046.233 k K$
$1m \frac{K}{s} = 0.23642AB \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 5.292906 m \frac{K}{s}$
$1 \frac{K}{s} = 13B.2156 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.009056B71 \frac{K}{s}$
$1k \frac{K}{s} = 92774.98 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.0000137516A k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00001999287 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 6726B.48 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.01075A0A \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = B4.A7260 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 7.37BA73 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 0.17864B7 k \frac{K}{s^2}$
$1m s K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m s K$
$1 s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s K$
$1k s K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k s K$
$1m m K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m m K$
$1 m K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m K$
$1k m K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k m K$
$1m \frac{m K}{s} = 0.0000419B57A \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 2A817.9B m \frac{m K}{s}$
$1 \frac{m K}{s} = 0.024A057B \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 4B.B1046 \frac{m K}{s}$
$1k \frac{m K}{s} = 14.83074 \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 0.08766B71 k \frac{m K}{s}$
$1m \frac{m K}{s^2} = 3359.932 \cdot 10^{-70}$	$1 ni'uze \frac{L\Theta}{T^2} = 10^{-70} = 0.000379201A m \frac{m K}{s^2}$
$1 \frac{m K}{s^2} = 0.000001AA2464 \cdot 10^{-60}$	$1 ni'uxa \frac{L\Theta}{T^2} = 10^{-60} = 6375A6.5 \frac{m K}{s^2}$
$1k \frac{m K}{s^2} = 0.0011281A1 \cdot 10^{-60}$	$1 ni'uxa \frac{L\Theta}{T^2} = 10^{-60} = AA8.1861 k \frac{m K}{s^2}$
$1m m s K = 6744.081 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.0001993512 m m s K$
$1 m s K = 0.0000039B1560 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 317601.B m s K$
$1k m s K = 0.00226B297 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 550.23B2 k m s K$
$1m m^2 K = 0.0000959AA34 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 13221.03 m^2 K$
$1 m^2 K = 0.055A5548 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 22.2967B m^2 K$
$1k m^2 K = 32.15321 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.0393B747 k m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa \frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5B57636 \cdot 10^{-40}$	$1 ni'ovo \frac{L^2\Theta}{T^2} = 10^{-40} = 2.021821 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 354.38B0 \cdot 10^{-40}$	$1 ni'ovo \frac{L^2\Theta}{T^2} = 10^{-40} = 0.003594419 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 1BB273.B \cdot 10^{-40} (*)$	$1 ni'ovo \frac{L^2\Theta}{T^2} = 10^{-40} = 0.0000060242B3 k \frac{m^2 K}{s^2}$
$1m m^2 s K = 0.BB79407 \cdot 10^{60} (*)$	$1 xa-L^2T\Theta = 10^{60} = 1.004295 m m^2 s K (*)$
$1 m^2 s K = 6B1.6822 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00189536A m^2 s K$

$$\begin{aligned}
1 \text{k m}^2 \text{s K} &= 401358.A \cdot 10^{60} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 0.00001723B56 \cdot 10^{-50} \\
1 \frac{\text{K}}{\text{m}} &= 0.00B136169 \cdot 10^{-50} \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 6.51786A \cdot 10^{-50} \\
1 \text{m} \frac{\text{K}}{\text{m s}} &= 1326.169 \cdot 10^{-90} \\
1 \frac{\text{K}}{\text{m s}} &= 89752A.4 \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{m s}} &= 0.0005115786 \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2} &= 0.1007530 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{K}}{\text{m s}^2} &= 6B.83796 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2} &= 40524.01 \cdot 10^{-100} \\
1 \text{m} \frac{\text{s K}}{\text{m}} &= 0.202815A \cdot 10^{-20} \\
1 \frac{\text{s K}}{\text{m}} &= 120.2710 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s K}}{\text{m}} &= 8141B.A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 0.0A7300A0 \cdot 10^{-80} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2} &= 61.7825A \cdot 10^{-80} \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 36748.3B \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 849B989. \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.004A42803 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 2.9927A4 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 67A.9430 \cdot 10^{-130} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 3A2A23.6 \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.0002291153 \cdot 10^{-120} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2} &= 1147.109 \cdot 10^{-50} \\
1 \frac{\text{s K}}{\text{m}^2} &= 78B268.6 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2} &= 0.0004594653 \cdot 10^{-40} \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 5A3.7635 \cdot 10^{-B0} \\
1 \frac{\text{K}}{\text{m}^3} &= 348262.B \cdot 10^{-B0} \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 0.0001B66421 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.04785943 \cdot 10^{-120} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= 28.2A298 \cdot 10^{-120} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 167A5.8A \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 3818466. \cdot 10^{-160} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.002166562 \cdot 10^{-150} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 1.2948A4 \cdot 10^{-150} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3} &= 7487B26. \cdot 10^{-80} \\
1 \frac{\text{s K}}{\text{m}^3} &= 0.004341592 \cdot 10^{-70} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3} &= 2.586774 \cdot 10^{-70} \\
1 \text{m kg K} &= 0.03867199 \cdot 10^{-20} \\
1 \text{kg K} &= 21.9457B \cdot 10^{-20} \\
1 \text{kg kg K} &= 12B05.08 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 2B37376. \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{s}} &= 0.001851886 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 0.B9A4797 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 23B.7B5B \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 1422BB.2 \cdot 10^{-90} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 0.0000944B562 \cdot 10^{-80} \\
1 \text{m kg s K} &= 482.7B4A \cdot 10^{10} \\
1 \text{kg s K} &= 28651A.7 \cdot 10^{10} \\
1 \text{kg kg s K} &= 0.000169B399 \cdot 10^{20} \\
1 \text{m kg m K} &= 687789A. \cdot 10^0 \\
1 \text{kg m K} &= 0.003A7B907 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-L}^2 T \Theta &= 10^{60} = 0.000002BB0502 \text{k m}^2 \text{s K} \quad (*) \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 7603B.69 \text{m} \frac{\text{K}}{\text{m}} \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 10B.6989 \frac{\text{K}}{\text{m}} \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 0.1A49A23 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uso-} \frac{\Theta}{LT} &= 10^{-90} = 0.00095746BB \text{m} \frac{\text{K}}{\text{m s}} \quad (*) \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 1443B11. \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 2433.053 \text{k} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = B.B47171 \text{m} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.0187922B \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.00002B81801 \text{k} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 5.B40624 \text{m} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.00A332AA8 \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.0000159016A \text{k} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 11.6B54A \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.01B57027 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.00003466B3A \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 151795.5 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 257.4406 \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 0.4320936 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upaci-} \frac{\Theta}{L^2T^2} &= 10^{-130} = 0.001976439 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 3145743. \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 546B.517 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umu-} \frac{\Theta}{L^2} &= 10^{-50} = 0.000A915906 \text{m} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{T\Theta}{L^2} &= 10^{-40} = 1671601. \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{T\Theta}{L^2} &= 10^{-40} = 2816.87A \text{k} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^3} &= 10^{-B0} = 0.00206B563 \text{m} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 365822B. \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 6148.931 \text{k} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 27.02995 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.045727A7 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.00007875A0A \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 331918.5 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 577.8B94 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 0.98A84BA \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 175877.2 \text{m} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 297.A4A6 \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 0.4A1A70B \text{k} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 32.955B7 \text{m kg K} \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 0.057038A6 \text{kg K} \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 0.0000979A258 \text{k kg K} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 40B4B1.1 \text{m} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 707.065A \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 1.021BB8 \text{k} \frac{\text{kg K}}{\text{s}} \quad (*) \\
1 \text{ni'uso-} \frac{M\Theta}{T^2} &= 10^{-90} = 0.005193937 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 8A8BA96. \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 13456.78 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{pa-MT}\Theta &= 10^{10} = 0.002689A87 \text{m kg s K} \\
1 \text{re-MT}\Theta &= 10^{20} = 4513B39. \text{kg s K} \\
1 \text{re-MT}\Theta &= 10^{20} = 7793.78A \text{k kg s K} \\
1 \text{pa-ML}\Theta &= 10^{10} = 19519B.2 \text{m kg m K} \\
1 \text{pa-ML}\Theta &= 10^{10} = 310.4387 \text{kg m K}
\end{aligned}$$

$$\begin{aligned}
1 \text{k kg m K} &= 2.3008B6 \cdot 10^{10} \quad (*) \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 53A.9035 \cdot 10^{-30} \\
1 \frac{\text{kg m K}}{\text{s}} &= 30B87B.B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00019494A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 0.04276972 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 25.37268 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 14B58.11 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{k g m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{k g m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0977A372 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 56.B1AA4 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 32895.A9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 7778851. \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.004504B92 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.683670 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 0.0000134246A \cdot 10^{70} \\
1 \text{k g m}^2 \text{s K} &= 0.008A71A48 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 5.183036 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 207.422B \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 122B04.B \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.000082AB362 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.01760466 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= B.352768 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 6646.2B1 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 13553B9. \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.0008B39834 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 0.5213136 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 2708945. \cdot 10^{-20} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0015B84B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.A49B129 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 117208B. \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0007A5179A \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4679017 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= A9.36703 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 629A7.89 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.000037373B0 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.008655222 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 4.B3587A \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 2A38.989 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.0151B100 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 9.B20372 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 58B6.890 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.00761933A \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.420391 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 2623.4A1 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 5B5229.A \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-ML}\Theta &= 10^{10} = 0.53BA293 \text{k kg m K} \\
1 \text{ni'uci-} \frac{ML\Theta}{T} &= 10^{-30} = 0.0023063B4 \text{m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 3A89497. \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T^2} &= 10^{-20} = 6890.4A0 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 2A.167B2 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.04AB864B \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000085AB123 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.02541329 \text{ kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-ML}^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 1855B47. \text{ kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 12.B3609 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.02199973 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00003874439 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 16A326.2 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 286.BA70 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.48376A4 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 946A8.42 \text{m kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 142.6410 \text{ kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 0.24018A6 \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.005A26032 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo-} \frac{M\Theta}{L} &= 10^{-40} = A13A14B. \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo-} \frac{M\Theta}{L} &= 10^{-40} = 15578.44 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 74.72A8A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.1091345 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.0001A069A3 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 939995.1 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 1412.7A7 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2.39A781 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 47770B.8 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 801.7193 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 1.1A14B6 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = A70B76.A \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 1637.192 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 2.77564A \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.01144628 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.00001B11699 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 33AA6.B8 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 14A.4902 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.2518A70 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0004244267 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ubo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 84.84542 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.1260093 \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'ubo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0002108212 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 172.0328 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.29158B1 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000492A14B \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{MT\Theta}{L^3T} &= 10^{-120} = 0.00000202357B \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.0003540823 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{L^3T} = 10^{-110} = 3597.533 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.1BB0A0A \cdot 10^{-110} \quad (*)$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{L^3T} = 10^{-110} = 6.029711 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 48.72863 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M\Theta}{L^3T^2} = 10^{-150} = 0.026641 A9 \text{ m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 2890 A.1A \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M\Theta}{L^3T^2} = 10^{-150} = 0.00004490689 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.000016 B57A6 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{M\Theta}{L^3T^2} = 10^{-140} = 771 A.A.34 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = 95.92523 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MT\Theta}{L^3} = 10^{-70} = 0.01323262 \text{ m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 55 A06.A8 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MT\Theta}{L^3} = 10^{-70} = 0.0000222 B5B8 \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.0000321253 A \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{MT\Theta}{L^3} = 10^{-60} = 3942 B.80 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.03494642 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{\Theta}{Q} = 10^{-40} = 36.45721 \text{ m} \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{C}} = 1B.72555 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{\Theta}{Q} = 10^{-40} = 0.06127689 \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 117 A8.46 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{\Theta}{Q} = 10^{-40} = 0.0000 A663335 \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{s C}} = 2839400. \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{uze}-\frac{\Theta}{TQ} = 10^{-70} = 45582 B.4 \text{ m} \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.001684 A99 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{TQ} = 10^{-70} = 784.A035 \frac{\text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{K}}{\text{s C}} = 0.49 A4853 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{TQ} = 10^{-70} = 1.138098 \text{k} \frac{\text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 217.3309 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{\Theta}{T^2Q} = 10^{-B0} = 0.0057598 B4 \text{ m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 12999 B.3 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{\Theta}{T^2Q} = 10^{-A0} = 9874321. \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.000086 A4303 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{\Theta}{T^2Q} = 10^{-A0} = 14961.05 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{s K}}{\text{C}} = 435.71 AA \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{T\Theta}{Q} = 10^{-10} = 0.00296 A A19 \text{ m} \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 2594 A4.7 \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 4 A02743. \frac{\text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{s K}}{\text{C}} = 0.0001529 B95 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 8430.931 \text{k} \frac{\text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{C}} = 6199690. \cdot 10^{-20}$	$1 \text{ni}'\text{upa}-\frac{L\Theta}{Q} = 10^{-10} = 1B4AB5.B \text{ m} \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 0.00368744 A \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{L\Theta}{Q} = 10^{-10} = 345.5023 \frac{\text{m K}}{\text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{C}} = 2.08799 B \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{L\Theta}{Q} = 10^{-10} = 0.59 A9763 \text{k} \frac{\text{m K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{s C}} = 4A5.A915 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L\Theta}{TQ} = 10^{-50} = 0.0025661 B9 \text{ m} \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s C}} = 29 A234.8 \cdot 10^{-50}$	$1 \text{ni}'\text{ubo}-\frac{L\Theta}{TQ} = 10^{-40} = 4307244. \frac{\text{m K}}{\text{s C}}$
$1 \text{k} \frac{\text{m K}}{\text{s C}} = 0.0001770922 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{L\Theta}{TQ} = 10^{-40} = 7426.A50 \text{k} \frac{\text{m K}}{\text{s C}}$
$1 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.03 A42140 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2Q} = 10^{-80} = 31.34939 \text{ m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 22.9 A3BB \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2Q} = 10^{-80} = 0.054512 B3 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 13631.91 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2Q} = 10^{-80} = 0.0000933 B0 B5 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m s K}}{\text{C}} = 0.0791 A684 \cdot 10^{20}$	$1 \text{re}-\frac{LT\Theta}{Q} = 10^{20} = 16.67144 \text{ m} \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 45. AB07A \cdot 10^{20}$	$1 \text{re}-\frac{LT\Theta}{Q} = 10^{20} = 0.02807827 \frac{\text{m s K}}{\text{C}}$
$1 \text{k} \frac{\text{m s K}}{\text{C}} = 27246.12 \cdot 10^{20}$	$1 \text{re}-\frac{LT\Theta}{Q} = 10^{20} = 0.00004747 A A0 \text{k} \frac{\text{m s K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = B17.4036 \cdot 10^{10}$	$1 \text{pa}-\frac{L^2\Theta}{Q} = 10^{10} = 0.0010 B2436 \text{ m} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 653 A33.5 \cdot 10^{10}$	$1 \text{re}-\frac{L^2\Theta}{Q} = 10^{20} = 1A421A2. \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.000388 B541 \cdot 10^{20}$	$1 \text{re}-\frac{L^2\Theta}{Q} = 10^{20} = 3274.B79 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.089 A5731 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2\Theta}{TQ} = 10^{-20} = 14.3 A37A \text{ m} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 51.32830 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2\Theta}{TQ} = 10^{-20} = 0.024253 A B \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 2B558.80 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2\Theta}{TQ} = 10^{-20} = 0.00004089 B79 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 6BA8571. \cdot 10^{-60}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2Q} = 10^{-50} = 187211.8 \text{ m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.004067016 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2Q} = 10^{-50} = 2B7.14 B4 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 2.411882 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2Q} = 10^{-50} = 0.5160866 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.00001207500 \cdot 10^{50} \quad (*)$	$1 \text{mu}-\frac{L^2T\Theta}{Q} = 10^{50} = A2B86.95 \text{ m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.00816 B609 \cdot 10^{50}$	$1 \text{mu}-\frac{L^2T\Theta}{Q} = 10^{50} = 158.604 A \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 4.8577 A9 \cdot 10^{50}$	$1 \text{mu}-\frac{L^2T\Theta}{Q} = 10^{50} = 0.267255 B \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{m C}} = 1A6.44 A2 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{LQ} = 10^{-70} = 0.006484232 \text{ m} \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m C}} = 110567.0 \cdot 10^{-70}$	$1 \text{ni}'\text{uxa}-\frac{\Theta}{LQ} = 10^{-60} = B064437. \frac{\text{K}}{\text{m C}}$
$1 \text{k} \frac{\text{K}}{\text{m C}} = 0.00007666646 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{\Theta}{LQ} = 10^{-60} = 17101.93 \text{k} \frac{\text{K}}{\text{m C}}$
$1 \text{m} \frac{\text{K}}{\text{m s C}} = 0.015 A2 A00 \cdot 10^{-A0} \quad (*)$	$1 \text{ni}'\text{ujauau}-\frac{\Theta}{LTQ} = 10^{-A0} = 80.9599 A \text{ m} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{m s C}} &= A.3B9015 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{K}}{\text{m s C}} &= 5B8B.72A \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2 \text{C}} &= 121912A \cdot 10^{-120} \\
1 \frac{\text{K}}{\text{m s}^2 \text{C}} &= 0.000822A66A \cdot 10^{-110} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2 \text{C}} &= 0.48A27B0 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s K}}{\text{m C}} &= 2452553 \cdot 10^{-40} \\
1 \frac{\text{s K}}{\text{m C}} &= 0.001455585 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s K}}{\text{m C}} &= 0.9632831 \cdot 10^{-30} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 1054535 \cdot 10^{-A0} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.0007253602 \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.42034B9 \cdot 10^{-90} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s C}} &= 9A.438A9 \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{m}^2 \text{s C}} &= 585B3.3A \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.00003377AB8 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.007995360 \cdot 10^{-140} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 4.633690 \cdot 10^{-140} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 274A.A8A \cdot 10^{-140} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2 \text{C}} &= 0.01386099 \cdot 10^{-60} \\
1 \frac{\text{s K}}{\text{m}^2 \text{C}} &= 9.11097B \cdot 10^{-60} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2 \text{C}} &= 5316.8B1 \cdot 10^{-60} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.006A63319 \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 3.B90A7A \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 2377.820 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s C}} &= 554821.9 \cdot 10^{-140} \\
1 \frac{\text{K}}{\text{m}^3 \text{s C}} &= 0.00031A1217 \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s C}} &= 0.19A9562 \cdot 10^{-130} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 43.99353 \cdot 10^{-170} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 25B9A.5B \cdot 10^{-170} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0000154292A \cdot 10^{-160} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3 \text{C}} &= 88.18896 \cdot 10^{-90} \\
1 \frac{\text{s K}}{\text{m}^3 \text{C}} &= 50327.B9 \cdot 10^{-90} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3 \text{C}} &= 0.00002AA6461 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{C}} &= 443633.8 \cdot 10^{-40} \\
1 \frac{\text{kg K}}{\text{C}} &= 0.000263196B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg K}}{\text{C}} &= 0.1561A5A \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{s C}} &= 35.52ABA \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{s C}} &= 1BB90.AB \cdot 10^{-70} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s C}} &= 0.000011A6384 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 0.0028A015B \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 1.700225 \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2 \text{C}} &= ABB.5332 \cdot 10^{-A0} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{C}} &= 0.0055BB2B0 \cdot 10^0 \quad (*) \\
1 \frac{\text{kg s K}}{\text{C}} &= 3.22368B \\
1 \text{k} \frac{\text{kg s K}}{\text{C}} &= 1A12.74A \cdot 10^0 \\
1 \text{m} \frac{\text{kg m K}}{\text{C}} &= 7A.7A1B8 \cdot 10^{-10} \\
1 \frac{\text{kg m K}}{\text{C}} &= 46939.B0 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m K}}{\text{C}} &= 0.0000278486B \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{n}'ujauau- \frac{\Theta}{LTQ} &= 10^{-A0} = 0.11B3067 \frac{\text{K}}{\text{m s C}} \\
1 \text{n}'ujauau- \frac{\Theta}{LTQ} &= 10^{-A0} = 0.0002010213 \text{k} \frac{\text{K}}{\text{m s C}} \\
1 \text{n}'upapa- \frac{\Theta}{LT^2Q} &= 10^{-110} = A21971.3 \text{m} \frac{\text{K}}{\text{m s}^2 \text{C}} \\
1 \text{n}'upapa- \frac{\Theta}{LT^2Q} &= 10^{-110} = 1570.A99 \frac{\text{K}}{\text{m s}^2 \text{C}} \\
1 \text{n}'upapa- \frac{\Theta}{LT^2Q} &= 10^{-110} = 2.648A2B \text{k} \frac{\text{K}}{\text{m s}^2 \text{C}} \\
1 \text{n}'uci- \frac{T\Theta}{LQ} &= 10^{-30} = 509338.0 \text{m} \frac{\text{s K}}{\text{m C}} \\
1 \text{n}'uci- \frac{T\Theta}{LQ} &= 10^{-30} = 890.230A \frac{\text{s K}}{\text{m C}} \\
1 \text{n}'uci- \frac{T\Theta}{LQ} &= 10^{-30} = 1.315731 \text{k} \frac{\text{s K}}{\text{m C}} \\
1 \text{n}'uso- \frac{\Theta}{L^2Q} &= 10^{-90} = B69A62.8 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{n}'uso- \frac{\Theta}{L^2Q} &= 10^{-90} = 17BA.775 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{n}'uso- \frac{\Theta}{L^2Q} &= 10^{-90} = 2.A66345 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{n}'upapa- \frac{\Theta}{L^2TQ} &= 10^{-110} = 0.01272416 \text{m} \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{n}'upapa- \frac{\Theta}{L^2TQ} &= 10^{-110} = 0.00002128A26 \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{n}'upano- \frac{\Theta}{L^2TQ} &= 10^{-100} = 37716.95 \text{k} \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{n}'upavo- \frac{\Theta}{L^2TQ} &= 10^{-140} = 165.1202 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n}'upavo- \frac{\Theta}{L^2TQ} &= 10^{-140} = 0.27A0811 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n}'upavo- \frac{\Theta}{L^2TQ} &= 10^{-140} = 0.0004702398 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n}'uxa- \frac{T\Theta}{L^2Q} &= 10^{-60} = 92.00356 \text{m} \frac{\text{s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{n}'uxa- \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.13A1003 \frac{\text{s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{n}'uxa- \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00023456A2 \text{k} \frac{\text{s K}}{\text{m}^2 \text{C}} \\
1 \text{n}'upano- \frac{\Theta}{L^3Q} &= 10^{-100} = 18B.3399 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{n}'upano- \frac{\Theta}{L^3Q} &= 10^{-100} = 0.3022576 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{n}'upano- \frac{\Theta}{L^3Q} &= 10^{-100} = 0.0005263834 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{n}'upavo- \frac{\Theta}{L^3TQ} &= 10^{-140} = 0.000002251418 \text{m} \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{n}'upaci- \frac{\Theta}{L^3TQ} &= 10^{-130} = 397B.777 \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{n}'upaci- \frac{\Theta}{L^3TQ} &= 10^{-130} = 6.6AA848 \text{k} \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{n}'upaze- \frac{\Theta}{L^3TQ} &= 10^{-170} = 0.02942443 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n}'upaze- \frac{\Theta}{L^3TQ} &= 10^{-170} = 0.00004976597 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n}'upaxa- \frac{\Theta}{L^3TQ} &= 10^{-160} = 836B9.43 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n}'uso- \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.01471384 \text{m} \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{n}'uso- \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.00002480882 \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{n}'ubi- \frac{T\Theta}{L^3Q} &= 10^{-80} = 41665.27 \text{k} \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{n}'ubo- \frac{M\Theta}{Q} &= 10^{-40} = 0.000002906449 \text{m} \frac{\text{kg K}}{\text{C}} \\
1 \text{n}'uci- \frac{M\Theta}{Q} &= 10^{-30} = 4912.55A \frac{\text{kg K}}{\text{C}} \\
1 \text{n}'uci- \frac{M\Theta}{Q} &= 10^{-30} = 8.2804A5 \text{k} \frac{\text{kg K}}{\text{C}} \\
1 \text{n}'uze- \frac{M\Theta}{TQ} &= 10^{-70} = 0.035850B7 \text{m} \frac{\text{kg K}}{\text{s C}} \\
1 \text{n}'uze- \frac{M\Theta}{TQ} &= 10^{-70} = 0.00006008943 \frac{\text{kg K}}{\text{s C}} \quad (*) \\
1 \text{n}'uxa- \frac{M\Theta}{TQ} &= 10^{-60} = A4630.A9 \text{k} \frac{\text{kg K}}{\text{s C}} \\
1 \text{n}'ujauau- \frac{M\Theta}{TQ} &= 10^{-A0} = 447.6534 \text{m} \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \text{n}'ujauau- \frac{M\Theta}{TQ} &= 10^{-A0} = 0.76B3665 \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \text{n}'ujauau- \frac{M\Theta}{TQ} &= 10^{-A0} = 0.001111912 \text{k} \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 222.2595 \text{m} \frac{\text{kg s K}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.392B488 \frac{\text{kg s K}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0006622724 \text{k} \frac{\text{kg s K}}{\text{C}} \\
1 \text{n}'upa- \frac{ML\Theta}{Q} &= 10^{-10} = 0.01630A40 \text{m} \frac{\text{kg m K}}{\text{C}} \\
1 \text{n}'upa- \frac{ML\Theta}{Q} &= 10^{-10} = 0.00002766809 \frac{\text{kg m K}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 46618.A2 \text{k} \frac{\text{kg m K}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.0063004 A7 \cdot 10^{-40} \quad (*) \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 3.74 A29 B \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 2115.04 B \cdot 10^{-40} \\
1m \frac{kg \cdot m \cdot K}{s^2 C^2} &= 4B5217.6 \cdot 10^{-80} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 0.0002A4875 B \cdot 10^{-70} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 0.17 AA129 \cdot 10^{-70} \\
1m \frac{kg \cdot m \cdot s \cdot K}{C} &= 9B553 B.9 \cdot 10^{20} \\
1 \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.0005916583 \cdot 10^{30} \\
1k \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.3400836 \cdot 10^{30} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot K}{C} &= 0.01233 B31 \cdot 10^{20} \\
1 \frac{kg \cdot m^2 \cdot K}{C} &= 8.319424 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot K}{C} &= 4946.431 \cdot 10^{20} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= B39131.8 \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.0006669291 \cdot 10^{-10} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.3957012 \cdot 10^{-10} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C^2} &= 8B.6 A783 \cdot 10^{-50} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C^2} &= 52305. A9 \cdot 10^{-50} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C^2} &= 0.0000300394 B \cdot 10^{-40} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 160.272 B \cdot 10^{50} \\
1 \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= A5160. BA \cdot 10^{50} \\
1k \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.0000604 B16 A \cdot 10^{60} \\
1m \frac{kg \cdot K}{m \cdot C} &= 0.0024 A8318 \cdot 10^{-60} \\
1 \frac{kg \cdot K}{m \cdot C} &= 1.487685 \cdot 10^{-60} \\
1k \frac{kg \cdot K}{m \cdot C} &= 981.31 A8 \cdot 10^{-60} \\
1m \frac{kg \cdot K}{m \cdot s \cdot C} &= 1AA867.2 \cdot 10^{-A0} \\
1 \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.000112 B886 \cdot 10^{-90} \\
1k \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.07800117 \cdot 10^{-90} \quad (*) \\
1m \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 16.181 A1 \cdot 10^{-110} \\
1 \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= A5B7.B54 \cdot 10^{-110} \\
1k \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.0000060 A97AA \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot K}{m \cdot C} &= 30.56329 \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot K}{m \cdot C} &= 19124.25 \cdot 10^{-30} \\
1k \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.0000102637 A \cdot 10^{-20} \\
1m \frac{kg \cdot K}{m^2 \cdot C} &= 13.B6513 \cdot 10^{-90} \\
1 \frac{kg \cdot K}{m^2 \cdot C} &= 92A1.352 \cdot 10^{-90} \\
1k \frac{kg \cdot K}{m^2 \cdot C} &= 0.000005418 A32 \cdot 10^{-80} \\
1m \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.0010792 BB \cdot 10^{-100} \quad (*) \\
1 \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.739 B694 \cdot 10^{-100} \\
1k \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 429. B239 \cdot 10^{-100} \\
1m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= A0318.19 \cdot 10^{-140} \\
1 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.0000597197 B \cdot 10^{-130} \\
1k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.034337 A5 \cdot 10^{-130} \\
1m \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 181875.9 \cdot 10^{-60} \\
1 \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.0000B7 A7275 \cdot 10^{-50} \\
1k \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.068 B4B56 \cdot 10^{-50} \\
1m \frac{kg \cdot K}{m^3 \cdot C} &= 89999.29 \cdot 10^{-100} \\
1 \frac{kg \cdot K}{m^3 \cdot C} &= 0.0000512 A1A1 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 1B0.5775 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.3398 A59 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.00058964 A4 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' ubi - \frac{ML\Theta}{T^2 Q} &= 10^{-80} = 0.00000250 AA55 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 422 A.B6 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 7.299 B1B k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 re - \frac{MLT\Theta}{Q} &= 10^{20} = 0.000001257100 m \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 20BB.69 A \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 3.724079 k \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = A1.04541 m \frac{kg \cdot m^2 \cdot K}{C} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.1551843 \frac{kg \cdot m^2 \cdot K}{C} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.0002614908 k \frac{kg \cdot m^2 \cdot K}{C} \\
1 ni' ure - \frac{ML^2\Theta}{TQ} &= 10^{-20} = 0.000001088 A94 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 19BB.2B9 \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 3.201009 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 ni' umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.01409162 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.000023910 BA \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 3BB6B.5B k \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.007 BAA163 m \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.000011987 A9 \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 1BA44.9 A k \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 4B9.8 A5B m \frac{kg \cdot K}{m \cdot C} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.8743069 \frac{kg \cdot K}{m \cdot C} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.0012 A71AA k \frac{kg \cdot K}{m \cdot C} \\
1 ni' ujauau - \frac{M\Theta}{LTQ} &= 10^{-A0} = 0.0000063595 A3 m \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = AA52.585 \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 16.94815 k \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.07 B31418 m \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.000118736 A \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 1B8539.3 k \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.03 B4890 B m \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.000069 A9219 \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = B9627.42 k \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.0903187 A m \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.0001370 B05 \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 22B327. B k \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = B47.6375 m \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 1.781124 \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0029 BB719 k \frac{kg \cdot K}{m^2 \cdot s \cdot C} \quad (*) \\
1 ni' upavo - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-140} = 0.00001245109 m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 209 B4.75 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 36.AA322 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' uxa - \frac{MT\Theta}{L^2 Q} &= 10^{-60} = 0.000007195182 m \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 1042 A.29 \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 19.41 A34 k \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^3 Q} &= 10^{-100} = 0.0000143 B61A m \frac{kg \cdot K}{m^3 \cdot C} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 24274. B7 \frac{kg \cdot K}{m^3 \cdot C}
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = 0.02B53121 \cdot 10^{-B0}$	$1 ni' uvaiei- \frac{M\Theta}{L^3 Q} = 10^{-B0} = 40.916B5 k \frac{kg\ K}{m^3 C}$
$1m \frac{kg\ K}{m^3 s\ C} = 6.BA2310 \cdot 10^{-130}$	$1 ni' upaci- \frac{M\Theta}{L^3 TQ} = 10^{-130} = 0.1873754 m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 4063.501 \cdot 10^{-130}$	$1 ni' upaci- \frac{M\Theta}{L^3 TQ} = 10^{-130} = 0.0002B7406 A \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.00000240B789 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 TQ} = 10^{-120} = 516532.4 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 0.0005653631 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 2201.198 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 0.3254915 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 3.8B3754 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 1A3.0188 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.00657AB62 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 0.000B166177 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 10B3.395 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 0.6534674 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 1.A43986 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 388.8173 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.0032779B6 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 0.0002572053 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 4A47.253 m\ CK$
$1 CK = 0.1516559 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 8.4A7792 CK$
$1k CK = 9A.B4205 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.01263B93 k\ CK$
$1m \frac{CK}{s} = 1B552.42 \cdot 10^{-50}$	$1 ni' umu- \frac{Q\Theta}{T} = 10^{-50} = 0.00006181B1B m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.0000116A490 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = A739B.61 \frac{CK}{s}$
$1k \frac{CK}{s} = 0.007A30237 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 164.0110 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 1.670081 \cdot 10^{-80}$ (*)	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.78B9946 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = A90.7883 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.001148166 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 628257.8 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.000001B17981 k \frac{CK}{s^2}$
$1m s\ CK = 3.142863 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.3A3194B m\ s\ CK$
$1 s\ CK = 1974.81A \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00067B3691 s\ CK$
$1k s\ CK = 10613A0 \cdot 10^{20}$	$1 ci-TQ\Theta = 10^{30} = B617B9.4 k\ s\ CK$
$1m m\ CK = 456A5.B1 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.000028308A5 m\ m\ CK$
$1 m\ CK = 0.000027004A6 \cdot 10^{20}$ (*)	$1 re-LQ\Theta = 10^{20} = 478A1.38 m\ CK$
$1k m\ CK = 0.015B369A \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 80.39148 k\ m\ CK$
$1m \frac{m\ CK}{s} = 3.654A7B \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.3485823 m \frac{m\ CK}{s}$
$1 \frac{m\ CK}{s} = 2069.674 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.0005A40BA1 \frac{m\ CK}{s}$
$1k \frac{m\ CK}{s} = 122723B \cdot 10^{-20}$	$1 ni' upa- \frac{LQ\Theta}{T} = 10^{-10} = A166A8.1 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 0.0002977960 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 4345.579 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 0.1757154 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 7.4929B5 \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = B3.22144 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.01094889 k \frac{m\ CK}{s^2}$
$1m m\ s\ CK = 0.0005773889 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 2168.541 m\ m\ s\ CK$
$1 m\ s\ CK = 0.3316127 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 3.81B986 m\ s\ CK$
$1k m\ s\ CK = 1A7.8585 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.006439900 k\ m\ s\ CK$ (*)
$1m m^2\ CK = 8.0B7737 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.159A103 m\ m^2\ CK$
$1 m^2\ CK = 4814.960 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.0002696241 m^2\ CK$
$1k m^2\ CK = 2858474 \cdot 10^{40}$	$1 mu-L^2Q\Theta = 10^{50} = 452635.8 k\ m^2\ CK$
$1m \frac{m^2\ CK}{s} = 0.00064A0760 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 1A5A.4B3 m \frac{m^2\ CK}{s}$
$1 \frac{m^2\ CK}{s} = 0.3857181 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 3.2A3B85 \frac{m^2\ CK}{s}$
$1k \frac{m^2\ CK}{s} = 218.962B \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 0.005719A18 k \frac{m^2\ CK}{s}$
$1m \frac{m^2\ CK}{s^2} = 50A75.BA \cdot 10^{-30}$	$1 ni' uci- \frac{L^2Q\Theta}{T^2} = 10^{-30} = 0.00002446A83 m \frac{m^2\ CK}{s^2}$
$1 \frac{m^2\ CK}{s^2} = 0.00002B2994B \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 41061.92 \frac{m^2\ CK}{s^2}$
$1k \frac{m^2\ CK}{s^2} = 0.01848274 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 70.8B482 k \frac{m^2\ CK}{s^2}$
$1m m^2\ s\ CK = A2461.81 \cdot 10^{70}$	$1 ze-L^2TQ\Theta = 10^{70} = 0.00001215410 m\ m^2\ s\ CK$
$1 m^2\ s\ CK = 0.00005A99BB7 \cdot 10^{80}$ (*)	$1 bi-L^2TQ\Theta = 10^{80} = 20497.42 m^2\ s\ CK$
$1k m^2\ s\ CK = 0.034B9751 \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 36.1B632 k\ m^2\ s\ CK$
$1m \frac{CK}{m} = 1.4427A1 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.8981543 m \frac{CK}{m}$
$1 \frac{CK}{m} = 956.7912 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.001327390 \frac{CK}{m}$
$1k \frac{CK}{m} = 55869A.6 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.000002236707 k \frac{CK}{m}$

$$\begin{aligned}
1 \text{m CK}_{\text{ms}} &= 0.00010B5979 \cdot 10^{-70} \\
1 \text{CK}_{\text{ms}} &= 0.075B8B7A \cdot 10^{-70} \\
1 \text{k CK}_{\text{ms}} &= 44.0A2B7 \cdot 10^{-70} \\
1 \text{m CK}_{\text{ms}^2} &= A325.3BB \cdot 10^{-B0} \quad (*) \\
1 \text{CK}_{\text{ms}^2} &= 0.000005B36B85 \cdot 10^{-A0} \\
1 \text{k CK}_{\text{ms}^2} &= 0.003531653 \cdot 10^{-A0} \\
1 \text{m sCK}_m &= 18777.00 \cdot 10^{-10} \quad (*) \\
1 \text{sCK}_m &= 0.00000BB37BB4 \cdot 10^0 \quad (*) \\
1 \text{k sCK}_m &= 0.006AB2164 \cdot 10^0 \\
1 \text{m CK}_{\text{m}^2} &= 904A.65B \cdot 10^{-70} \\
1 \text{CK}_{\text{m}^2} &= 0.000005289A65 \cdot 10^{-60} \\
1 \text{k CK}_{\text{m}^2} &= 0.003037B32 \cdot 10^{-60} \\
1 \text{m CK}_{\text{m}^2 \text{s}} &= 0.71A977A \cdot 10^{-A0} \\
1 \text{CK}_{\text{m}^2 \text{s}} &= 418.6432 \cdot 10^{-A0} \\
1 \text{k CK}_{\text{m}^2 \text{s}^2} &= 249269.7 \cdot 10^{-A0} \\
1 \text{m CK}_{\text{m}^2 \text{s}^2} &= 0.000058096B3 \cdot 10^{-110} \\
1 \text{CK}_{\text{m}^2 \text{s}^2} &= 0.03348262 \cdot 10^{-110} \\
1 \text{k CK}_{\text{m}^2 \text{s}^2} &= 1A.96642 \cdot 10^{-110} \\
1 \text{m sCK}_{\text{m}^2} &= 0.0000B4986B0 \cdot 10^{-30} \\
1 \text{sCK}_{\text{m}^2} &= 0.06720968 \cdot 10^{-30} \\
1 \text{k sCK}_{\text{m}^2} &= 39.99824 \cdot 10^{-30} \\
1 \text{m CK}_{\text{m}^3} &= 0.00004BA8463 \cdot 10^{-90} \\
1 \text{CK}_{\text{m}^3} &= 0.02A7AB61 \cdot 10^{-90} \\
1 \text{k CK}_{\text{m}^3} &= 18.08353 \cdot 10^{-90} \\
1 \text{m CK}_{\text{m}^3 \text{s}} &= 3B55.A54 \cdot 10^{-110} \\
1 \text{CK}_{\text{m}^3 \text{s}} &= 0.000002356952 \cdot 10^{-100} \\
1 \text{k CK}_{\text{m}^3 \text{s}} &= 0.0013A8796 \cdot 10^{-100} \\
1 \text{m CK}_{\text{m}^3 \text{s}^2} &= 0.3173111 \cdot 10^{-140} \\
1 \text{CK}_{\text{m}^3 \text{s}^2} &= 199.1897 \cdot 10^{-140} \\
1 \text{k CK}_{\text{m}^3 \text{s}^2} &= 107160.5 \cdot 10^{-140} \\
1 \text{m sCK}_{\text{m}^3} &= 0.6370007 \cdot 10^{-60} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{sCK}_{\text{m}^3} &= 378.A744 \cdot 10^{-60} \\
1 \text{k sCK}_{\text{m}^3} &= 213904.5 \cdot 10^{-60} \\
1 \text{m kg CK} &= 31B5.1B1 \cdot 10^{-10} \\
1 \text{kg CK} &= 0.0000019B6860 \cdot 10^0 \\
1 \text{k kg CK} &= 0.001086330 \cdot 10^0 \\
1 \text{m kg CK} &= 0.260A657 \cdot 10^{-40} \\
1 \text{k kg CK}_s &= 154.A123 \cdot 10^{-40} \\
1 \text{k kg CK}_s &= A0A35.69 \cdot 10^{-40} \\
1 \text{m kg CK}_{\text{s}^2} &= 0.00001B9B586 \cdot 10^{-70} \\
1 \text{k kg CK}_{\text{s}^2} &= 0.01195984 \cdot 10^{-70} \\
1 \text{k kg CK}_{\text{s}^2} &= 7.B923B9 \cdot 10^{-70} \\
1 \text{m kg sCK} &= 0.00003BA9084 \cdot 10^{30} \\
1 \text{kg sCK} &= 0.0238742A \cdot 10^{30} \\
1 \text{kg sCK} &= 14.05989 \cdot 10^{30} \\
1 \text{m kg m CK} &= 0.5884257 \cdot 10^{20} \\
1 \text{kg m CK} &= 339.07A6 \cdot 10^{20} \\
1 \text{kg m CK} &= 1B00A6.8 \cdot 10^{20} \quad (*) \\
1 \text{m kg m CK} &= 0.0000465259B \cdot 10^{-10} \\
1 \text{k kg m CK}_s &= 0.027601B1 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = B144.5A4 \text{m CK}_{\text{ms}} \\
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 17.25543 \text{CK}_{\text{ms}} \\
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 0.02922837 \text{k CK}_{\text{ms}} \\
1 \text{ni'uvaiaci-} \frac{Q\Theta}{LT^2} &= 10^{-B0} = 0.000120381A \text{m CK}_{\text{ms}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 202A00.B \text{CK}_{\text{ms}^2} \quad (*) \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 35A.6893 \text{k CK}_{\text{ms}^2} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 0.00006B8A1A1 \text{m sCK}_m \\
1 \frac{TQ\Theta}{L} &= 1 = 100845.A \text{sCK}_m \quad (*) \\
1 \frac{TQ\Theta}{L} &= 1 = 18A.0555 \text{k sCK}_m \\
1 \text{ni'uze-} \frac{Q\Theta}{L^2} &= 10^{-70} = 0.00013B343A \text{m CK}_{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 236647.0 \text{CK}_{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 3B7.1AA8 \text{k CK}_{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 1.814908 \text{m CK}_{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.002A91714 \text{CK}_{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.0000050097B7 \text{k CK}_{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 21478.75 \text{m CK}_{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 37.A50B8 \text{CK}_{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.06397ABB \text{k CK}_{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 10769.A1 \text{m sCK}_m \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 19.9AB08 \text{sCK}_m \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 0.03186B75 \text{k sCK}_m \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 24A28.68 \text{m CK}_{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 41.A3416 \text{CK}_{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 0.07219AA5 \text{k CK}_{\text{m}^3} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^3T} &= 10^{-110} = 0.000304B326 \text{m CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 52B044.8 \text{CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 908.838A \text{k CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 3.9B5040 \text{m CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.00674A283 \text{CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.00000B52640A \text{k CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 1.AA41A1 \text{m sCK}_m \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.003360A11 \text{sCK}_m \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.000005832397 \text{k sCK}_m \\
1 \text{ni'upa-} MQ\Theta &= 10^{-10} = 0.00039644A5 \text{m kg CK} \\
1 MQ\Theta &= 1 = 668157.7 \text{kg CK} \\
1 MQ\Theta &= 1 = B3B.53A6 \text{k kg CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 4.956270 \text{m kg CK}_s \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.008335A16 \text{kg CK}_s \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.00001236A81 \text{k kg CK}_s \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 60621.22 \text{m kg CK}_{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = A5.37B42 \text{kg CK}_{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.16063B3 \text{k kg CK}_{\text{s}^2} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 300B2.93 \text{m kg sCK} \quad (*) \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 52.41438 \text{kg sCK} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 0.08B88A62 \text{k kg sCK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 2.11A287 \text{m kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.00375725A \text{kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.000006313AB1 \text{k kg m CK} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 278B3.25 \text{m kg m CK}_s \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 46.A3195 \text{kg m CK}_s
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m CK}}{\text{s}} &= 16.29115 \cdot 10^{-10} \\
1m \frac{\text{kg m CK}}{\text{s}^2} &= 3717.17B \cdot 10^{-50} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.0000020B64AA \cdot 10^{-40} \\
1k \frac{\text{kg m CK}}{\text{s}^2} &= 0.001254121 \cdot 10^{-40} \\
1m \text{ kg m s CK} &= 7284.015 \cdot 10^{50} \\
1 \text{ kg m s CK} &= 0.000004220662 \cdot 10^{60} \\
1k \text{ kg m s CK} &= 0.002504A53 \cdot 10^{60} \\
1m \text{ kg m}^2 \text{ CK} &= 0.0000A441458 \cdot 10^{50} \\
1 \text{ kg m}^2 \text{ CK} &= 0.05BB5AA5 \cdot 10^{50} \quad (*) \\
1k \text{ kg m}^2 \text{ CK} &= 35.78582 \cdot 10^{50} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 8264.059 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 0.000004902808 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.0028BB667 \cdot 10^{20} \quad (*) \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.660A566 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 392.207A \cdot 10^{-20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 22190B.2 \cdot 10^{-20} \\
1m \text{ kg m}^2 \text{ s CK} &= 1.10B080 \cdot 10^{80} \\
1 \text{ kg m}^2 \text{ s CK} &= 769.8935 \cdot 10^{80} \\
1k \text{ kg m}^2 \text{ s CK} &= 44676B.2 \cdot 10^{80} \\
1m \frac{\text{kg CK}}{\text{m}} &= 0.000018B7417 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.01017380 \cdot 10^{-30} \\
1k \frac{\text{kg CK}}{\text{m}} &= 7.032099 \cdot 10^{-30} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 1474.5B9 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 97466A.6 \cdot 10^{-70} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 0.0005692AB9 \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 0.111B961 \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 77.51281 \cdot 10^{-A0} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 44AA9.1B \cdot 10^{-A0} \\
1m \frac{\text{kg s CK}}{\text{m}} &= 0.2256516 \cdot 10^0 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 133.9137 \cdot 10^0 \\
1k \frac{\text{kg s CK}}{\text{m}} &= 8A413.01 \cdot 10^0 \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 0.0B701270 \cdot 10^{-60} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 68.54053 \cdot 10^{-60} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 3A678.85 \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 9219539. \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.00538B0AB \cdot 10^{-90} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 3.0A7B70 \cdot 10^{-90} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 733.4549 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 42614A.A \cdot 10^{-110} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 0.0002529194 \cdot 10^{-100} \\
1m \frac{\text{kg s CK}}{\text{m}^2} &= 1275.19A \cdot 10^{-30} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 856313.8 \cdot 10^{-30} \\
1k \frac{\text{kg s CK}}{\text{m}^2} &= 0.0004A90171 \cdot 10^{-20} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 649.6B31 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 3853A2.2 \cdot 10^{-90} \\
1k \frac{\text{kg CK}}{\text{m}^3} &= 0.0002187748 \cdot 10^{-80} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 0.050A2BAB \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 2B.27215 \cdot 10^{-100} \\
1k \frac{\text{kg CK}}{\text{m}^3} &= 18468.60 \cdot 10^{-100} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 4027860. \cdot 10^{-140}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.07A95890 \text{ k} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ ni'umu-} \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.0003408B63 \text{ m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'uvo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 592891.B \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'uvo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 9B7.6033 \text{ k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ mu-} MLTQ\Theta &= 10^{50} = 0.00017B2272 \text{ m kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = 2A5389.8 \text{ kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = 4B6.2505 \text{ k kg m s CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 11A92.15 \text{ m kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 20.02048 \text{ kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 0.0355B592 \text{ k kg m}^2 \text{ CK} \\
1 \text{ pa-} \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.00015655B1 \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 263807.8 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 444.5102 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 1.A17228 \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00322B558 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.000005610A74 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.B018669 \text{ m kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.00170413B \text{ kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.0000028A6AB3 \text{ k kg m}^2 \text{ s CK} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 6A4B4.B6 \text{ m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = BA.4AA82 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 0.1860BAB \text{ k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uze-} \frac{MQ\Theta}{LT} &= 10^{-70} = 0.0008800894 \text{ m} \frac{\text{kg CK}}{\text{ms}} \quad (*) \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 12B8796. \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 21A6.834 \text{ k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = A.B30857 \text{ m} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.016A9850 \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.0000287B125 \text{ k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 5.537754 \text{ m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0094A1558 \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0000142BB09 \text{ k} \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 10.52072 \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.01959257 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00003115087 \text{ k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 138307.4 \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 231.3782 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.3AA15A7 \text{ k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'upapa-} \frac{MQ\Theta}{L^2T^2} &= 10^{-110} = 0.001796B24 \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 2A264B4. \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 4B14.A10 \text{ k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.0009A25016 \text{ m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 1503038. \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 254B.457 \text{ k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^3} &= 10^{-90} = 0.001A600B1 \text{ m} \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 32A6A29. \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 5722.998 \text{ k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 24.48BA \text{ m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.04109941 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000070957B9 \text{ k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 2BA03B.2 \text{ m} \frac{\text{kg CK}}{\text{m}^3} \frac{\text{s}}{\text{2}}
\end{aligned}$$

$$\begin{aligned} 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.0023AA424 \cdot 10^{-130} \\ 1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 1.419526 \cdot 10^{-130} \\ 1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 80B0522 \cdot 10^{-60} \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.004810780 \cdot 10^{-50} \\ 1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 2.855B93 \cdot 10^{-50} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 51B.1067 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.8B007A3 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*) \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 159B4A.3 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 269.8585 \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 0.452A290 \text{k} \frac{\text{kg s CK}}{\text{m}^3} \end{aligned}$$

## 3.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= 206768A \cdot 10^{-20} \\ \text{Electron mass} &= 1B13.388 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.37733A0 \cdot 10^0 \\ \text{\AA}^{16} &= 0.0B25A35A \cdot 10^{20} \\ \text{Bohr radius}^{17} &= 0.05B20249 \cdot 10^{20} \\ \text{Fine structure constant}^{18} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 0.1091060 \cdot 10^{-20} \\ |\psi^{100}(0)|^2^{20} &= 2778.541 \cdot 10^{-60} \\ \text{eV} &= 0.00B302A80 \cdot 10^{-20} \\ \hbar^{21} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 313.6229 \cdot 10^{20} \\ k_{\text{yellow}}^{22} &= 0.02031780 \cdot 10^{-20} \\ k_{\text{X-Ray}}^{23} &= 0.0001945A99 \cdot 10^{-10} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upa-} M &= 10^{-10} = 5A4682.B m_p \\ 1 \text{ni}'\text{ure-} M &= 10^{-20} = 0.0006295001 m_e \quad (*) \\ 1 Q &= 1 = 3.3763A1 e \\ 1 \text{re-} L &= 10^{20} = 10.A2270 \text{\AA} \\ 1 \text{re-} L &= 10^{20} = 20.34498 a_0 \\ 1 &= 1 = B5.05226 \alpha \\ 1 \text{ni}'\text{ure-} \frac{ML^2}{T^2} &= 10^{-20} = B.355206 Ry \\ 1 \text{ni}'\text{uxa-} \frac{1}{L^3} &= 10^{-60} = 0.0004673B98 \rho_{\max} \\ 1 \text{ni}'\text{ure-} \frac{ML^2}{T^2} &= 10^{-20} = 109.6B14 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re-} L &= 10^{20} = 0.003A40439 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni}'\text{ure-} \frac{1}{L} &= 10^{-20} = 5B.28371 \cdot k_{\text{yellow}} \\ 1 \text{ni}'\text{upa-} \frac{1}{L} &= 10^{-10} = 68A1.778 \cdot k_{\text{X-Ray}} \end{aligned}$$

$$\begin{aligned} \text{Earth g} &= 0.0001235B65 \cdot 10^{-30} \\ \text{cm} &= 2733B92 \cdot 10^{20} \\ \text{min} &= 638787.9 \cdot 10^{30} \\ \text{hour} &= 0.00002767273 \cdot 10^{40} \\ \text{Liter} &= 0.00A2B7656 \cdot 10^{80} \\ \text{Area of a soccer field} &= 0.0001165474 \cdot 10^{60} \\ 84 \text{m}^2^{24} &= 0.000002337646 \cdot 10^{60} \\ \text{km/h} &= 4945.445 \cdot 10^{-10} \\ \text{mi/h} &= 783B.462 \cdot 10^{-10} \\ \text{inch}^{25} &= 6754139 \cdot 10^{20} \\ \text{mile} &= 0.1828AB3 \cdot 10^{30} \\ \text{pound} &= 6B90986 \cdot 10^0 \\ \text{horsepower} &= A9.A78B9 \cdot 10^{-40} \\ \text{kcal} &= 0.000006484002 \cdot 10^0 \quad (*) \\ \text{kWh} &= 0.00321B544 \cdot 10^0 \\ \text{Typical household electric field} &= 1118.02B \cdot 10^{-50} \\ \text{Earth magnetic field} &= 0.00000122B418 \cdot 10^{-40} \\ \text{Height of an average man}^{26} &= 0.0003254186 \cdot 10^{30} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{uci-} \frac{ML}{T^2} &= 10^{-30} = A0AB.393 \cdot \text{Earth g} \\ 1 \text{ci-} L &= 10^{30} = 472B70.7 \text{cm} \\ 1 \text{vo-} T &= 10^{40} = 1A9A24A. \text{min} \\ 1 \text{vo-} T &= 10^{40} = 4692A.69 \text{ h} \\ 1 \text{bi-} L^3 &= 10^{80} = 120.764B l \\ 1 \text{xa-} L^2 &= 10^{60} = A779.111 A \\ 1 \text{xa-} L^2 &= 10^{60} = 5335B5.B \cdot 84 \text{ m}^2 \\ 1 \text{ni}'\text{upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{ km/h} \\ 1 \text{ni}'\text{upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{ mi/h} \\ 1 \text{ci-} L &= 10^{30} = 199015.5 \text{ in} \\ 1 \text{ci-} L &= 10^{30} = 7.151044 \text{ mi} \\ 1 \text{pa-} M &= 10^{10} = 1876B1.A \text{ pound} \\ 1 \text{ni}'\text{uvo-} \frac{ML^2}{T^3} &= 10^{-40} = 0.01137909 \text{ horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 1A6456.1 \text{ kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 393.4332 \text{ kWh} \\ 1 \text{ni}'\text{umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.000AB62474 E_H \\ 1 \text{ni}'\text{uvo-} \frac{M}{T Q} &= 10^{-40} = A13757.B \cdot \text{Earth magnetic field} \\ 1 \text{ci-} L &= 10^{30} = 38B4.414 \bar{h} \end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/A nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>30 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

$$\text{Mass of an average man} = 0.0007591573 \cdot 10^{10}$$

$$1 \text{ pa-}M = 10^{10} = 1730.22B \bar{m}$$

$$\text{Age of the Universe} = 799715.9 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = 0.000001650985 t_U$$

$$\text{Size of the observable Universe} = 0.001805320 \cdot 10^{50}$$

$$1 \text{ mu-}L = 10^{50} = 722.AAA0 l_U$$

$$\text{Average density of the Universe} = 6.120A86 \cdot 10^{-A0}$$

$$1 \text{ ni'}ujauau \cdot \frac{M}{L^3} = 10^{-A0} = 0.1B74731 \rho_U$$

$$\text{Earth mass} = 11A557B \cdot 10^{20}$$

$$1 \text{ ci-}M = 10^{30} = A46A70.0 m_E$$

$$\text{Sun mass}^{27} = 0.1669548 \cdot 10^{30}$$

$$1 \text{ ci-}M = 10^{30} = 7.90AA10 m_S$$

$$\text{Year} = 0.11406A8 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = A.9689A6 \text{ y}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$\text{Parsec} = 0.37602BA \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 3.388070 \text{ pc}$$

$$\text{Astronomical unit} = 0.000004458B59 \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 28B169.6 \text{ au}$$

$$\text{Earth radius} = 3A4.1610 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.003135319 r_E$$

$$\text{Distance Earth-Moon} = 17502.40 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.000074BA5A7 d_M$$

$$\text{Momentum of someone walking}^{28} = 148.00B4 \cdot 10^0 \quad (*)$$

$$1 \frac{ML}{T} = 1 = 0.008781520 \cdot \text{Momentum of someone walking}$$

$$\text{Stefan-Boltzmann constant} = 0.1B82B28 \cdot 10^0$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$$

$$\text{mol} = 0.01110B95 \cdot 10^{20}$$

$$1 \text{ re-} = 10^{20} = B0.01120 \text{ mol}$$

$$\text{Standard temperature}^{29} = 0.000321799A \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 3938.6B7 T_0$$

$$\text{Room - standard temperature}^{30} = 0.000029613A2 \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 43699.56 \Theta_R$$

$$\text{atm} = 0.0000220BA33 \cdot 10^{-80}$$

$$1 \text{ ni'}ubi-\frac{M}{LT^2} = 10^{-80} = 56303.03 \text{ atm}$$

$$c_s = 0.0000034BB524 \cdot 10^0 \quad (*)$$

$$1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$$

$$\mu_0 = 1.000000 \quad (***)$$

$$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0 \quad (***)$$

$$G = 1.000000 \quad (***)$$

$$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1\text{m} = 0.001889B98 \cdot 10^0$$

$$1 = 1 = 6B4.0000 \text{ m} \quad (**)$$

$$1\text{k} = 1.000000 \quad (***)$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1\text{k} = 6B4.0000 \cdot 10^0 \quad (**)$$

$$1 = 1 = 0.001889B98 \text{ k}$$

$$1\text{m}\frac{1}{\text{s}} = 145209.3 \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{1}{T} = 10^{-40} = 0.000008920082 \text{ m}\frac{1}{\text{s}} \quad (*)$$

$$1\frac{1}{\text{s}} = 0.00009613001 \cdot 10^{-30} \quad (*)$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 13188.B2 \frac{1}{\text{s}}$$

$$1\text{k}\frac{1}{\text{s}} = 0.05604821 \cdot 10^{-30}$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 22.203AB \text{ k}\frac{1}{\text{s}}$$

$$1\text{m}\frac{1}{\text{s}^2} = 11.02A19 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0B087A54 \text{ m}\frac{1}{\text{s}^2}$$

$$1\frac{1}{\text{s}^2} = 764B.918 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0001714139 \frac{1}{\text{s}^2}$$

$$1\text{k}\frac{1}{\text{s}^2} = 0.00000443A702 \cdot 10^{-60}$$

$$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 290378.A \text{ k}\frac{1}{\text{s}^2}$$

$$1\text{m s} = 22.203AB \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.05604821 \text{ m s}$$

$$1\text{s} = 13188.B2 \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.00009613001 \text{ s} \quad (*)$$

$$1\text{k s} = 0.000008920082 \cdot 10^{40} \quad (*)$$

$$1 \text{ vo-}T = 10^{40} = 145209.3 \text{ k s}$$

$$1\text{m m} = 316493.9 \cdot 10^{20}$$

$$1 \text{ re-}L = 10^{20} = 0.000003A057A6 \text{ m m}$$

$$1\text{m} = 0.0001987920 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 6768.067 \text{ m}$$

$$1\text{k m} = 0.106A070 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = B.55806A \text{ k m}$$

$$1\text{m}\frac{\text{m}}{\text{s}} = 25.8A836 \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.04A127A8 \text{ m}\frac{\text{m}}{\text{s}}$$

$$1\frac{\text{m}}{\text{s}} = 15264.AB \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.00008449701 \frac{\text{m}}{\text{s}}$$

$$1\text{k}\frac{\text{m}}{\text{s}} = 0.000009B63212 \cdot 10^0$$

$$1 \frac{L}{T} = 1 = 1255A8.5 \text{ k}\frac{\text{m}}{\text{s}}$$

$$1\text{m}\frac{\text{m}}{\text{s}^2} = 0.001B6968B \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 613.A917 \text{ m}\frac{\text{m}}{\text{s}^2}$$

$$1\frac{\text{m}}{\text{s}^2} = 1.177A4A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.A685657 \frac{\text{m}}{\text{s}^2}$$

$$1\text{k}\frac{\text{m}}{\text{s}^2} = 7A8.5B6A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.00162B436 \text{ k}\frac{\text{m}}{\text{s}^2}$$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>18 °C

$1 \text{m m s} = 0.003B44A2A \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 305.9335 \text{ m m s}$
$1 \text{m s} = 2.34B305 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.53057A7 \text{ m s}$
$1 \text{k m s} = 13A4.359 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.00090B2237 \text{ k m s}$
$1 \text{m m}^2 = 57.B2AA8 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.02152841 \text{ m m}^2$
$1 \text{m}^2 = 33394.A4 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.000037B5179 \text{ m}^2$
$1 \text{k m}^2 = 0.00001A90339 \cdot 10^{60}$	$1 \text{xa-}L^2 = 10^{60} = 63B48.BA \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.00459BA67 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 281.2409 \text{ m}^{\frac{m}{s}^2}$
$1 \frac{\text{m}^2}{\text{s}} = 2.71A05B \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.4757499 \frac{\text{m}^2}{\text{s}}$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 1604.109 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.0007BA228B \text{ k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{m}{s^2}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 718A0A.A \cdot 10^{80}$	$1 \text{bi-}L^2T = 10^{80} = 0.00000181A349 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.0004174877 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 2A9B.18B \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.2486814 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 5.022208 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = B.55806A \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.106A070 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 6768.067 \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.0001987920 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 0.000003A057A6 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{1}{L} = 10^{-20} = 316493.9 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 0.00090B2237 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 13A4.359 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 0.53057A7 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 2.34B305 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 305.9335 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 0.003B44A2A \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 72396.BA \cdot 10^{-A0}$	$1 \text{ni'}ujauau-\frac{1}{LT^2} = 10^{-A0} = 0.00001802950 \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.000041B5066 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 2A715.51 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 0.024AA785 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 4B.93B47 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m}^{\frac{s}{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 \text{k} \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k} \frac{s}{m}$
$1 \text{m}^{\frac{1}{m^2}} = 63B48.BA \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{L^2} = 10^{-60} = 0.00001A90339 \text{ m}^{\frac{1}{m^2}}$
$1 \frac{1}{\text{m}^2} = 0.000037B5179 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 33394.A4 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.02152841 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 57.B2AA8 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 5.022208 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.2486814 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 2A9B.18B \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.0004174877 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.00000181A349 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^2 T} = 10^{-80} = 718A0A.A \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.0003B82BA4 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 3029.B92 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 0.2371B50 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 5.274805 \frac{1}{\text{m}^2 s^2}$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 13B.78A7 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 0.00902497B \text{ k} \frac{1}{\text{m}^2 s^2}$
$1 \text{m}^{\frac{s}{m^2}} = 0.0007BA228B \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 1604.109 \text{ m}^{\frac{s}{m^2}}$
$1 \frac{s}{m^2} = 0.4757499 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 2.71A05B \frac{s}{m^2}$
$1 \text{k} \frac{s}{m^2} = 281.2409 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 0.00459BA67 \text{ k} \frac{s}{m^2}$
$1 \text{m}^{\frac{1}{m^3}} = 0.00035B62A8 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 3522.276 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 0.2034800 \cdot 10^{-80} \quad (*)$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 5.B1B502 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 120.764B \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 0.00A2B7656 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 292B9.8A \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^3 T} = 10^{-100} = 0.000043B7B6A \text{ m}^{\frac{1}{\text{m}^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.0000172A883 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 75983.59 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 0.00B175182 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 10B.2300 \text{ k} \frac{1}{\text{m}^3 s} \quad (*)$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 2.241993 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.557096A \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 132B.5B2 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.000954073B \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 89A65A.4 \cdot 10^{-130}$	$1 \text{ni'}upare-\frac{1}{L^3 T^2} = 10^{-120} = 143A202. \text{ k} \frac{1}{\text{m}^3 s^2}$
$1 \text{m}^{\frac{s}{m^3}} = 4.4B5404 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.2877068 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 2678.988 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.0004847B52 \frac{s}{m^3}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.000001589862 \cdot 10^{-40} \\
1 \text{m kg} &= 2270A.86 \cdot 10^0 \\
1 \text{kg} &= 0.00001347965 \cdot 10^{10} \\
1 \text{kg kg} &= 0.008AA3564 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.909B87 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{s}} &= 1023.934 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 7080A5.5 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.0001484114 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.097B310A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 57.11615 \cdot 10^{-60} \\
1 \text{m kg s} &= 0.00029680B7 \cdot 10^{40} \\
1 \text{kg s} &= 0.1750414 \cdot 10^{40} \\
1 \text{kg kg s} &= B2.A306A \cdot 10^{40} \\
1 \text{m kg m} &= 4.016594 \cdot 10^{30} \\
1 \text{kg m} &= 23A2.842 \cdot 10^{30} \\
1 \text{kg kg m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 0.000321778A \cdot 10^0 \\
1 \frac{\text{kg m}}{\text{s}} &= 0.1A0A051 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 109.3183 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 26276.37 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.0000155A2B1 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.00A153977 \cdot 10^{-30} \\
1 \text{m kg m s} &= 508A3.73 \cdot 10^{60} \\
1 \text{kg m s} &= 0.00002B19625 \cdot 10^{70} \\
1 \text{kg kg m s} &= 0.01841151 \cdot 10^{70} \\
1 \text{m kg m}^2 &= 0.0007314613 \cdot 10^{60} \\
1 \text{kg m}^2 &= 0.424B679 \cdot 10^{60} \\
1 \text{kg kg m}^2 &= 252.116A \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 4.68457B \cdot 10^{-10} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 277A.188 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.000001639993 \cdot 10^0 \\
1 \text{m kg m}^2 \text{s} &= 9.1B3290 \cdot 10^{90} \\
1 \text{kg m}^2 \text{s} &= 5375.711 \cdot 10^{90} \\
1 \text{kg kg m}^2 \text{s} &= 0.000003099A1B \cdot 10^{A0} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.000128342B \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}} &= 0.08601B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4B.0516B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= B782.27A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}} &= 68A0211. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.003A94266 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.9282386 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 540.7685 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 310985.B \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 1.665705 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}} &= A88.A960 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg s}}{\text{m}} &= 626057.4 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2} &= 0.8148096 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uv} \frac{T}{L^3} &= 10^{-40} = 815334.0 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 M &= 1 = 0.000054BA329 \text{m kg} \\
1 \text{pa-}M &= 10^{10} = 94371.0A \text{ kg} \\
1 \text{pa-}M &= 10^{10} = 142.0779 \text{k kg} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.6A0221B \text{ m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.000B987BA8 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'ure-} \frac{M}{T} &= 10^{-20} = 184A901. \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 8760.604 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 12.AA2B9 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 0.02190873 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{vo-}MT &= 10^{40} = 435B.497 \text{m kg s} \\
1 \text{vo-}MT &= 10^{40} = 7.4B9989 \text{ kg s} \\
1 \text{vo-}MT &= 10^{40} = 0.01099232 \text{k kg s} \\
1 \text{ci-}ML &= 10^{30} = 0.2BAA214 \text{m kg m} \\
1 \text{ci-}ML &= 10^{30} = 0.0005206092 \text{ kg m} \\
1 \text{vo-}ML &= 10^{40} = 8B2608.B \text{k kg m} \\
1 \frac{ML}{T} &= 1 = 3938.952 \text{m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 6.6369B7 \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 0.00B336AA7 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'uv} \frac{ML}{T^2} &= 10^{-40} = 0.00004922389 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 8298A.80 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 122.8B63 \text{k} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{xa-}MLT &= 10^{60} = 0.00002454967 \text{m kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 411B3.1B \text{ kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 70.B4B73 \text{k kg m s} \\
1 \text{xa-}ML^2 &= 10^{60} = 17A0.45A \text{m kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 2.A33993 \text{kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 0.004B29106 \text{k kg m}^2 \\
1 \text{re-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \text{m} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.2771279 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.0004671078 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 7A3BA9.8 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{so-}ML^2T &= 10^{90} = 0.1387442 \text{m kg m}^2 \text{s} \\
1 \text{so-}ML^2T &= 10^{90} = 0.000231B110 \text{kg m}^2 \text{s} \\
1 \text{jauau-}ML^2T &= 10^{A0} = 3AB244.5 \text{k kg m}^2 \text{s} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 9976.B0A \text{m} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 14.B3256 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 0.02532B43 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'uxa-} \frac{M}{LT} &= 10^{-60} = 0.0001045500 \text{m} \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 194635.6 \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 30B.3347 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 1.3741A6 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 0.0022B8992 \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'ubi-} \frac{M}{LT^2} &= 10^{-80} = 3A74B60. \text{k} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.7926298 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.001150975 \frac{\text{kg s}}{\text{m}} \\
1 \text{re-} \frac{MT}{L} &= 10^{20} = 1B23A6B. \text{k} \frac{\text{kg s}}{\text{m}} \\
1 \text{ni'umu-} \frac{M}{L^2} &= 10^{-50} = 1.58B033 \text{m} \frac{\text{kg}}{\text{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 484.3942 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00267B0B5 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 287476.B \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{M}{L^2} = 10^{-40} = 44B9310. \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.00006520645 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 1A485.4B \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.0387AA43 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 32.83A26 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 21.A1693 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.056A41A9 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 5119.561 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{L^2 T^2} = 10^{-100} = 0.0002431332 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 2B47903. \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 409B85.1 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.001858B20 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 704.6945 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = A2AA.530 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.00012086A9 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 5B16199. \cdot 10^{-20}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 203657.0 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.00351B207 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 35B.9421 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4597.A8A \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^3} = 10^{-80} = 0.0002814870 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 271789B. \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 475B61.2 \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.001602907 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 7BA.93AB \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.3677431 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 3.4644B5 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 208.0A4B \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.005A053A2 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 123408.3 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = A103527. \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.00002994920 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 43196.B6 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.01767310 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 74.47880 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = B.39248B \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.1088961 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.000057A9A68 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 21546.B4 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.033365B4 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 37.B8485 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 1A.8A713 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 0.063BA458 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 20410.40 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00005ABAB83 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 0.00001210458 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = A2813.72 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.008199B06 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 157.B978 \text{k} \frac{1}{\text{C}}$
$1 \text{m} \frac{1}{\text{s C}} = 1.735423 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.7571537 \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = B1B.3192 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0010A9984 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 656166.3 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{1}{TQ} = 10^{-40} = 1A36360. \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.00013348B1 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 9509.81B \text{m} \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.08A16B3B \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 14.3468B \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 51.50368 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.024174A0 \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.0002687441 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 4830.700 \text{m} \frac{s}{\text{C}} \quad (*)$
$1 \frac{s}{\text{C}} = 0.1593995 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 8.125984 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = A3.545B8 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.011BB827 \text{k} \frac{s}{\text{C}} \quad (*)$
$1 \text{m} \frac{m}{\text{C}} = 3.80832B \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.3327A98 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 215B.553 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.00057936A4 \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 0.000001290825 \cdot 10^{20}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 991465.9 \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.0002AAB179 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 415B.816 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 0.1825281 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 7.164761 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = B8.36B2A \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.01039717 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 237B5.54 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2 Q} = 10^{-60} = 0.000052571B3 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 0.000014012A5 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 8BB37.81 \frac{m}{\text{s}^2 \text{C}} \quad (*)$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.009320733 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 136.634B \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 47725.BB \cdot 10^{40} \quad (*)$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.0000270B410 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 0.00002821483 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 45854.7A \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 0.0167543B \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 78.97364 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 0.000678B531 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 1980.378 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 0.3A19612 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 3.153A73 \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 228.5944 \cdot 10^{40} \\
1m \frac{m^2}{sC} &= 53234.42 \cdot 10^0 \\
1 \frac{m^2}{sC} &= 0.00003069A02 \cdot 10^{10} \\
1k \frac{m^2}{sC} &= 0.0191B437 \cdot 10^{10} \\
1m \frac{m^2}{s^2C} &= 4.20A2B2 \cdot 10^{-30} \\
1 \frac{m^2}{s^2C} &= 24B8.718 \cdot 10^{-30} \\
1k \frac{m^2}{s^2C} &= 0.000001492843 \cdot 10^{-20} \\
1m \frac{m^2s}{C} &= 8.4781A0 \cdot 10^{70} \\
1 \frac{m^2s}{C} &= 4A2A.7B5 \cdot 10^{70} \\
1k \frac{m^2s}{C} &= 0.000002985487 \cdot 10^{80} \\
1m \frac{1}{mC} &= 0.0001154517 \cdot 10^{-40} \\
1 \frac{1}{mC} &= 0.079474B5 \cdot 10^{-40} \\
1k \frac{1}{mC} &= 46.06098 \cdot 10^{-40} \\
1m \frac{1}{msC} &= A7A4.A54 \cdot 10^{-80} \\
1 \frac{1}{msC} &= 61BB71A. \cdot 10^{-80} \quad (*) \\
1k \frac{1}{msC} &= 0.00369A524 \cdot 10^{-70} \\
1m \frac{1}{ms^2C} &= 0.853A213 \cdot 10^{-B0} \\
1 \frac{1}{ms^2C} &= 4A7.7480 \cdot 10^{-B0} \\
1k \frac{1}{ms^2C} &= 29B227.9 \cdot 10^{-B0} \\
1m \frac{s}{mC} &= 1.4B7945 \cdot 10^{-10} \\
1 \frac{s}{mC} &= 99A.2846 \cdot 10^{-10} \\
1k \frac{s}{mC} &= 582500.A \cdot 10^{-10} \quad (*) \\
1m \frac{1}{m^2C} &= 0.7519A21 \cdot 10^{-70} \\
1 \frac{1}{m^2C} &= 437.1388 \cdot 10^{-70} \\
1k \frac{1}{m^2C} &= 25A345.2 \cdot 10^{-70} \\
1m \frac{1}{m^2sC} &= 0.00005A78700 \cdot 10^{-A0} \quad (*) \\
1 \frac{1}{m^2sC} &= 0.034A6AB3 \cdot 10^{-A0} \\
1k \frac{1}{m^2sC} &= 1B.7A940 \cdot 10^{-A0} \\
1m \frac{1}{m^2s^2C} &= 47B8.7A2 \cdot 10^{-120} \\
1 \frac{1}{m^2s^2C} &= 2848892. \cdot 10^{-120} \\
1k \frac{1}{m^2s^2C} &= 0.00168B5B6 \cdot 10^{-110} \\
1m \frac{s}{m^2C} &= 9461.511 \cdot 10^{-40} \\
1 \frac{s}{m^2C} &= 55139A8. \cdot 10^{-40} \\
1k \frac{s}{m^2C} &= 0.0031819A8 \cdot 10^{-30} \\
1m \frac{1}{m^3C} &= 4130.663 \cdot 10^{-A0} \\
1 \frac{1}{m^3C} &= 2460593. \cdot 10^{-A0} \\
1k \frac{1}{m^3C} &= 0.00145B341 \cdot 10^{-90} \\
1m \frac{1}{m^3sC} &= 0.3304089 \cdot 10^{-110} \\
1 \frac{1}{m^3sC} &= 1A7.0425 \cdot 10^{-110} \\
1k \frac{1}{m^3sC} &= 110A19.2 \cdot 10^{-110} \\
1m \frac{1}{m^3s^2C} &= 0.000026B1345 \cdot 10^{-140} \\
1 \frac{1}{m^3s^2C} &= 0.015A9168 \cdot 10^{-140} \\
1k \frac{1}{m^3s^2C} &= A.43489A \cdot 10^{-140} \\
1m \frac{s}{m^3C} &= 0.0000521A9A6 \cdot 10^{-60} \\
1 \frac{s}{m^3C} &= 0.02BB7A5B \cdot 10^{-60} \quad (*) \\
1k \frac{s}{m^3C} &= 18.99742 \cdot 10^{-60} \\
1m \frac{kg}{C} &= 0.2726559 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{vo-} \frac{L^2}{Q} &= 10^{40} = 0.005485213 k \frac{m^2}{C} \\
1 \frac{L^2}{TQ} &= 1 = 0.00002341A07 m \frac{m^2}{sC} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 3B306.BB \frac{m^2}{sC} \quad (*) \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 69.7A39B k \frac{m^2}{sC} \\
1 \text{ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.2A6169B m \frac{m^2}{s^2C} \\
1 \text{ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0004B774BA \frac{m^2}{s^2C} \\
1 \text{ni'ure-} \frac{L^2}{T^2Q} &= 10^{-20} = 870707.9 k \frac{m^2}{s^2C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 0.15205B7 m \frac{m^2s}{C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 0.0002580585 \frac{m^2s}{C} \\
1 \text{bi-} \frac{L^2T}{Q} &= 10^{80} = 4332A0.7 k \frac{m^2s}{C} \\
1 \text{ni'ubo-} \frac{1}{LQ} &= 10^{-40} = A860.0B7 m \frac{1}{mC} \\
1 \text{ni'ubo-} \frac{1}{LQ} &= 10^{-40} = 16.60707 \frac{1}{mC} \\
1 \text{ni'ubo-} \frac{1}{LQ} &= 10^{-40} = 0.027B84A8 k \frac{1}{mC} \\
1 \text{ni'ubi-} \frac{1}{LTQ} &= 10^{-80} = 0.000116202A m \frac{1}{msC} \\
1 \text{ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 1B4288.0 \frac{1}{msC} \\
1 \text{ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 344.294A k \frac{1}{msC} \\
1 \text{ni'uvaiei-} \frac{1}{LT^2Q} &= 10^{-B0} = 1.507A77 m \frac{1}{ms^2C} \\
1 \text{ni'uvaiei-} \frac{1}{LT^2Q} &= 10^{-B0} = 0.002557930 \frac{1}{ms^2C} \\
1 \text{ni'ujauau-} \frac{1}{LT^2Q} &= 10^{-A0} = 42B12A0. k \frac{1}{ms^2C} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.859A549 m \frac{s}{mC} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.00127B487 \frac{s}{mC} \\
1 \frac{T}{LQ} &= 1 = 21405A1. k \frac{s}{mC} \\
1 \text{ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 1.747135 m \frac{1}{m^2C} \\
1 \text{ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 0.00295B049 \frac{1}{m^2C} \\
1 \text{ni'uxa-} \frac{1}{L^2Q} &= 10^{-60} = 49A624B. k \frac{1}{m^2C} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 20564.82 m \frac{1}{m^2sC} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 36.32835 \frac{1}{m^2sC} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 0.06105974 k \frac{1}{m^2sC} \\
1 \text{ni'upare-} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.00026A5334 m \frac{1}{m^2s^2C} \\
1 \text{ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 454152.2 \frac{1}{m^2s^2C} \\
1 \text{ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 782.1621 k \frac{1}{m^2s^2C} \\
1 \text{ni'uvao-} \frac{T}{L^2Q} &= 10^{-40} = 0.000134378B m \frac{s}{m^2C} \\
1 \text{ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 226588.2 \frac{s}{m^2C} \\
1 \text{ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 39A.3B31 k \frac{s}{m^2C} \\
1 \text{ni'ujauau-} \frac{1}{L^3Q} &= 10^{-A0} = 0.0002B10058 m \frac{1}{m^3C} \quad (*) \\
1 \text{ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 5075B1.1 \frac{1}{m^3C} \\
1 \text{ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 889.1386 k \frac{1}{m^3C} \\
1 \text{ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 3.833845 m \frac{1}{m^3sC} \\
1 \text{ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 0.006461257 \frac{1}{m^3sC} \\
1 \text{ni'upano-} \frac{1}{L^3TQ} &= 10^{-100} = B025893. k \frac{1}{m^3sC} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 47A61.B1 m \frac{1}{m^3s^2C} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 80.67922 \frac{1}{m^3s^2C} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.11AA186 k \frac{1}{m^3s^2C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 23972.29 m \frac{s}{m^3C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 40.05609 \frac{s}{m^3C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 0.06B01548 k \frac{s}{m^3C} \\
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 4.744542 m \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 160.8B60 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= A5522.66 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.00002089443 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.01238B83 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 8.348399 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 1771.BA4 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= B41118.4 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.0006690B31 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 3348.037 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 1A96509. \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.001123672 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0000485B227 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.02883A40 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 16.B0559 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 3892.2A6 \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s C}} &= 21AA567. \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.0012BA9BB \cdot 10^{-10} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.2B57B2A \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 186.3B94 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= BA677.96 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.5B36784 \cdot 10^{50} \\
1 \frac{\text{kg m s}}{\text{C}} &= 353.1415 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 1BA633.B \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 8631.0B5 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 4B2155B. \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.002A2B496 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.690400B \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 3AA.839B \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 231771.3 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00005425743 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0311A579 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 19.60406 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.0000A907152 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.06282153 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 37.27548 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 152B.085 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m C}} &= 9B8B56.4 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 0.0005936A31 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.117B674 \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s C}} &= 7A.A7669 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 46AB1.8B \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.00000A9B0990 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.006322A39 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 3.761663 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 0.0000199176B \cdot 10^0 \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.0107153B \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 7.355441
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 0.007B80477 \frac{\text{kg}}{\text{C}} \\
1 \text{ni'upa-} \frac{M}{TQ} &= 10^{-10} = 0.00001193972 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ubo-} \frac{M}{TQ} &= 10^{-40} = 59A53.20 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ubo-} \frac{M}{TQ} &= 10^{-40} = A0.89A44 \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ubo-} \frac{M}{TQ} &= 10^{-40} = 0.1547693 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ubi-} \frac{M}{T^2 Q} &= 10^{-80} = 0.0007421442 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ubi-} \frac{M}{T^2 Q} &= 10^{-80} = 0.000001084506 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'uze-} \frac{M}{T^2 Q} &= 10^{-70} = 19B3.615 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re-} \frac{MT}{Q} &= 10^{20} = 0.00037A5353 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = 639833.1 \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = AAB.B398 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 26706.6A \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 44.A3085 \frac{\text{kg m}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 0.0773BAAB \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'ure-} \frac{ML}{TQ} &= 10^{-20} = 0.0003272688 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'upa-} \frac{ML}{TQ} &= 10^{-10} = 568523.7 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'upa-} \frac{ML}{TQ} &= 10^{-10} = 973.1930 \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 4.086B19 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.007021969 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.00001015657 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 2.02A153 \text{m} \frac{\text{kg ms}}{\text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 0.0035A6B16 \frac{\text{kg ms}}{\text{C}} \\
1 \text{xa-} \frac{MLT}{Q} &= 10^{60} = 6045538. \text{k} \frac{\text{kg ms}}{\text{C}} \\
1 \text{vo-} \frac{ML^2}{Q} &= 10^{40} = 0.00014A9478 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 2524A8.5 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 425.6077 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 1.93AB41 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 0.0030A2715 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{re-} \frac{ML^2}{TQ} &= 10^{20} = 5381962. \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 22AB6.6A \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 3A.60B42 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 0.068443A4 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi-} \frac{ML^2 T}{Q} &= 10^{80} = 11482.36 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2 T}{Q} &= 10^{80} = 1B.17AB8 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2 T}{Q} &= 10^{80} = 0.033B966B \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni'ubo-} \frac{M}{LQ} &= 10^{-40} = 0.0008426620 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'ubo-} \frac{M}{LQ} &= 10^{-40} = 0.000001251BB2 \frac{\text{kg}}{\text{m C}} \quad (*) \\
1 \text{ni'uci-} \frac{M}{LQ} &= 10^{-30} = 20B2.935 \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'uze-} \frac{M}{LTQ} &= 10^{-70} = A.657462 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'uze-} \frac{M}{LTQ} &= 10^{-70} = 0.01626531 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'uze-} \frac{M}{LTQ} &= 10^{-70} = 0.000027576A7 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 11372A.1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 1AB.9643 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 0.3386A4A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 674A7.1A \text{m} \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = B5.26B95 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.1791363 \text{k} \frac{\text{kg s}}{\text{m C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.0000096399 A_6 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.00561 A_6 27 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 3.235046 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}} &= 767.0228 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}} &= 445087.5 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}} &= 0.000264057 A \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.05 B 940 B B \cdot 10^{-110} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 35.65643 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 20056.49 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.10032 A_9 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 6 B .5 A 6 1 6 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 40395.7 B \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.0531 A_8 29 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 30.67166 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 19199.60 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} &= 0.000004206657 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} &= 0.0024 B 6 5 4 B \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} &= 1.491557 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 337. A 4 8 1 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 1 A B 4 7 5 .A \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0001134494 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 678.5652 \cdot 10^{-60} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 3 A 1 6 1 1 .4 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.0002283979 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \text{m C} &= 157. B 9 7 8 \cdot 10^{10} \\
1 \text{C} &= A 2 8 1 3 .7 2 \cdot 10^{10} \\
1 \text{k C} &= 0.00005 A B A B 8 3 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 0.011 B B 8 2 7 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{C}}{\text{s}} &= 8.125984 \cdot 10^{-20} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 4830.700 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= B 1 1 2 5 B .B \cdot 10^{-60} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.0006503883 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 0.386 A 9 A 4 \cdot 10^{-50} \\
1 \text{m s C} &= 1 A 3 6 3 6 0 . \cdot 10^{40} \\
1 \text{s C} &= 0.0010 A 9 9 8 4 \cdot 10^{50} \\
1 \text{k s C} &= 0.7571537 \cdot 10^{50} \\
1 \text{m m C} &= 0.027 B 8 4 A 8 \cdot 10^{40} \\
1 \text{m C} &= 16.60707 \cdot 10^{40} \\
1 \text{k m C} &= A 8 6 0 .0 B 7 \cdot 10^{40} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 21405 A 1 . \cdot 10^0 \\
1 \frac{\text{m C}}{\text{s}} &= 0.00127 B 4 8 7 \cdot 10^{10} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.859 A 5 4 9 \cdot 10^{10} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 180. B 0 3 7 \cdot 10^{-30} \\
1 \frac{\text{m C}}{\text{s}^2} &= B 7 5 0 6 .8 7 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.00006882468 \cdot 10^{-20} \\
1 \text{m m s C} &= 344.294 A \cdot 10^{70} \\
1 \text{m s C} &= 1 B 4 2 8 8 .0 \cdot 10^{70} \\
1 \text{k m s C} &= 0.000116202 A \cdot 10^{80} \\
1 \text{m m}^2 \text{C} &= 49 A 6 2 4 B . \cdot 10^{60}
\end{aligned}$$

$$\begin{aligned}
1 \text{n} i'uxa \frac{M}{L^2 Q} &= 10^{-60} = 13147 B .2 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uxa \frac{M}{L^2 Q} &= 10^{-60} = 221.532 B \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.3917585 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n} i'ujauau \frac{M}{L^2 T Q} &= 10^{-A0} = 0.00170 A B 5 9 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{n} i'ujauau \frac{M}{L^2 T Q} &= 10^{-A0} = 0.0000028 B 6 8 A 8 \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{n} i'uso \frac{M}{L^2 T Q} &= 10^{-90} = 48 B 6 .4 5 0 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{n} i'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 20.0 A 8 0 9 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n} i'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.035724 A B \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n} i'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00005 B A 7 5 1 5 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n} i'uci \frac{MT}{L^2 Q} &= 10^{-30} = B .B 8 9 2 1 2 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.01884487 \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.00002 B 9 2 1 5 2 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uso \frac{M}{L^3 Q} &= 10^{-90} = 23.43 A 4 2 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n} i'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.03 B 3 4 0 B 9 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n} i'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.00006984447 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n} i'upano \frac{M}{L^3 T Q} &= 10^{-100} = 2 A 6 4 1 5 .B \text{m} \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} \\
1 \text{n} i'upano \frac{M}{L^3 T Q} &= 10^{-100} = 4 B 7 .B 9 B 8 \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} \\
1 \text{n} i'upano \frac{M}{L^3 T Q} &= 10^{-100} = 0.8712827 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} \\
1 \text{n} i'upavo \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.00376 A A 1 7 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n} i'upavo \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.000006336 B 2 2 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n} i'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = A A 1 4 .7 0 4 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n} i'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.001981 A A 8 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{n} i'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.0000031567 A 6 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{n} i'umu \frac{MT}{L^3 Q} &= 10^{-50} = 5489. B 7 2 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-Q} &= 10^{10} = 0.008199 B 0 6 \text{m C} \\
1 \text{pa-Q} &= 10^{10} = 0.00001210458 \text{C} \\
1 \text{re-Q} &= 10^{20} = 20410.40 \text{k C} \\
1 \text{n} i'ure \frac{Q}{T} &= 10^{-20} = A 3.545 B 8 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{n} i'ure \frac{Q}{T} &= 10^{-20} = 0.1593995 \frac{\text{C}}{\text{s}} \\
1 \text{n} i'ure \frac{Q}{T} &= 10^{-20} = 0.0002687441 \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{n} i'uxa \frac{Q}{T^2} &= 10^{-60} = 0.0000010 B 9 6 0 3 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{n} i'umu \frac{Q}{T^2} &= 10^{-50} = 1 A 5 2 .5 B B \frac{\text{C}}{\text{s}^2} \quad (*) \\
1 \text{n} i'umu \frac{Q}{T^2} &= 10^{-50} = 3.292378 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{mu-TQ} &= 10^{50} = 656166.3 \text{m s C} \\
1 \text{mu-TQ} &= 10^{50} = B 1 B .3 1 9 2 \text{s C} \\
1 \text{mu-TQ} &= 10^{50} = 1.735423 \text{k s C} \\
1 \text{vo-LQ} &= 10^{40} = 46.06098 \text{m m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.079474 B 5 \text{m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.0001154517 \text{k m C} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 582500. A \text{m} \frac{\text{m C}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 99 A .2 8 4 6 \frac{\text{m C}}{\text{s}} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 1.4 B 7 9 4 5 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{n} i'uci \frac{LQ}{T^2} &= 10^{-30} = 0.00720 A 1 A 4 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{n} i'uci \frac{LQ}{T^2} &= 10^{-30} = 0.00001048912 \frac{\text{m C}}{\text{s}^2} \\
1 \text{n} i'ure \frac{LQ}{T^2} &= 10^{-20} = 19500.90 \text{k} \frac{\text{m C}}{\text{s}^2} \quad (*) \\
1 \text{ze-LTQ} &= 10^{70} = 0.00369 A 5 2 4 \text{m m s C} \\
1 \text{bi-LTQ} &= 10^{80} = 61 B B 7 1 A . \text{m s C} \quad (*) \\
1 \text{bi-LTQ} &= 10^{80} = A 7 A 4 .A 5 4 \text{k m s C} \\
1 \text{ze-L}^2 Q &= 10^{70} = 25 A 3 4 5 .2 \text{m m}^2 \text{C}
\end{aligned}$$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.00295B049 \cdot 10^{70} \\
1 \text{k m}^2 \text{ C} &= 1.747135 \cdot 10^{70} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 39A.3B31 \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 226588.2 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.000134378B \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.03040A8B \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 19.04367 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 10205.A0 \cdot 10^0 \\
1 \text{m m}^2 \text{ s C} &= 0.06105974 \cdot 10^{A0} \\
1 \text{m}^2 \text{ s C} &= 36.32835 \cdot 10^{A0} \\
1 \text{k m}^2 \text{ s C} &= 20564.82 \cdot 10^{A0} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 991465.9 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.00057936A4 \cdot 10^{-10} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.3327A98 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 78.97364 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 45854.7A \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.0000270B410 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.006164B37 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 3.667A3A \cdot 10^{-80} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 2076.270 \cdot 10^{-80} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.01039717 \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 7.164761 \cdot 10^{20} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 415B.816 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 0.005485213 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 3.153A73 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 1980.378 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 4332A0.7 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.0002580585 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.15205B7 \cdot 10^{-70} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 34.76106 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 1B615.73 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.00001173223 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 69.7A39B \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 3B306.BB \cdot 10^{-10} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.00002341A07 \cdot 10^0 \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 2B.8B580 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^3} &= 1882A.40 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 0.00000BB7A654 \cdot 10^{-60} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.00243A981 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 1.448506 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 959.B982 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 1A5400.9 \cdot 10^{-120} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.00010BA459 \cdot 10^{-110} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.07624856 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 391417.4 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.0002213406 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.1313661 \cdot 10^{-30} \\
1 \text{m kg C} &= 0.001A79A81 \cdot 10^{20} \\
1 \text{kg C} &= 1.113801 \cdot 10^{20} \\
1 \text{k kg C} &= 770.4974 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ze-}L^2Q &= 10^{70} = 437.1388 \text{ m}^2 \text{ C} \\
1 \text{ ze-}L^2Q &= 10^{70} = 0.7519A21 \text{k m}^2 \text{ C} \\
1 \text{ ci-} \frac{L^2Q}{T} &= 10^{30} = 0.0031819A8 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2Q}{T} &= 10^{40} = 55139A8. \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2Q}{T^2} &= 10^{40} = 9461.511 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 3B.674BA \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.06A20402 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.0000B9BA335 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 1B.7A940 \text{ m m}^2 \text{ s C} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.034A6AB3 \text{ m}^2 \text{ s C} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.00005A78700 \text{k m}^2 \text{ s C} \quad (*) \\
1 \text{ ni'ure-} \frac{Q}{L} &= 10^{-20} = 0.000001290825 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 215B.553 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 3.80832B \text{k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.0167543B \text{ m} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.00002821483 \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ubo-} \frac{Q}{LT} &= 10^{-40} = 47725.BB \text{k} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 1B5.BA81 \text{ m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.3473440 \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.0005A202A6 \text{k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = B8.36B2A \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.1825281 \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.0002AAB179 \text{k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 228.5944 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 0.3A19612 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 0.000678B531 \text{k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubi-} \frac{Q}{L^2T} &= 10^{-80} = 0.000002985487 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 4A2A.7B5 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 8.4781A0 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uvaiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.03665008 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'uvaiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.00006160011 \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} &= 10^{-A0} = A7011.B9 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.0191B437 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.00003069A02 \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = 53234.42 \text{k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.04041071 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.00006B64839 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 100417.0 \text{k} \frac{\text{C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 510.0A63 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.8950325 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.001321B60 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upare-} \frac{Q}{L^3T^2} &= 10^{-120} = 0.0000064BA680 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = B105.69A \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 17.1A834 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'ubo-} \frac{TQ}{L^3} &= 10^{-40} = 0.000003237A49 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 5623.500 \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 9.646356 \text{k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ re-} MQ &= 10^{20} = 643.4BA0 \text{ m kg C} \\
1 \text{ re-} MQ &= 10^{20} = 0.4B9A081 \text{ kg C} \\
1 \text{ re-} MQ &= 10^{20} = 0.0016B94BB \text{k kg C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot C}{s} &= 15B483.2 \cdot 10^{-20} \\
1 \frac{kg \cdot C}{s} &= 0.0000A479287 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{s} &= 0.0601734B \cdot 10^{-10} \\
1m \frac{kg \cdot C}{s^2} &= 12.280B9 \cdot 10^{-50} \\
1 \frac{kg \cdot C}{s^2} &= 8292.957 \cdot 10^{-50} \\
1k \frac{kg \cdot C}{s^2} &= 0.00000491A945 \cdot 10^{-40} \\
1m kg \cdot s \cdot C &= 24.7062A \cdot 10^{50} \\
1 kg \cdot s \cdot C &= 14662.B4 \cdot 10^{50} \\
1k kg \cdot s \cdot C &= 0.0000096A7451 \cdot 10^{60} \\
1m kg \cdot m \cdot C &= 350021.8 \cdot 10^{40} \quad (*) \\
1 kg \cdot m \cdot C &= 0.0001B8892A \cdot 10^{50} \\
1k kg \cdot m \cdot C &= 0.118936A \cdot 10^{50} \\
1m \frac{kg \cdot m \cdot C}{s} &= 28.5A4B4 \cdot 10^{10} \\
1 \frac{kg \cdot m \cdot C}{s} &= 16974.B8 \cdot 10^{10} \\
1k \frac{kg \cdot m \cdot C}{s} &= 0.0000AA695A5 \cdot 10^{20} \\
1m \frac{kg \cdot m \cdot C}{s^2} &= 0.00218B164 \cdot 10^{-20} \\
1 \frac{kg \cdot m \cdot C}{s^2} &= 1.2A93B3 \cdot 10^{-20} \\
1k \frac{kg \cdot m \cdot C}{s^2} &= 875.6143 \cdot 10^{-20} \\
1m kg \cdot m \cdot s \cdot C &= 0.00438B125 \cdot 10^{80} \\
1 kg \cdot m \cdot s \cdot C &= 2.5B3B90 \cdot 10^{80} \\
1k kg \cdot m \cdot s \cdot C &= 153B.437 \cdot 10^{80} \\
1m kg \cdot m^2 \cdot C &= 62.26A23 \cdot 10^{70} \\
1 kg \cdot m^2 \cdot C &= 36B46.29 \cdot 10^{70} \\
1k kg \cdot m^2 \cdot C &= 0.000020A3007 \cdot 10^{80} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot C}{s} &= 0.004A981A1 \cdot 10^{40} \\
1 \frac{kg \cdot m^2 \cdot C}{s} &= 2.A04675 \cdot 10^{40} \\
1k \frac{kg \cdot m^2 \cdot C}{s} &= 1783.B74 \cdot 10^{40} \\
1m \frac{kg \cdot m^2 \cdot C}{s^2} &= 3A720B.7 \cdot 10^0 \\
1 \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.00022B7195 \cdot 10^{10} \\
1k \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.1373238 \cdot 10^{10} \\
1m kg \cdot m^2 \cdot s \cdot C &= 797AA3.0 \cdot 10^{A0} \\
1 kg \cdot m^2 \cdot s \cdot C &= 0.0004624A86 \cdot 10^{B0} \\
1k kg \cdot m^2 \cdot s \cdot C &= 0.2744878 \cdot 10^{B0} \\
1m \frac{kg \cdot C}{m} &= 10.62125 \cdot 10^{-10} \\
1 \frac{kg \cdot C}{m} &= 72AA.704 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{m} &= 0.0000042362A2 \cdot 10^0 \\
1m \frac{kg \cdot C}{m \cdot s} &= 0.0009ABB720 \cdot 10^{-40} \quad (*) \\
1 \frac{kg \cdot C}{m \cdot s} &= 0.58A4525 \cdot 10^{-40} \\
1k \frac{kg \cdot C}{m \cdot s} &= 33A.2815 \cdot 10^{-40} \\
1m \frac{kg \cdot C}{m \cdot s^2} &= 7A360.B1 \cdot 10^{-80} \\
1 \frac{kg \cdot C}{m \cdot s^2} &= 0.00004669825 \cdot 10^{-70} \\
1k \frac{kg \cdot C}{m \cdot s^2} &= 0.0276B32B \cdot 10^{-70} \\
1m \frac{kg \cdot s \cdot C}{m} &= 139631.4 \cdot 10^{20} \\
1 \frac{kg \cdot s \cdot C}{m} &= 0.00009181571 \cdot 10^{30} \\
1k \frac{kg \cdot s \cdot C}{m} &= 0.053578A2 \cdot 10^{30} \\
1m \frac{kg \cdot C}{m^2} &= 6AB73.80 \cdot 10^{-40} \\
1 \frac{kg \cdot C}{m^2} &= 0.00004001B4A \cdot 10^{-30} \quad (*) \\
1k \frac{kg \cdot C}{m^2} &= 0.02395166 \cdot 10^{-30} \\
1m \frac{kg \cdot C}{m^2 \cdot s} &= 5.58AB15 \cdot 10^{-70} \\
1 \frac{kg \cdot C}{m^2 \cdot s} &= 3206.666 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 ni'ure-\frac{MQ}{T} &= 10^{-20} = 0.000008033130 m \frac{kg \cdot C}{s} \\
1 ni'upa-\frac{MQ}{T} &= 10^{-10} = 11A43.54 \frac{kg \cdot C}{s} \\
1 ni'upa-\frac{MQ}{T} &= 10^{-10} = 1B.B5701 k \frac{kg \cdot C}{s} \\
1 ni'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.0A15B377 m \frac{kg \cdot C}{s^2} \\
1 ni'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.000155B3A7 \frac{kg \cdot C}{s^2} \\
1 ni'uvo-\frac{MQ}{T^2} &= 10^{-40} = 262948.4 k \frac{kg \cdot C}{s^2} \\
1 mu-MTQ &= 10^{50} = 0.05054489 m kg \cdot s \cdot C \\
1 mu-MTQ &= 10^{50} = 0.00008855239 kg \cdot s \cdot C \\
1 xa-MTQ &= 10^{60} = 1305B2.2 k kg \cdot s \cdot C \\
1 vo-MLQ &= 10^{40} = 0.000003618A82 m kg \cdot m \cdot C \\
1 mu-MLQ &= 10^{50} = 609B.061 kg \cdot m \cdot C \\
1 mu-MLQ &= 10^{50} = A.5A1738 k kg \cdot m \cdot C \\
1 pa-\frac{MLQ}{T} &= 10^{10} = 0.04522B75 m \frac{kg \cdot m \cdot C}{s} \\
1 pa-\frac{MLQ}{T} &= 10^{10} = 0.000077AA844 \frac{kg \cdot m \cdot C}{s} \\
1 re-\frac{MLQ}{T} &= 10^{20} = 112996.8 k \frac{kg \cdot m \cdot C}{s} \\
1 ni'ure-\frac{MLQ}{T^2} &= 10^{-20} = 571.57A1 m \frac{kg \cdot m \cdot C}{s^2} \\
1 ni'ure-\frac{MLQ}{T^2} &= 10^{-20} = 0.97BA2BB \frac{kg \cdot m \cdot C}{s^2} \quad (*) \\
1 ni'ure-\frac{MLQ}{T^2} &= 10^{-20} = 0.00148515A k \frac{kg \cdot m \cdot C}{s^2} \\
1 bi-MLTQ &= 10^{80} = 294.8B18 m kg \cdot m \cdot s \cdot C \\
1 bi-MLTQ &= 10^{80} = 0.49859B3 kg \cdot m \cdot s \cdot C \\
1 bi-MLTQ &= 10^{80} = 0.0008387472 k kg \cdot m \cdot s \cdot C \\
1 ze-ML^2Q &= 10^{70} = 0.01B34A7A m kg \cdot m^2 \cdot C \\
1 ze-ML^2Q &= 10^{70} = 0.0000342995A kg \cdot m^2 \cdot C \\
1 bi-ML^2Q &= 10^{80} = 59638.05 k kg \cdot m^2 \cdot C \\
1 vo-\frac{ML^2Q}{T} &= 10^{40} = 254.743B m \frac{kg \cdot m^2 \cdot C}{s} \\
1 vo-\frac{ML^2Q}{T} &= 10^{40} = 0.429395A \frac{kg \cdot m^2 \cdot C}{s} \\
1 vo-\frac{ML^2Q}{T} &= 10^{40} = 0.000738A936 k \frac{kg \cdot m^2 \cdot C}{s} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.00000310BBB6 m \frac{kg \cdot m^2 \cdot C}{s^2} \quad (**) \\
1 pa-\frac{ML^2Q}{T^2} &= 10^{10} = 540B.621 \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 pa-\frac{ML^2Q}{T^2} &= 10^{10} = 9.28918A k \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 jauau-ML^2TQ &= 10^{A0} = 0.000001654966 m kg \cdot m^2 \cdot s \cdot C \\
1 vaiei-ML^2TQ &= 10^{B0} = 27A6.B38 kg \cdot m^2 \cdot s \cdot C \\
1 vaiei-ML^2TQ &= 10^{B0} = 4.711193 k kg \cdot m^2 \cdot s \cdot C \\
1 ni'upa-\frac{MQ}{L} &= 10^{-10} = 0.0B60B439 m \frac{kg \cdot C}{m} \\
1 ni'upa-\frac{MQ}{L} &= 10^{-10} = 0.00017A7254 \frac{kg \cdot C}{m} \\
1 \frac{MQ}{L} &= 1 = 2A4374.8 k \frac{kg \cdot C}{m} \\
1 ni'uvo-\frac{MQ}{LT} &= 10^{-40} = 1263.0A9 m \frac{kg \cdot C}{m \cdot s} \\
1 ni'uvo-\frac{MQ}{LT} &= 10^{-40} = 2.111463 \frac{kg \cdot C}{m \cdot s} \\
1 ni'uvo-\frac{MQ}{LT} &= 10^{-40} = 0.003743AB9 k \frac{kg \cdot C}{m \cdot s} \\
1 ni'ubi-\frac{MQ}{LT^2} &= 10^{-80} = 0.0000163AB42 m \frac{kg \cdot C}{m \cdot s^2} \\
1 ni'uze-\frac{MQ}{LT^2} &= 10^{-70} = 27801.22 \frac{kg \cdot C}{m \cdot s^2} \\
1 ni'uze-\frac{MQ}{LT^2} &= 10^{-70} = 46.87A24 k \frac{kg \cdot C}{m \cdot s^2} \\
1 re-\frac{MTQ}{L} &= 10^{20} = 0.00000914B462 m \frac{kg \cdot s \cdot C}{m} \\
1 ci-\frac{MTQ}{L} &= 10^{30} = 13909.36 \frac{kg \cdot s \cdot C}{m} \\
1 ci-\frac{MTQ}{L} &= 10^{30} = 23.28537 k \frac{kg \cdot s \cdot C}{m} \\
1 ni'uvo-\frac{MQ}{L^2} &= 10^{-40} = 0.0000189B1A2 m \frac{kg \cdot C}{m^2} \\
1 ni'uci-\frac{MQ}{L^2} &= 10^{-30} = 2BBA6.56 \frac{kg \cdot C}{m^2} \quad (*) \\
1 ni'uci-\frac{MQ}{L^2} &= 10^{-30} = 52.23513 k \frac{kg \cdot C}{m^2} \\
1 ni'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.2234B43 m \frac{kg \cdot C}{m^2 \cdot s} \\
1 ni'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.0003950479 \frac{kg \cdot C}{m^2 \cdot s}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 0.000001A02555 \cdot 10^{-60} \\
1m \frac{\text{kg C}}{\text{m}^2 \text{s}^2} &= 0.00044115B9 \cdot 10^{-A0} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}^2} &= 0.261918B \cdot 10^{-A0} \\
1k \frac{\text{kg C}}{\text{m}^2 \text{s}^2} &= 155.42A1 \cdot 10^{-A0} \\
1m \frac{\text{kg s C}}{\text{m}^2} &= 0.0008885681 \cdot 10^0 \\
1 \frac{\text{kg s C}}{\text{m}^2} &= 0.5071530 \cdot 10^0 \\
1k \frac{\text{kg s C}}{\text{m}^2} &= 2B0.9539 \cdot 10^0 \\
1m \frac{\text{kg C}}{\text{m}^3} &= 0.00039A0664 \cdot 10^{-60} \\
1 \frac{\text{kg C}}{\text{m}^3} &= 0.2263914 \cdot 10^{-60} \\
1k \frac{\text{kg C}}{\text{m}^3} &= 134.2613 \cdot 10^{-60} \\
1m \frac{\text{kg C}}{\text{m}^3 \text{s}} &= 303A2.57 \cdot 10^{-A0} \\
1 \frac{\text{kg C}}{\text{m}^3 \text{s}} &= 0.000019028A6 \cdot 10^{-90} \\
1k \frac{\text{kg C}}{\text{m}^3 \text{s}} &= 0.0101B703 \cdot 10^{-90} \\
1m \frac{\text{kg C}}{\text{m}^3 \text{s}^2} &= 2.494443 \cdot 10^{-110} \\
1 \frac{\text{kg C}}{\text{m}^3 \text{s}^2} &= 147A.437 \cdot 10^{-110} \\
1k \frac{\text{kg C}}{\text{m}^3 \text{s}^2} &= 977B32.3 \cdot 10^{-110} \\
1m \frac{\text{kg s C}}{\text{m}^3} &= 4.9A1B02 \cdot 10^{-30} \\
1 \frac{\text{kg s C}}{\text{m}^3} &= 2958.67A \cdot 10^{-30} \\
1k \frac{\text{kg s C}}{\text{m}^3} &= 0.00000174580A \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1m \frac{1}{K} &= 1046.233 \cdot 10^{20} \\
1 \frac{1}{K} &= 71B439.1 \cdot 10^{20} \\
1k \frac{1}{K} &= 0.000418A275 \cdot 10^{30} \\
1m \frac{1}{sK} &= 0.09982326 \cdot 10^{-10} \\
1 \frac{1}{sK} &= 58.12A50 \cdot 10^{-10} \\
1k \frac{1}{sK} &= 334B3.30 \cdot 10^{-10} \\
1m \frac{1}{s^2K} &= 0.00000793007A \cdot 10^{-40} \quad (*) \\
1 \frac{1}{s^2K} &= 0.0045B6A46 \cdot 10^{-40} \\
1k \frac{1}{s^2K} &= 2.729041 \cdot 10^{-40} \\
1m \frac{s}{K} &= 0.0000137516A \cdot 10^{60} \\
1 \frac{s}{K} &= 0.009056B71 \cdot 10^{60} \\
1k \frac{s}{K} &= 5.292906 \cdot 10^{60} \\
1m \frac{m}{K} &= 0.1A49A23 \cdot 10^{50} \\
1 \frac{m}{K} &= 10B.6989 \cdot 10^{50} \\
1k \frac{m}{K} &= 7603B.69 \cdot 10^{50} \\
1m \frac{m}{sK} &= 0.0000159016A \cdot 10^{20} \\
1 \frac{m}{sK} &= 0.00A332AA8 \cdot 10^{20} \\
1k \frac{m}{sK} &= 5.B40624 \cdot 10^{20} \\
1m \frac{m}{s^2K} &= 1209.552 \cdot 10^{-20} \\
1 \frac{m}{s^2K} &= 818178.7 \cdot 10^{-20} \\
1k \frac{m}{s^2K} &= 0.0004863A0B \cdot 10^{-10} \\
1m \frac{ms}{K} &= 2433.053 \cdot 10^{80} \\
1 \frac{ms}{K} &= 1443B11. \cdot 10^{80} \\
1k \frac{ms}{K} &= 0.00095746BB \cdot 10^{90} \quad (*) \\
1m \frac{m^2}{K} &= 0.00003466B3A \cdot 10^{80} \\
1 \frac{m^2}{K} &= 0.01B57027 \cdot 10^{80} \\
1k \frac{m^2}{K} &= 11.6B54A \cdot 10^{80} \\
1m \frac{m^2}{sK} &= 2816.87A \cdot 10^{40} \\
1 \frac{m^2}{sK} &= 1671601. \cdot 10^{40} \\
1k \frac{m^2}{sK} &= 0.000A915906 \cdot 10^{50} \\
1m \frac{m^2}{s^2K} &= 0.2156202 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 ni'uxa-\frac{MQ}{L^2T} &= 10^{-60} = 665995.8 k \frac{\text{kg C}}{\text{m}^2 \text{s}} \\
1 ni'ujauau-\frac{MQ}{L^2T^2} &= 10^{-A0} = 2920.753 m \frac{\text{kg C}}{\text{m}^2 \text{s}^2} \\
1 ni'ujauau-\frac{MQ}{L^2T^2} &= 10^{-A0} = 4.939 BBB \frac{\text{kg C}}{\text{m}^2 \text{s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 ni'ujauau-\frac{MQ}{L^2T^2} &= 10^{-A0} = 0.008306AB2 k \frac{\text{kg C}}{\text{m}^2 \text{s}^2} \\
1 \frac{MTQ}{L^2} &= 1 = 1460.600 m \frac{\text{kg s C}}{\text{m}^2} \quad (*) \\
1 \frac{MTQ}{L^2} &= 1 = 2.462712 \frac{\text{kg s C}}{\text{m}^2} \\
1 \frac{MTQ}{L^2} &= 1 = 0.004134235 k \frac{\text{kg s C}}{\text{m}^2} \\
1 ni'uxa-\frac{MQ}{L^3} &= 10^{-60} = 3184.746 m \frac{\text{kg C}}{\text{m}^3} \\
1 ni'uxa-\frac{MQ}{L^3} &= 10^{-60} = 5.51878B \frac{\text{kg C}}{\text{m}^3} \\
1 ni'uxa-\frac{MQ}{L^3} &= 10^{-60} = 0.009469909 k \frac{\text{kg C}}{\text{m}^3} \\
1 ni'ujauau-\frac{MQ}{L^3T} &= 10^{-A0} = 0.00003B6AB2B m \frac{\text{kg C}}{\text{m}^3 \text{s}} \\
1 ni'uso-\frac{MQ}{L^3T} &= 10^{-90} = 6A265.04 \frac{\text{kg C}}{\text{m}^3 \text{s}} \\
1 ni'uso-\frac{MQ}{L^3T} &= 10^{-90} = BA.08955 k \frac{\text{kg C}}{\text{m}^3 \text{s}} \\
1 ni'upapa-\frac{MQ}{L^3T^2} &= 10^{-110} = 0.5005AB8 m \frac{\text{kg C}}{\text{m}^3 \text{s}^2} \quad (*) \\
1 ni'upapa-\frac{MQ}{L^3T^2} &= 10^{-110} = 0.0008790182 \frac{\text{kg C}}{\text{m}^3 \text{s}^2} \\
1 ni'upano-\frac{MQ}{L^3T^2} &= 10^{-100} = 12B3469. k \frac{\text{kg C}}{\text{m}^3 \text{s}^2} \\
1 ni'uci-\frac{MTQ}{L^3} &= 10^{-30} = 0.25A56B6 m \frac{\text{kg s C}}{\text{m}^3} \\
1 ni'uci-\frac{MTQ}{L^3} &= 10^{-30} = 0.0004375169 \frac{\text{kg s C}}{\text{m}^3} \\
1 ni'ure-\frac{MTQ}{L^3} &= 10^{-20} = 752454.9 k \frac{\text{kg s C}}{\text{m}^3}
\end{aligned}$$

$$\begin{aligned}
1 re-\frac{1}{\Theta} &= 10^{20} = 0.000B775604 m \frac{1}{K} \\
1 re-\frac{1}{\Theta} &= 10^{20} = 0.000001813238 \frac{1}{K} \\
1 ci-\frac{1}{\Theta} &= 10^{30} = 2A8A.A86 k \frac{1}{K} \\
1 ni'upa-\frac{1}{T\Theta} &= 10^{-10} = 12.8252A m \frac{1}{sK} \\
1 ni'upa-\frac{1}{T\Theta} &= 10^{-10} = 0.021458B6 \frac{1}{sK} \\
1 ni'upa-\frac{1}{T\Theta} &= 10^{-10} = 0.000037A1810 k \frac{1}{sK} \\
1 ni'uvo-\frac{1}{T^2\Theta} &= 10^{-40} = 166451.9 m \frac{1}{s^2K} \\
1 ni'uvo-\frac{1}{T^2\Theta} &= 10^{-40} = 280.3066 \frac{1}{s^2K} \\
1 ni'uvo-\frac{1}{T^2\Theta} &= 10^{-40} = 0.473BA77 k \frac{1}{s^2K} \\
1 xa-\frac{T}{\Theta} &= 10^{60} = 92774.98 m \frac{s}{K} \\
1 xa-\frac{T}{\Theta} &= 10^{60} = 13B.2156 \frac{s}{K} \\
1 xa-\frac{T}{\Theta} &= 10^{60} = 0.23642AB k \frac{s}{K} \\
1 mu-\frac{L}{\Theta} &= 10^{50} = 6.51786A m \frac{m}{K} \\
1 mu-\frac{L}{\Theta} &= 10^{50} = 0.00B136169 \frac{m}{K} \\
1 mu-\frac{L}{\Theta} &= 10^{50} = 0.00001723B56 k \frac{m}{K} \\
1 re-\frac{L}{T\Theta} &= 10^{20} = 8141B.A2 m \frac{m}{sK} \\
1 re-\frac{L}{T\Theta} &= 10^{20} = 120.2710 \frac{m}{sK} \\
1 re-\frac{L}{T\Theta} &= 10^{20} = 0.202815A k \frac{m}{sK} \\
1 ni'ure-\frac{L}{T^2\Theta} &= 10^{-20} = 0.000A2A2924 m \frac{m}{s^2K} \\
1 ni'ure-\frac{L}{T^2\Theta} &= 10^{-20} = 0.000001583579 \frac{m}{s^2K} \\
1 ni'upa-\frac{L}{T^2\Theta} &= 10^{-10} = 266A.042 k \frac{m}{s^2K} \\
1 bi-\frac{LT}{\Theta} &= 10^{80} = 0.0005115786 m \frac{ms}{K} \\
1 so-\frac{LT}{\Theta} &= 10^{90} = 89752A.4 \frac{ms}{K} \\
1 so-\frac{LT}{\Theta} &= 10^{90} = 1326.169 k \frac{ms}{K} \\
1 bi-\frac{L^2}{\Theta} &= 10^{80} = 36748.3B m \frac{m^2}{K} \\
1 bi-\frac{L^2}{\Theta} &= 10^{80} = 61.7825A \frac{m^2}{K} \\
1 bi-\frac{L^2}{\Theta} &= 10^{80} = 0.0A7300A0 k \frac{m^2}{K} \quad (*) \\
1 vo-\frac{L^2}{T\Theta} &= 10^{40} = 0.0004594653 m \frac{m^2}{sK} \\
1 mu-\frac{L^2}{T\Theta} &= 10^{50} = 78B268.6 \frac{m^2}{sK} \\
1 mu-\frac{L^2}{T\Theta} &= 10^{50} = 1147.109 k \frac{m^2}{sK} \\
1 pa-\frac{L^2}{T^2\Theta} &= 10^{10} = 5.7A5784 m \frac{m^2}{s^2K}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 128.9760 \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 86396.09 \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} &= 0.4320936 \cdot 10^{B0} \\
1 \frac{\text{m}^2 \text{s}}{\text{K}} &= 257.4406 \cdot 10^{B0} \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} &= 151795.5 \cdot 10^{B0} \\
1 \text{m} \frac{1}{\text{m K}} &= 0.000006A07374 \cdot 10^0 \\
1 \frac{1}{\text{m K}} &= 0.003B59685 \cdot 10^0 \\
1 \text{k} \frac{1}{\text{m K}} &= 2.358B07 \\
1 \text{m} \frac{1}{\text{m s K}} &= 550.23B2 \cdot 10^{-40} \\
1 \frac{1}{\text{m s K}} &= 317601.B \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{m s K}} &= 0.0001993512 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m s}^2 \text{K}} &= 0.04362747 \cdot 10^{-70} \\
1 \frac{1}{\text{m s}^2 \text{K}} &= 25.9921B \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m s}^2 \text{K}} &= 15305.90 \cdot 10^{-70} \\
1 \text{m} \frac{s}{\text{m K}} &= 0.08766B71 \cdot 10^{30} \\
1 \frac{s}{\text{m K}} &= 4B.B1046 \cdot 10^{30} \\
1 \text{k} \frac{s}{\text{m K}} &= 2A817.9B \cdot 10^{30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{K}} &= 0.0393B747 \cdot 10^{-30} \\
1 \frac{1}{\text{m}^2 \text{K}} &= 22.2967B \cdot 10^{-30} \\
1 \text{k} \frac{1}{\text{m}^2 \text{K}} &= 13221.03 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s K}} &= 0.000002BB0502 \cdot 10^{-60} \quad (*) \\
1 \frac{1}{\text{m}^2 \text{s K}} &= 0.00189536A \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s K}} &= 1.004295 \cdot 10^{-60} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 245.66A5 \cdot 10^{-40} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 1457A3.8 \cdot 10^{-A0} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 0.000096472B0 \cdot 10^{-90} \\
1 \text{m} \frac{s}{\text{m}^2 \text{K}} &= 492.5A6B \cdot 10^0 \\
1 \frac{s}{\text{m}^2 \text{K}} &= 291336.1 \cdot 10^0 \\
1 \text{k} \frac{s}{\text{m}^2 \text{K}} &= 0.000171AA24 \cdot 10^{10} \\
1 \text{m} \frac{1}{\text{m}^3 \text{K}} &= 210.63A2 \cdot 10^{-60} \\
1 \frac{1}{\text{m}^3 \text{K}} &= 125ABA.8 \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^3 \text{K}} &= 0.00008478BB0 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^3 \text{s K}} &= 0.017A1742 \cdot 10^{-90} \\
1 \frac{1}{\text{m}^3 \text{s K}} &= B.598647 \cdot 10^{-90} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s K}} &= 6790.130 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.000001388416 \cdot 10^{-100} \\
1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.000912473A \cdot 10^{-100} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.5323A82 \cdot 10^{-100} \\
1 \text{m} \frac{s}{\text{m}^3 \text{K}} &= 0.00000277323A \cdot 10^{-20} \\
1 \frac{s}{\text{m}^3 \text{K}} &= 0.001635961 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{m}^3 \text{K}} &= 0.4702286 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{K}} &= 0.013A5345 \cdot 10^{30} \\
1 \frac{\text{kg}}{\text{K}} &= 9.226005 \cdot 10^{30} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{K}} &= 5394.043 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg}}{\text{s K}} &= 0.00000106AA00 \cdot 10^0 \quad (*) \\
1 \frac{\text{kg}}{\text{s K}} &= 0.000733B296 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{s K}} &= 0.4265401 \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 9B.6A77A \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 59245.A6 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.000034065A2 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.009934A29 \frac{\text{m}^2}{\text{s}^2 \text{K}} \\
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.000014A7BB3 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{vai ei} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 2.9927A4 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{vai ei} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 0.004A42803 \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{pano} \cdot \frac{L^2 T}{\Theta} &= 10^{100} = 849B989. \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \frac{1}{L \Theta} &= 1 = 19087B.3 \text{m} \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 304.8532 \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 0.52A758B \text{k} \frac{1}{\text{m K}} \\
1 \text{ni' uvo} \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.00226B297 \text{m} \frac{1}{\text{m s K}} \\
1 \text{ni' uvo} \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.0000039B1560 \frac{1}{\text{m s K}} \\
1 \text{ni' uci} \cdot \frac{1}{LT \Theta} &= 10^{-30} = 6744.081 \text{k} \frac{1}{\text{m s K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 29.65BA0 \text{m} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 0.049B6271 \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 0.0000841A317 \text{k} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 14.83074 \text{m} \frac{\text{s}}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.024A057B \frac{\text{s}}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.0000419B57A \text{k} \frac{\text{s}}{\text{m K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 32.15321 \text{m} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.055A5548 \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.0000959AA34 \text{k} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 401358.A \text{m} \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 6B1.6822 \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 0.BB79407 \text{k} \frac{1}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni' ujauau} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.005086614 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni' ujauau} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.0000088AB081 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-90} = 13134.BB \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.002625780 \text{m} \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.000004424214 \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{pa} \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 7623.B51 \text{k} \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.0058BBA04 \text{m} \frac{1}{\text{m}^3 \text{K}} \quad (*) \\
1 \text{ni' uxa} \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.000009B2915B \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni' umu} \cdot \frac{1}{L^3 \Theta} &= 10^{-50} = 15204.30 \text{k} \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 73.0B0A3 \text{m} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.1065762 \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.0001980157 \text{k} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 91A844.A \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 139A.861 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 2.341738 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 468108.4 \text{m} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 7A5.8788 \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 1.17309B \text{k} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 90.A7486 \text{m} \frac{\text{kg}}{\text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.13819BB \frac{\text{kg}}{\text{K}} \quad (*) \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.0002311650 \text{k} \frac{\text{kg}}{\text{K}} \\
1 \frac{M}{T \Theta} &= 1 = B54B57.3 \text{m} \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 1795.48B \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 2.A23909 \text{k} \frac{\text{kg}}{\text{s K}} \\
1 \text{ni' uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.01254BA6 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni' uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.000020B7B4A \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{M}{T^2 \Theta} &= 10^{-30} = 37199.76 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{\text{kg s}}{\text{K}} &= 180.4050 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= B7100.27 \cdot 10^{60} \quad (*) \\
1k \frac{\text{kg s}}{\text{K}} &= 0.0000685A356 \cdot 10^{70} \\
1m \frac{\text{kg m}}{\text{K}} &= 0.000002488576 \cdot 10^{60} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.001475959 \cdot 10^{60} \\
1k \frac{\text{kg m}}{\text{K}} &= 0.9753659 \cdot 10^{60} \\
1m \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1k \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1m \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0160526A \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= A.530264 \cdot 10^{-10} \\
1k \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 6059.757 \cdot 10^{-10} \\
1m \frac{\text{kg m s}}{\text{K}} &= 0.030302B0 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 18.B8B83 \cdot 10^{90} \\
1k \frac{\text{kg m s}}{\text{K}} &= 10182.BA \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{K}} &= 43B.B262 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 2610A6.1 \cdot 10^{80} \\
1k \frac{\text{kg m}^2}{\text{K}} &= 0.000154B550 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{s K}} &= 0.0352495A \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1B.A13B2 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{\text{s K}} &= 1196A.68 \cdot 10^{50} \\
1m \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1k \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.000005574A88 \cdot 10^{100} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0031B8139 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.9B84BA \cdot 10^{100} \\
1m \frac{\text{kg}}{\text{m K}} &= 89.26759 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 50A78.7B \cdot 10^0 \\
1k \frac{\text{kg}}{\text{m K}} &= 0.00002B29AB6 \cdot 10^{10} \\
1m \frac{\text{kg}}{\text{m s K}} &= 0.006B45254 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 4.02B558 \cdot 10^{-30} \\
1k \frac{\text{kg}}{\text{m s K}} &= 23B0.628 \cdot 10^{-30} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 560897.A \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0003229118 \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1A1599B \cdot 10^{-60} \\
1m \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1k \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 4A1635.1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0002977AB9 \cdot 10^{-20} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1757237 \cdot 10^{-20} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3A.08646 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 227A3.2B \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0000135127A \cdot 10^{-50} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.00305B675 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.9154A8 \cdot 10^{-90} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1028.0A7 \cdot 10^{-90} \\
1m \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.00614340B \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 3.655063 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.007234241 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.00001051101 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 19576.54 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 501A4B.9 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 87B.47A1 \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1.2B75A0 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 7B.982B5 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.11967B0 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.0001BA0B45 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 3B.80018 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.06A45019 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.0000BA3B9B5 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.0029298A0 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.000004951904 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 832A.16B \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 35.B3756 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.06058571 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.0000A52A268 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 224020.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 396.0A52 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 0.6677437 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.01451057 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00002446953 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 4105B.73 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 188.8834 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.2B99664 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.00051A829B \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 221A839. \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 3924.A17 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 6.61334A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 2588A02. \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 4345.348 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 7.492607 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.03162525 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.0000549B4A4 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2T\Theta} &= 10^{-50} = 94036.B6 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 3B4.1A91 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.69993AA \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.000B946168 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 1B6.8111 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 0.3485649 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 2069.784 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0005A40890 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.002814414 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 459.8629 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1.67015B \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.78B9535 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = A90.8244 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.0011480B5 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s\ K} = 215434.A \cdot 10^{-90}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 57AA801. m \frac{kg}{m^3 s\ K}$
$1 \frac{kg}{m^3 s\ K} = 0.000128864B \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 9941.654 \frac{kg}{m^3 s\ K}$
$1k \frac{kg}{m^3 s\ K} = 0.08631B24 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 14.A92B4 k \frac{kg}{m^3 s\ K}$
$1m \frac{kg}{m^3 s^2 K} = 18.1B660 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.07184883 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = B803.599 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001041093 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 6904825. \cdot 10^{-100}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 193A92.5 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 34.63B39 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.03677A24 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 1B553.46 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000061817B0 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.0000116A542 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A7395.AB k \frac{kg\ s}{m^3 K}$
$1m K = 2A8A.A86 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.000418A275 m\ K$
$1 K = 0.000001813238 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 71B439.1 K$
$1k K = 0.000B775604 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 1046.233 k\ K$
$1m \frac{K}{s} = 0.23642AB \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 5.292906 m \frac{K}{s}$
$1 \frac{K}{s} = 13B.2156 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.009056B71 \frac{K}{s}$
$1k \frac{K}{s} = 92774.98 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0000137516A k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00001999287 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 6726B.48 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.01075A0A \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = B4.A7260 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 7.37BA73 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.17864B7 k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1 m\ K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1k m\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0000419B57A \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 2A817.9B m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.024A057B \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 4B.B1046 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 14.83074 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.08766B71 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 3359.932 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.000379201A m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.000001AA2464 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 6375A6.5 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.0011281A1 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = AA8.1861 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 6744.081 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.0001993512 m\ m\ s\ K$
$1m s\ K = 0.0000039B1560 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 317601.B m\ s\ K$
$1k m\ s\ K = 0.00226B297 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 550.23B2 k\ m\ s\ K$
$1m m^2 K = 0.0000959AA34 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 13221.03 m\ m^2 K$
$1 m^2 K = 0.055A5548 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 22.2967B m^2 K$
$1k m^2 K = 32.15321 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.0393B747 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5B57636 \cdot 10^{-40}$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 2.021821 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 354.38B0 \cdot 10^{-40}$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.003594419 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 1BB273.B \cdot 10^{-40} (*)$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.0000060242B3 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.BB79407 \cdot 10^{60} (*)$	$1 xa-L^2T\Theta = 10^{60} = 1.004295 m\ m^2 s\ K (*)$
$1 m^2 s\ K = 6B1.6822 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00189536A m^2 s\ K$
$1k m^2 s\ K = 401358.A \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.000002BB0502 k\ m^2 s\ K (*)$
$1m \frac{K}{m} = 0.00001723B56 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 7603B.69 m \frac{K}{m}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.00B136169 \cdot 10^{-50} \\
1 k \frac{K}{m} &= 6.51786A \cdot 10^{-50} \\
1 m \frac{K}{ms} &= 1326.169 \cdot 10^{-90} \\
1 \frac{K}{ms} &= 89752A.4 \cdot 10^{-90} \\
1 k \frac{K}{ms} &= 0.0005115786 \cdot 10^{-80} \\
1 m \frac{K}{ms^2} &= 0.1007530 \cdot 10^{-100} \quad (*) \\
1 \frac{K}{ms^2} &= 6B.83796 \cdot 10^{-100} \\
1 k \frac{K}{ms^2} &= 40524.01 \cdot 10^{-100} \\
1 m \frac{sK}{m} &= 0.202815A \cdot 10^{-20} \\
1 \frac{sK}{m} &= 120.2710 \cdot 10^{-20} \\
1 k \frac{sK}{m} &= 8141B.A2 \cdot 10^{-20} \\
1 m \frac{K}{m^2} &= 0.0A7300A0 \cdot 10^{-80} \quad (*) \\
1 \frac{K}{m^2} &= 61.7825A \cdot 10^{-80} \\
1 k \frac{K}{m^2} &= 36748.3B \cdot 10^{-80} \\
1 m \frac{K}{m^2 s} &= 849B989. \cdot 10^{-100} \\
1 \frac{K}{m^2 s} &= 0.004A42803 \cdot 10^{-B0} \\
1 k \frac{K}{m^2 s} &= 2.9927A4 \cdot 10^{-B0} \\
1 m \frac{K}{m^2 s^2} &= 67A.9430 \cdot 10^{-130} \\
1 \frac{K}{m^2 s^2} &= 3A2A23.6 \cdot 10^{-130} \\
1 k \frac{K}{m^2 s^2} &= 0.0002291153 \cdot 10^{-120} \\
1 m \frac{sK}{m^2} &= 1147.109 \cdot 10^{-50} \\
1 \frac{sK}{m^2} &= 78B268.6 \cdot 10^{-50} \\
1 k \frac{sK}{m^2} &= 0.0004594653 \cdot 10^{-40} \\
1 m \frac{K}{m^3} &= 5A3.7635 \cdot 10^{-B0} \\
1 \frac{K}{m^3} &= 348262.B \cdot 10^{-B0} \\
1 k \frac{K}{m^3} &= 0.0001B66421 \cdot 10^{-A0} \\
1 m \frac{K}{m^3 s} &= 0.04785943 \cdot 10^{-120} \\
1 \frac{K}{m^3 s} &= 28.2A298 \cdot 10^{-120} \\
1 k \frac{K}{m^3 s} &= 167A5.8A \cdot 10^{-120} \\
1 m \frac{K}{m^3 s^2} &= 3818466. \cdot 10^{-160} \\
1 \frac{K}{m^3 s^2} &= 0.002166562 \cdot 10^{-150} \\
1 k \frac{K}{m^3 s^2} &= 1.2948A4 \cdot 10^{-150} \\
1 m \frac{sK}{m^3} &= 7487B26. \cdot 10^{-80} \\
1 \frac{sK}{m^3} &= 0.004341592 \cdot 10^{-70} \\
1 k \frac{sK}{m^3} &= 2.586774 \cdot 10^{-70} \\
1 m kg K &= 0.03867199 \cdot 10^{-20} \\
1 kg K &= 21.9457B \cdot 10^{-20} \\
1 k kg K &= 12B05.08 \cdot 10^{-20} \\
1 m \frac{kg K}{s} &= 2B37376. \cdot 10^{-60} \\
1 \frac{kg K}{s} &= 0.001851886 \cdot 10^{-50} \\
1 k \frac{kg K}{s} &= 0.B9A4797 \cdot 10^{-50} \\
1 m \frac{kg K}{s^2} &= 23B.7B5B \cdot 10^{-90} \\
1 \frac{kg K}{s^2} &= 1422BB.2 \cdot 10^{-90} \quad (*) \\
1 k \frac{kg K}{s^2} &= 0.0000944B562 \cdot 10^{-80} \\
1 m kg s K &= 482.7B4A \cdot 10^{10} \\
1 kg s K &= 28651A.7 \cdot 10^{10} \\
1 k kg s K &= 0.000169B399 \cdot 10^{20} \\
1 m kg m K &= 687789A. \cdot 10^0 \\
1 kg m K &= 0.003A7B907 \cdot 10^{10} \\
1 k kg m K &= 2.3008B6 \cdot 10^{10} \quad (*) \\
1 m \frac{kg m K}{s} &= 53A.9035 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 10B.6989 \frac{K}{m} \\
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 0.1A49A23 k \frac{K}{m} \\
1 ni'uso-\frac{\Theta}{LT} &= 10^{-90} = 0.00095746B m \frac{K}{ms} \quad (*) \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 1443B11. \frac{K}{ms} \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 2433.053 k \frac{K}{ms} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = B.B47171 m \frac{K}{ms^2} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.0187922B \frac{K}{ms^2} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.00002B81801 k \frac{K}{ms^2} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 5.B40624 m \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.00A332AA8 \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.0000159016A k \frac{sK}{m} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 11.6B54A m \frac{K}{m^2} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.01B57027 \frac{K}{m^2} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.00003466B3A k \frac{K}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 151795.5 m \frac{K}{m^2 s} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 257.4406 \frac{K}{m^2 s} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 0.4320936 k \frac{K}{m^2 s} \\
1 ni'upaci-\frac{\Theta}{L^2T^2} &= 10^{-130} = 0.001976439 m \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 3145743. \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 546B.517 k \frac{K}{m^2 s^2} \\
1 ni'umu-\frac{T\Theta}{L^2} &= 10^{-50} = 0.000A915906 m \frac{sK}{m^2} \\
1 ni'ubo-\frac{T\Theta}{L^2} &= 10^{-40} = 1671601. \frac{sK}{m^2} \\
1 ni'ubo-\frac{T\Theta}{L^2} &= 10^{-40} = 2816.87A k \frac{sK}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^3} &= 10^{-B0} = 0.00206B563 m \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 365822B. \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 6148.931 k \frac{K}{m^3} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 27.02995 m \frac{K}{m^3 s} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.045727A7 \frac{K}{m^3 s} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.00007875A0A k \frac{K}{m^3 s} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 331918.5 m \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 577.8B94 \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 0.98A84BA k \frac{K}{m^3 s^2} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 175877.2 m \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 297.A4A6 \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 0.4A1A70B k \frac{sK}{m^3} \\
1 ni'ure-M\Theta &= 10^{-20} = 32.955B7 m kg K \\
1 ni'ure-M\Theta &= 10^{-20} = 0.057038A6 kg K \\
1 ni'ure-M\Theta &= 10^{-20} = 0.0000979A258 k kg K \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 40B4B1.1 m \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 707.065A \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 1.021BB8 k \frac{kg K}{s} \quad (*) \\
1 ni'uso-\frac{M\Theta}{T^2} &= 10^{-90} = 0.005193937 m \frac{kg K}{s^2} \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 8A8BA96. \frac{kg K}{s^2} \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 13456.78 k \frac{kg K}{s^2} \\
1 pa-MT\Theta &= 10^{10} = 0.002689A87 m kg s K \\
1 re-MT\Theta &= 10^{20} = 4513B39. kg s K \\
1 re-MT\Theta &= 10^{20} = 7793.78A k kg s K \\
1 pa-ML\Theta &= 10^{10} = 19519B.2 m kg m K \\
1 pa-ML\Theta &= 10^{10} = 310.4387 kg m K \\
1 pa-ML\Theta &= 10^{10} = 0.53BA293 k kg m K \\
1 ni'uci-\frac{ML\Theta}{T} &= 10^{-30} = 0.0023063B4 m \frac{kg m K}{s}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 30B87B.B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00019494A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 0.04276972 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 25.37268 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 14B58.11 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0977A372 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 56.B1AA4 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 32895.A9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 7778851. \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.004504B92 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.683670 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 0.0000134246A \cdot 10^{70} \\
1 \text{kg m}^2 \text{s K} &= 0.008A71A48 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 5.183036 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 207.422B \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 122B04.B \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.000082AB362 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.01760466 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= B.352768 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 6646.2B1 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13553B9. \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0008B39834 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.5213136 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 2708945. \cdot 10^{-20} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0015B84B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.A49B129 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 117208B. \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0007A5179A \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4679017 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= A9.36703 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 629A7.89 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.000037373B0 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.008655222 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 4.B3587A \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 2A38.989 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.0151B100 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 9.B20372 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 58B6.890 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.00761933A \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.420391 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 2623.4A1 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 5B5229.A \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0003540823 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.1BB0A0A \cdot 10^{-110} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 3A89497. \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 6890.4A0 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 2A.167B2 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.04AB864B \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000085AB123 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-} ML^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 12.B3609 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.02199973 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00003874439 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 16A326.2 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 286.BA70 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.48376A4 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 946A8.42 \text{m kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 142.6410 \text{kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 0.24018A6 \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.005A26032 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = A13A14B. \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = 15578.44 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 74.72A8A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.1091345 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.0001A069A3 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 939995.1 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 1412.7A7 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2.39A781 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 47770B.8 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 801.7193 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 1.1A14B6 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = A70B76.A \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 1637.192 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 2.77564A \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.01144628 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.00001B11699 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 33AA6.B8 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 14A.4902 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.2518A70 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0004244267 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 84.84542 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.1260093 \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0002108212 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 172.0328 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.29158B1 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000492A14B \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{M\Theta}{L^3T} &= 10^{-120} = 0.00000202357B \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 3597.533 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 6.029711 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 48.72863 \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.026641 A9 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 2890 A.1 A \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.00004490689 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.000016 B57 A6 \cdot 10^{-140}$	$1 ni' upavo \frac{M\Theta}{L^3 T^2} = 10^{-140} = 771 A A.34 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 95.92523 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.01323262 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 55 A06. A8 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.0000222 B5 B8 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.0000321253 A \cdot 10^{-60}$	$1 ni' uxa \frac{MT\Theta}{L^3} = 10^{-60} = 3942 B.80 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.03494642 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 36.45721 m \frac{K}{C}$
$1 \frac{K}{C} = 1 B.72555 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.06127689 \frac{K}{C}$
$1k \frac{K}{C} = 117 A8.46 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.0000 A663335 k \frac{K}{C}$
$1m \frac{K}{sC} = 2839400. \cdot 10^{-80}$ (*)	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 45582 B.4 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.001684 A99 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 784. A035 \frac{K}{sC}$
$1k \frac{K}{sC} = 0. A9 A4853 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 1.138098 k \frac{K}{sC}$
$1m \frac{K}{s^2 C} = 217.3309 \cdot 10^{-B0}$	$1 ni' uvaiei \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.0057598 B4 m \frac{K}{s^2 C}$
$1 \frac{K}{s^2 C} = 12999 B.3 \cdot 10^{-B0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 9874321. \frac{K}{s^2 C}$
$1k \frac{K}{s^2 C} = 0.000086 AA303 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 14961.05 k \frac{K}{s^2 C}$
$1m \frac{sK}{C} = 435.71 A A \cdot 10^{-10}$	$1 ni' upa \frac{T\Theta}{Q} = 10^{-10} = 0.00296 A A19 m \frac{sK}{C}$
$1 \frac{sK}{C} = 2594 A4.7 \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 4 A02743. \frac{sK}{C}$
$1k \frac{sK}{C} = 0.0001529 B95 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 8430.931 k \frac{sK}{C}$
$1m \frac{mK}{C} = 6199690. \cdot 10^{-20}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 1 B4 A B5. B m \frac{mK}{C}$
$1 \frac{mK}{C} = 0.00368744 A \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 345.5023 \frac{mK}{C}$
$1k \frac{mK}{C} = 2.08799 B \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 0.59 A9763 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 4 A5. A915 \cdot 10^{-50}$	$1 ni' umu \frac{L\Theta}{TQ} = 10^{-50} = 0.0025661 B9 m \frac{mK}{sC}$
$1 \frac{mK}{sC} = 29 A234.8 \cdot 10^{-50}$	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 4307244. \frac{mK}{sC}$
$1k \frac{mK}{sC} = 0.0001770922 \cdot 10^{-40}$	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 7426. A50 k \frac{mK}{sC}$
$1m \frac{mK}{s^2 C} = 0.03 A42140 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 31.34939 m \frac{mK}{s^2 C}$
$1 \frac{mK}{s^2 C} = 22.9 A3 B B \cdot 10^{-80}$ (*)	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.054512 B3 \frac{mK}{s^2 C}$
$1k \frac{mK}{s^2 C} = 13631.91 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.0000933 B0 B5 k \frac{mK}{s^2 C}$
$1m \frac{msK}{C} = 0.0791 A684 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 16.67144 m \frac{msK}{C}$
$1 \frac{msK}{C} = 45. AB07 A \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.02807827 \frac{msK}{C}$
$1k \frac{msK}{C} = 27246.12 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.00004747 A A0 k \frac{msK}{C}$
$1m \frac{m^2 K}{C} = B17.4036 \cdot 10^{10}$	$1 pa \frac{L^2 \Theta}{Q} = 10^{10} = 0.0010 B2436 m \frac{m^2 K}{C}$
$1 \frac{m^2 K}{C} = 653 A33.5 \cdot 10^{10}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = 1 A421 A2. \frac{m^2 K}{C}$
$1k \frac{m^2 K}{C} = 0.000388 B541 \cdot 10^{20}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = 3274. B79 k \frac{m^2 K}{C}$
$1m \frac{m^2 K}{sC} = 0.089 A5731 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 14.3 A37 A m \frac{m^2 K}{sC}$
$1 \frac{m^2 K}{sC} = 51.32830 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.024253 A B \frac{m^2 K}{sC}$
$1k \frac{m^2 K}{sC} = 2 B558.80 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.00004089 B79 k \frac{m^2 K}{sC}$
$1m \frac{m^2 K}{s^2 C} = 6 B A8571. \cdot 10^{-60}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 187211.8 m \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 K}{s^2 C} = 0.004067016 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 2 B7.14 B4 \frac{m^2 K}{s^2 C}$
$1k \frac{m^2 K}{s^2 C} = 2.411882 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 0.5160866 k \frac{m^2 K}{s^2 C}$
$1m \frac{m^2 sK}{C} = 0.00001207500 \cdot 10^{50}$ (*)	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = A2 B86.95 m \frac{m^2 sK}{C}$
$1 \frac{m^2 sK}{C} = 0.00816 B609 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 158.604 A \frac{m^2 sK}{C}$
$1k \frac{m^2 sK}{C} = 4.8577 A9 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 0.267255 B k \frac{m^2 sK}{C}$
$1m \frac{K}{mC} = 1 A6.44 A2 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{LQ} = 10^{-70} = 0.006484232 m \frac{K}{mC}$
$1 \frac{K}{mC} = 110567.0 \cdot 10^{-70}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = B064437. \frac{K}{mC}$
$1k \frac{K}{mC} = 0.00007666646 \cdot 10^{-60}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = 17101.93 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.015 A2 A00 \cdot 10^{-A0}$ (*)	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 80.9599 A m \frac{K}{msC}$
$1 \frac{K}{msC} = A.3 B9015 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.11 B3067 \frac{K}{msC}$
$1k \frac{K}{msC} = 5 B8 B.72 A \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.0002010213 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 121912A \cdot 10^{-120} \\
1 \frac{K}{ms^2C} &= 0.000822A66A \cdot 10^{-110} \\
1k \frac{K}{ms^2C} &= 0.48A27B0 \cdot 10^{-110} \\
1m \frac{sK}{mC} &= 2452553 \cdot 10^{-40} \\
1 \frac{sK}{mC} &= 0.001455585 \cdot 10^{-30} \\
1k \frac{sK}{mC} &= 0.9632831 \cdot 10^{-30} \\
1m \frac{K}{m^2C} &= 1054535 \cdot 10^{-A0} \\
1 \frac{K}{m^2C} &= 0.0007253602 \cdot 10^{-90} \\
1k \frac{K}{m^2C} &= 0.42034B9 \cdot 10^{-90} \\
1m \frac{K}{m^2sC} &= 9A.438A9 \cdot 10^{-110} \\
1 \frac{K}{m^2sC} &= 585B3.3A \cdot 10^{-110} \\
1k \frac{K}{m^2sC} &= 0.00003377AB8 \cdot 10^{-100} \\
1m \frac{K}{m^2s^2C} &= 0.007995360 \cdot 10^{-140} \\
1 \frac{K}{m^2s^2C} &= 4.633690 \cdot 10^{-140} \\
1k \frac{K}{m^2s^2C} &= 274A.A8A \cdot 10^{-140} \\
1m \frac{sK}{m^2C} &= 0.01386099 \cdot 10^{-60} \\
1 \frac{sK}{m^2C} &= 9.11097B \cdot 10^{-60} \\
1k \frac{sK}{m^2C} &= 5316.8B1 \cdot 10^{-60} \\
1m \frac{K}{m^3C} &= 0.006A63319 \cdot 10^{-100} \\
1 \frac{K}{m^3C} &= 3.B90A7A \cdot 10^{-100} \\
1k \frac{K}{m^3C} &= 2377.820 \cdot 10^{-100} \\
1m \frac{K}{m^3sC} &= 554821.9 \cdot 10^{-140} \\
1 \frac{K}{m^3sC} &= 0.00031A1217 \cdot 10^{-130} \\
1k \frac{K}{m^3sC} &= 0.19A9562 \cdot 10^{-130} \\
1m \frac{K}{m^3s^2C} &= 43.99353 \cdot 10^{-170} \\
1 \frac{K}{m^3s^2C} &= 25B9A.5B \cdot 10^{-170} \\
1k \frac{K}{m^3s^2C} &= 0.0000154292A \cdot 10^{-160} \\
1m \frac{sK}{m^3C} &= 88.18896 \cdot 10^{-90} \\
1 \frac{sK}{m^3C} &= 50327.B9 \cdot 10^{-90} \\
1k \frac{sK}{m^3C} &= 0.00002AA6461 \cdot 10^{-80} \\
1m \frac{kgK}{C} &= 443633.8 \cdot 10^{-40} \\
1 \frac{kgK}{C} &= 0.000263196B \cdot 10^{-30} \\
1k \frac{kgK}{C} &= 0.1561A5A \cdot 10^{-30} \\
1m \frac{kgK}{sC} &= 35.52ABA \cdot 10^{-70} \\
1 \frac{kgK}{sC} &= 1BB90.AB \cdot 10^{-70} (*) \\
1k \frac{kgK}{sC} &= 0.000011A6384 \cdot 10^{-60} \\
1m \frac{kgK}{s^2C} &= 0.0028A015B \cdot 10^{-A0} \\
1 \frac{kgK}{s^2C} &= 1.700225 \cdot 10^{-A0} (*) \\
1k \frac{kgK}{s^2C} &= ABB.5332 \cdot 10^{-A0} (*) \\
1m \frac{kg sK}{C} &= 0.0055BB2B0 \cdot 10^0 (*) \\
1 \frac{kg sK}{C} &= 3.22368B \\
1k \frac{kg sK}{C} &= 1A12.74A \cdot 10^0 \\
1m \frac{kg mK}{C} &= 7A.7A1B8 \cdot 10^{-10} \\
1 \frac{kg mK}{C} &= 46939.B0 \cdot 10^{-10} \\
1k \frac{kg mK}{C} &= 0.0000278486B \cdot 10^0 \\
1m \frac{kg mK}{sC} &= 0.0063004A7 \cdot 10^{-40} (*) \\
1 \frac{kg mK}{sC} &= 3.74A29B \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = A21971.3 m \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 1570.A99 \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 2.648A2B k \frac{K}{ms^2C} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 509338.0 m \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 890.230A \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 1.315731 k \frac{sK}{mC} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = B69A62.8 m \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 17BA.775 \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 2.A66345 k \frac{K}{m^2C} \\
1 ni'upapa-\frac{\Theta}{L^2TQ} &= 10^{-110} = 0.01272416 m \frac{K}{m^2sC} \\
1 ni'upapa-\frac{\Theta}{L^2TQ} &= 10^{-110} = 0.00002128A26 \frac{K}{m^2sC} \\
1 ni'upano-\frac{\Theta}{L^2TQ} &= 10^{-100} = 37716.95 k \frac{K}{m^2sC} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 165.1202 m \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.27A0811 \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.0004702398 k \frac{K}{m^2s^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 92.00356 m \frac{sK}{m^2C} (*) \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.13A1003 \frac{sK}{m^2C} (*) \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00023456A2 k \frac{sK}{m^2C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 18B.3399 m \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.3022576 \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.0005263834 k \frac{K}{m^3C} \\
1 ni'upavo-\frac{\Theta}{L^3TQ} &= 10^{-140} = 0.000002251418 m \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 397B.777 \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 6.6AA848 k \frac{K}{m^3sC} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.02942443 m \frac{K}{m^3s^2C} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.00004976597 \frac{K}{m^3s^2C} \\
1 ni'upaxa-\frac{\Theta}{L^3T^2Q} &= 10^{-160} = 836B9.43 k \frac{K}{m^3s^2C} \\
1 ni'uso-\frac{T\Theta}{L^3Q} &= 10^{-90} = 0.01471384 m \frac{sK}{m^3C} \\
1 ni'uso-\frac{T\Theta}{L^3Q} &= 10^{-90} = 0.00002480882 \frac{sK}{m^3C} \\
1 ni'ubi-\frac{T\Theta}{L^3Q} &= 10^{-80} = 41665.27 k \frac{sK}{m^3C} \\
1 ni'uvo-\frac{M\Theta}{Q} &= 10^{-40} = 0.000002906449 m \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 4912.55A \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 8.2804A5 k \frac{kgK}{C} \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.035850B7 m \frac{kgK}{sC} \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.00006008943 \frac{kgK}{sC} (*) \\
1 ni'uxa-\frac{M\Theta}{TQ} &= 10^{-60} = A4630.A9 k \frac{kgK}{sC} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 447.6534 m \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.76B3665 \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.001111912 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 222.2595 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.392B488 \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0006622724 k \frac{kg sK}{C} \\
1 ni'upa-\frac{ML\Theta}{Q} &= 10^{-10} = 0.01630A40 m \frac{kg mK}{C} \\
1 ni'upa-\frac{ML\Theta}{Q} &= 10^{-10} = 0.00002766809 \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 46618.A2 k \frac{kg mK}{C} \\
1 ni'ubo-\frac{ML\Theta}{TQ} &= 10^{-40} = 1B0.5775 m \frac{kg mK}{sC} \\
1 ni'ubo-\frac{ML\Theta}{TQ} &= 10^{-40} = 0.3398A59 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s C}} &= 2115.04B \cdot 10^{-40} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 4B5217.6 \cdot 10^{-80} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.0002A4875B \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.17AA129 \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 9B553B.9 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.0005916583 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.3400836 \cdot 10^{30} \quad (*) \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.01233B31 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 8.319424 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 4946.431 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= B39131.8 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.0006669291 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.3957012 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 8B.6A783 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 52305.A9 \cdot 10^{-50} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.0000300394B \cdot 10^{-40} \quad (*) \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 160.272B \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= A5160.BA \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.0000604B16A \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.0024A8318 \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 1.487685 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 981.31A8 \cdot 10^{-60} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 1AA867.2 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.000112B886 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.07800117 \cdot 10^{-90} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 16.181A1 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= A5B7.B54 \cdot 10^{-110} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.0000060A97AA \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 30.56329 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 19124.25 \cdot 10^{-30} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.0000102637A \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 13.B6513 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 92A1.352 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.000005418A32 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.0010792BB \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.739B694 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 429.B239 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= A0318.19 \cdot 10^{-140} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0000597197B \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.034337A5 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 181875.9 \cdot 10^{-60} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.0000B7A7275 \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.068B4B56 \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 89999.29 \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0000512A1A1 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.02B53121 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.00058964A4 \frac{\text{kg m K}}{\text{s C}} \\
1 ni' ubi - \frac{ML\Theta}{T^2 Q} &= 10^{-80} = 0.00000250AA55 \frac{\text{m kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 422A.AB6 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 7.299B1B \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 re - \frac{MLT\Theta}{Q} &= 10^{20} = 0.000001257100 \frac{\text{m kg m s K}}{\text{C}} \quad (*) \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 20BB.69A \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 3.724079 \frac{\text{kg m s K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = A1.04541 \frac{\text{m kg m}^2 \text{K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.1551843 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.0002614908 \frac{\text{k kg m}^2 \text{K}}{\text{C}} \\
1 ni' ure - \frac{ML^2\Theta}{TQ} &= 10^{-20} = 0.000001088A94 \frac{\text{m kg m}^2 \text{K}}{\text{s C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 19BB.2B9 \frac{\text{kg m}^2 \text{K}}{\text{s C}} \quad (*) \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 3.201009 \frac{\text{k kg m}^2 \text{K}}{\text{s C}} \quad (*) \\
1 ni' umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.01409162 \frac{\text{m kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.000023910BA \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 3BB6B.5B \frac{\text{k kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.007BAA163 \frac{\text{m kg m}^2 \text{s K}}{\text{C}} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.000011987A9 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 1BA44.9A \frac{\text{k kg m}^2 \text{s K}}{\text{C}} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 4B9.8A5B \frac{\text{m kg K}}{\text{m C}} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.8743069 \frac{\text{kg K}}{\text{m C}} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.0012A71AA \frac{\text{kg K}}{\text{m C}} \\
1 ni' ujauau - \frac{M\Theta}{LTQ} &= 10^{-A0} = 0.0000063595A3 \frac{\text{m kg K}}{\text{m s C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = AA52.585 \frac{\text{kg K}}{\text{m s C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 16.94815 \frac{\text{k kg K}}{\text{m s C}} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.07B31418 \frac{\text{m kg K}}{\text{m s}^2 \text{C}} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.000118736A \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 1B8539.3 \frac{\text{k kg K}}{\text{m s}^2 \text{C}} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.03B4890B \frac{\text{m kg s K}}{\text{m C}} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.000069A9219 \frac{\text{kg s K}}{\text{m C}} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = B9627.42 \frac{\text{k kg s K}}{\text{m C}} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.0903187A \frac{\text{m kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.0001370B05 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 22B327.B \frac{\text{k kg K}}{\text{m}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = B47.6375 \frac{\text{m kg K}}{\text{m}^2 \text{s C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 1.781124 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0029BB719 \frac{\text{k kg K}}{\text{m}^2 \text{s C}} \quad (*) \\
1 ni' upavo - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-140} = 0.00001245109 \frac{\text{m kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 209B4.75 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 36.AA322 \frac{\text{k kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' uxa - \frac{MT\Theta}{L^2 Q} &= 10^{-60} = 0.000007195182 \frac{\text{m kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 1042A.29 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 19.41A34 \frac{\text{k kg s K}}{\text{m}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^3 Q} &= 10^{-100} = 0.0000143B61A \frac{\text{m kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 24274.B7 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 40.916B5 \frac{\text{k kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s C}} &= 6.BA2310 \cdot 10^{-130} \\1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s C}} &= 4063.501 \cdot 10^{-130} \\1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s C}} &= 0.00000240B789 \cdot 10^{-120} \\1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0005653631 \cdot 10^{-160} \\1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.3254915 \cdot 10^{-160} \\1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} &= 1A3.0188 \cdot 10^{-160} \\1 \text{m} \frac{\text{kg s K}}{\text{m}^3 \text{C}} &= 0.000B166177 \cdot 10^{-80} \\1 \frac{\text{kg s K}}{\text{m}^3 \text{C}} &= 0.6534674 \cdot 10^{-80} \\1 \text{k} \frac{\text{kg s K}}{\text{m}^3 \text{C}} &= 388.8173 \cdot 10^{-80}\end{aligned}$$

$$\begin{aligned}1 \text{m CK} &= 0.0002572053 \cdot 10^{-10} \\1 \text{CK} &= 0.1516559 \cdot 10^{-10} \\1 \text{k CK} &= 9A.B4205 \cdot 10^{-10} \\1 \text{m} \frac{\text{CK}}{\text{s}} &= 1B552.42 \cdot 10^{-50} \\1 \frac{\text{CK}}{\text{s}} &= 0.0000116A490 \cdot 10^{-40} \\1 \text{k} \frac{\text{CK}}{\text{s}} &= 0.007A30237 \cdot 10^{-40} \\1 \text{m} \frac{\text{CK}}{\text{s}^2} &= 1.670081 \cdot 10^{-80} \quad (*) \\1 \frac{\text{CK}}{\text{s}^2} &= A90.7883 \cdot 10^{-80} \\1 \text{k} \frac{\text{CK}}{\text{s}^2} &= 628257.8 \cdot 10^{-80} \\1 \text{m s CK} &= 3.142863 \cdot 10^{20} \\1 \text{s CK} &= 1974.81A \cdot 10^{20} \\1 \text{k s CK} &= 10613A0. \cdot 10^{20} \\1 \text{m m CK} &= 456A5.B1 \cdot 10^{10} \\1 \text{m CK} &= 0.000027004A6 \cdot 10^{20} \quad (*) \\1 \text{k m CK} &= 0.015B369A \cdot 10^{20} \\1 \text{m} \frac{\text{m CK}}{\text{s}} &= 3.654A7B \cdot 10^{-20} \\1 \frac{\text{m CK}}{\text{s}} &= 2069.674 \cdot 10^{-20} \\1 \text{k} \frac{\text{m CK}}{\text{s}} &= 122723B. \cdot 10^{-20} \\1 \text{m} \frac{\text{m CK}}{\text{s}^2} &= 0.0002977960 \cdot 10^{-50} \\1 \frac{\text{m CK}}{\text{s}^2} &= 0.1757154 \cdot 10^{-50} \\1 \text{k} \frac{\text{m CK}}{\text{s}^2} &= B3.22144 \cdot 10^{-50} \\1 \text{m m s CK} &= 0.0005773889 \cdot 10^{50} \\1 \text{m s CK} &= 0.3316127 \cdot 10^{50} \\1 \text{k m s CK} &= 1A7.8585 \cdot 10^{50} \\1 \text{m m}^2 \text{CK} &= 8.0B7737 \cdot 10^{40} \\1 \text{m}^2 \text{CK} &= 4814.960 \cdot 10^{40} \\1 \text{k m}^2 \text{CK} &= 2858474. \cdot 10^{40} \\1 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}} &= 0.00064A0760 \cdot 10^{10} \\1 \frac{\text{m}^2 \text{CK}}{\text{s}} &= 0.3857181 \cdot 10^{10} \\1 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}} &= 218.962B \cdot 10^{10} \\1 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}^2} &= 50A75.BA \cdot 10^{-30} \\1 \frac{\text{m}^2 \text{CK}}{\text{s}^2} &= 0.00002B2994B \cdot 10^{-20} \\1 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}^2} &= 0.01848274 \cdot 10^{-20} \\1 \text{m m}^2 \text{s CK} &= A2461.81 \cdot 10^{70} \\1 \text{m}^2 \text{s CK} &= 0.00005A99BB7 \cdot 10^{80} \quad (*) \\1 \text{k m}^2 \text{s CK} &= 0.034B9751 \cdot 10^{80} \\1 \text{m} \frac{\text{CK}}{\text{m}} &= 1.4427A1 \cdot 10^{-40} \\1 \frac{\text{CK}}{\text{m}} &= 956.7912 \cdot 10^{-40} \\1 \text{k} \frac{\text{CK}}{\text{m}} &= 55869A.6 \cdot 10^{-40} \\1 \text{m} \frac{\text{CK}}{\text{m s}} &= 0.00010B5979 \cdot 10^{-70}\end{aligned}$$

$$\begin{aligned}1 \text{n}'\text{upaci-} \frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.1873754 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s C}} \\1 \text{n}'\text{upaci-} \frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.0002B7406A \frac{\text{kg K}}{\text{m}^3 \text{s C}} \\1 \text{n}'\text{upare-} \frac{M\Theta}{L^3 T Q} &= 10^{-120} = 516532.4 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s C}} \\1 \text{n}'\text{upaxa-} \frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 2201.198 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} \\1 \text{n}'\text{upaxa-} \frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 3.8B3754 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} \\1 \text{n}'\text{upaxa-} \frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 0.00657AB62 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} \\1 \text{n}'\text{ubi-} \frac{MT\Theta}{L^3 Q} &= 10^{-80} = 10B3.395 \text{m} \frac{\text{kg s K}}{\text{m}^3 \text{C}} \\1 \text{n}'\text{ubi-} \frac{MT\Theta}{L^3 Q} &= 10^{-80} = 1.A43986 \frac{\text{kg s K}}{\text{m}^3 \text{C}} \\1 \text{n}'\text{ubi-} \frac{MT\Theta}{L^3 Q} &= 10^{-80} = 0.0032779B6 \text{k} \frac{\text{kg s K}}{\text{m}^3 \text{C}} \\1 \text{n}'\text{upa-} Q\Theta &= 10^{-10} = 4A47.253 \text{m CK} \\1 \text{n}'\text{upa-} Q\Theta &= 10^{-10} = 8.4A7792 \text{CK} \\1 \text{n}'\text{upa-} Q\Theta &= 10^{-10} = 0.01263B93 \text{k CK} \\1 \text{n}'\text{umu-} \frac{Q\Theta}{T} &= 10^{-50} = 0.00006181B1B \text{m} \frac{\text{CK}}{\text{s}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{T} &= 10^{-40} = A739B.61 \frac{\text{CK}}{\text{s}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{T} &= 10^{-40} = 164.0110 \text{k} \frac{\text{CK}}{\text{s}} \\1 \text{n}'\text{ubi-} \frac{Q\Theta}{T^2} &= 10^{-80} = 0.78B9946 \text{m} \frac{\text{CK}}{\text{s}^2} \\1 \text{n}'\text{ubi-} \frac{Q\Theta}{T^2} &= 10^{-80} = 0.001148166 \frac{\text{CK}}{\text{s}^2} \\1 \text{n}'\text{ubi-} \frac{Q\Theta}{T^2} &= 10^{-80} = 0.000001B17981 \text{k} \frac{\text{CK}}{\text{s}^2} \\1 \text{re-} T Q\Theta &= 10^{20} = 0.3A3194B \text{m s CK} \\1 \text{re-} T Q\Theta &= 10^{20} = 0.00067B3691 \text{s CK} \\1 \text{ci-} T Q\Theta &= 10^{30} = B617B9.4 \text{k s CK} \\1 \text{pa-} L Q\Theta &= 10^{10} = 0.000028308A5 \text{m m CK} \\1 \text{re-} L Q\Theta &= 10^{20} = 478A1.38 \text{m CK} \\1 \text{re-} L Q\Theta &= 10^{20} = 80.39148 \text{k m CK} \\1 \text{n}'\text{ure-} \frac{L Q\Theta}{T} &= 10^{-20} = 0.3485823 \text{m} \frac{\text{m CK}}{\text{s}} \\1 \text{n}'\text{ure-} \frac{L Q\Theta}{T} &= 10^{-20} = 0.0005A40BA1 \frac{\text{m CK}}{\text{s}} \\1 \text{n}'\text{upa-} \frac{L Q\Theta}{T} &= 10^{-10} = A166A8.1 \text{k} \frac{\text{m CK}}{\text{s}} \\1 \text{n}'\text{umu-} \frac{L Q\Theta}{T^2} &= 10^{-50} = 4345.579 \text{m} \frac{\text{m CK}}{\text{s}^2} \\1 \text{n}'\text{umu-} \frac{L Q\Theta}{T^2} &= 10^{-50} = 7.4929B5 \frac{\text{m CK}}{\text{s}^2} \\1 \text{n}'\text{umu-} \frac{L Q\Theta}{T^2} &= 10^{-50} = 0.01094889 \text{k} \frac{\text{m CK}}{\text{s}^2} \\1 \text{mu-} L T Q\Theta &= 10^{50} = 2168.541 \text{m m s CK} \\1 \text{mu-} L T Q\Theta &= 10^{50} = 3.81B986 \text{m s CK} \\1 \text{mu-} L T Q\Theta &= 10^{50} = 0.006439900 \text{k m s CK} \quad (*) \\1 \text{vo-} L^2 Q\Theta &= 10^{40} = 0.159A103 \text{m m}^2 \text{CK} \\1 \text{vo-} L^2 Q\Theta &= 10^{40} = 0.0002696241 \text{m}^2 \text{CK} \\1 \text{mu-} L^2 Q\Theta &= 10^{50} = 452635.8 \text{k m}^2 \text{CK} \\1 \text{pa-} \frac{L^2 Q\Theta}{T} &= 10^{10} = 1A5A.4B3 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}} \\1 \text{pa-} \frac{L^2 Q\Theta}{T} &= 10^{10} = 3.2A3B85 \frac{\text{m}^2 \text{CK}}{\text{s}} \\1 \text{pa-} \frac{L^2 Q\Theta}{T} &= 10^{10} = 0.005719A18 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}} \\1 \text{n}'\text{uci-} \frac{L^2 Q\Theta}{T^2} &= 10^{-30} = 0.00002446A83 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}^2} \\1 \text{n}'\text{ure-} \frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 41061.92 \frac{\text{m}^2 \text{CK}}{\text{s}^2} \\1 \text{n}'\text{ure-} \frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 70.8B482 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}^2} \\1 \text{ze-} L^2 T Q\Theta &= 10^{70} = 0.00001215410 \text{m m}^2 \text{s CK} \\1 \text{bi-} L^2 T Q\Theta &= 10^{80} = 20497.42 \text{m}^2 \text{s CK} \\1 \text{bi-} L^2 T Q\Theta &= 10^{80} = 36.1B632 \text{k m}^2 \text{s CK} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{L} &= 10^{-40} = 0.8981543 \text{m} \frac{\text{CK}}{\text{m}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{L} &= 10^{-40} = 0.001327390 \frac{\text{CK}}{\text{m}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{L} &= 10^{-40} = 0.000002236707 \text{k} \frac{\text{CK}}{\text{m}} \\1 \text{n}'\text{uze-} \frac{Q\Theta}{LT} &= 10^{-70} = B144.5A4 \text{m} \frac{\text{CK}}{\text{m s}}\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 0.075B8B7A \cdot 10^{-70} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 44.0A2B7 \cdot 10^{-70} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= A325.3BB \cdot 10^{-B0} \quad (*) \\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.000005B36B85 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 0.003531653 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 18777.00 \cdot 10^{-10} \quad (*) \\
1 \frac{\text{s CK}}{\text{m}} &= 0.00000BB37BB4 \cdot 10^0 \quad (*) \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 0.006AB2164 \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 904A.65B \cdot 10^{-70} \\
1 \frac{\text{CK}}{\text{m}^2} &= 0.000005289A65 \cdot 10^{-60} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.003037B32 \cdot 10^{-60} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.71A977A \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 418.6432 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 249269.7 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.000058096B3 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.03348262 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 1A.96642 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.0000B4986B0 \cdot 10^{-30} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 0.06720968 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 39.99824 \cdot 10^{-30} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.00004BA8463 \cdot 10^{-90} \\
1 \frac{\text{CK}}{\text{m}^3} &= 0.02A7AB61 \cdot 10^{-90} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 18.08353 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 3B55.A54 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.000002356952 \cdot 10^{-100} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.0013A8796 \cdot 10^{-100} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.3173111 \cdot 10^{-140} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 199.1897 \cdot 10^{-140} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 107160.5 \cdot 10^{-140} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 0.6370007 \cdot 10^{-60} \quad (***) \\
1 \frac{\text{s CK}}{\text{m}^3} &= 378.A744 \cdot 10^{-60} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 213904.5 \cdot 10^{-60} \\
1 \text{m kg CK} &= 31B5.1B1 \cdot 10^{-10} \\
1 \text{kg CK} &= 0.0000019B6860 \cdot 10^0 \\
1 \text{kg kg CK} &= 0.001086330 \cdot 10^0 \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 0.260A657 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{s}} &= 154.A123 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= A0A35.69 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.00001B9B586 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.01195984 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 7.B923B9 \cdot 10^{-70} \\
1 \text{m kg s CK} &= 0.00003BA9084 \cdot 10^{30} \\
1 \text{kg s CK} &= 0.0238742A \cdot 10^{30} \\
1 \text{kg kg s CK} &= 14.05989 \cdot 10^{30} \\
1 \text{m kg m CK} &= 0.5884257 \cdot 10^{20} \\
1 \text{kg m CK} &= 339.07A6 \cdot 10^{20} \\
1 \text{kg kg m CK} &= 1B00A6.8 \cdot 10^{20} \quad (*) \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 0.0000465259B \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.027601B1 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 16.29115 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 17.25543 \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 0.02922837 \text{k} \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{Q\Theta}{LT^2} &= 10^{-B0} = 0.000120381A \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 202A00.B \frac{\text{CK}}{\text{m s}^2} \quad (*) \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 35A.6893 \text{k} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 0.00006B8A1A1 \text{m} \frac{\text{s CK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 100845.A \frac{\text{s CK}}{\text{m}} \quad (*) \\
1 \frac{TQ\Theta}{L} &= 1 = 18A.0555 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'uze-} \frac{Q\Theta}{L^2} &= 10^{-70} = 0.00013B343A \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 236647.0 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 3B7.1AA8 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 1.814908 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.002A91714 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.0000050097B7 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 21478.75 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 37.A50B8 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.06397ABB \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 10769.A1 \text{m} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 19.9AB08 \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 0.03186B75 \text{k} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 24A28.68 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 41.A3416 \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 0.07219AA5 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^3T} &= 10^{-110} = 0.000304B326 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 52B044.8 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 908.838A \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 3.9B5040 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.00674A283 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.00000B52640A \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 1.AA41A1 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.003360A11 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.000005832397 \text{k} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'upa-} MQ\Theta &= 10^{-10} = 0.00039644A5 \text{m kg CK} \\
1 MQ\Theta &= 1 = 668157.7 \text{kg CK} \\
1 MQ\Theta &= 1 = B3B.53A6 \text{k kg CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 4.956270 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.008335A16 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.00001236A81 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 60621.22 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = A5.37B42 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.16063B3 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 300B2.93 \text{m kg s CK} \quad (*) \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 52.41438 \text{kg s CK} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 0.08B88A62 \text{k kg s CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 2.11A287 \text{m kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.00375725A \text{kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.000006313AB1 \text{k kg m CK} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 278B3.25 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 46.A3195 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.07A95890 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot CK}{s^2} &= 3717.17B \cdot 10^{-50} \\
1 \frac{kg \cdot m \cdot CK}{s^2} &= 0.0000020B64AA \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot CK}{s^2} &= 0.001254121 \cdot 10^{-40} \\
1m kg \cdot m \cdot s \cdot CK &= 7284.015 \cdot 10^{50} \\
1kg \cdot m \cdot s \cdot CK &= 0.000004220662 \cdot 10^{60} \\
1k kg \cdot m \cdot s \cdot CK &= 0.002504A53 \cdot 10^{60} \\
1m kg \cdot m^2 \cdot CK &= 0.0000A441458 \cdot 10^{50} \\
1kg \cdot m^2 \cdot CK &= 0.05BB5AA5 \cdot 10^{50} \quad (*) \\
1k kg \cdot m^2 \cdot CK &= 35.78582 \cdot 10^{50} \\
1m \frac{kg \cdot m^2 \cdot CK}{s} &= 8264.059 \cdot 10^{10} \\
1 \frac{kg \cdot m^2 \cdot CK}{s} &= 0.000004902808 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s} &= 0.0028BB667 \cdot 10^{20} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot CK}{s^2} &= 0.660A566 \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot CK}{s^2} &= 392.207A \cdot 10^{-20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s^2} &= 22190B.2 \cdot 10^{-20} \\
1m kg \cdot m^2 \cdot s \cdot CK &= 1.10B080 \cdot 10^{80} \\
1kg \cdot m^2 \cdot s \cdot CK &= 769.8935 \cdot 10^{80} \\
1k kg \cdot m^2 \cdot s \cdot CK &= 44676B.2 \cdot 10^{80} \\
1m \frac{kg \cdot CK}{m} &= 0.000018B7417 \cdot 10^{-30} \\
1 \frac{kg \cdot CK}{m} &= 0.01017380 \cdot 10^{-30} \\
1k \frac{kg \cdot CK}{m} &= 7.032099 \cdot 10^{-30} \\
1m \frac{kg \cdot CK}{m \cdot s} &= 1474.5B9 \cdot 10^{-70} \\
1 \frac{kg \cdot CK}{m \cdot s} &= 97466A.6 \cdot 10^{-70} \\
1k \frac{kg \cdot CK}{m \cdot s} &= 0.0005692AB9 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m \cdot s^2} &= 0.111B961 \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m \cdot s^2} &= 77.51281 \cdot 10^{-A0} \\
1k \frac{kg \cdot CK}{m \cdot s^2} &= 44AA9.1B \cdot 10^{-A0} \\
1m \frac{kg \cdot s \cdot CK}{m} &= 0.2256516 \cdot 10^0 \\
1 \frac{kg \cdot s \cdot CK}{m} &= 133.9137 \cdot 10^0 \\
1k \frac{kg \cdot s \cdot CK}{m} &= 8A413.01 \cdot 10^0 \\
1m \frac{kg \cdot CK}{m^2} &= 0.0B701270 \cdot 10^{-60} \\
1 \frac{kg \cdot CK}{m^2} &= 68.54053 \cdot 10^{-60} \\
1k \frac{kg \cdot CK}{m^2} &= 3A678.85 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m^2 \cdot s} &= 9219539. \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m^2 \cdot s} &= 0.00538B0AB \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^2 \cdot s} &= 3.0A7B70 \cdot 10^{-90} \\
1m \frac{kg \cdot CK}{m^2 \cdot s^2} &= 733.4549 \cdot 10^{-110} \\
1 \frac{kg \cdot CK}{m^2 \cdot s^2} &= 42614A.A \cdot 10^{-110} \\
1k \frac{kg \cdot CK}{m^2 \cdot s^2} &= 0.0002529194 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot CK}{m^2} &= 1275.19A \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot CK}{m^2} &= 856313.8 \cdot 10^{-30} \\
1k \frac{kg \cdot s \cdot CK}{m^2} &= 0.0004A90171 \cdot 10^{-20} \\
1m \frac{kg \cdot CK}{m^3} &= 649.6B31 \cdot 10^{-90} \\
1 \frac{kg \cdot CK}{m^3} &= 3853A2.2 \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^3} &= 0.0002187748 \cdot 10^{-80} \\
1m \frac{kg \cdot CK}{m^3 \cdot s} &= 0.050A2BAB \cdot 10^{-100} \\
1 \frac{kg \cdot CK}{m^3 \cdot s} &= 2B.27215 \cdot 10^{-100} \\
1k \frac{kg \cdot CK}{m^3 \cdot s} &= 18468.60 \cdot 10^{-100} \\
1m \frac{kg \cdot CK}{m^3 \cdot s^2} &= 4027860. \cdot 10^{-140} \\
1 \frac{kg \cdot CK}{m^3 \cdot s^2} &= 0.0023AA424 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 ni'umu \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.0003408B63 m \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 592891.B \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 9B7.6033 k \frac{kg \cdot m \cdot CK}{s^2} \\
1 mu \cdot MLTQ\Theta &= 10^{50} = 0.00017B2272 m \cdot kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = 2A5389.8 kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = 4B6.2505 k \cdot kg \cdot m \cdot s \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 11A92.15 m \cdot kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 20.02048 kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 0.0355B592 k \cdot kg \cdot m^2 \cdot CK \\
1 pa \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.00015655B1 m \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 263807.8 \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 444.5102 k \frac{kg \cdot m^2 \cdot CK}{s} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 1.A17228 m \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00322B558 \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.000005610A74 k \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.B018669 m \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.00170413B kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.0000028A6AB3 k \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 6A4B4.B6 m \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = BA.4AA82 \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 0.1860BAB k \frac{kg \cdot CK}{m} \\
1 ni'uze \frac{MQ\Theta}{LT} &= 10^{-70} = 0.0008800894 m \frac{kg \cdot CK}{ms} \quad (*) \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 12B8796. \frac{kg \cdot CK}{ms} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 21A6.834 k \frac{kg \cdot CK}{ms} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = A.B30857 m \frac{kg \cdot CK}{ms^2} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.016A9850 \frac{kg \cdot CK}{ms^2} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.0000287B125 k \frac{kg \cdot CK}{ms^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 5.537754 m \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0094A1558 \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0000142BB09 k \frac{kg \cdot s \cdot CK}{m} \quad (*) \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 10.52072 m \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.01959257 \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00003115087 k \frac{kg \cdot CK}{m^2} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 138307.4 m \frac{kg \cdot CK}{m^2 \cdot s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 231.3782 \frac{kg \cdot CK}{m^2 \cdot s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.3AA15A7 k \frac{kg \cdot CK}{m^2 \cdot s} \\
1 ni'upapa \frac{MQ\Theta}{L^2T^2} &= 10^{-110} = 0.001796B24 m \frac{kg \cdot CK}{m^2 \cdot s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 2A264B4. \frac{kg \cdot CK}{m^2 \cdot s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 4B14.A10 k \frac{kg \cdot CK}{m^2 \cdot s^2} \\
1 ni'uci \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.0009A25016 m \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 1503038. \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 254B.457 k \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'uso \frac{MQ\Theta}{L^3} &= 10^{-90} = 0.001A600B1 m \frac{kg \cdot CK}{m^3} \quad (*) \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 32A6A29. \frac{kg \cdot CK}{m^3} \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 5722.998 k \frac{kg \cdot CK}{m^3} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 24.48BAAB m \frac{kg \cdot CK}{m^3 \cdot s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.04109941 \frac{kg \cdot CK}{m^3 \cdot s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000070957B9 k \frac{kg \cdot CK}{m^3 \cdot s} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 2BA03B.2 m \frac{kg \cdot CK}{m^3 \cdot s^2} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 51B.1067 \frac{kg \cdot CK}{m^3 \cdot s^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 1.419526 \cdot 10^{-130} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 80B0522 \cdot 10^{-60} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.004810780 \cdot 10^{-50} \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 2.855B93 \cdot 10^{-50}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.8B007A3 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*) \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 159B4A.3 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 269.8585 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 0.452A290 \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

### 3.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= 206768A \cdot 10^{-20} \\ \text{Electron mass} &= 1B13.388 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.37733A0 \cdot 10^0 \\ \text{\AA}^{31} &= 0.0B25A35A \cdot 10^{20} \\ \text{Bohr radius}^{32} &= 0.05B20249 \cdot 10^{20} \\ \text{Fine structure constant}^{33} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{34} &= 0.1091060 \cdot 10^{-20} \\ |\psi^{100}(0)|^2^{35} &= 2778.541 \cdot 10^{-60} \\ \text{eV} &= 0.00B302A80 \cdot 10^{-20} \\ \hbar^{36} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 313.6229 \cdot 10^{20} \\ k_{\text{yellow}}^{37} &= 0.02031780 \cdot 10^{-20} \\ k_{\text{X-Ray}}^{38} &= 0.0001945A99 \cdot 10^{-10}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upa-} M &= 10^{-10} = 5A4682.B m_p \\ 1 \text{ni'ure-} M &= 10^{-20} = 0.0006295001 m_e \quad (*) \\ 1 Q &= 1 = 3.3763A1 e \\ 1 \text{re-} L &= 10^{20} = 10.A2270 \text{\AA} \\ 1 \text{re-} L &= 10^{20} = 20.34498 a_0 \\ 1 &= 1 = B5.05226 \alpha \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = B.355206 Ry \\ 1 \text{ni'uxa-} \frac{1}{L^3} &= 10^{-60} = 0.0004673B98 \rho_{\max} \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 109.6B14 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re-} L &= 10^{20} = 0.003A40439 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 5B.28371 \cdot k_{\text{yellow}} \\ 1 \text{ni'upa-} \frac{1}{L} &= 10^{-10} = 68A1.778 \cdot k_{\text{X-Ray}}\end{aligned}$$

$$\begin{aligned}\text{Earth g} &= 0.0001235B65 \cdot 10^{-30} \\ \text{cm} &= 2733B92 \cdot 10^{20} \\ \text{min} &= 638787.9 \cdot 10^{30} \\ \text{hour} &= 0.00002767273 \cdot 10^{40} \\ \text{Liter} &= 0.00A2B7656 \cdot 10^{80} \\ \text{Area of a soccer field} &= 0.0001165474 \cdot 10^{60} \\ 84 \text{m}^2^{39} &= 0.000002337646 \cdot 10^{60} \\ \text{km/h} &= 4945.445 \cdot 10^{-10} \\ \text{mi/h} &= 783B.462 \cdot 10^{-10} \\ \text{inch}^{40} &= 6754139 \cdot 10^{20} \\ \text{mile} &= 0.1828AB3 \cdot 10^{30} \\ \text{pound} &= 6B90986 \cdot 10^0 \\ \text{horsepower} &= A9.A78B9 \cdot 10^{-40} \\ \text{kcal} &= 0.000006484002 \cdot 10^0 \quad (*) \\ \text{kWh} &= 0.00321B544 \cdot 10^0 \\ \text{Typical household electric field} &= 1118.02B \cdot 10^{-50} \\ \text{Earth magnetic field} &= 0.00000122B418 \cdot 10^{-40} \\ \text{Height of an average man}^{41} &= 0.0003254186 \cdot 10^{30}\end{aligned}$$

$$\begin{aligned}1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = A0AB.393 \cdot \text{Earth g} \\ 1 \text{ci-} L &= 10^{30} = 472B70.7 \text{cm} \\ 1 \text{vo-} T &= 10^{40} = 1A9A24A. \text{min} \\ 1 \text{vo-} T &= 10^{40} = 4692A.69 \text{ h} \\ 1 \text{bi-} L^3 &= 10^{80} = 120.764B l \\ 1 \text{xa-} L^2 &= 10^{60} = A779.111 A \\ 1 \text{xa-} L^2 &= 10^{60} = 5335B5.B \cdot 84 \text{ m}^2 \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{ km/h} \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{ mi/h} \\ 1 \text{ci-} L &= 10^{30} = 199015.5 \text{ in} \\ 1 \text{ci-} L &= 10^{30} = 7.151044 \text{ mi} \\ 1 \text{pa-} M &= 10^{10} = 1876B1.A \text{ pound} \\ 1 \text{ni'uvo-} \frac{ML^2}{T^3} &= 10^{-40} = 0.01137909 \text{ horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 1A6456.1 \text{ kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 393.4332 \text{ kWh} \\ 1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.000AB62474 E_H \\ 1 \text{ni'uvo-} \frac{M}{T Q} &= 10^{-40} = A13757.B \cdot \text{Earth magnetic field} \\ 1 \text{ci-} L &= 10^{30} = 38B4.414 \bar{h}\end{aligned}$$

<sup>31</sup>Length in atomic and solid state physics, 1/A nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>30 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

$$\text{Mass of an average man} = 0.0007591573 \cdot 10^{10}$$

$$1 \text{ pa-}M = 10^{10} = 1730.22B \bar{m}$$

$$\text{Age of the Universe} = 799715.9 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = 0.000001650985 t_U$$

$$\text{Size of the observable Universe} = 0.001805320 \cdot 10^{50}$$

$$1 \text{ mu-}L = 10^{50} = 722.AAA0 l_U$$

$$\text{Average density of the Universe} = 6.120A86 \cdot 10^{-A0}$$

$$1 \text{ ni'}ujauau \cdot \frac{M}{L^3} = 10^{-A0} = 0.1B74731 \rho_U$$

$$\text{Earth mass} = 11A557B \cdot 10^{20}$$

$$1 \text{ ci-}M = 10^{30} = A46A70.0 m_E$$

$$\text{Sun mass}^{42} = 0.1669548 \cdot 10^{30}$$

$$1 \text{ ci-}M = 10^{30} = 7.90AA10 m_S$$

$$\text{Year} = 0.11406A8 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = A.9689A6 \text{ y}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$\text{Parsec} = 0.37602BA \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 3.388070 \text{ pc}$$

$$\text{Astronomical unit} = 0.000004458B59 \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 28B169.6 \text{ au}$$

$$\text{Earth radius} = 3A4.1610 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.003135319 r_E$$

$$\text{Distance Earth-Moon} = 17502.40 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.000074BA5A7 d_M$$

$$\text{Momentum of someone walking}^{43} = 148.00B4 \cdot 10^0 \quad (*)$$

$$1 \frac{ML}{T} = 1 = 0.008781520 \cdot \text{Momentum of someone walking}$$

$$\text{Stefan-Boltzmann constant} = 0.1B82B28 \cdot 10^0$$

$$1 \frac{M}{T^3\Theta^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$$

$$\text{mol} = 0.01110B95 \cdot 10^{20}$$

$$1 \text{ re-} = 10^{20} = B0.01120 \text{ mol}$$

$$\text{Standard temperature}^{44} = 0.000321799A \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 3938.6B7 T_0$$

$$\text{Room - standard temperature}^{45} = 0.000029613A2 \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 43699.56 \Theta_R$$

$$\text{atm} = 0.0000220BA33 \cdot 10^{-80}$$

$$1 \text{ ni'}ubi-\frac{M}{LT^2} = 10^{-80} = 56303.03 \text{ atm}$$

$$c_s = 0.0000034BB524 \cdot 10^0 \quad (*)$$

$$1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$$

$$\mu_0 = 1.000000 \quad (***)$$

$$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0 \quad (***)$$

$$G = 1.000000 \quad (***)$$

$$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1 \text{ m} = 0.001889B98 \cdot 10^0$$

$$1 = 1 = 6B4.0000 \text{ m} \quad (**)$$

$$1 \text{ k} = 1.000000 \quad (***)$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ k} = 6B4.0000 \cdot 10^0 \quad (**)$$

$$1 = 1 = 0.001889B98 \text{ k}$$

$$1 \text{ m} \frac{1}{\text{s}} = 145209.3 \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{1}{T} = 10^{-40} = 0.000008920082 \text{ m} \frac{1}{\text{s}} \quad (*)$$

$$1 \frac{1}{\text{s}} = 0.00009613001 \cdot 10^{-30} \quad (*)$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 13188.B2 \frac{1}{\text{s}}$$

$$1 \text{ k} \frac{1}{\text{s}} = 0.05604821 \cdot 10^{-30}$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 22.203AB \text{ k} \frac{1}{\text{s}}$$

$$1 \text{ m} \frac{1}{\text{s}^2} = 11.02A19 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0B087A54 \text{ m} \frac{1}{\text{s}^2}$$

$$1 \frac{1}{\text{s}^2} = 764B.918 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0001714139 \frac{1}{\text{s}^2}$$

$$1 \text{ k} \frac{1}{\text{s}^2} = 0.00000443A702 \cdot 10^{-60}$$

$$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 290378.A \text{ k} \frac{1}{\text{s}^2}$$

$$1 \text{ m s} = 22.203AB \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.05604821 \text{ m s}$$

$$1 \text{ s} = 13188.B2 \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.00009613001 \text{ s} \quad (*)$$

$$1 \text{ k s} = 0.000008920082 \cdot 10^{40} \quad (*)$$

$$1 \text{ vo-}T = 10^{40} = 145209.3 \text{ k s}$$

$$1 \text{ m m} = 316493.9 \cdot 10^{20}$$

$$1 \text{ re-}L = 10^{20} = 0.000003A057A6 \text{ m m}$$

$$1 \text{ m} = 0.0001987920 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 6768.067 \text{ m}$$

$$1 \text{ k m} = 0.106A070 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = B.55806A \text{ k m}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}} = 25.8A836 \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.04A127A8 \text{ m} \frac{\text{m}}{\text{s}}$$

$$1 \frac{\text{m}}{\text{s}} = 15264.AB \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.00008449701 \frac{\text{m}}{\text{s}}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.000009B63212 \cdot 10^0$$

$$1 \frac{L}{T} = 1 = 1255A8.5 \text{ k} \frac{\text{m}}{\text{s}}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 0.001B6968B \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 613.A917 \text{ m} \frac{\text{m}}{\text{s}^2}$$

$$1 \frac{\text{m}}{\text{s}^3} = 1.177A4A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.A685657 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 7A8.5B6A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.00162B436 \text{ k} \frac{\text{m}}{\text{s}^2}$$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>18 °C

$1 \text{m m s} = 0.003B44A2A \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 305.9335 \text{ m m s}$
$1 \text{m s} = 2.34B305 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.53057A7 \text{ m s}$
$1 \text{k m s} = 13A4.359 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.00090B2237 \text{ k m s}$
$1 \text{m m}^2 = 57.B2AA8 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.02152841 \text{ m m}^2$
$1 \text{m}^2 = 33394.A4 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.000037B5179 \text{ m}^2$
$1 \text{k m}^2 = 0.00001A90339 \cdot 10^{60}$	$1 \text{xa-}L^2 = 10^{60} = 63B48.BA \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.00459BA67 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 281.2409 \text{ m}^{\frac{m}{s}^2}$
$1 \frac{\text{m}^2}{\text{s}} = 2.71A05B \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.4757499 \frac{\text{m}^2}{\text{s}}$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 1604.109 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.0007BA228B \text{ k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{m}{s^2}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 718A0A.A \cdot 10^{80}$	$1 \text{bi-}L^2T = 10^{80} = 0.00000181A349 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.0004174877 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 2A9B.18B \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.2486814 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 5.022208 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = B.55806A \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.106A070 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 6768.067 \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.0001987920 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 0.000003A057A6 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{1}{L} = 10^{-20} = 316493.9 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 0.00090B2237 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 13A4.359 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 0.53057A7 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 2.34B305 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 305.9335 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 0.003B44A2A \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 72396.BA \cdot 10^{-A0}$	$1 \text{ni'}ujauau-\frac{1}{LT^2} = 10^{-A0} = 0.00001802950 \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.000041B5066 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 2A715.51 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 0.024AA785 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 4B.93B47 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m}^{\frac{s}{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 \text{k} \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k} \frac{s}{m}$
$1 \text{m}^{\frac{1}{m^2}} = 63B48.BA \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{L^2} = 10^{-60} = 0.00001A90339 \text{ m}^{\frac{1}{m^2}}$
$1 \frac{1}{\text{m}^2} = 0.000037B5179 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 33394.A4 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.02152841 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 57.B2AA8 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 5.022208 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.2486814 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 2A9B.18B \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.0004174877 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.00000181A349 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^2 T} = 10^{-80} = 718A0A.A \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.0003B82BA4 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 3029.B92 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 0.2371B50 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 5.274805 \frac{1}{\text{m}^2 s^2}$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 13B.78A7 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 0.00902497B \text{ k} \frac{1}{\text{m}^2 s^2}$
$1 \text{m}^{\frac{s}{m^2}} = 0.0007BA228B \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 1604.109 \text{ m}^{\frac{s}{m^2}}$
$1 \frac{s}{m^2} = 0.4757499 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 2.71A05B \frac{s}{m^2}$
$1 \text{k} \frac{s}{m^2} = 281.2409 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 0.00459BA67 \text{ k} \frac{s}{m^2}$
$1 \text{m}^{\frac{1}{m^3}} = 0.00035B62A8 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 3522.276 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 0.2034800 \cdot 10^{-80} \quad (*)$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 5.B1B502 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 120.764B \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 0.00A2B7656 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 292B9.8A \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^3 T} = 10^{-100} = 0.000043B7B6A \text{ m}^{\frac{1}{\text{m}^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.0000172A883 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 75983.59 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 0.00B175182 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 10B.2300 \text{ k} \frac{1}{\text{m}^3 s} \quad (*)$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 2.241993 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.557096A \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 132B.5B2 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.000954073B \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 89A65A.4 \cdot 10^{-130}$	$1 \text{ni'}upare-\frac{1}{L^3 T^2} = 10^{-120} = 143A202. \text{ k} \frac{1}{\text{m}^3 s^2}$
$1 \text{m}^{\frac{s}{m^3}} = 4.4B5404 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.2877068 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 2678.988 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.0004847B52 \frac{s}{m^3}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.000001589862 \cdot 10^{-40} \\
1 \text{m kg} &= 2270A.86 \cdot 10^0 \\
1 \text{kg} &= 0.00001347965 \cdot 10^{10} \\
1 \text{kg kg} &= 0.008AA3564 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.909B87 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{s}} &= 1023.934 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 7080A5.5 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.0001484114 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.097B310A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 57.11615 \cdot 10^{-60} \\
1 \text{m kg s} &= 0.00029680B7 \cdot 10^{40} \\
1 \text{kg s} &= 0.1750414 \cdot 10^{40} \\
1 \text{kg kg s} &= B2.A306A \cdot 10^{40} \\
1 \text{m kg m} &= 4.016594 \cdot 10^{30} \\
1 \text{kg m} &= 23A2.842 \cdot 10^{30} \\
1 \text{kg kg m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 0.000321778A \cdot 10^0 \\
1 \frac{\text{kg m}}{\text{s}} &= 0.1A0A051 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 109.3183 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 26276.37 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.0000155A2B1 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.00A153977 \cdot 10^{-30} \\
1 \text{m kg m s} &= 508A3.73 \cdot 10^{60} \\
1 \text{kg m s} &= 0.00002B19625 \cdot 10^{70} \\
1 \text{kg kg m s} &= 0.01841151 \cdot 10^{70} \\
1 \text{m kg m}^2 &= 0.0007314613 \cdot 10^{60} \\
1 \text{kg m}^2 &= 0.424B679 \cdot 10^{60} \\
1 \text{kg kg m}^2 &= 252.116A \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 4.68457B \cdot 10^{-10} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 277A.188 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.000001639993 \cdot 10^0 \\
1 \text{m kg m}^2 \text{s} &= 9.1B3290 \cdot 10^{90} \\
1 \text{kg m}^2 \text{s} &= 5375.711 \cdot 10^{90} \\
1 \text{kg kg m}^2 \text{s} &= 0.000003099A1B \cdot 10^{A0} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.000128342B \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}} &= 0.08601B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4B.0516B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= B782.27A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}} &= 68A0211. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.003A94266 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.9282386 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 540.7685 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 310985.B \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 1.665705 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}} &= A88.A960 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg s}}{\text{m}} &= 626057.4 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2} &= 0.8148096 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uv} \frac{T}{L^3} &= 10^{-40} = 815334.0 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 M &= 1 = 0.000054BA329 \text{m kg} \\
1 \text{pa-}M &= 10^{10} = 94371.0A \text{ kg} \\
1 \text{pa-}M &= 10^{10} = 142.0779 \text{k kg} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.6A0221B \text{ m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.000B987BA8 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'ure-} \frac{M}{T} &= 10^{-20} = 184A901. \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 8760.604 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 12.AA2B9 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 0.02190873 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{vo-}MT &= 10^{40} = 435B.497 \text{m kg s} \\
1 \text{vo-}MT &= 10^{40} = 7.4B9989 \text{ kg s} \\
1 \text{vo-}MT &= 10^{40} = 0.01099232 \text{k kg s} \\
1 \text{ci-}ML &= 10^{30} = 0.2BAA214 \text{m kg m} \\
1 \text{ci-}ML &= 10^{30} = 0.0005206092 \text{ kg m} \\
1 \text{vo-}ML &= 10^{40} = 8B2608.B \text{k kg m} \\
1 \frac{ML}{T} &= 1 = 3938.952 \text{m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 6.6369B7 \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 0.00B336AA7 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'uv} \frac{ML}{T^2} &= 10^{-40} = 0.00004922389 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 8298A.80 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 122.8B63 \text{k} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{xa-}MLT &= 10^{60} = 0.00002454967 \text{m kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 411B3.1B \text{ kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 70.B4B73 \text{k kg m s} \\
1 \text{xa-}ML^2 &= 10^{60} = 17A0.45A \text{m kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 2.A33993 \text{kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 0.004B29106 \text{k kg m}^2 \\
1 \text{re-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \text{m} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.2771279 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.0004671078 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 7A3BA9.8 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{so-}ML^2T &= 10^{90} = 0.1387442 \text{m kg m}^2 \text{s} \\
1 \text{so-}ML^2T &= 10^{90} = 0.000231B110 \text{kg m}^2 \text{s} \\
1 \text{jauau-}ML^2T &= 10^{A0} = 3AB244.5 \text{k kg m}^2 \text{s} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 9976.B0A \text{m} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 14.B3256 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 0.02532B43 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'uxa-} \frac{M}{LT} &= 10^{-60} = 0.0001045500 \text{m} \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 194635.6 \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 30B.3347 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 1.3741A6 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 0.0022B8992 \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'ubi-} \frac{M}{LT^2} &= 10^{-80} = 3A74B60. \text{k} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.7926298 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.001150975 \frac{\text{kg s}}{\text{m}} \\
1 \text{re-} \frac{MT}{L} &= 10^{20} = 1B23A6B. \text{k} \frac{\text{kg s}}{\text{m}} \\
1 \text{ni'umu-} \frac{M}{L^2} &= 10^{-50} = 1.58B033 \text{m} \frac{\text{kg}}{\text{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 484.3942 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00267B0B5 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 287476.B \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{M}{L^2} = 10^{-40} = 44B9310. \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.00006520645 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 1A485.4B \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.0387AA43 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 32.83A26 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 21.A1693 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.056A41A9 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 5119.561 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{L^2 T^2} = 10^{-100} = 0.0002431332 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 2B47903. \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 409B85.1 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.001858B20 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 704.6945 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = A2AA.530 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.00012086A9 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 5B16199. \cdot 10^{-20}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 203657.0 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.00351B207 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 35B.9421 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4597.A8A \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^3} = 10^{-80} = 0.0002814870 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 271789B. \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 475B61.2 \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.001602907 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 7BA.93AB \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.3677431 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 3.4644B5 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 208.0A4B \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.005A053A2 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 123408.3 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = A103527. \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.00002994920 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 43196.B6 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.01767310 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 74.47880 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = B.39248B \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.1088961 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.000057A9A68 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 21546.B4 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.033365B4 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 37.B8485 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 1A.8A713 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 0.063BA458 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 20410.40 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00005ABAB83 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 0.00001210458 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = A2813.72 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.008199B06 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 157.B978 \text{k} \frac{1}{\text{C}}$
$1 \text{m} \frac{1}{\text{s C}} = 1.735423 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.7571537 \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = B1B.3192 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0010A9984 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 656166.3 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{1}{TQ} = 10^{-40} = 1A36360. \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.00013348B1 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 9509.81B \text{m} \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.08A16B3B \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 14.3468B \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 51.50368 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.024174A0 \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.0002687441 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 4830.700 \text{m} \frac{s}{\text{C}} \quad (*)$
$1 \frac{s}{\text{C}} = 0.1593995 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 8.125984 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = A3.545B8 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.011BB827 \text{k} \frac{s}{\text{C}} \quad (*)$
$1 \text{m} \frac{m}{\text{C}} = 3.80832B \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.3327A98 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 215B.553 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.00057936A4 \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 0.000001290825 \cdot 10^{20}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 991465.9 \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.0002AAB179 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 415B.816 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 0.1825281 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 7.164761 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = B8.36B2A \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.01039717 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 237B5.54 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2 Q} = 10^{-60} = 0.000052571B3 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 0.000014012A5 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 8BB37.81 \frac{m}{\text{s}^2 \text{C}} \quad (*)$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.009320733 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 136.634B \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 47725.BB \cdot 10^{40} \quad (*)$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.0000270B410 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 0.00002821483 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 45854.7A \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 0.0167543B \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 78.97364 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 0.000678B531 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 1980.378 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 0.3A19612 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 3.153A73 \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 228.5944 \cdot 10^{40} \\
1m \frac{m^2}{sC} &= 53234.42 \cdot 10^0 \\
1 \frac{m^2}{sC} &= 0.00003069A02 \cdot 10^{10} \\
1k \frac{m^2}{sC} &= 0.0191B437 \cdot 10^{10} \\
1m \frac{m^2}{s^2C} &= 4.20A2B2 \cdot 10^{-30} \\
1 \frac{m^2}{s^2C} &= 24B8.718 \cdot 10^{-30} \\
1k \frac{m^2}{s^2C} &= 0.000001492843 \cdot 10^{-20} \\
1m \frac{m^2s}{C} &= 8.4781A0 \cdot 10^{70} \\
1 \frac{m^2s}{C} &= 4A2A.7B5 \cdot 10^{70} \\
1k \frac{m^2s}{C} &= 0.000002985487 \cdot 10^{80} \\
1m \frac{1}{mC} &= 0.0001154517 \cdot 10^{-40} \\
1 \frac{1}{mC} &= 0.079474B5 \cdot 10^{-40} \\
1k \frac{1}{mC} &= 46.06098 \cdot 10^{-40} \\
1m \frac{1}{msC} &= A7A4.A54 \cdot 10^{-80} \\
1 \frac{1}{msC} &= 61BB71A. \cdot 10^{-80} \quad (*) \\
1k \frac{1}{msC} &= 0.00369A524 \cdot 10^{-70} \\
1m \frac{1}{ms^2C} &= 0.853A213 \cdot 10^{-B0} \\
1 \frac{1}{ms^2C} &= 4A7.7480 \cdot 10^{-B0} \\
1k \frac{1}{ms^2C} &= 29B227.9 \cdot 10^{-B0} \\
1m \frac{s}{mC} &= 1.4B7945 \cdot 10^{-10} \\
1 \frac{s}{mC} &= 99A.2846 \cdot 10^{-10} \\
1k \frac{s}{mC} &= 582500.A \cdot 10^{-10} \quad (*) \\
1m \frac{1}{m^2C} &= 0.7519A21 \cdot 10^{-70} \\
1 \frac{1}{m^2C} &= 437.1388 \cdot 10^{-70} \\
1k \frac{1}{m^2C} &= 25A345.2 \cdot 10^{-70} \\
1m \frac{1}{m^2sC} &= 0.00005A78700 \cdot 10^{-A0} \quad (*) \\
1 \frac{1}{m^2sC} &= 0.034A6AB3 \cdot 10^{-A0} \\
1k \frac{1}{m^2sC} &= 1B.7A940 \cdot 10^{-A0} \\
1m \frac{1}{m^2s^2C} &= 47B8.7A2 \cdot 10^{-120} \\
1 \frac{1}{m^2s^2C} &= 2848892. \cdot 10^{-120} \\
1k \frac{1}{m^2s^2C} &= 0.00168B5B6 \cdot 10^{-110} \\
1m \frac{s}{m^2C} &= 9461.511 \cdot 10^{-40} \\
1 \frac{s}{m^2C} &= 55139A8. \cdot 10^{-40} \\
1k \frac{s}{m^2C} &= 0.0031819A8 \cdot 10^{-30} \\
1m \frac{1}{m^3C} &= 4130.663 \cdot 10^{-A0} \\
1 \frac{1}{m^3C} &= 2460593. \cdot 10^{-A0} \\
1k \frac{1}{m^3C} &= 0.00145B341 \cdot 10^{-90} \\
1m \frac{1}{m^3sC} &= 0.3304089 \cdot 10^{-110} \\
1 \frac{1}{m^3sC} &= 1A7.0425 \cdot 10^{-110} \\
1k \frac{1}{m^3sC} &= 110A19.2 \cdot 10^{-110} \\
1m \frac{1}{m^3s^2C} &= 0.000026B1345 \cdot 10^{-140} \\
1 \frac{1}{m^3s^2C} &= 0.015A9168 \cdot 10^{-140} \\
1k \frac{1}{m^3s^2C} &= A.43489A \cdot 10^{-140} \\
1m \frac{s}{m^3C} &= 0.0000521A9A6 \cdot 10^{-60} \\
1 \frac{s}{m^3C} &= 0.02BB7A5B \cdot 10^{-60} \quad (*) \\
1k \frac{s}{m^3C} &= 18.99742 \cdot 10^{-60} \\
1m \frac{kg}{C} &= 0.2726559 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ vo-} \frac{L^2}{Q} &= 10^{40} = 0.005485213 k \frac{m^2}{C} \\
1 \frac{L^2}{TQ} &= 1 = 0.00002341A07 m \frac{m^2}{sC} \\
1 \text{ pa-} \frac{L^2}{TQ} &= 10^{10} = 3B306.BB \frac{m^2}{sC} \quad (*) \\
1 \text{ pa-} \frac{L^2}{TQ} &= 10^{10} = 69.7A39B k \frac{m^2}{sC} \\
1 \text{ ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.2A6169B m \frac{m^2}{s^2C} \\
1 \text{ ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0004B774BA \frac{m^2}{s^2C} \\
1 \text{ ni'ure-} \frac{L^2}{T^2Q} &= 10^{-20} = 870707.9 k \frac{m^2}{s^2C} \\
1 \text{ ze-} \frac{L^2T}{Q} &= 10^{70} = 0.15205B7 m \frac{m^2s}{C} \\
1 \text{ ze-} \frac{L^2T}{Q} &= 10^{70} = 0.0002580585 \frac{m^2s}{C} \\
1 \text{ bi-} \frac{L^2T}{Q} &= 10^{80} = 4332A0.7 k \frac{m^2s}{C} \\
1 \text{ ni'ubo-} \frac{1}{LQ} &= 10^{-40} = A860.0B7 m \frac{1}{mC} \\
1 \text{ ni'ubo-} \frac{1}{LQ} &= 10^{-40} = 16.60707 \frac{1}{mC} \\
1 \text{ ni'ubo-} \frac{1}{LQ} &= 10^{-40} = 0.027B84A8 k \frac{1}{mC} \\
1 \text{ ni'ubi-} \frac{1}{LTQ} &= 10^{-80} = 0.000116202A m \frac{1}{msC} \\
1 \text{ ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 1B4288.0 \frac{1}{msC} \\
1 \text{ ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 344.294A k \frac{1}{msC} \\
1 \text{ ni'uvaiei-} \frac{1}{LT^2Q} &= 10^{-B0} = 1.507A77 m \frac{1}{ms^2C} \\
1 \text{ ni'uvaiei-} \frac{1}{LT^2Q} &= 10^{-B0} = 0.002557930 \frac{1}{ms^2C} \\
1 \text{ ni'ujauau-} \frac{1}{LT^2Q} &= 10^{-A0} = 42B12A0. k \frac{1}{ms^2C} \\
1 \text{ ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.859A549 m \frac{s}{mC} \\
1 \text{ ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.00127B487 \frac{s}{mC} \\
1 \frac{T}{LQ} &= 1 = 21405A1. k \frac{s}{mC} \\
1 \text{ ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 1.747135 m \frac{1}{m^2C} \\
1 \text{ ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 0.00295B049 \frac{1}{m^2C} \\
1 \text{ ni'uxa-} \frac{1}{L^2Q} &= 10^{-60} = 49A624B. k \frac{1}{m^2C} \\
1 \text{ ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 20564.82 m \frac{1}{m^2sC} \\
1 \text{ ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 36.32835 \frac{1}{m^2sC} \\
1 \text{ ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 0.06105974 k \frac{1}{m^2sC} \\
1 \text{ ni'upare-} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.00026A5334 m \frac{1}{m^2s^2C} \\
1 \text{ ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 454152.2 \frac{1}{m^2s^2C} \\
1 \text{ ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 782.1621 k \frac{1}{m^2s^2C} \\
1 \text{ ni'uvao-} \frac{T}{L^2Q} &= 10^{-40} = 0.000134378B m \frac{s}{m^2C} \\
1 \text{ ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 226588.2 \frac{s}{m^2C} \\
1 \text{ ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 39A.3B31 k \frac{s}{m^2C} \\
1 \text{ ni'ujauau-} \frac{1}{L^3Q} &= 10^{-A0} = 0.0002B10058 m \frac{1}{m^3C} \quad (*) \\
1 \text{ ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 5075B1.1 \frac{1}{m^3C} \\
1 \text{ ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 889.1386 k \frac{1}{m^3C} \\
1 \text{ ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 3.833845 m \frac{1}{m^3sC} \\
1 \text{ ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 0.006461257 \frac{1}{m^3sC} \\
1 \text{ ni'upano-} \frac{1}{L^3TQ} &= 10^{-100} = B025893. k \frac{1}{m^3sC} \\
1 \text{ ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 47A61.B1 m \frac{1}{m^3s^2C} \\
1 \text{ ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 80.67922 \frac{1}{m^3s^2C} \\
1 \text{ ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.11AA186 k \frac{1}{m^3s^2C} \\
1 \text{ ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 23972.29 m \frac{s}{m^3C} \\
1 \text{ ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 40.05609 \frac{s}{m^3C} \\
1 \text{ ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 0.06B01548 k \frac{s}{m^3C} \\
1 \text{ ni'upa-} \frac{M}{Q} &= 10^{-10} = 4.744542 m \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 160.8B60 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= A5522.66 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.00002089443 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.01238B83 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 8.348399 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 1771.BA4 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= B41118.4 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.0006690B31 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 3348.037 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 1A96509. \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.001123672 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0000485B227 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.02883A40 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 16.B0559 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 3892.2A6 \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s C}} &= 21AA567. \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.0012BA9BB \cdot 10^{-10} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.2B57B2A \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 186.3B94 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= BA677.96 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg ms}}{\text{C}} &= 0.5B36784 \cdot 10^{50} \\
1 \frac{\text{kg ms}}{\text{C}} &= 353.1415 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg ms}}{\text{C}} &= 1BA633.B \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 8631.0B5 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 4B2155B. \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.002A2B496 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.690400B \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 3AA.839B \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 231771.3 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00005425743 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0311A579 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 19.60406 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.0000A907152 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.06282153 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 37.27548 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 152B.085 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m C}} &= 9B8B56.4 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 0.0005936A31 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.117B674 \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s C}} &= 7A.A7669 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 46AB1.8B \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.00000A9B0990 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.006322A39 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 3.761663 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 0.0000199176B \cdot 10^0 \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.0107153B \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 7.355441
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 0.007B80477 \frac{\text{kg}}{\text{C}} \\
1 \text{ni'upa-} \frac{M}{TQ} &= 10^{-10} = 0.00001193972 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ubo-} \frac{M}{TQ} &= 10^{-40} = 59A53.20 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ubo-} \frac{M}{TQ} &= 10^{-40} = A0.89A44 \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ubo-} \frac{M}{TQ} &= 10^{-40} = 0.1547693 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ubi-} \frac{M}{T^2 Q} &= 10^{-80} = 0.0007421442 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ubi-} \frac{M}{T^2 Q} &= 10^{-80} = 0.000001084506 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'uze-} \frac{M}{T^2 Q} &= 10^{-70} = 19B3.615 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re-} \frac{MT}{Q} &= 10^{20} = 0.00037A5353 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = 639833.1 \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = AAB.B398 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 26706.6A \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 44.A3085 \frac{\text{kg m}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 0.0773BAAB \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'ure-} \frac{ML}{TQ} &= 10^{-20} = 0.0003272688 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'upa-} \frac{ML}{TQ} &= 10^{-10} = 568523.7 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'upa-} \frac{ML}{TQ} &= 10^{-10} = 973.1930 \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 4.086B19 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.007021969 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.00001015657 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 2.02A153 \text{m} \frac{\text{kg ms}}{\text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 0.0035A6B16 \frac{\text{kg ms}}{\text{C}} \\
1 \text{xa-} \frac{MLT}{Q} &= 10^{60} = 6045538. \text{k} \frac{\text{kg ms}}{\text{C}} \\
1 \text{vo-} \frac{ML^2}{Q} &= 10^{40} = 0.00014A9478 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 2524A8.5 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 425.6077 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 1.93AB41 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 0.0030A2715 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{re-} \frac{ML^2}{TQ} &= 10^{20} = 5381962. \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 22AB6.6A \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 3A.60B42 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 0.068443A4 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi-} \frac{ML^2 T}{Q} &= 10^{80} = 11482.36 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2 T}{Q} &= 10^{80} = 1B.17AB8 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2 T}{Q} &= 10^{80} = 0.033B966B \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni'ubo-} \frac{M}{LQ} &= 10^{-40} = 0.0008426620 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'ubo-} \frac{M}{LQ} &= 10^{-40} = 0.000001251BB2 \frac{\text{kg}}{\text{m C}} \quad (*) \\
1 \text{ni'uci-} \frac{M}{LQ} &= 10^{-30} = 20B2.935 \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'uze-} \frac{M}{LTQ} &= 10^{-70} = A.657462 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'uze-} \frac{M}{LTQ} &= 10^{-70} = 0.01626531 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'uze-} \frac{M}{LTQ} &= 10^{-70} = 0.000027576A7 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 11372A.1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 1AB.9643 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 0.3386A4A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 674A7.1A \text{m} \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = B5.26B95 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.1791363 \text{k} \frac{\text{kg s}}{\text{m C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.0000096399 A_6 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.00561 A_6 27 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 3.235046 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 767.0228 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 445087.5 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.000264057 A \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.05 B 940 B B \cdot 10^{-110} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 35.65643 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 20056.49 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.10032 A_9 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 6 B .5 A 6 1 6 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 40395.7 B \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.0531 A_8 29 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 30.67166 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 19199.60 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.000004206657 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.0024 B 6 5 4 B \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 1.491557 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 337. A 4 8 1 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 1 A B 4 7 5 .A \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0001134494 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 678.5652 \cdot 10^{-60} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 3 A 1 6 1 1 .4 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.0002283979 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \text{m C} &= 157. B 9 7 8 \cdot 10^{10} \\
1 \text{C} &= A 2 8 1 3 .7 2 \cdot 10^{10} \\
1 \text{k C} &= 0.00005 A B A B 8 3 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 0.011 B B 8 2 7 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{C}}{\text{s}} &= 8.125984 \cdot 10^{-20} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 4830.700 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= B 1 1 2 5 B .B \cdot 10^{-60} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.0006503883 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 0.386 A 9 A 4 \cdot 10^{-50} \\
1 \text{m s C} &= 1 A 3 6 3 6 0 . \cdot 10^{40} \\
1 \text{s C} &= 0.0010 A 9 9 8 4 \cdot 10^{50} \\
1 \text{k s C} &= 0.7571537 \cdot 10^{50} \\
1 \text{m m C} &= 0.027 B 8 4 A 8 \cdot 10^{40} \\
1 \text{m C} &= 16.60707 \cdot 10^{40} \\
1 \text{k m C} &= A 8 6 0 .0 B 7 \cdot 10^{40} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 21405 A 1 . \cdot 10^0 \\
1 \frac{\text{m C}}{\text{s}} &= 0.00127 B 4 8 7 \cdot 10^{10} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.859 A 5 4 9 \cdot 10^{10} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 180. B 0 3 7 \cdot 10^{-30} \\
1 \frac{\text{m C}}{\text{s}^2} &= B 7 5 0 6 .8 7 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.00006882468 \cdot 10^{-20} \\
1 \text{m m s C} &= 344.294 A \cdot 10^{70} \\
1 \text{m s C} &= 1 B 4 2 8 8 .0 \cdot 10^{70} \\
1 \text{k m s C} &= 0.000116202 A \cdot 10^{80} \\
1 \text{m m}^2 \text{C} &= 49 A 6 2 4 B . \cdot 10^{60}
\end{aligned}$$

$$\begin{aligned}
1 \text{n} i'uxa \frac{M}{L^2 Q} &= 10^{-60} = 13147 B .2 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uxa \frac{M}{L^2 Q} &= 10^{-60} = 221.532 B \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.3917585 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n} i'ujauau \frac{M}{L^2 T Q} &= 10^{-A0} = 0.00170 A B 5 9 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{n} i'ujauau \frac{M}{L^2 T Q} &= 10^{-A0} = 0.0000028 B 6 8 A 8 \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{n} i'uso \frac{M}{L^2 T Q} &= 10^{-90} = 48 B 6 .4 5 0 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{n} i'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 20.0 A 8 0 9 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n} i'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.035724 A B \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n} i'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00005 B A 7 5 1 5 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n} i'uci \frac{MT}{L^2 Q} &= 10^{-30} = B .B 8 9 2 1 2 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.01884487 \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.00002 B 9 2 1 5 2 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n} i'uso \frac{M}{L^3 Q} &= 10^{-90} = 23.43 A 4 2 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n} i'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.03 B 3 4 0 B 9 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n} i'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.00006984447 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n} i'upano \frac{M}{L^3 T Q} &= 10^{-100} = 2 A 6 4 1 5 .B \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{n} i'upano \frac{M}{L^3 T Q} &= 10^{-100} = 4 B 7 .B 9 B 8 \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{n} i'upano \frac{M}{L^3 T Q} &= 10^{-100} = 0.8712827 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{n} i'upavo \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.00376 A A 1 7 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n} i'upavo \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.000006336 B 2 2 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n} i'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = A A 1 4 .7 0 4 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n} i'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.001981 A A 8 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{n} i'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.0000031567 A 6 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{n} i'umu \frac{MT}{L^3 Q} &= 10^{-50} = 5489. B 7 2 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-Q} &= 10^{10} = 0.008199 B 0 6 \text{m C} \\
1 \text{pa-Q} &= 10^{10} = 0.00001210458 \text{C} \\
1 \text{re-Q} &= 10^{20} = 20410.40 \text{k C} \\
1 \text{n} i'ure \frac{Q}{T} &= 10^{-20} = A 3.545 B 8 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{n} i'ure \frac{Q}{T} &= 10^{-20} = 0.1593995 \frac{\text{C}}{\text{s}} \\
1 \text{n} i'ure \frac{Q}{T} &= 10^{-20} = 0.0002687441 \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{n} i'uxa \frac{Q}{T^2} &= 10^{-60} = 0.0000010 B 9 6 0 3 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{n} i'umu \frac{Q}{T^2} &= 10^{-50} = 1 A 5 2 .5 B B \frac{\text{C}}{\text{s}^2} \quad (*) \\
1 \text{n} i'umu \frac{Q}{T^2} &= 10^{-50} = 3.292378 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{mu-TQ} &= 10^{50} = 656166.3 \text{m s C} \\
1 \text{mu-TQ} &= 10^{50} = B 1 B .3 1 9 2 \text{s C} \\
1 \text{mu-TQ} &= 10^{50} = 1.735423 \text{k s C} \\
1 \text{vo-LQ} &= 10^{40} = 46.06098 \text{m m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.079474 B 5 \text{m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.0001154517 \text{k m C} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 582500. A \text{m} \frac{\text{m C}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 99 A .2 8 4 6 \frac{\text{m C}}{\text{s}} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 1.4 B 7 9 4 5 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{n} i'uci \frac{LQ}{T^2} &= 10^{-30} = 0.00720 A 1 A 4 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{n} i'uci \frac{LQ}{T^2} &= 10^{-30} = 0.00001048912 \frac{\text{m C}}{\text{s}^2} \\
1 \text{n} i'ure \frac{LQ}{T^2} &= 10^{-20} = 19500.90 \text{k} \frac{\text{m C}}{\text{s}^2} \quad (*) \\
1 \text{ze-LTQ} &= 10^{70} = 0.00369 A 5 2 4 \text{m m s C} \\
1 \text{bi-LTQ} &= 10^{80} = 61 B B 7 1 A . \text{m s C} \quad (*) \\
1 \text{bi-LTQ} &= 10^{80} = A 7 A 4 .A 5 4 \text{k m s C} \\
1 \text{ze-L}^2 Q &= 10^{70} = 25 A 3 4 5 .2 \text{m m}^2 \text{C}
\end{aligned}$$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.00295B049 \cdot 10^{70} \\
1 \text{k m}^2 \text{ C} &= 1.747135 \cdot 10^{70} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 39A.3B31 \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 226588.2 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.000134378B \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.03040A8B \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 19.04367 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 10205.A0 \cdot 10^0 \\
1 \text{m m}^2 \text{ s C} &= 0.06105974 \cdot 10^{A0} \\
1 \text{m}^2 \text{ s C} &= 36.32835 \cdot 10^{A0} \\
1 \text{k m}^2 \text{ s C} &= 20564.82 \cdot 10^{A0} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 991465.9 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.00057936A4 \cdot 10^{-10} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.3327A98 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 78.97364 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 45854.7A \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.0000270B410 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.006164B37 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 3.667A3A \cdot 10^{-80} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 2076.270 \cdot 10^{-80} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.01039717 \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 7.164761 \cdot 10^{20} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 415B.816 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 0.005485213 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 3.153A73 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 1980.378 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 4332A0.7 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.0002580585 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.15205B7 \cdot 10^{-70} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 34.76106 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 1B615.73 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.00001173223 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 69.7A39B \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 3B306.BB \cdot 10^{-10} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.00002341A07 \cdot 10^0 \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 2B.8B580 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^3} &= 1882A.40 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 0.00000BB7A654 \cdot 10^{-60} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.00243A981 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 1.448506 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 959.B982 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 1A5400.9 \cdot 10^{-120} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.00010BA459 \cdot 10^{-110} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.07624856 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 391417.4 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.0002213406 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.1313661 \cdot 10^{-30} \\
1 \text{m kg C} &= 0.001A79A81 \cdot 10^{20} \\
1 \text{kg C} &= 1.113801 \cdot 10^{20} \\
1 \text{k kg C} &= 770.4974 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ze-}L^2Q &= 10^{70} = 437.1388 \text{ m}^2 \text{ C} \\
1 \text{ ze-}L^2Q &= 10^{70} = 0.7519A21 \text{k m}^2 \text{ C} \\
1 \text{ ci-} \frac{L^2Q}{T} &= 10^{30} = 0.0031819A8 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2Q}{T} &= 10^{40} = 55139A8. \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2Q}{T^2} &= 10^{40} = 9461.511 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 3B.674BA \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.06A20402 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.0000B9BA335 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 1B.7A940 \text{ m m}^2 \text{ s C} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.034A6AB3 \text{ m}^2 \text{ s C} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.00005A78700 \text{k m}^2 \text{ s C} \quad (*) \\
1 \text{ ni'ure-} \frac{Q}{L} &= 10^{-20} = 0.000001290825 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 215B.553 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 3.80832B \text{k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.0167543B \text{ m} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.00002821483 \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ubo-} \frac{Q}{LT} &= 10^{-40} = 47725.BB \text{k} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 1B5.BA81 \text{ m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.3473440 \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.0005A202A6 \text{k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = B8.36B2A \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.1825281 \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.0002AAB179 \text{k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 228.5944 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 0.3A19612 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 0.000678B531 \text{k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubi-} \frac{Q}{L^2T} &= 10^{-80} = 0.000002985487 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 4A2A.7B5 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 8.4781A0 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uvaiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.03665008 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'uvaiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.00006160011 \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} &= 10^{-A0} = A7011.B9 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.0191B437 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.00003069A02 \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = 53234.42 \text{k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.04041071 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.00006B64839 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 100417.0 \text{k} \frac{\text{C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 510.0A63 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.8950325 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.001321B60 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upare-} \frac{Q}{L^3T^2} &= 10^{-120} = 0.0000064BA680 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = B105.69A \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 17.1A834 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'ubo-} \frac{TQ}{L^3} &= 10^{-40} = 0.000003237A49 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 5623.500 \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 9.646356 \text{k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ re-} MQ &= 10^{20} = 643.4BA0 \text{ m kg C} \\
1 \text{ re-} MQ &= 10^{20} = 0.4B9A081 \text{ kg C} \\
1 \text{ re-} MQ &= 10^{20} = 0.0016B94BB \text{k kg C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot C}{s} &= 15B483.2 \cdot 10^{-20} \\
1 \frac{kg \cdot C}{s} &= 0.0000A479287 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{s} &= 0.0601734B \cdot 10^{-10} \\
1m \frac{kg \cdot C}{s^2} &= 12.280B9 \cdot 10^{-50} \\
1 \frac{kg \cdot C}{s^2} &= 8292.957 \cdot 10^{-50} \\
1k \frac{kg \cdot C}{s^2} &= 0.00000491A945 \cdot 10^{-40} \\
1m kg \cdot s \cdot C &= 24.7062A \cdot 10^{50} \\
1 kg \cdot s \cdot C &= 14662.B4 \cdot 10^{50} \\
1k kg \cdot s \cdot C &= 0.0000096A7451 \cdot 10^{60} \\
1m kg \cdot m \cdot C &= 350021.8 \cdot 10^{40} \quad (*) \\
1 kg \cdot m \cdot C &= 0.0001B8892A \cdot 10^{50} \\
1k kg \cdot m \cdot C &= 0.118936A \cdot 10^{50} \\
1m \frac{kg \cdot m \cdot C}{s} &= 28.5A4B4 \cdot 10^{10} \\
1 \frac{kg \cdot m \cdot C}{s} &= 16974.B8 \cdot 10^{10} \\
1k \frac{kg \cdot m \cdot C}{s} &= 0.0000AA695A5 \cdot 10^{20} \\
1m \frac{kg \cdot m \cdot C}{s^2} &= 0.00218B164 \cdot 10^{-20} \\
1 \frac{kg \cdot m \cdot C}{s^2} &= 1.2A93B3 \cdot 10^{-20} \\
1k \frac{kg \cdot m \cdot C}{s^2} &= 875.6143 \cdot 10^{-20} \\
1m kg \cdot m \cdot s \cdot C &= 0.00438B125 \cdot 10^{80} \\
1 kg \cdot m \cdot s \cdot C &= 2.5B3B90 \cdot 10^{80} \\
1k kg \cdot m \cdot s \cdot C &= 153B.437 \cdot 10^{80} \\
1m kg \cdot m^2 \cdot C &= 62.26A23 \cdot 10^{70} \\
1 kg \cdot m^2 \cdot C &= 36B46.29 \cdot 10^{70} \\
1k kg \cdot m^2 \cdot C &= 0.000020A3007 \cdot 10^{80} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot C}{s} &= 0.004A981A1 \cdot 10^{40} \\
1 \frac{kg \cdot m^2 \cdot C}{s} &= 2.A04675 \cdot 10^{40} \\
1k \frac{kg \cdot m^2 \cdot C}{s} &= 1783.B74 \cdot 10^{40} \\
1m \frac{kg \cdot m^2 \cdot C}{s^2} &= 3A720B.7 \cdot 10^0 \\
1 \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.00022B7195 \cdot 10^{10} \\
1k \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.1373238 \cdot 10^{10} \\
1m kg \cdot m^2 \cdot s \cdot C &= 797AA3.0 \cdot 10^{A0} \\
1 kg \cdot m^2 \cdot s \cdot C &= 0.0004624A86 \cdot 10^{B0} \\
1k kg \cdot m^2 \cdot s \cdot C &= 0.2744878 \cdot 10^{B0} \\
1m \frac{kg \cdot C}{m} &= 10.62125 \cdot 10^{-10} \\
1 \frac{kg \cdot C}{m} &= 72AA.704 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{m} &= 0.0000042362A2 \cdot 10^0 \\
1m \frac{kg \cdot C}{m \cdot s} &= 0.0009ABB720 \cdot 10^{-40} \quad (*) \\
1 \frac{kg \cdot C}{m \cdot s} &= 0.58A4525 \cdot 10^{-40} \\
1k \frac{kg \cdot C}{m \cdot s} &= 33A.2815 \cdot 10^{-40} \\
1m \frac{kg \cdot C}{m \cdot s^2} &= 7A360.B1 \cdot 10^{-80} \\
1 \frac{kg \cdot C}{m \cdot s^2} &= 0.00004669825 \cdot 10^{-70} \\
1k \frac{kg \cdot C}{m \cdot s^2} &= 0.0276B32B \cdot 10^{-70} \\
1m \frac{kg \cdot s \cdot C}{m} &= 139631.4 \cdot 10^{20} \\
1 \frac{kg \cdot s \cdot C}{m} &= 0.00009181571 \cdot 10^{30} \\
1k \frac{kg \cdot s \cdot C}{m} &= 0.053578A2 \cdot 10^{30} \\
1m \frac{kg \cdot C}{m^2} &= 6AB73.80 \cdot 10^{-40} \\
1 \frac{kg \cdot C}{m^2} &= 0.00004001B4A \cdot 10^{-30} \quad (*) \\
1k \frac{kg \cdot C}{m^2} &= 0.02395166 \cdot 10^{-30} \\
1m \frac{kg \cdot C}{m^2 \cdot s} &= 5.58AB15 \cdot 10^{-70} \\
1 \frac{kg \cdot C}{m^2 \cdot s} &= 3206.666 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 ni'ure-\frac{MQ}{T} &= 10^{-20} = 0.000008033130 m \frac{kg \cdot C}{s} \\
1 ni'upa-\frac{MQ}{T} &= 10^{-10} = 11A43.54 \frac{kg \cdot C}{s} \\
1 ni'upa-\frac{MQ}{T} &= 10^{-10} = 1B.B5701 k \frac{kg \cdot C}{s} \\
1 ni'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.0A15B377 m \frac{kg \cdot C}{s^2} \\
1 ni'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.000155B3A7 \frac{kg \cdot C}{s^2} \\
1 ni'uvo-\frac{MQ}{T^2} &= 10^{-40} = 262948.4 k \frac{kg \cdot C}{s^2} \\
1 mu-MTQ &= 10^{50} = 0.05054489 m kg \cdot s \cdot C \\
1 mu-MTQ &= 10^{50} = 0.00008855239 kg \cdot s \cdot C \\
1 xa-MTQ &= 10^{60} = 1305B2.2 k kg \cdot s \cdot C \\
1 vo-MLQ &= 10^{40} = 0.000003618A82 m kg \cdot m \cdot C \\
1 mu-MLQ &= 10^{50} = 609B.061 kg \cdot m \cdot C \\
1 mu-MLQ &= 10^{50} = A.5A1738 k kg \cdot m \cdot C \\
1 pa-\frac{MLQ}{T} &= 10^{10} = 0.04522B75 m \frac{kg \cdot m \cdot C}{s} \\
1 pa-\frac{MLQ}{T} &= 10^{10} = 0.000077AA844 \frac{kg \cdot m \cdot C}{s} \\
1 re-\frac{MLQ}{T} &= 10^{20} = 112996.8 k \frac{kg \cdot m \cdot C}{s} \\
1 ni'ure-\frac{MLQ}{T^2} &= 10^{-20} = 571.57A1 m \frac{kg \cdot m \cdot C}{s^2} \\
1 ni'ure-\frac{MLQ}{T^2} &= 10^{-20} = 0.97BA2BB \frac{kg \cdot m \cdot C}{s^2} \quad (*) \\
1 ni'ure-\frac{MLQ}{T^2} &= 10^{-20} = 0.00148515A k \frac{kg \cdot m \cdot C}{s^2} \\
1 bi-MLTQ &= 10^{80} = 294.8B18 m kg \cdot m \cdot s \cdot C \\
1 bi-MLTQ &= 10^{80} = 0.49859B3 kg \cdot m \cdot s \cdot C \\
1 bi-MLTQ &= 10^{80} = 0.0008387472 k kg \cdot m \cdot s \cdot C \\
1 ze-ML^2Q &= 10^{70} = 0.01B34A7A m kg \cdot m^2 \cdot C \\
1 ze-ML^2Q &= 10^{70} = 0.0000342995A kg \cdot m^2 \cdot C \\
1 bi-ML^2Q &= 10^{80} = 59638.05 k kg \cdot m^2 \cdot C \\
1 vo-\frac{ML^2Q}{T} &= 10^{40} = 254.743B m \frac{kg \cdot m^2 \cdot C}{s} \\
1 vo-\frac{ML^2Q}{T} &= 10^{40} = 0.429395A \frac{kg \cdot m^2 \cdot C}{s} \\
1 vo-\frac{ML^2Q}{T} &= 10^{40} = 0.000738A936 k \frac{kg \cdot m^2 \cdot C}{s} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.00000310BBB6 m \frac{kg \cdot m^2 \cdot C}{s^2} \quad (**) \\
1 pa-\frac{ML^2Q}{T^2} &= 10^{10} = 540B.621 \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 pa-\frac{ML^2Q}{T^2} &= 10^{10} = 9.28918A k \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 jauau-ML^2TQ &= 10^{A0} = 0.000001654966 m kg \cdot m^2 \cdot s \cdot C \\
1 vaiei-ML^2TQ &= 10^{B0} = 27A6.B38 kg \cdot m^2 \cdot s \cdot C \\
1 vaiei-ML^2TQ &= 10^{B0} = 4.711193 k kg \cdot m^2 \cdot s \cdot C \\
1 ni'upa-\frac{MQ}{L} &= 10^{-10} = 0.0B60B439 m \frac{kg \cdot C}{m} \\
1 ni'upa-\frac{MQ}{L} &= 10^{-10} = 0.00017A7254 \frac{kg \cdot C}{m} \\
1 \frac{MQ}{L} &= 1 = 2A4374.8 k \frac{kg \cdot C}{m} \\
1 ni'uvo-\frac{MQ}{LT} &= 10^{-40} = 1263.0A9 m \frac{kg \cdot C}{m \cdot s} \\
1 ni'uvo-\frac{MQ}{LT} &= 10^{-40} = 2.111463 \frac{kg \cdot C}{m \cdot s} \\
1 ni'uvo-\frac{MQ}{LT} &= 10^{-40} = 0.003743AB9 k \frac{kg \cdot C}{m \cdot s} \\
1 ni'ubi-\frac{MQ}{LT^2} &= 10^{-80} = 0.0000163AB42 m \frac{kg \cdot C}{m \cdot s^2} \\
1 ni'uze-\frac{MQ}{LT^2} &= 10^{-70} = 27801.22 \frac{kg \cdot C}{m \cdot s^2} \\
1 ni'uze-\frac{MQ}{LT^2} &= 10^{-70} = 46.87A24 k \frac{kg \cdot C}{m \cdot s^2} \\
1 re-\frac{MTQ}{L} &= 10^{20} = 0.00000914B462 m \frac{kg \cdot s \cdot C}{m} \\
1 ci-\frac{MTQ}{L} &= 10^{30} = 13909.36 \frac{kg \cdot s \cdot C}{m} \\
1 ci-\frac{MTQ}{L} &= 10^{30} = 23.28537 k \frac{kg \cdot s \cdot C}{m} \\
1 ni'uvo-\frac{MQ}{L^2} &= 10^{-40} = 0.0000189B1A2 m \frac{kg \cdot C}{m^2} \\
1 ni'uci-\frac{MQ}{L^2} &= 10^{-30} = 2BBA6.56 \frac{kg \cdot C}{m^2} \quad (*) \\
1 ni'uci-\frac{MQ}{L^2} &= 10^{-30} = 52.23513 k \frac{kg \cdot C}{m^2} \\
1 ni'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.2234B43 m \frac{kg \cdot C}{m^2 \cdot s} \\
1 ni'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.0003950479 \frac{kg \cdot C}{m^2 \cdot s}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 0.000001A02555 \cdot 10^{-60} \\
1m \frac{\text{kg C}}{\text{m}^2 \text{s}^2} &= 0.00044115B9 \cdot 10^{-A0} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}^2} &= 0.261918B \cdot 10^{-A0} \\
1k \frac{\text{kg C}}{\text{m}^2 \text{s}^2} &= 155.42A1 \cdot 10^{-A0} \\
1m \frac{\text{kg s C}}{\text{m}^2} &= 0.0008885681 \cdot 10^0 \\
1 \frac{\text{kg s C}}{\text{m}^2} &= 0.5071530 \cdot 10^0 \\
1k \frac{\text{kg s C}}{\text{m}^2} &= 2B0.9539 \cdot 10^0 \\
1m \frac{\text{kg C}}{\text{m}^3} &= 0.00039A0664 \cdot 10^{-60} \\
1 \frac{\text{kg C}}{\text{m}^3} &= 0.2263914 \cdot 10^{-60} \\
1k \frac{\text{kg C}}{\text{m}^3} &= 134.2613 \cdot 10^{-60} \\
1m \frac{\text{kg C}}{\text{m}^3 \text{s}} &= 303A2.57 \cdot 10^{-A0} \\
1 \frac{\text{kg C}}{\text{m}^3 \text{s}} &= 0.000019028A6 \cdot 10^{-90} \\
1k \frac{\text{kg C}}{\text{m}^3 \text{s}} &= 0.0101B703 \cdot 10^{-90} \\
1m \frac{\text{kg C}}{\text{m}^3 \text{s}^2} &= 2.494443 \cdot 10^{-110} \\
1 \frac{\text{kg C}}{\text{m}^3 \text{s}^2} &= 147A.437 \cdot 10^{-110} \\
1k \frac{\text{kg C}}{\text{m}^3 \text{s}^2} &= 977B32.3 \cdot 10^{-110} \\
1m \frac{\text{kg s C}}{\text{m}^3} &= 4.9A1B02 \cdot 10^{-30} \\
1 \frac{\text{kg s C}}{\text{m}^3} &= 2958.67A \cdot 10^{-30} \\
1k \frac{\text{kg s C}}{\text{m}^3} &= 0.00000174580A \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1m \frac{1}{K} &= 1046.233 \cdot 10^{20} \\
1 \frac{1}{K} &= 71B439.1 \cdot 10^{20} \\
1k \frac{1}{K} &= 0.000418A275 \cdot 10^{30} \\
1m \frac{1}{sK} &= 0.09982326 \cdot 10^{-10} \\
1 \frac{1}{sK} &= 58.12A50 \cdot 10^{-10} \\
1k \frac{1}{sK} &= 334B3.30 \cdot 10^{-10} \\
1m \frac{1}{s^2K} &= 0.00000793007A \cdot 10^{-40} \quad (*) \\
1 \frac{1}{s^2K} &= 0.0045B6A46 \cdot 10^{-40} \\
1k \frac{1}{s^2K} &= 2.729041 \cdot 10^{-40} \\
1m \frac{s}{K} &= 0.0000137516A \cdot 10^{60} \\
1 \frac{s}{K} &= 0.009056B71 \cdot 10^{60} \\
1k \frac{s}{K} &= 5.292906 \cdot 10^{60} \\
1m \frac{m}{K} &= 0.1A49A23 \cdot 10^{50} \\
1 \frac{m}{K} &= 10B.6989 \cdot 10^{50} \\
1k \frac{m}{K} &= 7603B.69 \cdot 10^{50} \\
1m \frac{m}{sK} &= 0.0000159016A \cdot 10^{20} \\
1 \frac{m}{sK} &= 0.00A332AA8 \cdot 10^{20} \\
1k \frac{m}{sK} &= 5.B40624 \cdot 10^{20} \\
1m \frac{m}{s^2K} &= 1209.552 \cdot 10^{-20} \\
1 \frac{m}{s^2K} &= 818178.7 \cdot 10^{-20} \\
1k \frac{m}{s^2K} &= 0.0004863A0B \cdot 10^{-10} \\
1m \frac{ms}{K} &= 2433.053 \cdot 10^{80} \\
1 \frac{ms}{K} &= 1443B11. \cdot 10^{80} \\
1k \frac{ms}{K} &= 0.00095746BB \cdot 10^{90} \quad (*) \\
1m \frac{m^2}{K} &= 0.00003466B3A \cdot 10^{80} \\
1 \frac{m^2}{K} &= 0.01B57027 \cdot 10^{80} \\
1k \frac{m^2}{K} &= 11.6B54A \cdot 10^{80} \\
1m \frac{m^2}{sK} &= 2816.87A \cdot 10^{40} \\
1 \frac{m^2}{sK} &= 1671601. \cdot 10^{40} \\
1k \frac{m^2}{sK} &= 0.000A915906 \cdot 10^{50} \\
1m \frac{m^2}{s^2K} &= 0.2156202 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 ni'uxa-\frac{MQ}{L^2T} &= 10^{-60} = 665995.8 k \frac{\text{kg C}}{\text{m}^2 \text{s}} \\
1 ni'ujauau-\frac{MQ}{L^2T^2} &= 10^{-A0} = 2920.753 m \frac{\text{kg C}}{\text{m}^2 \text{s}^2} \\
1 ni'ujauau-\frac{MQ}{L^2T^2} &= 10^{-A0} = 4.939 BBB \frac{\text{kg C}}{\text{m}^2 \text{s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 ni'ujauau-\frac{MQ}{L^2T^2} &= 10^{-A0} = 0.008306AB2 k \frac{\text{kg C}}{\text{m}^2 \text{s}^2} \\
1 \frac{MTQ}{L^2} &= 1 = 1460.600 m \frac{\text{kg s C}}{\text{m}^2} \quad (*) \\
1 \frac{MTQ}{L^2} &= 1 = 2.462712 \frac{\text{kg s C}}{\text{m}^2} \\
1 \frac{MTQ}{L^2} &= 1 = 0.004134235 k \frac{\text{kg s C}}{\text{m}^2} \\
1 ni'uxa-\frac{MQ}{L^3} &= 10^{-60} = 3184.746 m \frac{\text{kg C}}{\text{m}^3} \\
1 ni'uxa-\frac{MQ}{L^3} &= 10^{-60} = 5.51878B \frac{\text{kg C}}{\text{m}^3} \\
1 ni'uxa-\frac{MQ}{L^3} &= 10^{-60} = 0.009469909 k \frac{\text{kg C}}{\text{m}^3} \\
1 ni'ujauau-\frac{MQ}{L^3T} &= 10^{-A0} = 0.00003B6AB2B m \frac{\text{kg C}}{\text{m}^3 \text{s}} \\
1 ni'uso-\frac{MQ}{L^3T} &= 10^{-90} = 6A265.04 \frac{\text{kg C}}{\text{m}^3 \text{s}} \\
1 ni'uso-\frac{MQ}{L^3T} &= 10^{-90} = BA.08955 k \frac{\text{kg C}}{\text{m}^3 \text{s}} \\
1 ni'upapa-\frac{MQ}{L^3T^2} &= 10^{-110} = 0.5005AB8 m \frac{\text{kg C}}{\text{m}^3 \text{s}^2} \quad (*) \\
1 ni'upapa-\frac{MQ}{L^3T^2} &= 10^{-110} = 0.0008790182 \frac{\text{kg C}}{\text{m}^3 \text{s}^2} \\
1 ni'upano-\frac{MQ}{L^3T^2} &= 10^{-100} = 12B3469. k \frac{\text{kg C}}{\text{m}^3 \text{s}^2} \\
1 ni'uci-\frac{MTQ}{L^3} &= 10^{-30} = 0.25A56B6 m \frac{\text{kg s C}}{\text{m}^3} \\
1 ni'uci-\frac{MTQ}{L^3} &= 10^{-30} = 0.0004375169 \frac{\text{kg s C}}{\text{m}^3} \\
1 ni'ure-\frac{MTQ}{L^3} &= 10^{-20} = 752454.9 k \frac{\text{kg s C}}{\text{m}^3}
\end{aligned}$$

$$\begin{aligned}
1 re-\frac{1}{\Theta} &= 10^{20} = 0.000B775604 m \frac{1}{K} \\
1 re-\frac{1}{\Theta} &= 10^{20} = 0.000001813238 \frac{1}{K} \\
1 ci-\frac{1}{\Theta} &= 10^{30} = 2A8A.A86 k \frac{1}{K} \\
1 ni'upa-\frac{1}{T\Theta} &= 10^{-10} = 12.8252A m \frac{1}{sK} \\
1 ni'upa-\frac{1}{T\Theta} &= 10^{-10} = 0.021458B6 \frac{1}{sK} \\
1 ni'upa-\frac{1}{T\Theta} &= 10^{-10} = 0.000037A1810 k \frac{1}{sK} \\
1 ni'uvo-\frac{1}{T^2\Theta} &= 10^{-40} = 166451.9 m \frac{1}{s^2K} \\
1 ni'uvo-\frac{1}{T^2\Theta} &= 10^{-40} = 280.3066 \frac{1}{s^2K} \\
1 ni'uvo-\frac{1}{T^2\Theta} &= 10^{-40} = 0.473BA77 k \frac{1}{s^2K} \\
1 xa-\frac{T}{\Theta} &= 10^{60} = 92774.98 m \frac{s}{K} \\
1 xa-\frac{T}{\Theta} &= 10^{60} = 13B.2156 \frac{s}{K} \\
1 xa-\frac{T}{\Theta} &= 10^{60} = 0.23642AB k \frac{s}{K} \\
1 mu-\frac{L}{\Theta} &= 10^{50} = 6.51786A m \frac{m}{K} \\
1 mu-\frac{L}{\Theta} &= 10^{50} = 0.00B136169 \frac{m}{K} \\
1 mu-\frac{L}{\Theta} &= 10^{50} = 0.00001723B56 k \frac{m}{K} \\
1 re-\frac{L}{T\Theta} &= 10^{20} = 8141B.A2 m \frac{m}{sK} \\
1 re-\frac{L}{T\Theta} &= 10^{20} = 120.2710 \frac{m}{sK} \\
1 re-\frac{L}{T\Theta} &= 10^{20} = 0.202815A k \frac{m}{sK} \\
1 ni'ure-\frac{L}{T^2\Theta} &= 10^{-20} = 0.000A2A2924 m \frac{m}{s^2K} \\
1 ni'ure-\frac{L}{T^2\Theta} &= 10^{-20} = 0.000001583579 \frac{m}{s^2K} \\
1 ni'upa-\frac{L}{T^2\Theta} &= 10^{-10} = 266A.042 k \frac{m}{s^2K} \\
1 bi-\frac{LT}{\Theta} &= 10^{80} = 0.0005115786 m \frac{ms}{K} \\
1 so-\frac{LT}{\Theta} &= 10^{90} = 89752A.4 \frac{ms}{K} \\
1 so-\frac{LT}{\Theta} &= 10^{90} = 1326.169 k \frac{ms}{K} \\
1 bi-\frac{L^2}{\Theta} &= 10^{80} = 36748.3B m \frac{m^2}{K} \\
1 bi-\frac{L^2}{\Theta} &= 10^{80} = 61.7825A \frac{m^2}{K} \\
1 bi-\frac{L^2}{\Theta} &= 10^{80} = 0.0A7300A0 k \frac{m^2}{K} \quad (*) \\
1 vo-\frac{L^2}{T\Theta} &= 10^{40} = 0.0004594653 m \frac{m^2}{sK} \\
1 mu-\frac{L^2}{T\Theta} &= 10^{50} = 78B268.6 \frac{m^2}{sK} \\
1 mu-\frac{L^2}{T\Theta} &= 10^{50} = 1147.109 k \frac{m^2}{sK} \\
1 pa-\frac{L^2}{T^2\Theta} &= 10^{10} = 5.7A5784 m \frac{m^2}{s^2K}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 128.9760 \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 86396.09 \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} &= 0.4320936 \cdot 10^{B0} \\
1 \frac{\text{m}^2 \text{s}}{\text{K}} &= 257.4406 \cdot 10^{B0} \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} &= 151795.5 \cdot 10^{B0} \\
1 \text{m} \frac{1}{\text{m K}} &= 0.000006A07374 \cdot 10^0 \\
1 \frac{1}{\text{m K}} &= 0.003B59685 \cdot 10^0 \\
1 \text{k} \frac{1}{\text{m K}} &= 2.358B07 \\
1 \text{m} \frac{1}{\text{m s K}} &= 550.23B2 \cdot 10^{-40} \\
1 \frac{1}{\text{m s K}} &= 317601.B \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{m s K}} &= 0.0001993512 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m s}^2 \text{K}} &= 0.04362747 \cdot 10^{-70} \\
1 \frac{1}{\text{m s}^2 \text{K}} &= 25.9921B \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m s}^2 \text{K}} &= 15305.90 \cdot 10^{-70} \\
1 \text{m} \frac{s}{\text{m K}} &= 0.08766B71 \cdot 10^{30} \\
1 \frac{s}{\text{m K}} &= 4B.B1046 \cdot 10^{30} \\
1 \text{k} \frac{s}{\text{m K}} &= 2A817.9B \cdot 10^{30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{K}} &= 0.0393B747 \cdot 10^{-30} \\
1 \frac{1}{\text{m}^2 \text{K}} &= 22.2967B \cdot 10^{-30} \\
1 \text{k} \frac{1}{\text{m}^2 \text{K}} &= 13221.03 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s K}} &= 0.000002BB0502 \cdot 10^{-60} \quad (*) \\
1 \frac{1}{\text{m}^2 \text{s K}} &= 0.00189536A \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s K}} &= 1.004295 \cdot 10^{-60} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 245.66A5 \cdot 10^{-40} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 1457A3.8 \cdot 10^{-A0} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 0.000096472B0 \cdot 10^{-90} \\
1 \text{m} \frac{s}{\text{m}^2 \text{K}} &= 492.5A6B \cdot 10^0 \\
1 \frac{s}{\text{m}^2 \text{K}} &= 291336.1 \cdot 10^0 \\
1 \text{k} \frac{s}{\text{m}^2 \text{K}} &= 0.000171AA24 \cdot 10^{10} \\
1 \text{m} \frac{1}{\text{m}^3 \text{K}} &= 210.63A2 \cdot 10^{-60} \\
1 \frac{1}{\text{m}^3 \text{K}} &= 125ABA.8 \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^3 \text{K}} &= 0.00008478BB0 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^3 \text{s K}} &= 0.017A1742 \cdot 10^{-90} \\
1 \frac{1}{\text{m}^3 \text{s K}} &= B.598647 \cdot 10^{-90} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s K}} &= 6790.130 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.000001388416 \cdot 10^{-100} \\
1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.000912473A \cdot 10^{-100} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.5323A82 \cdot 10^{-100} \\
1 \text{m} \frac{s}{\text{m}^3 \text{K}} &= 0.00000277323A \cdot 10^{-20} \\
1 \frac{s}{\text{m}^3 \text{K}} &= 0.001635961 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{m}^3 \text{K}} &= 0.4702286 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{K}} &= 0.013A5345 \cdot 10^{30} \\
1 \frac{\text{kg}}{\text{K}} &= 9.226005 \cdot 10^{30} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{K}} &= 5394.043 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg}}{\text{s K}} &= 0.00000106AA00 \cdot 10^0 \quad (*) \\
1 \frac{\text{kg}}{\text{s K}} &= 0.000733B296 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{s K}} &= 0.4265401 \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 9B.6A77A \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 59245.A6 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.000034065A2 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.009934A29 \frac{\text{m}^2}{\text{s}^2 \text{K}} \\
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.000014A7BB3 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{vai ei} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 2.9927A4 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{vai ei} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 0.004A42803 \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{pano} \cdot \frac{L^2 T}{\Theta} &= 10^{100} = 849B989. \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \frac{1}{L \Theta} &= 1 = 19087B.3 \text{m} \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 304.8532 \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 0.52A758B \text{k} \frac{1}{\text{m K}} \\
1 \text{ni' uvo} \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.00226B297 \text{m} \frac{1}{\text{m s K}} \\
1 \text{ni' uvo} \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.0000039B1560 \frac{1}{\text{m s K}} \\
1 \text{ni' uci} \cdot \frac{1}{LT \Theta} &= 10^{-30} = 6744.081 \text{k} \frac{1}{\text{m s K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 29.65BA0 \text{m} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 0.049B6271 \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 0.0000841A317 \text{k} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 14.83074 \text{m} \frac{\text{s}}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.024A057B \frac{\text{s}}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.0000419B57A \text{k} \frac{\text{s}}{\text{m K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 32.15321 \text{m} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.055A5548 \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.0000959AA34 \text{k} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 401358.A \text{m} \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 6B1.6822 \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 0.BB79407 \text{k} \frac{1}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni' ujauau} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.005086614 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni' ujauau} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.0000088AB081 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-90} = 13134.BB \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.002625780 \text{m} \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.000004424214 \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{pa} \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 7623.B51 \text{k} \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.0058BBA04 \text{m} \frac{1}{\text{m}^3 \text{K}} \quad (*) \\
1 \text{ni' uxa} \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.000009B2915B \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni' umu} \cdot \frac{1}{L^3 \Theta} &= 10^{-50} = 15204.30 \text{k} \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 73.0B0A3 \text{m} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.1065762 \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.0001980157 \text{k} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 91A844.A \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 139A.861 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 2.341738 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 468108.4 \text{m} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 7A5.8788 \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 1.17309B \text{k} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 90.A7486 \text{m} \frac{\text{kg}}{\text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.13819BB \frac{\text{kg}}{\text{K}} \quad (*) \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.0002311650 \text{k} \frac{\text{kg}}{\text{K}} \\
1 \frac{M}{T \Theta} &= 1 = B54B57.3 \text{m} \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 1795.48B \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 2.A23909 \text{k} \frac{\text{kg}}{\text{s K}} \\
1 \text{ni' uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.01254BA6 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni' uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.000020B7B4A \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{M}{T^2 \Theta} &= 10^{-30} = 37199.76 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{\text{kg s}}{\text{K}} &= 180.4050 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= B7100.27 \cdot 10^{60} \quad (*) \\
1k \frac{\text{kg s}}{\text{K}} &= 0.0000685A356 \cdot 10^{70} \\
1m \frac{\text{kg m}}{\text{K}} &= 0.000002488576 \cdot 10^{60} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.001475959 \cdot 10^{60} \\
1k \frac{\text{kg m}}{\text{K}} &= 0.9753659 \cdot 10^{60} \\
1m \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1k \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1m \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0160526A \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= A.530264 \cdot 10^{-10} \\
1k \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 6059.757 \cdot 10^{-10} \\
1m \frac{\text{kg m s}}{\text{K}} &= 0.030302B0 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 18.B8B83 \cdot 10^{90} \\
1k \frac{\text{kg m s}}{\text{K}} &= 10182.BA \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{K}} &= 43B.B262 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 2610A6.1 \cdot 10^{80} \\
1k \frac{\text{kg m}^2}{\text{K}} &= 0.000154B550 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{s K}} &= 0.0352495A \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1B.A13B2 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{\text{s K}} &= 1196A.68 \cdot 10^{50} \\
1m \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1k \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.000005574A88 \cdot 10^{100} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0031B8139 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.9B84BA \cdot 10^{100} \\
1m \frac{\text{kg}}{\text{m K}} &= 89.26759 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 50A78.7B \cdot 10^0 \\
1k \frac{\text{kg}}{\text{m K}} &= 0.00002B29AB6 \cdot 10^{10} \\
1m \frac{\text{kg}}{\text{m s K}} &= 0.006B45254 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 4.02B558 \cdot 10^{-30} \\
1k \frac{\text{kg}}{\text{m s K}} &= 23B0.628 \cdot 10^{-30} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 560897.A \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0003229118 \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1A1599B \cdot 10^{-60} \\
1m \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1k \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 4A1635.1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0002977AB9 \cdot 10^{-20} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1757237 \cdot 10^{-20} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3A.08646 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 227A3.2B \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0000135127A \cdot 10^{-50} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.00305B675 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.9154A8 \cdot 10^{-90} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1028.0A7 \cdot 10^{-90} \\
1m \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.00614340B \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 3.655063 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.007234241 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.00001051101 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 19576.54 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 501A4B.9 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 87B.47A1 \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1.2B75A0 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 7B.982B5 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.11967B0 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.0001BA0B45 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 3B.80018 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.06A45019 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.0000BA3B9B5 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.0029298A0 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.000004951904 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 832A.16B \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 35.B3756 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.06058571 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.0000A52A268 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 224020.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 396.0A52 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 0.6677437 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.01451057 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00002446953 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 4105B.73 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 188.8834 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.2B99664 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.00051A829B \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 221A839. \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 3924.A17 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 6.61334A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 2588A02. \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 4345.348 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 7.492607 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.03162525 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.0000549B4A4 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2T\Theta} &= 10^{-50} = 94036.B6 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 3B4.1A91 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.69993AA \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.000B946168 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 1B6.8111 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 0.3485649 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 2069.784 \cdot 10^{10}$	$1 ni'umu-\frac{MT}{L^2\Theta} = 10^{10} = 0.0005A40890 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.002814414 \cdot 10^{-50}$	$1 ni'umu-\frac{M}{L^3\Theta} = 10^{-50} = 459.8629 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1.67015B \cdot 10^{-50}$	$1 ni'umu-\frac{M}{L^3\Theta} = 10^{-50} = 0.78B9535 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = A90.8244 \cdot 10^{-50}$	$1 ni'umu-\frac{M}{L^3\Theta} = 10^{-50} = 0.0011480B5 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s\ K} = 215434.A \cdot 10^{-90}$	$1 ni'ubi-\frac{M}{L^3T\Theta} = 10^{-80} = 57AA801. m \frac{kg}{m^3 s\ K}$
$1 \frac{kg}{m^3 s\ K} = 0.000128864B \cdot 10^{-80}$	$1 ni'ubi-\frac{M}{L^3T\Theta} = 10^{-80} = 9941.654 \frac{kg}{m^3 s\ K}$
$1k \frac{kg}{m^3 s\ K} = 0.08631B24 \cdot 10^{-80}$	$1 ni'ubi-\frac{M}{L^3T\Theta} = 10^{-80} = 14.A92B4 k \frac{kg}{m^3 s\ K}$
$1m \frac{kg}{m^3 s^2 K} = 18.1B660 \cdot 10^{-100}$	$1 ni'upano-\frac{M}{L^3T^2\Theta} = 10^{-100} = 0.07184883 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = B803.599 \cdot 10^{-100}$	$1 ni'upano-\frac{M}{L^3T^2\Theta} = 10^{-100} = 0.0001041093 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 6904825. \cdot 10^{-100}$	$1 ni'uvaiei-\frac{M}{L^3T^2\Theta} = 10^{-B0} = 193A92.5 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 34.63B39 \cdot 10^{-20}$	$1 ni'ure-\frac{MT}{L^3\Theta} = 10^{-20} = 0.03677A24 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 1B553.46 \cdot 10^{-20}$	$1 ni'ure-\frac{MT}{L^3\Theta} = 10^{-20} = 0.000061817B0 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.0000116A542 \cdot 10^{-10}$	$1 ni'upa-\frac{MT}{L^3\Theta} = 10^{-10} = A7395.AB k \frac{kg\ s}{m^3 K}$
$1m K = 2A8A.A86 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.000418A275 m\ K$
$1 K = 0.000001813238 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 71B439.1 K$
$1k K = 0.000B775604 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 1046.233 k\ K$
$1m \frac{K}{s} = 0.23642AB \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 5.292906 m \frac{K}{s}$
$1 \frac{K}{s} = 13B.2156 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.009056B71 \frac{K}{s}$
$1k \frac{K}{s} = 92774.98 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0000137516A k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00001999287 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 6726B.48 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.01075A0A \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = B4.A7260 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 7.37BA73 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.17864B7 k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1 m\ K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1k m\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0000419B57A \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 2A817.9B m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.024A057B \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 4B.B1046 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 14.83074 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.08766B71 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 3359.932 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.000379201A m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.000001AA2464 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 6375A6.5 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.0011281A1 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = AA8.1861 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 6744.081 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.0001993512 m\ m\ s\ K$
$1m s\ K = 0.0000039B1560 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 317601.B m\ s\ K$
$1k m\ s\ K = 0.00226B297 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 550.23B2 k\ m\ s\ K$
$1m m^2 K = 0.0000959AA34 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 13221.03 m\ m^2 K$
$1 m^2 K = 0.055A5548 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 22.2967B m^2 K$
$1k m^2 K = 32.15321 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.0393B747 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5B57636 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 2.021821 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 354.38B0 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.003594419 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 1BB273.B \cdot 10^{-40} (*)$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.0000060242B3 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.BB79407 \cdot 10^{60} (*)$	$1 xa-L^2T\Theta = 10^{60} = 1.004295 m\ m^2 s\ K (*)$
$1 m^2 s\ K = 6B1.6822 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00189536A m^2 s\ K$
$1k m^2 s\ K = 401358.A \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.000002BB0502 k\ m^2 s\ K (*)$
$1m \frac{K}{m} = 0.00001723B56 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 7603B.69 m \frac{K}{m}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.00B136169 \cdot 10^{-50} \\
1 k \frac{K}{m} &= 6.51786A \cdot 10^{-50} \\
1 m \frac{K}{ms} &= 1326.169 \cdot 10^{-90} \\
1 \frac{K}{ms} &= 89752A.4 \cdot 10^{-90} \\
1 k \frac{K}{ms} &= 0.0005115786 \cdot 10^{-80} \\
1 m \frac{K}{ms^2} &= 0.1007530 \cdot 10^{-100} \quad (*) \\
1 \frac{K}{ms^2} &= 6B.83796 \cdot 10^{-100} \\
1 k \frac{K}{ms^2} &= 40524.01 \cdot 10^{-100} \\
1 m \frac{sK}{m} &= 0.202815A \cdot 10^{-20} \\
1 \frac{sK}{m} &= 120.2710 \cdot 10^{-20} \\
1 k \frac{sK}{m} &= 8141B.A2 \cdot 10^{-20} \\
1 m \frac{K}{m^2} &= 0.0A7300A0 \cdot 10^{-80} \quad (*) \\
1 \frac{K}{m^2} &= 61.7825A \cdot 10^{-80} \\
1 k \frac{K}{m^2} &= 36748.3B \cdot 10^{-80} \\
1 m \frac{K}{m^2 s} &= 849B989. \cdot 10^{-100} \\
1 \frac{K}{m^2 s} &= 0.004A42803 \cdot 10^{-B0} \\
1 k \frac{K}{m^2 s} &= 2.9927A4 \cdot 10^{-B0} \\
1 m \frac{K}{m^2 s^2} &= 67A.9430 \cdot 10^{-130} \\
1 \frac{K}{m^2 s^2} &= 3A2A23.6 \cdot 10^{-130} \\
1 k \frac{K}{m^2 s^2} &= 0.0002291153 \cdot 10^{-120} \\
1 m \frac{sK}{m^2} &= 1147.109 \cdot 10^{-50} \\
1 \frac{sK}{m^2} &= 78B268.6 \cdot 10^{-50} \\
1 k \frac{sK}{m^2} &= 0.0004594653 \cdot 10^{-40} \\
1 m \frac{K}{m^3} &= 5A3.7635 \cdot 10^{-B0} \\
1 \frac{K}{m^3} &= 348262.B \cdot 10^{-B0} \\
1 k \frac{K}{m^3} &= 0.0001B66421 \cdot 10^{-A0} \\
1 m \frac{K}{m^3 s} &= 0.04785943 \cdot 10^{-120} \\
1 \frac{K}{m^3 s} &= 28.2A298 \cdot 10^{-120} \\
1 k \frac{K}{m^3 s} &= 167A5.8A \cdot 10^{-120} \\
1 m \frac{K}{m^3 s^2} &= 3818466. \cdot 10^{-160} \\
1 \frac{K}{m^3 s^2} &= 0.002166562 \cdot 10^{-150} \\
1 k \frac{K}{m^3 s^2} &= 1.2948A4 \cdot 10^{-150} \\
1 m \frac{sK}{m^3} &= 7487B26. \cdot 10^{-80} \\
1 \frac{sK}{m^3} &= 0.004341592 \cdot 10^{-70} \\
1 k \frac{sK}{m^3} &= 2.586774 \cdot 10^{-70} \\
1 m kg K &= 0.03867199 \cdot 10^{-20} \\
1 kg K &= 21.9457B \cdot 10^{-20} \\
1 k kg K &= 12B05.08 \cdot 10^{-20} \\
1 m \frac{kg K}{s} &= 2B37376. \cdot 10^{-60} \\
1 \frac{kg K}{s} &= 0.001851886 \cdot 10^{-50} \\
1 k \frac{kg K}{s} &= 0.B9A4797 \cdot 10^{-50} \\
1 m \frac{kg K}{s^2} &= 23B.7B5B \cdot 10^{-90} \\
1 \frac{kg K}{s^2} &= 1422BB.2 \cdot 10^{-90} \quad (*) \\
1 k \frac{kg K}{s^2} &= 0.0000944B562 \cdot 10^{-80} \\
1 m kg s K &= 482.7B4A \cdot 10^{10} \\
1 kg s K &= 28651A.7 \cdot 10^{10} \\
1 k kg s K &= 0.000169B399 \cdot 10^{20} \\
1 m kg m K &= 687789A. \cdot 10^0 \\
1 kg m K &= 0.003A7B907 \cdot 10^{10} \\
1 k kg m K &= 2.3008B6 \cdot 10^{10} \quad (*) \\
1 m \frac{kg m K}{s} &= 53A.9035 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 10B.6989 \frac{K}{m} \\
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 0.1A49A23 k \frac{K}{m} \\
1 ni'uso-\frac{\Theta}{LT} &= 10^{-90} = 0.00095746B m \frac{K}{ms} \quad (*) \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 1443B11. \frac{K}{ms} \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 2433.053 k \frac{K}{ms} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = B.B47171 m \frac{K}{ms^2} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.0187922B \frac{K}{ms^2} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.00002B81801 k \frac{K}{ms^2} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 5.B40624 m \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.00A332AA8 \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.0000159016A k \frac{sK}{m} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 11.6B54A m \frac{K}{m^2} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.01B57027 \frac{K}{m^2} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.00003466B3A k \frac{K}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 151795.5 m \frac{K}{m^2 s} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 257.4406 \frac{K}{m^2 s} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 0.4320936 k \frac{K}{m^2 s} \\
1 ni'upaci-\frac{\Theta}{L^2T^2} &= 10^{-130} = 0.001976439 m \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 3145743. \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 546B.517 k \frac{K}{m^2 s^2} \\
1 ni'umu-\frac{T\Theta}{L^2} &= 10^{-50} = 0.000A915906 m \frac{sK}{m^2} \\
1 ni'ubo-\frac{T\Theta}{L^2} &= 10^{-40} = 1671601. \frac{sK}{m^2} \\
1 ni'ubo-\frac{T\Theta}{L^2} &= 10^{-40} = 2816.87A k \frac{sK}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^3} &= 10^{-B0} = 0.00206B563 m \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 365822B. \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 6148.931 k \frac{K}{m^3} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 27.02995 m \frac{K}{m^3 s} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.045727A7 \frac{K}{m^3 s} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.00007875A0A k \frac{K}{m^3 s} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 331918.5 m \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 577.8B94 \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 0.98A84BA k \frac{K}{m^3 s^2} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 175877.2 m \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 297.A4A6 \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 0.4A1A70B k \frac{sK}{m^3} \\
1 ni'ure-M\Theta &= 10^{-20} = 32.955B7 m kg K \\
1 ni'ure-M\Theta &= 10^{-20} = 0.057038A6 kg K \\
1 ni'ure-M\Theta &= 10^{-20} = 0.0000979A258 k kg K \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 40B4B1.1 m \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 707.065A \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 1.021BB8 k \frac{kg K}{s} \quad (*) \\
1 ni'uso-\frac{M\Theta}{T^2} &= 10^{-90} = 0.005193937 m \frac{kg K}{s^2} \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 8A8BA96. \frac{kg K}{s^2} \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 13456.78 k \frac{kg K}{s^2} \\
1 pa-MT\Theta &= 10^{10} = 0.002689A87 m kg s K \\
1 re-MT\Theta &= 10^{20} = 4513B39. kg s K \\
1 re-MT\Theta &= 10^{20} = 7793.78A k kg s K \\
1 pa-ML\Theta &= 10^{10} = 19519B.2 m kg m K \\
1 pa-ML\Theta &= 10^{10} = 310.4387 kg m K \\
1 pa-ML\Theta &= 10^{10} = 0.53BA293 k kg m K \\
1 ni'uci-\frac{ML\Theta}{T} &= 10^{-30} = 0.0023063B4 m \frac{kg m K}{s}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 30B87B.B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00019494A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 0.04276972 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 25.37268 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 14B58.11 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0977A372 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 56.B1AA4 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 32895.A9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 7778851. \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.004504B92 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.683670 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 0.0000134246A \cdot 10^{70} \\
1 \text{kg m}^2 \text{s K} &= 0.008A71A48 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 5.183036 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 207.422B \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 122B04.B \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.000082AB362 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.01760466 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= B.352768 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 6646.2B1 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13553B9. \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0008B39834 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.5213136 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 2708945. \cdot 10^{-20} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0015B84B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.A49B129 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 117208B. \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0007A5179A \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4679017 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= A9.36703 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 629A7.89 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.000037373B0 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.008655222 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 4.B3587A \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 2A38.989 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.0151B100 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 9.B20372 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 58B6.890 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.00761933A \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.420391 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 2623.4A1 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 5B5229.A \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0003540823 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.1BB0A0A \cdot 10^{-110} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 3A89497. \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 6890.4A0 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 2A.167B2 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.04AB864B \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000085AB123 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-} ML^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 12.B3609 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.02199973 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00003874439 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 16A326.2 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 286.BA70 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.48376A4 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 946A8.42 \text{m kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 142.6410 \text{kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 0.24018A6 \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.005A26032 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = A13A14B. \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = 15578.44 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 74.72A8A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.1091345 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.0001A069A3 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 939995.1 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 1412.7A7 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2.39A781 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 47770B.8 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 801.7193 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 1.1A14B6 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = A70B76.A \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 1637.192 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 2.77564A \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.01144628 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.00001B11699 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 33AA6.B8 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 14A.4902 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.2518A70 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0004244267 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 84.84542 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.1260093 \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0002108212 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 172.0328 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.29158B1 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000492A14B \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{M\Theta}{L^3T} &= 10^{-120} = 0.00000202357B \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 3597.533 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 6.029711 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 48.72863 \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.026641 A9 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 2890 A.1 A \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.00004490689 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.000016 B57 A6 \cdot 10^{-140}$	$1 ni' upavo \frac{M\Theta}{L^3 T^2} = 10^{-140} = 771 A A.34 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 95.92523 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.01323262 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 55 A06. A8 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.0000222 B5 B8 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.0000321253 A \cdot 10^{-60}$	$1 ni' uxa \frac{MT\Theta}{L^3} = 10^{-60} = 3942 B.80 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.03494642 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 36.45721 m \frac{K}{C}$
$1 \frac{K}{C} = 1 B.72555 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.06127689 \frac{K}{C}$
$1k \frac{K}{C} = 117 A8.46 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.0000 A663335 k \frac{K}{C}$
$1m \frac{K}{sC} = 2839400. \cdot 10^{-80}$ (*)	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 45582 B.4 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.001684 A99 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 784. A035 \frac{K}{sC}$
$1k \frac{K}{sC} = 0. A9 A4853 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 1.138098 k \frac{K}{sC}$
$1m \frac{K}{s^2 C} = 217.3309 \cdot 10^{-B0}$	$1 ni' uvaiei \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.0057598 B4 m \frac{K}{s^2 C}$
$1 \frac{K}{s^2 C} = 12999 B.3 \cdot 10^{-B0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 9874321. \frac{K}{s^2 C}$
$1k \frac{K}{s^2 C} = 0.000086 AA303 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 14961.05 k \frac{K}{s^2 C}$
$1m \frac{sK}{C} = 435.71 A A \cdot 10^{-10}$	$1 ni' upa \frac{T\Theta}{Q} = 10^{-10} = 0.00296 A A19 m \frac{sK}{C}$
$1 \frac{sK}{C} = 2594 A4.7 \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 4 A02743. \frac{sK}{C}$
$1k \frac{sK}{C} = 0.0001529 B95 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 8430.931 k \frac{sK}{C}$
$1m \frac{mK}{C} = 6199690. \cdot 10^{-20}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 1 B4 A B5. B m \frac{mK}{C}$
$1 \frac{mK}{C} = 0.00368744 A \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 345.5023 \frac{mK}{C}$
$1k \frac{mK}{C} = 2.08799 B \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 0.59 A9763 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 4 A5. A915 \cdot 10^{-50}$	$1 ni' umu \frac{L\Theta}{TQ} = 10^{-50} = 0.0025661 B9 m \frac{mK}{sC}$
$1 \frac{mK}{sC} = 29 A234.8 \cdot 10^{-50}$	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 4307244. \frac{mK}{sC}$
$1k \frac{mK}{sC} = 0.0001770922 \cdot 10^{-40}$	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 7426. A50 k \frac{mK}{sC}$
$1m \frac{mK}{s^2 C} = 0.03 A42140 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 31.34939 m \frac{mK}{s^2 C}$
$1 \frac{mK}{s^2 C} = 22.9 A3 B B \cdot 10^{-80}$ (*)	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.054512 B3 \frac{mK}{s^2 C}$
$1k \frac{mK}{s^2 C} = 13631.91 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.0000933 B0 B5 k \frac{mK}{s^2 C}$
$1m \frac{msK}{C} = 0.0791 A684 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 16.67144 m \frac{msK}{C}$
$1 \frac{msK}{C} = 45. AB07 A \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.02807827 \frac{msK}{C}$
$1k \frac{msK}{C} = 27246.12 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.00004747 A A0 k \frac{msK}{C}$
$1m \frac{m^2 K}{C} = B17.4036 \cdot 10^{10}$	$1 pa \frac{L^2 \Theta}{Q} = 10^{10} = 0.0010 B2436 m \frac{m^2 K}{C}$
$1 \frac{m^2 K}{C} = 653 A33.5 \cdot 10^{10}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = 1 A421 A2. \frac{m^2 K}{C}$
$1k \frac{m^2 K}{C} = 0.000388 B541 \cdot 10^{20}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = 3274. B79 k \frac{m^2 K}{C}$
$1m \frac{m^2 K}{sC} = 0.089 A5731 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 14.3 A37 A m \frac{m^2 K}{sC}$
$1 \frac{m^2 K}{sC} = 51.32830 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.024253 A B \frac{m^2 K}{sC}$
$1k \frac{m^2 K}{sC} = 2 B558.80 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.00004089 B79 k \frac{m^2 K}{sC}$
$1m \frac{m^2 K}{s^2 C} = 6 B A8571. \cdot 10^{-60}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 187211.8 m \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 K}{s^2 C} = 0.004067016 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 2 B7.14 B4 \frac{m^2 K}{s^2 C}$
$1k \frac{m^2 K}{s^2 C} = 2.411882 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 0.5160866 k \frac{m^2 K}{s^2 C}$
$1m \frac{m^2 sK}{C} = 0.00001207500 \cdot 10^{50}$ (*)	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = A2 B86.95 m \frac{m^2 sK}{C}$
$1 \frac{m^2 sK}{C} = 0.00816 B609 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 158.604 A \frac{m^2 sK}{C}$
$1k \frac{m^2 sK}{C} = 4.8577 A9 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 0.267255 B k \frac{m^2 sK}{C}$
$1m \frac{K}{mC} = 1 A6.44 A2 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{LQ} = 10^{-70} = 0.006484232 m \frac{K}{mC}$
$1 \frac{K}{mC} = 110567.0 \cdot 10^{-70}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = B064437. \frac{K}{mC}$
$1k \frac{K}{mC} = 0.00007666646 \cdot 10^{-60}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = 17101.93 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.015 A2 A00 \cdot 10^{-A0}$ (*)	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 80.9599 A m \frac{K}{msC}$
$1 \frac{K}{msC} = A.3 B9015 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.11 B3067 \frac{K}{msC}$
$1k \frac{K}{msC} = 5 B8 B.72 A \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.0002010213 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 121912A \cdot 10^{-120} \\
1 \frac{K}{ms^2C} &= 0.000822A66A \cdot 10^{-110} \\
1k \frac{K}{ms^2C} &= 0.48A27B0 \cdot 10^{-110} \\
1m \frac{sK}{mC} &= 2452553 \cdot 10^{-40} \\
1 \frac{sK}{mC} &= 0.001455585 \cdot 10^{-30} \\
1k \frac{sK}{mC} &= 0.9632831 \cdot 10^{-30} \\
1m \frac{K}{m^2C} &= 1054535 \cdot 10^{-A0} \\
1 \frac{K}{m^2C} &= 0.0007253602 \cdot 10^{-90} \\
1k \frac{K}{m^2C} &= 0.42034B9 \cdot 10^{-90} \\
1m \frac{K}{m^2sC} &= 9A.438A9 \cdot 10^{-110} \\
1 \frac{K}{m^2sC} &= 585B3.3A \cdot 10^{-110} \\
1k \frac{K}{m^2sC} &= 0.00003377AB8 \cdot 10^{-100} \\
1m \frac{K}{m^2s^2C} &= 0.007995360 \cdot 10^{-140} \\
1 \frac{K}{m^2s^2C} &= 4.633690 \cdot 10^{-140} \\
1k \frac{K}{m^2s^2C} &= 274A.A8A \cdot 10^{-140} \\
1m \frac{sK}{m^2C} &= 0.01386099 \cdot 10^{-60} \\
1 \frac{sK}{m^2C} &= 9.11097B \cdot 10^{-60} \\
1k \frac{sK}{m^2C} &= 5316.8B1 \cdot 10^{-60} \\
1m \frac{K}{m^3C} &= 0.006A63319 \cdot 10^{-100} \\
1 \frac{K}{m^3C} &= 3.B90A7A \cdot 10^{-100} \\
1k \frac{K}{m^3C} &= 2377.820 \cdot 10^{-100} \\
1m \frac{K}{m^3sC} &= 554821.9 \cdot 10^{-140} \\
1 \frac{K}{m^3sC} &= 0.00031A1217 \cdot 10^{-130} \\
1k \frac{K}{m^3sC} &= 0.19A9562 \cdot 10^{-130} \\
1m \frac{K}{m^3s^2C} &= 43.99353 \cdot 10^{-170} \\
1 \frac{K}{m^3s^2C} &= 25B9A.5B \cdot 10^{-170} \\
1k \frac{K}{m^3s^2C} &= 0.0000154292A \cdot 10^{-160} \\
1m \frac{sK}{m^3C} &= 88.18896 \cdot 10^{-90} \\
1 \frac{sK}{m^3C} &= 50327.B9 \cdot 10^{-90} \\
1k \frac{sK}{m^3C} &= 0.00002AA6461 \cdot 10^{-80} \\
1m \frac{kgK}{C} &= 443633.8 \cdot 10^{-40} \\
1 \frac{kgK}{C} &= 0.000263196B \cdot 10^{-30} \\
1k \frac{kgK}{C} &= 0.1561A5A \cdot 10^{-30} \\
1m \frac{kgK}{sC} &= 35.52ABA \cdot 10^{-70} \\
1 \frac{kgK}{sC} &= 1BB90.AB \cdot 10^{-70} (*) \\
1k \frac{kgK}{sC} &= 0.000011A6384 \cdot 10^{-60} \\
1m \frac{kgK}{s^2C} &= 0.0028A015B \cdot 10^{-A0} \\
1 \frac{kgK}{s^2C} &= 1.700225 \cdot 10^{-A0} (*) \\
1k \frac{kgK}{s^2C} &= ABB.5332 \cdot 10^{-A0} (*) \\
1m \frac{kg sK}{C} &= 0.0055BB2B0 \cdot 10^0 (*) \\
1 \frac{kg sK}{C} &= 3.22368B \\
1k \frac{kg sK}{C} &= 1A12.74A \cdot 10^0 \\
1m \frac{kg mK}{C} &= 7A.7A1B8 \cdot 10^{-10} \\
1 \frac{kg mK}{C} &= 46939.B0 \cdot 10^{-10} \\
1k \frac{kg mK}{C} &= 0.0000278486B \cdot 10^0 \\
1m \frac{kg mK}{sC} &= 0.0063004A7 \cdot 10^{-40} (*) \\
1 \frac{kg mK}{sC} &= 3.74A29B \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = A21971.3 m \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 1570.A99 \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 2.648A2B k \frac{K}{ms^2C} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 509338.0 m \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 890.230A \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 1.315731 k \frac{sK}{mC} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = B69A62.8 m \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 17BA.775 \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 2.A66345 k \frac{K}{m^2C} \\
1 ni'upapa-\frac{\Theta}{L^2TQ} &= 10^{-110} = 0.01272416 m \frac{K}{m^2sC} \\
1 ni'upapa-\frac{\Theta}{L^2TQ} &= 10^{-110} = 0.00002128A26 \frac{K}{m^2sC} \\
1 ni'upano-\frac{\Theta}{L^2TQ} &= 10^{-100} = 37716.95 k \frac{K}{m^2sC} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 165.1202 m \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.27A0811 \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.0004702398 k \frac{K}{m^2s^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 92.00356 m \frac{sK}{m^2C} (*) \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.13A1003 \frac{sK}{m^2C} (*) \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00023456A2 k \frac{sK}{m^2C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 18B.3399 m \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.3022576 \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.0005263834 k \frac{K}{m^3C} \\
1 ni'upavo-\frac{\Theta}{L^3TQ} &= 10^{-140} = 0.000002251418 m \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 397B.777 \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 6.6AA848 k \frac{K}{m^3sC} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.02942443 m \frac{K}{m^3s^2C} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.00004976597 \frac{K}{m^3s^2C} \\
1 ni'upaxa-\frac{\Theta}{L^3T^2Q} &= 10^{-160} = 836B9.43 k \frac{K}{m^3s^2C} \\
1 ni'uso-\frac{T\Theta}{L^3Q} &= 10^{-90} = 0.01471384 m \frac{sK}{m^3C} \\
1 ni'uso-\frac{T\Theta}{L^3Q} &= 10^{-90} = 0.00002480882 \frac{sK}{m^3C} \\
1 ni'ubi-\frac{T\Theta}{L^3Q} &= 10^{-80} = 41665.27 k \frac{sK}{m^3C} \\
1 ni'uvo-\frac{M\Theta}{Q} &= 10^{-40} = 0.000002906449 m \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 4912.55A \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 8.2804A5 k \frac{kgK}{C} \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.035850B7 m \frac{kgK}{sC} \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.00006008943 \frac{kgK}{sC} (*) \\
1 ni'uxa-\frac{M\Theta}{TQ} &= 10^{-60} = A4630.A9 k \frac{kgK}{sC} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 447.6534 m \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.76B3665 \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.001111912 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 222.2595 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.392B488 \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0006622724 k \frac{kg sK}{C} \\
1 ni'upa-\frac{ML\Theta}{Q} &= 10^{-10} = 0.01630A40 m \frac{kg mK}{C} \\
1 ni'upa-\frac{ML\Theta}{Q} &= 10^{-10} = 0.00002766809 \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 46618.A2 k \frac{kg mK}{C} \\
1 ni'ubo-\frac{ML\Theta}{TQ} &= 10^{-40} = 1B0.5775 m \frac{kg mK}{sC} \\
1 ni'ubo-\frac{ML\Theta}{TQ} &= 10^{-40} = 0.3398A59 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s C}} &= 2115.04B \cdot 10^{-40} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 4B5217.6 \cdot 10^{-80} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.0002A4875B \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.17AA129 \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 9B553B.9 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.0005916583 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.3400836 \cdot 10^{30} \quad (*) \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.01233B31 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 8.319424 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 4946.431 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= B39131.8 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.0006669291 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.3957012 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 8B.6A783 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 52305.A9 \cdot 10^{-50} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.0000300394B \cdot 10^{-40} \quad (*) \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 160.272B \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= A5160.BA \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.0000604B16A \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.0024A8318 \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 1.487685 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 981.31A8 \cdot 10^{-60} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 1AA867.2 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.000112B886 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.07800117 \cdot 10^{-90} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 16.181A1 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= A5B7.B54 \cdot 10^{-110} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.0000060A97AA \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 30.56329 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 19124.25 \cdot 10^{-30} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.0000102637A \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 13.B6513 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 92A1.352 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.000005418A32 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.0010792BB \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.739B694 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 429.B239 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= A0318.19 \cdot 10^{-140} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0000597197B \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.034337A5 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 181875.9 \cdot 10^{-60} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.0000B7A7275 \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.068B4B56 \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 89999.29 \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0000512A1A1 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.02B53121 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.00058964A4 \frac{\text{kg m K}}{\text{s C}} \\
1 ni' ubi - \frac{ML\Theta}{T^2 Q} &= 10^{-80} = 0.00000250AA55 \frac{\text{m kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 422A.AB6 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 7.299B1B \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 re - \frac{MLT\Theta}{Q} &= 10^{20} = 0.000001257100 \frac{\text{m kg m s K}}{\text{C}} \quad (*) \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 20BB.69A \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 3.724079 \frac{\text{kg m s K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = A1.04541 \frac{\text{m kg m}^2 \text{K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.1551843 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.0002614908 \frac{\text{k kg m}^2 \text{K}}{\text{C}} \\
1 ni' ure - \frac{ML^2\Theta}{TQ} &= 10^{-20} = 0.000001088A94 \frac{\text{m kg m}^2 \text{K}}{\text{s C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 19BB.2B9 \frac{\text{kg m}^2 \text{K}}{\text{s C}} \quad (*) \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 3.201009 \frac{\text{k kg m}^2 \text{K}}{\text{s C}} \quad (*) \\
1 ni' umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.01409162 \frac{\text{m kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.000023910BA \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 3BB6B.5B \frac{\text{k kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.007BAA163 \frac{\text{m kg m}^2 \text{s K}}{\text{C}} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.000011987A9 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 1BA44.9A \frac{\text{k kg m}^2 \text{s K}}{\text{C}} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 4B9.8A5B \frac{\text{m kg K}}{\text{m C}} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.8743069 \frac{\text{kg K}}{\text{m C}} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.0012A71AA \frac{\text{kg K}}{\text{m C}} \\
1 ni' ujauau - \frac{M\Theta}{LTQ} &= 10^{-A0} = 0.0000063595A3 \frac{\text{m kg K}}{\text{m s C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = AA52.585 \frac{\text{kg K}}{\text{m s C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 16.94815 \frac{\text{k kg K}}{\text{m s C}} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.07B31418 \frac{\text{m kg K}}{\text{m s}^2 \text{C}} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.000118736A \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 1B8539.3 \frac{\text{k kg K}}{\text{m s}^2 \text{C}} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.03B4890B \frac{\text{m kg s K}}{\text{m C}} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.000069A9219 \frac{\text{kg s K}}{\text{m C}} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = B9627.42 \frac{\text{k kg s K}}{\text{m C}} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.0903187A \frac{\text{m kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.0001370B05 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 22B327.B \frac{\text{k kg K}}{\text{m}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = B47.6375 \frac{\text{m kg K}}{\text{m}^2 \text{s C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 1.781124 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0029BB719 \frac{\text{k kg K}}{\text{m}^2 \text{s C}} \quad (*) \\
1 ni' upavo - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-140} = 0.00001245109 \frac{\text{m kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 209B4.75 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 36.AA322 \frac{\text{k kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' uxa - \frac{MT\Theta}{L^2 Q} &= 10^{-60} = 0.000007195182 \frac{\text{m kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 1042A.29 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 19.41A34 \frac{\text{k kg s K}}{\text{m}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^3 Q} &= 10^{-100} = 0.0000143B61A \frac{\text{m kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 24274.B7 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 40.916B5 \frac{\text{k kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s C}} &= 6.BA2310 \cdot 10^{-130} \\1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s C}} &= 4063.501 \cdot 10^{-130} \\1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s C}} &= 0.00000240B789 \cdot 10^{-120} \\1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0005653631 \cdot 10^{-160} \\1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.3254915 \cdot 10^{-160} \\1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} &= 1A3.0188 \cdot 10^{-160} \\1 \text{m} \frac{\text{kg s K}}{\text{m}^3 \text{C}} &= 0.000B166177 \cdot 10^{-80} \\1 \frac{\text{kg s K}}{\text{m}^3 \text{C}} &= 0.6534674 \cdot 10^{-80} \\1 \text{k} \frac{\text{kg s K}}{\text{m}^3 \text{C}} &= 388.8173 \cdot 10^{-80}\end{aligned}$$

$$\begin{aligned}1 \text{m CK} &= 0.0002572053 \cdot 10^{-10} \\1 \text{CK} &= 0.1516559 \cdot 10^{-10} \\1 \text{k CK} &= 9A.B4205 \cdot 10^{-10} \\1 \text{m} \frac{\text{CK}}{\text{s}} &= 1B552.42 \cdot 10^{-50} \\1 \frac{\text{CK}}{\text{s}} &= 0.0000116A490 \cdot 10^{-40} \\1 \text{k} \frac{\text{CK}}{\text{s}} &= 0.007A30237 \cdot 10^{-40} \\1 \text{m} \frac{\text{CK}}{\text{s}^2} &= 1.670081 \cdot 10^{-80} \quad (*) \\1 \frac{\text{CK}}{\text{s}^2} &= A90.7883 \cdot 10^{-80} \\1 \text{k} \frac{\text{CK}}{\text{s}^2} &= 628257.8 \cdot 10^{-80} \\1 \text{m s CK} &= 3.142863 \cdot 10^{20} \\1 \text{s CK} &= 1974.81A \cdot 10^{20} \\1 \text{k s CK} &= 10613A0. \cdot 10^{20} \\1 \text{m m CK} &= 456A5.B1 \cdot 10^{10} \\1 \text{m CK} &= 0.000027004A6 \cdot 10^{20} \quad (*) \\1 \text{k m CK} &= 0.015B369A \cdot 10^{20} \\1 \text{m} \frac{\text{m CK}}{\text{s}} &= 3.654A7B \cdot 10^{-20} \\1 \frac{\text{m CK}}{\text{s}} &= 2069.674 \cdot 10^{-20} \\1 \text{k} \frac{\text{m CK}}{\text{s}} &= 122723B. \cdot 10^{-20} \\1 \text{m} \frac{\text{m CK}}{\text{s}^2} &= 0.0002977960 \cdot 10^{-50} \\1 \frac{\text{m CK}}{\text{s}^2} &= 0.1757154 \cdot 10^{-50} \\1 \text{k} \frac{\text{m CK}}{\text{s}^2} &= B3.22144 \cdot 10^{-50} \\1 \text{m m s CK} &= 0.0005773889 \cdot 10^{50} \\1 \text{m s CK} &= 0.3316127 \cdot 10^{50} \\1 \text{k m s CK} &= 1A7.8585 \cdot 10^{50} \\1 \text{m m}^2 \text{CK} &= 8.0B7737 \cdot 10^{40} \\1 \text{m}^2 \text{CK} &= 4814.960 \cdot 10^{40} \\1 \text{k m}^2 \text{CK} &= 2858474. \cdot 10^{40} \\1 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}} &= 0.00064A0760 \cdot 10^{10} \\1 \frac{\text{m}^2 \text{CK}}{\text{s}} &= 0.3857181 \cdot 10^{10} \\1 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}} &= 218.962B \cdot 10^{10} \\1 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}^2} &= 50A75.BA \cdot 10^{-30} \\1 \frac{\text{m}^2 \text{CK}}{\text{s}^2} &= 0.00002B2994B \cdot 10^{-20} \\1 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}^2} &= 0.01848274 \cdot 10^{-20} \\1 \text{m m}^2 \text{s CK} &= A2461.81 \cdot 10^{70} \\1 \text{m}^2 \text{s CK} &= 0.00005A99BB7 \cdot 10^{80} \quad (*) \\1 \text{k m}^2 \text{s CK} &= 0.034B9751 \cdot 10^{80} \\1 \text{m} \frac{\text{CK}}{\text{m}} &= 1.4427A1 \cdot 10^{-40} \\1 \frac{\text{CK}}{\text{m}} &= 956.7912 \cdot 10^{-40} \\1 \text{k} \frac{\text{CK}}{\text{m}} &= 55869A.6 \cdot 10^{-40} \\1 \text{m} \frac{\text{CK}}{\text{m s}} &= 0.00010B5979 \cdot 10^{-70}\end{aligned}$$

$$\begin{aligned}1 \text{n}'\text{upaci-} \frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.1873754 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s C}} \\1 \text{n}'\text{upaci-} \frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.0002B7406A \frac{\text{kg K}}{\text{m}^3 \text{s C}} \\1 \text{n}'\text{upare-} \frac{M\Theta}{L^3 T Q} &= 10^{-120} = 516532.4 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s C}} \\1 \text{n}'\text{upaxa-} \frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 2201.198 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} \\1 \text{n}'\text{upaxa-} \frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 3.8B3754 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} \\1 \text{n}'\text{upaxa-} \frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 0.00657AB62 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} \\1 \text{n}'\text{ubi-} \frac{MT\Theta}{L^3 Q} &= 10^{-80} = 10B3.395 \text{m} \frac{\text{kg s K}}{\text{m}^3 \text{C}} \\1 \text{n}'\text{ubi-} \frac{MT\Theta}{L^3 Q} &= 10^{-80} = 1.A43986 \frac{\text{kg s K}}{\text{m}^3 \text{C}} \\1 \text{n}'\text{ubi-} \frac{MT\Theta}{L^3 Q} &= 10^{-80} = 0.0032779B6 \text{k} \frac{\text{kg s K}}{\text{m}^3 \text{C}} \\1 \text{n}'\text{upa-} Q\Theta &= 10^{-10} = 4A47.253 \text{m CK} \\1 \text{n}'\text{upa-} Q\Theta &= 10^{-10} = 8.4A7792 \text{CK} \\1 \text{n}'\text{upa-} Q\Theta &= 10^{-10} = 0.01263B93 \text{k CK} \\1 \text{n}'\text{umu-} \frac{Q\Theta}{T} &= 10^{-50} = 0.00006181B1B \text{m} \frac{\text{CK}}{\text{s}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{T} &= 10^{-40} = A739B.61 \frac{\text{CK}}{\text{s}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{T} &= 10^{-40} = 164.0110 \text{k} \frac{\text{CK}}{\text{s}} \\1 \text{n}'\text{ubi-} \frac{Q\Theta}{T^2} &= 10^{-80} = 0.78B9946 \text{m} \frac{\text{CK}}{\text{s}^2} \\1 \text{n}'\text{ubi-} \frac{Q\Theta}{T^2} &= 10^{-80} = 0.001148166 \frac{\text{CK}}{\text{s}^2} \\1 \text{n}'\text{ubi-} \frac{Q\Theta}{T^2} &= 10^{-80} = 0.000001B17981 \text{k} \frac{\text{CK}}{\text{s}^2} \\1 \text{re-TQ}\Theta &= 10^{20} = 0.3A3194B \text{m s CK} \\1 \text{re-TQ}\Theta &= 10^{20} = 0.00067B3691 \text{s CK} \\1 \text{ci-TQ}\Theta &= 10^{30} = B617B9.4 \text{k s CK} \\1 \text{pa-LQ}\Theta &= 10^{10} = 0.000028308A5 \text{m m CK} \\1 \text{re-LQ}\Theta &= 10^{20} = 478A1.38 \text{m CK} \\1 \text{re-LQ}\Theta &= 10^{20} = 80.39148 \text{k m CK} \\1 \text{n}'\text{ure-} \frac{LQ\Theta}{T} &= 10^{-20} = 0.3485823 \text{m} \frac{\text{m CK}}{\text{s}} \\1 \text{n}'\text{ure-} \frac{LQ\Theta}{T} &= 10^{-20} = 0.0005A40BA1 \frac{\text{m CK}}{\text{s}} \\1 \text{n}'\text{upa-} \frac{LQ\Theta}{T} &= 10^{-10} = A166A8.1 \text{k} \frac{\text{m CK}}{\text{s}} \\1 \text{n}'\text{umu-} \frac{LQ\Theta}{T^2} &= 10^{-50} = 4345.579 \text{m} \frac{\text{m CK}}{\text{s}^2} \\1 \text{n}'\text{umu-} \frac{LQ\Theta}{T^2} &= 10^{-50} = 7.4929B5 \frac{\text{m CK}}{\text{s}^2} \\1 \text{n}'\text{umu-} \frac{LQ\Theta}{T^2} &= 10^{-50} = 0.01094889 \text{k} \frac{\text{m CK}}{\text{s}^2} \\1 \text{mu-LTQ}\Theta &= 10^{50} = 2168.541 \text{m m s CK} \\1 \text{mu-LTQ}\Theta &= 10^{50} = 3.81B986 \text{m s CK} \\1 \text{mu-LTQ}\Theta &= 10^{50} = 0.006439900 \text{k m s CK} \quad (*) \\1 \text{vo-L}^2\text{Q}\Theta &= 10^{40} = 0.159A103 \text{m m}^2 \text{CK} \\1 \text{vo-L}^2\text{Q}\Theta &= 10^{40} = 0.0002696241 \text{m}^2 \text{CK} \\1 \text{mu-L}^2\text{Q}\Theta &= 10^{50} = 452635.8 \text{k m}^2 \text{CK} \\1 \text{pa-} \frac{L^2 Q\Theta}{T} &= 10^{10} = 1A5A.4B3 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}} \\1 \text{pa-} \frac{L^2 Q\Theta}{T} &= 10^{10} = 3.2A3B85 \frac{\text{m}^2 \text{CK}}{\text{s}} \\1 \text{pa-} \frac{L^2 Q\Theta}{T} &= 10^{10} = 0.005719A18 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}} \\1 \text{n}'\text{uci-} \frac{L^2 Q\Theta}{T^2} &= 10^{-30} = 0.00002446A83 \text{m} \frac{\text{m}^2 \text{CK}}{\text{s}^2} \\1 \text{n}'\text{ure-} \frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 41061.92 \frac{\text{m}^2 \text{CK}}{\text{s}^2} \\1 \text{n}'\text{ure-} \frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 70.8B482 \text{k} \frac{\text{m}^2 \text{CK}}{\text{s}^2} \\1 \text{ze-L}^2\text{TQ}\Theta &= 10^{70} = 0.00001215410 \text{m m}^2 \text{s CK} \\1 \text{bi-L}^2\text{TQ}\Theta &= 10^{80} = 20497.42 \text{m}^2 \text{s CK} \\1 \text{bi-L}^2\text{TQ}\Theta &= 10^{80} = 36.1B632 \text{k m}^2 \text{s CK} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{L} &= 10^{-40} = 0.8981543 \text{m} \frac{\text{CK}}{\text{m}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{L} &= 10^{-40} = 0.001327390 \frac{\text{CK}}{\text{m}} \\1 \text{n}'\text{ubo-} \frac{Q\Theta}{L} &= 10^{-40} = 0.000002236707 \text{k} \frac{\text{CK}}{\text{m}} \\1 \text{n}'\text{uze-} \frac{Q\Theta}{LT} &= 10^{-70} = B144.5A4 \text{m} \frac{\text{CK}}{\text{m s}}\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 0.075B8B7A \cdot 10^{-70} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 44.0A2B7 \cdot 10^{-70} \\
1 \text{m} \frac{\text{CK}}{\text{ms}^2} &= A325.3BB \cdot 10^{-B0} \quad (*) \\
1 \frac{\text{CK}}{\text{ms}^2} &= 0.000005B36B85 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.003531653 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{sCK}}{\text{m}} &= 18777.00 \cdot 10^{-10} \quad (*) \\
1 \frac{\text{sCK}}{\text{m}} &= 0.00000BB37BB4 \cdot 10^0 \quad (*) \\
1 \text{k} \frac{\text{sCK}}{\text{m}} &= 0.006AB2164 \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 904A.65B \cdot 10^{-70} \\
1 \frac{\text{CK}}{\text{m}^2} &= 0.000005289A65 \cdot 10^{-60} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.003037B32 \cdot 10^{-60} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.71A977A \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 418.6432 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 249269.7 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.000058096B3 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.03348262 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 1A.96642 \cdot 10^{-110} \\
1 \text{m} \frac{\text{sCK}}{\text{m}^2} &= 0.0000B4986B0 \cdot 10^{-30} \\
1 \frac{\text{sCK}}{\text{m}^2} &= 0.06720968 \cdot 10^{-30} \\
1 \text{k} \frac{\text{sCK}}{\text{m}^2} &= 39.99824 \cdot 10^{-30} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.00004BA8463 \cdot 10^{-90} \\
1 \frac{\text{CK}}{\text{m}^3} &= 0.02A7AB61 \cdot 10^{-90} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 18.08353 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 3B55.A54 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.000002356952 \cdot 10^{-100} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.0013A8796 \cdot 10^{-100} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.3173111 \cdot 10^{-140} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 199.1897 \cdot 10^{-140} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 107160.5 \cdot 10^{-140} \\
1 \text{m} \frac{\text{sCK}}{\text{m}^3} &= 0.6370007 \cdot 10^{-60} \quad (***) \\
1 \frac{\text{sCK}}{\text{m}^3} &= 378.A744 \cdot 10^{-60} \\
1 \text{k} \frac{\text{sCK}}{\text{m}^3} &= 213904.5 \cdot 10^{-60} \\
1 \text{m kg CK} &= 31B5.1B1 \cdot 10^{-10} \\
1 \text{kg CK} &= 0.0000019B6860 \cdot 10^0 \\
1 \text{kg kg CK} &= 0.001086330 \cdot 10^0 \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 0.260A657 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{s}} &= 154.A123 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= A0A35.69 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.00001B9B586 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.01195984 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 7.B923B9 \cdot 10^{-70} \\
1 \text{m kg s CK} &= 0.00003BA9084 \cdot 10^{30} \\
1 \text{kg s CK} &= 0.0238742A \cdot 10^{30} \\
1 \text{kg kg s CK} &= 14.05989 \cdot 10^{30} \\
1 \text{m kg m CK} &= 0.5884257 \cdot 10^{20} \\
1 \text{kg m CK} &= 339.07A6 \cdot 10^{20} \\
1 \text{kg kg m CK} &= 1B00A6.8 \cdot 10^{20} \quad (*) \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 0.0000465259B \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.027601B1 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 16.29115 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 17.25543 \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 0.02922837 \text{k} \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'uvaiei-} \frac{Q\Theta}{LT^2} &= 10^{-B0} = 0.000120381A \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 202A00.B \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 35A.6893 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 0.00006B8A1A1 \text{m} \frac{\text{sCK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 100845.A \frac{\text{sCK}}{\text{m}} \quad (*) \\
1 \frac{TQ\Theta}{L} &= 1 = 18A.0555 \text{k} \frac{\text{sCK}}{\text{m}} \\
1 \text{ni'uze-} \frac{Q\Theta}{L^2} &= 10^{-70} = 0.00013B343A \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 236647.0 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 3B7.1AA8 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 1.814908 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.002A91714 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.0000050097B7 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 21478.75 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 37.A50B8 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.06397ABB \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 10769.A1 \text{m} \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 19.9AB08 \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 0.03186B75 \text{k} \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 24A28.68 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 41.A3416 \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 0.07219AA5 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^3T} &= 10^{-110} = 0.000304B326 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 52B044.8 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 908.838A \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 3.9B5040 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.00674A283 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.00000B52640A \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 1.AA41A1 \text{m} \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.003360A11 \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.000005832397 \text{k} \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'upa-} MQ\Theta &= 10^{-10} = 0.00039644A5 \text{m kg CK} \\
1 MQ\Theta &= 1 = 668157.7 \text{kg CK} \\
1 MQ\Theta &= 1 = B3B.53A6 \text{k kg CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 4.956270 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.008335A16 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.00001236A81 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 60621.22 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = A5.37B42 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.16063B3 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 300B2.93 \text{m kg s CK} \quad (*) \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 52.41438 \text{kg s CK} \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 0.08B88A62 \text{k kg s CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 2.11A287 \text{m kg m CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 0.00375725A \text{kg m CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 0.000006313AB1 \text{k kg m CK} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 278B3.25 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 46.A3195 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.07A95890 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot CK}{s^2} &= 3717.17B \cdot 10^{-50} \\
1 \frac{kg \cdot m \cdot CK}{s^2} &= 0.0000020B64AA \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot CK}{s^2} &= 0.001254121 \cdot 10^{-40} \\
1m kg \cdot m \cdot s \cdot CK &= 7284.015 \cdot 10^{50} \\
1kg \cdot m \cdot s \cdot CK &= 0.000004220662 \cdot 10^{60} \\
1k kg \cdot m \cdot s \cdot CK &= 0.002504A53 \cdot 10^{60} \\
1m kg \cdot m^2 \cdot CK &= 0.0000A441458 \cdot 10^{50} \\
1kg \cdot m^2 \cdot CK &= 0.05BB5AA5 \cdot 10^{50} \quad (*) \\
1k kg \cdot m^2 \cdot CK &= 35.78582 \cdot 10^{50} \\
1m \frac{kg \cdot m^2 \cdot CK}{s} &= 8264.059 \cdot 10^{10} \\
1 \frac{kg \cdot m^2 \cdot CK}{s} &= 0.000004902808 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s} &= 0.0028BB667 \cdot 10^{20} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot CK}{s^2} &= 0.660A566 \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot CK}{s^2} &= 392.207A \cdot 10^{-20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s^2} &= 22190B.2 \cdot 10^{-20} \\
1m kg \cdot m^2 \cdot s \cdot CK &= 1.10B080 \cdot 10^{80} \\
1kg \cdot m^2 \cdot s \cdot CK &= 769.8935 \cdot 10^{80} \\
1k kg \cdot m^2 \cdot s \cdot CK &= 44676B.2 \cdot 10^{80} \\
1m \frac{kg \cdot CK}{m} &= 0.000018B7417 \cdot 10^{-30} \\
1 \frac{kg \cdot CK}{m} &= 0.01017380 \cdot 10^{-30} \\
1k \frac{kg \cdot CK}{m} &= 7.032099 \cdot 10^{-30} \\
1m \frac{kg \cdot CK}{m \cdot s} &= 1474.5B9 \cdot 10^{-70} \\
1 \frac{kg \cdot CK}{m \cdot s} &= 97466A.6 \cdot 10^{-70} \\
1k \frac{kg \cdot CK}{m \cdot s} &= 0.0005692AB9 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m \cdot s^2} &= 0.111B961 \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m \cdot s^2} &= 77.51281 \cdot 10^{-A0} \\
1k \frac{kg \cdot CK}{m \cdot s^2} &= 44AA9.1B \cdot 10^{-A0} \\
1m \frac{kg \cdot s \cdot CK}{m} &= 0.2256516 \cdot 10^0 \\
1 \frac{kg \cdot s \cdot CK}{m} &= 133.9137 \cdot 10^0 \\
1k \frac{kg \cdot s \cdot CK}{m} &= 8A413.01 \cdot 10^0 \\
1m \frac{kg \cdot CK}{m^2} &= 0.0B701270 \cdot 10^{-60} \\
1 \frac{kg \cdot CK}{m^2} &= 68.54053 \cdot 10^{-60} \\
1k \frac{kg \cdot CK}{m^2} &= 3A678.85 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m^2 \cdot s} &= 9219539. \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m^2 \cdot s} &= 0.00538B0AB \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^2 \cdot s} &= 3.0A7B70 \cdot 10^{-90} \\
1m \frac{kg \cdot CK}{m^2 \cdot s^2} &= 733.4549 \cdot 10^{-110} \\
1 \frac{kg \cdot CK}{m^2 \cdot s^2} &= 42614A.A \cdot 10^{-110} \\
1k \frac{kg \cdot CK}{m^2 \cdot s^2} &= 0.0002529194 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot CK}{m^2} &= 1275.19A \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot CK}{m^2} &= 856313.8 \cdot 10^{-30} \\
1k \frac{kg \cdot s \cdot CK}{m^2} &= 0.0004A90171 \cdot 10^{-20} \\
1m \frac{kg \cdot CK}{m^3} &= 649.6B31 \cdot 10^{-90} \\
1 \frac{kg \cdot CK}{m^3} &= 3853A2.2 \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^3} &= 0.0002187748 \cdot 10^{-80} \\
1m \frac{kg \cdot CK}{m^3 \cdot s} &= 0.050A2BAB \cdot 10^{-100} \\
1 \frac{kg \cdot CK}{m^3 \cdot s} &= 2B.27215 \cdot 10^{-100} \\
1k \frac{kg \cdot CK}{m^3 \cdot s} &= 18468.60 \cdot 10^{-100} \\
1m \frac{kg \cdot CK}{m^3 \cdot s^2} &= 4027860. \cdot 10^{-140} \\
1 \frac{kg \cdot CK}{m^3 \cdot s^2} &= 0.0023AA424 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 ni'umu \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.0003408B63 m \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 592891.B \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 9B7.6033 k \frac{kg \cdot m \cdot CK}{s^2} \\
1 mu \cdot MLTQ\Theta &= 10^{50} = 0.00017B2272 m \cdot kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = 2A5389.8 kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = 4B6.2505 k \cdot kg \cdot m \cdot s \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 11A92.15 m \cdot kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 20.02048 kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 0.0355B592 k \cdot kg \cdot m^2 \cdot CK \\
1 pa \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.00015655B1 m \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 263807.8 \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 444.5102 k \frac{kg \cdot m^2 \cdot CK}{s} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 1.A17228 m \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00322B558 \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.000005610A74 k \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.B018669 m \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.00170413B kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.0000028A6AB3 k \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 6A4B4.B6 m \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = BA.4AA82 \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 0.1860BAB k \frac{kg \cdot CK}{m} \\
1 ni'uze \frac{MQ\Theta}{LT} &= 10^{-70} = 0.0008800894 m \frac{kg \cdot CK}{ms} \quad (*) \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 12B8796. \frac{kg \cdot CK}{ms} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 21A6.834 k \frac{kg \cdot CK}{ms} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = A.B30857 m \frac{kg \cdot CK}{ms^2} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.016A9850 \frac{kg \cdot CK}{ms^2} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.0000287B125 k \frac{kg \cdot CK}{ms^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 5.537754 m \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0094A1558 \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0000142BB09 k \frac{kg \cdot s \cdot CK}{m} \quad (*) \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 10.52072 m \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.01959257 \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00003115087 k \frac{kg \cdot CK}{m^2} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 138307.4 m \frac{kg \cdot CK}{m^2 \cdot s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 231.3782 \frac{kg \cdot CK}{m^2 \cdot s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.3AA15A7 k \frac{kg \cdot CK}{m^2 \cdot s} \\
1 ni'upapa \frac{MQ\Theta}{L^2T^2} &= 10^{-110} = 0.001796B24 m \frac{kg \cdot CK}{m^2 \cdot s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 2A264B4. \frac{kg \cdot CK}{m^2 \cdot s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 4B14.A10 k \frac{kg \cdot CK}{m^2 \cdot s^2} \\
1 ni'uci \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.0009A25016 m \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 1503038. \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 254B.457 k \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'uso \frac{MQ\Theta}{L^3} &= 10^{-90} = 0.001A600B1 m \frac{kg \cdot CK}{m^3} \quad (*) \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 32A6A29. \frac{kg \cdot CK}{m^3} \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 5722.998 k \frac{kg \cdot CK}{m^3} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 24.48BAAB m \frac{kg \cdot CK}{m^3 \cdot s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.04109941 \frac{kg \cdot CK}{m^3 \cdot s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000070957B9 k \frac{kg \cdot CK}{m^3 \cdot s} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 2BA03B.2 m \frac{kg \cdot CK}{m^3 \cdot s^2} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 51B.1067 \frac{kg \cdot CK}{m^3 \cdot s^2}
\end{aligned}$$

$$1k \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 1.419526 \cdot 10^{-130}$$

$$1m \frac{\text{kg s CK}}{\text{m}^3} = 80B0522. \cdot 10^{-60}$$

$$1 \frac{\text{kg s CK}}{\text{m}^3} = 0.004810780 \cdot 10^{-50}$$

$$1k \frac{\text{kg s CK}}{\text{m}^3} = 2.855B93 \cdot 10^{-50}$$

$$1 ni'upaci- \frac{MQ\Theta}{L^3 T^2} = 10^{-130} = 0.8B007A3 k \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*)$$

$$1 ni'umu- \frac{MTQ\Theta}{L^3} = 10^{-50} = 159B4A.3 m \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 ni'umu- \frac{MTQ\Theta}{L^3} = 10^{-50} = 269.8585 \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 ni'umu- \frac{MTQ\Theta}{L^3} = 10^{-50} = 0.452A290 k \frac{\text{kg s CK}}{\text{m}^3}$$

## **Part II**

# **Usual Planck units**

This part uses natural units, where  $\epsilon_0 = \frac{1}{2\tau}$  and  $G = 1$ . These are the usual Planck units.

## 4 Base 6 - ??

### 4.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\text{Proton mass} = 0.2103535 \cdot 10^{-40}$$

$$\text{Electron mass} = 13.13035 \cdot 10^{-50}$$

$$\text{Elementary charge} = 0.03024132 \cdot 10^0$$

$$\text{Å}^1 = 43.55305 \cdot 10^{50} \quad (*)$$

$$\text{Bohr radius}^2 = 22.45054 \cdot 10^{50}$$

$$\text{Fine structure constant}^3 = 0.001324245 \cdot 10^0$$

$$\text{Rydberg Energy}^4 = 15.25445 \cdot 10^{-100}$$

$$|\psi_{100}(0)|^2^5 = 4.323310 \cdot 10^{-240}$$

$$\text{eV} = 0.5022522 \cdot 10^{-100}$$

$$\hbar^6 = 1.000000 \quad (***)$$

$$\lambda_{\text{yellow}} = 3.241004 \cdot 10^{100} \quad (*)$$

$$k_{\text{yellow}}^7 = 1.453251 \cdot 10^{-100}$$

$$k_{\text{X-Ray}}^8 = 113.3522 \cdot 10^{-40}$$

$$\text{Earth g} = 0.03020012 \cdot 10^{-130} \quad (*)$$

$$\text{cm} = 1.141413 \cdot 10^{110}$$

$$\text{min} = 0.004530230 \cdot 10^{140}$$

$$\text{hour} = 1.211041 \cdot 10^{140}$$

$$\text{Liter} = 0.01350113 \cdot 10^{340}$$

$$\text{Area of a soccer field} = 0.01541341 \cdot 10^{240}$$

$$244 \text{ m}^2^9 = 55.23245 \cdot 10^{230} \quad (*)$$

$$\text{km/h} = 2.003354 \cdot 10^{-20} \quad (*)$$

$$\text{mi/h} = 3.125043 \cdot 10^{-20}$$

$$\text{inch}^{10} = 3.133215 \cdot 10^{110}$$

$$\text{mile} = 4.233523 \cdot 10^{120}$$

$$\text{pound} = 0.002022410 \cdot 10^{20}$$

$$\text{horsepower} = 114.5105 \cdot 10^{-150}$$

$$\text{kcal} = 0.03332311 \cdot 10^{-10}$$

$$\text{kWh} = 221.5111 \cdot 10^{-10}$$

$$\text{Typical household electric field} = 0.3313411 \cdot 10^{-210}$$

$$\text{Earthmagneticfield} = 0.005042523 \cdot 10^{-200}$$

$$1 \text{ ni'uv-M} = 10^{-40} = 2.425054 m_p$$

$$1 \text{ ni'umu-M} = 10^{-50} = 0.03520214 m_e$$

$$1 Q = 1 = 15.41232 e$$

$$1 \text{ mu-L} = 10^{50} = 0.01141503 \text{ Å}$$

$$1 \text{ mu-L} = 10^{50} = 0.02233015 a_0$$

$$1 = 1 = 345.0115 \alpha$$

$$1 \text{ ni'upano-} \frac{ML^2}{T^2} = 10^{-100} = 0.03044300 Ry \quad (*)$$

$$1 \text{ ni'urevo-} \frac{1}{L^3} = 10^{-240} = 0.1151250 \rho_{\text{max}}$$

$$1 \text{ ni'upano-} \frac{ML^2}{T^2} = 10^{-100} = 1.103401 \text{ eV}$$

$$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$$

$$1 \text{ pano-L} = 10^{100} = 0.1423425 \cdot \lambda_{\text{yellow}}$$

$$1 \text{ ni'upano-} \frac{1}{L} = 10^{-100} = 0.3143235 \cdot k_{\text{yellow}}$$

$$1 \text{ ni'uv-M} = 10^{-40} = 0.004422012 \cdot k_{\text{X-Ray}}$$

$$1 \text{ ni'upaci-} \frac{ML}{T^2} = 10^{-130} = 15.44042 \cdot \text{Earth g}$$

$$1 \text{ papa-L} = 10^{110} = 0.4400003 \text{ cm} \quad (**)$$

$$1 \text{ pavo-T} = 10^{140} = 111.5254 \text{ min}$$

$$1 \text{ pavo-T} = 10^{140} = 0.4220322 \text{ h}$$

$$1 \text{ civo-L}^3 = 10^{340} = 33.54151 l$$

$$1 \text{ revo-L}^2 = 10^{240} = 30.23544 A$$

$$1 \text{ reci-L}^2 = 10^{230} = 0.01003251 \cdot 244 \text{ m}^2 \quad (*)$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.2550321 \text{ km/h} \quad (*)$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.1503134 \text{ mi/h}$$

$$1 \text{ papa-L} = 10^{110} = 0.1500505 \text{ in} \quad (*)$$

$$1 \text{ pare-L} = 10^{120} = 0.1204124 \text{ mi}$$

$$1 \text{ re-M} = 10^{20} = 252.2403 \text{ pound}$$

$$1 \text{ ni'upavo-} \frac{ML^2}{T^3} = 10^{-140} = 4335.313 \text{ horsepower}$$

$$1 \text{ ni'upa-} \frac{ML^2}{T^2} = 10^{-10} = 14.00255 \text{ kcal} \quad (**)$$

$$1 \frac{ML^2}{T^2} = 1 = 2303.205 \text{ kWh}$$

$$1 \text{ ni'urepa-} \frac{ML}{T^2 Q} = 10^{-210} = 1.405333 E_H$$

$$1 \text{ ni'uren-} \frac{M}{TQ} = 10^{-200} = 110.0522 \cdot \text{Earthmagneticfield}$$

<sup>1</sup>Length in atomic and solid state physics, 1/14 nm

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>100 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.001015323 \cdot 10^{120}$

Mass of an average man =  $1.251052 \cdot 10^{20}$

Age of the Universe =  $311.3125 \cdot 10^{200}$

Size of the observable Universe =  $14.54521 \cdot 10^{210}$

Average density of the Universe =  $250.5554 \cdot 10^{-440}$  (\*\*)

Earth mass =  $0.3230545 \cdot 10^{110}$

Sun mass<sup>12</sup> =  $4.023053 \cdot 10^{120}$

Year =  $0.1312403 \cdot 10^{150}$

Speed of Light =  $1.000000$  (\*\*\*)

Parsec =  $0.5005032 \cdot 10^{150}$  (\*)

Astronomical unit =  $0.1045235 \cdot 10^{140}$

Earth radius =  $0.2131403 \cdot 10^{130}$

Distance Earth-Moon =  $34.41204 \cdot 10^{130}$

Momentum of someone walking<sup>13</sup> =  $532.0013 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.05531034 \cdot 10^0$  (\*)

mol =  $2.420221 \cdot 10^{50}$

Standard temperature<sup>14</sup> =  $0.004143443 \cdot 10^{-100}$

Room - standard temperature<sup>15</sup> =  $151.5333 \cdot 10^{-110}$

atm =  $0.01524321 \cdot 10^{-350}$

$c_s$  =  $0.01531030 \cdot 10^{-10}$

$\mu_0$  =  $20.32220 \cdot 10^0$

$G$  =  $1.000000$  (\*\*\*)

1 pare- $L$  =  $10^{120} = 541.0042 \bar{h}$  (\*)

1 re- $M$  =  $10^{20} = 0.4021050 \bar{m}$

1 reno- $T$  =  $10^{200} = 0.001511450 t_U$

1 repa- $L$  =  $10^{210} = 0.03140521 l_U$

1 ni'uvovo- $\frac{M}{L^3}$  =  $10^{-440} = 0.002032551 \rho_U$  (\*)

1 papa- $M$  =  $10^{110} = 1.430453 m_E$

1 pare- $M$  =  $10^{120} = 0.1250230 m_S$

1 pamu- $T$  =  $10^{150} = 3.521242 y$

1  $\frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)

1 pamu- $L$  =  $10^{150} = 1.105553 pc$  (\*\*)

1 pavo- $L$  =  $10^{140} = 5.140314 au$

1 paci- $L$  =  $10^{130} = 2.354003 r_E$  (\*)

1 paci- $L$  =  $10^{130} = 0.01330254 d_M$

1  $\frac{ML}{T} = 1 = 0.001025135 \cdot Momentum of someone walking$

1  $\frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$

1 mu- =  $10^{50} = 0.2111433 mol$

1 ni'upano- $\Theta$  =  $10^{-100} = 122.1420 T_0$

1 ni'upano- $\Theta$  =  $10^{-100} = 3102.444 \Theta_R$

1 ni'ucimu- $\frac{M}{LT^2}$  =  $10^{-350} = 30.50311 atm$

1 ni'upa- $\frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$

1  $\frac{ML}{Q^2} = 1 = 0.02510444 \cdot \mu_0$

1  $\frac{L^3}{MT^2} = 1 = 1.000000 \cdot G$  (\*\*\*)

### Extensive list of SI units

1m =  $114.3534 \cdot 10^{-10}$

1 =  $1.000000$  (\*\*\*)

1k =  $4344.000 \cdot 10^0$  (\*\*)

1m $\frac{1}{s}$  =  $2.345050 \cdot 10^{-140}$

1 $\frac{1}{s}$  =  $0.02011052 \cdot 10^{-130}$

1k $\frac{1}{s}$  =  $132.2504 \cdot 10^{-130}$

1m $\frac{1}{s^2}$  =  $0.05205041 \cdot 10^{-310}$

1 $\frac{1}{s^2}$  =  $404.4501 \cdot 10^{-310}$

1k $\frac{1}{s^2}$  =  $3.104530 \cdot 10^{-300}$

1ms =  $3454.045 \cdot 10^{120}$

1s =  $25.41241 \cdot 10^{130}$

1ks =  $0.2135510 \cdot 10^{140}$  (\*)

1mm =  $0.04343431 \cdot 10^{110}$

1 m =  $332.3230 \cdot 10^{110}$

1km =  $2.431121 \cdot 10^{120}$

1m $\frac{m}{s}$  =  $0.001322434 \cdot 10^{-20}$

1 $\frac{m}{s}$  =  $11.13221 \cdot 10^{-20}$

1k $\frac{m}{s}$  =  $0.05334055 \cdot 10^{-10}$  (\*)

1m $\frac{m}{s^2}$  =  $31.04430 \cdot 10^{-200}$

1 =  $1 = 4344.000 m$  (\*\*)

1 =  $1 = 1.000000$  (\*\*\*)

1 pa- =  $10^{10} = 114.3534 k$

1 ni'upavo- $\frac{1}{T}$  =  $10^{-140} = 0.2135510 m\frac{1}{s}$  (\*)

1 ni'upaci- $\frac{1}{T}$  =  $10^{-130} = 25.41241 \frac{1}{s}$

1 ni'upare- $\frac{1}{T}$  =  $10^{-120} = 3454.045 k\frac{1}{s}$

1 ni'ucipa- $\frac{1}{T^2}$  =  $10^{-310} = 10.41532 m\frac{1}{s^2}$

1 ni'ucino- $\frac{1}{T^2}$  =  $10^{-300} = 1241.312 \frac{1}{s^2}$

1 ni'ucino- $\frac{1}{T^2}$  =  $10^{-300} = 0.1514202 k\frac{1}{s^2}$

1 paci-T =  $10^{130} = 132.2504 ms$

1 paci-T =  $10^{130} = 0.02011052 s$

1 pavo-T =  $10^{140} = 2.345050 ks$

1 papa-L =  $10^{110} = 11.44001 mm$  (\*)

1 pare-L =  $10^{120} = 1402.515 m$

1 pare-L =  $10^{120} = 0.2102145 km$

1 ni'ure- $\frac{L}{T}$  =  $10^{-20} = 345.4201 m\frac{m}{s}$

1 ni'ure- $\frac{L}{T}$  =  $10^{-20} = 0.04542533 \frac{m}{s}$

1 ni'upa- $\frac{L}{T}$  =  $10^{-10} = 10.23153 k\frac{m}{s}$

1 ni'uren- $\frac{L}{T^2}$  =  $10^{-200} = 0.01514235 m\frac{m}{s^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>32 °C

$1 \frac{m}{s^2} = 0.2243240 \cdot 10^{-150}$	$1 ni'upamu-\frac{L}{T^2} = 10^{-150} = 2.234430 \frac{m}{s^2}$
$1 k \frac{m}{s^2} = 0.001522022 \cdot 10^{-140}$	$1 ni'upavo-\frac{L}{T^2} = 10^{-140} = 305.4400 k \frac{m}{s^2} \quad (*)$
$1 m \text{ ms} = 2.135424 \cdot 10^{240}$	$1 revo-LT = 10^{240} = 0.2345140 \text{ m ms}$
$1 m \text{ s} = 0.01431232 \cdot 10^{250}$	$1 remu-LT = 10^{250} = 32.25441 \text{ m s}$
$1 k \text{ ms} = 120.4434 \cdot 10^{250}$	$1 cino-LT = 10^{300} = 4232.100 \text{ k ms} \quad (*)$
$1 m \text{ m}^2 = 24.31030 \cdot 10^{220}$	$1 rere-L^2 = 10^{220} = 0.02102230 \text{ m m}^2$
$1 m^2 = 0.2043101 \cdot 10^{230}$	$1 reci-L^2 = 10^{230} = 2.453354 \text{ m}^2$
$1 k \text{ m}^2 = 0.001350144 \cdot 10^{240}$	$1 revo-L^2 = 10^{240} = 335.4041 \text{ k m}^2$
$1 m \frac{m^2}{s} = 0.5333511 \cdot 10^{50}$	$1 mu-\frac{L^2}{T} = 10^{50} = 1.023214 m \frac{m^2}{s}$
$1 \frac{m^2}{s} = 0.004153312 \cdot 10^{100}$	$1 pano-\frac{L^2}{T} = 10^{100} = 121.5511 \frac{m^2}{s} \quad (*)$
$1 k \frac{m^2}{s} = 32.00154 \cdot 10^{100} \quad (*)$	$1 pano-\frac{L^2}{T} = 10^{100} = 0.01444343 k \frac{m^2}{s}$
$1 m \frac{m^2}{s^2} = 0.01521544 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2}{T^2} = 10^{-40} = 30.54500 m \frac{m^2}{s^2} \quad (*)$
$1 \frac{m^2}{s^2} = 124.4155 \cdot 10^{-40} \quad (*)$	$1 ni'uvu-\frac{L^2}{T^2} = 10^{-40} = 0.004032541 \frac{m^2}{s^2}$
$1 k \frac{m^2}{s^2} = 1.044030 \cdot 10^{-30}$	$1 ni'uci-\frac{L^2}{T^2} = 10^{-30} = 0.5150521 k \frac{m^2}{s^2}$
$1 m \text{ m}^2 \text{ s} = 0.001204411 \cdot 10^{400}$	$1 vono-L^2 T = 10^{400} = 423.2223 \text{ m m}^2 \text{ s}$
$1 m^2 \text{ s} = 10.13503 \cdot 10^{400}$	$1 vono-L^2 T = 10^{400} = 0.05423255 \text{ m}^2 \text{ s} \quad (*)$
$1 k \text{ m}^2 \text{ s} = 0.04501331 \cdot 10^{410}$	$1 vopa-L^2 T = 10^{410} = 11.23422 \text{ k m}^2 \text{ s}$
$1 m \frac{1}{m} = 0.2102145 \cdot 10^{-120}$	$1 ni'upare-\frac{1}{L} = 10^{-120} = 2.431121 m \frac{1}{m}$
$1 \frac{1}{m} = 1402.515 \cdot 10^{-120}$	$1 ni'upapa-\frac{1}{L} = 10^{-110} = 332.3230 \frac{1}{m}$
$1 k \frac{1}{m} = 11.44001 \cdot 10^{-110} \quad (*)$	$1 ni'upapa-\frac{1}{L} = 10^{-110} = 0.04343431 k \frac{1}{m}$
$1 m \frac{1}{ms} = 4232.100 \cdot 10^{-300} \quad (*)$	$1 ni'uremu-\frac{1}{LT} = 10^{-250} = 120.4434 m \frac{1}{ms}$
$1 \frac{1}{ms} = 32.25441 \cdot 10^{-250}$	$1 ni'uremu-\frac{1}{LT} = 10^{-250} = 0.01431232 \frac{1}{ms}$
$1 k \frac{1}{ms} = 0.2345140 \cdot 10^{-240}$	$1 ni'urevo-\frac{1}{LT} = 10^{-240} = 2.135424 k \frac{1}{ms}$
$1 m \frac{1}{ms^2} = 130.0000 \cdot 10^{-430} \quad (**)$	$1 ni'uvore-\frac{1}{LT^2} = 10^{-420} = 4000.001 m \frac{1}{ms^2} \quad (**)$
$1 \frac{1}{ms^2} = 1.054000 \cdot 10^{-420} \quad (**)$	$1 ni'uvore-\frac{1}{LT^2} = 10^{-420} = 0.5103430 \frac{1}{ms^2}$
$1 k \frac{1}{ms^2} = 5205.222 \cdot 10^{-420}$	$1 ni'uvopa-\frac{1}{LT^2} = 10^{-410} = 104.1511 k \frac{1}{ms^2}$
$1 m \frac{s}{m} = 10.23153 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 0.05334055 m \frac{s}{m} \quad (*)$
$1 \frac{s}{m} = 0.04542533 \cdot 10^{20}$	$1 re-\frac{T}{L} = 10^{20} = 11.13221 \frac{s}{m}$
$1 k \frac{s}{m} = 345.4201 \cdot 10^{20}$	$1 re-\frac{T}{L} = 10^{20} = 0.001322434 k \frac{s}{m}$
$1 m \frac{1}{m^2} = 335.4041 \cdot 10^{-240}$	$1 ni'urevo-\frac{1}{L^2} = 10^{-240} = 0.001350144 m \frac{1}{m^2}$
$1 \frac{1}{m^2} = 2.453354 \cdot 10^{-230}$	$1 ni'ureci-\frac{1}{L^2} = 10^{-230} = 0.2043101 \frac{1}{m^2}$
$1 k \frac{1}{m^2} = 0.02102230 \cdot 10^{-220}$	$1 ni'urere-\frac{1}{L^2} = 10^{-220} = 24.31030 k \frac{1}{m^2}$
$1 m \frac{1}{m^2 s} = 11.23422 \cdot 10^{-410}$	$1 ni'uvopa-\frac{1}{L^2 T} = 10^{-410} = 0.04501331 m \frac{1}{m^2 s}$
$1 \frac{1}{m^2 s} = 0.05423255 \cdot 10^{-400} \quad (*)$	$1 ni'uvono-\frac{1}{L^2 T} = 10^{-400} = 10.13503 \frac{1}{m^2 s}$
$1 k \frac{1}{m^2 s} = 423.2223 \cdot 10^{-400}$	$1 ni'uvono-\frac{1}{L^2 T} = 10^{-400} = 0.001204411 k \frac{1}{m^2 s}$
$1 m \frac{1}{m^2 s^2} = 0.2304154 \cdot 10^{-540}$	$1 ni'umuovo-\frac{1}{L^2 T^2} = 10^{-540} = 2.214141 m \frac{1}{m^2 s^2}$
$1 \frac{1}{m^2 s^2} = 1540.001 \cdot 10^{-540} \quad (*)$	$1 ni'umuci-\frac{1}{L^2 T^2} = 10^{-530} = 303.0302 \frac{1}{m^2 s^2}$
$1 k \frac{1}{m^2 s^2} = 13.00025 \cdot 10^{-530} \quad (**)$	$1 ni'umuci-\frac{1}{L^2 T^2} = 10^{-530} = 0.03555444 k \frac{1}{m^2 s^2} \quad (**)$
$1 m \frac{1}{m^2} = 0.01444343 \cdot 10^{-100}$	$1 ni'upano-\frac{T}{L^2} = 10^{-100} = 32.00154 m \frac{s}{m^2} \quad (*)$
$1 \frac{s}{m^2} = 121.5511 \cdot 10^{-100} \quad (*)$	$1 ni'upano-\frac{T}{L^2} = 10^{-100} = 0.004153312 \frac{s}{m^2}$
$1 k \frac{s}{m^2} = 1.023214 \cdot 10^{-50}$	$1 ni'umu-\frac{T}{L^2} = 10^{-50} = 0.5333511 k \frac{s}{m^2}$
$1 m \frac{1}{m^3} = 1.005123 \cdot 10^{-350} \quad (*)$	$1 ni'ucimu-\frac{1}{L^3} = 10^{-350} = 0.5505155 m \frac{1}{m^3} \quad (*)$
$1 \frac{1}{m^3} = 0.004424124 \cdot 10^{-340}$	$1 ni'ucivo-\frac{1}{L^3} = 10^{-340} = 113.3151 \frac{1}{m^3}$
$1 k \frac{1}{m^3} = 33.54151 \cdot 10^{-340}$	$1 ni'ucivo-\frac{1}{L^3} = 10^{-340} = 0.01350113 k \frac{1}{m^3}$
$1 m \frac{1}{m^3 s} = 0.02025444 \cdot 10^{-520}$	$1 ni'umure-\frac{1}{L^3 T} = 10^{-520} = 25.14210 m \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s} = 133.5022 \cdot 10^{-520}$	$1 ni'umure-\frac{1}{L^3 T} = 10^{-520} = 0.003422330 \frac{1}{m^3 s}$
$1 k \frac{1}{m^3 s} = 1.123444 \cdot 10^{-510}$	$1 ni'umupa-\frac{1}{L^3 T} = 10^{-510} = 0.4501155 k \frac{1}{m^3 s} \quad (*)$
$1 m \frac{1}{m^3 s^2} = 412.2252 \cdot 10^{-1100}$	$1 ni'upapano-\frac{1}{L^3 T^2} = 10^{-1100} = 0.001230041 m \frac{1}{m^3 s^2} \quad (*)$
$1 \frac{1}{m^3 s^2} = 3.133341 \cdot 10^{-1050}$	$1 ni'upanomu-\frac{1}{L^3 T^2} = 10^{-1050} = 0.1500421 \frac{1}{m^3 s^2} \quad (*)$
$1 k \frac{1}{m^3 s^2} = 0.02304243 \cdot 10^{-1040}$	$1 ni'upanovo-\frac{1}{L^3 T^2} = 10^{-1040} = 22.14054 k \frac{1}{m^3 s^2}$

$1\text{m}\frac{\text{s}}{\text{m}^3} = 30.04523 \cdot 10^{-220}$	$1\text{ni}'\text{urere}-\frac{T}{L^3} = 10^{-220} = 0.01552431 \text{m}\frac{\text{s}}{\text{m}^3}$ (*)
$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.2155441 \cdot 10^{-210}$ (*)	$1\text{ni}'\text{urepa}-\frac{T}{L^3} = 10^{-210} = 2.323400 \frac{\text{s}}{\text{m}^3}$ (*)
$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.001444420 \cdot 10^{-200}$	$1\text{ni}'\text{ureno}-\frac{T}{L^3} = 10^{-200} = 320.0052 \text{k}\frac{\text{s}}{\text{m}^3}$ (*)
$1\text{m kg} = 0.5524144 \cdot 10^{10}$ (*)	$1\text{pa-}M = 10^{10} = 1.003200 \text{m kg}$ (*)
$1\text{kg} = 0.004320444 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 115.2132 \text{kg}$
$1\text{k kg} = 33.03513 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 0.01412222 \text{k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 0.02000250 \cdot 10^{-120}$ (**)	$1\text{ni}'\text{upare}-\frac{M}{T} = 10^{-120} = 25.55143 \text{m}\frac{\text{kg}}{\text{s}}$ (*)
$1\text{k}\frac{\text{kg}}{\text{s}} = 131.3411 \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\frac{M}{T} = 10^{-120} = 0.003514520 \frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 1.105252 \cdot 10^{-110}$	$1\text{ni}'\text{upapa}-\frac{M}{T} = 10^{-110} = 0.5011111 \text{k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 402.3133 \cdot 10^{-300}$	$1\text{ni}'\text{ucino}-\frac{M}{T^2} = 10^{-300} = 0.001250213 \text{m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 3.050240 \cdot 10^{-250}$	$1\text{ni}'\text{uremu}-\frac{M}{T^2} = 10^{-250} = 0.1524341 \frac{\text{kg}}{\text{s}^2}$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 0.02231254 \cdot 10^{-240}$	$1\text{ni}'\text{urevo}-\frac{M}{T^2} = 10^{-240} = 22.50430 \text{k}\frac{\text{kg}}{\text{s}^2}$
$1\text{m kg s} = 25.23432 \cdot 10^{140}$	$1\text{pavo-}MT = 10^{140} = 0.02021533 \text{m kg s}$
$1\text{kg s} = 0.2124214 \cdot 10^{150}$	$1\text{pamu-}MT = 10^{150} = 2.401532 \text{kg s}$
$1\text{k kg s} = 0.001421430 \cdot 10^{200}$	$1\text{reno-}MT = 10^{200} = 324.4554 \text{k kg s}$ (*)
$1\text{m kg m} = 330.3405 \cdot 10^{120}$	$1\text{pare-}ML = 10^{120} = 0.001412253 \text{m kg m}$
$1\text{kg m} = 2.414103 \cdot 10^{130}$	$1\text{paci-}ML = 10^{130} = 0.2113321 \text{kg m}$
$1\text{k kg m} = 0.02032145 \cdot 10^{140}$	$1\text{pavo-}ML = 10^{140} = 25.10530 \text{k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 11.05231 \cdot 10^{-10}$	$1\text{ni}'\text{upa-}\frac{ML}{T} = 10^{-10} = 0.05011244 \text{m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.05303433 \cdot 10^0$	$1\frac{ML}{T} = 1 = 10.30521 \frac{\text{kg m}}{\text{s}}$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 413.1323 \cdot 10^0$	$1\frac{ML}{T} = 1 = 0.001224231 \text{k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 0.2231210 \cdot 10^{-140}$	$1\text{ni}'\text{upavo}-\frac{ML}{T^2} = 10^{-140} = 2.250514 \text{m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 1511.455 \cdot 10^{-140}$ (*)	$1\text{ni}'\text{upaci}-\frac{ML}{T^2} = 10^{-130} = 311.3112 \frac{\text{kg m}}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 12.35333 \cdot 10^{-130}$	$1\text{ni}'\text{upaci}-\frac{ML}{T^2} = 10^{-130} = 0.04054221 \text{k}\frac{\text{kg m}}{\text{s}^2}$
$1\text{m kg m s} = 0.01421355 \cdot 10^{300}$ (*)	$1\text{cino-}MLT = 10^{300} = 32.45101 \text{m kg m s}$
$1\text{kg m s} = 120.0153 \cdot 10^{300}$	$1\text{cino-}MLT = 10^{300} = 0.004254533 \text{kg m s}$
$1\text{k kg m s} = 1.010245 \cdot 10^{310}$	$1\text{cipa-}MLT = 10^{310} = 0.5454154 \text{k kg m s}$
$1\text{m kg m}^2 = 0.2032105 \cdot 10^{240}$	$1\text{revo-}ML^2 = 10^{240} = 2.511023 \text{m kg m}^2$
$1\text{kg m}^2 = 1340.525 \cdot 10^{240}$	$1\text{remu-}ML^2 = 10^{250} = 341.4152 \text{kg m}^2$
$1\text{k kg m}^2 = 11.25120 \cdot 10^{250}$	$1\text{remu-}ML^2 = 10^{250} = 0.04451444 \text{k kg m}^2$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 4131.203 \cdot 10^{100}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 122.4255 \text{m}\frac{\text{kg m}^2}{\text{s}}$ (*)
$1\frac{\text{kg m}^2}{\text{s}} = 31.41212 \cdot 10^{110}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 0.01454343 \frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.2311205 \cdot 10^{120}$	$1\text{pare-}\frac{ML^2}{T} = 10^{120} = 2.211234 \text{k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 123.5304 \cdot 10^{-30}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 4054.340 \text{m}\frac{\text{kg m}^2}{\text{s}^2}$
$1\frac{\text{kg m}^2}{\text{s}^2} = 1.040212 \cdot 10^{-20}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 0.5220334 \frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 5052.455 \cdot 10^{-20}$ (*)	$1\text{ni}'\text{upa-}\frac{ML^2}{T^2} = 10^{-10} = 105.5320 \text{k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2 \text{s} = 10.10225 \cdot 10^{410}$	$1\text{vopa-}ML^2 T = 10^{410} = 0.05454344 \text{m kg m}^2 \text{s}$
$1\text{kg m}^2 \text{s} = 0.04433405 \cdot 10^{420}$	$1\text{vore-}ML^2 T = 10^{420} = 11.31511 \text{kg m}^2 \text{s}$
$1\text{k kg m}^2 \text{s} = 340.2303 \cdot 10^{420}$	$1\text{vore-}ML^2 T = 10^{420} = 0.001344201 \text{k kg m}^2 \text{s}$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.001353212 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 334.3154 \text{m}\frac{\text{kg}}{\text{m}}$
$1\frac{\text{kg}}{\text{m}} = 11.35425 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 0.04411105 \frac{\text{kg}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = 0.05524340 \cdot 10^{-50}$ (*)	$1\text{ni}'\text{umu-}\frac{M}{L} = 10^{-50} = 10.03141 \text{k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = 32.10323 \cdot 10^{-240}$	$1\text{ni}'\text{urevo-}\frac{M}{LT} = 10^{-240} = 0.01441142 \text{m}\frac{\text{kg}}{\text{m s}}$
$1\frac{\text{kg}}{\text{m s}} = 0.2332343 \cdot 10^{-230}$	$1\text{ni}'\text{ureci-}\frac{M}{LT} = 10^{-230} = 2.151155 \frac{\text{kg}}{\text{m s}}$ (*)
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.002000325 \cdot 10^{-220}$ (**)	$1\text{ni}'\text{urere-}\frac{M}{LT} = 10^{-220} = 255.5044 \text{k}\frac{\text{kg}}{\text{m s}}$ (*)
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 1.050111 \cdot 10^{-410}$	$1\text{ni}'\text{uvopa-}\frac{M}{LT^2} = 10^{-410} = 0.5133012 \text{m}\frac{\text{kg}}{\text{m s}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 0.005135450 \cdot 10^{-400}$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 104.5334 \frac{\text{kg}}{\text{m s}^2}$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 40.23251 \cdot 10^{-400}$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 0.01250144 \text{k}\frac{\text{kg}}{\text{m s}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 0.04514353 \cdot 10^{30}$	$1\text{ci-}\frac{MT}{L} = 10^{30} = 11.21233 \text{m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 343.3435 \cdot 10^{30}$	$1\text{vo-}\frac{MT}{L} = 10^{40} = 1331.555 \frac{\text{kg s}}{\text{m}}$ (**)

$1k \frac{kg\cdot s}{m} = 2.523525 \cdot 10^{40}$	$1 vo \frac{MT}{L} = 10^{40} = 0.2021453 k \frac{kg\cdot s}{m}$
$1m \frac{kg}{m^2} = 2.440220 \cdot 10^{-220}$	$1 ni'urere \frac{M}{L^2} = 10^{-220} = 0.2054132 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 0.02051133 \cdot 10^{-210}$	$1 ni'urepa \frac{M}{L^2} = 10^{-210} = 24.44134 \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 135.3243 \cdot 10^{-210}$	$1 ni'uren \frac{M}{L^2} = 10^{-200} = 3343.045 k \frac{kg}{m^2}$
$1m \frac{kg}{m^2\cdot s} = 0.05352353 \cdot 10^{-350}$	$1 ni'ucimu \frac{M}{L^2T} = 10^{-350} = 10.21200 m \frac{kg}{m^2\cdot s} (*)$
$1 \frac{kg}{m^2\cdot s} = 420.5510 \cdot 10^{-350} (*)$	$1 ni'ucivo \frac{M}{L^2T} = 10^{-340} = 1213.115 \frac{kg}{m^2\cdot s}$
$1k \frac{kg}{m^2\cdot s} = 3.210425 \cdot 10^{-340}$	$1 ni'ucivo \frac{M}{L^2T} = 10^{-340} = 0.1441105 k \frac{kg}{m^2\cdot s}$
$1m \frac{kg}{m^2\cdot s^2} = 0.001525342 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^2T^2} = 10^{-520} = 304.4444 m \frac{kg}{m^2\cdot s^2}$
$1 \frac{kg}{m^2\cdot s^2} = 12.51052 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^2T^2} = 10^{-520} = 0.04021044 \frac{kg}{m^2\cdot s^2}$
$1k \frac{kg}{m^2\cdot s^2} = 0.1050132 \cdot 10^{-510}$	$1 ni'umupa \frac{M}{L^2T^2} = 10^{-510} = 5.132432 k \frac{kg}{m^2\cdot s^2}$
$1m \frac{kg}{m^2} = 121.1150 \cdot 10^{-50}$	$1 ni'uv \frac{MT}{L^2} = 10^{-40} = 4215.541 m \frac{kg\cdot s}{m^2}$
$1 \frac{kg}{m^2} = 1.015510 \cdot 10^{-40} (*)$	$1 ni'uv \frac{MT}{L^2} = 10^{-40} = 0.5404313 \frac{kg\cdot s}{m^2}$
$1k \frac{kg\cdot s}{m^2} = 4514.524 \cdot 10^{-40}$	$1 ni'uci \frac{MT}{L^2} = 10^{-30} = 112.1211 k \frac{kg\cdot s}{m^2}$
$1m \frac{kg}{m^3} = 4400.401 \cdot 10^{-340} (*)$	$1 ni'ucici \frac{M}{L^3} = 10^{-330} = 114.1310 m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 33.34144 \cdot 10^{-330}$	$1 ni'ucici \frac{M}{L^3} = 10^{-330} = 0.01355403 \frac{kg}{m^3} (*)$
$1k \frac{kg}{m^3} = 0.2440312 \cdot 10^{-320}$	$1 ni'ucire \frac{M}{L^3} = 10^{-320} = 2.054051 k \frac{kg}{m^3}$
$1m \frac{kg}{m^3\cdot s} = 132.5442 \cdot 10^{-510}$	$1 ni'umuno \frac{M}{L^3T} = 10^{-500} = 3443.011 m \frac{kg}{m^3\cdot s}$
$1 \frac{kg}{m^3\cdot s} = 1.115421 \cdot 10^{-500}$	$1 ni'umuno \frac{M}{L^3T} = 10^{-500} = 0.4525245 \frac{kg}{m^3\cdot s}$
$1k \frac{kg}{m^3\cdot s^2} = 5352.541 \cdot 10^{-500}$	$1 ni'uvomu \frac{M}{L^3T} = 10^{-450} = 102.1140 k \frac{kg}{m^3\cdot s}$
$1m \frac{kg}{m^3\cdot s^2} = 3.114520 \cdot 10^{-1040}$	$1 ni'upanovo \frac{M}{L^3T^2} = 10^{-1040} = 0.1510503 m \frac{kg}{m^3\cdot s^2}$
$1 \frac{kg}{m^3\cdot s^2} = 0.02252103 \cdot 10^{-1030}$	$1 ni'upanoci \frac{M}{L^3T^2} = 10^{-1030} = 22.30032 \frac{kg}{m^3\cdot s^2} (*)$
$1k \frac{kg}{m^3\cdot s^2} = 152.5415 \cdot 10^{-1030}$	$1 ni'upanore \frac{M}{L^3T^2} = 10^{-1020} = 3044.344 k \frac{kg}{m^3\cdot s^2}$
$1m \frac{kg}{m^3} = 0.2144043 \cdot 10^{-200}$	$1 ni'uren \frac{M}{L^3} = 10^{-200} = 2.340125 m \frac{kg\cdot s}{m^3}$
$1 \frac{kg}{m^3} = 1434.451 \cdot 10^{-200}$	$1 ni'upamu \frac{MT}{L^3} = 10^{-150} = 321.5133 \frac{kg\cdot s}{m^3}$
$1k \frac{kg\cdot s}{m^3} = 12.11214 \cdot 10^{-150}$	$1 ni'upamu \frac{MT}{L^3} = 10^{-150} = 0.04215415 k \frac{kg\cdot s}{m^3}$
$1m \frac{1}{C} = 0.001530345 \cdot 10^{-40}$	$1 ni'uv \frac{1}{Q} = 10^{-40} = 304.3050 m \frac{1}{C}$
$1 \frac{1}{C} = 12.51534 \cdot 10^{-40}$	$1 ni'uv \frac{1}{Q} = 10^{-40} = 0.04014552 \frac{1}{C} (*)$
$1k \frac{1}{C} = 0.1050510 \cdot 10^{-30}$	$1 ni'uci \frac{1}{Q} = 10^{-30} = 5.125551 k \frac{1}{C} (**)$
$1m \frac{1}{s\cdot C} = 35.22555 \cdot 10^{-220} (**)$	$1 ni'urere \frac{1}{TQ} = 10^{-220} = 0.01312024 m \frac{1}{s\cdot C}$
$1 \frac{1}{s\cdot C} = 0.3002243 \cdot 10^{-210} (*)$	$1 ni'urepa \frac{1}{TQ} = 10^{-210} = 1.554211 \frac{1}{s\cdot C} (*)$
$1k \frac{1}{s\cdot C} = 0.002153522 \cdot 10^{-200}$	$1 ni'uren \frac{1}{TQ} = 10^{-200} = 232.5431 k \frac{1}{s\cdot C}$
$1m \frac{1}{s^2\cdot C} = 1.153352 \cdot 10^{-350}$	$1 ni'ucimu \frac{1}{T^2Q} = 10^{-350} = 0.4312000 m \frac{1}{s^2\cdot C} (**)$
$1 \frac{1}{s^2\cdot C} = 0.01004224 \cdot 10^{-340} (*)$	$1 ni'ucivo \frac{1}{T^2Q} = 10^{-340} = 55.14025 \frac{1}{s^2\cdot C} (*)$
$1k \frac{1}{s^2\cdot C} = 44.20224 \cdot 10^{-340}$	$1 ni'ucivo \frac{1}{T^2Q} = 10^{-340} = 0.01134201 k \frac{1}{s^2\cdot C}$
$1m \frac{s}{C} = 0.05355352 \cdot 10^{50} (*)$	$1 mu \frac{T}{Q} = 10^{50} = 10.20435 m \frac{s}{C}$
$1 \frac{s}{C} = 421.2102 \cdot 10^{50}$	$1 pano \frac{T}{Q} = 10^{100} = 1212.253 \frac{s}{C}$
$1k \frac{s}{C} = 3.212310 \cdot 10^{100}$	$1 pano \frac{T}{Q} = 10^{100} = 0.1440130 k \frac{s}{C}$
$1m \frac{m}{C} = 1.050445 \cdot 10^{30}$	$1 ci \frac{L}{Q} = 10^{30} = 0.5130130 m \frac{m}{C}$
$1 \frac{m}{C} = 0.005142334 \cdot 10^{40}$	$1 vo \frac{L}{Q} = 10^{40} = 104.5000 \frac{m}{C} (**)$
$1k \frac{m}{C} = 40.25350 \cdot 10^{40}$	$1 vo \frac{L}{Q} = 10^{40} = 0.01245304 k \frac{m}{C}$
$1m \frac{m}{s\cdot C} = 0.02153435 \cdot 10^{-100}$	$1 ni'upano \frac{L}{TQ} = 10^{-100} = 23.25521 m \frac{m}{s\cdot C} (*)$
$1 \frac{m}{s\cdot C} = 144.3101 \cdot 10^{-100}$	$1 ni'upano \frac{L}{TQ} = 10^{-100} = 0.003203010 \frac{m}{s\cdot C}$
$1k \frac{m}{s\cdot C} = 1.214425 \cdot 10^{-50}$	$1 ni'umu \frac{L}{TQ} = 10^{-50} = 0.4201014 k \frac{m}{s\cdot C}$
$1m \frac{m}{s^2\cdot C} = 442.0054 \cdot 10^{-240} (*)$	$1 ni'urevo \frac{L}{T^2Q} = 10^{-240} = 0.001134223 m \frac{m}{s^2\cdot C}$
$1 \frac{m}{s^2\cdot C} = 3.351054 \cdot 10^{-230}$	$1 ni'ureci \frac{L}{T^2Q} = 10^{-230} = 0.1351344 \frac{m}{s^2\cdot C}$
$1k \frac{m}{s^2\cdot C} = 0.02451213 \cdot 10^{-220}$	$1 ni'urere \frac{L}{T^2Q} = 10^{-220} = 20.44521 k \frac{m}{s^2\cdot C}$
$1m \frac{ms}{C} = 32.12204 \cdot 10^{200}$	$1 reno \frac{LT}{Q} = 10^{200} = 0.01440202 m \frac{ms}{C}$
$1 \frac{ms}{C} = 0.2334000 \cdot 10^{210} (**)$	$1 repa \frac{LT}{Q} = 10^{210} = 2.150035 \frac{ms}{C} (*)$
$1k \frac{ms}{C} = 0.002001351 \cdot 10^{220} (*)$	$1 rere \frac{LT}{Q} = 10^{220} = 255.3314 k \frac{ms}{C} (*)$

$$\begin{aligned}
1 \text{m} \frac{\text{m}^2}{\text{C}} &= 402.5231 \cdot 10^{140} \\
1 \frac{\text{m}^2}{\text{C}} &= 3.052040 \cdot 10^{150} \\
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 0.02232440 \cdot 10^{200} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 12.14401 \cdot 10^{10} \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.1022242 \cdot 10^{20} \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 453.4532 \cdot 10^{20} \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 0.2451121 \cdot 10^{-120} \\
1 \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 2100.313 \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 14.01310 \cdot 10^{-110} \\
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{C}} &= 0.02001312 \cdot 10^{320} \quad (*) \\
1 \frac{\text{m}^2 \text{s}}{\text{C}} &= 131.4304 \cdot 10^{320} \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{C}} &= 1.110041 \cdot 10^{330} \quad (*) \\
1 \text{m} \frac{1}{\text{mC}} &= 3.120333 \cdot 10^{-200} \\
1 \frac{1}{\text{mC}} &= 0.02253255 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{1}{\text{mC}} &= 153.0423 \cdot 10^{-150} \\
1 \text{m} \frac{1}{\text{msC}} &= 0.1032013 \cdot 10^{-330} \\
1 \frac{1}{\text{msC}} &= 502.0442 \cdot 10^{-330} \\
1 \text{k} \frac{1}{\text{msC}} &= 3.523111 \cdot 10^{-320} \\
1 \text{m} \frac{1}{\text{ms}^2 \text{C}} &= 0.002115522 \cdot 10^{-500} \quad (*) \\
1 \frac{1}{\text{ms}^2 \text{C}} &= 14.14143 \cdot 10^{-500} \\
1 \text{k} \frac{1}{\text{ms}^2 \text{C}} &= 0.1153415 \cdot 10^{-450} \\
1 \text{m} \frac{s}{\text{mC}} &= 133.0344 \cdot 10^{-30} \\
1 \frac{s}{\text{mC}} &= 1.120213 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{mC}} &= 5355.541 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2 \text{C}} &= 5230.145 \cdot 10^{-320} \\
1 \frac{1}{\text{m}^2 \text{C}} &= 41.03002 \cdot 10^{-310} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2 \text{C}} &= 0.3120434 \cdot 10^{-300} \\
1 \text{m} \frac{1}{\text{m}^2 \text{sC}} &= 150.0320 \cdot 10^{-450} \\
1 \frac{1}{\text{m}^2 \text{sC}} &= 1.225553 \cdot 10^{-440} \quad (***) \\
1 \text{k} \frac{1}{\text{m}^2 \text{sC}} &= 0.01032034 \cdot 10^{-430} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 3.422124 \cdot 10^{-1020} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 0.02514033 \cdot 10^{-1010} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 212.0003 \cdot 10^{-1010} \quad (***) \\
1 \text{m} \frac{s}{\text{m}^2 \text{C}} &= 0.2355343 \cdot 10^{-140} \quad (*) \\
1 \frac{s}{\text{m}^2 \text{C}} &= 2020.053 \cdot 10^{-140} \\
1 \text{k} \frac{s}{\text{m}^2 \text{C}} &= 13.30414 \cdot 10^{-130} \\
1 \text{m} \frac{1}{\text{m}^3 \text{C}} &= 13.03405 \cdot 10^{-430} \\
1 \frac{1}{\text{m}^3 \text{C}} &= 0.1100503 \cdot 10^{-420} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3 \text{C}} &= 523.0331 \cdot 10^{-420} \\
1 \text{m} \frac{1}{\text{m}^3 \text{sC}} &= 0.3030121 \cdot 10^{-1000} \\
1 \frac{1}{\text{m}^3 \text{sC}} &= 2214.022 \cdot 10^{-1000} \\
1 \text{k} \frac{1}{\text{m}^3 \text{sC}} &= 15.00353 \cdot 10^{-550} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} &= 0.01013430 \cdot 10^{-1130} \\
1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} &= 45.01051 \cdot 10^{-1130} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} &= 0.3422235 \cdot 10^{-1120} \\
1 \text{m} \frac{s}{\text{m}^3 \text{C}} &= 425.1021 \cdot 10^{-300} \\
1 \frac{s}{\text{m}^3 \text{C}} &= 3.242105 \cdot 10^{-250}
\end{aligned}$$

$$\begin{aligned}
1 \text{pavo-} \frac{L^2}{Q} &= 10^{140} = 0.001245333 \text{ m} \frac{\text{m}^2}{\text{C}} \\
1 \text{pamu-} \frac{L^2}{Q} &= 10^{150} = 0.1523334 \frac{\text{m}^2}{\text{C}} \\
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 22.45235 \text{ k} \frac{\text{m}^2}{\text{C}} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 0.04201135 \text{ m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 5.342413 \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.001114213 \text{ k} \frac{\text{m}^2}{\text{sC}} \\
1 \text{ni'upare-} \frac{L^2}{T^2 Q} &= 10^{-120} = 2.045001 \text{ m} \frac{\text{m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'upapa-} \frac{L^2}{T^2 Q} &= 10^{-110} = 243.3244 \frac{\text{m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'upapa-} \frac{L^2}{T^2 Q} &= 10^{-110} = 0.03330152 \text{ k} \frac{\text{m}^2}{\text{s}^2 \text{C}} \\
1 \text{cire-} \frac{L^2 T}{Q} &= 10^{320} = 25.53412 \text{ m} \frac{\text{m}^2 \text{s}}{\text{C}} \\
1 \text{cire-} \frac{L^2 T}{Q} &= 10^{320} = 0.003512500 \frac{\text{m}^2 \text{s}}{\text{C}} \quad (*) \\
1 \text{cici-} \frac{L^2 T}{Q} &= 10^{330} = 0.5004312 \text{ k} \frac{\text{m}^2 \text{s}}{\text{C}} \quad (*) \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.1505510 \text{ m} \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 22.24452 \frac{1}{\text{mC}} \\
1 \text{ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 3042.550 \text{ k} \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 5.253543 \text{ m} \frac{1}{\text{msC}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 1104.100 \frac{1}{\text{msC}} \quad (*) \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.1311554 \text{ k} \frac{1}{\text{msC}} \quad (*) \\
1 \text{ni'umuno-} \frac{1}{LT^2 Q} &= 10^{-500} = 241.1154 \text{ m} \frac{1}{\text{ms}^2 \text{C}} \\
1 \text{ni'umuno-} \frac{1}{LT^2 Q} &= 10^{-500} = 0.03255554 \frac{1}{\text{ms}^2 \text{C}} \quad (***) \\
1 \text{ni'uvomu-} \frac{1}{LT^2 Q} &= 10^{-450} = 4.311432 \text{ k} \frac{1}{\text{ms}^2 \text{C}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 3441.010 \text{ m} \frac{s}{\text{mC}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 0.4522511 \frac{s}{\text{mC}} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 102.0415 \text{ k} \frac{s}{\text{mC}} \\
1 \text{ni'ucipa-} \frac{1}{L^2 Q} &= 10^{-310} = 103.5111 \text{ m} \frac{1}{\text{m}^2 \text{C}} \\
1 \text{ni'ucipa-} \frac{1}{L^2 Q} &= 10^{-310} = 0.01234001 \frac{1}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni'ucino-} \frac{1}{L^2 Q} &= 10^{-300} = 1.505433 \text{ k} \frac{1}{\text{m}^2 \text{C}} \\
1 \text{ni'uvovo-} \frac{1}{L^2 TQ} &= 10^{-440} = 3133.530 \text{ m} \frac{1}{\text{m}^2 \text{sC}} \\
1 \text{ni'uvovo-} \frac{1}{L^2 TQ} &= 10^{-440} = 0.4122511 \frac{1}{\text{m}^2 \text{sC}} \\
1 \text{ni'uvoci-} \frac{1}{L^2 TQ} &= 10^{-430} = 52.53400 \text{ k} \frac{1}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni'upanore-} \frac{1}{L^2 T^2 Q} &= 10^{-1020} = 0.1335114 \text{ m} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upanopa-} \frac{1}{L^2 T^2 Q} &= 10^{-1010} = 20.25553 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \quad (***) \\
1 \text{ni'upanono-} \frac{1}{L^2 T^2 Q} &= 10^{-1000} = 2411.103 \text{ k} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upavo-} \frac{T}{L^2 Q} &= 10^{-140} = 2.130153 \text{ m} \frac{s}{\text{m}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{T}{L^2 Q} &= 10^{-130} = 253.0134 \frac{s}{\text{m}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{T}{L^2 Q} &= 10^{-130} = 0.03440455 \text{ k} \frac{s}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni'uvoci-} \frac{1}{L^3 Q} &= 10^{-430} = 0.03542135 \text{ m} \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'uvore-} \frac{1}{L^3 Q} &= 10^{-420} = 5.043050 \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'uvore-} \frac{1}{L^3 Q} &= 10^{-420} = 0.001035051 \text{ k} \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^3 TQ} &= 10^{-1000} = 1.540103 \text{ m} \frac{1}{\text{m}^3 \text{sC}} \\
1 \text{ni'umumu-} \frac{1}{L^3 TQ} &= 10^{-550} = 230.4320 \frac{1}{\text{m}^3 \text{sC}} \\
1 \text{ni'umumu-} \frac{1}{L^3 TQ} &= 10^{-550} = 0.03133425 \text{ k} \frac{1}{\text{m}^3 \text{sC}} \\
1 \text{ni'upapaci-} \frac{1}{L^3 T^2 Q} &= 10^{-1130} = 54.24005 \text{ m} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'upapaci-} \frac{1}{L^3 T^2 Q} &= 10^{-1130} = 0.01123502 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upapare-} \frac{1}{L^3 T^2 Q} &= 10^{-1120} = 1.335043 \text{ k} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'ucino-} \frac{T}{L^3 Q} &= 10^{-300} = 0.001201250 \text{ m} \frac{s}{\text{m}^3 \text{C}} \\
1 \text{ni'uremu-} \frac{T}{L^3 Q} &= 10^{-250} = 0.1423053 \frac{s}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} &= 0.02355433 \cdot 10^{-240} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 12.43023 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{C}} &= 0.1043040 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 511.3302 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s} \text{C}} &= 0.2544323 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s} \text{C}} &= 2142.134 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg}}{\text{s} \text{C}} &= 14.33214 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.01001020 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 43.52521 \cdot 10^{-330} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.3331214 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 414.5453 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 3.153242 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.02321332 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 5113.122 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 40.04123 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.3033534 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}}{\text{s} \text{C}} &= 143.3142 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s} \text{C}} &= 1.210112 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s} \text{C}} &= 0.01015002 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 3.331110 \cdot 10^{-220} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.02434051 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 204.5310 \cdot 10^{-210} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.2321242 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 1551.015 \cdot 10^{220} \quad (*) \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 13.05303 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 3.033434 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 0.02220444 \cdot 10^{210} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 150.2433 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 0.1014542 \cdot 10^{30} \\
1 \frac{\text{kg m}^2}{\text{s} \text{C}} &= 451.0412 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 3.430421 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.002045230 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 13.52011 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.1134415 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 130.5233 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 1.102105 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 5240.452 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m} \text{C}} &= 0.02241154 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m} \text{C}} &= 152.0233 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m} \text{C}} &= 1.243052 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg}}{\text{m s} \text{C}} &= 455.2102 \cdot 10^{-320} \quad (*) \\
1 \frac{\text{kg}}{\text{m s} \text{C}} &= 3.502214 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{m s} \text{C}} &= 0.02544421 \cdot 10^{-300} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 14.04355 \cdot 10^{-450} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.1145213 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 1001.040 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m} \text{C}} &= 1.112204 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{urevo-} \frac{T}{L^3 Q} &= 10^{-240} = 21.30111 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uci-} \frac{M}{Q} &= 10^{-30} = 0.04040253 \text{m} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{M}{Q} &= 10^{-20} = 5.155252 \frac{\text{kg}}{\text{C}} \quad (*) \\
1 \text{ni}'\text{ure-} \frac{M}{Q} &= 10^{-20} = 0.001052415 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'\text{ureno-} \frac{M}{T Q} &= 10^{-200} = 2.005002 \text{m} \frac{\text{kg}}{\text{s} \text{C}} \quad (*) \\
1 \text{ni}'\text{upamu-} \frac{M}{T Q} &= 10^{-150} = 234.2211 \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni}'\text{upamu-} \frac{M}{T Q} &= 10^{-150} = 0.03222002 \text{k} \frac{\text{kg}}{\text{s} \text{C}} \quad (*) \\
1 \text{ni}'\text{ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 55.45404 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 0.01142324 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 1.401010 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.001221022 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 0.1450103 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 22.01401 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 105.2441 \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.01254231 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 1.533505 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML}{T Q} &= 10^{-40} = 3222.105 \text{m} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML}{T Q} &= 10^{-40} = 0.4223302 \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'\text{uci-} \frac{ML}{T Q} &= 10^{-30} = 54.13054 \text{k} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'\text{urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.1401042 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 21.00002 \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (***) \\
1 \text{ni}'\text{ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 2450.313 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 2.201444 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 301.1303 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 0.03533313 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 0.1533543 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 23.01401 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{rere-} \frac{ML^2}{Q} &= 10^{220} = 3130.002 \text{k} \frac{\text{kg m}^2}{\text{C}} \quad (*) \\
1 \text{ci-} \frac{ML^2}{T Q} &= 10^{30} = 5.413243 \text{m} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{vo-} \frac{ML^2}{T Q} &= 10^{40} = 1122.232 \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{vo-} \frac{ML^2}{T Q} &= 10^{40} = 0.1333143 \text{k} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{ni}'\text{upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 245.0405 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.03350134 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 4.415001 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 3533.430 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.5033140 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{cimu-} \frac{ML^2 T}{Q} &= 10^{350} = 103.3513 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni}'\text{upavo-} \frac{M}{L Q} &= 10^{-140} = 22.40504 \text{m} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'\text{upavo-} \frac{M}{L Q} &= 10^{-140} = 0.003101221 \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M}{L Q} &= 10^{-130} = 0.4040135 \text{k} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'\text{ucire-} \frac{M}{L T Q} &= 10^{-320} = 0.001112042 \text{m} \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni}'\text{ucipa-} \frac{M}{L T Q} &= 10^{-310} = 0.1321041 \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni}'\text{ucino-} \frac{M}{L T Q} &= 10^{-300} = 20.04523 \text{k} \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni}'\text{uvomu-} \frac{M}{L T^2 Q} &= 10^{-450} = 0.03315354 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{uvovo-} \frac{M}{L T^2 Q} &= 10^{-440} = 4.334515 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{uvoci-} \frac{M}{L T^2 Q} &= 10^{-430} = 554.5212 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{upa-} \frac{MT}{L Q} &= 10^{-10} = 0.4551114 \text{m} \frac{\text{kg s}}{\text{m} \text{C}} \quad (*)
\end{aligned}$$

$1 \frac{\text{kg s}}{\text{m C}} = 0.005325202 \cdot 10^0$	
$1 \text{k} \frac{\text{kg s}}{\text{m C}} = 41.50014 \cdot 10^0 \quad (*)$	
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} = 40.41141 \cdot 10^{-300}$	
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.3102102 \cdot 10^{-250}$	
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.002241242 \cdot 10^{-240}$	
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 1.221200 \cdot 10^{-430} \quad (*)$	
$1 \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.01024302 \cdot 10^{-420}$	
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 45.52234 \cdot 10^{-420}$	
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 0.02500351 \cdot 10^{-1000} \quad (*)$	
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 210.4415 \cdot 10^{-1000}$	
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 1.404430 \cdot 10^{-550}$	
$1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 0.002005223 \cdot 10^{-120} \quad (*)$	
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 13.21300 \cdot 10^{-120} \quad (*)$	
$1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 0.1112230 \cdot 10^{-110}$	
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.1053001 \cdot 10^{-410} \quad (*)$	
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 520.0443 \cdot 10^{-410}$	
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} = 4.041300 \cdot 10^{-400} \quad (*)$	
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 0.002202130 \cdot 10^{-540}$	
$1 \frac{\text{kg}}{\text{m}^3 \text{s C}} = 14.50343 \cdot 10^{-540}$	
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1221224 \cdot 10^{-530}$	
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 44.33131 \cdot 10^{-1120}$	
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.3402102 \cdot 10^{-1110}$	
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.002500443 \cdot 10^{-1100} \quad (*)$	
$1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 3.222503 \cdot 10^{-240}$	
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.02343002 \cdot 10^{-230} \quad (*)$	
$1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 200.5302 \cdot 10^{-230} \quad (*)$	
$1 \text{m C} = 5.125551 \cdot 10^{30} \quad (**)$	
$1 \text{C} = 0.04014552 \cdot 10^{40} \quad (*)$	
$1 \text{k C} = 304.3050 \cdot 10^{40}$	
$1 \text{m} \frac{\text{C}}{\text{s}} = 0.1440130 \cdot 10^{-100}$	
$1 \frac{\text{C}}{\text{s}} = 1212.253 \cdot 10^{-100}$	
$1 \text{k} \frac{\text{C}}{\text{s}} = 10.20435 \cdot 10^{-50}$	
$1 \text{m} \frac{\text{C}}{\text{s}^2} = 3341.114 \cdot 10^{-240}$	
$1 \frac{\text{C}}{\text{s}^2} = 24.42443 \cdot 10^{-230}$	
$1 \text{k} \frac{\text{C}}{\text{s}^2} = 0.2053041 \cdot 10^{-220}$	
$1 \text{m s C} = 232.5431 \cdot 10^{200}$	
$1 \text{s C} = 1.554211 \cdot 10^{210} \quad (*)$	
$1 \text{k s C} = 0.01312024 \cdot 10^{220}$	
$1 \text{m m C} = 3042.550 \cdot 10^{140} \quad (*)$	
$1 \text{m C} = 22.24452 \cdot 10^{150}$	
$1 \text{k m C} = 0.1505510 \cdot 10^{200} \quad (*)$	
$1 \text{m} \frac{\text{m C}}{\text{s}} = 102.0415 \cdot 10^{10}$	
$1 \frac{\text{m C}}{\text{s}} = 0.4522511 \cdot 10^{20}$	
$1 \text{k} \frac{\text{m C}}{\text{s}} = 3441.010 \cdot 10^{20}$	
$1 \text{m} \frac{\text{m C}}{\text{s}^2} = 2.053000 \cdot 10^{-120} \quad (**)$	
$1 \frac{\text{m C}}{\text{s}^2} = 0.01354444 \cdot 10^{-110}$	
$1 \text{k} \frac{\text{m C}}{\text{s}^2} = 114.0504 \cdot 10^{-110}$	
$1 \text{m m s C} = 0.1311554 \cdot 10^{320} \quad (*)$	
$1 \text{m s C} = 1104.100 \cdot 10^{320} \quad (*)$	

$1 \frac{MT}{LQ} = 1 = 102.4125 \frac{\text{kg s}}{\text{m C}}$	
$1 \frac{MT}{LQ} = 1 = 0.01220554 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*)$	
$1 \text{ni'ucino-} \frac{M}{L^2 Q} = 10^{-300} = 0.01242442 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}}$	
$1 \text{ni'uremu-} \frac{M}{L^2 Q} = 10^{-250} = 1.515545 \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (*)$	
$1 \text{ni'urevo-} \frac{M}{L^2 Q} = 10^{-240} = 224.0420 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}}$	
$1 \text{ni'uvoci-} \frac{M}{L^2 TQ} = 10^{-430} = 0.4144554 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \quad (*)$	
$1 \text{ni'uvore-} \frac{M}{L^2 TQ} = 10^{-420} = 53.23550 \frac{\text{kg}}{\text{m}^2 \text{s C}} \quad (*)$	
$1 \text{ni'uvore-} \frac{M}{L^2 TQ} = 10^{-420} = 0.01112021 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}}$	
$1 \text{ni'upanono-} \frac{M}{L^2 T^2 Q} = 10^{-1000} = 20.40533 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$	
$1 \text{ni'upanono-} \frac{M}{L^2 T^2 Q} = 10^{-1000} = 0.002424104 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$	
$1 \text{ni'umumu-} \frac{M}{L^2 T^2 Q} = 10^{-550} = 0.3315250 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$	
$1 \text{ni'upare-} \frac{MT}{L^2 Q} = 10^{-120} = 254.4000 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \quad (**)$	
$1 \text{ni'upare-} \frac{MT}{L^2 Q} = 10^{-120} = 0.03501234 \frac{\text{kg s}}{\text{m}^2 \text{C}}$	
$1 \text{ni'upapa-} \frac{MT}{L^2 Q} = 10^{-110} = 4.550541 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \quad (*)$	
$1 \text{ni'uvopa-} \frac{M}{L^3 Q} = 10^{-410} = 5.112121 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}}$	
$1 \text{ni'uvono-} \frac{M}{L^3 Q} = 10^{-400} = 1042.500 \frac{\text{kg}}{\text{m}^3 \text{C}} \quad (*)$	
$1 \text{ni'uvono-} \frac{M}{L^3 Q} = 10^{-400} = 0.1242414 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}}$	
$1 \text{ni'umuovo-} \frac{M}{L^3 TQ} = 10^{-540} = 232.0544 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}}$	
$1 \text{ni'umuovo-} \frac{M}{L^3 TQ} = 10^{-540} = 0.03152350 \frac{\text{kg}}{\text{m}^3 \text{s C}}$	
$1 \text{ni'umuci-} \frac{M}{L^3 TQ} = 10^{-530} = 4.144433 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}}$	
$1 \text{ni'upapare-} \frac{M}{L^3 T^2 Q} = 10^{-1120} = 0.01131552 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \quad (**)$	
$1 \text{ni'upapapa-} \frac{M}{L^3 T^2 Q} = 10^{-1110} = 1.344253 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$	
$1 \text{ni'upapano-} \frac{M}{L^3 T^2 Q} = 10^{-1100} = 204.0453 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$	
$1 \text{ni'urevo-} \frac{MT}{L^3 Q} = 10^{-240} = 0.1432540 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}}$	
$1 \text{ni'ureci-} \frac{MT}{L^3 Q} = 10^{-230} = 21.41412 \frac{\text{kg s}}{\text{m}^3 \text{C}}$	
$1 \text{ni'urere-} \frac{MT}{L^3 Q} = 10^{-220} = 2543.502 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}$	
$1 \text{ci-Q} = 10^{30} = 0.1050510 \text{m C}$	
$1 \text{vo-Q} = 10^{40} = 12.51534 \text{C}$	
$1 \text{vo-Q} = 10^{40} = 0.001530345 \text{k C}$	
$1 \text{ni'upano-} \frac{Q}{T} = 10^{-100} = 3.212310 \text{m} \frac{\text{C}}{\text{s}}$	
$1 \text{ni'umu-} \frac{Q}{T} = 10^{-50} = 421.2102 \frac{\text{C}}{\text{s}}$	
$1 \text{ni'umu-} \frac{Q}{T} = 10^{-50} = 0.05355352 \text{k} \frac{\text{C}}{\text{s}} \quad (*)$	
$1 \text{ni'ureci-} \frac{Q}{T^2} = 10^{-230} = 135.4200 \text{m} \frac{\text{C}}{\text{s}^2}$	
$1 \text{ni'ureci-} \frac{Q}{T^2} = 10^{-230} = 0.02052223 \frac{\text{C}}{\text{s}^2}$	
$1 \text{ni'urere-} \frac{Q}{T^2} = 10^{-220} = 2.441511 \text{k} \frac{\text{C}}{\text{s}^2}$	
$1 \text{reno-TQ} = 10^{200} = 0.002153522 \text{m s C}$	
$1 \text{repa-TQ} = 10^{210} = 0.3002243 \text{s C} \quad (*)$	
$1 \text{rere-TQ} = 10^{220} = 35.22555 \text{k s C} \quad (**)$	
$1 \text{pamu-LQ} = 10^{150} = 153.0423 \text{m m C}$	
$1 \text{pamu-LQ} = 10^{150} = 0.02253255 \text{m C} \quad (*)$	
$1 \text{reno-LQ} = 10^{200} = 3.120333 \text{k m C}$	
$1 \text{re-} \frac{LQ}{T} = 10^{20} = 5355.541 \text{m} \frac{\text{m C}}{\text{s}} \quad (*)$	
$1 \text{re-} \frac{LQ}{T} = 10^{20} = 1.120213 \frac{\text{m C}}{\text{s}}$	
$1 \text{ci-} \frac{LQ}{T} = 10^{30} = 133.0344 \text{k} \frac{\text{m C}}{\text{s}}$	
$1 \text{ni'upare-} \frac{LQ}{T^2} = 10^{-120} = 0.2442002 \text{m} \frac{\text{m C}}{\text{s}^2} \quad (**)$	
$1 \text{ni'upapa-} \frac{LQ}{T^2} = 10^{-110} = 33.40112 \frac{\text{m C}}{\text{s}^2}$	
$1 \text{ni'upano-} \frac{LQ}{T^2} = 10^{-100} = 4403.052 \text{k} \frac{\text{m C}}{\text{s}^2}$	
$1 \text{cire-LTQ} = 10^{320} = 3.523111 \text{m m s C}$	
$1 \text{cici-LTQ} = 10^{330} = 502.0442 \text{m s C}$	

$1 \text{k m s C} = 5.253543 \cdot 10^{330}$	$1 \text{cici-}L^2Q = 10^{330} = 0.1032013 \text{k m s C}$
$1 \text{m m}^2 \text{C} = 1.505433 \cdot 10^{300}$	$1 \text{cino-}L^2Q = 10^{300} = 0.3120434 \text{m m}^2 \text{C}$
$1 \text{m}^2 \text{C} = 0.01234001 \cdot 10^{310}$ (*)	$1 \text{cipa-}L^2Q = 10^{310} = 41.03002 \text{m}^2 \text{C}$ (*)
$1 \text{k m}^2 \text{C} = 103.5111 \cdot 10^{310}$	$1 \text{cire-}L^2Q = 10^{320} = 5230.145 \text{k m}^2 \text{C}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} = 0.03440455 \cdot 10^{130}$ (*)	$1 \text{pacis-} \frac{L^2Q}{T} = 10^{130} = 13.30414 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} = 253.0134 \cdot 10^{130}$	$1 \text{pavo-} \frac{L^2Q}{T} = 10^{140} = 2020.053 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{k}^{\frac{\text{m}^2 \text{C}}{\text{s}}} = 2.130153 \cdot 10^{140}$	$1 \text{pavo-} \frac{L^2Q}{T} = 10^{140} = 0.2355343 \text{k}^{\frac{\text{m}^2 \text{C}}{\text{s}}}$ (*)
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 0.001140441 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 440.3221 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 5.533222$	$1 \frac{L^2Q}{T^2} = 1 = 0.1002244 \frac{\text{m}^2 \text{C}}{\text{s}^2}$ (*)
$1 \text{k}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 0.04324423 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2Q}{T^2} = 10^{10} = 11.51043 \text{k}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}}$
$1 \text{m m}^2 \text{s C} = 52.53400 \cdot 10^{430}$ (*)	$1 \text{voci-}L^2TQ = 10^{430} = 0.01032034 \text{m m}^2 \text{s C}$
$1 \text{m}^2 \text{s C} = 0.4122511 \cdot 10^{440}$	$1 \text{vovo-}L^2TQ = 10^{440} = 1.225553 \text{m}^2 \text{s C}$ (**)
$1 \text{k m}^2 \text{s C} = 3133.530 \cdot 10^{440}$	$1 \text{vomu-}L^2TQ = 10^{450} = 150.0320 \text{k m}^2 \text{s C}$
$1 \text{m}^{\frac{\text{C}}{\text{m}}} = 0.01245304 \cdot 10^{-40}$	$1 \text{ni'uvo-} \frac{Q}{L} = 10^{-40} = 40.25350 \text{m}^{\frac{\text{C}}{\text{m}}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}}} = 104.5000 \cdot 10^{-40}$ (**)	$1 \text{ni'uvo-} \frac{Q}{L} = 10^{-40} = 0.005142334 \frac{\text{C}}{\text{m}}$
$1 \text{k}^{\frac{\text{C}}{\text{m}}} = 0.5130130 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{Q}{L} = 10^{-30} = 1.050445 \text{k}^{\frac{\text{C}}{\text{m}}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}s}} = 255.3314 \cdot 10^{-220}$ (*)	$1 \text{ni'urere-} \frac{Q}{LT} = 10^{-220} = 0.002001351 \text{m}^{\frac{\text{C}}{\text{m}s}}$ (*)
$1 \text{m}^{\frac{\text{C}}{\text{m}s}} = 2.150035 \cdot 10^{-210}$ (*)	$1 \text{ni'urepa-} \frac{Q}{LT} = 10^{-210} = 0.2334000 \frac{\text{C}}{\text{m}s}$ (**)
$1 \text{k}^{\frac{\text{C}}{\text{m}s}} = 0.01440202 \cdot 10^{-200}$	$1 \text{ni'urenro-} \frac{Q}{LT} = 10^{-200} = 32.12204 \text{k}^{\frac{\text{C}}{\text{m}s}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}s^2}} = 10.02425 \cdot 10^{-350}$	$1 \text{ni'ucimu-} \frac{Q}{LT^2} = 10^{-350} = 0.05531425 \text{m}^{\frac{\text{C}}{\text{m}s^2}}$ (*)
$1 \text{m}^{\frac{\text{C}}{\text{m}s^2}} = 0.04404412 \cdot 10^{-340}$	$1 \text{ni'ucivo-} \frac{Q}{LT^2} = 10^{-340} = 11.40232 \frac{\text{C}}{\text{m}s^2}$
$1 \text{k}^{\frac{\text{C}}{\text{m}s^2}} = 334.1224 \cdot 10^{-340}$	$1 \text{ni'ucivo-} \frac{Q}{LT^2} = 10^{-340} = 0.001354125 \text{k}^{\frac{\text{C}}{\text{m}s^2}}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}}} = 0.4201014 \cdot 10^{50}$	$1 \text{mu-} \frac{TQ}{L} = 10^{50} = 1.214425 \text{m}^{\frac{\text{sC}}{\text{m}}}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}}} = 0.003203010 \cdot 10^{100}$	$1 \text{pano-} \frac{TQ}{L} = 10^{100} = 144.3101 \frac{\text{sC}}{\text{m}}$
$1 \text{k}^{\frac{\text{sC}}{\text{m}}} = 23.25521 \cdot 10^{100}$ (*)	$1 \text{pano-} \frac{TQ}{L} = 10^{100} = 0.02153435 \text{k}^{\frac{\text{sC}}{\text{m}}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2}} = 22.45235 \cdot 10^{-200}$	$1 \text{ni'urenro-} \frac{Q}{L^2} = 10^{-200} = 0.02232440 \text{m}^{\frac{\text{C}}{\text{m}^2}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2}} = 0.1523334 \cdot 10^{-150}$	$1 \text{ni'upamu-} \frac{Q}{L^2} = 10^{-150} = 3.052040 \frac{\text{C}}{\text{m}^2}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2}} = 0.001245333 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{Q}{L^2} = 10^{-140} = 402.5231 \text{k}^{\frac{\text{C}}{\text{m}^2}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2s}} = 0.5004312 \cdot 10^{-330}$ (*)	$1 \text{ni'ucici-} \frac{Q}{L^2T} = 10^{-330} = 1.110041 \text{m}^{\frac{\text{C}}{\text{m}^2s}}$ (*)
$1 \text{m}^{\frac{\text{C}}{\text{m}^2s}} = 0.003512500 \cdot 10^{-320}$ (*)	$1 \text{ni'ucire-} \frac{Q}{L^2T} = 10^{-320} = 131.4304 \frac{\text{C}}{\text{m}^2s}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2s}} = 25.53412 \cdot 10^{-320}$	$1 \text{ni'ucire-} \frac{Q}{L^2T} = 10^{-320} = 0.02001312 \text{k}^{\frac{\text{C}}{\text{m}^2s}}$ (*)
$1 \text{m}^{\frac{\text{C}}{\text{m}^2s^2}} = 0.01411255 \cdot 10^{-500}$ (*)	$1 \text{ni'umuno-} \frac{Q}{L^2T^2} = 10^{-500} = 33.05424 \text{m}^{\frac{\text{C}}{\text{m}^2s^2}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2s^2}} = 115.1321 \cdot 10^{-500}$	$1 \text{ni'umuno-} \frac{Q}{L^2T^2} = 10^{-500} = 0.004323115 \frac{\text{C}}{\text{m}^2s^2}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2s^2}} = 1.002444 \cdot 10^{-450}$ (*)	$1 \text{ni'uvomu-} \frac{Q}{L^2T^2} = 10^{-450} = 0.5531233 \text{k}^{\frac{\text{C}}{\text{m}^2s^2}}$ (*)
$1 \text{m}^{\frac{\text{sC}}{\text{m}^2}} = 0.001114213 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{TQ}{L^2} = 10^{-20} = 453.4532 \text{m}^{\frac{\text{sC}}{\text{m}^2}}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}^2}} = 5.342413 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{TQ}{L^2} = 10^{-20} = 0.1022242 \frac{\text{sC}}{\text{m}^2}$
$1 \text{k}^{\frac{\text{sC}}{\text{m}^2}} = 0.04201135 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 12.14401 \text{k}^{\frac{\text{sC}}{\text{m}^2}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3}} = 0.04052105 \cdot 10^{-310}$	$1 \text{ni'ucipa-} \frac{Q}{L^3} = 10^{-310} = 12.40210 \text{m}^{\frac{\text{C}}{\text{m}^3}}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3}} = 311.1301 \cdot 10^{-310}$	$1 \text{ni'ucino-} \frac{Q}{L^3} = 10^{-300} = 1512.453 \frac{\text{C}}{\text{m}^3}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3}} = 2.245323 \cdot 10^{-300}$	$1 \text{ni'ucino-} \frac{Q}{L^3} = 10^{-300} = 0.2232352 \text{k}^{\frac{\text{C}}{\text{m}^3}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3s}} = 0.001223402 \cdot 10^{-440}$	$1 \text{ni'uvovo-} \frac{Q}{L^3T} = 10^{-440} = 413.3455 \text{m}^{\frac{\text{C}}{\text{m}^3s}}$ (*)
$1 \text{m}^{\frac{\text{C}}{\text{m}^3s}} = 10.30152 \cdot 10^{-440}$	$1 \text{ni'uvovo-} \frac{Q}{L^3T} = 10^{-440} = 0.05310405 \frac{\text{C}}{\text{m}^3s}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3s}} = 0.05004445 \cdot 10^{-430}$ (*)	$1 \text{ni'uvoci-} \frac{Q}{L^3T} = 10^{-430} = 11.10015 \text{k}^{\frac{\text{C}}{\text{m}^3s}}$ (*)
$1 \text{m}^{\frac{\text{C}}{\text{m}^3s^2}} = 25.05223 \cdot 10^{-1020}$	$1 \text{ni'upanore-} \frac{Q}{L^3T^2} = 10^{-1020} = 0.02033225 \text{m}^{\frac{\text{C}}{\text{m}^3s^2}}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3s^2}} = 0.2112220 \cdot 10^{-1010}$	$1 \text{ni'upanopa-} \frac{Q}{L^3T^2} = 10^{-1010} = 2.415342 \frac{\text{C}}{\text{m}^3s^2}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3s^2}} = 0.001411330 \cdot 10^{-1000}$	$1 \text{ni'upanono-} \frac{Q}{L^3T^2} = 10^{-1000} = 330.5320 \text{k}^{\frac{\text{C}}{\text{m}^3s^2}}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}^3}} = 2.012445 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{TQ}{L^3} = 10^{-140} = 0.2535022 \text{m}^{\frac{\text{sC}}{\text{m}^3}}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}^3}} = 0.01324043 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{TQ}{L^3} = 10^{-130} = 34.51013 \frac{\text{sC}}{\text{m}^3}$
$1 \text{k}^{\frac{\text{sC}}{\text{m}^3}} = 111.4235 \cdot 10^{-130}$	$1 \text{ni'upare-} \frac{TQ}{L^3} = 10^{-120} = 4534.355 \text{k}^{\frac{\text{sC}}{\text{m}^3}}$ (*)
$1 \text{m kg C} = 0.03553403 \cdot 10^{50}$ (*)	$1 \text{mu-MQ} = 10^{50} = 13.00513 \text{m kg C}$ (*)

$$\begin{aligned}
1 \text{ kg C} &= 302.4513 \cdot 10^{50} \\
1 \text{ k kg C} &= 2.213005 \cdot 10^{100} \quad (*) \\
1 \text{ m} \frac{\text{kg C}}{\text{s}} &= 0.001203552 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg C}}{\text{s}} &= 10.13143 \cdot 10^{-40} \\
1 \text{ k} \frac{\text{kg C}}{\text{s}} &= 0.04455005 \cdot 10^{-30} \quad (***) \\
1 \text{ m} \frac{\text{kg C}}{\text{s}^2} &= 24.25343 \cdot 10^{-220} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 0.2042014 \cdot 10^{-210} \\
1 \text{ k} \frac{\text{kg C}}{\text{s}^2} &= 0.001345233 \cdot 10^{-200} \\
1 \text{ m kg s C} &= 1.543454 \cdot 10^{220} \\
1 \text{ kg s C} &= 0.01303005 \cdot 10^{230} \quad (*) \\
1 \text{ k kg s C} &= 110.0200 \cdot 10^{230} \quad (*) \\
1 \text{ m kg m C} &= 22.12522 \cdot 10^{200} \\
1 \text{ kg m C} &= 0.1455431 \cdot 10^{210} \quad (*) \\
1 \text{ k kg m C} &= 0.001225211 \cdot 10^{220} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}} &= 0.4454434 \cdot 10^{30} \\
1 \frac{\text{kg m C}}{\text{s}} &= 0.003420335 \cdot 10^{40} \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}} &= 25.12501 \cdot 10^{40} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}^2} &= 0.01345202 \cdot 10^{-100} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 113.2350 \cdot 10^{-100} \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}^2} &= 0.5502121 \cdot 10^{-50} \quad (*) \\
1 \text{ m kg m s C} &= 0.001100135 \cdot 10^{340} \quad (*) \\
1 \text{ kg m s C} &= 5.223533 \cdot 10^{340} \\
1 \text{ k kg m s C} &= 0.04101103 \cdot 10^{350} \\
1 \text{ m kg m}^2 \text{ C} &= 0.01225143 \cdot 10^{320} \\
1 \text{ kg m}^2 \text{ C} &= 103.1322 \cdot 10^{320} \\
1 \text{ k kg m}^2 \text{ C} &= 0.5014324 \cdot 10^{330} \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 251.2404 \cdot 10^{140} \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 2.114532 \cdot 10^{150} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 0.01413313 \cdot 10^{200} \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 5.501531 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 0.04301412 \cdot 10^{20} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 325.1152 \cdot 10^{20} \\
1 \text{ m kg m}^2 \text{ s C} &= 0.4100543 \cdot 10^{450} \quad (*) \\
1 \text{ kg m}^2 \text{ s C} &= 0.003115104 \cdot 10^{500} \\
1 \text{ k kg m}^2 \text{ s C} &= 22.52224 \cdot 10^{500} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}} &= 104.1135 \cdot 10^{-30} \\
1 \frac{\text{kg C}}{\text{m}} &= 0.5101002 \cdot 10^{-20} \quad (*) \\
1 \text{ k} \frac{\text{kg C}}{\text{m}} &= 3553.520 \cdot 10^{-20} \quad (*) \\
1 \text{ m} \frac{\text{kg C}}{\text{m s}} &= 2.134311 \cdot 10^{-200} \\
1 \frac{\text{kg C}}{\text{m s}} &= 0.01430300 \cdot 10^{-150} \quad (*) \\
1 \text{ k} \frac{\text{kg C}}{\text{m s}} &= 120.4015 \cdot 10^{-150} \\
1 \text{ m} \frac{\text{kg C}}{\text{m s}^2} &= 0.04341150 \cdot 10^{-330} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 332.1310 \cdot 10^{-330} \\
1 \text{ k} \frac{\text{kg C}}{\text{m s}^2} &= 2.425434 \cdot 10^{-320} \\
1 \text{ m} \frac{\text{kg s C}}{\text{m}} &= 3144.012 \cdot 10^{100} \\
1 \frac{\text{kg s C}}{\text{m}} &= 23.13225 \cdot 10^{110} \\
1 \text{ k} \frac{\text{kg s C}}{\text{m}} &= 0.1543533 \cdot 10^{120} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}^2} &= 0.1513203 \cdot 10^{-140} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 1240.434 \cdot 10^{-140} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}^2} &= 10.41200 \cdot 10^{-130} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ pano-}MQ &= 10^{100} = 1541.012 \text{ kg C} \\
1 \text{ pano-}MQ &= 10^{100} = 0.2305355 \text{ k kg C} \quad (*) \\
1 \text{ ni'uvu-} \frac{MQ}{T} &= 10^{-40} = 423.4430 \text{ m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'uvu-} \frac{MQ}{T} &= 10^{-40} = 0.05430313 \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'uci-} \frac{MQ}{T} &= 10^{-30} = 11.24220 \text{ k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'urere-} \frac{MQ}{T^2} &= 10^{-220} = 0.02103323 \text{ m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'urepa-} \frac{MQ}{T^2} &= 10^{-210} = 2.455053 \frac{\text{kg C}}{\text{s}^2} \quad (*) \\
1 \text{ ni'ureno-} \frac{MQ}{T^2} &= 10^{-200} = 340.0020 \text{ k} \frac{\text{kg C}}{\text{s}^2} \quad (*) \\
1 \text{ rere-}MTQ &= 10^{220} = 0.3020300 \text{ m kg s C} \quad (*) \\
1 \text{ reci-}MTQ &= 10^{230} = 35.44002 \text{ kg s C} \quad (*) \\
1 \text{ revo-}MTQ &= 10^{240} = 5045.215 \text{ k kg s C} \\
1 \text{ reno-}MLQ &= 10^{200} = 0.02305444 \text{ m kg m C} \\
1 \text{ repa-}MLQ &= 10^{210} = 3.135204 \text{ kg m C} \\
1 \text{ rere-}MLQ &= 10^{220} = 412.4421 \text{ k kg m C} \\
1 \text{ ci-} \frac{MLQ}{T} &= 10^{30} = 1.124242 \text{ m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ vo-} \frac{MLQ}{T} &= 10^{40} = 133.5530 \frac{\text{kg m C}}{\text{s}} \quad (*) \\
1 \text{ vo-} \frac{MLQ}{T} &= 10^{40} = 0.02030522 \text{ k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ ni'upano-} \frac{MLQ}{T^2} &= 10^{-100} = 34.00130 \text{ m} \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{ ni'upano-} \frac{MLQ}{T^2} &= 10^{-100} = 0.004430431 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ ni'umu-} \frac{MLQ}{T^2} &= 10^{-50} = 1.005440 \text{ k} \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{ civo-}MLTQ &= 10^{340} = 504.5354 \text{ m kg m s C} \\
1 \text{ civo-}MLTQ &= 10^{340} = 0.1035404 \text{ kg m s C} \\
1 \text{ cimu-}MLTQ &= 10^{350} = 12.34345 \text{ k kg m s C} \\
1 \text{ cire-}ML^2Q &= 10^{320} = 41.24541 \text{ m kg m}^2 \text{ C} \\
1 \text{ cire-}ML^2Q &= 10^{320} = 0.005300211 \text{ kg m}^2 \text{ C} \quad (*) \\
1 \text{ cici-}ML^2Q &= 10^{330} = 1.104404 \text{ k kg m}^2 \text{ C} \\
1 \text{ pavo-} \frac{ML^2Q}{T} &= 10^{140} = 0.002031002 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \quad (*) \\
1 \text{ pamu-} \frac{ML^2Q}{T} &= 10^{150} = 0.2412302 \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ reno-} \frac{ML^2Q}{T} &= 10^{200} = 33.01305 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 0.1005500 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \quad (***) \\
1 \text{ re-} \frac{ML^2Q}{T^2} &= 10^{20} = 11.55255 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \quad (*) \\
1 \text{ re-} \frac{ML^2Q}{T^2} &= 10^{20} = 0.001420333 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ vomu-}ML^2TQ &= 10^{450} = 1.234413 \text{ m kg m}^2 \text{ s C} \\
1 \text{ muno-}ML^2TQ &= 10^{500} = 151.0403 \text{ kg m}^2 \text{ s C} \\
1 \text{ muno-}ML^2TQ &= 10^{500} = 0.02225512 \text{ k kg m}^2 \text{ s C} \quad (*) \\
1 \text{ ni'ure-} \frac{MQ}{L} &= 10^{-20} = 5212.124 \text{ m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'ure-} \frac{MQ}{L} &= 10^{-20} = 1.054340 \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{MQ}{L} &= 10^{-10} = 130.0443 \text{ k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'ureno-} \frac{MQ}{LT} &= 10^{-200} = 0.2350402 \text{ m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'upamu-} \frac{MQ}{LT} &= 10^{-150} = 32.31333 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'upavo-} \frac{MQ}{LT} &= 10^{-140} = 4234.303 \text{ k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'ucici-} \frac{MQ}{LT^2} &= 10^{-330} = 11.44405 \text{ m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 1403.440 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 0.2103242 \text{ k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ papa-} \frac{MTQ}{L} &= 10^{110} = 145.3052 \text{ m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ papa-} \frac{MTQ}{L} &= 10^{110} = 0.02205304 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ pare-} \frac{MTQ}{L} &= 10^{120} = 3.020201 \text{ k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ni'upavo-} \frac{MQ}{L^2} &= 10^{-140} = 3.110340 \text{ m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'upaci-} \frac{MQ}{L^2} &= 10^{-130} = 405.1010 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'upaci-} \frac{MQ}{L^2} &= 10^{-130} = 0.05211543 \text{ k} \frac{\text{kg C}}{\text{m}^2}
\end{aligned}$$

$1m \frac{kg\ C}{m^2 s} = 3452.040 \cdot 10^{-320}$	$1 ni'ucipa - \frac{MQ}{L^2 T} = 10^{-310} = 132.3403 m \frac{kg\ C}{m^2 s}$
$1 \frac{kg\ C}{m^2 s} = 25.35520 \cdot 10^{-310} \quad (*)$	$1 ni'ucipa - \frac{MQ}{L^2 T} = 10^{-310} = 0.02012121 \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 0.2134353 \cdot 10^{-300}$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 2.350312 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 114.3130 \cdot 10^{-450}$	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 4350.242 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.5552454 \cdot 10^{-440} \quad (**)$	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 1.000311 \frac{kg\ C}{m^2 s^2} \quad (**)$
$1k \frac{kg\ C}{m^2 s^2} = 4341.315 \cdot 10^{-440}$	$1 ni'uvoci - \frac{MQ}{L^2 T^2} = 10^{-430} = 114.4343 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 5.312124 \cdot 10^{-10}$	$1 ni'upa - \frac{MTQ}{L^2} = 10^{-10} = 0.1030003 m \frac{kg\ s\ C}{m^2} \quad (**)$
$1 \frac{kg\ s\ C}{m^2} = 0.04135005 \cdot 10^0 \quad (*)$	$1 \frac{MTQ}{L^2} = 1 = 12.23141 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 314.4114 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.001453015 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 305.2554 \cdot 10^{-300} \quad (*)$	$1 ni'ucino - \frac{MQ}{L^3} = 10^{-300} = 0.001523023 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 2.233243 \cdot 10^{-250}$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 0.2244425 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 0.01513240 \cdot 10^{-240}$	$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 31.10235 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 10.22431 \cdot 10^{-430}$	$1 ni'uvoci - \frac{MQ}{L^3 T} = 10^{-430} = 0.05341045 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.04540151 \cdot 10^{-420}$	$1 ni'uvore - \frac{MQ}{L^3 T} = 10^{-420} = 11.14012 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 345.2151 \cdot 10^{-420}$	$1 ni'uvore - \frac{MQ}{L^3 T} = 10^{-420} = 0.001323333 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 0.2101052 \cdot 10^{-1000}$	$1 ni'upanono - \frac{MQ}{L^3 T^2} = 10^{-1000} = 2.432405 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 1401.555 \cdot 10^{-1000} \quad (**)$	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 332.5151 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 11.43153 \cdot 10^{-550}$	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 0.04350113 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 0.01314542 \cdot 10^{-120}$	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 35.11430 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 111.0241 \cdot 10^{-120}$	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 0.005003044 \frac{kg\ s\ C}{m^3} \quad (*)$
$1k \frac{kg\ s\ C}{m^3} = 0.5312311 \cdot 10^{-110}$	$1 ni'upapa - \frac{MTQ}{L^3} = 10^{-110} = 1.025542 k \frac{kg\ s\ C}{m^3} \quad (*)$
$1m \frac{1}{K} = 21.42255 \cdot 10^{100} \quad (*)$	$1 pano - \frac{1}{\Theta} = 10^{100} = 0.02342035 m \frac{1}{K}$
$1 \frac{1}{K} = 0.1433320 \cdot 10^{110}$	$1 papa - \frac{1}{\Theta} = 10^{110} = 3.221401 \frac{1}{K}$
$1k \frac{1}{K} = 0.001210224 \cdot 10^{120}$	$1 pare - \frac{1}{\Theta} = 10^{120} = 422.2502 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK} \quad (*)$
$1m \frac{1}{s^2 K} = 0.01324400 \cdot 10^{-200} \quad (*)$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 34.45422 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 111.4510 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 0.004532544 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 0.5344535 \cdot 10^{-150}$	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 1.022011 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.001043120 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 515.4541 m \frac{s}{K}$
$1 \frac{s}{K} = 5.114010 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 0.1052335 \frac{s}{K}$
$1k \frac{s}{K} = 0.04004503 \cdot 10^{250} \quad (*)$	$1 remu - \frac{T}{\Theta} = 10^{250} = 12.54110 k \frac{s}{K}$
$1m \frac{m}{K} = 0.01210201 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 42.23024 m \frac{m}{K}$
$1 \frac{m}{K} = 101.5040 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.005412331 \frac{m}{K}$
$1k \frac{m}{K} = 0.4511240 \cdot 10^{230}$	$1 reci - \frac{L}{\Theta} = 10^{230} = 1.122124 k \frac{m}{K}$
$1m \frac{m}{sK} = 243.4230 \cdot 10^{40}$	$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.002055443 m \frac{m}{sK} \quad (*)$
$1 \frac{m}{sK} = 2.045424 \cdot 10^{50}$	$1 mu - \frac{L}{T\Theta} = 10^{50} = 0.2450132 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.01352141 \cdot 10^{100}$	$1 pano - \frac{L}{T\Theta} = 10^{100} = 33.45414 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 0.4004345 \cdot 10^{350} \quad (*)$	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 1.254135 m \frac{ms}{K}$
$1 \frac{ms}{K} = 0.003034124 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 153.3355 \frac{ms}{K} \quad (*)$
$1k \frac{ms}{K} = 22.21055 \cdot 10^{400} \quad (*)$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 0.02301143 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 4.511104 \cdot 10^{330}$	$1 cici - \frac{L^2}{\Theta} = 10^{330} = 0.1122150 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.03431034 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 13.33044 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 252.1504 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 0.002023143 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.1352110 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 3.345524 m \frac{m^2}{sK} \quad (*)$
$1 \frac{m^2}{sK} = 1134.502 \cdot 10^{200}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 441.4311 \frac{m^2}{sK}$

$1k \frac{m^2}{s^2 K} = 5.520230 \cdot 10^{210}$	$1 repa \frac{L^2}{T\Theta} = 10^{210} = 0.1004001 k \frac{m^2}{s^2 K}$ (*)
$1m \frac{m^2}{s^2 K} = 3204.103 \cdot 10^{20}$	$1 ci \frac{L^2}{T^2\Theta} = 10^{30} = 144.2320 m \frac{m^2}{s^2 K}$
$1 \frac{m^2}{s^2 K} = 23.30441 \cdot 10^{30}$	$1 ci \frac{L^2}{T^2\Theta} = 10^{30} = 0.02152551 \frac{m^2}{s^2 K}$ (*)
$1k \frac{m}{s^2 K} = 0.1555054 \cdot 10^{40}$ (**)	$1 vo \frac{L^2}{T^2\Theta} = 10^{40} = 3.001133 k \frac{m^2}{s^2 K}$ (*)
$1m \frac{m^2 s}{K} = 222.1012 \cdot 10^{500}$	$1 mun \frac{L^2 T}{\Theta} = 10^{500} = 0.002301232 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 1.502541 \cdot 10^{510}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 0.3125404 \frac{m^2 s}{K}$
$1k \frac{m^2 s}{K} = 0.01231455 \cdot 10^{520}$ (*)	$1 mure \frac{L^2 T}{\Theta} = 10^{520} = 41.13215 k \frac{m^2 s}{K}$
$1m \frac{1}{m K} = 0.03502433 \cdot 10^{-10}$	$1 ni'upa \frac{1}{L\Theta} = 10^{-10} = 13.20544 m \frac{1}{m K}$
$1 \frac{1}{m K} = 254.5005 \cdot 10^{-10}$ (*)	$1 \frac{1}{L\Theta} = 1 = 2004.412 \frac{1}{m K}$ (*)
$1k \frac{1}{m K} = 2.142341$	$1 \frac{1}{L\Theta} = 1 = 0.2341545 k \frac{1}{m K}$
$1m \frac{1}{m s K} = 0.001145301 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT\Theta} = 10^{-140} = 433.4233 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 10.01113 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT\Theta} = 10^{-140} = 0.05544440 \frac{1}{m s K}$ (*)
$1k \frac{1}{m s K} = 0.04353334 \cdot 10^{-130}$	$1 ni'upaci \frac{1}{LT\Theta} = 10^{-130} = 11.42213 k \frac{1}{m s K}$
$1m \frac{1}{m s^2 K} = 23.52155 \cdot 10^{-320}$ (*)	$1 ni'ucire \frac{1}{LT^2\Theta} = 10^{-320} = 0.02133042 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 0.2013340 \cdot 10^{-310}$	$1 ni'ucipa \frac{1}{LT^2\Theta} = 10^{-310} = 2.533522 \frac{1}{m s^2 K}$
$1k \frac{1}{m s^2 K} = 0.001324430 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{LT^2\Theta} = 10^{-300} = 344.5311 k \frac{1}{m s^2 K}$
$1m \frac{s}{m K} = 1.520342 \cdot 10^{120}$	$1 pare \frac{T}{L\Theta} = 10^{120} = 0.3101025 m \frac{s}{m K}$
$1 \frac{s}{m K} = 0.01243143 \cdot 10^{130}$	$1 paci \frac{T}{L\Theta} = 10^{130} = 40.35510 \frac{s}{m K}$ (*)
$1k \frac{s}{m K} = 104.3141 \cdot 10^{130}$	$1 pavo \frac{T}{L\Theta} = 10^{140} = 5154.401 k \frac{s}{m K}$
$1m \frac{1}{m^2 K} = 102.4341 \cdot 10^{-130}$	$1 ni'upare \frac{1}{L^2\Theta} = 10^{-120} = 5323.230 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 0.4552533 \cdot 10^{-120}$ (*)	$1 ni'upare \frac{1}{L^2\Theta} = 10^{-120} = 1.111535 \frac{1}{m^2 K}$
$1k \frac{1}{m^2 K} = 3502.545 \cdot 10^{-120}$	$1 ni'upapa \frac{1}{L^2\Theta} = 10^{-110} = 132.0514 k \frac{1}{m^2 K}$
$1m \frac{1}{m^2 s K} = 2.104534 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2 T\Theta} = 10^{-300} = 0.2423525 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.01404530 \cdot 10^{-250}$	$1 ni'uremu \frac{1}{L^2 T\Theta} = 10^{-250} = 33.15042 \frac{1}{m^2 s K}$
$1k \frac{1}{m^2 s K} = 114.5324 \cdot 10^{-250}$	$1 ni'urevo \frac{1}{L^2 T\Theta} = 10^{-240} = 4334.104 k \frac{1}{m^2 s K}$
$1m \frac{1}{m^2 s^2 K} = 0.04241305 \cdot 10^{-430}$	$1 ni'uvoci \frac{1}{L^2 T^2\Theta} = 10^{-430} = 12.03050 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 323.3530 \cdot 10^{-430}$	$1 ni'uvore \frac{1}{L^2 T^2\Theta} = 10^{-420} = 1425.152 \frac{1}{m^2 s^2 K}$
$1k \frac{1}{m^2 s^2 K} = 2.352245 \cdot 10^{-420}$	$1 ni'uvore \frac{1}{L^2 T^2\Theta} = 10^{-420} = 0.2133000 k \frac{1}{m^2 s^2 K}$ (**)
$1m \frac{s}{m^2 K} = 3102.254 \cdot 10^0$	$1 pa \frac{T}{L^2\Theta} = 10^{10} = 151.5440 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.41411 \cdot 10^{10}$	$1 pa \frac{T}{L^2\Theta} = 10^{10} = 0.02240252 \frac{s}{m^2 K}$
$1k \frac{s}{m^2 K} = 0.1520415 \cdot 10^{20}$	$1 re \frac{T}{L^2\Theta} = 10^{20} = 3.100525 k \frac{s}{m^2 K}$ (*)
$1m \frac{1}{m^3 K} = 0.1450450 \cdot 10^{-240}$	$1 ni'urevo \frac{1}{L^3\Theta} = 10^{-240} = 3.152151 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 1221.314 \cdot 10^{-240}$	$1 ni'ureci \frac{1}{L^3\Theta} = 10^{-230} = 414.4201 \frac{1}{m^3 K}$
$1k \frac{1}{m^3 K} = 10.24402 \cdot 10^{-230}$	$1 ni'ureci \frac{1}{L^3\Theta} = 10^{-230} = 0.05323043 k \frac{1}{m^3 K}$
$1m \frac{1}{m^3 s K} = 3402.313 \cdot 10^{-420}$	$1 ni'uvopa \frac{1}{L^3 T\Theta} = 10^{-410} = 134.4154 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 25.01024 \cdot 10^{-410}$	$1 ni'uvopa \frac{1}{L^3 T\Theta} = 10^{-410} = 0.02040340 \frac{1}{m^3 s K}$
$1k \frac{1}{m^3 s K} = 0.2105015 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T\Theta} = 10^{-400} = 2.423434 k \frac{1}{m^3 s K}$
$1m \frac{1}{m^3 s^2 K} = 112.5122 \cdot 10^{-550}$	$1 ni'umuovo \frac{1}{L^3 T^2\Theta} = 10^{-540} = 4451.432 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.5434235 \cdot 10^{-540}$	$1 ni'umuovo \frac{1}{L^3 T^2\Theta} = 10^{-540} = 1.012331 \frac{1}{m^3 s^2 K}$
$1k \frac{1}{m^3 s^2 K} = 4241.432 \cdot 10^{-540}$	$1 ni'umuci \frac{1}{L^3 T^2\Theta} = 10^{-530} = 120.3022 k \frac{1}{m^3 s^2 K}$
$1m \frac{s}{m^3 K} = 5.201153 \cdot 10^{-110}$	$1 ni'upapa \frac{T}{L^3\Theta} = 10^{-110} = 0.1042420 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.04041524 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3\Theta} = 10^{-100} = 12.42322 \frac{s}{m^3 K}$
$1k \frac{s}{m^3 K} = 310.2354 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3\Theta} = 10^{-100} = 0.001515403 k \frac{s}{m^3 K}$
$1m \frac{kg}{K} = 0.1423431 \cdot 10^{120}$	$1 pare \frac{M}{\Theta} = 10^{120} = 3.241000 m \frac{kg}{K}$ (**)
$1 \frac{kg}{K} = 1201.534 \cdot 10^{120}$	$1 paci \frac{M}{\Theta} = 10^{130} = 424.5304 \frac{kg}{K}$
$1k \frac{kg}{K} = 10.11414 \cdot 10^{130}$	$1 paci \frac{M}{\Theta} = 10^{130} = 0.05443151 k \frac{kg}{K}$
$1m \frac{kg}{s K} = 3311.540 \cdot 10^{-20}$	$1 ni'upa \frac{M}{T\Theta} = 10^{-10} = 141.0234 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 24.21244 \cdot 10^{-10}$	$1 ni'upa \frac{M}{T\Theta} = 10^{-10} = 0.02110522 \frac{kg}{s K}$
$1k \frac{kg}{s K} = 0.2034500 \cdot 10^0$ (*)	$1 \frac{M}{T\Theta} = 1 = 2.503245 k \frac{kg}{s K}$
$1m \frac{kg}{s^2 K} = 111.0510 \cdot 10^{-150}$	$1 ni'upavo \frac{M}{T^2\Theta} = 10^{-140} = 5001.224 m \frac{kg}{s^2 K}$ (*)

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.5314235 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 4140.420 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 5.044524 \cdot 10^{250} \\
1 \frac{\text{kg s}}{\text{K}} &= 0.03543350 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 302.0114 \cdot 10^{300} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 101.1354 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.4443243 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 3410.545 \cdot 10^{240} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.01342511 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.0422 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.04140255 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 314.5203 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 2.314231 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 3020.020 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 22.05145 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.1452551 \cdot 10^{420} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 0.03410434 \cdot 10^{350} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 250.4200 \cdot 10^{350} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 2.111323 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.001130355 \cdot 10^{220} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 5.445024 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 0.04250513 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.1544334 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.001303343 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.452515 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.01223052 \cdot 10^{530} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 102.5525 \cdot 10^{530} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 253.1140 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2.131033 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.01423503 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 5.535241 \cdot 10^{-130} \\
1 \frac{\text{kg}}{\text{m s K}} &= 0.04330152 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 331.2045 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.2002522 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 1315.323 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 11.10532 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.5330 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.5045102 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.4524321 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.003442200 \cdot 10^{-100} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 25.31233 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.01355212 \cdot 10^{-240} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 114.1143 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.5535433 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 321.4350 \cdot 10^{-420} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 2.335433 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.02003001 \cdot 10^{-400} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upavo-} \frac{M}{T^2 \Theta} &= 10^{-140} = 1.025330 \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upaci-} \frac{M}{T^2 \Theta} &= 10^{-130} = 122.2420 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{remu-} \frac{MT}{\Theta} &= 10^{250} = 0.1100240 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 13.03100 \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 0.001544002 \text{k} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 5443.341 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 1.130203 \frac{\text{kg m}}{\text{K}} \\
1 \text{remu-} \frac{ML}{\Theta} &= 10^{250} = 134.2213 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano-} \frac{ML}{T \Theta} &= 10^{100} = 0.2503342 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa-} \frac{ML}{T \Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare-} \frac{ML}{T \Theta} &= 10^{120} = 4442.001 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni}'\text{uci-} \frac{ML}{T^2 \Theta} &= 10^{-30} = 12.22444 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 1452.232 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 0.2204330 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 154.4040 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 0.02313352 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore-} \frac{MLT}{\Theta} &= 10^{420} = 3.144202 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 13.42243 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 2034.110 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 0.2420345 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 444.2132 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 0.1011222 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci-} \frac{ML^2}{T \Theta} &= 10^{230} = 12.01310 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo-} \frac{ML^2}{T^2 \Theta} &= 10^{40} = 0.02204413 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu-} \frac{ML^2}{T^2 \Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2}{T^2 \Theta} &= 10^{100} = 354.2234 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.3144304 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci-} \frac{ML^2 T}{\Theta} &= 10^{530} = 41.35231 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muovo-} \frac{ML^2 T}{\Theta} &= 10^{540} = 5312.431 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.002015240 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 0.2354412 \frac{\text{kg}}{\text{m K}} \\
1 \text{re-} \frac{M}{L \Theta} &= 10^{20} = 32.40452 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni}'\text{upaci-} \frac{M}{LT \Theta} &= 10^{-130} = 0.1002040 \text{m} \frac{\text{kg}}{\text{m s K}} \quad (*) \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 11.50402 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 0.001410203 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{ucino-} \frac{M}{LT^2 \Theta} &= 10^{-300} = 2.551404 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{uremu-} \frac{M}{LT^2 \Theta} &= 10^{-250} = 351.0114 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uremu-} \frac{M}{LT^2 \Theta} &= 10^{-250} = 0.05001050 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 41.01323 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu-} \frac{MT}{L \Theta} &= 10^{150} = 1.100214 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{upapa-} \frac{M}{L^2 \Theta} &= 10^{-110} = 1.115541 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{M}{L^2 \Theta} &= 10^{-100} = 133.0025 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{M}{L^2 \Theta} &= 10^{-100} = 0.02015201 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{urevo-} \frac{M}{L^2 T \Theta} &= 10^{-240} = 33.34543 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{urevo-} \frac{M}{L^2 T \Theta} &= 10^{-240} = 0.004401311 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{ureci-} \frac{M}{L^2 T \Theta} &= 10^{-230} = 1.002021 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni}'\text{uvore-} \frac{M}{L^2 T^2 \Theta} &= 10^{-420} = 0.001435050 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvopa-} \frac{M}{L^2 T^2 \Theta} &= 10^{-410} = 0.2144314 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvono-} \frac{M}{L^2 T^2 \Theta} &= 10^{-400} = 25.51310 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}
\end{aligned}$$

$1\text{m}\frac{\text{kg s}}{\text{m}^2\text{K}} = 22.25352 \cdot 10^{20}$	$1\text{re}\frac{MT}{L^2\Theta} = 10^{20} = 0.02252350 \text{m}\frac{\text{kg s}}{\text{m}^2\text{K}}$
$1\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}} = 0.1510301 \cdot 10^{30}$	$1\text{ci}\frac{MT}{L^2\Theta} = 10^{30} = 3.115253 \frac{\text{kg s}}{\text{m}^2\text{K}}$
$1\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}} = 0.001234324 \cdot 10^{40}$	$1\text{vo}\frac{MT}{L^2\Theta} = 10^{40} = 410.1203 \text{k}\frac{\text{kg s}}{\text{m}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.001212544 \cdot 10^{-220}$	$1\text{ni}'\text{urere}\frac{M}{L^3\Theta} = 10^{-220} = 421.0400 \text{m}\frac{\text{kg}}{\text{m}^3\text{K}} \quad (*)$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{K}} = 10.21050 \cdot 10^{-220}$	$1\text{ni}'\text{urere}\frac{M}{L^3\Theta} = 10^{-220} = 0.05353411 \frac{\text{kg}}{\text{m}^3\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.04524453 \cdot 10^{-210}$	$1\text{ni}'\text{urepa}\frac{M}{L^3\Theta} = 10^{-210} = 11.15515 \text{k}\frac{\text{kg}}{\text{m}^3\text{K}} \quad (*)$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s K}} = 24.43431 \cdot 10^{-400}$	$1\text{ni}'\text{uvono}\frac{M}{L^3T\Theta} = 10^{-400} = 0.02051354 \text{m}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.2053510 \cdot 10^{-350}$	$1\text{ni}'\text{ucimu}\frac{M}{L^3T\Theta} = 10^{-350} = 2.440523 \frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.001355243 \cdot 10^{-340} \quad (*)$	$1\text{ni}'\text{ucivo}\frac{M}{L^3T\Theta} = 10^{-340} = 333.4434 \text{k}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.5403254 \cdot 10^{-530}$	$1\text{ni}'\text{umuci}\frac{M}{L^3T^2\Theta} = 10^{-530} = 1.020020 \text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} \quad (*)$
$1\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.004215050 \cdot 10^{-520}$	$1\text{ni}'\text{umure}\frac{M}{L^3T^2\Theta} = 10^{-520} = 121.1321 \frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 32.14453 \cdot 10^{-520}$	$1\text{ni}'\text{umure}\frac{M}{L^3T^2\Theta} = 10^{-520} = 0.01435014 \text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{m}\frac{\text{kg s}}{\text{m}^3\text{K}} = 0.04020214 \cdot 10^{-50}$	$1\text{ni}'\text{umu}\frac{MT}{L^3\Theta} = 10^{-50} = 12.51231 \text{m}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\frac{\text{kg s}}{\text{m}^3\text{K}} = 304.4115 \cdot 10^{-50}$	$1\text{ni}'\text{uvo}\frac{MT}{L^3\Theta} = 10^{-40} = 1525.550 \frac{\text{kg s}}{\text{m}^3\text{K}} \quad (*)$
$1\text{k}\frac{\text{kg s}}{\text{m}^3\text{K}} = 2.225435 \cdot 10^{-40}$	$1\text{ni}'\text{uvo}\frac{MT}{L^3\Theta} = 10^{-40} = 0.2252302 \text{k}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\text{m K} = 422.2502 \cdot 10^{-120}$	$1\text{ni}'\text{upare-}\Theta = 10^{-120} = 0.001210224 \text{m K}$
$1\text{K} = 3.221401 \cdot 10^{-110}$	$1\text{ni}'\text{upapa-}\Theta = 10^{-110} = 0.1433320 \text{K}$
$1\text{k K} = 0.02342035 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\Theta = 10^{-100} = 21.42255 \text{k K} \quad (*)$
$1\text{m}\frac{\text{K}}{\text{s}} = 12.54110 \cdot 10^{-250}$	$1\text{ni}'\text{uremu}\frac{\Theta}{T} = 10^{-250} = 0.04004503 \text{m}\frac{\text{K}}{\text{s}} \quad (*)$
$1\frac{\text{K}}{\text{s}} = 0.1052335 \cdot 10^{-240}$	$1\text{ni}'\text{urevo}\frac{\Theta}{T} = 10^{-240} = 5.114010 \frac{\text{K}}{\text{s}}$
$1\text{k}\frac{\text{K}}{\text{s}} = 515.4541 \cdot 10^{-240}$	$1\text{ni}'\text{urevo-}\frac{\Theta}{T} = 10^{-240} = 0.001043120 \text{k}\frac{\text{K}}{\text{s}}$
$1\text{m}\frac{\text{K}}{\text{s}^2} = 0.3011015 \cdot 10^{-420}$	$1\text{ni}'\text{uvore}\frac{\Theta}{T^2} = 10^{-420} = 1.551204 \text{m}\frac{\text{K}}{\text{s}^2} \quad (*)$
$1\frac{\text{K}}{\text{s}^2} = 2201.235 \cdot 10^{-420}$	$1\text{ni}'\text{uvopa}\frac{\Theta}{T^2} = 10^{-410} = 232.1503 \frac{\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{K}}{\text{s}^2} = 14.50000 \cdot 10^{-410} \quad (**)$	$1\text{ni}'\text{uvopa}\frac{\Theta}{T^2} = 10^{-410} = 0.03153441 \text{k}\frac{\text{K}}{\text{s}^2}$
$1\text{m s K} = 0.02055403 \cdot 10^{20} \quad (*)$	$1\text{re-T}\Theta = 10^{20} = 24.34322 \text{m s K}$
$1\text{s K} = 140.0511 \cdot 10^{20}$	$1\text{re-T}\Theta = 10^{20} = 0.003331424 \text{s K}$
$1\text{k s K} = 1.142240 \cdot 10^{30}$	$1\text{ci-T}\Theta = 10^{30} = 0.4353205 \text{k s K}$
$1\text{m m K} = 0.2341545 \cdot 10^0$	$1L\Theta = 1 = 2.142341 \text{m m K}$
$1\text{m K} = 2004.412 \cdot 10^0 \quad (*)$	$1\text{pa-L}\Theta = 10^{10} = 254.5005 \text{m K} \quad (*)$
$1\text{k m K} = 13.20544 \cdot 10^{10}$	$1\text{pa-L}\Theta = 10^{10} = 0.03502433 \text{k m K}$
$1\text{m}\frac{\text{m K}}{\text{s}} = 5154.401 \cdot 10^{-140}$	$1\text{ni}'\text{upaci}\frac{L\Theta}{T} = 10^{-130} = 104.3141 \text{m}\frac{\text{m K}}{\text{s}}$
$1\frac{\text{m K}}{\text{s}} = 40.35510 \cdot 10^{-130} \quad (*)$	$1\text{ni}'\text{upaci}\frac{L\Theta}{T} = 10^{-130} = 0.01243143 \frac{\text{m K}}{\text{s}}$
$1\text{k}\frac{\text{m K}}{\text{s}} = 0.3101025 \cdot 10^{-120}$	$1\text{ni}'\text{upare}\frac{L\Theta}{T} = 10^{-120} = 1.520342 \text{k}\frac{\text{m K}}{\text{s}}$
$1\text{m}\frac{\text{m K}}{\text{s}^2} = 144.5523 \cdot 10^{-310} \quad (*)$	$1\text{ni}'\text{ucino}\frac{L\Theta}{T^2} = 10^{-300} = 3153.543 \text{m}\frac{\text{m K}}{\text{s}^2}$
$1\frac{\text{m K}}{\text{s}^2} = 1.220504 \cdot 10^{-300}$	$1\text{ni}'\text{ucino}\frac{L\Theta}{T^2} = 10^{-300} = 0.4150251 \frac{\text{m K}}{\text{s}^2}$
$1\text{k}\frac{\text{m K}}{\text{s}^2} = 0.01024050 \cdot 10^{-250}$	$1\text{ni}'\text{uremu}\frac{L\Theta}{T^2} = 10^{-250} = 53.25522 \text{k}\frac{\text{m K}}{\text{s}^2} \quad (*)$
$1\text{m m s K} = 11.42213 \cdot 10^{130}$	$1\text{paci-LT}\Theta = 10^{130} = 0.04353334 \text{m m s K}$
$1\text{m s K} = 0.05544440 \cdot 10^{140} \quad (*)$	$1\text{pavo-LT}\Theta = 10^{140} = 10.01113 \text{m s K}$
$1\text{k m s K} = 433.4233 \cdot 10^{140}$	$1\text{pavo-LT}\Theta = 10^{140} = 0.001145301 \text{k m s K}$
$1\text{m m}^2\text{K} = 132.0514 \cdot 10^{110}$	$1\text{pare-L}^2\Theta = 10^{120} = 3502.545 \text{m}^2\text{K}$
$1\text{m}^2\text{K} = 1.111535 \cdot 10^{120}$	$1\text{pare-L}^2\Theta = 10^{120} = 0.4552533 \text{m}^2\text{K} \quad (*)$
$1\text{k m}^2\text{K} = 5323.230 \cdot 10^{120}$	$1\text{paci-L}^2\Theta = 10^{130} = 102.4341 \text{k m}^2\text{K}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}} = 3.100525 \cdot 10^{-20} \quad (*)$	$1\text{ni}'\text{ure}\frac{L^2\Theta}{T} = 10^{-20} = 0.1520415 \text{m}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\frac{\text{m}^2\text{K}}{\text{s}} = 0.02240252 \cdot 10^{-10}$	$1\text{ni}'\text{upa}\frac{L^2\Theta}{T} = 10^{-10} = 22.41411 \frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}} = 151.5440 \cdot 10^{-10}$	$1\frac{L^2\Theta}{T} = 1 = 3102.254 \text{k}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}^2} = 0.1024030 \cdot 10^{-150}$	$1\text{ni}'\text{upamu}\frac{L^2\Theta}{T^2} = 10^{-150} = 5.330105 \text{m}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\frac{\text{m}^2\text{K}}{\text{s}^2} = 455.0243 \cdot 10^{-150} \quad (*)$	$1\text{ni}'\text{upavo}\frac{L^2\Theta}{T^2} = 10^{-140} = 1112.312 \frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}^2} = 3.501020 \cdot 10^{-140}$	$1\text{ni}'\text{upavo}\frac{L^2\Theta}{T^2} = 10^{-140} = 0.1321354 \text{k}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{m m}^2\text{s K} = 4334.104 \cdot 10^{240}$	$1\text{remu-L}^2T\Theta = 10^{250} = 114.5324 \text{m m}^2\text{s K}$
$1\text{m}^2\text{s K} = 33.15042 \cdot 10^{250}$	$1\text{remu-L}^2T\Theta = 10^{250} = 0.01404530 \text{m}^2\text{s K}$

$$\begin{aligned}
1 \text{k m}^2 \text{s K} &= 0.2423525 \cdot 10^{300} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 1.122124 \cdot 10^{-230} \\
1 \frac{\text{K}}{\text{m}} &= 0.005412331 \cdot 10^{-220} \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 42.23024 \cdot 10^{-220} \\
1 \text{m} \frac{\text{K}}{\text{m s}} &= 0.02301143 \cdot 10^{-400} \\
1 \frac{\text{K}}{\text{m s}} &= 153.3355 \cdot 10^{-400} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m s}} &= 1.254135 \cdot 10^{-350} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2} &= 503.2300 \cdot 10^{-540} \quad (*) \\
1 \frac{\text{K}}{\text{m s}^2} &= 3.533053 \cdot 10^{-530} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2} &= 0.03011113 \cdot 10^{-520} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 33.45414 \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^2} &= 0.2450132 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s K}}{\text{m}} &= 0.002055443 \cdot 10^{-40} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 0.002023143 \cdot 10^{-340} \\
1 \frac{\text{K}}{\text{m}^2} &= 13.33044 \cdot 10^{-340} \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 0.1122150 \cdot 10^{-330} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 41.13215 \cdot 10^{-520} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.3125404 \cdot 10^{-510} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.002301232 \cdot 10^{-500} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 1.232051 \cdot 10^{-1050} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.01033434 \cdot 10^{-1040} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 50.32435 \cdot 10^{-1040} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2} &= 0.1004001 \cdot 10^{-210} \quad (*) \\
1 \frac{\text{s K}}{\text{m}^2} &= 441.4311 \cdot 10^{-210} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2} &= 3.345524 \cdot 10^{-200} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 3.251243 \cdot 10^{-500} \\
1 \frac{\text{K}}{\text{m}^3} &= 0.02403455 \cdot 10^{-450} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 202.3222 \cdot 10^{-450} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.1102344 \cdot 10^{-1030} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= 524.2504 \cdot 10^{-1030} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 4.113335 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.002221410 \cdot 10^{-1200} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 15.03242 \cdot 10^{-1200} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.1232120 \cdot 10^{-1150} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3} &= 141.3340 \cdot 10^{-330} \\
1 \frac{\text{s K}}{\text{m}^3} &= 1.153110 \cdot 10^{-320} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3} &= 0.01004020 \cdot 10^{-310} \quad (*) \\
1 \text{m kg K} &= 3.202304 \cdot 10^{-100} \\
1 \text{kg K} &= 0.02325300 \cdot 10^{-50} \quad (*) \\
1 \text{k kg K} &= 155.4101 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 0.1044454 \cdot 10^{-230} \\
1 \frac{\text{kg K}}{\text{s}} &= 512.5242 \cdot 10^{-230} \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 4.014325 \cdot 10^{-220} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 0.002145431 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 14.40023 \cdot 10^{-400} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 0.1212204 \cdot 10^{-350} \\
1 \text{m kg s K} &= 135.1214 \cdot 10^{30} \\
1 \text{kg s K} &= 1.134114 \cdot 10^{40} \\
1 \text{k kg s K} &= 5513.255 \cdot 10^{40} \quad (*) \\
1 \text{m kg m K} &= 0.001554022 \cdot 10^{20} \quad (*) \\
1 \text{kg m K} &= 13.11501 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{cino-} L^2 T \Theta &= 10^{300} = 2.104534 \text{k m}^2 \text{s K} \\
1 \text{ni'ureci-} \frac{\Theta}{L} &= 10^{-230} = 0.4511240 \text{m} \frac{\text{K}}{\text{m}} \\
1 \text{ni'urere-} \frac{\Theta}{L} &= 10^{-220} = 101.5040 \frac{\text{K}}{\text{m}} \\
1 \text{ni'urere-} \frac{\Theta}{L} &= 10^{-220} = 0.01210201 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uvono-} \frac{\Theta}{LT} &= 10^{-400} = 22.21055 \text{m} \frac{\text{K}}{\text{m s}} \quad (*) \\
1 \text{ni'uvono-} \frac{\Theta}{LT} &= 10^{-400} = 0.003034124 \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ucimu-} \frac{\Theta}{LT} &= 10^{-350} = 0.4004345 \text{k} \frac{\text{K}}{\text{m s}} \quad (*) \\
1 \text{ni'umuovo-} \frac{\Theta}{LT^2} &= 10^{-540} = 0.001102212 \text{m} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'umuci-} \frac{\Theta}{LT^2} &= 10^{-530} = 0.1305400 \frac{\text{K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'umure-} \frac{\Theta}{LT^2} &= 10^{-520} = 15.51125 \text{k} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{\Theta}{L} &= 10^{-100} = 0.01352141 \text{m} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'umu-} \frac{T \Theta}{L} &= 10^{-50} = 2.045424 \frac{\text{s K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{T \Theta}{L} &= 10^{-40} = 243.4230 \text{k} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{\Theta}{L^2} &= 10^{-340} = 252.1504 \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucivo-} \frac{\Theta}{L^2} &= 10^{-340} = 0.03431034 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucici-} \frac{\Theta}{L^2} &= 10^{-330} = 4.511104 \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'umure-} \frac{\Theta}{L^2 T} &= 10^{-520} = 0.01231455 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'umupa-} \frac{\Theta}{L^2 T} &= 10^{-510} = 1.502541 \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuno-} \frac{\Theta}{L^2 T} &= 10^{-500} = 222.1012 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanomu-} \frac{\Theta}{L^2 T^2} &= 10^{-1050} = 0.4112242 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 52.41205 \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.01102151 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'urepa-} \frac{\Theta}{L^2} &= 10^{-210} = 5.520230 \text{m} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureneno-} \frac{\Theta}{L^2} &= 10^{-200} = 1134.502 \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureneno-} \frac{\Theta}{L^2} &= 10^{-200} = 0.1352110 \text{k} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'umuno-} \frac{\Theta}{L^3} &= 10^{-500} = 0.1420305 \text{m} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'uvomu-} \frac{\Theta}{L^3} &= 10^{-450} = 21.22443 \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{\Theta}{L^3} &= 10^{-440} = 2521.411 \text{k} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'upanoci-} \frac{\Theta}{L^3 T} &= 10^{-1030} = 5.031213 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 1033.244 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 0.1231431 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upareno-} \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 230.0423 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upareno-} \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.03124444 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapamu-} \frac{\Theta}{L^3 T^2} &= 10^{-1150} = 4.112122 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'ucire-} \frac{\Theta}{L^3} &= 10^{-320} = 3301.214 \text{m} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ucire-} \frac{\Theta}{L^3} &= 10^{-320} = 0.4313322 \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ucipa-} \frac{\Theta}{L^3} &= 10^{-310} = 55.20035 \text{k} \frac{\text{s K}}{\text{m}^3} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upano-} M \Theta &= 10^{-100} = 0.1443240 \text{m kg K} \\
1 \text{ni'umu-} M \Theta &= 10^{-50} = 21.54044 \text{kg K} \\
1 \text{ni'uvo-} M \Theta &= 10^{-40} = 3002.432 \text{k kg K} \quad (*) \\
1 \text{ni'ureci-} \frac{M \Theta}{T} &= 10^{-230} = 5.143224 \text{m} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'urere-} \frac{M \Theta}{T} &= 10^{-220} = 1050.551 \frac{\text{kg K}}{\text{s}} \quad (*) \\
1 \text{ni'urere-} \frac{M \Theta}{T} &= 10^{-220} = 0.1252030 \text{k} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'uvono-} \frac{M \Theta}{T^2} &= 10^{-400} = 233.4221 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'uvono-} \frac{M \Theta}{T^2} &= 10^{-400} = 0.03212511 \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ucimu-} \frac{M \Theta}{T^2} &= 10^{-350} = 4.212340 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{vo-} MT \Theta &= 10^{40} = 3351.414 \text{m kg s K} \\
1 \text{vo-} MT \Theta &= 10^{40} = 0.4420513 \text{kg s K} \\
1 \text{mu-} MT \Theta &= 10^{50} = 100.4302 \text{k kg s K} \quad (*) \\
1 \text{re-} ML \Theta &= 10^{20} = 300.2530 \text{m kg m K} \quad (*) \\
1 \text{re-} ML \Theta &= 10^{20} = 0.03523331 \text{kg m K}
\end{aligned}$$

$$\begin{aligned}
1 \text{k kg m K} &= 0.1104015 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 40.14211 \cdot 10^{-120} \\
1 \frac{\text{kg m K}}{\text{s}} &= 0.3042355 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 0.002224324 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.212140 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 0.01020340 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 45.22214 \cdot 10^{-240} \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.02224241 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 150.5325 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1.233510 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 452.2042 \cdot 10^{-140} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 3.440242 \cdot 10^{-130} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.02525551 \cdot 10^{-120} \quad (***) \\
1 \text{m kg m}^2 \text{s K} &= 32.55243 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.2410525 \cdot 10^{310} \\
1 \text{kg m}^2 \text{s K} &= 0.002025440 \cdot 10^{320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 5341.504 \cdot 10^{-220} \\
1 \frac{\text{kg K}}{\text{m}} &= 42.00341 \cdot 10^{-210} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 0.3202410 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 152.3152 \cdot 10^{-350} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1.245212 \cdot 10^{-340} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.01044515 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 3.512125 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.02553130 \cdot 10^{-510} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 214.5514 \cdot 10^{-510} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.2433014 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 2044.403 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 13.51244 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13.23515 \cdot 10^{-330} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.1114131 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 534.2052 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.3111004 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 2245.110 \cdot 10^{-500} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 15.23230 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.01030053 \cdot 10^{-1030} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 50.04012 \cdot 10^{-1030} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.3512241 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 435.1015 \cdot 10^{-200} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 3.325543 \cdot 10^{-150} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.02433105 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.02351003 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3} &= 201.2333 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 1.323545 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 521.2533 \cdot 10^{-1020}
\end{aligned}$$

$$\begin{aligned}
1 \text{ci-ML}\Theta &= 10^{30} = 5.021143 \text{k kg m K} \\
1 \text{ni'upare-} \frac{ML\Theta}{T} &= 10^{-120} = 0.01252054 \text{m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 1.530532 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 225.3425 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uremu-} \frac{ML\Theta}{T^2} &= 10^{-250} = 0.4212501 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 54.00303 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.01120255 \text{k} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{pamu-} MLT\Theta &= 10^{150} = 10.04322 \text{m kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 1153.504 \text{kg m s K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 0.1414244 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 22.53513 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.003121031 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.4103232 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML^2\Theta}{T^2} &= 10^{-140} = 0.001120321 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 0.1330512 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 20.20205 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.01414315 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 2.120123 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 251.4215 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 102.2341 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.01214514 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 1.443204 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 3052.331 \text{m} \frac{\text{kg K}}{\text{ms}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 0.4030013 \frac{\text{kg K}}{\text{ms}} \quad (*) \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 51.43044 \text{k} \frac{\text{kg K}}{\text{ms}} \\
1 \text{ni'umure-} \frac{M\Theta}{LT^2} &= 10^{-520} = 0.1314431 \text{m} \frac{\text{kg K}}{\text{ms}^2} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 20.01502 \frac{\text{kg K}}{\text{ms}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 2334.132 \text{k} \frac{\text{kg K}}{\text{ms}^2} \\
1 \text{ni'uvvo-} \frac{M\Theta}{L} &= 10^{-40} = 2.100512 \text{m} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uci-} \frac{M\Theta}{L} &= 10^{-30} = 245.1354 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{M\Theta}{L} &= 10^{-30} = 0.03351305 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ucici-} \frac{M\Theta}{L^2} &= 10^{-330} = 0.03451342 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 4.535230 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.001022321 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'umuro-} \frac{M\Theta}{L^2T} &= 10^{-500} = 1.513035 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomo-} \frac{M\Theta}{L^2T} &= 10^{-450} = 223.3004 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvomo-} \frac{M\Theta}{L^2T} &= 10^{-450} = 0.03052231 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 53.11311 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 0.01110123 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 1.314401 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ureno-} \frac{M\Theta}{L^2} &= 10^{-200} = 0.001143030 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upamu-} \frac{M\Theta}{L^2} &= 10^{-150} = 0.1401410 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{M\Theta}{L^2} &= 10^{-140} = 21.00431 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 21.34125 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.002535205 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.3451231 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^3T} &= 10^{-1020} = 0.001041044 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 4.051440 \cdot 10^{-1010}$	$1 \text{ ni}'\text{upanopa-} \frac{M\Theta}{L^3 T} = 10^{-1010} = 0.1240301 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.03111105 \cdot 10^{-1000}$	$1 \text{ ni}'\text{upanono-} \frac{M\Theta}{L^3 T} = 10^{-1000} = 15.13002 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 14.53214 \cdot 10^{-1150}$	$1 \text{ ni}'\text{upapamu-} \frac{M\Theta}{L^3 T^2} = 10^{-1150} = 0.03143341 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.1223312 \cdot 10^{-1140}$	$1 \text{ ni}'\text{upapavo-} \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 4.134131 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 1030.113 \cdot 10^{-1140}$	$1 \text{ ni}'\text{upapaci-} \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 531.1124 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = 1.144505 \cdot 10^{-310}$	$1 \text{ ni}'\text{ucipa-} \frac{MT\Theta}{L^3} = 10^{-310} = 0.4340415 \text{m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.01000414 \cdot 10^{-300}$	$1 \text{ ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 55.51425 \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 43.51144 \cdot 10^{-300}$	$1 \text{ ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.01143004 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.01030421 \cdot 10^{-150}$	$1 \text{ ni}'\text{upamu-} \frac{\Theta}{Q} = 10^{-150} = 53.04334 \text{m} \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 50.10411 \cdot 10^{-150}$	$1 \text{ ni}'\text{upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.01105334 \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.3514300 \cdot 10^{-140}$	$1 \text{ ni}'\text{upavo-} \frac{\Theta}{Q} = 10^{-140} = 1.313504 \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 211.3120 \cdot 10^{-330}$	$1 \text{ ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 2414.332 \text{m} \frac{\text{K}}{\text{sC}}$
$1 \text{k} \frac{\text{K}}{\text{sC}} = 1.412121 \cdot 10^{-320}$	$1 \text{ ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.3304120 \frac{\text{K}}{\text{sC}}$
$1 \text{k} \frac{\text{K}}{\text{sC}} = 0.01152043 \cdot 10^{-310}$	$1 \text{ ni}'\text{ucipa-} \frac{\Theta}{TQ} = 10^{-310} = 43.21130 \text{k} \frac{\text{K}}{\text{sC}}$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 4.254125 \cdot 10^{-500}$	$1 \text{ ni}'\text{umuno-} \frac{\Theta}{T^2 Q} = 10^{-500} = 0.1200305 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.03244351 \cdot 10^{-450}$	$1 \text{ ni}'\text{uvomu-} \frac{\Theta}{T^2 Q} = 10^{-450} = 14.21531 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 240.1354 \cdot 10^{-450}$	$1 \text{ ni}'\text{uvovo-} \frac{\Theta}{T^2 Q} = 10^{-440} = 2124.335 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{sK}}{\text{C}} = 0.3112415 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure-} \frac{T\Theta}{Q} = 10^{-20} = 1.512041 \text{m} \frac{\text{sK}}{\text{C}}$
$1 \text{sK} \frac{\text{K}}{\text{C}} = 2250.301 \cdot 10^{-20}$	$1 \text{ ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 223.1422 \frac{\text{sK}}{\text{C}}$
$1 \text{k} \frac{\text{sK}}{\text{C}} = 15.24232 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.03050431 \text{k} \frac{\text{sK}}{\text{C}}$
$1 \text{m} \frac{\text{mK}}{\text{C}} = 3.514144 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo-} \frac{L\Theta}{Q} = 10^{-40} = 0.1313534 \text{m} \frac{\text{mK}}{\text{C}}$
$1 \text{k} \frac{\text{mK}}{\text{C}} = 0.02554500 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci-} \frac{L\Theta}{Q} = 10^{-30} = 20.00440 \frac{\text{mK}}{\text{C}}$
$1 \text{k} \frac{\text{mK}}{\text{C}} = 215.1034 \cdot 10^{-30}$	$1 \text{ ni}'\text{ure-} \frac{L\Theta}{Q} = 10^{-20} = 2332.514 \text{k} \frac{\text{mK}}{\text{C}}$
$1 \text{m} \frac{\text{mK}}{\text{sC}} = 0.1152020 \cdot 10^{-210}$	$1 \text{ ni}'\text{urepa-} \frac{L\Theta}{TQ} = 10^{-210} = 4.321254 \text{m} \frac{\text{mK}}{\text{sC}}$
$1 \text{k} \frac{\text{mK}}{\text{sC}} = 0.001003103 \cdot 10^{-200}$	$1 \text{ ni}'\text{uren-} \frac{L\Theta}{TQ} = 10^{-200} = 552.5111 \frac{\text{mK}}{\text{sC}}$
$1 \text{k} \frac{\text{mK}}{\text{sC}} = 4.410420 \cdot 10^{-200}$	$1 \text{ ni}'\text{uren-} \frac{L\Theta}{TQ} = 10^{-200} = 0.1135513 \text{k} \frac{\text{mK}}{\text{sC}}$
$1 \text{m} \frac{\text{mK}}{\text{s}^2 \text{C}} = 0.002401304 \cdot 10^{-340}$	$1 \text{ ni}'\text{ucivo-} \frac{L\Theta}{T^2 Q} = 10^{-340} = 212.4420 \text{m} \frac{\text{mK}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{mK}}{\text{s}^2 \text{C}} = 20.21341 \cdot 10^{-340}$	$1 \text{ ni}'\text{ucivo-} \frac{L\Theta}{T^2 Q} = 10^{-340} = 0.02524111 \frac{\text{mK}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{mK}}{\text{s}^2 \text{C}} = 0.1331501 \cdot 10^{-330}$	$1 \text{ ni}'\text{ucici-} \frac{L\Theta}{T^2 Q} = 10^{-330} = 3.434052 \text{k} \frac{\text{mK}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{msK}}{\text{C}} = 152.4154 \cdot 10^{50}$	$1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 3050.531 \text{m} \frac{\text{msK}}{\text{C}}$
$1 \text{k} \frac{\text{msK}}{\text{C}} = 1.250053 \cdot 10^{100}$	$1 \text{ pano-} \frac{LT\Theta}{Q} = 10^{100} = 0.4023515 \frac{\text{msK}}{\text{C}}$
$1 \text{k} \frac{\text{msK}}{\text{C}} = 0.01045253 \cdot 10^{110}$	$1 \text{ papa-} \frac{LT\Theta}{Q} = 10^{110} = 51.40155 \text{k} \frac{\text{msK}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.002150551 \cdot 10^{40}$	$1 \text{ vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 233.3004 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 14.41003 \cdot 10^{40}$	$1 \text{ vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 0.03211025 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.1213025 \cdot 10^{50}$	$1 \text{ mu-} \frac{L^2 \Theta}{Q} = 10^{50} = 4.210144 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{sC}} = 44.10250 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano-} \frac{L^2 \Theta}{TQ} = 10^{-100} = 0.01135535 \text{m} \frac{\text{m}^2 \text{K}}{\text{sC}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{sC}} = 0.3342435 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu-} \frac{L^2 \Theta}{TQ} = 10^{-50} = 1.353342 \frac{\text{m}^2 \text{K}}{\text{sC}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{sC}} = 0.002443554 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo-} \frac{L^2 \Theta}{TQ} = 10^{-40} = 205.1251 \text{k} \frac{\text{m}^2 \text{K}}{\text{sC}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 1.331431 \cdot 10^{-230}$	$1 \text{ ni}'\text{ureci-} \frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.3434203 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.01121124 \cdot 10^{-220}$	$1 \text{ ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 45.15221 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 54.03551 \cdot 10^{-220}$	$1 \text{ ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.01015544 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{sK}}{\text{C}} = 0.1045232 \cdot 10^{210}$	$1 \text{ repa-} \frac{L^2 T\Theta}{Q} = 10^{210} = 5.140335 \text{m} \frac{\text{m}^2 \text{sK}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{sK}}{\text{C}} = 513.2123 \cdot 10^{210}$	$1 \text{ rere-} \frac{L^2 T\Theta}{Q} = 10^{220} = 1050.212 \frac{\text{m}^2 \text{sK}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{sK}}{\text{C}} = 4.020421 \cdot 10^{220}$	$1 \text{ rere-} \frac{L^2 T\Theta}{Q} = 10^{220} = 0.1251144 \text{k} \frac{\text{m}^2 \text{sK}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{mC}} = 14.54203 \cdot 10^{-310}$	$1 \text{ ni}'\text{ucipa-} \frac{\Theta}{LQ} = 10^{-310} = 0.03141512 \text{m} \frac{\text{K}}{\text{mC}}$
$1 \text{k} \frac{\text{K}}{\text{mC}} = 0.1224141 \cdot 10^{-300}$	$1 \text{ ni}'\text{ucino-} \frac{\Theta}{LQ} = 10^{-300} = 4.131555 \frac{\text{K}}{\text{mC}}$
$1 \text{k} \frac{\text{K}}{\text{mC}} = 1030.441 \cdot 10^{-300}$	$1 \text{ ni}'\text{uremu-} \frac{\Theta}{LQ} = 10^{-250} = 530.4151 \text{k} \frac{\text{K}}{\text{mC}}$
$1 \text{m} \frac{\text{K}}{\text{msC}} = 0.3413430 \cdot 10^{-440}$	$1 \text{ ni}'\text{uvovo-} \frac{\Theta}{LTQ} = 10^{-440} = 1.341054 \text{m} \frac{\text{K}}{\text{msC}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{msC}} &= 2510.345 \cdot 10^{-440} \\
1 \text{k} \frac{\text{K}}{\text{msC}} &= 21.13202 \cdot 10^{-430} \\
1 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.01131401 \cdot 10^{-1010} \\
1 \frac{\text{K}}{\text{ms}^2 \text{C}} &= 54.53425 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.4254252 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 521.5441 \cdot 10^{-140} \\
1 \frac{\text{sK}}{\text{mC}} &= 4.053551 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 0.03112515 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.03022303 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 221.1111 \cdot 10^{-420} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 1.454240 \cdot 10^{-410} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 1012.255 \cdot 10^{-1000} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2 \text{sC}} &= 4.451153 \cdot 10^{-550} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 0.03413540 \cdot 10^{-540} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 20.40230 \cdot 10^{-1130} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.1344102 \cdot 10^{-1120} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 1131.424 \cdot 10^{-1120} \\
1 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 1.301511 \cdot 10^{-250} \\
1 \frac{\text{sK}}{\text{m}^2 \text{C}} &= 0.01055235 \cdot 10^{-240} \quad (*) \\
1 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 52.20022 \cdot 10^{-240} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 50.53013 \cdot 10^{-540} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.3550455 \cdot 10^{-530} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.003022402 \cdot 10^{-520} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 1.425053 \cdot 10^{-1110} \\
1 \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.01203003 \cdot 10^{-1100} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 101.2314 \cdot 10^{-1100} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.03314443 \cdot 10^{-1240} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 242.3355 \cdot 10^{-1240} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 2.040310 \cdot 10^{-1230} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.002311243 \cdot 10^{-400} \\
1 \frac{\text{sK}}{\text{m}^3 \text{C}} &= 15.42231 \cdot 10^{-400} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.1301540 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 45.42102 \cdot 10^{-140} \\
1 \frac{\text{kgK}}{\text{C}} &= 0.3453431 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 0.002541054 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 1.402344 \cdot 10^{-310} \\
1 \frac{\text{kgK}}{\text{sC}} &= 0.01143450 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 55.55223 \cdot 10^{-300} \quad (*) \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 0.03225133 \cdot 10^{-440} \\
1 \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 234.4513 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 2.010541 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.002234213 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= 15.14053 \cdot 10^0 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 0.1241220 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 0.02541000 \cdot 10^{-20} \quad (***) \\
1 \frac{\text{kg mK}}{\text{C}} &= 213.5303 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 1.431131 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvoci-} \frac{\Theta}{LTQ} &= 10^{-430} = 203.2302 \frac{\text{K}}{\text{msC}} \\
1 \text{ni}'\text{uvoci-} \frac{\Theta}{LTQ} &= 10^{-430} = 0.02414241 \text{k} \frac{\text{K}}{\text{msC}} \\
1 \text{ni}'\text{upanopa-} \frac{\Theta}{LT^2Q} &= 10^{-1010} = 44.34230 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}'\text{upanopa-} \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.01010323 \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}'\text{upanono-} \frac{\Theta}{LT^2Q} &= 10^{-1000} = 1.200241 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{upavo-} \frac{T\Theta}{LQ} &= 10^{-140} = 0.001040313 \text{m} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'\text{upaci-} \frac{T\Theta}{LQ} &= 10^{-130} = 0.1235424 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'\text{upare-} \frac{T\Theta}{LQ} &= 10^{-120} = 15.12003 \text{k} \frac{\text{sK}}{\text{mC}} \quad (*) \\
1 \text{ni}'\text{uvore-} \frac{\Theta}{L^2Q} &= 10^{-420} = 15.42312 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uvore-} \frac{\Theta}{L^2Q} &= 10^{-420} = 0.002311335 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uvopa-} \frac{\Theta}{L^2Q} &= 10^{-410} = 0.3141411 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umumu-} \frac{\Theta}{L^2TQ} &= 10^{-550} = 543.4545 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni}'\text{umumu-} \frac{\Theta}{L^2TQ} &= 10^{-550} = 0.1125203 \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni}'\text{umuovo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 13.41023 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni}'\text{upapaci-} \frac{\Theta}{L^2T^2Q} &= 10^{-1130} = 0.02501200 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{upapare-} \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 3.402514 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upapapa-} \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 443.4055 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{uremu-} \frac{T\Theta}{L^2Q} &= 10^{-250} = 0.3551021 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 50.53201 \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 0.01040252 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umuovo-} \frac{\Theta}{L^3Q} &= 10^{-540} = 0.01055301 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni}'\text{umuci-} \frac{\Theta}{L^3Q} &= 10^{-530} = 1.301541 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{umure-} \frac{\Theta}{L^3Q} &= 10^{-520} = 154.2233 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{upapapa-} \frac{\Theta}{L^3TQ} &= 10^{-1110} = 0.3234122 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}'\text{upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 42.41533 \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}'\text{upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.005434355 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} \quad (*) \\
1 \text{ni}'\text{uparevo-} \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 14.05024 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uparevo-} \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 0.002105045 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upareci-} \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 0.2501104 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 221.1201 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.03022405 \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{ucimu-} \frac{T\Theta}{L^3Q} &= 10^{-350} = 3.550503 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni}'\text{upavo-} \frac{M\Theta}{Q} &= 10^{-140} = 0.01113325 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{Q} &= 10^{-130} = 1.323001 \frac{\text{kgK}}{\text{C}} \quad (*) \\
1 \text{ni}'\text{upare-} \frac{M\Theta}{Q} &= 10^{-120} = 201.1204 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{ucipa-} \frac{M\Theta}{TQ} &= 10^{-310} = 0.3323543 \text{m} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'\text{ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 43.44243 \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'\text{ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 0.01000033 \text{k} \frac{\text{kgK}}{\text{sC}} \quad (**) \\
1 \text{ni}'\text{uvovo-} \frac{M\Theta}{T^2Q} &= 10^{-440} = 14.31410 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvovo-} \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.002140030 \frac{\text{kgK}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{uvoco-} \frac{M\Theta}{T^2Q} &= 10^{-430} = 0.2541424 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 224.3452 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.03105123 \frac{\text{kg sK}}{\text{C}} \\
1 \frac{pa-MT\Theta}{Q} &= 10^{10} = 4.045130 \text{k} \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 20.11243 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 0.002345313 \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}'\text{upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 0.3230043 \text{k} \frac{\text{kg mK}}{\text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 555.5031 \cdot 10^{-200} \quad (**)
\\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 4.343144 \cdot 10^{-150}
\\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.03323021 \cdot 10^{-140}
\\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}^2} &= 20.10502 \cdot 10^{-330}
\\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}^2} &= 0.1322340 \cdot 10^{-320}
\\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}^2} &= 1113.135 \cdot 10^{-320}
\\
1 \text{m} \frac{\text{kg m s K}}{\text{C}} &= 1.241152 \cdot 10^{110}
\\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.01041431 \cdot 10^{120}
\\
1 \text{k} \frac{\text{kg m s K}}{\text{C}} &= 51.03123 \cdot 10^{120}
\\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14.31055 \cdot 10^{50} \quad (*)
\\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.1204322 \cdot 10^{100}
\\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 1013.424 \cdot 10^{100}
\\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.3322513 \cdot 10^{-40}
\\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2430.451 \cdot 10^{-40}
\\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 20.42543 \cdot 10^{-30}
\\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}^2} &= 0.01113113 \cdot 10^{-210}
\\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}^2} &= 53.33151 \cdot 10^{-210}
\\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}^2} &= 0.4153035 \cdot 10^{-200}
\\
1 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 510.2544 \cdot 10^{220}
\\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 3.555222 \cdot 10^{230} \quad (**)
\\
1 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.03030112 \cdot 10^{240}
\\
1 \text{m} \frac{\text{kg K}}{\text{m} \text{C}} &= 0.1215353 \cdot 10^{-250}
\\
1 \frac{\text{kg K}}{\text{m} \text{C}} &= 0.001023114 \cdot 10^{-240}
\\
1 \frac{\text{kg K}}{\text{m} \text{C}} &= 4.542235 \cdot 10^{-240}
\\
1 \text{m} \frac{\text{kg K}}{\text{m} \text{s} \text{C}} &= 0.002453121 \cdot 10^{-420}
\\
1 \frac{\text{kg K}}{\text{m} \text{s} \text{C}} &= 21.02030 \cdot 10^{-420}
\\
1 \frac{\text{kg K}}{\text{m} \text{s} \text{C}} &= 0.1402415 \cdot 10^{-410}
\\
1 \text{m} \frac{\text{kg K}}{\text{m} \text{s}^2 \text{C}} &= 54.22343 \cdot 10^{-1000}
\\
1 \frac{\text{kg K}}{\text{m} \text{s}^2 \text{C}} &= 0.4231421 \cdot 10^{-550}
\\
1 \frac{\text{kg K}}{\text{m} \text{s}^2 \text{C}} &= 0.003225240 \cdot 10^{-540}
\\
1 \text{m} \frac{\text{kg s K}}{\text{m} \text{C}} &= 4.032155 \cdot 10^{-120} \quad (*)
\\
1 \frac{\text{kg s K}}{\text{m} \text{C}} &= 0.03054204 \cdot 10^{-110}
\\
1 \frac{\text{kg s K}}{\text{m} \text{C}} &= 223.4301 \cdot 10^{-110}
\\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 215.5232 \cdot 10^{-410}
\\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1.444241 \cdot 10^{-400}
\\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.01215421 \cdot 10^{-350}
\\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} &= 4.423304 \cdot 10^{-540}
\\
1 \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} &= 0.03353431 \cdot 10^{-530}
\\
1 \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} &= 245.3213 \cdot 10^{-530}
\\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.1334453 \cdot 10^{-1110}
\\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.001123335 \cdot 10^{-1100}
\\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 5.422532 \cdot 10^{-1100}
\\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.01051341 \cdot 10^{-230}
\\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 51.50212 \cdot 10^{-230}
\\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.4032313 \cdot 10^{-220}
\\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.3525435 \cdot 10^{-520}
\\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 3004.334 \cdot 10^{-520} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{ureno-} \frac{ML\Theta}{TQ} &= 10^{-200} = 0.001000053 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \quad (**)
\\
1 \text{ni}'\text{upamu-} \frac{ML\Theta}{TQ} &= 10^{-150} = 0.1144045 \frac{\text{kg m K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 14.03015 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{ucici-} \frac{ML\Theta}{T^2Q} &= 10^{-330} = 0.02541522 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 3.454415 \frac{\text{kg m K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{ucipa-} \frac{ML\Theta}{T^2Q} &= 10^{-310} = 454.3232 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}}
\\
1 \text{papa-} \frac{MLT\Theta}{Q} &= 10^{110} = 0.4045245 \text{m} \frac{\text{kg m s K}}{\text{C}}
\\
1 \text{pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 52.05533 \frac{\text{kg m s K}}{\text{C}} \quad (*)
\\
1 \text{pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 0.01054040 \text{k} \frac{\text{kg m s K}}{\text{C}}
\\
1 \text{mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.03230150 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}}
\\
1 \text{pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 4.232502 \frac{\text{kg m}^2 \text{K}}{\text{C}}
\\
1 \text{papa-} \frac{ML^2\Theta}{Q} &= 10^{110} = 542.4022 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}}
\\
1 \text{ni}'\text{uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 1.403051 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 210.2344 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.02453535 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 45.43404 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 0.01023253 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}
\\
1 \text{ni}'\text{urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 1.220001 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (**)
\\
1 \text{rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.001054102 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}}
\\
1 \text{reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 0.1300121 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \quad (*)
\\
1 \text{revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 15.40111 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}}
\\
1 \text{ni}'\text{uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 4.154110 \text{m} \frac{\text{kg K}}{\text{m} \text{C}}
\\
1 \text{ni}'\text{urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 533.4415 \frac{\text{kg K}}{\text{m} \text{C}}
\\
1 \text{ni}'\text{urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 0.1113303 \text{k} \frac{\text{kg K}}{\text{m} \text{C}}
\\
1 \text{ni}'\text{uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 204.3254 \text{m} \frac{\text{kg K}}{\text{m s C}}
\\
1 \text{ni}'\text{uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 0.02431301 \frac{\text{kg K}}{\text{m s C}}
\\
1 \text{ni}'\text{uvore-} \frac{M\Theta}{LTQ} &= 10^{-410} = 3.323435 \text{k} \frac{\text{kg K}}{\text{m s C}}
\\
1 \text{ni}'\text{upanono-} \frac{M\Theta}{LT^2Q} &= 10^{-1000} = 0.01014001 \text{m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \quad (*)
\\
1 \text{ni}'\text{umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 1.204523 \frac{\text{kg K}}{\text{m s}^2 \text{C}}
\\
1 \text{ni}'\text{umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 143.1334 \text{k} \frac{\text{kg K}}{\text{m s}^2 \text{C}}
\\
1 \text{ni}'\text{upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.1244315 \text{m} \frac{\text{kg s K}}{\text{m} \text{C}}
\\
1 \text{ni}'\text{upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 15.22130 \frac{\text{kg s K}}{\text{m} \text{C}}
\\
1 \text{ni}'\text{upano-} \frac{MT\Theta}{LQ} &= 10^{-100} = 2243.404 \text{k} \frac{\text{kg s K}}{\text{m} \text{C}}
\\
1 \text{ni}'\text{uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 2324.021 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}}
\\
1 \text{ni}'\text{uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 0.3200353 \frac{\text{kg K}}{\text{m}^2 \text{C}} \quad (*)
\\
1 \text{ni}'\text{ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 41.53545 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{C}}
\\
1 \text{ni}'\text{umuovo-} \frac{M\Theta}{L^2TQ} &= 10^{-540} = 0.1133301 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}}
\\
1 \text{ni}'\text{umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 13.50243 \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}}
\\
1 \text{ni}'\text{umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 2043.214 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}}
\\
1 \text{ni}'\text{upapapa-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1110} = 3.423053 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}
\\
1 \text{ni}'\text{upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 450.2022 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}
\\
1 \text{ni}'\text{upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.1013541 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}
\\
1 \text{ni}'\text{ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 51.22310 \text{m} \frac{\text{kg s K}}{\text{m}^2 \text{C}}
\\
1 \text{ni}'\text{ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 0.01044110 \frac{\text{kg s K}}{\text{m}^2 \text{C}}
\\
1 \text{ni}'\text{urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 1.244251 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{C}}
\\
1 \text{ni}'\text{umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 1.310552 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \quad (*)
\\
1 \text{ni}'\text{umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 155.2542 \frac{\text{kg K}}{\text{m}^3 \text{C}} \quad (*)
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = 21.55315 \cdot 10^{-510}$ (*)	$1 ni'umupa - \frac{M\Theta}{L^3 Q} = 10^{-510} = 0.02323532 k \frac{kg\ K}{m^3 C}$
$1m \frac{kg\ K}{m^3 s\ C} = 0.01154331 \cdot 10^{-1050}$	$1 ni'upanomu - \frac{M\Theta}{L^3 TQ} = 10^{-1050} = 43.04441 m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 100.5045 \cdot 10^{-1050}$ (*)	$1 ni'upanovo - \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 5505.524 \frac{kg\ K}{m^3 s\ C}$ (*)
$1k \frac{kg\ K}{m^3 s\ C} = 0.4423434 \cdot 10^{-1040}$	$1 ni'upanovo - \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 1.133234 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 241.0400 \cdot 10^{-1230}$ (*)	$1 ni'uparere - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 2120.235 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 2.025331 \cdot 10^{-1220}$	$1 ni'uparere - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.2514352 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 0.01334523 \cdot 10^{-1210}$	$1 ni'uparepa - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 34.22542 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 15.32000 \cdot 10^{-350}$ (**)	$1 ni'ucimu - \frac{MT\Theta}{L^3 Q} = 10^{-350} = 0.03040531 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 0.1252553 \cdot 10^{-340}$ (*)	$1 ni'ucivo - \frac{MT\Theta}{L^3 Q} = 10^{-340} = 4.012035 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 1051.402 \cdot 10^{-340}$	$1 ni'ucici - \frac{MT\Theta}{L^3 Q} = 10^{-330} = 512.2130 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 25.45541 \cdot 10^{-40}$ (*)	$1 ni'uvu-Q\Theta = 10^{-40} = 0.02004023 m CK$ (*)
$1 CK = 0.2143200 \cdot 10^{-30}$ (*)	$1 ni'uci-Q\Theta = 10^{-30} = 2.341052 CK$
$1k CK = 0.001434111 \cdot 10^{-20}$	$1 ni'ure-Q\Theta = 10^{-20} = 322.0233 k CK$
$1m \frac{CK}{s} = 1.001305 \cdot 10^{-210}$ (*)	$1 ni'urepa - \frac{Q\Theta}{T} = 10^{-210} = 0.5542530 m \frac{CK}{s}$ (*)
$1 \frac{CK}{s} = 0.004355021 \cdot 10^{-200}$ (*)	$1 ni'ureno - \frac{Q\Theta}{T} = 10^{-200} = 114.1550 \frac{CK}{s}$ (*)
$1k \frac{CK}{s} = 33.33015 \cdot 10^{-200}$	$1 ni'ureno - \frac{Q\Theta}{T} = 10^{-200} = 0.01400131 k \frac{CK}{s}$ (*)
$1m \frac{CK}{s^2} = 0.02014130 \cdot 10^{-340}$	$1 ni'ucivo - \frac{Q\Theta}{T^2} = 10^{-340} = 25.32552 m \frac{CK}{s^2}$ (*)
$1 \frac{CK}{s^2} = 132.5124 \cdot 10^{-340}$	$1 ni'ucivo - \frac{Q\Theta}{T^2} = 10^{-340} = 0.003444202 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 1.115150 \cdot 10^{-330}$	$1 ni'ucici - \frac{Q\Theta}{T^2} = 10^{-330} = 0.4531100 k \frac{CK}{s^2}$ (*)
$1m s CK = 0.001243430 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 403.4325 m s CK$
$1 s CK = 10.43345 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 0.05153001 s CK$ (*)
$1k s CK = 0.05115533 \cdot 10^{110}$ (*)	$1 papa-TQ\Theta = 10^{110} = 10.52104 k s CK$
$1m m CK = 0.01434035 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 32.20340 m m CK$
$1 m CK = 121.0500 \cdot 10^{40}$ (*)	$1 vo-LQ\Theta = 10^{40} = 0.004221244 m CK$
$1k m CK = 1.015255 \cdot 10^{50}$ (*)	$1 mu-LQ\Theta = 10^{50} = 0.5410301 k m CK$
$1m \frac{m CK}{s} = 333.2510 \cdot 10^{-100}$	$1 ni'upano - \frac{LQ\Theta}{T} = 10^{-100} = 0.001400202 m \frac{m CK}{s}$ (*)
$1 \frac{m CK}{s} = 2.435233 \cdot 10^{-50}$	$1 ni'umu - \frac{LQ\Theta}{T} = 10^{-50} = 0.2055001 \frac{m CK}{s}$ (**)
$1k \frac{m CK}{s} = 0.02050305 \cdot 10^{-40}$	$1 ni'uvu - \frac{LQ\Theta}{T} = 10^{-40} = 24.45123 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 11.15124 \cdot 10^{-230}$	$1 ni'ureci - \frac{LQ\Theta}{T^2} = 10^{-230} = 0.04531232 m \frac{m CK}{s^2}$
$1 \frac{m CK}{s^2} = 0.05350412 \cdot 10^{-220}$	$1 ni'urere - \frac{LQ\Theta}{T^2} = 10^{-220} = 10.21411 \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 420.4205 \cdot 10^{-220}$	$1 ni'urere - \frac{LQ\Theta}{T^2} = 10^{-220} = 0.001213405 k \frac{m CK}{s^2}$
$1m m s CK = 0.5115354 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 1.052125 m m s CK$
$1 m s CK = 0.004010035 \cdot 10^{220}$ (*)	$1 rere-LTQ\Theta = 10^{220} = 125.3421 m s CK$
$1k m s CK = 30.35214 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.01532543 k m s CK$
$1m m^2 CK = 10.15235 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.05410450 m m^2 CK$
$1 m^2 CK = 0.04512545 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 11.21505 m^2 CK$
$1k m^2 CK = 343.2251 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 0.001332314 k m^2 CK$
$1m \frac{m^2 CK}{s} = 0.2050225 \cdot 10^{20}$	$1 re - \frac{L^2 Q\Theta}{T} = 10^{20} = 2.445215 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 1352.444 \cdot 10^{20}$	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 334.4325 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 11.35150 \cdot 10^{30}$	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 0.04412451 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 4204.044 \cdot 10^{-120}$	$1 ni'upapa - \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 121.3433 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 32.05224 \cdot 10^{-110}$	$1 ni'upapa - \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 0.01441523 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 0.2331421 \cdot 10^{-100}$	$1 ni'upano - \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 2.152044 k \frac{m^2 CK}{s^2}$
$1m m^2 s CK = 303.5114 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.001533021 m m^2 s CK$
$1 m^2 s CK = 2.221525 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 0.2300302 m^2 s CK$ (*)
$1k m^2 s CK = 0.01503343 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 31.24300 k m^2 s CK$ (*)
$1 \frac{m^2 CK}{m} = 0.04554254 \cdot 10^{-150}$ (*)	$1 ni'upamu - \frac{Q\Theta}{L} = 10^{-150} = 11.11321 m \frac{CK}{m}$
$1 \frac{CK}{m} = 350.4101 \cdot 10^{-150}$	$1 ni'upavo - \frac{Q\Theta}{L} = 10^{-140} = 1320.221 \frac{CK}{m}$
$1k \frac{CK}{m} = 2.550035 \cdot 10^{-140}$ (**)	$1 ni'upavo - \frac{Q\Theta}{L} = 10^{-140} = 0.2003544 k \frac{CK}{m}$ (*)

$$\begin{aligned}
1 \text{m CK}_{\text{ms}} &= 0.001405241 \cdot 10^{-320} \\
1 \text{CK}_{\text{ms}} &= 11.45552 \cdot 10^{-320} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{k CK}_{\text{ms}} &= 0.1001325 \cdot 10^{-310} \quad (*) \\
1 \text{m CK}_{\text{ms}^2} &= 32.34554 \cdot 10^{-500} \quad (*) \\
1 \text{CK}_{\text{ms}^2} &= 0.2353144 \cdot 10^{-450} \\
1 \text{k CK}_{\text{ms}^2} &= 0.002014205 \cdot 10^{-440} \\
1 \text{m sCK}_\text{m} &= 2.242245 \cdot 10^{-20} \\
1 \text{sCK}_\text{m} &= 0.01521151 \cdot 10^{-10} \\
1 \text{k sCK}_\text{m} &= 124.3454 \cdot 10^{-10} \\
1 \text{m CK}_{\text{m}^2} &= 122.1552 \cdot 10^{-310} \quad (*) \\
1 \text{CK}_{\text{m}^2} &= 1.025002 \cdot 10^{-300} \quad (*) \\
1 \text{k CK}_{\text{m}^2} &= 4554.431 \cdot 10^{-300} \quad (*) \\
1 \text{m CK}_{\text{m}^2 \text{s}} &= 2.501544 \cdot 10^{-440} \\
1 \text{CK}_{\text{m}^2 \text{s}} &= 0.02105423 \cdot 10^{-430} \\
1 \text{k CK}_{\text{m}^2 \text{s}} &= 140.5312 \cdot 10^{-430} \\
1 \text{m CK}_{\text{m}^2 \text{s}^2} &= 0.05440125 \cdot 10^{-1010} \\
1 \text{CK}_{\text{m}^2 \text{s}^2} &= 424.3053 \cdot 10^{-1010} \\
1 \text{k CK}_{\text{m}^2 \text{s}^2} &= 3.235102 \cdot 10^{-1000} \\
1 \text{m sCK}_{\text{m}^2} &= 4043.111 \cdot 10^{-140} \\
1 \text{sCK}_{\text{m}^2} &= 31.03353 \cdot 10^{-130} \\
1 \text{k sCK}_{\text{m}^2} &= 0.2242333 \cdot 10^{-120} \\
1 \text{m CK}_{\text{m}^3} &= 0.2203201 \cdot 10^{-420} \\
1 \text{CK}_{\text{m}^3} &= 1451.245 \cdot 10^{-420} \\
1 \text{k CK}_{\text{m}^3} &= 12.22020 \cdot 10^{-410} \\
1 \text{m CK}_{\text{m}^3 \text{s}} &= 4435.250 \cdot 10^{-1000} \\
1 \text{CK}_{\text{m}^3 \text{s}} &= 34.03520 \cdot 10^{-550} \\
1 \text{k CK}_{\text{m}^3 \text{s}} &= 0.2502040 \cdot 10^{-540} \\
1 \text{m CK}_{\text{m}^3 \text{s}^2} &= 134.1303 \cdot 10^{-1130} \\
1 \text{CK}_{\text{m}^3 \text{s}^2} &= 1.125404 \cdot 10^{-1120} \\
1 \text{k CK}_{\text{m}^3 \text{s}^2} &= 5440.315 \cdot 10^{-1120} \\
1 \text{m sCK}_{\text{m}^3} &= 10.53313 \cdot 10^{-250} \\
1 \text{sCK}_{\text{m}^3} &= 0.05203135 \cdot 10^{-240} \\
1 \text{k sCK}_{\text{m}^3} &= 404.3230 \cdot 10^{-240}
\end{aligned}$$


---


$$\begin{aligned}
1 \text{m kg CK} &= 0.2131445 \cdot 10^{-20} \\
1 \text{kg CK} &= 1424.220 \cdot 10^{-20} \\
1 \text{k kg CK} &= 12.02232 \cdot 10^{-10} \\
1 \text{m kg CK} &= 4331.430 \cdot 10^{-200} \\
1 \text{kg CK}_\text{s} &= 33.13124 \cdot 10^{-150} \\
1 \text{kg CK}_\text{s} &= 0.2422244 \cdot 10^{-140} \\
1 \text{m kg CK}_\text{s} &= 132.0020 \cdot 10^{-330} \quad (*) \\
1 \text{kg CK}_\text{s}^2 &= 1.111145 \cdot 10^{-320} \\
1 \text{kg CK}_\text{s}^2 &= 5320.250 \cdot 10^{-320} \\
1 \text{m kg sCK} &= 10.35533 \cdot 10^{110} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{kg sCK} &= 0.05050442 \cdot 10^{120} \\
1 \text{k kg sCK} &= 354.5031 \cdot 10^{120} \\
1 \text{m kg mCK} &= 120.2204 \cdot 10^{50} \\
1 \text{kg mCK} &= 1.012012 \cdot 10^{100} \\
1 \text{k kg mCK} &= 4445.114 \cdot 10^{100} \\
1 \text{m kg mCK} &= 2.422153 \cdot 10^{-40} \\
1 \text{kg mCK}_\text{s} &= 0.02035254 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 331.4002 \text{m CK}_{\text{ms}} \quad (*) \\
1 \text{ni'ucire-} \frac{Q\Theta}{ms} &= 10^{-320} = 0.04332425 \text{CK}_{\text{ms}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 5.542334 \text{k CK}_{\text{ms}} \\
1 \text{ni'umuno-} \frac{Q\Theta}{LT^2} &= 10^{-500} = 0.01424434 \text{m CK}_{\text{ms}^2} \\
1 \text{ni'uvomu-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 2.132143 \text{CK}_{\text{ms}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 253.2454 \text{k CK}_{\text{ms}^2} \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.2235415 \text{m sCK}_\text{m} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 30.55531 \text{sCK}_\text{m} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{TQ\Theta}{L} &= 1 = 4034.210 \text{k sCK}_\text{m} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 4142.555 \text{m CK}_{\text{m}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.5321215 \text{CK}_{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 111.1300 \text{k CK}_{\text{m}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{Q\Theta}{L^2 T} &= 10^{-440} = 0.2035541 \text{m CK}_{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 24.22525 \text{CK}_{\text{m}^2 \text{s}} \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 3313.453 \text{k CK}_{\text{m}^2 \text{s}} \\
1 \text{ni'upanopa-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1010} = 10.12133 \text{m CK}_{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 1202.351 \text{CK}_{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.1424402 \text{k CK}_{\text{m}^2 \text{s}^2} \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 124.2040 \text{m sCK}_{\text{m}^2} \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 0.01515031 \text{sCK}_{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 2.235331 \text{k sCK}_{\text{m}^2} \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^3} &= 10^{-420} = 2.315435 \text{m CK}_\text{m} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 315.1033 \text{CK}_{\text{m}^3} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.04142434 \text{k CK}_{\text{m}^3} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3 T} &= 10^{-550} = 113.1221 \text{m CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3 T} &= 10^{-550} = 0.01343421 \text{CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'umuvo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 2.035501 \text{k CK}_{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 3412.532 \text{m CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.4450000 \text{CK}_{\text{m}^3 \text{s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 101.2113 \text{k CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'uremu-} \frac{TQ\Theta}{L^3} &= 10^{-250} = 0.05105451 \text{m sCK}_{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 10.42151 \text{sCK}_{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.001242012 \text{k sCK}_{\text{m}^3}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} M Q\Theta &= 10^{-20} = 2.353513 \text{m kg CK} \\
1 \text{ni'upa-} M Q\Theta &= 10^{-10} = 323.5424 \text{kg CK} \\
1 \text{ni'upa-} M Q\Theta &= 10^{-10} = 0.04243515 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{M Q\Theta}{T} &= 10^{-150} = 115.0133 \text{m kg CK}_\text{s} \\
1 \text{ni'upamu-} \frac{M Q\Theta}{T} &= 10^{-150} = 0.01405452 \text{kg CK}_\text{s} \\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 2.110033 \text{k kg CK}_\text{s} \quad (*) \\
1 \text{ni'ucire-} \frac{M Q\Theta}{T^2} &= 10^{-320} = 3505.001 \text{m kg CK}_\text{s}^2 \quad (*) \\
1 \text{ni'ucire-} \frac{M Q\Theta}{T^2} &= 10^{-320} = 0.4555325 \text{kg CK}_\text{s}^2 \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 102.5105 \text{k kg CK}_\text{s}^2 \\
1 \text{papa-} M T Q\Theta &= 10^{110} = 0.05222424 \text{m kg sCK} \\
1 \text{pare-} M T Q\Theta &= 10^{120} = 11.00004 \text{kg sCK} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{pare-} M T Q\Theta &= 10^{120} = 0.001302340 \text{k kg sCK} \\
1 \text{pano-} M L Q\Theta &= 10^{100} = 4244.042 \text{m kg mCK} \\
1 \text{pano-} M L Q\Theta &= 10^{100} = 0.5441300 \text{kg m CK} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{papa-} M L Q\Theta &= 10^{110} = 112.5521 \text{k kg m CK} \quad (*) \\
1 \text{ni'ovo-} \frac{M L Q\Theta}{T} &= 10^{-40} = 0.2110114 \text{m kg m CK}_\text{s} \\
1 \text{ni'uci-} \frac{M L Q\Theta}{T} &= 10^{-30} = 25.02325 \text{kg m CK}_\text{s}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m CK}}{\text{s}} &= 134.3243 \cdot 10^{-30} \\
1m \frac{\text{kg m CK}}{\text{s}^2} &= 0.05320102 \cdot 10^{-210} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 414.2021 \cdot 10^{-210} \\
1k \frac{\text{kg m CK}}{\text{s}^2} &= 3.150320 \cdot 10^{-200} \\
1m \text{ kg m s CK} &= 3544.514 \cdot 10^{220} \\
1 \text{ kg m s CK} &= 30.21101 \cdot 10^{230} \\
1k \text{ kg m s CK} &= 0.2210055 \cdot 10^{240} \quad (*) \\
1m \text{ kg m}^2 \text{ CK} &= 0.04444543 \cdot 10^{210} \\
1 \text{ kg m}^2 \text{ CK} &= 341.2043 \cdot 10^{210} \\
1k \text{ kg m}^2 \text{ CK} &= 2.505214 \cdot 10^{220} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 0.001343213 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 11.31042 \cdot 10^{40} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.05451110 \cdot 10^{50} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 31.50214 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.2315115 \cdot 10^{-50} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.001545154 \cdot 10^{-40} \\
1m \text{ kg m}^2 \text{ s CK} &= 2.210012 \cdot 10^{340} \quad (*) \\
1 \text{ kg m}^2 \text{ s CK} &= 0.01453314 \cdot 10^{350} \\
1k \text{ kg m}^2 \text{ s CK} &= 122.3355 \cdot 10^{350} \quad (*) \\
1m \frac{\text{kg CK}}{\text{m}} &= 344.3304 \cdot 10^{-140} \\
1 \frac{\text{kg CK}}{\text{m}} &= 2.532203 \cdot 10^{-130} \\
1k \frac{\text{kg CK}}{\text{m}} &= 0.02131531 \cdot 10^{-120} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 11.41410 \cdot 10^{-310} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.05541342 \cdot 10^{-300} \quad (*) \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 433.1554 \cdot 10^{-300} \quad (*) \\
1m \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.2340330 \cdot 10^{-440} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2003.345 \cdot 10^{-440} \quad (*) \\
1k \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 13.20050 \cdot 10^{-430} \quad (*) \\
1m \frac{\text{kg s CK}}{\text{m}} &= 0.01511031 \cdot 10^0 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 123.5005 \cdot 10^0 \quad (*) \\
1k \frac{\text{kg s CK}}{\text{m}} &= 1.035553 \cdot 10^{10} \quad (***) \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 1.021245 \cdot 10^{-250} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.004530205 \cdot 10^{-240} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 34.43415 \cdot 10^{-240} \\
1m \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.02054311 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 135.5552 \cdot 10^{-420} \quad (***) \\
1k \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 1.141433 \cdot 10^{-410} \\
1m \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 422.0302 \cdot 10^{-1000} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 3.215513 \cdot 10^{-550} \quad (*) \\
1k \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.02340415 \cdot 10^{-540} \\
1m \frac{\text{kg s CK}}{\text{m}^2} &= 30.45111 \cdot 10^{-120} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.2230310 \cdot 10^{-110} \\
1k \frac{\text{kg s CK}}{\text{m}^2} &= 0.001511104 \cdot 10^{-100} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 0.001441303 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 12.13244 \cdot 10^{-400} \\
1k \frac{\text{kg CK}}{\text{m}^3} &= 0.1021305 \cdot 10^{-350} \\
1m \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 33.43443 \cdot 10^{-540} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.2444440 \cdot 10^{-530} \\
1k \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.002054352 \cdot 10^{-520} \\
1m \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 1.121331 \cdot 10^{-1110}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 3404.255 \text{ k} \frac{\text{kg m CK}}{\text{s}} \quad (*) \\
1 \text{ ni'urepa-} \frac{MLQ\Theta}{T^2} &= 10^{-210} = 10.25125 \text{ m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'ureno-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 1222.142 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'ureno-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 0.1451433 \text{ k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ reci-} MLTQ\Theta &= 10^{230} = 130.2410 \text{ m kg m s CK} \\
1 \text{ reci-} MLTQ\Theta &= 10^{230} = 0.01543221 \text{ kg m s CK} \\
1 \text{ revo-} MLTQ\Theta &= 10^{240} = 2.312415 \text{ k kg m s CK} \\
1 \text{ repa-} ML^2Q\Theta &= 10^{210} = 11.25543 \text{ m kg m}^2 \text{ CK} \quad (*) \\
1 \text{ rere-} ML^2Q\Theta &= 10^{220} = 1341.511 \text{ kg m}^2 \text{ CK} \\
1 \text{ rere-} ML^2Q\Theta &= 10^{220} = 0.2033232 \text{ k kg m}^2 \text{ CK} \\
1 \text{ vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 340.4405 \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.04440302 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 10.11005 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \quad (*) \\
1 \text{ ni'upano-} \frac{ML^2Q\Theta}{T^2} &= 10^{-100} = 0.01451510 \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 2.203503 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'uvvo-} \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 301.4101 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ civo-} ML^2TQ\Theta &= 10^{340} = 0.2312504 \text{ m kg m}^2 \text{ s CK} \\
1 \text{ cimu-} ML^2TQ\Theta &= 10^{350} = 31.43152 \text{ kg m}^2 \text{ s CK} \\
1 \text{ vono-} ML^2TQ\Theta &= 10^{400} = 4133.510 \text{ k kg m}^2 \text{ s CK} \\
1 \text{ ni'upavo-} \frac{MQ\Theta}{L} &= 10^{-140} = 0.001325330 \text{ m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'upaci-} \frac{MQ\Theta}{L} &= 10^{-130} = 0.2014410 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 23.53422 \text{ k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'ucipa-} \frac{MQ\Theta}{LT} &= 10^{-310} = 0.04400024 \text{ m} \frac{\text{kg CK}}{\text{ms}} \quad (***) \\
1 \text{ ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 10.01425 \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 0.001150110 \text{ k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ ni'uvovo-} \frac{MQ\Theta}{LT^2} &= 10^{-440} = 2.143455 \text{ m} \frac{\text{kg CK}}{\text{ms}^2} \quad (*) \\
1 \text{ ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 255.0333 \frac{\text{kg CK}}{\text{ms}^2} \quad (*) \\
1 \text{ ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.03504450 \text{ k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 31.14251 \text{ m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.004100014 \frac{\text{kg s CK}}{\text{m}} \quad (***) \\
1 \text{ pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 0.5222243 \text{ k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ ni'uremu-} \frac{MQ\Theta}{L^2} &= 10^{-250} = 0.5351533 \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 111.5301 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.01325300 \text{ k} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ ni'uvore-} \frac{MQ\Theta}{L^2T} &= 10^{-420} = 24.40011 \text{ m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'uvore-} \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.003333351 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uvopa-} \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.4355454 \text{ k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'upanono-} \frac{MQ\Theta}{L^2T^2} &= 10^{-1000} = 0.001211045 \text{ m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'umumu-} \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 0.1434254 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'umuvo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 21.43413 \text{ k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upare-} \frac{MTQ\Theta}{L^2} &= 10^{-120} = 0.01525213 \text{ m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'upapa-} \frac{MTQ\Theta}{L^2} &= 10^{-110} = 2.251422 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 311.4151 \text{ k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 321.0050 \text{ m} \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.04205024 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'ucimu-} \frac{MQ\Theta}{L^3} &= 10^{-350} = 5.351344 \text{ k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'umuvo-} \frac{MQ\Theta}{L^3T} &= 10^{-540} = 0.01353054 \text{ m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'umuci-} \frac{MQ\Theta}{L^3T} &= 10^{-530} = 2.050513 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 243.5520 \text{ k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'upapapa-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1110} = 0.4514010 \text{ m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned} 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.005405323 \cdot 10^{-1100} \\ 1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 42.20425 \cdot 10^{-1100} \\ 1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.05133414 \cdot 10^{-230} \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 402.1511 \cdot 10^{-230} \\ 1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 3.045211 \cdot 10^{-220} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upapano-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1100} = 101.5401 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{upapano-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1100} = 0.01211021 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{ureci-} \frac{MTQ\Theta}{L^3} &= 10^{-230} = 10.50015 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \quad (*) \\ 1 \text{ni}'\text{urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 1250.515 \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.1525135 \text{k} \frac{\text{kg s CK}}{\text{m}^3} \end{aligned}$$

## 4.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= 0.2103535 \cdot 10^{-40} \\ \text{Electron mass} &= 13.13035 \cdot 10^{-50} \\ \text{Elementary charge} &= 0.03024132 \cdot 10^0 \\ \text{\AA}^{16} &= 43.55305 \cdot 10^{50} \quad (*) \\ \text{Bohr radius}^{17} &= 22.45054 \cdot 10^{50} \\ \text{Fine structure constant}^{18} &= 0.001324245 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 15.25445 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^{20} &= 4.323310 \cdot 10^{-240} \\ \text{eV} &= 0.5022522 \cdot 10^{-100} \\ \hbar^{21} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 3.241004 \cdot 10^{100} \quad (*) \\ k_{\text{yellow}}^{22} &= 1.453251 \cdot 10^{-100} \\ k_{\text{X-Ray}}^{23} &= 113.3522 \cdot 10^{-40} \\ \\ \text{Earth g} &= 0.03020012 \cdot 10^{-130} \quad (*) \\ \text{cm} &= 1.141413 \cdot 10^{110} \\ \text{min} &= 0.004530230 \cdot 10^{140} \\ \text{hour} &= 1.211041 \cdot 10^{140} \\ \text{Liter} &= 0.01350113 \cdot 10^{340} \\ \\ \text{Area of a soccer field} &= 0.01541341 \cdot 10^{240} \\ 244 \text{ m}^2^{24} &= 55.23245 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.003354 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.125043 \cdot 10^{-20} \\ \text{inch}^{25} &= 3.133215 \cdot 10^{110} \\ \text{mile} &= 4.233523 \cdot 10^{120} \\ \text{pound} &= 0.002022410 \cdot 10^{20} \\ \text{horsepower} &= 114.5105 \cdot 10^{-150} \\ \text{kcal} &= 0.03332311 \cdot 10^{-10} \\ \text{kWh} &= 221.5111 \cdot 10^{-10} \\ \\ \text{Typical household electric field} &= 0.3313411 \cdot 10^{-210} \\ \text{Earthmagneticfield} &= 0.005042523 \cdot 10^{-200} \\ \text{Height of an average man}^{26} &= 0.001015323 \cdot 10^{120} \end{aligned}$$

$$\begin{aligned} \text{1 ni}'\text{uv-M} &= 10^{-40} = 2.425054 m_p \\ \text{1 ni}'\text{umu-M} &= 10^{-50} = 0.03520214 m_e \\ \text{1 Q} &= 1 = 15.41232 e \\ \text{1 mu-L} &= 10^{50} = 0.01141503 \text{\AA} \\ \text{1 mu-L} &= 10^{50} = 0.02233015 a_0 \\ \text{1} &= 1 = 345.0115 \alpha \\ \text{1 ni}'\text{upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.03044300 Ry \quad (*) \\ \text{1 ni}'\text{urevo-} \frac{1}{L^3} &= 10^{-240} = 0.1151250 \rho_{\max} \\ \text{1 ni}'\text{upano-} \frac{ML^2}{T^2} &= 10^{-100} = 1.103401 \text{eV} \\ \text{1} \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ \text{1 pano-L} &= 10^{100} = 0.1423425 \cdot \lambda_{\text{yellow}} \\ \text{1 ni}'\text{upano-} \frac{1}{L} &= 10^{-100} = 0.3143235 \cdot k_{\text{yellow}} \\ \text{1 ni}'\text{uvo-} \frac{1}{L} &= 10^{-40} = 0.004422012 \cdot k_{\text{X-Ray}} \\ \\ \text{1 ni}'\text{upaci-} \frac{ML}{T^2} &= 10^{-130} = 15.44042 \cdot \text{Earth g} \\ \text{1 papa-L} &= 10^{110} = 0.4400003 \text{cm} \quad (**) \\ \text{1 pavo-T} &= 10^{140} = 111.5254 \text{min} \\ \text{1 pavo-T} &= 10^{140} = 0.4220322 \text{h} \\ \text{1 civo-L}^3 &= 10^{340} = 33.54151 l \\ \\ \text{1 revo-L}^2 &= 10^{240} = 30.23544 A \\ \text{1 reci-L}^2 &= 10^{230} = 0.01003251 \cdot 244 \text{m}^2 \quad (*) \\ \text{1 ni}'\text{ure-} \frac{L}{T} &= 10^{-20} = 0.2550321 \text{km/h} \quad (*) \\ \text{1 ni}'\text{ure-} \frac{L}{T} &= 10^{-20} = 0.1503134 \text{mi/h} \\ \text{1 papa-L} &= 10^{110} = 0.1500505 \text{in} \quad (*) \\ \text{1 pare-L} &= 10^{120} = 0.1204124 \text{mi} \\ \text{1 re-M} &= 10^{20} = 252.2403 \text{pound} \\ \text{1 ni}'\text{upavo-} \frac{ML^2}{T^3} &= 10^{-140} = 4335.313 \text{horsepower} \\ \text{1 ni}'\text{upa-} \frac{ML^2}{T^2} &= 10^{-10} = 14.00255 \text{kcal} \quad (**) \\ \text{1} \frac{ML^2}{T^2} &= 1 = 2303.205 \text{kWh} \\ \text{1 ni}'\text{urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 1.405333 E_H \\ \text{1 ni}'\text{ureno-} \frac{M}{T Q} &= 10^{-200} = 110.0522 \cdot \text{Earthmagneticfield} \\ \text{1 pare-L} &= 10^{120} = 541.0042 \bar{h} \quad (*) \end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/14 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>100 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

$$\text{Mass of an average man} = 1.251052 \cdot 10^{20}$$

$$\text{Age of the Universe} = 311.3125 \cdot 10^{200}$$

$$\text{Size of the observable Universe} = 14.54521 \cdot 10^{210}$$

$$\text{Average density of the Universe} = 250.5554 \cdot 10^{-440} \quad (**)$$

$$\text{Earth mass} = 0.3230545 \cdot 10^{110}$$

$$\text{Sun mass}^{27} = 4.023053 \cdot 10^{120}$$

$$\text{Year} = 0.1312403 \cdot 10^{150}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$\text{Parsec} = 0.5005032 \cdot 10^{150} \quad (*)$$

$$\text{Astronomical unit} = 0.1045235 \cdot 10^{140}$$

$$\text{Earth radius} = 0.2131403 \cdot 10^{130}$$

$$\text{Distance Earth-Moon} = 34.41204 \cdot 10^{130}$$

$$\text{Momentum of someone walking}^{28} = 532.0013 \cdot 10^0 \quad (*)$$

$$\text{Stefan-Boltzmann constant} = 0.05531034 \cdot 10^0 \quad (*)$$

$$\text{mol} = 2.420221 \cdot 10^{50}$$

$$\text{Standard temperature}^{29} = 0.004143443 \cdot 10^{-100}$$

$$\text{Room - standard temperature}^{30} = 151.5333 \cdot 10^{-110}$$

$$\text{atm} = 0.01524321 \cdot 10^{-350}$$

$$c_s = 0.01531030 \cdot 10^{-10}$$

$$\mu_0 = 20.32220 \cdot 10^0$$

$$G = 1.000000 \quad (***)$$

$$1 \text{ re-}M = 10^{20} = 0.4021050 \bar{m}$$

$$1 \text{ reno-}T = 10^{200} = 0.001511450 t_U$$

$$1 \text{ repa-}L = 10^{210} = 0.03140521 l_U$$

$$1 \text{ ni'uvovo-} \frac{M}{L^3} = 10^{-440} = 0.002032551 \rho_U \quad (*)$$

$$1 \text{ papa-}M = 10^{110} = 1.430453 m_E$$

$$1 \text{ pare-}M = 10^{120} = 0.1250230 m_S$$

$$1 \text{ pamu-}T = 10^{150} = 3.521242 \text{ y}$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$1 \text{ pamu-}L = 10^{150} = 1.105553 \text{ pc} \quad (**)$$

$$1 \text{ pavo-}L = 10^{140} = 5.140314 \text{ au}$$

$$1 \text{ paci-}L = 10^{130} = 2.354003 r_E \quad (*)$$

$$1 \text{ paci-}L = 10^{130} = 0.01330254 d_M$$

$$1 \frac{ML}{T} = 1 = 0.001025135 \cdot \text{Momentum of someone walking}$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$$

$$1 \text{ mu-} = 10^{50} = 0.2111433 \text{ mol}$$

$$1 \text{ ni'upano-} \Theta = 10^{-100} = 122.1420 T_0$$

$$1 \text{ ni'upano-} \Theta = 10^{-100} = 3102.444 \Theta_R$$

$$1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 30.50311 \text{ atm}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$$

$$1 \frac{ML}{Q^2} = 1 = 0.02510444 \cdot \mu_0$$

$$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1 \text{ m} = 114.3534 \cdot 10^{-10}$$

$$1 = 1.000000 \quad (***)$$

$$1 \text{ k} = 4344.000 \cdot 10^0 \quad (**)$$

$$1 \text{ m} \frac{1}{\text{s}} = 2.345050 \cdot 10^{-140}$$

$$1 \frac{1}{\text{s}} = 0.02011052 \cdot 10^{-130}$$

$$1 \text{ k} \frac{1}{\text{s}} = 132.2504 \cdot 10^{-130}$$

$$1 \text{ m} \frac{1}{\text{s}^2} = 0.05205041 \cdot 10^{-310}$$

$$1 \frac{1}{\text{s}^2} = 404.4501 \cdot 10^{-310}$$

$$1 \text{ k} \frac{1}{\text{s}^2} = 3.104530 \cdot 10^{-300}$$

$$1 \text{ m s} = 3454.045 \cdot 10^{120}$$

$$1 \text{ s} = 25.41241 \cdot 10^{130}$$

$$1 \text{ k s} = 0.2135510 \cdot 10^{140} \quad (*)$$

$$1 \text{ m m} = 0.04343431 \cdot 10^{110}$$

$$1 \text{ m} = 332.3230 \cdot 10^{110}$$

$$1 \text{ k m} = 2.431121 \cdot 10^{120}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}} = 0.001322434 \cdot 10^{-20}$$

$$1 \frac{\text{m}}{\text{s}} = 11.13221 \cdot 10^{-20}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.05334055 \cdot 10^{-10} \quad (*)$$

$$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 31.04430 \cdot 10^{-200}$$

$$1 \frac{\text{m}}{\text{s}^2} = 0.2243240 \cdot 10^{-150}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 0.001522022 \cdot 10^{-140}$$

$$1 = 1 = 4344.000 \text{ m} \quad (**)$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ pa-} = 10^{10} = 114.3534 \text{ k}$$

$$1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.2135510 \text{ m} \frac{1}{\text{s}} \quad (*)$$

$$1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 25.41241 \frac{1}{\text{s}}$$

$$1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 3454.045 \text{ k} \frac{1}{\text{s}}$$

$$1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 10.41532 \text{ m} \frac{1}{\text{s}^2}$$

$$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 1241.312 \frac{1}{\text{s}^2}$$

$$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.1514202 \text{ k} \frac{1}{\text{s}^2}$$

$$1 \text{ paci-}T = 10^{130} = 132.2504 \text{ m s}$$

$$1 \text{ paci-}T = 10^{130} = 0.02011052 \text{ s}$$

$$1 \text{ pavo-}T = 10^{140} = 2.345050 \text{ k s}$$

$$1 \text{ papa-}L = 10^{110} = 11.44001 \text{ m m} \quad (*)$$

$$1 \text{ pare-}L = 10^{120} = 1402.515 \text{ m}$$

$$1 \text{ pare-}L = 10^{120} = 0.2102145 \text{ k m}$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.4201 \text{ m} \frac{\text{m}}{\text{s}}$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.04542533 \frac{\text{m}}{\text{s}}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.23153 \text{ k} \frac{\text{m}}{\text{s}}$$

$$1 \text{ ni'uren-} \frac{L}{T^2} = 10^{-200} = 0.01514235 \text{ m} \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ ni'upamu-} \frac{L}{T^2} = 10^{-150} = 2.234430 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ ni'upavo-} \frac{L}{T^2} = 10^{-140} = 305.4400 \text{ k} \frac{\text{m}}{\text{s}^2} \quad (*)$$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>32 °C

$1\text{m m s} = 2.135424 \cdot 10^{240}$	$1\text{revo-}LT = 10^{240} = 0.2345140 \text{ m m s}$
$1\text{m s} = 0.01431232 \cdot 10^{250}$	$1\text{remu-}LT = 10^{250} = 32.25441 \text{ m s}$
$1\text{k m s} = 120.4434 \cdot 10^{250}$	$1\text{cino-}LT = 10^{300} = 4232.100 \text{ k m s}$ (*)
$1\text{m m}^2 = 24.31030 \cdot 10^{220}$	$1\text{rere-}L^2 = 10^{220} = 0.02102230 \text{ m m}^2$
$1\text{m}^2 = 0.2043101 \cdot 10^{230}$	$1\text{reci-}L^2 = 10^{230} = 2.453354 \text{ m}^2$
$1\text{k m}^2 = 0.001350144 \cdot 10^{240}$	$1\text{revo-}L^2 = 10^{240} = 335.4041 \text{ k m}^2$
$1\text{m}^{\frac{m}{s}} = 0.5333511 \cdot 10^{50}$	$1\text{mu-}\frac{L^2}{T} = 10^{50} = 1.023214 \text{ m}^{\frac{m}{s}}$
$1\text{m}^{\frac{2}{s}} = 0.004153312 \cdot 10^{100}$	$1\text{pano-}\frac{L^2}{T} = 10^{100} = 121.5511 \text{ m}^{\frac{2}{s}}$ (*)
$1\text{k m}^{\frac{2}{s}} = 32.00154 \cdot 10^{100}$ (*)	$1\text{pano-}\frac{L^2}{T^2} = 10^{100} = 0.01444343 \text{ k}^{\frac{m}{s}}$
$1\text{m}^{\frac{m}{s^2}} = 0.01521544 \cdot 10^{-40}$	$1\text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 30.54500 \text{ m}^{\frac{m}{s^2}}$ (*)
$1\text{m}^{\frac{2}{s^2}} = 124.4155 \cdot 10^{-40}$ (*)	$1\text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 0.004032541 \text{ m}^{\frac{2}{s^2}}$
$1\text{k m}^{\frac{m}{s^2}} = 1.044030 \cdot 10^{-30}$	$1\text{ni'uci-}\frac{L^2}{T^2} = 10^{-30} = 0.5150521 \text{ k}^{\frac{m}{s^2}}$
$1\text{m m}^2\text{s} = 0.001204411 \cdot 10^{400}$	$1\text{vono-}L^2T = 10^{400} = 423.2223 \text{ m m}^2\text{s}$
$1\text{m}^2\text{s} = 10.13503 \cdot 10^{400}$	$1\text{vono-}L^2T = 10^{400} = 0.05423255 \text{ m}^2\text{s}$ (*)
$1\text{k m}^2\text{s} = 0.04501331 \cdot 10^{410}$	$1\text{vopa-}L^2T = 10^{410} = 11.23422 \text{ k m}^2\text{s}$
$1\text{m}^{\frac{1}{m}} = 0.2102145 \cdot 10^{-120}$	$1\text{ni'upare-}\frac{1}{L} = 10^{-120} = 2.431121 \text{ m}^{\frac{1}{m}}$
$1\frac{1}{\text{m}} = 1402.515 \cdot 10^{-120}$	$1\text{ni'upapa-}\frac{1}{L} = 10^{-110} = 332.3230 \frac{1}{\text{m}}$
$1\text{k}^{\frac{1}{\text{m}}} = 11.44001 \cdot 10^{-110}$ (*)	$1\text{ni'upapa-}\frac{1}{L} = 10^{-110} = 0.04343431 \text{ k}^{\frac{1}{\text{m}}}$
$1\text{m}^{\frac{1}{\text{m s}}} = 4232.100 \cdot 10^{-300}$ (*)	$1\text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 120.4434 \text{ m}^{\frac{1}{\text{m s}}}$
$1\frac{1}{\text{m s}} = 32.25441 \cdot 10^{-250}$	$1\text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 0.01431232 \frac{1}{\text{m s}}$
$1\text{k}^{\frac{1}{\text{m s}}} = 0.2345140 \cdot 10^{-240}$	$1\text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 2.135424 \text{ k}^{\frac{1}{\text{m s}}}$
$1\text{m}^{\frac{1}{\text{m s}^2}} = 130.0000 \cdot 10^{-430}$ (**)	$1\text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 4000.001 \text{ m}^{\frac{1}{\text{m s}^2}}$ (**)
$1\frac{1}{\text{m s}^2} = 1.054000 \cdot 10^{-420}$ (**)	$1\text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 0.5103430 \frac{1}{\text{m s}^2}$
$1\text{k}^{\frac{1}{\text{m s}^2}} = 5205.222 \cdot 10^{-420}$	$1\text{ni'uvopa-}\frac{1}{LT^2} = 10^{-410} = 104.1511 \text{ k}^{\frac{1}{\text{m s}^2}}$
$1\text{m}^{\frac{s}{m}} = 10.23153 \cdot 10^{10}$	$1\text{pa-}\frac{T}{L} = 10^{10} = 0.05334055 \text{ m}^{\frac{s}{m}}$ (*)
$1\frac{s}{\text{m}} = 0.04542533 \cdot 10^{20}$	$1\text{re-}\frac{T}{L} = 10^{20} = 11.13221 \frac{\text{s}}{\text{m}}$
$1\text{k}^{\frac{s}{\text{m}}} = 345.4201 \cdot 10^{20}$	$1\text{re-}\frac{T}{L} = 10^{20} = 0.001322434 \text{ k}^{\frac{s}{\text{m}}}$
$1\text{m}^{\frac{1}{\text{m}^2}} = 335.4041 \cdot 10^{-240}$	$1\text{ni'urevo-}\frac{1}{L^2} = 10^{-240} = 0.001350144 \text{ m}^{\frac{1}{\text{m}^2}}$
$1\frac{1}{\text{m}^2} = 2.453354 \cdot 10^{-230}$	$1\text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 0.2043101 \frac{1}{\text{m}^2}$
$1\text{k}^{\frac{1}{\text{m}^2}} = 0.02102230 \cdot 10^{-220}$	$1\text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 24.31030 \text{ k}^{\frac{1}{\text{m}^2}}$
$1\text{m}^{\frac{1}{\text{m}^2\text{s}}} = 11.23422 \cdot 10^{-410}$	$1\text{ni'uvopa-}\frac{1}{L^2T} = 10^{-410} = 0.04501331 \text{ m}^{\frac{1}{\text{m}^2\text{s}}}$
$1\frac{1}{\text{m}^2\text{s}} = 0.05423255 \cdot 10^{-400}$ (*)	$1\text{ni'uvono-}\frac{1}{L^2T} = 10^{-400} = 10.13503 \frac{1}{\text{m}^2\text{s}}$
$1\text{k}^{\frac{1}{\text{m}^2\text{s}}} = 423.2223 \cdot 10^{-400}$	$1\text{ni'uvono-}\frac{1}{L^2T} = 10^{-400} = 0.001204411 \text{ k}^{\frac{1}{\text{m}^2\text{s}}}$
$1\text{m}^{\frac{1}{\text{m}^2\text{s}^2}} = 0.2304154 \cdot 10^{-540}$	$1\text{ni'umuovo-}\frac{1}{L^2T^2} = 10^{-540} = 2.214141 \text{ m}^{\frac{1}{\text{m}^2\text{s}^2}}$
$1\frac{1}{\text{m}^2\text{s}^2} = 1540.001 \cdot 10^{-540}$ (*)	$1\text{ni'umuci-}\frac{1}{L^2T^2} = 10^{-530} = 303.0302 \frac{1}{\text{m}^2\text{s}^2}$
$1\text{k}^{\frac{1}{\text{m}^2\text{s}^2}} = 13.00025 \cdot 10^{-530}$ (**)	$1\text{ni'umuci-}\frac{1}{L^2T^2} = 10^{-530} = 0.03555444 \text{ k}^{\frac{1}{\text{m}^2\text{s}^2}}$ (**)
$1\text{m}^{\frac{s}{\text{m}^2}} = 0.01444343 \cdot 10^{-100}$	$1\text{ni'upano-}\frac{1}{L^2} = 10^{-100} = 32.00154 \text{ m}^{\frac{s}{\text{m}}}$ (*)
$1\frac{s}{\text{m}^2} = 121.5511 \cdot 10^{-100}$ (*)	$1\text{ni'upano-}\frac{1}{L^2} = 10^{-100} = 0.004153312 \frac{\text{s}}{\text{m}^2}$
$1\text{k}^{\frac{s}{\text{m}^2}} = 1.023214 \cdot 10^{-50}$	$1\text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 0.5333511 \text{ k}^{\frac{s}{\text{m}^2}}$
$1\text{m}^{\frac{1}{\text{m}^3}} = 1.005123 \cdot 10^{-350}$ (*)	$1\text{ni'ucimu-}\frac{1}{L^3} = 10^{-350} = 0.5505155 \text{ m}^{\frac{1}{\text{m}^3}}$ (*)
$1\frac{1}{\text{m}^3} = 0.004424124 \cdot 10^{-340}$	$1\text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 113.3151 \frac{1}{\text{m}^3}$
$1\text{k}^{\frac{1}{\text{m}^3}} = 33.54151 \cdot 10^{-340}$	$1\text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 0.01350113 \text{ k}^{\frac{1}{\text{m}^3}}$
$1\text{m}^{\frac{1}{\text{m}^3\text{s}}} = 0.02025444 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{1}{L^3T} = 10^{-520} = 25.14210 \text{ m}^{\frac{1}{\text{m}^3\text{s}}}$
$1\frac{1}{\text{m}^3\text{s}} = 133.5022 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{1}{L^3T} = 10^{-520} = 0.003422330 \frac{1}{\text{m}^3\text{s}}$
$1\text{k}^{\frac{1}{\text{m}^3\text{s}}} = 1.123444 \cdot 10^{-510}$	$1\text{ni'umupa-}\frac{1}{L^3T} = 10^{-510} = 0.4501155 \text{ k}^{\frac{1}{\text{m}^3\text{s}}}$ (*)
$1\text{m}^{\frac{1}{\text{m}^3\text{s}^2}} = 412.2252 \cdot 10^{-1100}$	$1\text{ni'upapano-}\frac{1}{L^3T^2} = 10^{-1100} = 0.001230041 \text{ m}^{\frac{1}{\text{m}^3\text{s}^2}}$ (*)
$1\frac{1}{\text{m}^3\text{s}^2} = 3.133341 \cdot 10^{-1050}$	$1\text{ni'upanomu-}\frac{1}{L^3T^2} = 10^{-1050} = 0.1500421 \frac{1}{\text{m}^3\text{s}^2}$ (*)
$1\text{k}^{\frac{1}{\text{m}^3\text{s}^2}} = 0.02304243 \cdot 10^{-1040}$	$1\text{ni'upanovo-}\frac{1}{L^3T^2} = 10^{-1040} = 22.14054 \text{ k}^{\frac{1}{\text{m}^3\text{s}^2}}$
$1\text{m}^{\frac{s}{\text{m}^3}} = 30.04523 \cdot 10^{-220}$	$1\text{ni'urere-}\frac{T}{L^3} = 10^{-220} = 0.01552431 \text{ m}^{\frac{s}{\text{m}}}$ (*)
$1\frac{s}{\text{m}^3} = 0.2155441 \cdot 10^{-210}$ (*)	$1\text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 2.323400 \frac{\text{s}}{\text{m}^3}$ (*)

$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.001444420 \cdot 10^{-200}$	
$1\text{m kg} = 0.5524144 \cdot 10^{10}$	(*)
$1\text{kg} = 0.004320444 \cdot 10^{20}$	
$1\text{k kg} = 33.03513 \cdot 10^{20}$	
$1\text{m}\frac{\text{kg}}{\text{s}} = 0.02000250 \cdot 10^{-120}$	(**)
$1\frac{\text{kg}}{\text{s}} = 131.3411 \cdot 10^{-120}$	
$1\text{k}\frac{\text{kg}}{\text{s}} = 1.105252 \cdot 10^{-110}$	
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 402.3133 \cdot 10^{-300}$	
$1\frac{\text{kg}}{\text{s}^2} = 3.050240 \cdot 10^{-250}$	
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 0.02231254 \cdot 10^{-240}$	
$1\text{m kg s} = 25.23432 \cdot 10^{140}$	
$1\text{kg s} = 0.2124214 \cdot 10^{150}$	
$1\text{k kg s} = 0.001421430 \cdot 10^{200}$	
$1\text{m kg m} = 330.3405 \cdot 10^{120}$	
$1\text{kg m} = 2.414103 \cdot 10^{130}$	
$1\text{k kg m} = 0.02032145 \cdot 10^{140}$	
$1\text{m}\frac{\text{kg m}}{\text{s}} = 11.05231 \cdot 10^{-10}$	
$1\frac{\text{kg m}}{\text{s}} = 0.05303433 \cdot 10^0$	
$1\text{k}\frac{\text{kg m}}{\text{s}} = 413.1323 \cdot 10^0$	
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 0.2231210 \cdot 10^{-140}$	
$1\frac{\text{kg m}}{\text{s}^2} = 1511.455 \cdot 10^{-140}$	(*)
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 12.35333 \cdot 10^{-130}$	
$1\text{m kg m s} = 0.01421355 \cdot 10^{300}$	(*)
$1\text{kg m s} = 120.0153 \cdot 10^{300}$	
$1\text{k kg m s} = 1.010245 \cdot 10^{310}$	
$1\text{m kg m}^2 = 0.2032105 \cdot 10^{240}$	
$1\text{kg m}^2 = 1340.525 \cdot 10^{240}$	
$1\text{k kg m}^2 = 11.25120 \cdot 10^{250}$	
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 4131.203 \cdot 10^{100}$	
$1\frac{\text{kg m}^2}{\text{s}} = 31.41212 \cdot 10^{110}$	
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.2311205 \cdot 10^{120}$	
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 123.5304 \cdot 10^{-30}$	
$1\frac{\text{kg m}^2}{\text{s}^2} = 1.040212 \cdot 10^{-20}$	
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 5052.455 \cdot 10^{-20}$	(*)
$1\text{m kg m}^2 \text{s} = 10.10225 \cdot 10^{410}$	
$1\text{kg m}^2 \text{s} = 0.04433405 \cdot 10^{420}$	
$1\text{k kg m}^2 \text{s} = 340.2303 \cdot 10^{420}$	
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.001353212 \cdot 10^{-100}$	
$1\frac{\text{kg}}{\text{m}} = 11.35425 \cdot 10^{-100}$	
$1\text{k}\frac{\text{kg}}{\text{m}} = 0.05524340 \cdot 10^{-50}$	(*)
$1\text{m}\frac{\text{kg}}{\text{m s}} = 32.10323 \cdot 10^{-240}$	
$1\frac{\text{kg}}{\text{m s}} = 0.2332343 \cdot 10^{-230}$	
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.002000325 \cdot 10^{-220}$	(**)
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 1.050111 \cdot 10^{-410}$	
$1\frac{\text{kg}}{\text{m s}^2} = 0.005135450 \cdot 10^{-400}$	
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 40.23251 \cdot 10^{-400}$	
$1\text{m}\frac{\text{kg s}}{\text{m}} = 0.04514353 \cdot 10^{30}$	
$1\frac{\text{kg s}}{\text{m}} = 343.3435 \cdot 10^{30}$	
$1\text{k}\frac{\text{kg s}}{\text{m}} = 2.523525 \cdot 10^{40}$	
$1\text{m}\frac{\text{kg s}}{\text{m}^2} = 2.440220 \cdot 10^{-220}$	

$1\text{ni'ureno-}\frac{T}{L^3} = 10^{-200} = 320.0052 \text{k}\frac{\text{s}}{\text{m}^3}$	(*)
$1\text{pa-M} = 10^{10} = 1.003200 \text{m kg}$	(*)
$1\text{re-M} = 10^{20} = 115.2132 \text{kg}$	
$1\text{re-M} = 10^{20} = 0.01412222 \text{k kg}$	
$1\text{ni'upare-}\frac{M}{T} = 10^{-120} = 25.55143 \text{m}\frac{\text{kg}}{\text{s}}$	(*)
$1\text{ni'upare-}\frac{M}{T} = 10^{-120} = 0.003514520 \frac{\text{kg}}{\text{s}}$	
$1\text{ni'upapa-}\frac{M}{T} = 10^{-110} = 0.5011111 \text{k}\frac{\text{kg}}{\text{s}}$	
$1\text{ni'ucino-}\frac{M}{T^2} = 10^{-300} = 0.001250213 \text{m}\frac{\text{kg}}{\text{s}^2}$	
$1\text{ni'uremu-}\frac{M}{T^2} = 10^{-250} = 0.1524341 \frac{\text{kg}}{\text{s}^2}$	
$1\text{ni'urevo-}\frac{M}{T^2} = 10^{-240} = 22.50430 \text{k}\frac{\text{kg}}{\text{s}^2}$	
$1\text{pavo-MT} = 10^{140} = 0.02021533 \text{m kg s}$	
$1\text{pamu-MT} = 10^{150} = 2.401532 \text{kg s}$	
$1\text{reno-MT} = 10^{200} = 324.4554 \text{k kg s}$	(*)
$1\text{pare-ML} = 10^{120} = 0.001412253 \text{m kg m}$	
$1\text{paci-ML} = 10^{130} = 0.2113321 \text{kg m}$	
$1\text{pavo-ML} = 10^{140} = 25.10530 \text{k kg m}$	
$1\text{ni'upa-}\frac{ML}{T} = 10^{-10} = 0.05011244 \text{m}\frac{\text{kg m}}{\text{s}}$	
$1\frac{ML}{T} = 1 = 10.30521 \frac{\text{kg m}}{\text{s}}$	
$1\frac{ML}{T} = 1 = 0.001224231 \text{k}\frac{\text{kg m}}{\text{s}}$	
$1\text{ni'upavo-}\frac{ML}{T^2} = 10^{-140} = 2.250514 \text{m}\frac{\text{kg m}}{\text{s}^2}$	
$1\text{ni'upaci-}\frac{ML}{T^2} = 10^{-130} = 311.3112 \frac{\text{kg m}}{\text{s}^2}$	
$1\text{ni'upaci-}\frac{ML}{T^2} = 10^{-130} = 0.04054221 \text{k}\frac{\text{kg m}}{\text{s}^2}$	
$1\text{cinco-MLT} = 10^{300} = 32.45101 \text{m kg m s}$	
$1\text{cinco-MLT} = 10^{300} = 0.004254533 \text{kg m s}$	
$1\text{cipa-MLT} = 10^{310} = 0.5454154 \text{k kg m s}$	
$1\text{revo-ML}^2 = 10^{240} = 2.511023 \text{m kg m}^2$	
$1\text{remu-ML}^2 = 10^{250} = 341.4152 \text{kg m}^2$	
$1\text{remu-ML}^2 = 10^{250} = 0.04451444 \text{k kg m}^2$	
$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 122.4255 \text{m}\frac{\text{kg m}^2}{\text{s}}$	(*)
$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 0.01454343 \frac{\text{kg m}^2}{\text{s}}$	
$1\text{pare-}\frac{ML^2}{T} = 10^{120} = 2.211234 \text{k}\frac{\text{kg m}^2}{\text{s}}$	
$1\text{ni'ure-}\frac{ML^2}{T^2} = 10^{-20} = 4054.340 \text{m}\frac{\text{kg m}^2}{\text{s}^2}$	
$1\text{ni'ure-}\frac{ML^2}{T^2} = 10^{-20} = 0.5220334 \frac{\text{kg m}^2}{\text{s}^2}$	
$1\text{ni'upa-}\frac{ML^2}{T^2} = 10^{-10} = 105.5320 \text{k}\frac{\text{kg m}^2}{\text{s}^2}$	
$1\text{vopa-ML}^2 T = 10^{410} = 0.05454344 \text{m kg m}^2 \text{s}$	
$1\text{vore-ML}^2 T = 10^{420} = 11.31511 \text{kg m}^2 \text{s}$	
$1\text{vore-ML}^2 T = 10^{420} = 0.001344201 \text{k kg m}^2 \text{s}$	
$1\text{ni'upano-}\frac{M}{L} = 10^{-100} = 334.3154 \text{m}\frac{\text{kg}}{\text{m}}$	
$1\text{ni'upano-}\frac{M}{L} = 10^{-100} = 0.04411105 \frac{\text{kg}}{\text{m}}$	
$1\text{ni'umu-}\frac{M}{L} = 10^{-50} = 10.03141 \text{k}\frac{\text{kg}}{\text{m}}$	
$1\text{ni'urevo-}\frac{M}{LT} = 10^{-240} = 0.01441142 \text{m}\frac{\text{kg}}{\text{m s}}$	
$1\text{ni'ureci-}\frac{M}{LT} = 10^{-230} = 2.151155 \frac{\text{kg}}{\text{m s}}$	(*)
$1\text{ni'urere-}\frac{M}{LT} = 10^{-220} = 255.5044 \text{k}\frac{\text{kg}}{\text{m s}}$	(*)
$1\text{ni'uvopa-}\frac{M}{LT^2} = 10^{-410} = 0.5133012 \text{m}\frac{\text{kg}}{\text{s}^2}$	
$1\text{ni'uvono-}\frac{M}{LT^2} = 10^{-400} = 104.5334 \frac{\text{kg}}{\text{m s}^2}$	
$1\text{ni'uvono-}\frac{M}{LT^2} = 10^{-400} = 0.01250144 \text{k}\frac{\text{kg}}{\text{m s}^2}$	
$1\text{ci-}\frac{MT}{L} = 10^{30} = 11.21233 \text{m}\frac{\text{kg s}}{\text{m}}$	
$1\text{vo-}\frac{MT}{L} = 10^{40} = 1331.555 \frac{\text{kg s}}{\text{m}}$	(**)
$1\text{vo-}\frac{MT}{L} = 10^{40} = 0.2021453 \text{k}\frac{\text{kg s}}{\text{m}}$	
$1\text{ni'urere-}\frac{M}{L^2} = 10^{-220} = 0.2054132 \text{m}\frac{\text{kg}}{\text{m}^2}$	

$1 \frac{\text{kg}}{\text{m}^2} = 0.02051133 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{M}{L^2} = 10^{-210} = 24.44134 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 135.3243 \cdot 10^{-210}$	$1 \text{ni}'\text{uren}-\frac{M}{L^2} = 10^{-200} = 3343.045 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.05352353 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{M}{L^2 T} = 10^{-350} = 10.21200 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$ (*)
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 420.5510 \cdot 10^{-350}$ (*)	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 1213.115 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 3.210425 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 0.1441105 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.001525342 \cdot 10^{-520}$	$1 \text{ni}'\text{umure}-\frac{M}{L^2 T^2} = 10^{-520} = 304.4444 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 12.51052 \cdot 10^{-520}$	$1 \text{ni}'\text{umure}-\frac{M}{L^2 T^2} = 10^{-520} = 0.04021044 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.1050132 \cdot 10^{-510}$	$1 \text{ni}'\text{umupa}-\frac{M}{L^2 T^2} = 10^{-510} = 5.132432 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 121.1150 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 4215.541 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 1.015510 \cdot 10^{-40}$ (*)	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 0.5404313 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 4514.524 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{MT}{L^2} = 10^{-30} = 112.1211 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4400.401 \cdot 10^{-340}$ (*)	$1 \text{ni}'\text{ucici}-\frac{M}{L^3} = 10^{-330} = 114.1310 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 33.34144 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^3} = 10^{-330} = 0.01355403 \frac{\text{kg}}{\text{m}^3}$ (*)
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.2440312 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire}-\frac{M}{L^3} = 10^{-320} = 2.054051 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 132.5442 \cdot 10^{-510}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^3 T} = 10^{-500} = 3443.011 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.115421 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^3 T} = 10^{-500} = 0.4525245 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 5352.541 \cdot 10^{-500}$	$1 \text{ni}'\text{uvomu}-\frac{M}{L^3 T} = 10^{-450} = 102.1140 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 3.114520 \cdot 10^{-1040}$	$1 \text{ni}'\text{upanovo}-\frac{M}{L^3 T^2} = 10^{-1040} = 0.1510503 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.02252103 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanoci}-\frac{M}{L^3 T^2} = 10^{-1030} = 22.30032 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$ (*)
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 152.5415 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 3044.344 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.2144043 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{MT}{L^3} = 10^{-200} = 2.340125 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 1434.451 \cdot 10^{-200}$	$1 \text{ni}'\text{upamu}-\frac{MT}{L^3} = 10^{-150} = 321.5133 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 12.11214 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{MT}{L^3} = 10^{-150} = 0.04215415 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{C} = 0.001530345 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 304.3050 \text{m} \frac{1}{C}$
$1 \frac{1}{C} = 12.51534 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 0.04014552 \frac{1}{C}$ (*)
$1 \text{k} \frac{1}{C} = 0.1050510 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{1}{Q} = 10^{-30} = 5.125551 \text{k} \frac{1}{C}$ (**)
$1 \text{m} \frac{1}{s C} = 35.22555 \cdot 10^{-220}$ (**)	$1 \text{ni}'\text{urere}-\frac{1}{T Q} = 10^{-220} = 0.01312024 \text{m} \frac{1}{s C}$
$1 \frac{1}{s C} = 0.3002243 \cdot 10^{-210}$ (*)	$1 \text{ni}'\text{urepa}-\frac{1}{T Q} = 10^{-210} = 1.554211 \frac{1}{s C}$ (*)
$1 \text{k} \frac{1}{s C} = 0.002153522 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{1}{T Q} = 10^{-200} = 232.5431 \text{k} \frac{1}{s C}$
$1 \text{m} \frac{1}{s^2 C} = 1.153352 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{1}{T^2 Q} = 10^{-350} = 0.4312000 \text{m} \frac{1}{s^2 C}$ (**)
$1 \frac{1}{s^2 C} = 0.01004224 \cdot 10^{-340}$ (*)	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 55.14025 \frac{1}{s^2 C}$ (*)
$1 \text{k} \frac{1}{s^2 C} = 44.20224 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 0.01134201 \text{k} \frac{1}{s^2 C}$
$1 \text{m} \frac{s}{C} = 0.05355352 \cdot 10^{50}$ (*)	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 10.20435 \text{m} \frac{s}{C}$
$1 \frac{s}{C} = 421.2102 \cdot 10^{50}$	$1 \text{pano}-\frac{T}{Q} = 10^{100} = 1212.253 \frac{s}{C}$
$1 \text{k} \frac{s}{C} = 3.212310 \cdot 10^{100}$	$1 \text{pano}-\frac{T}{Q} = 10^{100} = 0.1440130 \text{k} \frac{s}{C}$
$1 \text{m} \frac{m}{C} = 1.050445 \cdot 10^{30}$	$1 \text{ci}-\frac{L}{Q} = 10^{30} = 0.5130130 \text{m} \frac{m}{C}$
$1 \frac{m}{C} = 0.005142334 \cdot 10^{40}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 104.5000 \text{m} \frac{m}{C}$ (**)
$1 \text{k} \frac{m}{C} = 40.25350 \cdot 10^{40}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 0.01245304 \text{k} \frac{m}{C}$
$1 \text{m} \frac{m}{s C} = 0.02153435 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{T Q} = 10^{-100} = 23.25521 \text{m} \frac{m}{s C}$ (*)
$1 \frac{m}{s C} = 144.3101 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{T Q} = 10^{-100} = 0.003203010 \frac{m}{s C}$
$1 \text{k} \frac{m}{s C} = 1.214425 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T Q} = 10^{-50} = 0.4201014 \text{k} \frac{m}{s C}$
$1 \text{m} \frac{m}{s^2 C} = 442.0054 \cdot 10^{-240}$ (*)	$1 \text{ni}'\text{urevo}-\frac{L}{T^2 Q} = 10^{-240} = 0.001134223 \text{m} \frac{m}{s^2 C}$
$1 \frac{m}{s^2 C} = 3.351054 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci}-\frac{L}{T^2 Q} = 10^{-230} = 0.1351344 \frac{m}{s^2 C}$
$1 \text{k} \frac{m}{s^2 C} = 0.02451213 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{L}{T^2 Q} = 10^{-220} = 20.44521 \text{k} \frac{m}{s^2 C}$
$1 \text{m} \frac{ms}{C} = 32.12204 \cdot 10^{200}$	$1 \text{reno}-\frac{LT}{Q} = 10^{200} = 0.01440202 \text{m} \frac{ms}{C}$
$1 \frac{ms}{C} = 0.2334000 \cdot 10^{210}$ (**)	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 2.150035 \frac{ms}{C}$ (*)
$1 \text{k} \frac{ms}{C} = 0.002001351 \cdot 10^{220}$ (*)	$1 \text{rere}-\frac{LT}{Q} = 10^{220} = 255.3314 \text{k} \frac{ms}{C}$ (*)
$1 \text{m} \frac{m^2}{C} = 402.5231 \cdot 10^{140}$	$1 \text{pavo}-\frac{L^2}{Q} = 10^{140} = 0.001245333 \text{m} \frac{m^2}{C}$
$1 \frac{m^2}{C} = 3.052040 \cdot 10^{150}$	$1 \text{pamu}-\frac{L^2}{Q} = 10^{150} = 0.1523334 \frac{m^2}{C}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 0.02232440 \cdot 10^{200} \\
1m \frac{m^2}{sC} &= 12.14401 \cdot 10^{10} \\
1 \frac{m^2}{sC} &= 0.1022242 \cdot 10^{20} \\
1k \frac{m^2}{sC} &= 453.4532 \cdot 10^{20} \\
1m \frac{m^2}{s^2C} &= 0.2451121 \cdot 10^{-120} \\
1 \frac{m^2}{s^2C} &= 2100.313 \cdot 10^{-120} \quad (*) \\
1k \frac{m^2}{s^2C} &= 14.01310 \cdot 10^{-110} \\
1m \frac{m^2s}{C} &= 0.02001312 \cdot 10^{320} \quad (*) \\
1 \frac{m^2s}{C} &= 131.4304 \cdot 10^{320} \\
1k \frac{m^2s}{C} &= 1.110041 \cdot 10^{330} \quad (*) \\
1m \frac{1}{mC} &= 3.120333 \cdot 10^{-200} \\
1 \frac{1}{mC} &= 0.02253255 \cdot 10^{-150} \quad (*) \\
1k \frac{1}{mC} &= 153.0423 \cdot 10^{-150} \\
1m \frac{1}{msC} &= 0.1032013 \cdot 10^{-330} \\
1 \frac{1}{msC} &= 502.0442 \cdot 10^{-330} \\
1k \frac{1}{msC} &= 3.523111 \cdot 10^{-320} \\
1m \frac{1}{ms^2C} &= 0.002115522 \cdot 10^{-500} \quad (*) \\
1 \frac{1}{ms^2C} &= 14.14143 \cdot 10^{-500} \\
1k \frac{1}{ms^2C} &= 0.1153415 \cdot 10^{-450} \\
1m \frac{s}{mC} &= 133.0344 \cdot 10^{-30} \\
1 \frac{s}{mC} &= 1.120213 \cdot 10^{-20} \\
1k \frac{s}{mC} &= 5355.541 \cdot 10^{-20} \quad (*) \\
1m \frac{1}{m^2C} &= 5230.145 \cdot 10^{-320} \\
1 \frac{1}{m^2C} &= 41.03002 \cdot 10^{-310} \quad (*) \\
1k \frac{1}{m^2C} &= 0.3120434 \cdot 10^{-300} \\
1m \frac{1}{m^2sC} &= 150.0320 \cdot 10^{-450} \\
1 \frac{1}{m^2sC} &= 1.225553 \cdot 10^{-440} \quad (***) \\
1k \frac{1}{m^2sC} &= 0.01032034 \cdot 10^{-430} \\
1m \frac{1}{m^2s^2C} &= 3.422124 \cdot 10^{-1020} \\
1 \frac{1}{m^2s^2C} &= 0.02514033 \cdot 10^{-1010} \\
1k \frac{1}{m^2s^2C} &= 212.0003 \cdot 10^{-1010} \quad (***) \\
1m \frac{s}{m^2C} &= 0.2355343 \cdot 10^{-140} \quad (*) \\
1 \frac{s}{m^2C} &= 2020.053 \cdot 10^{-140} \\
1k \frac{s}{m^2C} &= 13.30414 \cdot 10^{-130} \\
1m \frac{1}{m^3C} &= 13.03405 \cdot 10^{-430} \\
1 \frac{1}{m^3C} &= 0.1100503 \cdot 10^{-420} \quad (*) \\
1k \frac{1}{m^3C} &= 523.0331 \cdot 10^{-420} \\
1m \frac{1}{m^3sC} &= 0.3030121 \cdot 10^{-1000} \\
1 \frac{1}{m^3sC} &= 2214.022 \cdot 10^{-1000} \\
1k \frac{1}{m^3sC} &= 15.00353 \cdot 10^{-550} \quad (*) \\
1m \frac{1}{m^3s^2C} &= 0.01013430 \cdot 10^{-1130} \\
1 \frac{1}{m^3s^2C} &= 45.01051 \cdot 10^{-1130} \\
1k \frac{1}{m^3s^2C} &= 0.3422235 \cdot 10^{-1120} \\
1m \frac{s}{m^3C} &= 425.1021 \cdot 10^{-300} \\
1 \frac{s}{m^3C} &= 3.242105 \cdot 10^{-250} \\
1k \frac{s}{m^3C} &= 0.02355433 \cdot 10^{-240} \quad (*) \\
1m \frac{kg}{C} &= 12.43023 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 22.45235 k \frac{m^2}{C} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 0.04201135 m \frac{m^2}{sC} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 5.342413 \frac{m^2}{sC} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.001114213 k \frac{m^2}{sC} \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 2.045001 m \frac{m^2}{s^2C} \quad (*) \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 243.3244 \frac{m^2}{s^2C} \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.03330152 k \frac{m^2}{s^2C} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 25.53412 m \frac{m^2s}{C} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 0.003512500 \frac{m^2s}{C} \quad (*) \\
1 \text{cici-} \frac{L^2T}{Q} &= 10^{330} = 0.5004312 k \frac{m^2s}{C} \quad (*) \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.1505510 m \frac{1}{mC} \quad (*) \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 22.24452 \frac{1}{mC} \\
1 \text{ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 3042.550 k \frac{1}{mC} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 5.253543 m \frac{1}{msC} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 1104.100 \frac{1}{msC} \quad (*) \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.1311554 k \frac{1}{msC} \quad (*) \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 241.1154 m \frac{1}{ms^2C} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.03255554 \frac{1}{ms^2C} \quad (**) \\
1 \text{ni'uvomo-} \frac{1}{LT^2Q} &= 10^{-450} = 4.311432 k \frac{1}{ms^2C} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 3441.010 m \frac{s}{mC} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 0.4522511 \frac{s}{mC} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 102.0415 k \frac{s}{mC} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 103.5111 m \frac{1}{m^2C} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 0.01234001 \frac{1}{m^2C} \quad (*) \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 1.505433 k \frac{1}{m^2C} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 3133.530 m \frac{1}{m^2sC} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 0.4122511 \frac{1}{m^2sC} \\
1 \text{ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 52.53400 k \frac{1}{m^2sC} \quad (*) \\
1 \text{ni'upanore-} \frac{1}{L^2T^2Q} &= 10^{-1020} = 0.1335114 m \frac{1}{m^2s^2C} \\
1 \text{ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 20.25553 \frac{1}{m^2s^2C} \quad (**) \\
1 \text{ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 2411.103 k \frac{1}{m^2s^2C} \\
1 \text{ni'upav-} \frac{T}{L^2Q} &= 10^{-140} = 2.130153 m \frac{s}{m^2C} \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 253.0134 \frac{s}{m^2C} \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 0.03440455 k \frac{s}{m^2C} \quad (*) \\
1 \text{ni'uvoci-} \frac{1}{L^3Q} &= 10^{-430} = 0.03542135 m \frac{1}{m^3C} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 5.043050 \frac{1}{m^3C} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.001035051 k \frac{1}{m^3C} \\
1 \text{ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 1.540103 m \frac{1}{m^3sC} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 230.4320 \frac{1}{m^3sC} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 0.03133425 k \frac{1}{m^3sC} \\
1 \text{ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 54.24005 m \frac{1}{m^3s^2C} \quad (*) \\
1 \text{ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 0.01123502 \frac{1}{m^3s^2C} \\
1 \text{ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 1.335043 k \frac{1}{m^3s^2C} \\
1 \text{ni'ucino-} \frac{T}{L^3Q} &= 10^{-300} = 0.001201250 m \frac{s}{m^3C} \\
1 \text{ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 0.1423053 \frac{s}{m^3C} \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 21.30111 k \frac{s}{m^3C} \\
1 \text{ni'uci-} \frac{M}{Q} &= 10^{-30} = 0.04040253 m \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.1043040 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 511.3302 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.2544323 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s C}} &= 2142.134 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 14.33214 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.01001020 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 43.52521 \cdot 10^{-330} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.3331214 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 414.5453 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 3.153242 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.02321332 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 5113.122 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 40.04123 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.3033534 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 143.3142 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s C}} &= 1.210112 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.01015002 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 3.331110 \cdot 10^{-220} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.02434051 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 204.5310 \cdot 10^{-210} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.2321242 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 1551.015 \cdot 10^{220} \quad (*) \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 13.05303 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 3.033434 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 0.02220444 \cdot 10^{210} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 150.2433 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.1014542 \cdot 10^{30} \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 451.0412 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 3.430421 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.002045230 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 13.52011 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.1134415 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 130.5233 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 1.102105 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 5240.452 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 0.02241154 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m C}} &= 152.0233 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 1.243052 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 455.2102 \cdot 10^{-320} \quad (*) \\
1 \frac{\text{kg}}{\text{m s C}} &= 3.502214 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 0.02544421 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 14.04355 \cdot 10^{-450} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.1145213 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 1001.040 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 1.112204 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.005325202 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 41.50014 \cdot 10^0 \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'ure-} \frac{M}{Q} &= 10^{-20} = 5.155252 \frac{\text{kg}}{\text{C}} \quad (*) \\
1 \text{ ni'ure-} \frac{M}{Q} &= 10^{-20} = 0.001052415 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 2.005002 \text{m} \frac{\text{kg}}{\text{s C}} \quad (*) \\
1 \text{ ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 234.2211 \frac{\text{kg}}{\text{s C}} \\
1 \text{ ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 0.03222002 \text{k} \frac{\text{kg}}{\text{s C}} \quad (*) \\
1 \text{ ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 55.45404 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 0.01142324 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 1.401010 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ pano-} \frac{MT}{Q} &= 10^{100} = 0.001221022 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ papa-} \frac{MT}{Q} &= 10^{110} = 0.1450103 \frac{\text{kg s}}{\text{C}} \\
1 \text{ pare-} \frac{MT}{Q} &= 10^{120} = 22.01401 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{ mu-} \frac{ML}{Q} &= 10^{50} = 105.2441 \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{ mu-} \frac{ML}{Q} &= 10^{50} = 0.01254231 \frac{\text{kg m}}{\text{C}} \\
1 \text{ pano-} \frac{ML}{Q} &= 10^{100} = 1.533505 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 3222.105 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 0.4223302 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 54.13054 \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ ni'urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.1401042 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 21.00002 \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (***) \\
1 \text{ ni'ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 2450.313 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ rere-} \frac{MLT}{Q} &= 10^{220} = 2.201444 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{ reci-} \frac{MLT}{Q} &= 10^{230} = 301.1303 \frac{\text{kg m s}}{\text{C}} \\
1 \text{ reci-} \frac{MLT}{Q} &= 10^{230} = 0.03533313 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{ reno-} \frac{ML^2}{Q} &= 10^{200} = 0.1533543 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ repa-} \frac{ML^2}{Q} &= 10^{210} = 23.01401 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ rere-} \frac{ML^2}{Q} &= 10^{220} = 3130.002 \text{k} \frac{\text{kg m}^2}{\text{C}} \quad (*) \\
1 \text{ ci-} \frac{ML^2}{TQ} &= 10^{30} = 5.413243 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ vo-} \frac{ML^2}{TQ} &= 10^{40} = 1122.232 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.1333143 \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 245.0405 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.03350134 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ ni'umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 4.415001 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ civo-} \frac{ML^2 T}{Q} &= 10^{340} = 3533.430 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.5033140 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ cimu-} \frac{ML^2 T}{Q} &= 10^{350} = 103.3513 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 22.40504 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 0.003101221 \frac{\text{kg}}{\text{m C}} \\
1 \text{ ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 0.4040135 \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ ni'ucire-} \frac{M}{LTQ} &= 10^{-320} = 0.001112042 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 0.1321041 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 20.04523 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ ni'uvomu-} \frac{M}{LT^2 Q} &= 10^{-450} = 0.03315354 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 4.334515 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 554.5212 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 0.4551114 \text{m} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 102.4125 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.01220554 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg}{m^2 C} &= 40.41141 \cdot 10^{-300} \\
1 \frac{kg}{m^2 C} &= 0.3102102 \cdot 10^{-250} \\
1k \frac{kg}{m^2 C} &= 0.002241242 \cdot 10^{-240} \\
1m \frac{kg}{m^2 s^2 C} &= 1.221200 \cdot 10^{-430} \quad (*) \\
1 \frac{kg}{m^2 s^2 C} &= 0.01024302 \cdot 10^{-420} \\
1k \frac{kg}{m^2 s^2 C} &= 45.52234 \cdot 10^{-420} \\
1m \frac{kg}{m^2 s^2 C} &= 0.02500351 \cdot 10^{-1000} \quad (*) \\
1 \frac{kg}{m^2 s^2 C} &= 210.4415 \cdot 10^{-1000} \\
1k \frac{kg}{m^2 s^2 C} &= 1.404430 \cdot 10^{-550} \\
1m \frac{kg s}{m^2 C} &= 0.002005223 \cdot 10^{-120} \quad (*) \\
1 \frac{kg s}{m^2 C} &= 13.21300 \cdot 10^{-120} \quad (*) \\
1k \frac{kg s}{m^2 C} &= 0.1112230 \cdot 10^{-110} \\
1m \frac{kg}{m^3 C} &= 0.1053001 \cdot 10^{-410} \quad (*) \\
1 \frac{kg}{m^3 C} &= 520.0443 \cdot 10^{-410} \\
1k \frac{kg}{m^3 C} &= 4.041300 \cdot 10^{-400} \quad (*) \\
1m \frac{kg}{m^3 s^2 C} &= 0.002202130 \cdot 10^{-540} \\
1 \frac{kg}{m^3 s^2 C} &= 14.50343 \cdot 10^{-540} \\
1k \frac{kg}{m^3 s^2 C} &= 0.1221224 \cdot 10^{-530} \\
1m \frac{kg}{m^3 s^2 C} &= 44.33131 \cdot 10^{-1120} \\
1 \frac{kg}{m^3 s^2 C} &= 0.3402102 \cdot 10^{-1110} \\
1k \frac{kg}{m^3 s^2 C} &= 0.002500443 \cdot 10^{-1100} \quad (*) \\
1m \frac{kg s}{m^3 C} &= 3.222503 \cdot 10^{-240} \\
1 \frac{kg s}{m^3 C} &= 0.02343002 \cdot 10^{-230} \quad (*) \\
1k \frac{kg s}{m^3 C} &= 200.5302 \cdot 10^{-230} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m C &= 5.125551 \cdot 10^{30} \quad (***) \\
1C &= 0.04014552 \cdot 10^{40} \quad (*) \\
1k C &= 304.3050 \cdot 10^{40} \\
1m \frac{C}{s} &= 0.1440130 \cdot 10^{-100} \\
1 \frac{C}{s} &= 1212.253 \cdot 10^{-100} \\
1k \frac{C}{s} &= 10.20435 \cdot 10^{-50} \\
1m \frac{C}{s^2} &= 3341.114 \cdot 10^{-240} \\
1 \frac{C}{s^2} &= 24.42443 \cdot 10^{-230} \\
1k \frac{C}{s^2} &= 0.2053041 \cdot 10^{-220} \\
1m s C &= 232.5431 \cdot 10^{200} \\
1s C &= 1.554211 \cdot 10^{210} \quad (*) \\
1ks C &= 0.01312024 \cdot 10^{220} \\
1m m C &= 3042.550 \cdot 10^{140} \quad (*) \\
1m C &= 22.24452 \cdot 10^{150} \\
1km C &= 0.1505510 \cdot 10^{200} \quad (*) \\
1m \frac{m C}{s} &= 102.0415 \cdot 10^{10} \\
1 \frac{m C}{s} &= 0.4522511 \cdot 10^{20} \\
1k \frac{m C}{s} &= 3441.010 \cdot 10^{20} \\
1m \frac{m C}{s^2} &= 2.053000 \cdot 10^{-120} \quad (**) \\
1 \frac{m C}{s^2} &= 0.01354444 \cdot 10^{-110} \\
1k \frac{m C}{s^2} &= 114.0504 \cdot 10^{-110} \\
1m ms C &= 0.1311554 \cdot 10^{320} \quad (*) \\
1m s C &= 1104.100 \cdot 10^{320} \quad (*) \\
1km s C &= 5.253543 \cdot 10^{330} \\
1m m^2 C &= 1.505433 \cdot 10^{300}
\end{aligned}$$

$$\begin{aligned}
1 ni'ucino-\frac{M}{L^2 Q} &= 10^{-300} = 0.01242442 m \frac{kg}{m^2 C} \\
1 ni'uremu-\frac{M}{L^2 Q} &= 10^{-250} = 1.515545 \frac{kg}{m^2 C} \quad (*) \\
1 ni'urevo-\frac{M}{L^2 Q} &= 10^{-240} = 224.0420 k \frac{kg}{m^2 C} \\
1 ni'uvoci-\frac{M}{L^2 T Q} &= 10^{-430} = 0.4144554 m \frac{kg}{m^2 s C} \quad (*) \\
1 ni'uvore-\frac{M}{L^2 T Q} &= 10^{-420} = 53.23550 \frac{kg}{m^2 s C} \quad (*) \\
1 ni'uvore-\frac{M}{L^2 T Q} &= 10^{-420} = 0.01112021 k \frac{kg}{m^2 s C} \\
1 ni'upanono-\frac{M}{L^2 T^2 Q} &= 10^{-1000} = 20.40533 m \frac{kg}{m^2 s^2 C} \\
1 ni'upanono-\frac{M}{L^2 T^2 Q} &= 10^{-1000} = 0.002424104 \frac{kg}{m^2 s^2 C} \\
1 ni'umumu-\frac{M}{L^2 T^2 Q} &= 10^{-550} = 0.3315250 k \frac{kg}{m^2 s^2 C} \\
1 ni'upare-\frac{MT}{L^2 Q} &= 10^{-120} = 254.4000 m \frac{kg s}{m^2 C} \quad (**) \\
1 ni'upare-\frac{MT}{L^2 Q} &= 10^{-120} = 0.03501234 \frac{kg s}{m^2 C} \\
1 ni'upapa-\frac{MT}{L^2 Q} &= 10^{-110} = 4.550541 k \frac{kg s}{m^2 C} \quad (*) \\
1 ni'uvopa-\frac{M}{L^3 Q} &= 10^{-410} = 5.112121 m \frac{kg}{m^3 C} \\
1 ni'uvono-\frac{M}{L^3 Q} &= 10^{-400} = 1042.500 \frac{kg}{m^3 C} \quad (*) \\
1 ni'uvono-\frac{M}{L^3 Q} &= 10^{-400} = 0.1242414 k \frac{kg}{m^3 C} \\
1 ni'umuovo-\frac{M}{L^3 T Q} &= 10^{-540} = 232.0544 m \frac{kg}{m^3 s C} \\
1 ni'umuovo-\frac{M}{L^3 T Q} &= 10^{-540} = 0.03152350 \frac{kg}{m^3 s C} \\
1 ni'umuci-\frac{M}{L^3 T Q} &= 10^{-530} = 4.144433 k \frac{kg}{m^3 s C} \\
1 ni'upapare-\frac{M}{L^3 T^2 Q} &= 10^{-1120} = 0.01131552 m \frac{kg}{m^3 s^2 C} \quad (*) \\
1 ni'upapapa-\frac{M}{L^3 T^2 Q} &= 10^{-1110} = 1.344253 \frac{kg}{m^3 s^2 C} \\
1 ni'upapano-\frac{M}{L^3 T^2 Q} &= 10^{-1100} = 204.0453 k \frac{kg}{m^3 s^2 C} \\
1 ni'urevo-\frac{MT}{L^3 Q} &= 10^{-240} = 0.1432540 m \frac{kg s}{m^3 C} \\
1 ni'ureci-\frac{MT}{L^3 Q} &= 10^{-230} = 21.41412 \frac{kg s}{m^3 C} \\
1 ni'urere-\frac{MT}{L^3 Q} &= 10^{-220} = 2543.502 k \frac{kg s}{m^3 C}
\end{aligned}$$

$$\begin{aligned}
1 ci-Q &= 10^{30} = 0.1050510 m C \\
1 vo-Q &= 10^{40} = 12.51534 C \\
1 vo-Q &= 10^{40} = 0.001530345 k C \\
1 ni'upano-\frac{Q}{T} &= 10^{-100} = 3.212310 m \frac{C}{s} \\
1 ni'umu-\frac{Q}{T} &= 10^{-50} = 421.2102 \frac{C}{s} \\
1 ni'umu-\frac{Q}{T} &= 10^{-50} = 0.05355352 k \frac{C}{s} \quad (*) \\
1 ni'ureci-\frac{Q}{T^2} &= 10^{-230} = 135.4200 m \frac{C}{s^2} \quad (*) \\
1 ni'ureci-\frac{Q}{T^2} &= 10^{-230} = 0.02052223 \frac{C}{s^2} \\
1 ni'urere-\frac{Q}{T^2} &= 10^{-220} = 2.441511 k \frac{C}{s^2} \\
1 reno-T Q &= 10^{200} = 0.002153522 m s C \\
1 repa-T Q &= 10^{210} = 0.3002243 s C \quad (*) \\
1 rere-T Q &= 10^{220} = 35.22555 k s C \quad (**) \\
1 pamu-L Q &= 10^{150} = 153.0423 m m C \\
1 pamu-L Q &= 10^{150} = 0.02253255 m C \quad (*) \\
1 reno-L Q &= 10^{200} = 3.120333 k m C \\
1 re-\frac{LQ}{T} &= 10^{20} = 5355.541 m \frac{m C}{s} \quad (*) \\
1 re-\frac{LQ}{T} &= 10^{20} = 1.120213 \frac{m C}{s} \\
1 ci-\frac{LQ}{T} &= 10^{30} = 133.0344 k \frac{m C}{s} \\
1 ni'upare-\frac{LQ}{T^2} &= 10^{-120} = 0.2442002 m \frac{m C}{s^2} \quad (*) \\
1 ni'upapa-\frac{LQ}{T^2} &= 10^{-110} = 33.40112 \frac{m C}{s^2} \\
1 ni'upano-\frac{LQ}{T^2} &= 10^{-100} = 4403.052 k \frac{m C}{s^2} \\
1 cire-L T Q &= 10^{320} = 3.523111 m m s C \\
1 cici-L T Q &= 10^{330} = 502.0442 m s C \\
1 cici-L T Q &= 10^{330} = 0.1032013 k m s C \\
1 cino-L^2 Q &= 10^{300} = 0.3120434 m m^2 C
\end{aligned}$$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.01234001 \cdot 10^{310} \quad (*) \\
1 \text{k m}^2 \text{ C} &= 103.5111 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.03440455 \cdot 10^{130} \quad (*) \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 253.0134 \cdot 10^{130} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 2.130153 \cdot 10^{140} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.001140441 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 5.533222 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.04324423 \cdot 10^{10} \\
1 \text{m m}^2 \text{s C} &= 52.53400 \cdot 10^{430} \quad (*) \\
1 \text{m}^2 \text{s C} &= 0.4122511 \cdot 10^{440} \\
1 \text{k m}^2 \text{s C} &= 3133.530 \cdot 10^{440} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.01245304 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}} &= 104.5000 \cdot 10^{-40} \quad (***) \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.5130130 \cdot 10^{-30} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 255.3314 \cdot 10^{-220} \quad (*) \\
1 \frac{\text{C}}{\text{m s}} &= 2.150035 \cdot 10^{-210} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.01440202 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 10.02425 \cdot 10^{-350} \\
1 \frac{\text{C}}{\text{m s}^2} &= 0.04404412 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 334.1224 \cdot 10^{-340} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.4201014 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.003203010 \cdot 10^{100} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 23.25521 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 22.45235 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 0.1523334 \cdot 10^{-150} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.001245333 \cdot 10^{-140} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.5004312 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.003512500 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 25.53412 \cdot 10^{-320} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.01411255 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 115.1321 \cdot 10^{-500} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 1.002444 \cdot 10^{-450} \quad (*) \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.001114213 \cdot 10^{-20} \\
1 \frac{\text{s C}}{\text{m}^2} &= 5.342413 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.04201135 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 0.04052105 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 311.1301 \cdot 10^{-310} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 2.245323 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.001223402 \cdot 10^{-440} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 10.30152 \cdot 10^{-440} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.05004445 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 25.05223 \cdot 10^{-1020} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.2112220 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.001411330 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 2.012445 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.01324043 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 111.4235 \cdot 10^{-130} \\
1 \text{m kg C} &= 0.03553403 \cdot 10^{50} \quad (*) \\
1 \text{kg C} &= 302.4513 \cdot 10^{50} \\
1 \text{k kg C} &= 2.213005 \cdot 10^{100} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ cipa-}L^2Q &= 10^{310} = 41.03002 \text{ m}^2 \text{ C} \quad (*) \\
1 \text{ cire-}L^2Q &= 10^{320} = 5230.145 \text{ k m}^2 \text{ C} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 13.30414 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 2020.053 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 0.2355343 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \quad (*) \\
1 \frac{L^2Q}{T^2} &= 1 = 440.3221 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.1002244 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \quad (*) \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 11.51043 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ voci-}L^2TQ &= 10^{430} = 0.01032034 \text{ m m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 1.225553 \text{ m}^2 \text{ s C} \quad (***) \\
1 \text{ vomu-}L^2TQ &= 10^{450} = 150.0320 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 40.25350 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 0.005142334 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 1.050445 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urere-} \frac{Q}{LT} &= 10^{-220} = 0.002001351 \text{ m} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 0.2334000 \frac{\text{C}}{\text{m s}} \quad (***) \\
1 \text{ ni'uren-} \frac{Q}{LT} &= 10^{-200} = 32.12204 \text{ k} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ucimu-} \frac{Q}{LT^2} &= 10^{-350} = 0.05531425 \text{ m} \frac{\text{C}}{\text{m s}^2} \quad (*) \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 11.40232 \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 0.001354125 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 1.214425 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 144.3101 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.02153435 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'uren-} \frac{Q}{L^2} &= 10^{-200} = 0.02232440 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 3.052040 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 402.5231 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucici-} \frac{Q}{L^2T} &= 10^{-330} = 1.110041 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 131.4304 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 0.02001312 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 33.05424 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 0.004323115 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvomu-} \frac{Q}{L^2T^2} &= 10^{-450} = 0.5531233 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 453.4532 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.1022242 \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 12.14401 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 12.40210 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 1512.453 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 0.2232352 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 413.3455 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 0.05310405 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3T} &= 10^{-430} = 11.10015 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'upanore-} \frac{Q}{L^3T^2} &= 10^{-1020} = 0.02033225 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3T^2} &= 10^{-1010} = 2.415342 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 330.5320 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.2535022 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 34.51013 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 4534.355 \text{ k} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ mu-MQ} &= 10^{50} = 13.00513 \text{ m kg C} \quad (*) \\
1 \text{ pano-MQ} &= 10^{100} = 1541.012 \text{ kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 0.2305355 \text{ k kg C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot C}{s} &= 0.001203552 \cdot 10^{-40} \quad (*) \\
1 \frac{kg \cdot C}{s} &= 10.13143 \cdot 10^{-40} \\
1k \frac{kg \cdot C}{s} &= 0.04455005 \cdot 10^{-30} \quad (**) \\
1m \frac{kg \cdot C}{s^2} &= 24.25343 \cdot 10^{-220} \\
1 \frac{kg \cdot C}{s^2} &= 0.2042014 \cdot 10^{-210} \\
1k \frac{kg \cdot C}{s^2} &= 0.001345233 \cdot 10^{-200} \\
1m kg \cdot s \cdot C &= 1.543454 \cdot 10^{220} \\
1 kg \cdot s \cdot C &= 0.01303005 \cdot 10^{230} \quad (*) \\
1k kg \cdot s \cdot C &= 110.0200 \cdot 10^{230} \quad (*) \\
1m kg \cdot m \cdot C &= 22.12522 \cdot 10^{200} \\
1 kg \cdot m \cdot C &= 0.1455431 \cdot 10^{210} \quad (*) \\
1k kg \cdot m \cdot C &= 0.001225211 \cdot 10^{220} \\
1m \frac{kg \cdot m \cdot C}{s} &= 0.4454434 \cdot 10^{30} \\
1 \frac{kg \cdot m \cdot C}{s} &= 0.003420335 \cdot 10^{40} \\
1k \frac{kg \cdot m \cdot C}{s} &= 25.12501 \cdot 10^{40} \\
1m \frac{kg \cdot m \cdot C}{s^2} &= 0.01345202 \cdot 10^{-100} \\
1 \frac{kg \cdot m \cdot C}{s^2} &= 113.2350 \cdot 10^{-100} \\
1k \frac{kg \cdot m \cdot C}{s^2} &= 0.5502121 \cdot 10^{-50} \quad (*) \\
1m kg \cdot m \cdot s \cdot C &= 0.001100135 \cdot 10^{340} \quad (*) \\
1 kg \cdot m \cdot s \cdot C &= 5.223533 \cdot 10^{340} \\
1k kg \cdot m \cdot s \cdot C &= 0.04101103 \cdot 10^{350} \\
1m kg \cdot m^2 \cdot C &= 0.01225143 \cdot 10^{320} \\
1 kg \cdot m^2 \cdot C &= 103.1322 \cdot 10^{320} \\
1k kg \cdot m^2 \cdot C &= 0.5014324 \cdot 10^{330} \\
1m \frac{kg \cdot m^2 \cdot C}{s} &= 251.2404 \cdot 10^{140} \\
1 \frac{kg \cdot m^2 \cdot C}{s} &= 2.114532 \cdot 10^{150} \\
1k \frac{kg \cdot m^2 \cdot C}{s} &= 0.01413313 \cdot 10^{200} \\
1m \frac{kg \cdot m^2 \cdot C}{s^2} &= 5.501531 \cdot 10^{10} \\
1 \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.04301412 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot C}{s^2} &= 325.1152 \cdot 10^{20} \\
1m kg \cdot m^2 \cdot s \cdot C &= 0.4100543 \cdot 10^{450} \quad (*) \\
1 kg \cdot m^2 \cdot s \cdot C &= 0.003115104 \cdot 10^{500} \\
1k kg \cdot m^2 \cdot s \cdot C &= 22.52224 \cdot 10^{500} \\
1m \frac{kg \cdot C}{m} &= 104.1135 \cdot 10^{-30} \\
1 \frac{kg \cdot C}{m} &= 0.5101002 \cdot 10^{-20} \quad (*) \\
1k \frac{kg \cdot C}{m} &= 3553.520 \cdot 10^{-20} \quad (*) \\
1m \frac{kg \cdot C}{m \cdot s} &= 2.134311 \cdot 10^{-200} \\
1 \frac{kg \cdot C}{m \cdot s} &= 0.01430300 \cdot 10^{-150} \quad (*) \\
1k \frac{kg \cdot C}{m \cdot s} &= 120.4015 \cdot 10^{-150} \\
1m \frac{kg \cdot C}{m \cdot s^2} &= 0.04341150 \cdot 10^{-330} \\
1 \frac{kg \cdot C}{m \cdot s^2} &= 332.1310 \cdot 10^{-330} \\
1k \frac{kg \cdot C}{m \cdot s^2} &= 2.425434 \cdot 10^{-320} \\
1m \frac{kg \cdot s \cdot C}{m} &= 3144.012 \cdot 10^{100} \\
1 \frac{kg \cdot s \cdot C}{m} &= 23.13225 \cdot 10^{110} \\
1k \frac{kg \cdot s \cdot C}{m} &= 0.1543533 \cdot 10^{120} \\
1m \frac{kg \cdot C}{m^2} &= 0.1513203 \cdot 10^{-140} \\
1 \frac{kg \cdot C}{m^2} &= 1240.434 \cdot 10^{-140} \\
1k \frac{kg \cdot C}{m^2} &= 10.41200 \cdot 10^{-130} \quad (*) \\
1m \frac{kg \cdot C}{m^2 \cdot s} &= 3452.040 \cdot 10^{-320} \\
1 \frac{kg \cdot C}{m^2 \cdot s} &= 25.35520 \cdot 10^{-310} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 ni'uv - \frac{MQ}{T} &= 10^{-40} = 423.4430 m \frac{kg \cdot C}{s} \\
1 ni'uv - \frac{MQ}{T} &= 10^{-40} = 0.05430313 \frac{kg \cdot C}{s} \\
1 ni'uci - \frac{MQ}{T} &= 10^{-30} = 11.24220 k \frac{kg \cdot C}{s} \\
1 ni'urere - \frac{MQ}{T^2} &= 10^{-220} = 0.02103323 m \frac{kg \cdot C}{s^2} \\
1 ni'urepa - \frac{MQ}{T^2} &= 10^{-210} = 2.455053 \frac{kg \cdot C}{s^2} \quad (*) \\
1 ni'ureno - \frac{MQ}{T^2} &= 10^{-200} = 340.0020 k \frac{kg \cdot C}{s^2} \quad (*) \\
1 rere-MTQ &= 10^{220} = 0.3020300 m kg \cdot s \cdot C \quad (*) \\
1 reci-MTQ &= 10^{230} = 35.44002 kg \cdot s \cdot C \quad (*) \\
1 revo-MTQ &= 10^{240} = 5045.215 k kg \cdot s \cdot C \\
1 reno-MLQ &= 10^{200} = 0.02305444 m kg \cdot m \cdot C \\
1 repa-MLQ &= 10^{210} = 3.135204 kg \cdot m \cdot C \\
1 rere-MLQ &= 10^{220} = 412.4421 k kg \cdot m \cdot C \\
1 ci - \frac{MLQ}{T} &= 10^{30} = 1.124242 m \frac{kg \cdot m \cdot C}{s} \\
1 vo - \frac{MLQ}{T} &= 10^{40} = 133.5530 \frac{kg \cdot m \cdot C}{s} \quad (*) \\
1 vo - \frac{MLQ}{T} &= 10^{40} = 0.02030522 k \frac{kg \cdot m \cdot C}{s} \\
1 ni'upano - \frac{MLQ}{T^2} &= 10^{-100} = 34.00130 m \frac{kg \cdot m \cdot C}{s^2} \quad (*) \\
1 ni'upano - \frac{MLQ}{T^2} &= 10^{-100} = 0.004430431 \frac{kg \cdot m \cdot C}{s^2} \\
1 ni'umu - \frac{MLQ}{T^2} &= 10^{-50} = 1.005440 k \frac{kg \cdot m \cdot C}{s^2} \quad (*) \\
1 civo-MLTQ &= 10^{340} = 504.5354 m kg \cdot m \cdot s \cdot C \\
1 civo-MLTQ &= 10^{340} = 0.1035404 kg \cdot m \cdot s \cdot C \\
1 cimu-MLTQ &= 10^{350} = 12.34345 k kg \cdot m \cdot s \cdot C \\
1 cire-ML^2Q &= 10^{320} = 41.24541 m kg \cdot m^2 \cdot C \\
1 cire-ML^2Q &= 10^{320} = 0.005300211 kg \cdot m^2 \cdot C \quad (*) \\
1 cici-ML^2Q &= 10^{330} = 1.104404 kg \cdot m^2 \cdot C \\
1 pavo - \frac{ML^2Q}{T} &= 10^{140} = 0.002031002 m \frac{kg \cdot m^2 \cdot C}{s} \quad (*) \\
1 pamu - \frac{ML^2Q}{T} &= 10^{150} = 0.2412302 \frac{kg \cdot m^2 \cdot C}{s} \\
1 reno - \frac{ML^2Q}{T} &= 10^{200} = 33.01305 k \frac{kg \cdot m^2 \cdot C}{s} \\
1 pa - \frac{ML^2Q}{T^2} &= 10^{10} = 0.1005500 m \frac{kg \cdot m^2 \cdot C}{s^2} \quad (***) \\
1 re - \frac{ML^2Q}{T^2} &= 10^{20} = 11.55255 \frac{kg \cdot m^2 \cdot C}{s^2} \quad (*) \\
1 re - \frac{ML^2Q}{T^2} &= 10^{20} = 0.001420333 k \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 vomu-ML^2TQ &= 10^{450} = 1.234413 m kg \cdot m^2 \cdot s \cdot C \\
1 muno-ML^2TQ &= 10^{500} = 151.0403 kg \cdot m^2 \cdot s \cdot C \\
1 munuo-ML^2TQ &= 10^{500} = 0.02225512 k kg \cdot m^2 \cdot s \cdot C \quad (*) \\
1 ni'ure - \frac{MQ}{L} &= 10^{-20} = 5212.124 m \frac{kg \cdot C}{m} \\
1 ni'ure - \frac{MQ}{L} &= 10^{-20} = 1.054340 \frac{kg \cdot C}{m} \\
1 ni'upa - \frac{MQ}{L} &= 10^{-10} = 130.0443 k \frac{kg \cdot C}{m} \\
1 ni'ureno - \frac{MQ}{LT} &= 10^{-200} = 0.2350402 m \frac{kg \cdot C}{ms} \\
1 ni'upamu - \frac{MQ}{LT} &= 10^{-150} = 32.31333 \frac{kg \cdot C}{ms} \\
1 ni'upavo - \frac{MQ}{LT} &= 10^{-140} = 4234.303 k \frac{kg \cdot C}{ms} \\
1 ni'ucici - \frac{MQ}{LT^2} &= 10^{-330} = 11.44405 m \frac{kg \cdot C}{ms^2} \\
1 ni'ucire - \frac{MQ}{LT^2} &= 10^{-320} = 1403.440 \frac{kg \cdot C}{ms^2} \\
1 ni'ucire - \frac{MQ}{LT^2} &= 10^{-320} = 0.2103242 k \frac{kg \cdot C}{ms^2} \\
1 papa - \frac{MTQ}{L} &= 10^{110} = 145.3052 m \frac{kg \cdot s \cdot C}{m} \\
1 papa - \frac{MTQ}{L} &= 10^{110} = 0.02205304 \frac{kg \cdot s \cdot C}{m} \\
1 pare - \frac{MTQ}{L} &= 10^{120} = 3.020201 k \frac{kg \cdot s \cdot C}{m} \\
1 ni'upavo - \frac{MQ}{L^2} &= 10^{-140} = 3.110340 m \frac{kg \cdot C}{m^2} \\
1 ni'upaci - \frac{MQ}{L^2} &= 10^{-130} = 405.1010 \frac{kg \cdot C}{m^2} \\
1 ni'upaci - \frac{MQ}{L^2} &= 10^{-130} = 0.05211543 k \frac{kg \cdot C}{m^2} \\
1 ni'ucipa - \frac{MQ}{L^2T} &= 10^{-310} = 132.3403 m \frac{kg \cdot C}{m^2 \cdot s} \\
1 ni'ucipa - \frac{MQ}{L^2T} &= 10^{-310} = 0.02012121 \frac{kg \cdot C}{m^2 \cdot s}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 0.2134353 \cdot 10^{-300}$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 2.350312 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 114.3130 \cdot 10^{-450}$	$1 ni'uvovo - \frac{\dot{M}Q}{L^2 T^2} = 10^{-440} = 4350.242 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.5552454 \cdot 10^{-440}$ (**)	$1 ni'uvovo - \frac{\dot{M}Q}{L^2 T^2} = 10^{-440} = 1.000311 \frac{kg\ C}{m^2 s^2}$ (**)
$1k \frac{kg\ C}{m^2 s^2} = 4341.315 \cdot 10^{-440}$	$1 ni'uvoci - \frac{\dot{L}^3 Q}{L^2 T^2} = 10^{-430} = 114.4343 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 5.312124 \cdot 10^{-10}$	$1 ni'upa - \frac{MTQ}{L^2} = 10^{-10} = 0.1030003 m \frac{kg\ s\ C}{m^2}$ (**)
$1 \frac{kg\ s\ C}{m^2} = 0.04135005 \cdot 10^0$ (*)	$1 \frac{MTQ}{L^2} = 1 = 12.23141 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 314.4114 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.001453015 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 305.2554 \cdot 10^{-300}$ (*)	$1 ni'ucino - \frac{MQ}{L^3} = 10^{-300} = 0.001523023 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 2.233243 \cdot 10^{-250}$	$1 ni'uremu - \frac{\dot{M}Q}{L^3} = 10^{-250} = 0.2244425 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 0.01513240 \cdot 10^{-240}$	$1 ni'urevo - \frac{\dot{M}Q}{L^3} = 10^{-240} = 31.10235 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 10.22431 \cdot 10^{-430}$	$1 ni'uvoci - \frac{\dot{M}Q}{L^3 T} = 10^{-430} = 0.05341045 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.04540151 \cdot 10^{-420}$	$1 ni'uvore - \frac{\dot{M}Q}{L^3 T} = 10^{-420} = 11.14012 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 345.2151 \cdot 10^{-420}$	$1 ni'uvore - \frac{\dot{M}Q}{L^3 T} = 10^{-420} = 0.001323333 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 0.2101052 \cdot 10^{-1000}$	$1 ni'upanono - \frac{MQ}{L^3 T^2} = 10^{-1000} = 2.432405 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 1401.555 \cdot 10^{-1000}$ (**)	$1 ni'umumu - \frac{\dot{M}Q}{L^3 T^2} = 10^{-550} = 332.5151 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 11.43153 \cdot 10^{-550}$	$1 ni'umumu - \frac{\dot{M}Q}{L^3 T^2} = 10^{-550} = 0.04350113 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 0.01314542 \cdot 10^{-120}$	$1 ni'upare - \frac{\dot{M}Q}{L^3} = 10^{-120} = 35.11430 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 111.0241 \cdot 10^{-120}$	$1 ni'upare - \frac{\dot{M}Q}{L^3} = 10^{-120} = 0.005003044 \frac{kg\ s\ C}{m^3}$ (*)
$1k \frac{kg\ s\ C}{m^3} = 0.5312311 \cdot 10^{-110}$	$1 ni'upapa - \frac{\dot{M}Q}{L^3} = 10^{-110} = 1.025542 k \frac{kg\ s\ C}{m^3}$ (*)
<hr/>	<hr/>
$1m \frac{1}{K} = 21.42255 \cdot 10^{100}$ (*)	$1 pano - \frac{1}{\Theta} = 10^{100} = 0.02342035 m \frac{1}{K}$
$1 \frac{1}{K} = 0.1433320 \cdot 10^{110}$	$1 papa - \frac{1}{\Theta} = 10^{110} = 3.221401 \frac{1}{K}$
$1k \frac{1}{K} = 0.001210224 \cdot 10^{120}$	$1 pare - \frac{1}{\Theta} = 10^{120} = 422.2502 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK}$ (*)
$1m \frac{1}{s^2 K} = 0.01324400 \cdot 10^{-200}$ (*)	$1 ni'uren - \frac{1}{T^2\Theta} = 10^{-200} = 34.45422 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 111.4510 \cdot 10^{-200}$	$1 ni'uren - \frac{1}{T^2\Theta} = 10^{-200} = 0.004532544 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 0.5344535 \cdot 10^{-150}$	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 1.022011 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.001043120 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 515.4541 m \frac{s}{K}$
$1 \frac{s}{K} = 5.114010 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 0.1052335 \frac{s}{K}$
$1k \frac{s}{K} = 0.04004503 \cdot 10^{250}$ (*)	$1 remu - \frac{T}{\Theta} = 10^{250} = 12.54110 k \frac{s}{K}$
$1m \frac{m}{K} = 0.01210201 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 42.23024 m \frac{m}{K}$
$1 \frac{m}{K} = 101.5040 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.005412331 \frac{m}{K}$
$1k \frac{m}{K} = 0.4511240 \cdot 10^{230}$	$1 reci - \frac{L}{\Theta} = 10^{230} = 1.122124 k \frac{m}{K}$
$1m \frac{m}{sK} = 243.4230 \cdot 10^{40}$	$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.002055443 m \frac{m}{sK}$ (*)
$1 \frac{m}{sK} = 2.045424 \cdot 10^{50}$	$1 mu - \frac{L}{T\Theta} = 10^{50} = 0.2450132 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.01352141 \cdot 10^{100}$	$1 pano - \frac{L}{T\Theta} = 10^{100} = 33.45414 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 0.4004345 \cdot 10^{350}$ (*)	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 1.254135 m \frac{ms}{K}$
$1 \frac{ms}{K} = 0.003034124 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 153.3355 \frac{ms}{K}$ (*)
$1k \frac{ms}{K} = 22.21055 \cdot 10^{400}$ (*)	$1 vono - \frac{LT}{\Theta} = 10^{400} = 0.02301143 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 4.511104 \cdot 10^{330}$	$1 cici - \frac{L^2}{\Theta} = 10^{330} = 0.1122150 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.03431034 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 13.33044 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 252.1504 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 0.002023143 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.1352110 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 3.345524 m \frac{m^2}{sK}$ (*)
$1 \frac{m^2}{sK} = 1134.502 \cdot 10^{200}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 441.4311 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 5.520230 \cdot 10^{210}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 0.1004001 k \frac{m^2}{sK}$ (*)
$1m \frac{m^2}{s^2 K} = 3204.103 \cdot 10^{20}$	$1 ci - \frac{L^2}{T^2\Theta} = 10^{30} = 144.2320 m \frac{m^2}{s^2 K}$

$$\begin{aligned}
1 \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 23.30441 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 0.1555054 \cdot 10^{40} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} &= 222.1012 \cdot 10^{500} \\
1 \frac{\text{m}^2 \text{s}}{\text{K}} &= 1.502541 \cdot 10^{510} \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} &= 0.01231455 \cdot 10^{520} \quad (*) \\
1 \text{m} \frac{1}{\text{m K}} &= 0.03502433 \cdot 10^{-10} \\
1 \frac{1}{\text{m K}} &= 254.5005 \cdot 10^{-10} \quad (*) \\
1 \text{k} \frac{1}{\text{m K}} &= 2.142341 \\
1 \text{m} \frac{1}{\text{m s K}} &= 0.001145301 \cdot 10^{-140} \\
1 \frac{1}{\text{m s K}} &= 10.01113 \cdot 10^{-140} \\
1 \text{k} \frac{1}{\text{m s K}} &= 0.04353334 \cdot 10^{-130} \\
1 \text{m} \frac{1}{\text{m s}^2 \text{K}} &= 23.52155 \cdot 10^{-320} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{1}{\text{m s}^2 \text{K}} &= 0.2013340 \cdot 10^{-310} \\
1 \text{k} \frac{1}{\text{m s}^2 \text{K}} &= 0.001324430 \cdot 10^{-300} \\
1 \text{m} \frac{\text{s}}{\text{m K}} &= 1.520342 \cdot 10^{120} \\
1 \frac{\text{s}}{\text{m K}} &= 0.01243143 \cdot 10^{130} \\
1 \text{k} \frac{\text{s}}{\text{m K}} &= 104.3141 \cdot 10^{130} \\
1 \text{m} \frac{1}{\text{m}^2 \text{K}} &= 102.4341 \cdot 10^{-130} \\
1 \frac{1}{\text{m}^2 \text{K}} &= 0.4552533 \cdot 10^{-120} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{1}{\text{m}^2 \text{K}} &= 3502.545 \cdot 10^{-120} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s K}} &= 2.104534 \cdot 10^{-300} \\
1 \frac{1}{\text{m}^2 \text{s K}} &= 0.01404530 \cdot 10^{-250} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s K}} &= 114.5324 \cdot 10^{-250} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 0.04241305 \cdot 10^{-430} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 323.3530 \cdot 10^{-430} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 2.352245 \cdot 10^{-420} \\
1 \text{m} \frac{\text{s}}{\text{m}^2 \text{K}} &= 3102.254 \cdot 10^0 \\
1 \frac{\text{s}}{\text{m}^2 \text{K}} &= 22.41411 \cdot 10^{10} \\
1 \text{k} \frac{\text{s}}{\text{m}^2 \text{K}} &= 0.1520415 \cdot 10^{20} \\
1 \text{m} \frac{1}{\text{m}^3 \text{K}} &= 0.1450450 \cdot 10^{-240} \\
1 \frac{1}{\text{m}^3 \text{K}} &= 1221.314 \cdot 10^{-240} \\
1 \text{k} \frac{1}{\text{m}^3 \text{K}} &= 10.24402 \cdot 10^{-230} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s K}} &= 3402.313 \cdot 10^{-420} \\
1 \frac{1}{\text{m}^3 \text{s K}} &= 25.01024 \cdot 10^{-410} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s K}} &= 0.2105015 \cdot 10^{-400} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 112.5122 \cdot 10^{-550} \\
1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.5434235 \cdot 10^{-540} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 4241.432 \cdot 10^{-540} \\
1 \text{m} \frac{\text{s}}{\text{m}^3 \text{K}} &= 5.201153 \cdot 10^{-110} \\
1 \frac{\text{s}}{\text{m}^3 \text{K}} &= 0.04041524 \cdot 10^{-100} \\
1 \text{k} \frac{\text{s}}{\text{m}^3 \text{K}} &= 310.2354 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{K}} &= 0.1423431 \cdot 10^{120} \\
1 \frac{\text{kg}}{\text{K}} &= 1201.534 \cdot 10^{120} \\
1 \text{k} \frac{\text{kg}}{\text{K}} &= 10.11414 \cdot 10^{130} \\
1 \text{m} \frac{\text{kg}}{\text{s K}} &= 3311.540 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{s K}} &= 24.21244 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{s K}} &= 0.2034500 \cdot 10^0 \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 111.0510 \cdot 10^{-150} \\
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.5314235 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 4140.420 \cdot 10^{-140}
\end{aligned}$$

$$\begin{aligned}
1 \text{ci} \cdot \frac{L^2}{T^2 \Theta} &= 10^{30} = 0.02152551 \frac{\text{m}^2}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{vo} \cdot \frac{L^2}{T^2 \Theta} &= 10^{40} = 3.001133 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{muno} \cdot \frac{L^2 T}{\Theta} &= 10^{500} = 0.002301232 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{mupa} \cdot \frac{L^2 T}{\Theta} &= 10^{510} = 0.3125404 \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{mure} \cdot \frac{L^2 T}{\Theta} &= 10^{520} = 41.13215 \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{ni}'\text{upa} \cdot \frac{1}{L \Theta} &= 10^{-10} = 13.20544 \text{m} \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 2004.412 \frac{1}{\text{m K}} \quad (*) \\
1 \frac{1}{L \Theta} &= 1 = 0.2341545 \text{k} \frac{1}{\text{m K}} \\
1 \text{ni}'\text{upavo} \cdot \frac{1}{LT \Theta} &= 10^{-140} = 433.4233 \text{m} \frac{1}{\text{m s K}} \\
1 \text{ni}'\text{upavo} \cdot \frac{1}{LT \Theta} &= 10^{-140} = 0.05544440 \frac{1}{\text{m s K}} \quad (*) \\
1 \text{ni}'\text{upaci} \cdot \frac{1}{LT \Theta} &= 10^{-130} = 11.42213 \text{k} \frac{1}{\text{m s K}} \\
1 \text{ni}'\text{ucire} \cdot \frac{1}{LT^2 \Theta} &= 10^{-320} = 0.02133042 \text{m} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{ucipa} \cdot \frac{1}{LT^2 \Theta} &= 10^{-310} = 2.533522 \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{ucino} \cdot \frac{1}{LT^2 \Theta} &= 10^{-300} = 344.5311 \text{k} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{pare} \cdot \frac{T}{L \Theta} &= 10^{120} = 0.3101025 \text{m} \frac{\text{s}}{\text{m K}} \\
1 \text{paci} \cdot \frac{T}{L \Theta} &= 10^{130} = 40.35510 \frac{\text{s}}{\text{m K}} \quad (*) \\
1 \text{pavo} \cdot \frac{T}{L \Theta} &= 10^{140} = 5154.401 \text{k} \frac{\text{s}}{\text{m K}} \\
1 \text{ni}'\text{upare} \cdot \frac{1}{L^2 \Theta} &= 10^{-120} = 5323.230 \text{m} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{upare} \cdot \frac{1}{L^2 \Theta} &= 10^{-120} = 1.111535 \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{upapa} \cdot \frac{1}{L^2 \Theta} &= 10^{-110} = 132.0514 \text{k} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{ucino} \cdot \frac{1}{L^2 T \Theta} &= 10^{-300} = 0.2423525 \text{m} \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uremu} \cdot \frac{1}{L^2 T \Theta} &= 10^{-250} = 33.15042 \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{urevo} \cdot \frac{1}{L^2 T \Theta} &= 10^{-240} = 4334.104 \text{k} \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uvoci} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-430} = 12.03050 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvore} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-420} = 1425.152 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvore} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-420} = 0.2133000 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{pa} \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 151.5440 \text{m} \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{pa} \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 0.02240252 \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{re} \cdot \frac{T}{L^2 \Theta} &= 10^{20} = 3.100525 \text{k} \frac{\text{s}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{urevo} \cdot \frac{1}{L^3 \Theta} &= 10^{-240} = 3.152151 \text{m} \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{ureci} \cdot \frac{1}{L^3 \Theta} &= 10^{-230} = 414.4201 \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{ureci} \cdot \frac{1}{L^3 \Theta} &= 10^{-230} = 0.05323043 \text{k} \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{uvopa} \cdot \frac{1}{L^3 T \Theta} &= 10^{-410} = 134.4154 \text{m} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni}'\text{uvopa} \cdot \frac{1}{L^3 T \Theta} &= 10^{-410} = 0.02040340 \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni}'\text{uvono} \cdot \frac{1}{L^3 T \Theta} &= 10^{-400} = 2.423434 \text{k} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni}'\text{umuvo} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-540} = 4451.432 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{umuvo} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-540} = 1.012331 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{umuci} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-530} = 120.3022 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{upapa} \cdot \frac{T}{L^3 \Theta} &= 10^{-110} = 0.1042420 \text{m} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{upano} \cdot \frac{T}{L^3 \Theta} &= 10^{-100} = 12.42322 \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{upano} \cdot \frac{T}{L^3 \Theta} &= 10^{-100} = 0.001515403 \text{k} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{pare} \cdot \frac{M}{\Theta} &= 10^{120} = 3.241000 \text{m} \frac{\text{kg}}{\text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{paci} \cdot \frac{M}{\Theta} &= 10^{130} = 424.5304 \frac{\text{kg}}{\text{K}} \\
1 \text{paci} \cdot \frac{M}{\Theta} &= 10^{130} = 0.05443151 \text{k} \frac{\text{kg}}{\text{K}} \\
1 \text{ni}'\text{upa} \cdot \frac{M}{T \Theta} &= 10^{-10} = 141.0234 \text{m} \frac{\text{kg}}{\text{s K}} \\
1 \text{ni}'\text{upa} \cdot \frac{M}{T \Theta} &= 10^{-10} = 0.02110522 \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 2.503245 \text{k} \frac{\text{kg}}{\text{s K}} \\
1 \text{ni}'\text{upavo} \cdot \frac{M}{T^2 \Theta} &= 10^{-140} = 5001.224 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upavo} \cdot \frac{M}{T^2 \Theta} &= 10^{-140} = 1.025330 \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upaci} \cdot \frac{M}{T^2 \Theta} &= 10^{-130} = 122.2420 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{\text{kg s}}{\text{K}} &= 5.044524 \cdot 10^{250} \\
1 \frac{\text{kg s}}{\text{K}} &= 0.03543350 \cdot 10^{300} \\
1k \frac{\text{kg s}}{\text{K}} &= 302.0114 \cdot 10^{300} \\
1m \frac{\text{kg m}}{\text{K}} &= 101.1354 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.4443243 \cdot 10^{240} \\
1k \frac{\text{kg m}}{\text{K}} &= 3410.545 \cdot 10^{240} \\
1m \frac{\text{kg m}}{\text{s K}} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.01342511 \cdot 10^{110} \\
1k \frac{\text{kg m}}{\text{s K}} &= 113.0422 \cdot 10^{110} \\
1m \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.04140255 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 314.5203 \cdot 10^{-30} \\
1k \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 2.314231 \cdot 10^{-20} \\
1m \frac{\text{kg m s}}{\text{K}} &= 3020.020 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 22.05145 \cdot 10^{410} \\
1k \frac{\text{kg m s}}{\text{K}} &= 0.1452551 \cdot 10^{420} \quad (*) \\
1m \frac{\text{kg m}^2}{\text{K}} &= 0.03410434 \cdot 10^{350} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 250.4200 \cdot 10^{350} \quad (*) \\
1k \frac{\text{kg m}^2}{\text{K}} &= 2.111323 \cdot 10^{400} \\
1m \frac{\text{kg m}^2}{\text{s K}} &= 0.001130355 \cdot 10^{220} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 5.445024 \cdot 10^{220} \\
1k \frac{\text{kg m}^2}{\text{s K}} &= 0.04250513 \cdot 10^{230} \\
1m \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.1544334 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.001303343 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.452515 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.01223052 \cdot 10^{530} \\
1k \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 102.5525 \cdot 10^{530} \quad (*) \\
1m \frac{\text{kg}}{\text{m K}} &= 253.1140 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2.131033 \cdot 10^{10} \\
1k \frac{\text{kg}}{\text{m K}} &= 0.01423503 \cdot 10^{20} \\
1m \frac{\text{kg}}{\text{m s K}} &= 5.535241 \cdot 10^{-130} \\
1 \frac{\text{kg}}{\text{m s K}} &= 0.04330152 \cdot 10^{-120} \\
1k \frac{\text{kg}}{\text{m s K}} &= 331.2045 \cdot 10^{-120} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.2002522 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 1315.323 \cdot 10^{-300} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 11.10532 \cdot 10^{-250} \\
1m \frac{\text{kg s}}{\text{m K}} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.5330 \cdot 10^{140} \\
1k \frac{\text{kg s}}{\text{m K}} &= 0.5045102 \cdot 10^{150} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.4524321 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.003442200 \cdot 10^{-100} \quad (*) \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 25.31233 \cdot 10^{-100} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.01355212 \cdot 10^{-240} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 114.1143 \cdot 10^{-240} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.5535433 \cdot 10^{-230} \quad (*) \\
1m \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 321.4350 \cdot 10^{-420} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 2.335433 \cdot 10^{-410} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.02003001 \cdot 10^{-400} \quad (*) \\
1m \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 22.25352 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.1510301 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu-} \frac{MT}{\Theta} &= 10^{250} = 0.1100240 \text{ m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 13.03100 \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 0.001544002 \text{ k} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 5443.341 \text{ m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 1.130203 \frac{\text{kg m}}{\text{K}} \\
1 \text{remu-} \frac{ML}{\Theta} &= 10^{250} = 134.2213 \text{ k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano-} \frac{ML}{T\Theta} &= 10^{100} = 0.2503342 \text{ m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa-} \frac{ML}{T\Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare-} \frac{ML}{T\Theta} &= 10^{120} = 4442.001 \text{ k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni'uci-} \frac{ML}{T^2\Theta} &= 10^{-30} = 12.22444 \text{ m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure-} \frac{ML}{T^2\Theta} &= 10^{-20} = 1452.232 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure-} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.2204330 \text{ k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 154.4040 \text{ m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 0.02313352 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore-} \frac{MLT}{\Theta} &= 10^{420} = 3.144202 \text{ k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 13.42243 \text{ m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 2034.110 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 0.2420345 \text{ k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere-} \frac{ML^2}{T\Theta} &= 10^{220} = 444.2132 \text{ m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{rere-} \frac{ML^2}{T\Theta} &= 10^{220} = 0.1011222 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci-} \frac{ML^2}{T\Theta} &= 10^{230} = 12.01310 \text{ k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo-} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.02204413 \text{ m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu-} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.2234 \text{ k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.3144304 \text{ m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci-} \frac{ML^2 T}{\Theta} &= 10^{530} = 41.35231 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muovo-} \frac{ML^2 T}{\Theta} &= 10^{540} = 5312.431 \text{ k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.002015240 \text{ m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 0.2354412 \frac{\text{kg}}{\text{m K}} \\
1 \text{re-} \frac{M}{L\Theta} &= 10^{20} = 32.40452 \text{ k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'upaci-} \frac{M}{LT\Theta} &= 10^{-130} = 0.1002040 \text{ m} \frac{\text{kg}}{\text{m s K}} \quad (*) \\
1 \text{ni'upare-} \frac{M}{LT\Theta} &= 10^{-120} = 11.50402 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upare-} \frac{M}{LT\Theta} &= 10^{-120} = 0.001410203 \text{ k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'ucino-} \frac{M}{LT^2\Theta} &= 10^{-300} = 2.551404 \text{ m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{ni'uremu-} \frac{M}{LT^2\Theta} &= 10^{-250} = 351.0114 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uremu-} \frac{M}{LT^2\Theta} &= 10^{-250} = 0.05001050 \text{ k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{pavo-} \frac{MT}{L\Theta} &= 10^{140} = 41.01323 \text{ m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo-} \frac{MT}{L\Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu-} \frac{MT}{L\Theta} &= 10^{150} = 1.100214 \text{ k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'upapa-} \frac{M}{L^2\Theta} &= 10^{-110} = 1.115541 \text{ m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano-} \frac{M}{L^2\Theta} &= 10^{-100} = 133.0025 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano-} \frac{M}{L^2\Theta} &= 10^{-100} = 0.02015201 \text{ k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'urevo-} \frac{M}{L^2T\Theta} &= 10^{-240} = 33.34543 \text{ m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'urevo-} \frac{M}{L^2T\Theta} &= 10^{-240} = 0.004401311 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'ureci-} \frac{M}{L^2T\Theta} &= 10^{-230} = 1.002021 \text{ k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'uvore-} \frac{M}{L^2T^2\Theta} &= 10^{-420} = 0.001435050 \text{ m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvopa-} \frac{M}{L^2T^2\Theta} &= 10^{-410} = 0.2144314 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvono-} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 25.51310 \text{ k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{re-} \frac{MT}{L^2\Theta} &= 10^{20} = 0.02252350 \text{ m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{ci-} \frac{MT}{L^2\Theta} &= 10^{30} = 3.115253 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 0.001234324 \cdot 10^{40}$	
$1m \frac{kg}{m^3 K} = 0.001212544 \cdot 10^{-220}$	
$1 \frac{kg}{m^3 K} = 10.21050 \cdot 10^{-220}$	
$1k \frac{kg}{m^3 K} = 0.04524453 \cdot 10^{-210}$	
$1m \frac{kg}{m^3 s K} = 24.43431 \cdot 10^{-400}$	
$1 \frac{kg}{m^3 s K} = 0.2053510 \cdot 10^{-350}$	
$1k \frac{kg}{m^3 s K} = 0.001355243 \cdot 10^{-340}$	(*)
$1m \frac{kg}{m^3 s^2 K} = 0.5403254 \cdot 10^{-530}$	
$1 \frac{kg}{m^3 s^2 K} = 0.004215050 \cdot 10^{-520}$	
$1k \frac{kg}{m^3 s^2 K} = 32.14453 \cdot 10^{-520}$	
$1m \frac{kg}{m^3 K} = 0.04020214 \cdot 10^{-50}$	
$1 \frac{kg}{m^3 K} = 304.4115 \cdot 10^{-50}$	
$1k \frac{kg}{m^3 K} = 2.225435 \cdot 10^{-40}$	
$1m K = 422.2502 \cdot 10^{-120}$	
$1K = 3.221401 \cdot 10^{-110}$	
$1k K = 0.02342035 \cdot 10^{-100}$	
$1m \frac{K}{s} = 12.54110 \cdot 10^{-250}$	
$1 \frac{K}{s} = 0.1052335 \cdot 10^{-240}$	
$1k \frac{K}{s} = 515.4541 \cdot 10^{-240}$	
$1m \frac{K}{s^2} = 0.3011015 \cdot 10^{-420}$	
$1 \frac{K}{s^2} = 2201.235 \cdot 10^{-420}$	
$1k \frac{K}{s^2} = 14.50000 \cdot 10^{-410}$	(**)
$1m s K = 0.02055403 \cdot 10^{20}$	(*)
$1s K = 140.0511 \cdot 10^{20}$	
$1k s K = 1.142240 \cdot 10^{30}$	
$1m m K = 0.2341545 \cdot 10^0$	
$1m K = 2004.412 \cdot 10^0$	(*)
$1k m K = 13.20544 \cdot 10^{10}$	
$1m \frac{m K}{s} = 5154.401 \cdot 10^{-140}$	
$1 \frac{m K}{s} = 40.35510 \cdot 10^{-130}$	(*)
$1k \frac{m K}{s} = 0.3101025 \cdot 10^{-120}$	
$1m \frac{m K}{s^2} = 144.5523 \cdot 10^{-310}$	(*)
$1 \frac{m K}{s^2} = 1.220504 \cdot 10^{-300}$	
$1k \frac{m K}{s^2} = 0.01024050 \cdot 10^{-250}$	
$1m m s K = 11.42213 \cdot 10^{130}$	
$1m s K = 0.05544440 \cdot 10^{140}$	(*)
$1k m s K = 433.4233 \cdot 10^{140}$	
$1m m^2 K = 132.0514 \cdot 10^{110}$	
$1m^2 K = 1.111535 \cdot 10^{120}$	
$1k m^2 K = 5323.230 \cdot 10^{120}$	
$1m \frac{m^2 K}{s} = 3.100525 \cdot 10^{-20}$	(*)
$1 \frac{m^2 K}{s} = 0.02240252 \cdot 10^{-10}$	
$1k \frac{m^2 K}{s} = 151.5440 \cdot 10^{-10}$	
$1m \frac{m^2 K}{s^2} = 0.1024030 \cdot 10^{-150}$	
$1 \frac{m^2 K}{s^2} = 455.0243 \cdot 10^{-150}$	(*)
$1k \frac{m^2 K}{s^2} = 3.501020 \cdot 10^{-140}$	
$1m m^2 s K = 4334.104 \cdot 10^{240}$	
$1m^2 s K = 33.15042 \cdot 10^{250}$	
$1k m^2 s K = 0.2423525 \cdot 10^{300}$	
$1m \frac{K}{m} = 1.122124 \cdot 10^{-230}$	

$1 vo \frac{MT}{L^2 \Theta} = 10^{40} = 410.1203 k \frac{kg\ s}{m^2 K}$	
$1 ni'urere \frac{M}{L^3 \Theta} = 10^{-220} = 421.0400 m \frac{kg}{m^3 K}$	(*)
$1 ni'urere \frac{M}{L^3 \Theta} = 10^{-220} = 0.05353411 \frac{kg}{m^3 K}$	
$1 ni'urepa \frac{M}{L^3 \Theta} = 10^{-210} = 11.15515 k \frac{kg}{m^3 K}$	(*)
$1 ni'uvono \frac{M}{L^3 T \Theta} = 10^{-400} = 0.02051354 m \frac{kg}{m^3 s K}$	
$1 ni'ucimu \frac{M}{L^3 T \Theta} = 10^{-350} = 2.440523 \frac{kg}{m^3 s K}$	
$1 ni'ucivo \frac{M}{L^3 T \Theta} = 10^{-340} = 333.4434 k \frac{kg}{m^3 s K}$	
$1 ni'umuci \frac{M}{L^3 T^2 \Theta} = 10^{-530} = 1.020020 m \frac{kg}{m^3 s^2 K}$	(*)
$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 121.1321 \frac{kg}{m^3 s^2 K}$	
$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 0.01435014 k \frac{kg}{m^3 s^2 K}$	
$1 ni'umu \frac{MT}{L^3 \Theta} = 10^{-50} = 12.51231 m \frac{kg\ s}{m^3 K}$	
$1 ni'uvo \frac{MT}{L^3 \Theta} = 10^{-40} = 1525.550 \frac{kg\ s}{m^3 K}$	(*)
$1 ni'uvo \frac{MT}{L^3 \Theta} = 10^{-40} = 0.2252302 k \frac{kg\ s}{m^3 K}$	
$1 ni'upare-\Theta = 10^{-120} = 0.001210224 m K$	
$1 ni'upapa-\Theta = 10^{-110} = 0.1433320 K$	
$1 ni'upano-\Theta = 10^{-100} = 21.42255 k K$	(*)
$1 ni'uremu-\frac{\Theta}{T} = 10^{-250} = 0.04004503 m \frac{K}{s}$	
$1 ni'urevo-\frac{\Theta}{T} = 10^{-240} = 5.114010 \frac{K}{s}$	
$1 ni'urevo-\frac{\Theta}{T} = 10^{-240} = 0.001043120 k \frac{K}{s}$	
$1 ni'uvore-\frac{\Theta}{T^2} = 10^{-420} = 1.551204 m \frac{K}{s^2}$	(*)
$1 ni'uvopa-\frac{\Theta}{T^2} = 10^{-410} = 232.1503 \frac{K}{s^2}$	
$1 ni'uvopa-\frac{\Theta}{T^2} = 10^{-410} = 0.03153441 k \frac{K}{s^2}$	
$1 re-T\Theta = 10^{20} = 24.34322 m s K$	
$1 re-T\Theta = 10^{20} = 0.003331424 s K$	
$1 ci-T\Theta = 10^{30} = 0.4353205 k s K$	
$1 L\Theta = 1 = 2.142341 m m K$	
$1 pa-L\Theta = 10^{10} = 254.5005 m K$	(*)
$1 pa-L\Theta = 10^{10} = 0.03502433 k m K$	
$1 ni'upaci-\frac{L\Theta}{T} = 10^{-130} = 104.3141 m \frac{m\ K}{s}$	
$1 ni'upaci-\frac{L\Theta}{T} = 10^{-130} = 0.01243143 \frac{m\ K}{s}$	
$1 ni'upare-\frac{L\Theta}{T} = 10^{-120} = 1.520342 k \frac{m\ K}{s}$	
$1 ni'ucino-\frac{L\Theta}{T^2} = 10^{-300} = 3153.543 m \frac{m\ K}{s^2}$	
$1 ni'ucino-\frac{L\Theta}{T^2} = 10^{-300} = 0.4150251 \frac{m\ K}{s^2}$	
$1 ni'uremu-\frac{L\Theta}{T^2} = 10^{-250} = 53.25522 k \frac{m\ K}{s^2}$	(*)
$1 paci-LT\Theta = 10^{130} = 0.04353334 m m s K$	
$1 pavo-LT\Theta = 10^{140} = 10.01113 m s K$	
$1 pavo-LT\Theta = 10^{140} = 0.001145301 k m s K$	
$1 pare-L^2\Theta = 10^{120} = 3502.545 m^2 K$	
$1 pare-L^2\Theta = 10^{120} = 0.4552533 m^2 K$	(*)
$1 paci-L^2\Theta = 10^{130} = 102.4341 k m^2 K$	
$1 ni'ure-\frac{L^2\Theta}{T} = 10^{-20} = 0.1520415 m \frac{m^2 K}{s}$	
$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 22.41411 \frac{m^2 K}{s}$	
$1 \frac{L^2\Theta}{T} = 1 = 3102.254 k \frac{m^2 K}{s}$	
$1 ni'upamu-\frac{L^2\Theta}{T^2} = 10^{-150} = 5.330105 m \frac{m^2 K}{s^2}$	
$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 1112.312 \frac{m^2 K}{s^2}$	
$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 0.1321354 k \frac{m^2 K}{s^2}$	
$1 remu-L^2T\Theta = 10^{250} = 114.5324 m m^2 s K$	
$1 remu-L^2T\Theta = 10^{250} = 0.01404530 m^2 s K$	
$1 cino-L^2T\Theta = 10^{300} = 2.104534 k m^2 s K$	
$1 ni'ureci-\frac{\Theta}{L} = 10^{-230} = 0.4511240 m \frac{K}{m}$	

$$\begin{aligned}
1 \frac{K}{m} &= 0.005412331 \cdot 10^{-220} \\
1 k \frac{K}{m} &= 42.23024 \cdot 10^{-220} \\
1 m \frac{K}{ms} &= 0.02301143 \cdot 10^{-400} \\
1 \frac{K}{ms} &= 153.3355 \cdot 10^{-400} \quad (*) \\
1 k \frac{K}{ms} &= 1.254135 \cdot 10^{-350} \\
1 m \frac{K}{ms^2} &= 503.2300 \cdot 10^{-540} \quad (*) \\
1 \frac{K}{ms^2} &= 3.533053 \cdot 10^{-530} \\
1 k \frac{K}{ms^2} &= 0.03011113 \cdot 10^{-520} \\
1 m \frac{sK}{m} &= 33.45414 \cdot 10^{-100} \\
1 \frac{sK}{m} &= 0.2450132 \cdot 10^{-50} \\
1 k \frac{sK}{m} &= 0.002055443 \cdot 10^{-40} \quad (*) \\
1 m \frac{K}{m^2} &= 0.002023143 \cdot 10^{-340} \\
1 \frac{K}{m^2} &= 13.33044 \cdot 10^{-340} \\
1 k \frac{K}{m^2} &= 0.1122150 \cdot 10^{-330} \\
1 m \frac{K}{m^2 s} &= 41.13215 \cdot 10^{-520} \\
1 \frac{K}{m^2 s} &= 0.3125404 \cdot 10^{-510} \\
1 k \frac{K}{m^2 s} &= 0.002301232 \cdot 10^{-500} \\
1 m \frac{K}{m^2 s^2} &= 1.232051 \cdot 10^{-1050} \\
1 \frac{K}{m^2 s^2} &= 0.01033434 \cdot 10^{-1040} \\
1 k \frac{K}{m^2 s^2} &= 50.32435 \cdot 10^{-1040} \\
1 m \frac{sK}{m^2} &= 0.1004001 \cdot 10^{-210} \quad (*) \\
1 \frac{sK}{m^2} &= 441.4311 \cdot 10^{-210} \\
1 k \frac{sK}{m^2} &= 3.345524 \cdot 10^{-200} \quad (*) \\
1 m \frac{K}{m^3} &= 3.251243 \cdot 10^{-500} \\
1 \frac{K}{m^3} &= 0.02403455 \cdot 10^{-450} \quad (*) \\
1 k \frac{K}{m^3} &= 202.3222 \cdot 10^{-450} \\
1 m \frac{K}{m^3 s} &= 0.1102344 \cdot 10^{-1030} \\
1 \frac{K}{m^3 s} &= 524.2504 \cdot 10^{-1030} \\
1 k \frac{K}{m^3 s} &= 4.113335 \cdot 10^{-1020} \\
1 m \frac{K}{m^3 s^2} &= 0.002221410 \cdot 10^{-1200} \\
1 \frac{K}{m^3 s^2} &= 15.03242 \cdot 10^{-1200} \\
1 k \frac{K}{m^3 s^2} &= 0.1232120 \cdot 10^{-1150} \\
1 m \frac{sK}{m^3} &= 141.3340 \cdot 10^{-330} \\
1 \frac{sK}{m^3} &= 1.153110 \cdot 10^{-320} \\
1 k \frac{sK}{m^3} &= 0.01004020 \cdot 10^{-310} \quad (*) \\
1 m kg K &= 3.202304 \cdot 10^{-100} \\
1 kg K &= 0.02325300 \cdot 10^{-50} \quad (*) \\
1 k kg K &= 155.4101 \cdot 10^{-50} \quad (*) \\
1 m \frac{kg K}{s} &= 0.1044454 \cdot 10^{-230} \\
1 \frac{kg K}{s} &= 512.5242 \cdot 10^{-230} \\
1 k \frac{kg K}{s} &= 4.014325 \cdot 10^{-220} \\
1 m \frac{kg K}{s^2} &= 0.002145431 \cdot 10^{-400} \\
1 \frac{kg K}{s^2} &= 14.40023 \cdot 10^{-400} \quad (*) \\
1 k \frac{kg K}{s^2} &= 0.1212204 \cdot 10^{-350} \\
1 m kg s K &= 135.1214 \cdot 10^{30} \\
1 kg s K &= 1.134114 \cdot 10^{40} \\
1 k kg s K &= 5513.255 \cdot 10^{40} \quad (*) \\
1 m kg m K &= 0.001554022 \cdot 10^{20} \quad (*) \\
1 kg m K &= 13.11501 \cdot 10^{20} \\
1 k kg m K &= 0.1104015 \cdot 10^{30} \\
1 m \frac{kg m K}{s} &= 40.14211 \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 ni'urere \frac{\Theta}{L} &= 10^{-220} = 101.5040 \frac{K}{m} \\
1 ni'urere \frac{\Theta}{L} &= 10^{-220} = 0.01210201 k \frac{K}{m} \\
1 ni'uvono \frac{\Theta}{LT} &= 10^{-400} = 22.21055 m \frac{K}{ms} \quad (*) \\
1 ni'uvono \frac{\Theta}{LT} &= 10^{-400} = 0.003034124 \frac{K}{ms} \\
1 ni'ucimu \frac{\Theta}{LT} &= 10^{-350} = 0.4004345 k \frac{K}{ms} \quad (*) \\
1 ni'umuovo \frac{\Theta}{LT^2} &= 10^{-540} = 0.001102212 m \frac{K}{ms^2} \\
1 ni'umuci \frac{\Theta}{LT^2} &= 10^{-530} = 0.1305400 \frac{K}{ms^2} \quad (*) \\
1 ni'umure \frac{\Theta}{LT^2} &= 10^{-520} = 15.51125 k \frac{K}{ms^2} \\
1 ni'upano \frac{T\Theta}{L} &= 10^{-100} = 0.01352141 m \frac{sK}{m} \\
1 ni'umu \frac{T\Theta}{L} &= 10^{-50} = 2.045424 \frac{sK}{m} \\
1 ni'uvo \frac{T\Theta}{L} &= 10^{-40} = 243.4230 k \frac{sK}{m} \\
1 ni'ucivo \frac{\Theta}{L^2} &= 10^{-340} = 252.1504 m \frac{K}{m^2} \\
1 ni'ucivo \frac{\Theta}{L^2} &= 10^{-340} = 0.03431034 \frac{K}{m^2} \\
1 ni'ucici \frac{\Theta}{L^2} &= 10^{-330} = 4.511104 k \frac{K}{m^2} \\
1 ni'umure \frac{\Theta}{L^2 T} &= 10^{-520} = 0.01231455 m \frac{K}{m^2 s} \quad (*) \\
1 ni'umupa \frac{\Theta}{L^2 T} &= 10^{-510} = 1.502541 \frac{K}{m^2 s} \\
1 ni'umuno \frac{\Theta}{L^2 T} &= 10^{-500} = 222.1012 k \frac{K}{m^2 s} \\
1 ni'upanomu \frac{\Theta}{L^2 T^2} &= 10^{-1050} = 0.4112242 m \frac{K}{m^2 s^2} \\
1 ni'upanovo \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 52.41205 \frac{K}{m^2 s^2} \\
1 ni'upanovo \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.01102151 k \frac{K}{m^2 s^2} \\
1 ni'urepa \frac{T\Theta}{L^2} &= 10^{-210} = 5.520230 m \frac{sK}{m^2} \\
1 ni'ureno \frac{T\Theta}{L^2} &= 10^{-200} = 1134.502 \frac{sK}{m^2} \\
1 ni'ureno \frac{T\Theta}{L^2} &= 10^{-200} = 0.1352110 k \frac{sK}{m^2} \\
1 ni'umuno \frac{\Theta}{L^3} &= 10^{-500} = 0.1420305 m \frac{K}{m^3} \\
1 ni'uvomu \frac{\Theta}{L^3} &= 10^{-450} = 21.22443 \frac{K}{m^3} \\
1 ni'uvovo \frac{\Theta}{L^3} &= 10^{-440} = 2521.411 k \frac{K}{m^3} \\
1 ni'upanoci \frac{\Theta}{L^3 T} &= 10^{-1030} = 5.031213 m \frac{K}{m^3 s} \\
1 ni'upanore \frac{\Theta}{L^3 T} &= 10^{-1020} = 1033.244 \frac{K}{m^3 s} \\
1 ni'upanore \frac{\Theta}{L^3 T} &= 10^{-1020} = 0.1231431 k \frac{K}{m^3 s} \\
1 ni'upareno \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 230.0423 m \frac{K}{m^3 s^2} \\
1 ni'upareno \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.03124444 \frac{K}{m^3 s^2} \\
1 ni'upapamu \frac{\Theta}{L^3 T^2} &= 10^{-1150} = 4.112122 k \frac{K}{m^3 s^2} \\
1 ni'ucire \frac{T\Theta}{L^3} &= 10^{-320} = 3301.214 m \frac{sK}{m^3} \\
1 ni'ucire \frac{T\Theta}{L^3} &= 10^{-320} = 0.4313322 \frac{sK}{m^3} \\
1 ni'ucipa \frac{T\Theta}{L^3} &= 10^{-310} = 55.20035 k \frac{sK}{m^3} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 ni'upano M \Theta &= 10^{-100} = 0.1443240 m kg K \\
1 ni'umu M \Theta &= 10^{-50} = 21.54044 kg K \\
1 ni'uvoso M \Theta &= 10^{-40} = 3002.432 k kg K \quad (*) \\
1 ni'ureci \frac{M\Theta}{T} &= 10^{-230} = 5.143224 m \frac{kg K}{s} \\
1 ni'urere \frac{M\Theta}{T} &= 10^{-220} = 1050.551 \frac{kg K}{s} \quad (*) \\
1 ni'urere \frac{M\Theta}{T} &= 10^{-220} = 0.1252030 k \frac{kg K}{s} \\
1 ni'uvono \frac{M\Theta}{T^2} &= 10^{-400} = 233.4221 m \frac{kg K}{s^2} \\
1 ni'uvono \frac{M\Theta}{T^2} &= 10^{-400} = 0.03212511 \frac{kg K}{s^2} \\
1 ni'ucimu \frac{M\Theta}{T^2} &= 10^{-350} = 4.212340 k \frac{kg K}{s^2} \\
1 vo-MT\Theta &= 10^{40} = 3351.414 m kg s K \\
1 vo-MT\Theta &= 10^{40} = 0.4420513 kg s K \\
1 mu-MT\Theta &= 10^{50} = 100.4302 k kg s K \quad (*) \\
1 re-ML\Theta &= 10^{20} = 300.2530 m kg m K \quad (*) \\
1 re-ML\Theta &= 10^{20} = 0.03523331 kg m K \\
1 ci-ML\Theta &= 10^{30} = 5.021143 k kg m K \\
1 ni'upare \frac{ML\Theta}{T} &= 10^{-120} = 0.01252054 m \frac{kg m K}{s}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.3042355 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.002224324 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.212140 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 0.01020340 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 45.22214 \cdot 10^{-240} \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{k kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.02224241 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 150.5325 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1.233510 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 452.2042 \cdot 10^{-140} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 3.440242 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.02525551 \cdot 10^{-120} \quad (***) \\
1 \text{m kg m}^2 \text{s K} &= 32.55243 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.2410525 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 0.002025440 \cdot 10^{320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 5341.504 \cdot 10^{-220} \\
1 \frac{\text{kg K}}{\text{m}} &= 42.00341 \cdot 10^{-210} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.3202410 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 152.3152 \cdot 10^{-350} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1.245212 \cdot 10^{-340} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 0.01044515 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 3.512125 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.02553130 \cdot 10^{-510} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 214.5514 \cdot 10^{-510} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.2433014 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 2044.403 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 13.51244 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13.23515 \cdot 10^{-330} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.1114131 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 534.2052 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.3111004 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 2245.110 \cdot 10^{-500} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 15.23230 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.01030053 \cdot 10^{-1030} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 50.04012 \cdot 10^{-1030} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.3512241 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 435.1015 \cdot 10^{-200} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 3.325543 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 0.02433105 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.02351003 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3} &= 201.2333 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 1.323545 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 521.2533 \cdot 10^{-1020} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 4.051440 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.03111105 \cdot 10^{-1000}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 1.530532 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 225.3425 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uremu-} \frac{ML\Theta}{T^2} &= 10^{-250} = 0.4212501 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 54.00303 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.01120255 \text{k} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{pamu-} ML\Theta &= 10^{150} = 10.04322 \text{m kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 1153.504 \text{kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 0.1414244 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 22.53513 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.003121031 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.4103232 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML^2\Theta}{T^2} &= 10^{-140} = 0.001120321 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 0.1330512 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 20.20205 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.01414315 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 2.120123 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 251.4215 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 102.2341 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.01214514 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 1.443204 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 3052.331 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 0.4030013 \frac{\text{kg K}}{\text{m s}} \quad (*) \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 51.43044 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umure-} \frac{M\Theta}{LT^2} &= 10^{-520} = 0.1314431 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 20.01502 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 2334.132 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L} &= 10^{-40} = 2.100512 \text{m} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 245.1354 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 0.03351305 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ucici-} \frac{M\Theta}{L^2} &= 10^{-330} = 0.03451342 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 4.535230 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.001022321 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{L^2T} &= 10^{-500} = 1.513035 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 223.3004 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 0.03052231 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 53.11311 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 0.01110123 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 1.314401 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ureno-} \frac{MT\Theta}{L^2} &= 10^{-200} = 0.001143030 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 0.1401410 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 21.00431 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 21.34125 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.002535205 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.3451231 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^3T} &= 10^{-1020} = 0.001041044 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^3T} &= 10^{-1010} = 0.1240301 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 15.13002 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*)
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 14.53214 \cdot 10^{-1150}$	$1 ni'upapamu - \frac{M\Theta}{L^3 T^2} = 10^{-1150} = 0.03143341 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.1223312 \cdot 10^{-1140}$	$1 ni'upapavo - \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 4.134131 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 1030.113 \cdot 10^{-1140}$	$1 ni'upapaci - \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 531.1124 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 1.144505 \cdot 10^{-310}$	$1 ni'ucipa - \frac{MT\Theta}{L^3} = 10^{-310} = 0.4340415 m \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.01000414 \cdot 10^{-300}$	$1 ni'ucino - \frac{MT\Theta}{L^3} = 10^{-300} = 55.51425 \frac{kg\ s\ K}{m^3}$ (*)
$1k \frac{kg\ s\ K}{m^3} = 43.51144 \cdot 10^{-300}$	$1 ni'ucino - \frac{MT\Theta}{L^3} = 10^{-300} = 0.01143004 k \frac{kg\ s\ K}{m^3}$ (*)
$1m \frac{K}{C} = 0.01030421 \cdot 10^{-150}$	$1 ni'upamu - \frac{\Theta}{Q} = 10^{-150} = 53.04334 m \frac{K}{C}$
$1 \frac{K}{C} = 50.10411 \cdot 10^{-150}$	$1 ni'upamu - \frac{\Theta}{Q} = 10^{-150} = 0.01105334 \frac{K}{C}$
$1k \frac{K}{C} = 0.3514300 \cdot 10^{-140}$	$1 ni'upavo - \frac{\Theta}{Q} = 10^{-140} = 1.313504 k \frac{K}{C}$
$1m \frac{K}{sC} = 211.3120 \cdot 10^{-330}$	$1 ni'ucire - \frac{\Theta}{TQ} = 10^{-320} = 2414.332 m \frac{K}{sC}$
$1 \frac{K}{sC} = 1.412121 \cdot 10^{-320}$	$1 ni'ucire - \frac{\Theta}{TQ} = 10^{-320} = 0.3304120 \frac{K}{sC}$
$1k \frac{K}{sC} = 0.01152043 \cdot 10^{-310}$	$1 ni'ucipa - \frac{\Theta}{TQ} = 10^{-310} = 43.21130 k \frac{K}{sC}$
$1m \frac{K}{s^2 C} = 4.254125 \cdot 10^{-500}$	$1 ni'umuno - \frac{\Theta}{T^2 Q} = 10^{-500} = 0.1200305 m \frac{K}{s^2 C}$ (*)
$1 \frac{K}{s^2 C} = 0.03244351 \cdot 10^{-450}$	$1 ni'uvomu - \frac{\Theta}{T^2 Q} = 10^{-450} = 14.21531 \frac{K}{s^2 C}$
$1k \frac{K}{s^2 C} = 240.1354 \cdot 10^{-450}$	$1 ni'uvovo - \frac{\Theta}{T^2 Q} = 10^{-440} = 2124.335 k \frac{K}{s^2 C}$
$1m \frac{s\ K}{C} = 0.3112415 \cdot 10^{-20}$	$1 ni'ure - \frac{\Theta}{Q} = 10^{-20} = 1.512041 m \frac{s\ K}{C}$
$1 \frac{s\ K}{C} = 2250.301 \cdot 10^{-20}$	$1 ni'upa - \frac{T\Theta}{Q} = 10^{-10} = 223.1422 \frac{s\ K}{C}$
$1k \frac{s\ K}{C} = 15.24232 \cdot 10^{-10}$	$1 ni'upa - \frac{T\Theta}{Q} = 10^{-10} = 0.03050431 k \frac{s\ K}{C}$
$1m \frac{m\ K}{C} = 3.514144 \cdot 10^{-40}$	$1 ni'uvo - \frac{L\Theta}{Q} = 10^{-40} = 0.1313534 m \frac{m\ K}{C}$
$1 \frac{m\ K}{C} = 0.02554500 \cdot 10^{-30}$	$1 ni'uci - \frac{L\Theta}{Q} = 10^{-30} = 20.00440 \frac{m\ K}{C}$ (*)
$1k \frac{m\ K}{C} = 215.1034 \cdot 10^{-30}$	$1 ni'ure - \frac{L\Theta}{Q} = 10^{-20} = 2332.514 k \frac{m\ K}{C}$
$1m \frac{m\ K}{sC} = 0.1152020 \cdot 10^{-210}$	$1 ni'urepa - \frac{L\Theta}{TQ} = 10^{-210} = 4.321254 m \frac{m\ K}{sC}$
$1 \frac{m\ K}{sC} = 0.001003103 \cdot 10^{-200}$	$1 ni'ureno - \frac{L\Theta}{TQ} = 10^{-200} = 552.5111 \frac{m\ K}{sC}$ (*)
$1k \frac{m\ K}{sC} = 4.410420 \cdot 10^{-200}$	$1 ni'ureno - \frac{L\Theta}{TQ} = 10^{-200} = 0.1135513 k \frac{m\ K}{sC}$ (*)
$1m \frac{m\ K}{s^2 C} = 0.002401304 \cdot 10^{-340}$	$1 ni'ucivo - \frac{L\Theta}{T^2 Q} = 10^{-340} = 212.4420 m \frac{m\ K}{s^2 C}$
$1 \frac{m\ K}{s^2 C} = 20.21341 \cdot 10^{-340}$	$1 ni'ucivo - \frac{L\Theta}{T^2 Q} = 10^{-340} = 0.02524111 \frac{m\ K}{s^2 C}$
$1k \frac{m\ K}{s^2 C} = 0.1331501 \cdot 10^{-330}$	$1 ni'ucici - \frac{L\Theta}{T^2 Q} = 10^{-330} = 3.434052 k \frac{m\ K}{s^2 C}$
$1m \frac{ms\ K}{C} = 152.4154 \cdot 10^{50}$	$1 pano - \frac{LT\Theta}{Q} = 10^{100} = 3050.531 m \frac{ms\ K}{C}$
$1 \frac{ms\ K}{C} = 1.250053 \cdot 10^{100}$	$1 pano - \frac{LT\Theta}{Q} = 10^{100} = 0.4023515 \frac{ms\ K}{C}$
$1k \frac{ms\ K}{C} = 0.01045253 \cdot 10^{110}$	$1 papa - \frac{LT\Theta}{Q} = 10^{110} = 51.40155 k \frac{ms\ K}{C}$ (*)
$1m \frac{m^2 K}{C} = 0.002150551 \cdot 10^{40}$	$1 vo - \frac{L^2 \Theta}{Q} = 10^{40} = 233.3004 m \frac{m^2 K}{C}$ (*)
$1 \frac{m^2 K}{C} = 14.41003 \cdot 10^{40}$	$1 vo - \frac{L^2 \Theta}{Q} = 10^{40} = 0.03211025 \frac{m^2 K}{C}$
$1k \frac{m^2 K}{C} = 0.1213025 \cdot 10^{50}$	$1 mu - \frac{L^2 \Theta}{Q} = 10^{50} = 4.210144 k \frac{m^2 K}{C}$
$1m \frac{m^2 K}{sC} = 44.10250 \cdot 10^{-100}$	$1 ni'upano - \frac{L^2 \Theta}{TQ} = 10^{-100} = 0.01135535 m \frac{m^2 K}{sC}$ (*)
$1 \frac{m^2 K}{sC} = 0.3342435 \cdot 10^{-50}$	$1 ni'umu - \frac{L^2 \Theta}{TQ} = 10^{-50} = 1.353342 \frac{m^2 K}{sC}$
$1k \frac{m^2 K}{sC} = 0.002443554 \cdot 10^{-40}$	$1 ni'uvovo - \frac{L^2 \Theta}{TQ} = 10^{-40} = 205.1251 k \frac{m^2 K}{sC}$
$1m \frac{m^2 K}{s^2 C} = 1.331431 \cdot 10^{-230}$	$1 ni'ureci - \frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.3434203 m \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 K}{s^2 C} = 0.01121124 \cdot 10^{-220}$	$1 ni'urere - \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 45.15221 \frac{m^2 K}{s^2 C}$
$1k \frac{m^2 K}{s^2 C} = 54.03551 \cdot 10^{-220}$	$1 ni'urere - \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.01015544 k \frac{m^2 K}{s^2 C}$ (*)
$1m \frac{m^2 s\ K}{C} = 0.1045232 \cdot 10^{210}$	$1 repa - \frac{L^2 T\Theta}{Q} = 10^{210} = 5.140335 m \frac{m^2 s\ K}{C}$
$1 \frac{m^2 s\ K}{C} = 513.2123 \cdot 10^{210}$	$1 rere - \frac{L^2 T\Theta}{Q} = 10^{220} = 1050.212 \frac{m^2 s\ K}{C}$
$1k \frac{m^2 s\ K}{C} = 4.020421 \cdot 10^{220}$	$1 rere - \frac{L^2 T\Theta}{Q} = 10^{220} = 0.1251144 k \frac{m^2 s\ K}{C}$
$1m \frac{K}{mC} = 14.54203 \cdot 10^{-310}$	$1 ni'ucipa - \frac{\Theta}{LQ} = 10^{-310} = 0.03141512 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.1224141 \cdot 10^{-300}$	$1 ni'ucino - \frac{\Theta}{LQ} = 10^{-300} = 4.131555 \frac{K}{mC}$ (***)
$1k \frac{K}{mC} = 1030.441 \cdot 10^{-300}$	$1 ni'uremu - \frac{\Theta}{LQ} = 10^{-250} = 530.4151 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.3413430 \cdot 10^{-440}$	$1 ni'uvovo - \frac{\Theta}{LTQ} = 10^{-440} = 1.341054 m \frac{K}{msC}$
$1 \frac{K}{msC} = 2510.345 \cdot 10^{-440}$	$1 ni'uvoci - \frac{\Theta}{LTQ} = 10^{-430} = 203.2302 \frac{K}{msC}$
$1k \frac{K}{msC} = 21.13202 \cdot 10^{-430}$	$1 ni'uvoci - \frac{\Theta}{LTQ} = 10^{-430} = 0.02414241 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 0.01131401 \cdot 10^{-1010} \\
1 \frac{K}{ms^2C} &= 54.53425 \cdot 10^{-1010} \\
1k \frac{K}{ms^2C} &= 0.4254252 \cdot 10^{-1000} \\
1m \frac{sK}{mC} &= 521.5441 \cdot 10^{-140} \\
1 \frac{sK}{mC} &= 4.053551 \cdot 10^{-130} \quad (*) \\
1k \frac{sK}{mC} &= 0.03112515 \cdot 10^{-120} \\
1m \frac{K}{m^2C} &= 0.03022303 \cdot 10^{-420} \\
1 \frac{K}{m^2C} &= 221.1111 \cdot 10^{-420} \\
1k \frac{K}{m^2C} &= 1.454240 \cdot 10^{-410} \\
1m \frac{K}{m^2sC} &= 1012.255 \cdot 10^{-1000} \quad (*) \\
1 \frac{K}{m^2sC} &= 4.451153 \cdot 10^{-550} \\
1k \frac{K}{m^2sC} &= 0.03413540 \cdot 10^{-540} \\
1m \frac{K}{m^2s^2C} &= 20.40230 \cdot 10^{-1130} \\
1 \frac{K}{m^2s^2C} &= 0.1344102 \cdot 10^{-1120} \\
1k \frac{K}{m^2s^2C} &= 1131.424 \cdot 10^{-1120} \\
1m \frac{sK}{m^2C} &= 1.301511 \cdot 10^{-250} \\
1 \frac{sK}{m^2C} &= 0.01055235 \cdot 10^{-240} \quad (*) \\
1k \frac{sK}{m^2C} &= 52.20022 \cdot 10^{-240} \quad (*) \\
1m \frac{K}{m^3C} &= 50.53013 \cdot 10^{-540} \\
1 \frac{K}{m^3C} &= 0.3550455 \cdot 10^{-530} \quad (*) \\
1k \frac{K}{m^3C} &= 0.003022402 \cdot 10^{-520} \\
1m \frac{K}{m^3sC} &= 1.425053 \cdot 10^{-1110} \\
1 \frac{K}{m^3sC} &= 0.01203003 \cdot 10^{-1100} \quad (*) \\
1k \frac{K}{m^3sC} &= 101.2314 \cdot 10^{-1100} \\
1m \frac{K}{m^3s^2C} &= 0.03314443 \cdot 10^{-1240} \\
1 \frac{K}{m^3s^2C} &= 242.3355 \cdot 10^{-1240} \quad (*) \\
1k \frac{K}{m^3s^2C} &= 2.040310 \cdot 10^{-1230} \\
1m \frac{sK}{m^3C} &= 0.002311243 \cdot 10^{-400} \\
1 \frac{sK}{m^3C} &= 15.42231 \cdot 10^{-400} \\
1k \frac{sK}{m^3C} &= 0.1301540 \cdot 10^{-350} \\
1m \frac{kgK}{C} &= 45.42102 \cdot 10^{-140} \\
1 \frac{kgK}{C} &= 0.3453431 \cdot 10^{-130} \\
1k \frac{kgK}{C} &= 0.002541054 \cdot 10^{-120} \\
1m \frac{kgK}{sC} &= 1.402344 \cdot 10^{-310} \\
1 \frac{kgK}{sC} &= 0.01143450 \cdot 10^{-300} \\
1k \frac{kgK}{sC} &= 55.55223 \cdot 10^{-300} \quad (*) \\
1m \frac{kgK}{s^2C} &= 0.03225133 \cdot 10^{-440} \\
1 \frac{kgK}{s^2C} &= 234.4513 \cdot 10^{-440} \\
1k \frac{kgK}{s^2C} &= 2.010541 \cdot 10^{-430} \\
1m \frac{kg sK}{C} &= 0.002234213 \cdot 10^0 \\
1 \frac{kg sK}{C} &= 15.14053 \cdot 10^0 \\
1k \frac{kg sK}{C} &= 0.1241220 \cdot 10^{10} \\
1m \frac{kg mK}{C} &= 0.02541000 \cdot 10^{-20} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 ni'upanopa \frac{\Theta}{LT^2Q} &= 10^{-1010} = 44.34230 m \frac{K}{ms^2C} \\
1 ni'upanopa \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.01010323 \frac{K}{ms^2C} \\
1 ni'upanono \frac{\Theta}{LT^2Q} &= 10^{-1000} = 1.200241 k \frac{K}{ms^2C} \quad (*) \\
1 ni'upavo \frac{T\Theta}{LQ} &= 10^{-140} = 0.001040313 m \frac{sK}{mC} \\
1 ni'upaci \frac{T\Theta}{LQ} &= 10^{-130} = 0.1235424 \frac{sK}{mC} \\
1 ni'upare \frac{T\Theta}{LQ} &= 10^{-120} = 15.12003 k \frac{sK}{mC} \quad (*) \\
1 ni'uvore \frac{\Theta}{L^2Q} &= 10^{-420} = 15.42312 m \frac{K}{m^2C} \\
1 ni'uvore \frac{\Theta}{L^2Q} &= 10^{-420} = 0.002311335 \frac{K}{m^2C} \\
1 ni'uvopa \frac{\Theta}{L^2Q} &= 10^{-410} = 0.3141411 k \frac{K}{m^2C} \\
1 ni'umumu \frac{\Theta}{L^2TQ} &= 10^{-550} = 543.4545 m \frac{K}{m^2sC} \\
1 ni'umumu \frac{\Theta}{L^2TQ} &= 10^{-550} = 0.1125203 \frac{K}{m^2sC} \\
1 ni'umuovo \frac{\Theta}{L^2TQ} &= 10^{-540} = 13.41023 k \frac{K}{m^2sC} \\
1 ni'upapaci \frac{\Theta}{L^2T^2Q} &= 10^{-1130} = 0.02501200 m \frac{K}{m^2s^2C} \quad (*) \\
1 ni'upapare \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 3.402514 \frac{K}{m^2s^2C} \\
1 ni'upapapa \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 443.4055 k \frac{K}{m^2s^2C} \quad (*) \\
1 ni'uremu \frac{T\Theta}{L^2Q} &= 10^{-250} = 0.3551021 m \frac{sK}{m^2C} \quad (*) \\
1 ni'urevo \frac{T\Theta}{L^2Q} &= 10^{-240} = 50.53201 \frac{sK}{m^2C} \\
1 ni'urevo \frac{T\Theta}{L^2Q} &= 10^{-240} = 0.01040252 k \frac{sK}{m^2C} \\
1 ni'umuovo \frac{\Theta}{L^3Q} &= 10^{-540} = 0.01055301 m \frac{K}{m^3C} \quad (*) \\
1 ni'umuci \frac{\Theta}{L^3Q} &= 10^{-530} = 1.301541 \frac{K}{m^3C} \\
1 ni'umure \frac{\Theta}{L^3Q} &= 10^{-520} = 154.2233 k \frac{K}{m^3C} \\
1 ni'upapapa \frac{\Theta}{L^3TQ} &= 10^{-1110} = 0.3234122 m \frac{K}{m^3sC} \\
1 ni'upapano \frac{\Theta}{L^3TQ} &= 10^{-1100} = 42.41533 \frac{K}{m^3sC} \\
1 ni'upapano \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.005434355 k \frac{K}{m^3sC} \quad (*) \\
1 ni'uparevo \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 14.05024 m \frac{K}{m^3s^2C} \\
1 ni'uparevo \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 0.002105045 \frac{K}{m^3s^2C} \\
1 ni'upareci \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 0.2501104 k \frac{K}{m^3s^2C} \\
1 ni'uvono \frac{T\Theta}{L^3Q} &= 10^{-400} = 221.1201 m \frac{sK}{m^3C} \\
1 ni'uvono \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.03022405 \frac{sK}{m^3C} \\
1 ni'ucimu \frac{T\Theta}{L^3Q} &= 10^{-350} = 3.550503 k \frac{sK}{m^3C} \quad (*) \\
1 ni'upavo \frac{M\Theta}{Q} &= 10^{-140} = 0.01113325 m \frac{kgK}{C} \\
1 ni'upaci \frac{M\Theta}{Q} &= 10^{-130} = 1.323001 \frac{kgK}{C} \quad (*) \\
1 ni'upare \frac{M\Theta}{Q} &= 10^{-120} = 201.1204 k \frac{kgK}{C} \\
1 ni'ucipa \frac{M\Theta}{TQ} &= 10^{-310} = 0.3323543 m \frac{kgK}{sC} \\
1 ni'ucino \frac{M\Theta}{TQ} &= 10^{-300} = 43.44243 \frac{kgK}{sC} \\
1 ni'ucino \frac{M\Theta}{TQ} &= 10^{-300} = 0.01000033 k \frac{kgK}{sC} \quad (**) \\
1 ni'uvovo \frac{M\Theta}{T^2Q} &= 10^{-440} = 14.31410 m \frac{kgK}{s^2C} \\
1 ni'uvovo \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.002140030 \frac{kgK}{s^2C} \quad (*) \\
1 ni'uvoci \frac{M\Theta}{T^2Q} &= 10^{-430} = 0.2541424 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 224.3452 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.03105123 \frac{kg sK}{C} \\
1 pa \frac{MT\Theta}{Q} &= 10^{10} = 4.045130 k \frac{kg sK}{C} \\
1 ni'ure \frac{ML\Theta}{Q} &= 10^{-20} = 20.11243 m \frac{kg mK}{C} \\
1 ni'ure \frac{ML\Theta}{Q} &= 10^{-20} = 0.002345313 \frac{kg mK}{C} \\
1 ni'upa \frac{ML\Theta}{Q} &= 10^{-10} = 0.3230043 k \frac{kg mK}{C} \quad (*) \\
1 ni'uren \frac{ML\Theta}{TQ} &= 10^{-200} = 0.001000053 m \frac{kg mK}{sC} \quad (**) \\
1 ni'upamu \frac{ML\Theta}{TQ} &= 10^{-150} = 0.1144045 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.03323021 \cdot 10^{-140} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 20.10502 \cdot 10^{-330} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.1322340 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 1113.135 \cdot 10^{-320} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 1.241152 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.01041431 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 51.03123 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14.31055 \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.1204322 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 1013.424 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.3322513 \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2430.451 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 20.42543 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.01113113 \cdot 10^{-210} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 53.33151 \cdot 10^{-210} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.4153035 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 510.2544 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 3.555222 \cdot 10^{230} \quad (**) \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.03030112 \cdot 10^{240} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.1215353 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 0.001023114 \cdot 10^{-240} \\
1k \frac{\text{kg K}}{\text{m C}} &= 4.542235 \cdot 10^{-240} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.002453121 \cdot 10^{-420} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 21.02030 \cdot 10^{-420} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.1402415 \cdot 10^{-410} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 54.22343 \cdot 10^{-1000} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.4231421 \cdot 10^{-550} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.003225240 \cdot 10^{-540} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 4.032155 \cdot 10^{-120} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m C}} &= 0.03054204 \cdot 10^{-110} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 223.4301 \cdot 10^{-110} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 215.5232 \cdot 10^{-410} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1.444241 \cdot 10^{-400} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.01215421 \cdot 10^{-350} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 4.423304 \cdot 10^{-540} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.03353431 \cdot 10^{-530} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 245.3213 \cdot 10^{-530} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.1334453 \cdot 10^{-1110} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.001123335 \cdot 10^{-1100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 5.422532 \cdot 10^{-1100} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.01051341 \cdot 10^{-230} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 51.50212 \cdot 10^{-230} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.4032313 \cdot 10^{-220} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.3525435 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 3004.334 \cdot 10^{-520} \quad (*) \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 21.55315 \cdot 10^{-510} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni}'\text{upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 14.03015 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ucici-} \frac{ML\Theta}{T^2Q} &= 10^{-330} = 0.02541522 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 3.454415 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ucipa-} \frac{ML\Theta}{T^2Q} &= 10^{-310} = 454.3232 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ papa-} \frac{ML\Theta}{Q} &= 10^{110} = 0.4045245 \text{m} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ pare-} \frac{ML\Theta}{Q} &= 10^{120} = 52.05533 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{ML\Theta}{Q} &= 10^{120} = 0.01054040 \text{k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.03230150 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 4.232502 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ papa-} \frac{ML^2\Theta}{Q} &= 10^{110} = 542.4022 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ ni}'\text{uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 1.403051 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 210.2344 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.02453535 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 45.43404 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 0.01023253 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 1.220001 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (**) \\
1 \text{ rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.001054102 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 0.1300121 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \quad (*) \\
1 \text{ revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 15.40111 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ ni}'\text{uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 4.154110 \text{m} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni}'\text{urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 533.4415 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni}'\text{urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 0.1113303 \text{k} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni}'\text{uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 204.3254 \text{m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni}'\text{uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 0.02431301 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni}'\text{uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 3.323435 \text{k} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni}'\text{upanono-} \frac{M\Theta}{LT^2Q} &= 10^{-1000} = 0.01014001 \text{m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ ni}'\text{umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 1.204523 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni}'\text{umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 143.1334 \text{k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni}'\text{upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.1244315 \text{m} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni}'\text{upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 15.22130 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni}'\text{upano-} \frac{MT\Theta}{LQ} &= 10^{-100} = 2243.404 \text{k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni}'\text{uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 2324.021 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 0.3200353 \frac{\text{kg K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni}'\text{ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 41.53545 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{umuovo-} \frac{M\Theta}{L^2TQ} &= 10^{-540} = 0.1133301 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni}'\text{umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 13.50243 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni}'\text{umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 2043.214 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni}'\text{upapapa-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1110} = 3.423053 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni}'\text{upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 450.2022 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni}'\text{upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.1013541 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 51.22310 \text{m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 0.01044110 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 1.244251 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 1.310552 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ ni}'\text{umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 155.2542 \frac{\text{kg K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ ni}'\text{umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 0.02323532 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 0.01154331 \cdot 10^{-1050}$	$1 ni' upanomu- \frac{M\Theta}{L^3 TQ} = 10^{-1050} = 43.04441 m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 100.5045 \cdot 10^{-1050} \quad (*)$	$1 ni' upanovo- \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 5505.524 \frac{kg\ K}{m^3 s\ C} \quad (*)$
$1k \frac{kg\ K}{m^3 s\ C} = 0.4423434 \cdot 10^{-1040}$	$1 ni' upanovo- \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 1.133234 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 241.0400 \cdot 10^{-1230} \quad (*)$	$1 ni' uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 2120.235 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 2.025331 \cdot 10^{-1220}$	$1 ni' uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.2514352 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.01334523 \cdot 10^{-1210}$	$1 ni' uparepa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 34.22542 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 15.32000 \cdot 10^{-350} \quad (**)$	$1 ni' ucimu- \frac{MT\Theta}{L^3 Q} = 10^{-350} = 0.03040531 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 0.1252553 \cdot 10^{-340} \quad (*)$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 4.012035 \frac{kg\ s\ K}{m^3 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 1051.402 \cdot 10^{-340}$	$1 ni' ucici- \frac{MT\Theta}{L^3 Q} = 10^{-330} = 512.2130 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 25.45541 \cdot 10^{-40} \quad (*)$	$1 ni' uvo-Q\Theta = 10^{-40} = 0.02004023 m CK \quad (*)$
$1CK = 0.2143200 \cdot 10^{-30} \quad (*)$	$1 ni' uci-Q\Theta = 10^{-30} = 2.341052 CK$
$1k CK = 0.001434111 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 322.0233 k CK$
$1m \frac{CK}{s} = 1.001305 \cdot 10^{-210} \quad (*)$	$1 ni' urepa- \frac{Q\Theta}{T} = 10^{-210} = 0.5542530 m \frac{CK}{s} \quad (*)$
$1m \frac{CK}{s} = 0.004355021 \cdot 10^{-200} \quad (*)$	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 114.1550 \frac{CK}{s} \quad (*)$
$1k \frac{CK}{s} = 33.33015 \cdot 10^{-200}$	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 0.01400131 k \frac{CK}{s} \quad (*)$
$1m \frac{CK}{s^2} = 0.02014130 \cdot 10^{-340}$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 25.32552 m \frac{CK}{s^2} \quad (*)$
$1m \frac{CK}{s^2} = 132.5124 \cdot 10^{-340}$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 0.003444202 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 1.115150 \cdot 10^{-330}$	$1 ni' ucici- \frac{Q\Theta}{T^2} = 10^{-330} = 0.4531100 k \frac{CK}{s^2} \quad (*)$
$1ms CK = 0.001243430 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 403.4325 ms CK$
$1s CK = 10.43345 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 0.05153001 s CK \quad (*)$
$1ks CK = 0.05115533 \cdot 10^{110} \quad (*)$	$1 papa-TQ\Theta = 10^{110} = 10.52104 ks CK$
$1mm CK = 0.01434035 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 32.20340 mm CK$
$1m CK = 121.0500 \cdot 10^{40} \quad (*)$	$1 vo-LQ\Theta = 10^{40} = 0.004221244 m CK$
$1km CK = 1.015255 \cdot 10^{50} \quad (*)$	$1 mu-LQ\Theta = 10^{50} = 0.5410301 km CK$
$1m \frac{m\ CK}{s} = 333.2510 \cdot 10^{-100}$	$1 ni' upano- \frac{LQ\Theta}{T} = 10^{-100} = 0.001400202 m \frac{m\ CK}{s} \quad (*)$
$1m \frac{m\ CK}{s} = 2.435233 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 0.2055001 \frac{m\ CK}{s} \quad (**)$
$1k \frac{m\ CK}{s} = 0.02050305 \cdot 10^{-40}$	$1 ni' uvo- \frac{LQ\Theta}{T} = 10^{-40} = 24.45123 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 11.15124 \cdot 10^{-230}$	$1 ni' ureci- \frac{LQ\Theta}{T^2} = 10^{-230} = 0.04531232 m \frac{m\ CK}{s^2}$
$1m \frac{m\ CK}{s^2} = 0.05350412 \cdot 10^{-220}$	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 10.21411 \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = 420.4205 \cdot 10^{-220}$	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 0.001213405 k \frac{m\ CK}{s^2}$
$1mm s CK = 0.5115354 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 1.052125 mm s CK$
$1ms CK = 0.004010035 \cdot 10^{220} \quad (*)$	$1 rere-LTQ\Theta = 10^{220} = 125.3421 ms CK$
$1km s CK = 30.35214 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.01532543 km s CK$
$1mm^2 CK = 10.15235 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.05410450 mm^2 CK$
$1m^2 CK = 0.04512545 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 11.21505 m^2 CK$
$1km^2 CK = 343.2251 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 0.001332314 km^2 CK$
$1m \frac{m^2 CK}{s} = 0.2050225 \cdot 10^{20}$	$1 re- \frac{L^2 Q\Theta}{T} = 10^{20} = 2.445215 m \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s} = 1352.444 \cdot 10^{20}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 334.4325 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 11.35150 \cdot 10^{30}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 0.04412451 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 4204.044 \cdot 10^{-120}$	$1 ni' upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 121.3433 m \frac{m^2 CK}{s^2}$
$1m \frac{m^2 CK}{s^2} = 32.05224 \cdot 10^{-110}$	$1 ni' upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 0.01441523 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 0.2331421 \cdot 10^{-100}$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 2.152044 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 303.5114 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.001533021 mm^2 s CK$
$1m^2 s CK = 2.221525 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 0.2300302 m^2 s CK \quad (*)$
$1km^2 s CK = 0.01503343 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 31.24300 km^2 s CK \quad (*)$
$1m \frac{CK}{m} = 0.04554254 \cdot 10^{-150} \quad (*)$	$1 ni' upamu- \frac{Q\Theta}{L} = 10^{-150} = 11.11321 m \frac{CK}{m}$
$1m \frac{CK}{m} = 350.4101 \cdot 10^{-150}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 1320.221 \frac{CK}{m}$
$1k \frac{CK}{m} = 2.550035 \cdot 10^{-140} \quad (**)$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 0.2003544 k \frac{CK}{m} \quad (*)$
$1m \frac{CK}{ms} = 0.001405241 \cdot 10^{-320}$	$1 ni' ucire- \frac{Q\Theta}{LT} = 10^{-320} = 331.4002 m \frac{CK}{ms} \quad (*)$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 11.45552 \cdot 10^{-320} \quad (**)
\\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 0.1001325 \cdot 10^{-310} \quad (*)
\\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 32.34554 \cdot 10^{-500} \quad (*)
\\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.2353144 \cdot 10^{-450}
\\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 0.002014205 \cdot 10^{-440}
\\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 2.242245 \cdot 10^{-20}
\\
1 \frac{\text{s CK}}{\text{m}} &= 0.01521151 \cdot 10^{-10}
\\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 124.3454 \cdot 10^{-10}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 122.1552 \cdot 10^{-310} \quad (*)
\\
1 \frac{\text{CK}}{\text{m}^2} &= 1.025002 \cdot 10^{-300} \quad (*)
\\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 4554.431 \cdot 10^{-300} \quad (*)
\\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 2.501544 \cdot 10^{-440}
\\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.02105423 \cdot 10^{-430}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 140.5312 \cdot 10^{-430}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.05440125 \cdot 10^{-1010}
\\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 424.3053 \cdot 10^{-1010}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 3.235102 \cdot 10^{-1000}
\\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 4043.111 \cdot 10^{-140}
\\
1 \frac{\text{s CK}}{\text{m}^2} &= 31.03353 \cdot 10^{-130}
\\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 0.2242333 \cdot 10^{-120}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.2203201 \cdot 10^{-420}
\\
1 \frac{\text{CK}}{\text{m}^3} &= 1451.245 \cdot 10^{-420}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 12.22020 \cdot 10^{-410}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 4435.250 \cdot 10^{-1000}
\\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 34.03520 \cdot 10^{-550}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.2502040 \cdot 10^{-540}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 134.1303 \cdot 10^{-1130}
\\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 1.125404 \cdot 10^{-1120}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 5440.315 \cdot 10^{-1120}
\\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 10.53313 \cdot 10^{-250}
\\
1 \frac{\text{s CK}}{\text{m}^3} &= 0.05203135 \cdot 10^{-240}
\\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 404.3230 \cdot 10^{-240}
\\
1 \text{m kg CK} &= 0.2131445 \cdot 10^{-20}
\\
1 \text{kg CK} &= 1424.220 \cdot 10^{-20}
\\
1 \text{kg kg CK} &= 12.02232 \cdot 10^{-10}
\\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 4331.430 \cdot 10^{-200}
\\
1 \frac{\text{kg CK}}{\text{s}} &= 33.13124 \cdot 10^{-150}
\\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 0.2422244 \cdot 10^{-140}
\\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 132.0020 \cdot 10^{-330} \quad (*)
\\
1 \frac{\text{kg CK}}{\text{s}^2} &= 1.111145 \cdot 10^{-320}
\\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 5320.250 \cdot 10^{-320}
\\
1 \text{m kg s CK} &= 10.35533 \cdot 10^{110} \quad (*)
\\
1 \text{kg s CK} &= 0.05050442 \cdot 10^{120}
\\
1 \text{kg kg s CK} &= 354.5031 \cdot 10^{120}
\\
1 \text{m kg m CK} &= 120.2204 \cdot 10^{50}
\\
1 \text{kg m CK} &= 1.012012 \cdot 10^{100}
\\
1 \text{kg kg m CK} &= 4445.114 \cdot 10^{100}
\\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 2.422153 \cdot 10^{-40}
\\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.02035254 \cdot 10^{-30}
\\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 134.3243 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 0.04332425 \frac{\text{CK}}{\text{m s}}
\\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 5.542334 \text{k} \frac{\text{CK}}{\text{m s}}
\\
1 \text{ni'umuno-} \frac{Q\Theta}{LT^2} &= 10^{-500} = 0.01424434 \text{m} \frac{\text{CK}}{\text{m s}^2}
\\
1 \text{ni'uvomo-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 2.132143 \frac{\text{CK}}{\text{m s}^2}
\\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 253.2454 \text{k} \frac{\text{CK}}{\text{m s}^2}
\\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.2235415 \text{m} \frac{\text{s CK}}{\text{m}}
\\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 30.55531 \frac{\text{s CK}}{\text{m}} \quad (**)
\\
1 \frac{TQ\Theta}{L} &= 1 = 4034.210 \text{k} \frac{\text{s CK}}{\text{m}}
\\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 4142.555 \text{m} \frac{\text{CK}}{\text{m}^2} \quad (**)
\\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.5321215 \frac{\text{CK}}{\text{m}^2}
\\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 111.1300 \text{k} \frac{\text{CK}}{\text{m}^2} \quad (*)
\\
1 \text{ni'uvovo-} \frac{Q\Theta}{L^2T} &= 10^{-440} = 0.2035541 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*)
\\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2T} &= 10^{-430} = 24.22525 \frac{\text{CK}}{\text{m}^2 \text{s}}
\\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2T} &= 10^{-420} = 3313.453 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}}
\\
1 \text{ni'upanopa-} \frac{Q\Theta}{L^2T^2} &= 10^{-1010} = 10.12133 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2T^2} &= 10^{-1000} = 1202.351 \frac{\text{CK}}{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2T^2} &= 10^{-1000} = 0.1424402 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 124.2040 \text{m} \frac{\text{s CK}}{\text{m}^2}
\\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 0.01515031 \frac{\text{s CK}}{\text{m}^2}
\\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 2.235331 \text{k} \frac{\text{s CK}}{\text{m}^2}
\\
1 \text{ni'uvore-} \frac{Q\Theta}{L^3} &= 10^{-420} = 2.315435 \text{m} \frac{\text{CK}}{\text{m}^3}
\\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 315.1033 \frac{\text{CK}}{\text{m}^3}
\\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.04142434 \text{k} \frac{\text{CK}}{\text{m}^3}
\\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3T} &= 10^{-550} = 113.1221 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}}
\\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3T} &= 10^{-550} = 0.01343421 \frac{\text{CK}}{\text{m}^3 \text{s}}
\\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3T} &= 10^{-540} = 2.035501 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \quad (*)
\\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3T^2} &= 10^{-1120} = 3412.532 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2}
\\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3T^2} &= 10^{-1120} = 0.4450000 \frac{\text{m}^3 \text{s}^2}{\text{s}^2} \quad (**)
\\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3T^2} &= 10^{-1110} = 101.2113 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2}
\\
1 \text{ni'uremu-} \frac{TQ\Theta}{L^3} &= 10^{-250} = 0.05105451 \text{m} \frac{\text{s CK}}{\text{m}^3}
\\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 10.42151 \frac{\text{s CK}}{\text{m}^3}
\\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.001242012 \text{k} \frac{\text{s CK}}{\text{m}^3}
\\
1 \text{ni'ure-MQ}\Theta &= 10^{-20} = 2.353513 \text{m kg CK}
\\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 323.5424 \text{kg CK}
\\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 0.04243515 \text{k kg CK}
\\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 115.0133 \text{m} \frac{\text{kg CK}}{\text{s}}
\\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 0.01405452 \frac{\text{kg CK}}{\text{s}}
\\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 2.110033 \text{k} \frac{\text{kg CK}}{\text{s}} \quad (*)
\\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 3505.001 \text{m} \frac{\text{kg CK}}{\text{s}^2} \quad (*)
\\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 0.4555325 \frac{\text{kg CK}}{\text{s}^2} \quad (**)
\\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 102.5105 \text{k} \frac{\text{kg CK}}{\text{s}^2}
\\
1 \text{papa-MTQ}\Theta &= 10^{110} = 0.05222424 \text{m kg s CK}
\\
1 \text{pare-MTQ}\Theta &= 10^{120} = 11.00004 \text{kg s CK} \quad (**)
\\
1 \text{pare-MTQ}\Theta &= 10^{120} = 0.001302340 \text{k kg s CK}
\\
1 \text{pano-MLQ}\Theta &= 10^{100} = 4244.042 \text{m kg m CK}
\\
1 \text{pano-MLQ}\Theta &= 10^{100} = 0.5441300 \text{kg m CK} \quad (*)
\\
1 \text{papa-MLQ}\Theta &= 10^{110} = 112.5521 \text{k kg m CK} \quad (*)
\\
1 \text{ni'ubo-} \frac{MLQ\Theta}{T} &= 10^{-40} = 0.2110114 \text{m} \frac{\text{kg m CK}}{\text{s}}
\\
1 \text{ni'uci-} \frac{MLQ\Theta}{T} &= 10^{-30} = 25.02325 \frac{\text{kg m CK}}{\text{s}}
\\
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 3404.255 \text{k} \frac{\text{kg m CK}}{\text{s}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 0.05320102 \cdot 10^{-210} \\
1 \text{kg m CK} &= 414.2021 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 3.150320 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 3544.514 \cdot 10^{220} \\
1 \text{kg m s CK} &= 30.21101 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 0.2210055 \cdot 10^{240} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m kg m}^2 \text{CK} &= 0.04444543 \cdot 10^{210} \\
1 \text{kg m}^2 \text{CK} &= 341.2043 \cdot 10^{210} \\
1 \text{k kg m}^2 \text{CK} &= 2.505214 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.001343213 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 11.31042 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.05451110 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 31.50214 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.2315115 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.001545154 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 2.210012 \cdot 10^{340} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{kg m}^2 \text{s CK} &= 0.01453314 \cdot 10^{350} \\
1 \text{k kg m}^2 \text{s CK} &= 122.3355 \cdot 10^{350} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 344.3304 \cdot 10^{-140} \\
1 \frac{\text{kg CK}}{\text{m}} &= 2.532203 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 0.02131531 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 11.41410 \cdot 10^{-310} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.05541342 \cdot 10^{-300} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 433.1554 \cdot 10^{-300} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.2340330 \cdot 10^{-440} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2003.345 \cdot 10^{-440} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 13.20050 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 0.01511031 \cdot 10^0 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 123.5005 \cdot 10^0 \quad (*) \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 1.035553 \cdot 10^{10} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 1.021245 \cdot 10^{-250} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.004530205 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 34.43415 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.02054311 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 135.5552 \cdot 10^{-420} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 1.141433 \cdot 10^{-410} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 422.0302 \cdot 10^{-1000} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 3.215513 \cdot 10^{-550} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.02340415 \cdot 10^{-540} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 30.45111 \cdot 10^{-120} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.2230310 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 0.001511104 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 0.001441303 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 12.13244 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.1021305 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 33.43443 \cdot 10^{-540} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.2444440 \cdot 10^{-530} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.002054352 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 1.121331 \cdot 10^{-1110} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.005405323 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{\text{MLQ}\Theta}{T^2} &= 10^{-210} = 10.25125 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'urenlo-} \frac{\text{MLQ}\Theta}{T^2} &= 10^{-200} = 1222.142 \text{kg m CK} \frac{\text{s}^2}{\text{s}^2} \\
1 \text{ni'urenlo-} \frac{\text{MLQ}\Theta}{T^2} &= 10^{-200} = 0.1451433 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-} \text{MLTQ}\Theta &= 10^{230} = 130.2410 \text{m kg m s CK} \\
1 \text{reci-} \text{MLTQ}\Theta &= 10^{230} = 0.01543221 \text{kg m s CK} \\
1 \text{revo-} \text{MLTQ}\Theta &= 10^{240} = 2.312415 \text{k kg m s CK} \\
1 \text{repa-} \text{ML}^2 \text{Q}\Theta &= 10^{210} = 11.25543 \text{m kg m}^2 \text{CK} \quad (*) \\
1 \text{rere-} \text{ML}^2 \text{Q}\Theta &= 10^{220} = 1341.511 \text{kg m}^2 \text{CK} \\
1 \text{rere-} \text{ML}^2 \text{Q}\Theta &= 10^{220} = 0.2033232 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{\text{ML}^2 \text{Q}\Theta}{T} &= 10^{40} = 340.4405 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{vo-} \frac{\text{ML}^2 \text{Q}\Theta}{T} &= 10^{40} = 0.04440302 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{mu-} \frac{\text{ML}^2 \text{Q}\Theta}{T} &= 10^{50} = 10.11005 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{ni'upano-} \frac{\text{ML}^2 \text{Q}\Theta}{T^2} &= 10^{-100} = 0.01451510 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{\text{ML}^2 \text{Q}\Theta}{T^2} &= 10^{-50} = 2.203503 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvlo-} \frac{\text{ML}^2 \text{Q}\Theta}{T^2} &= 10^{-40} = 301.4101 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} \text{ML}^2 \text{TQ}\Theta &= 10^{340} = 0.2312504 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} \text{ML}^2 \text{TQ}\Theta &= 10^{350} = 31.43152 \text{kg m}^2 \text{s CK} \\
1 \text{vono-} \text{ML}^2 \text{TQ}\Theta &= 10^{400} = 4133.510 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upavo-} \frac{\text{MQ}\Theta}{L} &= 10^{-140} = 0.001325330 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upaci-} \frac{\text{MQ}\Theta}{L} &= 10^{-130} = 0.2014410 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{\text{MQ}\Theta}{L} &= 10^{-120} = 23.53422 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucipa-} \frac{\text{MQ}\Theta}{LT} &= 10^{-310} = 0.04400024 \text{m} \frac{\text{kg CK}}{\text{ms}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucino-} \frac{\text{MQ}\Theta}{LT} &= 10^{-300} = 10.01425 \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni'ucino-} \frac{\text{MQ}\Theta}{LT} &= 10^{-300} = 0.001150110 \text{k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni'uvovo-} \frac{\text{MQ}\Theta}{LT^2} &= 10^{-440} = 2.143455 \text{m} \frac{\text{kg CK}}{\text{ms}^2} \quad (*) \\
1 \text{ni'uvoci-} \frac{\text{MQ}\Theta}{LT^2} &= 10^{-430} = 255.0333 \frac{\text{kg CK}}{\text{ms}^2} \quad (*) \\
1 \text{ni'uvoci-} \frac{\text{MQ}\Theta}{LT^2} &= 10^{-430} = 0.03504450 \text{k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{\text{MTQ}\Theta}{L} &= 1 = 31.14251 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{\text{MTQ}\Theta}{L} &= 1 = 0.004100014 \frac{\text{kg s CK}}{\text{m}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-} \frac{\text{MTQ}\Theta}{L} &= 10^{10} = 0.5222243 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'uremu-} \frac{\text{MQ}\Theta}{L^2} &= 10^{-250} = 0.5351533 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'urevo-} \frac{\text{MQ}\Theta}{L^2} &= 10^{-240} = 111.5301 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'urevo-} \frac{\text{MQ}\Theta}{L^2} &= 10^{-240} = 0.01325300 \text{k} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvore-} \frac{\text{MQ}\Theta}{L^2 T} &= 10^{-420} = 24.40011 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvore-} \frac{\text{MQ}\Theta}{L^2 T} &= 10^{-420} = 0.003333351 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{\text{MQ}\Theta}{L^2 T} &= 10^{-410} = 0.4355454 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{\text{MQ}\Theta}{L^2 T^2} &= 10^{-1000} = 0.001211045 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umumu-} \frac{\text{MQ}\Theta}{L^2 T^2} &= 10^{-550} = 0.1434254 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuovo-} \frac{\text{MQ}\Theta}{L^2 T^2} &= 10^{-540} = 21.43413 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\text{MTQ}\Theta}{L^2} &= 10^{-120} = 0.01525213 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upapa-} \frac{\text{MTQ}\Theta}{L^2} &= 10^{-110} = 2.251422 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{\text{MTQ}\Theta}{L^2} &= 10^{-100} = 311.4151 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{\text{MQ}\Theta}{L^3} &= 10^{-400} = 321.0050 \text{m} \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvono-} \frac{\text{MQ}\Theta}{L^3} &= 10^{-400} = 0.04205024 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{\text{MQ}\Theta}{L^3} &= 10^{-350} = 5.351344 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuovo-} \frac{\text{MQ}\Theta}{L^3 T} &= 10^{-540} = 0.01353054 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuci-} \frac{\text{MQ}\Theta}{L^3 T} &= 10^{-530} = 2.050513 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{\text{MQ}\Theta}{L^3 T} &= 10^{-520} = 243.5520 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upapapa-} \frac{\text{MQ}\Theta}{L^3 T^2} &= 10^{-1110} = 0.4514010 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapano-} \frac{\text{MQ}\Theta}{L^3 T^2} &= 10^{-1100} = 101.5401 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 42.20425 \cdot 10^{-1100} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.05133414 \cdot 10^{-230} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 402.1511 \cdot 10^{-230} \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 3.045211 \cdot 10^{-220}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upapano-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1100} = 0.01211021 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{ni'ureci-} \frac{MTQ\Theta}{L^3} &= 10^{-230} = 10.50015 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \quad (*) \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 1250.515 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.1525135 \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

### 4.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= 0.2103535 \cdot 10^{-40} \\ \text{Electron mass} &= 13.13035 \cdot 10^{-50} \\ \text{Elementary charge} &= 0.03024132 \cdot 10^0 \\ \text{\AA}^{31} &= 43.55305 \cdot 10^{50} \quad (*) \\ \text{Bohr radius}^{32} &= 22.45054 \cdot 10^{50} \\ \text{Fine structure constant}^{33} &= 0.001324245 \cdot 10^0 \\ \text{Rydberg Energy}^{34} &= 15.25445 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^{35} &= 4.323310 \cdot 10^{-240} \\ \text{eV} &= 0.5022522 \cdot 10^{-100} \\ \hbar^{36} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 3.241004 \cdot 10^{100} \quad (*) \\ k_{\text{yellow}}^{37} &= 1.453251 \cdot 10^{-100} \\ k_{\text{X-Ray}}^{38} &= 113.3522 \cdot 10^{-40} \\ \\ \text{Earth g} &= 0.03020012 \cdot 10^{-130} \quad (*) \\ \text{cm} &= 1.141413 \cdot 10^{110} \\ \text{min} &= 0.004530230 \cdot 10^{140} \\ \text{hour} &= 1.211041 \cdot 10^{140} \\ \text{Liter} &= 0.01350113 \cdot 10^{340} \\ \\ \text{Area of a soccer field} &= 0.01541341 \cdot 10^{240} \\ 244 \text{m}^2^{39} &= 55.23245 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.003354 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.125043 \cdot 10^{-20} \\ \text{inch}^{40} &= 3.133215 \cdot 10^{110} \\ \text{mile} &= 4.233523 \cdot 10^{120} \\ \text{pound} &= 0.002022410 \cdot 10^{20} \\ \text{horsepower} &= 114.5105 \cdot 10^{-150} \\ \text{kcal} &= 0.03332311 \cdot 10^{-10} \\ \text{kWh} &= 221.5111 \cdot 10^{-10} \\ \\ \text{Typical household electric field} &= 0.3313411 \cdot 10^{-210} \\ \text{Earth magnetic field} &= 0.005042523 \cdot 10^{-200} \\ \text{Height of an average man}^{41} &= 0.001015323 \cdot 10^{120}\end{aligned}$$

$$\begin{aligned}1 \text{ni'uvoso-} M &= 10^{-40} = 2.425054 m_p \\ 1 \text{ni'umu-} M &= 10^{-50} = 0.03520214 m_e \\ 1 Q &= 1 = 15.41232 e \\ 1 \text{mu-L} &= 10^{50} = 0.01141503 \text{\AA} \\ 1 \text{mu-L} &= 10^{50} = 0.02233015 a_0 \\ 1 &= 1 = 345.0115 \alpha \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.03044300 Ry \quad (*) \\ 1 \text{ni'urevo-} \frac{1}{L^3} &= 10^{-240} = 0.1151250 \rho_{\max} \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 1.103401 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{pano-L} &= 10^{100} = 0.1423425 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni'upano-} \frac{1}{L} &= 10^{-100} = 0.3143235 \cdot k_{\text{yellow}} \\ 1 \text{ni'uvoso-} \frac{1}{L} &= 10^{-40} = 0.004422012 \cdot k_{\text{X-Ray}} \\ \\ 1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 15.44042 \cdot \text{Earth g} \\ 1 \text{papa-L} &= 10^{110} = 0.4400003 \text{cm} \quad (**) \\ 1 \text{pavo-T} &= 10^{140} = 111.5254 \text{min} \\ 1 \text{pavo-T} &= 10^{140} = 0.4220322 \text{h} \\ 1 \text{civo-L}^3 &= 10^{340} = 33.54151 l \\ 1 \text{revo-L}^2 &= 10^{240} = 30.23544 A \\ 1 \text{reci-L}^2 &= 10^{230} = 0.01003251 \cdot 244 \text{m}^2 \quad (*) \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.2550321 \text{km/h} \quad (*) \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.1503134 \text{mi/h} \\ 1 \text{papa-L} &= 10^{110} = 0.1500505 \text{in} \quad (*) \\ 1 \text{pare-L} &= 10^{120} = 0.1204124 \text{mi} \\ 1 \text{re-M} &= 10^{20} = 252.2403 \text{pound} \\ 1 \text{ni'upavo-} \frac{ML^2}{T^3} &= 10^{-140} = 4335.313 \text{horsepower} \\ 1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 14.00255 \text{kcal} \quad (**) \\ 1 \frac{ML^2}{T^2} &= 1 = 2303.205 \text{kWh} \\ 1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 1.405333 E_H \\ 1 \text{ni'ureno-} \frac{M}{T Q} &= 10^{-200} = 110.0522 \cdot \text{Earth magnetic field} \\ 1 \text{pare-L} &= 10^{120} = 541.0042 \bar{h} \quad (*)\end{aligned}$$

<sup>31</sup>Length in atomic and solid state physics, 1/14 nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>100 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

$$\text{Mass of an average man} = 1.251052 \cdot 10^{20}$$

$$\text{Age of the Universe} = 311.3125 \cdot 10^{200}$$

$$\text{Size of the observable Universe} = 14.54521 \cdot 10^{210}$$

$$\text{Average density of the Universe} = 250.5554 \cdot 10^{-440} \quad (**)$$

$$\text{Earth mass} = 0.3230545 \cdot 10^{110}$$

$$\text{Sun mass}^{42} = 4.023053 \cdot 10^{120}$$

$$\text{Year} = 0.1312403 \cdot 10^{150}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$\text{Parsec} = 0.5005032 \cdot 10^{150} \quad (*)$$

$$\text{Astronomical unit} = 0.1045235 \cdot 10^{140}$$

$$\text{Earth radius} = 0.2131403 \cdot 10^{130}$$

$$\text{Distance Earth-Moon} = 34.41204 \cdot 10^{130}$$

$$\text{Momentum of someone walking}^{43} = 532.0013 \cdot 10^0 \quad (*)$$

$$\text{Stefan-Boltzmann constant} = 0.05531034 \cdot 10^0 \quad (*)$$

$$\text{mol} = 2.420221 \cdot 10^{50}$$

$$\text{Standard temperature}^{44} = 0.004143443 \cdot 10^{-100}$$

$$\text{Room - standard temperature}^{45} = 151.5333 \cdot 10^{-110}$$

$$\text{atm} = 0.01524321 \cdot 10^{-350}$$

$$c_s = 0.01531030 \cdot 10^{-10}$$

$$\mu_0 = 20.32220 \cdot 10^0$$

$$G = 1.000000 \quad (***)$$

$$1 \text{ re-}M = 10^{20} = 0.4021050 \bar{m}$$

$$1 \text{ reno-}T = 10^{200} = 0.001511450 t_U$$

$$1 \text{ repa-}L = 10^{210} = 0.03140521 l_U$$

$$1 \text{ ni'uvovo-} \frac{M}{L^3} = 10^{-440} = 0.002032551 \rho_U \quad (*)$$

$$1 \text{ papa-}M = 10^{110} = 1.430453 m_E$$

$$1 \text{ pare-}M = 10^{120} = 0.1250230 m_S$$

$$1 \text{ pamu-}T = 10^{150} = 3.521242 \text{ y}$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$1 \text{ pamu-}L = 10^{150} = 1.105553 \text{ pc} \quad (**)$$

$$1 \text{ pavo-}L = 10^{140} = 5.140314 \text{ au}$$

$$1 \text{ paci-}L = 10^{130} = 2.354003 r_E \quad (*)$$

$$1 \text{ paci-}L = 10^{130} = 0.01330254 d_M$$

$$1 \frac{ML}{T} = 1 = 0.001025135 \cdot \text{Momentum of someone walking}$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$$

$$1 \text{ mu-} = 10^{50} = 0.2111433 \text{ mol}$$

$$1 \text{ ni'upano-} \Theta = 10^{-100} = 122.1420 T_0$$

$$1 \text{ ni'upano-} \Theta = 10^{-100} = 3102.444 \Theta_R$$

$$1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 30.50311 \text{ atm}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$$

$$1 \frac{ML}{Q^2} = 1 = 0.02510444 \cdot \mu_0$$

$$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1 \text{ m} = 114.3534 \cdot 10^{-10}$$

$$1 = 1.000000 \quad (***)$$

$$1 \text{ k} = 4344.000 \cdot 10^0 \quad (**)$$

$$1 \text{ m} \frac{1}{\text{s}} = 2.345050 \cdot 10^{-140}$$

$$1 \frac{1}{\text{s}} = 0.02011052 \cdot 10^{-130}$$

$$1 \text{ k} \frac{1}{\text{s}} = 132.2504 \cdot 10^{-130}$$

$$1 \text{ m} \frac{1}{\text{s}^2} = 0.05205041 \cdot 10^{-310}$$

$$1 \frac{1}{\text{s}^2} = 404.4501 \cdot 10^{-310}$$

$$1 \text{ k} \frac{1}{\text{s}^2} = 3.104530 \cdot 10^{-300}$$

$$1 \text{ m s} = 3454.045 \cdot 10^{120}$$

$$1 \text{ s} = 25.41241 \cdot 10^{130}$$

$$1 \text{ k s} = 0.2135510 \cdot 10^{140} \quad (*)$$

$$1 \text{ m m} = 0.04343431 \cdot 10^{110}$$

$$1 \text{ m} = 332.3230 \cdot 10^{110}$$

$$1 \text{ k m} = 2.431121 \cdot 10^{120}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}} = 0.001322434 \cdot 10^{-20}$$

$$1 \frac{\text{m}}{\text{s}} = 11.13221 \cdot 10^{-20}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.05334055 \cdot 10^{-10} \quad (*)$$

$$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 31.04430 \cdot 10^{-200}$$

$$1 \frac{\text{m}}{\text{s}^2} = 0.2243240 \cdot 10^{-150}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 0.001522022 \cdot 10^{-140}$$

$$1 = 1 = 4344.000 \text{ m} \quad (**)$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ pa-} = 10^{10} = 114.3534 \text{ k}$$

$$1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.2135510 \text{ m} \frac{1}{\text{s}} \quad (*)$$

$$1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 25.41241 \frac{1}{\text{s}}$$

$$1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 3454.045 \text{ k} \frac{1}{\text{s}}$$

$$1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 10.41532 \text{ m} \frac{1}{\text{s}^2}$$

$$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 1241.312 \frac{1}{\text{s}^2}$$

$$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.1514202 \text{ k} \frac{1}{\text{s}^2}$$

$$1 \text{ paci-}T = 10^{130} = 132.2504 \text{ m s}$$

$$1 \text{ paci-}T = 10^{130} = 0.02011052 \text{ s}$$

$$1 \text{ pavo-}T = 10^{140} = 2.345050 \text{ k s}$$

$$1 \text{ papa-}L = 10^{110} = 11.44001 \text{ m m} \quad (*)$$

$$1 \text{ pare-}L = 10^{120} = 1402.515 \text{ m}$$

$$1 \text{ pare-}L = 10^{120} = 0.2102145 \text{ k m}$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.4201 \text{ m} \frac{\text{m}}{\text{s}}$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.04542533 \frac{\text{m}}{\text{s}}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.23153 \text{ k} \frac{\text{m}}{\text{s}}$$

$$1 \text{ ni'uren-} \frac{L}{T^2} = 10^{-200} = 0.01514235 \text{ m} \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ ni'upamu-} \frac{L}{T^2} = 10^{-150} = 2.234430 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ ni'upavo-} \frac{L}{T^2} = 10^{-140} = 305.4400 \text{ k} \frac{\text{m}}{\text{s}^2} \quad (*)$$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>32 °C

$1 \text{m m s} = 2.135424 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 0.2345140 \text{ m m s}$
$1 \text{m s} = 0.01431232 \cdot 10^{250}$	$1 \text{remu-}LT = 10^{250} = 32.25441 \text{ m s}$
$1 \text{k m s} = 120.4434 \cdot 10^{250}$	$1 \text{cino-}LT = 10^{300} = 4232.100 \text{ k m s} \quad (*)$
$1 \text{m m}^2 = 24.31030 \cdot 10^{220}$	$1 \text{rere-}L^2 = 10^{220} = 0.02102230 \text{ m m}^2$
$1 \text{m}^2 = 0.2043101 \cdot 10^{230}$	$1 \text{reci-}L^2 = 10^{230} = 2.453354 \text{ m}^2$
$1 \text{k m}^2 = 0.001350144 \cdot 10^{240}$	$1 \text{revo-}L^2 = 10^{240} = 335.4041 \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.5333511 \cdot 10^{50}$	$1 \text{mu-}\frac{L^2}{T} = 10^{50} = 1.023214 \text{ m}^{\frac{m}{s}}$
$1 \text{m}^{\frac{2}{s}} = 0.004153312 \cdot 10^{100}$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 121.5511 \text{ m}^{\frac{2}{s}} \quad (*)$
$1 \text{k m}^{\frac{2}{s}} = 32.00154 \cdot 10^{100} \quad (*)$	$1 \text{pano-}\frac{L^2}{T^2} = 10^{100} = 0.01444343 \text{ k}^{\frac{m}{s}}$
$1 \text{m}^{\frac{m}{s^2}} = 0.01521544 \cdot 10^{-40}$	$1 \text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 30.54500 \text{ m}^{\frac{m}{s^2}} \quad (*)$
$1 \text{m}^{\frac{2}{s^2}} = 124.4155 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 0.004032541 \text{ m}^{\frac{2}{s^2}}$
$1 \text{k m}^{\frac{m}{s^2}} = 1.044030 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{L^2}{T^2} = 10^{-30} = 0.5150521 \text{ k}^{\frac{m}{s^2}}$
$1 \text{m m}^2 \text{s} = 0.001204411 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 423.2223 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 10.13503 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 0.05423255 \text{ m}^2 \text{s} \quad (*)$
$1 \text{k m}^2 \text{s} = 0.04501331 \cdot 10^{410}$	$1 \text{vopa-}L^2T = 10^{410} = 11.23422 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 0.2102145 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L} = 10^{-120} = 2.431121 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 1402.515 \cdot 10^{-120}$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 332.3230 \frac{1}{\text{m}}$
$1 \text{k}^{\frac{1}{\text{m}}} = 11.44001 \cdot 10^{-110} \quad (*)$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 0.04343431 \text{ k}^{\frac{1}{\text{m}}}$
$1 \text{m}^{\frac{1}{\text{m s}}} = 4232.100 \cdot 10^{-300} \quad (*)$	$1 \text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 120.4434 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 32.25441 \cdot 10^{-250}$	$1 \text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 0.01431232 \frac{1}{\text{m s}}$
$1 \text{k}^{\frac{1}{\text{m s}}} = 0.2345140 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 2.135424 \text{ k}^{\frac{1}{\text{m s}}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 130.0000 \cdot 10^{-430} \quad (**)$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 4000.001 \text{ m}^{\frac{1}{\text{m s}^2}} \quad (**)$
$1 \frac{1}{\text{m s}^2} = 1.054000 \cdot 10^{-420} \quad (**)$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 0.5103430 \frac{1}{\text{m s}^2}$
$1 \text{k}^{\frac{1}{\text{m s}^2}} = 5205.222 \cdot 10^{-420}$	$1 \text{ni'uvopa-}\frac{1}{LT^2} = 10^{-410} = 104.1511 \text{ k}^{\frac{1}{\text{m s}^2}}$
$1 \text{m}^{\frac{s}{m}} = 10.23153 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 0.05334055 \text{ m}^{\frac{s}{m}} \quad (*)$
$1 \frac{s}{\text{m}} = 0.04542533 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 11.13221 \frac{\text{s}}{\text{m}}$
$1 \text{k}^{\frac{s}{\text{m}}} = 345.4201 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 0.001322434 \text{ k}^{\frac{s}{\text{m}}}$
$1 \text{m}^{\frac{1}{\text{m}^2}} = 335.4041 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{L^2} = 10^{-240} = 0.001350144 \text{ m}^{\frac{1}{\text{m}^2}}$
$1 \frac{1}{\text{m}^2} = 2.453354 \cdot 10^{-230}$	$1 \text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 0.2043101 \frac{1}{\text{m}^2}$
$1 \text{k}^{\frac{1}{\text{m}^2}} = 0.02102230 \cdot 10^{-220}$	$1 \text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 24.31030 \text{ k}^{\frac{1}{\text{m}^2}}$
$1 \text{m}^{\frac{1}{\text{m}^2 \text{s}}} = 11.23422 \cdot 10^{-410}$	$1 \text{ni'uvopa-}\frac{1}{L^2 T} = 10^{-410} = 0.04501331 \text{ m}^{\frac{1}{\text{m}^2 \text{s}}}$
$1 \frac{1}{\text{m}^2 \text{s}} = 0.05423255 \cdot 10^{-400} \quad (*)$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 10.13503 \frac{1}{\text{m}^2 \text{s}}$
$1 \text{k}^{\frac{1}{\text{m}^2 \text{s}}} = 423.2223 \cdot 10^{-400}$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 0.001204411 \text{ k}^{\frac{1}{\text{m}^2 \text{s}}}$
$1 \text{m}^{\frac{1}{\text{m}^2 \text{s}^2}} = 0.2304154 \cdot 10^{-540}$	$1 \text{ni'umuovo-}\frac{1}{L^2 T^2} = 10^{-540} = 2.214141 \text{ m}^{\frac{1}{\text{m}^2 \text{s}^2}}$
$1 \frac{1}{\text{m}^2 \text{s}^2} = 1540.001 \cdot 10^{-540} \quad (*)$	$1 \text{ni'umuci-}\frac{1}{L^2 T^2} = 10^{-530} = 303.0302 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \text{k}^{\frac{1}{\text{m}^2 \text{s}^2}} = 13.00025 \cdot 10^{-530} \quad (**)$	$1 \text{ni'umuci-}\frac{1}{L^2 T^2} = 10^{-530} = 0.03555444 \text{ k}^{\frac{1}{\text{m}^2 \text{s}^2}} \quad (**)$
$1 \text{m}^{\frac{s}{\text{m}^2}} = 0.01444343 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2} = 10^{-100} = 32.00154 \text{ m}^{\frac{s}{\text{m}}} \quad (*)$
$1 \frac{s}{\text{m}^2} = 121.5511 \cdot 10^{-100} \quad (*)$	$1 \text{ni'upano-}\frac{1}{L^2} = 10^{-100} = 0.004153312 \frac{\text{s}}{\text{m}^2}$
$1 \text{k}^{\frac{s}{\text{m}^2}} = 1.023214 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 0.5333511 \text{ k}^{\frac{s}{\text{m}^2}}$
$1 \text{m}^{\frac{1}{\text{m}^3}} = 1.005123 \cdot 10^{-350} \quad (*)$	$1 \text{ni'ucimu-}\frac{1}{L^3} = 10^{-350} = 0.5505155 \text{ m}^{\frac{1}{\text{m}^3}} \quad (*)$
$1 \frac{1}{\text{m}^3} = 0.004424124 \cdot 10^{-340}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 113.3151 \frac{1}{\text{m}^3}$
$1 \text{k}^{\frac{1}{\text{m}^3}} = 33.54151 \cdot 10^{-340}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 0.01350113 \text{ k}^{\frac{1}{\text{m}^3}}$
$1 \text{m}^{\frac{1}{\text{m}^3 \text{s}}} = 0.02025444 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^3 T} = 10^{-520} = 25.14210 \text{ m}^{\frac{1}{\text{m}^3 \text{s}}}$
$1 \frac{1}{\text{m}^3 \text{s}} = 133.5022 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^3 T} = 10^{-520} = 0.003422330 \frac{1}{\text{m}^3 \text{s}}$
$1 \text{k}^{\frac{1}{\text{m}^3 \text{s}}} = 1.123444 \cdot 10^{-510}$	$1 \text{ni'umupa-}\frac{1}{L^3 T} = 10^{-510} = 0.4501155 \text{ k}^{\frac{1}{\text{m}^3 \text{s}}} \quad (*)$
$1 \text{m}^{\frac{1}{\text{m}^3 \text{s}^2}} = 412.2252 \cdot 10^{-1100}$	$1 \text{ni'upapano-}\frac{1}{L^3 T^2} = 10^{-1100} = 0.001230041 \text{ m}^{\frac{1}{\text{m}^3 \text{s}^2}} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{s}^2} = 3.133341 \cdot 10^{-1050}$	$1 \text{ni'upanomu-}\frac{1}{L^3 T^2} = 10^{-1050} = 0.1500421 \frac{1}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{k}^{\frac{1}{\text{m}^3 \text{s}^2}} = 0.02304243 \cdot 10^{-1040}$	$1 \text{ni'upanovo-}\frac{1}{L^3 T^2} = 10^{-1040} = 22.14054 \text{ k}^{\frac{1}{\text{m}^3 \text{s}^2}}$
$1 \text{m}^{\frac{s}{\text{m}^3}} = 30.04523 \cdot 10^{-220}$	$1 \text{ni'urere-}\frac{T}{L^3} = 10^{-220} = 0.01552431 \text{ m}^{\frac{s}{\text{m}^3}} \quad (*)$
$1 \frac{s}{\text{m}^3} = 0.2155441 \cdot 10^{-210} \quad (*)$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 2.323400 \frac{\text{s}}{\text{m}^3} \quad (*)$

$1k \frac{s}{m^3} = 0.001444420 \cdot 10^{-200}$	$1 ni'ureno \frac{T}{L^3} = 10^{-200} = 320.0052 k \frac{s}{m^3}$ (*)
$1m kg = 0.5524144 \cdot 10^{10}$ (*)	$1 pa-M = 10^{10} = 1.003200 m kg$ (*)
$1 kg = 0.004320444 \cdot 10^{20}$	$1 re-M = 10^{20} = 115.2132 kg$
$1k kg = 33.03513 \cdot 10^{20}$	$1 re-M = 10^{20} = 0.01412222 k kg$
$1m \frac{kg}{s} = 0.02000250 \cdot 10^{-120}$ (**)	$1 ni'upare \frac{M}{T} = 10^{-120} = 25.55143 m \frac{kg}{s}$ (*)
$1 \frac{kg}{s} = 131.3411 \cdot 10^{-120}$	$1 ni'upare \frac{M}{T} = 10^{-120} = 0.003514520 \frac{kg}{s}$
$1k \frac{kg}{s} = 1.105252 \cdot 10^{-110}$	$1 ni'upapa \frac{M}{T} = 10^{-110} = 0.5011111 k \frac{kg}{s}$
$1m \frac{kg}{s^2} = 402.3133 \cdot 10^{-300}$	$1 ni'ucino \frac{M}{T^2} = 10^{-300} = 0.001250213 m \frac{kg}{s^2}$
$1 \frac{kg}{s^2} = 3.050240 \cdot 10^{-250}$	$1 ni'uremu \frac{M}{T^2} = 10^{-250} = 0.1524341 \frac{kg}{s^2}$
$1k \frac{kg}{s^2} = 0.02231254 \cdot 10^{-240}$	$1 ni'urevo \frac{M}{T^2} = 10^{-240} = 22.50430 k \frac{kg}{s^2}$
$1m kg s = 25.23432 \cdot 10^{140}$	$1 pavo-MT = 10^{140} = 0.02021533 m kg s$
$1 kg s = 0.2124214 \cdot 10^{150}$	$1 pamu-MT = 10^{150} = 2.401532 kg s$
$1k kg s = 0.001421430 \cdot 10^{200}$	$1 reno-MT = 10^{200} = 324.4554 k kg s$ (*)
$1m kg m = 330.3405 \cdot 10^{120}$	$1 pare-ML = 10^{120} = 0.001412253 m kg m$
$1 kg m = 2.414103 \cdot 10^{130}$	$1 paci-ML = 10^{130} = 0.2113321 kg m$
$1k kg m = 0.02032145 \cdot 10^{140}$	$1 pavo-ML = 10^{140} = 25.10530 k kg m$
$1m \frac{kg m}{s} = 11.05231 \cdot 10^{-10}$	$1 ni'upa \frac{ML}{T} = 10^{-10} = 0.05011244 m \frac{kg m}{s}$
$1 \frac{kg m}{s} = 0.05303433 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 10.30521 \frac{kg m}{s}$
$1k \frac{kg m}{s} = 413.1323 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 0.001224231 k \frac{kg m}{s}$
$1m \frac{kg m}{s^2} = 0.2231210 \cdot 10^{-140}$	$1 ni'upavo \frac{ML}{T^2} = 10^{-140} = 2.250514 m \frac{kg m}{s^2}$
$1 \frac{kg m}{s^2} = 1511.455 \cdot 10^{-140}$ (*)	$1 ni'upaci \frac{ML}{T^2} = 10^{-130} = 311.3112 \frac{kg m}{s^2}$
$1k \frac{kg m}{s^2} = 12.35333 \cdot 10^{-130}$	$1 ni'upaci \frac{ML}{T^2} = 10^{-130} = 0.04054221 k \frac{kg m}{s^2}$
$1m kg m s = 0.01421355 \cdot 10^{300}$ (*)	$1 cino-MLT = 10^{300} = 32.45101 m kg m s$
$1 kg m s = 120.0153 \cdot 10^{300}$	$1 cino-MLT = 10^{300} = 0.004254533 kg m s$
$1k kg m s = 1.010245 \cdot 10^{310}$	$1 cipa-MLT = 10^{310} = 0.5454154 k kg m s$
$1m kg m^2 = 0.2032105 \cdot 10^{240}$	$1 revo-ML^2 = 10^{240} = 2.511023 m kg m^2$
$1 kg m^2 = 1340.525 \cdot 10^{240}$	$1 remu-ML^2 = 10^{250} = 341.4152 kg m^2$
$1k kg m^2 = 11.25120 \cdot 10^{250}$	$1 remu-ML^2 = 10^{250} = 0.04451444 k kg m^2$
$1m \frac{kg m^2}{s} = 4131.203 \cdot 10^{100}$	$1 papa \frac{ML^2}{T} = 10^{110} = 122.4255 m \frac{kg m^2}{s}$ (*)
$1 \frac{kg m^2}{s} = 31.41212 \cdot 10^{110}$	$1 papa \frac{ML^2}{T} = 10^{110} = 0.01454343 \frac{kg m^2}{s}$
$1k \frac{kg m^2}{s} = 0.2311205 \cdot 10^{120}$	$1 pare \frac{ML^2}{T} = 10^{120} = 2.211234 k \frac{kg m^2}{s}$
$1m \frac{kg m^2}{s^2} = 123.5304 \cdot 10^{-30}$	$1 ni'ure \frac{ML^2}{T^2} = 10^{-20} = 4054.340 m \frac{kg m^2}{s^2}$
$1 \frac{kg m^2}{s^2} = 1.040212 \cdot 10^{-20}$	$1 ni'ure \frac{ML^2}{T^2} = 10^{-20} = 0.5220334 \frac{kg m^2}{s^2}$
$1k \frac{kg m^2}{s^2} = 5052.455 \cdot 10^{-20}$ (*)	$1 ni'upa \frac{ML^2}{T^2} = 10^{-10} = 105.5320 k \frac{kg m^2}{s^2}$
$1m kg m^2 s = 10.10225 \cdot 10^{410}$	$1 vopa-ML^2 T = 10^{410} = 0.05454344 m kg m^2 s$
$1 kg m^2 s = 0.04433405 \cdot 10^{420}$	$1 vore-ML^2 T = 10^{420} = 11.31511 kg m^2 s$
$1k kg m^2 s = 340.2303 \cdot 10^{420}$	$1 vore-ML^2 T = 10^{420} = 0.001344201 k kg m^2 s$
$1m \frac{kg}{m} = 0.001353212 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L} = 10^{-100} = 334.3154 m \frac{kg}{m}$
$1 \frac{kg}{m} = 11.35425 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L} = 10^{-100} = 0.04411105 \frac{kg}{m}$
$1k \frac{kg}{m} = 0.05524340 \cdot 10^{-50}$ (*)	$1 ni'umu \frac{M}{L} = 10^{-50} = 10.03141 k \frac{kg}{m}$
$1m \frac{kg}{ms} = 32.10323 \cdot 10^{-240}$	$1 ni'urevo \frac{M}{LT} = 10^{-240} = 0.01441142 m \frac{kg}{ms}$
$1 \frac{kg}{ms} = 0.2332343 \cdot 10^{-230}$	$1 ni'ureci \frac{M}{LT} = 10^{-230} = 2.151155 \frac{kg}{ms}$ (*)
$1k \frac{kg}{ms} = 0.002000325 \cdot 10^{-220}$ (**)	$1 ni'urere \frac{M}{LT} = 10^{-220} = 255.5044 k \frac{kg}{ms}$ (*)
$1m \frac{kg}{ms^2} = 1.050111 \cdot 10^{-410}$	$1 ni'uvopa \frac{M}{LT^2} = 10^{-410} = 0.5133012 m \frac{kg}{ms^2}$
$1 \frac{kg}{ms^2} = 0.005135450 \cdot 10^{-400}$	$1 ni'uvono \frac{M}{LT^2} = 10^{-400} = 104.5334 \frac{kg}{ms^2}$
$1k \frac{kg}{ms^2} = 40.23251 \cdot 10^{-400}$	$1 ni'uvono \frac{M}{LT^2} = 10^{-400} = 0.01250144 k \frac{kg}{ms^2}$
$1m \frac{kg s}{m} = 0.04514353 \cdot 10^{30}$	$1 ci \frac{MT}{L} = 10^{30} = 11.21233 m \frac{kg s}{m}$
$1 \frac{kg s}{m} = 343.3435 \cdot 10^{30}$	$1 vo \frac{MT}{L} = 10^{40} = 1331.555 \frac{kg s}{m}$ (**)
$1k \frac{kg s}{m} = 2.523525 \cdot 10^{40}$	$1 vo \frac{MT}{L} = 10^{40} = 0.2021453 k \frac{kg s}{m}$
$1m \frac{kg}{m^2} = 2.440220 \cdot 10^{-220}$	$1 ni'urere \frac{M}{L^2} = 10^{-220} = 0.2054132 m \frac{kg}{m^2}$

$1 \frac{\text{kg}}{\text{m}^2} = 0.02051133 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{M}{L^2} = 10^{-210} = 24.44134 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 135.3243 \cdot 10^{-210}$	$1 \text{ni}'\text{uren}-\frac{M}{L^2} = 10^{-200} = 3343.045 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.05352353 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{M}{L^2 T} = 10^{-350} = 10.21200 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$ (*)
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 420.5510 \cdot 10^{-350}$ (*)	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 1213.115 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 3.210425 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 0.1441105 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.001525342 \cdot 10^{-520}$	$1 \text{ni}'\text{umure}-\frac{M}{L^2 T^2} = 10^{-520} = 304.4444 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 12.51052 \cdot 10^{-520}$	$1 \text{ni}'\text{umure}-\frac{M}{L^2 T^2} = 10^{-520} = 0.04021044 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.1050132 \cdot 10^{-510}$	$1 \text{ni}'\text{umupa}-\frac{M}{L^2 T^2} = 10^{-510} = 5.132432 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 121.1150 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 4215.541 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 1.015510 \cdot 10^{-40}$ (*)	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 0.5404313 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 4514.524 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{MT}{L^2} = 10^{-30} = 112.1211 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4400.401 \cdot 10^{-340}$ (*)	$1 \text{ni}'\text{ucici}-\frac{M}{L^3} = 10^{-330} = 114.1310 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 33.34144 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^3} = 10^{-330} = 0.01355403 \frac{\text{kg}}{\text{m}^3}$ (*)
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.2440312 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire}-\frac{M}{L^3} = 10^{-320} = 2.054051 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 132.5442 \cdot 10^{-510}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^3 T} = 10^{-500} = 3443.011 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.115421 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^3 T} = 10^{-500} = 0.4525245 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 5352.541 \cdot 10^{-500}$	$1 \text{ni}'\text{uvomu}-\frac{M}{L^3 T} = 10^{-450} = 102.1140 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 3.114520 \cdot 10^{-1040}$	$1 \text{ni}'\text{upanovo}-\frac{M}{L^3 T^2} = 10^{-1040} = 0.1510503 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.02252103 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanoci}-\frac{M}{L^3 T^2} = 10^{-1030} = 22.30032 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$ (*)
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 152.5415 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 3044.344 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.2144043 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{MT}{L^3} = 10^{-200} = 2.340125 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 1434.451 \cdot 10^{-200}$	$1 \text{ni}'\text{upamu}-\frac{MT}{L^3} = 10^{-150} = 321.5133 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 12.11214 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{MT}{L^3} = 10^{-150} = 0.04215415 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{C} = 0.001530345 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 304.3050 \text{m} \frac{1}{C}$
$1 \frac{1}{C} = 12.51534 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 0.04014552 \frac{1}{C}$ (*)
$1 \text{k} \frac{1}{C} = 0.1050510 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{1}{Q} = 10^{-30} = 5.125551 \text{k} \frac{1}{C}$ (**)
$1 \text{m} \frac{1}{s C} = 35.22555 \cdot 10^{-220}$ (**)	$1 \text{ni}'\text{urere}-\frac{1}{T Q} = 10^{-220} = 0.01312024 \text{m} \frac{1}{s C}$
$1 \frac{1}{s C} = 0.3002243 \cdot 10^{-210}$ (*)	$1 \text{ni}'\text{urepa}-\frac{1}{T Q} = 10^{-210} = 1.554211 \frac{1}{s C}$ (*)
$1 \text{k} \frac{1}{s C} = 0.002153522 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{1}{T Q} = 10^{-200} = 232.5431 \text{k} \frac{1}{s C}$
$1 \text{m} \frac{1}{s^2 C} = 1.153352 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{1}{T^2 Q} = 10^{-350} = 0.4312000 \text{m} \frac{1}{s^2 C}$ (**)
$1 \frac{1}{s^2 C} = 0.01004224 \cdot 10^{-340}$ (*)	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 55.14025 \frac{1}{s^2 C}$ (*)
$1 \text{k} \frac{1}{s^2 C} = 44.20224 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 0.01134201 \text{k} \frac{1}{s^2 C}$
$1 \text{m} \frac{s}{C} = 0.05355352 \cdot 10^{50}$ (*)	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 10.20435 \text{m} \frac{s}{C}$
$1 \frac{s}{C} = 421.2102 \cdot 10^{50}$	$1 \text{pano}-\frac{T}{Q} = 10^{100} = 1212.253 \frac{s}{C}$
$1 \text{k} \frac{s}{C} = 3.212310 \cdot 10^{100}$	$1 \text{pano}-\frac{T}{Q} = 10^{100} = 0.1440130 \text{k} \frac{s}{C}$
$1 \text{m} \frac{m}{C} = 1.050445 \cdot 10^{30}$	$1 \text{ci}-\frac{L}{Q} = 10^{30} = 0.5130130 \text{m} \frac{m}{C}$
$1 \frac{m}{C} = 0.005142334 \cdot 10^{40}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 104.5000 \text{m} \frac{m}{C}$ (**)
$1 \text{k} \frac{m}{C} = 40.25350 \cdot 10^{40}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 0.01245304 \text{k} \frac{m}{C}$
$1 \text{m} \frac{m}{s C} = 0.02153435 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{T Q} = 10^{-100} = 23.25521 \text{m} \frac{m}{s C}$ (*)
$1 \frac{m}{s C} = 144.3101 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{T Q} = 10^{-100} = 0.003203010 \frac{m}{s C}$
$1 \text{k} \frac{m}{s C} = 1.214425 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T Q} = 10^{-50} = 0.4201014 \text{k} \frac{m}{s C}$
$1 \text{m} \frac{m}{s^2 C} = 442.0054 \cdot 10^{-240}$ (*)	$1 \text{ni}'\text{urevo}-\frac{L}{T^2 Q} = 10^{-240} = 0.001134223 \text{m} \frac{m}{s^2 C}$
$1 \frac{m}{s^2 C} = 3.351054 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci}-\frac{L}{T^2 Q} = 10^{-230} = 0.1351344 \frac{m}{s^2 C}$
$1 \text{k} \frac{m}{s^2 C} = 0.02451213 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{L}{T^2 Q} = 10^{-220} = 20.44521 \text{k} \frac{m}{s^2 C}$
$1 \text{m} \frac{ms}{C} = 32.12204 \cdot 10^{200}$	$1 \text{reno}-\frac{LT}{Q} = 10^{200} = 0.01440202 \text{m} \frac{ms}{C}$
$1 \frac{ms}{C} = 0.2334000 \cdot 10^{210}$ (**)	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 2.150035 \frac{ms}{C}$ (*)
$1 \text{k} \frac{ms}{C} = 0.002001351 \cdot 10^{220}$ (*)	$1 \text{rere}-\frac{LT}{Q} = 10^{220} = 255.3314 \text{k} \frac{ms}{C}$ (*)
$1 \text{m} \frac{m^2}{C} = 402.5231 \cdot 10^{140}$	$1 \text{pavo}-\frac{L^2}{Q} = 10^{140} = 0.001245333 \text{m} \frac{m^2}{C}$
$1 \frac{m^2}{C} = 3.052040 \cdot 10^{150}$	$1 \text{pamu}-\frac{L^2}{Q} = 10^{150} = 0.1523334 \frac{m^2}{C}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 0.02232440 \cdot 10^{200} \\
1m \frac{m^2}{sC} &= 12.14401 \cdot 10^{10} \\
1 \frac{m^2}{sC} &= 0.1022242 \cdot 10^{20} \\
1k \frac{m^2}{sC} &= 453.4532 \cdot 10^{20} \\
1m \frac{m^2}{s^2C} &= 0.2451121 \cdot 10^{-120} \\
1 \frac{m^2}{s^2C} &= 2100.313 \cdot 10^{-120} \quad (*) \\
1k \frac{m^2}{s^2C} &= 14.01310 \cdot 10^{-110} \\
1m \frac{m^2s}{C} &= 0.02001312 \cdot 10^{320} \quad (*) \\
1 \frac{m^2s}{C} &= 131.4304 \cdot 10^{320} \\
1k \frac{m^2s}{C} &= 1.110041 \cdot 10^{330} \quad (*) \\
1m \frac{1}{mC} &= 3.120333 \cdot 10^{-200} \\
1 \frac{1}{mC} &= 0.02253255 \cdot 10^{-150} \quad (*) \\
1k \frac{1}{mC} &= 153.0423 \cdot 10^{-150} \\
1m \frac{1}{msC} &= 0.1032013 \cdot 10^{-330} \\
1 \frac{1}{msC} &= 502.0442 \cdot 10^{-330} \\
1k \frac{1}{msC} &= 3.523111 \cdot 10^{-320} \\
1m \frac{1}{ms^2C} &= 0.002115522 \cdot 10^{-500} \quad (*) \\
1 \frac{1}{ms^2C} &= 14.14143 \cdot 10^{-500} \\
1k \frac{1}{ms^2C} &= 0.1153415 \cdot 10^{-450} \\
1m \frac{s}{mC} &= 133.0344 \cdot 10^{-30} \\
1 \frac{s}{mC} &= 1.120213 \cdot 10^{-20} \\
1k \frac{s}{mC} &= 5355.541 \cdot 10^{-20} \quad (*) \\
1m \frac{1}{m^2C} &= 5230.145 \cdot 10^{-320} \\
1 \frac{1}{m^2C} &= 41.03002 \cdot 10^{-310} \quad (*) \\
1k \frac{1}{m^2C} &= 0.3120434 \cdot 10^{-300} \\
1m \frac{1}{m^2sC} &= 150.0320 \cdot 10^{-450} \\
1 \frac{1}{m^2sC} &= 1.225553 \cdot 10^{-440} \quad (***) \\
1k \frac{1}{m^2sC} &= 0.01032034 \cdot 10^{-430} \\
1m \frac{1}{m^2s^2C} &= 3.422124 \cdot 10^{-1020} \\
1 \frac{1}{m^2s^2C} &= 0.02514033 \cdot 10^{-1010} \\
1k \frac{1}{m^2s^2C} &= 212.0003 \cdot 10^{-1010} \quad (***) \\
1m \frac{s}{m^2C} &= 0.2355343 \cdot 10^{-140} \quad (*) \\
1 \frac{s}{m^2C} &= 2020.053 \cdot 10^{-140} \\
1k \frac{s}{m^2C} &= 13.30414 \cdot 10^{-130} \\
1m \frac{1}{m^3C} &= 13.03405 \cdot 10^{-430} \\
1 \frac{1}{m^3C} &= 0.1100503 \cdot 10^{-420} \quad (*) \\
1k \frac{1}{m^3C} &= 523.0331 \cdot 10^{-420} \\
1m \frac{1}{m^3sC} &= 0.3030121 \cdot 10^{-1000} \\
1 \frac{1}{m^3sC} &= 2214.022 \cdot 10^{-1000} \\
1k \frac{1}{m^3sC} &= 15.00353 \cdot 10^{-550} \quad (*) \\
1m \frac{1}{m^3s^2C} &= 0.01013430 \cdot 10^{-1130} \\
1 \frac{1}{m^3s^2C} &= 45.01051 \cdot 10^{-1130} \\
1k \frac{1}{m^3s^2C} &= 0.3422235 \cdot 10^{-1120} \\
1m \frac{s}{m^3C} &= 425.1021 \cdot 10^{-300} \\
1 \frac{s}{m^3C} &= 3.242105 \cdot 10^{-250} \\
1k \frac{s}{m^3C} &= 0.02355433 \cdot 10^{-240} \quad (*) \\
1m \frac{kg}{C} &= 12.43023 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 22.45235 k \frac{m^2}{C} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 0.04201135 m \frac{m^2}{sC} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 5.342413 \frac{m^2}{sC} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.001114213 k \frac{m^2}{sC} \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 2.045001 m \frac{m^2}{s^2C} \quad (*) \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 243.3244 \frac{m^2}{s^2C} \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.03330152 k \frac{m^2}{s^2C} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 25.53412 m \frac{m^2s}{C} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 0.003512500 \frac{m^2s}{C} \quad (*) \\
1 \text{cici-} \frac{L^2T}{Q} &= 10^{330} = 0.5004312 k \frac{m^2s}{C} \quad (*) \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.1505510 m \frac{1}{mC} \quad (*) \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 22.24452 \frac{1}{mC} \\
1 \text{ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 3042.550 k \frac{1}{mC} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 5.253543 m \frac{1}{msC} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 1104.100 \frac{1}{msC} \quad (*) \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.1311554 k \frac{1}{msC} \quad (*) \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 241.1154 m \frac{1}{ms^2C} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.03255554 \frac{1}{ms^2C} \quad (**) \\
1 \text{ni'uvomo-} \frac{1}{LT^2Q} &= 10^{-450} = 4.311432 k \frac{1}{ms^2C} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 3441.010 m \frac{s}{mC} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 0.4522511 \frac{s}{mC} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 102.0415 k \frac{s}{mC} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 103.5111 m \frac{1}{m^2C} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 0.01234001 \frac{1}{m^2C} \quad (*) \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 1.505433 k \frac{1}{m^2C} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 3133.530 m \frac{1}{m^2sC} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 0.4122511 \frac{1}{m^2sC} \\
1 \text{ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 52.53400 k \frac{1}{m^2sC} \quad (*) \\
1 \text{ni'upanore-} \frac{1}{L^2T^2Q} &= 10^{-1020} = 0.1335114 m \frac{1}{m^2s^2C} \\
1 \text{ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 20.25553 \frac{1}{m^2s^2C} \quad (**) \\
1 \text{ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 2411.103 k \frac{1}{m^2s^2C} \\
1 \text{ni'upav-} \frac{T}{L^2Q} &= 10^{-140} = 2.130153 m \frac{s}{m^2C} \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 253.0134 \frac{s}{m^2C} \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 0.03440455 k \frac{s}{m^2C} \quad (*) \\
1 \text{ni'uvoci-} \frac{1}{L^3Q} &= 10^{-430} = 0.03542135 m \frac{1}{m^3C} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 5.043050 \frac{1}{m^3C} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.001035051 k \frac{1}{m^3C} \\
1 \text{ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 1.540103 m \frac{1}{m^3sC} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 230.4320 \frac{1}{m^3sC} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 0.03133425 k \frac{1}{m^3sC} \\
1 \text{ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 54.24005 m \frac{1}{m^3s^2C} \quad (*) \\
1 \text{ni'upapaci-} \frac{1}{L^3T^2Q} &= 10^{-1130} = 0.01123502 \frac{1}{m^3s^2C} \\
1 \text{ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 1.335043 k \frac{1}{m^3s^2C} \\
1 \text{ni'ucino-} \frac{T}{L^3Q} &= 10^{-300} = 0.001201250 m \frac{s}{m^3C} \\
1 \text{ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 0.1423053 \frac{s}{m^3C} \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 21.30111 k \frac{s}{m^3C} \\
1 \text{ni'uci-} \frac{M}{Q} &= 10^{-30} = 0.04040253 m \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.1043040 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 511.3302 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.2544323 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s C}} &= 2142.134 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 14.33214 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.01001020 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 43.52521 \cdot 10^{-330} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.3331214 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 414.5453 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 3.153242 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.02321332 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 5113.122 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 40.04123 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.3033534 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 143.3142 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s C}} &= 1.210112 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.01015002 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 3.331110 \cdot 10^{-220} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.02434051 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 204.5310 \cdot 10^{-210} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.2321242 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 1551.015 \cdot 10^{220} \quad (*) \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 13.05303 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 3.033434 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 0.02220444 \cdot 10^{210} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 150.2433 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.1014542 \cdot 10^{30} \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 451.0412 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 3.430421 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.002045230 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 13.52011 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.1134415 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 130.5233 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 1.102105 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 5240.452 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 0.02241154 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m C}} &= 152.0233 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 1.243052 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 455.2102 \cdot 10^{-320} \quad (*) \\
1 \frac{\text{kg}}{\text{m s C}} &= 3.502214 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 0.02544421 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 14.04355 \cdot 10^{-450} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.1145213 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 1001.040 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 1.112204 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.005325202 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 41.50014 \cdot 10^0 \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'ure-} \frac{M}{Q} &= 10^{-20} = 5.155252 \frac{\text{kg}}{\text{C}} \quad (*) \\
1 \text{ ni'ure-} \frac{M}{Q} &= 10^{-20} = 0.001052415 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 2.005002 \text{m} \frac{\text{kg}}{\text{s C}} \quad (*) \\
1 \text{ ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 234.2211 \frac{\text{kg}}{\text{s C}} \\
1 \text{ ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 0.03222002 \text{k} \frac{\text{kg}}{\text{s C}} \quad (*) \\
1 \text{ ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 55.45404 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 0.01142324 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 1.401010 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ pano-} \frac{MT}{Q} &= 10^{100} = 0.001221022 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ papa-} \frac{MT}{Q} &= 10^{110} = 0.1450103 \frac{\text{kg s}}{\text{C}} \\
1 \text{ pare-} \frac{MT}{Q} &= 10^{120} = 22.01401 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{ mu-} \frac{ML}{Q} &= 10^{50} = 105.2441 \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{ mu-} \frac{ML}{Q} &= 10^{50} = 0.01254231 \frac{\text{kg m}}{\text{C}} \\
1 \text{ pano-} \frac{ML}{Q} &= 10^{100} = 1.533505 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 3222.105 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 0.4223302 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 54.13054 \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ ni'urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.1401042 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 21.00002 \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (***) \\
1 \text{ ni'ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 2450.313 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ rere-} \frac{MLT}{Q} &= 10^{220} = 2.201444 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{ reci-} \frac{MLT}{Q} &= 10^{230} = 301.1303 \frac{\text{kg m s}}{\text{C}} \\
1 \text{ reci-} \frac{MLT}{Q} &= 10^{230} = 0.03533313 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{ reno-} \frac{ML^2}{Q} &= 10^{200} = 0.1533543 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ repa-} \frac{ML^2}{Q} &= 10^{210} = 23.01401 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ rere-} \frac{ML^2}{Q} &= 10^{220} = 3130.002 \text{k} \frac{\text{kg m}^2}{\text{C}} \quad (*) \\
1 \text{ ci-} \frac{ML^2}{TQ} &= 10^{30} = 5.413243 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ vo-} \frac{ML^2}{TQ} &= 10^{40} = 1122.232 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.1333143 \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 245.0405 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.03350134 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ ni'umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 4.415001 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ civo-} \frac{ML^2 T}{Q} &= 10^{340} = 3533.430 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.5033140 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ cimu-} \frac{ML^2 T}{Q} &= 10^{350} = 103.3513 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 22.40504 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 0.003101221 \frac{\text{kg}}{\text{m C}} \\
1 \text{ ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 0.4040135 \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ ni'ucire-} \frac{M}{LTQ} &= 10^{-320} = 0.001112042 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 0.1321041 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 20.04523 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ ni'uvomu-} \frac{M}{LT^2 Q} &= 10^{-450} = 0.03315354 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 4.334515 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 554.5212 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 0.4551114 \text{m} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 102.4125 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.01220554 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*)
\end{aligned}$$

$1m \frac{kg}{m^2 C} = 40.41141 \cdot 10^{-300}$	$1 ni'ucino \frac{M}{L^2 Q} = 10^{-300} = 0.01242442 m \frac{kg}{m^2 C}$
$1 \frac{kg}{m^2 C} = 0.3102102 \cdot 10^{-250}$	$1 ni'uremu \frac{M}{L^2 Q} = 10^{-250} = 1.515545 \frac{kg}{m^2 C} (*)$
$1k \frac{kg}{m^2 C} = 0.002241242 \cdot 10^{-240}$	$1 ni'urevo \frac{M}{L^2 Q} = 10^{-240} = 224.0420 k \frac{kg}{m^2 C}$
$1m \frac{kg}{m^2 s C} = 1.221200 \cdot 10^{-430} (*)$	$1 ni'uvoci \frac{M}{L^2 T Q} = 10^{-430} = 0.4144554 m \frac{kg}{m^2 s C} (*)$
$1 \frac{kg}{m^2 s C} = 0.01024302 \cdot 10^{-420}$	$1 ni'uvore \frac{M}{L^2 T Q} = 10^{-420} = 53.23550 \frac{kg}{m^2 s C} (*)$
$1k \frac{kg}{m^2 s C} = 45.52234 \cdot 10^{-420}$	$1 ni'uvore \frac{M}{L^2 T Q} = 10^{-420} = 0.01112021 k \frac{kg}{m^2 s C}$
$1m \frac{kg}{m^2 s^2 C} = 0.02500351 \cdot 10^{-1000} (*)$	$1 ni'upanono \frac{M}{L^2 T^2 Q} = 10^{-1000} = 20.40533 m \frac{kg}{m^2 s^2 C}$
$1 \frac{kg}{m^2 s^2 C} = 210.4415 \cdot 10^{-1000}$	$1 ni'upanono \frac{M}{L^2 T^2 Q} = 10^{-1000} = 0.002424104 \frac{kg}{m^2 s^2 C}$
$1k \frac{kg}{m^2 s^2 C} = 1.404430 \cdot 10^{-550}$	$1 ni'umumu \frac{M}{L^2 T^2 Q} = 10^{-550} = 0.3315250 k \frac{kg}{m^2 s^2 C}$
$1m \frac{kg s}{m^2 C} = 0.002005223 \cdot 10^{-120} (*)$	$1 ni'upare \frac{MT}{L^2 Q} = 10^{-120} = 254.4000 m \frac{kg s}{m^2 C} (**)$
$1 \frac{kg s}{m^2 C} = 13.21300 \cdot 10^{-120} (*)$	$1 ni'upare \frac{MT}{L^2 Q} = 10^{-120} = 0.03501234 \frac{kg s}{m^2 C}$
$1k \frac{kg s}{m^2 C} = 0.1112230 \cdot 10^{-110}$	$1 ni'upapa \frac{MT}{L^2 Q} = 10^{-110} = 4.550541 k \frac{kg s}{m^2 C} (*)$
$1m \frac{kg}{m^3 C} = 0.1053001 \cdot 10^{-410} (*)$	$1 ni'uvopa \frac{M}{L^3 Q} = 10^{-410} = 5.112121 m \frac{kg}{m^3 C}$
$1 \frac{kg}{m^3 C} = 520.0443 \cdot 10^{-410}$	$1 ni'uvono \frac{M}{L^3 Q} = 10^{-400} = 1042.500 \frac{kg}{m^3 C} (*)$
$1k \frac{kg}{m^3 C} = 4.041300 \cdot 10^{-400} (*)$	$1 ni'uvono \frac{M}{L^3 Q} = 10^{-400} = 0.1242414 k \frac{kg}{m^3 C}$
$1m \frac{kg}{m^3 s C} = 0.002202130 \cdot 10^{-540}$	$1 ni'umuovo \frac{M}{L^3 T Q} = 10^{-540} = 232.0544 m \frac{kg}{m^3 s C}$
$1 \frac{kg}{m^3 s C} = 14.50343 \cdot 10^{-540}$	$1 ni'umuovo \frac{M}{L^3 T Q} = 10^{-540} = 0.03152350 \frac{kg}{m^3 s C}$
$1k \frac{kg}{m^3 s C} = 0.1221224 \cdot 10^{-530}$	$1 ni'umuci \frac{M}{L^3 T Q} = 10^{-530} = 4.144433 k \frac{kg}{m^3 s C}$
$1m \frac{kg}{m^3 s^2 C} = 44.33131 \cdot 10^{-1120}$	$1 ni'upapare \frac{M}{L^3 T^2 Q} = 10^{-1120} = 0.01131552 m \frac{kg}{m^3 s^2 C} (*)$
$1 \frac{kg}{m^3 s^2 C} = 0.3402102 \cdot 10^{-1110}$	$1 ni'upapapa \frac{M}{L^3 T^2 Q} = 10^{-1110} = 1.344253 \frac{kg}{m^3 s^2 C}$
$1k \frac{kg}{m^3 s^2 C} = 0.002500443 \cdot 10^{-1100} (*)$	$1 ni'upapano \frac{M}{L^3 T^2 Q} = 10^{-1100} = 204.0453 k \frac{kg}{m^3 s^2 C}$
$1m \frac{kg s}{m^3 C} = 3.222503 \cdot 10^{-240}$	$1 ni'urevo \frac{MT}{L^3 Q} = 10^{-240} = 0.1432540 m \frac{kg s}{m^3 C}$
$1 \frac{kg s}{m^3 C} = 0.02343002 \cdot 10^{-230} (*)$	$1 ni'ureci \frac{MT}{L^3 Q} = 10^{-230} = 21.41412 \frac{kg s}{m^3 C}$
$1k \frac{kg s}{m^3 C} = 200.5302 \cdot 10^{-230} (*)$	$1 ni'urere \frac{MT}{L^3 Q} = 10^{-220} = 2543.502 k \frac{kg s}{m^3 C}$
$1m C = 5.125551 \cdot 10^{30} (**)$	$1 ci-Q = 10^{30} = 0.1050510 m C$
$1 C = 0.04014552 \cdot 10^{40} (*)$	$1 vo-Q = 10^{40} = 12.51534 C$
$1k C = 304.3050 \cdot 10^{40}$	$1 vo-Q = 10^{40} = 0.001530345 k C$
$1m \frac{C}{s} = 0.1440130 \cdot 10^{-100}$	$1 ni'upano \frac{Q}{T} = 10^{-100} = 3.212310 m \frac{C}{s}$
$1 \frac{C}{s} = 1212.253 \cdot 10^{-100}$	$1 ni'umu \frac{Q}{T} = 10^{-50} = 421.2102 \frac{C}{s}$
$1k \frac{C}{s} = 10.20435 \cdot 10^{-50}$	$1 ni'umu \frac{Q}{T} = 10^{-50} = 0.05355352 k \frac{C}{s} (*)$
$1m \frac{C}{s^2} = 3341.114 \cdot 10^{-240}$	$1 ni'ureci \frac{Q}{T^2} = 10^{-230} = 135.4200 m \frac{C}{s^2} (*)$
$1 \frac{C}{s^2} = 24.42443 \cdot 10^{-230}$	$1 ni'ureci \frac{Q}{T^2} = 10^{-230} = 0.02052223 \frac{C}{s^2}$
$1k \frac{C}{s^2} = 0.2053041 \cdot 10^{-220}$	$1 ni'urere \frac{Q}{T^2} = 10^{-220} = 2.441511 k \frac{C}{s^2}$
$1m s C = 232.5431 \cdot 10^{200}$	$1 reno-TQ = 10^{200} = 0.002153522 m s C$
$1 s C = 1.554211 \cdot 10^{210} (*)$	$1 repa-TQ = 10^{210} = 0.3002243 s C (*)$
$1k s C = 0.01312024 \cdot 10^{220}$	$1 rere-TQ = 10^{220} = 35.22555 k s C (**)$
$1m m C = 3042.550 \cdot 10^{140} (*)$	$1 pamu-LQ = 10^{150} = 153.0423 m m C$
$1 m C = 22.24452 \cdot 10^{150}$	$1 pamu-LQ = 10^{150} = 0.02253255 m C (*)$
$1k m C = 0.1505510 \cdot 10^{200} (*)$	$1 reno-LQ = 10^{200} = 3.120333 k m C$
$1m \frac{m C}{s} = 102.0415 \cdot 10^{10}$	$1 re \frac{LQ}{T} = 10^{20} = 5355.541 m \frac{m C}{s} (*)$
$1 \frac{m C}{s} = 0.4522511 \cdot 10^{20}$	$1 re \frac{LQ}{T} = 10^{20} = 1.120213 \frac{m C}{s}$
$1k \frac{m C}{s} = 3441.010 \cdot 10^{20}$	$1 ci \frac{LQ}{T} = 10^{30} = 133.0344 k \frac{m C}{s}$
$1m \frac{m C}{s^2} = 2.053000 \cdot 10^{-120} (**)$	$1 ni'upare \frac{LQ}{T^2} = 10^{-120} = 0.2442002 m \frac{m C}{s^2} (*)$
$1 \frac{m C}{s^2} = 0.01354444 \cdot 10^{-110}$	$1 ni'upapa \frac{LQ}{T^2} = 10^{-110} = 33.40112 \frac{m C}{s^2}$
$1k \frac{m C}{s^2} = 114.0504 \cdot 10^{-110}$	$1 ni'upano \frac{LQ}{T^2} = 10^{-100} = 4403.052 k \frac{m C}{s^2}$
$1m m s C = 0.1311554 \cdot 10^{320} (*)$	$1 cire-LTQ = 10^{320} = 3.523111 m m s C$
$1 m s C = 1104.100 \cdot 10^{320} (*)$	$1 cici-LTQ = 10^{330} = 502.0442 m s C$
$1k m s C = 5.253543 \cdot 10^{330}$	$1 cici-LTQ = 10^{330} = 0.1032013 k m s C$
$1m m^2 C = 1.505433 \cdot 10^{300}$	$1 cino-L^2 Q = 10^{300} = 0.3120434 m m^2 C$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.01234001 \cdot 10^{310} \quad (*) \\
1 \text{k m}^2 \text{ C} &= 103.5111 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.03440455 \cdot 10^{130} \quad (*) \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 253.0134 \cdot 10^{130} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 2.130153 \cdot 10^{140} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.001140441 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 5.533222 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.04324423 \cdot 10^{10} \\
1 \text{m m}^2 \text{s C} &= 52.53400 \cdot 10^{430} \quad (*) \\
1 \text{m}^2 \text{s C} &= 0.4122511 \cdot 10^{440} \\
1 \text{k m}^2 \text{s C} &= 3133.530 \cdot 10^{440} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.01245304 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}} &= 104.5000 \cdot 10^{-40} \quad (***) \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.5130130 \cdot 10^{-30} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 255.3314 \cdot 10^{-220} \quad (*) \\
1 \frac{\text{C}}{\text{m s}} &= 2.150035 \cdot 10^{-210} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.01440202 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 10.02425 \cdot 10^{-350} \\
1 \frac{\text{C}}{\text{m s}^2} &= 0.04404412 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 334.1224 \cdot 10^{-340} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.4201014 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.003203010 \cdot 10^{100} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 23.25521 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 22.45235 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 0.1523334 \cdot 10^{-150} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.001245333 \cdot 10^{-140} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.5004312 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.003512500 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 25.53412 \cdot 10^{-320} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.01411255 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 115.1321 \cdot 10^{-500} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 1.002444 \cdot 10^{-450} \quad (*) \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.001114213 \cdot 10^{-20} \\
1 \frac{\text{s C}}{\text{m}^2} &= 5.342413 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.04201135 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 0.04052105 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 311.1301 \cdot 10^{-310} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 2.245323 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.001223402 \cdot 10^{-440} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 10.30152 \cdot 10^{-440} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.05004445 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 25.05223 \cdot 10^{-1020} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.2112220 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.001411330 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 2.012445 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.01324043 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 111.4235 \cdot 10^{-130} \\
1 \text{m kg C} &= 0.03553403 \cdot 10^{50} \quad (*) \\
1 \text{kg C} &= 302.4513 \cdot 10^{50} \\
1 \text{k kg C} &= 2.213005 \cdot 10^{100} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ cipa-}L^2Q &= 10^{310} = 41.03002 \text{ m}^2 \text{ C} \quad (*) \\
1 \text{ cire-}L^2Q &= 10^{320} = 5230.145 \text{ k m}^2 \text{ C} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 13.30414 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 2020.053 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 0.2355343 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \quad (*) \\
1 \frac{L^2Q}{T^2} &= 1 = 440.3221 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.1002244 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \quad (*) \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 11.51043 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ voci-}L^2TQ &= 10^{430} = 0.01032034 \text{ m m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 1.225553 \text{ m}^2 \text{ s C} \quad (***) \\
1 \text{ vomu-}L^2TQ &= 10^{450} = 150.0320 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 40.25350 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 0.005142334 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 1.050445 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urere-} \frac{Q}{LT} &= 10^{-220} = 0.002001351 \text{ m} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 0.2334000 \frac{\text{C}}{\text{m s}} \quad (***) \\
1 \text{ ni'uren-} \frac{Q}{LT} &= 10^{-200} = 32.12204 \text{ k} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ucimu-} \frac{Q}{LT^2} &= 10^{-350} = 0.05531425 \text{ m} \frac{\text{C}}{\text{m s}^2} \quad (*) \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 11.40232 \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 0.001354125 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 1.214425 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 144.3101 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.02153435 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'uren-} \frac{Q}{L^2} &= 10^{-200} = 0.02232440 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 3.052040 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 402.5231 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucici-} \frac{Q}{L^2T} &= 10^{-330} = 1.110041 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 131.4304 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 0.02001312 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 33.05424 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 0.004323115 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvomu-} \frac{Q}{L^2T^2} &= 10^{-450} = 0.5531233 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 453.4532 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.1022242 \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 12.14401 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 12.40210 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 1512.453 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 0.2232352 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 413.3455 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 0.05310405 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3T} &= 10^{-430} = 11.10015 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'upanore-} \frac{Q}{L^3T^2} &= 10^{-1020} = 0.02033225 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3T^2} &= 10^{-1010} = 2.415342 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 330.5320 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.2535022 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 34.51013 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 4534.355 \text{ k} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ mu-MQ} &= 10^{50} = 13.00513 \text{ m kg C} \quad (*) \\
1 \text{ pano-MQ} &= 10^{100} = 1541.012 \text{ kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 0.2305355 \text{ k kg C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 0.001203552 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg C}}{\text{s}} &= 10.13143 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 0.04455005 \cdot 10^{-30} \quad (**) \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 24.25343 \cdot 10^{-220} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 0.2042014 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 0.001345233 \cdot 10^{-200} \\
1 \text{m kg s C} &= 1.543454 \cdot 10^{220} \\
1 \text{kg s C} &= 0.01303005 \cdot 10^{230} \quad (*) \\
1 \text{k kg s C} &= 110.0200 \cdot 10^{230} \quad (*) \\
1 \text{m kg m C} &= 22.12522 \cdot 10^{200} \\
1 \text{kg m C} &= 0.1455431 \cdot 10^{210} \quad (*) \\
1 \text{k kg m C} &= 0.001225211 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 0.4454434 \cdot 10^{30} \\
1 \frac{\text{kg m C}}{\text{s}} &= 0.003420335 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 25.12501 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 0.01345202 \cdot 10^{-100} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 113.2350 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 0.5502121 \cdot 10^{-50} \quad (*) \\
1 \text{m kg m s C} &= 0.001100135 \cdot 10^{340} \quad (*) \\
1 \text{kg m s C} &= 5.223533 \cdot 10^{340} \\
1 \text{k kg m s C} &= 0.04101103 \cdot 10^{350} \\
1 \text{m kg m}^2 \text{C} &= 0.01225143 \cdot 10^{320} \\
1 \text{kg m}^2 \text{C} &= 103.1322 \cdot 10^{320} \\
1 \text{k kg m}^2 \text{C} &= 0.5014324 \cdot 10^{330} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 251.2404 \cdot 10^{140} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 2.114532 \cdot 10^{150} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.01413313 \cdot 10^{200} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 5.501531 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.04301412 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 325.1152 \cdot 10^{20} \\
1 \text{m kg m}^2 \text{s C} &= 0.4100543 \cdot 10^{450} \quad (*) \\
1 \text{kg m}^2 \text{s C} &= 0.003115104 \cdot 10^{500} \\
1 \text{k kg m}^2 \text{s C} &= 22.52224 \cdot 10^{500} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 104.1135 \cdot 10^{-30} \\
1 \frac{\text{kg C}}{\text{m}} &= 0.5101002 \cdot 10^{-20} \quad (*) \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 3553.520 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 2.134311 \cdot 10^{-200} \\
1 \frac{\text{kg C}}{\text{m s}} &= 0.01430300 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{kg C}}{\text{m s}} &= 120.4015 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 0.04341150 \cdot 10^{-330} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 332.1310 \cdot 10^{-330} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}^2} &= 2.425434 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 3144.012 \cdot 10^{100} \\
1 \frac{\text{kg s C}}{\text{m}} &= 23.13225 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 0.1543533 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 0.1513203 \cdot 10^{-140} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 1240.434 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 10.41200 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 3452.040 \cdot 10^{-320} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 25.35520 \cdot 10^{-310} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uv} \frac{M Q}{T} &= 10^{-40} = 423.4430 \text{ m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'uv} \frac{M Q}{T} &= 10^{-40} = 0.05430313 \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'uci} \frac{M Q}{T} &= 10^{-30} = 11.24220 \text{ k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'urere} \frac{M Q}{T^2} &= 10^{-220} = 0.02103323 \text{ m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'urepa} \frac{M Q}{T^2} &= 10^{-210} = 2.455053 \frac{\text{kg C}}{\text{s}^2} \quad (*) \\
1 \text{ni'ureno} \frac{M Q}{T^2} &= 10^{-200} = 340.0020 \text{ k} \frac{\text{kg C}}{\text{s}^2} \quad (*) \\
1 \text{rere-}MTQ &= 10^{220} = 0.3020300 \text{ m kg s C} \quad (*) \\
1 \text{reci-}MTQ &= 10^{230} = 35.44002 \text{ kg s C} \quad (*) \\
1 \text{revo-}MTQ &= 10^{240} = 5045.215 \text{ k kg s C} \\
1 \text{reno-}MLQ &= 10^{200} = 0.02305444 \text{ m kg m C} \\
1 \text{repa-}MLQ &= 10^{210} = 3.135204 \text{ kg m C} \\
1 \text{rere-}MLQ &= 10^{220} = 412.4421 \text{ k kg m C} \\
1 \text{ci-} \frac{MLQ}{T} &= 10^{30} = 1.124242 \text{ m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{vo-} \frac{MLQ}{T} &= 10^{40} = 133.5530 \frac{\text{kg m C}}{\text{s}} \quad (*) \\
1 \text{vo-} \frac{MLQ}{T} &= 10^{40} = 0.02030522 \text{ k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ni'upano} \frac{MLQ}{T^2} &= 10^{-100} = 34.00130 \text{ m} \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{ni'upano} \frac{MLQ}{T^2} &= 10^{-100} = 0.004430431 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'umu} \frac{MLQ}{T^2} &= 10^{-50} = 1.005440 \text{ k} \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{civo-}MLTQ &= 10^{340} = 504.5354 \text{ m kg m s C} \\
1 \text{civo-}MLTQ &= 10^{340} = 0.1035404 \text{ kg m s C} \\
1 \text{cimu-}MLTQ &= 10^{350} = 12.34345 \text{ k kg m s C} \\
1 \text{cire-}ML^2Q &= 10^{320} = 41.24541 \text{ m kg m}^2 \text{C} \\
1 \text{cire-}ML^2Q &= 10^{320} = 0.005300211 \text{ kg m}^2 \text{C} \quad (*) \\
1 \text{cici-}ML^2Q &= 10^{330} = 1.104404 \text{ k kg m}^2 \text{C} \\
1 \text{pavo-} \frac{ML^2Q}{T} &= 10^{140} = 0.002031002 \text{ m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \quad (*) \\
1 \text{pamu-} \frac{ML^2Q}{T} &= 10^{150} = 0.2412302 \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{reno-} \frac{ML^2Q}{T} &= 10^{200} = 33.01305 \text{ k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 0.1005500 \text{ m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \quad (***) \\
1 \text{re-} \frac{ML^2Q}{T^2} &= 10^{20} = 11.55255 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \quad (*) \\
1 \text{re-} \frac{ML^2Q}{T^2} &= 10^{20} = 0.001420333 \text{ k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{vomu-}ML^2TQ &= 10^{450} = 1.234413 \text{ m kg m}^2 \text{s C} \\
1 \text{muno-}ML^2TQ &= 10^{500} = 151.0403 \text{ kg m}^2 \text{s C} \\
1 \text{muno-}ML^2TQ &= 10^{500} = 0.02225512 \text{ k kg m}^2 \text{s C} \quad (*) \\
1 \text{ni'ure-} \frac{MQ}{L} &= 10^{-20} = 5212.124 \text{ m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'ure-} \frac{MQ}{L} &= 10^{-20} = 1.054340 \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upa-} \frac{MQ}{LT} &= 10^{-10} = 130.0443 \text{ k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'ureno-} \frac{MQ}{LT} &= 10^{-200} = 0.2350402 \text{ m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'upamu-} \frac{MQ}{LT} &= 10^{-150} = 32.31333 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'upavo-} \frac{MQ}{LT} &= 10^{-140} = 4234.303 \text{ k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{MQ}{LT^2} &= 10^{-330} = 11.44405 \text{ m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 1403.440 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 0.2103242 \text{ k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{papa-} \frac{MTQ}{L} &= 10^{110} = 145.3052 \text{ m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{papa-} \frac{MTQ}{L} &= 10^{110} = 0.02205304 \frac{\text{kg s C}}{\text{m}} \\
1 \text{pare-} \frac{MTQ}{L} &= 10^{120} = 3.020201 \text{ k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ni'upavo-} \frac{MQ}{L^2} &= 10^{-140} = 3.110340 \text{ m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'upaci-} \frac{MQ}{L^2} &= 10^{-130} = 405.1010 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'upaci-} \frac{MQ}{L^2} &= 10^{-130} = 0.05211543 \text{ k} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'ucipa-} \frac{MQ}{L^2 T} &= 10^{-310} = 132.3403 \text{ m} \frac{\text{kg C}}{\text{m}^2 \text{s}} \\
1 \text{ni'ucipa-} \frac{MQ}{L^2 T} &= 10^{-310} = 0.02012121 \frac{\text{kg C}}{\text{m}^2 \text{s}}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 0.2134353 \cdot 10^{-300}$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 2.350312 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 114.3130 \cdot 10^{-450}$	$1 ni'uvovo - \frac{\dot{M}Q}{L^2 T^2} = 10^{-440} = 4350.242 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.5552454 \cdot 10^{-440}$ (**)	$1 ni'uvovo - \frac{\dot{M}Q}{L^2 T^2} = 10^{-440} = 1.000311 \frac{kg\ C}{m^2 s^2}$ (**)
$1k \frac{kg\ C}{m^2 s^2} = 4341.315 \cdot 10^{-440}$	$1 ni'uvoci - \frac{\dot{L}Q}{L^2 T^2} = 10^{-430} = 114.4343 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 5.312124 \cdot 10^{-10}$	$1 ni'upa - \frac{MTQ}{L^2} = 10^{-10} = 0.1030003 m \frac{kg\ s\ C}{m^2}$ (**)
$1 \frac{kg\ s\ C}{m^2} = 0.04135005 \cdot 10^0$ (*)	$1 \frac{MTQ}{L^2} = 1 = 12.23141 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 314.4114 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.001453015 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 305.2554 \cdot 10^{-300}$ (*)	$1 ni'ucino - \frac{MQ}{L^3} = 10^{-300} = 0.001523023 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 2.233243 \cdot 10^{-250}$	$1 ni'uremu - \frac{\dot{M}Q}{L^3} = 10^{-250} = 0.2244425 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 0.01513240 \cdot 10^{-240}$	$1 ni'urevo - \frac{\dot{M}Q}{L^3} = 10^{-240} = 31.10235 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 10.22431 \cdot 10^{-430}$	$1 ni'uvoci - \frac{\dot{M}Q}{L^3 T} = 10^{-430} = 0.05341045 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.04540151 \cdot 10^{-420}$	$1 ni'uvore - \frac{\dot{M}Q}{L^3 T} = 10^{-420} = 11.14012 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 345.2151 \cdot 10^{-420}$	$1 ni'uvore - \frac{\dot{M}Q}{L^3 T} = 10^{-420} = 0.001323333 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 0.2101052 \cdot 10^{-1000}$	$1 ni'upanono - \frac{MQ}{L^3 T^2} = 10^{-1000} = 2.432405 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 1401.555 \cdot 10^{-1000}$ (**)	$1 ni'umumu - \frac{\dot{M}Q}{L^3 T^2} = 10^{-550} = 332.5151 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 11.43153 \cdot 10^{-550}$	$1 ni'umumu - \frac{\dot{M}Q}{L^3 T^2} = 10^{-550} = 0.04350113 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 0.01314542 \cdot 10^{-120}$	$1 ni'upare - \frac{\dot{M}Q}{L^3} = 10^{-120} = 35.11430 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 111.0241 \cdot 10^{-120}$	$1 ni'upare - \frac{\dot{M}Q}{L^3} = 10^{-120} = 0.005003044 \frac{kg\ s\ C}{m^3}$ (*)
$1k \frac{kg\ s\ C}{m^3} = 0.5312311 \cdot 10^{-110}$	$1 ni'upapa - \frac{\dot{M}Q}{L^3} = 10^{-110} = 1.025542 k \frac{kg\ s\ C}{m^3}$ (*)
<hr/>	<hr/>
$1m \frac{1}{K} = 21.42255 \cdot 10^{100}$ (*)	$1 pano - \frac{1}{\Theta} = 10^{100} = 0.02342035 m \frac{1}{K}$
$1 \frac{1}{K} = 0.1433320 \cdot 10^{110}$	$1 papa - \frac{1}{\Theta} = 10^{110} = 3.221401 \frac{1}{K}$
$1k \frac{1}{K} = 0.001210224 \cdot 10^{120}$	$1 pare - \frac{1}{\Theta} = 10^{120} = 422.2502 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK}$ (*)
$1m \frac{1}{s^2 K} = 0.01324400 \cdot 10^{-200}$ (*)	$1 ni'uren - \frac{1}{T^2\Theta} = 10^{-200} = 34.45422 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 111.4510 \cdot 10^{-200}$	$1 ni'uren - \frac{1}{T^2\Theta} = 10^{-200} = 0.004532544 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 0.5344535 \cdot 10^{-150}$	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 1.022011 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.001043120 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 515.4541 m \frac{s}{K}$
$1 \frac{s}{K} = 5.114010 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 0.1052335 \frac{s}{K}$
$1k \frac{s}{K} = 0.04004503 \cdot 10^{250}$ (*)	$1 remu - \frac{T}{\Theta} = 10^{250} = 12.54110 k \frac{s}{K}$
$1m \frac{m}{K} = 0.01210201 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 42.23024 m \frac{m}{K}$
$1 \frac{m}{K} = 101.5040 \cdot 10^{220}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.005412331 \frac{m}{K}$
$1k \frac{m}{K} = 0.4511240 \cdot 10^{230}$	$1 reci - \frac{L}{\Theta} = 10^{230} = 1.122124 k \frac{m}{K}$
$1m \frac{m}{sK} = 243.4230 \cdot 10^{40}$	$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.002055443 m \frac{m}{sK}$ (*)
$1 \frac{m}{sK} = 2.045424 \cdot 10^{50}$	$1 mu - \frac{L}{T\Theta} = 10^{50} = 0.2450132 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.01352141 \cdot 10^{100}$	$1 pano - \frac{L}{T\Theta} = 10^{100} = 33.45414 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 0.4004345 \cdot 10^{350}$ (*)	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 1.254135 m \frac{ms}{K}$
$1 \frac{ms}{K} = 0.003034124 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 153.3355 \frac{ms}{K}$ (*)
$1k \frac{ms}{K} = 22.21055 \cdot 10^{400}$ (*)	$1 vono - \frac{LT}{\Theta} = 10^{400} = 0.02301143 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 4.511104 \cdot 10^{330}$	$1 cici - \frac{L^2}{\Theta} = 10^{330} = 0.1122150 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.03431034 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 13.33044 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 252.1504 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 0.002023143 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.1352110 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 3.345524 m \frac{m^2}{sK}$ (*)
$1 \frac{m^2}{sK} = 1134.502 \cdot 10^{200}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 441.4311 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 5.520230 \cdot 10^{210}$	$1 repa - \frac{L^2}{T\Theta} = 10^{210} = 0.1004001 k \frac{m^2}{sK}$ (*)
$1m \frac{m^2}{s^2 K} = 3204.103 \cdot 10^{20}$	$1 ci - \frac{L^2}{T^2\Theta} = 10^{30} = 144.2320 m \frac{m^2}{s^2 K}$

$1 \frac{m^2}{s^2 K} = 23.30441 \cdot 10^{30}$	$1 ci \cdot \frac{L^2}{T^2 \Theta} = 10^{30} = 0.02152551 \frac{m^2}{s^2 K}$ (*)
$1 k \frac{m^2}{s^2 K} = 0.1555054 \cdot 10^{40}$ (**)	$1 vo \cdot \frac{L^2}{T^2 \Theta} = 10^{40} = 3.001133 k \frac{m^2}{s^2 K}$ (*)
$1 m \frac{m^2 s}{K} = 222.1012 \cdot 10^{500}$	$1 mun \cdot \frac{L^2 T}{\Theta} = 10^{500} = 0.002301232 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 1.502541 \cdot 10^{510}$	$1 mupa \cdot \frac{L^2 T}{\Theta} = 10^{510} = 0.3125404 \frac{m^2 s}{K}$
$1 k \frac{m^2 s}{K} = 0.01231455 \cdot 10^{520}$ (*)	$1 mure \cdot \frac{L^2 T}{\Theta} = 10^{520} = 41.13215 k \frac{m^2 s}{K}$
$1 m \frac{1}{m K} = 0.03502433 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{1}{L \Theta} = 10^{-10} = 13.20544 m \frac{1}{m K}$
$1 \frac{1}{m K} = 254.5005 \cdot 10^{-10}$ (*)	$1 \frac{1}{L \Theta} = 1 = 2004.412 \frac{1}{m K}$ (*)
$1 k \frac{1}{m K} = 2.142341$	$1 \frac{1}{L \Theta} = 1 = 0.2341545 k \frac{1}{m K}$
$1 m \frac{1}{m s K} = 0.001145301 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{1}{LT \Theta} = 10^{-140} = 433.4233 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 10.01113 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{1}{LT \Theta} = 10^{-140} = 0.05544440 \frac{1}{m s K}$ (*)
$1 k \frac{1}{m s K} = 0.04353334 \cdot 10^{-130}$	$1 ni'upaci \cdot \frac{1}{LT \Theta} = 10^{-130} = 11.42213 k \frac{1}{m s K}$
$1 m \frac{1}{m s^2 K} = 23.52155 \cdot 10^{-320}$ (*)	$1 ni'ucire \cdot \frac{1}{LT^2 \Theta} = 10^{-320} = 0.02133042 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 0.2013340 \cdot 10^{-310}$	$1 ni'ucipa \cdot \frac{1}{LT^2 \Theta} = 10^{-310} = 2.533522 \frac{1}{m s^2 K}$
$1 k \frac{1}{m s^2 K} = 0.001324430 \cdot 10^{-300}$	$1 ni'ucino \cdot \frac{1}{LT^2 \Theta} = 10^{-300} = 344.5311 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 1.520342 \cdot 10^{120}$	$1 pare \cdot \frac{T}{L \Theta} = 10^{120} = 0.3101025 m \frac{s}{m K}$
$1 \frac{s}{m K} = 0.01243143 \cdot 10^{130}$	$1 paci \cdot \frac{T}{L \Theta} = 10^{130} = 40.35510 \frac{s}{m K}$ (*)
$1 k \frac{s}{m K} = 104.3141 \cdot 10^{130}$	$1 pavo \cdot \frac{T}{L \Theta} = 10^{140} = 5154.401 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 102.4341 \cdot 10^{-130}$	$1 ni'upare \cdot \frac{1}{L^2 \Theta} = 10^{-120} = 5323.230 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 0.4552533 \cdot 10^{-120}$ (*)	$1 ni'upare \cdot \frac{1}{L^2 \Theta} = 10^{-120} = 1.111535 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 3502.545 \cdot 10^{-120}$	$1 ni'upapa \cdot \frac{1}{L^2 \Theta} = 10^{-110} = 132.0514 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 2.104534 \cdot 10^{-300}$	$1 ni'ucino \cdot \frac{1}{L^2 T \Theta} = 10^{-300} = 0.2423525 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.01404530 \cdot 10^{-250}$	$1 ni'uremu \cdot \frac{1}{L^2 T \Theta} = 10^{-250} = 33.15042 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 114.5324 \cdot 10^{-250}$	$1 ni'urevo \cdot \frac{1}{L^2 T \Theta} = 10^{-240} = 4334.104 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 0.04241305 \cdot 10^{-430}$	$1 ni'uvoci \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-430} = 12.03050 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 323.3530 \cdot 10^{-430}$	$1 ni'uvore \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 1425.152 \frac{1}{m^2 s^2 K}$
$1 k \frac{1}{m^2 s^2 K} = 2.352245 \cdot 10^{-420}$	$1 ni'uvore \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 0.2133000 k \frac{1}{m^2 s^2 K}$ (**)
$1 m \frac{s}{m^2 K} = 3102.254 \cdot 10^0$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 151.5440 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.41411 \cdot 10^{10}$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 0.02240252 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.1520415 \cdot 10^{20}$	$1 re \cdot \frac{T}{L^2 \Theta} = 10^{20} = 3.100525 k \frac{s}{m^2 K}$ (*)
$1 m \frac{1}{m^3 K} = 0.1450450 \cdot 10^{-240}$	$1 ni'urevo \cdot \frac{1}{L^3 \Theta} = 10^{-240} = 3.152151 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 1221.314 \cdot 10^{-240}$	$1 ni'ureci \cdot \frac{1}{L^3 \Theta} = 10^{-230} = 414.4201 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 10.24402 \cdot 10^{-230}$	$1 ni'ureci \cdot \frac{1}{L^3 \Theta} = 10^{-230} = 0.05323043 k \frac{1}{m^3 K}$
$1 m \frac{1}{m^3 s K} = 3402.313 \cdot 10^{-420}$	$1 ni'uvopa \cdot \frac{1}{L^3 T \Theta} = 10^{-410} = 134.4154 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 25.01024 \cdot 10^{-410}$	$1 ni'uvopa \cdot \frac{1}{L^3 T \Theta} = 10^{-410} = 0.02040340 \frac{1}{m^3 s K}$
$1 k \frac{1}{m^3 s K} = 0.2105015 \cdot 10^{-400}$	$1 ni'uvono \cdot \frac{1}{L^3 T \Theta} = 10^{-400} = 2.423434 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 112.5122 \cdot 10^{-550}$	$1 ni'umuvo \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 4451.432 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.5434235 \cdot 10^{-540}$	$1 ni'umuvo \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 1.012331 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 4241.432 \cdot 10^{-540}$	$1 ni'umuci \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 120.3022 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 5.201153 \cdot 10^{-110}$	$1 ni'upapa \cdot \frac{T}{L^3 \Theta} = 10^{-110} = 0.1042420 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.04041524 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{T}{L^3 \Theta} = 10^{-100} = 12.42322 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 310.2354 \cdot 10^{-100}$	$1 ni'upano \cdot \frac{T}{L^3 \Theta} = 10^{-100} = 0.001515403 k \frac{s}{m^3 K}$
$1 m \frac{kg}{K} = 0.1423431 \cdot 10^{120}$	$1 pare \cdot \frac{M}{\Theta} = 10^{120} = 3.241000 m \frac{kg}{K}$ (**)
$1 \frac{kg}{K} = 1201.534 \cdot 10^{120}$	$1 paci \cdot \frac{M}{\Theta} = 10^{130} = 424.5304 \frac{kg}{K}$
$1 k \frac{kg}{K} = 10.11414 \cdot 10^{130}$	$1 paci \cdot \frac{M}{\Theta} = 10^{130} = 0.05443151 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 3311.540 \cdot 10^{-20}$	$1 ni'upa \cdot \frac{M}{T \Theta} = 10^{-10} = 141.0234 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 24.21244 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{M}{T \Theta} = 10^{-10} = 0.02110522 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 0.2034500 \cdot 10^0$ (*)	$1 \frac{M}{T \Theta} = 1 = 2.503245 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 111.0510 \cdot 10^{-150}$	$1 ni'upavo \cdot \frac{M}{T^2 \Theta} = 10^{-140} = 5001.224 m \frac{kg}{s^2 K}$ (*)
$1 \frac{kg}{s^2 K} = 0.5314235 \cdot 10^{-140}$	$1 ni'upavo \cdot \frac{M}{T^2 \Theta} = 10^{-140} = 1.025330 \frac{kg}{s^2 K}$
$1 k \frac{kg}{s^2 K} = 4140.420 \cdot 10^{-140}$	$1 ni'upaci \cdot \frac{M}{T^2 \Theta} = 10^{-130} = 122.2420 k \frac{kg}{s^2 K}$

$$\begin{aligned}
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 5.044524 \cdot 10^{250} \\
1 \frac{\text{kg s}}{\text{K}} &= 0.03543350 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 302.0114 \cdot 10^{300} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 101.1354 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.4443243 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 3410.545 \cdot 10^{240} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.01342511 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.0422 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.04140255 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 314.5203 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 2.314231 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 3020.020 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 22.05145 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.1452551 \cdot 10^{420} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 0.03410434 \cdot 10^{350} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 250.4200 \cdot 10^{350} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 2.111323 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.001130355 \cdot 10^{220} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 5.445024 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 0.04250513 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.1544334 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.001303343 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.452515 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.01223052 \cdot 10^{530} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 102.5525 \cdot 10^{530} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 253.1140 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2.131033 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.01423503 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 5.535241 \cdot 10^{-130} \\
1 \frac{\text{kg}}{\text{m s K}} &= 0.04330152 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 331.2045 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.2002522 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 1315.323 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 11.10532 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.5330 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.5045102 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.4524321 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.003442200 \cdot 10^{-100} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 25.31233 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.01355212 \cdot 10^{-240} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 114.1143 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.5535433 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 321.4350 \cdot 10^{-420} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 2.335433 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.02003001 \cdot 10^{-400} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 22.25352 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.1510301 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu} \frac{MT}{\Theta} &= 10^{250} = 0.1100240 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 13.03100 \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 0.001544002 \text{k} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 5443.341 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 1.130203 \frac{\text{kg m}}{\text{K}} \\
1 \text{remu} \frac{ML}{\Theta} &= 10^{250} = 134.2213 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano} \frac{ML}{T\Theta} &= 10^{100} = 0.2503342 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa} \frac{ML}{T\Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare} \frac{ML}{T\Theta} &= 10^{120} = 4442.001 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni'uci} \frac{ML}{T^2\Theta} &= 10^{-30} = 12.22444 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 1452.232 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.2204330 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 154.4040 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 0.02313352 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore} \frac{MLT}{\Theta} &= 10^{420} = 3.144202 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{cimu} \frac{ML^2}{\Theta} &= 10^{350} = 13.42243 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 2034.110 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 0.2420345 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 444.2132 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 0.1011222 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci} \frac{ML^2}{T\Theta} &= 10^{230} = 12.01310 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.02204413 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.2234 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.3144304 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci} \frac{ML^2 T}{\Theta} &= 10^{530} = 41.35231 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muovo} \frac{ML^2 T}{\Theta} &= 10^{540} = 5312.431 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.002015240 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 0.2354412 \frac{\text{kg}}{\text{m K}} \\
1 \text{re} \frac{M}{L\Theta} &= 10^{20} = 32.40452 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'upaci} \frac{M}{LT\Theta} &= 10^{-130} = 0.1002040 \text{m} \frac{\text{kg}}{\text{m s K}} \quad (*) \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 11.50402 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 0.001410203 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'ucino} \frac{M}{LT^2\Theta} &= 10^{-300} = 2.551404 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 351.0114 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 0.05001050 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 41.01323 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu} \frac{MT}{L\Theta} &= 10^{150} = 1.100214 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'upapa} \frac{M}{L^2\Theta} &= 10^{-110} = 1.115541 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 133.0025 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 0.02015201 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 33.34543 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 0.004401311 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'ureci} \frac{M}{L^2T\Theta} &= 10^{-230} = 1.002021 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'uvore} \frac{M}{L^2T^2\Theta} &= 10^{-420} = 0.001435050 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvopa} \frac{M}{L^2T^2\Theta} &= 10^{-410} = 0.2144314 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvono} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 25.51310 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{re} \frac{MT}{L^2\Theta} &= 10^{20} = 0.02252350 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{ci} \frac{MT}{L^2\Theta} &= 10^{30} = 3.115253 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 0.001234324 \cdot 10^{40}$	$1 vo \frac{MT}{L^2 \Theta} = 10^{40} = 410.1203 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.001212544 \cdot 10^{-220}$	$1 ni'urere \frac{M}{L^3 \Theta} = 10^{-220} = 421.0400 m \frac{kg}{m^3 K}$ (*)
$1 \frac{kg}{m^3 K} = 10.21050 \cdot 10^{-220}$	$1 ni'urere \frac{M}{L^3 \Theta} = 10^{-220} = 0.05353411 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 0.04524453 \cdot 10^{-210}$	$1 ni'urepa \frac{M}{L^3 \Theta} = 10^{-210} = 11.15515 k \frac{kg}{m^3 K}$ (*)
$1m \frac{kg}{m^3 s K} = 24.43431 \cdot 10^{-400}$	$1 ni'uvono \frac{M}{L^3 T \Theta} = 10^{-400} = 0.02051354 m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.2053510 \cdot 10^{-350}$	$1 ni'ucimu \frac{M}{L^3 T \Theta} = 10^{-350} = 2.440523 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 0.001355243 \cdot 10^{-340}$ (*)	$1 ni'ucivo \frac{M}{L^3 T \Theta} = 10^{-340} = 333.4434 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 0.5403254 \cdot 10^{-530}$	$1 ni'umuci \frac{M}{L^3 T^2 \Theta} = 10^{-530} = 1.020020 m \frac{kg}{m^3 s^2 K}$ (*)
$1 \frac{kg}{m^3 s^2 K} = 0.004215050 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 121.1321 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 32.14453 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 0.01435014 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 0.04020214 \cdot 10^{-50}$	$1 ni'umu \frac{MT}{L^3 \Theta} = 10^{-50} = 12.51231 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 304.4115 \cdot 10^{-50}$	$1 ni'uovo \frac{MT}{L^3 \Theta} = 10^{-40} = 1525.550 \frac{kg\ s}{m^3 K}$ (*)
$1k \frac{kg\ s}{m^3 K} = 2.225435 \cdot 10^{-40}$	$1 ni'uovo \frac{MT}{L^3 \Theta} = 10^{-40} = 0.2252302 k \frac{kg\ s}{m^3 K}$
$1m K = 422.2502 \cdot 10^{-120}$	$1 ni'upare-\Theta = 10^{-120} = 0.001210224 m\ K$
$1 K = 3.221401 \cdot 10^{-110}$	$1 ni'upapa-\Theta = 10^{-110} = 0.1433320 K$
$1k K = 0.02342035 \cdot 10^{-100}$	$1 ni'upano-\Theta = 10^{-100} = 21.42255 k\ K$ (*)
$1m \frac{K}{s} = 12.54110 \cdot 10^{-250}$	$1 ni'uremu-\frac{\Theta}{T} = 10^{-250} = 0.04004503 m \frac{K}{s}$ (*)
$1 \frac{K}{s} = 0.1052335 \cdot 10^{-240}$	$1 ni'urevo-\frac{\Theta}{T} = 10^{-240} = 5.114010 \frac{K}{s}$
$1k \frac{K}{s} = 515.4541 \cdot 10^{-240}$	$1 ni'urevo-\frac{\Theta}{T} = 10^{-240} = 0.001043120 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.3011015 \cdot 10^{-420}$	$1 ni'uvore-\frac{\Theta}{T^2} = 10^{-420} = 1.551204 m \frac{K}{s^2}$ (*)
$1 \frac{K}{s^2} = 2201.235 \cdot 10^{-420}$	$1 ni'uvopa-\frac{\Theta}{T^2} = 10^{-410} = 232.1503 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 14.50000 \cdot 10^{-410}$ (**)	$1 ni'uvopa-\frac{\Theta}{T^2} = 10^{-410} = 0.03153441 k \frac{K}{s^2}$
$1m s K = 0.02055403 \cdot 10^{20}$ (*)	$1 re-T\Theta = 10^{20} = 24.34322 m\ s\ K$
$1s K = 140.0511 \cdot 10^{20}$	$1 re-T\Theta = 10^{20} = 0.003331424 s\ K$
$1k s K = 1.142240 \cdot 10^{30}$	$1 ci-T\Theta = 10^{30} = 0.4353205 k\ s\ K$
$1m m K = 0.2341545 \cdot 10^0$	$1 L\Theta = 1 = 2.142341 m\ m\ K$
$1 m K = 2004.412 \cdot 10^0$ (*)	$1 pa-L\Theta = 10^{10} = 254.5005 m\ K$ (*)
$1k m K = 13.20544 \cdot 10^{10}$	$1 pa-L\Theta = 10^{10} = 0.03502433 k\ m\ K$
$1m \frac{m\ K}{s} = 5154.401 \cdot 10^{-140}$	$1 ni'upaci-\frac{L\Theta}{T} = 10^{-130} = 104.3141 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 40.35510 \cdot 10^{-130}$ (*)	$1 ni'upaci-\frac{L\Theta}{T} = 10^{-130} = 0.01243143 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 0.3101025 \cdot 10^{-120}$	$1 ni'upare-\frac{L\Theta}{T} = 10^{-120} = 1.520342 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 144.5523 \cdot 10^{-310}$ (*)	$1 ni'ucino-\frac{L\Theta}{T^2} = 10^{-300} = 3153.543 m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 1.220504 \cdot 10^{-300}$	$1 ni'ucino-\frac{L\Theta}{T^2} = 10^{-300} = 0.4150251 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.01024050 \cdot 10^{-250}$	$1 ni'uremu-\frac{L\Theta}{T^2} = 10^{-250} = 53.25522 k \frac{m\ K}{s^2}$ (*)
$1m m s K = 11.42213 \cdot 10^{130}$	$1 paci-LT\Theta = 10^{130} = 0.04353334 m\ m\ s\ K$
$1m s K = 0.05544440 \cdot 10^{140}$ (*)	$1 pavo-LT\Theta = 10^{140} = 10.01113 m\ s\ K$
$1k m s K = 433.4233 \cdot 10^{140}$	$1 pavo-LT\Theta = 10^{140} = 0.001145301 k\ m\ s\ K$
$1m m^2 K = 132.0514 \cdot 10^{110}$	$1 pare-L^2\Theta = 10^{120} = 3502.545 m^2 K$
$1 m^2 K = 1.111535 \cdot 10^{120}$	$1 pare-L^2\Theta = 10^{120} = 0.4552533 m^2 K$ (*)
$1k m^2 K = 5323.230 \cdot 10^{120}$	$1 paci-L^2\Theta = 10^{130} = 102.4341 k\ m^2 K$
$1m \frac{m^2 K}{s} = 3.100525 \cdot 10^{-20}$ (*)	$1 ni'ure-\frac{L^2\Theta}{T} = 10^{-20} = 0.1520415 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.02240252 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 22.41411 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 151.5440 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 3102.254 k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.1024030 \cdot 10^{-150}$	$1 ni'upamu-\frac{L^2\Theta}{T^2} = 10^{-150} = 5.330105 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 455.0243 \cdot 10^{-150}$ (*)	$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 1112.312 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 3.501020 \cdot 10^{-140}$	$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 0.1321354 k \frac{m^2 K}{s^2}$
$1m m^2 s K = 4334.104 \cdot 10^{240}$	$1 remu-L^2T\Theta = 10^{250} = 114.5324 m\ m^2 s\ K$
$1 m^2 s K = 33.15042 \cdot 10^{250}$	$1 remu-L^2T\Theta = 10^{250} = 0.01404530 m^2 s\ K$
$1k m^2 s K = 0.2423525 \cdot 10^{300}$	$1 cino-L^2T\Theta = 10^{300} = 2.104534 k\ m^2 s\ K$
$1m \frac{K}{m} = 1.122124 \cdot 10^{-230}$	$1 ni'ureci-\frac{\Theta}{L} = 10^{-230} = 0.4511240 m \frac{K}{m}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.005412331 \cdot 10^{-220} \\
1 k \frac{K}{m} &= 42.23024 \cdot 10^{-220} \\
1 m \frac{K}{ms} &= 0.02301143 \cdot 10^{-400} \\
1 \frac{K}{ms} &= 153.3355 \cdot 10^{-400} \quad (*) \\
1 k \frac{K}{ms} &= 1.254135 \cdot 10^{-350} \\
1 m \frac{K}{ms^2} &= 503.2300 \cdot 10^{-540} \quad (*) \\
1 \frac{K}{ms^2} &= 3.533053 \cdot 10^{-530} \\
1 k \frac{K}{ms^2} &= 0.03011113 \cdot 10^{-520} \\
1 m \frac{sK}{m} &= 33.45414 \cdot 10^{-100} \\
1 \frac{sK}{m} &= 0.2450132 \cdot 10^{-50} \\
1 k \frac{sK}{m} &= 0.002055443 \cdot 10^{-40} \quad (*) \\
1 m \frac{K}{m^2} &= 0.002023143 \cdot 10^{-340} \\
1 \frac{K}{m^2} &= 13.33044 \cdot 10^{-340} \\
1 k \frac{K}{m^2} &= 0.1122150 \cdot 10^{-330} \\
1 m \frac{K}{m^2 s} &= 41.13215 \cdot 10^{-520} \\
1 \frac{K}{m^2 s} &= 0.3125404 \cdot 10^{-510} \\
1 k \frac{K}{m^2 s} &= 0.002301232 \cdot 10^{-500} \\
1 m \frac{K}{m^2 s^2} &= 1.232051 \cdot 10^{-1050} \\
1 \frac{K}{m^2 s^2} &= 0.01033434 \cdot 10^{-1040} \\
1 k \frac{K}{m^2 s^2} &= 50.32435 \cdot 10^{-1040} \\
1 m \frac{sK}{m^2} &= 0.1004001 \cdot 10^{-210} \quad (*) \\
1 \frac{sK}{m^2} &= 441.4311 \cdot 10^{-210} \\
1 k \frac{sK}{m^2} &= 3.345524 \cdot 10^{-200} \quad (*) \\
1 m \frac{K}{m^3} &= 3.251243 \cdot 10^{-500} \\
1 \frac{K}{m^3} &= 0.02403455 \cdot 10^{-450} \quad (*) \\
1 k \frac{K}{m^3} &= 202.3222 \cdot 10^{-450} \\
1 m \frac{K}{m^3 s} &= 0.1102344 \cdot 10^{-1030} \\
1 \frac{K}{m^3 s} &= 524.2504 \cdot 10^{-1030} \\
1 k \frac{K}{m^3 s} &= 4.113335 \cdot 10^{-1020} \\
1 m \frac{K}{m^3 s^2} &= 0.002221410 \cdot 10^{-1200} \\
1 \frac{K}{m^3 s^2} &= 15.03242 \cdot 10^{-1200} \\
1 k \frac{K}{m^3 s^2} &= 0.1232120 \cdot 10^{-1150} \\
1 m \frac{sK}{m^3} &= 141.3340 \cdot 10^{-330} \\
1 \frac{sK}{m^3} &= 1.153110 \cdot 10^{-320} \\
1 k \frac{sK}{m^3} &= 0.01004020 \cdot 10^{-310} \quad (*) \\
1 m kg K &= 3.202304 \cdot 10^{-100} \\
1 kg K &= 0.02325300 \cdot 10^{-50} \quad (*) \\
1 k kg K &= 155.4101 \cdot 10^{-50} \quad (*) \\
1 m \frac{kg K}{s} &= 0.1044454 \cdot 10^{-230} \\
1 \frac{kg K}{s} &= 512.5242 \cdot 10^{-230} \\
1 k \frac{kg K}{s} &= 4.014325 \cdot 10^{-220} \\
1 m \frac{kg K}{s^2} &= 0.002145431 \cdot 10^{-400} \\
1 \frac{kg K}{s^2} &= 14.40023 \cdot 10^{-400} \quad (*) \\
1 k \frac{kg K}{s^2} &= 0.1212204 \cdot 10^{-350} \\
1 m kg s K &= 135.1214 \cdot 10^{30} \\
1 kg s K &= 1.134114 \cdot 10^{40} \\
1 k kg s K &= 5513.255 \cdot 10^{40} \quad (*) \\
1 m kg m K &= 0.001554022 \cdot 10^{20} \quad (*) \\
1 kg m K &= 13.11501 \cdot 10^{20} \\
1 k kg m K &= 0.1104015 \cdot 10^{30} \\
1 m \frac{kg m K}{s} &= 40.14211 \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 ni'urere \frac{\Theta}{L} &= 10^{-220} = 101.5040 \frac{K}{m} \\
1 ni'urere \frac{\Theta}{L} &= 10^{-220} = 0.01210201 k \frac{K}{m} \\
1 ni'uvono \frac{\Theta}{LT} &= 10^{-400} = 22.21055 m \frac{K}{ms} \quad (*) \\
1 ni'uvono \frac{\Theta}{LT} &= 10^{-400} = 0.003034124 \frac{K}{ms} \\
1 ni'ucimu \frac{\Theta}{LT} &= 10^{-350} = 0.4004345 k \frac{K}{ms} \quad (*) \\
1 ni'umuovo \frac{\Theta}{LT^2} &= 10^{-540} = 0.001102212 m \frac{K}{ms^2} \\
1 ni'umuci \frac{\Theta}{LT^2} &= 10^{-530} = 0.1305400 \frac{K}{ms^2} \quad (*) \\
1 ni'umure \frac{\Theta}{LT^2} &= 10^{-520} = 15.51125 k \frac{K}{ms^2} \\
1 ni'upano \frac{T\Theta}{L} &= 10^{-100} = 0.01352141 m \frac{sK}{m} \\
1 ni'umu \frac{T\Theta}{L} &= 10^{-50} = 2.045424 \frac{sK}{m} \\
1 ni'uvo \frac{T\Theta}{L} &= 10^{-40} = 243.4230 k \frac{sK}{m} \\
1 ni'ucivo \frac{\Theta}{L^2} &= 10^{-340} = 252.1504 m \frac{K}{m^2} \\
1 ni'ucivo \frac{\Theta}{L^2} &= 10^{-340} = 0.03431034 \frac{K}{m^2} \\
1 ni'ucici \frac{\Theta}{L^2} &= 10^{-330} = 4.511104 k \frac{K}{m^2} \\
1 ni'umure \frac{\Theta}{L^2 T} &= 10^{-520} = 0.01231455 m \frac{K}{m^2 s} \quad (*) \\
1 ni'umupa \frac{\Theta}{L^2 T} &= 10^{-510} = 1.502541 \frac{K}{m^2 s} \\
1 ni'umuno \frac{\Theta}{L^2 T} &= 10^{-500} = 222.1012 k \frac{K}{m^2 s} \\
1 ni'upanomu \frac{\Theta}{L^2 T^2} &= 10^{-1050} = 0.4112242 m \frac{K}{m^2 s^2} \\
1 ni'upanovo \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 52.41205 \frac{K}{m^2 s^2} \\
1 ni'upanovo \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.01102151 k \frac{K}{m^2 s^2} \\
1 ni'urepa \frac{T\Theta}{L^2} &= 10^{-210} = 5.520230 m \frac{sK}{m^2} \\
1 ni'ureno \frac{T\Theta}{L^2} &= 10^{-200} = 1134.502 \frac{sK}{m^2} \\
1 ni'ureno \frac{T\Theta}{L^2} &= 10^{-200} = 0.1352110 k \frac{sK}{m^2} \\
1 ni'umuno \frac{\Theta}{L^3} &= 10^{-500} = 0.1420305 m \frac{K}{m^3} \\
1 ni'uvomu \frac{\Theta}{L^3} &= 10^{-450} = 21.22443 \frac{K}{m^3} \\
1 ni'uvovo \frac{\Theta}{L^3} &= 10^{-440} = 2521.411 k \frac{K}{m^3} \\
1 ni'upanoci \frac{\Theta}{L^3 T} &= 10^{-1030} = 5.031213 m \frac{K}{m^3 s} \\
1 ni'upanore \frac{\Theta}{L^3 T} &= 10^{-1020} = 1033.244 \frac{K}{m^3 s} \\
1 ni'upanore \frac{\Theta}{L^3 T} &= 10^{-1020} = 0.1231431 k \frac{K}{m^3 s} \\
1 ni'upareno \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 230.0423 m \frac{K}{m^3 s^2} \\
1 ni'upareno \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.03124444 \frac{K}{m^3 s^2} \\
1 ni'upapamu \frac{\Theta}{L^3 T^2} &= 10^{-1150} = 4.112122 k \frac{K}{m^3 s^2} \\
1 ni'ucire \frac{T\Theta}{L^3} &= 10^{-320} = 3301.214 m \frac{sK}{m^3} \\
1 ni'ucire \frac{T\Theta}{L^3} &= 10^{-320} = 0.4313322 \frac{sK}{m^3} \\
1 ni'ucipa \frac{T\Theta}{L^3} &= 10^{-310} = 55.20035 k \frac{sK}{m^3} \quad (**)
\end{aligned}$$

1 ni'upano  $M\Theta = 10^{-100} = 0.1443240 m kg K$

1 ni'umu  $M\Theta = 10^{-50} = 21.54044 kg K$

1 ni'uvoso  $M\Theta = 10^{-40} = 3002.432 k kg K \quad (*)$

1 ni'ureci  $\frac{M\Theta}{T} = 10^{-230} = 5.143224 m \frac{kg K}{s}$

1 ni'urere  $\frac{M\Theta}{T} = 10^{-220} = 1050.551 \frac{kg K}{s} \quad (*)$

1 ni'urere  $\frac{M\Theta}{T} = 10^{-220} = 0.1252030 k \frac{kg K}{s}$

1 ni'uvono  $\frac{M\Theta}{T^2} = 10^{-400} = 233.4221 m \frac{kg K}{s^2}$

1 ni'uvono  $\frac{M\Theta}{T^2} = 10^{-400} = 0.03212511 \frac{kg K}{s^2}$

1 ni'ucimu  $\frac{M\Theta}{T^2} = 10^{-350} = 4.212340 k \frac{kg K}{s^2}$

1 vo-MT  $\Theta = 10^{40} = 3351.414 m kg s K$

1 vo-MT  $\Theta = 10^{40} = 0.4420513 kg s K$

1 mu-MT  $\Theta = 10^{50} = 100.4302 k kg s K \quad (*)$

1 re-ML  $\Theta = 10^{20} = 300.2530 m kg m K \quad (*)$

1 re-ML  $\Theta = 10^{20} = 0.03523331 kg m K$

1 ci-ML  $\Theta = 10^{30} = 5.021143 k kg m K$

1 ni'upare  $\frac{ML\Theta}{T} = 10^{-120} = 0.01252054 m \frac{kg m K}{s}$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.3042355 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.002224324 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.212140 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 0.01020340 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 45.22214 \cdot 10^{-240} \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{k kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.02224241 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 150.5325 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1.233510 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 452.2042 \cdot 10^{-140} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 3.440242 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.02525551 \cdot 10^{-120} \quad (***) \\
1 \text{m kg m}^2 \text{s K} &= 32.55243 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.2410525 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 0.002025440 \cdot 10^{320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 5341.504 \cdot 10^{-220} \\
1 \frac{\text{kg K}}{\text{m}} &= 42.00341 \cdot 10^{-210} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.3202410 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 152.3152 \cdot 10^{-350} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1.245212 \cdot 10^{-340} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 0.01044515 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 3.512125 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.02553130 \cdot 10^{-510} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 214.5514 \cdot 10^{-510} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.2433014 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 2044.403 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 13.51244 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13.23515 \cdot 10^{-330} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.1114131 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 534.2052 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.3111004 \cdot 10^{-500} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 2245.110 \cdot 10^{-500} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 15.23230 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.01030053 \cdot 10^{-1030} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 50.04012 \cdot 10^{-1030} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.3512241 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 435.1015 \cdot 10^{-200} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 3.325543 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 0.02433105 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.02351003 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3} &= 201.2333 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 1.323545 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 521.2533 \cdot 10^{-1020} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 4.051440 \cdot 10^{-1010} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.03111105 \cdot 10^{-1000}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 1.530532 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 225.3425 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uremu-} \frac{ML\Theta}{T^2} &= 10^{-250} = 0.4212501 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 54.00303 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.01120255 \text{k} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{pamu-} ML\Theta &= 10^{150} = 10.04322 \text{m kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 1153.504 \text{kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 0.1414244 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 22.53513 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.003121031 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.4103232 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML^2\Theta}{T^2} &= 10^{-140} = 0.001120321 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 0.1330512 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 20.20205 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.01414315 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 2.120123 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 251.4215 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 102.2341 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.01214514 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 1.443204 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 3052.331 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 0.4030013 \frac{\text{kg K}}{\text{m s}} \quad (*) \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 51.43044 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umure-} \frac{M\Theta}{LT^2} &= 10^{-520} = 0.1314431 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 20.01502 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 2334.132 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L} &= 10^{-40} = 2.100512 \text{m} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 245.1354 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 0.03351305 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ucici-} \frac{M\Theta}{L^2} &= 10^{-330} = 0.03451342 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 4.535230 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.001022321 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{L^2T} &= 10^{-500} = 1.513035 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 223.3004 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 0.03052231 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 53.11311 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanoci-} \frac{M\Theta}{L^2T^2} &= 10^{-1030} = 0.01110123 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 1.314401 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ureno-} \frac{MT\Theta}{L^2} &= 10^{-200} = 0.001143030 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 0.1401410 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 21.00431 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 21.34125 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.002535205 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.3451231 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^3T} &= 10^{-1020} = 0.001041044 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^3T} &= 10^{-1010} = 0.1240301 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 15.13002 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*)
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 14.53214 \cdot 10^{-1150}$	$1 ni'upapamu - \frac{M\Theta}{L^3 T^2} = 10^{-1150} = 0.03143341 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.1223312 \cdot 10^{-1140}$	$1 ni'upapavo - \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 4.134131 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 1030.113 \cdot 10^{-1140}$	$1 ni'upapaci - \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 531.1124 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 1.144505 \cdot 10^{-310}$	$1 ni'ucipa - \frac{MT\Theta}{L^3} = 10^{-310} = 0.4340415 m \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.01000414 \cdot 10^{-300}$	$1 ni'ucino - \frac{MT\Theta}{L^3} = 10^{-300} = 55.51425 \frac{kg\ s\ K}{m^3}$ (*)
$1k \frac{kg\ s\ K}{m^3} = 43.51144 \cdot 10^{-300}$	$1 ni'ucino - \frac{MT\Theta}{L^3} = 10^{-300} = 0.01143004 k \frac{kg\ s\ K}{m^3}$ (*)
$1m \frac{K}{C} = 0.01030421 \cdot 10^{-150}$	$1 ni'upamu - \frac{\Theta}{Q} = 10^{-150} = 53.04334 m \frac{K}{C}$
$1 \frac{K}{C} = 50.10411 \cdot 10^{-150}$	$1 ni'upamu - \frac{\Theta}{Q} = 10^{-150} = 0.01105334 \frac{K}{C}$
$1k \frac{K}{C} = 0.3514300 \cdot 10^{-140}$	$1 ni'upavo - \frac{\Theta}{Q} = 10^{-140} = 1.313504 k \frac{K}{C}$
$1m \frac{K}{sC} = 211.3120 \cdot 10^{-330}$	$1 ni'ucire - \frac{\Theta}{TQ} = 10^{-320} = 2414.332 m \frac{K}{sC}$
$1 \frac{K}{sC} = 1.412121 \cdot 10^{-320}$	$1 ni'ucire - \frac{\Theta}{TQ} = 10^{-320} = 0.3304120 \frac{K}{sC}$
$1k \frac{K}{sC} = 0.01152043 \cdot 10^{-310}$	$1 ni'ucipa - \frac{\Theta}{TQ} = 10^{-310} = 43.21130 k \frac{K}{sC}$
$1m \frac{K}{s^2 C} = 4.254125 \cdot 10^{-500}$	$1 ni'umuno - \frac{\Theta}{T^2 Q} = 10^{-500} = 0.1200305 m \frac{K}{s^2 C}$ (*)
$1 \frac{K}{s^2 C} = 0.03244351 \cdot 10^{-450}$	$1 ni'uvomu - \frac{\Theta}{T^2 Q} = 10^{-450} = 14.21531 \frac{K}{s^2 C}$
$1k \frac{K}{s^2 C} = 240.1354 \cdot 10^{-450}$	$1 ni'uvovo - \frac{\Theta}{T^2 Q} = 10^{-440} = 2124.335 k \frac{K}{s^2 C}$
$1m \frac{s\ K}{C} = 0.3112415 \cdot 10^{-20}$	$1 ni'ure - \frac{\Theta}{Q} = 10^{-20} = 1.512041 m \frac{s\ K}{C}$
$1 \frac{s\ K}{C} = 2250.301 \cdot 10^{-20}$	$1 ni'upa - \frac{T\Theta}{Q} = 10^{-10} = 223.1422 \frac{s\ K}{C}$
$1k \frac{s\ K}{C} = 15.24232 \cdot 10^{-10}$	$1 ni'upa - \frac{T\Theta}{Q} = 10^{-10} = 0.03050431 k \frac{s\ K}{C}$
$1m \frac{m\ K}{C} = 3.514144 \cdot 10^{-40}$	$1 ni'uvo - \frac{L\Theta}{Q} = 10^{-40} = 0.1313534 m \frac{m\ K}{C}$
$1 \frac{m\ K}{C} = 0.02554500 \cdot 10^{-30}$	$1 ni'uci - \frac{L\Theta}{Q} = 10^{-30} = 20.00440 \frac{m\ K}{C}$ (*)
$1k \frac{m\ K}{C} = 215.1034 \cdot 10^{-30}$	$1 ni'ure - \frac{L\Theta}{Q} = 10^{-20} = 2332.514 k \frac{m\ K}{C}$
$1m \frac{m\ K}{sC} = 0.1152020 \cdot 10^{-210}$	$1 ni'urepa - \frac{L\Theta}{TQ} = 10^{-210} = 4.321254 m \frac{m\ K}{sC}$
$1 \frac{m\ K}{sC} = 0.001003103 \cdot 10^{-200}$	$1 ni'ureneno - \frac{L\Theta}{TQ} = 10^{-200} = 552.5111 \frac{m\ K}{sC}$ (*)
$1k \frac{m\ K}{sC} = 4.410420 \cdot 10^{-200}$	$1 ni'ureno - \frac{L\Theta}{TQ} = 10^{-200} = 0.1135513 k \frac{m\ K}{sC}$ (*)
$1m \frac{m\ K}{s^2 C} = 0.002401304 \cdot 10^{-340}$	$1 ni'ucivo - \frac{L\Theta}{T^2 Q} = 10^{-340} = 212.4420 m \frac{m\ K}{s^2 C}$
$1 \frac{m\ K}{s^2 C} = 20.21341 \cdot 10^{-340}$	$1 ni'ucivo - \frac{L\Theta}{T^2 Q} = 10^{-340} = 0.02524111 \frac{m\ K}{s^2 C}$
$1k \frac{m\ K}{s^2 C} = 0.1331501 \cdot 10^{-330}$	$1 ni'ucici - \frac{L\Theta}{T^2 Q} = 10^{-330} = 3.434052 k \frac{m\ K}{s^2 C}$
$1m \frac{ms\ K}{C} = 152.4154 \cdot 10^{50}$	$1 pano - \frac{LT\Theta}{Q} = 10^{100} = 3050.531 m \frac{ms\ K}{C}$
$1 \frac{ms\ K}{C} = 1.250053 \cdot 10^{100}$	$1 pano - \frac{LT\Theta}{Q} = 10^{100} = 0.4023515 \frac{ms\ K}{C}$
$1k \frac{ms\ K}{C} = 0.01045253 \cdot 10^{110}$	$1 papa - \frac{LT\Theta}{Q} = 10^{110} = 51.40155 k \frac{ms\ K}{C}$ (*)
$1m \frac{m^2 K}{C} = 0.002150551 \cdot 10^{40}$	$1 vo - \frac{L^2 \Theta}{Q} = 10^{40} = 233.3004 m \frac{m^2 K}{C}$ (*)
$1 \frac{m^2 K}{C} = 14.41003 \cdot 10^{40}$	$1 vo - \frac{L^2 \Theta}{Q} = 10^{40} = 0.03211025 \frac{m^2 K}{C}$
$1k \frac{m^2 K}{C} = 0.1213025 \cdot 10^{50}$	$1 mu - \frac{L^2 \Theta}{Q} = 10^{50} = 4.210144 k \frac{m^2 K}{C}$
$1m \frac{m^2 K}{sC} = 44.10250 \cdot 10^{-100}$	$1 ni'upano - \frac{L^2 \Theta}{TQ} = 10^{-100} = 0.01135535 m \frac{m^2 K}{sC}$ (*)
$1 \frac{m^2 K}{sC} = 0.3342435 \cdot 10^{-50}$	$1 ni'umu - \frac{L^2 \Theta}{TQ} = 10^{-50} = 1.353342 \frac{m^2 K}{sC}$
$1k \frac{m^2 K}{sC} = 0.002443554 \cdot 10^{-40}$	$1 ni'uvovo - \frac{L^2 \Theta}{TQ} = 10^{-40} = 205.1251 k \frac{m^2 K}{sC}$
$1m \frac{m^2 K}{s^2 C} = 1.331431 \cdot 10^{-230}$	$1 ni'ureci - \frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.3434203 m \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 K}{s^2 C} = 0.01121124 \cdot 10^{-220}$	$1 ni'urere - \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 45.15221 \frac{m^2 K}{s^2 C}$
$1k \frac{m^2 K}{s^2 C} = 54.03551 \cdot 10^{-220}$	$1 ni'urere - \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.01015544 k \frac{m^2 K}{s^2 C}$ (*)
$1m \frac{m^2 s\ K}{C} = 0.1045232 \cdot 10^{210}$	$1 repa - \frac{L^2 T\Theta}{Q} = 10^{210} = 5.140335 m \frac{m^2 s\ K}{C}$
$1 \frac{m^2 s\ K}{C} = 513.2123 \cdot 10^{210}$	$1 rere - \frac{L^2 T\Theta}{Q} = 10^{220} = 1050.212 \frac{m^2 s\ K}{C}$
$1k \frac{m^2 s\ K}{C} = 4.020421 \cdot 10^{220}$	$1 rere - \frac{L^2 T\Theta}{Q} = 10^{220} = 0.1251144 k \frac{m^2 s\ K}{C}$
$1m \frac{K}{mC} = 14.54203 \cdot 10^{-310}$	$1 ni'ucipa - \frac{\Theta}{LQ} = 10^{-310} = 0.03141512 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.1224141 \cdot 10^{-300}$	$1 ni'ucino - \frac{\Theta}{LQ} = 10^{-300} = 4.131555 \frac{K}{mC}$ (**)
$1k \frac{K}{mC} = 1030.441 \cdot 10^{-300}$	$1 ni'uremu - \frac{\Theta}{LQ} = 10^{-250} = 530.4151 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.3413430 \cdot 10^{-440}$	$1 ni'uvovo - \frac{\Theta}{LTQ} = 10^{-440} = 1.341054 m \frac{K}{msC}$
$1 \frac{K}{msC} = 2510.345 \cdot 10^{-440}$	$1 ni'uvoci - \frac{\Theta}{LTQ} = 10^{-430} = 203.2302 \frac{K}{msC}$
$1k \frac{K}{msC} = 21.13202 \cdot 10^{-430}$	$1 ni'uvoci - \frac{\Theta}{LTQ} = 10^{-430} = 0.02414241 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 0.01131401 \cdot 10^{-1010} \\
1 \frac{K}{ms^2C} &= 54.53425 \cdot 10^{-1010} \\
1k \frac{K}{ms^2C} &= 0.4254252 \cdot 10^{-1000} \\
1m \frac{sK}{mC} &= 521.5441 \cdot 10^{-140} \\
1 \frac{sK}{mC} &= 4.053551 \cdot 10^{-130} \quad (*) \\
1k \frac{sK}{mC} &= 0.03112515 \cdot 10^{-120} \\
1m \frac{K}{m^2C} &= 0.03022303 \cdot 10^{-420} \\
1 \frac{K}{m^2C} &= 221.1111 \cdot 10^{-420} \\
1k \frac{K}{m^2C} &= 1.454240 \cdot 10^{-410} \\
1m \frac{K}{m^2sC} &= 1012.255 \cdot 10^{-1000} \quad (*) \\
1 \frac{K}{m^2sC} &= 4.451153 \cdot 10^{-550} \\
1k \frac{K}{m^2sC} &= 0.03413540 \cdot 10^{-540} \\
1m \frac{K}{m^2s^2C} &= 20.40230 \cdot 10^{-1130} \\
1 \frac{K}{m^2s^2C} &= 0.1344102 \cdot 10^{-1120} \\
1k \frac{K}{m^2s^2C} &= 1131.424 \cdot 10^{-1120} \\
1m \frac{sK}{m^2C} &= 1.301511 \cdot 10^{-250} \\
1 \frac{sK}{m^2C} &= 0.01055235 \cdot 10^{-240} \quad (*) \\
1k \frac{sK}{m^2C} &= 52.20022 \cdot 10^{-240} \quad (*) \\
1m \frac{K}{m^3C} &= 50.53013 \cdot 10^{-540} \\
1 \frac{K}{m^3C} &= 0.3550455 \cdot 10^{-530} \quad (*) \\
1k \frac{K}{m^3C} &= 0.003022402 \cdot 10^{-520} \\
1m \frac{K}{m^3sC} &= 1.425053 \cdot 10^{-1110} \\
1 \frac{K}{m^3sC} &= 0.01203003 \cdot 10^{-1100} \quad (*) \\
1k \frac{K}{m^3sC} &= 101.2314 \cdot 10^{-1100} \\
1m \frac{K}{m^3s^2C} &= 0.03314443 \cdot 10^{-1240} \\
1 \frac{K}{m^3s^2C} &= 242.3355 \cdot 10^{-1240} \quad (*) \\
1k \frac{K}{m^3s^2C} &= 2.040310 \cdot 10^{-1230} \\
1m \frac{sK}{m^3C} &= 0.002311243 \cdot 10^{-400} \\
1 \frac{sK}{m^3C} &= 15.42231 \cdot 10^{-400} \\
1k \frac{sK}{m^3C} &= 0.1301540 \cdot 10^{-350} \\
1m \frac{kgK}{C} &= 45.42102 \cdot 10^{-140} \\
1 \frac{kgK}{C} &= 0.3453431 \cdot 10^{-130} \\
1k \frac{kgK}{C} &= 0.002541054 \cdot 10^{-120} \\
1m \frac{kgK}{sC} &= 1.402344 \cdot 10^{-310} \\
1 \frac{kgK}{sC} &= 0.01143450 \cdot 10^{-300} \\
1k \frac{kgK}{sC} &= 55.55223 \cdot 10^{-300} \quad (*) \\
1m \frac{kgK}{s^2C} &= 0.03225133 \cdot 10^{-440} \\
1 \frac{kgK}{s^2C} &= 234.4513 \cdot 10^{-440} \\
1k \frac{kgK}{s^2C} &= 2.010541 \cdot 10^{-430} \\
1m \frac{kg sK}{C} &= 0.002234213 \cdot 10^0 \\
1 \frac{kg sK}{C} &= 15.14053 \cdot 10^0 \\
1k \frac{kg sK}{C} &= 0.1241220 \cdot 10^{10} \\
1m \frac{kg mK}{C} &= 0.02541000 \cdot 10^{-20} \quad (***) \\
1 \frac{kg mK}{C} &= 213.5303 \cdot 10^{-20} \\
1k \frac{kg mK}{C} &= 1.431131 \cdot 10^{-10} \\
1m \frac{kg mK}{sC} &= 555.5031 \cdot 10^{-200} \quad (***) \\
1 \frac{kg mK}{sC} &= 4.343144 \cdot 10^{-150}
\end{aligned}$$

$$\begin{aligned}
1 ni'upanopa \frac{\Theta}{LT^2Q} &= 10^{-1010} = 44.34230 m \frac{K}{ms^2C} \\
1 ni'upanopa \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.01010323 \frac{K}{ms^2C} \\
1 ni'upanono \frac{\Theta}{LT^2Q} &= 10^{-1000} = 1.200241 k \frac{K}{ms^2C} \quad (*) \\
1 ni'upavo \frac{T\Theta}{LQ} &= 10^{-140} = 0.001040313 m \frac{sK}{mC} \\
1 ni'upaci \frac{T\Theta}{LQ} &= 10^{-130} = 0.1235424 \frac{sK}{mC} \\
1 ni'upare \frac{T\Theta}{LQ} &= 10^{-120} = 15.12003 k \frac{sK}{mC} \quad (*) \\
1 ni'uvore \frac{\Theta}{L^2Q} &= 10^{-420} = 15.42312 m \frac{K}{m^2C} \\
1 ni'uvore \frac{\Theta}{L^2Q} &= 10^{-420} = 0.002311335 \frac{K}{m^2C} \\
1 ni'uvopa \frac{\Theta}{L^2Q} &= 10^{-410} = 0.3141411 k \frac{K}{m^2C} \\
1 ni'umumu \frac{\Theta}{L^2TQ} &= 10^{-550} = 543.4545 m \frac{K}{m^2sC} \\
1 ni'umumu \frac{\Theta}{L^2TQ} &= 10^{-550} = 0.1125203 \frac{K}{m^2sC} \\
1 ni'umuovo \frac{\Theta}{L^2TQ} &= 10^{-540} = 13.41023 k \frac{K}{m^2sC} \\
1 ni'upapaci \frac{\Theta}{L^2T^2Q} &= 10^{-1130} = 0.02501200 m \frac{K}{m^2s^2C} \quad (*) \\
1 ni'upapare \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 3.402514 \frac{K}{m^2s^2C} \\
1 ni'upapapa \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 443.4055 k \frac{K}{m^2s^2C} \quad (*) \\
1 ni'uremu \frac{T\Theta}{L^2Q} &= 10^{-250} = 0.3551021 m \frac{sK}{m^2C} \quad (*) \\
1 ni'urevo \frac{T\Theta}{L^2Q} &= 10^{-240} = 50.53201 \frac{sK}{m^2C} \\
1 ni'urevo \frac{T\Theta}{L^2Q} &= 10^{-240} = 0.01040252 k \frac{sK}{m^2C} \\
1 ni'umuovo \frac{\Theta}{L^3Q} &= 10^{-540} = 0.01055301 m \frac{K}{m^3C} \quad (*) \\
1 ni'umuci \frac{\Theta}{L^3Q} &= 10^{-530} = 1.301541 \frac{K}{m^3C} \\
1 ni'umure \frac{\Theta}{L^3Q} &= 10^{-520} = 154.2233 k \frac{K}{m^3C} \\
1 ni'upapapa \frac{\Theta}{L^3TQ} &= 10^{-1110} = 0.3234122 m \frac{K}{m^3sC} \\
1 ni'upapano \frac{\Theta}{L^3TQ} &= 10^{-1100} = 42.41533 \frac{K}{m^3sC} \\
1 ni'upapano \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.005434355 k \frac{K}{m^3sC} \quad (*) \\
1 ni'uparevo \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 14.05024 m \frac{K}{m^3s^2C} \\
1 ni'uparevo \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 0.002105045 \frac{K}{m^3s^2C} \\
1 ni'upareci \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 0.2501104 k \frac{K}{m^3s^2C} \\
1 ni'uvono \frac{T\Theta}{L^3Q} &= 10^{-400} = 221.1201 m \frac{sK}{m^3C} \\
1 ni'uvono \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.03022405 \frac{sK}{m^3C} \\
1 ni'ucimu \frac{T\Theta}{L^3Q} &= 10^{-350} = 3.550503 k \frac{sK}{m^3C} \quad (*) \\
1 ni'upavo \frac{M\Theta}{Q} &= 10^{-140} = 0.01113325 m \frac{kgK}{C} \\
1 ni'upaci \frac{M\Theta}{Q} &= 10^{-130} = 1.323001 \frac{kgK}{C} \quad (*) \\
1 ni'upare \frac{M\Theta}{Q} &= 10^{-120} = 201.1204 k \frac{kgK}{C} \\
1 ni'ucipa \frac{M\Theta}{TQ} &= 10^{-310} = 0.3323543 m \frac{kgK}{sC} \\
1 ni'ucino \frac{M\Theta}{TQ} &= 10^{-300} = 43.44243 \frac{kgK}{sC} \\
1 ni'ucino \frac{M\Theta}{TQ} &= 10^{-300} = 0.01000033 k \frac{kgK}{sC} \quad (**) \\
1 ni'uvovo \frac{M\Theta}{T^2Q} &= 10^{-440} = 14.31410 m \frac{kgK}{s^2C} \\
1 ni'uvovo \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.002140030 \frac{kgK}{s^2C} \quad (*) \\
1 ni'uvoci \frac{M\Theta}{T^2Q} &= 10^{-430} = 0.2541424 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 224.3452 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.03105123 \frac{kg sK}{C} \\
1 pa \frac{MT\Theta}{Q} &= 10^{10} = 4.045130 k \frac{kg sK}{C} \\
1 ni'ure \frac{ML\Theta}{Q} &= 10^{-20} = 20.11243 m \frac{kg mK}{C} \\
1 ni'ure \frac{ML\Theta}{Q} &= 10^{-20} = 0.002345313 \frac{kg mK}{C} \\
1 ni'upa \frac{ML\Theta}{Q} &= 10^{-10} = 0.3230043 k \frac{kg mK}{C} \quad (*) \\
1 ni'uren \frac{ML\Theta}{TQ} &= 10^{-200} = 0.001000053 m \frac{kg mK}{sC} \quad (**) \\
1 ni'upamu \frac{ML\Theta}{TQ} &= 10^{-150} = 0.1144045 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.03323021 \cdot 10^{-140} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 20.10502 \cdot 10^{-330} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.1322340 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 1113.135 \cdot 10^{-320} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 1.241152 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.01041431 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 51.03123 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14.31055 \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.1204322 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 1013.424 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.3322513 \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2430.451 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 20.42543 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.01113113 \cdot 10^{-210} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 53.33151 \cdot 10^{-210} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.4153035 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 510.2544 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 3.555222 \cdot 10^{230} \quad (**) \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.03030112 \cdot 10^{240} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.1215353 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 0.001023114 \cdot 10^{-240} \\
1k \frac{\text{kg K}}{\text{m C}} &= 4.542235 \cdot 10^{-240} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.002453121 \cdot 10^{-420} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 21.02030 \cdot 10^{-420} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.1402415 \cdot 10^{-410} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 54.22343 \cdot 10^{-1000} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.4231421 \cdot 10^{-550} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.003225240 \cdot 10^{-540} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 4.032155 \cdot 10^{-120} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m C}} &= 0.03054204 \cdot 10^{-110} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 223.4301 \cdot 10^{-110} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 215.5232 \cdot 10^{-410} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1.444241 \cdot 10^{-400} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.01215421 \cdot 10^{-350} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 4.423304 \cdot 10^{-540} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.03353431 \cdot 10^{-530} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 245.3213 \cdot 10^{-530} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.1334453 \cdot 10^{-1110} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.001123335 \cdot 10^{-1100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 5.422532 \cdot 10^{-1100} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.01051341 \cdot 10^{-230} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 51.50212 \cdot 10^{-230} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.4032313 \cdot 10^{-220} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.3525435 \cdot 10^{-520} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 3004.334 \cdot 10^{-520} \quad (*) \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 21.55315 \cdot 10^{-510} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni}'\text{upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 14.03015 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ucici-} \frac{ML\Theta}{T^2Q} &= 10^{-330} = 0.02541522 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 3.454415 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ucipa-} \frac{ML\Theta}{T^2Q} &= 10^{-310} = 454.3232 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ papa-} \frac{ML\Theta}{Q} &= 10^{110} = 0.4045245 \text{m} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ pare-} \frac{ML\Theta}{Q} &= 10^{120} = 52.05533 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{ML\Theta}{Q} &= 10^{120} = 0.01054040 \text{k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.03230150 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 4.232502 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ papa-} \frac{ML^2\Theta}{Q} &= 10^{110} = 542.4022 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ ni}'\text{uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 1.403051 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 210.2344 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.02453535 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 45.43404 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 0.01023253 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 1.220001 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (**) \\
1 \text{ rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.001054102 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 0.1300121 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \quad (*) \\
1 \text{ revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 15.40111 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ ni}'\text{uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 4.154110 \text{m} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni}'\text{urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 533.4415 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni}'\text{urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 0.1113303 \text{k} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni}'\text{uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 204.3254 \text{m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni}'\text{uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 0.02431301 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni}'\text{uvorepa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 3.323435 \text{k} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni}'\text{upanono-} \frac{M\Theta}{LT^2Q} &= 10^{-1000} = 0.01014001 \text{m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ ni}'\text{umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 1.204523 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni}'\text{umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 143.1334 \text{k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni}'\text{upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.1244315 \text{m} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni}'\text{upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 15.22130 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni}'\text{upano-} \frac{MT\Theta}{LQ} &= 10^{-100} = 2243.404 \text{k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni}'\text{uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 2324.021 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 0.3200353 \frac{\text{kg K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni}'\text{ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 41.53545 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{umuovo-} \frac{M\Theta}{L^2TQ} &= 10^{-540} = 0.1133301 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni}'\text{umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 13.50243 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni}'\text{umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 2043.214 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni}'\text{upapapa-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1110} = 3.423053 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni}'\text{upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 450.2022 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni}'\text{upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.1013541 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni}'\text{ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 51.22310 \text{m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 0.01044110 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 1.244251 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni}'\text{umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 1.310552 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ ni}'\text{umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 155.2542 \frac{\text{kg K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ ni}'\text{umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 0.02323532 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 0.01154331 \cdot 10^{-1050}$	$1 ni'upanomu- \frac{M\Theta}{L^3 TQ} = 10^{-1050} = 43.04441 m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 100.5045 \cdot 10^{-1050} \quad (*)$	$1 ni'upanovo- \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 5505.524 \frac{kg\ K}{m^3 s\ C} \quad (*)$
$1k \frac{kg\ K}{m^3 s\ C} = 0.4423434 \cdot 10^{-1040}$	$1 ni'upanovo- \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 1.133234 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 241.0400 \cdot 10^{-1230} \quad (*)$	$1 ni'uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 2120.235 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 2.025331 \cdot 10^{-1220}$	$1 ni'uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.2514352 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.01334523 \cdot 10^{-1210}$	$1 ni'uparepa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 34.22542 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 15.32000 \cdot 10^{-350} \quad (**)$	$1 ni'ucimu- \frac{MT\Theta}{L^3 Q} = 10^{-350} = 0.03040531 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 0.1252553 \cdot 10^{-340} \quad (*)$	$1 ni'ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 4.012035 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 1051.402 \cdot 10^{-340}$	$1 ni'ucici- \frac{MT\Theta}{L^3 Q} = 10^{-330} = 512.2130 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 25.45541 \cdot 10^{-40} \quad (*)$	$1 ni'uvo-Q\Theta = 10^{-40} = 0.02004023 m CK \quad (*)$
$1 CK = 0.2143200 \cdot 10^{-30} \quad (*)$	$1 ni'uci-Q\Theta = 10^{-30} = 2.341052 CK$
$1k CK = 0.001434111 \cdot 10^{-20}$	$1 ni'ure-Q\Theta = 10^{-20} = 322.0233 k CK$
$1m \frac{CK}{s} = 1.001305 \cdot 10^{-210} \quad (*)$	$1 ni'urepa- \frac{Q\Theta}{T} = 10^{-210} = 0.5542530 m \frac{CK}{s} \quad (*)$
$1 \frac{CK}{s} = 0.004355021 \cdot 10^{-200} \quad (*)$	$1 ni'urenovo- \frac{Q\Theta}{T} = 10^{-200} = 114.1550 \frac{CK}{s} \quad (*)$
$1k \frac{CK}{s} = 33.33015 \cdot 10^{-200}$	$1 ni'urenovo- \frac{Q\Theta}{T} = 10^{-200} = 0.01400131 k \frac{CK}{s} \quad (*)$
$1m \frac{CK}{s^2} = 0.02014130 \cdot 10^{-340}$	$1 ni'ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 25.32552 m \frac{CK}{s^2} \quad (*)$
$1 \frac{CK}{s^2} = 132.5124 \cdot 10^{-340}$	$1 ni'ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 0.003444202 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 1.115150 \cdot 10^{-330}$	$1 ni'ucici- \frac{Q\Theta}{T^2} = 10^{-330} = 0.4531100 k \frac{CK}{s^2} \quad (*)$
$1m s CK = 0.001243430 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 403.4325 m s CK$
$1 s CK = 10.43345 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 0.05153001 s CK \quad (*)$
$1k s CK = 0.05115533 \cdot 10^{110} \quad (*)$	$1 papa-TQ\Theta = 10^{110} = 10.52104 k s CK$
$1m m CK = 0.01434035 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 32.20340 m m CK$
$1 m CK = 121.0500 \cdot 10^{40} \quad (*)$	$1 vo-LQ\Theta = 10^{40} = 0.004221244 m CK$
$1k m CK = 1.015255 \cdot 10^{50} \quad (*)$	$1 mu-LQ\Theta = 10^{50} = 0.5410301 k m CK$
$1m \frac{m CK}{s} = 333.2510 \cdot 10^{-100}$	$1 ni'upano- \frac{LQ\Theta}{T} = 10^{-100} = 0.001400202 m \frac{m CK}{s} \quad (*)$
$1 \frac{m CK}{s} = 2.435233 \cdot 10^{-50}$	$1 ni'umu- \frac{LQ\Theta}{T} = 10^{-50} = 0.2055001 \frac{m CK}{s} \quad (**)$
$1k \frac{m CK}{s} = 0.02050305 \cdot 10^{-40}$	$1 ni'uvoso- \frac{LQ\Theta}{T} = 10^{-40} = 24.45123 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 11.15124 \cdot 10^{-230}$	$1 ni'ureci- \frac{LQ\Theta}{T^2} = 10^{-230} = 0.04531232 m \frac{m CK}{s^2}$
$1 \frac{m CK}{s^2} = 0.05350412 \cdot 10^{-220}$	$1 ni'urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 10.21411 \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 420.4205 \cdot 10^{-220}$	$1 ni'urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 0.001213405 k \frac{m CK}{s^2}$
$1m m s CK = 0.5115354 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 1.052125 m m s CK$
$1 m s CK = 0.004010035 \cdot 10^{220} \quad (*)$	$1 rere-LTQ\Theta = 10^{220} = 125.3421 m s CK$
$1k m s CK = 30.35214 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.01532543 k m s CK$
$1m m^2 CK = 10.15235 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.05410450 m m^2 CK$
$1 m^2 CK = 0.04512545 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 11.21505 m^2 CK$
$1k m^2 CK = 343.2251 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 0.001332314 k m^2 CK$
$1m \frac{m^2 CK}{s} = 0.2050225 \cdot 10^{20}$	$1 re- \frac{L^2 Q\Theta}{T} = 10^{20} = 2.445215 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 1352.444 \cdot 10^{20}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 334.4325 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 11.35150 \cdot 10^{30}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 0.04412451 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 4204.044 \cdot 10^{-120}$	$1 ni'upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 121.3433 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 32.05224 \cdot 10^{-110}$	$1 ni'upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 0.01441523 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 0.2331421 \cdot 10^{-100}$	$1 ni'upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 2.152044 k \frac{m^2 CK}{s^2}$
$1m m^2 s CK = 303.5114 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.001533021 m m^2 s CK$
$1 m^2 s CK = 2.221525 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 0.2300302 m^2 s CK \quad (*)$
$1k m^2 s CK = 0.01503343 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 31.24300 k m^2 s CK \quad (*)$
$1m \frac{CK}{m} = 0.04554254 \cdot 10^{-150} \quad (*)$	$1 ni'upamu- \frac{Q\Theta}{L} = 10^{-150} = 11.11321 m \frac{CK}{m}$
$1 \frac{CK}{m} = 350.4101 \cdot 10^{-150}$	$1 ni'upavo- \frac{Q\Theta}{L} = 10^{-140} = 1320.221 \frac{CK}{m}$
$1k \frac{CK}{m} = 2.550035 \cdot 10^{-140} \quad (**)$	$1 ni'upavo- \frac{Q\Theta}{L} = 10^{-140} = 0.2003544 k \frac{CK}{m} \quad (*)$
$1m \frac{CK}{ms} = 0.001405241 \cdot 10^{-320}$	$1 ni'ucire- \frac{Q\Theta}{LT} = 10^{-320} = 331.4002 m \frac{CK}{ms} \quad (*)$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 11.45552 \cdot 10^{-320} \quad (**)
\\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 0.1001325 \cdot 10^{-310} \quad (*)
\\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 32.34554 \cdot 10^{-500} \quad (*)
\\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.2353144 \cdot 10^{-450}
\\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 0.002014205 \cdot 10^{-440}
\\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 2.242245 \cdot 10^{-20}
\\
1 \frac{\text{s CK}}{\text{m}} &= 0.01521151 \cdot 10^{-10}
\\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 124.3454 \cdot 10^{-10}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 122.1552 \cdot 10^{-310} \quad (*)
\\
1 \frac{\text{CK}}{\text{m}^2} &= 1.025002 \cdot 10^{-300} \quad (*)
\\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 4554.431 \cdot 10^{-300} \quad (*)
\\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 2.501544 \cdot 10^{-440}
\\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.02105423 \cdot 10^{-430}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 140.5312 \cdot 10^{-430}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.05440125 \cdot 10^{-1010}
\\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 424.3053 \cdot 10^{-1010}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 3.235102 \cdot 10^{-1000}
\\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 4043.111 \cdot 10^{-140}
\\
1 \frac{\text{s CK}}{\text{m}^2} &= 31.03353 \cdot 10^{-130}
\\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 0.2242333 \cdot 10^{-120}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.2203201 \cdot 10^{-420}
\\
1 \frac{\text{CK}}{\text{m}^3} &= 1451.245 \cdot 10^{-420}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 12.22020 \cdot 10^{-410}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 4435.250 \cdot 10^{-1000}
\\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 34.03520 \cdot 10^{-550}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.2502040 \cdot 10^{-540}
\\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 134.1303 \cdot 10^{-1130}
\\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 1.125404 \cdot 10^{-1120}
\\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 5440.315 \cdot 10^{-1120}
\\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 10.53313 \cdot 10^{-250}
\\
1 \frac{\text{s CK}}{\text{m}^3} &= 0.05203135 \cdot 10^{-240}
\\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 404.3230 \cdot 10^{-240}
\\
1 \text{m kg CK} &= 0.2131445 \cdot 10^{-20}
\\
1 \text{kg CK} &= 1424.220 \cdot 10^{-20}
\\
1 \text{kg kg CK} &= 12.02232 \cdot 10^{-10}
\\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 4331.430 \cdot 10^{-200}
\\
1 \frac{\text{kg CK}}{\text{s}} &= 33.13124 \cdot 10^{-150}
\\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 0.2422244 \cdot 10^{-140}
\\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 132.0020 \cdot 10^{-330} \quad (*)
\\
1 \frac{\text{kg CK}}{\text{s}^2} &= 1.111145 \cdot 10^{-320}
\\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 5320.250 \cdot 10^{-320}
\\
1 \text{m kg s CK} &= 10.35533 \cdot 10^{110} \quad (*)
\\
1 \text{kg s CK} &= 0.05050442 \cdot 10^{120}
\\
1 \text{kg kg s CK} &= 354.5031 \cdot 10^{120}
\\
1 \text{m kg m CK} &= 120.2204 \cdot 10^{50}
\\
1 \text{kg m CK} &= 1.012012 \cdot 10^{100}
\\
1 \text{kg kg m CK} &= 4445.114 \cdot 10^{100}
\\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 2.422153 \cdot 10^{-40}
\\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.02035254 \cdot 10^{-30}
\\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 134.3243 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 0.04332425 \frac{\text{CK}}{\text{m s}}
\\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 5.542334 \text{k} \frac{\text{CK}}{\text{m s}}
\\
1 \text{ni'umuno-} \frac{Q\Theta}{LT^2} &= 10^{-500} = 0.01424434 \text{m} \frac{\text{CK}}{\text{m s}^2}
\\
1 \text{ni'uvomo-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 2.132143 \frac{\text{CK}}{\text{m s}^2}
\\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 253.2454 \text{k} \frac{\text{CK}}{\text{m s}^2}
\\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.2235415 \text{m} \frac{\text{s CK}}{\text{m}}
\\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 30.55531 \frac{\text{s CK}}{\text{m}} \quad (**)
\\
1 \frac{TQ\Theta}{L} &= 1 = 4034.210 \text{k} \frac{\text{s CK}}{\text{m}}
\\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 4142.555 \text{m} \frac{\text{CK}}{\text{m}^2} \quad (**)
\\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.5321215 \frac{\text{CK}}{\text{m}^2}
\\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 111.1300 \text{k} \frac{\text{CK}}{\text{m}^2} \quad (*)
\\
1 \text{ni'uvovo-} \frac{Q\Theta}{L^2T} &= 10^{-440} = 0.2035541 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*)
\\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2T} &= 10^{-430} = 24.22525 \frac{\text{CK}}{\text{m}^2 \text{s}}
\\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2T} &= 10^{-420} = 3313.453 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}}
\\
1 \text{ni'upanopa-} \frac{Q\Theta}{L^2T^2} &= 10^{-1010} = 10.12133 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2T^2} &= 10^{-1000} = 1202.351 \frac{\text{CK}}{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2T^2} &= 10^{-1000} = 0.1424402 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2}
\\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 124.2040 \text{m} \frac{\text{s CK}}{\text{m}^2}
\\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 0.01515031 \frac{\text{s CK}}{\text{m}^2}
\\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 2.235331 \text{k} \frac{\text{s CK}}{\text{m}^2}
\\
1 \text{ni'uvore-} \frac{Q\Theta}{L^3} &= 10^{-420} = 2.315435 \text{m} \frac{\text{CK}}{\text{m}^3}
\\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 315.1033 \frac{\text{CK}}{\text{m}^3}
\\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.04142434 \text{k} \frac{\text{CK}}{\text{m}^3}
\\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3T} &= 10^{-550} = 113.1221 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}}
\\
1 \text{ni'umumu-} \frac{Q\Theta}{L^3T} &= 10^{-550} = 0.01343421 \frac{\text{CK}}{\text{m}^3 \text{s}}
\\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3T} &= 10^{-540} = 2.035501 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \quad (*)
\\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3T^2} &= 10^{-1120} = 3412.532 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2}
\\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3T^2} &= 10^{-1120} = 0.4450000 \frac{\text{m}^3 \text{s}^2}{\text{s}^2} \quad (**)
\\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3T^2} &= 10^{-1110} = 101.2113 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2}
\\
1 \text{ni'uremu-} \frac{TQ\Theta}{L^3} &= 10^{-250} = 0.05105451 \text{m} \frac{\text{s CK}}{\text{m}^3}
\\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 10.42151 \frac{\text{s CK}}{\text{m}^3}
\\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.001242012 \text{k} \frac{\text{s CK}}{\text{m}^3}
\\
1 \text{ni'ure-MQ}\Theta &= 10^{-20} = 2.353513 \text{m kg CK}
\\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 323.5424 \text{kg CK}
\\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 0.04243515 \text{k kg CK}
\\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 115.0133 \text{m} \frac{\text{kg CK}}{\text{s}}
\\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 0.01405452 \frac{\text{kg CK}}{\text{s}}
\\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 2.110033 \text{k} \frac{\text{kg CK}}{\text{s}} \quad (*)
\\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 3505.001 \text{m} \frac{\text{kg CK}}{\text{s}^2} \quad (*)
\\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 0.4555325 \frac{\text{kg CK}}{\text{s}^2} \quad (**)
\\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 102.5105 \text{k} \frac{\text{kg CK}}{\text{s}^2}
\\
1 \text{papa-MTQ}\Theta &= 10^{110} = 0.05222424 \text{m kg s CK}
\\
1 \text{pare-MTQ}\Theta &= 10^{120} = 11.00004 \text{kg s CK} \quad (**)
\\
1 \text{pare-MTQ}\Theta &= 10^{120} = 0.001302340 \text{k kg s CK}
\\
1 \text{pano-MLQ}\Theta &= 10^{100} = 4244.042 \text{m kg m CK}
\\
1 \text{pano-MLQ}\Theta &= 10^{100} = 0.5441300 \text{kg m CK} \quad (*)
\\
1 \text{papa-MLQ}\Theta &= 10^{110} = 112.5521 \text{k kg m CK} \quad (*)
\\
1 \text{ni'ubo-} \frac{MLQ\Theta}{T} &= 10^{-40} = 0.2110114 \text{m} \frac{\text{kg m CK}}{\text{s}}
\\
1 \text{ni'uci-} \frac{MLQ\Theta}{T} &= 10^{-30} = 25.02325 \frac{\text{kg m CK}}{\text{s}}
\\
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 3404.255 \text{k} \frac{\text{kg m CK}}{\text{s}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 0.05320102 \cdot 10^{-210} \\
1 \text{kg m CK} &= 414.2021 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 3.150320 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 3544.514 \cdot 10^{220} \\
1 \text{kg m s CK} &= 30.21101 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 0.2210055 \cdot 10^{240} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m kg m}^2 \text{CK} &= 0.04444543 \cdot 10^{210} \\
1 \text{kg m}^2 \text{CK} &= 341.2043 \cdot 10^{210} \\
1 \text{k kg m}^2 \text{CK} &= 2.505214 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.001343213 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 11.31042 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.05451110 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 31.50214 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.2315115 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.001545154 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 2.210012 \cdot 10^{340} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{kg m}^2 \text{s CK} &= 0.01453314 \cdot 10^{350} \\
1 \text{k kg m}^2 \text{s CK} &= 122.3355 \cdot 10^{350} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 344.3304 \cdot 10^{-140} \\
1 \frac{\text{kg CK}}{\text{m}} &= 2.532203 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 0.02131531 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 11.41410 \cdot 10^{-310} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.05541342 \cdot 10^{-300} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 433.1554 \cdot 10^{-300} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.2340330 \cdot 10^{-440} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2003.345 \cdot 10^{-440} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 13.20050 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 0.01511031 \cdot 10^0 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 123.5005 \cdot 10^0 \quad (*) \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 1.035553 \cdot 10^{10} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 1.021245 \cdot 10^{-250} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.004530205 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 34.43415 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.02054311 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 135.5552 \cdot 10^{-420} \quad (**) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 1.141433 \cdot 10^{-410} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 422.0302 \cdot 10^{-1000} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 3.215513 \cdot 10^{-550} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.02340415 \cdot 10^{-540} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 30.45111 \cdot 10^{-120} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.2230310 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 0.001511104 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 0.001441303 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 12.13244 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.1021305 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 33.43443 \cdot 10^{-540} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.2444440 \cdot 10^{-530} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.002054352 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 1.121331 \cdot 10^{-1110} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.005405323 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{\text{MLQ}\Theta}{T^2} &= 10^{-210} = 10.25125 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'urenlo-} \frac{\text{MLQ}\Theta}{T^2} &= 10^{-200} = 1222.142 \text{kg m CK} \frac{\text{s}^2}{\text{m}} \\
1 \text{ni'urenlo-} \frac{\text{MLQ}\Theta}{T^2} &= 10^{-200} = 0.1451433 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-} \text{MLTQ}\Theta &= 10^{230} = 130.2410 \text{m kg m s CK} \\
1 \text{reci-} \text{MLTQ}\Theta &= 10^{230} = 0.01543221 \text{kg m s CK} \\
1 \text{revo-} \text{MLTQ}\Theta &= 10^{240} = 2.312415 \text{k kg m s CK} \\
1 \text{repa-} \text{ML}^2 \text{Q}\Theta &= 10^{210} = 11.25543 \text{m kg m}^2 \text{CK} \quad (*) \\
1 \text{rere-} \text{ML}^2 \text{Q}\Theta &= 10^{220} = 1341.511 \text{kg m}^2 \text{CK} \\
1 \text{rere-} \text{ML}^2 \text{Q}\Theta &= 10^{220} = 0.2033232 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{\text{ML}^2 \text{Q}\Theta}{T} &= 10^{40} = 340.4405 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{vo-} \frac{\text{ML}^2 \text{Q}\Theta}{T} &= 10^{40} = 0.04440302 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{mu-} \frac{\text{ML}^2 \text{Q}\Theta}{T} &= 10^{50} = 10.11005 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{ni'upano-} \frac{\text{ML}^2 \text{Q}\Theta}{T^2} &= 10^{-100} = 0.01451510 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{\text{ML}^2 \text{Q}\Theta}{T^2} &= 10^{-50} = 2.203503 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvlo-} \frac{\text{ML}^2 \text{Q}\Theta}{T^2} &= 10^{-40} = 301.4101 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} \text{ML}^2 \text{TQ}\Theta &= 10^{340} = 0.2312504 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} \text{ML}^2 \text{TQ}\Theta &= 10^{350} = 31.43152 \text{kg m}^2 \text{s CK} \\
1 \text{vono-} \text{ML}^2 \text{TQ}\Theta &= 10^{400} = 4133.510 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upavo-} \frac{\text{MQ}\Theta}{L} &= 10^{-140} = 0.001325330 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upaci-} \frac{\text{MQ}\Theta}{L} &= 10^{-130} = 0.2014410 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{\text{MQ}\Theta}{L} &= 10^{-120} = 23.53422 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucipa-} \frac{\text{MQ}\Theta}{LT} &= 10^{-310} = 0.04400024 \text{m} \frac{\text{kg CK}}{\text{ms}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucino-} \frac{\text{MQ}\Theta}{LT} &= 10^{-300} = 10.01425 \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni'ucino-} \frac{\text{MQ}\Theta}{LT} &= 10^{-300} = 0.001150110 \text{k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni'uvovo-} \frac{\text{MQ}\Theta}{LT^2} &= 10^{-440} = 2.143455 \text{m} \frac{\text{kg CK}}{\text{ms}^2} \quad (*) \\
1 \text{ni'uvoci-} \frac{\text{MQ}\Theta}{LT^2} &= 10^{-430} = 255.0333 \frac{\text{kg CK}}{\text{ms}^2} \quad (*) \\
1 \text{ni'uvoci-} \frac{\text{MQ}\Theta}{LT^2} &= 10^{-430} = 0.03504450 \text{k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{\text{MTQ}\Theta}{L} &= 1 = 31.14251 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{\text{MTQ}\Theta}{L} &= 1 = 0.004100014 \frac{\text{kg s CK}}{\text{m}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-} \frac{\text{MTQ}\Theta}{L} &= 10^{10} = 0.5222243 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'uremu-} \frac{\text{MQ}\Theta}{L^2} &= 10^{-250} = 0.5351533 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'urevo-} \frac{\text{MQ}\Theta}{L^2} &= 10^{-240} = 111.5301 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'urevo-} \frac{\text{MQ}\Theta}{L^2} &= 10^{-240} = 0.01325300 \text{k} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvore-} \frac{\text{MQ}\Theta}{L^2 T} &= 10^{-420} = 24.40011 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvore-} \frac{\text{MQ}\Theta}{L^2 T} &= 10^{-420} = 0.003333351 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{\text{MQ}\Theta}{L^2 T} &= 10^{-410} = 0.4355454 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{\text{MQ}\Theta}{L^2 T^2} &= 10^{-1000} = 0.001211045 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umumu-} \frac{\text{MQ}\Theta}{L^2 T^2} &= 10^{-550} = 0.1434254 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuovo-} \frac{\text{MQ}\Theta}{L^2 T^2} &= 10^{-540} = 21.43413 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\text{MTQ}\Theta}{L^2} &= 10^{-120} = 0.01525213 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upapa-} \frac{\text{MTQ}\Theta}{L^2} &= 10^{-110} = 2.251422 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{\text{MTQ}\Theta}{L^2} &= 10^{-100} = 311.4151 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{\text{MQ}\Theta}{L^3} &= 10^{-400} = 321.0050 \text{m} \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvono-} \frac{\text{MQ}\Theta}{L^3} &= 10^{-400} = 0.04205024 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{\text{MQ}\Theta}{L^3} &= 10^{-350} = 5.351344 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuovo-} \frac{\text{MQ}\Theta}{L^3 T} &= 10^{-540} = 0.01353054 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuci-} \frac{\text{MQ}\Theta}{L^3 T} &= 10^{-530} = 2.050513 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{\text{MQ}\Theta}{L^3 T} &= 10^{-520} = 243.5520 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upapapa-} \frac{\text{MQ}\Theta}{L^3 T^2} &= 10^{-1110} = 0.4514010 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapano-} \frac{\text{MQ}\Theta}{L^3 T^2} &= 10^{-1100} = 101.5401 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$1 \mathbf{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 42.20425 \cdot 10^{-1100}$$

$$1 \mathbf{m} \frac{\text{kg s CK}}{\text{m}^3} = 0.05133414 \cdot 10^{-230}$$

$$1 \frac{\text{kg s CK}}{\text{m}^3} = 402.1511 \cdot 10^{-230}$$

$$1 \mathbf{k} \frac{\text{kg s CK}}{\text{m}^3} = 3.045211 \cdot 10^{-220}$$

$$1 \text{ ni}'\text{upapano-} \frac{MQ\Theta}{L^3 T^2} = 10^{-1100} = 0.01211021 \mathbf{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$$

$$1 \text{ ni}'\text{ureci-} \frac{MTQ\Theta}{L^3} = 10^{-230} = 10.50015 \mathbf{m} \frac{\text{kg s CK}}{\text{m}^3} \quad (*)$$

$$1 \text{ ni}'\text{urere-} \frac{MTQ\Theta}{L^3} = 10^{-220} = 1250.515 \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ ni}'\text{urere-} \frac{MTQ\Theta}{L^3} = 10^{-220} = 0.1525135 \mathbf{k} \frac{\text{kg s CK}}{\text{m}^3}$$

## 5 Base 10 - ??

### 5.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\text{Proton mass} = 7.685148 \cdot 10^{-20}$$

$$\text{Electron mass} = 0.004185462 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.08542454 \cdot 10^0$$

$$\text{\AA}^1 = 61871.42 \cdot 10^{20}$$

$$\text{Bohr radius}^2 = 32740.95 \cdot 10^{20}$$

$$\text{Fine structure constant}^3 = 0.007297353 \cdot 10^0$$

$$\text{Rydberg Energy}^4 = 1114.408 \cdot 10^{-30}$$

$$|\psi^{100}(0)|^2^5 = 906935.5 \cdot 10^{-80}$$

$$\text{eV} = 81.90745 \cdot 10^{-30}$$

$$\hbar^6 = 1.000000 \quad (***)$$

$$\lambda_{\text{yellow}} = 0.03557607 \cdot 10^{30}$$

$$k_{\text{yellow}}^7 = 176.6127 \cdot 10^{-30}$$

$$k_{\text{X-Ray}}^8 = 963.4097 \cdot 10^{-20}$$

$$1 \text{ ni'ure-}M = 10^{-20} = 0.1301211 m_p$$

$$1 \text{ ni'ure-}M = 10^{-20} = 238.9222 m_e$$

$$1 Q = 1 = 11.70624 e$$

$$1 \text{ re-}L = 10^{20} = 0.00001616255 \text{\AA}$$

$$1 \text{ re-}L = 10^{20} = 0.00003054279 a_0$$

$$1 = 1 = 137.0360 \alpha$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0008973377 Ry$$

$$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 11026.14 \rho_{\max}$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.01220890 \text{ eV}$$

$$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$$

$$1 \text{ ci-}L = 10^{30} = 28.10878 \cdot \lambda_{\text{yellow}}$$

$$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.005662107 \cdot k_{\text{yellow}}$$

$$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.001037980 \cdot k_{\text{X-Ray}}$$

$$\text{Earth g} = 0.0008102958 \cdot 10^{-40}$$

$$\text{cm} = 618.7142 \cdot 10^{30}$$

$$\text{min} = 111291.5 \cdot 10^{40}$$

$$\text{hour} = 0.0006677491 \cdot 10^{50}$$

$$\text{Liter} = 23.68483 \cdot 10^{100}$$

$$1 \text{ ni'ubo-} \frac{ML}{T^2} = 10^{-40} = 1234.117 \cdot \text{Earth g}$$

$$1 \text{ ci-}L = 10^{30} = 0.001616255 \text{ cm}$$

$$1 \text{ mu-}T = 10^{50} = 89854.11 \text{ min}$$

$$1 \text{ mu-}T = 10^{50} = 1497.568 \text{ h}$$

$$1 \text{ pano-}L^3 = 10^{100} = 0.04222111 l$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.0003658656 A$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.02612280 \cdot 100 \text{ m}^2$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$$

$$1 \text{ ci-}L = 10^{30} = 0.0006363209 \text{ in}$$

$$1 \text{ vo-}L = 10^{40} = 100.4322 \text{ mi} \quad (*)$$

$$1 \text{ pa-}M = 10^{10} = 479.8216 \text{ pound}$$

$$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.4865569 \text{ horsepower}$$

$$1 \frac{ML^2}{T^2} = 1 = 467202.1 \text{ kcal}$$

$$1 \frac{ML^2}{T^2} = 1 = 543.3560 \text{ kWh}$$

$$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 8.401252 E_H$$

$$1 \text{ ni'uxa-} \frac{M}{T Q} = 10^{-60} = 0.004484225 \cdot \text{Earthmagneticfield}$$

<sup>1</sup>Length in atomic and solid state physics,  $1/10 \text{ nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>36 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.00001095124 \cdot 10^{40}$   
 Mass of an average man =  $0.3216270 \cdot 10^{10}$

Age of the Universe =  $0.01229207 \cdot 10^{60}$   
 Size of the observable Universe =  $54.44685 \cdot 10^{60}$   
 Average density of the Universe =  $19.20522 \cdot 10^{-130}$   
 Earth mass =  $274.3938 \cdot 10^{30}$   
 Sun mass<sup>12</sup> =  $0.009138433 \cdot 10^{40}$   
 Year =  $5.853368 \cdot 10^{50}$   
 Speed of Light = 1.000000 (\*\*\*)  
 Parsec =  $19.09167 \cdot 10^{50}$   
 Astronomical unit =  $925583.3 \cdot 10^{40}$   
 Earth radius =  $39.41828 \cdot 10^{40}$   
 Distance Earth-Moon =  $2378.338 \cdot 10^{40}$   
*Momentum of someone walking*<sup>13</sup> =  $200.0066 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1644934 \cdot 10^0$   
 mol =  $6022.141 \cdot 10^{20}$   
 Standard temperature<sup>14</sup> =  $1.927958 \cdot 10^{-30}$   
 Room - standard temperature<sup>15</sup> =  $0.1411648 \cdot 10^{-30}$   
 atm =  $21.87053 \cdot 10^{-110}$   
 $c_s = 11441.25 \cdot 10^{-10}$

$\mu_0 = 12.56637 \cdot 10^0$   
 $G = 1.000000$  (\*\*\*)

$1 \text{ vo-}L = 10^{40} = 91313.84 \bar{h}$   
 $1 \text{ pa-}M = 10^{10} = 3.109192 \bar{m}$   
 $1 \text{ xa-}T = 10^{60} = 81.35324 t_U$   
 $1 \text{ xa-}L = 10^{60} = 0.01836653 l_U$   
 $1 \text{ ni'upaci-} \frac{M}{L^3} = 10^{-130} = 0.05206918 \rho_U$   
 $1 \text{ ci-}M = 10^{30} = 0.003644398 m_E$   
 $1 \text{ vo-}M = 10^{40} = 109.4279 m_S$   
 $1 \text{ mu-}T = 10^{50} = 0.1708418 \text{ y}$   
 $1 \frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)  
 $1 \text{ mu-}L = 10^{50} = 0.05237888 \text{ pc}$   
 $1 \text{ mu-}L = 10^{50} = 10804.00 \text{ au}$  (\*)  
 $1 \text{ vo-}L = 10^{40} = 0.02536894 r_E$   
 $1 \text{ vo-}L = 10^{40} = 0.0004204618 d_M$   
 $1 \frac{ML}{T} = 1 = 0.004999836 \cdot \text{Momentum of someone walking}$

$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$   
 $1 \text{ re-} = 10^{20} = 0.0001660539 \text{ mol}$   
 $1 \text{ ni'uci-} \Theta = 10^{-30} = 0.5186836 T_0$   
 $1 \text{ ni'uci-} \Theta = 10^{-30} = 7.083921 \Theta_R$   
 $1 \text{ ni'upapa-} \frac{M}{LT^2} = 10^{-110} = 0.04572363 \text{ atm}$   
 $1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$

$1 \frac{ML}{Q^2} = 1 = 0.07957747 \cdot \mu_0$   
 $1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G$  (\*\*\*)

#### Extensive list of SI units

$1 = 1 = 1.000000$  (\*\*\*)  
 $1 \frac{1}{\text{s}} = 0.0005391246 \cdot 10^{-40}$   
 $1 \frac{1}{\text{s}^2} = 2906.554 \cdot 10^{-90}$   
 $1 \text{ s} = 1854.859 \cdot 10^{40}$   
 $1 \text{ m} = 61871.42 \cdot 10^{30}$   
 $1 \frac{\text{m}}{\text{s}} = 33.35641 \cdot 10^{-10}$   
 $1 \frac{\text{m}}{\text{s}^2} = 0.01798326 \cdot 10^{-50}$   
 $1 \text{ m s} = 0.01147627 \cdot 10^{80}$   
 $1 \text{ m}^2 = 0.3828073 \cdot 10^{70}$   
 $1 \frac{\text{m}^2}{\text{s}} = 0.0002063809 \cdot 10^{30}$   
 $1 \frac{\text{m}^2}{\text{s}^2} = 1112.650 \cdot 10^{-20}$   
 $1 \text{ m}^2 \text{ s} = 710.0534 \cdot 10^{110}$   
 $1 \frac{1}{\text{m}} = 161625.5 \cdot 10^{-40}$   
 $1 \frac{1}{\text{m s}} = 87.13629 \cdot 10^{-80}$   
 $1 \frac{1}{\text{m s}^2} = 0.04697732 \cdot 10^{-120}$   
 $1 \frac{\text{s}}{\text{m}} = 0.02997925 \cdot 10^{10}$  (\*)  
 $1 \frac{1}{\text{m}^2} = 2.612280 \cdot 10^{-70}$   
 $1 \frac{1}{\text{m}^2 \text{s}} = 0.001408345 \cdot 10^{-110}$   
 $1 \frac{1}{\text{m}^2 \text{s}^2} = 7592.733 \cdot 10^{-160}$

$1 = 1 = 1.000000$  (\*\*\*)  
 $1 \text{ ni'uvu-} \frac{1}{\text{T}} = 10^{-40} = 1854.859 \frac{1}{\text{s}}$   
 $1 \text{ ni'uso-} \frac{1}{\text{T}^2} = 10^{-90} = 0.0003440501 \frac{1}{\text{s}^2}$   
 $1 \text{ vo-}T = 10^{40} = 0.0005391246 \text{ s}$   
 $1 \text{ vo-}L = 10^{40} = 161625.5 \text{ m}$   
 $1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.02997925 \frac{\text{m}}{\text{s}}$  (\*)  
 $1 \text{ ni'umu-} \frac{L}{T^2} = 10^{-50} = 55.60726 \frac{\text{m}}{\text{s}^2}$   
 $1 \text{ bi-}LT = 10^{80} = 87.13629 \text{ m s}$   
 $1 \text{ ze-}L^2 = 10^{70} = 2.612280 \text{ m}^2$   
 $1 \text{ ci-} \frac{L^2}{T} = 10^{30} = 4845.411 \frac{\text{m}^2}{\text{s}}$   
 $1 \text{ ni'ure-} \frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{\text{m}^2}{\text{s}^2}$   
 $1 \text{ papa-}L^2 T = 10^{110} = 0.001408345 \text{ m}^2 \text{ s}$   
 $1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 61871.42 \frac{1}{\text{m}}$   
 $1 \text{ ni'ubi-} \frac{1}{LT} = 10^{-80} = 0.01147627 \frac{1}{\text{m s}}$   
 $1 \text{ ni'upare-} \frac{1}{LT^2} = 10^{-120} = 21.28687 \frac{1}{\text{m s}^2}$   
 $1 \text{ pa-} \frac{T}{L} = 10^{10} = 33.35641 \frac{\text{s}}{\text{m}}$   
 $1 \text{ ni'uze-} \frac{1}{L^2} = 10^{-70} = 0.3828073 \frac{1}{\text{m}^2}$   
 $1 \text{ ni'upapa-} \frac{1}{L^2 T} = 10^{-110} = 710.0534 \frac{1}{\text{m}^2 \text{s}}$   
 $1 \text{ ni'upaxa-} \frac{1}{L^2 T^2} = 10^{-160} = 0.0001317049 \frac{1}{\text{m}^2 \text{s}^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>20 °C

$1 \frac{s}{m^2} = 4845.411 \cdot 10^{-30}$	$1 \frac{ni'uci}{L^2} = 10^{-30} = 0.0002063809 \frac{s}{m^2}$
$1 \frac{1}{m^3} = 0.00004222111 \cdot 10^{-100}$	$1 \frac{ni'upano}{L^3} = 10^{-100} = 23684.83 \frac{1}{m^3}$
$1 \frac{1}{m^3 s} = 227.6244 \cdot 10^{-150}$	$1 \frac{ni'upamu}{L^3 T} = 10^{-150} = 0.004393202 \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s^2} = 0.1227179 \cdot 10^{-190}$	$1 \frac{ni'upaso}{L^3 T^2} = 10^{-190} = 8.148768 \frac{1}{m^3 s^2}$
$1 \frac{s}{m^3} = 0.07831419 \cdot 10^{-60}$	$1 \frac{ni'uxa}{L^3} = 10^{-60} = 12.76908 \frac{s}{m^3}$
$1 \text{kg} = 0.004594671 \cdot 10^{10}$	$1 \text{pa-}M = 10^{10} = 217.6434 \text{ kg}$
$1 \frac{\text{kg}}{s} = 24771.00 \cdot 10^{-40}$ (*)	$1 \frac{ni'uvo}{T} = 10^{-40} = 0.00004036978 \frac{\text{kg}}{s}$
$1 \frac{\text{kg}}{s^2} = 13.35466 \cdot 10^{-80}$	$1 \frac{ni'ubi}{T^2} = 10^{-80} = 0.07488024 \frac{\text{kg}}{s^2}$
$1 \text{kg s} = 8.522465 \cdot 10^{50}$	$1 \text{mu-}MT = 10^{50} = 0.1173369 \text{ kg s}$
$1 \text{kg m} = 284.2788 \cdot 10^{40}$	$1 \text{vo-}ML = 10^{40} = 0.003517673 \text{ kg m}$
$1 \frac{\text{kg m}}{s} = 0.1532617 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 6.524786 \frac{\text{kg m}}{s}$
$1 \frac{\text{kg m}}{s^2} = 0.00008262718 \cdot 10^{-40}$	$1 \frac{ni'uvo}{T^2} = 10^{-40} = 12102.56 \frac{\text{kg m}}{s^2}$
$1 \text{kg m s} = 527297.1 \cdot 10^{80}$	$1 \text{so-}MLT = 10^{90} = 18964.64 \text{ kg m s}$
$1 \text{kg m}^2 = 0.001758874 \cdot 10^{80}$	$1 \text{bi-}ML^2 = 10^{80} = 568.5457 \text{ kg m}^2$
$1 \frac{\text{kg m}^2}{s} = 9482.522 \cdot 10^{30}$	$1 \text{ci-}ML^2 = 10^{30} = 0.0001054572 \frac{\text{kg m}^2}{s}$
$1 \frac{\text{kg m}^2}{s^2} = 5.112261 \cdot 10^{-10}$	$1 \frac{ni'upa}{T^2} = 10^{-10} = 0.1956082 \frac{\text{kg m}^2}{s^2}$
$1 \text{kg m}^2 s = 3.262462 \cdot 10^{120}$	$1 \text{pare-}ML^2 T = 10^{120} = 0.3065170 \text{ kg m}^2 s$
$1 \frac{\text{kg}}{m} = 742.6160 \cdot 10^{-30}$	$1 \frac{ni'uci}{L} = 10^{-30} = 0.001346591 \frac{\text{kg}}{m}$
$1 \frac{\text{kg}}{m s} = 0.4003626 \cdot 10^{-70}$ (*)	$1 \frac{ni'uze}{LT} = 10^{-70} = 2.497736 \frac{\text{kg}}{m s}$
$1 \frac{\text{kg}}{m s^2} = 0.0002158453 \cdot 10^{-110}$	$1 \frac{ni'upapa}{LT^2} = 10^{-110} = 4632.947 \frac{\text{kg}}{m s^2}$
$1 \frac{\text{kg s}}{m} = 0.0001377448 \cdot 10^{20}$	$1 \frac{re-}{L} = 10^{20} = 7259.804 \frac{\text{kg s}}{m}$
$1 \frac{\text{kg}}{m^2} = 0.01200257 \cdot 10^{-60}$ (*)	$1 \frac{ni'uxa}{L^2} = 10^{-60} = 83.31550 \frac{\text{kg}}{m^2}$
$1 \frac{\text{kg}}{m^2 s} = 64708.81 \cdot 10^{-110}$	$1 \frac{ni'upano}{L^2 T} = 10^{-100} = 154538.5 \frac{\text{kg}}{m^2 s}$
$1 \frac{\text{kg}}{m^2 s^2} = 34.88611 \cdot 10^{-150}$	$1 \frac{ni'upamu}{L^2 T^2} = 10^{-150} = 0.02866470 \frac{\text{kg}}{m^2 s^2}$
$1 \frac{\text{kg s}}{m^2} = 22.26307 \cdot 10^{-20}$	$1 \frac{ni'ure}{L^2} = 10^{-20} = 0.04491744 \frac{\text{kg s}}{m^2}$
$1 \frac{\text{kg}}{m^3} = 1939.921 \cdot 10^{-100}$	$1 \frac{ni'upano}{L^3} = 10^{-100} = 0.0005154849 \frac{\text{kg}}{m^3}$
$1 \frac{\text{kg}}{m^3 s} = 1.045859 \cdot 10^{-140}$	$1 \frac{ni'upavo}{L^3 T} = 10^{-140} = 0.9561515 \frac{\text{kg}}{m^3 s}$
$1 \frac{\text{kg}}{m^3 s^2} = 0.0005638485 \cdot 10^{-180}$	$1 \frac{ni'upabi}{L^3 T^2} = 10^{-180} = 1773.526 \frac{\text{kg}}{m^3 s^2}$
$1 \frac{\text{kg s}}{m^3} = 0.0003598280 \cdot 10^{-50}$	$1 \frac{ni'umu}{L^3} = 10^{-50} = 2779.106 \frac{\text{kg s}}{m^3}$
$1 \frac{1}{C} = 187.5546 \cdot 10^{-20}$	$1 \frac{ni'ure}{Q} = 10^{-20} = 0.005331781 \frac{1}{C}$
$1 \frac{1}{s C} = 0.1011153 \cdot 10^{-60}$	$1 \frac{ni'uxa}{T Q} = 10^{-60} = 9.889699 \frac{1}{s C}$ (*)
$1 \frac{1}{s^2 C} = 0.00005451376 \cdot 10^{-100}$	$1 \frac{ni'upano}{T^2 Q} = 10^{-100} = 18343.99 \frac{1}{s^2 C}$ (*)
$1 \frac{s}{C} = 347887.3 \cdot 10^{20}$	$1 \frac{ci}{Q} = 10^{30} = 28744.94 \frac{s}{C}$
$1 \frac{m}{C} = 0.001160427 \cdot 10^{20}$	$1 \frac{re}{Q} = 10^{20} = 861.7517 \frac{m}{C}$
$1 \frac{m}{s C} = 6256.148 \cdot 10^{-30}$	$1 \frac{ni'uci}{T Q} = 10^{-30} = 0.0001598428 \frac{m}{s C}$
$1 \frac{m}{s^2 C} = 3.372844 \cdot 10^{-70}$	$1 \frac{ni'uze}{T^2 Q} = 10^{-70} = 0.2964857 \frac{m}{s^2 C}$
$1 \frac{ms}{C} = 2.152428 \cdot 10^{60}$	$1 \frac{xa}{Q} = 10^{60} = 0.4645916 \frac{ms}{C}$
$1 \frac{m^2}{C} = 71.79727 \cdot 10^{50}$	$1 \frac{mu}{Q} = 10^{50} = 0.01392811 \frac{m^2}{C}$
$1 \frac{m^2}{s C} = 0.03870768 \cdot 10^{10}$	$1 \frac{pa}{T Q} = 10^{10} = 25.83467 \frac{m^2}{s C}$
$1 \frac{m^2}{s^2 C} = 208682.6 \cdot 10^{-40}$	$1 \frac{ni'uci}{T^2 Q} = 10^{-30} = 47919.65 \frac{m^2}{s^2 C}$
$1 \frac{m^2 s}{C} = 0.00001331738 \cdot 10^{100}$	$1 \frac{pano}{Q} = 10^{100} = 75089.85 \frac{m^2 s}{C}$
$1 \frac{1}{m C} = 0.003031361 \cdot 10^{-50}$	$1 \frac{ni'umu}{L Q} = 10^{-50} = 329.8849 \frac{1}{m C}$
$1 \frac{1}{m s C} = 16342.81 \cdot 10^{-100}$	$1 \frac{ni'upano}{T L Q} = 10^{-100} = 0.00006118898 \frac{1}{m s C}$
$1 \frac{1}{m s^2 C} = 8.810813 \cdot 10^{-140}$	$1 \frac{ni'upavo}{T L^2 Q} = 10^{-140} = 0.1134969 \frac{1}{m s^2 C}$
$1 \frac{s}{m C} = 5.622746 \cdot 10^{-10}$	$1 \frac{ni'upa}{L Q} = 10^{-10} = 0.1778491 \frac{s}{m C}$
$1 \frac{1}{m^2 C} = 489.9452 \cdot 10^{-90}$	$1 \frac{ni'uso}{L^2 Q} = 10^{-90} = 0.002041045 \frac{1}{m^2 C}$
$1 \frac{1}{m^2 s C} = 0.2641415 \cdot 10^{-130}$	$1 \frac{ni'upaci}{L^2 T Q} = 10^{-130} = 3.785849 \frac{1}{m^2 s C}$
$1 \frac{1}{m^2 s^2 C} = 0.0001424052 \cdot 10^{-170}$	$1 \frac{ni'upaze}{L^2 T^2 Q} = 10^{-170} = 7022.215 \frac{1}{m^2 s^2 C}$
$1 \frac{s}{m^2 C} = 0.00009087791 \cdot 10^{-40}$	$1 \frac{ni'uvo}{L^2 Q} = 10^{-40} = 11003.77 \frac{s}{m^2 C}$ (*)

$1 \frac{1}{\text{m}^3 \text{C}} = 0.007918764 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{1}{L^3 Q} = 10^{-120} = 126.2823 \frac{1}{\text{m}^3 \text{C}}$
$1 \frac{1}{\text{m}^3 \text{s} \text{C}} = 42692.01 \cdot 10^{-170}$	$1 \text{ni}'\text{upaxa}-\frac{1}{L^3 T Q} = 10^{-160} = 234235.9 \frac{1}{\text{m}^3 \text{s} \text{C}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} = 23.01631 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{1}{L^3 T^2 Q} = 10^{-210} = 0.04344744 \frac{1}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^3 \text{C}} = 14.68819 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{T}{L^3 Q} = 10^{-80} = 0.06808192 \frac{\text{s}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{C}} = 0.8617517 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{M}{Q} = 10^{-10} = 1.160427 \frac{\text{kg}}{\text{C}}$
$1 \frac{\text{kg}}{\text{s} \text{C}} = 0.0004645916 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{T Q} = 10^{-50} = 2152.428 \frac{\text{kg}}{\text{s} \text{C}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{C}} = 2504.728 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{T^2 Q} = 10^{-100} = 0.0003992450 \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg s}}{\text{C}} = 1598.428 \cdot 10^{30}$	$1 \text{ci}-\frac{MT}{Q} = 10^{30} = 0.0006256148 \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{C}} = 53317.81 \cdot 10^{20}$	$1 \text{re}-\frac{\dot{M}L}{Q} = 10^{20} = 0.00001875546 \frac{\text{kg m}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{s} \text{C}} = 28.74494 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{ML}{T Q} = 10^{-20} = 0.03478873 \frac{\text{kg m}}{\text{s} \text{C}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{C}} = 0.01549711 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{ML}{T^2 Q} = 10^{-60} = 64.52817 \frac{\text{kg m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg ms}}{\text{C}} = 0.009889699 \cdot 10^{70} \quad (*)$	$1 \text{ze}-\frac{MLT}{Q} = 10^{70} = 101.1153 \frac{\text{kg ms}}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 0.3298849 \cdot 10^{60}$	$1 \text{xa}-\frac{ML^2}{Q} = 10^{60} = 3.031361 \frac{\text{kg m}^2}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{s} \text{C}} = 0.0001778491 \cdot 10^{20}$	$1 \text{re}-\frac{ML^2}{T Q} = 10^{20} = 5622.746 \frac{\text{kg m}^2}{\text{s} \text{C}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} = 958.8281 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{ML^2}{T^2 Q} = 10^{-30} = 0.001042940 \frac{\text{kg m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{C}} = 611.8898 \cdot 10^{100}$	$1 \text{pano}-\frac{ML^2 T}{Q} = 10^{100} = 0.001634281 \frac{\text{kg m}^2 \text{s}}{\text{C}}$
$1 \frac{\text{kg}}{\text{m} \text{C}} = 0.00001392811 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{M}{L Q} = 10^{-40} = 71797.27 \frac{\text{kg}}{\text{m} \text{C}}$
$1 \frac{\text{kg}}{\text{m s} \text{C}} = 75.08985 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{M}{LT Q} = 10^{-90} = 0.01331738 \frac{\text{kg}}{\text{m s} \text{C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.04048279 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{M}{LT^2 Q} = 10^{-130} = 24.70186 \frac{\text{kg}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m} \text{C}} = 0.02583467 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 38.70768 \frac{\text{kg s}}{\text{m} \text{C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 2.251137 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 Q} = 10^{-80} = 0.4442200 \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}} = 0.001213643 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^2 T Q} = 10^{-120} = 823.9652 \frac{\text{kg}}{\text{m}^2 \text{s} \text{C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 6543.051 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze}-\frac{M}{L^2 T^2 Q} = 10^{-170} = 0.0001528339 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 4175.541 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2 Q} = 10^{-40} = 0.0002394899 \frac{\text{kg s}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 363841.2 \cdot 10^{-120}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^3 Q} = 10^{-110} = 27484.52 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} = 196.1557 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{M}{L^3 T Q} = 10^{-160} = 0.005097990 \frac{\text{kg}}{\text{m}^3 \text{s} \text{C}} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1057524 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{M}{L^3 T^2 Q} = 10^{-200} = 9.456051 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.06748739 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MT}{L^3 Q} = 10^{-70} = 14.81758 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{C} = 0.005331781 \cdot 10^{20}$	$1 \text{re}-Q = 10^{20} = 187.5546 \text{ C}$
$1 \frac{\text{C}}{\text{s}} = 28744.94 \cdot 10^{-30}$	$1 \text{ni}'\text{ure}-\frac{Q}{T} = 10^{-20} = 347887.3 \frac{\text{C}}{\text{s}}$
$1 \frac{\text{C}}{\text{s}^2} = 15.49711 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{Q}{T^2} = 10^{-70} = 0.06452817 \frac{\text{C}}{\text{s}^2}$
$1 \text{s C} = 9.889699 \cdot 10^{60} \quad (*)$	$1 \text{xa}-T Q = 10^{60} = 0.1011153 \text{ s C}$
$1 \text{m C} = 329.8849 \cdot 10^{50}$	$1 \text{mu}-L Q = 10^{50} = 0.003031361 \text{ m C}$
$1 \frac{\text{m C}}{\text{s}} = 0.1778491 \cdot 10^{10}$	$1 \text{pa}-\frac{LQ}{T} = 10^{10} = 5.622746 \frac{\text{m C}}{\text{s}}$
$1 \frac{\text{m C}}{\text{s}^2} = 958828.1 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{LQ}{T^2} = 10^{-30} = 10429.40 \frac{\text{m C}}{\text{s}^2}$
$1 \text{m s C} = 0.00006118898 \cdot 10^{100}$	$1 \text{pano}-L T Q = 10^{100} = 16342.81 \text{ m s C}$
$1 \text{m}^2 \text{C} = 0.002041045 \cdot 10^{90}$	$1 \text{so}-L^2 Q = 10^{90} = 489.9452 \text{ m}^2 \text{C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 11003.77 \cdot 10^{40} \quad (*)$	$1 \text{vo}-\frac{L^2 Q}{T} = 10^{40} = 0.00009087791 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 5.932406$	$1 \frac{L^2 Q}{T^2} = 1 = 0.1685657 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m}^2 \text{s C} = 3.785849 \cdot 10^{130}$	$1 \text{paci}-L^2 T Q = 10^{130} = 0.2641415 \text{ m}^2 \text{s C}$
$1 \frac{\text{C}}{\text{m}} = 861.7517 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{Q}{L} = 10^{-20} = 0.001160427 \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m s}} = 0.4645916 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q}{LT} = 10^{-60} = 2.152428 \frac{\text{C}}{\text{m s}}$
$1 \frac{\text{C}}{\text{m s}^2} = 0.0002504728 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q}{LT^2} = 10^{-100} = 3992.450 \frac{\text{C}}{\text{m s}^2} \quad (*)$
$1 \frac{\text{s C}}{\text{m}} = 0.0001598428 \cdot 10^{30}$	$1 \text{ci}-\frac{TQ}{L} = 10^{30} = 6256.148 \frac{\text{s C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}^2} = 0.01392811 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{Q}{L^2} = 10^{-50} = 71.79727 \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 75089.85 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q}{L^2 T} = 10^{-100} = 0.00001331738 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 40.48279 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q}{L^2 T^2} = 10^{-140} = 0.02470186 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s C}}{\text{m}^2} = 25.83467 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{TQ}{L^2} = 10^{-10} = 0.03870768 \frac{\text{s C}}{\text{m}^2}$

$1 \frac{C}{m^3} = 2251.137 \cdot 10^{-90}$	$1 ni'uso- \frac{Q}{L^3} = 10^{-90} = 0.0004442200 \frac{C}{m^3}$ (*)
$1 \frac{C}{m^3 s} = 1.213643 \cdot 10^{-130}$	$1 ni'upaci- \frac{Q}{L^3 T} = 10^{-130} = 0.8239652 \frac{C}{m^3 s}$
$1 \frac{C}{m^3 s^2} = 0.0006543051 \cdot 10^{-170}$	$1 ni'upaze- \frac{Q}{L^3 T^2} = 10^{-170} = 1528.339 \frac{C}{m^3 s^2}$
$1 \frac{s C}{m^3} = 0.0004175541 \cdot 10^{-40}$	$1 ni'uvo- \frac{T Q}{L^3} = 10^{-40} = 2394.899 \frac{s C}{m^3}$ (*)
$1 kg\ C = 244977.8 \cdot 10^{20}$	$1 ci-MQ = 10^{30} = 40820.03\ kg\ C$
$1 \frac{kg\ C}{s} = 132.0736 \cdot 10^{-20}$	$1 ni'ure- \frac{MQ}{T} = 10^{-20} = 0.007571538 \frac{kg\ C}{s}$
$1 \frac{kg\ C}{s^2} = 0.07120411 \cdot 10^{-60}$	$1 ni'uxa- \frac{MQ}{T^2} = 10^{-60} = 14.04413 \frac{kg\ C}{s^2}$
$1 kg\ s\ C = 0.04543992 \cdot 10^{70}$ (*)	$1 ze-MTQ = 10^{70} = 22.00708\ kg\ s\ C$ (*)
$1 kg\ m\ C = 1.515712 \cdot 10^{60}$	$1 xa-MLQ = 10^{60} = 0.6597558\ kg\ m\ C$
$1 \frac{kg\ m\ C}{s} = 0.0008171579 \cdot 10^{20}$	$1 re- \frac{MLQ}{T} = 10^{20} = 1223.754 \frac{kg\ m\ C}{s}$
$1 \frac{kg\ m\ C}{s^2} = 4405.500 \cdot 10^{-30}$ (*)	$1 ni'uci- \frac{MLQ}{T^2} = 10^{-30} = 0.0002269890 \frac{kg\ m\ C}{s^2}$
$1 kg\ m\ s\ C = 2811.432 \cdot 10^{100}$	$1 pano-MLTQ = 10^{100} = 0.0003556906\ kg\ m\ s\ C$
$1 kg\ m^2\ C = 93779.29 \cdot 10^{90}$	$1 pano-ML^2Q = 10^{100} = 106633.4\ kg\ m^2\ C$
$1 \frac{kg\ m^2\ C}{s} = 50.55872 \cdot 10^{50}$	$1 mu- \frac{ML^2Q}{T} = 10^{50} = 0.01977898 \frac{kg\ m^2\ C}{s}$
$1 \frac{kg\ m^2\ C}{s^2} = 0.02725745 \cdot 10^{10}$	$1 pa- \frac{ML^2Q}{T^2} = 10^{10} = 36.68721 \frac{kg\ m^2\ C}{s^2}$
$1 kg\ m^2\ s\ C = 0.01739473 \cdot 10^{140}$	$1 pavo-ML^2TQ = 10^{140} = 57.48867\ kg\ m^2\ s\ C$
$1 \frac{kg\ C}{m} = 3.959466 \cdot 10^{-10}$	$1 ni'upa- \frac{MQ}{L} = 10^{-10} = 0.2525593 \frac{kg\ C}{m}$
$1 \frac{kg\ C}{m\ s} = 0.002134646 \cdot 10^{-50}$	$1 ni'umu- \frac{MQ}{LT} = 10^{-50} = 468.4618 \frac{kg\ C}{m\ s}$
$1 \frac{kg\ C}{m\ s^2} = 11508.40 \cdot 10^{-100}$	$1 ni'upano- \frac{MQ}{LT^2} = 10^{-100} = 0.00008689305 \frac{kg\ C}{m\ s^2}$
$1 \frac{kg\ s\ C}{m} = 7344.249 \cdot 10^{30}$	$1 ci- \frac{MTQ}{L} = 10^{30} = 0.0001361610 \frac{kg\ s\ C}{m}$
$1 \frac{kg\ C}{m^2} = 0.00006399506 \cdot 10^{-40}$ (*)	$1 ni'ubo- \frac{MQ}{L^2} = 10^{-40} = 15626.21 \frac{kg\ C}{m^2}$
$1 \frac{kg\ C}{m^2\ s} = 345.0132 \cdot 10^{-90}$	$1 ni'upare- \frac{MQ}{L^3 T} = 10^{-90} = 0.002898440 \frac{kg\ C}{m^2\ s}$
$1 \frac{kg\ C}{m^2\ s^2} = 0.1860051 \cdot 10^{-130}$ (*)	$1 ni'upaci- \frac{MQ}{L^2 T^2} = 10^{-130} = 5.376197 \frac{kg\ C}{m^2\ s^2}$
$1 \frac{kg\ s\ C}{m^2} = 0.1187018 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 8.424472 \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ C}{m^3} = 10.34323 \cdot 10^{-80}$	$1 ni'ubi- \frac{MQ}{L^3} = 10^{-80} = 0.09668156 \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3\ s} = 0.005576293 \cdot 10^{-120}$	$1 ni'upare- \frac{MQ}{L^3 T} = 10^{-120} = 179.3306 \frac{kg\ C}{m^3\ s}$
$1 \frac{kg\ C}{m^3\ s^2} = 30063.17 \cdot 10^{-170}$ (*)	$1 ni'upaxa- \frac{MQ}{L^3 T^2} = 10^{-160} = 332632.9 \frac{kg\ C}{m^3\ s^2}$
$1 \frac{kg\ s\ C}{m^3} = 19185.24 \cdot 10^{-40}$	$1 ni'uvo- \frac{MTQ}{L^3} = 10^{-40} = 0.00005212341 \frac{kg\ s\ C}{m^3}$
$1 \frac{1}{K} = 141.6784 \cdot 10^{30}$	$1 ci- \frac{1}{\Theta} = 10^{30} = 0.007058238 \frac{1}{K}$
$1 \frac{1}{s K} = 0.07638233 \cdot 10^{-10}$	$1 ni'upa- \frac{1}{T\Theta} = 10^{-10} = 13.09203 \frac{1}{sK}$
$1 \frac{1}{s^2 K} = 411795.9 \cdot 10^{-60}$	$1 ni'umu- \frac{1}{T^2\Theta} = 10^{-50} = 24283.87 \frac{1}{s^2K}$
$1 \frac{s}{K} = 0.00002627934 \cdot 10^{80}$	$1 bi- \frac{T}{\Theta} = 10^{80} = 38052.70 \frac{s}{K}$
$1 \frac{m}{K} = 0.0008765845 \cdot 10^{70}$	$1 ze- \frac{L}{\Theta} = 10^{70} = 1140.791 \frac{m}{K}$
$1 \frac{m}{sK} = 4725.883 \cdot 10^{20}$	$1 re- \frac{L}{T\Theta} = 10^{20} = 0.0002116007 \frac{m}{sK}$ (*)
$1 \frac{m}{s^2 K} = 2.547840 \cdot 10^{-20}$	$1 ni'ure- \frac{L}{T^2\Theta} = 10^{-20} = 0.3924893 \frac{m}{s^2K}$
$1 \frac{ms}{K} = 1.625940 \cdot 10^{110}$	$1 papa- \frac{LT}{\Theta} = 10^{110} = 0.6150287 \frac{ms}{K}$
$1 \frac{m^2}{K} = 54.23553 \cdot 10^{100}$	$1 pano- \frac{L^2}{\Theta} = 10^{100} = 0.01843810 \frac{m^2}{K}$
$1 \frac{m^2}{s^2 K} = 0.02923971 \cdot 10^{60}$	$1 xa- \frac{L^2}{T\Theta} = 10^{60} = 34.20006 \frac{m^2}{sK}$ (**)
$1 \frac{m^2}{s^2 K} = 0.00001576385 \cdot 10^{20}$	$1 re- \frac{L^2}{T^2\Theta} = 10^{20} = 63436.28 \frac{m^2}{s^2K}$
$1 \frac{m^2 s}{K} = 100599.2 \cdot 10^{140}$ (**)	$1 pamu- \frac{L^2 T}{\Theta} = 10^{150} = 99404.32 \frac{m^2 s}{K}$ (*)
$1 \frac{1}{m K} = 0.002289885 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.7032 \frac{1}{mK}$
$1 \frac{1}{m s K} = 12345.33 \cdot 10^{-50}$	$1 ni'ubo- \frac{1}{LT\Theta} = 10^{-40} = 810022.8 \frac{1}{msK}$ (*)
$1 \frac{1}{m s^2 K} = 6.655673 \cdot 10^{-90}$	$1 ni'uso- \frac{1}{LT^2\Theta} = 10^{-90} = 0.1502478 \frac{1}{ms^2K}$
$1 \frac{s}{m K} = 4.247412 \cdot 10^{40}$	$1 vo- \frac{T}{L\Theta} = 10^{40} = 0.2354375 \frac{s}{mK}$
$1 \frac{1}{m^2 K} = 370.1037 \cdot 10^{-40}$	$1 ni'ubo- \frac{1}{L^2\Theta} = 10^{-40} = 0.002701945 \frac{1}{m^2K}$
$1 \frac{1}{m^2 s K} = 0.1995320 \cdot 10^{-80}$ (*)	$1 ni'ubi- \frac{1}{L^2 T\Theta} = 10^{-80} = 5.011726 \frac{1}{m^2 sK}$
$1 \frac{1}{m^2 s^2 K} = 0.0001075726 \cdot 10^{-120}$	$1 ni'upare- \frac{1}{L^2 T^2\Theta} = 10^{-120} = 9296.044 \frac{1}{m^2 s^2K}$
$1 \frac{s}{m^2 K} = 686490.1 \cdot 10^0$	$1 pa- \frac{T}{L^2\Theta} = 10^{10} = 14566.85 \frac{s}{m^2K}$
$1 \frac{1}{m^3 K} = 0.005981820 \cdot 10^{-70}$	$1 ni'uze- \frac{1}{L^3\Theta} = 10^{-70} = 167.1732 \frac{1}{m^3K}$
$1 \frac{1}{m^3 s K} = 32249.47 \cdot 10^{-120}$	$1 ni'upare- \frac{1}{L^3 T\Theta} = 10^{-120} = 0.00003100826 \frac{1}{m^3 sK}$ (*)

$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 17.38648 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa-} \frac{1}{L^3 T^2 \Theta} = 10^{-160} = 0.05751595 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^3 \text{K}} = 11.09543 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \frac{T}{L^3 \Theta} = 10^{-30} = 0.09012719 \frac{\text{s}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{K}} = 0.6509657 \cdot 10^{40}$	$1 \text{vo-} \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{\text{kg}}{\text{K}}$
$1 \frac{\text{kg}}{\text{s K}} = 0.0003509517 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 2849.395 \frac{\text{kg}}{\text{s K}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 1892.067 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{M}{T^2 \Theta} = 10^{-50} = 0.0005285225 \frac{\text{kg}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{K}} = 1207.449 \cdot 10^{80}$	$1 \text{bi-} \frac{MT}{\Theta} = 10^{80} = 0.0008281921 \frac{\text{kg s}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{K}} = 40276.18 \cdot 10^{70}$	$1 \text{bi-} \frac{ML}{\Theta} = 10^{80} = 248285.7 \frac{\text{kg m}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{s K}} = 21.71388 \cdot 10^{30}$	$1 \text{ci-} \frac{ML}{T \Theta} = 10^{30} = 0.04605349 \frac{\text{kg m}}{\text{s K}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.01170649 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} = 10^{-10} = 85.42272 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.007470661 \cdot 10^{120}$	$1 \text{pare-} \frac{MLT}{\Theta} = 10^{120} = 133.8570 \frac{\text{kg m s}}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{K}} = 0.2491944 \cdot 10^{110}$	$1 \text{papa-} \frac{ML^2}{\Theta} = 10^{110} = 4.012931 \frac{\text{kg m}^2}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{s K}} = 0.0001343469 \cdot 10^{70}$	$1 \text{ze-} \frac{ML^2}{T \Theta} = 10^{70} = 7443.419 \frac{\text{kg m}^2}{\text{s K}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 724.2971 \cdot 10^{20}$	$1 \text{re-} \frac{ML^2}{T^2 \Theta} = 10^{20} = 0.001380649 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 462.2205 \cdot 10^{150}$	$1 \text{pamu-} \frac{ML^2 T}{\Theta} = 10^{150} = 0.002163470 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \frac{\text{kg}}{\text{m K}} = 105212.7 \cdot 10^0$	$1 \text{pa-} \frac{M}{L \Theta} = 10^{10} = 95045.59 \frac{\text{kg}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m s K}} = 56.72274 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{M}{LT \Theta} = 10^{-40} = 0.01762961 \frac{\text{kg}}{\text{m s K}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{K}} = 0.03058063 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{M}{LT^2 \Theta} = 10^{-80} = 32.70044 \frac{\text{kg}}{\text{m s}^2 \text{K}} (*)$
$1 \frac{\text{kg s}}{\text{m K}} = 0.01951546 \cdot 10^{50}$	$1 \text{mu-} \frac{MT}{L \Theta} = 10^{50} = 51.24142 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 1.700505 \cdot 10^{-30} (*)$	$1 \text{ni}'\text{uci-} \frac{M}{L^2 \Theta} = 10^{-30} = 0.5880606 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.0009167841 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{M}{L^2 T \Theta} = 10^{-70} = 1090.769 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 4942.609 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{M}{L^2 T^2 \Theta} = 10^{-120} = 0.0002023223 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 3154.196 \cdot 10^{10}$	$1 \text{pa-} \frac{MT}{L^2 \Theta} = 10^{10} = 0.0003170380 \frac{\text{kg s}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.00002748450 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{M}{L^3 \Theta} = 10^{-60} = 36384.15 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 148.1757 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{M}{L^3 T \Theta} = 10^{-110} = 0.006748745 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 0.07988517 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{M}{L^3 T^2 \Theta} = 10^{-150} = 12.51797 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 0.05097986 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{MT}{L^3 \Theta} = 10^{-20} = 19.61559 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \text{K} = 0.007058238 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \Theta = 10^{-30} = 141.6784 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 38052.70 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{\Theta}{T} = 10^{-80} = 0.00002627934 \frac{\text{s}}{\text{K}}$
$1 \frac{\text{K}}{\text{s}^2} = 20.51515 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{\Theta}{T^2} = 10^{-120} = 0.04874447 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.09203 \cdot 10^{10}$	$1 \text{pa-} T \Theta = 10^{10} = 0.07638233 \text{ s K}$
$1 \text{m K} = 436.7032 \cdot 10^0$	$1 L \Theta = 1 = 0.002289885 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 0.2354375 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{L \Theta}{T} = 10^{-40} = 4.247412 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.0001269301 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L \Theta}{T^2} = 10^{-80} = 7878.349 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 810022.8 \cdot 10^{40} (*)$	$1 \text{mu-} LT \Theta = 10^{50} = 12345.33 \text{ m s K}$
$1 \text{m}^2 \text{ K} = 0.002701945 \cdot 10^{40}$	$1 \text{vo-} L^2 \Theta = 10^{40} = 370.1037 \text{ m}^2 \text{ K}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}} = 14566.85 \cdot 10^{-10}$	$1 \frac{L^2 \Theta}{T} = 1 = 686490.1 \frac{\text{m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}^2} = 7.853349 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2 \Theta}{T^2} = 10^{-50} = 0.1273342 \frac{\text{m}^2 \text{ K}}{\text{s}^2}$
$1 \text{m}^2 \text{ s K} = 5.011726 \cdot 10^{80}$	$1 \text{bi-} L^2 T \Theta = 10^{80} = 0.1995320 \text{ m}^2 \text{ s K} (*)$
$1 \frac{\text{K}}{\text{m}} = 1140.791 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{\Theta}{L} = 10^{-70} = 0.0008765845 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 0.6150287 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{\Theta}{LT} = 10^{-110} = 1.625940 \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.0003315771 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{\Theta}{LT^2} = 10^{-150} = 3015.890 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{s K}}{\text{m}} = 0.0002116007 \cdot 10^{-20} (*)$	$1 \text{ni}'\text{ure-} \frac{T \Theta}{L} = 10^{-20} = 4725.883 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 0.01843810 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{\Theta}{L^2} = 10^{-100} = 54.23553 \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 99404.32 \cdot 10^{-150} (*)$	$1 \text{ni}'\text{upavo-} \frac{\Theta}{L^2 T} = 10^{-140} = 100599.2 \frac{\text{K}}{\text{m}^2 \text{s}} (**)$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 53.59132 \cdot 10^{-190}$	$1 \text{ni}'\text{upaso-} \frac{\Theta}{L^2 T^2} = 10^{-190} = 0.01865974 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 34.20006 \cdot 10^{-60} (**)$	$1 \text{ni}'\text{uxa-} \frac{T \Theta}{L^2} = 10^{-60} = 0.02923971 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 2980.067 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{\Theta}{L^3} = 10^{-140} = 0.0003355630 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 1.606627 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi-} \frac{\Theta}{L^3 T} = 10^{-180} = 0.6224219 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 0.0008661724 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{\Theta}{L^3 T^2} = 10^{-220} = 1154.505 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.0005527602 \cdot 10^{-90}$	$1 \text{ni}'\text{uso-} \frac{T \Theta}{L^3} = 10^{-90} = 1809.103 \frac{\text{s K}}{\text{m}^3}$

$1 \text{ kg K} = 0.00003243028 \cdot 10^{-20}$	$1 \text{ ni'ure-}M\Theta = 10^{-20} = 30835.38 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 174.8396 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{M\Theta}{T} = 10^{-70} = 0.005719527 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 0.09426036 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{M\Theta}{T^2} = 10^{-110} = 10.60891 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{ kg s K} = 0.06015359 \cdot 10^{20}$	$1 \text{ re-}MT\Theta = 10^{20} = 16.62411 \text{ kg s K}$
$1 \text{ kg m K} = 2.006508 \cdot 10^{10} \quad (*)$	$1 \text{ pa-}ML\Theta = 10^{10} = 0.4983783 \text{ kg m K}$
$1 \frac{\text{kg m K}}{\text{s}} = 0.001081758 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML\Theta}{T} = 10^{-30} = 924.4213 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 5832.023 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{ML\Theta}{T^2} = 10^{-80} = 0.0001714671 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{ kg m s K} = 3721.788 \cdot 10^{50}$	$1 \text{ mu-}MLT\Theta = 10^{50} = 0.0002686880 \text{ kg m s K}$
$1 \text{ kg m}^2 \text{ K} = 124145.5 \cdot 10^{40}$	$1 \text{ mu-}ML^2\Theta = 10^{50} = 80550.65 \text{ kg m}^2 \text{ K}$
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}} = 66.92990 \cdot 10^0 \quad (*)$	$1 \frac{ML^2\Theta}{T} = 1 = 0.01494101 \frac{\text{kg m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} = 0.03608356 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML^2\Theta}{T^2} = 10^{-40} = 27.71345 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s K} = 0.02302723 \cdot 10^{90}$	$1 \text{ so-}ML^2T\Theta = 10^{90} = 43.42684 \text{ kg m}^2 \text{ s K}$
$1 \frac{\text{kg K}}{\text{m}} = 5.241561 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M\Theta}{L} = 10^{-60} = 0.1907829 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 0.002825855 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M\Theta}{LT} = 10^{-100} = 353.8753 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 15234.88 \cdot 10^{-150}$	$1 \text{ ni'upavo-} \frac{M\Theta}{LT^2} = 10^{-140} = 656388.6 \frac{\text{kg K}}{\text{m s}^2}$
$1 \frac{\text{kg s K}}{\text{m}} = 9722.354 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MT\Theta}{L} = 10^{-20} = 0.0001028557 \frac{\text{kg s K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m}^2} = 847169.9 \cdot 10^{-100}$	$1 \text{ ni'uso-} \frac{M\Theta}{L^2} = 10^{-90} = 11804.01 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 456.7302 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{M\Theta}{L^2T} = 10^{-140} = 0.002189477 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 0.2462345 \cdot 10^{-180}$	$1 \text{ ni'upabi-} \frac{M\Theta}{L^2T^2} = 10^{-180} = 4.061170 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 0.1571380 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MT\Theta}{L^2} = 10^{-50} = 6.363832 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 13.69243 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M\Theta}{L^3} = 10^{-130} = 0.07303308 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.007381924 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{M\Theta}{L^3T} = 10^{-170} = 135.4660 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 39797.77 \cdot 10^{-220}$	$1 \text{ ni'urere-} \frac{M\Theta}{L^3T^2} = 10^{-220} = 0.00002512703 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 25397.51 \cdot 10^{-90}$	$1 \text{ ni'ubi-} \frac{MT\Theta}{L^3} = 10^{-80} = 393739.3 \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{C}} = 1.323805 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{\Theta}{Q} = 10^{-50} = 0.7553982 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.0007136959 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{\Theta}{TQ} = 10^{-90} = 1401.157 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 3847.711 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{\Theta}{T^2 Q} = 10^{-140} = 0.0002598948 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 2455.471 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.0004072538 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 81905.70 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L\Theta}{Q} = 10^{-20} = 0.00001220916 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 44.15738 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{L\Theta}{TQ} = 10^{-60} = 0.02264627 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.02380633 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{L\Theta}{T^2 Q} = 10^{-100} = 42.00563 \frac{\text{m K}}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{m s K}}{\text{C}} = 0.01519235 \cdot 10^{30}$	$1 \text{ ci-} \frac{LT\Theta}{Q} = 10^{30} = 65.82260 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.5067623 \cdot 10^{20}$	$1 \text{ re-} \frac{L^2\Theta}{Q} = 10^{20} = 1.973312 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.0002732080 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 3660.215 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 1472.932 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{L^2\Theta}{T^2 Q} = 10^{-70} = 0.0006789181 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 939.9723 \cdot 10^{60}$	$1 \text{ xa-} \frac{L^2 T\Theta}{Q} = 10^{60} = 0.001063861 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.00002139607 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{\Theta}{LQ} = 10^{-80} = 46737.56 \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 115.3515 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{\Theta}{LTQ} = 10^{-130} = 0.008669157 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 0.06218882 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{\Theta}{LT^2 Q} = 10^{-170} = 16.08006 \frac{\text{K}}{\text{m s}^2 \text{C}} \quad (*)$
$1 \frac{\text{s K}}{\text{m C}} = 0.03968668 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{T\Theta}{LQ} = 10^{-40} = 25.19737 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 3.458150 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{\Theta}{L^2 Q} = 10^{-120} = 0.2891720 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 0.001864374 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{\Theta}{L^2 T Q} = 10^{-160} = 536.3731 \frac{\text{K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 10051.30 \cdot 10^{-210} \quad (*)$	$1 \text{ ni'ureno-} \frac{\Theta}{L^2 T^2 Q} = 10^{-200} = 994896.3 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 6414.379 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{T\Theta}{L^2 Q} = 10^{-80} = 0.0001558997 \frac{\text{s K}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 558925.2 \cdot 10^{-160}$	$1 \text{ ni'upamu-} \frac{\Theta}{L^3 Q} = 10^{-150} = 17891.48 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 301.3304 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{\Theta}{L^3 T Q} = 10^{-200} = 0.003318617 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1624546 \cdot 10^{-240}$	$1 \text{ ni'urevo-} \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 6.155565 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 0.1036727 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{T\Theta}{L^3 Q} = 10^{-110} = 9.645739 \frac{\text{s K}}{\text{m}^3 \text{C}}$

$1 \frac{\text{kg K}}{\text{C}} = 0.006082449 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{M\Theta}{TQ} = 10^{-80} = 304952.6 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 32791.98 \cdot 10^{-90}$	$1 \text{ni}'\text{upaci}-\frac{M\Theta}{T^2Q} = 10^{-130} = 0.05656440 \frac{\text{kg K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{s}^2\text{C}} = 17.67896 \cdot 10^{-130}$	$1 \frac{MT\Theta}{Q} = 1 = 0.08863612 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg s K}}{\text{C}} = 11.28208 \cdot 10^0$	$1 \text{ni}'\text{upa}-\frac{ML\Theta}{Q} = 10^{-10} = 0.002657244 \frac{\text{kg m K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{C}} = 376.3298 \cdot 10^{-10}$	$1 \text{ni}'\text{umu}-\frac{ML\Theta}{TQ} = 10^{-50} = 4.928812 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s C}} = 0.2028887 \cdot 10^{-50}$	$1 \text{ni}'\text{uso}-\frac{ML\Theta}{T^2Q} = 10^{-90} = 9142.249 \frac{\text{kg m K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m K}}{\text{s}^2\text{C}} = 0.0001093823 \cdot 10^{-90}$	$1 \text{vo}-\frac{MLT\Theta}{Q} = 10^{40} = 14325.86 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg m s K}}{\text{C}} = 0.00006980385 \cdot 10^{40}$	$1 \text{ci}-\frac{ML^2\Theta}{Q} = 10^{30} = 429.4784 \frac{\text{kg m}^2\text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{C}} = 0.002328406 \cdot 10^{30}$	$1 \text{ni}'\text{ure}-\frac{ML^2\Theta}{TQ} = 10^{-20} = 0.00007966217 \frac{\text{kg m}^2\text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{s C}} = 12553.01 \cdot 10^{-20}$	$1 \text{ni}'\text{uxa}-\frac{ML^2\Theta}{T^2Q} = 10^{-60} = 0.1477621 \frac{\text{kg m}^2\text{K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{s}^2\text{C}} = 6.767637 \cdot 10^{-60}$	$1 \text{ze}-\frac{ML^2T\Theta}{Q} = 10^{70} = 0.2315424 \frac{\text{kg m}^2\text{s K}}{\text{C}}$
$1 \frac{\text{kg m}^2\text{s K}}{\text{C}} = 4.318864 \cdot 10^{70}$	$1 \text{ni}'\text{ubi}-\frac{M\Theta}{LQ} = 10^{-80} = 0.001017212 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 983.0789 \cdot 10^{-80}$	$1 \text{ni}'\text{upare}-\frac{M\Theta}{LTQ} = 10^{-120} = 1.886785 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 0.5300020 \cdot 10^{-120}$ (**)	$1 \text{ni}'\text{upaxa}-\frac{M\Theta}{LT^2Q} = 10^{-160} = 3499.720 \frac{\text{kg K}}{\text{m s}^2\text{C}}$ (*)
$1 \frac{\text{kg K}}{\text{m s}^2\text{C}} = 0.0002857372 \cdot 10^{-160}$	$1 \text{ni}'\text{uci}-\frac{MT\Theta}{LQ} = 10^{-30} = 5484.043 \frac{\text{kg s K}}{\text{m C}}$
$1 \frac{\text{kg s K}}{\text{m C}} = 0.0001823472 \cdot 10^{-30}$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{L^2Q} = 10^{-110} = 62.93638 \frac{\text{kg K}}{\text{m}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{C}} = 0.01588906 \cdot 10^{-110}$	$1 \text{ni}'\text{upaxa}-\frac{M\Theta}{L^2TQ} = 10^{-160} = 0.00001167381 \frac{\text{kg K}}{\text{m}^2\text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{s C}} = 85661.85 \cdot 10^{-160}$	$1 \text{ni}'\text{ureno}-\frac{M\Theta}{L^2T^2Q} = 10^{-200} = 0.02165326 \frac{\text{kg K}}{\text{m}^2\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{s}^2\text{C}} = 46.18241 \cdot 10^{-200}$	$1 \text{ni}'\text{uze}-\frac{MT\Theta}{L^2Q} = 10^{-70} = 0.03393055 \frac{\text{kg s K}}{\text{m}^2\text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^2\text{C}} = 29.47196 \cdot 10^{-70}$	$1 \text{ni}'\text{upamu}-\frac{M\Theta}{L^3Q} = 10^{-150} = 0.0003893963 \frac{\text{kg K}}{\text{m}^3\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{C}} = 2568.078 \cdot 10^{-150}$	$1 \text{ni}'\text{upaso}-\frac{M\Theta}{L^3TQ} = 10^{-190} = 0.7222752 \frac{\text{kg K}}{\text{m}^3\text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{s C}} = 1.384514 \cdot 10^{-190}$	$1 \text{ni}'\text{ureci}-\frac{M\Theta}{L^3T^2Q} = 10^{-230} = 1339.718 \frac{\text{kg K}}{\text{m}^3\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{s}^2\text{C}} = 0.0007464256 \cdot 10^{-230}$	$1 \text{ni}'\text{upano}-\frac{MT\Theta}{L^3Q} = 10^{-100} = 2099.332 \frac{\text{kg s K}}{\text{m}^3\text{C}}$ (*)
$1 \frac{\text{kg s K}}{\text{m}^3\text{C}} = 0.0004763421 \cdot 10^{-100}$	
$1 \text{CK} = 376329.8 \cdot 10^{-20}$	$1 \text{ni}'\text{upa}-Q\Theta = 10^{-10} = 26572.44 \text{ CK}$
$1 \frac{\text{C K}}{\text{s}} = 202.8887 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{T} = 10^{-60} = 0.004928812 \frac{\text{C K}}{\text{s}}$
$1 \frac{\text{C K}}{\text{s}^2} = 0.1093823 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{T^2} = 10^{-100} = 9.142249 \frac{\text{C K}}{\text{s}^2}$
$1 \text{s CK} = 0.06980385 \cdot 10^{30}$	$1 \text{ci}-TQ\Theta = 10^{30} = 14.32586 \text{ s CK}$
$1 \text{m CK} = 2.328406 \cdot 10^{20}$	$1 \text{re}-LQ\Theta = 10^{20} = 0.4294784 \text{ m CK}$
$1 \frac{\text{m CK}}{\text{s}} = 0.001255301 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{LQ\Theta}{T} = 10^{-20} = 796.6217 \frac{\text{m CK}}{\text{s}}$
$1 \frac{\text{m CK}}{\text{s}^2} = 6767.637 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{LQ\Theta}{T^2} = 10^{-70} = 0.0001477621 \frac{\text{m CK}}{\text{s}^2}$
$1 \text{m s CK} = 4318.864 \cdot 10^{60}$	$1 \text{xa}-LTQ\Theta = 10^{60} = 0.0002315424 \text{ m s CK}$
$1 \text{m}^2 \text{CK} = 0.00001440618 \cdot 10^{60}$	$1 \text{xa}-L^2Q\Theta = 10^{60} = 69414.66 \text{ m}^2\text{CK}$
$1 \frac{\text{m}^2 \text{CK}}{\text{s}} = 77.66726 \cdot 10^{10}$	$1 \text{pa}-\frac{L^2Q\Theta}{T} = 10^{10} = 0.01287544 \frac{\text{m}^2\text{CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{CK}}{\text{s}^2} = 0.04187233 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{L^2Q\Theta}{T^2} = 10^{-30} = 23.88212 \frac{\text{m}^2\text{CK}}{\text{s}^2}$
$1 \text{m}^2 \text{s CK} = 0.02672143 \cdot 10^{100}$	$1 \text{pano}-L^2TQ\Theta = 10^{100} = 37.42315 \text{ m}^2\text{s CK}$
$1 \frac{\text{C K}}{\text{m}} = 6.082449 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{Q\Theta}{L} = 10^{-50} = 0.1644075 \frac{\text{C K}}{\text{m}}$
$1 \frac{\text{C K}}{\text{m s}} = 0.003279198 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{LT} = 10^{-90} = 304.9526 \frac{\text{C K}}{\text{m s}}$
$1 \frac{\text{C K}}{\text{m s}^2} = 17678.96 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q\Theta}{LT^2} = 10^{-140} = 0.00005656440 \frac{\text{C K}}{\text{m s}^2}$
$1 \frac{\text{C K}}{\text{m}^2\text{C}} = 11282.08 \cdot 10^{-10}$	$1 \frac{TQ\Theta}{L} = 1 = 886361.2 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{C K}}{\text{m}^2} = 0.00009830789 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{Q\Theta}{L^2} = 10^{-80} = 10172.12 \frac{\text{C K}}{\text{m}^2}$
$1 \frac{\text{C K}}{\text{m}^2\text{s}} = 530.0020 \cdot 10^{-130}$ (*)	$1 \text{ni}'\text{upaci}-\frac{Q\Theta}{L^2T} = 10^{-130} = 0.001886785 \frac{\text{C K}}{\text{m}^2\text{s}}$
$1 \frac{\text{C K}}{\text{m}^2\text{s}^2} = 0.2857372 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze}-\frac{Q\Theta}{L^2T^2} = 10^{-170} = 3.499720 \frac{\text{C K}}{\text{m}^2\text{s}^2}$ (*)
$1 \frac{\text{C K}}{\text{m}^2\text{C}} = 0.1823472 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{TQ\Theta}{L^2} = 10^{-40} = 5.484043 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{C K}}{\text{m}^3\text{s}} = 15.88906 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{Q\Theta}{L^3} = 10^{-120} = 0.06293638 \frac{\text{C K}}{\text{m}^3}$
$1 \frac{\text{C K}}{\text{m}^3\text{s}^2} = 0.008566185 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{Q\Theta}{L^3T} = 10^{-160} = 116.7381 \frac{\text{C K}}{\text{m}^3\text{s}}$
$1 \frac{\text{C K}}{\text{m}^3\text{s}^2\text{C}} = 46182.41 \cdot 10^{-210}$	$1 \text{ni}'\text{ureno}-\frac{Q\Theta}{L^3T^2} = 10^{-200} = 216532.6 \frac{\text{C K}}{\text{m}^3\text{s}^2}$

$$\begin{aligned}
1 \frac{\text{s CK}}{\text{m}^3} &= 29471.96 \cdot 10^{-80} \\
1 \text{kg CK} &= 1729.112 \cdot 10^{-10} \\
1 \frac{\text{kg CK}}{\text{s}} &= 0.9322066 \cdot 10^{-50} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.0005025756 \cdot 10^{-90} \\
1 \text{kg s CK} &= 0.0003207257 \cdot 10^{40} \\
1 \text{kg m CK} &= 0.01069826 \cdot 10^{30} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 57676.95 \cdot 10^{-20} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 31.09507 \cdot 10^{-60} \\
1 \text{kg m s CK} &= 19.84376 \cdot 10^{70} \\
1 \text{kg m}^2 \text{CK} &= 661.9165 \cdot 10^{60} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.3568555 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.0001923896 \cdot 10^{-20} \\
1 \text{kg m}^2 \text{s CK} &= 0.0001227762 \cdot 10^{110} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.02794685 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 0.00001506684 \cdot 10^{-80} \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 81.22903 \cdot 10^{-130} \\
1 \frac{\text{kg s CK}}{\text{m}} &= 51.83746 \cdot 10^0 \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 4516.924 \cdot 10^{-80} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 2.435185 \cdot 10^{-120} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.001312868 \cdot 10^{-160} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.0008378255 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.07300501 \cdot 10^{-110} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 393588.0 \cdot 10^{-160} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 212.1930 \cdot 10^{-200} \\
1 \frac{\text{kg s CK}}{\text{m}^3} &= 135.4140 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ubi-} \frac{TQ\Theta}{L^3} &= 10^{-80} = 0.00003393055 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'upa-} MQ\Theta &= 10^{-10} = 0.0005783317 \text{kg CK} \\
1 \text{ni'umu-} \frac{MQ\Theta}{T} &= 10^{-50} = 1.072724 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uso-} \frac{MQ\Theta}{T^2} &= 10^{-90} = 1989.750 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{vo-} MTQ\Theta &= 10^{40} = 3117.929 \text{kg s CK} \\
1 \text{ci-} MLQ\Theta &= 10^{30} = 93.47315 \text{kg m CK} \\
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 0.00001733795 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} &= 10^{-60} = 0.03215944 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ze-} MLTQ\Theta &= 10^{70} = 0.05039368 \text{kg m s CK} \\
1 \text{xa-} ML^2Q\Theta &= 10^{60} = 0.001510764 \text{kg m}^2 \text{CK} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 2.802255 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 5197.786 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{papa-} ML^2TQ\Theta &= 10^{110} = 8144.904 \text{kg m}^2 \text{s CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{L} &= 10^{-40} = 35.78221 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ubi-} \frac{MQ\Theta}{LT} &= 10^{-80} = 66370.93 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{LT^2} &= 10^{-130} = 0.01231087 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.01929107 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'ubi-} \frac{MQ\Theta}{L^2} &= 10^{-80} = 0.0002213896 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L^2 T} &= 10^{-120} = 0.4106464 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-160} = 761.6910 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 1193.566 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 13.69769 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{L^3 T} &= 10^{-150} = 25407.28 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'ureno-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-200} = 0.004712691 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uze-} \frac{MTQ\Theta}{L^3} &= 10^{-70} = 0.007384762 \frac{\text{kg s CK}}{\text{m}^3}
\end{aligned}$$

## 5.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned}
\text{Proton mass} &= 7.685148 \cdot 10^{-20} \\
\text{Electron mass} &= 0.004185462 \cdot 10^{-20} \\
\text{Elementary charge} &= 0.08542454 \cdot 10^0 \\
\text{\AA}^{16} &= 61871.42 \cdot 10^{20} \\
\text{Bohr radius}^{17} &= 32740.95 \cdot 10^{20} \\
\text{Fine structure constant}^{18} &= 0.007297353 \cdot 10^0 \\
\text{Rydberg Energy}^{19} &= 1114.408 \cdot 10^{-30} \\
|\psi^{100}(0)|^2^{20} &= 906935.5 \cdot 10^{-80} \\
\text{eV} &= 81.90745 \cdot 10^{-30} \\
\hbar^{21} &= 1.000000 \quad (***) \\
\lambda_{\text{yellow}} &= 0.03557607 \cdot 10^{30} \\
k_{\text{yellow}}^{22} &= 176.6127 \cdot 10^{-30} \\
k_{\text{X-Ray}}^{23} &= 963.4097 \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} M &= 10^{-20} = 0.1301211 m_p \\
1 \text{ni'ure-} M &= 10^{-20} = 238.9222 m_e \\
1 Q &= 1 = 11.70624 e \\
1 \text{re-} L &= 10^{20} = 0.00001616255 \text{\AA} \\
1 \text{re-} L &= 10^{20} = 0.00003054279 a_0 \\
1 &= 1 = 137.0360 \alpha \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.0008973377 Ry \\
1 \text{ni'uze-} \frac{1}{L^3} &= 10^{-70} = 11026.14 \rho_{\max} \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.01220890 \text{eV} \\
1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\
1 \text{ci-} L &= 10^{30} = 28.10878 \cdot \lambda_{\text{yellow}} \\
1 \text{ni'uci-} \frac{1}{L} &= 10^{-30} = 0.005662107 \cdot k_{\text{yellow}} \\
1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 0.001037980 \cdot k_{\text{X-Ray}}
\end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/10 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\tilde{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

Earth g = $0.0008102958 \cdot 10^{-40}$	$1 \text{ ni}'\text{u}\text{vo}-\frac{ML}{T^2} = 10^{-40} = 1234.117 \cdot \text{Earth g}$
cm = $618.7142 \cdot 10^{30}$	$1 \text{ ci}\text{-}L = 10^{30} = 0.001616255 \text{ cm}$
min = $111291.5 \cdot 10^{40}$	$1 \text{ mu}\text{-}T = 10^{50} = 89854.11 \text{ min}$
hour = $0.0006677491 \cdot 10^{50}$	$1 \text{ mu}\text{-}T = 10^{50} = 1497.568 \text{ h}$
Liter = $23.68483 \cdot 10^{100}$	$1 \text{ pano}\text{-}L^3 = 10^{100} = 0.04222111 l$
Area of a soccer field = $2733.244 \cdot 10^{70}$	$1 \text{ ze}\text{-}L^2 = 10^{70} = 0.0003658656 A$
$100 \text{ m}^2$ <sup>24</sup> = $38.28073 \cdot 10^{70}$	$1 \text{ ze}\text{-}L^2 = 10^{70} = 0.02612280 \cdot 100 \text{ m}^2$
km/h = $9.265669 \cdot 10^{-10}$	$1 \text{ ni}'\text{u}\text{pa}-\frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$
mi/h = $14.91165 \cdot 10^{-10}$	$1 \text{ ni}'\text{u}\text{pa}-\frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$
inch <sup>25</sup> = $1571.534 \cdot 10^{30}$	$1 \text{ ci}\text{-}L = 10^{30} = 0.0006363209 \text{ in}$
mile = $0.009956968 \cdot 10^{40}$ (*)	$1 \text{ vo}\text{-}L = 10^{40} = 100.4322 \text{ mi}$ (*)
pound = $0.002084108 \cdot 10^{10}$	$1 \text{ pa}\text{-}M = 10^{10} = 479.8216 \text{ pound}$
horsepower = $2.055258 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu}-\frac{ML^2}{T^3} = 10^{-50} = 0.4865569 \text{ horsepower}$
kcal = $21404.01 \cdot 10^{-10}$	$1 \frac{ML^2}{T^2} = 1 = 467202.1 \text{ kcal}$
kWh = $0.001840414 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 543.3560 \text{ kWh}$
Typical household electric field = $0.1190299 \cdot 10^{-60}$ (*)	$1 \text{ ni}'\text{ux}\text{a}-\frac{ML}{T^2 Q} = 10^{-60} = 8.401252 E_H$
<i>Earthmagneticfield</i> = $223.0040 \cdot 10^{-60}$ (*)	$1 \text{ ni}'\text{ux}\text{a}-\frac{M}{TQ} = 10^{-60} = 0.004484225 \cdot \text{Earthmagneticfield}$
Height of an average man <sup>26</sup> = $0.00001095124 \cdot 10^{40}$	$1 \text{ vo}\text{-}L = 10^{40} = 91313.84 \bar{h}$
Mass of an average man = $0.3216270 \cdot 10^{10}$	$1 \text{ pa}\text{-}M = 10^{10} = 3.109192 \bar{m}$
Age of the Universe = $0.01229207 \cdot 10^{60}$	$1 \text{ xa}\text{-}T = 10^{60} = 81.35324 t_U$
Size of the observable Universe = $54.44685 \cdot 10^{60}$	$1 \text{ xa}\text{-}L = 10^{60} = 0.01836653 l_U$
Average density of the Universe = $19.20522 \cdot 10^{-130}$	$1 \text{ ni}'\text{upaci}-\frac{M}{L^3} = 10^{-130} = 0.05206918 \rho_U$
Earth mass = $274.3938 \cdot 10^{30}$	$1 \text{ ci}\text{-}M = 10^{30} = 0.003644398 m_E$
Sun mass <sup>27</sup> = $0.009138433 \cdot 10^{40}$	$1 \text{ vo}\text{-}M = 10^{40} = 109.4279 m_S$
Year = $5.853368 \cdot 10^{50}$	$1 \text{ mu}\text{-}T = 10^{50} = 0.1708418 \text{ y}$
Speed of Light = $1.000000$ (***)	$1 \frac{L}{T} = 1 = 1.000000 c$ (***)
Parsec = $19.09167 \cdot 10^{50}$	$1 \text{ mu}\text{-}L = 10^{50} = 0.05237888 \text{ pc}$
Astronomical unit = $925583.3 \cdot 10^{40}$	$1 \text{ mu}\text{-}L = 10^{50} = 10804.00 \text{ au}$ (*)
Earth radius = $39.41828 \cdot 10^{40}$	$1 \text{ vo}\text{-}L = 10^{40} = 0.02536894 r_E$
Distance Earth-Moon = $2378.338 \cdot 10^{40}$	$1 \text{ vo}\text{-}L = 10^{40} = 0.0004204618 d_M$
<i>Momentum of someone walking</i> <sup>28</sup> = $200.0066 \cdot 10^0$ (*)	$1 \frac{ML}{T} = 1 = 0.004999836 \cdot \text{Momentum of someone walking}$
Stefan-Boltzmann constant = $0.1644934 \cdot 10^0$	$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$
mol = $6022.141 \cdot 10^{20}$	$1 \text{ re}\text{-} = 10^{20} = 0.0001660539 \text{ mol}$
Standard temperature <sup>29</sup> = $1.927958 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci}\text{-}\Theta = 10^{-30} = 0.5186836 T_0$
Room - standard temperature <sup>30</sup> = $0.1411648 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci}\text{-}\Theta = 10^{-30} = 7.083921 \Theta_R$
atm = $21.87053 \cdot 10^{-110}$	$1 \text{ ni}'\text{upapa}-\frac{M}{LT^2} = 10^{-110} = 0.04572363 \text{ atm}$
$c_s = 11441.25 \cdot 10^{-10}$	$1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$
$\mu_0 = 12.56637 \cdot 10^0$	$1 \frac{ML}{Q^2} = 1 = 0.07957747 \cdot \mu_0$
$G = 1.000000$ (***)	$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G$ (***)

## Extensive list of SI units

---

1 = 1.000000 (\*\*\*)

1 = 1 = 1.000000 (\*\*\*)

<sup>24</sup>Size of a home<sup>25</sup>36 in = 1 yd = 3 ft<sup>26</sup>in developed countries<sup>27</sup>The Schwarzschild radius of a mass M is  $2GM$ <sup>28</sup>p<sup>29</sup>0°C measured from absolute zero<sup>30</sup>20 °C

$1 \frac{1}{\text{s}} = 0.0005391246 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo-} \frac{1}{T} = 10^{-40} = 1854.859 \frac{1}{\text{s}}$
$1 \frac{1}{\text{s}^2} = 2906.554 \cdot 10^{-90}$	$1 \text{ ni}'\text{uso-} \frac{1}{T^2} = 10^{-90} = 0.0003440501 \frac{1}{\text{s}^2}$
$1 \text{s} = 1854.859 \cdot 10^{40}$	$1 \text{ vo-}T = 10^{40} = 0.0005391246 \text{ s}$
$1 \text{m} = 61871.42 \cdot 10^{30}$	$1 \text{ vo-}L = 10^{40} = 161625.5 \text{ m}$
$1 \frac{\text{m}}{\text{s}} = 33.35641 \cdot 10^{-10}$	$1 \text{ ni}'\text{upo-} \frac{L}{T} = 10^{-10} = 0.02997925 \frac{\text{m}}{\text{s}} \quad (*)$
$1 \frac{\text{m}}{\text{s}^2} = 0.01798326 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu-} \frac{L}{T^2} = 10^{-50} = 55.60726 \frac{\text{m}}{\text{s}^2}$
$1 \text{m s} = 0.01147627 \cdot 10^{80}$	$1 \text{ bi-}LT = 10^{80} = 87.13629 \text{ m s}$
$1 \text{m}^2 = 0.3828073 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 2.612280 \text{ m}^2$
$1 \frac{\text{m}^2}{\text{s}} = 0.0002063809 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2}{T} = 10^{30} = 4845.411 \frac{\text{m}^2}{\text{s}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 1112.650 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure-} \frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m}^2 \text{s} = 710.0534 \cdot 10^{110}$	$1 \text{ papa-}L^2T = 10^{110} = 0.001408345 \text{ m}^2 \text{s}$
$1 \frac{1}{\text{m}} = 161625.5 \cdot 10^{-40}$	$1 \text{ ni}'\text{uci-} \frac{1}{L} = 10^{-30} = 61871.42 \frac{1}{\text{m}}$
$1 \frac{1}{\text{m s}} = 87.13629 \cdot 10^{-80}$	$1 \text{ ni}'\text{ubi-} \frac{1}{LT} = 10^{-80} = 0.01147627 \frac{1}{\text{m s}}$
$1 \frac{1}{\text{m s}^2} = 0.04697732 \cdot 10^{-120}$	$1 \text{ ni}'\text{upare-} \frac{1}{LT^2} = 10^{-120} = 21.28687 \frac{1}{\text{m s}^2}$
$1 \frac{\text{s}}{\text{m}} = 0.02997925 \cdot 10^{10} \quad (*)$	$1 \text{ pa-} \frac{T}{L} = 10^{10} = 33.35641 \frac{\text{s}}{\text{m}}$
$1 \frac{1}{\text{m}^2} = 2.612280 \cdot 10^{-70}$	$1 \text{ ni}'\text{uze-} \frac{1}{L^2} = 10^{-70} = 0.3828073 \frac{1}{\text{m}^2}$
$1 \frac{1}{\text{m}^2 \text{s}} = 0.001408345 \cdot 10^{-110}$	$1 \text{ ni}'\text{upapa-} \frac{1}{L^2T} = 10^{-110} = 710.0534 \frac{1}{\text{m}^2 \text{s}}$
$1 \frac{1}{\text{m}^2 \text{s}^2} = 7592.733 \cdot 10^{-160}$	$1 \text{ ni}'\text{upaxa-} \frac{1}{L^2T^2} = 10^{-160} = 0.0001317049 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^2} = 4845.411 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci-} \frac{T}{L^2} = 10^{-30} = 0.0002063809 \frac{\text{s}}{\text{m}^2}$
$1 \frac{1}{\text{m}^3} = 0.00004222111 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano-} \frac{1}{L^3} = 10^{-100} = 23684.83 \frac{1}{\text{m}^3}$
$1 \frac{1}{\text{m}^3 \text{s}} = 227.6244 \cdot 10^{-150}$	$1 \text{ ni}'\text{upamu-} \frac{1}{L^3T} = 10^{-150} = 0.004393202 \frac{1}{\text{m}^3 \text{s}}$
$1 \frac{1}{\text{m}^3 \text{s}^2} = 0.1227179 \cdot 10^{-190}$	$1 \text{ ni}'\text{upaso-} \frac{1}{L^3T^2} = 10^{-190} = 8.148768 \frac{1}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^3} = 0.07831419 \cdot 10^{-60}$	$1 \text{ ni}'\text{uxa-} \frac{T}{L^3} = 10^{-60} = 12.76908 \frac{\text{s}}{\text{m}^3}$
$1 \text{kg} = 0.004594671 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 217.6434 \text{ kg}$
$1 \frac{\text{kg}}{\text{s}} = 24771.00 \cdot 10^{-40} \quad (*)$	$1 \text{ ni}'\text{uvo-} \frac{M}{T} = 10^{-40} = 0.00004036978 \frac{\text{kg}}{\text{s}}$
$1 \frac{\text{kg}}{\text{s}^2} = 13.35466 \cdot 10^{-80}$	$1 \text{ ni}'\text{ubi-} \frac{M}{T^2} = 10^{-80} = 0.07488024 \frac{\text{kg}}{\text{s}^2}$
$1 \text{kg s} = 8.522465 \cdot 10^{50}$	$1 \text{ mu-}MT = 10^{50} = 0.1173369 \text{ kg s}$
$1 \text{kg m} = 284.2788 \cdot 10^{40}$	$1 \text{ vo-}ML = 10^{40} = 0.003517673 \text{ kg m}$
$1 \frac{\text{kg m}}{\text{s}} = 0.1532617 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 6.524786 \frac{\text{kg m}}{\text{s}}$
$1 \frac{\text{kg m}}{\text{s}^2} = 0.00008262718 \cdot 10^{-40}$	$1 \text{ ni}'\text{ubo-} \frac{ML}{T^2} = 10^{-40} = 12102.56 \frac{\text{kg m}}{\text{s}^2}$
$1 \text{kg m s} = 527297.1 \cdot 10^{80}$	$1 \text{ so-}MLT = 10^{90} = 18964.64 \text{ kg m s}$
$1 \text{kg m}^2 = 0.001758874 \cdot 10^{80}$	$1 \text{ bi-}ML^2 = 10^{80} = 568.5457 \text{ kg m}^2$
$1 \frac{\text{kg m}^2}{\text{s}} = 9482.522 \cdot 10^{30}$	$1 \text{ ci-} \frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{\text{kg m}^2}{\text{s}}$
$1 \frac{\text{kg m}^2}{\text{s}^2} = 5.112261 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa-} \frac{ML^2}{T^2} = 10^{-10} = 0.1956082 \frac{\text{kg m}^2}{\text{s}^2}$
$1 \text{kg m}^2 \text{s} = 3.262462 \cdot 10^{120}$	$1 \text{ pare-}ML^2T = 10^{120} = 0.3065170 \text{ kg m}^2 \text{s}$
$1 \frac{\text{kg}}{\text{m}} = 742.6160 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci-} \frac{M}{L} = 10^{-30} = 0.001346591 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 0.4003626 \cdot 10^{-70} \quad (*)$	$1 \text{ ni}'\text{uze-} \frac{M}{LT} = 10^{-70} = 2.497736 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.0002158453 \cdot 10^{-110}$	$1 \text{ ni}'\text{upapa-} \frac{M}{LT^2} = 10^{-110} = 4632.947 \frac{\text{kg}}{\text{m s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.0001377448 \cdot 10^{20}$	$1 \text{ re-} \frac{MT}{L} = 10^{20} = 7259.804 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.01200257 \cdot 10^{-60} \quad (*)$	$1 \text{ ni}'\text{uxa-} \frac{M}{L^2} = 10^{-60} = 83.31550 \frac{\text{kg}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 64708.81 \cdot 10^{-110}$	$1 \text{ ni}'\text{upano-} \frac{M}{L^2T} = 10^{-100} = 154538.5 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 34.88611 \cdot 10^{-150}$	$1 \text{ ni}'\text{upamu-} \frac{M}{L^2T^2} = 10^{-150} = 0.02866470 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 22.26307 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure-} \frac{MT}{L^2} = 10^{-20} = 0.04491744 \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 1939.921 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano-} \frac{M}{L^3} = 10^{-100} = 0.0005154849 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.045859 \cdot 10^{-140}$	$1 \text{ ni}'\text{upavo-} \frac{M}{L^3T} = 10^{-140} = 0.9561515 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.0005638485 \cdot 10^{-180}$	$1 \text{ ni}'\text{upabi-} \frac{M}{L^3T^2} = 10^{-180} = 1773.526 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.0003598280 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu-} \frac{MT}{L^3} = 10^{-50} = 2779.106 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 187.5546 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure-} \frac{1}{Q} = 10^{-20} = 0.005331781 \frac{1}{\text{C}}$
$1 \frac{1}{\text{s C}} = 0.1011153 \cdot 10^{-60}$	$1 \text{ ni}'\text{uxa-} \frac{1}{TQ} = 10^{-60} = 9.889699 \frac{1}{\text{s C}} \quad (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.00005451376 \cdot 10^{-100}$	$1 \text{ ni}'\text{upano-} \frac{1}{T^2 Q} = 10^{-100} = 18343.99 \frac{1}{\text{s}^2 \text{C}} \quad (*)$

$1 \frac{s}{C} = 347887.3 \cdot 10^{20}$	$1 \text{ ci-} \frac{T}{Q} = 10^{30} = 28744.94 \frac{s}{C}$
$1 \frac{m}{C} = 0.001160427 \cdot 10^{20}$	$1 \text{ re-} \frac{L}{Q} = 10^{20} = 861.7517 \frac{m}{C}$
$1 \frac{m}{sC} = 6256.148 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{L}{TQ} = 10^{-30} = 0.0001598428 \frac{m}{sC}$
$1 \frac{m}{s^2C} = 3.372844 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{L}{T^2Q} = 10^{-70} = 0.2964857 \frac{m}{s^2C}$
$1 \frac{ms}{C} = 2.152428 \cdot 10^{60}$	$1 \text{ xa-} \frac{LT}{Q} = 10^{60} = 0.4645916 \frac{ms}{C}$
$1 \frac{m^2}{C} = 71.79727 \cdot 10^{50}$	$1 \text{ mu-} \frac{L^2}{Q} = 10^{50} = 0.01392811 \frac{m^2}{C}$
$1 \frac{m^2}{sC} = 0.03870768 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2}{TQ} = 10^{10} = 25.83467 \frac{m^2}{sC}$
$1 \frac{m^2}{s^2C} = 208682.6 \cdot 10^{-40}$	$1 \text{ ni'uci-} \frac{L^2}{T^2Q} = 10^{-30} = 47919.65 \frac{m^2}{s^2C}$
$1 \frac{m^2s}{C} = 0.00001331738 \cdot 10^{100}$	$1 \text{ pano-} \frac{L^2T}{Q} = 10^{100} = 75089.85 \frac{m^2s}{C}$
$1 \frac{1}{mC} = 0.003031361 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{1}{LQ} = 10^{-50} = 329.8849 \frac{1}{mC}$
$1 \frac{1}{msC} = 16342.81 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{1}{LTQ} = 10^{-100} = 0.00006118898 \frac{1}{msC}$
$1 \frac{1}{ms^2C} = 8.810813 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{1}{LT^2Q} = 10^{-140} = 0.1134969 \frac{1}{ms^2C}$
$1 \frac{s}{mC} = 5.622746 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{T}{LQ} = 10^{-10} = 0.1778491 \frac{s}{mC}$
$1 \frac{1}{m^2C} = 489.9452 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{1}{L^2Q} = 10^{-90} = 0.002041045 \frac{1}{m^2C}$
$1 \frac{1}{m^2sC} = 0.2641415 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{1}{L^2TQ} = 10^{-130} = 3.785849 \frac{1}{m^2sC}$
$1 \frac{1}{m^2s^2C} = 0.0001424052 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{1}{L^2T^2Q} = 10^{-170} = 7022.215 \frac{1}{m^2s^2C}$
$1 \frac{s}{m^2C} = 0.00009087791 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{T}{L^2Q} = 10^{-40} = 11003.77 \frac{s}{m^2C} (*)$
$1 \frac{1}{m^3C} = 0.007918764 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{1}{L^3Q} = 10^{-120} = 126.2823 \frac{1}{m^3C}$
$1 \frac{1}{m^3sC} = 42692.01 \cdot 10^{-170}$	$1 \text{ ni'upaxa-} \frac{1}{L^3TQ} = 10^{-160} = 234235.9 \frac{1}{m^3sC}$
$1 \frac{1}{m^3s^2C} = 23.01631 \cdot 10^{-210}$	$1 \text{ ni'urepa-} \frac{1}{L^3T^2Q} = 10^{-210} = 0.04344744 \frac{1}{m^3s^2C}$
$1 \frac{s}{m^3C} = 14.68819 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{T}{L^3Q} = 10^{-80} = 0.06808192 \frac{s}{m^3C}$
$1 \frac{kg}{C} = 0.8617517 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{M}{Q} = 10^{-10} = 1.160427 \frac{kg}{C}$
$1 \frac{kg}{sC} = 0.0004645916 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{M}{TQ} = 10^{-50} = 2152.428 \frac{kg}{sC}$
$1 \frac{kg}{s^2C} = 2504.728 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M}{T^2Q} = 10^{-100} = 0.0003992450 \frac{kg}{s^2C} (*)$
$1 \frac{kg}{C} = 1598.428 \cdot 10^{30}$	$1 \text{ ci-} \frac{MT}{Q} = 10^{30} = 0.0006256148 \frac{kg s}{C}$
$1 \frac{kg}{C} = 53317.81 \cdot 10^{20}$	$1 \text{ re-} \frac{ML}{Q} = 10^{20} = 0.00001875546 \frac{kg m}{C}$
$1 \frac{kg}{sC} = 28.74494 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{ML}{TQ} = 10^{-20} = 0.03478873 \frac{kg m}{sC}$
$1 \frac{kg}{s^2C} = 0.01549711 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{ML}{T^2Q} = 10^{-60} = 64.52817 \frac{kg m}{s^2C}$
$1 \frac{kg}{C} = 0.009889699 \cdot 10^{70} (*)$	$1 \text{ ze-} \frac{MLT}{Q} = 10^{70} = 101.1153 \frac{kg m s}{C}$
$1 \frac{kg}{C} = 0.3298849 \cdot 10^{60}$	$1 \text{ xa-} \frac{ML^2}{Q} = 10^{60} = 3.031361 \frac{kg m^2}{C}$
$1 \frac{kg}{sC} = 0.0001778491 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2}{TQ} = 10^{20} = 5622.746 \frac{kg m^2}{sC}$
$1 \frac{kg}{s^2C} = 958.8281 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2Q} = 10^{-30} = 0.001042940 \frac{kg m^2}{s^2C}$
$1 \frac{kg}{C} = 611.8898 \cdot 10^{100}$	$1 \text{ pano-} \frac{ML^2T}{Q} = 10^{100} = 0.001634281 \frac{kg m^2s}{C}$
$1 \frac{kg}{sC} = 0.00001392811 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{M}{LQ} = 10^{-40} = 71797.27 \frac{kg}{mC}$
$1 \frac{kg}{s^2C} = 75.08985 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.01331738 \frac{kg}{msC}$
$1 \frac{kg}{s^3C} = 0.04048279 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M}{L^2TQ} = 10^{-130} = 24.70186 \frac{kg}{ms^2C}$
$1 \frac{kg}{C} = 0.02583467 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 38.70768 \frac{kg s}{mC}$
$1 \frac{kg}{sC} = 2.251137 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{M}{L^2Q} = 10^{-80} = 0.4442200 \frac{kg}{m^2C} (*)$
$1 \frac{kg}{s^2C} = 0.001213643 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{M}{L^2TQ} = 10^{-120} = 823.9652 \frac{kg}{m^2sC}$
$1 \frac{kg}{s^3C} = 6543.051 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{M}{L^2T^2Q} = 10^{-170} = 0.0001528339 \frac{kg}{m^2s^2C}$
$1 \frac{kg}{s^4C} = 4175.541 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{MT}{L^2Q} = 10^{-40} = 0.0002394899 \frac{kg s}{m^2C} (*)$
$1 \frac{kg}{s^5C} = 363841.2 \cdot 10^{-120}$	$1 \text{ ni'upapa-} \frac{M}{L^3Q} = 10^{-110} = 27484.52 \frac{kg}{m^3C}$
$1 \frac{kg}{s^6C} = 196.1557 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{M}{L^3TQ} = 10^{-160} = 0.005097990 \frac{kg}{m^3sC} (*)$
$1 \frac{kg}{s^7C} = 0.1057524 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{M}{L^3T^2Q} = 10^{-200} = 9.456051 \frac{kg}{m^3s^2C}$
$1 \frac{kg}{s^8C} = 0.06748739 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{MT}{L^3Q} = 10^{-70} = 14.81758 \frac{kg s}{m^3C}$
$1 C = 0.005331781 \cdot 10^{20}$	$1 \text{ re-} Q = 10^{20} = 187.5546 C$
$1 \frac{C}{s} = 28744.94 \cdot 10^{-30}$	$1 \text{ ni'ure-} \frac{Q}{T} = 10^{-20} = 347887.3 \frac{C}{s}$

$1 \frac{C}{s^2} = 15.49711 \cdot 10^{-70}$	$1 ni'uze- \frac{Q}{T^2} = 10^{-70} = 0.06452817 \frac{C}{s^2}$
$1 s C = 9.889699 \cdot 10^{60} \quad (*)$	$1 xa-TQ = 10^{60} = 0.1011153 s C$
$1 m C = 329.8849 \cdot 10^{50}$	$1 mu-LQ = 10^{50} = 0.003031361 m C$
$1 \frac{m C}{s} = 0.1778491 \cdot 10^{10}$	$1 pa- \frac{LQ}{T} = 10^{10} = 5.622746 \frac{m C}{s}$
$1 \frac{m C}{s^2} = 958828.1 \cdot 10^{-40}$	$1 ni'uci- \frac{LQ}{T^2} = 10^{-30} = 10429.40 \frac{m C}{s^2}$
$1 m s C = 0.00006118898 \cdot 10^{100}$	$1 pano-LTQ = 10^{100} = 16342.81 m s C$
$1 m^2 C = 0.002041045 \cdot 10^{90}$	$1 so-L^2 Q = 10^{90} = 489.9452 m^2 C$
$1 \frac{m^2 C}{s} = 11003.77 \cdot 10^{40} \quad (*)$	$1 vo- \frac{L^2 Q}{T} = 10^{40} = 0.00009087791 \frac{m^2 C}{s}$
$1 \frac{m^2 C}{s^2} = 5.932406$	$1 \frac{L^2 Q}{T^2} = 1 = 0.1685657 \frac{m^2 C}{s^2}$
$1 m^2 s C = 3.785849 \cdot 10^{130}$	$1 paci-L^2 TQ = 10^{130} = 0.2641415 m^2 s C$
$1 \frac{C}{m} = 861.7517 \cdot 10^{-20}$	$1 ni'ure- \frac{Q}{L} = 10^{-20} = 0.001160427 \frac{C}{m}$
$1 \frac{C}{m s} = 0.4645916 \cdot 10^{-60}$	$1 ni'uxa- \frac{Q}{LT} = 10^{-60} = 2.152428 \frac{C}{m s}$
$1 \frac{C}{m s^2} = 0.0002504728 \cdot 10^{-100}$	$1 ni'upano- \frac{Q}{LT^2} = 10^{-100} = 3992.450 \frac{C}{m s^2} \quad (*)$
$1 \frac{s C}{m} = 0.0001598428 \cdot 10^{30}$	$1 ci- \frac{TQ}{L} = 10^{30} = 6256.148 \frac{s C}{m}$
$1 \frac{C}{m^2} = 0.01392811 \cdot 10^{-50}$	$1 ni'umu- \frac{Q}{L^2} = 10^{-50} = 71.79727 \frac{C}{m^2}$
$1 \frac{C}{m^2 s} = 75089.85 \cdot 10^{-100}$	$1 ni'upano- \frac{Q}{L^2 T} = 10^{-100} = 0.00001331738 \frac{C}{m^2 s}$
$1 \frac{C}{m^2 s^2} = 40.48279 \cdot 10^{-140}$	$1 ni'upavo- \frac{Q}{L^2 T^2} = 10^{-140} = 0.02470186 \frac{C}{m^2 s^2}$
$1 \frac{s C}{m^2} = 25.83467 \cdot 10^{-10}$	$1 ni'upa- \frac{TQ}{L^2} = 10^{-10} = 0.03870768 \frac{s C}{m^2}$
$1 \frac{C}{m^3} = 2251.137 \cdot 10^{-90}$	$1 ni'uso- \frac{Q}{L^3} = 10^{-90} = 0.0004442200 \frac{C}{m^3} \quad (*)$
$1 \frac{C}{m^3 s} = 1.213643 \cdot 10^{-130}$	$1 ni'upaci- \frac{Q}{L^3 T} = 10^{-130} = 0.8239652 \frac{C}{m^3 s}$
$1 \frac{C}{m^3 s^2} = 0.0006543051 \cdot 10^{-170}$	$1 ni'upaze- \frac{Q}{L^3 T^2} = 10^{-170} = 1528.339 \frac{C}{m^3 s^2}$
$1 \frac{s C}{m^3} = 0.0004175541 \cdot 10^{-40}$	$1 ni'uvo- \frac{TQ}{L^3} = 10^{-40} = 2394.899 \frac{s C}{m^3} \quad (*)$
$1 kg C = 244977.8 \cdot 10^{20}$	$1 ci-MQ = 10^{30} = 40820.03 kg C$
$1 \frac{kg C}{s} = 132.0736 \cdot 10^{-20}$	$1 ni'ure- \frac{MQ}{T} = 10^{-20} = 0.007571538 \frac{kg C}{s}$
$1 \frac{kg C}{s^2} = 0.07120411 \cdot 10^{-60}$	$1 ni'uxa- \frac{MQ}{T^2} = 10^{-60} = 14.04413 \frac{kg C}{s^2}$
$1 kg s C = 0.04543992 \cdot 10^{70} \quad (*)$	$1 ze-MTQ = 10^{70} = 22.00708 kg s C \quad (*)$
$1 kg m C = 1.515712 \cdot 10^{60}$	$1 xa-MLQ = 10^{60} = 0.6597558 kg m C$
$1 \frac{kg m C}{s} = 0.0008171579 \cdot 10^{20}$	$1 re- \frac{MLQ}{T} = 10^{20} = 1223.754 \frac{kg m C}{s}$
$1 \frac{kg m C}{s^2} = 4405.500 \cdot 10^{-30} \quad (*)$	$1 ni'uci- \frac{MLQ}{T^2} = 10^{-30} = 0.0002269890 \frac{kg m C}{s^2}$
$1 kg m s C = 2811.432 \cdot 10^{100}$	$1 pano-MLTQ = 10^{100} = 0.0003556906 kg m s C$
$1 kg m^2 C = 93779.29 \cdot 10^{90}$	$1 pano-ML^2 Q = 10^{100} = 106633.4 kg m^2 C$
$1 \frac{kg m^2 C}{s} = 50.55872 \cdot 10^{50}$	$1 mu- \frac{ML^2 Q}{T} = 10^{50} = 0.01977898 \frac{kg m^2 C}{s}$
$1 \frac{kg m^2 C}{s^2} = 0.02725745 \cdot 10^{10}$	$1 pa- \frac{ML^2 Q}{T^2} = 10^{10} = 36.68721 \frac{kg m^2 C}{s^2}$
$1 kg m^2 s C = 0.01739473 \cdot 10^{140}$	$1 pavo-ML^2 TQ = 10^{140} = 57.48867 kg m^2 s C$
$1 \frac{kg C}{m} = 3.959466 \cdot 10^{-10}$	$1 ni'upa- \frac{MQ}{L} = 10^{-10} = 0.2525593 \frac{kg C}{m}$
$1 \frac{kg C}{m s} = 0.002134646 \cdot 10^{-50}$	$1 ni'umu- \frac{MQ}{LT} = 10^{-50} = 468.4618 \frac{kg C}{m s}$
$1 \frac{kg C}{m s^2} = 11508.40 \cdot 10^{-100}$	$1 ni'upano- \frac{MQ}{LT^2} = 10^{-100} = 0.00008689305 \frac{kg C}{m s^2}$
$1 \frac{kg s C}{m} = 7344.249 \cdot 10^{30}$	$1 ci- \frac{MTQ}{L} = 10^{30} = 0.0001361610 \frac{kg s C}{m}$
$1 \frac{kg C}{m^2} = 0.00006399506 \cdot 10^{-40} \quad (*)$	$1 ni'uvo- \frac{MQ}{L^2} = 10^{-40} = 15626.21 \frac{kg C}{m^2}$
$1 \frac{kg C}{m^2 s} = 345.0132 \cdot 10^{-90}$	$1 ni'uso- \frac{MQ}{L^2 T} = 10^{-90} = 0.002898440 \frac{kg C}{m^2 s}$
$1 \frac{kg C}{m^2 s^2} = 0.1860051 \cdot 10^{-130} \quad (*)$	$1 ni'upaci- \frac{MQ}{L^2 T^2} = 10^{-130} = 5.376197 \frac{kg C}{m^2 s^2}$
$1 \frac{kg s C}{m^2} = 0.1187018 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 8.424472 \frac{kg s C}{m^2}$
$1 \frac{kg C}{m^3} = 10.34323 \cdot 10^{-80}$	$1 ni'ubi- \frac{MQ}{L^3} = 10^{-80} = 0.09668156 \frac{kg C}{m^3}$
$1 \frac{kg C}{m^3 s} = 0.005576293 \cdot 10^{-120}$	$1 ni'upare- \frac{MQ}{L^3 T} = 10^{-120} = 179.3306 \frac{kg C}{m^3 s}$
$1 \frac{kg C}{m^3 s^2} = 30063.17 \cdot 10^{-170} \quad (*)$	$1 ni'upaxa- \frac{MQ}{L^3 T^2} = 10^{-160} = 332632.9 \frac{kg C}{m^3 s^2}$
$1 \frac{kg s C}{m^3} = 19185.24 \cdot 10^{-40}$	$1 ni'uvo- \frac{MTQ}{L^3} = 10^{-40} = 0.00005212341 \frac{kg s C}{m^3}$
$1 \frac{1}{K} = 141.6784 \cdot 10^{30}$	$1 ci- \frac{1}{\Theta} = 10^{30} = 0.007058238 \frac{1}{K}$
$1 \frac{1}{s K} = 0.07638233 \cdot 10^{-10}$	$1 ni'upa- \frac{1}{T\Theta} = 10^{-10} = 13.09203 \frac{1}{s K}$
$1 \frac{1}{s^2 K} = 411795.9 \cdot 10^{-60}$	$1 ni'umu- \frac{1}{T^2\Theta} = 10^{-50} = 24283.87 \frac{1}{s^2 K}$
$1 \frac{s}{K} = 0.00002627934 \cdot 10^{80}$	$1 bi- \frac{T}{\Theta} = 10^{80} = 38052.70 \frac{s}{K}$

$1 \frac{m}{K} = 0.0008765845 \cdot 10^{70}$	$1 ze \frac{L}{\Theta} = 10^{70} = 1140.791 \frac{m}{K}$
$1 \frac{m}{sK} = 4725.883 \cdot 10^{20}$	$1 re \frac{L}{T\Theta} = 10^{20} = 0.0002116007 \frac{m}{sK}$ (*)
$1 \frac{m}{s^2K} = 2.547840 \cdot 10^{-20}$	$1 ni'ure \frac{L}{T^2\Theta} = 10^{-20} = 0.3924893 \frac{m}{s^2K}$
$1 \frac{m}{K} = 1.625940 \cdot 10^{110}$	$1 papa \frac{LT}{\Theta} = 10^{110} = 0.6150287 \frac{ms}{K}$
$1 \frac{m^2}{K} = 54.23553 \cdot 10^{100}$	$1 pano \frac{L^2}{\Theta} = 10^{100} = 0.01843810 \frac{m^2}{K}$
$1 \frac{m^2}{sK} = 0.02923971 \cdot 10^{60}$	$1 xa \frac{L^2}{T\Theta} = 10^{60} = 34.20006 \frac{m^2}{sK}$ (**)
$1 \frac{m^2}{s^2K} = 0.00001576385 \cdot 10^{20}$	$1 re \frac{L^2}{T^2\Theta} = 10^{20} = 63436.28 \frac{m^2}{s^2K}$
$1 \frac{m^2s}{K} = 100599.2 \cdot 10^{140}$ (*)	$1 pamu \frac{L^2T}{\Theta} = 10^{150} = 99404.32 \frac{m^2s}{K}$ (*)
$1 \frac{1}{mK} = 0.002289885 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.7032 \frac{1}{mK}$
$1 \frac{1}{msK} = 12345.33 \cdot 10^{-50}$	$1 ni'uvo \frac{1}{LT\Theta} = 10^{-40} = 810022.8 \frac{1}{msK}$ (*)
$1 \frac{1}{m^2s^2K} = 6.655673 \cdot 10^{-90}$	$1 ni'uso \frac{1}{LT^2\Theta} = 10^{-90} = 0.1502478 \frac{1}{m^2s^2K}$
$1 \frac{s}{mK} = 4.247412 \cdot 10^{40}$	$1 vo \frac{T}{L\Theta} = 10^{40} = 0.2354375 \frac{s}{mK}$
$1 \frac{1}{m^2K} = 370.1037 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{L^2\Theta} = 10^{-40} = 0.002701945 \frac{1}{m^2K}$
$1 \frac{1}{m^2sK} = 0.1995320 \cdot 10^{-80}$ (*)	$1 ni'ubi \frac{1}{L^2T\Theta} = 10^{-80} = 5.011726 \frac{1}{m^2sK}$
$1 \frac{1}{m^2s^2K} = 0.0001075726 \cdot 10^{-120}$	$1 ni'upare \frac{1}{L^2T^2\Theta} = 10^{-120} = 9296.044 \frac{1}{m^2s^2K}$
$1 \frac{s}{m^2K} = 686490.1 \cdot 10^0$	$1 pa \frac{T}{L^2\Theta} = 10^{10} = 14566.85 \frac{s}{m^2K}$
$1 \frac{1}{m^3K} = 0.005981820 \cdot 10^{-70}$	$1 ni'uze \frac{1}{L^3\Theta} = 10^{-70} = 167.1732 \frac{1}{m^3K}$
$1 \frac{1}{m^3sK} = 32249.47 \cdot 10^{-120}$	$1 ni'upare \frac{1}{L^3T\Theta} = 10^{-120} = 0.00003100826 \frac{1}{m^3sK}$ (*)
$1 \frac{1}{m^3s^2K} = 17.38648 \cdot 10^{-160}$	$1 ni'upaxa \frac{1}{L^3T^2\Theta} = 10^{-160} = 0.05751595 \frac{1}{m^3s^2K}$
$1 \frac{s}{m^3K} = 11.09543 \cdot 10^{-30}$	$1 ni'uci \frac{T}{L^3\Theta} = 10^{-30} = 0.09012719 \frac{s}{m^3K}$
$1 \frac{kg}{K} = 0.6509657 \cdot 10^{40}$	$1 vo \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{kg}{K}$
$1 \frac{kg}{sK} = 0.0003509517 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 2849.395 \frac{kg}{sK}$
$1 \frac{kg}{s^2K} = 1892.067 \cdot 10^{-50}$	$1 ni'umu \frac{M}{T^2\Theta} = 10^{-50} = 0.0005285225 \frac{kg}{s^2K}$
$1 \frac{kg s}{K} = 1207.449 \cdot 10^{80}$	$1 bi \frac{MT}{\Theta} = 10^{80} = 0.0008281921 \frac{kg s}{K}$
$1 \frac{kg m}{K} = 40276.18 \cdot 10^{70}$	$1 bi \frac{ML}{\Theta} = 10^{80} = 248285.7 \frac{kg m}{K}$
$1 \frac{kg m}{sK} = 21.71388 \cdot 10^{30}$	$1 ci \frac{ML}{T\Theta} = 10^{30} = 0.04605349 \frac{kg m}{sK}$
$1 \frac{kg m}{s^2K} = 0.01170649 \cdot 10^{-10}$	$1 ni'upa \frac{ML}{T^2\Theta} = 10^{-10} = 85.42272 \frac{kg m}{s^2K}$
$1 \frac{kg ms}{K} = 0.007470661 \cdot 10^{120}$	$1 pare \frac{MLT}{\Theta} = 10^{120} = 133.8570 \frac{kg ms}{K}$
$1 \frac{kg m^2}{K} = 0.2491944 \cdot 10^{110}$	$1 papa \frac{ML^2}{\Theta} = 10^{110} = 4.012931 \frac{kg m^2}{K}$
$1 \frac{kg m^2}{sK} = 0.0001343469 \cdot 10^{70}$	$1 ze \frac{ML^2}{T\Theta} = 10^{70} = 7443.419 \frac{kg m^2}{sK}$
$1 \frac{kg m^2}{s^2K} = 724.2971 \cdot 10^{20}$	$1 re \frac{ML^2}{T^2\Theta} = 10^{20} = 0.001380649 \frac{kg m^2}{s^2K}$
$1 \frac{kg m^2 s}{K} = 462.2205 \cdot 10^{150}$	$1 pamu \frac{ML^2T}{\Theta} = 10^{150} = 0.002163470 \frac{kg m^2 s}{K}$
$1 \frac{kg}{mK} = 105212.7 \cdot 10^0$	$1 pa \frac{M}{L\Theta} = 10^{10} = 95045.59 \frac{kg}{mK}$
$1 \frac{kg}{msK} = 56.72274 \cdot 10^{-40}$	$1 ni'uvo \frac{M}{LT\Theta} = 10^{-40} = 0.01762961 \frac{kg}{msK}$
$1 \frac{kg}{m^2K} = 0.03058063 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{LT^2\Theta} = 10^{-80} = 32.70044 \frac{kg}{ms^2K}$ (*)
$1 \frac{kg s}{mK} = 0.01951546 \cdot 10^{50}$	$1 mu \frac{MT}{L\Theta} = 10^{50} = 51.24142 \frac{kg s}{mK}$
$1 \frac{kg}{m^2K} = 1.700505 \cdot 10^{-30}$ (*)	$1 ni'uci \frac{M}{L^2\Theta} = 10^{-30} = 0.5880606 \frac{kg}{m^2K}$
$1 \frac{kg}{m^2sK} = 0.0009167841 \cdot 10^{-70}$	$1 ni'uze \frac{M}{L^2T\Theta} = 10^{-70} = 1090.769 \frac{kg}{m^2sK}$
$1 \frac{kg}{m^2s^2K} = 4942.609 \cdot 10^{-120}$	$1 ni'upare \frac{M}{L^2T^2\Theta} = 10^{-120} = 0.0002023223 \frac{kg}{m^2s^2K}$
$1 \frac{kg s}{m^2K} = 3154.196 \cdot 10^{10}$	$1 pa \frac{MT}{L^2\Theta} = 10^{10} = 0.0003170380 \frac{kg s}{m^2K}$
$1 \frac{kg}{m^3K} = 0.00002748450 \cdot 10^{-60}$	$1 ni'uxa \frac{M}{L^3\Theta} = 10^{-60} = 36384.15 \frac{kg}{m^3K}$
$1 \frac{kg}{m^3sK} = 148.1757 \cdot 10^{-110}$	$1 ni'upapa \frac{M}{L^3T\Theta} = 10^{-110} = 0.006748745 \frac{kg}{m^3sK}$
$1 \frac{kg}{m^3s^2K} = 0.07988517 \cdot 10^{-150}$	$1 ni'upamu \frac{M}{L^3T^2\Theta} = 10^{-150} = 12.51797 \frac{kg}{m^3s^2K}$
$1 \frac{kg s}{m^3K} = 0.05097986 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3\Theta} = 10^{-20} = 19.61559 \frac{kg s}{m^3K}$
$1 K = 0.007058238 \cdot 10^{-30}$	$1 ni'uci \Theta = 10^{-30} = 141.6784 K$
$1 \frac{K}{s} = 38052.70 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{T} = 10^{-80} = 0.00002627934 \frac{K}{s}$
$1 \frac{K}{s^2} = 20.51515 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{T^2} = 10^{-120} = 0.04874447 \frac{K}{s^2}$
$1 sK = 13.09203 \cdot 10^{10}$	$1 pa \cdot T\Theta = 10^{10} = 0.07638233 sK$
$1 mK = 436.7032 \cdot 10^0$	$1 L\Theta = 1 = 0.002289885 mK$
$1 \frac{mK}{s} = 0.2354375 \cdot 10^{-40}$	$1 ni'uvo \frac{L\Theta}{T} = 10^{-40} = 4.247412 \frac{mK}{s}$

$1 \frac{m}{s^2} = 0.0001269301 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2} = 10^{-80} = 7878.349 \frac{m}{s^2}$
$1 m s K = 810022.8 \cdot 10^{40} \quad (*)$	$1 mu-LT\Theta = 10^{50} = 12345.33 m s K$
$1 m^2 K = 0.002701945 \cdot 10^{40}$	$1 vo-L^2\Theta = 10^{40} = 370.1037 m^2 K$
$1 \frac{m^2}{s} = 14566.85 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 686490.1 \frac{m^2 K}{s}$
$1 \frac{m^2}{s^2} = 7.853349 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2} = 10^{-50} = 0.1273342 \frac{m^2 K}{s^2}$
$1 m^2 s K = 5.011726 \cdot 10^{80}$	$1 bi-L^2T\Theta = 10^{80} = 0.1995320 m^2 s K \quad (*)$
$1 \frac{K}{m} = 1140.791 \cdot 10^{-70}$	$1 ni' uze - \frac{\Theta}{L} = 10^{-70} = 0.0008765845 \frac{K}{m}$
$1 \frac{K}{m s} = 0.6150287 \cdot 10^{-110}$	$1 ni' upapa - \frac{\Theta}{LT} = 10^{-110} = 1.625940 \frac{K}{m s}$
$1 \frac{K}{m s^2} = 0.0003315771 \cdot 10^{-150}$	$1 ni' upamu - \frac{\Theta}{LT^2} = 10^{-150} = 3015.890 \frac{K}{m s^2}$
$1 \frac{s K}{m} = 0.0002116007 \cdot 10^{-20} \quad (*)$	$1 ni' ure - \frac{T\Theta}{L} = 10^{-20} = 4725.883 \frac{s K}{m}$
$1 \frac{K}{m^2} = 0.01843810 \cdot 10^{-100}$	$1 ni' upano - \frac{\Theta}{L^2} = 10^{-100} = 54.23553 \frac{K}{m^2}$
$1 \frac{K}{m^2 s} = 99404.32 \cdot 10^{-150} \quad (*)$	$1 ni' upavo - \frac{\Theta}{L^2 T} = 10^{-140} = 100599.2 \frac{K}{m^2 s} \quad (**)$
$1 \frac{K}{m^2 s^2} = 53.59132 \cdot 10^{-190}$	$1 ni' upaso - \frac{\Theta}{L^2 T^2} = 10^{-190} = 0.01865974 \frac{K}{m^2 s^2}$
$1 \frac{s K}{m^2} = 34.20006 \cdot 10^{-60} \quad (**)$	$1 ni' uxa - \frac{T\Theta}{L^2} = 10^{-60} = 0.02923971 \frac{s K}{m^2}$
$1 \frac{K}{m^3} = 2980.067 \cdot 10^{-140}$	$1 ni' upavo - \frac{\Theta}{L^3} = 10^{-140} = 0.0003355630 \frac{K}{m^3}$
$1 \frac{K}{m^3 s} = 1.606627 \cdot 10^{-180}$	$1 ni' upabi - \frac{\Theta}{L^3 T} = 10^{-180} = 0.6224219 \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s^2} = 0.0008661724 \cdot 10^{-220}$	$1 ni' urere - \frac{\Theta}{L^3 T^2} = 10^{-220} = 1154.505 \frac{K}{m^3 s^2}$
$1 \frac{s K}{m^3} = 0.0005527602 \cdot 10^{-90}$	$1 ni' uso - \frac{T\Theta}{L^3} = 10^{-90} = 1809.103 \frac{s K}{m^3}$
$1 kg K = 0.00003243028 \cdot 10^{-20}$	$1 ni' ure - M\Theta = 10^{-20} = 30835.38 kg K$
$1 \frac{kg K}{s} = 174.8396 \cdot 10^{-70}$	$1 ni' uze - \frac{M\Theta}{T} = 10^{-70} = 0.005719527 \frac{kg K}{s}$
$1 \frac{kg K}{s^2} = 0.09426036 \cdot 10^{-110}$	$1 ni' upapa - \frac{M\Theta}{T^2} = 10^{-110} = 10.60891 \frac{kg K}{s^2}$
$1 kg s K = 0.06015359 \cdot 10^{20}$	$1 re-MT\Theta = 10^{20} = 16.62411 kg s K$
$1 kg m K = 2.006508 \cdot 10^{10} \quad (*)$	$1 pa-ML\Theta = 10^{10} = 0.4983783 kg m K$
$1 \frac{kg m K}{s} = 0.001081758 \cdot 10^{-30}$	$1 ni' uci - \frac{ML\Theta}{T} = 10^{-30} = 924.4213 \frac{kg m K}{s}$
$1 \frac{kg m K}{s^2} = 5832.023 \cdot 10^{-80}$	$1 ni' ubi - \frac{ML\Theta}{T^2} = 10^{-80} = 0.0001714671 \frac{kg m K}{s^2}$
$1 kg m s K = 3721.788 \cdot 10^{50}$	$1 mu-MLT\Theta = 10^{50} = 0.0002686880 kg m s K$
$1 kg m^2 K = 124145.5 \cdot 10^{40}$	$1 mu-ML^2\Theta = 10^{50} = 80550.65 kg m^2 K$
$1 \frac{kg m^2 K}{s} = 66.92990 \cdot 10^0 \quad (*)$	$1 \frac{ML^2\Theta}{T} = 1 = 0.01494101 \frac{kg m^2 K}{s}$
$1 \frac{kg m^2 K}{s^2} = 0.03608356 \cdot 10^{-40}$	$1 ni' uvo - \frac{ML^2\Theta}{T^2} = 10^{-40} = 27.71345 \frac{kg m^2 K}{s^2}$
$1 kg m^2 s K = 0.02302723 \cdot 10^{90}$	$1 so-ML^2T\Theta = 10^{90} = 43.42684 kg m^2 s K$
$1 \frac{kg K}{m} = 5.241561 \cdot 10^{-60}$	$1 ni' uxa - \frac{M\Theta}{L} = 10^{-60} = 0.1907829 \frac{kg K}{m}$
$1 \frac{kg K}{m s} = 0.002825855 \cdot 10^{-100}$	$1 ni' upano - \frac{M\Theta}{LT} = 10^{-100} = 353.8753 \frac{kg K}{m s}$
$1 \frac{kg K}{m s^2} = 15234.88 \cdot 10^{-150}$	$1 ni' upavo - \frac{M\Theta}{LT^2} = 10^{-140} = 656388.6 \frac{kg K}{m s^2}$
$1 \frac{kg s K}{m} = 9722.354 \cdot 10^{-20}$	$1 ni' ure - \frac{MT\Theta}{L} = 10^{-20} = 0.0001028557 \frac{kg s K}{m}$
$1 \frac{kg K}{m^2} = 847169.9 \cdot 10^{-100}$	$1 ni' uso - \frac{M\Theta}{L^2} = 10^{-90} = 11804.01 \frac{kg K}{m^2}$
$1 \frac{kg K}{m^2 s} = 456.7302 \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{L^2 T} = 10^{-140} = 0.002189477 \frac{kg K}{m^2 s}$
$1 \frac{kg K}{m^2 s^2} = 0.2462345 \cdot 10^{-180}$	$1 ni' upabi - \frac{M\Theta}{L^2 T^2} = 10^{-180} = 4.061170 \frac{kg K}{m^2 s^2}$
$1 \frac{kg s K}{m^2} = 0.1571380 \cdot 10^{-50}$	$1 ni' umu - \frac{MT\Theta}{L^2} = 10^{-50} = 6.363832 \frac{kg s K}{m^2}$
$1 \frac{kg K}{m^3} = 13.69243 \cdot 10^{-130}$	$1 ni' upaci - \frac{M\Theta}{L^3} = 10^{-130} = 0.07303308 \frac{kg K}{m^3}$
$1 \frac{kg K}{m^3 s} = 0.007381924 \cdot 10^{-170}$	$1 ni' upaze - \frac{M\Theta}{L^3 T} = 10^{-170} = 135.4660 \frac{kg K}{m^3 s}$
$1 \frac{kg K}{m^3 s^2} = 39797.77 \cdot 10^{-220}$	$1 ni' urere - \frac{M\Theta}{L^3 T^2} = 10^{-220} = 0.00002512703 \frac{kg K}{m^3 s^2}$
$1 \frac{kg s K}{m^3} = 25397.51 \cdot 10^{-90}$	$1 ni' ubi - \frac{MT\Theta}{L^3} = 10^{-80} = 393739.3 \frac{kg s K}{m^3}$
$1 \frac{K}{C} = 1.323805 \cdot 10^{-50}$	$1 ni' umu - \frac{\Theta}{Q} = 10^{-50} = 0.7553982 \frac{K}{C}$
$1 \frac{K}{s C} = 0.0007136959 \cdot 10^{-90}$	$1 ni' uso - \frac{\Theta}{TQ} = 10^{-90} = 1401.157 \frac{K}{s C}$
$1 \frac{K}{s^2 C} = 3847.711 \cdot 10^{-140}$	$1 ni' upavo - \frac{T\Theta}{T^2 Q} = 10^{-140} = 0.0002598948 \frac{K}{s^2 C}$
$1 \frac{s K}{C} = 2455.471 \cdot 10^{-10}$	$1 ni' upa - \frac{T\Theta}{Q} = 10^{-10} = 0.0004072538 \frac{s K}{C}$
$1 \frac{m K}{C} = 81905.70 \cdot 10^{-20}$	$1 ni' ure - \frac{L\Theta}{Q} = 10^{-20} = 0.00001220916 \frac{m K}{C}$
$1 \frac{m K}{s C} = 44.15738 \cdot 10^{-60}$	$1 ni' uxa - \frac{L\Theta}{TQ} = 10^{-60} = 0.02264627 \frac{m K}{s C}$
$1 \frac{m K}{s^2 C} = 0.02380633 \cdot 10^{-100}$	$1 ni' upano - \frac{L\Theta}{T^2 Q} = 10^{-100} = 42.00563 \frac{m K}{s^2 C} \quad (*)$
$1 \frac{m s K}{C} = 0.01519235 \cdot 10^{30}$	$1 ci - \frac{LT\Theta}{Q} = 10^{30} = 65.82260 \frac{m s K}{C}$

$1 \frac{m^2 K}{C} = 0.5067623 \cdot 10^{20}$	$1 re - \frac{L^2 \Theta}{Q} = 10^{20} = 1.973312 \frac{m^2 K}{C}$
$1 \frac{m^2 K}{s C} = 0.0002732080 \cdot 10^{-20}$	$1 ni'ure - \frac{L^2 \Theta}{T Q} = 10^{-20} = 3660.215 \frac{m^2 K}{s C}$
$1 \frac{m^2 K}{s^2 C} = 1472.932 \cdot 10^{-70}$	$1 ni'uze - \frac{L^2 \Theta}{T^2 Q} = 10^{-70} = 0.0006789181 \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 s K}{C} = 939.9723 \cdot 10^{60}$	$1 xa - \frac{L^2 T \Theta}{Q} = 10^{60} = 0.001063861 \frac{m^2 s K}{C}$
$1 \frac{K}{m C} = 0.00002139607 \cdot 10^{-80}$	$1 ni'ubi - \frac{\Theta}{L Q} = 10^{-80} = 46737.56 \frac{K}{m C}$
$1 \frac{K}{m s C} = 115.3515 \cdot 10^{-130}$	$1 ni'upaci - \frac{\Theta}{L T Q} = 10^{-130} = 0.008669157 \frac{K}{m s C}$
$1 \frac{K}{m s^2 C} = 0.06218882 \cdot 10^{-170}$	$1 ni'upaze - \frac{\Theta}{L T^2 Q} = 10^{-170} = 16.08006 \frac{K}{m s^2 C} (*)$
$1 \frac{s K}{m C} = 0.03968668 \cdot 10^{-40}$	$1 ni'uvo - \frac{T \Theta}{L Q} = 10^{-40} = 25.19737 \frac{s K}{m C}$
$1 \frac{K}{m^2 C} = 3.458150 \cdot 10^{-120}$	$1 ni'upare - \frac{\Theta}{L^2 Q} = 10^{-120} = 0.2891720 \frac{K}{m^2 C}$
$1 \frac{K}{m^2 s C} = 0.001864374 \cdot 10^{-160}$	$1 ni'upaxa - \frac{\Theta}{L^2 T Q} = 10^{-160} = 536.3731 \frac{K}{m^2 s C}$
$1 \frac{K}{m^2 s^2 C} = 10051.30 \cdot 10^{-210} (*)$	$1 ni'ureno - \frac{\Theta}{L^2 T^2 Q} = 10^{-200} = 994896.3 \frac{K}{m^2 s^2 C} (*)$
$1 \frac{s K}{m^2 C} = 6414.379 \cdot 10^{-80}$	$1 ni'ubi - \frac{T \Theta}{L^2 Q} = 10^{-80} = 0.0001558997 \frac{s K}{m^2 C} (*)$
$1 \frac{K}{m^3 C} = 558925.2 \cdot 10^{-160}$	$1 ni'upamu - \frac{\Theta}{L^3 Q} = 10^{-150} = 17891.48 \frac{K}{m^3 C}$
$1 \frac{K}{m^3 s C} = 301.3304 \cdot 10^{-200}$	$1 ni'ureno - \frac{\Theta}{L^3 T Q} = 10^{-200} = 0.003318617 \frac{K}{m^3 s C}$
$1 \frac{K}{m^3 s^2 C} = 0.1624546 \cdot 10^{-240}$	$1 ni'urevo - \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 6.155565 \frac{K}{m^3 s^2 C}$
$1 \frac{s K}{m^3 C} = 0.1036727 \cdot 10^{-110}$	$1 ni'upapa - \frac{T \Theta}{L^3 Q} = 10^{-110} = 9.645739 \frac{s K}{m^3 C}$
$1 \frac{kg K}{C} = 0.006082449 \cdot 10^{-40}$	$1 ni'uvo - \frac{M \Theta}{Q} = 10^{-40} = 164.4075 \frac{kg K}{C}$
$1 \frac{kg K}{s C} = 32791.98 \cdot 10^{-90}$	$1 ni'ubi - \frac{M \Theta}{T Q} = 10^{-80} = 304952.6 \frac{kg K}{s C}$
$1 \frac{kg K}{s^2 C} = 17.67896 \cdot 10^{-130}$	$1 ni'upaci - \frac{M \Theta}{T^2 Q} = 10^{-130} = 0.05656440 \frac{kg K}{s^2 C}$
$1 \frac{kg s K}{C} = 11.28208 \cdot 10^0$	$1 \frac{MT \Theta}{Q} = 1 = 0.08863612 \frac{kg s K}{C}$
$1 \frac{kg m K}{C} = 376.3298 \cdot 10^{-10}$	$1 ni'upa - \frac{ML \Theta}{Q} = 10^{-10} = 0.002657244 \frac{kg m K}{C}$
$1 \frac{kg m K}{s C} = 0.2028887 \cdot 10^{-50}$	$1 ni'umu - \frac{ML \Theta}{T Q} = 10^{-50} = 4.928812 \frac{kg m K}{s C}$
$1 \frac{kg m K}{s^2 C} = 0.0001093823 \cdot 10^{-90}$	$1 ni'uso - \frac{ML \Theta}{T^2 Q} = 10^{-90} = 9142.249 \frac{kg m K}{s^2 C}$
$1 \frac{kg m s K}{C} = 0.00006980385 \cdot 10^{40}$	$1 vo - \frac{MLT \Theta}{Q} = 10^{40} = 14325.86 \frac{kg m s K}{C}$
$1 \frac{kg m^2 K}{C} = 0.002328406 \cdot 10^{30}$	$1 ci - \frac{ML^2 \Theta}{Q} = 10^{30} = 429.4784 \frac{kg m^2 K}{C}$
$1 \frac{kg m^2 K}{s C} = 12553.01 \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2 \Theta}{T Q} = 10^{-20} = 0.00007966217 \frac{kg m^2 K}{s C}$
$1 \frac{kg m^2 K}{s^2 C} = 6.767637 \cdot 10^{-60}$	$1 ni'uxa - \frac{ML^2 \Theta}{T^2 Q} = 10^{-60} = 0.1477621 \frac{kg m^2 K}{s^2 C}$
$1 \frac{kg m^2 s K}{C} = 4.318864 \cdot 10^{70}$	$1 ze - \frac{ML^2 T \Theta}{Q} = 10^{70} = 0.2315424 \frac{kg m^2 s K}{C}$
$1 \frac{kg K}{m C} = 983.0789 \cdot 10^{-80}$	$1 ni'ubi - \frac{M \Theta}{L Q} = 10^{-80} = 0.001017212 \frac{kg K}{m C}$
$1 \frac{kg K}{m s C} = 0.5300020 \cdot 10^{-120} (**)$	$1 ni'upare - \frac{M \Theta}{L T Q} = 10^{-120} = 1.886785 \frac{kg K}{m s C}$
$1 \frac{kg K}{m s^2 C} = 0.0002857372 \cdot 10^{-160}$	$1 ni'upaxa - \frac{M \Theta}{L T^2 Q} = 10^{-160} = 3499.720 \frac{kg K}{m s^2 C} (*)$
$1 \frac{kg s K}{m C} = 0.0001823472 \cdot 10^{-30}$	$1 ni'uci - \frac{MT \Theta}{L Q} = 10^{-30} = 5484.043 \frac{kg s K}{m C}$
$1 \frac{kg K}{m^2 C} = 0.01588906 \cdot 10^{-110}$	$1 ni'upapa - \frac{M \Theta}{L^2 Q} = 10^{-110} = 62.93638 \frac{kg K}{m^2 C}$
$1 \frac{kg K}{m^2 s C} = 85661.85 \cdot 10^{-160}$	$1 ni'upaxa - \frac{M \Theta}{L^2 T Q} = 10^{-160} = 0.00001167381 \frac{kg K}{m^2 s C}$
$1 \frac{kg K}{m^2 s^2 C} = 46.18241 \cdot 10^{-200}$	$1 ni'ureno - \frac{M \Theta}{L^2 T^2 Q} = 10^{-200} = 0.02165326 \frac{kg K}{m^2 s^2 C}$
$1 \frac{kg s K}{m^2 C} = 29.47196 \cdot 10^{-70}$	$1 ni'uze - \frac{MT \Theta}{L^2 Q} = 10^{-70} = 0.03393055 \frac{kg s K}{m^2 C}$
$1 \frac{kg K}{m^3 C} = 2568.078 \cdot 10^{-150}$	$1 ni'upamu - \frac{M \Theta}{L^3 Q} = 10^{-150} = 0.0003893963 \frac{kg K}{m^3 C}$
$1 \frac{kg K}{m^3 s C} = 1.384514 \cdot 10^{-190}$	$1 ni'upaso - \frac{M \Theta}{L^3 T Q} = 10^{-190} = 0.7222752 \frac{kg K}{m^3 s C}$
$1 \frac{kg K}{m^3 s^2 C} = 0.0007464256 \cdot 10^{-230}$	$1 ni'ureci - \frac{M \Theta}{L^3 T^2 Q} = 10^{-230} = 1339.718 \frac{kg K}{m^3 s^2 C}$
$1 \frac{kg s K}{m^3 C} = 0.0004763421 \cdot 10^{-100}$	$1 ni'upano - \frac{MT \Theta}{L^3 Q} = 10^{-100} = 2099.332 \frac{kg s K}{m^3 C} (*)$
$1 CK = 376329.8 \cdot 10^{-20}$	$1 ni'upa - Q \Theta = 10^{-10} = 26572.44 CK$
$1 \frac{CK}{C} = 202.8887 \cdot 10^{-60}$	$1 ni'uxa - \frac{Q \Theta}{T} = 10^{-60} = 0.004928812 \frac{CK}{s}$
$1 \frac{CK}{s^2} = 0.1093823 \cdot 10^{-100}$	$1 ni'upano - \frac{Q \Theta}{T^2} = 10^{-100} = 9.142249 \frac{CK}{s^2}$
$1 s CK = 0.06980385 \cdot 10^{30}$	$1 ci - T Q \Theta = 10^{30} = 14.32586 s CK$
$1 m CK = 2.328406 \cdot 10^{20}$	$1 re - L Q \Theta = 10^{20} = 0.4294784 m CK$
$1 \frac{m CK}{s} = 0.001255301 \cdot 10^{-20}$	$1 ni'ure - \frac{L Q \Theta}{T} = 10^{-20} = 796.6217 \frac{m CK}{s}$
$1 \frac{m CK}{s^2} = 6767.637 \cdot 10^{-70}$	$1 ni'uze - \frac{L Q \Theta}{T^2} = 10^{-70} = 0.0001477621 \frac{m CK}{s^2}$

$1 \text{ m s CK} = 4318.864 \cdot 10^{60}$	$1 \text{ xa-LTQ}\Theta = 10^{60} = 0.0002315424 \text{ m s CK}$
$1 \text{ m}^2 \text{ CK} = 0.00001440618 \cdot 10^{60}$	$1 \text{ xa-L}^2\text{Q}\Theta = 10^{60} = 69414.66 \text{ m}^2 \text{ CK}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}} = 77.66726 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2 Q \Theta}{T} = 10^{10} = 0.01287544 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} = 0.04187233 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{L^2 Q \Theta}{T^2} = 10^{-30} = 23.88212 \frac{\text{m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{ m}^2 \text{ s CK} = 0.02672143 \cdot 10^{100}$	$1 \text{ pano-} L^2 T Q \Theta = 10^{100} = 37.42315 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{CK}}{\text{m}} = 6.082449 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{Q \Theta}{L} = 10^{-50} = 0.1644075 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m s}} = 0.003279198 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{Q \Theta}{LT} = 10^{-90} = 304.9526 \frac{\text{CK}}{\text{m s}}$
$1 \frac{\text{CK}}{\text{m s}^2} = 17678.96 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{Q \Theta}{LT^2} = 10^{-140} = 0.00005656440 \frac{\text{CK}}{\text{m s}^2}$
$1 \frac{\text{s CK}}{\text{m}} = 11282.08 \cdot 10^{-10}$	$1 \frac{T Q \Theta}{L} = 1 = 886361.2 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.00009830789 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q \Theta}{L^2} = 10^{-80} = 10172.12 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 530.0020 \cdot 10^{-130} \quad (*)$	$1 \text{ ni'upaci-} \frac{Q \Theta}{L^2 T} = 10^{-130} = 0.001886785 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 0.2857372 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{Q \Theta}{L^2 T^2} = 10^{-170} = 3.499720 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*)$
$1 \frac{\text{s CK}}{\text{m}^2} = 0.1823472 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q \Theta}{L^2} = 10^{-40} = 5.484043 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 15.88906 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{Q \Theta}{L^3} = 10^{-120} = 0.06293638 \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.008566185 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{Q \Theta}{L^3 T} = 10^{-160} = 116.7381 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 46182.41 \cdot 10^{-210}$	$1 \text{ ni'ureno-} \frac{Q \Theta}{L^3 T^2} = 10^{-200} = 216532.6 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^3} = 29471.96 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{T Q \Theta}{L^3} = 10^{-80} = 0.00003393055 \frac{\text{s CK}}{\text{m}^3}$
$1 \text{ kg CK} = 1729.112 \cdot 10^{-10}$	$1 \text{ ni'upa-} M Q \Theta = 10^{-10} = 0.0005783317 \text{ kg CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 0.9322066 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{M Q \Theta}{T} = 10^{-50} = 1.072724 \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 0.0005025756 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{M Q \Theta}{T^2} = 10^{-90} = 1989.750 \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{ kg s CK} = 0.0003207257 \cdot 10^{40}$	$1 \text{ vo-MTQ}\Theta = 10^{40} = 3117.929 \text{ kg s CK}$
$1 \text{ kg m CK} = 0.01069826 \cdot 10^{30}$	$1 \text{ ci-MLQ}\Theta = 10^{30} = 93.47315 \text{ kg m CK}$
$1 \frac{\text{kg m CK}}{\text{s}} = 57676.95 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{M L Q \Theta}{T} = 10^{-20} = 0.00001733795 \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}^2} = 31.09507 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M L Q \Theta}{T^2} = 10^{-60} = 0.03215944 \frac{\text{kg m CK}}{\text{s}^2}$
$1 \text{ kg m s CK} = 19.84376 \cdot 10^{70}$	$1 \text{ ze-MLTQ}\Theta = 10^{70} = 0.05039368 \text{ kg m s CK}$
$1 \text{ kg m}^2 \text{ CK} = 661.9165 \cdot 10^{60}$	$1 \text{ xa-ML}^2\text{Q}\Theta = 10^{60} = 0.001510764 \text{ kg m}^2 \text{ CK}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} = 0.3568555 \cdot 10^{20}$	$1 \text{ re-} \frac{M L^2 Q \Theta}{T} = 10^{20} = 2.802255 \frac{\text{kg m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} = 0.0001923896 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{M L^2 Q \Theta}{T^2} = 10^{-20} = 5197.786 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s CK} = 0.0001227762 \cdot 10^{110}$	$1 \text{ papa-ML}^2\text{TQ}\Theta = 10^{110} = 8144.904 \text{ kg m}^2 \text{ s CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 0.02794685 \cdot 10^{-40}$	$1 \text{ ni'ovo-} \frac{M Q \Theta}{L} = 10^{-40} = 35.78221 \frac{\text{kg CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m}} = 0.00001506684 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{M Q \Theta}{LT} = 10^{-80} = 66370.93 \frac{\text{kg CK}}{\text{m s}}$
$1 \frac{\text{kg CK}}{\text{m}^2} = 81.22903 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M Q \Theta}{LT^2} = 10^{-130} = 0.01231087 \frac{\text{kg CK}}{\text{m s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}} = 51.83746 \cdot 10^0$	$1 \frac{M T Q \Theta}{L} = 1 = 0.01929107 \frac{\text{kg s CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m}^2} = 4516.924 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{M Q \Theta}{L^2} = 10^{-80} = 0.0002213896 \frac{\text{kg CK}}{\text{m}^2}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} = 2.435185 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{M Q \Theta}{L^2 T} = 10^{-120} = 0.4106464 \frac{\text{kg CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} = 0.001312868 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{M Q \Theta}{L^2 T^2} = 10^{-160} = 761.6910 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^2} = 0.0008378255 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{M T Q \Theta}{L^2} = 10^{-30} = 1193.566 \frac{\text{kg s CK}}{\text{m}^2}$
$1 \frac{\text{kg CK}}{\text{m}^3} = 0.07300501 \cdot 10^{-110} \quad (*)$	$1 \text{ ni'upapa-} \frac{M Q \Theta}{L^3} = 10^{-110} = 13.69769 \frac{\text{kg CK}}{\text{m}^3}$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} = 393588.0 \cdot 10^{-160}$	$1 \text{ ni'upamu-} \frac{M Q \Theta}{L^3 T} = 10^{-150} = 25407.28 \frac{\text{kg CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 212.1930 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{M Q \Theta}{L^3 T^2} = 10^{-200} = 0.004712691 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^3} = 135.4140 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{M T Q \Theta}{L^3} = 10^{-70} = 0.007384762 \frac{\text{kg s CK}}{\text{m}^3}$

### 5.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\text{Proton mass} = 7.685148 \cdot 10^{-20}$$

$$\text{Electron mass} = 0.004185462 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.08542454 \cdot 10^0$$

$$1 \text{ ni'ure-} M = 10^{-20} = 0.1301211 m_p$$

$$1 \text{ ni'ure-} M = 10^{-20} = 238.9222 m_e$$

$$1 Q = 1 = 11.70624 e$$

$$\text{Å}^{31} = 61871.42 \cdot 10^{20}$$

$$\text{Bohr radius}^{32} = 32740.95 \cdot 10^{20}$$

$$\text{Fine structure constant}^{33} = 0.007297353 \cdot 10^0$$

$$\text{Rydberg Energy}^{34} = 1114.408 \cdot 10^{-30}$$

$$|\psi^{100}(0)|^2^{35} = 906935.5 \cdot 10^{-80}$$

$$\text{eV} = 81.90745 \cdot 10^{-30}$$

$$\hbar^{36} = 1.000000 \quad (***)$$

$$\lambda_{\text{yellow}} = 0.03557607 \cdot 10^{30}$$

$$k_{\text{yellow}}^{37} = 176.6127 \cdot 10^{-30}$$

$$k_{\text{X-Ray}}^{38} = 963.4097 \cdot 10^{-20}$$

$$\text{Earth g} = 0.0008102958 \cdot 10^{-40}$$

$$\text{cm} = 618.7142 \cdot 10^{30}$$

$$\text{min} = 111291.5 \cdot 10^{40}$$

$$\text{hour} = 0.0006677491 \cdot 10^{50}$$

$$\text{Liter} = 23.68483 \cdot 10^{100}$$

$$\text{Area of a soccer field} = 2733.244 \cdot 10^{70}$$

$$100 \text{ m}^2^{39} = 38.28073 \cdot 10^{70}$$

$$\text{km/h} = 9.265669 \cdot 10^{-10}$$

$$\text{mi/h} = 14.91165 \cdot 10^{-10}$$

$$\text{inch}^{40} = 1571.534 \cdot 10^{30}$$

$$\text{mile} = 0.009956968 \cdot 10^{40} \quad (*)$$

$$\text{pound} = 0.002084108 \cdot 10^{10}$$

$$\text{horsepower} = 2.055258 \cdot 10^{-50}$$

$$\text{kcal} = 21404.01 \cdot 10^{-10}$$

$$\text{kWh} = 0.001840414 \cdot 10^0$$

$$\text{Typical household electric field} = 0.1190299 \cdot 10^{-60} \quad (*)$$

$$\text{Earthmagneticfield} = 223.0040 \cdot 10^{-60} \quad (*)$$

$$\text{Height of an average man}^{41} = 0.00001095124 \cdot 10^{40}$$

$$\text{Mass of an average man} = 0.3216270 \cdot 10^{10}$$

$$\text{Age of the Universe} = 0.01229207 \cdot 10^{60}$$

$$\text{Size of the observable Universe} = 54.44685 \cdot 10^{60}$$

$$\text{Average density of the Universe} = 19.20522 \cdot 10^{-130}$$

$$\text{Earth mass} = 274.3938 \cdot 10^{30}$$

$$\text{Sun mass}^{42} = 0.009138433 \cdot 10^{40}$$

$$\text{Year} = 5.853368 \cdot 10^{50}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$\text{Parsec} = 19.09167 \cdot 10^{50}$$

$$\text{Astronomical unit} = 925583.3 \cdot 10^{40}$$

$$\text{Earth radius} = 39.41828 \cdot 10^{40}$$

$$1 \text{ re-}L = 10^{20} = 0.00001616255 \text{ Å}$$

$$1 \text{ re-}L = 10^{20} = 0.00003054279 a_0$$

$$1 = 1 = 137.0360 \alpha$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0008973377 Ry$$

$$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 11026.14 \rho_{\max}$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.01220890 \text{ eV}$$

$$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$$

$$1 \text{ ci-}L = 10^{30} = 28.10878 \cdot \lambda_{\text{yellow}}$$

$$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.005662107 \cdot k_{\text{yellow}}$$

$$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.001037980 \cdot k_{\text{X-Ray}}$$

$$1 \text{ ni'uvu-} \frac{ML}{T^2} = 10^{-40} = 1234.117 \cdot \text{Earth g}$$

$$1 \text{ ci-}L = 10^{30} = 0.001616255 \text{ cm}$$

$$1 \text{ mu-}T = 10^{50} = 89854.11 \text{ min}$$

$$1 \text{ mu-}T = 10^{50} = 1497.568 \text{ h}$$

$$1 \text{ pano-}L^3 = 10^{100} = 0.04222111 l$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.0003658656 A$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.02612280 \cdot 100 \text{ m}^2$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$$

$$1 \text{ ci-}L = 10^{30} = 0.0006363209 \text{ in}$$

$$1 \text{ vo-}L = 10^{40} = 100.4322 \text{ mi} \quad (*)$$

$$1 \text{ pa-}M = 10^{10} = 479.8216 \text{ pound}$$

$$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.4865569 \text{ horsepower}$$

$$1 \frac{ML^2}{T^2} = 1 = 467202.1 \text{ kcal}$$

$$1 \frac{ML^2}{T^2} = 1 = 543.3560 \text{ kWh}$$

$$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 8.401252 E_H$$

$$1 \text{ ni'uxa-} \frac{M}{TQ} = 10^{-60} = 0.004484225 \cdot \text{Earthmagneticfield}$$

$$1 \text{ vo-}L = 10^{40} = 91313.84 \bar{h}$$

$$1 \text{ pa-}M = 10^{10} = 3.109192 \bar{m}$$

$$1 \text{ xa-}T = 10^{60} = 81.35324 t_U$$

$$1 \text{ xa-}L = 10^{60} = 0.01836653 l_U$$

$$1 \text{ ni'upaci-} \frac{M}{L^3} = 10^{-130} = 0.05206918 \rho_U$$

$$1 \text{ ci-}M = 10^{30} = 0.003644398 m_E$$

$$1 \text{ vo-}M = 10^{40} = 109.4279 m_S$$

$$1 \text{ mu-}T = 10^{50} = 0.1708418 \text{ y}$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$1 \text{ mu-}L = 10^{50} = 0.05237888 \text{ pc}$$

$$1 \text{ mu-}L = 10^{50} = 10804.00 \text{ au} \quad (*)$$

$$1 \text{ vo-}L = 10^{40} = 0.02536894 r_E$$

<sup>31</sup>Length in atomic and solid state physics, 1/10 nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>36</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>36 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

<sup>42</sup>The Schwarzschild radius of a mass M is  $2GM$

$$\text{Distance Earth-Moon} = 2378.338 \cdot 10^{40}$$

$$\text{Momentum of someone walking}^{43} = 200.0066 \cdot 10^0 \quad (*)$$

$$\text{Stefan-Boltzmann constant} = 0.1644934 \cdot 10^0$$

$$\text{mol} = 6022.141 \cdot 10^{20}$$

$$\text{Standard temperature}^{44} = 1.927958 \cdot 10^{-30}$$

$$\text{Room - standard temperature}^{45} = 0.1411648 \cdot 10^{-30}$$

$$\text{atm} = 21.87053 \cdot 10^{-110}$$

$$c_s = 11441.25 \cdot 10^{-10}$$

$$\mu_0 = 12.56637 \cdot 10^0$$

$$G = 1.000000 \quad (***)$$

$$1 \text{ vo-}L = 10^{40} = 0.0004204618 d_M$$

$$1 \frac{ML}{T} = 1 = 0.004999836 \cdot \text{Momentum of someone walking}$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$$

$$1 \text{ re-} = 10^{20} = 0.0001660539 \text{ mol}$$

$$1 \text{ ni'uci-} \Theta = 10^{-30} = 0.5186836 T_0$$

$$1 \text{ ni'uci-} \Theta = 10^{-30} = 7.083921 \Theta_R$$

$$1 \text{ ni'upapa-} \frac{M}{LT^2} = 10^{-110} = 0.04572363 \text{ atm}$$

$$1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$$

$$1 \frac{ML}{Q^2} = 1 = 0.07957747 \cdot \mu_0$$

$$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1 = 1.000000 \quad (***)$$

$$1 \frac{1}{\text{s}} = 0.0005391246 \cdot 10^{-40}$$

$$1 \frac{1}{\text{s}^2} = 2906.554 \cdot 10^{-90}$$

$$1 \text{ s} = 1854.859 \cdot 10^{40}$$

$$1 \text{ m} = 61871.42 \cdot 10^{30}$$

$$1 \frac{\text{m}}{\text{s}} = 33.35641 \cdot 10^{-10}$$

$$1 \frac{\text{m}}{\text{s}^2} = 0.01798326 \cdot 10^{-50}$$

$$1 \text{ m s} = 0.01147627 \cdot 10^{80}$$

$$1 \text{ m}^2 = 0.3828073 \cdot 10^{70}$$

$$1 \frac{\text{m}^2}{\text{s}} = 0.0002063809 \cdot 10^{30}$$

$$1 \frac{\text{m}^2}{\text{s}^2} = 1112.650 \cdot 10^{-20}$$

$$1 \text{ m}^2 \text{ s} = 710.0534 \cdot 10^{110}$$

$$1 \frac{1}{\text{m}} = 161625.5 \cdot 10^{-40}$$

$$1 \frac{1}{\text{m s}} = 87.13629 \cdot 10^{-80}$$

$$1 \frac{1}{\text{m}^2} = 0.04697732 \cdot 10^{-120}$$

$$1 \frac{\text{s}}{\text{m}} = 0.02997925 \cdot 10^{10} \quad (*)$$

$$1 \frac{1}{\text{m}^2} = 2.612280 \cdot 10^{-70}$$

$$1 \frac{1}{\text{m}^2 \text{s}} = 0.001408345 \cdot 10^{-110}$$

$$1 \frac{1}{\text{m}^2 \text{s}^2} = 7592.733 \cdot 10^{-160}$$

$$1 \frac{\text{s}}{\text{m}^2} = 4845.411 \cdot 10^{-30}$$

$$1 \frac{1}{\text{m}^3} = 0.00004222111 \cdot 10^{-100}$$

$$1 \frac{1}{\text{m}^3 \text{s}} = 227.6244 \cdot 10^{-150}$$

$$1 \frac{1}{\text{m}^3 \text{s}^2} = 0.1227179 \cdot 10^{-190}$$

$$1 \frac{\text{s}}{\text{m}^3} = 0.07831419 \cdot 10^{-60}$$

$$1 \text{ kg} = 0.004594671 \cdot 10^{10}$$

$$1 \frac{\text{kg}}{\text{s}} = 24771.00 \cdot 10^{-40} \quad (*)$$

$$1 \frac{\text{kg}}{\text{s}^2} = 13.35466 \cdot 10^{-80}$$

$$1 \text{ kg s} = 8.522465 \cdot 10^{50}$$

$$1 \text{ kg m} = 284.2788 \cdot 10^{40}$$

$$1 \frac{\text{kg m}}{\text{s}} = 0.1532617 \cdot 10^0$$

$$1 \frac{\text{kg m}}{\text{s}^2} = 0.00008262718 \cdot 10^{-40}$$

$$1 \text{ kg m s} = 527297.1 \cdot 10^{80}$$

$$1 \text{ kg m}^2 = 0.001758874 \cdot 10^{80}$$

$$1 \frac{\text{kg m}^2}{\text{s}} = 9482.522 \cdot 10^{30}$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ ni'uvoso-} \frac{1}{T} = 10^{-40} = 1854.859 \frac{1}{\text{s}}$$

$$1 \text{ ni'uso-} \frac{1}{T^2} = 10^{-90} = 0.0003440501 \frac{1}{\text{s}^2}$$

$$1 \text{ vo-} T = 10^{40} = 0.0005391246 \text{ s}$$

$$1 \text{ vo-} L = 10^{40} = 161625.5 \text{ m}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.02997925 \frac{\text{m}}{\text{s}} \quad (*)$$

$$1 \text{ ni'umu-} \frac{L}{T^2} = 10^{-50} = 55.60726 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ bi-LT} = 10^{80} = 87.13629 \text{ m s}$$

$$1 \text{ ze-} L^2 = 10^{70} = 2.612280 \text{ m}^2$$

$$1 \text{ ci-} \frac{L^2}{T} = 10^{30} = 4845.411 \frac{\text{m}^2}{\text{s}}$$

$$1 \text{ ni'ure-} \frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{\text{m}^2}{\text{s}^2}$$

$$1 \text{ papa-} L^2 T = 10^{110} = 0.001408345 \text{ m}^2 \text{ s}$$

$$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 61871.42 \frac{1}{\text{m}}$$

$$1 \text{ ni'ubi-} \frac{1}{LT} = 10^{-80} = 0.01147627 \frac{1}{\text{m s}}$$

$$1 \text{ ni'upare-} \frac{1}{LT^2} = 10^{-120} = 21.28687 \frac{1}{\text{m s}^2}$$

$$1 \text{ pa-} \frac{T}{L} = 10^{10} = 33.35641 \frac{\text{s}}{\text{m}}$$

$$1 \text{ ni'uze-} \frac{1}{L^2} = 10^{-70} = 0.3828073 \frac{1}{\text{m}^2}$$

$$1 \text{ ni'upapa-} \frac{1}{L^2 T} = 10^{-110} = 710.0534 \frac{1}{\text{m}^2 \text{s}}$$

$$1 \text{ ni'upaxa-} \frac{1}{L^2 T^2} = 10^{-160} = 0.0001317049 \frac{1}{\text{m}^2 \text{s}^2}$$

$$1 \text{ ni'uci-} \frac{T}{L^2} = 10^{-30} = 0.0002063809 \frac{\text{s}}{\text{m}^2}$$

$$1 \text{ ni'upano-} \frac{1}{L^3} = 10^{-100} = 23684.83 \frac{1}{\text{m}^3}$$

$$1 \text{ ni'upamu-} \frac{1}{L^3 T} = 10^{-150} = 0.004393202 \frac{1}{\text{m}^3}$$

$$1 \text{ ni'upaso-} \frac{1}{L^3 T^2} = 10^{-190} = 8.148768 \frac{1}{\text{m}^3 \text{s}^2}$$

$$1 \text{ ni'uxa-} \frac{T}{L^3} = 10^{-60} = 12.76908 \frac{\text{s}}{\text{m}^3}$$

$$1 \text{ pa-} M = 10^{10} = 217.6434 \text{ kg}$$

$$1 \text{ ni'uvoso-} \frac{M}{T} = 10^{-40} = 0.00004036978 \frac{\text{kg}}{\text{s}}$$

$$1 \text{ ni'ubi-} \frac{M}{T^2} = 10^{-80} = 0.07488024 \frac{\text{kg}}{\text{s}^2}$$

$$1 \text{ mu-} MT = 10^{50} = 0.1173369 \text{ kg s}$$

$$1 \text{ vo-} ML = 10^{40} = 0.003517673 \text{ kg m}$$

$$1 \frac{ML}{T} = 1 = 6.524786 \frac{\text{kg m}}{\text{s}}$$

$$1 \text{ ni'uvoso-} \frac{ML}{T^2} = 10^{-40} = 12102.56 \frac{\text{kg m}}{\text{s}^2}$$

$$1 \text{ so-} ML T = 10^{90} = 18964.64 \text{ kg m s}$$

$$1 \text{ bi-} ML^2 = 10^{80} = 568.5457 \text{ kg m}^2$$

$$1 \text{ ci-} \frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{\text{kg m}^2}{\text{s}}$$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>20 °C

$1 \frac{\text{kg m}^2}{\text{s}^2} = 5.112261 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{ML^2}{T^2} = 10^{-10} = 0.1956082 \frac{\text{kg m}^2}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s} = 3.262462 \cdot 10^{120}$	$1 \text{ pare-} ML^2 T = 10^{120} = 0.3065170 \text{ kg m}^2 \text{ s}$
$1 \frac{\text{kg}}{\text{m}} = 742.6160 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{M}{L} = 10^{-30} = 0.001346591 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 0.4003626 \cdot 10^{-70} \quad (*)$	$1 \text{ ni'uze-} \frac{M}{LT} = 10^{-70} = 2.497736 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m s}^2} = 0.0002158453 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{M}{LT^2} = 10^{-110} = 4632.947 \frac{\text{kg}}{\text{m s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.0001377448 \cdot 10^{20}$	$1 \text{ re-} \frac{MT}{L} = 10^{20} = 7259.804 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.01200257 \cdot 10^{-60} \quad (*)$	$1 \text{ ni'uxa-} \frac{M}{L^2} = 10^{-60} = 83.31550 \frac{\text{kg}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 64708.81 \cdot 10^{-110}$	$1 \text{ ni'upano-} \frac{M}{L^2 T} = 10^{-100} = 154538.5 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 34.88611 \cdot 10^{-150}$	$1 \text{ ni'upamu-} \frac{M}{L^2 T^2} = 10^{-150} = 0.02866470 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 22.26307 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MT}{L^2} = 10^{-20} = 0.04491744 \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 1939.921 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M}{L^3} = 10^{-100} = 0.0005154849 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 1.045859 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{M}{L^3 T} = 10^{-140} = 0.9561515 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.0005638485 \cdot 10^{-180}$	$1 \text{ ni'upabi-} \frac{M}{L^3 T^2} = 10^{-180} = 1773.526 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.0003598280 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MT}{L^3} = 10^{-50} = 2779.106 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 187.5546 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{T}{Q} = 10^{-20} = 0.005331781 \frac{1}{\text{C}}$
$1 \frac{1}{\text{sC}} = 0.1011153 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{1}{TQ} = 10^{-60} = 9.889699 \frac{1}{\text{sC}} \quad (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.00005451376 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{1}{T^2 Q} = 10^{-100} = 18343.99 \frac{1}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{s}}{\text{C}} = 347887.3 \cdot 10^{20}$	$1 \text{ ci-} \frac{T}{Q} = 10^{30} = 28744.94 \frac{\text{s}}{\text{C}}$
$1 \frac{\text{m}}{\text{C}} = 0.001160427 \cdot 10^{20}$	$1 \text{ re-} \frac{L}{Q} = 10^{20} = 861.7517 \frac{\text{m}}{\text{C}}$
$1 \frac{\text{m}}{\text{sC}} = 6256.148 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{L}{TQ} = 10^{-30} = 0.0001598428 \frac{\text{m}}{\text{sC}}$
$1 \frac{\text{m}}{\text{s}^2 \text{C}} = 3.372844 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{L}{T^2 Q} = 10^{-70} = 0.2964857 \frac{\text{m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{ms}}{\text{C}} = 2.152428 \cdot 10^{60}$	$1 \text{ xa-} \frac{LT}{Q} = 10^{60} = 0.4645916 \frac{\text{ms}}{\text{C}}$
$1 \frac{\text{m}^2}{\text{C}} = 71.79727 \cdot 10^{50}$	$1 \text{ mu-} \frac{L^2}{Q} = 10^{50} = 0.01392811 \frac{\text{m}^2}{\text{C}}$
$1 \frac{\text{m}^2}{\text{sC}} = 0.03870768 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2}{TQ} = 10^{10} = 25.83467 \frac{\text{m}^2}{\text{sC}}$
$1 \frac{\text{m}^2}{\text{s}^2 \text{C}} = 208682.6 \cdot 10^{-40}$	$1 \text{ ni'uci-} \frac{L^2}{T^2 Q} = 10^{-30} = 47919.65 \frac{\text{m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s}}{\text{C}} = 0.00001331738 \cdot 10^{100}$	$1 \text{ pano-} \frac{L^2 T}{Q} = 10^{100} = 75089.85 \frac{\text{m}^2 \text{s}}{\text{C}}$
$1 \frac{1}{\text{mC}} = 0.003031361 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{1}{LQ} = 10^{-50} = 329.8849 \frac{1}{\text{mC}}$
$1 \frac{1}{\text{msC}} = 16342.81 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{1}{LTQ} = 10^{-100} = 0.00006118898 \frac{1}{\text{m sC}}$
$1 \frac{1}{\text{ms}^2 \text{C}} = 8.810813 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{1}{LT^2 Q} = 10^{-140} = 0.1134969 \frac{1}{\text{m s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{mC}} = 5.622746 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{T}{LQ} = 10^{-10} = 0.1778491 \frac{\text{s}}{\text{mC}}$
$1 \frac{1}{\text{m}^2 \text{C}} = 489.9452 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{1}{L^2 Q} = 10^{-90} = 0.002041045 \frac{1}{\text{m}^2 \text{C}}$
$1 \frac{1}{\text{m}^2 \text{sC}} = 0.2641415 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{1}{L^2 TQ} = 10^{-130} = 3.785849 \frac{1}{\text{m}^2 \text{sC}}$
$1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} = 0.0001424052 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{1}{L^2 T^2 Q} = 10^{-170} = 7022.215 \frac{1}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^2 \text{C}} = 0.00009087791 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{T}{L^2 Q} = 10^{-40} = 11003.77 \frac{\text{s}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{C}} = 0.007918764 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{1}{L^3 Q} = 10^{-120} = 126.2823 \frac{1}{\text{m}^3 \text{C}}$
$1 \frac{1}{\text{m}^3 \text{sC}} = 42692.01 \cdot 10^{-170}$	$1 \text{ ni'upaxa-} \frac{1}{L^3 TQ} = 10^{-160} = 234235.9 \frac{1}{\text{m}^3 \text{sC}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} = 23.01631 \cdot 10^{-210}$	$1 \text{ ni'urepa-} \frac{1}{L^3 T^2 Q} = 10^{-210} = 0.04344744 \frac{1}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^3 \text{C}} = 14.68819 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{T}{L^3 Q} = 10^{-80} = 0.06808192 \frac{\text{s}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{C}} = 0.8617517 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{M}{Q} = 10^{-10} = 1.160427 \frac{\text{kg}}{\text{C}}$
$1 \frac{\text{kg}}{\text{sC}} = 0.0004645916 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{M}{TQ} = 10^{-50} = 2152.428 \frac{\text{kg}}{\text{sC}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{C}} = 2504.728 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M}{T^2 Q} = 10^{-100} = 0.0003992450 \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg s}}{\text{C}} = 1598.428 \cdot 10^{30}$	$1 \text{ ci-} \frac{MT}{Q} = 10^{30} = 0.0006256148 \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{C}} = 53317.81 \cdot 10^{20}$	$1 \text{ re-} \frac{ML}{Q} = 10^{20} = 0.00001875546 \frac{\text{kg m}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{sC}} = 28.74494 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{ML}{TQ} = 10^{-20} = 0.03478873 \frac{\text{kg m}}{\text{sC}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{C}} = 0.01549711 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 64.52817 \frac{\text{kg m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg ms}}{\text{C}} = 0.009889699 \cdot 10^{70} \quad (*)$	$1 \text{ ze-} \frac{MLT}{Q} = 10^{70} = 101.1153 \frac{\text{kg ms}}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 0.3298849 \cdot 10^{60}$	$1 \text{ xa-} \frac{ML^2}{Q} = 10^{60} = 3.031361 \frac{\text{kg m}^2}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{sC}} = 0.0001778491 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2}{TQ} = 10^{20} = 5622.746 \frac{\text{kg m}^2}{\text{sC}}$

$1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} = 958.8281 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{ML^2}{T^2 Q} = 10^{-30} = 0.001042940 \frac{\text{kg m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{C}} = 611.8898 \cdot 10^{100}$	$1 \text{pano-} \frac{ML^2 T}{Q} = 10^{100} = 0.001634281 \frac{\text{kg m}^2 \text{s}}{\text{C}}$
$1 \frac{\text{kg}}{\text{m C}} = 0.00001392811 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{M}{L Q} = 10^{-40} = 71797.27 \frac{\text{kg}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m s C}} = 75.08985 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.01331738 \frac{\text{kg}}{\text{m s C}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{C}} = 0.04048279 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{M}{LT^2 Q} = 10^{-130} = 24.70186 \frac{\text{kg}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m C}} = 0.02583467 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 38.70768 \frac{\text{kg s}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 2.251137 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{M}{L^2 Q} = 10^{-80} = 0.4442200 \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.001213643 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{M}{L^2 TQ} = 10^{-120} = 823.9652 \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 6543.051 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{M}{L^2 T^2 Q} = 10^{-170} = 0.0001528339 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 4175.541 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{MT}{L^2 Q} = 10^{-40} = 0.0002394899 \frac{\text{kg s}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 363841.2 \cdot 10^{-120}$	$1 \text{ni'upapa-} \frac{M}{L^3 Q} = 10^{-110} = 27484.52 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s C}} = 196.1557 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M}{L^3 TQ} = 10^{-160} = 0.005097990 \frac{\text{kg}}{\text{m}^3 \text{s C}} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1057524 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M}{L^3 T^2 Q} = 10^{-200} = 9.456051 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.06748739 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT}{L^3 Q} = 10^{-70} = 14.81758 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{C} = 0.005331781 \cdot 10^{20}$	$1 \text{re-Q} = 10^{20} = 187.5546 \text{ C}$
$1 \frac{\text{C}}{\text{s}} = 28744.94 \cdot 10^{-30}$	$1 \text{ni'ure-} \frac{Q}{T} = 10^{-20} = 347887.3 \frac{\text{C}}{\text{s}}$
$1 \frac{\text{C}}{\text{s}^2} = 15.49711 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{Q}{T^2} = 10^{-70} = 0.06452817 \frac{\text{C}}{\text{s}^2}$
$1 \text{s C} = 9.889699 \cdot 10^{60} \quad (*)$	$1 \text{xa-TQ} = 10^{60} = 0.1011153 \text{ s C}$
$1 \text{m C} = 329.8849 \cdot 10^{50}$	$1 \text{mu-LQ} = 10^{50} = 0.003031361 \text{ m C}$
$1 \frac{\text{m C}}{\text{s}} = 0.1778491 \cdot 10^{10}$	$1 \text{pa-} \frac{LQ}{T} = 10^{10} = 5.622746 \frac{\text{m C}}{\text{s}}$
$1 \frac{\text{m C}}{\text{s}^2} = 958828.1 \cdot 10^{-40}$	$1 \text{ni'uci-} \frac{LQ}{T^2} = 10^{-30} = 10429.40 \frac{\text{m C}}{\text{s}^2}$
$1 \text{m s C} = 0.00006118898 \cdot 10^{100}$	$1 \text{pano-LTQ} = 10^{100} = 16342.81 \text{ m s C}$
$1 \text{m}^2 \text{C} = 0.002041045 \cdot 10^{90}$	$1 \text{so-L}^2 \text{Q} = 10^{90} = 489.9452 \text{ m}^2 \text{ C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 11003.77 \cdot 10^{40} \quad (*)$	$1 \text{vo-} \frac{L^2 Q}{T} = 10^{40} = 0.00009087791 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 5.932406$	$1 \frac{L^2 Q}{T^2} = 1 = 0.1685657 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m}^2 \text{s C} = 3.785849 \cdot 10^{130}$	$1 \text{paci-L}^2 \text{TQ} = 10^{130} = 0.2641415 \text{ m}^2 \text{ s C}$
$1 \frac{\text{C}}{\text{m}} = 861.7517 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{L} = 10^{-20} = 0.001160427 \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m s}} = 0.4645916 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{Q}{LT} = 10^{-60} = 2.152428 \frac{\text{C}}{\text{m s}}$
$1 \frac{\text{C}}{\text{m s}^2} = 0.0002504728 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q}{LT^2} = 10^{-100} = 3992.450 \frac{\text{C}}{\text{m s}^2} \quad (*)$
$1 \frac{\text{C}}{\text{m}^3} = 0.0001598428 \cdot 10^{30}$	$1 \text{ci-} \frac{TQ}{L} = 10^{30} = 6256.148 \frac{\text{s C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}^2} = 0.01392811 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{Q}{L^2} = 10^{-50} = 71.79727 \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 75089.85 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q}{L^2 T} = 10^{-100} = 0.00001331738 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 40.48279 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{Q}{L^2 T^2} = 10^{-140} = 0.02470186 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^2} = 25.83467 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.03870768 \frac{\text{s C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^3} = 2251.137 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{Q}{L^3} = 10^{-90} = 0.0004442200 \frac{\text{C}}{\text{m}^3} \quad (*)$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 1.213643 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{Q}{L^3 T} = 10^{-130} = 0.8239652 \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0006543051 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{Q}{L^3 T^2} = 10^{-170} = 1528.339 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^3} = 0.0004175541 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{Q}{L^3} = 10^{-40} = 2394.899 \frac{\text{s C}}{\text{m}^3} \quad (*)$
$1 \text{kg C} = 244977.8 \cdot 10^{20}$	$1 \text{ci-MQ} = 10^{30} = 40820.03 \text{ kg C}$
$1 \frac{\text{kg C}}{\text{s}} = 132.0736 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{MQ}{T} = 10^{-20} = 0.007571538 \frac{\text{kg C}}{\text{s}}$
$1 \frac{\text{kg C}}{\text{s}^2} = 0.07120411 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{MQ}{T^2} = 10^{-60} = 14.04413 \frac{\text{kg C}}{\text{s}^2}$
$1 \text{kg s C} = 0.04543992 \cdot 10^{70} \quad (*)$	$1 \text{ze-MTQ} = 10^{70} = 22.00708 \text{ kg s C} \quad (*)$
$1 \text{kg m C} = 1.515712 \cdot 10^{60}$	$1 \text{xa-MLQ} = 10^{60} = 0.6597558 \text{ kg m C}$
$1 \frac{\text{kg m C}}{\text{s}} = 0.0008171579 \cdot 10^{20}$	$1 \text{re-} \frac{MLQ}{T} = 10^{20} = 1223.754 \frac{\text{kg m C}}{\text{s}}$
$1 \frac{\text{kg m C}}{\text{s}^2} = 4405.500 \cdot 10^{-30} \quad (*)$	$1 \text{ni'uci-} \frac{MLQ}{T^2} = 10^{-30} = 0.0002269890 \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{kg m s C} = 2811.432 \cdot 10^{100}$	$1 \text{pano-MLTQ} = 10^{100} = 0.0003556906 \text{ kg m s C}$
$1 \text{kg m}^2 \text{C} = 93779.29 \cdot 10^{90}$	$1 \text{pano-ML}^2 \text{Q} = 10^{100} = 106633.4 \text{ kg m}^2 \text{ C}$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}} = 50.55872 \cdot 10^{50}$	$1 \text{mu-} \frac{ML^2 Q}{T} = 10^{50} = 0.01977898 \frac{\text{kg m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} = 0.02725745 \cdot 10^{10}$	$1 \text{pa-} \frac{ML^2 Q}{T^2} = 10^{10} = 36.68721 \frac{\text{kg m}^2 \text{C}}{\text{s}^2}$

$1 \text{ kg m}^2 \text{ s C} = 0.01739473 \cdot 10^{140}$	$1 \text{ pavo-}ML^2TQ = 10^{140} = 57.48867 \text{ kg m}^2 \text{ s C}$
$1 \frac{\text{kg C}}{\text{m}} = 3.959466 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{MQ}{L} = 10^{-10} = 0.2525593 \frac{\text{kg C}}{\text{m}}$
$1 \frac{\text{kg C}}{\text{m s}} = 0.002134646 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MQ}{LT} = 10^{-50} = 468.4618 \frac{\text{kg C}}{\text{m s}}$
$1 \frac{\text{kg C}}{\text{m s}^2} = 11508.40 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{MQ}{LT^2} = 10^{-100} = 0.00008689305 \frac{\text{kg C}}{\text{m s}^2}$
$1 \frac{\text{kg s C}}{\text{m}} = 7344.249 \cdot 10^{30}$	$1 \text{ ci-} \frac{MTQ}{L} = 10^{30} = 0.0001361610 \frac{\text{kg s C}}{\text{m}}$
$1 \frac{\text{kg C}}{\text{m}^2} = 0.00006399506 \cdot 10^{-40}$ (*)	$1 \text{ ni'uvu-} \frac{MQ}{L^2} = 10^{-40} = 15626.21 \frac{\text{kg C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^2 \text{s}} = 345.0132 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{MQ}{L^2T} = 10^{-90} = 0.002898440 \frac{\text{kg C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg C}}{\text{m}^2 \text{s}^2} = 0.1860051 \cdot 10^{-130}$ (*)	$1 \text{ ni'upaci-} \frac{MQ}{L^2T^2} = 10^{-130} = 5.376197 \frac{\text{kg C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s C}}{\text{m}^2} = 0.1187018 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 8.424472 \frac{\text{kg s C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^3} = 10.34323 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{MQ}{L^3} = 10^{-80} = 0.09668156 \frac{\text{kg C}}{\text{m}^3}$
$1 \frac{\text{kg C}}{\text{m}^3 \text{s}} = 0.005576293 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{MQ}{L^3T} = 10^{-120} = 179.3306 \frac{\text{kg C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg C}}{\text{m}^3 \text{s}^2} = 30063.17 \cdot 10^{-170}$ (*)	$1 \text{ ni'upaxa-} \frac{MQ}{L^3T^2} = 10^{-160} = 332632.9 \frac{\text{kg C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s C}}{\text{m}^3} = 19185.24 \cdot 10^{-40}$	$1 \text{ ni'uvu-} \frac{MTQ}{L^3} = 10^{-40} = 0.00005212341 \frac{\text{kg s C}}{\text{m}^3}$
<hr/>	<hr/>
$1 \frac{1}{\text{K}} = 141.6784 \cdot 10^{30}$	$1 \text{ ci-} \frac{1}{\Theta} = 10^{30} = 0.007058238 \frac{1}{\text{K}}$
$1 \frac{1}{\text{s K}} = 0.07638233 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{1}{T\Theta} = 10^{-10} = 13.09203 \frac{1}{\text{s K}}$
$1 \frac{1}{\text{s}^2 \text{K}} = 411795.9 \cdot 10^{-60}$	$1 \text{ ni'umu-} \frac{1}{T^2\Theta} = 10^{-50} = 24283.87 \frac{1}{\text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{K}} = 0.00002627934 \cdot 10^{80}$	$1 \text{ bi-} \frac{T}{\Theta} = 10^{80} = 38052.70 \frac{\text{s}}{\text{K}}$
$1 \frac{\text{m}}{\text{K}} = 0.0008765845 \cdot 10^{70}$	$1 \text{ ze-} \frac{L}{\Theta} = 10^{70} = 1140.791 \frac{\text{m}}{\text{K}}$
$1 \frac{\text{m}}{\text{s K}} = 4725.883 \cdot 10^{20}$	$1 \text{ re-} \frac{L}{T\Theta} = 10^{20} = 0.0002116007 \frac{\text{m}}{\text{s K}}$ (*)
$1 \frac{\text{m}}{\text{s}^2 \text{K}} = 2.547840 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L}{T^2\Theta} = 10^{-20} = 0.3924893 \frac{\text{m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{m s}}{\text{K}} = 1.625940 \cdot 10^{110}$	$1 \text{ papa-} \frac{LT}{\Theta} = 10^{110} = 0.6150287 \frac{\text{m s}}{\text{K}}$
$1 \frac{\text{m}^2}{\text{K}} = 54.23553 \cdot 10^{100}$	$1 \text{ pano-} \frac{L^2}{\Theta} = 10^{100} = 0.01843810 \frac{\text{m}^2}{\text{K}}$
$1 \frac{\text{m}^2}{\text{s K}} = 0.02923971 \cdot 10^{60}$	$1 \text{ xa-} \frac{L^2}{T\Theta} = 10^{60} = 34.20006 \frac{\text{m}^2}{\text{s K}}$ (**)
$1 \frac{\text{m}^2}{\text{s}^2 \text{K}} = 0.00001576385 \cdot 10^{20}$	$1 \text{ re-} \frac{L^2}{T^2\Theta} = 10^{20} = 63436.28 \frac{\text{m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{m}^2 \text{s}}{\text{K}} = 100599.2 \cdot 10^{140}$ (**)	$1 \text{ pamu-} \frac{L^2T}{\Theta} = 10^{150} = 99404.32 \frac{\text{m}^2 \text{s}}{\text{K}}$ (*)
<hr/>	$1 \frac{1}{\text{m K}} = 1 = 436.7032 \frac{1}{\text{m K}}$
$1 \frac{1}{\text{m s K}} = 12345.33 \cdot 10^{-50}$	$1 \text{ ni'uvu-} \frac{1}{LT\Theta} = 10^{-40} = 810022.8 \frac{1}{\text{m s K}}$ (*)
$1 \frac{1}{\text{m s}^2 \text{K}} = 6.655673 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{1}{LT^2\Theta} = 10^{-90} = 0.1502478 \frac{1}{\text{m s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m K}} = 4.247412 \cdot 10^{40}$	$1 \text{ vo-} \frac{T}{L\Theta} = 10^{40} = 0.2354375 \frac{\text{s}}{\text{m K}}$
$1 \frac{1}{\text{m}^2 \text{K}} = 370.1037 \cdot 10^{-40}$	$1 \text{ ni'uvu-} \frac{1}{L^2\Theta} = 10^{-40} = 0.002701945 \frac{1}{\text{m}^2 \text{K}}$
$1 \frac{1}{\text{m}^2 \text{s K}} = 0.1995320 \cdot 10^{-80}$ (*)	$1 \text{ ni'ubi-} \frac{1}{L^2T\Theta} = 10^{-80} = 5.011726 \frac{1}{\text{m}^2 \text{s K}}$
$1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} = 0.0001075726 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{1}{L^2T^2\Theta} = 10^{-120} = 9296.044 \frac{1}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^2 \text{K}} = 686490.1 \cdot 10^0$	$1 \text{ pa-} \frac{T}{L^2\Theta} = 10^{10} = 14566.85 \frac{\text{s}}{\text{m}^2 \text{K}}$
$1 \frac{1}{\text{m}^3 \text{K}} = 0.005981820 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{1}{L^3\Theta} = 10^{-70} = 167.1732 \frac{1}{\text{m}^3 \text{K}}$
$1 \frac{1}{\text{m}^3 \text{s K}} = 32249.47 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{1}{L^3T\Theta} = 10^{-120} = 0.00003100826 \frac{1}{\text{m}^3 \text{s K}}$ (*)
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 17.38648 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{1}{L^3T^2\Theta} = 10^{-160} = 0.05751595 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^3 \text{K}} = 11.09543 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{T}{L^3\Theta} = 10^{-30} = 0.09012719 \frac{\text{s}}{\text{m}^3 \text{K}}$
<hr/>	$1 \text{ vo-} \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{\text{kg}}{\text{K}}$
$1 \frac{\text{kg}}{\text{K}} = 0.6509657 \cdot 10^{40}$	$1 \frac{M}{T\Theta} = 1 = 2849.395 \frac{\text{kg}}{\text{s K}}$
$1 \frac{\text{kg}}{\text{s K}} = 0.0003509517 \cdot 10^0$	$1 \text{ ni'umu-} \frac{M}{T^2\Theta} = 10^{-50} = 0.0005285225 \frac{\text{kg}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 1892.067 \cdot 10^{-50}$	$1 \text{ bi-} \frac{MT}{\Theta} = 10^{80} = 0.0008281921 \frac{\text{kg s}}{\text{K}}$
$1 \frac{\text{kg s}}{\text{K}} = 1207.449 \cdot 10^{80}$	$1 \text{ bi-} \frac{ML}{\Theta} = 10^{80} = 248285.7 \frac{\text{kg m}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{K}} = 40276.18 \cdot 10^{70}$	$1 \text{ ci-} \frac{ML}{T\Theta} = 10^{30} = 0.04605349 \frac{\text{kg m}}{\text{s K}}$
$1 \frac{\text{kg m}}{\text{s K}} = 21.71388 \cdot 10^{30}$	$1 \text{ ni'upa-} \frac{ML}{T^2\Theta} = 10^{-10} = 85.42272 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.01170649 \cdot 10^{-10}$	$1 \text{ pare-} \frac{MLT}{\Theta} = 10^{120} = 133.8570 \frac{\text{kg m s}}{\text{K}}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.007470661 \cdot 10^{120}$	$1 \text{ papa-} \frac{ML^2}{\Theta} = 10^{110} = 4.012931 \frac{\text{kg m}^2}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{K}} = 0.2491944 \cdot 10^{110}$	$1 \text{ ze-} \frac{ML^2}{T\Theta} = 10^{70} = 7443.419 \frac{\text{kg m}^2}{\text{s K}}$
$1 \frac{\text{kg m}^2}{\text{s K}} = 0.0001343469 \cdot 10^{70}$	$1 \text{ re-} \frac{ML^2}{T^2\Theta} = 10^{20} = 0.001380649 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 724.2971 \cdot 10^{20}$	$1 \text{ pamu-} \frac{ML^2T}{\Theta} = 10^{150} = 0.002163470 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 462.2205 \cdot 10^{150}$	$1 \text{ pa-} \frac{M}{L\Theta} = 10^{10} = 95045.59 \frac{\text{kg}}{\text{m K}}$
<hr/>	<hr/>

$1 \frac{\text{kg}}{\text{m s K}} = 56.72274 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{M}{LT\Theta} = 10^{-40} = 0.01762961 \frac{\text{kg}}{\text{m s K}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{K}} = 0.03058063 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{LT^2\Theta} = 10^{-80} = 32.70044 \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*)$
$1 \frac{\text{kg s}}{\text{m K}} = 0.01951546 \cdot 10^{50}$	$1 \text{mu}-\frac{MT}{L\Theta} = 10^{50} = 51.24142 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 1.700505 \cdot 10^{-30} \quad (*)$	$1 \text{ni}'\text{uci}-\frac{M}{L^2\Theta} = 10^{-30} = 0.5880606 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.0009167841 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^2T\Theta} = 10^{-70} = 1090.769 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 4942.609 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^2T^2\Theta} = 10^{-120} = 0.0002023223 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 3154.196 \cdot 10^{10}$	$1 \text{pa}-\frac{MT}{L^2\Theta} = 10^{10} = 0.0003170380 \frac{\text{kg s}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.00002748450 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M}{L^3\Theta} = 10^{-60} = 36384.15 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 148.1757 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^3T\Theta} = 10^{-110} = 0.006748745 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 0.07988517 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M}{L^3T^2\Theta} = 10^{-150} = 12.51797 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 0.05097986 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^3\Theta} = 10^{-20} = 19.61559 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \text{K} = 0.007058238 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\Theta = 10^{-30} = 141.6784 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 38052.70 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{\Theta}{T} = 10^{-80} = 0.00002627934 \frac{\text{K}}{\text{s}}$
$1 \frac{\text{K}}{\text{s}^2} = 20.51515 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{\Theta}{T^2} = 10^{-120} = 0.04874447 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.09203 \cdot 10^{10}$	$1 \text{pa}-T\Theta = 10^{10} = 0.07638233 \text{ s K}$
$1 \text{m K} = 436.7032 \cdot 10^0$	$1 L\Theta = 1 = 0.002289885 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 0.2354375 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{L\Theta}{T} = 10^{-40} = 4.247412 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.0001269301 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2} = 10^{-80} = 7878.349 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 810022.8 \cdot 10^{40} \quad (*)$	$1 \text{mu}-LT\Theta = 10^{50} = 12345.33 \text{ m s K}$
$1 \text{m}^2 \text{K} = 0.002701945 \cdot 10^{40}$	$1 \text{vo}-L^2\Theta = 10^{40} = 370.1037 \text{ m}^2 \text{ K}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}} = 14566.85 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 686490.1 \frac{\text{m}^2 \text{K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2} = 7.853349 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2} = 10^{-50} = 0.1273342 \frac{\text{m}^2 \text{K}}{\text{s}^2}$
$1 \text{m}^2 \text{s K} = 5.011726 \cdot 10^{80}$	$1 \text{bi}-L^2T\Theta = 10^{80} = 0.1995320 \text{ m}^2 \text{ s K} \quad (*)$
$1 \frac{\text{K}}{\text{m}} = 1140.791 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{L} = 10^{-70} = 0.0008765845 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 0.6150287 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{\Theta}{LT} = 10^{-110} = 1.625940 \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m s}^2} = 0.0003315771 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{LT^2} = 10^{-150} = 3015.890 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{s K}}{\text{m}} = 0.0002116007 \cdot 10^{-20} \quad (*)$	$1 \text{ni}'\text{ure}-\frac{T\Theta}{L} = 10^{-20} = 4725.883 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 0.01843810 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{\Theta}{L^2} = 10^{-100} = 54.23553 \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 99404.32 \cdot 10^{-150} \quad (*)$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^2T} = 10^{-140} = 100599.2 \frac{\text{K}}{\text{m}^2 \text{s}} \quad (**)$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 53.59132 \cdot 10^{-190}$	$1 \text{ni}'\text{upaso}-\frac{\Theta}{L^2T^2} = 10^{-190} = 0.01865974 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 34.20006 \cdot 10^{-60} \quad (**)$	$1 \text{ni}'\text{uxa}-\frac{T\Theta}{L^2} = 10^{-60} = 0.02923971 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 2980.067 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^3} = 10^{-140} = 0.0003355630 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 1.606627 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{\Theta}{L^3T} = 10^{-180} = 0.6224219 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 0.0008661724 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{\Theta}{L^3T^2} = 10^{-220} = 1154.505 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.0005527602 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{T\Theta}{L^3} = 10^{-90} = 1809.103 \frac{\text{s K}}{\text{m}^3}$
$1 \text{kg K} = 0.00003243028 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-M\Theta = 10^{-20} = 30835.38 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 174.8396 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M\Theta}{T} = 10^{-70} = 0.005719527 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 0.09426036 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{T^2} = 10^{-110} = 10.60891 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{kg s K} = 0.06015359 \cdot 10^{20}$	$1 \text{re}-MT\Theta = 10^{20} = 16.62411 \text{ kg s K}$
$1 \text{kg m K} = 2.006508 \cdot 10^{10} \quad (*)$	$1 \text{pa}-ML\Theta = 10^{10} = 0.4983783 \text{ kg m K}$
$1 \frac{\text{kg m K}}{\text{s}} = 0.001081758 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{ML\Theta}{T} = 10^{-30} = 924.4213 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 5832.023 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{ML\Theta}{T^2} = 10^{-80} = 0.0001714671 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{kg m s K} = 3721.788 \cdot 10^{50}$	$1 \text{mu}-MLT\Theta = 10^{50} = 0.0002686880 \text{ kg m s K}$
$1 \text{kg m}^2 \text{K} = 124145.5 \cdot 10^{40}$	$1 \text{mu}-ML^2\Theta = 10^{50} = 80550.65 \text{ kg m}^2 \text{ K}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}} = 66.92990 \cdot 10^0 \quad (*)$	$1 \frac{ML^2\Theta}{T} = 1 = 0.01494101 \frac{\text{kg m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} = 0.03608356 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{ML^2\Theta}{T^2} = 10^{-40} = 27.71345 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2}$
$1 \text{kg m}^2 \text{s K} = 0.02302723 \cdot 10^{90}$	$1 \text{so}-ML^2T\Theta = 10^{90} = 43.42684 \text{ kg m}^2 \text{ s K}$
$1 \frac{\text{kg K}}{\text{m}} = 5.241561 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M\Theta}{L} = 10^{-60} = 0.1907829 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 0.002825855 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M\Theta}{LT} = 10^{-100} = 353.8753 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 15234.88 \cdot 10^{-150}$	$1 \text{ni}'\text{upavo}-\frac{M\Theta}{LT^2} = 10^{-140} = 656388.6 \frac{\text{kg K}}{\text{m s}^2}$

$1 \frac{\text{kg s K}}{\text{m}} = 9722.354 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{MT\Theta}{L} = 10^{-20} = 0.0001028557 \frac{\text{kg s K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m}^2} = 847169.9 \cdot 10^{-100}$	$1 \text{ni'uso-} \frac{M\Theta}{L^2} = 10^{-90} = 11804.01 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 456.7302 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{M\Theta}{L^2 T} = 10^{-140} = 0.002189477 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 0.2462345 \cdot 10^{-180}$	$1 \text{ni'upabi-} \frac{M\Theta}{L^2 T^2} = 10^{-180} = 4.061170 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 0.1571380 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{MT\Theta}{L^2} = 10^{-50} = 6.363832 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 13.69243 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{M\Theta}{L^3} = 10^{-130} = 0.07303308 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3} = 0.007381924 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{M\Theta}{L^3 T} = 10^{-170} = 135.4660 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 39797.77 \cdot 10^{-220}$	$1 \text{ni'urere-} \frac{M\Theta}{L^3 T^2} = 10^{-220} = 0.00002512703 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 25397.51 \cdot 10^{-90}$	$1 \text{ni'ubi-} \frac{MT\Theta}{L^3} = 10^{-80} = 393739.3 \frac{\text{kg s K}}{\text{m}^3}$
<hr/>	<hr/>
$1 \frac{\text{K}}{\text{C}} = 1.323805 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{\Theta}{Q} = 10^{-50} = 0.7553982 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.0007136959 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{\Theta}{T Q} = 10^{-90} = 1401.157 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 3847.711 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{\Theta}{T^2 Q} = 10^{-140} = 0.0002598948 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 2455.471 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.0004072538 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 81905.70 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{L\Theta}{Q} = 10^{-20} = 0.00001220916 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 44.15738 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{L\Theta}{T Q} = 10^{-60} = 0.02264627 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.02380633 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{L\Theta}{T^2 Q} = 10^{-100} = 42.00563 \frac{\text{m K}}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{m s K}}{\text{C}} = 0.01519235 \cdot 10^{30}$	$1 \text{ci-} \frac{LT\Theta}{Q} = 10^{30} = 65.82260 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.5067623 \cdot 10^{20}$	$1 \text{re-} \frac{L^2 \Theta}{Q} = 10^{20} = 1.973312 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.0002732080 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{L^2 \Theta}{T Q} = 10^{-20} = 3660.215 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 1472.932 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{L^2 \Theta}{T^2 Q} = 10^{-70} = 0.0006789181 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 939.9723 \cdot 10^{60}$	$1 \text{xa-} \frac{L^2 T \Theta}{Q} = 10^{60} = 0.001063861 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.00002139607 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{\Theta}{L Q} = 10^{-80} = 46737.56 \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 115.3515 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{\Theta}{L T Q} = 10^{-130} = 0.008669157 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m s}^2 \text{C}} = 0.06218882 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{\Theta}{L T^2 Q} = 10^{-170} = 16.08006 \frac{\text{K}}{\text{m s}^2 \text{C}} \quad (*)$
$1 \frac{\text{s K}}{\text{m C}} = 0.03968668 \cdot 10^{-40}$	$1 \text{ni'uvvo-} \frac{T\Theta}{L Q} = 10^{-40} = 25.19737 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 3.458150 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{\Theta}{L^2 Q} = 10^{-120} = 0.2891720 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 0.001864374 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{\Theta}{L^2 T Q} = 10^{-160} = 536.3731 \frac{\text{K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 10051.30 \cdot 10^{-210} \quad (*)$	$1 \text{ni'ureno-} \frac{\Theta}{L^2 T^2 Q} = 10^{-200} = 994896.3 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*)$
$1 \frac{\text{s K}}{\text{m}^2 \text{C}} = 6414.379 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{T\Theta}{L^2 Q} = 10^{-80} = 0.0001558997 \frac{\text{s K}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 558925.2 \cdot 10^{-160}$	$1 \text{ni'upamu-} \frac{\Theta}{L^3 Q} = 10^{-150} = 17891.48 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 301.3304 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{\Theta}{L^3 T Q} = 10^{-200} = 0.003318617 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1624546 \cdot 10^{-240}$	$1 \text{ni'urevo-} \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 6.155565 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 0.1036727 \cdot 10^{-110}$	$1 \text{ni'upapa-} \frac{T\Theta}{L^3 Q} = 10^{-110} = 9.645739 \frac{\text{s K}}{\text{m}^3 \text{C}}$
<hr/>	<hr/>
$1 \frac{\text{kg K}}{\text{C}} = 0.006082449 \cdot 10^{-40}$	$1 \text{ni'uvvo-} \frac{M\Theta}{Q} = 10^{-40} = 164.4075 \frac{\text{kg K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 32791.98 \cdot 10^{-90}$	$1 \text{ni'ubi-} \frac{M\Theta}{T Q} = 10^{-80} = 304952.6 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s}^2 \text{C}} = 17.67896 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{M\Theta}{L^2 Q} = 10^{-130} = 0.05656440 \frac{\text{kg K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{C}} = 11.28208 \cdot 10^0$	$1 \frac{MT\Theta}{Q} = 1 = 0.08863612 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{C}} = 376.3298 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{ML\Theta}{Q} = 10^{-10} = 0.002657244 \frac{\text{kg m K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{s C}} = 0.2028887 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{ML\Theta}{T Q} = 10^{-50} = 4.928812 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} = 0.0001093823 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{ML\Theta}{L^2 Q} = 10^{-90} = 9142.249 \frac{\text{kg m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m s K}}{\text{C}} = 0.00006980385 \cdot 10^{40}$	$1 \text{vo-} \frac{MLT\Theta}{Q} = 10^{40} = 14325.86 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{C}} = 0.002328406 \cdot 10^{30}$	$1 \text{ci-} \frac{ML^2 \Theta}{Q} = 10^{30} = 429.4784 \frac{\text{kg m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} = 12553.01 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{ML^2 \Theta}{T Q} = 10^{-20} = 0.00007966217 \frac{\text{kg m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} = 6.767637 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{ML^2 \Theta}{L^2 Q} = 10^{-60} = 0.1477621 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} = 4.318864 \cdot 10^{70}$	$1 \text{ze-} \frac{ML^2 T \Theta}{Q} = 10^{70} = 0.2315424 \frac{\text{kg m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 983.0789 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{M\Theta}{L Q} = 10^{-80} = 0.001017212 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 0.5300020 \cdot 10^{-120} \quad (**)$	$1 \text{ni'upare-} \frac{M\Theta}{L T Q} = 10^{-120} = 1.886785 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} = 0.0002857372 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M\Theta}{L T^2 Q} = 10^{-160} = 3499.720 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \quad (*)$

$1 \frac{\text{kg s K}}{\text{m C}} = 0.0001823472 \cdot 10^{-30}$	$1 \frac{\text{kg K}}{\text{m}^2 \text{C}} = 0.01588906 \cdot 10^{-110}$	$1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} = 85661.85 \cdot 10^{-160}$	$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} = 46.18241 \cdot 10^{-200}$	$1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} = 29.47196 \cdot 10^{-70}$	$1 \frac{\text{kg K}}{\text{m}^3 \text{C}} = 2568.078 \cdot 10^{-150}$	$1 \frac{\text{kg K}}{\text{m}^3 \text{s C}} = 1.384514 \cdot 10^{-190}$	$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} = 0.0007464256 \cdot 10^{-230}$	$1 \frac{\text{kg s K}}{\text{m}^3 \text{C}} = 0.0004763421 \cdot 10^{-100}$	$1 \text{CK} = 376329.8 \cdot 10^{-20}$	$1 \frac{\text{CK}}{\text{s}} = 202.8887 \cdot 10^{-60}$	$1 \frac{\text{CK}}{\text{s}^2} = 0.1093823 \cdot 10^{-100}$	$1 \text{s CK} = 0.06980385 \cdot 10^{30}$	$1 \text{m CK} = 2.328406 \cdot 10^{20}$	$1 \frac{\text{m CK}}{\text{s}} = 0.001255301 \cdot 10^{-20}$	$1 \frac{\text{m CK}}{\text{s}^2} = 6767.637 \cdot 10^{-70}$	$1 \text{m s CK} = 4318.864 \cdot 10^{60}$	$1 \text{m}^2 \text{CK} = 0.00001440618 \cdot 10^{60}$	$1 \frac{\text{m}^2 \text{CK}}{\text{s}} = 77.66726 \cdot 10^{10}$	$1 \frac{\text{m}^2 \text{CK}}{\text{s}^2} = 0.04187233 \cdot 10^{-30}$	$1 \text{m}^2 \text{s CK} = 0.02672143 \cdot 10^{100}$	$1 \frac{\text{CK}}{\text{m}} = 6.082449 \cdot 10^{-50}$	$1 \frac{\text{CK}}{\text{m s}} = 0.003279198 \cdot 10^{-90}$	$1 \frac{\text{CK}}{\text{m s}^2} = 17678.96 \cdot 10^{-140}$	$1 \frac{\text{s CK}}{\text{m}} = 11282.08 \cdot 10^{-10}$	$1 \frac{\text{CK}}{\text{m}^2} = 0.00009830789 \cdot 10^{-80}$	$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 530.0020 \cdot 10^{-130}$ (*)	$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 0.2857372 \cdot 10^{-170}$	$1 \frac{\text{s CK}}{\text{m}^2} = 0.1823472 \cdot 10^{-40}$	$1 \frac{\text{CK}}{\text{m}^3} = 15.88906 \cdot 10^{-120}$	$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.008566185 \cdot 10^{-160}$	$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 46182.41 \cdot 10^{-210}$	$1 \frac{\text{s CK}}{\text{m}^3} = 29471.96 \cdot 10^{-80}$	$1 \text{ni'uci-} \frac{MT\Theta}{LQ} = 10^{-30} = 5484.043 \frac{\text{kg s K}}{\text{m C}}$	$1 \text{ni'upapa-} \frac{M\Theta}{L^2 Q} = 10^{-110} = 62.93638 \frac{\text{kg K}}{\text{m}^2 \text{C}}$	$1 \text{ni'upaxa-} \frac{M\Theta}{L^2 T Q} = 10^{-160} = 0.00001167381 \frac{\text{kg K}}{\text{m}^2 \text{s C}}$	$1 \text{ni'ureno-} \frac{M\Theta}{L^2 T^2 Q} = 10^{-200} = 0.02165326 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}$	$1 \text{ni'uze-} \frac{MT\Theta}{L^2 Q} = 10^{-70} = 0.03393055 \frac{\text{kg s K}}{\text{m}^2 \text{C}}$	$1 \text{ni'upamu-} \frac{M\Theta}{L^3 Q} = 10^{-150} = 0.0003893963 \frac{\text{kg K}}{\text{m}^3 \text{C}}$	$1 \text{ni'upaso-} \frac{M\Theta}{L^3 T Q} = 10^{-190} = 0.7222752 \frac{\text{kg K}}{\text{m}^3 \text{s C}}$	$1 \text{ni'ureci-} \frac{M\Theta}{L^3 T^2 Q} = 10^{-230} = 1339.718 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}}$	$1 \text{ni'upano-} \frac{MT\Theta}{L^3 Q} = 10^{-100} = 2099.332 \frac{\text{kg s K}}{\text{m}^3 \text{C}}$ (*)
$1 \text{ci-TQ}\Theta = 10^{30} = 14.32586 \text{ s CK}$	$1 \text{re-LQ}\Theta = 10^{20} = 0.4294784 \text{ m CK}$	$1 \text{ni'uxa-} \frac{Q\Theta}{T} = 10^{-60} = 0.004928812 \frac{\text{CK}}{\text{s}}$	$1 \text{ni'upano-} \frac{Q\Theta}{T^2} = 10^{-100} = 9.142249 \frac{\text{CK}}{\text{s}^2}$	$1 \text{pa-} \frac{L^2 Q\Theta}{T} = 10^{10} = 0.01287544 \frac{\text{m}^2 \text{CK}}{\text{s}}$	$1 \text{ni'ure-} \frac{LQ\Theta}{T} = 10^{-20} = 796.6217 \frac{\text{m CK}}{\text{s}}$	$1 \text{ni'uze-} \frac{LQ\Theta}{T^2} = 10^{-70} = 0.0001477621 \frac{\text{m CK}}{\text{s}^2}$	$1 \text{xa-LTQ}\Theta = 10^{60} = 0.0002315424 \text{ m s CK}$	$1 \text{xa-L}^2 \text{Q}\Theta = 10^{60} = 69414.66 \text{ m}^2 \text{ CK}$	$1 \text{pano-} \frac{L^2 T Q\Theta}{T} = 10^{100} = 37.42315 \text{ m}^2 \text{ s CK}$	$1 \text{ni'umu-} \frac{Q\Theta}{L} = 10^{-50} = 0.1644075 \frac{\text{CK}}{\text{m}}$	$1 \text{ni'uso-} \frac{Q\Theta}{LT} = 10^{-90} = 304.9526 \frac{\text{CK}}{\text{m s}}$	$1 \text{ni'upavo-} \frac{Q\Theta}{LT^2} = 10^{-140} = 0.00005656440 \frac{\text{CK}}{\text{m s}^2}$	$1 \frac{TQ\Theta}{L} = 1 = 886361.2 \frac{\text{s CK}}{\text{m}}$	$1 \text{ni'ubi-} \frac{Q\Theta}{L^2} = 10^{-80} = 10172.12 \frac{\text{CK}}{\text{m}^2}$	$1 \text{ni'upaci-} \frac{Q\Theta}{L^2 T} = 10^{-130} = 0.001886785 \frac{\text{CK}}{\text{m}^2 \text{s}}$	$1 \text{ni'upaze-} \frac{Q\Theta}{L^2 T^2} = 10^{-170} = 3.499720 \frac{\text{CK}}{\text{m}^2 \text{s}^2}$ (*)	$1 \text{ni'uvvo-} \frac{TQ\Theta}{L^2} = 10^{-40} = 5.484043 \frac{\text{s CK}}{\text{m}^2}$	$1 \text{ni'upare-} \frac{Q\Theta}{L^3} = 10^{-120} = 0.06293638 \frac{\text{CK}}{\text{m}^3}$	$1 \text{ni'upaxa-} \frac{Q\Theta}{L^3 T} = 10^{-160} = 116.7381 \frac{\text{CK}}{\text{m}^3 \text{s}}$	$1 \text{ni'ureno-} \frac{Q\Theta}{L^3 T^2} = 10^{-200} = 216532.6 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$	$1 \text{ni'ubi-} \frac{TQ\Theta}{L^3} = 10^{-80} = 0.00003393055 \frac{\text{s CK}}{\text{m}^3}$	$1 \text{ni'upa-MQ}\Theta = 10^{-10} = 0.0005783317 \text{ kg CK}$	$1 \text{ni'umu-} \frac{MQ\Theta}{T} = 10^{-50} = 1.072724 \frac{\text{kg CK}}{\text{s}}$	$1 \text{ni'uso-} \frac{MQ\Theta}{T^2} = 10^{-90} = 1989.750 \frac{\text{kg CK}}{\text{s}^2}$	$1 \text{vo-MTQ}\Theta = 10^{40} = 3117.929 \text{ kg s CK}$	$1 \text{ci-MLQ}\Theta = 10^{30} = 93.47315 \text{ kg m CK}$	$1 \text{ni'ure-} \frac{MLQ\Theta}{T} = 10^{-20} = 0.00001733795 \frac{\text{kg m CK}}{\text{s}}$	$1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} = 10^{-60} = 0.03215944 \frac{\text{kg m CK}}{\text{s}^2}$	$1 \text{ze-MLTQ}\Theta = 10^{70} = 0.05039368 \text{ kg m s CK}$	$1 \text{xa-ML}^2 \text{Q}\Theta = 10^{60} = 0.001510764 \text{ kg m}^2 \text{ CK}$	$1 \text{re-} \frac{ML^2 Q\Theta}{T} = 10^{20} = 2.802255 \frac{\text{kg m}^2 \text{ CK}}{\text{s}}$	$1 \text{ni'ure-} \frac{ML^2 Q\Theta}{T^2} = 10^{-20} = 5197.786 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$	$1 \text{papa-ML}^2 \text{TQ}\Theta = 10^{110} = 8144.904 \text{ kg m}^2 \text{ s CK}$	$1 \text{ni'uvvo-} \frac{MQ\Theta}{L} = 10^{-40} = 35.78221 \frac{\text{kg CK}}{\text{m}}$	$1 \text{ni'ubi-} \frac{MQ\Theta}{LT} = 10^{-80} = 66370.93 \frac{\text{kg CK}}{\text{m s}}$	$1 \text{ni'upaci-} \frac{MQ\Theta}{LT^2} = 10^{-130} = 0.01231087 \frac{\text{kg CK}}{\text{m s}^2}$	$1 \frac{MTQ\Theta}{L} = 1 = 0.01929107 \frac{\text{kg s CK}}{\text{m}}$				

$$\begin{aligned}
 1 \frac{\text{kg CK}}{\text{m}^2} &= 4516.924 \cdot 10^{-80} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2.435185 \cdot 10^{-120} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.001312868 \cdot 10^{-160} \\
 1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.0008378255 \cdot 10^{-30} \\
 1 \frac{\text{kg CK}}{\text{m}^3} &= 0.07300501 \cdot 10^{-110} \quad (*) \\
 1 \frac{\text{kg CK}}{\text{m}^3} &= 393588.0 \cdot 10^{-160} \\
 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 212.1930 \cdot 10^{-200} \\
 1 \frac{\text{kg s CK}}{\text{m}^3} &= 135.4140 \cdot 10^{-70}
 \end{aligned}$$

$$\begin{aligned}
 1 \text{ ni'ubi-} \frac{MQ\Theta}{L^2} &= 10^{-80} = 0.0002213896 \frac{\text{kg CK}}{\text{m}^2} \\
 1 \text{ ni'upare-} \frac{MQ\Theta}{L^2 T} &= 10^{-120} = 0.4106464 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
 1 \text{ ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-160} = 761.6910 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
 1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 1193.566 \frac{\text{kg s CK}}{\text{m}^2} \\
 1 \text{ ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 13.69769 \frac{\text{kg CK}}{\text{m}^3} \\
 1 \text{ ni'upamu-} \frac{MQ\Theta}{L^3 T} &= 10^{-150} = 25407.28 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
 1 \text{ ni'ureno-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-200} = 0.004712691 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
 1 \text{ ni'uze-} \frac{MTQ\Theta}{L^3} &= 10^{-70} = 0.007384762 \frac{\text{kg s CK}}{\text{m}^3}
 \end{aligned}$$

## 6 Base 12 - ??

### 6.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

Proton mass = $206768A \cdot 10^{-20}$	$1 ni'upa-M = 10^{-10} = 5A4682.B m_p$
Electron mass = $1B13.388 \cdot 10^{-20}$	$1 ni'ure-M = 10^{-20} = 0.0006295001 m_e \quad (*)$
Elementary charge = $0.1037444 \cdot 10^0$	$1 Q = 1 = B.858467 e$
$\text{\AA}^1 = 0.0B25A35A \cdot 10^{20}$	$1 re-L = 10^{20} = 10.A2270 \text{\AA}$
Bohr radius <sup>2</sup> = $0.05B20249 \cdot 10^{20}$	$1 re-L = 10^{20} = 20.34498 a_0$
Fine structure constant <sup>3</sup> = $0.01073994 \cdot 10^0$	$1 = 1 = B5.05226 \alpha$
Rydberg Energy <sup>4</sup> = $0.1091060 \cdot 10^{-20}$	$1 ni'ure-\frac{ML^2}{T^2} = 10^{-20} = B.355206 Ry$
$ \psi_{100}(0) ^5 = 2778.541 \cdot 10^{-60}$	$1 ni'uuxa-\frac{1}{L^3} = 10^{-60} = 0.0004673B98 \rho_{\max}$
eV = $0.00B302A80 \cdot 10^{-20}$	$1 ni'ure-\frac{ML^2}{T^2} = 10^{-20} = 109.6B14 \text{eV}$
$\hbar^6 = 1.000000 \quad (***)$	$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$
$\lambda_{\text{yellow}} = 313.6229 \cdot 10^{20}$	$1 re-L = 10^{20} = 0.003A40439 \cdot \lambda_{\text{yellow}}$
$k_{\text{yellow}}^7 = 0.02031780 \cdot 10^{-20}$	$1 ni'ure-\frac{1}{L} = 10^{-20} = 5B.28371 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^8 = 0.0001945A99 \cdot 10^{-10}$	$1 ni'upa-\frac{1}{L} = 10^{-10} = 68A1.778 \cdot k_{\text{X-Ray}}$
Earth g = $0.0001235B65 \cdot 10^{-30}$	$1 ni'uci-\frac{ML}{T^2} = 10^{-30} = A0AB.393 \cdot \text{Earth g}$
cm = $2733B92 \cdot 10^{20}$	$1 ci-L = 10^{30} = 472B70.7 \text{cm}$
min = $638787.9 \cdot 10^{30}$	$1 vo-T = 10^{40} = 1A9A24A \cdot \text{min}$
hour = $0.00002767273 \cdot 10^{40}$	$1 vo-T = 10^{40} = 4692A.69 \text{ h}$
Liter = $0.00A2B7656 \cdot 10^{80}$	$1 bi-L^3 = 10^{80} = 120.764B l$
 	$1 xa-L^2 = 10^{60} = A779.111 A$
Area of a soccer field = $0.0001165474 \cdot 10^{60}$	$1 xa-L^2 = 10^{60} = 5335B5.B \cdot 84 \text{m}^2$
$84 \text{m}^2^9 = 0.000002337646 \cdot 10^{60}$	$1 ni'upa-\frac{L}{T} = 10^{-10} = 0.0002615337 \text{km/h}$
km/h = $4945.445 \cdot 10^{-10}$	$1 ni'upa-\frac{L}{T} = 10^{-10} = 0.0001687084 \text{mi/h}$
mi/h = $783B.462 \cdot 10^{-10}$	$1 ci-L = 10^{30} = 199015.5 \text{ in}$
inch <sup>10</sup> = $6754139. \cdot 10^{20}$	$1 ci-L = 10^{30} = 7.151044 \text{ mi}$
mile = $0.1828AB3 \cdot 10^{30}$	$1 pa-M = 10^{10} = 1876B1.A \text{ pound}$
pound = $6B90986. \cdot 10^0$	$1 ni'ubo-\frac{ML^2}{T^3} = 10^{-40} = 0.01137909 \text{ horsepower}$
horsepower = $A9.A78B9 \cdot 10^{-40}$	$1 \frac{ML^2}{T^2} = 1 = 1A6456.1 \text{kcal}$
kcal = $0.000006484002 \cdot 10^0 \quad (*)$	$1 \frac{ML^2}{T^2} = 1 = 393.4332 \text{kWh}$
kWh = $0.00321B544 \cdot 10^0$	$1 ni'umu-\frac{ML}{T^2Q} = 10^{-50} = 0.0003112505 E_H$
Typical household electric field = $3A6B.055 \cdot 10^{-50}$	$1 ni'ubo-\frac{M}{TQ} = 10^{-40} = 2A2759.6 \cdot Earthmagneticfield$
$Earthmagneticfield = 0.00000425B9B3 \cdot 10^{-40}$	

<sup>1</sup>Length in atomic and solid state physics,  $1/\text{A nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>30 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.0003254186 \cdot 10^{30}$   
 Mass of an average man =  $0.0007591573 \cdot 10^{10}$

Age of the Universe =  $799715.9 \cdot 10^{40}$   
 Size of the observable Universe =  $0.001805320 \cdot 10^{50}$   
 Average density of the Universe =  $6.120A86 \cdot 10^{-A0}$   
 Earth mass =  $11A557B \cdot 10^{20}$   
 Sun mass<sup>12</sup> =  $0.1669548 \cdot 10^{30}$   
 Year =  $0.11406A8 \cdot 10^{40}$   
 Speed of Light = 1.000000 (\*\*\*)  
 Parsec =  $0.37602BA \cdot 10^{40}$   
 Astronomical unit =  $0.000004458B59 \cdot 10^{40}$   
 Earth radius =  $3A4.1610 \cdot 10^{30}$   
 Distance Earth-Moon =  $17502.40 \cdot 10^{30}$   
*Momentum of someone walking*<sup>13</sup> =  $148.00B4 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$   
 mol =  $0.01110B95 \cdot 10^{20}$   
 Standard temperature<sup>14</sup> =  $0.000321799A \cdot 10^{-20}$   
 Room - standard temperature<sup>15</sup> =  $0.000029613A2 \cdot 10^{-20}$   
 atm =  $0.0000220BA33 \cdot 10^{-80}$   
 $c_s = 0.0000034BB524 \cdot 10^0$  (\*)

$\mu_0 = 10.69683 \cdot 10^0$   
 $G = 1.000000$  (\*\*\*)

$1 \text{ ci-}L = 10^{30} = 38B4.414\bar{h}$   
 $1 \text{ pa-}M = 10^{10} = 1730.22B\bar{m}$   
 $1 \text{ vo-}T = 10^{40} = 0.000001650985t_U$   
 $1 \text{ mu-}L = 10^{50} = 722.AAA0l_U$   
 $1 \text{ ni'}\text{jauau-}\frac{M}{L^3} = 10^{-A0} = 0.1B74731\rho_U$   
 $1 \text{ ci-}M = 10^{30} = A46A70.0m_E$   
 $1 \text{ ci-}M = 10^{30} = 7.90AA10m_S$   
 $1 \text{ vo-}T = 10^{40} = A.9689A6y$   
 $1 \frac{L}{T} = 1 = 1.000000c$  (\*\*\*)  
 $1 \text{ vo-}L = 10^{40} = 3.388070\text{ pc}$   
 $1 \text{ vo-}L = 10^{40} = 28B169.6\text{ au}$   
 $1 \text{ ci-}L = 10^{30} = 0.003135319r_E$   
 $1 \text{ ci-}L = 10^{30} = 0.000074BA5A7d_M$   
 $1 \frac{ML}{T} = 1 = 0.008781520 \cdot \text{ Momentum of someone walking}$

$1 \frac{M}{T^3\Theta^4} = 1 = 6.0B4B92\frac{\pi^2}{50} = \sigma$   
 $1 \text{ re-} = 10^{20} = B0.01120\text{ mol}$   
 $1 \text{ ni'}\text{ure-}\Theta = 10^{-20} = 3938.6B7T_0$   
 $1 \text{ ni'}\text{ure-}\Theta = 10^{-20} = 43699.56\Theta_R$   
 $1 \text{ ni'}\text{ubi-}\frac{M}{LT^2} = 10^{-80} = 56303.03\text{ atm}$   
 $1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$

$1 \frac{ML}{Q^2} = 1 = 0.0B561508 \cdot \mu_0$   
 $1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G$  (\*\*\*)

### Extensive list of SI units

$1\text{m} = 0.001889B98 \cdot 10^0$   
 $1 = 1.000000$  (\*\*\*)  
 $1\text{k} = 6B4.0000 \cdot 10^0$  (\*\*)  
 $1\text{m}\frac{1}{\text{s}} = 145209.3 \cdot 10^{-40}$   
 $1\frac{1}{\text{s}} = 0.00009613001 \cdot 10^{-30}$  (\*)  
 $1\text{k}\frac{1}{\text{s}} = 0.05604821 \cdot 10^{-30}$   
 $1\text{m}\frac{1}{\text{s}^2} = 11.02A19 \cdot 10^{-70}$   
 $1\frac{1}{\text{s}^2} = 764B.918 \cdot 10^{-70}$   
 $1\text{k}\frac{1}{\text{s}^2} = 0.00000443A702 \cdot 10^{-60}$   
 $1\text{m s} = 22.203AB \cdot 10^{30}$   
 $1\text{s} = 13188.B2 \cdot 10^{30}$   
 $1\text{ks} = 0.000008920082 \cdot 10^{40}$  (\*)  
 $1\text{mm} = 316493.9 \cdot 10^{20}$   
 $1\text{m} = 0.0001987920 \cdot 10^{30}$   
 $1\text{km} = 0.106A070 \cdot 10^{30}$   
 $1\text{m}\frac{\text{m}}{\text{s}} = 25.8A836 \cdot 10^{-10}$   
 $1\frac{\text{m}}{\text{s}} = 15264.AB \cdot 10^{-10}$   
 $1\text{k}\frac{\text{m}}{\text{s}} = 0.00009B63212 \cdot 10^0$   
 $1\text{m}\frac{\text{m}}{\text{s}^2} = 0.001B6968B \cdot 10^{-40}$

$1 = 1 = 6B4.0000\text{ m}$  (\*\*)  
 $1 = 1 = 1.000000$  (\*\*\*)  
 $1 = 1 = 0.001889B98\text{ k}$   
 $1 \text{ ni'}\text{uuo-}\frac{1}{T} = 10^{-40} = 0.000008920082\text{ m}\frac{1}{\text{s}}$  (\*)  
 $1 \text{ ni'}\text{uci-}\frac{1}{T} = 10^{-30} = 13188.B2\frac{1}{\text{s}}$   
 $1 \text{ ni'}\text{uci-}\frac{1}{T} = 10^{-30} = 22.203AB\text{ k}\frac{1}{\text{s}}$   
 $1 \text{ ni'}\text{uze-}\frac{1}{T^2} = 10^{-70} = 0.0B087A54\text{ m}\frac{1}{\text{s}^2}$   
 $1 \text{ ni'}\text{uze-}\frac{1}{T^2} = 10^{-70} = 0.0001714139\frac{1}{\text{s}^2}$   
 $1 \text{ ni'}\text{uxa-}\frac{1}{T^2} = 10^{-60} = 290378.A\text{ k}\frac{1}{\text{s}^2}$   
 $1 \text{ ci-}T = 10^{30} = 0.05604821\text{ ms}$   
 $1 \text{ ci-}T = 10^{30} = 0.00009613001\text{ s}$  (\*)  
 $1 \text{ vo-}T = 10^{40} = 145209.3\text{ ks}$   
 $1 \text{ re-}L = 10^{20} = 0.000003A057A6\text{ mm}$   
 $1 \text{ ci-}L = 10^{30} = 6768.067\text{ m}$   
 $1 \text{ ci-}L = 10^{30} = B.55806A\text{ km}$   
 $1 \text{ ni'}\text{upa-}\frac{L}{T} = 10^{-10} = 0.04A127A8\text{ m}\frac{\text{m}}{\text{s}}$   
 $1 \text{ ni'}\text{upa-}\frac{L}{T} = 10^{-10} = 0.00008449701\frac{\text{m}}{\text{s}}$   
 $1 \frac{L}{T} = 1 = 1255A8.5\text{ k}\frac{\text{m}}{\text{s}}$   
 $1 \text{ ni'}\text{uuo-}\frac{L}{T^2} = 10^{-40} = 613.A917\text{ m}\frac{\text{m}}{\text{s}^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>18 °C

$1\frac{m}{s^2} = 1.177A4A \cdot 10^{-40}$	$1 ni' uvo - \frac{L}{T^2} = 10^{-40} = 0.A685657 \frac{m}{s^2}$
$1k\frac{m}{s^2} = 7A8.5B6A \cdot 10^{-40}$	$1 ni' uvo - \frac{L}{T^2} = 10^{-40} = 0.00162B436 k \frac{m}{s^2}$
$1m\frac{ms}{s} = 0.003B44A2A \cdot 10^{60}$	$1 xa-LT = 10^{60} = 305.9335 m\frac{m}{s}$
$1m\frac{s}{s} = 2.34B305 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 0.53057A7 m\frac{s}{s}$
$1k\frac{ms}{s} = 13A4.359 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 0.00090B2237 k\frac{m}{s}$
$1m\frac{m^2}{s} = 57.B2AA8 \cdot 10^{50}$	$1 mu-L^2 = 10^{50} = 0.02152841 m\frac{m^2}{s}$
$1m^2 = 33394.A4 \cdot 10^{50}$	$1 mu-L^2 = 10^{50} = 0.000037B5179 m^2$
$1k\frac{m^2}{s} = 0.00001A90339 \cdot 10^{60}$	$1 xa-L^2 = 10^{60} = 63B48.BA k\frac{m^2}{s}$
$1m\frac{m^2}{s} = 0.00459BA67 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 281.2409 m \frac{m^2}{s}$
$1\frac{m^2}{s} = 2.71A05B \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 0.4757499 \frac{m^2}{s}$
$1k\frac{m^2}{s} = 1604.109 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 0.0007BA228B k \frac{m^2}{s}$
$1m\frac{m^2}{s^2} = 367A61.9 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 m \frac{m^2}{s^2}$
$1\frac{m^2}{s^2} = 0.0002082840 \cdot 10^{-10}$	$1 ni' upa - \frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{m^2}{s^2} (*)$
$1k\frac{m^2}{s^2} = 0.1235146 \cdot 10^{-10}$	$1 ni' upa - \frac{L^2}{T^2} = 10^{-10} = A.0B6589 k \frac{m^2}{s^2}$
$1m\frac{m^2}{s}s = 718A0A.A \cdot 10^{80}$	$1 bi-L^2T = 10^{80} = 0.00000181A349 m\frac{m^2}{s}$
$1m^2 s = 0.0004174877 \cdot 10^{90}$	$1 so-L^2T = 10^{90} = 2A9B.18B m^2 s$
$1k\frac{m^2}{s} = 0.2486814 \cdot 10^{90}$	$1 so-L^2T = 10^{90} = 5.022208 k\frac{m^2}{s}$
$1m\frac{1}{m} = B.55806A \cdot 10^{-30}$	$1 ni' uci - \frac{1}{L} = 10^{-30} = 0.106A070 m \frac{1}{m}$
$1\frac{1}{m} = 6768.067 \cdot 10^{-30}$	$1 ni' uci - \frac{1}{L} = 10^{-30} = 0.0001987920 \frac{1}{m}$
$1k\frac{1}{m} = 0.000003A057A6 \cdot 10^{-20}$	$1 ni' ure - \frac{1}{L} = 10^{-20} = 316493.9 k \frac{1}{m}$
$1m\frac{1}{ms} = 0.00090B2237 \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 13A4.359 m \frac{1}{m s}$
$1\frac{1}{ms} = 0.53057A7 \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 2.34B305 \frac{1}{m s}$
$1k\frac{1}{ms} = 305.9335 \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 0.003B44A2A k \frac{1}{m s}$
$1m\frac{1}{ms^2} = 72396.BA \cdot 10^{-A0}$	$1 ni' ujauau - \frac{1}{LT^2} = 10^{-A0} = 0.00001802950 m \frac{1}{m s^2}$
$1\frac{1}{ms^2} = 0.000041B5066 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 2A715.51 \frac{1}{m s^2}$
$1k\frac{1}{ms^2} = 0.024AA785 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 4B.93B47 k \frac{1}{m s^2}$
$1m\frac{s}{m} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 m \frac{s}{m}$
$1\frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1k\frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 25.8A836 k \frac{s}{m}$
$1m\frac{1}{m^2} = 63B48.BA \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{L^2} = 10^{-60} = 0.00001A90339 m \frac{1}{m^2}$
$1\frac{1}{m^2} = 0.000037B5179 \cdot 10^{-50}$	$1 ni' umu - \frac{1}{L^2} = 10^{-50} = 33394.A4 \frac{1}{m^2}$
$1k\frac{1}{m^2} = 0.02152841 \cdot 10^{-50}$	$1 ni' umu - \frac{1}{L^2} = 10^{-50} = 57.B2AA8 k \frac{1}{m^2}$
$1m\frac{1}{m^2}s = 5.022208 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{L^2T} = 10^{-90} = 0.2486814 m \frac{1}{m^2 s}$
$1\frac{1}{m^2}s = 2A9B.18B \cdot 10^{-90}$	$1 ni' uso - \frac{1}{L^2T} = 10^{-90} = 0.0004174877 \frac{1}{m^2 s}$
$1k\frac{1}{m^2}s = 0.00000181A349 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^2T} = 10^{-80} = 718A0A.A k \frac{1}{m^2 s}$
$1m\frac{1}{m^2}s^2 = 0.0003B82BA4 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2T^2} = 10^{-100} = 3029.B92 m \frac{1}{m^2 s^2}$
$1\frac{1}{m^2}s^2 = 0.2371B50 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2T^2} = 10^{-100} = 5.274805 \frac{1}{m^2 s^2}$
$1k\frac{1}{m^2}s^2 = 13B.78A7 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2T^2} = 10^{-100} = 0.00902497B k \frac{1}{m^2 s^2}$
$1m\frac{s}{m^2} = 0.0007BA228B \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 1604.109 m \frac{s}{m^2}$
$1\frac{s}{m^2} = 0.4757499 \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 2.71A05B \frac{s}{m^2}$
$1k\frac{s}{m^2} = 281.2409 \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 0.00459BA67 k \frac{s}{m^2}$
$1m\frac{1}{m^3} = 0.00035B62A8 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 3522.276 m \frac{1}{m^3}$
$1\frac{1}{m^3} = 0.2034800 \cdot 10^{-80} (*)$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 5.B1B502 \frac{1}{m^3}$
$1k\frac{1}{m^3} = 120.764B \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 0.00A2B7656 k \frac{1}{m^3}$
$1m\frac{1}{m^3}s = 292B9.8A \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^3T} = 10^{-100} = 0.000043B7B6A m \frac{1}{m^3 s}$
$1\frac{1}{m^3}s = 0.0000172A883 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{1}{L^3T} = 10^{-B0} = 75983.59 \frac{1}{m^3 s}$
$1k\frac{1}{m^3}s = 0.00B175182 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{1}{L^3T} = 10^{-B0} = 10B.2300 k \frac{1}{m^3 s} (*)$
$1m\frac{1}{m^3}s^2 = 2.241993 \cdot 10^{-130}$	$1 ni' upaci - \frac{1}{L^3T^2} = 10^{-130} = 0.557096A m \frac{1}{m^3 s^2}$
$1\frac{1}{m^3}s^2 = 132B.5B2 \cdot 10^{-130}$	$1 ni' upaci - \frac{1}{L^3T^2} = 10^{-130} = 0.000954073B \frac{1}{m^3 s^2}$
$1k\frac{1}{m^3}s^2 = 89A65A.4 \cdot 10^{-130}$	$1 ni' upare - \frac{1}{L^3T^2} = 10^{-120} = 143A202. k \frac{1}{m^3 s^2}$

$$\begin{aligned}
1 \text{m} \frac{\text{s}}{\text{m}^3} &= 4.4B5404 \cdot 10^{-50} \\
1 \frac{\text{s}}{\text{m}^3} &= 2678.988 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.000001589862 \cdot 10^{-40} \\
1 \text{m kg} &= 2270A.86 \cdot 10^0 \\
1 \text{kg} &= 0.00001347965 \cdot 10^{10} \\
1 \text{k kg} &= 0.008AA3564 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.909B87 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{s}} &= 1023.934 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 7080A5.5 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.0001484114 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.097B310A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 57.11615 \cdot 10^{-60} \\
1 \text{m kg s} &= 0.00029680B7 \cdot 10^{40} \\
1 \text{kg s} &= 0.1750414 \cdot 10^{40} \\
1 \text{k kg s} &= B2.A306A \cdot 10^{40} \\
1 \text{m kg m} &= 4.016594 \cdot 10^{30} \\
1 \text{kg m} &= 23A2.842 \cdot 10^{30} \\
1 \text{k kg m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 0.000321778A \cdot 10^0 \\
1 \frac{\text{kg m}}{\text{s}} &= 0.1A0A051 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 109.3183 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 26276.37 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.0000155A2B1 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.00A153977 \cdot 10^{-30} \\
1 \text{m kg ms} &= 508A3.73 \cdot 10^{60} \\
1 \text{kg ms} &= 0.00002B19625 \cdot 10^{70} \\
1 \text{k kg ms} &= 0.01841151 \cdot 10^{70} \\
1 \text{m kg m}^2 &= 0.0007314613 \cdot 10^{60} \\
1 \text{kg m}^2 &= 0.424B679 \cdot 10^{60} \\
1 \text{k kg m}^2 &= 252.116A \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 4.68457B \cdot 10^{-10} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 277A.188 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.000001639993 \cdot 10^0 \\
1 \text{m kg m}^2 s &= 9.1B3290 \cdot 10^{90} \\
1 \text{kg m}^2 s &= 5375.711 \cdot 10^{90} \\
1 \text{k kg m}^2 s &= 0.000003099A1B \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.000128342B \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}} &= 0.08601B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4B.0516B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= B782.27A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}} &= 68A0211. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.003A94266 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.9282386 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 540.7685 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 310985.B \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 1.665705 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}} &= A88.A960 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'umu-} \frac{T}{L^3} &= 10^{-50} = 0.2877068 \text{ m} \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'umu-} \frac{T}{L^3} &= 10^{-50} = 0.0004847B52 \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'uvo-} \frac{T}{L^3} &= 10^{-40} = 815334.0 \text{ k} \frac{\text{s}}{\text{m}^3} \\
1 M &= 1 = 0.000054BA329 \text{ m kg} \\
1 \text{pa-} M &= 10^{10} = 94371.0A \text{ kg} \\
1 \text{pa-} M &= 10^{10} = 142.0779 \text{ k kg} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.6A0221B \text{ m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uci-} \frac{M}{T} &= 10^{-30} = 0.000B987BA8 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'ure-} \frac{M}{T} &= 10^{-20} = 184A901. \text{ k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 8760.604 \text{ m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 12.AA2B9 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{M}{T^2} &= 10^{-60} = 0.02190873 \text{ k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{vo-} MT &= 10^{40} = 435B.497 \text{ m kg s} \\
1 \text{vo-} MT &= 10^{40} = 7.4B9989 \text{ kg s} \\
1 \text{vo-} MT &= 10^{40} = 0.01099232 \text{ k kg s} \\
1 \text{ci-} ML &= 10^{30} = 0.2BAA214 \text{ m kg m} \\
1 \text{ci-} ML &= 10^{30} = 0.0005206092 \text{ kg m} \\
1 \text{vo-} ML &= 10^{40} = 8B2608.B \text{ k kg m} \\
1 \frac{ML}{T} &= 1 = 3938.952 \text{ m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 6.6369B7 \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 0.00B336AA7 \text{ k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'uvo-} \frac{ML}{T^2} &= 10^{-40} = 0.00004922389 \text{ m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 8298A.80 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 122.8B63 \text{ k} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{xa-} MLT &= 10^{60} = 0.00002454967 \text{ m kg m s} \\
1 \text{ze-} MLT &= 10^{70} = 411B3.1B \text{ kg m s} \\
1 \text{ze-} MLT &= 10^{70} = 70.B4B73 \text{ k kg m s} \\
1 \text{xa-} ML^2 &= 10^{60} = 17A0.45A \text{ m kg m}^2 \\
1 \text{xa-} ML^2 &= 10^{60} = 2.A33993 \text{ kg m}^2 \\
1 \text{xa-} ML^2 &= 10^{60} = 0.004B29106 \text{ k kg m}^2 \\
1 \text{re-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \text{ m} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \text{ k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.2771279 \text{ m} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.0004671078 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 7A3BA9.8 \text{ k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{so-} ML^2 T &= 10^{90} = 0.1387442 \text{ m kg m}^2 \text{ s} \\
1 \text{so-} ML^2 T &= 10^{90} = 0.000231B110 \text{ kg m}^2 \text{ s} \\
1 \text{jauau-} ML^2 T &= 10^{40} = 3AB244.5 \text{ k kg m}^2 \text{ s} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 9976.B0A \text{ m} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 14.B3256 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ure-} \frac{M}{L} &= 10^{-20} = 0.02532B43 \text{ k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'uxa-} \frac{M}{LT} &= 10^{-60} = 0.0001045500 \text{ m} \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 194635.6 \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'umu-} \frac{M}{LT} &= 10^{-50} = 30B.3347 \text{ k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 1.3741A6 \text{ m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'uso-} \frac{M}{LT^2} &= 10^{-90} = 0.0022B8992 \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'ubi-} \frac{M}{LT^2} &= 10^{-80} = 3A74B60. \text{ k} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.7926298 \text{ m} \frac{\text{kg s}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.001150975 \frac{\text{kg s}}{\text{m}}
\end{aligned}$$

$1k \frac{kg\cdot s}{m} = 626057.4 \cdot 10^{10}$	$1 re \frac{MT}{L} = 10^{20} = 1B23A6B \cdot k \frac{kg\cdot s}{m}$
$1m \frac{kg}{m^2} = 0.8148096 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^2} = 10^{-50} = 1.58B033 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 484.3942 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^2} = 10^{-50} = 0.00267B0B5 \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 287476.B \cdot 10^{-50}$	$1 ni'uvo \frac{M}{L^2} = 10^{-40} = 44B9310. k \frac{kg}{m^2}$
$1m \frac{kg}{m^2\cdot s} = 0.00006520645 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^2T} = 10^{-80} = 1A485.4B m \frac{kg}{m^2\cdot s}$
$1 \frac{kg}{m^2\cdot s} = 0.0387AA43 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^2T} = 10^{-80} = 32.83A26 \frac{kg}{m^2\cdot s}$
$1k \frac{kg}{m^2\cdot s} = 21.A1693 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^2T} = 10^{-80} = 0.056A41A9 k \frac{kg}{m^2\cdot s}$
$1m \frac{kg}{m^2\cdot s^2} = 5119.561 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^2T^2} = 10^{-100} = 0.0002431332 m \frac{kg}{m^2\cdot s^2}$
$1 \frac{kg}{m^2\cdot s^2} = 2B47903. \cdot 10^{-100}$	$1 ni'uvaiei \frac{M}{L^2T^2} = 10^{-B0} = 409B85.1 \frac{kg}{m^2\cdot s^2}$
$1k \frac{kg}{m^2\cdot s^2} = 0.001858B20 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^2T^2} = 10^{-B0} = 704.6945 k \frac{kg}{m^2\cdot s^2}$
$1m \frac{kg}{m^2} = A2AA.530 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^2} = 10^{-20} = 0.00012086A9 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 5B16199. \cdot 10^{-20}$	$1 ni'upa \frac{MT}{L^2} = 10^{-10} = 203657.0 \frac{kg\cdot s}{m^2}$
$1k \frac{kg}{m^2} = 0.00351B207 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^2} = 10^{-10} = 35B.9421 k \frac{kg\cdot s}{m^2}$
$1m \frac{kg}{m^3} = 4597.A8A \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3} = 10^{-80} = 0.0002814870 m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 271789B. \cdot 10^{-80}$	$1 ni'uze \frac{M}{L^3} = 10^{-70} = 475B61.2 \frac{kg}{m^3}$
$1k \frac{kg}{m^3} = 0.001602907 \cdot 10^{-70}$	$1 ni'uze \frac{M}{L^3} = 10^{-70} = 7BA.93AB k \frac{kg}{m^3}$
$1m \frac{kg}{m^3\cdot s} = 0.3677431 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3T} = 10^{-B0} = 3.4644B5 m \frac{kg}{m^3\cdot s}$
$1 \frac{kg}{m^3\cdot s} = 208.0A4B \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3T} = 10^{-B0} = 0.005A053A2 \frac{kg}{m^3\cdot s}$
$1k \frac{kg}{m^3\cdot s} = 123408.3 \cdot 10^{-B0}$	$1 ni'ujauau \frac{M}{L^3T} = 10^{-A0} = A103527. k \frac{kg}{m^3\cdot s}$
$1m \frac{kg}{m^3\cdot s^2} = 0.00002994920 \cdot 10^{-120}$	$1 ni'upare \frac{M}{L^3T^2} = 10^{-120} = 43196.B6 m \frac{kg}{m^3\cdot s^2}$
$1 \frac{kg}{m^3\cdot s^2} = 0.01767310 \cdot 10^{-120}$	$1 ni'upare \frac{M}{L^3T^2} = 10^{-120} = 74.47880 \frac{kg}{m^3\cdot s^2}$
$1k \frac{kg}{m^3\cdot s^2} = B.39248B \cdot 10^{-120}$	$1 ni'upare \frac{M}{L^3T^2} = 10^{-120} = 0.1088961 k \frac{kg}{m^3\cdot s^2}$
$1m \frac{kg}{m^3} = 0.000057A9A68 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^3} = 10^{-40} = 21546.B4 m \frac{kg\cdot s}{m^3}$
$1 \frac{kg}{m^3} = 0.033365B4 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^3} = 10^{-40} = 37.B8485 \frac{kg\cdot s}{m^3}$
$1k \frac{kg}{m^3} = 1A.8A713 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^3} = 10^{-40} = 0.063BA458 k \frac{kg\cdot s}{m^3}$
$1m \frac{1}{C} = 72350.00 \cdot 10^{-20} \quad (*)$	$1 ni'ure \frac{1}{Q} = 10^{-20} = 0.00001803A21 m \frac{1}{C}$
$1 \frac{1}{C} = 0.000041B2488 \cdot 10^{-10}$	$1 ni'upa \frac{1}{Q} = 10^{-10} = 2A733.57 \frac{1}{C}$
$1k \frac{1}{C} = 0.024A9135 \cdot 10^{-10}$	$1 ni'upa \frac{1}{Q} = 10^{-10} = 4B.97159 k \frac{1}{C}$
$1m \frac{1}{s\cdot C} = 5.845543 \cdot 10^{-50}$	$1 ni'umu \frac{1}{T\cdot Q} = 10^{-50} = 0.213351A m \frac{1}{s\cdot C}$
$1 \frac{1}{s\cdot C} = 3369.71A \cdot 10^{-50}$	$1 ni'umu \frac{1}{T\cdot Q} = 10^{-50} = 0.0003780B26 \frac{1}{s\cdot C}$
$1k \frac{1}{s\cdot C} = 0.000001AA9278 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{T\cdot Q} = 10^{-40} = 635734.1 k \frac{1}{s\cdot C}$
$1m \frac{1}{s^2\cdot C} = 0.0004621526 \cdot 10^{-80}$	$1 ni'ubi \frac{1}{T^2\cdot Q} = 10^{-80} = 27A8.B88 m \frac{1}{s^2\cdot C}$
$1 \frac{1}{s^2\cdot C} = 0.2742876 \cdot 10^{-80}$	$1 ni'ubi \frac{1}{T^2\cdot Q} = 10^{-80} = 4.7147B8 \frac{1}{s^2\cdot C}$
$1k \frac{1}{s^2\cdot C} = 161.8827 \cdot 10^{-80}$	$1 ni'ubi \frac{1}{T^2\cdot Q} = 10^{-80} = 0.007B2A681 k \frac{1}{s^2\cdot C}$
$1m \frac{s}{C} = 0.00090A84A9 \cdot 10^{20}$	$1 re \frac{T}{Q} = 10^{20} = 13A5.171 m \frac{s}{C}$
$1 \frac{s}{C} = 0.5302388 \cdot 10^{20}$	$1 re \frac{T}{Q} = 10^{20} = 2.350861 \frac{s}{C}$
$1k \frac{s}{C} = 305.7406 \cdot 10^{20}$	$1 re \frac{T}{Q} = 10^{20} = 0.003B47451 k \frac{s}{C}$
$1m \frac{m}{C} = 11.021A3 \cdot 10^{10}$	$1 pa \frac{L}{Q} = 10^{10} = 0.0B092B05 m \frac{m}{C}$
$1 \frac{m}{C} = 7646.B66 \cdot 10^{10}$	$1 pa \frac{L}{Q} = 10^{10} = 0.000171515B \frac{m}{C}$
$1k \frac{m}{C} = 0.000004437982 \cdot 10^{20}$	$1 re \frac{L}{Q} = 10^{20} = 290549.5 k \frac{m}{C}$
$1m \frac{m}{s\cdot C} = 0.000A3908A1 \cdot 10^{-20}$	$1 ni'ure \frac{L}{T\cdot Q} = 10^{-20} = 11B6.820 m \frac{m}{s\cdot C}$
$1 \frac{m}{s\cdot C} = 0.5B74B15 \cdot 10^{-20}$	$1 ni'ure \frac{L}{T\cdot Q} = 10^{-20} = 2.016558 \frac{m}{s\cdot C}$
$1k \frac{m}{s\cdot C} = 355.4166 \cdot 10^{-20}$	$1 ni'ure \frac{L}{T\cdot Q} = 10^{-20} = 0.003583A3A k \frac{m}{s\cdot C}$
$1m \frac{m}{s^2\cdot C} = 8208B.85 \cdot 10^{-60}$	$1 ni'uxa \frac{L}{T^2\cdot Q} = 10^{-60} = 0.000015755A4 m \frac{m}{s^2\cdot C}$
$1 \frac{m}{s^2\cdot C} = 0.0000488BA3B \cdot 10^{-50}$	$1 ni'umu \frac{L}{T^2\cdot Q} = 10^{-50} = 26549.43 \frac{m}{s^2\cdot C}$
$1k \frac{m}{s^2\cdot C} = 0.028A1104 \cdot 10^{-50}$	$1 ni'umu \frac{L}{T^2\cdot Q} = 10^{-50} = 44.74A96 k \frac{m}{s^2\cdot C}$
$1m \frac{ms}{C} = 145123.7 \cdot 10^{40}$	$1 vo \frac{LT}{Q} = 10^{40} = 0.000008925785 m \frac{ms}{C}$
$1 \frac{ms}{C} = 0.00009608B39 \cdot 10^{50}$	$1 mu \frac{LT}{Q} = 10^{50} = 13196.70 \frac{ms}{C}$
$1k \frac{ms}{C} = 0.05601213 \cdot 10^{50}$	$1 mu \frac{LT}{Q} = 10^{50} = 22.21871 k \frac{ms}{C}$

$$\begin{aligned}
1 \text{m}^{\frac{\text{m}^2}{\text{C}}} &= 0.001B68389 \cdot 10^{40} \\
1 \text{m}^{\frac{\text{m}^2}{\text{C}}} &= 1.177187 \cdot 10^{40} \\
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 7A8.0B29 \cdot 10^{40} \\
1 \text{m}^{\frac{\text{m}^2}{\text{sC}}} &= 168004.A \cdot 10^0 \quad (*) \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.0000A976A94 \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 0.0630272A \cdot 10^{10} \\
1 \text{m}^{\frac{\text{m}^2}{\text{s}^2\text{C}}} &= 12.95B7A \cdot 10^{-30} \\
1 \frac{\text{m}^2}{\text{s}^2\text{C}} &= 8687.56B \cdot 10^{-30} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 0.000004B53A61 \cdot 10^{-20} \\
1 \text{m}^{\frac{\text{m}^2\text{s}}{\text{C}}} &= 25.89142 \cdot 10^{70} \\
1 \frac{\text{m}^2\text{s}}{\text{C}} &= 15255.B4 \cdot 10^{70} \\
1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} &= 0.000009B589B5 \cdot 10^{80} \\
1 \text{m}^{\frac{1}{\text{mC}}} &= 0.0003B80559 \cdot 10^{-40} \\
1 \frac{1}{\text{mC}} &= 0.23705A0 \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{mC}} &= 13B.6A86 \cdot 10^{-40} \\
1 \text{m}^{\frac{1}{\text{msC}}} &= 31933.B1 \cdot 10^{-80} \\
1 \frac{1}{\text{msC}} &= 0.000019A3913 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{msC}} &= 0.01079753 \cdot 10^{-70} \\
1 \text{m}^{\frac{1}{\text{ms}^2\text{C}}} &= 2.5B209B \cdot 10^{-B0} \\
1 \frac{1}{\text{ms}^2\text{C}} &= 153A.305 \cdot 10^{-B0} \\
1 \text{k} \frac{1}{\text{ms}^2\text{C}} &= A03524.9 \cdot 10^{-B0} \\
1 \text{m}^{\frac{s}{\text{mC}}} &= 5.01AB87 \cdot 10^{-10} \\
1 \frac{s}{\text{mC}} &= 2A99.368 \cdot 10^{-10} \\
1 \text{k} \frac{s}{\text{mC}} &= 0.000001819268 \cdot 10^0 \\
1 \text{m}^{\frac{1}{\text{m}^2\text{C}}} &= 2.2404BA \cdot 10^{-70} \\
1 \frac{1}{\text{m}^2\text{C}} &= 132A.827 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m}^2\text{C}} &= 89A0A4.B \cdot 10^{-70} \\
1 \text{m}^{\frac{1}{\text{m}^2\text{sC}}} &= 0.00018A50A5 \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 0.100B068 \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2\text{sC}} &= 6B.A4866 \cdot 10^{-A0} \\
1 \text{m}^{\frac{1}{\text{m}^2\text{s}^2\text{C}}} &= 14652.34 \cdot 10^{-120} \\
1 \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 96A0056. \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 0.005655572 \cdot 10^{-110} \\
1 \text{m}^{\frac{s}{\text{m}^2\text{C}}} &= 292A0.68 \cdot 10^{-40} \\
1 \frac{s}{\text{m}^2\text{C}} &= 0.00001729852 \cdot 10^{-30} \\
1 \text{k} \frac{s}{\text{m}^2\text{C}} &= 0.00B16A068 \cdot 10^{-30} \\
1 \text{m}^{\frac{1}{\text{m}^3\text{C}}} &= 12672.4B \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^3\text{C}} &= 850600B. \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3\text{C}} &= 0.004A58186 \cdot 10^{-90} \\
1 \text{m}^{\frac{1}{\text{m}^3\text{sC}}} &= 0.B64271B \cdot 10^{-110} \\
1 \frac{1}{\text{m}^3\text{sC}} &= 680.9345 \cdot 10^{-110} \\
1 \text{k} \frac{1}{\text{m}^3\text{sC}} &= 3A4005.5 \cdot 10^{-110} \quad (*) \\
1 \text{m}^{\frac{1}{\text{m}^3\text{s}^2\text{C}}} &= 0.00009176575 \cdot 10^{-140} \\
1 \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.05353830 \cdot 10^{-140} \\
1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 30.86A33 \cdot 10^{-140} \\
1 \text{m}^{\frac{s}{\text{m}^3\text{C}}} &= 0.00016441A1 \cdot 10^{-60} \\
1 \frac{s}{\text{m}^3\text{C}} &= 0.0A762215 \cdot 10^{-60}
\end{aligned}$$

$$\begin{aligned}
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 614.27A4 \text{m}^{\frac{\text{m}^2}{\text{C}}} \\
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 0.A690327 \frac{\text{m}^2}{\text{C}} \\
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 0.0016303B0 \text{k}^{\frac{\text{m}^2}{\text{C}}} \\
1 \frac{L^2}{TQ} &= 1 = 0.00000786A154 \text{m}^{\frac{\text{m}^2}{\text{sC}}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 113B6.55 \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 1B.04B64 \text{k}^{\frac{\text{m}^2}{\text{sC}}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0989A812 \text{m}^{\frac{\text{m}^2}{\text{s}^2\text{C}}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.000149A570 \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'ure} \frac{L^2}{T^2Q} &= 10^{-20} = 250A02.A \text{k}^{\frac{\text{m}^2}{\text{s}^2\text{C}}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.04A158B0 \text{m}^{\frac{\text{m}^2\text{s}}{\text{C}}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.00008452ABB \frac{\text{m}^2\text{s}}{\text{C}} \quad (*) \\
1 \text{bi} \frac{L^2T}{Q} &= 10^{80} = 12567B.0 \text{k}^{\frac{\text{m}^2\text{s}}{\text{C}}} \\
1 \text{ni'uvu} \frac{1}{LQ} &= 10^{-40} = 302B.AA3 \text{m}^{\frac{1}{\text{mC}}} \\
1 \text{ni'uvu} \frac{1}{LQ} &= 10^{-40} = 5.277BB4 \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'uvu} \frac{1}{LQ} &= 10^{-40} = 0.00902A676 \text{k}^{\frac{1}{\text{mC}}} \\
1 \text{ni'ubi} \frac{1}{LTQ} &= 10^{-80} = 0.0000398B664 \text{m}^{\frac{1}{\text{msC}}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = 67073.3A \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = B4.72375 \text{k}^{\frac{1}{\text{msC}}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 0.4989618 \text{m}^{\frac{1}{\text{ms}^2\text{C}}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 0.00083918B9 \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{LT^2Q} &= 10^{-A0} = 1244802. \text{k}^{\frac{1}{\text{ms}^2\text{C}}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.248824B \text{m}^{\frac{s}{\text{mC}}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.0004177431 \frac{s}{\text{mC}} \\
1 \frac{T}{LQ} &= 1 = 719276.7 \text{k}^{\frac{s}{\text{mC}}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 0.5574346 \text{m}^{\frac{1}{\text{m}^2\text{C}}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 0.0009546769 \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uxa} \frac{1}{L^2Q} &= 10^{-60} = 143B050. \text{k}^{\frac{1}{\text{m}^2\text{C}}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = 6A97.938 \text{m}^{\frac{1}{\text{m}^2\text{sC}}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = B.B1034A \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = 0.01873025 \text{k}^{\frac{1}{\text{m}^2\text{sC}}} \\
1 \text{ni'upare} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.0000885BA3B \text{m}^{\frac{1}{\text{m}^2\text{s}^2\text{C}}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 1306A8.5 \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 220.0481 \text{k}^{\frac{1}{\text{m}^2\text{s}^2\text{C}}} \\
1 \text{ni'uvu} \frac{1}{L^2Q} &= 10^{-40} = 0.000043BA884 \text{m}^{\frac{s}{\text{m}^2\text{C}}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 75A10.87 \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 10B.2B2A \text{k}^{\frac{s}{\text{m}^2\text{C}}} \\
1 \text{ni'ujauau} \frac{1}{L^3Q} &= 10^{-A0} = 0.00009A91A22 \text{m}^{\frac{1}{\text{m}^3\text{C}}} \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 15127B.B \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 256.75A2 \text{k}^{\frac{1}{\text{m}^3\text{C}}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 1.05A674 \text{m}^{\frac{1}{\text{m}^3\text{sC}}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 0.00196BA91 \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upano} \frac{1}{L^3TQ} &= 10^{-100} = 3136541. \text{k}^{\frac{1}{\text{m}^3\text{sC}}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 13919.44 \text{m}^{\frac{1}{\text{m}^3\text{s}^2\text{C}}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 23.2A21B \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.03B0963A \text{k}^{\frac{1}{\text{m}^3\text{s}^2\text{C}}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 7A13.403 \text{m}^{\frac{s}{\text{m}^3\text{C}}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 11.67486 \frac{s}{\text{m}^3\text{C}}
\end{aligned}$$

$1k \frac{s}{m^3 C} = 61.96314 \cdot 10^{-60}$	$1 ni'uxa - \frac{T}{L^3 Q} = 10^{-60} = 0.01B5000A k \frac{s}{m^3 C}$ (**)
$1m \frac{kg}{C} = 0.9278524 \cdot 10^{-10}$	$1 ni'upa - \frac{M}{Q} = 10^{-10} = 1.374B9B m \frac{kg}{C}$
$1 \frac{kg}{C} = 540.41A9 \cdot 10^{-10}$	$1 ni'upa - \frac{M}{Q} = 10^{-10} = 0.0022BA2B6 \frac{kg}{C}$
$1k \frac{kg}{C} = 31078A.6 \cdot 10^{-10}$	$1 \frac{M}{Q} = 1 = 3A77526. k \frac{kg}{C}$
$1m \frac{kg}{s^2 C} = 0.00007380850 \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{TQ} = 10^{-40} = 17862.92 m \frac{kg}{s^2 C}$
$1 \frac{kg}{s^2 C} = 0.04289B66 \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{TQ} = 10^{-40} = 2A.08566 \frac{kg}{s^2 C}$
$1k \frac{kg}{s^2 C} = 25.43BA2 \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{TQ} = 10^{-40} = 0.04AA2AB0 k \frac{kg}{s^2 C}$
$1m \frac{kg}{s^2 C} = 5957.831 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{T^2 Q} = 10^{-80} = 0.00020A5A3A m \frac{kg}{s^2 C}$
$1 \frac{kg}{s^2 C} = 3425208. \cdot 10^{-80}$	$1 ni'uze - \frac{M}{T^2 Q} = 10^{-70} = 36B955.4 \frac{kg}{s^2 C}$
$1k \frac{kg}{s^2 C} = 0.001B3226B \cdot 10^{-70}$	$1 ni'uze - \frac{M}{T^2 Q} = 10^{-70} = 623.3461 k \frac{kg}{s^2 C}$
$1m \frac{kg s}{C} = B776.97B \cdot 10^{20}$	$1 re - \frac{MT}{Q} = 10^{20} = 0.00010460A7 m \frac{kg s}{C}$
$1 \frac{kg s}{C} = 6897A71. \cdot 10^{20}$	$1 ci - \frac{MT}{Q} = 10^{30} = 194750.B \frac{kg s}{C}$
$1k \frac{kg s}{C} = 0.003A9188B \cdot 10^{30}$	$1 ci - \frac{MT}{Q} = 10^{30} = 30B.52B1 k \frac{kg s}{C}$
$1m \frac{kg m}{C} = 0.0001483259 \cdot 10^{20}$	$1 re - \frac{ML}{Q} = 10^{20} = 8765.BBB m \frac{kg m}{C}$ (**)
$1 \frac{kg m}{C} = 0.097A8B26 \cdot 10^{20}$	$1 re - \frac{ML}{Q} = 10^{20} = 12.AB059 \frac{kg m}{C}$
$1k \frac{kg m}{C} = 57.09B46 \cdot 10^{20}$	$1 re - \frac{ML}{Q} = 10^{20} = 0.02192103 k \frac{kg m}{C}$
$1m \frac{kg m}{s^2 C} = 11283.3B \cdot 10^{-20}$	$1 ni'ure - \frac{ML}{TQ} = 10^{-20} = 0.0000AA805A6 m \frac{kg m}{s^2 C}$
$1 \frac{kg m}{s^2 C} = 77A0190. \cdot 10^{-20}$	$1 ni'upa - \frac{ML}{TQ} = 10^{-10} = 16996A.9 \frac{kg m}{s^2 C}$
$1k \frac{kg m}{s^2 C} = 0.004518A42 \cdot 10^{-10}$	$1 ni'upa - \frac{ML}{TQ} = 10^{-10} = 286.218A k \frac{kg m}{s^2 C}$
$1m \frac{kg m}{s^2 C} = 0.A58B1B4 \cdot 10^{-50}$	$1 ni'umu - \frac{ML}{T^2 Q} = 10^{-50} = 1.18AA60 m \frac{kg m}{s^2 C}$
$1 \frac{kg m}{s^2 C} = 609.2822 \cdot 10^{-50}$	$1 ni'umu - \frac{ML}{T^2 Q} = 10^{-50} = 0.001B8B5B5 \frac{kg m}{s^2 C}$
$1k \frac{kg m}{s^2 C} = 361407.6 \cdot 10^{-50}$	$1 ni'uvo - \frac{ML}{T^2 Q} = 10^{-40} = 3504A80. k \frac{kg m}{s^2 C}$
$1m \frac{kg m s}{C} = 1.908A36 \cdot 10^{50}$	$1 mu - \frac{MLT}{Q} = 10^{50} = 0.6A06652 m \frac{kg m s}{C}$
$1 \frac{kg m s}{C} = 1023.162 \cdot 10^{50}$	$1 mu - \frac{MLT}{Q} = 10^{50} = 0.000B993627 \frac{kg m s}{C}$
$1k \frac{kg m s}{C} = 707846.1 \cdot 10^{50}$	$1 xa - \frac{MLT}{Q} = 10^{60} = 184BA02. k \frac{kg m s}{C}$
$1m \frac{kg m^2}{C} = 2625B.07 \cdot 10^{40}$	$1 vo - \frac{ML^2}{Q} = 10^{40} = 0.00004925421 m \frac{kg m^2}{C}$
$1 \frac{kg m^2}{C} = 0.00001559395 \cdot 10^{50}$	$1 mu - \frac{ML^2}{Q} = 10^{50} = 82A21.78 \frac{kg m^2}{C}$
$1k \frac{kg m^2}{C} = 0.00A149432 \cdot 10^{50}$	$1 mu - \frac{ML^2}{Q} = 10^{50} = 122.9871 k \frac{kg m^2}{C}$
$1m \frac{kg m^2}{s^2 C} = 1.BB2A01 \cdot 10^{10}$ (*)	$1 pa - \frac{ML^2}{TQ} = 10^{10} = 0.60236A4 m \frac{kg m^2}{s^2 C}$
$1 \frac{kg m^2}{s^2 C} = 11A2.842 \cdot 10^{10}$	$1 pa - \frac{ML^2}{TQ} = 10^{10} = 0.000A48B66A \frac{kg m^2}{s^2 C}$
$1k \frac{kg m^2}{s^2 C} = 802407.6 \cdot 10^{10}$	$1 re - \frac{ML^2}{TQ} = 10^{20} = 15B6901. k \frac{kg m^2}{s^2 C}$
$1m \frac{kg m^2}{s^2 C} = 0.00016B72A1 \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2}{T^2 Q} = 10^{-20} = 7713.315 m \frac{kg m^2}{s^2 C}$
$1 \frac{kg m^2}{s^2 C} = 0.0AB86B0B \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2}{T^2 Q} = 10^{-20} = 11.15210 \frac{kg m^2}{s^2 C}$
$1k \frac{kg m^2}{s^2 C} = 64.2828B \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2}{T^2 Q} = 10^{-20} = 0.01A805AA k \frac{kg m^2}{s^2 C}$
$1m \frac{kg m^2 s}{C} = 0.0003215754 \cdot 10^{80}$	$1 bi - \frac{ML^2 T}{Q} = 10^{80} = 393B.239 m \frac{kg m^2 s}{C}$
$1 \frac{kg m^2 s}{C} = 0.1A08A44 \cdot 10^{80}$	$1 bi - \frac{ML^2 T}{Q} = 10^{80} = 6.63ABA4 \frac{kg m^2 s}{C}$
$1k \frac{kg m^2 s}{C} = 109.2568 \cdot 10^{80}$	$1 bi - \frac{ML^2 T}{Q} = 10^{80} = 0.00B342114 k \frac{kg m^2 s}{C}$
$1m \frac{kg}{m C} = 5116.267 \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{LQ} = 10^{-40} = 0.0002432933 m \frac{kg}{m C}$
$1 \frac{kg}{m C} = 2B45A59. \cdot 10^{-40}$	$1 ni'uci - \frac{M}{LQ} = 10^{-30} = 40A236.6 \frac{kg}{m C}$
$1k \frac{kg}{m C} = 0.001857A15 \cdot 10^{-30}$	$1 ni'uci - \frac{M}{LQ} = 10^{-30} = 704.B31A k \frac{kg}{m C}$
$1m \frac{kg}{ms C} = 0.4052952 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{LTQ} = 10^{-70} = 2.B81402 m \frac{kg}{ms C}$
$1 \frac{kg}{ms C} = 240.4402 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{LTQ} = 10^{-70} = 0.005179392 \frac{kg}{ms C}$
$1k \frac{kg}{ms C} = 1427A1.2 \cdot 10^{-70}$	$1 ni'uxa - \frac{M}{LTQ} = 10^{-60} = 8A63BB9. k \frac{kg}{ms C}$ (*)
$1m \frac{kg}{ms^2 C} = 0.00003246902 \cdot 10^{-40}$	$1 ni'ujauau - \frac{M}{LT^2 Q} = 10^{-40} = 39034.10 m \frac{kg}{ms^2 C}$
$1 \frac{kg}{ms^2 C} = 0.01A26427 \cdot 10^{-40}$	$1 ni'ujauau - \frac{M}{LT^2 Q} = 10^{-40} = 65.97266 \frac{kg}{ms^2 C}$
$1k \frac{kg}{ms^2 C} = 10.A2A93 \cdot 10^{-40}$	$1 ni'ujauau - \frac{M}{LT^2 Q} = 10^{-40} = 0.0B253197 k \frac{kg}{ms^2 C}$
$1m \frac{kg s}{m C} = 0.00006518526 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 1A497.82 m \frac{kg s}{m C}$

$$\begin{aligned}
1 \frac{\text{kg s}}{\text{m C}} &= 0.038785 AA \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 21.A0238 \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.00002992 B79 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.01766276 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= B.38722B \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 2291.452 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 1359B61 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.0008B659B2 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.1925456 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 103.2BB8 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 71269.96 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.3675112 \cdot 10^{-30} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 207.B683 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 123337.2 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.167A79A \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= A9.69379 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 62B90.74 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.00001294 A62 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.00867BA42 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 4.B4B587 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= B86.A97A \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 694270.4 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0003B0B336 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 1B66.698 \cdot 10^{-60} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 1176173 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.0007A75B19 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \frac{MT}{LQ} &= 1 = 32.85AA5 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.056A7862 \text{k} \frac{\text{kg s}}{\text{m C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 43203.69 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 74.50500 \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 0.1089575 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'ujauau-} \frac{M}{L^2 TQ} &= 10^{-A0} = 0.000546A9AA \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uso-} \frac{M}{L^2 TQ} &= 10^{-90} = 937045.3 \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uso-} \frac{M}{L^2 TQ} &= 10^{-90} = 1409.A19 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 6.95B1B2 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00B89A437 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00001834100 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'uci-} \frac{MT}{L^2 Q} &= 10^{-30} = 3.466695 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uci-} \frac{MT}{L^2 Q} &= 10^{-30} = 0.005A0905A \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'ure-} \frac{MT}{L^2 Q} &= 10^{-20} = A109A42. \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 7.874B85 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 0.01140636 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 0.00001B067BB \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 98A73.AA \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 149.B864 \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 0.251020A \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upavo-} \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.001036126 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upavo-} \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.00000192A899 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{M}{L^3 T^2 Q} &= 10^{-130} = 3085.5B0 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{MT}{L^3 Q} &= 10^{-60} = 0.0006148106 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'umu-} \frac{MT}{L^3 Q} &= 10^{-50} = A6997A.2 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'umu-} \frac{MT}{L^3 Q} &= 10^{-50} = 1631.818 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m C} &= 4B.97159 \cdot 10^{10} \\
1 \text{C} &= 2A733.57 \cdot 10^{10} \\
1 \text{k C} &= 0.00001803 A21 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 0.003B47451 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{s}} &= 2.350861 \cdot 10^{-20} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 13A5.171 \cdot 10^{-20} \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= 316692.A \cdot 10^{-60} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.0001988B02 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 0.106A872 \cdot 10^{-50} \\
1 \text{m s C} &= 635734.1 \cdot 10^{40} \\
1 \text{s C} &= 0.0003780B26 \cdot 10^{50} \\
1 \text{k s C} &= 0.213351A \cdot 10^{50} \\
1 \text{m m C} &= 0.00902A676 \cdot 10^{40} \\
1 \text{m C} &= 5.277BB4 \cdot 10^{40} \quad (*) \\
1 \text{k m C} &= 302B.AA3 \cdot 10^{40} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 719276.7 \cdot 10^0 \\
1 \frac{\text{m C}}{\text{s}} &= 0.0004177431 \cdot 10^{10} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.248824B \cdot 10^{10} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 57.B6623 \cdot 10^{-30} \\
1 \frac{\text{m C}}{\text{s}^2} &= 333B5.B0 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.00001A91599 \cdot 10^{-20} \\
1 \text{m m s C} &= B4.72375 \cdot 10^{70} \\
1 \text{m s C} &= 67073.3A \cdot 10^{70}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-Q} &= 10^{10} = 0.024A9135 \text{m C} \\
1 \text{pa-Q} &= 10^{10} = 0.000041B2488 \text{C} \\
1 \text{re-Q} &= 10^{20} = 72350.00 \text{k C} \quad (*) \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 305.7406 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 0.5302388 \frac{\text{C}}{\text{s}} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 0.00090A84A9 \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{ni'uxa-} \frac{Q}{T^2} &= 10^{-60} = 0.000003A03266 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{Q}{T^2} &= 10^{-50} = 6763.9A5 \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{Q}{T^2} &= 10^{-50} = B.5508BA \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{vo-TQ} &= 10^{40} = 0.000001AA9278 \text{m s C} \\
1 \text{mu-TQ} &= 10^{50} = 3369.71A \text{ s C} \\
1 \text{mu-TQ} &= 10^{50} = 5.845543 \text{k s C} \\
1 \text{vo-LQ} &= 10^{40} = 13B.6A86 \text{m m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.23705A0 \text{ m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.0003B80559 \text{k m C} \\
1 \frac{LQ}{T} &= 1 = 0.000001819268 \text{m} \frac{\text{m C}}{\text{s}} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 2A99.368 \frac{\text{m C}}{\text{s}} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 5.01AB87 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{ni'uci-} \frac{LQ}{T^2} &= 10^{-30} = 0.02151418 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{LQ}{T^2} &= 10^{-30} = 0.000037B2979 \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{LQ}{T^2} &= 10^{-20} = 63B08.73 \text{k} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ze-LTQ} &= 10^{70} = 0.01079753 \text{m m s C} \\
1 \text{ze-LTQ} &= 10^{70} = 0.000019A3913 \text{ m s C}
\end{aligned}$$

$$\begin{aligned}
1 \text{k m s C} &= 0.0000398B664 \cdot 10^{80} \\
1 \text{m m}^2 \text{C} &= 143B050 \cdot 10^{60} \\
1 \text{m}^2 \text{C} &= 0.0009546769 \cdot 10^{70} \\
1 \text{k m}^2 \text{C} &= 0.5574346 \cdot 10^{70} \\
1 \text{m}^2 \frac{\text{C}}{\text{s}} &= 10B.2B2A \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{C}}{\text{s}} &= 75A10.87 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 0.000043BA884 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 0.00A3020A0 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 5.B23245 \\
1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 3524.4A6 \cdot 10^0 \\
1 \text{m m}^2 \text{s C} &= 0.01873025 \cdot 10^{A0} \\
1 \text{m}^2 \text{s C} &= B.B1034A \cdot 10^{A0} \\
1 \text{k m}^2 \text{s C} &= 6A97.938 \cdot 10^{A0} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 290549.5 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.000171515B \cdot 10^{-10} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.0B092B05 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 22.21871 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 13196.70 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.000008925785 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.00188B103 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 1.000779 \cdot 10^{-80} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 6B4.4514 \cdot 10^{-80} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.003583A3A \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 2.016558 \cdot 10^{20} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 11B6.820 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 0.0016303B0 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 0.A690327 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 614.27A4 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 12567B.0 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.00008452ABB \cdot 10^{-70} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.04A158B0 \cdot 10^{-70} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= B.563422 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 6770.331 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.000003A08127 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 1B.04B64 \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 113B6.55 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.00000786A154 \cdot 10^0 \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= A.100A9A \cdot 10^{-70} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3} &= 5A03.A32 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 0.000003463693 \cdot 10^{-60} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.0007BA73A0 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.475A41B \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 281.4063 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 63B89.49 \cdot 10^{-120} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.000037B757B \cdot 10^{-110} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.02154068 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 108863.8 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.00007445A58 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.04318615 \cdot 10^{-30} \\
1 \text{m kg C} &= 0.0006481B3A \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{bi-LTQ} &= 10^{80} = 31933.B1 \text{k m s C} \\
1 \text{ze-L}^2 \text{Q} &= 10^{70} = 89A0A4.B \text{ m m}^2 \text{C} \\
1 \text{ze-L}^2 \text{Q} &= 10^{70} = 132A.827 \text{ m}^2 \text{C} \\
1 \text{ze-L}^2 \text{Q} &= 10^{70} = 2.2404BA \text{k m}^2 \text{C} \\
1 \text{ci-} \frac{\text{L}^2 \text{Q}}{\text{T}} &= 10^{30} = 0.00B16A068 \text{ m} \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \text{ci-} \frac{\text{L}^2 \text{Q}}{\text{T}} &= 10^{30} = 0.00001729852 \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \text{vo-} \frac{\text{L}^2 \text{Q}}{\text{T}} &= 10^{40} = 292A0.68 \text{ k} \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \frac{\text{L}^2 \text{Q}}{\text{T}^2} &= 1 = 120.6956 \text{ m} \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \frac{\text{L}^2 \text{Q}}{\text{T}^2} &= 1 = 0.2033465 \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \frac{\text{L}^2 \text{Q}}{\text{T}^2} &= 1 = 0.00035B401A \text{ k} \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \text{jauau-L}^2 \text{TQ} &= 10^{A0} = 6B.A4866 \text{ m m}^2 \text{s C} \\
1 \text{jauau-L}^2 \text{TQ} &= 10^{A0} = 0.100B068 \text{ m}^2 \text{s C} \quad (*) \\
1 \text{jauau-L}^2 \text{TQ} &= 10^{A0} = 0.00018A50A5 \text{ k m}^2 \text{s C} \\
1 \text{ni'ure-} \frac{\text{Q}}{\text{L}} &= 10^{-20} = 0.000004437982 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ni'upa-} \frac{\text{Q}}{\text{L}} &= 10^{-10} = 7646.B66 \frac{\text{C}}{\text{m}} \\
1 \text{ni'upa-} \frac{\text{Q}}{\text{L}} &= 10^{-10} = 11.021A3 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ni'umu-} \frac{\text{Q}}{\text{LT}} &= 10^{-50} = 0.05601213 \text{ m} \frac{\text{C}}{\text{m s}} \\
1 \text{ni'umu-} \frac{\text{Q}}{\text{LT}} &= 10^{-50} = 0.00009608B39 \frac{\text{C}}{\text{m s}} \\
1 \text{ni'uvo-} \frac{\text{Q}}{\text{LT}} &= 10^{-40} = 145123.7 \text{ k} \frac{\text{C}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{\text{Q}}{\text{LT}^2} &= 10^{-80} = 6B3.76AB \text{ m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ni'ubi-} \frac{\text{Q}}{\text{LT}^2} &= 10^{-80} = 0.BBB4431 \frac{\text{C}}{\text{m s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ubi-} \frac{\text{Q}}{\text{LT}^2} &= 10^{-80} = 0.001888A72 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{re-} \frac{\text{TQ}}{\text{L}} &= 10^{20} = 355.4166 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{re-} \frac{\text{TQ}}{\text{L}} &= 10^{20} = 0.5B74B15 \frac{\text{s C}}{\text{m}} \\
1 \text{re-} \frac{\text{TQ}}{\text{L}} &= 10^{20} = 0.000A3908A1 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ni'uvo-} \frac{\text{Q}}{\text{L}^2} &= 10^{-40} = 7A8.0B29 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{\text{Q}}{\text{L}^2} &= 10^{-40} = 1.177187 \frac{\text{C}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{\text{Q}}{\text{L}^2} &= 10^{-40} = 0.001B68389 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\text{Q}}{\text{L}^2 \text{T}} &= 10^{-80} = 0.000009B589B5 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^2 \text{T}} &= 10^{-70} = 15255.B4 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^2 \text{T}} &= 10^{-70} = 25.89142 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\text{Q}}{\text{L}^2 \text{T}^2} &= 10^{-B0} = 0.106946B \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvaiei-} \frac{\text{Q}}{\text{L}^2 \text{T}^2} &= 10^{-B0} = 0.0001986740 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^2 \text{T}^2} &= 10^{-A0} = 316294.A \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upa-} \frac{\text{TQ}}{\text{L}^2} &= 10^{-10} = 0.0630272A \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ni'upa-} \frac{\text{TQ}}{\text{L}^2} &= 10^{-10} = 0.00004976A94 \frac{\text{s C}}{\text{m}^2} \\
1 \frac{\text{TQ}}{\text{L}^2} &= 1 = 168004.A \text{ k} \frac{\text{s C}}{\text{m}^2} \quad (*) \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^3} &= 10^{-70} = 0.1234434 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{\text{Q}}{\text{L}^3} &= 10^{-70} = 0.0002081473 \frac{\text{C}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{\text{Q}}{\text{L}^3} &= 10^{-60} = 36782B.7 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^3 \text{T}} &= 10^{-A0} = 1603.16B \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^3 \text{T}} &= 10^{-A0} = 2.718479 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'ujauau-} \frac{\text{Q}}{\text{L}^3 \text{T}} &= 10^{-A0} = 0.004599030 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\text{Q}}{\text{L}^3 \text{T}^2} &= 10^{-120} = 0.00001A8B09A \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapa-} \frac{\text{Q}}{\text{L}^3 \text{T}^2} &= 10^{-110} = 33373.99 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapa-} \frac{\text{Q}}{\text{L}^3 \text{T}^2} &= 10^{-110} = 57.AB374 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'ubo-} \frac{\text{TQ}}{\text{L}^3} &= 10^{-40} = 0.00000B3952A1 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ni'uci-} \frac{\text{TQ}}{\text{L}^3} &= 10^{-30} = 17677.BB \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ni'uci-} \frac{\text{TQ}}{\text{L}^3} &= 10^{-30} = 29.9557A \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{re-MQ} &= 10^{20} = 1A65.092 \text{ m kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{ kg C} &= 0.384601B \cdot 10^{20} \\
1 \text{ k kg C} &= 218.1B12 \cdot 10^{20} \\
1 \text{ m} \frac{\text{kg C}}{\text{s}} &= 50916.3A \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.00002B1B472 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{kg C}}{\text{s}} &= 0.01842247 \cdot 10^{-10} \\
1 \text{ m} \frac{\text{kg C}}{\text{s}^2} &= 4.019055 \cdot 10^{-50} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 23A4.212 \cdot 10^{-50} \\
1 \text{ k} \frac{\text{kg C}}{\text{s}^2} &= 0.000001415A3B \cdot 10^{-40} \\
1 \text{ m kg s C} &= 8.092B99 \cdot 10^{50} \\
1 \text{ kg s C} &= 4800.289 \cdot 10^{50} \quad (*) \\
1 \text{ k kg s C} &= 0.00000284A96B \cdot 10^{60} \\
1 \text{ m kg m C} &= B6965.55 \cdot 10^{40} \\
1 \text{ kg m C} &= 0.0000683A29A \cdot 10^{50} \\
1 \text{ k kg m C} &= 0.03A5950B \cdot 10^{50} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}} &= 9.1B909A \cdot 10^{10} \\
1 \frac{\text{kg m C}}{\text{s}} &= 5378.B78 \cdot 10^{10} \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}} &= 0.00000309B976 \cdot 10^{20} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}^2} &= 0.0007319176 \cdot 10^{-20} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 0.4252294 \cdot 10^{-20} \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}^2} &= 252.281B \cdot 10^{-20} \\
1 \text{ m kg m s C} &= 0.001271B00 \cdot 10^{80} \quad (*) \\
1 \text{ kg m s C} &= 0.8544787 \cdot 10^{80} \\
1 \text{ k kg m s C} &= 4A7.B16B \cdot 10^{80} \\
1 \text{ m kg m}^2 \text{ C} &= 18.B2855 \cdot 10^{70} \\
1 \text{ kg m}^2 \text{ C} &= 10147.54 \cdot 10^{70} \\
1 \text{ k kg m}^2 \text{ C} &= 0.000007017508 \cdot 10^{80} \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 0.0014709A4 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 0.972505B \cdot 10^{40} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 568.0181 \cdot 10^{40} \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 1118A6.7 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 0.00007734BA9 \cdot 10^{10} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 0.0449B080 \cdot 10^{10} \\
1 \text{ m kg m}^2 \text{ s C} &= 22506A.3 \cdot 10^{A0} \\
1 \text{ kg m}^2 \text{ s C} &= 0.0001335877 \cdot 10^{B0} \\
1 \text{ k kg m}^2 \text{ s C} &= 0.08A21876 \cdot 10^{B0} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}} &= 3.644436 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{m}} &= 2062.371 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}} &= 0.000001222BB7 \cdot 10^0 \quad (*) \\
1 \text{ m} \frac{\text{kg C}}{\text{m}^2} &= 0.0002969A43 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.175145B \cdot 10^{-40} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}^2} &= B2.AA263 \cdot 10^{-40} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}^2} &= 22723.7B \cdot 10^{-80} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.00001348741 \cdot 10^{-70} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}^2} &= 0.008AA9177 \cdot 10^{-70} \\
1 \text{ m} \frac{\text{kg s C}}{\text{m}} &= 45568.1B \cdot 10^{20} \\
1 \frac{\text{kg s C}}{\text{m}} &= 0.000026B3308 \cdot 10^{30} \\
1 \text{ k} \frac{\text{kg s C}}{\text{m}} &= 0.015AA332 \cdot 10^{30} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}^2} &= 1B4A3.33 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.00001166481 \cdot 10^{-30} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}^2} &= 0.007A08453 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ re-}MQ &= 10^{20} = 3.2B3578 \text{ kg C} \\
1 \text{ re-}MQ &= 10^{20} = 0.00573585B \text{ k kg C} \\
1 \text{ ni'}\text{ure-} \frac{MQ}{T} &= 10^{-20} = 0.00002453351 \text{ m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{T} &= 10^{-10} = 41187.A1 \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{T} &= 10^{-10} = 70.B0559 \text{ k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{umu-} \frac{MQ}{T^2} &= 10^{-50} = 0.2BA832A \text{ m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{umu-} \frac{MQ}{T^2} &= 10^{-50} = 0.000520292A \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{uvo-} \frac{MQ}{T^2} &= 10^{-40} = 8B2045.3 \text{ k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ mu-}MTQ &= 10^{50} = 0.15A3433 \text{ m kg s C} \\
1 \text{ mu-}MTQ &= 10^{50} = 0.00026A3378 \text{ kg s C} \\
1 \text{ xa-}MTQ &= 10^{60} = 453A04.1 \text{ k kg s C} \\
1 \text{ vo-}MLQ &= 10^{40} = 0.0000105497A \text{ m kg m C} \\
1 \text{ mu-}MLQ &= 10^{50} = 1961B.72 \text{ kg m C} \\
1 \text{ mu-}MLQ &= 10^{50} = 31.21352 \text{ k kg m C} \\
1 \text{ pa-} \frac{MLQ}{T} &= 10^{10} = 0.1386640 \text{ m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ pa-} \frac{MLQ}{T} &= 10^{10} = 0.0002319794 \frac{\text{kg m C}}{\text{s}} \\
1 \text{ re-} \frac{MLQ}{T} &= 10^{20} = 3AABA5.7 \text{ k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 179B.3A2 \text{ m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 2.A31BB2 \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.004B25B38 \text{ k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ bi-}MLTQ &= 10^{80} = 9A4.725A \text{ m kg m s C} \\
1 \text{ bi-}MLTQ &= 10^{80} = 1.50696B \text{ kg m s C} \\
1 \text{ bi-}MLTQ &= 10^{80} = 0.002555A83 \text{ k kg m s C} \\
1 \text{ ze-}ML^2Q &= 10^{70} = 0.06A65818 \text{ m kg m}^2 \text{ C} \\
1 \text{ ze-}ML^2Q &= 10^{70} = 0.0000BA76551 \text{ kg m}^2 \text{ C} \\
1 \text{ bi-}ML^2Q &= 10^{80} = 186565.4 \text{ k kg m}^2 \text{ C} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 881.B947 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 1.2BBB76 \frac{\text{kg m}^2 \text{ C}}{\text{s}} \quad (***) \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.0021B0514 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.00000AB55966 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 16B1A.83 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 28.8640A \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ jauau-}ML^2TQ &= 10^{A0} = 0.00000554A116 \text{ m kg m}^2 \text{ s C} \\
1 \text{ vaiei-}ML^2TQ &= 10^{B0} = 9502.571 \text{ kg m}^2 \text{ s C} \\
1 \text{ vaiei-}ML^2TQ &= 10^{B0} = 14.33634 \text{ k kg m}^2 \text{ s C} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{L} &= 10^{-10} = 0.3495881 \text{ m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{L} &= 10^{-10} = 0.0005A59962 \frac{\text{kg C}}{\text{m}} \\
1 \frac{MQ}{L} &= 1 = A196A1.3 \text{ k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 4358.7BA \text{ m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 7.4B5105 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 0.01098613 \text{ k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubi-} \frac{MQ}{LT^2} &= 10^{-80} = 0.000054B699B \text{ m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'}\text{uze-} \frac{MQ}{LT^2} &= 10^{-70} = 94311.64 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'}\text{uze-} \frac{MQ}{LT^2} &= 10^{-70} = 141.B941 \text{ k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ re-} \frac{MTQ}{L} &= 10^{20} = 0.0000283A343 \text{ m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ci-} \frac{MTQ}{L} &= 10^{30} = 47A27.18 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ci-} \frac{MTQ}{L} &= 10^{30} = 80.61730 \text{ k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{L^2} &= 10^{-40} = 0.0000619B883 \text{ m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'}\text{uci-} \frac{MQ}{L^2} &= 10^{-30} = A76B7.51 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'}\text{uci-} \frac{MQ}{L^2} &= 10^{-30} = 164.561B \text{ k} \frac{\text{kg C}}{\text{m}^2}
\end{aligned}$$

$1m \frac{kg\ C}{m^2 s} = 1.6666A2 \cdot 10^{-70}$	$1 ni'uze - \frac{MQ}{L^2 T} = 10^{-70} = 0.7921351 m \frac{kg\ C}{m^2 s}$
$1 \frac{kg\ C}{m^2 s} = A89.5768 \cdot 10^{-70}$	$1 ni'uze - \frac{MQ}{L^2 T} = 10^{-70} = 0.00115010A \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 626451.1 \cdot 10^{-70}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 1B22797. k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 0.0001284173 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 9970.816 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.08607458 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 14.B2380 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 4B.08325 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.02531485 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.0002565372 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 4A60.580 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 0.1511498 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 8.5115A4 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 9A.85085 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.01268341 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.00010B1B90 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = B177.B2B m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.075964B1 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 17.2B163 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 43.B6A62 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.02930611 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = A2B4.B70 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^3 T} = 10^{-A0} = 0.00012079B3 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 5B19B19. \cdot 10^{-A0}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 203521.3 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 0.003521435 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 35B.7151 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 0.81512A4 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 1.58A0B7 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 484.6933 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.002679550 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 287644.4 \cdot 10^{-110}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 44B6540. k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 1.4399B0 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.89A8855 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 953.A2A5 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.00132B992 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 556B51.3 \cdot 10^{-30}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 2242448. k \frac{kg\ s\ C}{m^3}$
<hr/>	
$1m \frac{1}{K} = 1046.233 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000B775604 m \frac{1}{K}$
$1 \frac{1}{K} = 71B439.1 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000001813238 \frac{1}{K}$
$1k \frac{1}{K} = 0.000418A275 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = 2A8A.A86 k \frac{1}{K}$
$1m \frac{1}{s\ K} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{s\ K}$
$1 \frac{1}{s\ K} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{s\ K}$
$1k \frac{1}{s\ K} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{s\ K}$
$1m \frac{1}{s^2\ K} = 0.00000793007A \cdot 10^{-40}$ (*)	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 166451.9 m \frac{1}{s^2\ K}$
$1 \frac{1}{s^2\ K} = 0.0045B6A46 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 280.3066 \frac{1}{s^2\ K}$
$1k \frac{1}{s^2\ K} = 2.729041 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.473BA77 k \frac{1}{s^2\ K}$
$1m \frac{s}{K} = 0.0000137516A \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 92774.98 m \frac{s}{K}$
$1 \frac{s}{K} = 0.009056B71 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 13B.2156 \frac{s}{K}$
$1k \frac{s}{K} = 5.292906 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 0.23642AB k \frac{s}{K}$
$1m \frac{m}{K} = 0.1A49A23 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 6.51786A m \frac{m}{K}$
$1 \frac{m}{K} = 10B.6989 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00B136169 \frac{m}{K}$
$1k \frac{m}{K} = 7603B.69 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00001723B56 k \frac{m}{K}$
$1m \frac{m}{s\ K} = 0.0000159016A \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 8141B.A2 m \frac{m}{s\ K}$
$1 \frac{m}{s\ K} = 0.00A332AA8 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 120.2710 \frac{m}{s\ K}$
$1k \frac{m}{s\ K} = 5.B40624 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.202815A k \frac{m}{s\ K}$
$1m \frac{m}{s^2\ K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2\ K}$
$1 \frac{m}{s^2\ K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2\ K}$
$1k \frac{m}{s^2\ K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2\ K}$
$1m \frac{ms}{K} = 2433.053 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.0005115786 m \frac{ms}{K}$
$1 \frac{ms}{K} = 1443B11. \cdot 10^{80}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 89752A.4 \frac{ms}{K}$
$1k \frac{ms}{K} = 0.00095746BB \cdot 10^{90}$ (*)	$1 so - \frac{LT}{\Theta} = 10^{90} = 1326.169 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 0.00003466B3A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 36748.3B m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.01B57027 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 61.7825A \frac{m^2}{K}$
$1k \frac{m^2}{K} = 11.6B54A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 0.0A7300A0 k \frac{m^2}{K}$ (*)
$1m \frac{m^2}{s\ K} = 2816.87A \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.0004594653 m \frac{m^2}{s\ K}$
$1 \frac{m^2}{s\ K} = 1671601. \cdot 10^{40}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 78B268.6 \frac{m^2}{s\ K}$

$$\begin{aligned}
1k \frac{m^2}{s^2 K} &= 0.000A915906 \cdot 10^{50} \\
1m \frac{m^2}{s^2 K} &= 0.2156202 \cdot 10^{10} \\
1 \frac{m^2}{s^2 K} &= 128.9760 \cdot 10^{10} \\
1k \frac{m}{s^2 K} &= 86396.09 \cdot 10^{10} \\
1m \frac{m^2 s}{K} &= 0.4320936 \cdot 10^{B0} \\
1 \frac{m^2 s}{K} &= 257.4406 \cdot 10^{B0} \\
1k \frac{m^2 s}{K} &= 151795.5 \cdot 10^{B0} \\
1m \frac{1}{m K} &= 0.000006A07374 \cdot 10^0 \\
1 \frac{1}{m K} &= 0.003B59685 \cdot 10^0 \\
1k \frac{1}{m K} &= 2.358B07 \\
1m \frac{1}{m s K} &= 550.23B2 \cdot 10^{-40} \\
1 \frac{1}{m s K} &= 317601.B \cdot 10^{-40} \\
1k \frac{1}{m s K} &= 0.0001993512 \cdot 10^{-30} \\
1m \frac{1}{m s^2 K} &= 0.04362747 \cdot 10^{-70} \\
1 \frac{1}{m s^2 K} &= 25.9921B \cdot 10^{-70} \\
1k \frac{1}{m s^2 K} &= 15305.90 \cdot 10^{-70} \\
1m \frac{s}{m K} &= 0.08766B71 \cdot 10^{30} \\
1 \frac{s}{m K} &= 4B.B1046 \cdot 10^{30} \\
1k \frac{s}{m K} &= 2A817.9B \cdot 10^{30} \\
1m \frac{1}{m^2 K} &= 0.0393B747 \cdot 10^{-30} \\
1 \frac{1}{m^2 K} &= 22.2967B \cdot 10^{-30} \\
1k \frac{1}{m^2 K} &= 13221.03 \cdot 10^{-30} \\
1m \frac{1}{m^2 s K} &= 0.000002BB0502 \cdot 10^{-60} \quad (*) \\
1 \frac{1}{m^2 s K} &= 0.00189536A \cdot 10^{-60} \\
1k \frac{1}{m^2 s K} &= 1.004295 \cdot 10^{-60} \quad (*) \\
1m \frac{1}{m^2 s^2 K} &= 245.66A5 \cdot 10^{-40} \\
1 \frac{1}{m^2 s^2 K} &= 1457A3.8 \cdot 10^{-A0} \\
1k \frac{1}{m^2 s^2 K} &= 0.000096472B0 \cdot 10^{-90} \\
1m \frac{s}{m^2 K} &= 492.5A6B \cdot 10^0 \\
1 \frac{s}{m^2 K} &= 291336.1 \cdot 10^0 \\
1k \frac{s}{m^2 K} &= 0.000171AA24 \cdot 10^{10} \\
1m \frac{1}{m^3 K} &= 210.63A2 \cdot 10^{-60} \\
1 \frac{1}{m^3 K} &= 125ABA.8 \cdot 10^{-60} \\
1k \frac{1}{m^3 K} &= 0.00008478BB0 \cdot 10^{-50} \quad (*) \\
1m \frac{1}{m^3 s K} &= 0.017A1742 \cdot 10^{-90} \\
1 \frac{1}{m^3 s K} &= B.598647 \cdot 10^{-90} \\
1k \frac{1}{m^3 s K} &= 6790.130 \cdot 10^{-90} \\
1m \frac{1}{m^3 s^2 K} &= 0.000001388416 \cdot 10^{-100} \\
1 \frac{1}{m^3 s^2 K} &= 0.000912473A \cdot 10^{-100} \\
1k \frac{1}{m^3 s^2 K} &= 0.5323A82 \cdot 10^{-100} \\
1m \frac{s}{m^3 K} &= 0.00000277323A \cdot 10^{-20} \\
1 \frac{s}{m^3 K} &= 0.001635961 \cdot 10^{-20} \\
1k \frac{s}{m^3 K} &= 0.A702286 \cdot 10^{-20} \\
1m \frac{kg}{K} &= 0.013A5345 \cdot 10^{30} \\
1 \frac{kg}{K} &= 9.226005 \cdot 10^{30} \quad (*) \\
1k \frac{kg}{K} &= 5394.043 \cdot 10^{30} \\
1m \frac{kg}{s K} &= 0.00000106AA00 \cdot 10^0 \quad (*) \\
1 \frac{kg}{s K} &= 0.000733B296 \cdot 10^0 \\
1k \frac{kg}{s K} &= 0.4265401 \cdot 10^0 \\
1m \frac{kg}{s^2 K} &= 9B.6A77A \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 mu \cdot \frac{L^2}{T \Theta} &= 10^{50} = 1147.109 k \frac{m^2}{s K} \\
1 pa \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 5.7A5784 m \frac{m^2}{s^2 K} \\
1 pa \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.009934A29 \frac{m^2}{s^2 K} \\
1 pa \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.000014A7BB3 k \frac{m^2}{s^2 K} \quad (*) \\
1 vaiei \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 2.9927A4 m \frac{m^2 s}{K} \\
1 vaiei \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 0.004A42803 \frac{m^2 s}{K} \\
1 pano \cdot \frac{L^2 T}{\Theta} &= 10^{100} = 849B989. k \frac{m^2 s}{K} \\
1 \frac{1}{L \Theta} &= 1 = 19087B.3 m \frac{1}{m K} \\
1 \frac{1}{L \Theta} &= 1 = 304.8532 \frac{1}{m K} \\
1 \frac{1}{L \Theta} &= 1 = 0.52A758B k \frac{1}{m K} \\
1 ni' uvo \cdot \frac{1}{L T \Theta} &= 10^{-40} = 0.00226B297 m \frac{1}{m s K} \\
1 ni' uvo \cdot \frac{1}{L T \Theta} &= 10^{-40} = 0.0000039B1560 \frac{1}{m s K} \\
1 ni' uci \cdot \frac{1}{L T \Theta} &= 10^{-30} = 6744.081 k \frac{1}{m s K} \\
1 ni' uze \cdot \frac{1}{L T^2 \Theta} &= 10^{-70} = 29.65BA0 m \frac{1}{m s^2 K} \\
1 ni' uze \cdot \frac{1}{L T^2 \Theta} &= 10^{-70} = 0.049B6271 \frac{1}{m s^2 K} \\
1 ni' uze \cdot \frac{1}{L T^2 \Theta} &= 10^{-70} = 0.0000841A317 k \frac{1}{m s^2 K} \\
1 ci \cdot \frac{T}{L \Theta} &= 10^{30} = 14.83074 m \frac{s}{m K} \\
1 ci \cdot \frac{T}{L \Theta} &= 10^{30} = 0.024A057B \frac{s}{m K} \\
1 ci \cdot \frac{T}{L \Theta} &= 10^{30} = 0.0000419B57A k \frac{s}{m K} \\
1 ni' uci \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 32.15321 m \frac{1}{m^2 K} \\
1 ni' uci \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.055A5548 \frac{1}{m^2 K} \\
1 ni' uci \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.0000959AA34 k \frac{1}{m^2 K} \\
1 ni' uxa \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 401358.A m \frac{1}{m^2 s K} \\
1 ni' uxa \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 6B1.6822 \frac{1}{m^2 s K} \\
1 ni' uxa \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 0.BB79407 k \frac{1}{m^2 s K} \quad (*) \\
1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.005086614 m \frac{1}{m^2 s^2 K} \\
1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.0000088AB081 \frac{1}{m^2 s^2 K} \\
1 ni' uso \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-90} = 13134.BB k \frac{1}{m^2 s^2 K} \quad (*) \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.002625780 m \frac{s}{m^2 K} \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.000004424214 \frac{s}{m^2 K} \\
1 pa \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 7623.B51 k \frac{s}{m^2 K} \\
1 ni' uxa \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.0058BBA04 m \frac{1}{m^3 K} \quad (*) \\
1 ni' uxa \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.000009B2915B \frac{1}{m^3 K} \\
1 ni' umu \cdot \frac{1}{L^3 \Theta} &= 10^{-50} = 15204.30 k \frac{1}{m^3 K} \\
1 ni' uso \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 73.0B0A3 m \frac{1}{m^3 s K} \\
1 ni' uso \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.1065762 \frac{1}{m^3 s K} \\
1 ni' uso \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.0001980157 k \frac{1}{m^3 s K} \\
1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 91A844.A m \frac{1}{m^3 s^2 K} \\
1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 139A.861 \frac{1}{m^3 s^2 K} \\
1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 2.341738 k \frac{1}{m^3 s^2 K} \\
1 ni' ure \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 468108.4 m \frac{s}{m^3 K} \\
1 ni' ure \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 7A5.8788 \frac{s}{m^3 K} \\
1 ni' ure \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 1.17309B k \frac{s}{m^3 K} \\
1 ci \cdot \frac{M}{\Theta} &= 10^{30} = 90.A7486 m \frac{kg}{K} \\
1 ci \cdot \frac{M}{\Theta} &= 10^{30} = 0.13819BB \frac{kg}{K} \quad (*) \\
1 ci \cdot \frac{M}{\Theta} &= 10^{30} = 0.0002311650 k \frac{kg}{K} \\
1 \frac{M}{T \Theta} &= 1 = B54B57.3 m \frac{kg}{s K} \\
1 \frac{M}{T \Theta} &= 1 = 1795.48B \frac{kg}{s K} \\
1 \frac{M}{T \Theta} &= 1 = 2.A23909 k \frac{kg}{s K} \\
1 ni' uvo \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.01254BA6 m \frac{kg}{s^2 K}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 59245.A6 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.000034065A2 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 180.4050 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= B7100.27 \cdot 10^{60} \quad (*) \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 0.0000685A356 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 0.000002488576 \cdot 10^{60} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.001475959 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 0.9753659 \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0160526A \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= A.530264 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 6059.757 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 0.030302B0 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 18.B8B83 \cdot 10^{90} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 10182.BA \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 43B.B262 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 2610A6.1 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 0.000154B550 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.0352495A \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1B.A13B2 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 1196A.68 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.00005574A88 \cdot 10^{100} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0031B8139 \cdot 10^{100} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.9B84BA \cdot 10^{100} \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 89.26759 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 50A78.7B \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.00002B29AB6 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 0.006B45254 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 4.02B558 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 23B0.628 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 560897.A \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.0003229118 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.1A1599B \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 4A1635.1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0002977AB9 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1757237 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3A.08646 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 227A3.2B \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0000135127A \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.00305B675 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.9154A8 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1028.0A7 \cdot 10^{-90}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uovo-} \frac{M}{T^2 \Theta} &= 10^{-40} = 0.000020B7B4A \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{uci-} \frac{M}{T^2 \Theta} &= 10^{-30} = 37199.76 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.007234241 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.00001051101 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 19576.54 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 501A4B.9 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 87B.47A1 \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1.2B75A0 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T \Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 7B.982B5 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.11967B0 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.0001BA0B45 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 3B.80018 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.06A45019 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.0000BA3B9B5 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.0029298A0 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.000004951904 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 832A.16B \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 35.B3756 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.06058571 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.0000A52A268 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 224020.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 396.0A52 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 0.6677437 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.01451057 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.00002446953 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 4105B.73 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 188.8834 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.2B99664 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.00051A829B \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 221A839. \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 3924.A17 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 6.61334A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 2588A02. \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 4345.348 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 7.492607 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{L^2 T \Theta} &= 10^{-60} = 0.03162525 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{L^2 T \Theta} &= 10^{-60} = 0.0000549B4A4 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{umu-} \frac{M}{L^2 T \Theta} &= 10^{-50} = 94036.B6 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 3B4.1A91 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 0.69993AA \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 0.000B946168 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}
\end{aligned}$$

$1m \frac{kg\ s}{m^2 K} = 0.00614340B \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 1B6.8111 m \frac{kg\ s}{m^2 K}$
$1 \frac{kg\ s}{m^2 K} = 3.655063 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.3485649 \frac{kg\ s}{m^2 K}$
$1k \frac{kg\ s}{m^2 K} = 2069.784 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0005A40890 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.002814414 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 459.8629 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1.67015B \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.78B9535 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = A90.8244 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.0011480B5 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s K} = 215434.A \cdot 10^{-90}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 57AA801. m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.000128864B \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 9941.654 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 0.08631B24 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 14.A92B4 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 18.1B660 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.07184883 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = B803.599 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001041093 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 6904825. \cdot 10^{-100}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 193A92.5 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 34.63B39 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.03677A24 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1B553.46 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000061817B0 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 0.0000116A542 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A7395.AB k \frac{kg}{m^3 K}$
$1m K = 2A8A.A86 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.000418A275 m K$
$1 K = 0.000001813238 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 71B439.1 K$
$1k K = 0.000B775604 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 1046.233 k K$
$1m \frac{K}{s} = 0.23642AB \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 5.292906 m \frac{K}{s}$
$1 \frac{K}{s} = 13B.2156 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.009056B71 \frac{K}{s}$
$1k \frac{K}{s} = 92774.98 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.0000137516A k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00001999287 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 6726B.48 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.01075A0A \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = B4.A7260 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 7.37BA73 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 0.17864B7 k \frac{K}{s^2}$
$1m m K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m s K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s K$
$1k s K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k s K$
$1m m K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m m K$
$1 m K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m K$
$1k m K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k m K$
$1m \frac{m K}{s} = 0.0000419B57A \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 2A817.9B m \frac{m K}{s}$
$1 \frac{m K}{s} = 0.024A057B \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 4B.B1046 \frac{m K}{s}$
$1k \frac{m K}{s} = 14.83074 \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 0.08766B71 k \frac{m K}{s}$
$1m \frac{m K}{s^2} = 3359.932 \cdot 10^{-70}$	$1 ni'uze \frac{L\Theta}{T^2} = 10^{-70} = 0.000379201A m \frac{m K}{s^2}$
$1 \frac{m K}{s^2} = 0.000001AA2464 \cdot 10^{-60}$	$1 ni'uxa \frac{L\Theta}{T^2} = 10^{-60} = 6375A6.5 \frac{m K}{s^2}$
$1k \frac{m K}{s^2} = 0.0011281A1 \cdot 10^{-60}$	$1 ni'uxa \frac{L\Theta}{T^2} = 10^{-60} = AA8.1861 k \frac{m K}{s^2}$
$1m m s K = 6744.081 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.0001993512 m m s K$
$1 m s K = 0.0000039B1560 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 317601.B m s K$
$1k m s K = 0.00226B297 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 550.23B2 k m s K$
$1m m^2 K = 0.0000959AA34 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 13221.03 m^2 K$
$1 m^2 K = 0.055A5548 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 22.2967B m^2 K$
$1k m^2 K = 32.15321 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.0393B747 k m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa \frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5B57636 \cdot 10^{-40}$	$1 ni'ovo \frac{L^2\Theta}{T^2} = 10^{-40} = 2.021821 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 354.38B0 \cdot 10^{-40}$	$1 ni'ovo \frac{L^2\Theta}{T^2} = 10^{-40} = 0.003594419 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 1BB273.B \cdot 10^{-40} (*)$	$1 ni'ovo \frac{L^2\Theta}{T^2} = 10^{-40} = 0.0000060242B3 k \frac{m^2 K}{s^2}$
$1m m^2 s K = 0.BB79407 \cdot 10^{60} (*)$	$1 xa-L^2T\Theta = 10^{60} = 1.004295 m m^2 s K (*)$
$1 m^2 s K = 6B1.6822 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00189536A m^2 s K$

$$\begin{aligned}
1 \text{k m}^2 \text{s K} &= 401358.A \cdot 10^{60} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 0.00001723B56 \cdot 10^{-50} \\
1 \frac{\text{K}}{\text{m}} &= 0.00B136169 \cdot 10^{-50} \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 6.51786A \cdot 10^{-50} \\
1 \text{m} \frac{\text{K}}{\text{m s}} &= 1326.169 \cdot 10^{-90} \\
1 \frac{\text{K}}{\text{m s}} &= 89752A.4 \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{m s}} &= 0.0005115786 \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2} &= 0.1007530 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{K}}{\text{m s}^2} &= 6B.83796 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2} &= 40524.01 \cdot 10^{-100} \\
1 \text{m} \frac{\text{s K}}{\text{m}} &= 0.202815A \cdot 10^{-20} \\
1 \frac{\text{s K}}{\text{m}} &= 120.2710 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s K}}{\text{m}} &= 8141B.A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 0.0A7300A0 \cdot 10^{-80} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2} &= 61.7825A \cdot 10^{-80} \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 36748.3B \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 849B989. \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.004A42803 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 2.9927A4 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 67A.9430 \cdot 10^{-130} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 3A2A23.6 \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.0002291153 \cdot 10^{-120} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2} &= 1147.109 \cdot 10^{-50} \\
1 \frac{\text{s K}}{\text{m}^2} &= 78B268.6 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2} &= 0.0004594653 \cdot 10^{-40} \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 5A3.7635 \cdot 10^{-B0} \\
1 \frac{\text{K}}{\text{m}^3} &= 348262.B \cdot 10^{-B0} \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 0.0001B66421 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.04785943 \cdot 10^{-120} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= 28.2A298 \cdot 10^{-120} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 167A5.8A \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 3818466. \cdot 10^{-160} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.002166562 \cdot 10^{-150} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 1.2948A4 \cdot 10^{-150} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3} &= 7487B26. \cdot 10^{-80} \\
1 \frac{\text{s K}}{\text{m}^3} &= 0.004341592 \cdot 10^{-70} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3} &= 2.586774 \cdot 10^{-70} \\
1 \text{m kg K} &= 0.03867199 \cdot 10^{-20} \\
1 \text{kg K} &= 21.9457B \cdot 10^{-20} \\
1 \text{kg kg K} &= 12B05.08 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 2B37376. \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{s}} &= 0.001851886 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 0.B9A4797 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 23B.7B5B \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 1422BB.2 \cdot 10^{-90} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 0.0000944B562 \cdot 10^{-80} \\
1 \text{m kg s K} &= 482.7B4A \cdot 10^{10} \\
1 \text{kg s K} &= 28651A.7 \cdot 10^{10} \\
1 \text{kg kg s K} &= 0.000169B399 \cdot 10^{20} \\
1 \text{m kg m K} &= 687789A. \cdot 10^0 \\
1 \text{kg m K} &= 0.003A7B907 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-L}^2 T \Theta &= 10^{60} = 0.000002BB0502 \text{k m}^2 \text{s K} \quad (*) \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 7603B.69 \text{m} \frac{\text{K}}{\text{m}} \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 10B.6989 \frac{\text{K}}{\text{m}} \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 0.1A49A23 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uso-} \frac{\Theta}{LT} &= 10^{-90} = 0.00095746BB \text{m} \frac{\text{K}}{\text{m s}} \quad (*) \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 1443B11. \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 2433.053 \text{k} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = B.B47171 \text{m} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.0187922B \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.00002B81801 \text{k} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 5.B40624 \text{m} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.00A332AA8 \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.0000159016A \text{k} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 11.6B54A \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.01B57027 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.00003466B3A \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 151795.5 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 257.4406 \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 0.4320936 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upaci-} \frac{\Theta}{L^2T^2} &= 10^{-130} = 0.001976439 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 3145743. \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 546B.517 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umu-} \frac{\Theta}{L^2} &= 10^{-50} = 0.000A915906 \text{m} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{T\Theta}{L^2} &= 10^{-40} = 1671601. \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{T\Theta}{L^2} &= 10^{-40} = 2816.87A \text{k} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^3} &= 10^{-B0} = 0.00206B563 \text{m} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 365822B. \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 6148.931 \text{k} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 27.02995 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.045727A7 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.00007875A0A \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 331918.5 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 577.8B94 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 0.98A84BA \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 175877.2 \text{m} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 297.A4A6 \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 0.4A1A70B \text{k} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 32.955B7 \text{m kg K} \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 0.057038A6 \text{kg K} \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 0.0000979A258 \text{k kg K} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 40B4B1.1 \text{m} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 707.065A \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 1.021BB8 \text{k} \frac{\text{kg K}}{\text{s}} \quad (*) \\
1 \text{ni'uso-} \frac{M\Theta}{T^2} &= 10^{-90} = 0.005193937 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 8A8BA96. \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 13456.78 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{pa-MT}\Theta &= 10^{10} = 0.002689A87 \text{m kg s K} \\
1 \text{re-MT}\Theta &= 10^{20} = 4513B39. \text{kg s K} \\
1 \text{re-MT}\Theta &= 10^{20} = 7793.78A \text{k kg s K} \\
1 \text{pa-ML}\Theta &= 10^{10} = 19519B.2 \text{m kg m K} \\
1 \text{pa-ML}\Theta &= 10^{10} = 310.4387 \text{kg m K}
\end{aligned}$$

$$\begin{aligned}
1 \text{k kg m K} &= 2.3008B6 \cdot 10^{10} \quad (*) \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 53A.9035 \cdot 10^{-30} \\
1 \frac{\text{kg m K}}{\text{s}} &= 30B87B.B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00019494A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 0.04276972 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 25.37268 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 14B58.11 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{k g m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{k g m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0977A372 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 56.B1AA4 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 32895.A9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 7778851. \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.004504B92 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.683670 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 0.0000134246A \cdot 10^{70} \\
1 \text{k g m}^2 \text{s K} &= 0.008A71A48 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 5.183036 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 207.422B \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 122B04.B \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.000082AB362 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.01760466 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= B.352768 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 6646.2B1 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 13553B9. \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.0008B39834 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 0.5213136 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 2708945. \cdot 10^{-20} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0015B84B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.A49B129 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 117208B. \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0007A5179A \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4679017 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= A9.36703 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 629A7.89 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.000037373B0 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.008655222 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 4.B3587A \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 2A38.989 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.0151B100 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 9.B20372 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 58B6.890 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.00761933A \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.420391 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 2623.4A1 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 5B5229.A \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-ML}\Theta &= 10^{10} = 0.53BA293 \text{k kg m K} \\
1 \text{ni'uci-} \frac{ML\Theta}{T} &= 10^{-30} = 0.0023063B4 \text{m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 3A89497. \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T^2} &= 10^{-20} = 6890.4A0 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 2A.167B2 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.04AB864B \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000085AB123 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.02541329 \text{ kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-ML}^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 1855B47. \text{ kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 12.B3609 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.02199973 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00003874439 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 16A326.2 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 286.BA70 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.48376A4 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 946A8.42 \text{m kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 142.6410 \text{ kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 0.24018A6 \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.005A26032 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = A13A14B. \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = 15578.44 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 74.72A8A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.1091345 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.0001A069A3 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 939995.1 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 1412.7A7 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2.39A781 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 47770B.8 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 801.7193 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 1.1A14B6 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = A70B76.A \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 1637.192 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 2.77564A \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.01144628 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.00001B11699 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 33AA6.B8 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 14A.4902 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.2518A70 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0004244267 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 84.84542 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.1260093 \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0002108212 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 172.0328 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.29158B1 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000492A14B \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{MT\Theta}{L^3T} &= 10^{-120} = 0.00000202357B \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.0003540823 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{L^3T} = 10^{-110} = 3597.533 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.1BB0A0A \cdot 10^{-110}$ (*)	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{L^3T} = 10^{-110} = 6.029711 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 48.72863 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M\Theta}{L^3T^2} = 10^{-150} = 0.026641 A9 \text{ m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 2890 A.1A \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M\Theta}{L^3T^2} = 10^{-150} = 0.00004490689 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.000016 B57A6 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{M\Theta}{L^3T^2} = 10^{-140} = 771 A.A.34 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = 95.92523 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MT\Theta}{L^3} = 10^{-70} = 0.01323262 \text{ m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 55 A06.A8 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MT\Theta}{L^3} = 10^{-70} = 0.0000222 B5B8 \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.0000321253 A \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{MT\Theta}{L^3} = 10^{-60} = 3942 B.80 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.100696 A \cdot 10^{-40}$ (*)	$1 \text{ni}'\text{uvo}-\frac{\Theta}{Q} = 10^{-40} = B.B528B8 \text{ m} \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{C}} = 6B.7B258 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{\Theta}{Q} = 10^{-40} = 0.0187 A34A \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 404 B9.1A \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{\Theta}{Q} = 10^{-40} = 0.00002 B8368B \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{s C}} = 966777 A \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{TQ} = 10^{-70} = 131024.8 \text{ m} \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.005636105 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{TQ} = 10^{-70} = 220.9688 \frac{\text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{K}}{\text{s C}} = 3.244432 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{TQ} = 10^{-70} = 0.390619 A \text{k} \frac{\text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 769.2 B90 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{\Theta}{T^2Q} = 10^{-B0} = 0.0017053 AA \text{ m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 446428.3 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{\Theta}{T^2Q} = 10^{-A0} = 28 A9016. \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.0002649540 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{\Theta}{T^2Q} = 10^{-A0} = 48 A1.679 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{s K}}{\text{C}} = 1325.3 A6 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{T\Theta}{Q} = 10^{-10} = 0.000957 A74A \text{ m} \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 896 B76.A \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 1444962. \frac{\text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{s K}}{\text{C}} = 0.0005112493 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 2434.656 \text{k} \frac{\text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{C}} = 0.0000199809 A \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{L\Theta}{Q} = 10^{-10} = 672 B1.A6 \text{ m} \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 0.01075204 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{L\Theta}{Q} = 10^{-10} = B4.B258A \frac{\text{m K}}{\text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{C}} = 7.377291 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{L\Theta}{Q} = 10^{-10} = 0.1787564 \text{k} \frac{\text{m K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{s C}} = 1534.1 A A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L\Theta}{TQ} = 10^{-50} = 0.0008400 B24 \text{ m} \frac{\text{m K}}{\text{s C}}$ (*)
$1 \frac{\text{m K}}{\text{s C}} = 9 BBA A6.A \cdot 10^{-50}$ (*)	$1 \text{ni}'\text{ubo}-\frac{L\Theta}{TQ} = 10^{-40} = 1249899. \frac{\text{m K}}{\text{s C}}$
$1 \text{k} \frac{\text{m K}}{\text{s C}} = 0.0005953429 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{L\Theta}{TQ} = 10^{-40} = 20 A7.4 B6 \text{k} \frac{\text{m K}}{\text{s C}}$
$1 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.1183714 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2Q} = 10^{-80} = A.626066 \text{ m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 7 B.0 B744 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2Q} = 10^{-80} = 0.01621090 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 47034.79 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L\Theta}{T^2Q} = 10^{-80} = 0.0000274 A34B \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m s K}}{\text{C}} = 0.2362945 \cdot 10^{20}$	$1 \text{re}-\frac{LT\Theta}{Q} = 10^{20} = 5.296106 \text{ m} \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 13 B.1339 \cdot 10^{20}$	$1 \text{re}-\frac{LT\Theta}{Q} = 10^{20} = 0.009060887 \frac{\text{m s K}}{\text{C}}$
$1 \text{k} \frac{\text{m s K}}{\text{C}} = 92716.3 B \cdot 10^{20}$	$1 \text{re}-\frac{LT\Theta}{Q} = 10^{20} = 0.00001375 B64 \text{k} \frac{\text{m s K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 3357.814 \cdot 10^{10}$	$1 \text{pa}-\frac{L^2\Theta}{Q} = 10^{10} = 0.0003794406 \text{ m} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.000001 A A 11 B 8 \cdot 10^{20}$	$1 \text{re}-\frac{L^2\Theta}{Q} = 10^{20} = 6379 A8.9 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.001127550 \cdot 10^{20}$	$1 \text{re}-\frac{L^2\Theta}{Q} = 10^{20} = A A 8.8796 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.2733832 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2\Theta}{TQ} = 10^{-20} = 4.73012 A \text{ m} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 161.2374 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2\Theta}{TQ} = 10^{-20} = 0.007 B58190 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = A5833.92 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2\Theta}{TQ} = 10^{-20} = 0.0000118 B897 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.00002094818 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2Q} = 10^{-50} = 59887.81 \text{ m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.0124125 A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2Q} = 10^{-50} = A0.5 A284 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 8.371872 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2Q} = 10^{-50} = 0.1542523 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.000041989 AB \cdot 10^{50}$	$1 \text{mu}-\frac{L^2T\Theta}{Q} = 10^{50} = 2 A835.B2 \text{ m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.0249 AB36 \cdot 10^{50}$	$1 \text{mu}-\frac{L^2T\Theta}{Q} = 10^{50} = 4 B.B4269 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 14.821 B9 \cdot 10^{50}$	$1 \text{mu}-\frac{L^2T\Theta}{Q} = 10^{50} = 0.08770570 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{m C}} = 67 A.5142 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{LQ} = 10^{-70} = 0.001977612 \text{ m} \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m C}} = 3 A278 A.0 \cdot 10^{-70}$	$1 \text{ni}'\text{uxa}-\frac{\Theta}{LQ} = 10^{-60} = 3147721. \frac{\text{K}}{\text{m C}}$
$1 \text{k} \frac{\text{K}}{\text{m C}} = 0.000228 B848 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{\Theta}{LQ} = 10^{-60} = 5472.A35 \text{k} \frac{\text{K}}{\text{m C}}$
$1 \text{m} \frac{\text{K}}{\text{m s C}} = 0.0533544 A \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{\Theta}{LTQ} = 10^{-A0} = 23.37952 \text{ m} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{msC}} &= 30.75B33 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{K}}{\text{msC}} &= 19240.6B \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} &= 4219412 \cdot 10^{-120} \\
1 \frac{\text{K}}{\text{ms}^2\text{C}} &= 0.002503026 \cdot 10^{-110} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} &= 1.4964B5 \cdot 10^{-110} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 849655B \cdot 10^{-40} \\
1 \frac{\text{sK}}{\text{mC}} &= 0.004A3B6A2 \cdot 10^{-30} \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 2.990A42 \cdot 10^{-30} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{C}} &= 3816050 \cdot 10^{-A0} \\
1 \frac{\text{K}}{\text{m}^2\text{C}} &= 0.00216512B \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{C}} &= 1.293B54 \cdot 10^{-90} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} &= 2AB.6A5B \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{m}^2\text{sC}} &= 182984.A \cdot 10^{-110} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} &= 0.0000B862044 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 0.02385702 \cdot 10^{-140} \\
1 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 14.04954 \cdot 10^{-140} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 9341.2B3 \cdot 10^{-140} \\
1 \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} &= 0.047829A4 \cdot 10^{-60} \\
1 \frac{\text{sK}}{\text{m}^2\text{C}} &= 28.28632 \cdot 10^{-60} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} &= 16795.A2 \cdot 10^{-60} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} &= 0.0204650A \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^3\text{C}} &= 12.135B2 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{C}} &= 81B7.724 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} &= 173975A \cdot 10^{-140} \\
1 \frac{\text{K}}{\text{m}^3\text{sC}} &= 0.000B2189B9 \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} &= 0.6576880 \cdot 10^{-130} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 133.816A \cdot 10^{-170} \\
1 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 8A365.71 \cdot 10^{-170} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 0.00005161AAA \cdot 10^{-160} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} &= 269.2205 \cdot 10^{-90} \\
1 \frac{\text{sK}}{\text{m}^3\text{C}} &= 159790.9 \cdot 10^{-90} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} &= 0.0000A377A35 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 1354617 \cdot 10^{-40} \\
1 \frac{\text{kgK}}{\text{C}} &= 0.0008B33BAB \cdot 10^{-30} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 0.520B988 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 102.A820 \cdot 10^{-70} \\
1 \frac{\text{kgK}}{\text{sC}} &= 7100A.04 \cdot 10^{-70} \quad (*) \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 0.00004123998 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} &= 0.009848922 \cdot 10^{-A0} \\
1 \frac{\text{kgK}}{\text{s}^2\text{C}} &= 5.743625 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2\text{C}} &= 32B9.191 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.0175B415 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= B.347533 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 6642.0BB \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 23B.6581 \cdot 10^{-10} \\
1 \frac{\text{kg mK}}{\text{C}} &= 142217.5 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 0.000094455A9 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{nijauau} \frac{\Theta}{LTQ} &= 10^{-A0} = 0.03B22162 \frac{\text{K}}{\text{msC}} \\
1 \text{nijauau} \frac{\Theta}{LTQ} &= 10^{-A0} = 0.000069642BB \text{k} \frac{\text{K}}{\text{msC}} \quad (*) \\
1 \text{nijupapa} \frac{\Theta}{LT^2Q} &= 10^{-110} = 2A55B2.3 \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{nijupapa} \frac{\Theta}{LT^2Q} &= 10^{-110} = 4B6.6276 \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{nijupapa} \frac{\Theta}{LT^2Q} &= 10^{-110} = 0.86A8301 \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{nici} \frac{T\Theta}{LQ} &= 10^{-30} = 151884.6 \text{m} \frac{\text{sK}}{\text{mC}} \\
1 \text{nici} \frac{T\Theta}{LQ} &= 10^{-30} = 257.5AB0 \frac{\text{sK}}{\text{mC}} \\
1 \text{nici} \frac{T\Theta}{LQ} &= 10^{-30} = 0.43235AA \text{k} \frac{\text{sK}}{\text{mC}} \\
1 \text{nuso} \frac{\Theta}{L^2Q} &= 10^{-90} = 331B27.A \text{m} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{nuso} \frac{\Theta}{L^2Q} &= 10^{-90} = 578.06A8 \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{nuso} \frac{\Theta}{L^2Q} &= 10^{-90} = 0.98B275A \text{k} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{nijupapa} \frac{\Theta}{L^2TQ} &= 10^{-110} = 0.004150882 \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{nijupano} \frac{\Theta}{L^2TQ} &= 10^{-100} = 7149847. \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{nijupano} \frac{\Theta}{L^2TQ} &= 10^{-100} = 1036A.51 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{nijupavo} \frac{\Theta}{L^2TQ} &= 10^{-140} = 52.45409 \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{nijupavo} \frac{\Theta}{L^2TQ} &= 10^{-140} = 0.08B93905 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{nijupavo} \frac{\Theta}{L^2TQ} &= 10^{-140} = 0.0001362A17 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{nixa} \frac{T\Theta}{L^2Q} &= 10^{-60} = 27.04568 \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{nixa} \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.04575607 \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{nixa} \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.0000787A913 \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{nijupano} \frac{\Theta}{L^3Q} &= 10^{-100} = 5A.A7321 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{nijupano} \frac{\Theta}{L^3Q} &= 10^{-100} = 0.0A25A1A0 \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{nijupano} \frac{\Theta}{L^3Q} &= 10^{-100} = 0.0001577A89 \text{k} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{nijupaci} \frac{\Theta}{L^3TQ} &= 10^{-130} = 755574.8 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{nijupaci} \frac{\Theta}{L^3TQ} &= 10^{-130} = 10A6.B52 \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{nijupaci} \frac{\Theta}{L^3TQ} &= 10^{-130} = 1.A31437 \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{nijupaze} \frac{\Theta}{L^3TQ} &= 10^{-170} = 0.0094A87B0 \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{nijupaze} \frac{\Theta}{L^3TQ} &= 10^{-170} = 0.00001430B61 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{nijupaze} \frac{\Theta}{L^3TQ} &= 10^{-160} = 24112.16 \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{nuso} \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.004820175 \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{nubi} \frac{T\Theta}{L^3Q} &= 10^{-80} = 810836A. \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{nubi} \frac{T\Theta}{L^3Q} &= 10^{-80} = 11B87.06 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{nuci} \frac{M\Theta}{Q} &= 10^{-30} = 93A388.3 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{nuci} \frac{M\Theta}{Q} &= 10^{-30} = 1413.619 \frac{\text{kgK}}{\text{C}} \\
1 \text{nuci} \frac{M\Theta}{Q} &= 10^{-30} = 2.3A014B \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{nuze} \frac{M\Theta}{TQ} &= 10^{-70} = 0.00B920035 \text{m} \frac{\text{kgK}}{\text{sC}} \quad (*) \\
1 \text{nuze} \frac{M\Theta}{TQ} &= 10^{-70} = 0.0000183B29B \frac{\text{kgK}}{\text{sC}} \\
1 \text{nuxa} \frac{M\Theta}{TQ} &= 10^{-60} = 2B163.1A \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{nijauau} \frac{M\Theta}{TQ} &= 10^{-A0} = 12A.1A09 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \text{nijauau} \frac{M\Theta}{TQ} &= 10^{-A0} = 0.217A227 \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \text{nijauau} \frac{M\Theta}{TQ} &= 10^{-A0} = 0.000383B675 \text{k} \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 74.77726 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.1091B60 \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0001A07BAB \frac{\text{kg sK}}{\text{C}} \\
1 \text{nupa} \frac{ML\Theta}{Q} &= 10^{-10} = 0.005197081 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 8A9569B. \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 13464.53 \text{k} \frac{\text{kg mK}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.01A1A654 \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 10.9A461 \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 7506.078 \cdot 10^{-40} \\
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 1568197 \cdot 10^{-80} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 0.000A1B071B \cdot 10^{-70} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 0.5A68099 \cdot 10^{-70} \\
1m \frac{kg \cdot m \cdot s \cdot K}{C} &= 2B35517 \cdot 10^{20} \\
1 \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.001850784 \cdot 10^{30} \\
1k \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.B999150 \cdot 10^{30} \\
1m \frac{kg \cdot m^2 \cdot K}{C} &= 0.04274141 \cdot 10^{20} \\
1 \frac{kg \cdot m^2 \cdot K}{C} &= 25.357A8 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot K}{C} &= 14B49.35 \cdot 10^{20} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 341303B \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.001B26043 \cdot 10^{-10} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 1.152066 \cdot 10^{-10} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 279.40A8 \cdot 10^{-50} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 164823.6 \cdot 10^{-50} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.0000A786272 \cdot 10^{-40} \\
1m \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 53A.576B \cdot 10^{50} \\
1 \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 30B685.3 \cdot 10^{50} \\
1k \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.0001948327 \cdot 10^{60} \\
1m \frac{kg \cdot K}{m \cdot C} &= 0.00864B8AB \cdot 10^{-60} \\
1 \frac{kg \cdot K}{m \cdot C} &= 4.B326A6 \cdot 10^{-60} \\
1k \frac{kg \cdot K}{m \cdot C} &= 2A36.BA5 \cdot 10^{-60} \\
1m \frac{kg \cdot K}{m \cdot s \cdot C} &= 6919B6.B \cdot 10^{-40} \\
1 \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.0003AB6865 \cdot 10^{-90} \\
1k \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.2321733 \cdot 10^{-90} \\
1m \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 54.37A14 \cdot 10^{-110} \\
1 \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 31268.56 \cdot 10^{-110} \\
1k \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.00001965129 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot K}{m \cdot C} &= A9.2B879 \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot K}{m \cdot C} &= 62968.08 \cdot 10^{-30} \\
1k \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.0000373503B \cdot 10^{-20} \\
1m \frac{kg \cdot K}{m^2 \cdot C} &= 48.6B857 \cdot 10^{-90} \\
1 \frac{kg \cdot K}{m^2 \cdot C} &= 288B1.35 \cdot 10^{-90} \\
1k \frac{kg \cdot K}{m^2 \cdot C} &= 0.000016B4797 \cdot 10^{-80} \\
1m \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.0038A01B2 \cdot 10^{-100} \\
1 \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 2.1B4255 \cdot 10^{-100} \\
1k \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 1302.1A4 \cdot 10^{-100} \\
1m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 2B6396.A \cdot 10^{-140} \\
1 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.0001868646 \cdot 10^{-130} \\
1k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.0BA932B1 \cdot 10^{-130} \\
1m \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 5B4A53.8 \cdot 10^{-60} \\
1 \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.000353A5A2 \cdot 10^{-50} \\
1k \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.1BAB69B \cdot 10^{-50} \\
1m \frac{kg \cdot K}{m^3 \cdot C} &= 273145.A \cdot 10^{-100} \\
1 \frac{kg \cdot K}{m^3 \cdot C} &= 0.0001610B66 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 65.BA798 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.0B292693 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.000174A666 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 825117.4 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 1220.B21 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 2.05A890 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 40B763.5 m \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 707.5049 \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 1.02278 A k \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 2A.18582 m \frac{kg \cdot m^2 \cdot K}{C} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.04ABB7BB \frac{kg \cdot m^2 \cdot K}{C} \quad (*) \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.000085B4618 k \frac{kg \cdot m^2 \cdot K}{C} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 371074.3 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 625.56A2 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.A87AA5B k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.004646301 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 79B680B. \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 11645.00 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.002307922 m \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 3A8BA70. \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 6894.837 k \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 14A.5792 m \frac{kg \cdot K}{m \cdot C} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.251A51B \frac{kg \cdot K}{m \cdot C} \\
1 ni' uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.0004246A79 k \frac{kg \cdot K}{m \cdot C} \\
1 ni' ujauau - \frac{M\Theta}{LTQ} &= 10^{-A0} = 0.000001936286 m \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 3096.532 \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 5.36B850 k \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.022A5712 m \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.00003A527A2 \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 682A6.56 k \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.0114528A m \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.00001B12964 \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = 33B08.4A k \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.02665942 m \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.00004493442 \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 77238.46 k \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 326.6027 m \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.5672521 \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0009710322 k \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upavo - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-140} = 0.000004078195 m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 7007.204 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \quad (*) \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 10.12A34 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' uxa - \frac{MT\Theta}{L^2 Q} &= 10^{-60} = 0.00000202490B m \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 3599.7AB \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 6.031516 k \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' upano - \frac{M\Theta}{L^3 Q} &= 10^{-100} = 0.00000473423B m \frac{kg \cdot K}{m^3 \cdot C} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 7B63.270 \frac{kg \cdot K}{m^3 \cdot C}
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = 0.0A576018 \cdot 10^{-B0}$	$1 ni' uvaiei- \frac{M\Theta}{L^3 Q} = 10^{-B0} = 11.90902 k \frac{kg\ K}{m^3 C}$
$1m \frac{kg\ K}{m^3 s\ C} = 20.92A16 \cdot 10^{-130}$	$1 ni' upaci- \frac{M\Theta}{L^3 TQ} = 10^{-130} = 0.05991976 m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 12401.90 \cdot 10^{-130}$	$1 ni' upaci- \frac{M\Theta}{L^3 TQ} = 10^{-130} = 0.0000A067191 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.000008366419 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 TQ} = 10^{-120} = 154387.3 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 0.0017763B9 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 740.5A24 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 0.B437378 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 1.08173B \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 66A.6487 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.0019AA7A3 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 0.003354908 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 379.76B4 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 1.A9B583 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.63835B5 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 1126.582 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.000AA963B5 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 0.000084236B7 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 152B6.91 m\ CK$
$1 CK = 0.049B9364 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 25.97720\ CK$
$1k CK = 29.67926 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.0435BA69 k\ CK$
$1m \frac{CK}{s} = 6748.331 \cdot 10^{-50}$	$1 ni' umu- \frac{Q\Theta}{T} = 10^{-50} = 0.0001992328 m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.0000039B3A93 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 317402.4 \frac{CK}{s}$
$1k \frac{CK}{s} = 0.00227078A \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 54B.AA61 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 0.52AA99A \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 2.357566 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 304.A456 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.003B57055 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 190994.4 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.000006A02B41 k \frac{CK}{s^2}$
$1m s\ CK = 0.A653811 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 1.17BB4B m\ s\ CK (*)$
$1 s\ CK = 612.0A22 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.001B74752 s\ CK$
$1k s\ CK = 364186.8 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00000349832A k\ s\ CK$
$1m m\ CK = 13142.76 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.00009641207 m\ m\ CK$
$1 m\ CK = 0.0000088B4766 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 1456B9.9 m\ CK$
$1k m\ CK = 0.005089898 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 245.508A k\ m\ CK$
$1m \frac{m\ CK}{s} = 0.BB84B73 \cdot 10^{-20} (*)$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 1.003716 m \frac{m\ CK}{s} (*)$
$1 \frac{m\ CK}{s} = 6B1.B11B \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.00189423B \frac{m\ CK}{s}$
$1k \frac{m\ CK}{s} = 401604.9 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.000002BAA616 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 0.000095A4A9A \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 13213.42 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 0.055A8B46 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 22.281B5 \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = 32.17358 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.03939261 k \frac{m\ CK}{s^2}$
$1m m\ s\ CK = 0.000170A494 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 7672.A07 m\ m\ s\ CK$
$1m s\ CK = 0.0B05425B \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 11.068B3 m\ s\ CK$
$1k m\ s\ CK = 64.791A8 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.01A66579 k\ m\ s\ CK$
$1m m^2\ CK = 2.34308A \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.5320650 m\ m^2\ CK$
$1 m^2\ CK = 139B.671 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000911A990 m^2\ CK$
$1k m^2\ CK = 91B225.4 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000001387614 k\ m^2\ CK$
$1m \frac{m^2\ CK}{s} = 0.0001981334 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 6787.A53 m \frac{m^2\ CK}{s}$
$1 \frac{m^2\ CK}{s} = 0.1066361 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = B.591270 \frac{m^2\ CK}{s}$
$1k \frac{m^2\ CK}{s} = 73.13843 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 0.017A0686 k \frac{m^2\ CK}{s}$
$1m \frac{m^2\ CK}{s^2} = 15213.23 \cdot 10^{-30}$	$1 ni' uci- \frac{L^2Q\Theta}{T^2} = 10^{-30} = 0.00008473797 m \frac{m^2\ CK}{s^2}$
$1 \frac{m^2\ CK}{s^2} = 0.000009B33559 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 125A27.B \frac{m^2\ CK}{s^2}$
$1k \frac{m^2\ CK}{s^2} = 0.005903601 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 210.4BA8 k \frac{m^2\ CK}{s^2}$
$1m m^2\ s\ CK = 2A631.45 \cdot 10^{70}$	$1 ze-L^2TQ\Theta = 10^{70} = 0.00004208007 m\ m^2\ s\ CK (*)$
$1 m^2\ s\ CK = 0.000017B8976 \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 725B5.21 m^2\ s\ CK$
$1k m^2\ s\ CK = 0.00B68995B \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 105.56BA k\ m^2\ s\ CK$
$1 \frac{m^2\ CK}{m} = 0.47429A9 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 2.727454 m \frac{CK}{m}$
$1 \frac{CK}{m} = 280.48B5 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.0045B3BBB \frac{CK}{m} (**)$
$1k \frac{CK}{m} = 16654B.6 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.00000792712B k \frac{CK}{m}$

$$\begin{aligned}
1m \frac{CK}{ms} &= 0.000037A4004 \cdot 10^{-70} \quad (*) \\
1 \frac{CK}{ms} &= 0.02147116 \cdot 10^{-70} \\
1k \frac{CK}{ms} &= 12.83272 \cdot 10^{-70} \\
1m \frac{CK}{ms^2} &= 2A90.8A3 \cdot 10^{-B0} \\
1 \frac{CK}{ms^2} &= 0.000001814316 \cdot 10^{-A0} \\
1k \frac{CK}{ms^2} &= 0.000B780B02 \cdot 10^{-A0} \\
1m \frac{sCK}{m} &= 59A3.275 \cdot 10^{-10} \\
1 \frac{sCK}{m} &= 0.000003451382 \cdot 10^0 \\
1k \frac{sCK}{m} &= 0.001B4898B \cdot 10^0 \\
1m \frac{CK}{m^2} &= 266B.79B \cdot 10^{-70} \\
1 \frac{CK}{m^2} &= 0.0000015844B0 \cdot 10^{-60} \\
1k \frac{CK}{m^2} &= 0.000A2A935B \cdot 10^{-60} \\
1m \frac{CK}{m^2 s} &= 0.20294B1 \cdot 10^{-A0} \\
1 \frac{CK}{m^2 s} &= 120.3402 \cdot 10^{-A0} \\
1k \frac{CK}{m^2 s} &= 81471.A9 \cdot 10^{-A0} \\
1m \frac{CK}{m^2 s^2} &= 0.00001724B83 \cdot 10^{-110} \\
1 \frac{CK}{m^2 s^2} &= 0.00B141262 \cdot 10^{-110} \\
1k \frac{CK}{m^2 s^2} &= 6.51B989 \cdot 10^{-110} \\
1m \frac{sCK}{m^2} &= 0.0000327151B \cdot 10^{-30} \\
1 \frac{sCK}{m^2} &= 0.01A40132 \cdot 10^{-30} \\
1k \frac{sCK}{m^2} &= 10.B1209 \cdot 10^{-30} \\
1m \frac{CK}{m^3} &= 0.000014A8A85 \cdot 10^{-90} \\
1 \frac{CK}{m^3} &= 0.00993B0B9 \cdot 10^{-90} \\
1k \frac{CK}{m^3} &= 5.7A92B5 \cdot 10^{-90} \\
1m \frac{CK}{m^3 s} &= 1147.971 \cdot 10^{-110} \\
1 \frac{CK}{m^3 s} &= 78B75B.3 \cdot 10^{-110} \\
1k \frac{CK}{m^3 s} &= 0.0004597487 \cdot 10^{-100} \\
1m \frac{CK}{m^3 s^2} &= 0.0A7369B3 \cdot 10^{-140} \\
1 \frac{CK}{m^3 s^2} &= 61.80150 \cdot 10^{-140} \\
1k \frac{CK}{m^3 s^2} &= 3676B.5A \cdot 10^{-140} \\
1m \frac{sCK}{m^3} &= 0.193A3A2 \cdot 10^{-60} \\
1 \frac{sCK}{m^3} &= 104.0981 \cdot 10^{-60} \\
1k \frac{sCK}{m^3} &= 7182B.20 \cdot 10^{-60} \\
1m kg CK &= A85.839A \cdot 10^{-10} \\
1kg CK &= 624225.3 \cdot 10^{-10} \\
1k kg CK &= 0.0003703877 \cdot 10^0 \\
1m \frac{kg CK}{s} &= 0.08597576 \cdot 10^{-40} \\
1 \frac{kg CK}{s} &= 4A.AB5A5 \cdot 10^{-40} \\
1k \frac{kg CK}{s} &= 2A115.15 \cdot 10^{-40} \\
1m \frac{kg CK}{s^2} &= 6880026. \cdot 10^{-80} \quad (*) \\
1 \frac{kg CK}{s^2} &= 0.003A82296 \cdot 10^{-70} \\
1k \frac{kg CK}{s^2} &= 2.302220 \cdot 10^{-70} \\
1m kg s CK &= 0.0000116175A \cdot 10^{30} \\
1kg s CK &= 0.00799B341 \cdot 10^{30} \\
1k kg s CK &= 4.63703A \cdot 10^{30} \\
1m kg m CK &= 0.1746659 \cdot 10^{20} \\
1kg m CK &= B2.6A8B8 \cdot 10^{20} \\
1k kg m CK &= 65A66.78 \cdot 10^{20} \\
1m \frac{kg m CK}{s} &= 0.00001343243 \cdot 10^{-10} \\
1 \frac{kg m CK}{s} &= 0.008A7763B \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 ni'uze- \frac{Q\Theta}{LT} &= 10^{-70} = 33492.18 m \frac{CK}{ms} \\
1 ni'uze- \frac{Q\Theta}{LT} &= 10^{-70} = 58.0B304 \frac{CK}{ms} \\
1 ni'uze- \frac{Q\Theta}{LT} &= 10^{-70} = 0.0997802A k \frac{CK}{ms} \\
1 ni'uvaiei- \frac{Q\Theta}{LT^2} &= 10^{-B0} = 0.00041876B2 m \frac{CK}{ms^2} \\
1 ni'ujauau- \frac{Q\Theta}{LT^2} &= 10^{-A0} = 71AB90.1 \frac{CK}{ms^2} \\
1 ni'ujauau- \frac{Q\Theta}{LT^2} &= 10^{-A0} = 1045.647 k \frac{CK}{ms^2} \\
1 ni'upa- \frac{TQ\Theta}{L} &= 10^{-10} = 0.000208A106 m \frac{sCK}{m} \\
1 \frac{TQ\Theta}{L} &= 1 = 368B35.2 \frac{sCK}{m} \\
1 \frac{TQ\Theta}{L} &= 1 = 61A.4401 k \frac{sCK}{m} \\
1 ni'uze- \frac{Q\Theta}{L^2} &= 10^{-70} = 0.0004860A09 m \frac{CK}{m^2} \\
1 ni'uxa- \frac{Q\Theta}{L^2} &= 10^{-60} = 817855.A \frac{CK}{m^2} \\
1 ni'uxa- \frac{Q\Theta}{L^2} &= 10^{-60} = 1208.858 k \frac{CK}{m^2} \\
1 ni'ujauau- \frac{Q\Theta}{L^2T} &= 10^{-A0} = 5.B3888B m \frac{CK}{m^2 s} \\
1 ni'ujauau- \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.00A328443 \frac{CK}{m^2 s} \\
1 ni'ujauau- \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.0000158B231 k \frac{CK}{m^2 s} \\
1 ni'upapa- \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 75BB2.25 m \frac{CK}{m^2 s^2} \quad (*) \\
1 ni'upapa- \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 10B.6158 \frac{CK}{m^2 s^2} \\
1 ni'upapa- \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.1A487B0 k \frac{CK}{m^2 s^2} \\
1 ni'uci- \frac{TQ\Theta}{L^2} &= 10^{-30} = 38936.73 m \frac{sCK}{m^2} \\
1 ni'uci- \frac{TQ\Theta}{L^2} &= 10^{-30} = 65.4544A \frac{sCK}{m^2} \\
1 ni'uci- \frac{TQ\Theta}{L^2} &= 10^{-30} = 0.0B184346 k \frac{sCK}{m^2} \\
1 ni'uso- \frac{Q\Theta}{L^3} &= 10^{-90} = 86340.A7 m \frac{CK}{m^3} \\
1 ni'uso- \frac{Q\Theta}{L^3} &= 10^{-90} = 128.8A14 \frac{CK}{m^3} \\
1 ni'uso- \frac{Q\Theta}{L^3} &= 10^{-90} = 0.2154996 k \frac{CK}{m^3} \\
1 ni'upapa- \frac{Q\Theta}{L^3T} &= 10^{-110} = 0.000A90AA93 m \frac{CK}{m^3 s} \\
1 ni'upano- \frac{Q\Theta}{L^3T} &= 10^{-100} = 167061B. \frac{CK}{m^3 s} \\
1 ni'upano- \frac{Q\Theta}{L^3T} &= 10^{-100} = 2815.022 k \frac{CK}{m^3 s} \\
1 ni'upavo- \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 11.6A890 m \frac{CK}{m^3 s^2} \\
1 ni'upavo- \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.01B55933 \frac{CK}{m^3 s^2} \\
1 ni'upavo- \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.0000346495A k \frac{CK}{m^3 s^2} \\
1 ni'uxa- \frac{TQ\Theta}{L^3} &= 10^{-60} = 6.906467 m \frac{sCK}{m^3} \\
1 ni'uxa- \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.00B8064B9 \frac{sCK}{m^3} \\
1 ni'uxa- \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.0000181BB69 k \frac{sCK}{m^3} \quad (*) \\
1 ni'upa-MQ\Theta &= 10^{-10} = 0.0011549A3 m kg CK \\
1 MQ\Theta &= 1 = 1B2A9B1. kg CK \\
1 MQ\Theta &= 1 = 341B.398 kg CK \\
1 ni'uvo- \frac{MQ\Theta}{T} &= 10^{-40} = 14.B833B m \frac{kg CK}{s} \\
1 ni'uvo- \frac{MQ\Theta}{T} &= 10^{-40} = 0.0253B865 \frac{kg CK}{s} \\
1 ni'uvo- \frac{MQ\Theta}{T} &= 10^{-40} = 0.000042826A6 k \frac{kg CK}{s} \\
1 ni'uze- \frac{MQ\Theta}{T^2} &= 10^{-70} = 195083.4 m \frac{kg CK}{s^2} \\
1 ni'uze- \frac{MQ\Theta}{T^2} &= 10^{-70} = 310.2416 \frac{kg CK}{s^2} \\
1 ni'uze- \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.53B6A01 k \frac{kg CK}{s^2} \\
1 ci-MTQ\Theta &= 10^{30} = A7A87.45 m kg s CK \\
1 ci-MTQ\Theta &= 10^{30} = 164.BBAB kg s CK \quad (*) \\
1 ci-MTQ\Theta &= 10^{30} = 0.279A787 k kg s CK \\
1 re-MLQ\Theta &= 10^{20} = 7.520560 m kg m CK \\
1 re-MLQ\Theta &= 10^{20} = 0.010A1039 kg m CK \\
1 re-MLQ\Theta &= 10^{20} = 0.00001A2314A k kg m CK \\
1 ni'upa- \frac{MLQ\Theta}{T} &= 10^{-10} = 94648.76 m \frac{kg m CK}{s} \\
1 ni'upa- \frac{MLQ\Theta}{T} &= 10^{-10} = 142.5591 \frac{kg m CK}{s}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m CK}}{\text{s}} &= 5.186373 \cdot 10^{-10} \\
1m \frac{\text{kg m CK}}{\text{s}^2} &= 1020.168 \cdot 10^{-50} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 705B69.8 \cdot 10^{-50} \\
1k \frac{\text{kg m CK}}{\text{s}^2} &= 0.00040A94BB \cdot 10^{-40} \quad (*) \\
1m \text{ kg m s CK} &= 2055.811 \cdot 10^{50} \\
1 \text{ kg m s CK} &= 0.00000121A00A \cdot 10^{60} \quad (*) \\
1k \text{ kg m s CK} &= 0.000823499B \cdot 10^{60} \\
1m \text{ kg m}^2 \text{ CK} &= 0.00002B0B019 \cdot 10^{50} \\
1 \text{ kg m}^2 \text{ CK} &= 0.01837058 \cdot 10^{50} \\
1k \text{ kg m}^2 \text{ CK} &= B.8B6A77 \cdot 10^{50} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 2396.457 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 0.000001410230 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.0009384777 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.1A03534 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 108.B3A8 \cdot 10^{-20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 74613.80 \cdot 10^{-20} \\
1m \text{ kg m}^2 \text{ s CK} &= 0.383249A \cdot 10^{80} \\
1 \text{ kg m}^2 \text{ s CK} &= 217.4A81 \cdot 10^{80} \\
1k \text{ kg m}^2 \text{ s CK} &= 129A93.6 \cdot 10^{80} \\
1m \frac{\text{kg CK}}{\text{m}} &= 5AB8A90. \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.00350AA54 \cdot 10^{-30} \\
1k \frac{\text{kg CK}}{\text{m}} &= 1.B92B5A \cdot 10^{-30} \\
1m \frac{\text{kg CK}}{\text{m s}} &= 482.AB2A \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 2866A7.5 \cdot 10^{-70} \\
1k \frac{\text{kg CK}}{\text{m s}} &= 0.00016A0399 \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m s}^2} &= 0.03869625 \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 21.95A11 \cdot 10^{-A0} \\
1k \frac{\text{kg CK}}{\text{m s}^2} &= 12B12.69 \cdot 10^{-A0} \\
1m \frac{\text{kg s CK}}{\text{m}} &= 0.0756A99B \cdot 10^0 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 43.A0717 \cdot 10^0 \\
1k \frac{\text{kg s CK}}{\text{m}} &= 25BB9.56 \cdot 10^0 \quad (*) \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 0.03326904 \cdot 10^{-60} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 1A.83968 \cdot 10^{-60} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 11171.04 \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 270A520. \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.0015B9452 \cdot 10^{-90} \\
1k \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.A4A5895 \cdot 10^{-90} \\
1m \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 207.55B2 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 122B95.A \cdot 10^{-110} \\
1k \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.000082B4668 \cdot 10^{-100} \\
1m \frac{\text{kg s CK}}{\text{m}^2} &= 415.A28A \cdot 10^{-30} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 2477B8.4 \cdot 10^{-30} \\
1k \frac{\text{kg s CK}}{\text{m}^2} &= 0.000146A686 \cdot 10^{-20} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 197.B804 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 106544.5 \cdot 10^{-90} \\
1k \frac{\text{kg CK}}{\text{m}^3} &= 0.000073092BB \cdot 10^{-80} \quad (*) \\
1m \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.0151BBB3 \cdot 10^{-100} \quad (***) \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 9.B26767 \cdot 10^{-100} \\
1k \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 58BA.485 \cdot 10^{-100} \\
1m \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 117294B. \cdot 10^{-140}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.2400304 \text{ k} \frac{\text{kg m CK}}{\text{s}} \quad (*) \\
1 \text{ ni'umu-} \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.000BA02521 \text{ m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'uvo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 1854A42. \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'uvo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 2B40.87B \text{ k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ mu-} MLTQ\Theta &= 10^{50} = 0.0005A7A79A \text{ m kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = A21196.B \text{ kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = 156B.942 \text{ k kg m s CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 4131B.9B \text{ m kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 71.164A7 \text{ kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 0.1031264 \text{ k kg m}^2 \text{ CK} \\
1 \text{ pa-} \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.0005220787 \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 8B5220.0 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 1357.855 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 6.65633B \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00B36B50B \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00001763458 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 3.305254 \text{ m kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.005755534 \text{ kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.0000098689A8 \text{ k kg m}^2 \text{ s CK} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 20418A.7 \text{ m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 360.9B05 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 0.6084102 \text{ k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uze-} \frac{MQ\Theta}{LT} &= 10^{-70} = 0.002688317 \text{ m} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 4511158. \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 778A.932 \text{ k} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 32.93531 \text{ m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.05700221 \frac{\text{kg CK}}{\text{m s}^2} \quad (*) \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00009794082 \text{ k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 17.35AB7 \text{ m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0294029A \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00004972982 \text{ k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 38.09689 \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.06419166 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0000AB6B8AB \text{ k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 477416.4 \text{ m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 801.2064 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 1.1A0818 \text{ k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ ni'upapa-} \frac{MQ\Theta}{L^2T^2} &= 10^{-110} = 0.005A22364 \text{ m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = A133815. \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 15569.2A \text{ k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.002AB01AB \text{ m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 50407AB. \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 8832.005 \text{ k} \frac{\text{kg s CK}}{\text{m}^2} \quad (*) \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^3} &= 10^{-90} = 0.006791934 \text{ m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = B59B4BB. \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 17A20.40 \text{ k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 84.7B124 \text{ m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.125B365 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.0002106A18 \text{ k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = A704A7.3 \text{ m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned} 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.0007A56800 \cdot 10^{-130} \quad (*) \\ 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.467BAB7 \cdot 10^{-130} \\ 1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 2341053 \cdot 10^{-60} \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.00139A465 \cdot 10^{-50} \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.91A6099 \cdot 10^{-50} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 1636.213 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 2.773A31 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 532526.7 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 912.6A8B \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 1.38880B \text{k} \frac{\text{kg s CK}}{\text{m}^3} \end{aligned}$$

## 6.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= 206768A \cdot 10^{-20} \\ \text{Electron mass} &= 1B13.388 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.1037444 \cdot 10^0 \\ \text{\AA}^{16} &= 0.0B25A35A \cdot 10^{20} \\ \text{Bohr radius}^{17} &= 0.05B20249 \cdot 10^{20} \\ \text{Fine structure constant}^{18} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 0.1091060 \cdot 10^{-20} \\ |\psi^{100}(0)|^2^{20} &= 2778.541 \cdot 10^{-60} \\ \text{eV} &= 0.00B302A80 \cdot 10^{-20} \\ \hbar^{21} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 313.6229 \cdot 10^{20} \\ k_{\text{yellow}}^{22} &= 0.02031780 \cdot 10^{-20} \\ k_{\text{X-Ray}}^{23} &= 0.0001945A99 \cdot 10^{-10} \end{aligned}$$

$$\begin{aligned} \text{Earth g} &= 0.0001235B65 \cdot 10^{-30} \\ \text{cm} &= 2733B92 \cdot 10^{20} \\ \text{min} &= 638787.9 \cdot 10^{30} \\ \text{hour} &= 0.00002767273 \cdot 10^{40} \\ \text{Liter} &= 0.00A2B7656 \cdot 10^{80} \\ \text{Area of a soccer field} &= 0.0001165474 \cdot 10^{60} \\ 84 \text{m}^2^{24} &= 0.000002337646 \cdot 10^{60} \\ \text{km/h} &= 4945.445 \cdot 10^{-10} \\ \text{mi/h} &= 783B.462 \cdot 10^{-10} \\ \text{inch}^{25} &= 6754139 \cdot 10^{20} \\ \text{mile} &= 0.1828AB3 \cdot 10^{30} \\ \text{pound} &= 6B90986 \cdot 10^0 \\ \text{horsepower} &= A9.A78B9 \cdot 10^{-40} \\ \text{kcal} &= 0.000006484002 \cdot 10^0 \quad (*) \\ \text{kWh} &= 0.00321B544 \cdot 10^0 \\ \text{Typical household electric field} &= 3A6B.055 \cdot 10^{-50} \\ \text{Earth magnetic field} &= 0.00000425B9B3 \cdot 10^{-40} \\ \text{Height of an average man}^{26} &= 0.0003254186 \cdot 10^{30} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upa-} M &= 10^{-10} = 5A4682.B m_p \\ 1 \text{ni}'\text{ure-} M &= 10^{-20} = 0.0006295001 m_e \quad (*) \\ 1 Q &= 1 = B.858467 e \\ 1 \text{re-} L &= 10^{20} = 10.A2270 \text{\AA} \\ 1 \text{re-} L &= 10^{20} = 20.34498 a_0 \\ 1 &= 1 = B5.05226 \alpha \\ 1 \text{ni}'\text{ure-} \frac{ML^2}{T^2} &= 10^{-20} = B.355206 Ry \\ 1 \text{ni}'\text{uxa-} \frac{1}{L^3} &= 10^{-60} = 0.0004673B98 \rho_{\max} \\ 1 \text{ni}'\text{ure-} \frac{ML^2}{T^2} &= 10^{-20} = 109.6B14 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re-} L &= 10^{20} = 0.003A40439 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni}'\text{ure-} \frac{1}{L} &= 10^{-20} = 5B.28371 \cdot k_{\text{yellow}} \\ 1 \text{ni}'\text{upa-} \frac{1}{L} &= 10^{-10} = 68A1.778 \cdot k_{\text{X-Ray}} \\ 1 \text{ni}'\text{uci-} \frac{ML}{T^2} &= 10^{-30} = A0AB.393 \cdot \text{Earth g} \\ 1 \text{ci-} L &= 10^{30} = 472B70.7 \text{cm} \\ 1 \text{vo-} T &= 10^{40} = 1A9A24A. \text{min} \\ 1 \text{vo-} T &= 10^{40} = 4692A.69 \text{ h} \\ 1 \text{bi-} L^3 &= 10^{80} = 120.764B l \\ 1 \text{xa-} L^2 &= 10^{60} = A779.111 A \\ 1 \text{xa-} L^2 &= 10^{60} = 5335B5.B \cdot 84 \text{m}^2 \\ 1 \text{ni}'\text{upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{km/h} \\ 1 \text{ni}'\text{upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{mi/h} \\ 1 \text{ci-} L &= 10^{30} = 199015.5 \text{ in} \\ 1 \text{ci-} L &= 10^{30} = 7.151044 \text{ mi} \\ 1 \text{pa-} M &= 10^{10} = 1876B1.A \text{ pound} \\ 1 \text{ni}'\text{uvo-} \frac{ML^2}{T^3} &= 10^{-40} = 0.01137909 \text{horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 1A6456.1 \text{kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 393.4332 \text{kWh} \\ 1 \text{ni}'\text{umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.0003112505 E_H \\ 1 \text{ni}'\text{uvo-} \frac{M}{T Q} &= 10^{-40} = 2A2759.6 \cdot \text{Earth magnetic field} \\ 1 \text{ci-} L &= 10^{30} = 38B4.414 \bar{h} \end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/A nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>30 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

$$\text{Mass of an average man} = 0.0007591573 \cdot 10^{10}$$

$$1 \text{ pa-}M = 10^{10} = 1730.22B \bar{m}$$

$$\text{Age of the Universe} = 799715.9 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = 0.000001650985 t_U$$

$$\text{Size of the observable Universe} = 0.001805320 \cdot 10^{50}$$

$$1 \text{ mu-}L = 10^{50} = 722.AAA0 l_U$$

$$\text{Average density of the Universe} = 6.120A86 \cdot 10^{-A0}$$

$$1 \text{ ni'}uauau \frac{M}{L^3} = 10^{-A0} = 0.1B74731 \rho_U$$

$$\text{Earth mass} = 11A557B \cdot 10^{20}$$

$$1 \text{ ci-}M = 10^{30} = A46A70.0 m_E$$

$$\text{Sun mass}^{27} = 0.1669548 \cdot 10^{30}$$

$$1 \text{ ci-}M = 10^{30} = 7.90AA10 m_S$$

$$\text{Year} = 0.11406A8 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = A.9689A6 \text{ y}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$\text{Parsec} = 0.37602BA \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 3.388070 \text{ pc}$$

$$\text{Astronomical unit} = 0.000004458B59 \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 28B169.6 \text{ au}$$

$$\text{Earth radius} = 3A4.1610 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.003135319 r_E$$

$$\text{Distance Earth-Moon} = 17502.40 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.000074BA5A7 d_M$$

$$\text{Momentum of someone walking}^{28} = 148.00B4 \cdot 10^0 \quad (*)$$

$$1 \frac{ML}{T} = 1 = 0.008781520 \cdot \text{Momentum of someone walking}$$

$$\text{Stefan-Boltzmann constant} = 0.1B82B28 \cdot 10^0$$

$$1 \frac{M}{T^3\Theta^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$$

$$\text{mol} = 0.01110B95 \cdot 10^{20}$$

$$1 \text{ re-} = 10^{20} = B0.01120 \text{ mol}$$

$$\text{Standard temperature}^{29} = 0.000321799A \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 3938.6B7 T_0$$

$$\text{Room - standard temperature}^{30} = 0.000029613A2 \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 43699.56 \Theta_R$$

$$\text{atm} = 0.0000220BA33 \cdot 10^{-80}$$

$$1 \text{ ni'}ubi-\frac{M}{LT^2} = 10^{-80} = 56303.03 \text{ atm}$$

$$c_s = 0.0000034BB524 \cdot 10^0 \quad (*)$$

$$1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$$

$$\mu_0 = 10.69683 \cdot 10^0$$

$$1 \frac{ML}{Q^2} = 1 = 0.0B561508 \cdot \mu_0$$

$$G = 1.000000 \quad (***)$$

$$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1 \text{ m} = 0.001889B98 \cdot 10^0$$

$$1 = 1 = 6B4.0000 \text{ m} \quad (**)$$

$$1 \text{ k} = 1.000000 \quad (**)$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ k} = 6B4.0000 \cdot 10^0 \quad (**)$$

$$1 = 1 = 0.001889B98 \text{ k}$$

$$1 \text{ m} \frac{1}{\text{s}} = 145209.3 \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{1}{T} = 10^{-40} = 0.000008920082 \text{ m} \frac{1}{\text{s}} \quad (*)$$

$$1 \frac{1}{\text{s}} = 0.00009613001 \cdot 10^{-30} \quad (*)$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 13188.B2 \frac{1}{\text{s}}$$

$$1 \text{ k} \frac{1}{\text{s}} = 0.05604821 \cdot 10^{-30}$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 22.203AB \text{ k} \frac{1}{\text{s}}$$

$$1 \text{ m} \frac{1}{\text{s}^2} = 11.02A19 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0B087A54 \text{ m} \frac{1}{\text{s}^2}$$

$$1 \text{ s} \frac{1}{\text{s}^2} = 764B.918 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0001714139 \frac{1}{\text{s}^2}$$

$$1 \text{ k} \frac{1}{\text{s}^2} = 0.00000443A702 \cdot 10^{-60}$$

$$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 290378.A \text{ k} \frac{1}{\text{s}^2}$$

$$1 \text{ m s} = 22.203AB \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.05604821 \text{ m s}$$

$$1 \text{ s} = 13188.B2 \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.00009613001 \text{ s} \quad (*)$$

$$1 \text{ k s} = 0.000008920082 \cdot 10^{40} \quad (*)$$

$$1 \text{ vo-}T = 10^{40} = 145209.3 \text{ k s}$$

$$1 \text{ m m} = 316493.9 \cdot 10^{20}$$

$$1 \text{ re-}L = 10^{20} = 0.000003A057A6 \text{ m m}$$

$$1 \text{ m} = 0.0001987920 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 6768.067 \text{ m}$$

$$1 \text{ k m} = 0.106A070 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = B.55806A \text{ k m}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}} = 25.8A836 \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.04A127A8 \text{ m} \frac{\text{m}}{\text{s}}$$

$$1 \text{ s} \frac{\text{m}}{\text{s}} = 15264.AB \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.00008449701 \frac{\text{m}}{\text{s}}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.000009B63212 \cdot 10^0$$

$$1 \frac{L}{T} = 1 = 1255A8.5 \text{ k} \frac{\text{m}}{\text{s}}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 0.001B6968B \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 613.A917 \text{ m} \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ s} \frac{\text{m}}{\text{s}^2} = 1.177A4A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.A685657 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 7A8.5B6A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.00162B436 \text{ k} \frac{\text{m}}{\text{s}^2}$$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>18 °C

$1 \text{m m s} = 0.003B44A2A \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 305.9335 \text{ m m s}$
$1 \text{m s} = 2.34B305 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.53057A7 \text{ m s}$
$1 \text{k m s} = 13A4.359 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.00090B2237 \text{ k m s}$
$1 \text{m m}^2 = 57.B2AA8 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.02152841 \text{ m m}^2$
$1 \text{m}^2 = 33394.A4 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.000037B5179 \text{ m}^2$
$1 \text{k m}^2 = 0.00001A90339 \cdot 10^{60}$	$1 \text{xa-}L^2 = 10^{60} = 63B48.BA \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.00459BA67 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 281.2409 \text{ m}^{\frac{m}{s}^2}$
$1 \frac{\text{m}^2}{\text{s}} = 2.71A05B \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.4757499 \frac{\text{m}^2}{\text{s}}$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 1604.109 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.0007BA228B \text{ k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{m}{s^2}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 718A0A.A \cdot 10^{80}$	$1 \text{bi-}L^2T = 10^{80} = 0.00000181A349 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.0004174877 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 2A9B.18B \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.2486814 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 5.022208 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = B.55806A \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.106A070 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 6768.067 \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.0001987920 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 0.000003A057A6 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{1}{L} = 10^{-20} = 316493.9 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 0.00090B2237 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 13A4.359 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 0.53057A7 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 2.34B305 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 305.9335 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 0.003B44A2A \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 72396.BA \cdot 10^{-A0}$	$1 \text{ni'}ujauau-\frac{1}{LT^2} = 10^{-A0} = 0.00001802950 \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.000041B5066 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 2A715.51 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 0.024AA785 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 4B.93B47 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m}^{\frac{s}{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 \text{k} \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k} \frac{s}{m}$
$1 \text{m}^{\frac{1}{m^2}} = 63B48.BA \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{L^2} = 10^{-60} = 0.00001A90339 \text{ m}^{\frac{1}{m^2}}$
$1 \frac{1}{\text{m}^2} = 0.000037B5179 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 33394.A4 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.02152841 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 57.B2AA8 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 5.022208 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.2486814 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 2A9B.18B \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.0004174877 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.00000181A349 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^2 T} = 10^{-80} = 718A0A.A \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.0003B82BA4 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 3029.B92 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 0.2371B50 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 5.274805 \frac{1}{\text{m}^2 s^2}$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 13B.78A7 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 0.00902497B \text{ k} \frac{1}{\text{m}^2 s^2}$
$1 \text{m}^{\frac{s}{m^2}} = 0.0007BA228B \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 1604.109 \text{ m}^{\frac{s}{m^2}}$
$1 \frac{s}{m^2} = 0.4757499 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 2.71A05B \frac{s}{m^2}$
$1 \text{k} \frac{s}{m^2} = 281.2409 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 0.00459BA67 \text{ k} \frac{s}{m^2}$
$1 \text{m}^{\frac{1}{m^3}} = 0.00035B62A8 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 3522.276 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 0.2034800 \cdot 10^{-80} \quad (*)$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 5.B1B502 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 120.764B \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 0.00A2B7656 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 292B9.8A \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^3 T} = 10^{-100} = 0.000043B7B6A \text{ m}^{\frac{1}{\text{m}^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.0000172A883 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 75983.59 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 0.00B175182 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 10B.2300 \text{ k} \frac{1}{\text{m}^3 s} \quad (*)$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 2.241993 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.557096A \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 132B.5B2 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.000954073B \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 89A65A.4 \cdot 10^{-130}$	$1 \text{ni'}upare-\frac{1}{L^3 T^2} = 10^{-120} = 143A202. \text{ k} \frac{1}{\text{m}^3 s^2}$
$1 \text{m}^{\frac{s}{m^3}} = 4.4B5404 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.2877068 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 2678.988 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.0004847B52 \frac{s}{m^3}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.000001589862 \cdot 10^{-40} \\
1 \text{m kg} &= 2270A.86 \cdot 10^0 \\
1 \text{kg} &= 0.00001347965 \cdot 10^{10} \\
1 \text{kg kg} &= 0.008AA3564 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.909B87 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{s}} &= 1023.934 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 7080A5.5 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.0001484114 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.097B310A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 57.11615 \cdot 10^{-60} \\
1 \text{m kg s} &= 0.00029680B7 \cdot 10^{40} \\
1 \text{kg s} &= 0.1750414 \cdot 10^{40} \\
1 \text{kg kg s} &= B2.A306A \cdot 10^{40} \\
1 \text{m kg m} &= 4.016594 \cdot 10^{30} \\
1 \text{kg m} &= 23A2.842 \cdot 10^{30} \\
1 \text{kg kg m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 0.000321778A \cdot 10^0 \\
1 \frac{\text{kg m}}{\text{s}} &= 0.1A0A051 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 109.3183 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 26276.37 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.0000155A2B1 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.00A153977 \cdot 10^{-30} \\
1 \text{m kg m s} &= 508A3.73 \cdot 10^{60} \\
1 \text{kg m s} &= 0.00002B19625 \cdot 10^{70} \\
1 \text{kg kg m s} &= 0.01841151 \cdot 10^{70} \\
1 \text{m kg m}^2 &= 0.0007314613 \cdot 10^{60} \\
1 \text{kg m}^2 &= 0.424B679 \cdot 10^{60} \\
1 \text{kg kg m}^2 &= 252.116A \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 4.68457B \cdot 10^{-10} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 277A.188 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.000001639993 \cdot 10^0 \\
1 \text{m kg m}^2 \text{s} &= 9.1B3290 \cdot 10^{90} \\
1 \text{kg m}^2 \text{s} &= 5375.711 \cdot 10^{90} \\
1 \text{kg kg m}^2 \text{s} &= 0.000003099A1B \cdot 10^{A0} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.000128342B \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}} &= 0.08601B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4B.0516B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= B782.27A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}} &= 68A0211. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.003A94266 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.9282386 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 540.7685 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 310985.B \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 1.665705 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}} &= A88.A960 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg s}}{\text{m}} &= 626057.4 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2} &= 0.8148096 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'}\text{uvo-} \frac{T}{L^3} &= 10^{-40} = 815334.0 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 M &= 1 = 0.000054BA329 \text{m kg} \\
1 \text{pa-}M &= 10^{10} = 94371.0A \text{ kg} \\
1 \text{pa-}M &= 10^{10} = 142.0779 \text{k kg} \\
1 \text{ni'}\text{uci-} \frac{M}{T} &= 10^{-30} = 0.6A0221B \text{ m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{uci-} \frac{M}{T} &= 10^{-30} = 0.000B987BA8 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{ure-} \frac{M}{T} &= 10^{-20} = 184A901. \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 8760.604 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 12.AA2B9 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 0.02190873 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{vo-}MT &= 10^{40} = 435B.497 \text{m kg s} \\
1 \text{vo-}MT &= 10^{40} = 7.4B9989 \text{ kg s} \\
1 \text{vo-}MT &= 10^{40} = 0.01099232 \text{k kg s} \\
1 \text{ci-}ML &= 10^{30} = 0.2BAA214 \text{m kg m} \\
1 \text{ci-}ML &= 10^{30} = 0.0005206092 \text{kg m} \\
1 \text{vo-}ML &= 10^{40} = 8B2608.B \text{k kg m} \\
1 \frac{ML}{T} &= 1 = 3938.952 \text{m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 6.6369B7 \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 0.00B336AA7 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'}\text{ubo-} \frac{ML}{T^2} &= 10^{-40} = 0.00004922389 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'}\text{uci-} \frac{ML}{T^2} &= 10^{-30} = 8298A.80 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'}\text{uci-} \frac{ML}{T^2} &= 10^{-30} = 122.8B63 \text{k} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{xa-}MLT &= 10^{60} = 0.00002454967 \text{m kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 411B3.1B \text{ kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 70.B4B73 \text{k kg m s} \\
1 \text{xa-}ML^2 &= 10^{60} = 17A0.45A \text{m kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 2.A33993 \text{kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 0.004B29106 \text{k kg m}^2 \\
1 \text{re-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \text{m} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'}\text{upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.2771279 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'}\text{upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.0004671078 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 7A3BA9.8 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{so-}ML^2T &= 10^{90} = 0.1387442 \text{m kg m}^2 \text{s} \\
1 \text{so-}ML^2T &= 10^{90} = 0.000231B110 \text{kg m}^2 \text{s} \\
1 \text{jauau-}ML^2T &= 10^{A0} = 3AB244.5 \text{k kg m}^2 \text{s} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 9976.B0A \text{m} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 14.B3256 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 0.02532B43 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{uxa-} \frac{M}{LT} &= 10^{-60} = 0.0001045500 \text{m} \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'}\text{umu-} \frac{M}{LT} &= 10^{-50} = 194635.6 \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'}\text{umu-} \frac{M}{LT} &= 10^{-50} = 30B.3347 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'}\text{uso-} \frac{M}{LT^2} &= 10^{-90} = 1.3741A6 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'}\text{uso-} \frac{M}{LT^2} &= 10^{-90} = 0.0022B8992 \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'}\text{ubi-} \frac{M}{LT^2} &= 10^{-80} = 3A74B60. \text{k} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.7926298 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.001150975 \frac{\text{kg s}}{\text{m}} \\
1 \text{re-} \frac{MT}{L} &= 10^{20} = 1B23A6B. \text{k} \frac{\text{kg s}}{\text{m}} \\
1 \text{ni'}\text{umu-} \frac{M}{L^2} &= 10^{-50} = 1.58B033 \text{m} \frac{\text{kg}}{\text{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 484.3942 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00267B0B5 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 287476.B \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{M}{L^2} = 10^{-40} = 44B9310. \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.00006520645 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 1A485.4B \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.0387AA43 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 32.83A26 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 21.A1693 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.056A41A9 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 5119.561 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{L^2 T^2} = 10^{-100} = 0.0002431332 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 2B47903. \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 409B85.1 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.001858B20 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 704.6945 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = A2AA.530 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.00012086A9 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 5B16199. \cdot 10^{-20}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 203657.0 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.00351B207 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 35B.9421 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4597.A8A \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^3} = 10^{-80} = 0.0002814870 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 271789B. \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 475B61.2 \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.001602907 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 7BA.93AB \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.3677431 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 3.4644B5 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 208.0A4B \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.005A053A2 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 123408.3 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = A103527. \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.00002994920 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 43196.B6 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.01767310 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 74.47880 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = B.39248B \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.1088961 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.000057A9A68 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 21546.B4 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.033365B4 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 37.B8485 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 1A.8A713 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^3} = 10^{-40} = 0.063BA458 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{C} = 72350.00 \cdot 10^{-20} \quad (*)$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00001803A21 \text{m} \frac{1}{C}$
$1 \frac{1}{C} = 0.000041B2488 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 2A733.57 \frac{1}{C}$
$1 \text{k} \frac{1}{C} = 0.024A9135 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 4B.97159 \text{k} \frac{1}{C}$
$1 \text{m} \frac{1}{sC} = 5.845543 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.213351A \text{m} \frac{1}{sC}$
$1 \frac{1}{sC} = 3369.71A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0003780B26 \frac{1}{sC}$
$1 \text{k} \frac{1}{sC} = 0.000001AA9278 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{TQ} = 10^{-40} = 635734.1 \text{k} \frac{1}{sC}$
$1 \text{m} \frac{1}{s^2C} = 0.0004621526 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2Q} = 10^{-80} = 27A8.B88 \text{m} \frac{1}{s^2C}$
$1 \frac{1}{s^2C} = 0.2742876 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2Q} = 10^{-80} = 4.7147B8 \frac{1}{s^2C}$
$1 \text{k} \frac{1}{s^2C} = 161.8827 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2Q} = 10^{-80} = 0.007B2A681 \text{k} \frac{1}{s^2C}$
$1 \text{m} \frac{s}{C} = 0.00090A84A9 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 13A5.171 \text{m} \frac{s}{C}$
$1 \frac{s}{C} = 0.5302388 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 2.350861 \frac{s}{C}$
$1 \text{k} \frac{s}{C} = 305.7406 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.003B47451 \text{k} \frac{s}{C}$
$1 \text{m} \frac{m}{C} = 11.021A3 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.0B092B05 \text{m} \frac{m}{C}$
$1 \frac{m}{C} = 7646.B66 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.000171515B \frac{m}{C}$
$1 \text{k} \frac{m}{C} = 0.000004437982 \cdot 10^{20}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 290549.5 \text{k} \frac{m}{C}$
$1 \text{m} \frac{m}{sC} = 0.000A3908A1 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 11B6.820 \text{m} \frac{m}{sC}$
$1 \frac{m}{sC} = 0.5B74B15 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 2.016558 \frac{m}{sC}$
$1 \text{k} \frac{m}{sC} = 355.4166 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.003583A3A \text{k} \frac{m}{sC}$
$1 \text{m} \frac{m}{s^2C} = 8208B.85 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2Q} = 10^{-60} = 0.000015755A4 \text{m} \frac{m}{s^2C}$
$1 \frac{m}{s^2C} = 0.0000488BA3B \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2Q} = 10^{-50} = 26549.43 \frac{m}{s^2C}$
$1 \text{k} \frac{m}{s^2C} = 0.028A1104 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2Q} = 10^{-50} = 44.74A96 \text{k} \frac{m}{s^2C}$
$1 \text{m} \frac{ms}{C} = 145123.7 \cdot 10^{40}$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.000008925785 \text{m} \frac{ms}{C}$
$1 \frac{ms}{C} = 0.00009608B39 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 13196.70 \frac{ms}{C}$
$1 \text{k} \frac{ms}{C} = 0.05601213 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 22.21871 \text{k} \frac{ms}{C}$
$1 \text{m} \frac{m^2}{C} = 0.001B68389 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 614.27A4 \text{m} \frac{m^2}{C}$
$1 \frac{m^2}{C} = 1.177187 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 0.4690327 \frac{m^2}{C}$

$$\begin{aligned}
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 7A8.0B29 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 168004.A \cdot 10^0 \quad (*) \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.0000A976A94 \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 0.0630272A \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 12.95B7A \cdot 10^{-30} \\
1 \frac{\text{m}^2}{\text{s}^2\text{C}} &= 8687.56B \cdot 10^{-30} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 0.000004B53A61 \cdot 10^{-20} \\
1 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} &= 25.89142 \cdot 10^{70} \\
1 \frac{\text{m}^2\text{s}}{\text{C}} &= 15255.B4 \cdot 10^{70} \\
1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} &= 0.000009B589B5 \cdot 10^{80} \\
1 \text{m} \frac{1}{\text{mC}} &= 0.0003B80559 \cdot 10^{-40} \\
1 \frac{1}{\text{mC}} &= 0.23705A0 \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{mC}} &= 13B.6A86 \cdot 10^{-40} \\
1 \text{m} \frac{1}{\text{msC}} &= 31933.B1 \cdot 10^{-80} \\
1 \frac{1}{\text{msC}} &= 0.000019A3913 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{msC}} &= 0.01079753 \cdot 10^{-70} \\
1 \text{m} \frac{1}{\text{ms}^2\text{C}} &= 2.5B209B \cdot 10^{-B0} \\
1 \frac{1}{\text{ms}^2\text{C}} &= 153A.305 \cdot 10^{-B0} \\
1 \text{k} \frac{1}{\text{ms}^2\text{C}} &= A03524.9 \cdot 10^{-B0} \\
1 \text{m} \frac{s}{\text{mC}} &= 5.01AB87 \cdot 10^{-10} \\
1 \frac{s}{\text{mC}} &= 2A99.368 \cdot 10^{-10} \\
1 \text{k} \frac{s}{\text{mC}} &= 0.000001819268 \cdot 10^0 \\
1 \text{m} \frac{1}{\text{m}^2\text{C}} &= 2.2404BA \cdot 10^{-70} \\
1 \frac{1}{\text{m}^2\text{C}} &= 132A.827 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m}^2\text{C}} &= 89A0A4.B \cdot 10^{-70} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 0.00018A50A5 \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 0.100B068 \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2\text{sC}} &= 6B.A4866 \cdot 10^{-A0} \\
1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 14652.34 \cdot 10^{-120} \\
1 \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 96A0056. \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 0.005655572 \cdot 10^{-110} \\
1 \text{m} \frac{s}{\text{m}^2\text{C}} &= 292A0.68 \cdot 10^{-40} \\
1 \frac{s}{\text{m}^2\text{C}} &= 0.00001729852 \cdot 10^{-30} \\
1 \text{k} \frac{s}{\text{m}^2\text{C}} &= 0.00B16A068 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^3\text{C}} &= 12672.4B \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^3\text{C}} &= 850600B. \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3\text{C}} &= 0.004A58186 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3\text{sC}} &= 0.B64271B \cdot 10^{-110} \\
1 \frac{1}{\text{m}^3\text{sC}} &= 680.9345 \cdot 10^{-110} \\
1 \text{k} \frac{1}{\text{m}^3\text{sC}} &= 3A4005.5 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.00009176575 \cdot 10^{-140} \\
1 \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.05353830 \cdot 10^{-140} \\
1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 30.86A33 \cdot 10^{-140} \\
1 \text{m} \frac{s}{\text{m}^3\text{C}} &= 0.00016441A1 \cdot 10^{-60} \\
1 \frac{s}{\text{m}^3\text{C}} &= 0.0A762215 \cdot 10^{-60} \\
1 \text{k} \frac{s}{\text{m}^3\text{C}} &= 61.96314 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 0.9278524 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 0.0016303B0 \text{k} \frac{\text{m}^2}{\text{C}} \\
1 \frac{L^2}{TQ} &= 1 = 0.00000786A154 \text{m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 113B6.55 \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 1B.04B64 \text{k} \frac{\text{m}^2}{\text{sC}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0989A812 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.000149A570 \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'ure} \frac{L^2}{T^2Q} &= 10^{-20} = 250A02.A \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.04A158B0 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.00008452ABB \frac{\text{m}^2\text{s}}{\text{C}} \quad (*) \\
1 \text{bi} \frac{L^2T}{Q} &= 10^{80} = 12567B.0 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 302B.AA3 \text{m} \frac{1}{\text{mC}} \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 5.277BB4 \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 0.00902A676 \text{k} \frac{1}{\text{mC}} \\
1 \text{ni'ubi} \frac{1}{LTQ} &= 10^{-80} = 0.0000398B664 \text{m} \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = 67073.3A \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = B4.72375 \text{k} \frac{1}{\text{msC}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 0.4989618 \text{m} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 0.00083918B9 \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{LT^2Q} &= 10^{-A0} = 1244802. \text{k} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.248824B \text{m} \frac{s}{\text{mC}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.0004177431 \frac{s}{\text{mC}} \\
1 \frac{T}{LQ} &= 1 = 719276.7 \text{k} \frac{s}{\text{mC}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 0.5574346 \text{m} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 0.0009546769 \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uxa} \frac{1}{L^2Q} &= 10^{-60} = 143B050. \text{k} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uxa} \frac{1}{L^2TQ} &= 10^{-A0} = 6A97.938 \text{m} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = B.B1034A \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = 0.01873025 \text{k} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'upare} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.0000885BA3B \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 1306A8.5 \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 220.0481 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'uv} \frac{T}{L^2Q} &= 10^{-40} = 0.000043BA884 \text{m} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 75A10.87 \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 10B.2B2A \text{k} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{L^3Q} &= 10^{-A0} = 0.00009A91A22 \text{m} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 15127B.B \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 256.75A2 \text{k} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 1.05A674 \text{m} \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 0.00196BA91 \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upano} \frac{1}{L^3TQ} &= 10^{-100} = 3136541. \text{k} \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 13919.44 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 23.2A21B \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.03B0963A \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 7A13.403 \text{m} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 11.67486 \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 0.01B5000A \text{k} \frac{s}{\text{m}^3\text{C}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 540.41A9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 31078A.6 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.00007380850 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.04289B66 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 25.43BA2 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 5957.831 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 3425208. \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.001B3226B \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= B776.97B \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 6897A71. \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.003A9188B \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0001483259 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.097A8B26 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 57.09B46 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 11283.3B \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s C}} &= 77A0190. \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.004518A42 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.A58B1B4 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 609.2822 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 361407.6 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 1.908A36 \cdot 10^{50} \\
1 \frac{\text{kg m s}}{\text{C}} &= 1023.162 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 707846.1 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 2625B.07 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 0.00001559395 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.00A149432 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 1.BB2A01 \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 11A2.842 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 802407.6 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00016B72A1 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0AB86B0B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 64.2828B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.0003215754 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.1A08A44 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 109.2568 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 5116.267 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m C}} &= 2B45A59. \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 0.001857A15 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.4052952 \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s C}} &= 240.4402 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 1427A1.2 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.00003246902 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.01A26427 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 10.A2A93 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 0.00006518526 \cdot 10^0 \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.038785AA \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 21.A0238 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{n}'\text{upa-} \frac{M}{Q} &= 10^{-10} = 0.0022BA2B6 \frac{\text{kg}}{\text{C}} \\
1 \frac{M}{Q} &= 1 = 3A77526. \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{n}'\text{ubo-} \frac{M}{TQ} &= 10^{-40} = 17862.92 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{n}'\text{ubo-} \frac{M}{TQ} &= 10^{-40} = 2A.08566 \frac{\text{kg}}{\text{s C}} \\
1 \text{n}'\text{ubo-} \frac{M}{TQ} &= 10^{-40} = 0.04AA2AB0 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{n}'\text{ubi-} \frac{M}{T^2Q} &= 10^{-80} = 0.00020A5A3A \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{uze-} \frac{M}{T^2Q} &= 10^{-70} = 36B955.4 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{uze-} \frac{M}{T^2Q} &= 10^{-70} = 623.3461 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re-} \frac{MT}{Q} &= 10^{20} = 0.00010460A7 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = 194750.B \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = 30B.52B1 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 8765.BBB \text{m} \frac{\text{kg m}}{\text{C}} \quad (***) \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 12.AB059 \frac{\text{kg m}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 0.02192103 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{n}'\text{ure-} \frac{ML}{TQ} &= 10^{-20} = 0.0000AA805A6 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{n}'\text{upa-} \frac{ML}{TQ} &= 10^{-10} = 16996A.9 \frac{\text{kg m}}{\text{s C}} \\
1 \text{n}'\text{upa-} \frac{ML}{TQ} &= 10^{-10} = 286.218A \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{n}'\text{umu-} \frac{ML}{T^2Q} &= 10^{-50} = 1.18AA60 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{umu-} \frac{ML}{T^2Q} &= 10^{-50} = 0.001B8B5B5 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{ubo-} \frac{ML}{T^2Q} &= 10^{-40} = 3504A80. \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 0.6A06652 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 0.000B993627 \frac{\text{kg m s}}{\text{C}} \\
1 \text{xa-} \frac{MLT}{Q} &= 10^{60} = 184BA02. \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{vo-} \frac{ML^2}{Q} &= 10^{40} = 0.00004925421 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 82A21.78 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 122.9871 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 0.60236A4 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 0.000A48B66A \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{re-} \frac{ML^2}{TQ} &= 10^{20} = 15B6901. \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{n}'\text{ure-} \frac{ML^2}{T^2Q} &= 10^{-20} = 7713.315 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{ure-} \frac{ML^2}{T^2Q} &= 10^{-20} = 11.15210 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{ure-} \frac{ML^2}{T^2Q} &= 10^{-20} = 0.01A805AA \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi-} \frac{ML^2T}{Q} &= 10^{80} = 393B.239 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2T}{Q} &= 10^{80} = 6.63ABA4 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2T}{Q} &= 10^{80} = 0.00B342114 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{n}'\text{ubo-} \frac{M}{LQ} &= 10^{-40} = 0.0002432933 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{n}'\text{uci-} \frac{M}{LQ} &= 10^{-30} = 40A236.6 \frac{\text{kg}}{\text{m C}} \\
1 \text{n}'\text{uci-} \frac{M}{LQ} &= 10^{-30} = 704.B31A \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{n}'\text{uze-} \frac{M}{LTQ} &= 10^{-70} = 2.B81402 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{n}'\text{uze-} \frac{M}{LTQ} &= 10^{-70} = 0.005179392 \frac{\text{kg}}{\text{m s C}} \\
1 \text{n}'\text{uxa-} \frac{M}{LTQ} &= 10^{-60} = 8A63BB9. \text{k} \frac{\text{kg}}{\text{m s C}} \quad (*) \\
1 \text{n}'\text{ujauau-} \frac{M}{LT^2Q} &= 10^{-A0} = 39034.10 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{n}'\text{ujauau-} \frac{M}{LT^2Q} &= 10^{-A0} = 65.97266 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{n}'\text{ujauau-} \frac{M}{LT^2Q} &= 10^{-A0} = 0.0B253197 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 1A497.82 \text{m} \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 32.85AA5 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.056A7862 \text{k} \frac{\text{kg s}}{\text{m C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg}{m^2 C} &= 0.00002992B79 \cdot 10^{-60} \\
1 \frac{kg}{m^2 C} &= 0.01766276 \cdot 10^{-60} \\
1k \frac{kg}{m^2 C} &= B.38722B \cdot 10^{-60} \\
1m \frac{kg}{m^2 s C} &= 2291.452 \cdot 10^{-A0} \\
1 \frac{kg}{m^2 s C} &= 1359B61 \cdot 10^{-A0} \\
1k \frac{kg}{m^2 s C} &= 0.0008B659B2 \cdot 10^{-90} \\
1m \frac{kg}{m^2 s^2 C} &= 0.1925456 \cdot 10^{-110} \\
1 \frac{kg}{m^2 s^2 C} &= 103.2BB8 \cdot 10^{-110} \quad (*) \\
1k \frac{kg}{m^2 s^2 C} &= 71269.96 \cdot 10^{-110} \\
1m \frac{kg s}{m^2 C} &= 0.3675112 \cdot 10^{-30} \\
1 \frac{kg s}{m^2 C} &= 207.B683 \cdot 10^{-30} \\
1k \frac{kg s}{m^2 C} &= 123337.2 \cdot 10^{-30} \\
1m \frac{kg}{m^3 C} &= 0.167A79A \cdot 10^{-90} \\
1 \frac{kg}{m^3 C} &= A9.69379 \cdot 10^{-90} \\
1k \frac{kg}{m^3 C} &= 62B90.74 \cdot 10^{-90} \\
1m \frac{kg}{m^3 s C} &= 0.00001294A62 \cdot 10^{-100} \\
1 \frac{kg}{m^3 s C} &= 0.00867BA42 \cdot 10^{-100} \\
1k \frac{kg}{m^3 s C} &= 4.B4B587 \cdot 10^{-100} \\
1m \frac{kg}{m^3 s^2 C} &= B86.A97A \cdot 10^{-140} \\
1 \frac{kg}{m^3 s^2 C} &= 694270.4 \cdot 10^{-140} \\
1k \frac{kg}{m^3 s^2 C} &= 0.0003B0B336 \cdot 10^{-130} \\
1m \frac{kg s}{m^3 C} &= 1B66.698 \cdot 10^{-60} \\
1 \frac{kg s}{m^3 C} &= 1176173 \cdot 10^{-60} \\
1k \frac{kg s}{m^3 C} &= 0.0007A75B19 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1m C &= 4B.97159 \cdot 10^{10} \\
1 C &= 2A733.57 \cdot 10^{10} \\
1k C &= 0.00001803A21 \cdot 10^{20} \\
1m \frac{C}{s} &= 0.003B47451 \cdot 10^{-20} \\
1 \frac{C}{s} &= 2.350861 \cdot 10^{-20} \\
1k \frac{C}{s} &= 13A5.171 \cdot 10^{-20} \\
1m \frac{C}{s^2} &= 316692.A \cdot 10^{-60} \\
1 \frac{C}{s^2} &= 0.0001988B02 \cdot 10^{-50} \\
1k \frac{C}{s^2} &= 0.106A872 \cdot 10^{-50} \\
1m s C &= 635734.1 \cdot 10^{40} \\
1 s C &= 0.0003780B26 \cdot 10^{50} \\
1k s C &= 0.213351A \cdot 10^{50} \\
1m m C &= 0.00902A676 \cdot 10^{40} \\
1 m C &= 5.277BB4 \cdot 10^{40} \quad (*) \\
1k m C &= 302B.AA3 \cdot 10^{40} \\
1m \frac{m C}{s} &= 719276.7 \cdot 10^0 \\
1 \frac{m C}{s} &= 0.0004177431 \cdot 10^{10} \\
1k \frac{m C}{s} &= 0.248824B \cdot 10^{10} \\
1m \frac{m C}{s^2} &= 57.B6623 \cdot 10^{-30} \\
1 \frac{m C}{s^2} &= 333B5.B0 \cdot 10^{-30} \\
1k \frac{m C}{s^2} &= 0.00001A91599 \cdot 10^{-20} \\
1m m s C &= B4.72375 \cdot 10^{70} \\
1 m s C &= 67073.3A \cdot 10^{70} \\
1k m s C &= 0.0000398B664 \cdot 10^{80} \\
1m m^2 C &= 143B050 \cdot 10^{60}
\end{aligned}$$

$$\begin{aligned}
1 ni'uxa-\frac{M}{L^2 Q} &= 10^{-60} = 43203.69 m \frac{kg}{m^2 C} \\
1 ni'uxa-\frac{M}{L^2 Q} &= 10^{-60} = 74.50500 \frac{kg}{m^2 C} \quad (*) \\
1 ni'uxa-\frac{M}{L^2 Q} &= 10^{-60} = 0.1089575 k \frac{kg}{m^2 C} \\
1 ni'ujauau-\frac{M}{L^2 T Q} &= 10^{-A0} = 0.000546A9AA m \frac{kg}{m^2 s C} \\
1 ni'uso-\frac{M}{L^2 T Q} &= 10^{-90} = 937045.3 \frac{kg}{m^2 s C} \\
1 ni'uso-\frac{M}{L^2 T Q} &= 10^{-90} = 1409.A19 k \frac{kg}{m^2 s C} \\
1 ni'upapa-\frac{M}{L^2 T^2 Q} &= 10^{-110} = 6.95B1B2 m \frac{kg}{m^2 s^2 C} \\
1 ni'upapa-\frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00B89A437 \frac{kg}{m^2 s^2 C} \\
1 ni'upapa-\frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00001834100 k \frac{kg}{m^2 s^2 C} \quad (*) \\
1 ni'uci-\frac{MT}{L^2 Q} &= 10^{-30} = 3.466695 m \frac{kg s}{m^2 C} \\
1 ni'uci-\frac{MT}{L^2 Q} &= 10^{-30} = 0.005A0905A \frac{kg s}{m^2 C} \\
1 ni'ure-\frac{MT}{L^2 Q} &= 10^{-20} = A109A42. k \frac{kg s}{m^2 C} \\
1 ni'uso-\frac{M}{L^3 Q} &= 10^{-90} = 7.874B85 m \frac{kg}{m^3 C} \\
1 ni'uso-\frac{M}{L^3 Q} &= 10^{-90} = 0.01140636 \frac{kg}{m^3 C} \\
1 ni'uso-\frac{M}{L^3 Q} &= 10^{-90} = 0.00001B067BB k \frac{kg}{m^3 C} \quad (*) \\
1 ni'upano-\frac{M}{L^3 T Q} &= 10^{-100} = 98A73.AA m \frac{kg}{m^3 s C} \\
1 ni'upano-\frac{M}{L^3 T Q} &= 10^{-100} = 149.B864 \frac{kg}{m^3 s C} \\
1 ni'upano-\frac{M}{L^3 T Q} &= 10^{-100} = 0.251020A k \frac{kg}{m^3 s C} \\
1 ni'upavo-\frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.001036126 m \frac{kg}{m^3 s^2 C} \\
1 ni'upavo-\frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.00000192A899 \frac{kg}{m^3 s^2 C} \\
1 ni'upaci-\frac{M}{L^3 T^2 Q} &= 10^{-130} = 3085.5B0 k \frac{kg}{m^3 s^2 C} \\
1 ni'uxa-\frac{MT}{L^3 Q} &= 10^{-60} = 0.0006148106 m \frac{kg s}{m^3 C} \\
1 ni'umu-\frac{MT}{L^3 Q} &= 10^{-50} = A6997A.2 \frac{kg s}{m^3 C} \\
1 ni'umu-\frac{MT}{L^3 Q} &= 10^{-50} = 1631.818 k \frac{kg s}{m^3 C}
\end{aligned}$$

$$\begin{aligned}
1 pa-Q &= 10^{10} = 0.024A9135 m C \\
1 pa-Q &= 10^{10} = 0.000041B2488 C \\
1 re-Q &= 10^{20} = 72350.00 k C \quad (*) \\
1 ni'ure-\frac{Q}{T} &= 10^{-20} = 305.7406 m \frac{C}{s} \\
1 ni'ure-\frac{Q}{T} &= 10^{-20} = 0.5302388 \frac{C}{s} \\
1 ni'ure-\frac{Q}{T} &= 10^{-20} = 0.00090A84A9 k \frac{C}{s} \\
1 ni'uxa-\frac{Q}{T^2} &= 10^{-60} = 0.000003A03266 m \frac{C}{s^2} \\
1 ni'umu-\frac{Q}{T^2} &= 10^{-50} = 6763.9A5 \frac{C}{s^2} \\
1 ni'umu-\frac{Q}{T^2} &= 10^{-50} = B.5508BA k \frac{C}{s^2} \\
1 vo-TQ &= 10^{40} = 0.000001AA9278 m s C \\
1 mu-TQ &= 10^{50} = 3369.71A s C \\
1 mu-TQ &= 10^{50} = 5.845543 k s C \\
1 vo-LQ &= 10^{40} = 13B.6A86 m m C \\
1 vo-LQ &= 10^{40} = 0.23705A0 m C \\
1 vo-LQ &= 10^{40} = 0.0003B80559 k m C \\
1 \frac{LQ}{T} &= 1 = 0.000001819268 m \frac{m C}{s} \\
1 pa-\frac{LQ}{T} &= 10^{10} = 2A99.368 \frac{m C}{s} \\
1 pa-\frac{LQ}{T} &= 10^{10} = 5.01AB87 k \frac{m C}{s} \\
1 ni'uci-\frac{LQ}{T^2} &= 10^{-30} = 0.02151418 m \frac{m C}{s^2} \\
1 ni'uci-\frac{LQ}{T^2} &= 10^{-30} = 0.000037B2979 \frac{m C}{s^2} \\
1 ni'ure-\frac{LQ}{T^2} &= 10^{-20} = 63B08.73 k \frac{m C}{s^2} \\
1 ze-LTQ &= 10^{70} = 0.01079753 m m s C \\
1 ze-LTQ &= 10^{70} = 0.000019A3913 m s C \\
1 bi-LTQ &= 10^{80} = 31933.B1 k m s C \\
1 ze-L^2 Q &= 10^{70} = 89A0A4.B m m^2 C
\end{aligned}$$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.0009546769 \cdot 10^{70} \\
1 \text{k m}^2 \text{ C} &= 0.5574346 \cdot 10^{70} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 10B.2B2A \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 75A10.87 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.000043BA884 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.00A3020A0 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 5.B23245 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 3524.4A6 \cdot 10^0 \\
1 \text{m m}^2 \text{ s C} &= 0.01873025 \cdot 10^{A0} \\
1 \text{m}^2 \text{ s C} &= B.B1034A \cdot 10^{A0} \\
1 \text{k m}^2 \text{ s C} &= 6A97.938 \cdot 10^{A0} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 290549.5 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.000171515B \cdot 10^{-10} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.0B092B05 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 22.21871 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 13196.70 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.000008925785 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.00188B103 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 1.000779 \cdot 10^{-80} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 6B4.4514 \cdot 10^{-80} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.003583A3A \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 2.016558 \cdot 10^{20} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 11B6.820 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 0.0016303B0 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 0.A690327 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 614.27A4 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 12567B.0 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.00008452ABB \cdot 10^{-70} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.04A158B0 \cdot 10^{-70} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= B.563422 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 6770.331 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.000003A08127 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 1B.04B64 \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 113B6.55 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.00000786A154 \cdot 10^0 \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= A.100A9A \cdot 10^{-70} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{C}}{\text{m}^3} &= 5A03.A32 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 0.000003463693 \cdot 10^{-60} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.0007BA73A0 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.475A41B \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 281.4063 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 63B89.49 \cdot 10^{-120} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.000037B757B \cdot 10^{-110} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.02154068 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 108863.8 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.00007445A58 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.04318615 \cdot 10^{-30} \\
1 \text{m kg C} &= 0.0006481B3A \cdot 10^{20} \\
1 \text{kg C} &= 0.384601B \cdot 10^{20} \\
1 \text{k kg C} &= 218.1B12 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ze-}L^2Q &= 10^{70} = 132A.827 \text{ m}^2 \text{ C} \\
1 \text{ ze-}L^2Q &= 10^{70} = 2.2404BAk \text{ m}^2 \text{ C} \\
1 \text{ ci-} \frac{L^2Q}{T} &= 10^{30} = 0.00B16A068 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ ci-} \frac{L^2Q}{T} &= 10^{30} = 0.00001729852 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2Q}{T} &= 10^{40} = 292A0.68 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 120.6956 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.2033465 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.00035B401A \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 6B.A4866 \text{ m m}^2 \text{ s C} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.100B068 \text{ m}^2 \text{ s C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.00018A50A5 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'ure-} \frac{Q}{L} &= 10^{-20} = 0.000004437982 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 7646.B66 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 11.021A3 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.05601213 \text{ m} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.00009608B39 \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ubo-} \frac{Q}{LT} &= 10^{-40} = 145123.7 \text{ k} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 6B3.76AB \text{ m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.BBB4431 \frac{\text{C}}{\text{m s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.001888A72 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 355.4166 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.5B74B15 \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.000A3908A1 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'uze-} \frac{Q}{L^2} &= 10^{-40} = 7A8.0B29 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2} &= 10^{-40} = 1.177187 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2} &= 10^{-40} = 0.001B68389 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubi-} \frac{Q}{L^2T} &= 10^{-80} = 0.000009B589B5 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 15255.B4 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 25.89142 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uveiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.106946B \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uveiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.0001986740 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} &= 10^{-A0} = 316294.A \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.0630272A \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.0000A976A94 \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = 168004.A \text{ k} \frac{\text{s C}}{\text{m}^2} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.1234434 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.0002081473 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 36782B.7 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 1603.16B \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 2.718479 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.004599030 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upare-} \frac{Q}{L^3T^2} &= 10^{-120} = 0.00001A8B09A \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 33373.99 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 57.AB374 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'uvo-} \frac{TQ}{L^3} &= 10^{-40} = 0.00000B3952A1 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 17677.BB \frac{\text{s C}}{\text{m}^3} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 29.9557A \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ re-} MQ &= 10^{20} = 1A65.092 \text{ m kg C} \\
1 \text{ re-} MQ &= 10^{20} = 3.2B3578 \text{ kg C} \\
1 \text{ re-} MQ &= 10^{20} = 0.00573585B \text{ k kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 50916.3A \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.00002B1B472 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 0.01842247 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 4.019055 \cdot 10^{-50} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 23A4.212 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 0.000001415A3B \cdot 10^{-40} \\
1 \text{m kg s C} &= 8.092B99 \cdot 10^{50} \\
1 \text{kg s C} &= 4800.289 \cdot 10^{50} \quad (*) \\
1 \text{k kg s C} &= 0.00000284A96B \cdot 10^{60} \\
1 \text{m kg m C} &= B6965.55 \cdot 10^{40} \\
1 \text{kg m C} &= 0.0000683A29A \cdot 10^{50} \\
1 \text{k kg m C} &= 0.03A5950B \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 9.1B909A \cdot 10^{10} \\
1 \frac{\text{kg m C}}{\text{s}} &= 5378.B78 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 0.00000309B976 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 0.0007319176 \cdot 10^{-20} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 0.4252294 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 252.281B \cdot 10^{-20} \\
1 \text{m kg m s C} &= 0.001271B00 \cdot 10^{80} \quad (*) \\
1 \text{kg m s C} &= 0.8544787 \cdot 10^{80} \\
1 \text{k kg m s C} &= 4A7.B16B \cdot 10^{80} \\
1 \text{m kg m}^2 \text{C} &= 18.B2855 \cdot 10^{70} \\
1 \text{kg m}^2 \text{C} &= 10147.54 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{C} &= 0.000007017508 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.0014709A4 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.972505B \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 568.0181 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 1118A6.7 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.00007734BA9 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.0449B080 \cdot 10^{10} \\
1 \text{m kg m}^2 \text{s C} &= 22506A.3 \cdot 10^{A0} \\
1 \text{kg m}^2 \text{s C} &= 0.0001335877 \cdot 10^{B0} \\
1 \text{k kg m}^2 \text{s C} &= 0.08A21876 \cdot 10^{B0} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 3.644436 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{m}} &= 2062.371 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 0.000001222BB7 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 0.0002969A43 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m s}} &= 0.175145B \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}} &= B2.AA263 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 22723.7B \cdot 10^{-80} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 0.00001348741 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}^2} &= 0.008AA9177 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 45568.1B \cdot 10^{20} \\
1 \frac{\text{kg s C}}{\text{m}} &= 0.000026B3308 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 0.015AA332 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 1B4A3.33 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.00001166481 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.007A08453 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 1.6666A2 \cdot 10^{-70} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}} &= A89.5768 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{n}i'ure-\frac{MQ}{T} &= 10^{-20} = 0.00002453351 \text{m} \frac{\text{kg C}}{\text{s}} \\
1 \text{n}i'upa-\frac{MQ}{T} &= 10^{-10} = 41187.A1 \frac{\text{kg C}}{\text{s}} \\
1 \text{n}i'upa-\frac{MQ}{T} &= 10^{-10} = 70.B0559 \text{k} \frac{\text{kg C}}{\text{s}} \\
1 \text{n}i'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.2BA832A \text{m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{n}i'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.000520292A \frac{\text{kg C}}{\text{s}^2} \\
1 \text{n}i'uvo-\frac{MQ}{T^2} &= 10^{-40} = 8B2045.3 \text{k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{mu-}MTQ &= 10^{50} = 0.15A3433 \text{m kg s C} \\
1 \text{mu-}MTQ &= 10^{50} = 0.00026A3378 \text{kg s C} \\
1 \text{xa-}MTQ &= 10^{60} = 453A04.1 \text{k kg s C} \\
1 \text{vo-}MLQ &= 10^{40} = 0.0000105497A \text{m kg m C} \\
1 \text{mu-}MLQ &= 10^{50} = 1961B.72 \text{kg m C} \\
1 \text{mu-}MLQ &= 10^{50} = 31.21352 \text{k kg m C} \\
1 \text{pa-}\frac{MLQ}{T} &= 10^{10} = 0.1386640 \text{m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{pa-}\frac{MLQ}{T} &= 10^{10} = 0.0002319794 \frac{\text{kg m C}}{\text{s}} \\
1 \text{re-}\frac{MLQ}{T} &= 10^{20} = 3AABA5.7 \text{k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{n}i'ure-\frac{MLQ}{T^2} &= 10^{-20} = 179B.3A2 \text{m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{n}i'ure-\frac{MLQ}{T^2} &= 10^{-20} = 2.A31BB2 \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{n}i'ure-\frac{MLQ}{T^2} &= 10^{-20} = 0.004B25B38 \text{k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{bi-}MLTQ &= 10^{80} = 9A4.725A \text{m kg m s C} \\
1 \text{bi-}MLTQ &= 10^{80} = 1.50696B \text{kg m s C} \\
1 \text{bi-}MLTQ &= 10^{80} = 0.002555A83 \text{k kg m s C} \\
1 \text{ze-}ML^2Q &= 10^{70} = 0.06A65818 \text{m kg m}^2 \text{C} \\
1 \text{ze-}ML^2Q &= 10^{70} = 0.0000BA76551 \text{kg m}^2 \text{C} \\
1 \text{bi-}ML^2Q &= 10^{80} = 186565.4 \text{k kg m}^2 \text{C} \\
1 \text{vo-}\frac{ML^2Q}{T} &= 10^{40} = 881.B947 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{vo-}\frac{ML^2Q}{T} &= 10^{40} = 1.2BBB76 \frac{\text{kg m}^2 \text{C}}{\text{s}} \quad (***) \\
1 \text{vo-}\frac{ML^2Q}{T} &= 10^{40} = 0.0021B0514 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.00000AB55966 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-}\frac{ML^2Q}{T^2} &= 10^{10} = 16B1A.83 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-}\frac{ML^2Q}{T^2} &= 10^{10} = 28.8640A \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{jauau-}ML^2TQ &= 10^{A0} = 0.00000554A116 \text{m kg m}^2 \text{s C} \\
1 \text{vaiel-}ML^2TQ &= 10^{B0} = 9502.571 \text{kg m}^2 \text{s C} \\
1 \text{vaiel-}ML^2TQ &= 10^{B0} = 14.33634 \text{k kg m}^2 \text{s C} \\
1 \text{n}i'upa-\frac{MQ}{L} &= 10^{-10} = 0.3495881 \text{m} \frac{\text{kg C}}{\text{m}} \\
1 \text{n}i'upa-\frac{MQ}{L} &= 10^{-10} = 0.0005A59962 \frac{\text{kg C}}{\text{m}} \\
1 \frac{MQ}{L} &= 1 = A196A1.3 \text{k} \frac{\text{kg C}}{\text{m}} \\
1 \text{n}i'uvo-\frac{MQ}{LT} &= 10^{-40} = 4358.7BA \text{m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{n}i'uvo-\frac{MQ}{LT} &= 10^{-40} = 7.4B5105 \frac{\text{kg C}}{\text{m s}} \\
1 \text{n}i'uvo-\frac{MQ}{LT} &= 10^{-40} = 0.01098613 \text{k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{n}i'ubi-\frac{MQ}{LT^2} &= 10^{-80} = 0.000054B699B \text{m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{n}i'uze-\frac{MQ}{LT^2} &= 10^{-70} = 94311.64 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{n}i'uze-\frac{MQ}{LT^2} &= 10^{-70} = 141.B941 \text{k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{re-}\frac{MTQ}{L} &= 10^{20} = 0.0000283A343 \text{m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-}\frac{MTQ}{L} &= 10^{30} = 47A27.18 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-}\frac{MTQ}{L} &= 10^{30} = 80.61730 \text{k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{n}i'uvo-\frac{MQ}{L^2} &= 10^{-40} = 0.0000619B883 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{n}i'uci-\frac{MQ}{L^2} &= 10^{-30} = A76B7.51 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{n}i'uci-\frac{MQ}{L^2} &= 10^{-30} = 164.561B \text{k} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{n}i'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.7921351 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} \\
1 \text{n}i'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.00115010A \frac{\text{kg C}}{\text{m}^2 \text{s}}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 626451.1 \cdot 10^{-70}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 1B22797. k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 0.0001284173 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 9970.816 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.08607458 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 14.B2380 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 4B.08325 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.02531485 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.0002565372 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 4A60.580 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 0.1511498 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 8.5115A4 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 9A.85085 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.01268341 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.00010B1B90 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = B177.B2B m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.075964B1 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 17.2B163 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 43.B6A62 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.02930611 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = A2B4.B70 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^3 T} = 10^{-A0} = 0.00012079 B3 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 5B19B19. \cdot 10^{-A0}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 203521.3 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 0.003521435 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 35B.7151 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 0.81512A4 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 1.58A0B7 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 484.6933 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.002679550 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 287644.4 \cdot 10^{-110}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 44B6540. k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 1.4399B0 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.89A8855 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 953.A2A5 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.00132B992 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 556B51.3 \cdot 10^{-30}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 2242448. k \frac{kg\ s\ C}{m^3}$
<hr/>	
$1m \frac{1}{K} = 1046.233 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000B775604 m \frac{1}{K}$
$1 \frac{1}{K} = 71B439.1 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000001813238 \frac{1}{K}$
$1k \frac{1}{K} = 0.000418A275 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = 2A8A.A86 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{sK}$
$1 \frac{1}{sK} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{sK}$
$1k \frac{1}{sK} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{sK}$
$1m \frac{1}{s^2 K} = 0.00000793007A \cdot 10^{-40}$ (*)	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 166451.9 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 0.0045B6A46 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 280.3066 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 2.729041 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.473BA77 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.0000137516A \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 92774.98 m \frac{s}{K}$
$1 \frac{s}{K} = 0.009056B71 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 13B.2156 \frac{s}{K}$
$1k \frac{s}{K} = 5.292906 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 0.23642AB k \frac{s}{K}$
$1m \frac{m}{K} = 0.1A49A23 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 6.51786A m \frac{m}{K}$
$1 \frac{m}{K} = 10B.6989 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00B136169 \frac{m}{K}$
$1k \frac{m}{K} = 7603B.69 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00001723B56 k \frac{m}{K}$
$1m \frac{m}{sK} = 0.0000159016A \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 8141B.A2 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.00A332AA8 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 120.2710 \frac{m}{sK}$
$1k \frac{m}{sK} = 5.B40624 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.202815A k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 2433.053 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.0005115786 m \frac{ms}{K}$
$1 \frac{ms}{K} = 1443B11. \cdot 10^{80}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 89752A.4 \frac{ms}{K}$
$1k \frac{ms}{K} = 0.00095746BB \cdot 10^{90}$ (*)	$1 so - \frac{LT}{\Theta} = 10^{90} = 1326.169 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 0.00003466B3A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 36748.3B m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.01B57027 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 61.7825A \frac{m^2}{K}$
$1k \frac{m^2}{K} = 11.6B54A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 0.0A7300A0 k \frac{m^2}{K}$ (*)
$1m \frac{m^2}{sK} = 2816.87A \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.0004594653 m \frac{m^2}{sK}$
$1 \frac{m^2}{sK} = 1671601. \cdot 10^{40}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 78B268.6 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.000A915906 \cdot 10^{50}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 1147.109 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 0.2156202 \cdot 10^{10}$	$1 pa - \frac{L^2}{T^2\Theta} = 10^{10} = 5.7A5784 m \frac{m^2}{s^2 K}$

$$\begin{aligned}
1 \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 128.9760 \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 86396.09 \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} &= 0.4320936 \cdot 10^{B0} \\
1 \frac{\text{m}^2 \text{s}}{\text{K}} &= 257.4406 \cdot 10^{B0} \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} &= 151795.5 \cdot 10^{B0} \\
1 \text{m} \frac{1}{\text{m K}} &= 0.000006A07374 \cdot 10^0 \\
1 \frac{1}{\text{m K}} &= 0.003B59685 \cdot 10^0 \\
1 \text{k} \frac{1}{\text{m K}} &= 2.358B07 \\
1 \text{m} \frac{1}{\text{m s K}} &= 550.23B2 \cdot 10^{-40} \\
1 \frac{1}{\text{m s K}} &= 317601.B \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{m s K}} &= 0.0001993512 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m s}^2 \text{K}} &= 0.04362747 \cdot 10^{-70} \\
1 \frac{1}{\text{m s}^2 \text{K}} &= 25.9921B \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m s}^2 \text{K}} &= 15305.90 \cdot 10^{-70} \\
1 \text{m} \frac{s}{\text{m K}} &= 0.08766B71 \cdot 10^{30} \\
1 \frac{s}{\text{m K}} &= 4B.B1046 \cdot 10^{30} \\
1 \text{k} \frac{s}{\text{m K}} &= 2A817.9B \cdot 10^{30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{K}} &= 0.0393B747 \cdot 10^{-30} \\
1 \frac{1}{\text{m}^2 \text{K}} &= 22.2967B \cdot 10^{-30} \\
1 \text{k} \frac{1}{\text{m}^2 \text{K}} &= 13221.03 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s K}} &= 0.000002BB0502 \cdot 10^{-60} \quad (*) \\
1 \frac{1}{\text{m}^2 \text{s K}} &= 0.00189536A \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s K}} &= 1.004295 \cdot 10^{-60} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 245.66A5 \cdot 10^{-40} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 1457A3.8 \cdot 10^{-A0} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 0.000096472B0 \cdot 10^{-90} \\
1 \text{m} \frac{s}{\text{m}^2 \text{K}} &= 492.5A6B \cdot 10^0 \\
1 \frac{s}{\text{m}^2 \text{K}} &= 291336.1 \cdot 10^0 \\
1 \text{k} \frac{s}{\text{m}^2 \text{K}} &= 0.000171AA24 \cdot 10^{10} \\
1 \text{m} \frac{1}{\text{m}^3 \text{K}} &= 210.63A2 \cdot 10^{-60} \\
1 \frac{1}{\text{m}^3 \text{K}} &= 125ABA.8 \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^3 \text{K}} &= 0.00008478BB0 \cdot 10^{-50} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^3 \text{s K}} &= 0.017A1742 \cdot 10^{-90} \\
1 \frac{1}{\text{m}^3 \text{s K}} &= B.598647 \cdot 10^{-90} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s K}} &= 6790.130 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.000001388416 \cdot 10^{-100} \\
1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.000912473A \cdot 10^{-100} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.5323A82 \cdot 10^{-100} \\
1 \text{m} \frac{s}{\text{m}^3 \text{K}} &= 0.00000277323A \cdot 10^{-20} \\
1 \frac{s}{\text{m}^3 \text{K}} &= 0.001635961 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{m}^3 \text{K}} &= 0.4702286 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{K}} &= 0.013A5345 \cdot 10^{30} \\
1 \frac{\text{kg}}{\text{K}} &= 9.226005 \cdot 10^{30} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{K}} &= 5394.043 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg}}{\text{s K}} &= 0.00000106AA00 \cdot 10^0 \quad (*) \\
1 \frac{\text{kg}}{\text{s K}} &= 0.000733B296 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{s K}} &= 0.4265401 \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 9B.6A77A \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 59245.A6 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.000034065A2 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.009934A29 \frac{\text{m}^2}{\text{s}^2 \text{K}} \\
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.000014A7BB3 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{vai ei} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 2.9927A4 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{vai ei} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 0.004A42803 \frac{\text{m}^2}{\text{K}} \\
1 \text{pano} \cdot \frac{L^2 T}{\Theta} &= 10^{100} = 849B989. \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \frac{1}{L \Theta} &= 1 = 19087B.3 \text{m} \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 304.8532 \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 0.52A758B \text{k} \frac{1}{\text{m K}} \\
1 \text{ni' uvo} \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.00226B297 \text{m} \frac{1}{\text{m s K}} \\
1 \text{ni' uvo} \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.0000039B1560 \frac{1}{\text{m s K}} \\
1 \text{ni' uci} \cdot \frac{1}{LT \Theta} &= 10^{-30} = 6744.081 \text{k} \frac{1}{\text{m s K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 29.65BA0 \text{m} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 0.049B6271 \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni' uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 0.0000841A317 \text{k} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 14.83074 \text{m} \frac{\text{s}}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.024A057B \frac{\text{s}}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.0000419B57A \text{k} \frac{\text{s}}{\text{m K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 32.15321 \text{m} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.055A5548 \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.0000959AA34 \text{k} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 401358.A \text{m} \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 6B1.6822 \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 0.BB79407 \text{k} \frac{1}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni' ujauau} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.005086614 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni' ujauau} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.0000088AB081 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-90} = 13134.BB \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.002625780 \text{m} \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.000004424214 \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{pa} \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 7623.B51 \text{k} \frac{\text{s}}{\text{m}^2 \text{K}} \\
1 \text{ni' uxa} \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.0058BBA04 \text{m} \frac{1}{\text{m}^3 \text{K}} \quad (*) \\
1 \text{ni' uxa} \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.000009B2915B \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni' umu} \cdot \frac{1}{L^3 \Theta} &= 10^{-50} = 15204.30 \text{k} \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 73.0B0A3 \text{m} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.1065762 \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.0001980157 \text{k} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 91A844.A \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 139A.861 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 2.341738 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 468108.4 \text{m} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 7A5.8788 \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ni' ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 1.17309B \text{k} \frac{\text{s}}{\text{m}^3 \text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 90.A7486 \text{m} \frac{\text{kg}}{\text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.13819BB \frac{\text{kg}}{\text{K}} \quad (*) \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.0002311650 \text{k} \frac{\text{kg}}{\text{K}} \\
1 \frac{M}{T \Theta} &= 1 = B54B57.3 \text{m} \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 1795.48B \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 2.A23909 \text{k} \frac{\text{kg}}{\text{s K}} \\
1 \text{ni' uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.01254BA6 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni' uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.000020B7B4A \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni' uci} \cdot \frac{M}{T^2 \Theta} &= 10^{-30} = 37199.76 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{\text{kg s}}{\text{K}} &= 180.4050 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= B7100.27 \cdot 10^{60} \quad (*) \\
1k \frac{\text{kg s}}{\text{K}} &= 0.0000685A356 \cdot 10^{70} \\
1m \frac{\text{kg m}}{\text{K}} &= 0.000002488576 \cdot 10^{60} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.001475959 \cdot 10^{60} \\
1k \frac{\text{kg m}}{\text{K}} &= 0.9753659 \cdot 10^{60} \\
1m \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1k \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1m \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0160526A \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= A.530264 \cdot 10^{-10} \\
1k \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 6059.757 \cdot 10^{-10} \\
1m \frac{\text{kg m s}}{\text{K}} &= 0.030302B0 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 18.B8B83 \cdot 10^{90} \\
1k \frac{\text{kg m s}}{\text{K}} &= 10182.BA \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{K}} &= 43B.B262 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 2610A6.1 \cdot 10^{80} \\
1k \frac{\text{kg m}^2}{\text{K}} &= 0.000154B550 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{s K}} &= 0.0352495A \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1B.A13B2 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{\text{s K}} &= 1196A.68 \cdot 10^{50} \\
1m \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1k \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.000005574A88 \cdot 10^{100} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0031B8139 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.9B84BA \cdot 10^{100} \\
1m \frac{\text{kg}}{\text{m K}} &= 89.26759 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 50A78.7B \cdot 10^0 \\
1k \frac{\text{kg}}{\text{m K}} &= 0.00002B29AB6 \cdot 10^{10} \\
1m \frac{\text{kg}}{\text{m s K}} &= 0.006B45254 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 4.02B558 \cdot 10^{-30} \\
1k \frac{\text{kg}}{\text{m s K}} &= 23B0.628 \cdot 10^{-30} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 560897.A \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0003229118 \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1A1599B \cdot 10^{-60} \\
1m \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1k \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 4A1635.1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0002977AB9 \cdot 10^{-20} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1757237 \cdot 10^{-20} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3A.08646 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 227A3.2B \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0000135127A \cdot 10^{-50} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.00305B675 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.9154A8 \cdot 10^{-90} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1028.0A7 \cdot 10^{-90} \\
1m \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.00614340B \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 3.655063 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.007234241 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.00001051101 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 19576.54 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 501A4B.9 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 87B.47A1 \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1.2B75A0 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 7B.982B5 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.11967B0 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.0001BA0B45 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 3B.80018 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.06A45019 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.0000BA3B9B5 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.0029298A0 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.000004951904 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 832A.16B \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 35.B3756 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.06058571 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.0000A52A268 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 224020.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 396.0A52 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 0.6677437 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.01451057 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00002446953 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 4105B.73 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 188.8834 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.2B99664 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.00051A829B \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 221A839. \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 3924.A17 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 6.61334A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 2588A02. \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 4345.348 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 7.492607 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.03162525 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.0000549B4A4 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2T\Theta} &= 10^{-50} = 94036.B6 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 3B4.1A91 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.69993AA \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.000B946168 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 1B6.8111 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 0.3485649 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 2069.784 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0005A40890 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.002814414 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 459.8629 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1.67015B \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.78B9535 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = A90.8244 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.0011480B5 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s\ K} = 215434.A \cdot 10^{-90}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 57AA801. m \frac{kg}{m^3 s\ K}$
$1 \frac{kg}{m^3 s\ K} = 0.000128864B \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 9941.654 \frac{kg}{m^3 s\ K}$
$1k \frac{kg}{m^3 s\ K} = 0.08631B24 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 14.A92B4 k \frac{kg}{m^3 s\ K}$
$1m \frac{kg}{m^3 s^2 K} = 18.1B660 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.07184883 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = B803.599 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001041093 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 6904825. \cdot 10^{-100}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 193A92.5 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 34.63B39 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.03677A24 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 1B553.46 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000061817B0 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.0000116A542 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A7395.AB k \frac{kg\ s}{m^3 K}$
$1m K = 2A8A.A86 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.000418A275 m\ K$
$1 K = 0.000001813238 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 71B439.1 K$
$1k K = 0.000B775604 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 1046.233 k\ K$
$1m \frac{K}{s} = 0.23642AB \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 5.292906 m \frac{K}{s}$
$1 \frac{K}{s} = 13B.2156 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.009056B71 \frac{K}{s}$
$1k \frac{K}{s} = 92774.98 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0000137516A k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00001999287 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 6726B.48 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.01075A0A \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = B4.A7260 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 7.37BA73 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.17864B7 k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1 m\ K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1k m\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0000419B57A \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 2A817.9B m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.024A057B \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 4B.B1046 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 14.83074 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.08766B71 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 3359.932 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.000379201A m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.000001AA2464 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 6375A6.5 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.0011281A1 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = AA8.1861 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 6744.081 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.0001993512 m\ m\ s\ K$
$1m s\ K = 0.0000039B1560 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 317601.B m\ s\ K$
$1k m\ s\ K = 0.00226B297 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 550.23B2 k\ m\ s\ K$
$1m m^2 K = 0.0000959AA34 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 13221.03 m\ m^2 K$
$1 m^2 K = 0.055A5548 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 22.2967B m^2 K$
$1k m^2 K = 32.15321 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.0393B747 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5B57636 \cdot 10^{-40}$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 2.021821 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 354.38B0 \cdot 10^{-40}$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.003594419 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 1BB273.B \cdot 10^{-40} (*)$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.0000060242B3 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.BB79407 \cdot 10^{60} (*)$	$1 xa-L^2T\Theta = 10^{60} = 1.004295 m\ m^2 s\ K (*)$
$1 m^2 s\ K = 6B1.6822 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00189536A m^2 s\ K$
$1k m^2 s\ K = 401358.A \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.000002BB0502 k\ m^2 s\ K (*)$
$1m \frac{K}{m} = 0.00001723B56 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 7603B.69 m \frac{K}{m}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.00B136169 \cdot 10^{-50} \\
1 k \frac{K}{m} &= 6.51786A \cdot 10^{-50} \\
1 m \frac{K}{ms} &= 1326.169 \cdot 10^{-90} \\
1 \frac{K}{ms} &= 89752A.4 \cdot 10^{-90} \\
1 k \frac{K}{ms} &= 0.0005115786 \cdot 10^{-80} \\
1 m \frac{K}{ms^2} &= 0.1007530 \cdot 10^{-100} \quad (*) \\
1 \frac{K}{ms^2} &= 6B.83796 \cdot 10^{-100} \\
1 k \frac{K}{ms^2} &= 40524.01 \cdot 10^{-100} \\
1 m \frac{sK}{m} &= 0.202815A \cdot 10^{-20} \\
1 \frac{sK}{m} &= 120.2710 \cdot 10^{-20} \\
1 k \frac{sK}{m} &= 8141B.A2 \cdot 10^{-20} \\
1 m \frac{K}{m^2} &= 0.0A7300A0 \cdot 10^{-80} \quad (*) \\
1 \frac{K}{m^2} &= 61.7825A \cdot 10^{-80} \\
1 k \frac{K}{m^2} &= 36748.3B \cdot 10^{-80} \\
1 m \frac{K}{m^2 s} &= 849B989. \cdot 10^{-100} \\
1 \frac{K}{m^2 s} &= 0.004A42803 \cdot 10^{-B0} \\
1 k \frac{K}{m^2 s} &= 2.9927A4 \cdot 10^{-B0} \\
1 m \frac{K}{m^2 s^2} &= 67A.9430 \cdot 10^{-130} \\
1 \frac{K}{m^2 s^2} &= 3A2A23.6 \cdot 10^{-130} \\
1 k \frac{K}{m^2 s^2} &= 0.0002291153 \cdot 10^{-120} \\
1 m \frac{sK}{m^2} &= 1147.109 \cdot 10^{-50} \\
1 \frac{sK}{m^2} &= 78B268.6 \cdot 10^{-50} \\
1 k \frac{sK}{m^2} &= 0.0004594653 \cdot 10^{-40} \\
1 m \frac{K}{m^3} &= 5A3.7635 \cdot 10^{-B0} \\
1 \frac{K}{m^3} &= 348262.B \cdot 10^{-B0} \\
1 k \frac{K}{m^3} &= 0.0001B66421 \cdot 10^{-A0} \\
1 m \frac{K}{m^3 s} &= 0.04785943 \cdot 10^{-120} \\
1 \frac{K}{m^3 s} &= 28.2A298 \cdot 10^{-120} \\
1 k \frac{K}{m^3 s} &= 167A5.8A \cdot 10^{-120} \\
1 m \frac{K}{m^3 s^2} &= 3818466. \cdot 10^{-160} \\
1 \frac{K}{m^3 s^2} &= 0.002166562 \cdot 10^{-150} \\
1 k \frac{K}{m^3 s^2} &= 1.2948A4 \cdot 10^{-150} \\
1 m \frac{sK}{m^3} &= 7487B26. \cdot 10^{-80} \\
1 \frac{sK}{m^3} &= 0.004341592 \cdot 10^{-70} \\
1 k \frac{sK}{m^3} &= 2.586774 \cdot 10^{-70} \\
1 m kg K &= 0.03867199 \cdot 10^{-20} \\
1 kg K &= 21.9457B \cdot 10^{-20} \\
1 k kg K &= 12B05.08 \cdot 10^{-20} \\
1 m \frac{kg K}{s} &= 2B37376. \cdot 10^{-60} \\
1 \frac{kg K}{s} &= 0.001851886 \cdot 10^{-50} \\
1 k \frac{kg K}{s} &= 0.B9A4797 \cdot 10^{-50} \\
1 m \frac{kg K}{s^2} &= 23B.7B5B \cdot 10^{-90} \\
1 \frac{kg K}{s^2} &= 1422BB.2 \cdot 10^{-90} \quad (*) \\
1 k \frac{kg K}{s^2} &= 0.0000944B562 \cdot 10^{-80} \\
1 m kg s K &= 482.7B4A \cdot 10^{10} \\
1 kg s K &= 28651A.7 \cdot 10^{10} \\
1 k kg s K &= 0.000169B399 \cdot 10^{20} \\
1 m kg m K &= 687789A. \cdot 10^0 \\
1 kg m K &= 0.003A7B907 \cdot 10^{10} \\
1 k kg m K &= 2.3008B6 \cdot 10^{10} \quad (*) \\
1 m \frac{kg m K}{s} &= 53A.9035 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 10B.6989 \frac{K}{m} \\
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 0.1A49A23 k \frac{K}{m} \\
1 ni'uso-\frac{\Theta}{LT} &= 10^{-90} = 0.00095746B m \frac{K}{ms} \quad (*) \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 1443B11. \frac{K}{ms} \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 2433.053 k \frac{K}{ms} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = B.B47171 m \frac{K}{ms^2} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.0187922B \frac{K}{ms^2} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.00002B81801 k \frac{K}{ms^2} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 5.B40624 m \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.00A332AA8 \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.0000159016A k \frac{sK}{m} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 11.6B54A m \frac{K}{m^2} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.01B57027 \frac{K}{m^2} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.00003466B3A k \frac{K}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 151795.5 m \frac{K}{m^2 s} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 257.4406 \frac{K}{m^2 s} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 0.4320936 k \frac{K}{m^2 s} \\
1 ni'upaci-\frac{\Theta}{L^2T^2} &= 10^{-130} = 0.001976439 m \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 3145743. \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 546B.517 k \frac{K}{m^2 s^2} \\
1 ni'umu-\frac{T\Theta}{L^2} &= 10^{-50} = 0.000A915906 m \frac{sK}{m^2} \\
1 ni'ubo-\frac{T\Theta}{L^2} &= 10^{-40} = 1671601. \frac{sK}{m^2} \\
1 ni'ubo-\frac{T\Theta}{L^2} &= 10^{-40} = 2816.87A k \frac{sK}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^3} &= 10^{-B0} = 0.00206B563 m \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 365822B. \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 6148.931 k \frac{K}{m^3} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 27.02995 m \frac{K}{m^3 s} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.045727A7 \frac{K}{m^3 s} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.00007875A0A k \frac{K}{m^3 s} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 331918.5 m \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 577.8B94 \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 0.98A84BA k \frac{K}{m^3 s^2} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 175877.2 m \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 297.A4A6 \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 0.4A1A70B k \frac{sK}{m^3} \\
1 ni'ure-M\Theta &= 10^{-20} = 32.955B7 m kg K \\
1 ni'ure-M\Theta &= 10^{-20} = 0.057038A6 kg K \\
1 ni'ure-M\Theta &= 10^{-20} = 0.0000979A258 k kg K \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 40B4B1.1 m \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 707.065A \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 1.021BB8 k \frac{kg K}{s} \quad (*) \\
1 ni'uso-\frac{M\Theta}{T^2} &= 10^{-90} = 0.005193937 m \frac{kg K}{s^2} \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 8A8BA96. \frac{kg K}{s^2} \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 13456.78 k \frac{kg K}{s^2} \\
1 pa-MT\Theta &= 10^{10} = 0.002689A87 m kg s K \\
1 re-MT\Theta &= 10^{20} = 4513B39. kg s K \\
1 re-MT\Theta &= 10^{20} = 7793.78A k kg s K \\
1 pa-ML\Theta &= 10^{10} = 19519B.2 m kg m K \\
1 pa-ML\Theta &= 10^{10} = 310.4387 kg m K \\
1 pa-ML\Theta &= 10^{10} = 0.53BA293 k kg m K \\
1 ni'uci-\frac{ML\Theta}{T} &= 10^{-30} = 0.0023063B4 m \frac{kg m K}{s}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 30B87B.B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00019494A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 0.04276972 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 25.37268 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 14B58.11 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0977A372 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 56.B1AA4 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 32895.A9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 7778851. \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.004504B92 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.683670 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 0.0000134246A \cdot 10^{70} \\
1 \text{kg m}^2 \text{s K} &= 0.008A71A48 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 5.183036 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 207.422B \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 122B04.B \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.000082AB362 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.01760466 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= B.352768 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 6646.2B1 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13553B9. \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0008B39834 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.5213136 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 2708945. \cdot 10^{-20} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0015B84B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.A49B129 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 117208B. \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0007A5179A \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4679017 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 s} &= A9.36703 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 s} &= 629A7.89 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 s} &= 0.000037373B0 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 s^2} &= 0.008655222 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 s^2} &= 4.B3587A \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 s^2} &= 2A38.989 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.0151B100 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 9.B20372 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 58B6.890 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.00761933A \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.420391 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 2623.4A1 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 s} &= 5B5229.A \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^3 s} &= 0.0003540823 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 s} &= 0.1BB0A0A \cdot 10^{-110} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 3A89497. \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 6890.4A0 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 2A.167B2 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.04AB864B \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000085AB123 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-} ML^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 12.B3609 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.02199973 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00003874439 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 16A326.2 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 286.BA70 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.48376A4 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 946A8.42 \text{m kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 142.6410 \text{kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 0.24018A6 \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.005A26032 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = A13A14B. \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = 15578.44 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 74.72A8A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.1091345 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.0001A069A3 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 939995.1 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 1412.7A7 \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2.39A781 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 47770B.8 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 801.7193 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 1.1A14B6 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = A70B76.A \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 1637.192 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 2.77564A \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.01144628 \text{m} \frac{\text{kg K}}{\text{m}^2 s} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.00001B11699 \frac{\text{kg K}}{\text{m}^2 s} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 33AA6.B8 \text{k} \frac{\text{kg K}}{\text{m}^2 s} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 14A.4902 \text{m} \frac{\text{kg K}}{\text{m}^2 s^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.2518A70 \frac{\text{kg K}}{\text{m}^2 s^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0004244267 \text{k} \frac{\text{kg K}}{\text{m}^2 s^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 84.84542 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.1260093 \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0002108212 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 172.0328 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.29158B1 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000492A14B \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{M\Theta}{L^3T} &= 10^{-120} = 0.00000202357B \text{m} \frac{\text{kg K}}{\text{m}^3 s} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 3597.533 \frac{\text{kg K}}{\text{m}^3 s} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 6.029711 \text{k} \frac{\text{kg K}}{\text{m}^3 s}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 48.72863 \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.026641 A9 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 2890 A.1 A \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.00004490689 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.000016 B57 A6 \cdot 10^{-140}$	$1 ni' upavo \frac{M\Theta}{L^3 T^2} = 10^{-140} = 771 A A.34 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 95.92523 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.01323262 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 55 A06. A8 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.0000222 B5 B8 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.0000321253 A \cdot 10^{-60}$	$1 ni' uxa \frac{MT\Theta}{L^3} = 10^{-60} = 3942 B.80 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.100696 A \cdot 10^{-40}$ (*)	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = B.B528 B8 m \frac{K}{C}$
$1 \frac{K}{C} = 6 B.7 B258 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.0187 A34 A \frac{K}{C}$
$1k \frac{K}{C} = 404 B9.1 A \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.00002 B8368 B \frac{K}{C}$
$1m \frac{K}{sC} = 966777 A \cdot 10^{-80}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 131024.8 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.005636105 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 220.9688 \frac{K}{sC}$
$1k \frac{K}{sC} = 3.244432 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 0.390619 A k \frac{K}{sC}$
$1m \frac{K}{s^2 C} = 769.2 B90 \cdot 10^{-B0}$	$1 ni' uvaiei \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.0017053 A A m \frac{K}{s^2 C}$
$1 \frac{K}{s^2 C} = 446428.3 \cdot 10^{-B0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 28 A9016. \frac{K}{s^2 C}$
$1k \frac{K}{s^2 C} = 0.0002649540 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 48 A1.679 k \frac{K}{s^2 C}$
$1m \frac{sK}{C} = 1325.3 A6 \cdot 10^{-10}$	$1 ni' upa \frac{T\Theta}{Q} = 10^{-10} = 0.000957 A74 A m \frac{sK}{C}$
$1 \frac{sK}{C} = 896 B76. A \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 1444962. \frac{sK}{C}$
$1k \frac{sK}{C} = 0.0005112493 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 2434.656 k \frac{sK}{C}$
$1m \frac{mK}{C} = 0.0000199809 A \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 672 B1. A6 m \frac{mK}{C}$
$1 \frac{mK}{C} = 0.01075204 \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = B4. B258 A \frac{mK}{C}$
$1k \frac{mK}{C} = 7.377291 \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 0.1787564 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 1534.1 A A \cdot 10^{-50}$	$1 ni' umu \frac{L\Theta}{TQ} = 10^{-50} = 0.0008400 B24 m \frac{mK}{sC}$ (*)
$1 \frac{mK}{sC} = 9 BBA A6. A \cdot 10^{-50}$ (*)	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 1249899. \frac{mK}{sC}$
$1k \frac{mK}{sC} = 0.0005953429 \cdot 10^{-40}$	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 20 A7.4 B6 k \frac{mK}{sC}$
$1m \frac{mK}{s^2 C} = 0.1183714 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = A.626066 m \frac{mK}{s^2 C}$
$1 \frac{mK}{s^2 C} = 7 B.0 B744 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.01621090 \frac{mK}{s^2 C}$
$1k \frac{mK}{s^2 C} = 47034.79 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.0000274 A34 B k \frac{mK}{s^2 C}$
$1m \frac{msK}{C} = 0.2362945 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 5.296106 m \frac{msK}{C}$
$1 \frac{msK}{C} = 13 B.1339 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.009060887 \frac{msK}{C}$
$1k \frac{msK}{C} = 92716.3 B \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.00001375 B64 k \frac{msK}{C}$
$1m \frac{m^2 K}{C} = 3357.814 \cdot 10^{10}$	$1 pa \frac{L^2 \Theta}{Q} = 10^{10} = 0.0003794406 m \frac{m^2 K}{C}$
$1 \frac{m^2 K}{C} = 0.000001 A A11 B8 \cdot 10^{20}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = 6379 A8.9 \frac{m^2 K}{C}$
$1k \frac{m^2 K}{C} = 0.001127550 \cdot 10^{20}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = AA8.8796 k \frac{m^2 K}{C}$
$1m \frac{m^2 K}{sC} = 0.2733832 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 4.73012 A m \frac{m^2 K}{sC}$
$1 \frac{m^2 K}{sC} = 161.2374 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.007 B58190 \frac{m^2 K}{sC}$
$1k \frac{m^2 K}{sC} = A5833.92 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.0000118 B897 k \frac{m^2 K}{sC}$
$1m \frac{m^2 K}{s^2 C} = 0.00002094818 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 59887.81 m \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 K}{s^2 C} = 0.0124125 A \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = A0.5 A284 \frac{m^2 K}{s^2 C}$
$1k \frac{m^2 K}{s^2 C} = 8.371872 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 0.1542523 k \frac{m^2 K}{s^2 C}$
$1m \frac{m^2 sK}{C} = 0.000041989 AB \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 2 A835. B2 m \frac{m^2 sK}{C}$
$1 \frac{m^2 sK}{C} = 0.0249 AB36 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 4 B. B4269 \frac{m^2 sK}{C}$
$1k \frac{m^2 sK}{C} = 14.821 B9 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 0.08770570 k \frac{m^2 sK}{C}$
$1m \frac{K}{mC} = 67 A.5142 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{LQ} = 10^{-70} = 0.001977612 m \frac{K}{mC}$
$1 \frac{K}{mC} = 3 A278 A.0 \cdot 10^{-70}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = 3147721. \frac{K}{mC}$
$1k \frac{K}{mC} = 0.000228 B848 \cdot 10^{-60}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = 5472. A35 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.0533544 A \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 23.37952 m \frac{K}{msC}$
$1 \frac{K}{msC} = 30.75 B33 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.03 B22162 \frac{K}{msC}$
$1k \frac{K}{msC} = 19240.6 B \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.000069642 BB k \frac{K}{msC}$ (*)

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 4219412 \cdot 10^{-120} \\
1 \frac{K}{ms^2C} &= 0.002503026 \cdot 10^{-110} \\
1k \frac{K}{ms^2C} &= 1.4964B5 \cdot 10^{-110} \\
1m \frac{sK}{mC} &= 849655B \cdot 10^{-40} \\
1 \frac{sK}{mC} &= 0.004A3B6A2 \cdot 10^{-30} \\
1k \frac{sK}{mC} &= 2.990A42 \cdot 10^{-30} \\
1m \frac{K}{m^2C} &= 3816050 \cdot 10^{-A0} \\
1 \frac{K}{m^2C} &= 0.00216512B \cdot 10^{-90} \\
1k \frac{K}{m^2C} &= 1.293B54 \cdot 10^{-90} \\
1m \frac{K}{m^2sC} &= 2AB.6A5B \cdot 10^{-110} \\
1 \frac{K}{m^2sC} &= 182984.A \cdot 10^{-110} \\
1k \frac{K}{m^2sC} &= 0.0000B862044 \cdot 10^{-100} \\
1m \frac{K}{m^2s^2C} &= 0.02385702 \cdot 10^{-140} \\
1 \frac{K}{m^2s^2C} &= 14.04954 \cdot 10^{-140} \\
1k \frac{K}{m^2s^2C} &= 9341.2B3 \cdot 10^{-140} \\
1m \frac{sK}{m^2C} &= 0.047829A4 \cdot 10^{-60} \\
1 \frac{sK}{m^2C} &= 28.28632 \cdot 10^{-60} \\
1k \frac{sK}{m^2C} &= 16795.A2 \cdot 10^{-60} \\
1m \frac{K}{m^3C} &= 0.0204650A \cdot 10^{-100} \\
1 \frac{K}{m^3C} &= 12.135B2 \cdot 10^{-100} \\
1k \frac{K}{m^3C} &= 81B7.724 \cdot 10^{-100} \\
1m \frac{K}{m^3sC} &= 173975A \cdot 10^{-140} \\
1 \frac{K}{m^3sC} &= 0.000B2189B9 \cdot 10^{-130} \\
1k \frac{K}{m^3sC} &= 0.6576880 \cdot 10^{-130} \\
1m \frac{K}{m^3s^2C} &= 133.816A \cdot 10^{-170} \\
1 \frac{K}{m^3s^2C} &= 8A365.71 \cdot 10^{-170} \\
1k \frac{K}{m^3s^2C} &= 0.00005161AAA \cdot 10^{-160} \\
1m \frac{sK}{m^3C} &= 269.2205 \cdot 10^{-90} \\
1 \frac{sK}{m^3C} &= 159790.9 \cdot 10^{-90} \\
1k \frac{sK}{m^3C} &= 0.0000A377A35 \cdot 10^{-80} \\
1m \frac{kgK}{C} &= 1354617 \cdot 10^{-40} \\
1 \frac{kgK}{C} &= 0.0008B33BAB \cdot 10^{-30} \\
1k \frac{kgK}{C} &= 0.520B988 \cdot 10^{-30} \\
1m \frac{kgK}{sC} &= 102.A820 \cdot 10^{-70} \\
1 \frac{kgK}{sC} &= 7100A.04 \cdot 10^{-70} (*) \\
1k \frac{kgK}{sC} &= 0.00004123998 \cdot 10^{-60} \\
1m \frac{kgK}{s^2C} &= 0.009848922 \cdot 10^{-A0} \\
1 \frac{kgK}{s^2C} &= 5.743625 \cdot 10^{-A0} \\
1k \frac{kgK}{s^2C} &= 32B9.191 \cdot 10^{-A0} \\
1m \frac{kg sK}{C} &= 0.0175B415 \cdot 10^0 \\
1 \frac{kg sK}{C} &= B.347533 \\
1k \frac{kg sK}{C} &= 6642.0BB \cdot 10^0 (*) \\
1m \frac{kg mK}{C} &= 23B.6581 \cdot 10^{-10} \\
1 \frac{kg mK}{C} &= 142217.5 \cdot 10^{-10} \\
1k \frac{kg mK}{C} &= 0.000094455A9 \cdot 10^0 \\
1m \frac{kg mK}{sC} &= 0.01A1A654 \cdot 10^{-40} \\
1 \frac{kg mK}{sC} &= 10.9A461 \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 2A55B2.3 m \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 4B6.6276 \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 0.86A8301 k \frac{K}{ms^2C} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 151884.6 m \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 257.5AB0 \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 0.43235AA k \frac{sK}{mC} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 331B27.A m \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 578.06A8 \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 0.98B275A k \frac{K}{m^2C} \\
1 ni'upapa-\frac{\Theta}{L^2TQ} &= 10^{-110} = 0.004150882 m \frac{K}{m^2sC} \\
1 ni'upano-\frac{\Theta}{L^2TQ} &= 10^{-100} = 7149847. \frac{K}{m^2sC} \\
1 ni'upano-\frac{\Theta}{L^2TQ} &= 10^{-100} = 1036A.51 k \frac{K}{m^2sC} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 52.45409 m \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.08B93905 \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.0001362A17 k \frac{K}{m^2s^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 27.04568 m \frac{sK}{m^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.04575607 \frac{sK}{m^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.0000787A913 k \frac{sK}{m^2C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 5A.A7321 m \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.0A25A1A0 \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.0001577A89 k \frac{K}{m^3C} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 755574.8 m \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 10A6.B52 \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 1.A31437 k \frac{K}{m^3sC} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.0094A87B0 m \frac{K}{m^3s^2C} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.00001430B61 \frac{K}{m^3s^2C} \\
1 ni'upaxa-\frac{\Theta}{L^3T^2Q} &= 10^{-160} = 24112.16 k \frac{K}{m^3s^2C} \\
1 ni'uso-\frac{T\Theta}{L^3Q} &= 10^{-90} = 0.004820175 m \frac{sK}{m^3C} \\
1 ni'ubi-\frac{T\Theta}{L^3Q} &= 10^{-80} = 810836A. \frac{sK}{m^3C} \\
1 ni'ubi-\frac{T\Theta}{L^3Q} &= 10^{-80} = 11B87.06 k \frac{sK}{m^3C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 93A388.3 m \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 1413.619 \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 2.3A014B k \frac{kgK}{C} \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.00B920035 m \frac{kgK}{sC} (*) \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.0000183B29B \frac{kgK}{sC} \\
1 ni'uxa-\frac{M\Theta}{TQ} &= 10^{-60} = 2B163.1A k \frac{kgK}{sC} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 12A.1A09 m \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.217A227 \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.000383B675 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 74.77726 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.1091B60 \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0001A07BAB k \frac{kg sK}{C} \\
1 ni'upa-\frac{ML\Theta}{Q} &= 10^{-10} = 0.005197081 m \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 8A9569B. \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 13464.53 k \frac{kg mK}{C} \\
1 ni'uvu-\frac{ML\Theta}{TQ} &= 10^{-40} = 65.BA798 m \frac{kg mK}{sC} \\
1 ni'uvu-\frac{ML\Theta}{TQ} &= 10^{-40} = 0.0B292693 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 7506.078 \cdot 10^{-40} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 1568197 \cdot 10^{-80} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.000A1B071B \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.5A68099 \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 2B35517 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.001850784 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.B999150 \cdot 10^{30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.04274141 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 25.357A8 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14B49.35 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 341303B \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.001B26043 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 1.152066 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 279.40A8 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 164823.6 \cdot 10^{-50} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.0000A786272 \cdot 10^{-40} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 53A.576B \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 30B685.3 \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.0001948327 \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.00864B8AB \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 4.B326A6 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 2A36.BA5 \cdot 10^{-60} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 6919B6.B \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.0003AB6865 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.2321733 \cdot 10^{-90} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 54.37A14 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 31268.56 \cdot 10^{-110} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.00001965129 \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= A9.2B879 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 62968.08 \cdot 10^{-30} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.0000373503B \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 48.6B857 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 288B1.35 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.000016B4797 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.0038A01B2 \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 2.1B4255 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 1302.1A4 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 2B6396.A \cdot 10^{-140} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0001868646 \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0BA932B1 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 5B4A53.8 \cdot 10^{-60} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.000353A5A2 \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.1BAB69B \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 273145.A \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0001610B66 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0A576018 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvo}-\frac{ML\Theta}{TQ} &= 10^{-40} = 0.000174A666 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{ML\Theta}{T^2Q} &= 10^{-70} = 825117.4 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{ML\Theta}{T^2Q} &= 10^{-70} = 1220.B21 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{ML\Theta}{T^2Q} &= 10^{-70} = 2.05A890 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ci}-\frac{MLT\Theta}{Q} &= 10^{30} = 40B763.5 \text{m} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ci}-\frac{MLT\Theta}{Q} &= 10^{30} = 707.5049 \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ci}-\frac{MLT\Theta}{Q} &= 10^{30} = 1.02278A \text{k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{re}-\frac{ML^2\Theta}{Q} &= 10^{20} = 2A.18582 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{re}-\frac{ML^2\Theta}{Q} &= 10^{20} = 0.04ABB7BB \frac{\text{kg m}^2 \text{K}}{\text{C}} (*) \\
1 \text{re}-\frac{ML^2\Theta}{Q} &= 10^{20} = 0.000085B4618 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ni}'\text{upa}-\frac{ML^2\Theta}{TQ} &= 10^{-10} = 371074.3 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{upa}-\frac{ML^2\Theta}{TQ} &= 10^{-10} = 625.56A2 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{upa}-\frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.A87AA5B \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{ML^2\Theta}{T^2Q} &= 10^{-50} = 0.004646301 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo}-\frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 79B680B. \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo}-\frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 11645.00 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} (*) \\
1 \text{mu}-\frac{ML^2T\Theta}{Q} &= 10^{50} = 0.002307922 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{xa}-\frac{ML^2T\Theta}{Q} &= 10^{60} = 3A8BA70. \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{xa}-\frac{ML^2T\Theta}{Q} &= 10^{60} = 6894.837 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ni}'\text{uxa}-\frac{M\Theta}{LQ} &= 10^{-60} = 14A.5792 \text{m} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa}-\frac{M\Theta}{LQ} &= 10^{-60} = 0.251A51B \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa}-\frac{M\Theta}{LQ} &= 10^{-60} = 0.0004246A79 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{ujauau}-\frac{M\Theta}{LTQ} &= 10^{-A0} = 0.000001936286 \text{m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{LTQ} &= 10^{-90} = 3096.532 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{LTQ} &= 10^{-90} = 5.36B850 \text{k} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{upapa}-\frac{M\Theta}{LT^2Q} &= 10^{-110} = 0.022A5712 \text{m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upapa}-\frac{M\Theta}{LT^2Q} &= 10^{-110} = 0.00003A527A2 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{LT^2Q} &= 10^{-100} = 682A6.56 \text{k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{uci}-\frac{MT\Theta}{LQ} &= 10^{-30} = 0.0114528A \text{m} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{uci}-\frac{MT\Theta}{LQ} &= 10^{-30} = 0.00001B12964 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{ure}-\frac{MT\Theta}{LQ} &= 10^{-20} = 33B08.4A \text{k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{L^2Q} &= 10^{-90} = 0.02665942 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{L^2Q} &= 10^{-90} = 0.00004493442 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{ubi}-\frac{M\Theta}{L^2Q} &= 10^{-80} = 77238.46 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^2TQ} &= 10^{-100} = 326.6027 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.5672521 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.0009710322 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{upavo}-\frac{M\Theta}{L^2T^2Q} &= 10^{-140} = 0.000004078195 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaci}-\frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 7007.204 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} (*) \\
1 \text{ni}'\text{upaci}-\frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 10.12A34 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uxa}-\frac{MT\Theta}{L^2Q} &= 10^{-60} = 0.00000202490B \text{m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{MT\Theta}{L^2Q} &= 10^{-50} = 3599.7AB \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{MT\Theta}{L^2Q} &= 10^{-50} = 6.031516 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^3Q} &= 10^{-100} = 0.00000473423B \text{m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei}-\frac{M\Theta}{L^3Q} &= 10^{-B0} = 7B63.270 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei}-\frac{M\Theta}{L^3Q} &= 10^{-B0} = 11.90902 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg K}{m^3 s C} &= 20.92A16 \cdot 10^{-130} \\
1 \frac{kg K}{m^3 s C} &= 12401.90 \cdot 10^{-130} \\
1k \frac{kg K}{m^3 s C} &= 0.000008366419 \cdot 10^{-120} \\
1m \frac{kg K}{m^3 s^2 C} &= 0.0017763B9 \cdot 10^{-160} \\
1 \frac{kg K}{m^3 s^2 C} &= 0.B437378 \cdot 10^{-160} \\
1k \frac{kg K}{m^3 s^2 C} &= 66A.6487 \cdot 10^{-160} \\
1m \frac{kg s K}{m^3 C} &= 0.003354908 \cdot 10^{-80} \\
1 \frac{kg s K}{m^3 C} &= 1.A9B583 \cdot 10^{-80} \\
1k \frac{kg s K}{m^3 C} &= 1126.582 \cdot 10^{-80} \\
1m CK &= 0.000084236B7 \cdot 10^{-10} \\
1 CK &= 0.049B9364 \cdot 10^{-10} \\
1k CK &= 29.67926 \cdot 10^{-10} \\
1m \frac{CK}{s} &= 6748.331 \cdot 10^{-50} \\
1 \frac{CK}{s} &= 0.0000039B3A93 \cdot 10^{-40} \\
1k \frac{CK}{s} &= 0.00227078A \cdot 10^{-40} \\
1m \frac{CK}{s^2} &= 0.52AA99A \cdot 10^{-80} \\
1 \frac{CK}{s^2} &= 304.A456 \cdot 10^{-80} \\
1k \frac{CK}{s^2} &= 190994.4 \cdot 10^{-80} \\
1m s CK &= 0.A653811 \cdot 10^{20} \\
1 s CK &= 612.0A22 \cdot 10^{20} \\
1k s CK &= 364186.8 \cdot 10^{20} \\
1m m CK &= 13142.76 \cdot 10^{10} \\
1m CK &= 0.0000088B4766 \cdot 10^{20} \\
1k m CK &= 0.005089898 \cdot 10^{20} \\
1m \frac{m CK}{s} &= 0.BB84B73 \cdot 10^{-20} (*) \\
1 \frac{m CK}{s} &= 6B1.B11B \cdot 10^{-20} \\
1k \frac{m CK}{s} &= 401604.9 \cdot 10^{-20} \\
1m \frac{m CK}{s^2} &= 0.000095A4A9A \cdot 10^{-50} \\
1 \frac{m CK}{s^2} &= 0.055A8B46 \cdot 10^{-50} \\
1k \frac{m CK}{s^2} &= 32.17358 \cdot 10^{-50} \\
1m m s CK &= 0.000170A494 \cdot 10^{50} \\
1 m s CK &= 0.0B05425B \cdot 10^{50} \\
1k m s CK &= 64.791A8 \cdot 10^{50} \\
1m m^2 CK &= 2.34308A \cdot 10^{40} \\
1 m^2 CK &= 139B.671 \cdot 10^{40} \\
1k m^2 CK &= 91B225.4 \cdot 10^{40} \\
1m \frac{m^2 CK}{s} &= 0.0001981334 \cdot 10^{10} \\
1 \frac{m^2 CK}{s} &= 0.1066361 \cdot 10^{10} \\
1k \frac{m^2 CK}{s} &= 73.13843 \cdot 10^{10} \\
1m \frac{m^2 CK}{s^2} &= 15213.23 \cdot 10^{-30} \\
1 \frac{m^2 CK}{s^2} &= 0.000009B33559 \cdot 10^{-20} \\
1k \frac{m^2 CK}{s^2} &= 0.005903601 \cdot 10^{-20} \\
1m m^2 s CK &= 2A631.45 \cdot 10^{70} \\
1 m^2 s CK &= 0.000017B8976 \cdot 10^{80} \\
1k m^2 s CK &= 0.00B68995B \cdot 10^{80} \\
1m \frac{CK}{m} &= 0.47429A9 \cdot 10^{-40} \\
1 \frac{CK}{m} &= 280.48B5 \cdot 10^{-40} \\
1k \frac{CK}{m} &= 16654B.6 \cdot 10^{-40} \\
1m \frac{CK}{m s} &= 0.000037A44004 \cdot 10^{-70} (*) \\
\end{aligned}$$

$$\begin{aligned}
1 ni'upaci-\frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.05991976 m \frac{kg K}{m^3 s C} \\
1 ni'upaci-\frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.0000A067191 \frac{kg K}{m^3 s C} \\
1 ni'upare-\frac{M\Theta}{L^3 T Q} &= 10^{-120} = 154387.3 k \frac{kg K}{m^3 s C} \\
1 ni'upaxa-\frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 740.5A24 m \frac{kg K}{m^3 s^2 C} \\
1 ni'upaxa-\frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 1.08173B \frac{kg K}{m^3 s^2 C} \\
1 ni'upaxa-\frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 0.0019AA7A3 k \frac{kg K}{m^3 s^2 C} \\
1 ni'ubi-\frac{MT\Theta}{L^3 Q} &= 10^{-80} = 379.76B4 m \frac{kg s K}{m^3 C} \\
1 ni'ubi-\frac{MT\Theta}{L^3 Q} &= 10^{-80} = 0.63835B5 \frac{kg s K}{m^3 C} \\
1 ni'ubi-\frac{MT\Theta}{L^3 Q} &= 10^{-80} = 0.000AA963B5 k \frac{kg s K}{m^3 C} \\
1 ni'upa-Q\Theta &= 10^{-10} = 152B6.91 m C K \\
1 ni'upa-Q\Theta &= 10^{-10} = 25.97720 C K \\
1 ni'upa-Q\Theta &= 10^{-10} = 0.0435BA69 k C K \\
1 ni'umu-\frac{Q\Theta}{T} &= 10^{-50} = 0.0001992328 m \frac{CK}{s} \\
1 ni'uvo-\frac{Q\Theta}{T} &= 10^{-40} = 317402.4 \frac{CK}{s} \\
1 ni'uvo-\frac{Q\Theta}{T} &= 10^{-40} = 54B.AA61 k \frac{CK}{s} \\
1 ni'ubi-\frac{Q\Theta}{T^2} &= 10^{-80} = 2.357566 m \frac{CK}{s^2} \\
1 ni'ubi-\frac{Q\Theta}{T^2} &= 10^{-80} = 0.003B57055 \frac{CK}{s^2} \\
1 ni'ubi-\frac{Q\Theta}{T^2} &= 10^{-80} = 0.000006A02B41 k \frac{CK}{s^2} \\
1 re-TQ\Theta &= 10^{20} = 1.17BB4B m s C K (*) \\
1 re-TQ\Theta &= 10^{20} = 0.001B74752 s C K \\
1 re-TQ\Theta &= 10^{20} = 0.00000349832A k s C K \\
1 pa-LQ\Theta &= 10^{10} = 0.00009641207 m m C K \\
1 re-LQ\Theta &= 10^{20} = 1456B9.9 m C K \\
1 re-LQ\Theta &= 10^{20} = 245.508A k m C K \\
1 ni'ure-\frac{LQ\Theta}{T} &= 10^{-20} = 1.003716 m \frac{m CK}{s} (*) \\
1 ni'ure-\frac{LQ\Theta}{T} &= 10^{-20} = 0.00189423B \frac{m CK}{s} \\
1 ni'ure-\frac{LQ\Theta}{T} &= 10^{-20} = 0.000002BA616 k \frac{m CK}{s} \\
1 ni'umu-\frac{LQ\Theta}{T^2} &= 10^{-50} = 13213.42 m \frac{m CK}{s^2} \\
1 ni'umu-\frac{LQ\Theta}{T^2} &= 10^{-50} = 22.281B5 \frac{m CK}{s^2} \\
1 ni'umu-\frac{LQ\Theta}{T^2} &= 10^{-50} = 0.03939261 k \frac{m CK}{s^2} \\
1 mu-LTQ\Theta &= 10^{50} = 7672.A07 m m s C K \\
1 mu-LTQ\Theta &= 10^{50} = 11.068B3 m s C K \\
1 mu-LTQ\Theta &= 10^{50} = 0.01A66579 k m s C K \\
1 vo-L^2 Q\Theta &= 10^{40} = 0.5320650 m m^2 C K \\
1 vo-L^2 Q\Theta &= 10^{40} = 0.000911A990 m^2 C K \\
1 vo-L^2 Q\Theta &= 10^{40} = 0.000001387614 k m^2 C K \\
1 pa-\frac{L^2 Q\Theta}{T} &= 10^{10} = 6787.A53 m \frac{m^2 CK}{s} \\
1 pa-\frac{L^2 Q\Theta}{T} &= 10^{10} = B.591270 \frac{m^2 CK}{s} \\
1 pa-\frac{L^2 Q\Theta}{T} &= 10^{10} = 0.017A0686 k \frac{m^2 CK}{s} \\
1 ni'uci-\frac{L^2 Q\Theta}{T^2} &= 10^{-30} = 0.00008473797 m \frac{m^2 CK}{s^2} \\
1 ni'ure-\frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 125A27.B \frac{m^2 CK}{s^2} \\
1 ni'ure-\frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 210.4BA8 k \frac{m^2 CK}{s^2} \\
1 ze-L^2 TQ\Theta &= 10^{70} = 0.00004208007 m m^2 s C K (*) \\
1 bi-L^2 TQ\Theta &= 10^{80} = 725B5.21 m^2 s C K \\
1 bi-L^2 TQ\Theta &= 10^{80} = 105.56BA k m^2 s C K \\
1 ni'uvo-\frac{Q\Theta}{L} &= 10^{-40} = 2.727454 m \frac{CK}{m} \\
1 ni'uvo-\frac{Q\Theta}{L} &= 10^{-40} = 0.0045B3BBB \frac{CK}{m} (**) \\
1 ni'uvo-\frac{Q\Theta}{L} &= 10^{-40} = 0.00000792712B k \frac{CK}{m} \\
1 ni'uze-\frac{Q\Theta}{LT} &= 10^{-70} = 33492.18 m \frac{CK}{ms}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 0.02147116 \cdot 10^{-70} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 12.83272 \cdot 10^{-70} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 2A90.8A3 \cdot 10^{-B0} \\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.000001814316 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 0.000B780B02 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 59A3.275 \cdot 10^{-10} \\
1 \frac{\text{s CK}}{\text{m}} &= 0.000003451382 \cdot 10^0 \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 0.001B4898B \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 266B.79B \cdot 10^{-70} \\
1 \frac{\text{CK}}{\text{m}^2} &= 0.0000015844B0 \cdot 10^{-60} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.000A2A935B \cdot 10^{-60} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.20294B1 \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 120.3402 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 81471.A9 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.00001724B83 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.00B141262 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 6.51B989 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.0000327151B \cdot 10^{-30} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 0.01A40132 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 10.B1209 \cdot 10^{-30} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.000014A8A85 \cdot 10^{-90} \\
1 \frac{\text{CK}}{\text{m}^3} &= 0.00993B0B9 \cdot 10^{-90} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 5.7A92B5 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 1147.971 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 78B75B.3 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.0004597487 \cdot 10^{-100} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.0A7369B3 \cdot 10^{-140} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 61.80150 \cdot 10^{-140} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 3676B.5A \cdot 10^{-140} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 0.193A3A2 \cdot 10^{-60} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 104.0981 \cdot 10^{-60} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 7182B.20 \cdot 10^{-60} \\
1 \text{m kg CK} &= A85.839A \cdot 10^{-10} \\
1 \text{kg CK} &= 624225.3 \cdot 10^{-10} \\
1 \text{kg kg CK} &= 0.0003703877 \cdot 10^0 \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 0.08597576 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{s}} &= 4A.AB5A5 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 2A115.15 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 6880026. \cdot 10^{-80} \quad (*) \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.003A82296 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 2.302220 \cdot 10^{-70} \\
1 \text{m kg s CK} &= 0.0000116175A \cdot 10^{30} \\
1 \text{kg s CK} &= 0.00799B341 \cdot 10^{30} \\
1 \text{k kg s CK} &= 4.63703A \cdot 10^{30} \\
1 \text{m kg m CK} &= 0.1746659 \cdot 10^{20} \\
1 \text{kg m CK} &= B2.6A8B8 \cdot 10^{20} \\
1 \text{k kg m CK} &= 65A66.78 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 0.00001343243 \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.008A7763B \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 5.186373 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{n} \frac{\text{uze-}}{\text{LT}} \frac{Q\Theta}{\text{LT}} &= 10^{-70} = 58.0B304 \frac{\text{CK}}{\text{m s}} \\
1 \text{n} \frac{\text{uze-}}{\text{LT}} \frac{Q\Theta}{\text{LT}} &= 10^{-70} = 0.0997802A \text{k} \frac{\text{CK}}{\text{m s}} \\
1 \text{n} \frac{\text{uvaiei-}}{\text{LT}^2} \frac{Q\Theta}{\text{LT}^2} &= 10^{-B0} = 0.00041876B2 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{n} \frac{\text{ujauau-}}{\text{LT}^2} \frac{Q\Theta}{\text{LT}^2} &= 10^{-A0} = 71AB90.1 \frac{\text{CK}}{\text{m s}^2} \\
1 \text{n} \frac{\text{ujauau-}}{\text{LT}^2} \frac{Q\Theta}{\text{LT}^2} &= 10^{-A0} = 1045.647 \text{k} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{n} \frac{\text{upa-}}{\text{L}} \frac{TQ\Theta}{\text{L}} &= 10^{-10} = 0.000208A106 \text{m} \frac{\text{s CK}}{\text{m}} \\
1 \frac{\text{TQ}\Theta}{\text{L}} &= 1 = 368B35.2 \frac{\text{s CK}}{\text{m}} \\
1 \frac{\text{TQ}\Theta}{\text{L}} &= 1 = 61A.4401 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{n} \frac{\text{uze-}}{\text{L}^2} \frac{Q\Theta}{\text{L}^2} &= 10^{-70} = 0.0004860A09 \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^2} \frac{Q\Theta}{\text{L}^2} &= 10^{-60} = 817855.A \frac{\text{CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^2} \frac{Q\Theta}{\text{L}^2} &= 10^{-60} = 1208.858 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{ujauau-}}{\text{L}^2T} \frac{Q\Theta}{\text{L}^2T} &= 10^{-A0} = 5.B3888B \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{n} \frac{\text{ujauau-}}{\text{L}^2T} \frac{Q\Theta}{\text{L}^2T} &= 10^{-A0} = 0.00A328443 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{n} \frac{\text{ujauau-}}{\text{L}^2T} \frac{Q\Theta}{\text{L}^2T} &= 10^{-A0} = 0.0000158B231 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^2T^2} \frac{Q\Theta}{\text{L}^2T^2} &= 10^{-110} = 75BB2.25 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^2T^2} \frac{Q\Theta}{\text{L}^2T^2} &= 10^{-110} = 10B.6158 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^2T^2} \frac{Q\Theta}{\text{L}^2T^2} &= 10^{-110} = 0.1A487B0 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n} \frac{\text{uci-}}{\text{L}^2} \frac{TQ\Theta}{\text{L}^2} &= 10^{-30} = 38936.73 \text{m} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uci-}}{\text{L}^2} \frac{TQ\Theta}{\text{L}^2} &= 10^{-30} = 65.4544A \frac{\text{s CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uci-}}{\text{L}^2} \frac{TQ\Theta}{\text{L}^2} &= 10^{-30} = 0.B184346 \text{k} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uso-}}{\text{L}^3} \frac{Q\Theta}{\text{L}^3} &= 10^{-90} = 86340.A7 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uso-}}{\text{L}^3} \frac{Q\Theta}{\text{L}^3} &= 10^{-90} = 128.8A14 \frac{\text{CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uso-}}{\text{L}^3} \frac{Q\Theta}{\text{L}^3} &= 10^{-90} = 0.2154996 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^3T} \frac{Q\Theta}{\text{L}^3T} &= 10^{-110} = 0.000A90AA93 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{n} \frac{\text{upano-}}{\text{L}^3T} \frac{Q\Theta}{\text{L}^3T} &= 10^{-100} = 167061B. \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{n} \frac{\text{upano-}}{\text{L}^3T} \frac{Q\Theta}{\text{L}^3T} &= 10^{-100} = 2815.022 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{n} \frac{\text{upavo-}}{\text{L}^3T^2} \frac{Q\Theta}{\text{L}^3T^2} &= 10^{-140} = 11.6A890 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n} \frac{\text{upavo-}}{\text{L}^3T^2} \frac{Q\Theta}{\text{L}^3T^2} &= 10^{-140} = 0.01B55933 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n} \frac{\text{upavo-}}{\text{L}^3T^2} \frac{Q\Theta}{\text{L}^3T^2} &= 10^{-140} = 0.0000346495A \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^3} \frac{TQ\Theta}{\text{L}^3} &= 10^{-60} = 6.906467 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^3} \frac{TQ\Theta}{\text{L}^3} &= 10^{-60} = 0.00B8064B9 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^3} \frac{TQ\Theta}{\text{L}^3} &= 10^{-60} = 0.0000181BB69 \text{k} \frac{\text{s CK}}{\text{m}^3} \quad (*) \\
1 \text{n} \frac{\text{upa-}}{\text{L}^3} \frac{MQ\Theta}{\text{L}^3} &= 10^{-10} = 0.0011549A3 \text{m kg CK} \\
1 \text{M} Q\Theta &= 1 = 1B2A9B1. \text{kg CK} \\
1 \text{M} Q\Theta &= 1 = 341B.398 \text{k kg CK} \\
1 \text{n} \frac{\text{uvo-}}{\text{T}} \frac{MQ\Theta}{\text{T}} &= 10^{-40} = 14.B833B \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{n} \frac{\text{ubo-}}{\text{T}} \frac{MQ\Theta}{\text{T}} &= 10^{-40} = 0.0253B865 \frac{\text{kg CK}}{\text{s}} \\
1 \text{n} \frac{\text{ubo-}}{\text{T}} \frac{MQ\Theta}{\text{T}} &= 10^{-40} = 0.000042826A6 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{n} \frac{\text{uze-}}{\text{T}^2} \frac{MQ\Theta}{\text{T}^2} &= 10^{-70} = 195083.4 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{n} \frac{\text{uze-}}{\text{T}^2} \frac{MQ\Theta}{\text{T}^2} &= 10^{-70} = 310.2416 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{n} \frac{\text{uze-}}{\text{T}^2} \frac{MQ\Theta}{\text{T}^2} &= 10^{-70} = 0.53B6A01 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = A7A87.45 \text{m kg s CK} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 164.BBAB \text{kg s CK} \quad (*) \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 0.279A787 \text{k kg s CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 7.520560 \text{m kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.010A1039 \text{kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.00001A2314A \text{k kg m CK} \\
1 \text{n} \frac{\text{upa-}}{\text{T}} \frac{MLQ\Theta}{\text{T}} &= 10^{-10} = 94648.76 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{n} \frac{\text{upa-}}{\text{T}} \frac{MLQ\Theta}{\text{T}} &= 10^{-10} = 142.5591 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{n} \frac{\text{upa-}}{\text{T}} \frac{MLQ\Theta}{\text{T}} &= 10^{-10} = 0.2400304 \text{k} \frac{\text{kg m CK}}{\text{s}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot CK}{s^2} &= 1020.168 \cdot 10^{-50} \\
1 \frac{kg \cdot m \cdot CK}{s^2} &= 705B69.8 \cdot 10^{-50} \\
1k \frac{kg \cdot m \cdot CK}{s^2} &= 0.00040A94BB \cdot 10^{-40} \quad (*) \\
1m kg \cdot m \cdot s \cdot CK &= 2055.811 \cdot 10^{50} \\
1 kg \cdot m \cdot s \cdot CK &= 0.00000121A00A \cdot 10^{60} \quad (*) \\
1k kg \cdot m \cdot s \cdot CK &= 0.000823499B \cdot 10^{60} \\
1m kg \cdot m^2 \cdot CK &= 0.00002B0B019 \cdot 10^{50} \\
1 kg \cdot m^2 \cdot CK &= 0.01837058 \cdot 10^{50} \\
1k kg \cdot m^2 \cdot CK &= B.8B6A77 \cdot 10^{50} \\
1m \frac{kg \cdot m^2 \cdot CK}{s} &= 2396.457 \cdot 10^{10} \\
1 \frac{kg \cdot m^2 \cdot CK}{s} &= 0.000001410230 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s} &= 0.0009384777 \cdot 10^{20} \\
1m \frac{kg \cdot m^2 \cdot CK}{s^2} &= 0.1A03534 \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot CK}{s^2} &= 108.B3A8 \cdot 10^{-20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s^2} &= 74613.80 \cdot 10^{-20} \\
1m kg \cdot m^2 \cdot s \cdot CK &= 0.383249A \cdot 10^{80} \\
1 kg \cdot m^2 \cdot s \cdot CK &= 217.4A81 \cdot 10^{80} \\
1k kg \cdot m^2 \cdot s \cdot CK &= 129A93.6 \cdot 10^{80} \\
1m \frac{kg \cdot CK}{m} &= 5AB8A90 \cdot 10^{-40} \\
1 \frac{kg \cdot CK}{m} &= 0.00350AA54 \cdot 10^{-30} \\
1k \frac{kg \cdot CK}{m} &= 1.B92B5A \cdot 10^{-30} \\
1m \frac{kg \cdot CK}{m \cdot s} &= 482.AB2A \cdot 10^{-70} \\
1 \frac{kg \cdot CK}{m \cdot s} &= 2866A7.5 \cdot 10^{-70} \\
1k \frac{kg \cdot CK}{m \cdot s} &= 0.00016A0399 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m \cdot s^2} &= 0.03869625 \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m \cdot s^2} &= 21.95A11 \cdot 10^{-A0} \\
1k \frac{kg \cdot CK}{m \cdot s^2} &= 12B12.69 \cdot 10^{-A0} \\
1m \frac{kg \cdot s \cdot CK}{m} &= 0.0756A99B \cdot 10^0 \\
1 \frac{kg \cdot s \cdot CK}{m} &= 43.A0717 \cdot 10^0 \\
1k \frac{kg \cdot s \cdot CK}{m} &= 25BB9.56 \cdot 10^0 \quad (*) \\
1m \frac{kg \cdot CK}{m^2} &= 0.03326904 \cdot 10^{-60} \\
1 \frac{kg \cdot CK}{m^2} &= 1A.83968 \cdot 10^{-60} \\
1k \frac{kg \cdot CK}{m^2} &= 11171.04 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m^2 \cdot s} &= 270A520 \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m^2 \cdot s} &= 0.0015B9452 \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^2 \cdot s} &= 0.A4A5895 \cdot 10^{-90} \\
1m \frac{kg \cdot CK}{m^2 \cdot s^2} &= 207.55B2 \cdot 10^{-110} \\
1 \frac{kg \cdot CK}{m^2 \cdot s^2} &= 122B95.A \cdot 10^{-110} \\
1k \frac{kg \cdot CK}{m^2 \cdot s^2} &= 0.000082B4668 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot CK}{m^2} &= 415.A28A \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot CK}{m^2} &= 2477B8.4 \cdot 10^{-30} \\
1k \frac{kg \cdot s \cdot CK}{m^2} &= 0.000146A686 \cdot 10^{-20} \\
1m \frac{kg \cdot CK}{m^3} &= 197.B804 \cdot 10^{-90} \\
1 \frac{kg \cdot CK}{m^3} &= 106544.5 \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^3} &= 0.000073092BB \cdot 10^{-80} \quad (*) \\
1m \frac{kg \cdot CK}{m^3 \cdot s} &= 0.0151BBB3 \cdot 10^{-100} \quad (***) \\
1 \frac{kg \cdot CK}{m^3 \cdot s} &= 9.B26767 \cdot 10^{-100} \\
1k \frac{kg \cdot CK}{m^3 \cdot s} &= 58BA.485 \cdot 10^{-100} \\
1m \frac{kg \cdot CK}{m^3 \cdot s^2} &= 117294B \cdot 10^{-140} \\
1 \frac{kg \cdot CK}{m^3 \cdot s^2} &= 0.0007A56800 \cdot 10^{-130} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 ni'umu \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.000BA02521 m \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 1854A42. \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 2B40.87B k \frac{kg \cdot m \cdot CK}{s^2} \\
1 mu \cdot MLTQ\Theta &= 10^{50} = 0.0005A7A79A m \cdot kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = A21196.B kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = 156B.942 k \cdot kg \cdot m \cdot s \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 4131B.9B m \cdot kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 71.164A7 kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 0.1031264 k \cdot kg \cdot m^2 \cdot CK \\
1 pa \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.0005220787 m \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 8B5220.0 \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 1357.855 k \frac{kg \cdot m^2 \cdot CK}{s} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 6.65633B m \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.0005220787 m \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 3.305254 m \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.005755534 kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.0000098689A8 k \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 20418A.7 m \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 360.9B05 \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 0.6084102 k \frac{kg \cdot CK}{m} \\
1 ni'uze \frac{MQ\Theta}{LT} &= 10^{-70} = 0.002688317 m \frac{kg \cdot CK}{ms} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 4511158. \frac{kg \cdot CK}{ms} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 778A.932 k \frac{kg \cdot CK}{ms} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 32.93531 m \frac{kg \cdot CK}{ms^2} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.05700221 \frac{kg \cdot CK}{ms^2} \quad (*) \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00009794082 k \frac{kg \cdot CK}{ms^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 17.35AB7 m \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0294029A \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00004972982 k \frac{kg \cdot s \cdot CK}{m} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 38.09689 m \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.06419166 \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0000AB6B8AB k \frac{kg \cdot CK}{m^2} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 477416.4 m \frac{kg \cdot CK}{m^2 s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 801.2064 \frac{kg \cdot CK}{m^2 s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 1.1A0818 k \frac{kg \cdot CK}{m^2 s} \\
1 ni'upapa \frac{MQ\Theta}{L^2T^2} &= 10^{-110} = 0.005A22364 m \frac{kg \cdot CK}{m^2 s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = A133815. \frac{kg \cdot CK}{m^2 s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 15569.2A k \frac{kg \cdot CK}{m^2 s^2} \\
1 ni'uci \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.002AB01AB m \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 50407AB. \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 8832.005 k \frac{kg \cdot s \cdot CK}{m^2} \quad (*) \\
1 ni'uso \frac{MQ\Theta}{L^3} &= 10^{-90} = 0.006791934 m \frac{kg \cdot CK}{m^3} \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = B59B4BB. \frac{kg \cdot CK}{m^3} \quad (*) \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 17A20.40 k \frac{kg \cdot CK}{m^3} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 84.7B124 m \frac{kg \cdot CK}{m^3 s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.125B365 \frac{kg \cdot CK}{m^3 s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.0002106A18 k \frac{kg \cdot CK}{m^3 s} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = A704A7.3 m \frac{kg \cdot CK}{m^3 s^2} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 1636.213 \frac{kg \cdot CK}{m^3 s^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.467 B A B 7 \cdot 10^{-130} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 2341053 \cdot 10^{-60} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.00139 A 465 \cdot 10^{-50} \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 0.91 A 6099 \cdot 10^{-50}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 2.773 A 31 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 532526.7 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 912.6 A 8 B \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 1.38880 B \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

### 6.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= 206768 A \cdot 10^{-20} \\ \text{Electron mass} &= 1 B 13.388 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.1037444 \cdot 10^0 \\ \text{\AA}^{31} &= 0.0 B 25 A 35 A \cdot 10^{20} \\ \text{Bohr radius}^{32} &= 0.05 B 20249 \cdot 10^{20} \\ \text{Fine structure constant}^{33} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{34} &= 0.1091060 \cdot 10^{-20} \\ |\psi^{100}(0)|^2^{35} &= 2778.541 \cdot 10^{-60} \\ \text{eV} &= 0.00 B 302 A 80 \cdot 10^{-20} \\ \hbar^{36} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 313.6229 \cdot 10^{20} \\ k_{\text{yellow}}^{37} &= 0.02031780 \cdot 10^{-20} \\ k_{\text{X-Ray}}^{38} &= 0.0001945 A 99 \cdot 10^{-10}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upa-} M &= 10^{-10} = 5 A 4682. B m_p \\ 1 \text{ni'ure-} M &= 10^{-20} = 0.0006295001 m_e \quad (*) \\ 1 Q &= 1 = B.858467 e \\ 1 \text{re-} L &= 10^{20} = 10. A 2270 \text{\AA} \\ 1 \text{re-} L &= 10^{20} = 20.34498 a_0 \\ 1 &= 1 = B 5.05226 \alpha \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = B.355206 Ry \\ 1 \text{ni'uxa-} \frac{1}{L^3} &= 10^{-60} = 0.0004673 B 98 \rho_{\max} \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 109.6 B 14 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re-} L &= 10^{20} = 0.003 A 40439 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 5 B.28371 \cdot k_{\text{yellow}} \\ 1 \text{ni'upa-} \frac{1}{L} &= 10^{-10} = 68 A 1.778 \cdot k_{\text{X-Ray}} \\ 1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = A 0 A B.393 \cdot \text{Earth g} \\ 1 \text{ci-} L &= 10^{30} = 472 B 70.7 \text{cm} \\ 1 \text{vo-} T &= 10^{40} = 1 A 9 A 24 A. \text{min} \\ 1 \text{vo-} T &= 10^{40} = 4692 A.69 \text{ h} \\ 1 \text{bi-} L^3 &= 10^{80} = 120.764 B l \\ 1 \text{xa-} L^2 &= 10^{60} = A 779.111 A \\ 1 \text{xa-} L^2 &= 10^{60} = 5335 B 5. B \cdot 84 \text{m}^2 \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{km/h} \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{mi/h} \\ 1 \text{ci-} L &= 10^{30} = 199015.5 \text{ in} \\ 1 \text{ci-} L &= 10^{30} = 7.151044 \text{ mi} \\ 1 \text{pa-} M &= 10^{10} = 1876 B 1. A \text{ pound} \\ 1 \text{ni'uvo-} \frac{ML^2}{T^3} &= 10^{-40} = 0.01137909 \text{ horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 1 A 6456.1 \text{kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 393.4332 \text{kWh} \\ 1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.0003112505 E_H \\ 1 \text{ni'uvo-} \frac{M}{T Q} &= 10^{-40} = 2 A 2759.6 \cdot \text{Earth magnetic field} \\ 1 \text{ci-} L &= 10^{30} = 38 B 4.414 \bar{h}\end{aligned}$$

<sup>31</sup>Length in atomic and solid state physics, 1/A nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>36</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>30 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

$$\text{Mass of an average man} = 0.0007591573 \cdot 10^{10}$$

$$1 \text{ pa-}M = 10^{10} = 1730.22B \bar{m}$$

$$\text{Age of the Universe} = 799715.9 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = 0.000001650985 t_U$$

$$\text{Size of the observable Universe} = 0.001805320 \cdot 10^{50}$$

$$1 \text{ mu-}L = 10^{50} = 722.AAA0 l_U$$

$$\text{Average density of the Universe} = 6.120A86 \cdot 10^{-A0}$$

$$1 \text{ ni'}ujauau-\frac{M}{L^3} = 10^{-A0} = 0.1B74731 \rho_U$$

$$\text{Earth mass} = 11A557B \cdot 10^{20}$$

$$1 \text{ ci-}M = 10^{30} = A46A70.0 m_E$$

$$\text{Sun mass}^{42} = 0.1669548 \cdot 10^{30}$$

$$1 \text{ ci-}M = 10^{30} = 7.90AA10 m_S$$

$$\text{Year} = 0.11406A8 \cdot 10^{40}$$

$$1 \text{ vo-}T = 10^{40} = A.9689A6 \text{ y}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$\text{Parsec} = 0.37602BA \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 3.388070 \text{ pc}$$

$$\text{Astronomical unit} = 0.000004458B59 \cdot 10^{40}$$

$$1 \text{ vo-}L = 10^{40} = 28B169.6 \text{ au}$$

$$\text{Earth radius} = 3A4.1610 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.003135319 r_E$$

$$\text{Distance Earth-Moon} = 17502.40 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 0.000074BA5A7 d_M$$

$$\text{Momentum of someone walking}^{43} = 148.00B4 \cdot 10^0 \quad (*)$$

$$1 \frac{ML}{T} = 1 = 0.008781520 \cdot \text{Momentum of someone walking}$$

$$\text{Stefan-Boltzmann constant} = 0.1B82B28 \cdot 10^0$$

$$1 \frac{M}{T^3\Theta^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$$

$$\text{mol} = 0.01110B95 \cdot 10^{20}$$

$$1 \text{ re-} = 10^{20} = B0.01120 \text{ mol}$$

$$\text{Standard temperature}^{44} = 0.000321799A \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 3938.6B7 T_0$$

$$\text{Room - standard temperature}^{45} = 0.000029613A2 \cdot 10^{-20}$$

$$1 \text{ ni'}ure-\Theta = 10^{-20} = 43699.56 \Theta_R$$

$$\text{atm} = 0.0000220BA33 \cdot 10^{-80}$$

$$1 \text{ ni'}ubi-\frac{M}{LT^2} = 10^{-80} = 56303.03 \text{ atm}$$

$$c_s = 0.0000034BB524 \cdot 10^0 \quad (*)$$

$$1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$$

$$\mu_0 = 10.69683 \cdot 10^0$$

$$1 \frac{ML}{Q^2} = 1 = 0.0B561508 \cdot \mu_0$$

$$G = 1.000000 \quad (***)$$

$$1 \frac{L^3}{MT^2} = 1 = 1.000000 \cdot G \quad (***)$$

### Extensive list of SI units

$$1 \text{ m} = 0.001889B98 \cdot 10^0$$

$$1 = 1 = 6B4.0000 \text{ m} \quad (**)$$

$$1 = 1 = 1.000000 \quad (**)$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ k} = 6B4.0000 \cdot 10^0 \quad (**)$$

$$1 = 1 = 0.001889B98 \text{ k}$$

$$1 \text{ m} \frac{1}{\text{s}} = 145209.3 \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{1}{T} = 10^{-40} = 0.000008920082 \text{ m} \frac{1}{\text{s}} \quad (*)$$

$$1 \frac{1}{\text{s}} = 0.00009613001 \cdot 10^{-30} \quad (*)$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 13188.B2 \frac{1}{\text{s}}$$

$$1 \text{ k} \frac{1}{\text{s}} = 0.05604821 \cdot 10^{-30}$$

$$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 22.203AB \text{ k} \frac{1}{\text{s}}$$

$$1 \text{ m} \frac{1}{\text{s}^2} = 11.02A19 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0B087A54 \text{ m} \frac{1}{\text{s}^2}$$

$$1 \frac{1}{\text{s}^2} = 764B.918 \cdot 10^{-70}$$

$$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0001714139 \frac{1}{\text{s}^2}$$

$$1 \text{ k} \frac{1}{\text{s}^2} = 0.00000443A702 \cdot 10^{-60}$$

$$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 290378.A \text{ k} \frac{1}{\text{s}^2}$$

$$1 \text{ m s} = 22.203AB \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.05604821 \text{ m s}$$

$$1 \text{ s} = 13188.B2 \cdot 10^{30}$$

$$1 \text{ ci-}T = 10^{30} = 0.00009613001 \text{ s} \quad (*)$$

$$1 \text{ k s} = 0.000008920082 \cdot 10^{40} \quad (*)$$

$$1 \text{ vo-}T = 10^{40} = 145209.3 \text{ k s}$$

$$1 \text{ m m} = 316493.9 \cdot 10^{20}$$

$$1 \text{ re-}L = 10^{20} = 0.000003A057A6 \text{ m m}$$

$$1 \text{ m} = 0.0001987920 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = 6768.067 \text{ m}$$

$$1 \text{ k m} = 0.106A070 \cdot 10^{30}$$

$$1 \text{ ci-}L = 10^{30} = B.55806A \text{ k m}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}} = 25.8A836 \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.04A127A8 \text{ m} \frac{\text{m}}{\text{s}}$$

$$1 \frac{\text{m}}{\text{s}} = 15264.AB \cdot 10^{-10}$$

$$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.00008449701 \frac{\text{m}}{\text{s}}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.000009B63212 \cdot 10^0$$

$$1 \frac{L}{T} = 1 = 1255A8.5 \text{ k} \frac{\text{m}}{\text{s}}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 0.001B6968B \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 613.A917 \text{ m} \frac{\text{m}}{\text{s}^2}$$

$$1 \frac{\text{m}}{\text{s}^3} = 1.177A4A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.A685657 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 7A8.5B6A \cdot 10^{-40}$$

$$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.00162B436 \text{ k} \frac{\text{m}}{\text{s}^2}$$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>18 °C

$1 \text{m m s} = 0.003B44A2A \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 305.9335 \text{ m m s}$
$1 \text{m s} = 2.34B305 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.53057A7 \text{ m s}$
$1 \text{k m s} = 13A4.359 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.00090B2237 \text{ k m s}$
$1 \text{m m}^2 = 57.B2AA8 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.02152841 \text{ m m}^2$
$1 \text{m}^2 = 33394.A4 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.000037B5179 \text{ m}^2$
$1 \text{k m}^2 = 0.00001A90339 \cdot 10^{60}$	$1 \text{xa-}L^2 = 10^{60} = 63B48.BA \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.00459BA67 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 281.2409 \text{ m}^{\frac{m}{s}^2}$
$1 \frac{\text{m}^2}{\text{s}} = 2.71A05B \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.4757499 \frac{\text{m}^2}{\text{s}}$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 1604.109 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.0007BA228B \text{ k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{m}{s^2}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'}upa-\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 718A0A.A \cdot 10^{80}$	$1 \text{bi-}L^2T = 10^{80} = 0.00000181A349 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.0004174877 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 2A9B.18B \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.2486814 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 5.022208 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = B.55806A \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.106A070 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 6768.067 \cdot 10^{-30}$	$1 \text{ni'}uci-\frac{1}{L} = 10^{-30} = 0.0001987920 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 0.000003A057A6 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{1}{L} = 10^{-20} = 316493.9 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 0.00090B2237 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 13A4.359 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 0.53057A7 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 2.34B305 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 305.9335 \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{LT} = 10^{-60} = 0.003B44A2A \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 72396.BA \cdot 10^{-A0}$	$1 \text{ni'}ujauau-\frac{1}{LT^2} = 10^{-A0} = 0.00001802950 \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.000041B5066 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 2A715.51 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 0.024AA785 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{LT^2} = 10^{-90} = 4B.93B47 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m}^{\frac{s}{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 \text{k} \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k} \frac{s}{m}$
$1 \text{m}^{\frac{1}{m^2}} = 63B48.BA \cdot 10^{-60}$	$1 \text{ni'}uxa-\frac{1}{L^2} = 10^{-60} = 0.00001A90339 \text{ m}^{\frac{1}{m^2}}$
$1 \frac{1}{\text{m}^2} = 0.000037B5179 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 33394.A4 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.02152841 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{1}{L^2} = 10^{-50} = 57.B2AA8 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 5.022208 \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.2486814 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 2A9B.18B \cdot 10^{-90}$	$1 \text{ni'}uso-\frac{1}{L^2 T} = 10^{-90} = 0.0004174877 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.00000181A349 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^2 T} = 10^{-80} = 718A0A.A \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.0003B82BA4 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 3029.B92 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 0.2371B50 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 5.274805 \frac{1}{\text{m}^2 s^2}$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 13B.78A7 \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^2 T^2} = 10^{-100} = 0.00902497B \text{ k} \frac{1}{\text{m}^2 s^2}$
$1 \text{m}^{\frac{s}{m^2}} = 0.0007BA228B \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 1604.109 \text{ m}^{\frac{s}{m^2}}$
$1 \frac{s}{m^2} = 0.4757499 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 2.71A05B \frac{s}{m^2}$
$1 \text{k} \frac{s}{m^2} = 281.2409 \cdot 10^{-20}$	$1 \text{ni'}ure-\frac{T}{L^2} = 10^{-20} = 0.00459BA67 \text{ k} \frac{s}{m^2}$
$1 \text{m}^{\frac{1}{m^3}} = 0.00035B62A8 \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 3522.276 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 0.2034800 \cdot 10^{-80} \quad (*)$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 5.B1B502 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 120.764B \cdot 10^{-80}$	$1 \text{ni'}ubi-\frac{1}{L^3} = 10^{-80} = 0.00A2B7656 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 292B9.8A \cdot 10^{-100}$	$1 \text{ni'}upano-\frac{1}{L^3 T} = 10^{-100} = 0.000043B7B6A \text{ m}^{\frac{1}{\text{m}^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.0000172A883 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 75983.59 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 0.00B175182 \cdot 10^{-B0}$	$1 \text{ni'}uvaiei-\frac{1}{L^3 T} = 10^{-B0} = 10B.2300 \text{ k} \frac{1}{\text{m}^3 s} \quad (*)$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 2.241993 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.557096A \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 132B.5B2 \cdot 10^{-130}$	$1 \text{ni'}upaci-\frac{1}{L^3 T^2} = 10^{-130} = 0.000954073B \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 89A65A.4 \cdot 10^{-130}$	$1 \text{ni'}upare-\frac{1}{L^3 T^2} = 10^{-120} = 143A202. \text{ k} \frac{1}{\text{m}^3 s^2}$
$1 \text{m}^{\frac{s}{m^3}} = 4.4B5404 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.2877068 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 2678.988 \cdot 10^{-50}$	$1 \text{ni'}umu-\frac{T}{L^3} = 10^{-50} = 0.0004847B52 \frac{s}{m^3}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.000001589862 \cdot 10^{-40} \\
1 \text{m kg} &= 2270A.86 \cdot 10^0 \\
1 \text{kg} &= 0.00001347965 \cdot 10^{10} \\
1 \text{kg kg} &= 0.008AA3564 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.909B87 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{s}} &= 1023.934 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 7080A5.5 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.0001484114 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.097B310A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 57.11615 \cdot 10^{-60} \\
1 \text{m kg s} &= 0.00029680B7 \cdot 10^{40} \\
1 \text{kg s} &= 0.1750414 \cdot 10^{40} \\
1 \text{kg kg s} &= B2.A306A \cdot 10^{40} \\
1 \text{m kg m} &= 4.016594 \cdot 10^{30} \\
1 \text{kg m} &= 23A2.842 \cdot 10^{30} \\
1 \text{kg kg m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 0.000321778A \cdot 10^0 \\
1 \frac{\text{kg m}}{\text{s}} &= 0.1A0A051 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 109.3183 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 26276.37 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.0000155A2B1 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.00A153977 \cdot 10^{-30} \\
1 \text{m kg m s} &= 508A3.73 \cdot 10^{60} \\
1 \text{kg m s} &= 0.00002B19625 \cdot 10^{70} \\
1 \text{kg kg m s} &= 0.01841151 \cdot 10^{70} \\
1 \text{m kg m}^2 &= 0.0007314613 \cdot 10^{60} \\
1 \text{kg m}^2 &= 0.424B679 \cdot 10^{60} \\
1 \text{kg kg m}^2 &= 252.116A \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 4.68457B \cdot 10^{-10} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 277A.188 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.000001639993 \cdot 10^0 \\
1 \text{m kg m}^2 \text{s} &= 9.1B3290 \cdot 10^{90} \\
1 \text{kg m}^2 \text{s} &= 5375.711 \cdot 10^{90} \\
1 \text{kg kg m}^2 \text{s} &= 0.000003099A1B \cdot 10^{A0} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.000128342B \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}} &= 0.08601B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4B.0516B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= B782.27A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}} &= 68A0211. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.003A94266 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.9282386 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 540.7685 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 310985.B \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 1.665705 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}} &= A88.A960 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg s}}{\text{m}} &= 626057.4 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2} &= 0.8148096 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'}\text{uvo-} \frac{T}{L^3} &= 10^{-40} = 815334.0 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 M &= 1 = 0.000054BA329 \text{m kg} \\
1 \text{pa-}M &= 10^{10} = 94371.0A \text{ kg} \\
1 \text{pa-}M &= 10^{10} = 142.0779 \text{k kg} \\
1 \text{ni'}\text{uci-} \frac{M}{T} &= 10^{-30} = 0.6A0221B \text{ m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{uci-} \frac{M}{T} &= 10^{-30} = 0.000B987BA8 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{ure-} \frac{M}{T} &= 10^{-20} = 184A901. \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 8760.604 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 12.AA2B9 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 0.02190873 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{vo-}MT &= 10^{40} = 435B.497 \text{m kg s} \\
1 \text{vo-}MT &= 10^{40} = 7.4B9989 \text{ kg s} \\
1 \text{vo-}MT &= 10^{40} = 0.01099232 \text{k kg s} \\
1 \text{ci-}ML &= 10^{30} = 0.2BAA214 \text{m kg m} \\
1 \text{ci-}ML &= 10^{30} = 0.0005206092 \text{kg m} \\
1 \text{vo-}ML &= 10^{40} = 8B2608.B \text{k kg m} \\
1 \frac{ML}{T} &= 1 = 3938.952 \text{m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 6.6369B7 \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 0.00B336AA7 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'}\text{ubo-} \frac{ML}{T^2} &= 10^{-40} = 0.00004922389 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'}\text{uci-} \frac{ML}{T^2} &= 10^{-30} = 8298A.80 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'}\text{uci-} \frac{ML}{T^2} &= 10^{-30} = 122.8B63 \text{k} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{xa-}MLT &= 10^{60} = 0.00002454967 \text{m kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 411B3.1B \text{ kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 70.B4B73 \text{k kg m s} \\
1 \text{xa-}ML^2 &= 10^{60} = 17A0.45A \text{m kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 2.A33993 \text{kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = 0.004B29106 \text{k kg m}^2 \\
1 \text{re-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \text{m} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'}\text{upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.2771279 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'}\text{upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.0004671078 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 7A3BA9.8 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{so-}ML^2T &= 10^{90} = 0.1387442 \text{m kg m}^2 \text{s} \\
1 \text{so-}ML^2T &= 10^{90} = 0.000231B110 \text{kg m}^2 \text{s} \\
1 \text{jauau-}ML^2T &= 10^{A0} = 3AB244.5 \text{k kg m}^2 \text{s} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 9976.B0A \text{m} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 14.B3256 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 0.02532B43 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{uxa-} \frac{M}{LT} &= 10^{-60} = 0.0001045500 \text{m} \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'}\text{umu-} \frac{M}{LT} &= 10^{-50} = 194635.6 \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'}\text{umu-} \frac{M}{LT} &= 10^{-50} = 30B.3347 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'}\text{uso-} \frac{M}{LT^2} &= 10^{-90} = 1.3741A6 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'}\text{uso-} \frac{M}{LT^2} &= 10^{-90} = 0.0022B8992 \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'}\text{ubi-} \frac{M}{LT^2} &= 10^{-80} = 3A74B60. \text{k} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.7926298 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.001150975 \frac{\text{kg s}}{\text{m}} \\
1 \text{re-} \frac{MT}{L} &= 10^{20} = 1B23A6B. \text{k} \frac{\text{kg s}}{\text{m}} \\
1 \text{ni'}\text{umu-} \frac{M}{L^2} &= 10^{-50} = 1.58B033 \text{m} \frac{\text{kg}}{\text{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 484.3942 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00267B0B5 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 287476.B \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{M}{L^2} = 10^{-40} = 44B9310. \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.00006520645 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 1A485.4B \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.0387AA43 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 32.83A26 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 21.A1693 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.056A41A9 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 5119.561 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{L^2 T^2} = 10^{-100} = 0.0002431332 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 2B47903. \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 409B85.1 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.001858B20 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 704.6945 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = A2AA.530 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.00012086A9 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 5B16199. \cdot 10^{-20}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 203657.0 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.00351B207 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 35B.9421 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4597.A8A \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^3} = 10^{-80} = 0.0002814870 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 271789B. \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 475B61.2 \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.001602907 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 7BA.93AB \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.3677431 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 3.4644B5 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 208.0A4B \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.005A053A2 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 123408.3 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = A103527. \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.00002994920 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 43196.B6 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.01767310 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 74.47880 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = B.39248B \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.1088961 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.000057A9A68 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 21546.B4 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.033365B4 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 37.B8485 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 1A.8A713 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.063BA458 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 72350.00 \cdot 10^{-20} \quad (*)$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00001803A21 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 0.000041B2488 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 2A733.57 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.024A9135 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 4B.97159 \text{k} \frac{1}{\text{C}}$
$1 \text{m} \frac{1}{\text{s C}} = 5.845543 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.213351A \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 3369.71A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0003780B26 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 0.000001AA9278 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{TQ} = 10^{-40} = 635734.1 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.0004621526 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 27A8.B88 \text{m} \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.2742876 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 4.7147B8 \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 161.8827 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.007B2A681 \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.00090A84A9 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 13A5.171 \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 0.5302388 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 2.350861 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 305.7406 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.003B47451 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 11.021A3 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.0B092B05 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 7646.B66 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.000171515B \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 0.000004437982 \cdot 10^{20}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 290549.5 \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.000A3908A1 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 11B6.820 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 0.5B74B15 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 2.016558 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = 355.4166 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.003583A3A \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 8208B.85 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2 Q} = 10^{-60} = 0.000015755A4 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 0.0000488BA3B \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 26549.43 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.028A1104 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 44.74A96 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 145123.7 \cdot 10^{40}$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.000008925785 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 0.00009608B39 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 13196.70 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 0.05601213 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 22.21871 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 0.001B68389 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 614.27A4 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 1.177187 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 0.4690327 \frac{m^2}{\text{C}}$

$$\begin{aligned}
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 7A8.0B29 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 168004.A \cdot 10^0 \quad (*) \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.0000A976A94 \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 0.0630272A \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 12.95B7A \cdot 10^{-30} \\
1 \frac{\text{m}^2}{\text{s}^2\text{C}} &= 8687.56B \cdot 10^{-30} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 0.000004B53A61 \cdot 10^{-20} \\
1 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} &= 25.89142 \cdot 10^{70} \\
1 \frac{\text{m}^2\text{s}}{\text{C}} &= 15255.B4 \cdot 10^{70} \\
1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} &= 0.000009B589B5 \cdot 10^{80} \\
1 \text{m} \frac{1}{\text{mC}} &= 0.0003B80559 \cdot 10^{-40} \\
1 \frac{1}{\text{mC}} &= 0.23705A0 \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{mC}} &= 13B.6A86 \cdot 10^{-40} \\
1 \text{m} \frac{1}{\text{msC}} &= 31933.B1 \cdot 10^{-80} \\
1 \frac{1}{\text{msC}} &= 0.000019A3913 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{msC}} &= 0.01079753 \cdot 10^{-70} \\
1 \text{m} \frac{1}{\text{ms}^2\text{C}} &= 2.5B209B \cdot 10^{-B0} \\
1 \frac{1}{\text{ms}^2\text{C}} &= 153A.305 \cdot 10^{-B0} \\
1 \text{k} \frac{1}{\text{ms}^2\text{C}} &= A03524.9 \cdot 10^{-B0} \\
1 \text{m} \frac{s}{\text{mC}} &= 5.01AB87 \cdot 10^{-10} \\
1 \frac{s}{\text{mC}} &= 2A99.368 \cdot 10^{-10} \\
1 \text{k} \frac{s}{\text{mC}} &= 0.000001819268 \cdot 10^0 \\
1 \text{m} \frac{1}{\text{m}^2\text{C}} &= 2.2404BA \cdot 10^{-70} \\
1 \frac{1}{\text{m}^2\text{C}} &= 132A.827 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m}^2\text{C}} &= 89A0A4.B \cdot 10^{-70} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 0.00018A50A5 \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 0.100B068 \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2\text{sC}} &= 6B.A4866 \cdot 10^{-A0} \\
1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 14652.34 \cdot 10^{-120} \\
1 \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 96A0056. \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 0.005655572 \cdot 10^{-110} \\
1 \text{m} \frac{s}{\text{m}^2\text{C}} &= 292A0.68 \cdot 10^{-40} \\
1 \frac{s}{\text{m}^2\text{C}} &= 0.00001729852 \cdot 10^{-30} \\
1 \text{k} \frac{s}{\text{m}^2\text{C}} &= 0.00B16A068 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^3\text{C}} &= 12672.4B \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^3\text{C}} &= 850600B. \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3\text{C}} &= 0.004A58186 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3\text{sC}} &= 0.B64271B \cdot 10^{-110} \\
1 \frac{1}{\text{m}^3\text{sC}} &= 680.9345 \cdot 10^{-110} \\
1 \text{k} \frac{1}{\text{m}^3\text{sC}} &= 3A4005.5 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.00009176575 \cdot 10^{-140} \\
1 \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.05353830 \cdot 10^{-140} \\
1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 30.86A33 \cdot 10^{-140} \\
1 \text{m} \frac{s}{\text{m}^3\text{C}} &= 0.00016441A1 \cdot 10^{-60} \\
1 \frac{s}{\text{m}^3\text{C}} &= 0.0A762215 \cdot 10^{-60} \\
1 \text{k} \frac{s}{\text{m}^3\text{C}} &= 61.96314 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 0.9278524 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 0.0016303B0 \text{k} \frac{\text{m}^2}{\text{C}} \\
1 \frac{L^2}{TQ} &= 1 = 0.00000786A154 \text{m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 113B6.55 \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 1B.04B64 \text{k} \frac{\text{m}^2}{\text{sC}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0989A812 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'uci} \frac{L^2}{T^2Q} &= 10^{-30} = 0.000149A570 \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'ure} \frac{L^2}{T^2Q} &= 10^{-20} = 250A02.A \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.04A158B0 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ze} \frac{L^2T}{Q} &= 10^{70} = 0.00008452ABB \frac{\text{m}^2\text{s}}{\text{C}} \quad (*) \\
1 \text{bi} \frac{L^2T}{Q} &= 10^{80} = 12567B.0 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 302B.AA3 \text{m} \frac{1}{\text{mC}} \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 5.277BB4 \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 0.00902A676 \text{k} \frac{1}{\text{mC}} \\
1 \text{ni'ubi} \frac{1}{LTQ} &= 10^{-80} = 0.0000398B664 \text{m} \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = 67073.3A \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = B4.72375 \text{k} \frac{1}{\text{msC}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 0.4989618 \text{m} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2Q} &= 10^{-B0} = 0.00083918B9 \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{LT^2Q} &= 10^{-A0} = 1244802. \text{k} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.248824B \text{m} \frac{s}{\text{mC}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.0004177431 \frac{s}{\text{mC}} \\
1 \frac{T}{LQ} &= 1 = 719276.7 \text{k} \frac{s}{\text{mC}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 0.5574346 \text{m} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uze} \frac{1}{L^2Q} &= 10^{-70} = 0.0009546769 \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uxa} \frac{1}{L^2Q} &= 10^{-60} = 143B050. \text{k} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'uxa} \frac{1}{L^2TQ} &= 10^{-A0} = 6A97.938 \text{m} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = B.B1034A \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2TQ} &= 10^{-A0} = 0.01873025 \text{k} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'upare} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.0000885BA3B \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 1306A8.5 \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2T^2Q} &= 10^{-110} = 220.0481 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'uv} \frac{T}{L^2Q} &= 10^{-40} = 0.000043BA884 \text{m} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 75A10.87 \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uci} \frac{T}{L^2Q} &= 10^{-30} = 10B.2B2A \text{k} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'ujauau} \frac{1}{L^3Q} &= 10^{-A0} = 0.00009A91A22 \text{m} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 15127B.B \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uso} \frac{1}{L^3Q} &= 10^{-90} = 256.75A2 \text{k} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 1.05A674 \text{m} \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upapa} \frac{1}{L^3TQ} &= 10^{-110} = 0.00196BA91 \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upano} \frac{1}{L^3TQ} &= 10^{-100} = 3136541. \text{k} \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 13919.44 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 23.2A21B \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.03B0963A \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 7A13.403 \text{m} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 11.67486 \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3Q} &= 10^{-60} = 0.01B5000A \text{k} \frac{s}{\text{m}^3\text{C}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 540.41A9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 31078A.6 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.00007380850 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.04289B66 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 25.43BA2 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 5957.831 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 3425208. \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.001B3226B \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= B776.97B \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 6897A71. \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.003A9188B \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0001483259 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.097A8B26 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 57.09B46 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 11283.3B \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s C}} &= 77A0190. \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.004518A42 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.A58B1B4 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 609.2822 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 361407.6 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 1.908A36 \cdot 10^{50} \\
1 \frac{\text{kg m s}}{\text{C}} &= 1023.162 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 707846.1 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 2625B.07 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 0.00001559395 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.00A149432 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 1.BB2A01 \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 11A2.842 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 802407.6 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00016B72A1 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0AB86B0B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 64.2828B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.0003215754 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.1A08A44 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 109.2568 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 5116.267 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m C}} &= 2B45A59. \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 0.001857A15 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.4052952 \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s C}} &= 240.4402 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 1427A1.2 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.00003246902 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.01A26427 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 10.A2A93 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 0.00006518526 \cdot 10^0 \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.038785AA \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 21.A0238 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{n}'\text{upa-} \frac{M}{Q} &= 10^{-10} = 0.0022BA2B6 \frac{\text{kg}}{\text{C}} \\
1 \frac{M}{Q} &= 1 = 3A77526. \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{n}'\text{ubo-} \frac{M}{TQ} &= 10^{-40} = 17862.92 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{n}'\text{ubo-} \frac{M}{TQ} &= 10^{-40} = 2A.08566 \frac{\text{kg}}{\text{s C}} \\
1 \text{n}'\text{ubo-} \frac{M}{TQ} &= 10^{-40} = 0.04AA2AB0 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{n}'\text{ubi-} \frac{M}{T^2Q} &= 10^{-80} = 0.00020A5A3A \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{uze-} \frac{M}{T^2Q} &= 10^{-70} = 36B955.4 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{uze-} \frac{M}{T^2Q} &= 10^{-70} = 623.3461 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re-} \frac{MT}{Q} &= 10^{20} = 0.00010460A7 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = 194750.B \frac{\text{kg s}}{\text{C}} \\
1 \text{ci-} \frac{MT}{Q} &= 10^{30} = 30B.52B1 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 8765.BBB \text{m} \frac{\text{kg m}}{\text{C}} \quad (***) \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 12.AB059 \frac{\text{kg m}}{\text{C}} \\
1 \text{re-} \frac{ML}{Q} &= 10^{20} = 0.02192103 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{n}'\text{ure-} \frac{ML}{TQ} &= 10^{-20} = 0.0000AA805A6 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{n}'\text{upa-} \frac{ML}{TQ} &= 10^{-10} = 16996A.9 \frac{\text{kg m}}{\text{s C}} \\
1 \text{n}'\text{upa-} \frac{ML}{TQ} &= 10^{-10} = 286.218A \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{n}'\text{umu-} \frac{ML}{T^2Q} &= 10^{-50} = 1.18AA60 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{umu-} \frac{ML}{T^2Q} &= 10^{-50} = 0.001B8B5B5 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{ubo-} \frac{ML}{T^2Q} &= 10^{-40} = 3504A80. \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 0.6A06652 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{mu-} \frac{MLT}{Q} &= 10^{50} = 0.000B993627 \frac{\text{kg m s}}{\text{C}} \\
1 \text{xa-} \frac{MLT}{Q} &= 10^{60} = 184BA02. \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{vo-} \frac{ML^2}{Q} &= 10^{40} = 0.00004925421 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 82A21.78 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu-} \frac{ML^2}{Q} &= 10^{50} = 122.9871 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 0.60236A4 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{pa-} \frac{ML^2}{TQ} &= 10^{10} = 0.000A48B66A \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{re-} \frac{ML^2}{TQ} &= 10^{20} = 15B6901. \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{n}'\text{ure-} \frac{ML^2}{T^2Q} &= 10^{-20} = 7713.315 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{ure-} \frac{ML^2}{T^2Q} &= 10^{-20} = 11.15210 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{n}'\text{ure-} \frac{ML^2}{T^2Q} &= 10^{-20} = 0.01A805AA \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi-} \frac{ML^2T}{Q} &= 10^{80} = 393B.239 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2T}{Q} &= 10^{80} = 6.63ABA4 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi-} \frac{ML^2T}{Q} &= 10^{80} = 0.00B342114 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{n}'\text{ubo-} \frac{M}{LQ} &= 10^{-40} = 0.0002432933 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{n}'\text{uci-} \frac{M}{LQ} &= 10^{-30} = 40A236.6 \frac{\text{kg}}{\text{m C}} \\
1 \text{n}'\text{uci-} \frac{M}{LQ} &= 10^{-30} = 704.B31A \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{n}'\text{uze-} \frac{M}{LTQ} &= 10^{-70} = 2.B81402 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{n}'\text{uze-} \frac{M}{LTQ} &= 10^{-70} = 0.005179392 \frac{\text{kg}}{\text{m s C}} \\
1 \text{n}'\text{uxa-} \frac{M}{LTQ} &= 10^{-60} = 8A63BB9. \text{k} \frac{\text{kg}}{\text{m s C}} \quad (*) \\
1 \text{n}'\text{ujauau-} \frac{M}{LT^2Q} &= 10^{-A0} = 39034.10 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{n}'\text{ujauau-} \frac{M}{LT^2Q} &= 10^{-A0} = 65.97266 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{n}'\text{ujauau-} \frac{M}{LT^2Q} &= 10^{-A0} = 0.0B253197 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 1A497.82 \text{m} \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 32.85AA5 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.056A7862 \text{k} \frac{\text{kg s}}{\text{m C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg}{m^2 C} &= 0.00002992B79 \cdot 10^{-60} \\
1 \frac{kg}{m^2 C} &= 0.01766276 \cdot 10^{-60} \\
1k \frac{kg}{m^2 C} &= B.38722B \cdot 10^{-60} \\
1m \frac{kg}{m^2 s C} &= 2291.452 \cdot 10^{-A0} \\
1 \frac{kg}{m^2 s C} &= 1359B61. \cdot 10^{-A0} \\
1k \frac{kg}{m^2 s C} &= 0.0008B659B2 \cdot 10^{-90} \\
1m \frac{kg}{m^2 s^2 C} &= 0.1925456 \cdot 10^{-110} \\
1 \frac{kg}{m^2 s^2 C} &= 103.2BB8 \cdot 10^{-110} \quad (*) \\
1k \frac{kg}{m^2 s^2 C} &= 71269.96 \cdot 10^{-110} \\
1m \frac{kg s}{m^2 C} &= 0.3675112 \cdot 10^{-30} \\
1 \frac{kg s}{m^2 C} &= 207.B683 \cdot 10^{-30} \\
1k \frac{kg s}{m^2 C} &= 123337.2 \cdot 10^{-30} \\
1m \frac{kg}{m^3 C} &= 0.167A79A \cdot 10^{-90} \\
1 \frac{kg}{m^3 C} &= A9.69379 \cdot 10^{-90} \\
1k \frac{kg}{m^3 C} &= 62B90.74 \cdot 10^{-90} \\
1m \frac{kg}{m^3 s C} &= 0.00001294A62 \cdot 10^{-100} \\
1 \frac{kg}{m^3 s C} &= 0.00867BA42 \cdot 10^{-100} \\
1k \frac{kg}{m^3 s C} &= 4.B4B587 \cdot 10^{-100} \\
1m \frac{kg}{m^3 s^2 C} &= B86.A97A \cdot 10^{-140} \\
1 \frac{kg}{m^3 s^2 C} &= 694270.4 \cdot 10^{-140} \\
1k \frac{kg}{m^3 s^2 C} &= 0.0003B0B336 \cdot 10^{-130} \\
1m \frac{kg s}{m^3 C} &= 1B66.698 \cdot 10^{-60} \\
1 \frac{kg s}{m^3 C} &= 1176173. \cdot 10^{-60} \\
1k \frac{kg s}{m^3 C} &= 0.0007A75B19 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1m C &= 4B.97159 \cdot 10^{10} \\
1 C &= 2A733.57 \cdot 10^{10} \\
1k C &= 0.00001803A21 \cdot 10^{20} \\
1m \frac{C}{s} &= 0.003B47451 \cdot 10^{-20} \\
1 \frac{C}{s} &= 2.350861 \cdot 10^{-20} \\
1k \frac{C}{s} &= 13A5.171 \cdot 10^{-20} \\
1m \frac{C}{s^2} &= 316692.A \cdot 10^{-60} \\
1 \frac{C}{s^2} &= 0.0001988B02 \cdot 10^{-50} \\
1k \frac{C}{s^2} &= 0.106A872 \cdot 10^{-50} \\
1m s C &= 635734.1 \cdot 10^{40} \\
1 s C &= 0.0003780B26 \cdot 10^{50} \\
1k s C &= 0.213351A \cdot 10^{50} \\
1m m C &= 0.00902A676 \cdot 10^{40} \\
1 m C &= 5.277BB4 \cdot 10^{40} \quad (*) \\
1k m C &= 302B.AA3 \cdot 10^{40} \\
1m \frac{m C}{s} &= 719276.7 \cdot 10^0 \\
1 \frac{m C}{s} &= 0.0004177431 \cdot 10^{10} \\
1k \frac{m C}{s} &= 0.248824B \cdot 10^{10} \\
1m \frac{m C}{s^2} &= 57.B6623 \cdot 10^{-30} \\
1 \frac{m C}{s^2} &= 333B5.B0 \cdot 10^{-30} \\
1k \frac{m C}{s^2} &= 0.00001A91599 \cdot 10^{-20} \\
1m m s C &= B4.72375 \cdot 10^{70} \\
1 m s C &= 67073.3A \cdot 10^{70} \\
1k m s C &= 0.0000398B664 \cdot 10^{80} \\
1m m^2 C &= 143B050. \cdot 10^{60}
\end{aligned}$$

$$\begin{aligned}
1 ni'uxa-\frac{M}{L^2 Q} &= 10^{-60} = 43203.69 m \frac{kg}{m^2 C} \\
1 ni'uxa-\frac{M}{L^2 Q} &= 10^{-60} = 74.50500 \frac{kg}{m^2 C} \quad (*) \\
1 ni'uxa-\frac{M}{L^2 Q} &= 10^{-60} = 0.1089575 k \frac{kg}{m^2 C} \\
1 ni'ujauau-\frac{M}{L^2 T Q} &= 10^{-A0} = 0.000546A9AA m \frac{kg}{m^2 s C} \\
1 ni'uso-\frac{M}{L^2 T Q} &= 10^{-90} = 937045.3 \frac{kg}{m^2 s C} \\
1 ni'uso-\frac{M}{L^2 T Q} &= 10^{-90} = 1409.A19 k \frac{kg}{m^2 s C} \\
1 ni'upapa-\frac{M}{L^2 T^2 Q} &= 10^{-110} = 6.95B1B2 m \frac{kg}{m^2 s^2 C} \\
1 ni'upapa-\frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00B89A437 \frac{kg}{m^2 s^2 C} \\
1 ni'upapa-\frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.00001834100 k \frac{kg}{m^2 s^2 C} \quad (*) \\
1 ni'uci-\frac{MT}{L^2 Q} &= 10^{-30} = 3.466695 m \frac{kg s}{m^2 C} \\
1 ni'uci-\frac{MT}{L^2 Q} &= 10^{-30} = 0.005A0905A \frac{kg s}{m^2 C} \\
1 ni'ure-\frac{MT}{L^2 Q} &= 10^{-20} = A109A42. k \frac{kg s}{m^2 C} \\
1 ni'uso-\frac{M}{L^3 Q} &= 10^{-90} = 7.874B85 m \frac{kg}{m^3 C} \\
1 ni'uso-\frac{M}{L^3 Q} &= 10^{-90} = 0.01140636 \frac{kg}{m^3 C} \\
1 ni'uso-\frac{M}{L^3 Q} &= 10^{-90} = 0.00001B067BB k \frac{kg}{m^3 C} \quad (*) \\
1 ni'upano-\frac{M}{L^3 T Q} &= 10^{-100} = 98A73.AA m \frac{kg}{m^3 s C} \\
1 ni'upano-\frac{M}{L^3 T Q} &= 10^{-100} = 149.B864 \frac{kg}{m^3 s C} \\
1 ni'upano-\frac{M}{L^3 T Q} &= 10^{-100} = 0.251020A k \frac{kg}{m^3 s C} \\
1 ni'upavo-\frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.001036126 m \frac{kg}{m^3 s^2 C} \\
1 ni'upavo-\frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.00000192A899 \frac{kg}{m^3 s^2 C} \\
1 ni'upaci-\frac{M}{L^3 T^2 Q} &= 10^{-130} = 3085.5B0 k \frac{kg}{m^3 s^2 C} \\
1 ni'uxa-\frac{MT}{L^3 Q} &= 10^{-60} = 0.0006148106 m \frac{kg s}{m^3 C} \\
1 ni'umu-\frac{MT}{L^3 Q} &= 10^{-50} = A6997A.2 \frac{kg s}{m^3 C} \\
1 ni'umu-\frac{MT}{L^3 Q} &= 10^{-50} = 1631.818 k \frac{kg s}{m^3 C}
\end{aligned}$$

$$\begin{aligned}
1 pa-Q &= 10^{10} = 0.024A9135 m C \\
1 pa-Q &= 10^{10} = 0.000041B2488 C \\
1 re-Q &= 10^{20} = 72350.00 k C \quad (*) \\
1 ni'ure-\frac{Q}{T} &= 10^{-20} = 305.7406 m \frac{C}{s} \\
1 ni'ure-\frac{Q}{T} &= 10^{-20} = 0.5302388 \frac{C}{s} \\
1 ni'ure-\frac{Q}{T} &= 10^{-20} = 0.00090A84A9 k \frac{C}{s} \\
1 ni'uxa-\frac{Q}{T^2} &= 10^{-60} = 0.000003A03266 m \frac{C}{s^2} \\
1 ni'umu-\frac{Q}{T^2} &= 10^{-50} = 6763.9A5 \frac{C}{s^2} \\
1 ni'umu-\frac{Q}{T^2} &= 10^{-50} = B.5508BA k \frac{C}{s^2} \\
1 vo-TQ &= 10^{40} = 0.000001AA9278 m s C \\
1 mu-TQ &= 10^{50} = 3369.71A s C \\
1 mu-TQ &= 10^{50} = 5.845543 k s C \\
1 vo-LQ &= 10^{40} = 13B.6A86 m m C \\
1 vo-LQ &= 10^{40} = 0.23705A0 m C \\
1 vo-LQ &= 10^{40} = 0.0003B80559 k m C \\
1 \frac{LQ}{T} &= 1 = 0.000001819268 m \frac{m C}{s} \\
1 pa-\frac{LQ}{T} &= 10^{10} = 2A99.368 \frac{m C}{s} \\
1 pa-\frac{LQ}{T} &= 10^{10} = 5.01AB87 k \frac{m C}{s} \\
1 ni'uci-\frac{LQ}{T^2} &= 10^{-30} = 0.02151418 m \frac{m C}{s^2} \\
1 ni'uci-\frac{LQ}{T^2} &= 10^{-30} = 0.000037B2979 \frac{m C}{s^2} \\
1 ni'ure-\frac{LQ}{T^2} &= 10^{-20} = 63B08.73 k \frac{m C}{s^2} \\
1 ze-LTQ &= 10^{70} = 0.01079753 m m s C \\
1 ze-LTQ &= 10^{70} = 0.000019A3913 m s C \\
1 bi-LTQ &= 10^{80} = 31933.B1 k m s C \\
1 ze-L^2 Q &= 10^{70} = 89A0A4.B m m^2 C
\end{aligned}$$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.0009546769 \cdot 10^{70} \\
1 \text{k m}^2 \text{ C} &= 0.5574346 \cdot 10^{70} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 10B.2B2A \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 75A10.87 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.000043BA884 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.00A3020A0 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 5.B23245 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 3524.4A6 \cdot 10^0 \\
1 \text{m m}^2 \text{ s C} &= 0.01873025 \cdot 10^{A0} \\
1 \text{m}^2 \text{ s C} &= B.B1034A \cdot 10^{A0} \\
1 \text{k m}^2 \text{ s C} &= 6A97.938 \cdot 10^{A0} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 290549.5 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.000171515B \cdot 10^{-10} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.0B092B05 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 22.21871 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 13196.70 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.000008925785 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.00188B103 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 1.000779 \cdot 10^{-80} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 6B4.4514 \cdot 10^{-80} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.003583A3A \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 2.016558 \cdot 10^{20} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 11B6.820 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 0.0016303B0 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 0.A690327 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 614.27A4 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 12567B.0 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.00008452ABB \cdot 10^{-70} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.04A158B0 \cdot 10^{-70} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= B.563422 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 6770.331 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.000003A08127 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 1B.04B64 \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 113B6.55 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.00000786A154 \cdot 10^0 \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= A.100A9A \cdot 10^{-70} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{C}}{\text{m}^3} &= 5A03.A32 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 0.000003463693 \cdot 10^{-60} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.0007BA73A0 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.475A41B \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 281.4063 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 63B89.49 \cdot 10^{-120} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.000037B757B \cdot 10^{-110} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.02154068 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 108863.8 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.00007445A58 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.04318615 \cdot 10^{-30} \\
1 \text{m kg C} &= 0.0006481B3A \cdot 10^{20} \\
1 \text{kg C} &= 0.384601B \cdot 10^{20} \\
1 \text{k kg C} &= 218.1B12 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ze-}L^2Q &= 10^{70} = 132A.827 \text{ m}^2 \text{ C} \\
1 \text{ ze-}L^2Q &= 10^{70} = 2.2404BAk \text{ m}^2 \text{ C} \\
1 \text{ ci-} \frac{L^2Q}{T} &= 10^{30} = 0.00B16A068 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ ci-} \frac{L^2Q}{T} &= 10^{30} = 0.00001729852 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2Q}{T} &= 10^{40} = 292A0.68 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 120.6956 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.2033465 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.00035B401A \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 6B.A4866 \text{ m m}^2 \text{ s C} \\
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.100B068 \text{ m}^2 \text{ s C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{jauau-}L^2TQ &= 10^{A0} = 0.00018A50A5 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'ure-} \frac{Q}{L} &= 10^{-20} = 0.000004437982 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 7646.B66 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 11.021A3 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.05601213 \text{ m} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.00009608B39 \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ubo-} \frac{Q}{LT} &= 10^{-40} = 145123.7 \text{ k} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 6B3.76AB \text{ m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.BBB4431 \frac{\text{C}}{\text{m s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.001888A72 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 355.4166 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.5B74B15 \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.000A3908A1 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 7A8.0B29 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 1.177187 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 0.001B68389 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ubi-} \frac{Q}{L^2T} &= 10^{-80} = 0.000009B589B5 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 15255.B4 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 25.89142 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uveiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.106946B \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uveiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.0001986740 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} &= 10^{-A0} = 316294.A \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.0630272A \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.0000A976A94 \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = 168004.A \text{ k} \frac{\text{s C}}{\text{m}^2} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.1234434 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.0002081473 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 36782B.7 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 1603.16B \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 2.718479 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.004599030 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upare-} \frac{Q}{L^3T^2} &= 10^{-120} = 0.00001A8B09A \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 33373.99 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 57.AB374 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'uvo-} \frac{TQ}{L^3} &= 10^{-40} = 0.00000B3952A1 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 17677.BB \frac{\text{s C}}{\text{m}^3} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 29.9557A \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ re-} MQ &= 10^{20} = 1A65.092 \text{ m kg C} \\
1 \text{ re-} MQ &= 10^{20} = 3.2B3578 \text{ kg C} \\
1 \text{ re-} MQ &= 10^{20} = 0.00573585B \text{ k kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 50916.3A \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.00002B1B472 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 0.01842247 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 4.019055 \cdot 10^{-50} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 23A4.212 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 0.000001415A3B \cdot 10^{-40} \\
1 \text{m kg s C} &= 8.092B99 \cdot 10^{50} \\
1 \text{kg s C} &= 4800.289 \cdot 10^{50} \quad (*) \\
1 \text{k kg s C} &= 0.00000284A96B \cdot 10^{60} \\
1 \text{m kg m C} &= B6965.55 \cdot 10^{40} \\
1 \text{kg m C} &= 0.0000683A29A \cdot 10^{50} \\
1 \text{k kg m C} &= 0.03A5950B \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 9.1B909A \cdot 10^{10} \\
1 \frac{\text{kg m C}}{\text{s}} &= 5378.B78 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 0.00000309B976 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 0.0007319176 \cdot 10^{-20} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 0.4252294 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 252.281B \cdot 10^{-20} \\
1 \text{m kg m s C} &= 0.001271B00 \cdot 10^{80} \quad (*) \\
1 \text{kg m s C} &= 0.8544787 \cdot 10^{80} \\
1 \text{k kg m s C} &= 4A7.B16B \cdot 10^{80} \\
1 \text{m kg m}^2 \text{C} &= 18.B2855 \cdot 10^{70} \\
1 \text{kg m}^2 \text{C} &= 10147.54 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{C} &= 0.000007017508 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.0014709A4 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.972505B \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 568.0181 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 1118A6.7 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.00007734BA9 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.0449B080 \cdot 10^{10} \\
1 \text{m kg m}^2 \text{s C} &= 22506A.3 \cdot 10^{A0} \\
1 \text{kg m}^2 \text{s C} &= 0.0001335877 \cdot 10^{B0} \\
1 \text{k kg m}^2 \text{s C} &= 0.08A21876 \cdot 10^{B0} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 3.644436 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{m}} &= 2062.371 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 0.000001222BB7 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 0.0002969A43 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m s}} &= 0.175145B \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}} &= B2.AA263 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 22723.7B \cdot 10^{-80} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 0.00001348741 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}^2} &= 0.008AA9177 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 45568.1B \cdot 10^{20} \\
1 \frac{\text{kg s C}}{\text{m}} &= 0.000026B3308 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 0.015AA332 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 1B4A3.33 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.00001166481 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.007A08453 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 1.6666A2 \cdot 10^{-70} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}} &= A89.5768 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{n}i'ure-\frac{MQ}{T} &= 10^{-20} = 0.00002453351 \text{m} \frac{\text{kg C}}{\text{s}} \\
1 \text{n}i'upa-\frac{MQ}{T} &= 10^{-10} = 41187.A1 \frac{\text{kg C}}{\text{s}} \\
1 \text{n}i'upa-\frac{MQ}{T} &= 10^{-10} = 70.B0559 \text{k} \frac{\text{kg C}}{\text{s}} \\
1 \text{n}i'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.2BA832A \text{m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{n}i'umu-\frac{MQ}{T^2} &= 10^{-50} = 0.000520292A \frac{\text{kg C}}{\text{s}^2} \\
1 \text{n}i'uvo-\frac{MQ}{T^2} &= 10^{-40} = 8B2045.3 \text{k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{mu-}MTQ &= 10^{50} = 0.15A3433 \text{m kg s C} \\
1 \text{mu-}MTQ &= 10^{50} = 0.00026A3378 \text{kg s C} \\
1 \text{xa-}MTQ &= 10^{60} = 453A04.1 \text{k kg s C} \\
1 \text{vo-}MLQ &= 10^{40} = 0.0000105497A \text{m kg m C} \\
1 \text{mu-}MLQ &= 10^{50} = 1961B.72 \text{kg m C} \\
1 \text{mu-}MLQ &= 10^{50} = 31.21352 \text{k kg m C} \\
1 \text{pa-}\frac{MLQ}{T} &= 10^{10} = 0.1386640 \text{m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{pa-}\frac{MLQ}{T} &= 10^{10} = 0.0002319794 \frac{\text{kg m C}}{\text{s}} \\
1 \text{re-}\frac{MLQ}{T} &= 10^{20} = 3AABA5.7 \text{k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{n}i'ure-\frac{MLQ}{T^2} &= 10^{-20} = 179B.3A2 \text{m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{n}i'ure-\frac{MLQ}{T^2} &= 10^{-20} = 2.A31BB2 \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{n}i'ure-\frac{MLQ}{T^2} &= 10^{-20} = 0.004B25B38 \text{k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{bi-}MLTQ &= 10^{80} = 9A4.725A \text{m kg m s C} \\
1 \text{bi-}MLTQ &= 10^{80} = 1.50696B \text{kg m s C} \\
1 \text{bi-}MLTQ &= 10^{80} = 0.002555A83 \text{k kg m s C} \\
1 \text{ze-}ML^2Q &= 10^{70} = 0.06A65818 \text{m kg m}^2 \text{C} \\
1 \text{ze-}ML^2Q &= 10^{70} = 0.0000BA76551 \text{kg m}^2 \text{C} \\
1 \text{bi-}ML^2Q &= 10^{80} = 186565.4 \text{k kg m}^2 \text{C} \\
1 \text{vo-}\frac{ML^2Q}{T} &= 10^{40} = 881.B947 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{vo-}\frac{ML^2Q}{T} &= 10^{40} = 1.2BBB76 \frac{\text{kg m}^2 \text{C}}{\text{s}} \quad (***) \\
1 \text{vo-}\frac{ML^2Q}{T} &= 10^{40} = 0.0021B0514 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.00000AB55966 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-}\frac{ML^2Q}{T^2} &= 10^{10} = 16B1A.83 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-}\frac{ML^2Q}{T^2} &= 10^{10} = 28.8640A \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{jauau-}ML^2TQ &= 10^{A0} = 0.00000554A116 \text{m kg m}^2 \text{s C} \\
1 \text{vaeie-}ML^2TQ &= 10^{B0} = 9502.571 \text{kg m}^2 \text{s C} \\
1 \text{vaeie-}ML^2TQ &= 10^{B0} = 14.33634 \text{k kg m}^2 \text{s C} \\
1 \text{n}i'upa-\frac{MQ}{L} &= 10^{-10} = 0.3495881 \text{m} \frac{\text{kg C}}{\text{m}} \\
1 \text{n}i'upa-\frac{MQ}{L} &= 10^{-10} = 0.0005A59962 \frac{\text{kg C}}{\text{m}} \\
1 \frac{MQ}{L} &= 1 = A196A1.3 \text{k} \frac{\text{kg C}}{\text{m}} \\
1 \text{n}i'uvo-\frac{MQ}{LT} &= 10^{-40} = 4358.7BA \text{m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{n}i'uvo-\frac{MQ}{LT} &= 10^{-40} = 7.4B5105 \frac{\text{kg C}}{\text{m s}} \\
1 \text{n}i'uvo-\frac{MQ}{LT} &= 10^{-40} = 0.01098613 \text{k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{n}i'ubi-\frac{MQ}{LT^2} &= 10^{-80} = 0.000054B699B \text{m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{n}i'uze-\frac{MQ}{LT^2} &= 10^{-70} = 94311.64 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{n}i'uze-\frac{MQ}{LT^2} &= 10^{-70} = 141.B941 \text{k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{re-}\frac{MTQ}{L} &= 10^{20} = 0.0000283A343 \text{m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-}\frac{MTQ}{L} &= 10^{30} = 47A27.18 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-}\frac{MTQ}{L} &= 10^{30} = 80.61730 \text{k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{n}i'uvo-\frac{MQ}{L^2} &= 10^{-40} = 0.0000619B883 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{n}i'uci-\frac{MQ}{L^2} &= 10^{-30} = A76B7.51 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{n}i'uci-\frac{MQ}{L^2} &= 10^{-30} = 164.561B \text{k} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{n}i'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.7921351 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} \\
1 \text{n}i'uze-\frac{MQ}{L^2T} &= 10^{-70} = 0.00115010A \frac{\text{kg C}}{\text{m}^2 \text{s}}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 626451.1 \cdot 10^{-70}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 1B22797. k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 0.0001284173 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 9970.816 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.08607458 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 14.B2380 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 4B.08325 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.02531485 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.0002565372 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 4A60.580 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 0.1511498 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 8.5115A4 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 9A.85085 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.01268341 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.00010B1B90 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = B177.B2B m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.075964B1 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 17.2B163 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 43.B6A62 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.02930611 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = A2B4.B70 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^3 T} = 10^{-A0} = 0.00012079 B3 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 5B19B19. \cdot 10^{-A0}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 203521.3 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 0.003521435 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 35B.7151 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 0.81512A4 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 1.58A0B7 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 484.6933 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.002679550 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 287644.4 \cdot 10^{-110}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 44B6540. k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 1.4399B0 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.89A8855 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 953.A2A5 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.00132B992 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 556B51.3 \cdot 10^{-30}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 2242448. k \frac{kg\ s\ C}{m^3}$
<hr/>	
$1m \frac{1}{K} = 1046.233 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000B775604 m \frac{1}{K}$
$1 \frac{1}{K} = 71B439.1 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000001813238 \frac{1}{K}$
$1k \frac{1}{K} = 0.000418A275 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = 2A8A.A86 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{sK}$
$1 \frac{1}{sK} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{sK}$
$1k \frac{1}{sK} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{sK}$
$1m \frac{1}{s^2 K} = 0.00000793007A \cdot 10^{-40}$ (*)	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 166451.9 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 0.0045B6A46 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 280.3066 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 2.729041 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.473BA77 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.0000137516A \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 92774.98 m \frac{s}{K}$
$1 \frac{s}{K} = 0.009056B71 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 13B.2156 \frac{s}{K}$
$1k \frac{s}{K} = 5.292906 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 0.23642AB k \frac{s}{K}$
$1m \frac{m}{K} = 0.1A49A23 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 6.51786A m \frac{m}{K}$
$1 \frac{m}{K} = 10B.6989 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00B136169 \frac{m}{K}$
$1k \frac{m}{K} = 7603B.69 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00001723B56 k \frac{m}{K}$
$1m \frac{m}{sK} = 0.0000159016A \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 8141B.A2 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.00A332AA8 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 120.2710 \frac{m}{sK}$
$1k \frac{m}{sK} = 5.B40624 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.202815A k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 2433.053 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.0005115786 m \frac{ms}{K}$
$1 \frac{ms}{K} = 1443B11. \cdot 10^{80}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 89752A.4 \frac{ms}{K}$
$1k \frac{ms}{K} = 0.00095746BB \cdot 10^{90}$ (*)	$1 so - \frac{LT}{\Theta} = 10^{90} = 1326.169 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 0.00003466B3A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 36748.3B m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.01B57027 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 61.7825A \frac{m^2}{K}$
$1k \frac{m^2}{K} = 11.6B54A \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 0.0A7300A0 k \frac{m^2}{K}$ (*)
$1m \frac{m^2}{sK} = 2816.87A \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.0004594653 m \frac{m^2}{sK}$
$1 \frac{m^2}{sK} = 1671601. \cdot 10^{40}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 78B268.6 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.000A915906 \cdot 10^{50}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 1147.109 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 0.2156202 \cdot 10^{10}$	$1 pa - \frac{L^2}{T^2\Theta} = 10^{10} = 5.7A5784 m \frac{m^2}{s^2 K}$

$1 \frac{m^2}{s^2 K} = 128.9760 \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.009934 A29 \frac{m^2}{s^2 K}$
$1 k \frac{m^2}{s^2 K} = 86396.09 \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.000014 A7BB3 k \frac{m^2}{s^2 K} \quad (*)$
$1 m \frac{m^2 s}{K} = 0.4320936 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 2.9927 A4 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 257.4406 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 0.004 A42803 \frac{m^2 s}{K}$
$1 k \frac{m^2 s}{K} = 151795.5 \cdot 10^{B0}$	$1 pano \cdot \frac{L^2 T}{\Theta} = 10^{100} = 849 B989. k \frac{m^2 s}{K}$
$1 m \frac{1}{m K} = 0.000006 A07374 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 19087 B.3 m \frac{1}{m K}$
$1 \frac{1}{m K} = 0.003 B59685 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 304.8532 \frac{1}{m K}$
$1 k \frac{1}{m K} = 2.358 B07$	$1 \frac{1}{L \Theta} = 1 = 0.52 A758 B k \frac{1}{m K}$
$1 m \frac{1}{m s K} = 550.23 B2 \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{1}{LT \Theta} = 10^{-40} = 0.00226 B297 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 317601. B \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{1}{LT \Theta} = 10^{-40} = 0.0000039 B1560 \frac{1}{m s K}$
$1 k \frac{1}{m s K} = 0.0001993512 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{LT \Theta} = 10^{-30} = 6744.081 k \frac{1}{m s K}$
$1 m \frac{1}{m s^2 K} = 0.04362747 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{1}{LT^2 \Theta} = 10^{-70} = 29.65 B A0 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 25.9921 B \cdot 10^{-70}$	$1 ni' uze \cdot \frac{1}{LT^2 \Theta} = 10^{-70} = 0.049 B6271 \frac{1}{m s^2 K}$
$1 k \frac{1}{m s^2 K} = 15305.90 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{1}{LT^2 \Theta} = 10^{-70} = 0.0000841 A317 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 0.08766 B71 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 14.83074 m \frac{s}{m K}$
$1 \frac{s}{m K} = 4 B. B1046 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 0.024 A057 B \frac{s}{m K}$
$1 k \frac{s}{m K} = 2A817.9 B \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 0.0000419 B57 A k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 0.0393 B747 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 32.15321 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 22.2967 B \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 0.055 A5548 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 13221.03 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 0.0000959 AA34 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 0.000002 BB0502 \cdot 10^{-60} \quad (*)$	$1 ni' uxa \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 401358. A m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.00189536 A \cdot 10^{-60}$	$1 ni' uxa \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 6 B1.6822 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 1.004295 \cdot 10^{-60} \quad (*)$	$1 ni' uxa \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 0. BB79407 k \frac{1}{m^2 s K} \quad (*)$
$1 m \frac{1}{m^2 s^2 K} = 245.66 A5 \cdot 10^{-40}$	$1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-A0} = 0.005086614 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 1457 A3.8 \cdot 10^{-A0}$	$1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-A0} = 0.0000088 AB081 \frac{1}{m^2 s^2 K}$
$1 k \frac{1}{m^2 s^2 K} = 0.000096472 B0 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-90} = 13134. BB k \frac{1}{m^2 s^2 K} \quad (*)$
$1 m \frac{s}{m^2 K} = 492.5 A6 B \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.002625780 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 291336.1 \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.000004424214 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.000171 AA24 \cdot 10^{10}$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 7623. B51 k \frac{s}{m^2 K}$
$1 m \frac{1}{m^3 K} = 210.63 A2 \cdot 10^{-60}$	$1 ni' uxa \cdot \frac{1}{L^3 \Theta} = 10^{-60} = 0.0058 BBA04 m \frac{1}{m^3 K} \quad (*)$
$1 \frac{1}{m^3 K} = 125 ABA.8 \cdot 10^{-60}$	$1 ni' uxa \cdot \frac{1}{L^3 \Theta} = 10^{-60} = 0.000009 B2915 B \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 0.00008478 BB0 \cdot 10^{-50} \quad (*)$	$1 ni' umu \cdot \frac{1}{L^3 \Theta} = 10^{-50} = 15204.30 k \frac{1}{m^3 K}$
$1 m \frac{1}{m^3 s K} = 0.017 A1742 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^3 T \Theta} = 10^{-90} = 73.0 B0 A3 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = B.598647 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^3 T \Theta} = 10^{-90} = 0.1065762 \frac{1}{m^3 s K}$
$1 k \frac{1}{m^3 s K} = 6790.130 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^3 T \Theta} = 10^{-90} = 0.0001980157 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 0.000001388416 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 91 A844. A m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.000912473 A \cdot 10^{-100}$	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 139 A.861 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 0.5323 A82 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 2.341738 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 0.00000277323 A \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = 468108.4 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.001635961 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = 7 A5.8788 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 0. A702286 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = 1.17309 B k \frac{s}{m^3 K}$
$1 m \frac{kg}{K} = 0.013 A5345 \cdot 10^{30}$	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 90. A7486 m \frac{kg}{K}$
$1 \frac{kg}{K} = 9.226005 \cdot 10^{30} \quad (*)$	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 0.13819 BB \frac{kg}{K} \quad (*)$
$1 k \frac{kg}{K} = 5394.043 \cdot 10^{30}$	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 0.0002311650 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 0.00000106 AA00 \cdot 10^0 \quad (*)$	$1 \frac{M}{T \Theta} = 1 = B54 B57.3 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 0.000733 B296 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 1795.48 B \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 0.4265401 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 2. A23909 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 9 B.6 A77A \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{M}{T^2 \Theta} = 10^{-40} = 0.01254 B A6 m \frac{kg}{s^2 K}$
$1 \frac{kg}{s^2 K} = 59245. A6 \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{M}{T^2 \Theta} = 10^{-40} = 0.000020 B7 B4 A \frac{kg}{s^2 K}$
$1 k \frac{kg}{s^2 K} = 0.000034065 A2 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{M}{T^2 \Theta} = 10^{-30} = 37199.76 k \frac{kg}{s^2 K}$

$$\begin{aligned}
1m \frac{\text{kg s}}{\text{K}} &= 180.4050 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= B7100.27 \cdot 10^{60} \quad (*) \\
1k \frac{\text{kg s}}{\text{K}} &= 0.0000685A356 \cdot 10^{70} \\
1m \frac{\text{kg m}}{\text{K}} &= 0.000002488576 \cdot 10^{60} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.001475959 \cdot 10^{60} \\
1k \frac{\text{kg m}}{\text{K}} &= 0.9753659 \cdot 10^{60} \\
1m \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1k \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1m \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.0160526A \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= A.530264 \cdot 10^{-10} \\
1k \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 6059.757 \cdot 10^{-10} \\
1m \frac{\text{kg m s}}{\text{K}} &= 0.030302B0 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 18.B8B83 \cdot 10^{90} \\
1k \frac{\text{kg m s}}{\text{K}} &= 10182.BA \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{K}} &= 43B.B262 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 2610A6.1 \cdot 10^{80} \\
1k \frac{\text{kg m}^2}{\text{K}} &= 0.000154B550 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{s K}} &= 0.0352495A \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1B.A13B2 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{\text{s K}} &= 1196A.68 \cdot 10^{50} \\
1m \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1k \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.000005574A88 \cdot 10^{100} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0031B8139 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 1.9B84BA \cdot 10^{100} \\
1m \frac{\text{kg}}{\text{m K}} &= 89.26759 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 50A78.7B \cdot 10^0 \\
1k \frac{\text{kg}}{\text{m K}} &= 0.00002B29AB6 \cdot 10^{10} \\
1m \frac{\text{kg}}{\text{m s K}} &= 0.006B45254 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 4.02B558 \cdot 10^{-30} \\
1k \frac{\text{kg}}{\text{m s K}} &= 23B0.628 \cdot 10^{-30} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 560897.A \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0003229118 \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1A1599B \cdot 10^{-60} \\
1m \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1k \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 4A1635.1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0002977AB9 \cdot 10^{-20} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1757237 \cdot 10^{-20} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3A.08646 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 227A3.2B \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.0000135127A \cdot 10^{-50} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.00305B675 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.9154A8 \cdot 10^{-90} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1028.0A7 \cdot 10^{-90} \\
1m \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.00614340B \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 3.655063 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.007234241 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.00001051101 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 19576.54 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 501A4B.9 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 87B.47A1 \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1.2B75A0 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 7B.982B5 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.11967B0 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.0001BA0B45 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 3B.80018 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.06A45019 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.0000BA3B9B5 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.0029298A0 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.000004951904 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 832A.16B \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 35.B3756 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.06058571 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.0000A52A268 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 224020.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 396.0A52 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 0.6677437 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.01451057 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00002446953 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 4105B.73 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 188.8834 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.2B99664 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.00051A829B \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 221A839. \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 3924.A17 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 6.61334A \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 2588A02. \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 4345.348 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 7.492607 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.03162525 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.0000549B4A4 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2T\Theta} &= 10^{-50} = 94036.B6 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 3B4.1A91 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.69993AA \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.000B946168 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 1B6.8111 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 0.3485649 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 2069.784 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0005A40890 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.002814414 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 459.8629 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1.67015B \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.78B9535 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = A90.8244 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.0011480B5 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s K} = 215434.A \cdot 10^{-90}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 57AA801. m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.000128864B \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 9941.654 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 0.08631B24 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 14.A92B4 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 18.1B660 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.07184883 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = B803.599 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001041093 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 6904825. \cdot 10^{-100}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 193A92.5 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 34.63B39 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.03677A24 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 1B553.46 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000061817B0 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.0000116A542 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A7395.AB k \frac{kg\ s}{m^3 K}$
$1m K = 2A8A.A86 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.000418A275 m\ K$
$1 K = 0.000001813238 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 71B439.1 K$
$1k K = 0.000B775604 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 1046.233 k\ K$
$1m \frac{K}{s} = 0.23642AB \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 5.292906 m \frac{K}{s}$
$1 \frac{K}{s} = 13B.2156 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.009056B71 \frac{K}{s}$
$1k \frac{K}{s} = 92774.98 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0000137516A k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00001999287 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 6726B.48 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.01075A0A \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = B4.A7260 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 7.37BA73 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.17864B7 k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1 m\ K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1k m\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0000419B57A \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 2A817.9B m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.024A057B \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 4B.B1046 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 14.83074 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.08766B71 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 3359.932 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.000379201A m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.000001AA2464 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 6375A6.5 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.0011281A1 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = AA8.1861 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 6744.081 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.0001993512 m\ m\ s\ K$
$1m s\ K = 0.0000039B1560 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 317601.B m\ s\ K$
$1k m\ s\ K = 0.00226B297 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 550.23B2 k\ m\ s\ K$
$1m m^2 K = 0.0000959AA34 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 13221.03 m\ m^2 K$
$1 m^2 K = 0.055A5548 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 22.2967B m^2 K$
$1k m^2 K = 32.15321 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.0393B747 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5B57636 \cdot 10^{-40}$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 2.021821 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 354.38B0 \cdot 10^{-40}$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.003594419 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 1BB273.B \cdot 10^{-40} (*)$	$1 ni'uvoo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.0000060242B3 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.BB79407 \cdot 10^{60} (*)$	$1 xa-L^2T\Theta = 10^{60} = 1.004295 m\ m^2 s\ K (*)$
$1 m^2 s\ K = 6B1.6822 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00189536A m^2 s\ K$
$1k m^2 s\ K = 401358.A \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.000002BB0502 k\ m^2 s\ K (*)$
$1m \frac{K}{m} = 0.00001723B56 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 7603B.69 m \frac{K}{m}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{m}} &= 0.00B136169 \cdot 10^{-50} \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 6.51786A \cdot 10^{-50} \\
1 \text{m} \frac{\text{K}}{\text{ms}} &= 1326.169 \cdot 10^{-90} \\
1 \frac{\text{K}}{\text{ms}} &= 89752A.4 \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{ms}} &= 0.0005115786 \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{ms}^2} &= 0.1007530 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{K}}{\text{ms}^2} &= 6B.83796 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2} &= 40524.01 \cdot 10^{-100} \\
1 \text{m} \frac{\text{sK}}{\text{m}} &= 0.202815A \cdot 10^{-20} \\
1 \frac{\text{sK}}{\text{m}} &= 120.2710 \cdot 10^{-20} \\
1 \text{k} \frac{\text{sK}}{\text{m}} &= 8141B.A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 0.0A7300A0 \cdot 10^{-80} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2} &= 61.7825A \cdot 10^{-80} \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 36748.3B \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 849B989. \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.004A42803 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 2.9927A4 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 67A.9430 \cdot 10^{-130} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 3A2A23.6 \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.0002291153 \cdot 10^{-120} \\
1 \text{m} \frac{\text{sK}}{\text{m}^2} &= 1147.109 \cdot 10^{-50} \\
1 \frac{\text{sK}}{\text{m}^2} &= 78B268.6 \cdot 10^{-50} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2} &= 0.0004594653 \cdot 10^{-40} \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 5A3.7635 \cdot 10^{-B0} \\
1 \frac{\text{K}}{\text{m}^3} &= 348262.B \cdot 10^{-B0} \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 0.0001B66421 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.04785943 \cdot 10^{-120} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= 28.2A298 \cdot 10^{-120} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 167A5.8A \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 3818466. \cdot 10^{-160} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.002166562 \cdot 10^{-150} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 1.2948A4 \cdot 10^{-150} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3} &= 7487B26. \cdot 10^{-80} \\
1 \frac{\text{sK}}{\text{m}^3} &= 0.004341592 \cdot 10^{-70} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3} &= 2.586774 \cdot 10^{-70} \\
1 \text{m kg K} &= 0.03867199 \cdot 10^{-20} \\
1 \text{kg K} &= 21.9457B \cdot 10^{-20} \\
1 \text{k kg K} &= 12B05.08 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 2B37376. \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{s}} &= 0.001851886 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 0.B9A4797 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 23B.7B5B \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 1422BB.2 \cdot 10^{-90} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 0.0000944B562 \cdot 10^{-80} \\
1 \text{m kg s K} &= 482.7B4A \cdot 10^{10} \\
1 \text{kg s K} &= 28651A.7 \cdot 10^{10} \\
1 \text{k kg s K} &= 0.000169B399 \cdot 10^{20} \\
1 \text{m kg m K} &= 687789A. \cdot 10^0 \\
1 \text{kg m K} &= 0.003A7B907 \cdot 10^{10} \\
1 \text{k kg m K} &= 2.3008B6 \cdot 10^{10} \quad (*) \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 53A.9035 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 10B.6989 \frac{\text{K}}{\text{m}} \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 0.1A49A23 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uso-} \frac{\Theta}{LT} &= 10^{-90} = 0.00095746B \text{m} \frac{\text{K}}{\text{ms}} \quad (*) \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 1443B11. \frac{\text{K}}{\text{ms}} \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 2433.053 \text{k} \frac{\text{K}}{\text{ms}} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = B.B47171 \text{m} \frac{\text{K}}{\text{ms}^2} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.0187922B \frac{\text{K}}{\text{ms}^2} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.00002B81801 \text{k} \frac{\text{K}}{\text{ms}^2} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 5.B40624 \text{m} \frac{\text{sK}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.00A332AA8 \frac{\text{sK}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.0000159016A \text{k} \frac{\text{sK}}{\text{m}} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 11.6B54A \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.01B57027 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.00003466B3A \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 151795.5 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 257.4406 \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 0.4320936 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upaci-} \frac{\Theta}{L^2T^2} &= 10^{-130} = 0.001976439 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 3145743. \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 546B.517 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umu-} \frac{T\Theta}{L^2} &= 10^{-50} = 0.000A915906 \text{m} \frac{\text{sK}}{\text{m}^2} \\
1 \text{ni'uvo-} \frac{T\Theta}{L^2} &= 10^{-40} = 1671601. \frac{\text{sK}}{\text{m}^2} \\
1 \text{ni'uvo-} \frac{T\Theta}{L^2} &= 10^{-40} = 2816.87A \text{k} \frac{\text{sK}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^3} &= 10^{-B0} = 0.00206B563 \text{m} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 365822B. \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 6148.931 \text{k} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 27.02995 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.045727A7 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.00007875A0A \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 331918.5 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 577.8B94 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 0.98A84BA \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 175877.2 \text{m} \frac{\text{sK}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 297.A4A6 \frac{\text{sK}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{T\Theta}{L^3} &= 10^{-70} = 0.4A1A70B \text{k} \frac{\text{sK}}{\text{m}^3} \\
1 \text{ni'ure-} M\Theta &= 10^{-20} = 32.955B7 \text{m kg K} \\
1 \text{ni'ure-} M\Theta &= 10^{-20} = 0.057038A6 \text{kg K} \\
1 \text{ni'ure-} M\Theta &= 10^{-20} = 0.0000979A258 \text{k kg K} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 40B4B1.1 \text{m} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 707.065A \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 1.021BB8 \text{k} \frac{\text{kg K}}{\text{s}} \quad (*) \\
1 \text{ni'uso-} \frac{M\Theta}{T^2} &= 10^{-90} = 0.005193937 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 8A8BA96. \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 13456.78 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{pa-} MT\Theta &= 10^{10} = 0.002689A87 \text{m kg s K} \\
1 \text{re-} MT\Theta &= 10^{20} = 4513B39. \text{kg s K} \\
1 \text{re-} MT\Theta &= 10^{20} = 7793.78A \text{k kg s K} \\
1 \text{pa-} ML\Theta &= 10^{10} = 19519B.2 \text{m kg m K} \\
1 \text{pa-} ML\Theta &= 10^{10} = 310.4387 \text{kg m K} \\
1 \text{pa-} ML\Theta &= 10^{10} = 0.53BA293 \text{k kg m K} \\
1 \text{ni'uci-} \frac{ML\Theta}{T} &= 10^{-30} = 0.0023063B4 \text{m} \frac{\text{kg m K}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 30B87B.B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.00019494A2 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 0.04276972 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 25.37268 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 14B58.11 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.0977A372 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 56.B1AA4 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 32895.A9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 7778851. \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.004504B92 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.683670 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 0.0000134246A \cdot 10^{70} \\
1 \text{kg m}^2 \text{s K} &= 0.008A71A48 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 5.183036 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 207.422B \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 122B04.B \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.000082AB362 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.01760466 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= B.352768 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 6646.2B1 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 13553B9. \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0008B39834 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.5213136 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 2708945. \cdot 10^{-20} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0015B84B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.A49B129 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 117208B. \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.0007A5179A \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4679017 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= A9.36703 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 629A7.89 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.000037373B0 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.008655222 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 4.B3587A \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 2A38.989 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.0151B100 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 9.B20372 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 58B6.890 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.00761933A \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.420391 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 2623.4A1 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 5B5229.A \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0003540823 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.1BB0A0A \cdot 10^{-110} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 3A89497. \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 6890.4A0 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 2A.167B2 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.04AB864B \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000085AB123 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-} ML^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 12.B3609 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.02199973 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00003874439 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 16A326.2 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 286.BA70 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.48376A4 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 946A8.42 \text{m kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 142.6410 \text{kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 0.24018A6 \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.005A26032 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = A13A14B. \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = 15578.44 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 74.72A8A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.1091345 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.0001A069A3 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 939995.1 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 1412.7A7 \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2.39A781 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 47770B.8 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 801.7193 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 1.1A14B6 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = A70B76.A \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 1637.192 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 2.77564A \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.01144628 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.00001B11699 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 33AA6.B8 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 14A.4902 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.2518A70 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0004244267 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvoso-} \frac{MT\Theta}{L^2} &= 10^{-40} = 84.84542 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoso-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.1260093 \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvoso-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0002108212 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 172.0328 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.29158B1 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000492A14B \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{M\Theta}{L^3T} &= 10^{-120} = 0.00000202357B \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 3597.533 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 6.029711 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 48.72863 \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.026641 A9 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 2890 A.1 A \cdot 10^{-150}$	$1 ni' upamu \frac{M\Theta}{L^3 T^2} = 10^{-150} = 0.00004490689 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.000016 B57 A6 \cdot 10^{-140}$	$1 ni' upavo \frac{M\Theta}{L^3 T^2} = 10^{-140} = 771 A A.34 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 95.92523 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.01323262 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 55 A06. A8 \cdot 10^{-70}$	$1 ni' uze \frac{MT\Theta}{L^3} = 10^{-70} = 0.0000222 B5 B8 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.0000321253 A \cdot 10^{-60}$	$1 ni' uxa \frac{MT\Theta}{L^3} = 10^{-60} = 3942 B.80 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.100696 A \cdot 10^{-40}$ (*)	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = B.B528 B8 m \frac{K}{C}$
$1 \frac{K}{C} = 6 B.7 B258 \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.0187 A34 A \frac{K}{C}$
$1k \frac{K}{C} = 404 B9.1 A \cdot 10^{-40}$	$1 ni' uvo \frac{\Theta}{Q} = 10^{-40} = 0.00002 B8368 B \frac{K}{C}$
$1m \frac{K}{sC} = 966777 A \cdot 10^{-80}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 131024.8 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.005636105 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 220.9688 \frac{K}{sC}$
$1k \frac{K}{sC} = 3.244432 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{TQ} = 10^{-70} = 0.390619 A k \frac{K}{sC}$
$1m \frac{K}{s^2 C} = 769.2 B90 \cdot 10^{-B0}$	$1 ni' uvaiei \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.0017053 A A m \frac{K}{s^2 C}$
$1 \frac{K}{s^2 C} = 446428.3 \cdot 10^{-B0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 28 A9016. \frac{K}{s^2 C}$
$1k \frac{K}{s^2 C} = 0.0002649540 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{T^2 Q} = 10^{-A0} = 48 A1.679 k \frac{K}{s^2 C}$
$1m \frac{sK}{C} = 1325.3 A6 \cdot 10^{-10}$	$1 ni' upa \frac{T\Theta}{Q} = 10^{-10} = 0.000957 A74 A m \frac{sK}{C}$
$1 \frac{sK}{C} = 896 B76. A \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 1444962. \frac{sK}{C}$
$1k \frac{sK}{C} = 0.0005112493 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 2434.656 k \frac{sK}{C}$
$1m \frac{mK}{C} = 0.0000199809 A \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 672 B1. A6 m \frac{mK}{C}$
$1 \frac{mK}{C} = 0.01075204 \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = B4. B258 A \frac{mK}{C}$
$1k \frac{mK}{C} = 7.377291 \cdot 10^{-10}$	$1 ni' upa \frac{L\Theta}{Q} = 10^{-10} = 0.1787564 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 1534.1 A A \cdot 10^{-50}$	$1 ni' umu \frac{L\Theta}{TQ} = 10^{-50} = 0.0008400 B24 m \frac{mK}{sC}$ (*)
$1 \frac{mK}{sC} = 9 BBA A6. A \cdot 10^{-50}$ (*)	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 1249899. \frac{mK}{sC}$
$1k \frac{mK}{sC} = 0.0005953429 \cdot 10^{-40}$	$1 ni' uvo \frac{L\Theta}{TQ} = 10^{-40} = 20 A7.4 B6 k \frac{mK}{sC}$
$1m \frac{mK}{s^2 C} = 0.1183714 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = A.626066 m \frac{mK}{s^2 C}$
$1 \frac{mK}{s^2 C} = 7 B.0 B744 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.01621090 \frac{mK}{s^2 C}$
$1k \frac{mK}{s^2 C} = 47034.79 \cdot 10^{-80}$	$1 ni' ubi \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.0000274 A34 B k \frac{mK}{s^2 C}$
$1m \frac{msK}{C} = 0.2362945 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 5.296106 m \frac{msK}{C}$
$1 \frac{msK}{C} = 13 B.1339 \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.009060887 \frac{msK}{C}$
$1k \frac{msK}{C} = 92716.3 B \cdot 10^{20}$	$1 re \frac{LT\Theta}{Q} = 10^{20} = 0.00001375 B64 k \frac{msK}{C}$
$1m \frac{m^2 K}{C} = 3357.814 \cdot 10^{10}$	$1 pa \frac{L^2 \Theta}{Q} = 10^{10} = 0.0003794406 m \frac{m^2 K}{C}$
$1 \frac{m^2 K}{C} = 0.000001 A A11 B8 \cdot 10^{20}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = 6379 A8.9 \frac{m^2 K}{C}$
$1k \frac{m^2 K}{C} = 0.001127550 \cdot 10^{20}$	$1 re \frac{L^2 \Theta}{Q} = 10^{20} = AA8.8796 k \frac{m^2 K}{C}$
$1m \frac{m^2 K}{sC} = 0.2733832 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 4.73012 A m \frac{m^2 K}{sC}$
$1 \frac{m^2 K}{sC} = 161.2374 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.007 B58190 \frac{m^2 K}{sC}$
$1k \frac{m^2 K}{sC} = A5833.92 \cdot 10^{-20}$	$1 ni' ure \frac{L^2 \Theta}{TQ} = 10^{-20} = 0.0000118 B897 k \frac{m^2 K}{sC}$
$1m \frac{m^2 K}{s^2 C} = 0.00002094818 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 59887.81 m \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 K}{s^2 C} = 0.0124125 A \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = A0.5 A284 \frac{m^2 K}{s^2 C}$
$1k \frac{m^2 K}{s^2 C} = 8.371872 \cdot 10^{-50}$	$1 ni' umu \frac{L^2 \Theta}{T^2 Q} = 10^{-50} = 0.1542523 k \frac{m^2 K}{s^2 C}$
$1m \frac{m^2 sK}{C} = 0.000041989 AB \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 2 A835. B2 m \frac{m^2 sK}{C}$
$1 \frac{m^2 sK}{C} = 0.0249 AB36 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 4 B. B4269 \frac{m^2 sK}{C}$
$1k \frac{m^2 sK}{C} = 14.821 B9 \cdot 10^{50}$	$1 mu \frac{L^2 T\Theta}{Q} = 10^{50} = 0.08770570 k \frac{m^2 sK}{C}$
$1m \frac{K}{mC} = 67 A.5142 \cdot 10^{-70}$	$1 ni' uze \frac{\Theta}{LQ} = 10^{-70} = 0.001977612 m \frac{K}{mC}$
$1 \frac{K}{mC} = 3 A278 A.0 \cdot 10^{-70}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = 3147721. \frac{K}{mC}$
$1k \frac{K}{mC} = 0.000228 B848 \cdot 10^{-60}$	$1 ni' uxa \frac{\Theta}{LQ} = 10^{-60} = 5472. A35 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.0533544 A \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 23.37952 m \frac{K}{msC}$
$1 \frac{K}{msC} = 30.75 B33 \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.03 B22162 \frac{K}{msC}$
$1k \frac{K}{msC} = 19240.6 B \cdot 10^{-A0}$	$1 ni' ujauau \frac{\Theta}{LTQ} = 10^{-A0} = 0.000069642 BB k \frac{K}{msC}$ (*)

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 4219412 \cdot 10^{-120} \\
1 \frac{K}{ms^2C} &= 0.002503026 \cdot 10^{-110} \\
1k \frac{K}{ms^2C} &= 1.4964B5 \cdot 10^{-110} \\
1m \frac{sK}{mC} &= 849655B \cdot 10^{-40} \\
1 \frac{sK}{mC} &= 0.004A3B6A2 \cdot 10^{-30} \\
1k \frac{sK}{mC} &= 2.990A42 \cdot 10^{-30} \\
1m \frac{K}{m^2C} &= 3816050 \cdot 10^{-A0} \\
1 \frac{K}{m^2C} &= 0.00216512B \cdot 10^{-90} \\
1k \frac{K}{m^2C} &= 1.293B54 \cdot 10^{-90} \\
1m \frac{K}{m^2sC} &= 2AB.6A5B \cdot 10^{-110} \\
1 \frac{K}{m^2sC} &= 182984.A \cdot 10^{-110} \\
1k \frac{K}{m^2sC} &= 0.0000B862044 \cdot 10^{-100} \\
1m \frac{K}{m^2s^2C} &= 0.02385702 \cdot 10^{-140} \\
1 \frac{K}{m^2s^2C} &= 14.04954 \cdot 10^{-140} \\
1k \frac{K}{m^2s^2C} &= 9341.2B3 \cdot 10^{-140} \\
1m \frac{sK}{m^2C} &= 0.047829A4 \cdot 10^{-60} \\
1 \frac{sK}{m^2C} &= 28.28632 \cdot 10^{-60} \\
1k \frac{sK}{m^2C} &= 16795.A2 \cdot 10^{-60} \\
1m \frac{K}{m^3C} &= 0.0204650A \cdot 10^{-100} \\
1 \frac{K}{m^3C} &= 12.135B2 \cdot 10^{-100} \\
1k \frac{K}{m^3C} &= 81B7.724 \cdot 10^{-100} \\
1m \frac{K}{m^3sC} &= 173975A \cdot 10^{-140} \\
1 \frac{K}{m^3sC} &= 0.000B2189B9 \cdot 10^{-130} \\
1k \frac{K}{m^3sC} &= 0.6576880 \cdot 10^{-130} \\
1m \frac{K}{m^3s^2C} &= 133.816A \cdot 10^{-170} \\
1 \frac{K}{m^3s^2C} &= 8A365.71 \cdot 10^{-170} \\
1k \frac{K}{m^3s^2C} &= 0.00005161AAA \cdot 10^{-160} \\
1m \frac{sK}{m^3C} &= 269.2205 \cdot 10^{-90} \\
1 \frac{sK}{m^3C} &= 159790.9 \cdot 10^{-90} \\
1k \frac{sK}{m^3C} &= 0.0000A377A35 \cdot 10^{-80} \\
1m \frac{kgK}{C} &= 1354617 \cdot 10^{-40} \\
1 \frac{kgK}{C} &= 0.0008B33BAB \cdot 10^{-30} \\
1k \frac{kgK}{C} &= 0.520B988 \cdot 10^{-30} \\
1m \frac{kgK}{sC} &= 102.A820 \cdot 10^{-70} \\
1 \frac{kgK}{sC} &= 7100A.04 \cdot 10^{-70} (*) \\
1k \frac{kgK}{sC} &= 0.00004123998 \cdot 10^{-60} \\
1m \frac{kgK}{s^2C} &= 0.009848922 \cdot 10^{-A0} \\
1 \frac{kgK}{s^2C} &= 5.743625 \cdot 10^{-A0} \\
1k \frac{kgK}{s^2C} &= 32B9.191 \cdot 10^{-A0} \\
1m \frac{kg sK}{C} &= 0.0175B415 \cdot 10^0 \\
1 \frac{kg sK}{C} &= B.347533 \\
1k \frac{kg sK}{C} &= 6642.0BB \cdot 10^0 (*) \\
1m \frac{kg mK}{C} &= 23B.6581 \cdot 10^{-10} \\
1 \frac{kg mK}{C} &= 142217.5 \cdot 10^{-10} \\
1k \frac{kg mK}{C} &= 0.000094455A9 \cdot 10^0 \\
1m \frac{kg mK}{sC} &= 0.01A1A654 \cdot 10^{-40} \\
1 \frac{kg mK}{sC} &= 10.9A461 \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 2A55B2.3 m \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 4B6.6276 \frac{K}{ms^2C} \\
1 ni'upapa-\frac{\Theta}{LT^2Q} &= 10^{-110} = 0.86A8301 k \frac{K}{ms^2C} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 151884.6 m \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 257.5AB0 \frac{sK}{mC} \\
1 ni'uci-\frac{T\Theta}{LQ} &= 10^{-30} = 0.43235AA k \frac{sK}{mC} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 331B27.A m \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 578.06A8 \frac{K}{m^2C} \\
1 ni'uso-\frac{\Theta}{L^2Q} &= 10^{-90} = 0.98B275A k \frac{K}{m^2C} \\
1 ni'upapa-\frac{\Theta}{L^2TQ} &= 10^{-110} = 0.004150882 m \frac{K}{m^2sC} \\
1 ni'upano-\frac{\Theta}{L^2TQ} &= 10^{-100} = 7149847. \frac{K}{m^2sC} \\
1 ni'upano-\frac{\Theta}{L^2TQ} &= 10^{-100} = 1036A.51 k \frac{K}{m^2sC} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 52.45409 m \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.08B93905 \frac{K}{m^2s^2C} \\
1 ni'upavo-\frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.0001362A17 k \frac{K}{m^2s^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 27.04568 m \frac{sK}{m^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.04575607 \frac{sK}{m^2C} \\
1 ni'uxa-\frac{T\Theta}{L^2Q} &= 10^{-60} = 0.0000787A913 k \frac{sK}{m^2C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 5A.A7321 m \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.0A25A1A0 \frac{K}{m^3C} \\
1 ni'upano-\frac{\Theta}{L^3Q} &= 10^{-100} = 0.0001577A89 k \frac{K}{m^3C} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 755574.8 m \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 10A6.B52 \frac{K}{m^3sC} \\
1 ni'upaci-\frac{\Theta}{L^3TQ} &= 10^{-130} = 1.A31437 k \frac{K}{m^3sC} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.0094A87B0 m \frac{K}{m^3s^2C} \\
1 ni'upaze-\frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.00001430B61 \frac{K}{m^3s^2C} \\
1 ni'upaxa-\frac{\Theta}{L^3T^2Q} &= 10^{-160} = 24112.16 k \frac{K}{m^3s^2C} \\
1 ni'uso-\frac{T\Theta}{L^3Q} &= 10^{-90} = 0.004820175 m \frac{sK}{m^3C} \\
1 ni'ubi-\frac{T\Theta}{L^3Q} &= 10^{-80} = 810836A. \frac{sK}{m^3C} \\
1 ni'ubi-\frac{T\Theta}{L^3Q} &= 10^{-80} = 11B87.06 k \frac{sK}{m^3C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 93A388.3 m \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 1413.619 \frac{kgK}{C} \\
1 ni'uci-\frac{M\Theta}{Q} &= 10^{-30} = 2.3A014B k \frac{kgK}{C} \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.00B920035 m \frac{kgK}{sC} (*) \\
1 ni'uze-\frac{M\Theta}{TQ} &= 10^{-70} = 0.0000183B29B \frac{kgK}{sC} \\
1 ni'uxa-\frac{M\Theta}{TQ} &= 10^{-60} = 2B163.1A k \frac{kgK}{sC} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 12A.1A09 m \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.217A227 \frac{kgK}{s^2C} \\
1 ni'ujauau-\frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.000383B675 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 74.77726 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.1091B60 \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0001A07BAB k \frac{kg sK}{C} \\
1 ni'upa-\frac{ML\Theta}{Q} &= 10^{-10} = 0.005197081 m \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 8A9569B. \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 13464.53 k \frac{kg mK}{C} \\
1 ni'uvu-\frac{ML\Theta}{TQ} &= 10^{-40} = 65.BA798 m \frac{kg mK}{sC} \\
1 ni'uvu-\frac{ML\Theta}{TQ} &= 10^{-40} = 0.0B292693 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 7506.078 \cdot 10^{-40} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 1568197 \cdot 10^{-80} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.000A1B071B \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.5A68099 \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 2B35517 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.001850784 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.B999150 \cdot 10^{30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.04274141 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 25.357A8 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14B49.35 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 341303B \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.001B26043 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 1.152066 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 279.40A8 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 164823.6 \cdot 10^{-50} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.0000A786272 \cdot 10^{-40} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 53A.576B \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 30B685.3 \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.0001948327 \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.00864B8AB \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 4.B326A6 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 2A36.BA5 \cdot 10^{-60} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 6919B6.B \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.0003AB6865 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 0.2321733 \cdot 10^{-90} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 54.37A14 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 31268.56 \cdot 10^{-110} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.00001965129 \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= A9.2B879 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 62968.08 \cdot 10^{-30} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.0000373503B \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 48.6B857 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 288B1.35 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.000016B4797 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.0038A01B2 \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 2.1B4255 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 1302.1A4 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 2B6396.A \cdot 10^{-140} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0001868646 \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0BA932B1 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 5B4A53.8 \cdot 10^{-60} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.000353A5A2 \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.1BAB69B \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 273145.A \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0001610B66 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0A576018 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvo}-\frac{ML\Theta}{TQ} &= 10^{-40} = 0.000174A666 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{ML\Theta}{T^2Q} &= 10^{-70} = 825117.4 \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{ML\Theta}{T^2Q} &= 10^{-70} = 1220.B21 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{ML\Theta}{T^2Q} &= 10^{-70} = 2.05A890 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ci}-\frac{MLT\Theta}{Q} &= 10^{30} = 40B763.5 \text{m} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ci}-\frac{MLT\Theta}{Q} &= 10^{30} = 707.5049 \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ci}-\frac{MLT\Theta}{Q} &= 10^{30} = 1.02278A \text{k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{re}-\frac{ML^2\Theta}{Q} &= 10^{20} = 2A.18582 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{re}-\frac{ML^2\Theta}{Q} &= 10^{20} = 0.04ABB7BB \frac{\text{kg m}^2 \text{K}}{\text{C}} (*) \\
1 \text{re}-\frac{ML^2\Theta}{Q} &= 10^{20} = 0.000085B4618 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ni}'\text{upa}-\frac{ML^2\Theta}{TQ} &= 10^{-10} = 371074.3 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{upa}-\frac{ML^2\Theta}{TQ} &= 10^{-10} = 625.56A2 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{upa}-\frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.A87AA5B \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{ML^2\Theta}{T^2Q} &= 10^{-50} = 0.004646301 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo}-\frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 79B680B. \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo}-\frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 11645.00 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} (*) \\
1 \text{mu}-\frac{ML^2T\Theta}{Q} &= 10^{50} = 0.002307922 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{xa}-\frac{ML^2T\Theta}{Q} &= 10^{60} = 3A8BA70. \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{xa}-\frac{ML^2T\Theta}{Q} &= 10^{60} = 6894.837 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ni}'\text{uxa}-\frac{M\Theta}{LQ} &= 10^{-60} = 14A.5792 \text{m} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa}-\frac{M\Theta}{LQ} &= 10^{-60} = 0.251A51B \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa}-\frac{M\Theta}{LQ} &= 10^{-60} = 0.0004246A79 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{ujauau}-\frac{M\Theta}{LTQ} &= 10^{-A0} = 0.000001936286 \text{m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{LTQ} &= 10^{-90} = 3096.532 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{LTQ} &= 10^{-90} = 5.36B850 \text{k} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{upapa}-\frac{M\Theta}{LT^2Q} &= 10^{-110} = 0.022A5712 \text{m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upapa}-\frac{M\Theta}{LT^2Q} &= 10^{-110} = 0.00003A527A2 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{LT^2Q} &= 10^{-100} = 682A6.56 \text{k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{uci}-\frac{MT\Theta}{LQ} &= 10^{-30} = 0.0114528A \text{m} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{uci}-\frac{MT\Theta}{LQ} &= 10^{-30} = 0.00001B12964 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{ure}-\frac{MT\Theta}{LQ} &= 10^{-20} = 33B08.4A \text{k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{L^2Q} &= 10^{-90} = 0.02665942 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uso}-\frac{M\Theta}{L^2Q} &= 10^{-90} = 0.00004493442 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{ubi}-\frac{M\Theta}{L^2Q} &= 10^{-80} = 77238.46 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^2TQ} &= 10^{-100} = 326.6027 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.5672521 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.0009710322 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'\text{upavo}-\frac{M\Theta}{L^2T^2Q} &= 10^{-140} = 0.000004078195 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaci}-\frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 7007.204 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} (*) \\
1 \text{ni}'\text{upaci}-\frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 10.12A34 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uxa}-\frac{MT\Theta}{L^2Q} &= 10^{-60} = 0.00000202490B \text{m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{MT\Theta}{L^2Q} &= 10^{-50} = 3599.7AB \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{MT\Theta}{L^2Q} &= 10^{-50} = 6.031516 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upano}-\frac{M\Theta}{L^3Q} &= 10^{-100} = 0.00000473423B \text{m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei}-\frac{M\Theta}{L^3Q} &= 10^{-B0} = 7B63.270 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei}-\frac{M\Theta}{L^3Q} &= 10^{-B0} = 11.90902 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg K}{m^3 s C} &= 20.92A16 \cdot 10^{-130} \\
1 \frac{kg K}{m^3 s C} &= 12401.90 \cdot 10^{-130} \\
1k \frac{kg K}{m^3 s C} &= 0.000008366419 \cdot 10^{-120} \\
1m \frac{kg K}{m^3 s^2 C} &= 0.0017763B9 \cdot 10^{-160} \\
1 \frac{kg K}{m^3 s^2 C} &= 0.B437378 \cdot 10^{-160} \\
1k \frac{kg K}{m^3 s^2 C} &= 66A.6487 \cdot 10^{-160} \\
1m \frac{kg s K}{m^3 C} &= 0.003354908 \cdot 10^{-80} \\
1 \frac{kg s K}{m^3 C} &= 1.A9B583 \cdot 10^{-80} \\
1k \frac{kg s K}{m^3 C} &= 1126.582 \cdot 10^{-80} \\
1m CK &= 0.000084236B7 \cdot 10^{-10} \\
1 CK &= 0.049B9364 \cdot 10^{-10} \\
1k CK &= 29.67926 \cdot 10^{-10} \\
1m \frac{CK}{s} &= 6748.331 \cdot 10^{-50} \\
1 \frac{CK}{s} &= 0.0000039B3A93 \cdot 10^{-40} \\
1k \frac{CK}{s} &= 0.00227078A \cdot 10^{-40} \\
1m \frac{CK}{s^2} &= 0.52AA99A \cdot 10^{-80} \\
1 \frac{CK}{s^2} &= 304.A456 \cdot 10^{-80} \\
1k \frac{CK}{s^2} &= 190994.4 \cdot 10^{-80} \\
1m s CK &= 0.A653811 \cdot 10^{20} \\
1 s CK &= 612.0A22 \cdot 10^{20} \\
1k s CK &= 364186.8 \cdot 10^{20} \\
1m m CK &= 13142.76 \cdot 10^{10} \\
1m CK &= 0.0000088B4766 \cdot 10^{20} \\
1k m CK &= 0.005089898 \cdot 10^{20} \\
1m \frac{m CK}{s} &= 0.BB84B73 \cdot 10^{-20} (*) \\
1 \frac{m CK}{s} &= 6B1.B11B \cdot 10^{-20} \\
1k \frac{m CK}{s} &= 401604.9 \cdot 10^{-20} \\
1m \frac{m CK}{s^2} &= 0.000095A4A9A \cdot 10^{-50} \\
1 \frac{m CK}{s^2} &= 0.055A8B46 \cdot 10^{-50} \\
1k \frac{m CK}{s^2} &= 32.17358 \cdot 10^{-50} \\
1m m s CK &= 0.000170A494 \cdot 10^{50} \\
1 m s CK &= 0.0B05425B \cdot 10^{50} \\
1k m s CK &= 64.791A8 \cdot 10^{50} \\
1m m^2 CK &= 2.34308A \cdot 10^{40} \\
1 m^2 CK &= 139B.671 \cdot 10^{40} \\
1k m^2 CK &= 91B225.4 \cdot 10^{40} \\
1m \frac{m^2 CK}{s} &= 0.0001981334 \cdot 10^{10} \\
1 \frac{m^2 CK}{s} &= 0.1066361 \cdot 10^{10} \\
1k \frac{m^2 CK}{s} &= 73.13843 \cdot 10^{10} \\
1m \frac{m^2 CK}{s^2} &= 15213.23 \cdot 10^{-30} \\
1 \frac{m^2 CK}{s^2} &= 0.000009B33559 \cdot 10^{-20} \\
1k \frac{m^2 CK}{s^2} &= 0.005903601 \cdot 10^{-20} \\
1m m^2 s CK &= 2A631.45 \cdot 10^{70} \\
1 m^2 s CK &= 0.000017B8976 \cdot 10^{80} \\
1k m^2 s CK &= 0.00B68995B \cdot 10^{80} \\
1m \frac{CK}{m} &= 0.47429A9 \cdot 10^{-40} \\
1 \frac{CK}{m} &= 280.48B5 \cdot 10^{-40} \\
1k \frac{CK}{m} &= 16654B.6 \cdot 10^{-40} \\
1m \frac{CK}{m s} &= 0.000037A44004 \cdot 10^{-70} (*) \\
\end{aligned}$$

$$\begin{aligned}
1 ni'upaci-\frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.05991976 m \frac{kg K}{m^3 s C} \\
1 ni'upaci-\frac{M\Theta}{L^3 T Q} &= 10^{-130} = 0.0000A067191 \frac{kg K}{m^3 s C} \\
1 ni'upare-\frac{M\Theta}{L^3 T Q} &= 10^{-120} = 154387.3 k \frac{kg K}{m^3 s C} \\
1 ni'upaxa-\frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 740.5A24 m \frac{kg K}{m^3 s^2 C} \\
1 ni'upaxa-\frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 1.08173B \frac{kg K}{m^3 s^2 C} \\
1 ni'upaxa-\frac{M\Theta}{L^3 T^2 Q} &= 10^{-160} = 0.0019AA7A3 k \frac{kg K}{m^3 s^2 C} \\
1 ni'ubi-\frac{MT\Theta}{L^3 Q} &= 10^{-80} = 379.76B4 m \frac{kg s K}{m^3 C} \\
1 ni'ubi-\frac{MT\Theta}{L^3 Q} &= 10^{-80} = 0.63835B5 \frac{kg s K}{m^3 C} \\
1 ni'ubi-\frac{MT\Theta}{L^3 Q} &= 10^{-80} = 0.000AA963B5 k \frac{kg s K}{m^3 C} \\
1 ni'upa-Q\Theta &= 10^{-10} = 152B6.91 m C K \\
1 ni'upa-Q\Theta &= 10^{-10} = 25.97720 C K \\
1 ni'upa-Q\Theta &= 10^{-10} = 0.0435BA69 k C K \\
1 ni'umu-\frac{Q\Theta}{T} &= 10^{-50} = 0.0001992328 m \frac{CK}{s} \\
1 ni'uvo-\frac{Q\Theta}{T} &= 10^{-40} = 317402.4 \frac{CK}{s} \\
1 ni'uvo-\frac{Q\Theta}{T} &= 10^{-40} = 54B.AA61 k \frac{CK}{s} \\
1 ni'ubi-\frac{Q\Theta}{T^2} &= 10^{-80} = 2.357566 m \frac{CK}{s^2} \\
1 ni'ubi-\frac{Q\Theta}{T^2} &= 10^{-80} = 0.003B57055 \frac{CK}{s^2} \\
1 ni'ubi-\frac{Q\Theta}{T^2} &= 10^{-80} = 0.000006A02B41 k \frac{CK}{s^2} \\
1 re-TQ\Theta &= 10^{20} = 1.17BB4B m s C K (*) \\
1 re-TQ\Theta &= 10^{20} = 0.001B74752 s C K \\
1 re-TQ\Theta &= 10^{20} = 0.00000349832A k s C K \\
1 pa-LQ\Theta &= 10^{10} = 0.00009641207 m m C K \\
1 re-LQ\Theta &= 10^{20} = 1456B9.9 m C K \\
1 re-LQ\Theta &= 10^{20} = 245.508A k m C K \\
1 ni'ure-\frac{LQ\Theta}{T} &= 10^{-20} = 1.003716 m \frac{m CK}{s} (*) \\
1 ni'ure-\frac{LQ\Theta}{T} &= 10^{-20} = 0.00189423B \frac{m CK}{s} \\
1 ni'ure-\frac{LQ\Theta}{T} &= 10^{-20} = 0.000002BA616 k \frac{m CK}{s} \\
1 ni'umu-\frac{LQ\Theta}{T^2} &= 10^{-50} = 13213.42 m \frac{m CK}{s^2} \\
1 ni'umu-\frac{LQ\Theta}{T^2} &= 10^{-50} = 22.281B5 \frac{m CK}{s^2} \\
1 ni'umu-\frac{LQ\Theta}{T^2} &= 10^{-50} = 0.03939261 k \frac{m CK}{s^2} \\
1 mu-LTQ\Theta &= 10^{50} = 7672.A07 m m s C K \\
1 mu-LTQ\Theta &= 10^{50} = 11.068B3 m s C K \\
1 mu-LTQ\Theta &= 10^{50} = 0.01A66579 k m s C K \\
1 vo-L^2 Q\Theta &= 10^{40} = 0.5320650 m m^2 C K \\
1 vo-L^2 Q\Theta &= 10^{40} = 0.000911A990 m^2 C K \\
1 vo-L^2 Q\Theta &= 10^{40} = 0.000001387614 k m^2 C K \\
1 pa-\frac{L^2 Q\Theta}{T} &= 10^{10} = 6787.A53 m \frac{m^2 CK}{s} \\
1 pa-\frac{L^2 Q\Theta}{T} &= 10^{10} = B.591270 \frac{m^2 CK}{s} \\
1 pa-\frac{L^2 Q\Theta}{T} &= 10^{10} = 0.017A0686 k \frac{m^2 CK}{s} \\
1 ni'uci-\frac{L^2 Q\Theta}{T^2} &= 10^{-30} = 0.00008473797 m \frac{m^2 CK}{s^2} \\
1 ni'ure-\frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 125A27.B \frac{m^2 CK}{s^2} \\
1 ni'ure-\frac{L^2 Q\Theta}{T^2} &= 10^{-20} = 210.4BA8 k \frac{m^2 CK}{s^2} \\
1 ze-L^2 TQ\Theta &= 10^{70} = 0.00004208007 m m^2 s C K (*) \\
1 bi-L^2 TQ\Theta &= 10^{80} = 725B5.21 m^2 s C K \\
1 bi-L^2 TQ\Theta &= 10^{80} = 105.56BA k m^2 s C K \\
1 ni'uvo-\frac{Q\Theta}{L} &= 10^{-40} = 2.727454 m \frac{CK}{m} \\
1 ni'uvo-\frac{Q\Theta}{L} &= 10^{-40} = 0.0045B3BBB \frac{CK}{m} (**) \\
1 ni'uvo-\frac{Q\Theta}{L} &= 10^{-40} = 0.00000792712B k \frac{CK}{m} \\
1 ni'uze-\frac{Q\Theta}{LT} &= 10^{-70} = 33492.18 m \frac{CK}{ms}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 0.02147116 \cdot 10^{-70} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 12.83272 \cdot 10^{-70} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 2A90.8A3 \cdot 10^{-B0} \\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.000001814316 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 0.000B780B02 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 59A3.275 \cdot 10^{-10} \\
1 \frac{\text{s CK}}{\text{m}} &= 0.000003451382 \cdot 10^0 \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 0.001B4898B \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 266B.79B \cdot 10^{-70} \\
1 \frac{\text{CK}}{\text{m}^2} &= 0.0000015844B0 \cdot 10^{-60} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.000A2A935B \cdot 10^{-60} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.20294B1 \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 120.3402 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 81471.A9 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.00001724B83 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.00B141262 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 6.51B989 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.0000327151B \cdot 10^{-30} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 0.01A40132 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 10.B1209 \cdot 10^{-30} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.000014A8A85 \cdot 10^{-90} \\
1 \frac{\text{CK}}{\text{m}^3} &= 0.00993B0B9 \cdot 10^{-90} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 5.7A92B5 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 1147.971 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 78B75B.3 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.0004597487 \cdot 10^{-100} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.0A7369B3 \cdot 10^{-140} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 61.80150 \cdot 10^{-140} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 3676B.5A \cdot 10^{-140} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 0.193A3A2 \cdot 10^{-60} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 104.0981 \cdot 10^{-60} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 7182B.20 \cdot 10^{-60} \\
1 \text{m kg CK} &= A85.839A \cdot 10^{-10} \\
1 \text{kg CK} &= 624225.3 \cdot 10^{-10} \\
1 \text{kg kg CK} &= 0.0003703877 \cdot 10^0 \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 0.08597576 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{s}} &= 4A.AB5A5 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 2A115.15 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 6880026. \cdot 10^{-80} \quad (*) \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.003A82296 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 2.302220 \cdot 10^{-70} \\
1 \text{m kg s CK} &= 0.0000116175A \cdot 10^{30} \\
1 \text{kg s CK} &= 0.00799B341 \cdot 10^{30} \\
1 \text{k kg s CK} &= 4.63703A \cdot 10^{30} \\
1 \text{m kg m CK} &= 0.1746659 \cdot 10^{20} \\
1 \text{kg m CK} &= B2.6A8B8 \cdot 10^{20} \\
1 \text{k kg m CK} &= 65A66.78 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 0.00001343243 \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.008A7763B \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 5.186373 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{n} \frac{\text{uze-}}{\text{LT}} \frac{Q\Theta}{\text{LT}} &= 10^{-70} = 58.0B304 \frac{\text{CK}}{\text{m s}} \\
1 \text{n} \frac{\text{uze-}}{\text{LT}} \frac{Q\Theta}{\text{LT}} &= 10^{-70} = 0.0997802A \text{k} \frac{\text{CK}}{\text{m s}} \\
1 \text{n} \frac{\text{uvaiei-}}{\text{LT}^2} \frac{Q\Theta}{\text{LT}^2} &= 10^{-B0} = 0.00041876B2 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{n} \frac{\text{ujauau-}}{\text{LT}^2} \frac{Q\Theta}{\text{LT}^2} &= 10^{-A0} = 71AB90.1 \frac{\text{CK}}{\text{m s}^2} \\
1 \text{n} \frac{\text{ujauau-}}{\text{LT}^2} \frac{Q\Theta}{\text{LT}^2} &= 10^{-A0} = 1045.647 \text{k} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{n} \frac{\text{upa-}}{\text{L}} \frac{TQ\Theta}{\text{L}} &= 10^{-10} = 0.000208A106 \text{m} \frac{\text{s CK}}{\text{m}} \\
1 \frac{\text{TQ}\Theta}{\text{L}} &= 1 = 368B35.2 \frac{\text{s CK}}{\text{m}} \\
1 \frac{\text{TQ}\Theta}{\text{L}} &= 1 = 61A.4401 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{n} \frac{\text{uze-}}{\text{L}^2} \frac{Q\Theta}{\text{L}^2} &= 10^{-70} = 0.0004860A09 \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^2} \frac{Q\Theta}{\text{L}^2} &= 10^{-60} = 817855.A \frac{\text{CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^2} \frac{Q\Theta}{\text{L}^2} &= 10^{-60} = 1208.858 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{ujauau-}}{\text{L}^2T} \frac{Q\Theta}{\text{L}^2T} &= 10^{-A0} = 5.B3888B \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{n} \frac{\text{ujauau-}}{\text{L}^2T} \frac{Q\Theta}{\text{L}^2T} &= 10^{-A0} = 0.00A328443 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{n} \frac{\text{ujauau-}}{\text{L}^2T} \frac{Q\Theta}{\text{L}^2T} &= 10^{-A0} = 0.0000158B231 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^2T^2} \frac{Q\Theta}{\text{L}^2T^2} &= 10^{-110} = 75BB2.25 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^2T^2} \frac{Q\Theta}{\text{L}^2T^2} &= 10^{-110} = 10B.6158 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^2T^2} \frac{Q\Theta}{\text{L}^2T^2} &= 10^{-110} = 0.1A487B0 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{n} \frac{\text{uci-}}{\text{L}^2} \frac{TQ\Theta}{\text{L}^2} &= 10^{-30} = 38936.73 \text{m} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uci-}}{\text{L}^2} \frac{TQ\Theta}{\text{L}^2} &= 10^{-30} = 65.4544A \frac{\text{s CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uci-}}{\text{L}^2} \frac{TQ\Theta}{\text{L}^2} &= 10^{-30} = 0.B184346 \text{k} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{n} \frac{\text{uso-}}{\text{L}^3} \frac{Q\Theta}{\text{L}^3} &= 10^{-90} = 86340.A7 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uso-}}{\text{L}^3} \frac{Q\Theta}{\text{L}^3} &= 10^{-90} = 128.8A14 \frac{\text{CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uso-}}{\text{L}^3} \frac{Q\Theta}{\text{L}^3} &= 10^{-90} = 0.2154996 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{upapa-}}{\text{L}^3T} \frac{Q\Theta}{\text{L}^3T} &= 10^{-110} = 0.000A90AA93 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{n} \frac{\text{upano-}}{\text{L}^3T} \frac{Q\Theta}{\text{L}^3T} &= 10^{-100} = 167061B. \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{n} \frac{\text{upano-}}{\text{L}^3T} \frac{Q\Theta}{\text{L}^3T} &= 10^{-100} = 2815.022 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{n} \frac{\text{upavo-}}{\text{L}^3T^2} \frac{Q\Theta}{\text{L}^3T^2} &= 10^{-140} = 11.6A890 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n} \frac{\text{upavo-}}{\text{L}^3T^2} \frac{Q\Theta}{\text{L}^3T^2} &= 10^{-140} = 0.01B55933 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n} \frac{\text{upavo-}}{\text{L}^3T^2} \frac{Q\Theta}{\text{L}^3T^2} &= 10^{-140} = 0.0000346495A \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^3} \frac{TQ\Theta}{\text{L}^3} &= 10^{-60} = 6.906467 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^3} \frac{TQ\Theta}{\text{L}^3} &= 10^{-60} = 0.00B8064B9 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{n} \frac{\text{uxa-}}{\text{L}^3} \frac{TQ\Theta}{\text{L}^3} &= 10^{-60} = 0.0000181BB69 \text{k} \frac{\text{s CK}}{\text{m}^3} \quad (*) \\
1 \text{n} \frac{\text{upa-}}{\text{L}^3} \frac{MQ\Theta}{\text{L}^3} &= 10^{-10} = 0.0011549A3 \text{m kg CK} \\
1 \text{M} Q\Theta &= 1 = 1B2A9B1. \text{kg CK} \\
1 \text{M} Q\Theta &= 1 = 341B.398 \text{k kg CK} \\
1 \text{n} \frac{\text{uvo-}}{\text{T}} \frac{MQ\Theta}{\text{T}} &= 10^{-40} = 14.B833B \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{n} \frac{\text{ubo-}}{\text{T}} \frac{MQ\Theta}{\text{T}} &= 10^{-40} = 0.0253B865 \frac{\text{kg CK}}{\text{s}} \\
1 \text{n} \frac{\text{ubo-}}{\text{T}} \frac{MQ\Theta}{\text{T}} &= 10^{-40} = 0.000042826A6 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{n} \frac{\text{uze-}}{\text{T}^2} \frac{MQ\Theta}{\text{T}^2} &= 10^{-70} = 195083.4 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{n} \frac{\text{uze-}}{\text{T}^2} \frac{MQ\Theta}{\text{T}^2} &= 10^{-70} = 310.2416 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{n} \frac{\text{uze-}}{\text{T}^2} \frac{MQ\Theta}{\text{T}^2} &= 10^{-70} = 0.53B6A01 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = A7A87.45 \text{m kg s CK} \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 164.BBAB \text{kg s CK} \quad (*) \\
1 \text{ci-} MTQ\Theta &= 10^{30} = 0.279A787 \text{k kg s CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 7.520560 \text{m kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.010A1039 \text{kg m CK} \\
1 \text{re-} MLQ\Theta &= 10^{20} = 0.00001A2314A \text{k kg m CK} \\
1 \text{n} \frac{\text{upa-}}{\text{T}} \frac{MLQ\Theta}{\text{T}} &= 10^{-10} = 94648.76 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{n} \frac{\text{upa-}}{\text{T}} \frac{MLQ\Theta}{\text{T}} &= 10^{-10} = 142.5591 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{n} \frac{\text{upa-}}{\text{T}} \frac{MLQ\Theta}{\text{T}} &= 10^{-10} = 0.2400304 \text{k} \frac{\text{kg m CK}}{\text{s}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot CK}{s^2} &= 1020.168 \cdot 10^{-50} \\
1 \frac{kg \cdot m \cdot CK}{s^2} &= 705B69.8 \cdot 10^{-50} \\
1k \frac{kg \cdot m \cdot CK}{s^2} &= 0.00040A94BB \cdot 10^{-40} \quad (*) \\
1m kg \cdot m \cdot s \cdot CK &= 2055.811 \cdot 10^{50} \\
1kg \cdot m \cdot s \cdot CK &= 0.00000121A00A \cdot 10^{60} \quad (*) \\
1k \cdot kg \cdot m \cdot s \cdot CK &= 0.000823499B \cdot 10^{60} \\
1m \cdot kg \cdot m^2 \cdot CK &= 0.00002B0B019 \cdot 10^{50} \\
1kg \cdot m^2 \cdot CK &= 0.01837058 \cdot 10^{50} \\
1k \cdot kg \cdot m^2 \cdot CK &= B.8B6A77 \cdot 10^{50} \\
1m \frac{kg \cdot m^2 \cdot CK}{s} &= 2396.457 \cdot 10^{10} \\
1 \frac{kg \cdot m^2 \cdot CK}{s} &= 0.000001410230 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s} &= 0.0009384777 \cdot 10^{20} \\
1m \frac{kg \cdot m^2 \cdot CK}{s^2} &= 0.1A03534 \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot CK}{s^2} &= 108.B3A8 \cdot 10^{-20} \\
1k \frac{kg \cdot m^2 \cdot CK}{s^2} &= 74613.80 \cdot 10^{-20} \\
1m \cdot kg \cdot m^2 \cdot s \cdot CK &= 0.383249A \cdot 10^{80} \\
1kg \cdot m^2 \cdot s \cdot CK &= 217.4A81 \cdot 10^{80} \\
1k \cdot kg \cdot m^2 \cdot s \cdot CK &= 129A93.6 \cdot 10^{80} \\
1m \frac{kg \cdot CK}{m} &= 5AB8A90 \cdot 10^{-40} \\
1 \frac{kg \cdot CK}{m} &= 0.00350AA54 \cdot 10^{-30} \\
1k \frac{kg \cdot CK}{m} &= 1.B92B5A \cdot 10^{-30} \\
1m \frac{kg \cdot CK}{m \cdot s} &= 482.AB2A \cdot 10^{-70} \\
1 \frac{kg \cdot CK}{m \cdot s} &= 2866A7.5 \cdot 10^{-70} \\
1k \frac{kg \cdot CK}{m \cdot s} &= 0.00016A0399 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m \cdot s^2} &= 0.03869625 \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m \cdot s^2} &= 21.95A11 \cdot 10^{-A0} \\
1k \frac{kg \cdot CK}{m \cdot s^2} &= 12B12.69 \cdot 10^{-A0} \\
1m \frac{kg \cdot s \cdot CK}{m} &= 0.0756A99B \cdot 10^0 \\
1 \frac{kg \cdot s \cdot CK}{m} &= 43.A0717 \cdot 10^0 \\
1k \frac{kg \cdot s \cdot CK}{m} &= 25BB9.56 \cdot 10^0 \quad (*) \\
1m \frac{kg \cdot CK}{m^2} &= 0.03326904 \cdot 10^{-60} \\
1 \frac{kg \cdot CK}{m^2} &= 1A.83968 \cdot 10^{-60} \\
1k \frac{kg \cdot CK}{m^2} &= 11171.04 \cdot 10^{-60} \\
1m \frac{kg \cdot CK}{m^2 \cdot s} &= 270A520 \cdot 10^{-A0} \\
1 \frac{kg \cdot CK}{m^2 \cdot s} &= 0.0015B9452 \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^2 \cdot s} &= 0.A4A5895 \cdot 10^{-90} \\
1m \frac{kg \cdot CK}{m^2 \cdot s^2} &= 207.55B2 \cdot 10^{-110} \\
1 \frac{kg \cdot CK}{m^2 \cdot s^2} &= 122B95.A \cdot 10^{-110} \\
1k \frac{kg \cdot CK}{m^2 \cdot s^2} &= 0.000082B4668 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot CK}{m^2} &= 415.A28A \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot CK}{m^2} &= 2477B8.4 \cdot 10^{-30} \\
1k \frac{kg \cdot s \cdot CK}{m^2} &= 0.000146A686 \cdot 10^{-20} \\
1m \frac{kg \cdot CK}{m^3} &= 197.B804 \cdot 10^{-90} \\
1 \frac{kg \cdot CK}{m^3} &= 106544.5 \cdot 10^{-90} \\
1k \frac{kg \cdot CK}{m^3} &= 0.000073092BB \cdot 10^{-80} \quad (*) \\
1m \frac{kg \cdot CK}{m^3 \cdot s} &= 0.0151BBB3 \cdot 10^{-100} \quad (***) \\
1 \frac{kg \cdot CK}{m^3 \cdot s} &= 9.B26767 \cdot 10^{-100} \\
1k \frac{kg \cdot CK}{m^3 \cdot s} &= 58BA.485 \cdot 10^{-100} \\
1m \frac{kg \cdot CK}{m^3 \cdot s^2} &= 117294B \cdot 10^{-140} \\
1 \frac{kg \cdot CK}{m^3 \cdot s^2} &= 0.0007A56800 \cdot 10^{-130} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 ni'umu \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.000BA02521 m \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 1854A42. \frac{kg \cdot m \cdot CK}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 2B40.87B k \frac{kg \cdot m \cdot CK}{s^2} \\
1 mu \cdot MLTQ\Theta &= 10^{50} = 0.0005A7A79A m \cdot kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = A21196.B kg \cdot m \cdot s \cdot CK \\
1 xa \cdot MLTQ\Theta &= 10^{60} = 156B.942 k \cdot kg \cdot m \cdot s \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 4131B.9B m \cdot kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 71.164A7 kg \cdot m^2 \cdot CK \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 0.1031264 k \cdot kg \cdot m^2 \cdot CK \\
1 pa \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.0005220787 m \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 8B5220.0 \frac{kg \cdot m^2 \cdot CK}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 1357.855 k \frac{kg \cdot m^2 \cdot CK}{s} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 6.65633B m \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00001763458 k \frac{kg \cdot m^2 \cdot CK}{s^2} \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 3.305254 m \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.005755534 kg \cdot m^2 \cdot s \cdot CK \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.0000098689A8 k \cdot kg \cdot m^2 \cdot s \cdot CK \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 20418A.7 m \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 360.9B05 \frac{kg \cdot CK}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 0.6084102 k \frac{kg \cdot CK}{m} \\
1 ni'uze \frac{MQ\Theta}{LT} &= 10^{-70} = 0.002688317 m \frac{kg \cdot CK}{ms} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 4511158. \frac{kg \cdot CK}{ms} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 778A.932 k \frac{kg \cdot CK}{ms} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 32.93531 m \frac{kg \cdot CK}{ms^2} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.05700221 \frac{kg \cdot CK}{ms^2} \quad (*) \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00009794082 k \frac{kg \cdot CK}{ms^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 17.35AB7 m \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0294029A \frac{kg \cdot s \cdot CK}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00004972982 k \frac{kg \cdot s \cdot CK}{m} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 38.09689 m \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.06419166 \frac{kg \cdot CK}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0000AB6B8AB k \frac{kg \cdot CK}{m^2} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 477416.4 m \frac{kg \cdot CK}{m^2 s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 801.2064 \frac{kg \cdot CK}{m^2 s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 1.1A0818 k \frac{kg \cdot CK}{m^2 s} \\
1 ni'upapa \frac{MQ\Theta}{L^2T^2} &= 10^{-110} = 0.005A22364 m \frac{kg \cdot CK}{m^2 s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = A133815. \frac{kg \cdot CK}{m^2 s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 15569.2A k \frac{kg \cdot CK}{m^2 s^2} \\
1 ni'uci \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.002AB01AB m \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 50407AB. \frac{kg \cdot s \cdot CK}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 8832.005 k \frac{kg \cdot s \cdot CK}{m^2} \quad (*) \\
1 ni'uso \frac{MQ\Theta}{L^3} &= 10^{-90} = 0.006791934 m \frac{kg \cdot CK}{m^3} \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = B59B4BB. \frac{kg \cdot CK}{m^3} \quad (*) \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 17A20.40 k \frac{kg \cdot CK}{m^3} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 84.7B124 m \frac{kg \cdot CK}{m^3 s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.125B365 \frac{kg \cdot CK}{m^3 s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.0002106A18 k \frac{kg \cdot CK}{m^3 s} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = A704A7.3 m \frac{kg \cdot CK}{m^3 s^2} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 1636.213 \frac{kg \cdot CK}{m^3 s^2}
\end{aligned}$$

$$1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 0.467 BAB7 \cdot 10^{-130}$$

$$1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} = 2341053 \cdot 10^{-60}$$

$$1 \frac{\text{kg s CK}}{\text{m}^3} = 0.00139 A465 \cdot 10^{-50}$$

$$1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} = 0.91 A6099 \cdot 10^{-50}$$

$$1 \text{ni'upaci-} \frac{MQ\Theta}{L^3 T^2} = 10^{-130} = 2.773 A31 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$$

$$1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} = 10^{-50} = 532526.7 \text{m} \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} = 10^{-50} = 912.6 A8B \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} = 10^{-50} = 1.38880 B \text{k} \frac{\text{kg s CK}}{\text{m}^3}$$

## **Part III**

# **Rationalized Planck units**

This part uses natural units, where  $\epsilon_0 = 1$  and  $G = \frac{1}{2\tau}$ . These are rationalized Planck units.

## 7 Base 6 - ??

### 7.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= 1.142455 \cdot 10^{-40} \quad (*) \\ \text{Electron mass} &= 52.44500 \cdot 10^{-50} \quad (*) \\ \text{Elementary charge} &= 0.1452243 \cdot 10^0 \\ \text{\AA}^1 &= 11.52115 \cdot 10^{50} \\ \text{Bohr radius}^2 &= 4.102224 \cdot 10^{50} \\ \text{Fine structure constant}^3 &= 0.001324245 \cdot 10^0 \\ \text{Rydberg Energy}^4 &= 104.4252 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^5 &= 535.3551 \cdot 10^{-240} \quad (*) \\ \text{eV} &= 2.554515 \cdot 10^{-100} \quad (*) \\ \hbar^6 &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 0.5500555 \cdot 10^{100} \quad (***) \\ k_{\text{yellow}}^7 &= 10.24250 \cdot 10^{-100} \\ k_{\text{X-Ray}}^8 &= 425.4541 \cdot 10^{-40} \end{aligned}$$

$$\begin{aligned} \text{Earth g} &= 1.022222 \cdot 10^{-130} \\ \text{cm} &= 0.2102013 \cdot 10^{110} \\ \text{min} &= 0.001215412 \cdot 10^{140} \\ \text{hour} &= 0.2151301 \cdot 10^{140} \\ \text{Liter} &= 115.4131 \cdot 10^{330} \\ \text{Area of a soccer field} &= 533.1500 \cdot 10^{230} \quad (*) \\ 244 \text{ m}^2^9 &= 2.452554 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.003354 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.125043 \cdot 10^{-20} \\ \text{inch}^{10} &= 0.5305524 \cdot 10^{110} \quad (*) \\ \text{mile} &= 1.130115 \cdot 10^{120} \\ \text{pound} &= 0.01115530 \cdot 10^{20} \quad (*) \\ \text{horsepower} &= 0.002420531 \cdot 10^{-140} \\ \text{kcal} &= 0.2042442 \cdot 10^{-10} \\ \text{kWh} &= 0.001224220 \cdot 10^0 \\ \text{Typical household electric field} &= 2.032220 \cdot 10^{-210} \\ \text{Earthmagneticfield} &= 0.03005551 \cdot 10^{-200} \quad (***) \end{aligned}$$

$$\begin{aligned} 1 \text{ ni'uv-M} &= 10^{-40} = 0.4351544 m_p \\ 1 \text{ ni'umu-M} &= 10^{-50} = 0.01033022 m_e \\ 1 Q &= 1 = 3.145143 e \\ 1 \text{ mu-L} &= 10^{50} = 0.04320534 \text{\AA} \\ 1 \text{ mu-L} &= 10^{50} = 0.1234113 a_0 \\ 1 = 1 &= 345.0115 \alpha \\ 1 \text{ ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.005145005 Ry \quad (*) \\ 1 \text{ ni'urevo-} \frac{1}{L^3} &= 10^{-240} = 0.001021030 \rho_{\max} \\ 1 \text{ ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.2000425 \text{ eV} \quad (**) \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{ pano-L} &= 10^{100} = 1.005555 \cdot \lambda_{\text{yellow}} \quad (***) \\ 1 \text{ ni'upano-} \frac{1}{L} &= 10^{-100} = 0.05324055 \cdot k_{\text{yellow}} \quad (*) \\ 1 \text{ ni'uv-M} &= 10^{-40} = 0.001200151 \cdot k_{\text{X-Ray}} \quad (*) \\ 1 \text{ ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 0.5343005 \cdot \text{Earth g} \quad (*) \\ 1 \text{ papa-L} &= 10^{110} = 2.431320 \text{ cm} \\ 1 \text{ pavo-T} &= 10^{140} = 415.4014 \text{ min} \\ 1 \text{ pavo-T} &= 10^{140} = 2.332233 \text{ h} \\ 1 \text{ civo-L}^3 &= 10^{340} = 4305.534 l \\ 1 \text{ revo-L}^2 &= 10^{240} = 1023.434 A \\ 1 \text{ reci-L}^2 &= 10^{230} = 0.2043401 \cdot 244 \text{ m}^2 \\ 1 \text{ ni'ure-} \frac{L}{T} &= 10^{-20} = 0.2550321 \text{ km/h} \quad (*) \\ 1 \text{ ni'ure-} \frac{L}{T} &= 10^{-20} = 0.1503134 \text{ mi/h} \\ 1 \text{ papa-L} &= 10^{110} = 1.030250 \text{ in} \\ 1 \text{ pare-L} &= 10^{120} = 0.4443543 \text{ mi} \\ 1 \text{ re-M} &= 10^{20} = 45.24411 \text{ pound} \\ 1 \text{ ni'upavo-} \frac{ML^2}{T^3} &= 10^{-140} = 211.1200 \text{ horsepower} \quad (*) \\ 1 \text{ ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 2.454055 \text{ kcal} \quad (*) \\ 1 \frac{ML^2}{T^2} &= 1 = 413.1400 \text{ kWh} \quad (*) \\ 1 \text{ ni'urepa-} \frac{ML}{T^2Q} &= 10^{-210} = 0.2510444 E_H \\ 1 \text{ ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 15.52015 \cdot \text{Earthmagneticfield} \end{aligned}$$

<sup>1</sup>Length in atomic and solid state physics, 1/14 nm

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>100 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $144.1102 \cdot 10^{110}$

Mass of an average man =  $5.123203 \cdot 10^{20}$

Age of the Universe =  $52.33211 \cdot 10^{200}$

Size of the observable Universe =  $3.032214 \cdot 10^{210}$

Average density of the Universe =  $0.2031445 \cdot 10^{-430}$

Earth mass =  $2.004333 \cdot 10^{110}$  (\*)

Sun mass<sup>12</sup> =  $22.23231 \cdot 10^{120}$

Year =  $0.02335031 \cdot 10^{150}$

Speed of Light =  $1.000000$  (\*\*\*)

Parsec =  $0.1230033 \cdot 10^{150}$  (\*)

Astronomical unit =  $0.01531232 \cdot 10^{140}$

Earth radius =  $0.03453233 \cdot 10^{130}$

Distance Earth-Moon =  $10.22323 \cdot 10^{130}$

Momentum of someone walking<sup>13</sup> =  $3141.001 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.05531034 \cdot 10^0$  (\*)

mol =  $2.420221 \cdot 10^{50}$

Standard temperature<sup>14</sup> =  $0.02312054 \cdot 10^{-100}$

Room - standard temperature<sup>15</sup> =  $0.001040452 \cdot 10^{-100}$

atm =  $12.21341 \cdot 10^{-350}$

$c_s$  =  $0.01531030 \cdot 10^{-10}$

$\mu_0$  =  $1.000000$  (\*\*\*)

$G$  =  $0.02510444 \cdot 10^0$

1 pare- $L$  =  $10^{120} = 3210.440 \bar{h}$

1 re- $M$  =  $10^{20} = 0.1051234 \bar{m}$

1 reno- $T$  =  $10^{200} = 0.01034324 t_U$

1 repa- $L$  =  $10^{210} = 0.1534455 l_U$  (\*)

1 ni'uvoci- $\frac{M}{L^3}$  =  $10^{-430} = 2.511334 \rho_U$

1 papa- $M$  =  $10^{110} = 0.2545102 m_E$

1 pare- $M$  =  $10^{120} = 0.02254535 m_S$

1 pamu- $T$  =  $10^{150} = 21.45052$  y

1  $\frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)

1 pamu- $L$  =  $10^{150} = 4.122310$  pc

1 pavo- $L$  =  $10^{140} = 30.41505$  au

1 paci- $L$  =  $10^{130} = 13.23050 r_E$

1 paci- $L$  =  $10^{130} = 0.05342034 d_M$

1 pa- $\frac{ML}{T}$  =  $10^{10} = 145.4455 \cdot$  Momentum of someone walking

1  $\frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$

1 mu- =  $10^{50} = 0.2111433$  mol

1 ni'upano- $\Theta$  =  $10^{-100} = 22.10404 T_0$

1 ni'upano- $\Theta$  =  $10^{-100} = 521.4242 \Theta_R$

1 ni'ucimu- $\frac{M}{LT^2}$  =  $10^{-350} = 0.04144042$  atm

1 ni'upa- $\frac{L}{T}$  =  $10^{-10} = 30.42224 \cdot c_s$

1  $\frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0$  (\*\*\*)

1  $\frac{L^3}{MT^2} = 1 = 20.32220 \cdot G$

### Extensive list of SI units

1m =  $114.3534 \cdot 10^{-10}$

1 =  $1.000000$  (\*\*\*)

1k =  $4344.000 \cdot 10^0$  (\*\*)

1m $\frac{1}{s}$  =  $13.20132 \cdot 10^{-140}$

1 $\frac{1}{s}$  =  $0.1111243 \cdot 10^{-130}$

1k $\frac{1}{s}$  =  $532.1110 \cdot 10^{-130}$

1m $\frac{1}{s^2}$  =  $1.511525 \cdot 10^{-310}$

1 $\frac{1}{s^2}$  =  $0.01235354 \cdot 10^{-300}$

1k $\frac{1}{s^2}$  =  $104.0251 \cdot 10^{-300}$

1ms =  $1025.014 \cdot 10^{120}$

1s =  $4.554532 \cdot 10^{130}$  (\*)

1ks =  $0.03504301 \cdot 10^{140}$

1mm =  $0.01150010 \cdot 10^{110}$  (\*)

1m =  $100.1340 \cdot 10^{110}$  (\*)

1km =  $0.4355245 \cdot 10^{120}$  (\*)

1m $\frac{m}{s}$  =  $0.001322434 \cdot 10^{-20}$

1 $\frac{m}{s}$  =  $11.13221 \cdot 10^{-20}$

1k $\frac{m}{s}$  =  $0.05334055 \cdot 10^{-10}$  (\*)

1m $\frac{m}{s^2}$  =  $151.4532 \cdot 10^{-200}$

1 =  $1 = 4344.000$  m (\*\*)

1 =  $1 = 1.000000$  (\*\*\*)

1 pa- =  $10^{10} = 114.3534$  k

1 ni'upavo- $\frac{1}{T}$  =  $10^{-140} = 0.03504301$  m $\frac{1}{s}$

1 ni'upaci- $\frac{1}{T}$  =  $10^{-130} = 4.554532 \frac{1}{s}$  (\*)

1 ni'upare- $\frac{1}{T}$  =  $10^{-120} = 1025.014$  k $\frac{1}{s}$

1 ni'ucipa- $\frac{1}{T^2}$  =  $10^{-310} = 0.3113022$  m $\frac{1}{s^2}$

1 ni'ucino- $\frac{1}{T^2}$  =  $10^{-300} = 40.54114 \frac{1}{s^2}$

1 ni'ucino- $\frac{1}{T^2}$  =  $10^{-300} = 0.005220030$  k $\frac{1}{s^2}$  (\*)

1 paci-T =  $10^{130} = 532.1110$  ms

1 paci-T =  $10^{130} = 0.1111243$  s

1 pavo-T =  $10^{140} = 13.20132$  ks

1 papa-L =  $10^{110} = 43.32331$  mm

1 pare-L =  $10^{120} = 5542.222$  m (\*)

1 pare-L =  $10^{120} = 1.141510$  km

1 ni'ure- $\frac{L}{T}$  =  $10^{-20} = 345.4201$  m $\frac{m}{s}$

1 ni'ure- $\frac{L}{T}$  =  $10^{-20} = 0.04542533 \frac{m}{s}$

1 ni'upa- $\frac{L}{T}$  =  $10^{-10} = 10.23153$  k $\frac{m}{s}$

1 ni'urenno- $\frac{L}{T^2}$  =  $10^{-200} = 0.003103533$  m $\frac{m}{s^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>32 °C

$$\begin{aligned}
1 \frac{\text{m}}{\text{s}^2} &= 1.241553 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{m}}{\text{s}^2} &= 0.01042135 \cdot 10^{-140} \\
1 \text{m m s} &= 0.1030442 \cdot 10^{240} \\
1 \text{m s} &= 501.0552 \cdot 10^{240} \quad (*) \\
1 \text{k m s} &= 3.514420 \cdot 10^{250} \\
1 \text{m m}^2 &= 1.152044 \cdot 10^{220} \\
1 \text{m}^2 &= 0.01003123 \cdot 10^{230} \quad (*) \\
1 \text{k m}^2 &= 44.10553 \cdot 10^{230} \quad (*) \\
1 \text{m}^{\frac{m}{s}} &= 0.1325144 \cdot 10^{50} \\
1 \frac{\text{m}^2}{\text{s}} &= 0.001115203 \cdot 10^{100} \\
1 \text{k} \frac{\text{m}^2}{\text{s}} &= 5.351110 \cdot 10^{100} \\
1 \text{m}^{\frac{m^2}{s^2}} &= 0.01521544 \cdot 10^{-40} \\
1 \frac{\text{m}^2}{\text{s}^2} &= 124.4155 \cdot 10^{-40} \quad (*) \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2} &= 1.044030 \cdot 10^{-30} \\
1 \text{m m}^2 \text{s} &= 10.32313 \cdot 10^{350} \\
1 \text{m}^2 \text{s} &= 0.05023033 \cdot 10^{400} \\
1 \text{k m}^2 \text{s} &= 352.4552 \cdot 10^{400} \quad (*) \\
1 \text{m}^{\frac{1}{m}} &= 1.141510 \cdot 10^{-120} \\
1 \frac{1}{\text{m}} &= 5542.222 \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{1}{\text{m}} &= 43.32331 \cdot 10^{-110} \\
1 \text{m}^{\frac{1}{\text{m s}}} &= 0.1313433 \cdot 10^{-250} \\
1 \frac{1}{\text{m s}} &= 0.001105312 \cdot 10^{-240} \\
1 \text{k} \frac{1}{\text{m s}} &= 5.304143 \cdot 10^{-240} \\
1 \text{m}^{\frac{1}{\text{m s}^2}} &= 0.01504530 \cdot 10^{-420} \\
1 \frac{1}{\text{m s}^2} &= 123.3203 \cdot 10^{-420} \\
1 \text{k} \frac{1}{\text{m s}^2} &= 1.034410 \cdot 10^{-410} \\
1 \text{m}^{\frac{s}{m}} &= 10.23153 \cdot 10^{10} \\
1 \frac{s}{\text{m}} &= 0.04542533 \cdot 10^{20} \\
1 \text{k} \frac{s}{\text{m}} &= 345.4201 \cdot 10^{20} \\
1 \text{m}^{\frac{1}{\text{m}^2}} &= 0.01135445 \cdot 10^{-230} \\
1 \frac{1}{\text{m}^2} &= 55.24511 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2} &= 0.4321123 \cdot 10^{-220} \\
1 \text{m}^{\frac{1}{\text{m}^2 \text{s}}} &= 0.001311143 \cdot 10^{-400} \\
1 \frac{1}{\text{m}^2 \text{s}} &= 11.03343 \cdot 10^{-400} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}} &= 0.05251243 \cdot 10^{-350} \\
1 \text{m}^{\frac{1}{\text{m}^2 \text{s}^2}} &= 150.1540 \cdot 10^{-540} \\
1 \frac{1}{\text{m}^2 \text{s}^2} &= 1.231020 \cdot 10^{-530} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2} &= 0.01032532 \cdot 10^{-520} \\
1 \text{m}^{\frac{s}{m^2}} &= 0.1021335 \cdot 10^{-100} \\
1 \frac{s}{\text{m}^2} &= 453.0555 \cdot 10^{-100} \quad (***) \\
1 \text{k} \frac{s}{\text{m}^2} &= 3.444114 \cdot 10^{-50} \\
1 \text{m}^{\frac{1}{\text{m}^3}} &= 113.3432 \cdot 10^{-350} \\
1 \frac{1}{\text{m}^3} &= 0.5511223 \cdot 10^{-340} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3} &= 4305.534 \cdot 10^{-340} \\
1 \text{m}^{\frac{1}{\text{m}^3 \text{s}}} &= 13.04501 \cdot 10^{-520} \\
1 \frac{1}{\text{m}^3 \text{s}} &= 0.1101422 \cdot 10^{-510} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}} &= 523.4405 \cdot 10^{-510} \\
1 \text{m}^{\frac{1}{\text{m}^3 \text{s}^2}} &= 1.454555 \cdot 10^{-1050} \quad (***) \\
1 \frac{1}{\text{m}^3 \text{s}^2} &= 0.01224441 \cdot 10^{-1040} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2} &= 103.1101 \cdot 10^{-1040}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upamu-} \frac{L}{T^2} &= 10^{-150} = 0.4043320 \frac{\text{m}}{\text{s}^2} \\
1 \text{ni'upavo-} \frac{L}{T^2} &= 10^{-140} = 52.03243 \text{k} \frac{\text{m}}{\text{s}^2} \\
1 \text{revo-} LT &= 10^{240} = 5.304143 \text{m m s} \\
1 \text{revo-} LT &= 10^{240} = 0.001105312 \text{ m s} \\
1 \text{remu-} LT &= 10^{250} = 0.1313433 \text{k m s} \\
1 \text{rere-} L^2 &= 10^{220} = 0.4321123 \text{m m}^2 \\
1 \text{reci-} L^2 &= 10^{230} = 55.24511 \text{m}^2 \quad (*) \\
1 \text{reci-} L^2 &= 10^{230} = 0.01135445 \text{k m}^2 \\
1 \text{mu-} \frac{L^2}{T} &= 10^{50} = 3.444114 \text{m} \frac{\text{m}^2}{\text{s}} \\
1 \text{pano-} \frac{L^2}{T} &= 10^{100} = 453.0555 \frac{\text{m}^2}{\text{s}} \quad (**) \\
1 \text{pano-} \frac{L^2}{T} &= 10^{100} = 0.1021335 \text{k} \frac{\text{m}^2}{\text{s}} \\
1 \text{ni'uvu-} \frac{L^2}{T^2} &= 10^{-40} = 30.54500 \text{m} \frac{\text{m}^2}{\text{s}^2} \quad (*) \\
1 \text{ni'uvu-} \frac{L^2}{T^2} &= 10^{-40} = 0.004032541 \frac{\text{m}^2}{\text{s}^2} \\
1 \text{ni'uci-} \frac{L^2}{T^2} &= 10^{-30} = 0.5150521 \text{k} \frac{\text{m}^2}{\text{s}^2} \\
1 \text{cimu-} L^2 T &= 10^{350} = 0.05251243 \text{m m}^2 \text{s} \\
1 \text{vono-} L^2 T &= 10^{400} = 11.03343 \text{m}^2 \text{s} \\
1 \text{vono-} L^2 T &= 10^{400} = 0.001311143 \text{k m}^2 \text{s} \\
1 \text{ni'upare-} \frac{1}{L} &= 10^{-120} = 0.4355245 \text{m} \frac{1}{\text{m}} \quad (*) \\
1 \text{ni'upapa-} \frac{1}{L} &= 10^{-110} = 100.1340 \frac{1}{\text{m}} \quad (*) \\
1 \text{ni'upapa-} \frac{1}{L} &= 10^{-110} = 0.01150010 \text{k} \frac{1}{\text{m}} \quad (*) \\
1 \text{ni'uremu-} \frac{1}{LT} &= 10^{-250} = 3.514420 \text{m} \frac{1}{\text{m s}} \\
1 \text{ni'urevo-} \frac{1}{LT} &= 10^{-240} = 501.0552 \frac{1}{\text{m s}} \quad (*) \\
1 \text{ni'urevo-} \frac{1}{LT} &= 10^{-240} = 0.1030442 \text{k} \frac{1}{\text{m s}} \\
1 \text{ni'uvore-} \frac{1}{LT^2} &= 10^{-420} = 31.22124 \text{m} \frac{1}{\text{m s}^2} \\
1 \text{ni'uvore-} \frac{1}{LT^2} &= 10^{-420} = 0.004104530 \frac{1}{\text{m s}^2} \\
1 \text{ni'uvopa-} \frac{1}{LT^2} &= 10^{-410} = 0.5232435 \text{k} \frac{1}{\text{m s}^2} \\
1 \text{pa-} \frac{T}{L} &= 10^{10} = 0.05334055 \text{m} \frac{\text{s}}{\text{m}} \quad (*) \\
1 \text{re-} \frac{T}{L} &= 10^{20} = 11.13221 \frac{\text{s}}{\text{m}} \\
1 \text{re-} \frac{T}{L} &= 10^{20} = 0.001322434 \text{k} \frac{\text{s}}{\text{m}} \\
1 \text{ni'ureci-} \frac{1}{L^2} &= 10^{-230} = 44.10553 \text{m} \frac{1}{\text{m}^2} \quad (*) \\
1 \text{ni'ureci-} \frac{1}{L^2} &= 10^{-230} = 0.01003123 \frac{1}{\text{m}^2} \quad (*) \\
1 \text{ni'urere-} \frac{1}{L^2} &= 10^{-220} = 1.152044 \text{k} \frac{1}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{1}{L^2 T} &= 10^{-400} = 352.4552 \text{m} \frac{1}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvono-} \frac{1}{L^2 T} &= 10^{-400} = 0.05023033 \frac{1}{\text{m}^2 \text{s}} \\
1 \text{ni'ucimu-} \frac{1}{L^2 T} &= 10^{-350} = 10.32313 \text{k} \frac{1}{\text{m}^2 \text{s}} \\
1 \text{ni'umuovo-} \frac{1}{L^2 T^2} &= 10^{-540} = 0.003131242 \text{m} \frac{1}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuci-} \frac{1}{L^2 T^2} &= 10^{-530} = 0.4115402 \frac{1}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umure-} \frac{1}{L^2 T^2} &= 10^{-520} = 52.45310 \text{k} \frac{1}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upano-} \frac{1}{L^2} &= 10^{-100} = 5.351110 \text{m} \frac{\text{s}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{1}{L^2} &= 10^{-100} = 0.001115203 \frac{\text{s}}{\text{m}^2} \\
1 \text{ni'umu-} \frac{T}{L^2} &= 10^{-50} = 0.1325144 \text{k} \frac{\text{s}}{\text{m}^2} \\
1 \text{ni'ucivo-} \frac{1}{L^3} &= 10^{-340} = 4422.322 \text{m} \frac{1}{\text{m}^3} \\
1 \text{ni'ucivo-} \frac{1}{L^3} &= 10^{-340} = 1.004513 \frac{1}{\text{m}^3} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{L^3} &= 10^{-330} = 115.4131 \text{k} \frac{1}{\text{m}^3} \\
1 \text{ni'umure-} \frac{1}{L^3 T} &= 10^{-520} = 0.03535143 \text{m} \frac{1}{\text{m}^3 \text{s}} \\
1 \text{ni'umupa-} \frac{1}{L^3 T} &= 10^{-510} = 5.035135 \frac{1}{\text{m}^3 \text{s}} \\
1 \text{ni'umuno-} \frac{1}{L^3 T} &= 10^{-500} = 1034.150 \text{k} \frac{1}{\text{m}^3 \text{s}} \\
1 \text{ni'upanomu-} \frac{1}{L^3 T^2} &= 10^{-1050} = 0.3140412 \text{m} \frac{1}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{1}{L^3 T^2} &= 10^{-1040} = 41.30252 \frac{1}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{1}{L^3 T^2} &= 10^{-1040} = 0.005302204 \text{k} \frac{1}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$1\text{m}\frac{\text{s}}{\text{m}^3} = 1015.524 \cdot 10^{-220}$	$1\text{ni}'\text{urepa}-\frac{T}{L^3} = 10^{-210} = 540.4144 \text{m}\frac{\text{s}}{\text{m}^3}$
$1\text{k}\frac{\text{s}}{\text{m}^3} = 4.515042 \cdot 10^{-210}$	$1\text{ni}'\text{urepa}-\frac{T}{L^3} = 10^{-210} = 0.1121151 \frac{\text{s}}{\text{m}^3}$
$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.03434045 \cdot 10^{-200}$	$1\text{ni}'\text{ureno}-\frac{T}{L^3} = 10^{-200} = 13.31502 \text{k}\frac{\text{s}}{\text{m}^3}$
$1\text{m kg} = 3.254021 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 0.1415124 \text{m kg}$
$1\text{kg} = 0.02405501 \cdot 10^{20} \quad (*)$	$1\text{re-}M = 10^{20} = 21.21043 \text{kg}$
$1\text{k kg} = 202.4541 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 0.002515312 \text{k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 0.4105435 \cdot 10^{-120}$	$1\text{ni}'\text{upare}-\frac{M}{T} = 10^{-120} = 1.233021 \text{m}\frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 3122.522 \cdot 10^{-120}$	$1\text{ni}'\text{upapa}-\frac{M}{T} = 10^{-110} = 150.4313 \frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 22.55135 \cdot 10^{-110} \quad (*)$	$1\text{ni}'\text{upapa}-\frac{M}{T} = 10^{-110} = 0.02223033 \text{k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 0.05012001 \cdot 10^{-250} \quad (*)$	$1\text{ni}'\text{uremu}-\frac{M}{T^2} = 10^{-250} = 11.05143 \text{m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 351.5302 \cdot 10^{-250}$	$1\text{ni}'\text{urevo}-\frac{M}{T^2} = 10^{-240} = 1313.241 \frac{\text{kg}}{\text{s}^2}$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 2.555434 \cdot 10^{-240} \quad (**)$	$1\text{ni}'\text{urevo}-\frac{M}{T^2} = 10^{-240} = 0.2000053 \text{k}\frac{\text{kg}}{\text{s}^2} \quad (**)$
$1\text{m kg s} = 25.23432 \cdot 10^{140}$	$1\text{pavo-}MT = 10^{140} = 0.02021533 \text{m kg s}$
$1\text{kg s} = 0.2124214 \cdot 10^{150}$	$1\text{pamu-}MT = 10^{150} = 2.401532 \text{kg s}$
$1\text{k kg s} = 0.001421430 \cdot 10^{200}$	$1\text{reno-}MT = 10^{200} = 324.4554 \text{k kg s} \quad (*)$
$1\text{m kg m} = 330.3405 \cdot 10^{120}$	$1\text{pare-}ML = 10^{120} = 0.001412253 \text{m kg m}$
$1\text{kg m} = 2.414103 \cdot 10^{130}$	$1\text{paci-}ML = 10^{130} = 0.2113321 \text{kg m}$
$1\text{k kg m} = 0.02032145 \cdot 10^{140}$	$1\text{pavo-}ML = 10^{140} = 25.10530 \text{k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 41.20311 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML}{T} = 10^{-10} = 0.01230434 \text{m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.3132041 \cdot 10^0$	$1\frac{ML}{T} = 1 = 1.501323 \frac{\text{kg m}}{\text{s}}$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 2303.145 \cdot 10^0$	$1\text{pa-}\frac{ML}{T} = 10^{10} = 221.5131 \text{k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 5.024044 \cdot 10^{-140}$	$1\text{ni}'\text{upavo}-\frac{ML}{T^2} = 10^{-140} = 0.1103215 \text{m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 0.03525440 \cdot 10^{-130}$	$1\text{ni}'\text{upaci}-\frac{ML}{T^2} = 10^{-130} = 13.10552 \frac{\text{kg m}}{\text{s}^2} \quad (*)$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 300.4335 \cdot 10^{-130} \quad (*)$	$1\text{ni}'\text{upare}-\frac{ML}{T^2} = 10^{-120} = 1552.541 \text{k}\frac{\text{kg m}}{\text{s}^2} \quad (*)$
$1\text{m kg m s} = 0.002532240 \cdot 10^{300}$	$1\text{cino-}MLT = 10^{300} = 201.4343 \text{m kg m s}$
$1\text{kg m s} = 21.32000 \cdot 10^{300} \quad (**)$	$1\text{cino-}MLT = 10^{300} = 0.02353351 \text{kg m s}$
$1\text{k kg m s} = 0.1424313 \cdot 10^{310}$	$1\text{cipa-}MLT = 10^{310} = 3.235235 \text{k kg m s}$
$1\text{m kg m}^2 = 0.03313210 \cdot 10^{240}$	$1\text{revo-}ML^2 = 10^{240} = 14.05432 \text{m kg m}^2$
$1\text{kg m}^2 = 242.2320 \cdot 10^{240}$	$1\text{revo-}ML^2 = 10^{240} = 0.002110005 \text{kg m}^2 \quad (**)$
$1\text{k kg m}^2 = 2.035402 \cdot 10^{250}$	$1\text{remu-}ML^2 = 10^{250} = 0.2502200 \text{k kg m}^2 \quad (*)$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 4131.203 \cdot 10^{100}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 122.4255 \text{m}\frac{\text{kg m}^2}{\text{s}} \quad (*)$
$1\frac{\text{kg m}^2}{\text{s}} = 31.41212 \cdot 10^{110}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 0.01454343 \frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.2311205 \cdot 10^{120}$	$1\text{pare-}\frac{ML^2}{T} = 10^{120} = 2.211234 \text{k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 504.0151 \cdot 10^{-30}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 1101.255 \text{m}\frac{\text{kg m}^2}{\text{s}^2} \quad (*)$
$1\frac{\text{kg m}^2}{\text{s}^2} = 3.540032 \cdot 10^{-20} \quad (*)$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 0.1304310 \frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 0.03013251 \cdot 10^{-10}$	$1\text{ni}'\text{upa-}\frac{ML^2}{T^2} = 10^{-10} = 15.45435 \text{k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2 \text{s} = 0.2541100 \cdot 10^{410} \quad (*)$	$1\text{vopa-}ML^2T = 10^{410} = 2.011203 \text{m kg m}^2 \text{s}$
$1\text{kg m}^2 \text{s} = 0.002135350 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 234.5220 \text{kg m}^2 \text{s}$
$1\text{k kg m}^2 \text{s} = 14.31204 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 0.03225533 \text{k kg m}^2 \text{s} \quad (*)$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.03244250 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\frac{M}{L} = 10^{-100} = 14.22002 \text{m}\frac{\text{kg}}{\text{m}} \quad (*)$
$1\frac{\text{kg}}{\text{m}} = 240.1305 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\frac{M}{L} = 10^{-100} = 0.002124415 \frac{\text{kg}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = 2.021342 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{L} = 10^{-50} = 0.2524110 \text{k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = 4055.021 \cdot 10^{-240} \quad (*)$	$1\text{ni}'\text{ureci}-\frac{M}{LT} = 10^{-230} = 123.5211 \text{m}\frac{\text{kg}}{\text{m s}}$
$1\frac{\text{kg}}{\text{m s}} = 31.13415 \cdot 10^{-230}$	$1\text{ni}'\text{ureci}-\frac{M}{LT} = 10^{-230} = 0.01511310 \frac{\text{kg}}{\text{m s}}$
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.2251140 \cdot 10^{-220}$	$1\text{ni}'\text{urere}-\frac{M}{LT} = 10^{-220} = 2.230550 \text{k}\frac{\text{kg}}{\text{m s}} \quad (*)$
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 455.5540 \cdot 10^{-410} \quad (*)$	$1\text{ni}'\text{uvono}-\frac{M}{LT^2} = 10^{-400} = 1111.114 \text{m}\frac{\text{kg}}{\text{m s}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 3.505143 \cdot 10^{-400}$	$1\text{ni}'\text{uvono}-\frac{M}{LT^2} = 10^{-400} = 0.1315535 \frac{\text{kg}}{\text{m s}^2} \quad (*)$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 0.02550550 \cdot 10^{-350} \quad (*)$	$1\text{ni}'\text{ucimu}-\frac{M}{LT^2} = 10^{-350} = 20.03214 \text{k}\frac{\text{kg}}{\text{m s}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 0.2515035 \cdot 10^{30}$	$1\text{ci-}\frac{MT}{L} = 10^{30} = 2.025132 \text{m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 0.002120443 \cdot 10^{40}$	$1\text{vo-}\frac{MT}{L} = 10^{40} = 241.0124 \frac{\text{kg s}}{\text{m}}$

$1k \frac{kg\cdot s}{m} = 14.14552 \cdot 10^{40}$	(*)	$1 vo - \frac{MT}{L} = 10^{40} = 0.03254330 k \frac{kg\cdot s}{m}$
$1m \frac{kg}{m^2} = 323.4532 \cdot 10^{-220}$		$1 ni'urere - \frac{M}{L^2} = 10^{-220} = 0.001424445 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 2.353125 \cdot 10^{-210}$		$1 ni'urepa - \frac{M}{L^2} = 10^{-210} = 0.2132201 \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 0.02014153 \cdot 10^{-200}$		$1 ni'ureneno - \frac{M}{L^2} = 10^{-200} = 25.32515 k \frac{kg}{m^2}$
$1m \frac{kg}{m^2\cdot s} = 40.44222 \cdot 10^{-350}$		$1 ni'ucimu - \frac{M}{L^2T} = 10^{-350} = 0.01241405 m \frac{kg}{m^2\cdot s}$
$1 \frac{kg}{m^2\cdot s} = 0.3104325 \cdot 10^{-340}$		$1 ni'ucivo - \frac{M}{L^2T} = 10^{-340} = 1.514313 \frac{kg}{m^2\cdot s}$
$1k \frac{kg}{m^2\cdot s} = 2243.151 \cdot 10^{-340}$		$1 ni'ucici - \frac{M}{L^2T} = 10^{-330} = 223.4514 k \frac{kg}{m^2\cdot s}$
$1m \frac{kg}{m^2\cdot s^2} = 4.543535 \cdot 10^{-520}$		$1 ni'umure - \frac{M}{L^2T^2} = 10^{-520} = 0.1113052 m \frac{kg}{m^2\cdot s^2}$
$1 \frac{kg}{m^2\cdot s^2} = 0.03455041 \cdot 10^{-510}$	(*)	$1 ni'umupa - \frac{M}{L^2T^2} = 10^{-510} = 13.22241 \frac{kg}{m^2\cdot s^2}$
$1k \frac{kg}{m^2\cdot s^2} = 254.2113 \cdot 10^{-510}$		$1 ni'umuno - \frac{M}{L^2T^2} = 10^{-500} = 2010.344 k \frac{kg}{m^2\cdot s^2}$
$1m \frac{kg}{m^2} = 0.002510254 \cdot 10^{-40}$		$1 ni'uvo - \frac{MT}{L^2} = 10^{-40} = 203.2340 m \frac{kg\cdot s}{m^2}$
$1 \frac{kg}{m^2} = 21.13122 \cdot 10^{-40}$		$1 ni'uvo - \frac{MT}{L^2} = 10^{-40} = 0.02414330 \frac{kg\cdot s}{m^2}$
$1k \frac{kg}{m^2} = 0.1412122 \cdot 10^{-30}$		$1 ni'uci - \frac{MT}{L^2} = 10^{-30} = 3.304114 k \frac{kg\cdot s}{m^2}$
$1m \frac{kg}{m^3} = 3.225231 \cdot 10^{-330}$		$1 ni'ucici - \frac{M}{L^3} = 10^{-330} = 0.1431341 m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 0.02344555 \cdot 10^{-320}$	(**)	$1 ni'ucire - \frac{M}{L^3} = 10^{-320} = 21.35552 \frac{kg}{m^3}$
$1k \frac{kg}{m^3} = 201.1013 \cdot 10^{-320}$		$1 ni'ucire - \frac{M}{L^3} = 10^{-320} = 0.002541335 k \frac{kg}{m^3}$
$1m \frac{kg}{m^3\cdot s} = 0.4033441 \cdot 10^{-500}$		$1 ni'umuno - \frac{M}{L^3T} = 10^{-500} = 1.244011 m \frac{kg}{m^3\cdot s}$
$1 \frac{kg}{m^3\cdot s} = 3055.251 \cdot 10^{-500}$	(*)	$1 ni'uvomu - \frac{M}{L^3T} = 10^{-450} = 152.1325 \frac{kg}{m^3\cdot s}$
$1k \frac{kg}{m^3\cdot s} = 22.35213 \cdot 10^{-450}$		$1 ni'uvomu - \frac{M}{L^3T} = 10^{-450} = 0.02242451 k \frac{kg}{m^3\cdot s}$
$1m \frac{kg}{m^3\cdot s^2} = 0.04532000 \cdot 10^{-1030}$	(**)	$1 ni'upanoci - \frac{M}{L^3T^2} = 10^{-1030} = 11.15033 m \frac{kg}{m^3\cdot s^2}$
$1 \frac{kg}{m^3\cdot s^2} = 344.4553 \cdot 10^{-1030}$	(*)	$1 ni'upanore - \frac{M}{L^3T^2} = 10^{-1020} = 1324.551 \frac{kg}{m^3\cdot s^2}$
$1k \frac{kg}{m^3\cdot s^2} = 2.533251 \cdot 10^{-1020}$		$1 ni'upanore - \frac{M}{L^3T^2} = 10^{-1020} = 0.2013523 k \frac{kg}{m^3\cdot s^2}$
$1m \frac{kg}{m^3} = 25.01524 \cdot 10^{-200}$		$1 ni'ureneno - \frac{MT}{L^3} = 10^{-200} = 0.02035554 m \frac{kg\cdot s}{m^3}$
$1 \frac{kg}{m^3} = 0.2105410 \cdot 10^{-150}$		$1 ni'upamu - \frac{MT}{L^3} = 10^{-150} = 2.422544 \frac{kg\cdot s}{m^3}$
$1k \frac{kg}{m^3} = 0.001405301 \cdot 10^{-140}$		$1 ni'upavo - \frac{MT}{L^3} = 10^{-140} = 331.3520 k \frac{kg}{m^3}$
$1m \frac{1}{C} = 312.5444 \cdot 10^{-50}$		$1 ni'ovo - \frac{1}{Q} = 10^{-40} = 1502.515 m \frac{1}{C}$
$1 \frac{1}{C} = 2.301302 \cdot 10^{-40}$		$1 ni'ovo - \frac{1}{Q} = 10^{-40} = 0.2220542 \frac{1}{C}$
$1k \frac{1}{C} = 0.01533500 \cdot 10^{-30}$	(*)	$1 ni'uci - \frac{1}{Q} = 10^{-30} = 30.33550 k \frac{1}{C}$
$1m \frac{1}{s\cdot C} = 35.22555 \cdot 10^{-220}$	(**)	$1 ni'urere - \frac{1}{TQ} = 10^{-220} = 0.01312024 m \frac{1}{s\cdot C}$
$1 \frac{1}{s\cdot C} = 0.3002243 \cdot 10^{-210}$	(*)	$1 ni'urepa - \frac{1}{TQ} = 10^{-210} = 1.554211 \frac{1}{s\cdot C}$
$1k \frac{1}{s\cdot C} = 0.002153522 \cdot 10^{-200}$		$1 ni'ureno - \frac{1}{TQ} = 10^{-200} = 232.5431 k \frac{1}{s\cdot C}$
$1m \frac{1}{s^2\cdot C} = 4.404333 \cdot 10^{-350}$		$1 ni'ucimu - \frac{1}{T^2Q} = 10^{-350} = 0.1140242 m \frac{1}{s^2\cdot C}$
$1 \frac{1}{s^2\cdot C} = 0.03341154 \cdot 10^{-340}$		$1 ni'ucivo - \frac{1}{T^2Q} = 10^{-340} = 13.54141 \frac{1}{s^2\cdot C}$
$1k \frac{1}{s^2\cdot C} = 244.2513 \cdot 10^{-340}$		$1 ni'ucivo - \frac{1}{T^2Q} = 10^{-340} = 0.002052200 k \frac{1}{s^2\cdot C}$
$1m \frac{s}{C} = 2412.130 \cdot 10^{40}$		$1 mu - \frac{T}{Q} = 10^{50} = 211.5050 m \frac{s}{C}$
$1 \frac{s}{C} = 20.30451 \cdot 10^{50}$		$1 mu - \frac{T}{Q} = 10^{50} = 0.02512544 \frac{s}{C}$
$1k \frac{s}{C} = 0.1335503 \cdot 10^{100}$	(*)	$1 pano - \frac{T}{Q} = 10^{100} = 3.420434 k \frac{s}{C}$
$1m \frac{m}{C} = 0.03135012 \cdot 10^{30}$		$1 ci - \frac{L}{Q} = 10^{30} = 14.55533 m \frac{m}{C}$
$1 \frac{m}{C} = 230.5315 \cdot 10^{30}$		$1 vo - \frac{L}{Q} = 10^{40} = 2213.043 \frac{m}{C}$
$1k \frac{m}{C} = 1.540541 \cdot 10^{40}$		$1 vo - \frac{L}{Q} = 10^{40} = 0.3025002 k \frac{m}{C}$
$1m \frac{m}{s\cdot C} = 0.003533142 \cdot 10^{-100}$		$1 ni'upano - \frac{L}{TQ} = 10^{-100} = 130.5340 m \frac{m}{s\cdot C}$
$1 \frac{m}{s\cdot C} = 30.11152 \cdot 10^{-100}$		$1 ni'upano - \frac{L}{TQ} = 10^{-100} = 0.01551103 \frac{m}{s\cdot C}$
$1k \frac{m}{s\cdot C} = 0.2201351 \cdot 10^{-50}$		$1 ni'umu - \frac{L}{TQ} = 10^{-50} = 2.321343 k \frac{m}{s\cdot C}$
$1m \frac{m}{s^2\cdot C} = 442.0054 \cdot 10^{-240}$	(*)	$1 ni'urevo - \frac{L}{T^2Q} = 10^{-240} = 0.001134223 m \frac{m}{s^2\cdot C}$
$1 \frac{m}{s^2\cdot C} = 3.351054 \cdot 10^{-230}$		$1 ni'ureci - \frac{L}{T^2Q} = 10^{-230} = 0.1351344 \frac{m}{s^2\cdot C}$
$1k \frac{m}{s^2\cdot C} = 0.02451213 \cdot 10^{-220}$		$1 ni'urere - \frac{L}{T^2Q} = 10^{-220} = 20.44521 k \frac{m}{s^2\cdot C}$
$1m \frac{ms}{C} = 0.2420340 \cdot 10^{200}$		$1 reno - \frac{LT}{Q} = 10^{200} = 2.111331 m \frac{ms}{C}$
$1 \frac{ms}{C} = 2034.102 \cdot 10^{200}$		$1 repa - \frac{LT}{Q} = 10^{210} = 250.4210 \frac{ms}{C}$
$1k \frac{ms}{C} = 13.42240 \cdot 10^{210}$		$1 repa - \frac{LT}{Q} = 10^{210} = 0.03410450 k \frac{ms}{C}$

$$\begin{aligned}
1 \text{m} \frac{\text{m}^2}{\text{C}} &= 3.144152 \cdot 10^{140} \\
1 \frac{\text{m}^2}{\text{C}} &= 0.02313343 \cdot 10^{150} \\
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 154.4032 \cdot 10^{150} \\
1 \text{m} \frac{\text{m}^2}{\text{s C}} &= 0.3543344 \cdot 10^{10} \\
1 \frac{\text{m}^2}{\text{s C}} &= 0.003020113 \cdot 10^{20} \\
1 \text{k} \frac{\text{m}^2}{\text{s C}} &= 22.05230 \cdot 10^{20} \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 0.04431435 \cdot 10^{-120} \\
1 \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 340.1012 \cdot 10^{-120} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 2.455525 \cdot 10^{-110} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{C}} &= 24.25001 \cdot 10^{310} \quad (*) \\
1 \frac{\text{m}^2 \text{s}}{\text{C}} &= 0.2041322 \cdot 10^{320} \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{C}} &= 1345.021 \cdot 10^{320} \\
1 \text{m} \frac{1}{\text{m C}} &= 3.120333 \cdot 10^{-200} \\
1 \frac{1}{\text{m C}} &= 0.02253255 \cdot 10^{-150} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{1}{\text{m C}} &= 153.0423 \cdot 10^{-150} \\
1 \text{m} \frac{1}{\text{m s C}} &= 0.3512425 \cdot 10^{-330} \\
1 \frac{1}{\text{m s C}} &= 0.002553350 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{1}{\text{m s C}} &= 21.50102 \cdot 10^{-320} \\
1 \text{m} \frac{1}{\text{m s}^2 \text{C}} &= 0.04353033 \cdot 10^{-500} \\
1 \frac{1}{\text{m s}^2 \text{C}} &= 333.1312 \cdot 10^{-500} \\
1 \text{k} \frac{1}{\text{m s}^2 \text{C}} &= 2.434224 \cdot 10^{-450} \\
1 \text{m} \frac{s}{\text{m C}} &= 24.03531 \cdot 10^{-30} \\
1 \frac{s}{\text{m C}} &= 0.2023245 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{m C}} &= 1333.134 \cdot 10^{-20} \\
1 \text{m} \frac{1}{\text{m}^2 \text{C}} &= 0.03111234 \cdot 10^{-310} \\
1 \frac{1}{\text{m}^2 \text{C}} &= 224.5303 \cdot 10^{-310} \\
1 \text{k} \frac{1}{\text{m}^2 \text{C}} &= 1.523355 \cdot 10^{-300} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{1}{\text{m}^2 \text{s C}} &= 0.003502314 \cdot 10^{-440} \\
1 \frac{1}{\text{m}^2 \text{s C}} &= 25.44504 \cdot 10^{-440} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s C}} &= 0.2142253 \cdot 10^{-430} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 434.1352 \cdot 10^{-1020} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 3.321443 \cdot 10^{-1010} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 0.02425550 \cdot 10^{-1000} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{s}{\text{m}^2 \text{C}} &= 0.2355343 \cdot 10^{-140} \quad (*) \\
1 \frac{s}{\text{m}^2 \text{C}} &= 2020.053 \cdot 10^{-140} \\
1 \text{k} \frac{s}{\text{m}^2 \text{C}} &= 13.30414 \cdot 10^{-130} \\
1 \text{m} \frac{1}{\text{m}^3 \text{C}} &= 310.2151 \cdot 10^{-430} \\
1 \frac{1}{\text{m}^3 \text{C}} &= 2.241321 \cdot 10^{-420} \\
1 \text{k} \frac{1}{\text{m}^3 \text{C}} &= 0.01520340 \cdot 10^{-410} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s C}} &= 34.52221 \cdot 10^{-1000} \\
1 \frac{1}{\text{m}^3 \text{s C}} &= 0.2540035 \cdot 10^{-550} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{1}{\text{m}^3 \text{s C}} &= 0.002134454 \cdot 10^{-540} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} &= 4.330131 \cdot 10^{-1130} \\
1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} &= 0.03312030 \cdot 10^{-1120} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} &= 242.1324 \cdot 10^{-1120} \\
1 \text{m} \frac{s}{\text{m}^3 \text{C}} &= 2351.205 \cdot 10^{-300} \\
1 \frac{s}{\text{m}^3 \text{C}} &= 20.12510 \cdot 10^{-250}
\end{aligned}$$

$$\begin{aligned}
1 \text{pavo-} \frac{L^2}{Q} &= 10^{140} = 0.1452555 \text{ m} \frac{\text{m}^2}{\text{C}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{pamu-} \frac{L^2}{Q} &= 10^{150} = 22.05153 \frac{\text{m}^2}{\text{C}} \\
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 3020.025 \text{ k} \frac{\text{m}^2}{\text{C}} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 1.303101 \text{ m} \frac{\text{m}^2}{\text{s C}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 154.4003 \frac{\text{m}^2}{\text{s C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.02313304 \text{ k} \frac{\text{m}^2}{\text{s C}} \\
1 \text{ni'upare-} \frac{L^2}{T^2 Q} &= 10^{-120} = 11.32212 \text{ m} \frac{\text{m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'upare-} \frac{L^2}{T^2 Q} &= 10^{-120} = 0.001344554 \frac{\text{m}^2}{\text{s}^2 \text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upara-} \frac{L^2}{T^2 Q} &= 10^{-110} = 0.2041251 \text{ k} \frac{\text{m}^2}{\text{s}^2 \text{C}} \\
1 \text{cipa-} \frac{L^2 T}{Q} &= 10^{310} = 0.02104022 \text{ m} \frac{\text{m}^2 \text{s}}{\text{C}} \\
1 \text{cire-} \frac{L^2 T}{Q} &= 10^{320} = 2.455443 \frac{\text{m}^2 \text{s}}{\text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{cici-} \frac{L^2 T}{Q} &= 10^{330} = 340.0515 \text{ k} \frac{\text{m}^2 \text{s}}{\text{C}} \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.1505510 \text{ m} \frac{1}{\text{m C}} \quad (*) \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 22.24452 \frac{1}{\text{m C}} \\
1 \text{ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 3042.550 \text{ k} \frac{1}{\text{m C}} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 1.314315 \text{ m} \frac{1}{\text{m s C}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 200.1325 \frac{1}{\text{m s C}} \quad (*) \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.02333531 \text{ k} \frac{1}{\text{m s C}} \\
1 \text{ni'umuno-} \frac{1}{LT^2 Q} &= 10^{-500} = 11.42304 \text{ m} \frac{1}{\text{m s}^2 \text{C}} \\
1 \text{ni'umuno-} \frac{1}{LT^2 Q} &= 10^{-500} = 0.001400543 \frac{1}{\text{m s}^2 \text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uvomu-} \frac{1}{LT^2 Q} &= 10^{-450} = 0.2055445 \text{ k} \frac{1}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ni'uci-} \frac{T}{LQ} &= 10^{-30} = 0.02122414 \text{ m} \frac{s}{\text{m C}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 2.521333 \frac{s}{\text{m C}} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 343.0435 \text{ k} \frac{s}{\text{m C}} \\
1 \text{ni'ucipa-} \frac{1}{L^2 Q} &= 10^{-310} = 15.12510 \text{ m} \frac{1}{\text{m}^2 \text{C}} \\
1 \text{ni'ucino-} \frac{1}{L^2 Q} &= 10^{-300} = 2232.412 \frac{1}{\text{m}^2 \text{C}} \\
1 \text{ni'ucino-} \frac{1}{L^2 Q} &= 10^{-300} = 0.3052003 \text{ k} \frac{1}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni'uvovo-} \frac{1}{L^2 TQ} &= 10^{-440} = 132.1015 \text{ m} \frac{1}{\text{m}^2 \text{s C}} \\
1 \text{ni'uvovo-} \frac{1}{L^2 TQ} &= 10^{-440} = 0.02004452 \frac{1}{\text{m}^2 \text{s C}} \quad (*) \\
1 \text{ni'uvoci-} \frac{1}{L^2 TQ} &= 10^{-430} = 2.342041 \text{ k} \frac{1}{\text{m}^2 \text{s C}} \\
1 \text{ni'upanore-} \frac{1}{L^2 T^2 Q} &= 10^{-1020} = 0.001144333 \text{ m} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upanopa-} \frac{1}{L^2 T^2 Q} &= 10^{-1010} = 0.1403353 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^2 T^2 Q} &= 10^{-1000} = 21.03143 \text{ k} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upavo-} \frac{T}{L^2 Q} &= 10^{-140} = 2.130153 \text{ m} \frac{s}{\text{m}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{T}{L^2 Q} &= 10^{-130} = 253.0134 \frac{s}{\text{m}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{T}{L^2 Q} &= 10^{-130} = 0.03440455 \text{ k} \frac{s}{\text{m}^2 \text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uvore-} \frac{1}{L^3 Q} &= 10^{-420} = 1515.515 \text{ m} \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'uvore-} \frac{1}{L^3 Q} &= 10^{-420} = 0.2240342 \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'uvopa-} \frac{1}{L^3 Q} &= 10^{-410} = 31.01031 \text{ k} \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^3 TQ} &= 10^{-1000} = 0.01323322 \text{ m} \frac{1}{\text{m}^3 \text{s C}} \\
1 \text{ni'umumu-} \frac{1}{L^3 TQ} &= 10^{-550} = 2.012025 \frac{1}{\text{m}^3 \text{s C}} \\
1 \text{ni'umuovo-} \frac{1}{L^3 TQ} &= 10^{-540} = 235.0202 \text{ k} \frac{1}{\text{m}^3 \text{s C}} \\
1 \text{ni'upapaci-} \frac{1}{L^3 T^2 Q} &= 10^{-1130} = 0.1150405 \text{ m} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upapare-} \frac{1}{L^3 T^2 Q} &= 10^{-1120} = 14.10211 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upapare-} \frac{1}{L^3 T^2 Q} &= 10^{-1120} = 0.002110451 \text{ k} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uremu-} \frac{T}{L^3 Q} &= 10^{-250} = 213.3541 \text{ m} \frac{s}{\text{m}^3 \text{C}} \\
1 \text{ni'uremu-} \frac{T}{L^3 Q} &= 10^{-250} = 0.02534550 \frac{s}{\text{m}^3 \text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} &= 0.1324101 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 12.43023 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{C}} &= 0.1043040 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 511.3302 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s} \text{C}} &= 1.430243 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s} \text{C}} &= 0.01204005 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s} \text{C}} &= 101.3154 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.2034334 \cdot 10^{-330} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.001342435 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 11.30354 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 111.4144 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 0.5342202 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.004200554 \cdot 10^{120} \quad (**) \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 1245.231 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 10.44532 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.05125525 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s} \text{C}} &= 143.3142 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s} \text{C}} &= 1.210112 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s} \text{C}} &= 0.01015002 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 20.41555 \cdot 10^{-220} \quad (**) \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.1345221 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.001132403 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.01120131 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 53.55224 \cdot 10^{220} \quad (*) \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 0.4211553 \cdot 10^{230} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.1251443 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 1050.431 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 5.142213 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 0.01440044 \cdot 10^{30} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s} \text{C}} &= 121.2222 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 1.020412 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.002045230 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 13.52011 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.1134415 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 1.122121 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.005412313 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 42.23011 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m} \text{C}} &= 0.1240423 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m} \text{C}} &= 1041.151 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m} \text{C}} &= 5.101100 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s} \text{C}} &= 0.01423354 \cdot 10^{-310} \\
1 \frac{\text{kg}}{\text{m s} \text{C}} &= 120.1505 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{m s} \text{C}} &= 1.011354 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.002031123 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 13.40102 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.1124353 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s}}{\text{m} \text{C}} &= 1.112204 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{urevo-} \frac{T}{L^3 Q} &= 10^{-240} = 3.450532 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uci-} \frac{M}{Q} &= 10^{-30} = 0.04040253 \text{m} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{M}{Q} &= 10^{-20} = 5.155252 \frac{\text{kg}}{\text{C}} \quad (*) \\
1 \text{ni}'\text{ure-} \frac{M}{Q} &= 10^{-20} = 0.001052415 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'\text{ureno-} \frac{M}{TQ} &= 10^{-200} = 0.3231401 \text{m} \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni}'\text{upamu-} \frac{M}{TQ} &= 10^{-150} = 42.34341 \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni}'\text{upavo-} \frac{M}{TQ} &= 10^{-140} = 5430.211 \text{k} \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni}'\text{ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 2.503441 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 341.0015 \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 0.04442135 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.004535125 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 1.022305 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 121.4432 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 402.5523 \text{m} \frac{\text{kg m}}{\text{C}} \quad (*) \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.05142541 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 10.50513 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML}{TQ} &= 10^{-40} = 3222.105 \text{m} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML}{TQ} &= 10^{-40} = 0.4223302 \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'\text{uci-} \frac{ML}{TQ} &= 10^{-30} = 54.13054 \text{k} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni}'\text{urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.02455115 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 3.400050 \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (**) \\
1 \text{ni}'\text{ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 443.0340 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 45.23201 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.01020452 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 1.212314 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 4.015212 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 513.0251 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.1045014 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{TQ} &= 10^{30} = 32.12430 \text{m} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 4212.243 \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.5400004 \text{k} \frac{\text{kg m}^2}{\text{s} \text{C}} \quad (**) \\
1 \text{ni}'\text{upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 245.0405 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.03350134 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 4.415001 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{cici-} \frac{ML^2 T}{Q} &= 10^{330} = 0.4511253 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 101.5042 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.01210203 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni}'\text{upavo-} \frac{M}{LQ} &= 10^{-140} = 4.051042 \text{m} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M}{LQ} &= 10^{-130} = 521.2025 \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M}{LQ} &= 10^{-130} = 0.1054325 \text{k} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni}'\text{ucipa-} \frac{M}{LTQ} &= 10^{-310} = 32.41110 \text{m} \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni}'\text{ucino-} \frac{M}{LTQ} &= 10^{-300} = 4245.434 \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni}'\text{ucino-} \frac{M}{LTQ} &= 10^{-300} = 0.5443350 \text{k} \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni}'\text{uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 251.2214 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 0.03420002 \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (**) \\
1 \text{ni}'\text{uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 4.453555 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (**) \\
1 \text{ni}'\text{upa-} \frac{MT}{LQ} &= 10^{-10} = 0.4551114 \text{m} \frac{\text{kg s}}{\text{m} \text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg s}}{\text{m C}} &= 0.005325202 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 41.50014 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 1234.230 \cdot 10^{-300} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 10.35304 \cdot 10^{-250} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.05044520 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 142.0512 \cdot 10^{-430} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 1.155413 \cdot 10^{-420} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.01010000 \cdot 10^{-410} \quad (***) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 20.23521 \cdot 10^{-1000} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.1333333 \cdot 10^{-550} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.001122355 \cdot 10^{-540} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.01110232 \cdot 10^{-120} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 53.12225 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.4135054 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 12.32041 \cdot 10^{-410} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.1033425 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 503.2401 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 1.414040 \cdot 10^{-540} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.01153325 \cdot 10^{-530} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 100.4204 \cdot 10^{-530} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.2020324 \cdot 10^{-1110} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.001331011 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 11.20404 \cdot 10^{-1100} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 110.4302 \cdot 10^{-240} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.5255314 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.004124152 \cdot 10^{-220} \\
1 \text{m C} &= 30.33550 \cdot 10^{30} \quad (*) \\
1 \text{C} &= 0.2220542 \cdot 10^{40} \\
1 \text{k C} &= 1502.515 \cdot 10^{40} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 3.420434 \cdot 10^{-100} \\
1 \frac{\text{C}}{\text{s}} &= 0.02512544 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 211.5050 \cdot 10^{-50} \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= 0.4250403 \cdot 10^{-230} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.003241521 \cdot 10^{-220} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 23.55312 \cdot 10^{-220} \quad (*) \\
1 \text{m s C} &= 232.5431 \cdot 10^{200} \\
1 \text{s C} &= 1.554211 \cdot 10^{210} \quad (*) \\
1 \text{k s C} &= 0.01312024 \cdot 10^{220} \\
1 \text{m m C} &= 3042.550 \cdot 10^{140} \quad (*) \\
1 \text{m C} &= 22.24452 \cdot 10^{150} \\
1 \text{k m C} &= 0.1505510 \cdot 10^{200} \quad (*) \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 343.0435 \cdot 10^{10} \\
1 \frac{\text{m C}}{\text{s}} &= 2.521333 \cdot 10^{20} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.02122414 \cdot 10^{30} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 43.01522 \cdot 10^{-120} \\
1 \frac{\text{m C}}{\text{s}^2} &= 0.3251244 \cdot 10^{-110} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.002403500 \cdot 10^{-100} \quad (*) \\
1 \text{m m s C} &= 0.02333531 \cdot 10^{320} \\
1 \text{m s C} &= 200.1325 \cdot 10^{320} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{MT}}{\text{LQ}} &= 1 = 102.4125 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{\text{MT}}{\text{LQ}} &= 1 = 0.01220554 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \text{ni'uremu-} \frac{\text{M}}{\text{L}^2 \text{Q}} &= 10^{-250} = 410.1450 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'uremu-} \frac{\text{M}}{\text{L}^2 \text{Q}} &= 10^{-250} = 0.05224423 \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{\text{M}}{\text{L}^2 \text{Q}} &= 10^{-240} = 11.00241 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni'uvore-} \frac{\text{M}}{\text{L}^2 \text{TQ}} &= 10^{-420} = 3250.431 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uvore-} \frac{\text{M}}{\text{L}^2 \text{TQ}} &= 10^{-420} = 0.4300552 \frac{\text{kg}}{\text{m}^2 \text{s C}} \quad (***) \\
1 \text{ni'uvopa-} \frac{\text{M}}{\text{L}^2 \text{TQ}} &= 10^{-410} = 55.00552 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \quad (***) \\
1 \text{ni'upanono-} \frac{\text{M}}{\text{L}^2 \text{T}^2 \text{Q}} &= 10^{-1000} = 0.02521002 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'umumu-} \frac{\text{M}}{\text{L}^2 \text{T}^2 \text{Q}} &= 10^{-550} = 3.430002 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \quad (***) \\
1 \text{ni'umuovo-} \frac{\text{M}}{\text{L}^2 \text{T}^2 \text{Q}} &= 10^{-540} = 450.5435 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upare-} \frac{\text{MT}}{\text{L}^2 \text{Q}} &= 10^{-120} = 50.03124 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'upare-} \frac{\text{MT}}{\text{L}^2 \text{Q}} &= 10^{-120} = 0.01025552 \frac{\text{kg s}}{\text{m}^2 \text{C}} \quad (***) \\
1 \text{ni'upapa-} \frac{\text{MT}}{\text{L}^2 \text{Q}} &= 10^{-110} = 1.223123 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uvopa-} \frac{\text{M}}{\text{L}^3 \text{Q}} &= 10^{-410} = 0.04112312 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uvono-} \frac{\text{M}}{\text{L}^3 \text{Q}} &= 10^{-400} = 5.241244 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uvono-} \frac{\text{M}}{\text{L}^3 \text{Q}} &= 10^{-400} = 0.001102200 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'umuovo-} \frac{\text{M}}{\text{L}^3 \text{TQ}} &= 10^{-540} = 0.3300210 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \quad (*) \\
1 \text{ni'umuci-} \frac{\text{M}}{\text{L}^3 \text{TQ}} &= 10^{-530} = 43.12125 \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'umure-} \frac{\text{M}}{\text{L}^3 \text{TQ}} &= 10^{-520} = 5514.222 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \quad (*) \\
1 \text{ni'upapapa-} \frac{\text{M}}{\text{L}^3 \text{T}^2 \text{Q}} &= 10^{-1110} = 2.525402 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upapano-} \frac{\text{M}}{\text{L}^3 \text{T}^2 \text{Q}} &= 10^{-1100} = 344.0021 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'upapano-} \frac{\text{M}}{\text{L}^3 \text{T}^2 \text{Q}} &= 10^{-1100} = 0.04521340 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{\text{MT}}{\text{L}^3 \text{Q}} &= 10^{-240} = 0.005015155 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'ureci-} \frac{\text{MT}}{\text{L}^3 \text{Q}} &= 10^{-230} = 1.031421 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'urere-} \frac{\text{MT}}{\text{L}^3 \text{Q}} &= 10^{-220} = 122.5300 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ci-Q} &= 10^{30} = 0.01533500 \text{m C} \quad (*) \\
1 \text{vo-Q} &= 10^{40} = 2.301302 \text{C} \\
1 \text{mu-Q} &= 10^{50} = 312.5444 \text{k C} \\
1 \text{ni'upano-} \frac{\text{Q}}{\text{T}} &= 10^{-100} = 0.1335503 \text{m} \frac{\text{C}}{\text{s}} \quad (*) \\
1 \text{ni'umu-} \frac{\text{Q}}{\text{T}} &= 10^{-50} = 20.30451 \frac{\text{C}}{\text{s}} \\
1 \text{ni'uvvo-} \frac{\text{Q}}{\text{T}} &= 10^{-40} = 2412.130 \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{ni'ureci-} \frac{\text{Q}}{\text{T}^2} &= 10^{-230} = 1.201330 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'urere-} \frac{\text{Q}}{\text{T}^2} &= 10^{-220} = 142.3145 \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'urere-} \frac{\text{Q}}{\text{T}^2} &= 10^{-220} = 0.02130221 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{reno-TQ} &= 10^{200} = 0.002153522 \text{m s C} \\
1 \text{repa-TQ} &= 10^{210} = 0.3002243 \text{s C} \quad (*) \\
1 \text{rere-TQ} &= 10^{220} = 35.22555 \text{k s C} \quad (***) \\
1 \text{pamu-LQ} &= 10^{150} = 153.0423 \text{m m C} \\
1 \text{pamu-LQ} &= 10^{150} = 0.02253255 \text{m C} \quad (*) \\
1 \text{reno-LQ} &= 10^{200} = 3.120333 \text{k m C} \\
1 \text{re-} \frac{\text{LQ}}{\text{T}} &= 10^{20} = 1333.134 \text{m} \frac{\text{m C}}{\text{s}} \\
1 \text{re-} \frac{\text{LQ}}{\text{T}} &= 10^{20} = 0.2023245 \frac{\text{m C}}{\text{s}} \\
1 \text{ci-} \frac{\text{LQ}}{\text{T}} &= 10^{30} = 24.03531 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{ni'upare-} \frac{\text{LQ}}{\text{T}^2} &= 10^{-120} = 0.01155235 \text{m} \frac{\text{m C}}{\text{s}^2} \quad (*) \\
1 \text{ni'upapa-} \frac{\text{LQ}}{\text{T}^2} &= 10^{-110} = 1.420305 \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'upano-} \frac{\text{LQ}}{\text{T}^2} &= 10^{-100} = 212.2442 \text{k} \frac{\text{m C}}{\text{s}^2} \\
1 \text{cire-LTQ} &= 10^{320} = 21.50102 \text{m m s C} \\
1 \text{cire-LTQ} &= 10^{320} = 0.002553350 \text{m s C} \quad (*)
\end{aligned}$$

$1 \text{k m s C} = 1.314315 \cdot 10^{330}$	$1 \text{cici-}LTQ = 10^{330} = 0.3512425 \text{ k m s C}$
$1 \text{m m}^2 \text{C} = 0.3052003 \cdot 10^{300} \quad (*)$	$1 \text{cino-}L^2Q = 10^{300} = 1.523355 \text{ m m}^2 \text{C} \quad (*)$
$1 \text{m}^2 \text{C} = 2232.412 \cdot 10^{300}$	$1 \text{cipa-}L^2Q = 10^{310} = 224.5303 \text{ m}^2 \text{C}$
$1 \text{k m}^2 \text{C} = 15.12510 \cdot 10^{310}$	$1 \text{cipa-}L^2Q = 10^{310} = 0.03111234 \text{ k m}^2 \text{C}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} = 0.03440455 \cdot 10^{130} \quad (*)$	$1 \text{paci-}\frac{L^2Q}{T} = 10^{130} = 13.30414 \text{ m}^{\frac{\text{m}^2 \text{C}}{\text{s}}}$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} = 253.0134 \cdot 10^{130}$	$1 \text{pavo-}\frac{L^2Q}{T} = 10^{140} = 2020.053 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{k}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 2.130153 \cdot 10^{140}$	$1 \text{pavo-}\frac{L^2Q}{T} = 10^{140} = 0.2355343 \text{ k}^{\frac{\text{m}^2 \text{C}}{\text{s}}} \quad (*)$
$1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 0.004313100 \cdot 10^0 \quad (*)$	$1 \frac{L^2Q}{T^2} = 1 = 115.3151 \text{ m}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}}$
$1 \text{k}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 33.01024 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 0.01413432 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{k}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}} = 0.2412055 \cdot 10^{10} \quad (*)$	$1 \text{pa-}\frac{L^2Q}{T^2} = 10^{10} = 2.115113 \text{ k}^{\frac{\text{m}^2 \text{C}}{\text{s}^2}}$
$1 \text{m m}^2 \text{s C} = 2.342041 \cdot 10^{430}$	$1 \text{voci-}L^2TQ = 10^{430} = 0.2142253 \text{ m m}^2 \text{s C}$
$1 \text{m}^2 \text{s C} = 0.02004452 \cdot 10^{440} \quad (*)$	$1 \text{vovo-}L^2TQ = 10^{440} = 25.44504 \text{ m}^2 \text{s C}$
$1 \text{k m}^2 \text{s C} = 132.1015 \cdot 10^{440}$	$1 \text{vovo-}L^2TQ = 10^{440} = 0.003502314 \text{ k m}^2 \text{s C}$
$1 \text{m}^{\frac{\text{C}}{\text{m}}} = 0.3025002 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvo-}\frac{Q}{L} = 10^{-40} = 1.540541 \text{ m}^{\frac{\text{C}}{\text{m}}}$
$1 \text{C}^{\frac{1}{\text{m}}} = 2213.043 \cdot 10^{-40}$	$1 \text{ni'uci-}\frac{Q}{L} = 10^{-30} = 230.5315 \frac{\text{C}}{\text{m}}$
$1 \text{k}^{\frac{\text{C}}{\text{m}}} = 14.55533 \cdot 10^{-30} \quad (**)$	$1 \text{ni'uci-}\frac{Q}{L} = 10^{-30} = 0.03135012 \text{ k}^{\frac{\text{C}}{\text{m}}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2}} = 0.03410450 \cdot 10^{-210}$	$1 \text{ni'urepa-}\frac{Q}{LT} = 10^{-210} = 13.42240 \text{ m}^{\frac{\text{C}}{\text{m}^2}}$
$1 \text{C}^{\frac{1}{\text{m}^2}} = 250.4210 \cdot 10^{-210}$	$1 \text{ni'ureno-}\frac{Q}{LT} = 10^{-200} = 2034.102 \frac{\text{C}}{\text{m s}}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2}} = 2.111331 \cdot 10^{-200}$	$1 \text{ni'ureno-}\frac{Q}{LT} = 10^{-200} = 0.2420340 \text{ k}^{\frac{\text{C}}{\text{m s}}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2}} = 0.004235304 \cdot 10^{-340}$	$1 \text{ni'ucivo-}\frac{Q}{LT^2} = 10^{-340} = 120.3425 \text{ m}^{\frac{\text{C}}{\text{m}^2}}$
$1 \text{C}^{\frac{1}{\text{m}^2 \text{s}^2}} = 32.32212 \cdot 10^{-340}$	$1 \text{ni'ucivo-}\frac{Q}{LT^2} = 10^{-340} = 0.01430034 \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*)$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} = 0.2351135 \cdot 10^{-330}$	$1 \text{ni'ucici-}\frac{Q}{LT^2} = 10^{-330} = 2.134005 \text{ k}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} \quad (*)$
$1 \text{m}^{\frac{\text{sC}}{\text{m}}} = 2.321343 \cdot 10^{50}$	$1 \text{mu-}\frac{TQ}{L} = 10^{50} = 0.2201351 \text{ m}^{\frac{\text{sC}}{\text{m}}}$
$1 \text{sC}^{\frac{1}{\text{m}}} = 0.01551103 \cdot 10^{100} \quad (*)$	$1 \text{pano-}\frac{TQ}{L} = 10^{100} = 30.11152 \frac{\text{sC}}{\text{m}}$
$1 \text{k}^{\frac{\text{sC}}{\text{m}}} = 130.5340 \cdot 10^{100}$	$1 \text{pano-}\frac{TQ}{L} = 10^{100} = 0.003533142 \text{ k}^{\frac{\text{sC}}{\text{m}}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2}} = 3020.025 \cdot 10^{-200}$	$1 \text{ni'upamu-}\frac{Q}{L^2} = 10^{-150} = 154.4032 \text{ m}^{\frac{\text{C}}{\text{m}^2}}$
$1 \text{C}^{\frac{1}{\text{m}^2}} = 22.05153 \cdot 10^{-150}$	$1 \text{ni'upamu-}\frac{Q}{L^2} = 10^{-150} = 0.02313343 \frac{\text{C}}{\text{m}^2}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2}} = 0.1452555 \cdot 10^{-140} \quad (**)$	$1 \text{ni'upavo-}\frac{Q}{L^2} = 10^{-140} = 3.144152 \text{ k}^{\frac{\text{C}}{\text{m}^2}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}}} = 340.0515 \cdot 10^{-330}$	$1 \text{ni'ucire-}\frac{Q}{L^2 T} = 10^{-320} = 1345.021 \text{ m}^{\frac{\text{C}}{\text{m}^2 \text{s}}}$
$1 \text{C}^{\frac{1}{\text{m}^2 \text{s}}} = 2.455443 \cdot 10^{-320} \quad (*)$	$1 \text{ni'ucire-}\frac{Q}{L^2 T} = 10^{-320} = 0.2041322 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2 \text{s}}} = 0.02104022 \cdot 10^{-310}$	$1 \text{ni'ucipa-}\frac{Q}{L^2 T} = 10^{-310} = 24.25001 \text{ k}^{\frac{\text{C}}{\text{m}^2 \text{s}}} \quad (*)$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} = 42.24224 \cdot 10^{-500}$	$1 \text{ni'umuno-}\frac{Q}{L^2 T^2} = 10^{-500} = 0.01205532 \text{ m}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} \quad (*)$
$1 \text{C}^{\frac{1}{\text{m}^2 \text{s}^2}} = 0.3222515 \cdot 10^{-450}$	$1 \text{ni'uvomu-}\frac{Q}{L^2 T^2} = 10^{-450} = 1.432532 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}} = 0.002343012 \cdot 10^{-440}$	$1 \text{ni'uvovo-}\frac{Q}{L^2 T^2} = 10^{-440} = 214.1403 \text{ k}^{\frac{\text{C}}{\text{m}^2 \text{s}^2}}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}^2}} = 0.02313304 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{TQ}{L^2} = 10^{-20} = 22.05230 \text{ m}^{\frac{\text{sC}}{\text{m}^2}}$
$1 \text{sC}^{\frac{1}{\text{m}^2}} = 154.4003 \cdot 10^{-20} \quad (*)$	$1 \text{ni'ure-}\frac{TQ}{L^2} = 10^{-20} = 0.003020113 \frac{\text{sC}}{\text{m}^2}$
$1 \text{k}^{\frac{\text{sC}}{\text{m}^2}} = 1.303101 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{TQ}{L^2} = 10^{-10} = 0.3543344 \text{ k}^{\frac{\text{sC}}{\text{m}^2}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3}} = 30.11105 \cdot 10^{-310}$	$1 \text{ni'ucipa-}\frac{Q}{L^3} = 10^{-310} = 0.01551132 \text{ m}^{\frac{\text{C}}{\text{m}^3}} \quad (*)$
$1 \text{C}^{\frac{1}{\text{m}^3}} = 0.2201314 \cdot 10^{-300}$	$1 \text{ni'ucino-}\frac{Q}{L^3} = 10^{-300} = 2.321421 \frac{\text{C}}{\text{m}^3}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3}} = 1450.030 \cdot 10^{-300}$	$1 \text{ni'uremu-}\frac{Q}{L^3} = 10^{-250} = 315.3345 \text{ k}^{\frac{\text{C}}{\text{m}^3}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}}} = 3.351002 \cdot 10^{-440} \quad (*)$	$1 \text{ni'uvovo-}\frac{Q}{L^3 T} = 10^{-440} = 0.1351410 \text{ m}^{\frac{\text{C}}{\text{m}^3 \text{s}}}$
$1 \text{C}^{\frac{1}{\text{m}^3 \text{s}}} = 0.02451132 \cdot 10^{-430}$	$1 \text{ni'uvoci-}\frac{Q}{L^3 T} = 10^{-430} = 20.44552 \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*)$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3 \text{s}}} = 210.0322 \cdot 10^{-430}$	$1 \text{ni'uvore-}\frac{Q}{L^3 T} = 10^{-420} = 2433.234 \text{ k}^{\frac{\text{C}}{\text{m}^3 \text{s}}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}} = 0.4213204 \cdot 10^{-1010}$	$1 \text{ni'upanopa-}\frac{Q}{L^3 T^2} = 10^{-1010} = 1.212042 \text{ m}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}}$
$1 \text{C}^{\frac{1}{\text{m}^3 \text{s}^2}} = 0.003213234 \cdot 10^{-1000}$	$1 \text{ni'upanono-}\frac{Q}{L^3 T^2} = 10^{-1000} = 143.5434 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \text{k}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}} = 23.34501 \cdot 10^{-1000}$	$1 \text{ni'upanono-}\frac{Q}{L^3 T^2} = 10^{-1000} = 0.02145211 \text{ k}^{\frac{\text{C}}{\text{m}^3 \text{s}^2}}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}^3}} = 230.5241 \cdot 10^{-140}$	$1 \text{ni'upavo-}\frac{TQ}{L^3} = 10^{-140} = 0.002213120 \text{ m}^{\frac{\text{sC}}{\text{m}^3}}$
$1 \text{sC}^{\frac{1}{\text{m}^3}} = 1.540512 \cdot 10^{-130}$	$1 \text{ni'upaci-}\frac{TQ}{L^3} = 10^{-130} = 0.3025045 \frac{\text{sC}}{\text{m}^3}$
$1 \text{k}^{\frac{\text{sC}}{\text{m}^3}} = 0.01300425 \cdot 10^{-120} \quad (*)$	$1 \text{ni'upare-}\frac{TQ}{L^3} = 10^{-120} = 35.54003 \text{ k}^{\frac{\text{sC}}{\text{m}^3}} \quad (*)$
$1 \text{kg C} = 1.220441 \cdot 10^{50}$	$1 \text{mu-MQ} = 10^{50} = 0.4150405 \text{ m kg C}$

$$\begin{aligned}
1 \text{ kg C} &= 0.01024030 \cdot 10^{100} \\
1 \text{k kg C} &= 45.50245 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 0.1401144 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{s}} &= 1142.440 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 5.550351 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 0.02001554 \cdot 10^{-210} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg C}}{\text{s}^2} &= 131.4511 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 1.110215 \cdot 10^{-200} \\
1 \text{m kg s C} &= 10.54223 \cdot 10^{220} \\
1 \text{kg s C} &= 0.05211135 \cdot 10^{230} \\
1 \text{k kg s C} &= 405.0300 \cdot 10^{230} \quad (*) \\
1 \text{m kg m C} &= 122.3010 \cdot 10^{200} \\
1 \text{kg m C} &= 1.025453 \cdot 10^{210} \\
1 \text{k kg m C} &= 0.005002254 \cdot 10^{220} \quad (*) \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 14.03555 \cdot 10^{30} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m C}}{\text{s}} &= 0.1144510 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 1000.414 \cdot 10^{40} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 2.005121 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 0.01321211 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 111.2152 \cdot 10^{-50} \\
1 \text{m kg m s C} &= 0.001100135 \cdot 10^{340} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{kg m s C} &= 5.223533 \cdot 10^{340} \\
1 \text{k kg m s C} &= 0.04101103 \cdot 10^{350} \\
1 \text{m kg m}^2 \text{C} &= 0.01225143 \cdot 10^{320} \\
1 \text{kg m}^2 \text{C} &= 103.1322 \cdot 10^{320} \\
1 \text{k kg m}^2 \text{C} &= 0.5014324 \cdot 10^{330} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 1410.414 \cdot 10^{140} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 11.50543 \cdot 10^{150} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.1002200 \cdot 10^{200} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 201.2254 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 1.323515 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.01114132 \cdot 10^{30} \\
1 \text{m kg m}^2 \text{s C} &= 0.1102054 \cdot 10^{450} \\
1 \text{kg m}^2 \text{s C} &= 524.0352 \cdot 10^{450} \\
1 \text{k kg m}^2 \text{s C} &= 4.111524 \cdot 10^{500} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 0.01214320 \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{m}} &= 102.2211 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 0.4534302 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 1354.342 \cdot 10^{-200} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 11.40414 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.05533030 \cdot 10^{-140} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{m}^3} &= 155.4435 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{kg C}}{\text{m}^3} &= 1.312215 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^3} &= 0.01104250 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 0.1052314 \cdot 10^{110} \\
1 \frac{\text{kg s C}}{\text{m}} &= 515.4404 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 4.035513 \cdot 10^{120} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 121.2202 \cdot 10^{-140} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 1.020354 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.004522335 \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 \text{pano-}MQ &= 10^{100} = 53.30102 \text{ kg C} \\
1 \text{pano-}MQ &= 10^{100} = 0.01112311 \text{k kg C} \\
1 \text{ni'uvu-} \frac{MQ}{T} &= 10^{-40} = 3.330450 \text{m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'uci-} \frac{MQ}{T} &= 10^{-30} = 435.2052 \frac{\text{kg C}}{\text{s}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uci-} \frac{MQ}{T} &= 10^{-30} = 0.1000522 \text{k} \frac{\text{kg C}}{\text{s}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{MQ}{T^2} &= 10^{-210} = 25.53011 \text{m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'urenore-} \frac{MQ}{T^2} &= 10^{-200} = 3511.543 \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'urenore-} \frac{MQ}{T^2} &= 10^{-200} = 0.5003223 \text{k} \frac{\text{kg C}}{\text{s}^2} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{rere-}MTQ &= 10^{220} = 0.05101535 \text{m kg s C} \\
1 \text{reci-}MTQ &= 10^{230} = 10.41251 \text{kg s C} \\
1 \text{revo-}MTQ &= 10^{240} = 1240.542 \text{k kg s C} \\
1 \text{reno-}MLQ &= 10^{200} = 0.004135444 \text{m kg m C} \\
1 \text{repa-}MLQ &= 10^{210} = 0.5313124 \text{kg m C} \\
1 \text{rere-}MLQ &= 10^{220} = 111.0334 \text{k kg m C} \\
1 \text{ci-} \frac{MLQ}{T} &= 10^{30} = 0.03321022 \text{m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{vo-} \frac{MLQ}{T} &= 10^{40} = 4.340413 \frac{\text{kg m C}}{\text{s}} \\
1 \text{mu-} \frac{MLQ}{T} &= 10^{50} = 555.1422 \text{k} \frac{\text{kg m C}}{\text{s}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upano-} \frac{MLQ}{T^2} &= 10^{-100} = 0.2544130 \text{m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{MLQ}{T^2} &= 10^{-50} = 35.01433 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'uvu-} \frac{MLQ}{T^2} &= 10^{-40} = 4551.213 \text{k} \frac{\text{kg m C}}{\text{s}^2} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{civo-}MLTQ &= 10^{340} = 504.5354 \text{m kg m s C} \\
1 \text{civo-}MLTQ &= 10^{340} = 0.1035404 \text{kg m s C} \\
1 \text{cimu-}MLTQ &= 10^{350} = 12.34345 \text{k kg m s C} \\
1 \text{cire-}ML^2Q &= 10^{320} = 41.24541 \text{m kg m}^2 \text{C} \\
1 \text{cire-}ML^2Q &= 10^{320} = 0.005300211 \text{kg m}^2 \text{C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{cici-}ML^2Q &= 10^{330} = 1.104404 \text{k kg m}^2 \text{C} \\
1 \text{pamu-} \frac{ML^2Q}{T} &= 10^{150} = 331.1211 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{pamu-} \frac{ML^2Q}{T} &= 10^{150} = 0.04325154 \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{reno-} \frac{ML^2Q}{T} &= 10^{200} = 5.534055 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \quad (*) \\
1 \text{re-} \frac{ML^2Q}{T^2} &= 10^{20} = 2535.301 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{re-} \frac{ML^2Q}{T^2} &= 10^{20} = 0.3451341 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{ci-} \frac{ML^2Q}{T^2} &= 10^{30} = 45.35224 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{vomu-}ML^2TQ &= 10^{450} = 5.033234 \text{m kg m}^2 \text{s C} \\
1 \text{muno-}ML^2TQ &= 10^{500} = 1033.525 \text{kg m}^2 \text{s C} \\
1 \text{muno-}ML^2TQ &= 10^{500} = 0.1232200 \text{k kg m}^2 \text{s C} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{MQ}{L} &= 10^{-20} = 42.01350 \text{m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'ure-} \frac{MQ}{L} &= 10^{-20} = 0.005343103 \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upa-} \frac{MQ}{L} &= 10^{-10} = 1.114252 \text{k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upamu-} \frac{MQ}{LT} &= 10^{-150} = 334.0332 \text{m} \frac{\text{kg C}}{\text{m}s} \\
1 \text{ni'upamu-} \frac{MQ}{LT} &= 10^{-150} = 0.04403351 \frac{\text{kg C}}{\text{m}s} \\
1 \text{ni'upavo-} \frac{MQ}{LT} &= 10^{-140} = 10.02303 \text{k} \frac{\text{kg C}}{\text{m}s} \\
1 \text{ni'ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 3001.503 \text{m} \frac{\text{kg C}}{\text{m}s^2} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{MQ}{LT^2} &= 10^{-320} = 0.3522111 \frac{\text{kg C}}{\text{m}s^2} \\
1 \text{ni'ucipa-} \frac{MQ}{LT^2} &= 10^{-310} = 50.15254 \text{k} \frac{\text{kg C}}{\text{m}s^2} \\
1 \text{papa-} \frac{MTQ}{L} &= 10^{110} = 5.114142 \text{m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{pare-} \frac{MTQ}{L} &= 10^{120} = 1043.140 \frac{\text{kg s C}}{\text{m}} \\
1 \text{pare-} \frac{MTQ}{L} &= 10^{120} = 0.1243142 \text{k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ni'upavo-} \frac{MQ}{L^2} &= 10^{-140} = 0.004212350 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'upaci-} \frac{MQ}{L^2} &= 10^{-130} = 0.5400131 \frac{\text{kg C}}{\text{m}^2} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upare-} \frac{MQ}{L^2} &= 10^{-120} = 112.0235 \text{k} \frac{\text{kg C}}{\text{m}^2}
\end{aligned}$$

$1m \frac{kg\ C}{m^2 s} = 13.51544 \cdot 10^{-310}$	$1 ni'ucipa - \frac{MQ}{L^2 T} = 10^{-310} = 0.03350230 m \frac{kg\ C}{m^2 s}$
$1 kg\ C \frac{}{m^2 s} = 0.1134355 \cdot 10^{-300} (*)$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 4.415111 \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 551.5331 \cdot 10^{-300} (*)$	$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 0.001004052 k \frac{kg\ C}{m^2 s} (*)$
$1m \frac{kg\ C}{m^2 s^2} = 1.551325 \cdot 10^{-440} (*)$	$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 0.3010411 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.01305531 \cdot 10^{-430} (*)$	$1 ni'uvoci - \frac{MQ}{L^2 T^2} = 10^{-430} = 35.32253 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 110.2323 \cdot 10^{-430}$	$1 ni'uvore - \frac{MQ}{L^2 T^2} = 10^{-420} = 5031.350 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.001050412 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 513.0410 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 5.142054$	$1 \frac{MTQ}{L^2} = 1 = 0.1045032 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 0.04025144 \cdot 10^{10}$	$1 pa - \frac{MTQ}{L^2} = 10^{10} = 12.45351 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 1.210051 \cdot 10^{-250} (*)$	$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 0.4223405 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.01014544 \cdot 10^{-240}$	$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 54.13221 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 45.10432 \cdot 10^{-240}$	$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 0.01122225 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 0.1345154 \cdot 10^{-420}$	$1 ni'uvore - \frac{MQ}{L^3 T} = 10^{-420} = 3.400142 m \frac{kg\ C}{m^3 s} (*)$
$1 \frac{kg\ C}{m^3 s} = 1132.344 \cdot 10^{-420}$	$1 ni'uvopa - \frac{MQ}{L^3 T} = 10^{-410} = 443.0450 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 5.502100 \cdot 10^{-410} (*)$	$1 ni'uvopa - \frac{MQ}{L^3 T} = 10^{-410} = 0.1005443 k \frac{kg\ C}{m^3 s} (*)$
$1m \frac{kg\ C}{m^3 s^2} = 0.01544225 \cdot 10^{-550}$	$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 30.15330 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 130.3251 \cdot 10^{-550}$	$1 ni'umuovo - \frac{MQ}{L^3 T^2} = 10^{-540} = 3542.454 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 1.100404 \cdot 10^{-540} (*)$	$1 ni'umuovo - \frac{MQ}{L^3 T^2} = 10^{-540} = 0.5043503 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 10.44514 \cdot 10^{-120}$	$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 0.05143100 m \frac{kg\ s\ C}{m^3} (*)$
$1 \frac{kg\ s\ C}{m^3} = 0.05125410 \cdot 10^{-110}$	$1 ni'upapa - \frac{MTQ}{L^3} = 10^{-110} = 10.50532 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 401.4433 \cdot 10^{-110}$	$1 ni'upano - \frac{MTQ}{L^3} = 10^{-100} = 1252.003 k \frac{kg\ s\ C}{m^3} (*)$
$1m \frac{1}{K} = 3.512545 \cdot 10^{100}$	$1 pano - \frac{1}{\Theta} = 10^{100} = 0.1314245 m \frac{1}{K}$
$1 \frac{1}{K} = 0.02553450 \cdot 10^{110} (*)$	$1 papa - \frac{1}{\Theta} = 10^{110} = 20.01245 \frac{1}{K}$
$1k \frac{1}{K} = 215.0150 \cdot 10^{110}$	$1 pare - \frac{1}{\Theta} = 10^{120} = 2333.435 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK} (*)$
$1m \frac{1}{s^2 K} = 0.05331344 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 10.23450 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 415.1451 \cdot 10^{-200}$	$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 0.001220231 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 3.154554 \cdot 10^{-150} (*)$	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 0.1445203 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 31.20440 \cdot 10^{230}$	$1 reci - \frac{T}{\Theta} = 10^{230} = 0.01505432 m \frac{s}{K}$
$1 \frac{s}{K} = 0.2253350 \cdot 10^{240}$	$1 revo - \frac{T}{\Theta} = 10^{240} = 2.224402 \frac{s}{K}$
$1k \frac{s}{K} = 1530.502 \cdot 10^{240}$	$1 remu - \frac{T}{\Theta} = 10^{250} = 304.2444 k \frac{s}{K}$
$1m \frac{m}{K} = 352.3114 \cdot 10^{210}$	$1 rere - \frac{L}{\Theta} = 10^{220} = 1311.553 m \frac{m}{K} (*)$
$1 \frac{m}{K} = 3.002344 \cdot 10^{220} (*)$	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.1554131 \frac{m}{K} (*)$
$1k \frac{m}{K} = 0.02154010 \cdot 10^{230}$	$1 reci - \frac{L}{\Theta} = 10^{230} = 23.25340 k \frac{m}{K}$
$1m \frac{m}{sK} = 44.04510 \cdot 10^{40}$	$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.01140214 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.3341310 \cdot 10^{50}$	$1 mu - \frac{L}{T\Theta} = 10^{50} = 1.354105 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.002443011 \cdot 10^{100}$	$1 pano - \frac{L}{T\Theta} = 10^{100} = 205.2114 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$	$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 3125.552 \cdot 10^{340} (*)$	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 150.2441 m \frac{ms}{K}$
$1 \frac{ms}{K} = 23.01353 \cdot 10^{350}$	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 0.02220453 \frac{ms}{K}$
$1k \frac{ms}{K} = 0.1533535 \cdot 10^{400}$	$1 vono - \frac{LT}{\Theta} = 10^{400} = 3.033444 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 0.03533302 \cdot 10^{330}$	$1 cici - \frac{L^2}{\Theta} = 10^{330} = 13.05310 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 301.1253 \cdot 10^{330}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 1551.022 \frac{m^2}{K} (*)$
$1k \frac{m^2}{K} = 2.201440 \cdot 10^{340}$	$1 civo - \frac{L^2}{\Theta} = 10^{340} = 0.2321251 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.004420232 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 113.4200 m \frac{m^2}{sK} (*)$
$1 \frac{m^2}{sK} = 33.51211 \cdot 10^{200}$	$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 0.01351312 \frac{m^2}{sK}$

$$\begin{aligned}
1k \frac{m^2}{s^2 K} &= 0.2451311 \cdot 10^{210} \\
1m \frac{m^2}{s^2 K} &= 540.1421 \cdot 10^{20} \\
1 \frac{m^2}{s^2 K} &= 4.213440 \cdot 10^{30} \\
1k \frac{m}{s^2 K} &= 0.03213433 \cdot 10^{40} \\
1m \frac{m}{s^2 K} &= 0.3135120 \cdot 10^{500} \\
1 \frac{m^2 s}{K} &= 2305.410 \cdot 10^{500} \\
1k \frac{m^2 s}{K} &= 15.41021 \cdot 10^{510} \\
1m \frac{1}{m K} &= 0.03502433 \cdot 10^{-10} \\
1 \frac{1}{m K} &= 254.5005 \cdot 10^{-10} \quad (*) \\
1k \frac{1}{m K} &= 2.142341 \\
1m \frac{1}{m s K} &= 0.004341524 \cdot 10^{-140} \\
1 \frac{1}{m s K} &= 33.21554 \cdot 10^{-140} \quad (*) \\
1k \frac{1}{m s K} &= 0.2430044 \cdot 10^{-130} \quad (*) \\
1m \frac{1}{m s^2 K} &= 531.4403 \cdot 10^{-320} \\
1 \frac{1}{m s^2 K} &= 4.140524 \cdot 10^{-310} \\
1k \frac{1}{m s^2 K} &= 0.03145355 \cdot 10^{-300} \quad (*) \\
1m \frac{s}{m K} &= 0.3111341 \cdot 10^{120} \\
1 \frac{s}{m K} &= 2245.353 \cdot 10^{120} \\
1k \frac{s}{m K} &= 15.23434 \cdot 10^{130} \\
1m \frac{1}{m^2 K} &= 345.2335 \cdot 10^{-130} \\
1 \frac{1}{m^2 K} &= 2.540135 \cdot 10^{-120} \\
1k \frac{1}{m^2 K} &= 0.02134541 \cdot 10^{-110} \\
1m \frac{1}{m^2 s K} &= 43.30303 \cdot 10^{-300} \\
1 \frac{1}{m^2 s K} &= 0.3312141 \cdot 10^{-250} \\
1k \frac{1}{m^2 s K} &= 0.002421421 \cdot 10^{-240} \\
1m \frac{1}{m^2 s^2 K} &= 5.301444 \cdot 10^{-430} \\
1 \frac{1}{m^2 s^2 K} &= 0.04130020 \cdot 10^{-420} \quad (*) \\
1k \frac{1}{m^2 s^2 K} &= 314.0213 \cdot 10^{-420} \\
1m \frac{s}{m^2 K} &= 3102.254 \cdot 10^0 \\
1 \frac{s}{m^2 K} &= 22.41411 \cdot 10^{10} \\
1k \frac{s}{m^2 K} &= 0.1520415 \cdot 10^{20} \\
1m \frac{1}{m^3 K} &= 3.442255 \cdot 10^{-240} \quad (*) \\
1 \frac{1}{m^3 K} &= 0.02531320 \cdot 10^{-230} \\
1k \frac{1}{m^3 K} &= 213.1151 \cdot 10^{-230} \\
1m \frac{1}{m^3 s K} &= 0.4315101 \cdot 10^{-410} \\
1 \frac{1}{m^3 s K} &= 0.003302342 \cdot 10^{-400} \\
1k \frac{1}{m^3 s K} &= 24.13205 \cdot 10^{-400} \\
1m \frac{1}{m^3 s^2 K} &= 0.05244552 \cdot 10^{-540} \quad (*) \\
1 \frac{1}{m^3 s^2 K} &= 411.5130 \cdot 10^{-540} \\
1k \frac{1}{m^3 s^2 K} &= 3.131043 \cdot 10^{-530} \\
1m \frac{s}{m^3 K} &= 30.53223 \cdot 10^{-110} \\
1 \frac{s}{m^3 K} &= 0.2233435 \cdot 10^{-100} \\
1k \frac{s}{m^3 K} &= 1513.405 \cdot 10^{-100} \\
1m \frac{kg}{K} &= 0.1423431 \cdot 10^{120} \\
1 \frac{kg}{K} &= 1201.534 \cdot 10^{120} \\
1k \frac{kg}{K} &= 10.11414 \cdot 10^{130} \\
1m \frac{kg}{s K} &= 0.02031204 \cdot 10^{-10} \\
1 \frac{kg}{s K} &= 134.0133 \cdot 10^{-10} \\
1k \frac{kg}{s K} &= 1.124420 \\
1m \frac{kg}{s^2 K} &= 0.002302055 \cdot 10^{-140} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ repa-} \frac{L^2}{T \Theta} &= 10^{210} = 2.044435 k \frac{m^2}{s K} \\
1 \text{ re-} \frac{L^2}{T^2 \Theta} &= 10^{20} = 0.001020215 m \frac{m^2}{s^2 K} \\
1 \text{ ci-} \frac{L^2}{T^2 \Theta} &= 10^{30} = 0.1211553 \frac{m^2}{s^2 K} \quad (*) \\
1 \text{ vo-} \frac{L^2}{T^2 \Theta} &= 10^{40} = 14.35333 k \frac{m^2}{s^2 K} \\
1 \text{ muono-} \frac{L^2 T}{\Theta} &= 10^{500} = 1.455454 m \frac{m^2 s}{K} \quad (*) \\
1 \text{ mupa-} \frac{L^2 T}{\Theta} &= 10^{510} = 221.2554 \frac{m^2 s}{K} \quad (*) \\
1 \text{ mupa-} \frac{L^2 T}{\Theta} &= 10^{510} = 0.03024500 k \frac{m^2 s}{K} \quad (*) \\
1 \text{ ni'upa-} \frac{L}{L \Theta} &= 10^{-10} = 13.20544 m \frac{1}{m K} \\
1 \frac{1}{L \Theta} &= 1 = 2004.412 \frac{1}{m K} \quad (*) \\
1 \frac{1}{L \Theta} &= 1 = 0.2341545 k \frac{1}{m K} \\
1 \text{ ni'upavo-} \frac{1}{LT \Theta} &= 10^{-140} = 114.4305 m \frac{1}{m s K} \\
1 \text{ ni'upavo-} \frac{1}{LT \Theta} &= 10^{-140} = 0.01403320 \frac{1}{m s K} \\
1 \text{ ni'upaci-} \frac{1}{LT \Theta} &= 10^{-130} = 2.103101 k \frac{1}{m s K} \\
1 \text{ ni'ucire-} \frac{1}{LT^2 \Theta} &= 10^{-320} = 0.001025312 m \frac{1}{m s^2 K} \\
1 \text{ ni'ucipa-} \frac{1}{LT^2 \Theta} &= 10^{-310} = 0.1222355 \frac{1}{m s^2 K} \quad (*) \\
1 \text{ ni'ucino-} \frac{1}{LT^2 \Theta} &= 10^{-300} = 14.52131 k \frac{1}{m s^2 K} \\
1 \text{ pare-} \frac{T}{L \Theta} &= 10^{120} = 1.512431 m \frac{s}{m K} \\
1 \text{ paci-} \frac{T}{L \Theta} &= 10^{130} = 223.2322 \frac{s}{m K} \\
1 \text{ paci-} \frac{T}{L \Theta} &= 10^{130} = 0.03051501 k \frac{s}{m K} \\
1 \text{ ni'upare-} \frac{1}{L^2 \Theta} &= 10^{-120} = 1323.251 m \frac{1}{m^2 K} \\
1 \text{ ni'upare-} \frac{1}{L^2 \Theta} &= 10^{-120} = 0.2011544 \frac{1}{m^2 K} \\
1 \text{ ni'upapa-} \frac{1}{L^2 \Theta} &= 10^{-110} = 23.50110 k \frac{1}{m^2 K} \\
1 \text{ ni'ucino-} \frac{1}{L^2 T \Theta} &= 10^{-300} = 0.01150341 m \frac{1}{m^2 s K} \\
1 \text{ ni'uremu-} \frac{1}{L^2 T \Theta} &= 10^{-250} = 1.410135 \frac{1}{m^2 s K} \\
1 \text{ ni'urevo-} \frac{1}{L^2 T \Theta} &= 10^{-240} = 211.0405 k \frac{1}{m^2 s K} \\
1 \text{ ni'uvoci-} \frac{1}{L^2 T^2 \Theta} &= 10^{-430} = 0.1031141 m \frac{1}{m^2 s^2 K} \\
1 \text{ ni'uvore-} \frac{1}{L^2 T^2 \Theta} &= 10^{-420} = 12.24531 \frac{1}{m^2 s^2 K} \\
1 \text{ ni'uvore-} \frac{1}{L^2 T^2 \Theta} &= 10^{-420} = 0.001455103 k \frac{1}{m^2 s^2 K} \quad (*) \\
1 \text{ pa-} \frac{T}{L^2 \Theta} &= 10^{10} = 151.5440 m \frac{s}{m^2 K} \\
1 \text{ pa-} \frac{T}{L^2 \Theta} &= 10^{10} = 0.02240252 \frac{s}{m^2 K} \\
1 \text{ re-} \frac{T}{L^2 \Theta} &= 10^{20} = 3.100525 k \frac{s}{m^2 K} \quad (*) \\
1 \text{ ni'urevo-} \frac{1}{L^3 \Theta} &= 10^{-240} = 0.1330003 m \frac{1}{m^3 K} \quad (***) \\
1 \text{ ni'ureci-} \frac{1}{L^3 \Theta} &= 10^{-230} = 20.15130 \frac{1}{m^3 K} \\
1 \text{ ni'urere-} \frac{1}{L^3 \Theta} &= 10^{-220} = 2354.241 k \frac{1}{m^3 K} \\
1 \text{ ni'uvopa-} \frac{1}{L^3 T \Theta} &= 10^{-410} = 1.152421 m \frac{1}{m^3 s K} \\
1 \text{ ni'uvono-} \frac{1}{L^3 T \Theta} &= 10^{-400} = 141.3001 \frac{1}{m^3 s K} \quad (*) \\
1 \text{ ni'uvono-} \frac{1}{L^3 T \Theta} &= 10^{-400} = 0.02114122 k \frac{1}{m^3 s K} \\
1 \text{ ni'umuovo-} \frac{1}{L^3 T^2 \Theta} &= 10^{-540} = 10.33012 m \frac{1}{m^3 s^2 K} \\
1 \text{ ni'umuovo-} \frac{1}{L^3 T^2 \Theta} &= 10^{-540} = 0.001231111 \frac{1}{m^3 s^2 K} \\
1 \text{ ni'umuci-} \frac{1}{L^3 T^2 \Theta} &= 10^{-530} = 0.1502044 k \frac{1}{m^3 s^2 K} \\
1 \text{ ni'upapa-} \frac{T}{L^3 \Theta} &= 10^{-110} = 0.01522454 m \frac{s}{m^3 K} \\
1 \text{ ni'upano-} \frac{T}{L^3 \Theta} &= 10^{-100} = 2.244232 \frac{s}{m^3 K} \\
1 \text{ ni'umu-} \frac{T}{L^3 \Theta} &= 10^{-50} = 311.0005 k \frac{s}{m^3 K} \quad (**) \\
1 \text{ pare-} \frac{M}{\Theta} &= 10^{120} = 3.241000 m \frac{kg}{K} \quad (**) \\
1 \text{ paci-} \frac{M}{\Theta} &= 10^{130} = 424.5304 \frac{kg}{K} \\
1 \text{ paci-} \frac{M}{\Theta} &= 10^{130} = 0.05443151 k \frac{kg}{K} \\
1 \text{ ni'upa-} \frac{M}{T \Theta} &= 10^{-10} = 25.12115 m \frac{kg}{s K} \\
1 \frac{M}{T \Theta} &= 1 = 3415.445 \frac{kg}{s K} \\
1 \frac{M}{T \Theta} &= 1 = 0.4453420 k \frac{kg}{s K} \\
1 \text{ ni'upavo-} \frac{M}{T^2 \Theta} &= 10^{-140} = 222.0200 m \frac{kg}{s^2 K} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 15.34200 \cdot 10^{-140} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.1254442 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 1.240452 \cdot 10^{250} \\
1 \frac{\text{kg s}}{\text{K}} &= 0.01041212 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 51.01243 \cdot 10^{300} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 14.30321 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.1204033 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 1013.215 \cdot 10^{240} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.01342511 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.0422 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.2310113 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.001541243 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 13.01111 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 124.3053 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 1.043101 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.005113445 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 1433.215 \cdot 10^{340} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 12.10140 \cdot 10^{350} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 0.1015022 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 204.2041 \cdot 10^{210} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1.345253 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 0.01132430 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.1544334 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.001303343 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.01245301 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 104.4553 \cdot 10^{520} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.5130112 \cdot 10^{530} \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 1420.545 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 11.55442 \cdot 10^{10} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.1010020 \cdot 10^{20} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 202.4002 \cdot 10^{-130} \quad (*) \\
1 \frac{\text{kg}}{\text{m s K}} &= 1.333404 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 0.01122422 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 22.54051 \cdot 10^{-300} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.1531123 \cdot 10^{-250} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.001252222 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.5330 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.5045102 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 14.14112 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.1153353 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 1004.225 \cdot 10^{-100} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 2.020405 \cdot 10^{-240} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.01331043 \cdot 10^{-230} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 112.0431 \cdot 10^{-230} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.2250054 \cdot 10^{-410} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.001524054 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 12.50005 \cdot 10^{-400} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upavo-} \frac{M}{T^2 \Theta} &= 10^{-140} = 0.03033100 \frac{\text{kg}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{upaci-} \frac{M}{T^2 \Theta} &= 10^{-130} = 4.003124 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{remu-} \frac{MT}{\Theta} &= 10^{250} = 0.4050520 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 52.11435 \frac{\text{kg s}}{\text{K}} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 0.01054302 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{reci-} \frac{ML}{\Theta} &= 10^{230} = 0.03231251 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 4.234211 \frac{\text{kg m}}{\text{K}} \\
1 \text{remu-} \frac{ML}{\Theta} &= 10^{250} = 543.0013 \text{k} \frac{\text{kg m}}{\text{K}} \quad (*) \\
1 \text{pano-} \frac{ML}{T \Theta} &= 10^{100} = 0.2503342 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa-} \frac{ML}{T \Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare-} \frac{ML}{T \Theta} &= 10^{120} = 4442.001 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni}'\text{uci-} \frac{ML}{T^2 \Theta} &= 10^{-30} = 2.212301 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 302.4113 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 0.03552452 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{vono-} \frac{MLT}{\Theta} &= 10^{400} = 0.004040131 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 0.5155103 \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{vore-} \frac{MLT}{\Theta} &= 10^{420} = 105.2353 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 322.2000 \text{m} \frac{\text{kg m}^2}{\text{K}} \quad (**) \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 0.04223133 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 5.412501 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 2455.021 \text{m} \frac{\text{kg m}^2}{\text{s K}} \quad (*) \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 0.3355533 \frac{\text{kg m}^2}{\text{s K}} \quad (**) \\
1 \text{reci-} \frac{ML^2}{T \Theta} &= 10^{230} = 44.30202 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo-} \frac{ML^2}{T^2 \Theta} &= 10^{40} = 0.02204413 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu-} \frac{ML^2}{T^2 \Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2}{T^2 \Theta} &= 10^{100} = 354.2234 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 40.25402 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.005142352 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci-} \frac{ML^2 T}{\Theta} &= 10^{530} = 1.050451 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 325.0321 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 0.04300421 \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \text{re-} \frac{M}{L \Theta} &= 10^{20} = 5.500353 \text{k} \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 2520.503 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 0.3425445 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{upapa-} \frac{M}{LT \Theta} &= 10^{-110} = 45.05300 \text{k} \frac{\text{kg}}{\text{m s K}} \quad (*) \\
1 \text{ni}'\text{ucino-} \frac{M}{LT^2 \Theta} &= 10^{-300} = 0.02224105 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uremu-} \frac{M}{LT^2 \Theta} &= 10^{-250} = 3.042055 \frac{\text{kg}}{\text{m s}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{urevo-} \frac{M}{LT^2 \Theta} &= 10^{-240} = 401.3415 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 41.01323 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu-} \frac{MT}{L \Theta} &= 10^{150} = 1.100214 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{upapa-} \frac{M}{L^2 \Theta} &= 10^{-110} = 0.03300055 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*** \\
1 \text{ni}'\text{upano-} \frac{M}{L^2 \Theta} &= 10^{-100} = 4.311554 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{umu-} \frac{M}{L^2 \Theta} &= 10^{-50} = 551.4022 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{urevo-} \frac{M}{L^2 T \Theta} &= 10^{-240} = 0.2525302 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{ureci-} \frac{M}{L^2 T \Theta} &= 10^{-230} = 34.35503 \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni}'\text{urere-} \frac{M}{L^2 T \Theta} &= 10^{-220} = 4521.201 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uvopa-} \frac{M}{L^2 T^2 \Theta} &= 10^{-410} = 2.232023 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvono-} \frac{M}{L^2 T^2 \Theta} &= 10^{-400} = 305.1110 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvono-} \frac{M}{L^2 T^2 \Theta} &= 10^{-400} = 0.04024123 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}
\end{aligned}$$

$1m \frac{kg\ s}{m^2 K} = 123.2111 \cdot 10^{20}$	$1 re - \frac{MT}{L^2 \Theta} = 10^{20} = 0.004112145 m \frac{kg\ s}{m^2 K}$
$1 \frac{kg\ s}{m^2 K} = 1.033450 \cdot 10^{30}$	$1 ci - \frac{MT}{L^2 \Theta} = 10^{30} = 0.5241054 \frac{kg\ s}{m^2 K}$
$1k \frac{kg\ s}{m^2 K} = 0.005032543 \cdot 10^{40}$	$1 vo - \frac{MT}{L^2 \Theta} = 10^{40} = 110.2133 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.1411244 \cdot 10^{-220}$	$1 ni'urere - \frac{M}{L^3 \Theta} = 10^{-220} = 3.305451 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 1151.312 \cdot 10^{-220}$	$1 ni'urepa - \frac{M}{L^3 \Theta} = 10^{-210} = 432.3150 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 10.02440 \cdot 10^{-210}$	$1 ni'urepa - \frac{M}{L^3 \Theta} = 10^{-210} = 0.05531314 k \frac{kg}{m^3 K}$ (*)
$1m \frac{kg}{m^3 s K} = 0.02013221 \cdot 10^{-350}$	$1 ni'ucimu - \frac{M}{L^3 T \Theta} = 10^{-350} = 25.34113 m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 132.4330 \cdot 10^{-350}$	$1 ni'ucivo - \frac{M}{L^3 T \Theta} = 10^{-340} = 3445.534 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 1.114444 \cdot 10^{-340}$	$1 ni'ucivo - \frac{M}{L^3 T \Theta} = 10^{-340} = 0.4533122 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 0.002242111 \cdot 10^{-520}$	$1 ni'umure - \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 223.5552 m \frac{kg}{m^3 s^2 K}$ (**)
$1 \frac{kg}{m^3 s^2 K} = 15.21034 \cdot 10^{-520}$	$1 ni'umure - \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 0.03100134 \frac{kg}{m^3 s^2 K}$ (*)
$1k \frac{kg}{m^3 s^2 K} = 0.1243400 \cdot 10^{-510}$ (*)	$1 ni'umupa - \frac{M}{L^3 T^2 \Theta} = 10^{-510} = 4.034451 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 1.225525 \cdot 10^{-50}$ (*)	$1 ni'umu - \frac{MT}{L^3 \Theta} = 10^{-50} = 0.4123025 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg}{m^3 K} = 0.01032014 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3 \Theta} = 10^{-40} = 52.53540 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 50.20445 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3 \Theta} = 10^{-40} = 0.01104055 k \frac{kg\ s}{m^3 K}$ (*)
$1m K = 2333.435 \cdot 10^{-120}$	$1 ni'upapa - \Theta = 10^{-110} = 215.0150 m\ K$
$1 K = 20.01245 \cdot 10^{-110}$	$1 ni'upapa - \Theta = 10^{-110} = 0.02553450 K$ (*)
$1k K = 0.1314245 \cdot 10^{-100}$	$1 ni'upano - \Theta = 10^{-100} = 3.512545 k\ K$
$1m \frac{K}{s} = 304.2444 \cdot 10^{-250}$	$1 ni'urevo - \frac{\Theta}{T} = 10^{-240} = 1530.502 m \frac{K}{s}$
$1 \frac{K}{s} = 2.224402 \cdot 10^{-240}$	$1 ni'urevo - \frac{\Theta}{T} = 10^{-240} = 0.2253350 \frac{K}{s}$
$1k \frac{K}{s} = 0.01505432 \cdot 10^{-230}$	$1 ni'ureci - \frac{\Theta}{T} = 10^{-230} = 31.20440 k \frac{K}{s}$
$1m \frac{K}{s^2} = 34.30322 \cdot 10^{-420}$	$1 ni'uvore - \frac{\Theta}{T^2} = 10^{-420} = 0.01333210 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.2521234 \cdot 10^{-410}$	$1 ni'uvopa - \frac{\Theta}{T^2} = 10^{-410} = 2.023331 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 0.002122331 \cdot 10^{-400}$	$1 ni'uvono - \frac{\Theta}{T^2} = 10^{-400} = 240.4023 k \frac{K}{s^2}$
$1m s K = 0.02055403 \cdot 10^{20}$ (*)	$1 re - T \Theta = 10^{20} = 24.34322 m\ s\ K$
$1 s K = 140.0511 \cdot 10^{20}$	$1 re - T \Theta = 10^{20} = 0.003331424 s\ K$
$1k s K = 1.142240 \cdot 10^{30}$	$1 ci - T \Theta = 10^{30} = 0.4353205 k\ s\ K$
$1m m K = 0.2341545 \cdot 10^0$	$1 L \Theta = 1 = 2.142341 m\ m\ K$
$1 m K = 2004.412 \cdot 10^0$ (*)	$1 pa - L \Theta = 10^{10} = 254.5005 m\ K$ (*)
$1k m K = 13.20544 \cdot 10^{10}$	$1 pa - L \Theta = 10^{10} = 0.03502433 k\ m\ K$
$1m \frac{m\ K}{s} = 0.03051501 \cdot 10^{-130}$	$1 ni'upaci - \frac{L \Theta}{T} = 10^{-130} = 15.23434 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 223.2322 \cdot 10^{-130}$	$1 ni'upare - \frac{L \Theta}{T} = 10^{-120} = 2245.353 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 1.512431 \cdot 10^{-120}$	$1 ni'upare - \frac{L \Theta}{T} = 10^{-120} = 0.3111341 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 0.003440341 \cdot 10^{-300}$	$1 ni'ucino - \frac{L \Theta}{T^2} = 10^{-300} = 133.0445 m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 25.30034 \cdot 10^{-300}$ (*)	$1 ni'ucino - \frac{L \Theta}{T^2} = 10^{-300} = 0.02020134 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.2130105 \cdot 10^{-250}$	$1 ni'uremu - \frac{L \Theta}{T^2} = 10^{-250} = 2.355435 k \frac{m\ K}{s^2}$ (*)
$1m m s K = 2.103101 \cdot 10^{130}$	$1 paci - LT \Theta = 10^{130} = 0.2430044 m\ m\ s\ K$ (*)
$1 m s K = 0.01403320 \cdot 10^{140}$	$1 pavo - LT \Theta = 10^{140} = 33.21554 m\ s\ K$ (*)
$1k m s K = 114.4305 \cdot 10^{140}$	$1 pavo - LT \Theta = 10^{140} = 0.004341524 k\ m\ s\ K$
$1m m^2 K = 23.50110 \cdot 10^{110}$	$1 papa - L^2 \Theta = 10^{110} = 0.02134541 m\ m^2 K$
$1 m^2 K = 0.2011544 \cdot 10^{120}$	$1 pare - L^2 \Theta = 10^{120} = 2.540135 m^2 K$
$1k m^2 K = 1323.251 \cdot 10^{120}$	$1 paci - L^2 \Theta = 10^{130} = 345.2335 k\ m^2 K$
$1m \frac{m^2 K}{s} = 3.100525 \cdot 10^{-20}$ (*)	$1 ni'ure - \frac{L^2 \Theta}{T} = 10^{-20} = 0.1520415 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.02240252 \cdot 10^{-10}$	$1 ni'upa - \frac{L^2 \Theta}{T} = 10^{-10} = 22.41411 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 151.5440 \cdot 10^{-10}$	$1 \frac{L^2 \Theta}{T} = 1 = 3102.254 k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.3450414 \cdot 10^{-150}$	$1 ni'upamu - \frac{L^2 \Theta}{T^2} = 10^{-150} = 1.324132 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 0.002534451 \cdot 10^{-140}$	$1 ni'upavo - \frac{L^2 \Theta}{T^2} = 10^{-140} = 201.2551 \frac{m^2 K}{s^2}$ (*)
$1k \frac{m^2 K}{s^2} = 21.33453 \cdot 10^{-140}$	$1 ni'upavo - \frac{L^2 \Theta}{T^2} = 10^{-140} = 0.02351301 k \frac{m^2 K}{s^2}$
$1m m^2 s K = 211.0405 \cdot 10^{240}$	$1 revo - L^2 T \Theta = 10^{240} = 0.002421421 m\ m^2 s\ K$
$1 m^2 s K = 1.410135 \cdot 10^{250}$	$1 remu - L^2 T \Theta = 10^{250} = 0.3312141 m^2 s\ K$

$$\begin{aligned}
1 \text{k m}^2 \text{s K} &= 0.01150341 \cdot 10^{300} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 23.25340 \cdot 10^{-230} \\
1 \frac{\text{K}}{\text{m}} &= 0.1554131 \cdot 10^{-220} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 1311.553 \cdot 10^{-220} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m s}} &= 3.033444 \cdot 10^{-400} \\
1 \frac{\text{K}}{\text{m s}} &= 0.02220453 \cdot 10^{-350} \\
1 \text{k} \frac{\text{K}}{\text{m s}} &= 150.2441 \cdot 10^{-350} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2} &= 0.3420320 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m s}^2} &= 0.002512445 \cdot 10^{-520} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2} &= 21.15003 \cdot 10^{-520} \quad (*) \\
1 \text{m} \frac{\text{s K}}{\text{m}} &= 205.2114 \cdot 10^{-100} \\
1 \frac{\text{s K}}{\text{m}} &= 1.354105 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s K}}{\text{m}} &= 0.01140214 \cdot 10^{-40} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 0.2321251 \cdot 10^{-340} \\
1 \frac{\text{K}}{\text{m}^2} &= 1551.022 \cdot 10^{-340} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 13.05310 \cdot 10^{-330} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.03024500 \cdot 10^{-510} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 221.2554 \cdot 10^{-510} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 1.455454 \cdot 10^{-500} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.003410333 \cdot 10^{-1040} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 25.04111 \cdot 10^{-1040} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.2111244 \cdot 10^{-1030} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2} &= 2.044435 \cdot 10^{-210} \\
1 \frac{\text{s K}}{\text{m}^2} &= 0.01351312 \cdot 10^{-200} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2} &= 113.4200 \cdot 10^{-200} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 2313.214 \cdot 10^{-500} \\
1 \frac{\text{K}}{\text{m}^3} &= 15.43523 \cdot 10^{-450} \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 0.1303030 \cdot 10^{-440} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 301.5524 \cdot 10^{-1030} \quad (*) \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= 2.205105 \cdot 10^{-1020} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.01452521 \cdot 10^{-1010} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 34.00402 \cdot 10^{-1200} \quad (*) \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.2455345 \cdot 10^{-1150} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.002103535 \cdot 10^{-1140} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3} &= 0.02041210 \cdot 10^{-320} \\
1 \frac{\text{s K}}{\text{m}^3} &= 134.4523 \cdot 10^{-320} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3} &= 1.132145 \cdot 10^{-310} \\
1 \text{m kg K} &= 110.0113 \cdot 10^{-100} \\
1 \text{kg K} &= 0.5223343 \cdot 10^{-50} \\
1 \text{kg K} &= 0.004100540 \cdot 10^{-40} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 12.22541 \cdot 10^{-230} \\
1 \frac{\text{kg K}}{\text{s}} &= 0.1025432 \cdot 10^{-220} \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 500.2113 \cdot 10^{-220} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 1.403523 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 0.01144442 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 100.0354 \cdot 10^{-350} \quad (*) \\
1 \text{m kg s K} &= 545.5441 \cdot 10^{30} \\
1 \text{kg s K} &= 4.300020 \cdot 10^{40} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{cino-} L^2 T \Theta &= 10^{300} = 43.30303 \text{k m}^2 \text{s K} \\
1 \text{ni'ureci-} \frac{\Theta}{L} &= 10^{-230} = 0.02154010 \text{m} \frac{\text{K}}{\text{m}} \\
1 \text{ni'urere-} \frac{\Theta}{L} &= 10^{-220} = 3.002344 \frac{\text{K}}{\text{m}} \quad (*) \\
1 \text{ni'urepa-} \frac{\Theta}{L} &= 10^{-210} = 352.3114 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uvono-} \frac{\Theta}{LT} &= 10^{-400} = 0.1533535 \text{m} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ucimu-} \frac{\Theta}{LT} &= 10^{-350} = 23.01353 \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ucivo-} \frac{\Theta}{LT} &= 10^{-340} = 3125.552 \text{k} \frac{\text{K}}{\text{m s}} \quad (*) \\
1 \text{ni'umuci-} \frac{\Theta}{LT^2} &= 10^{-530} = 1.335535 \text{m} \frac{\text{K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'umure-} \frac{\Theta}{LT^2} &= 10^{-520} = 203.0532 \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'umure-} \frac{\Theta}{LT^2} &= 10^{-520} = 0.02412223 \text{k} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{\Theta}{L} &= 10^{-100} = 0.002443011 \text{m} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'umu-} \frac{T \Theta}{L} &= 10^{-50} = 0.3341310 \frac{\text{s K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{T \Theta}{L} &= 10^{-40} = 44.04510 \text{k} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{\Theta}{L^2} &= 10^{-340} = 2.201440 \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucici-} \frac{\Theta}{L^2} &= 10^{-330} = 301.1253 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucici-} \frac{\Theta}{L^2} &= 10^{-330} = 0.03533302 \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'umupa-} \frac{\Theta}{L^2 T} &= 10^{-510} = 15.41021 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuno-} \frac{\Theta}{L^2 T} &= 10^{-500} = 2305.410 \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuno-} \frac{\Theta}{L^2 T} &= 10^{-500} = 0.3135120 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 134.2312 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.02034144 \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanoci-} \frac{\Theta}{L^2 T^2} &= 10^{-1030} = 2.420433 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'urepa-} \frac{T \Theta}{L^2} &= 10^{-210} = 0.2451311 \text{m} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureneno-} \frac{T \Theta}{L^2} &= 10^{-200} = 33.51211 \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureneno-} \frac{T \Theta}{L^2} &= 10^{-200} = 0.004420232 \text{k} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{\Theta}{L^3} &= 10^{-450} = 220.5315 \text{m} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'uvomu-} \frac{\Theta}{L^3} &= 10^{-450} = 0.03020214 \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{\Theta}{L^3} &= 10^{-440} = 3.543504 \text{k} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 1544.112 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 0.2313434 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanopa-} \frac{\Theta}{L^3 T} &= 10^{-1010} = 31.44300 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upareno-} \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.01345053 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapamu-} \frac{\Theta}{L^3 T^2} &= 10^{-1150} = 2.041404 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapavo-} \frac{\Theta}{L^3 T^2} &= 10^{-1140} = 242.5055 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \quad (*) \\
1 \text{ni'ucire-} \frac{T \Theta}{L^3} &= 10^{-320} = 25.00023 \text{m} \frac{\text{s K}}{\text{m}^3} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{T \Theta}{L^3} &= 10^{-320} = 0.003401124 \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ucipa-} \frac{T \Theta}{L^3} &= 10^{-310} = 0.4432013 \text{k} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'upano-} M \Theta &= 10^{-100} = 0.005045540 \text{m kg K} \quad (*) \\
1 \text{ni'umu-} M \Theta &= 10^{-50} = 1.035430 \text{kg K} \\
1 \text{ni'uvo-} M \Theta &= 10^{-40} = 123.4414 \text{k g K} \\
1 \text{ni'ureci-} \frac{M \Theta}{T} &= 10^{-230} = 0.04140012 \text{m} \frac{\text{kg K}}{\text{s}} \quad (*) \\
1 \text{ni'urere-} \frac{M \Theta}{T} &= 10^{-220} = 5.313315 \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'urere-} \frac{M \Theta}{T} &= 10^{-220} = 0.001110401 \text{k} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'uvono-} \frac{M \Theta}{T^2} &= 10^{-400} = 0.3321133 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ucimu-} \frac{M \Theta}{T^2} &= 10^{-350} = 43.40545 \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ucivo-} \frac{M \Theta}{T^2} &= 10^{-340} = 5552.023 \text{k} \frac{\text{kg K}}{\text{s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{vo-} MT \Theta &= 10^{40} = 1010.113 \text{m kg s K} \\
1 \text{vo-} MT \Theta &= 10^{40} = 0.1155553 \text{kg s K} \quad (**)
\end{aligned}$$

$$1 \text{mu-} MT \Theta = 10^{50} = 14.21121 \text{k kg s K}$$

$$1 \text{re-} ML \Theta = 10^{20} = 50.33420 \text{m kg m K}$$

$$1 \text{re-} ML \Theta = 10^{20} = 0.01033550 \text{kg m K} \quad (*)$$

$$\begin{aligned}
1 \text{k kg m K} &= 0.4111401 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 1225.114 \cdot 10^{-120} \\
1 \frac{\text{kg m K}}{\text{s}} &= 10.31300 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 0.05014142 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 141.0341 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 1.150515 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 0.01002135 \cdot 10^{-230} \quad (*) \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.1231254 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1033.132 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 5.030232 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.01413204 \cdot 10^{-130} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 115.2555 \cdot 10^{-130} \quad (***) \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 1.003523 \cdot 10^{-120} \quad (*) \\
1 \text{m kg m}^2 \text{s K} &= 5.530355 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.04322342 \cdot 10^{310} \\
1 \text{kg m}^2 \text{s K} &= 330.5141 \cdot 10^{310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 1.054201 \cdot 10^{-210} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.005210550 \cdot 10^{-200} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 40.50134 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.1220412 \cdot 10^{-340} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1024.005 \cdot 10^{-340} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 4.550105 \cdot 10^{-330} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.01401112 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 114.2413 \cdot 10^{-510} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.5550151 \cdot 10^{-500} \quad (**) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 5.442240 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.04244504 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 324.0252 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.01052252 \cdot 10^{-320} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 51.54215 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.4035351 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 1214.251 \cdot 10^{-500} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 10.22150 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.04534122 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 135.4310 \cdot 10^{-1030} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 1.140351 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 5532.425 \cdot 10^{-1020} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.05425103 \cdot 10^{-150} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 423.3411 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 3.230545 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 105.0351 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 0.5141510 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 0.004025022 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 12.12133 \cdot 10^{-1010}
\end{aligned}$$

$$\begin{aligned}
1 \text{ci-ML}\Theta &= 10^{30} = 1.232225 \text{ k kg m K} \\
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 412.5105 \text{ m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 0.05300402 \frac{\text{kg m K}}{\text{s}} \quad (*) \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 11.04431 \text{ k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 3311.322 \text{ m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.4325325 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'ureci-} \frac{ML\Theta}{T^2} &= 10^{-230} = 55.34255 \text{ k} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{pamu-MLT}\Theta &= 10^{150} = 10.04322 \text{ m kg m s K} \\
1 \text{reno-MLT}\Theta &= 10^{200} = 1153.504 \text{ kg m s K} \\
1 \text{reno-MLT}\Theta &= 10^{200} = 0.1414244 \text{ k kg m s K} \\
1 \text{paci-ML}^2\Theta &= 10^{130} = 0.5021320 \text{ m kg m}^2 \text{ K} \\
1 \text{pavo-ML}^2\Theta &= 10^{140} = 103.2113 \text{ kg m}^2 \text{ K} \\
1 \text{pavo-ML}^2\Theta &= 10^{140} = 0.01230043 \text{ k kg m}^2 \text{ K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 4.114221 \text{ m} \frac{\text{kg m}^2 \text{ K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 524.3512 \frac{\text{kg m}^2 \text{ K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.1102504 \text{ k} \frac{\text{kg m}^2 \text{ K}}{\text{s}} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 33.01524 \text{ m} \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 4314.125 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 0.5520554 \text{ k} \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} \quad (*) \\
1 \text{cino-ML}^2T\Theta &= 10^{300} = 0.1002533 \text{ m kg m}^2 \text{ s K} \quad (*) \\
1 \text{cipa-ML}^2T\Theta &= 10^{310} = 11.51422 \text{ kg m}^2 \text{ s K} \\
1 \text{cire-ML}^2T\Theta &= 10^{320} = 1411.415 \text{ k kg m}^2 \text{ s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.5102122 \text{ m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 104.1312 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 0.01241011 \text{ k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 4.150534 \text{ m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 533.0254 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 0.1112334 \text{ k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 33.31002 \text{ m} \frac{\text{kg K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 4352.225 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 1.000542 \text{ k} \frac{\text{kg K}}{\text{m s}^2} \quad (**) \\
1 \text{ni'uvovo-} \frac{MT\Theta}{L} &= 10^{-40} = 0.1011512 \text{ m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 12.02045 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{MT\Theta}{L} &= 10^{-20} = 1424.003 \text{ k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 51.14325 \text{ m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.01043202 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucipa-} \frac{M\Theta}{L^2} &= 10^{-310} = 1.243212 \text{ k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2 T} &= 10^{-450} = 420.1515 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2 T} &= 10^{-450} = 0.05343300 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2 T} &= 10^{-440} = 11.14314 \text{ k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2 T^2} &= 10^{-1020} = 3340.443 \text{ m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2 T^2} &= 10^{-1020} = 0.4403524 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^2 T^2} &= 10^{-1010} = 100.2324 \text{ k} \frac{\text{kg s K}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 10.13313 \text{ m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 1204.145 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 0.1430453 \text{ k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.005130554 \text{ m} \frac{\text{kg K}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 1.045054 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvore-} \frac{M\Theta}{L^3} &= 10^{-420} = 124.5421 \text{ k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^3 T} &= 10^{-1010} = 0.04212515 \text{ m} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.1020333 \cdot 10^{-1000}$	$1 \text{ni}'\text{upanono-} \frac{M\Theta}{L^3 T} = 10^{-1000} = 5.400324 \frac{\text{kg K}}{\text{m}^3 \text{s}}$ (*)
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 452.2155 \cdot 10^{-1000}$ (*)	$1 \text{ni}'\text{upanono-} \frac{M\Theta}{L^3 T} = 10^{-1000} = 0.001120302 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 1.351512 \cdot 10^{-1140}$	$1 \text{ni}'\text{upapavo-} \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 0.3350343 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.01134332 \cdot 10^{-1130}$	$1 \text{ni}'\text{upapaci-} \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 44.15244 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 55.15132 \cdot 10^{-1130}$ (*)	$1 \text{ni}'\text{upapaci-} \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 0.01004112 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$ (*)
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = 541.1552 \cdot 10^{-310}$ (*)	$1 \text{ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 1015.120 \text{m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 4.222335 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.1210252 \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.03221254 \cdot 10^{-250}$	$1 \text{ni}'\text{uremu-} \frac{MT\Theta}{L^3} = 10^{-250} = 14.33352 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.01030421 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{\Theta}{Q} = 10^{-150} = 53.04334 \text{m} \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{C}} = 50.10411 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{\Theta}{Q} = 10^{-150} = 0.01105334 \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 0.3514300 \cdot 10^{-140}$ (*)	$1 \text{ni}'\text{upavo-} \frac{\Theta}{Q} = 10^{-140} = 1.313504 \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{s C}} = 0.001145542 \cdot 10^{-320}$ (*)	$1 \text{ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 433.2503 \text{m} \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s C}} = 10.01320 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.05542422 \frac{\text{K}}{\text{s C}}$ (*)
$1 \text{k} \frac{\text{K}}{\text{s C}} = 0.04355112 \cdot 10^{-310}$ (*)	$1 \text{ni}'\text{ucipa-} \frac{\Theta}{TQ} = 10^{-310} = 11.41534 \text{k} \frac{\text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 132.2403 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno-} \frac{\Theta}{T^2 Q} = 10^{-500} = 0.003454315 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 1.113155 \cdot 10^{-450}$ (*)	$1 \text{ni}'\text{uvomu-} \frac{\Theta}{T^2 Q} = 10^{-450} = 0.4543114 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.005333503 \cdot 10^{-440}$	$1 \text{ni}'\text{uvovo-} \frac{\Theta}{T^2 Q} = 10^{-440} = 102.3214 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{s K}}{\text{C}} = 0.05232245 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{T\Theta}{Q} = 10^{-20} = 10.34432 \text{m} \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 410.4403 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{T\Theta}{Q} = 10^{-20} = 0.001233233 \frac{\text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{s K}}{\text{C}} = 3.122020 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.1505005 \text{k} \frac{\text{s K}}{\text{C}}$ (*)
$1 \text{m} \frac{\text{m K}}{\text{C}} = 1.032252 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{L\Theta}{Q} = 10^{-40} = 0.5251433 \text{m} \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 5022.451 \cdot 10^{-40}$	$1 \text{ni}'\text{uci-} \frac{L\Theta}{Q} = 10^{-30} = 110.3410 \frac{\text{m K}}{\text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{C}} = 35.24433 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \frac{L\Theta}{Q} = 10^{-30} = 0.01311214 \text{k} \frac{\text{m K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{s C}} = 0.1152020 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa-} \frac{L\Theta}{TQ} = 10^{-210} = 4.321254 \text{m} \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s C}} = 0.001003103 \cdot 10^{-200}$ (*)	$1 \text{ni}'\text{ureneno-} \frac{L\Theta}{TQ} = 10^{-200} = 552.5111 \frac{\text{m K}}{\text{s C}}$ (*)
$1 \text{k} \frac{\text{m K}}{\text{s C}} = 4.410420 \cdot 10^{-200}$	$1 \text{ni}'\text{ureneno-} \frac{L\Theta}{TQ} = 10^{-200} = 0.1135513 \text{k} \frac{\text{m K}}{\text{s C}}$ (*)
$1 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.01325113 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo-} \frac{L\Theta}{T^2 Q} = 10^{-340} = 34.44232 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 111.5140 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo-} \frac{L\Theta}{T^2 Q} = 10^{-340} = 0.004531135 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.5350514 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici-} \frac{L\Theta}{T^2 Q} = 10^{-330} = 1.021400 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$ (*)
$1 \text{m} \frac{\text{m s K}}{\text{C}} = 5.245120 \cdot 10^{50}$	$1 \text{mu-} \frac{LT\Theta}{Q} = 10^{50} = 0.1032554 \text{m} \frac{\text{m s K}}{\text{C}}$ (*)
$1 \frac{\text{m s K}}{\text{C}} = 0.04115234 \cdot 10^{100}$	$1 \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 12.31050 \frac{\text{m s K}}{\text{C}}$
$1 \text{k} \frac{\text{m s K}}{\text{C}} = 313.1134 \cdot 10^{100}$	$1 \text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 0.001502015 \text{k} \frac{\text{m s K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 103.4125 \cdot 10^{30}$	$1 \text{vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 5234.555 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}}$ (**)
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.5034553 \cdot 10^{40}$ (*)	$1 \text{vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 1.101445 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 3535.023 \cdot 10^{40}$	$1 \text{mu-} \frac{L^2 \Theta}{Q} = 10^{50} = 130.4531 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 11.54102 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{L^2 \Theta}{TQ} = 10^{-100} = 0.04310105 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.1004452 \cdot 10^{-50}$ (*)	$1 \text{ni}'\text{umu-} \frac{L^2 \Theta}{TQ} = 10^{-50} = 5.511422 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 442.2144 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo-} \frac{L^2 \Theta}{TQ} = 10^{-40} = 1133.455 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$ (*)
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 1.331431 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci-} \frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.3434203 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.01121124 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 45.15221 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 54.03551 \cdot 10^{-220}$ (*)	$1 \text{ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.01015544 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$ (*)
$1 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 530.2013 \cdot 10^{200}$	$1 \text{reno-} \frac{L^2 T\Theta}{Q} = 10^{200} = 0.001031122 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 4.130124 \cdot 10^{210}$	$1 \text{repa-} \frac{L^2 T\Theta}{Q} = 10^{210} = 0.1224510 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.03140304 \cdot 10^{220}$	$1 \text{rero-} \frac{L^2 T\Theta}{Q} = 10^{220} = 14.55034 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$ (*)
$1 \text{m} \frac{\text{K}}{\text{m C}} = 102.4553 \cdot 10^{-310}$ (*)	$1 \text{ni}'\text{ucino-} \frac{\Theta}{LQ} = 10^{-300} = 5321.301 \text{m} \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.4554352 \cdot 10^{-300}$ (*)	$1 \text{ni}'\text{ucino-} \frac{\Theta}{LQ} = 10^{-300} = 1.111305 \frac{\text{K}}{\text{m C}}$
$1 \text{k} \frac{\text{K}}{\text{m C}} = 3504.142 \cdot 10^{-300}$	$1 \text{ni}'\text{uremu-} \frac{\Theta}{LQ} = 10^{-250} = 132.0202 \text{k} \frac{\text{K}}{\text{m C}}$
$1 \text{m} \frac{\text{K}}{\text{m s C}} = 11.43510 \cdot 10^{-440}$	$1 \text{ni}'\text{uvovo-} \frac{\Theta}{LTQ} = 10^{-440} = 0.04344132 \text{m} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{msC}} &= 0.05555355 \cdot 10^{-430} \quad (\text{**}) \\
1 \text{k} \frac{\text{K}}{\text{msC}} &= 434.3424 \cdot 10^{-430} \\
1 \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} &= 1.320101 \cdot 10^{-1010} \\
1 \frac{\text{K}}{\text{ms}^2\text{C}} &= 0.01111220 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} &= 53.20514 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 521.5441 \cdot 10^{-140} \\
1 \frac{\text{sK}}{\text{mC}} &= 4.053551 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 0.03112515 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{C}} &= 1.023132 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2\text{C}} &= 4542.353 \cdot 10^{-420} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{C}} &= 34.54042 \cdot 10^{-410} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} &= 0.1141442 \cdot 10^{-550} \\
1 \frac{\text{K}}{\text{m}^2\text{sC}} &= 554.2021 \cdot 10^{-550} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} &= 4.332200 \cdot 10^{-540} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 0.01313403 \cdot 10^{-1120} \\
1 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 110.5245 \cdot 10^{-1120} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 0.5303552 \cdot 10^{-1110} \quad (*) \\
1 \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} &= 5.203054 \cdot 10^{-250} \\
1 \frac{\text{sK}}{\text{m}^2\text{C}} &= 0.04043154 \cdot 10^{-240} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} &= 310.3430 \cdot 10^{-240} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} &= 0.01021314 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m}^3\text{C}} &= 45.30415 \cdot 10^{-530} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{C}} &= 0.3444000 \cdot 10^{-520} \quad (\text{**}) \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} &= 0.001135422 \cdot 10^{-1100} \\
1 \frac{\text{K}}{\text{m}^3\text{sC}} &= 5.524311 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} &= 0.04320551 \cdot 10^{-1050} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 131.1112 \cdot 10^{-1240} \\
1 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 1.103321 \cdot 10^{-1230} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 0.005251052 \cdot 10^{-1220} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} &= 0.05150333 \cdot 10^{-400} \\
1 \frac{\text{sK}}{\text{m}^3\text{C}} &= 403.2415 \cdot 10^{-400} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} &= 3.054353 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 253.2141 \cdot 10^{-140} \\
1 \frac{\text{kgK}}{\text{C}} &= 2.131512 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 0.01424240 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 33.03254 \cdot 10^{-310} \\
1 \frac{\text{kgK}}{\text{sC}} &= 0.2414010 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 2032.103 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} &= 4.120144 \cdot 10^{-440} \\
1 \frac{\text{kgK}}{\text{s}^2\text{C}} &= 0.03131533 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2\text{C}} &= 230.3054 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.002234213 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= 15.14053 \cdot 10^0 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 0.1241220 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 0.02541000 \cdot 10^{-20} \quad (\text{**}) \\
1 \frac{\text{kg mK}}{\text{C}} &= 213.5303 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 1.431131 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvoci-} \frac{\Theta}{LTQ} &= 10^{-430} = 10.00020 \frac{\text{K}}{\text{msC}} \quad (\text{**}) \\
1 \text{ni}'\text{uvore-} \frac{\Theta}{LTQ} &= 10^{-420} = 1144.002 \text{k} \frac{\text{K}}{\text{msC}} \quad (*) \\
1 \text{ni}'\text{upanopa-} \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.3504420 \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni}'\text{upanono-} \frac{\Theta}{LT^2Q} &= 10^{-1000} = 45.55113 \frac{\text{K}}{\text{ms}^2\text{C}} \quad (*) \\
1 \text{ni}'\text{upanono-} \frac{\Theta}{LT^2Q} &= 10^{-1000} = 0.01025040 \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni}'\text{upavo-} \frac{T\Theta}{LQ} &= 10^{-140} = 0.001040313 \text{m} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'\text{upaci-} \frac{T\Theta}{LQ} &= 10^{-130} = 0.1235424 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'\text{upare-} \frac{T\Theta}{LQ} &= 10^{-120} = 15.12003 \text{k} \frac{\text{sK}}{\text{mC}} \quad (*) \\
1 \text{ni}'\text{uvore-} \frac{\Theta}{L^2Q} &= 10^{-420} = 0.5334251 \text{m} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni}'\text{uvopa-} \frac{\Theta}{L^2Q} &= 10^{-410} = 111.3244 \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni}'\text{uvopa-} \frac{\Theta}{L^2Q} &= 10^{-410} = 0.01322505 \text{k} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni}'\text{umumu-} \frac{\Theta}{L^2TQ} &= 10^{-550} = 4.355421 \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} \quad (*) \\
1 \text{ni}'\text{umuovo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 1001.401 \frac{\text{K}}{\text{m}^2\text{sC}} \quad (*) \\
1 \text{ni}'\text{umuovo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 0.1150033 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} \quad (*) \\
1 \text{ni}'\text{upapare-} \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 35.14535 \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni}'\text{upapare-} \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 0.005011133 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni}'\text{upapapa-} \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 1.030503 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni}'\text{uremu-} \frac{T\Theta}{L^2Q} &= 10^{-250} = 0.1042201 \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni}'\text{urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 12.42023 \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni}'\text{urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 0.001515011 \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni}'\text{umuci-} \frac{\Theta}{L^3Q} &= 10^{-530} = 53.51303 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni}'\text{umuci-} \frac{\Theta}{L^3Q} &= 10^{-530} = 0.01115230 \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni}'\text{umure-} \frac{\Theta}{L^3Q} &= 10^{-520} = 1.325215 \text{k} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni}'\text{upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 441.1130 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni}'\text{upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.1003144 \frac{\text{K}}{\text{m}^3\text{sC}} \quad (*) \\
1 \text{ni}'\text{upanomu-} \frac{\Theta}{L^3TQ} &= 10^{-1050} = 11.521112 \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni}'\text{uparevo-} \frac{\Theta}{L^3T^2Q} &= 10^{-1240} = 0.003525112 \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni}'\text{upareci-} \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 0.5023215 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni}'\text{uparere-} \frac{\Theta}{L^3T^2Q} &= 10^{-1220} = 103.2334 \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni}'\text{uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 10.44051 \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni}'\text{uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.001244225 \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni}'\text{ucimu-} \frac{T\Theta}{L^3Q} &= 10^{-350} = 0.1522023 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni}'\text{upavo-} \frac{M\Theta}{Q} &= 10^{-140} = 0.002014424 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{Q} &= 10^{-130} = 0.2353443 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{upare-} \frac{M\Theta}{Q} &= 10^{-120} = 32.35345 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{ucipa-} \frac{M\Theta}{TQ} &= 10^{-310} = 0.01412330 \text{m} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'\text{ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 2.113404 \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'\text{uremu-} \frac{M\Theta}{TQ} &= 10^{-250} = 251.1025 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'\text{uvovo-} \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.1230503 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \text{ni}'\text{uvoci-} \frac{M\Theta}{T^2Q} &= 10^{-430} = 15.01402 \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \text{ni}'\text{uvore-} \frac{M\Theta}{T^2Q} &= 10^{-420} = 2215.220 \text{k} \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 224.3452 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.03105123 \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 10^{-20} = 4.045130 \text{k} \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 20.11243 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}'\text{ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 0.002345313 \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}'\text{upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 0.3230043 \text{k} \frac{\text{kg mK}}{\text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 3313.055 \cdot 10^{-200} \quad (*) \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 24.22223 \cdot 10^{-150} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 0.2035320 \cdot 10^{-140} \\
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 413.1035 \cdot 10^{-330} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 3.141104 \cdot 10^{-320} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 0.02311114 \cdot 10^{-310} \\
1m \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.2242150 \cdot 10^{110} \\
1 \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.001521104 \cdot 10^{120} \\
1k \frac{kg \cdot m \cdot s \cdot K}{C} &= 12.43422 \cdot 10^{120} \\
1m \frac{kg \cdot m^2 \cdot K}{C} &= 2.545431 \cdot 10^{50} \\
1 \frac{kg \cdot m^2 \cdot K}{C} &= 0.02143103 \cdot 10^{100} \\
1k \frac{kg \cdot m^2 \cdot K}{C} &= 143.4030 \cdot 10^{100} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.3322513 \cdot 10^{-40} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 2430.451 \cdot 10^{-40} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 20.42543 \cdot 10^{-30} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.04141545 \cdot 10^{-210} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 315.0252 \cdot 10^{-210} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 2.315144 \cdot 10^{-200} \\
1m \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 22.50133 \cdot 10^{220} \\
1 \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.1524124 \cdot 10^{230} \\
1k \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.001250031 \cdot 10^{240} \quad (*) \\
1m \frac{kg \cdot K}{m \cdot C} &= 2.523333 \cdot 10^{-250} \\
1 \frac{kg \cdot K}{m \cdot C} &= 0.02124131 \cdot 10^{-240} \\
1k \frac{kg \cdot K}{m \cdot C} &= 142.1353 \cdot 10^{-240} \\
1m \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.3253510 \cdot 10^{-420} \\
1 \frac{kg \cdot K}{m \cdot s \cdot C} &= 2405.404 \cdot 10^{-420} \\
1k \frac{kg \cdot K}{m \cdot s \cdot C} &= 20.24455 \cdot 10^{-410} \quad (*) \\
1m \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.04105312 \cdot 10^{-550} \\
1 \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 312.2415 \cdot 10^{-550} \\
1k \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 2.255045 \cdot 10^{-540} \quad (*) \\
1m \frac{kg \cdot s \cdot K}{m \cdot C} &= 22.30251 \cdot 10^{-120} \\
1 \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.1511051 \cdot 10^{-110} \\
1k \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.001235023 \cdot 10^{-100} \\
1m \frac{kg \cdot K}{m^2 \cdot C} &= 0.02514540 \cdot 10^{-400} \\
1 \frac{kg \cdot K}{m^2 \cdot C} &= 212.0400 \cdot 10^{-400} \quad (*) \\
1k \frac{kg \cdot K}{m^2 \cdot C} &= 1.414515 \cdot 10^{-350} \\
1m \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 3244.140 \cdot 10^{-540} \\
1 \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 24.01213 \cdot 10^{-530} \\
1k \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.2021301 \cdot 10^{-520} \\
1m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 405.4454 \cdot 10^{-1110} \\
1 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 3.113312 \cdot 10^{-1100} \\
1k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.02251050 \cdot 10^{-1050} \\
1m \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.2222335 \cdot 10^{-230} \\
1 \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.001504054 \cdot 10^{-220} \\
1k \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 12.32433 \cdot 10^{-220} \\
1m \frac{kg \cdot K}{m^3 \cdot C} &= 251.0155 \cdot 10^{-520} \quad (*) \\
1 \frac{kg \cdot K}{m^3 \cdot C} &= 2.113035 \cdot 10^{-510}
\end{aligned}$$

$$\begin{aligned}
1 ni'upamu-\frac{ML\Theta}{TQ} &= 10^{-150} = 140.5504 m \frac{kg \cdot m \cdot K}{s^2 C} \quad (*) \\
1 ni'upamu-\frac{ML\Theta}{TQ} &= 10^{-150} = 0.02110051 \frac{kg \cdot m \cdot K}{s^2 C} \quad (*) \\
1 ni'upavo-\frac{ML\Theta}{TQ} &= 10^{-140} = 2.502254 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucire-\frac{ML\Theta}{T^2 Q} &= 10^{-320} = 1224.324 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucire-\frac{ML\Theta}{T^2 Q} &= 10^{-320} = 0.1454421 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucipa-\frac{ML\Theta}{T^2 Q} &= 10^{-310} = 22.11323 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 papa-\frac{MLT\Theta}{Q} &= 10^{110} = 2.235513 m \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 pare-\frac{MLT\Theta}{Q} &= 10^{120} = 310.0043 \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 pare-\frac{MLT\Theta}{Q} &= 10^{120} = 0.04034344 k \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 mu-\frac{ML^2\Theta}{Q} &= 10^{50} = 0.2004112 m \frac{kg \cdot m^2 \cdot K}{C} \quad (*) \\
1 pano-\frac{ML^2\Theta}{Q} &= 10^{100} = 23.41153 \frac{kg \cdot m^2 \cdot K}{C} \\
1 pano-\frac{ML^2\Theta}{Q} &= 10^{100} = 0.003220353 k \frac{kg \cdot m^2 \cdot K}{C} \\
1 ni'uvo-\frac{ML^2\Theta}{TQ} &= 10^{-40} = 1.403051 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'uci-\frac{ML^2\Theta}{TQ} &= 10^{-30} = 210.2344 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'uci-\frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.02453535 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'urepa-\frac{ML^2\Theta}{T^2 Q} &= 10^{-210} = 12.22153 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'ureno-\frac{ML^2\Theta}{T^2 Q} &= 10^{-200} = 1451.445 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'ureno-\frac{ML^2\Theta}{T^2 Q} &= 10^{-200} = 0.2203440 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 rere-\frac{ML^2T\Theta}{Q} &= 10^{220} = 0.02231544 m \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 reci-\frac{ML^2T\Theta}{Q} &= 10^{230} = 3.051020 \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 revo-\frac{ML^2T\Theta}{Q} &= 10^{240} = 402.4021 k \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 ni'uremu-\frac{M\Theta}{LQ} &= 10^{-250} = 0.2022014 m \frac{kg \cdot K}{m \cdot C} \\
1 ni'urevo-\frac{M\Theta}{LQ} &= 10^{-240} = 24.02024 \frac{kg \cdot K}{m \cdot C} \\
1 ni'urevo-\frac{M\Theta}{LQ} &= 10^{-240} = 0.003245104 k \frac{kg \cdot K}{m \cdot C} \\
1 ni'uvore-\frac{M\Theta}{LTQ} &= 10^{-420} = 1.415200 m \frac{kg \cdot K}{m \cdot s \cdot C} \quad (*) \\
1 ni'uvopa-\frac{M\Theta}{LTQ} &= 10^{-410} = 212.1130 \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'uvopa-\frac{M\Theta}{LTQ} &= 10^{-410} = 0.02515411 k \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'umumu-\frac{M\Theta}{LT^2 Q} &= 10^{-550} = 12.33050 m \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'umuovo-\frac{M\Theta}{LT^2 Q} &= 10^{-540} = 1504.351 \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'umuovo-\frac{M\Theta}{LT^2 Q} &= 10^{-540} = 0.2223123 k \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'upare-\frac{MT\Theta}{LQ} &= 10^{-120} = 0.02251442 m \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'upapa-\frac{MT\Theta}{LQ} &= 10^{-110} = 3.114214 \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'upano-\frac{MT\Theta}{LQ} &= 10^{-100} = 405.5530 k \frac{kg \cdot s \cdot K}{m \cdot C} \quad (*) \\
1 ni'uvono-\frac{M\Theta}{L^2 Q} &= 10^{-400} = 20.25213 m \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'uvono-\frac{M\Theta}{L^2 Q} &= 10^{-400} = 0.002410220 \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'ucimu-\frac{M\Theta}{L^2 Q} &= 10^{-350} = 0.3254440 k \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'umuci-\frac{M\Theta}{L^2 TQ} &= 10^{-530} = 142.2035 m \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umuci-\frac{M\Theta}{L^2 TQ} &= 10^{-530} = 0.02124502 \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umure-\frac{M\Theta}{L^2 TQ} &= 10^{-520} = 2.524205 k \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'upapano-\frac{M\Theta}{L^2 T^2 Q} &= 10^{-1100} = 1235.240 m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upapano-\frac{M\Theta}{L^2 T^2 Q} &= 10^{-1100} = 0.1511345 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upanomu-\frac{M\Theta}{L^2 T^2 Q} &= 10^{-1050} = 22.31040 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'ureci-\frac{MT\Theta}{L^2 Q} &= 10^{-230} = 2.255442 m \frac{kg \cdot s \cdot K}{m^2 \cdot C} \quad (*) \\
1 ni'urere-\frac{MT\Theta}{L^2 Q} &= 10^{-220} = 312.3322 \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni'urere-\frac{MT\Theta}{L^2 Q} &= 10^{-220} = 0.04110345 k \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni'umure-\frac{M\Theta}{L^3 Q} &= 10^{-520} = 0.002032422 m \frac{kg \cdot K}{m^3 \cdot C} \\
1 ni'umupa-\frac{M\Theta}{L^3 Q} &= 10^{-510} = 0.2414424 \frac{kg \cdot K}{m^3 \cdot C}
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = 0.01412050 \cdot 10^{-500}$	$1 ni' umuno - \frac{M\Theta}{L^3 Q} = 10^{-500} = 33.04225 k \frac{kg\ K}{m^3 C}$
$1 m \frac{kg\ K}{m^3 s\ C} = 32.34422 \cdot 10^{-1050}$	$1 ni' upanomu - \frac{M\Theta}{L^3 TQ} = 10^{-1050} = 0.01424523 m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 0.2353033 \cdot 10^{-1040}$	$1 ni' upanovo - \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 2.132244 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 2014.112 \cdot 10^{-1040}$	$1 ni' upanoci - \frac{M\Theta}{L^3 TQ} = 10^{-1030} = 253.3014 k \frac{kg\ K}{m^3 s\ C}$
$1 m \frac{kg\ K}{m^3 s^2 C} = 4.044100 \cdot 10^{-1220}$ (*)	$1 ni' uparere - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.1241435 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 0.03104222 \cdot 10^{-1210}$	$1 ni' uparepa - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 15.14352 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 224.3101 \cdot 10^{-1210}$	$1 ni' upareno - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1200} = 2235.003 k \frac{kg\ K}{m^3 s^2 C}$ (*)
$1 m \frac{kg\ s\ K}{m^3 C} = 0.002214433 \cdot 10^{-340}$	$1 ni' ucivo - \frac{MT\Theta}{L^3 Q} = 10^{-340} = 230.3452 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 15.01110 \cdot 10^{-340}$	$1 ni' ucivo - \frac{MT\Theta}{L^3 Q} = 10^{-340} = 0.03132442 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 0.1230251 \cdot 10^{-330}$	$1 ni' ucici - \frac{MT\Theta}{L^3 Q} = 10^{-330} = 4.121223 k \frac{kg\ s\ K}{m^3 C}$
$1 m CK = 1012.030 \cdot 10^{-40}$	$1 ni' uci-Q\Theta = 10^{-30} = 544.1131 m CK$
$1 CK = 4.445231 \cdot 10^{-30}$	$1 ni' uci-Q\Theta = 10^{-30} = 0.1125501 CK$ (*)
$1k CK = 0.03412251 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 13.41414 k CK$
$1 m \frac{CK}{s} = 112.5100 \cdot 10^{-210}$ (*)	$1 ni' ureno - \frac{Q\Theta}{T} = 10^{-200} = 4452.002 m \frac{CK}{s}$ (*)
$1 \frac{CK}{s} = 0.5434051 \cdot 10^{-200}$	$1 ni' ureno - \frac{Q\Theta}{T} = 10^{-200} = 1.012351 \frac{CK}{s}$
$1k \frac{CK}{s} = 4241.310 \cdot 10^{-200}$	$1 ni' upamu - \frac{Q\Theta}{T} = 10^{-150} = 120.3045 k \frac{CK}{s}$
$1 m \frac{CK}{s^2} = 12.55153 \cdot 10^{-340}$ (*)	$1 ni' ucivo - \frac{Q\Theta}{T^2} = 10^{-340} = 0.04001452 m \frac{CK}{s^2}$ (*)
$1 \frac{CK}{s^2} = 0.1053251 \cdot 10^{-330}$	$1 ni' ucici - \frac{Q\Theta}{T^2} = 10^{-330} = 5.110032 \frac{CK}{s^2}$ (*)
$1k \frac{CK}{s^2} = 520.2552 \cdot 10^{-330}$ (*)	$1 ni' ucire - \frac{Q\Theta}{T^2} = 10^{-320} = 1042.212 k \frac{CK}{s^2}$
$1 m s CK = 0.005103145 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 105.4033 m s CK$
$1 s CK = 35.55354 \cdot 10^{100}$ (*)	$1 pano-TQ\Theta = 10^{100} = 0.01300044 s CK$ (**)
$1 k s CK = 0.3030223 \cdot 10^{110}$	$1 papa-TQ\Theta = 10^{110} = 1.540023 k s CK$ (*)
$1 m m CK = 0.1013431 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 5.423555 m m CK$ (**)
$1 m CK = 450.1100 \cdot 10^{40}$ (*)	$1 vo-LQ\Theta = 10^{40} = 0.001123501 m CK$
$1 k m CK = 3.422242 \cdot 10^{50}$	$1 mu-LQ\Theta = 10^{50} = 0.1335042 k m CK$
$1 m \frac{m\ CK}{s} = 0.01131102 \cdot 10^{-50}$	$1 ni' umu - \frac{LQ\Theta}{T} = 10^{-50} = 44.40145 m \frac{m\ CK}{s}$
$1 \frac{m\ CK}{s} = 54.51240 \cdot 10^{-50}$	$1 ni' umu - \frac{LQ\Theta}{T} = 10^{-50} = 0.01010551 \frac{m\ CK}{s}$ (*)
$1k \frac{m\ CK}{s} = 0.4252413 \cdot 10^{-40}$	$1 ni' uvo - \frac{LQ\Theta}{T} = 10^{-40} = 1.200551 k \frac{m\ CK}{s}$ (**)
$1 m \frac{m\ CK}{s^2} = 0.001301423 \cdot 10^{-220}$	$1 ni' urere - \frac{LQ\Theta}{T^2} = 10^{-220} = 355.1222 m \frac{m\ CK}{s^2}$ (*)
$1 \frac{m\ CK}{s^2} = 10.55201 \cdot 10^{-220}$ (*)	$1 ni' urere - \frac{LQ\Theta}{T^2} = 10^{-220} = 0.05053440 \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = 0.05215335 \cdot 10^{-210}$	$1 ni' urepa - \frac{LQ\Theta}{T^2} = 10^{-210} = 10.40325 k \frac{m\ CK}{s^2}$
$1 m m s CK = 0.5115354 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 1.052125 m m s CK$
$1 m s CK = 0.004010035 \cdot 10^{220}$ (*)	$1 rere-LTQ\Theta = 10^{220} = 125.3421 m s CK$
$1 k m s CK = 30.35214 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.01532543 k m s CK$
$1 m m^2 CK = 10.15235 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.05410450 m m^2 CK$
$1 m^2 CK = 0.04512545 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 11.21505 m^2 CK$
$1 k m^2 CK = 343.2251 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 0.001332314 k m^2 CK$
$1 m \frac{m^2 CK}{s} = 1.133111 \cdot 10^{20}$	$1 re - \frac{L^2 Q\Theta}{T} = 10^{20} = 0.4424353 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 5504.453 \cdot 10^{20}$ (*)	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 100.5154 \frac{m^2 CK}{s}$ (*)
$1k \frac{m^2 CK}{s} = 43.03535 \cdot 10^{30}$	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 0.01154501 k \frac{m^2 CK}{s}$
$1 m \frac{m^2 CK}{s^2} = 0.1304100 \cdot 10^{-110}$ (*)	$1 ni' upapa - \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 3.541010 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 0.001101114 \cdot 10^{-100}$	$1 ni' upano - \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 504.1310 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 5.232143 \cdot 10^{-100}$	$1 ni' upano - \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.1034443 k \frac{m^2 CK}{s^2}$
$1 m m^2 s CK = 51.32024 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.01050224 m m^2 s CK$
$1 m^2 s CK = 0.4020334 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 1.251202 m^2 s CK$
$1 k m^2 s CK = 0.003044220 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 152.5511 k m^2 s CK$ (*)
$1 m \frac{CK}{m} = 10.10231 \cdot 10^{-150}$	$1 ni' upamu - \frac{Q\Theta}{L} = 10^{-150} = 0.05454325 m \frac{CK}{m}$
$1 \frac{CK}{m} = 0.04433422 \cdot 10^{-140}$	$1 ni' upavo - \frac{Q\Theta}{L} = 10^{-140} = 11.31504 \frac{CK}{m}$
$1k \frac{CK}{m} = 340.2314 \cdot 10^{-140}$	$1 ni' upavo - \frac{Q\Theta}{L} = 10^{-140} = 0.001344153 k \frac{CK}{m}$

$$\begin{aligned}
1 \text{m CK}_{\text{ms}} &= 1.123101 \cdot 10^{-320} \\
1 \text{CK}_{\text{ms}} &= 5420.524 \cdot 10^{-320} \\
1 \text{k CK}_{\text{ms}} &= 42.30223 \cdot 10^{-310} \\
1 \text{m CK}_{\text{ms}^2} &= 0.1252532 \cdot 10^{-450} \\
1 \text{CK}_{\text{ms}^2} &= 0.001051344 \cdot 10^{-440} \\
1 \text{k CK}_{\text{ms}^2} &= 5.150232 \cdot 10^{-440} \\
1 \text{m s CK}_{\text{m}} &= 50.51001 \cdot 10^{-20} \quad (*) \\
1 \text{s CK}_{\text{m}} &= 0.3545132 \cdot 10^{-10} \\
1 \text{k s CK}_{\text{m}} &= 0.003021244 \cdot 10^0 \\
1 \text{m CK}_{\text{m}^2} &= 0.1004435 \cdot 10^{-300} \quad (*) \\
1 \text{CK}_{\text{m}^2} &= 442.2034 \cdot 10^{-300} \\
1 \text{k CK}_{\text{m}^2} &= 3.352354 \cdot 10^{-250} \\
1 \text{m CK}_{\text{m}^2 \text{s}} &= 0.01121110 \cdot 10^{-430} \\
1 \text{CK}_{\text{m}^2 \text{s}} &= 54.03424 \cdot 10^{-430} \\
1 \text{k CK}_{\text{m}^2 \text{s}} &= 0.4215200 \cdot 10^{-420} \quad (*) \\
1 \text{m CK}_{\text{m}^2 \text{s}^2} &= 0.001250314 \cdot 10^{-1000} \\
1 \text{CK}_{\text{m}^2 \text{s}^2} &= 10.45443 \cdot 10^{-1000} \\
1 \text{k CK}_{\text{m}^2 \text{s}^2} &= 0.05133533 \cdot 10^{-550} \\
1 \text{m s CK}_{\text{m}^2} &= 0.5034435 \cdot 10^{-130} \\
1 \text{s CK}_{\text{m}^2} &= 0.003534524 \cdot 10^{-120} \\
1 \text{k s CK}_{\text{m}^2} &= 30.12322 \cdot 10^{-120} \\
1 \text{m CK}_{\text{m}^3} &= 1003.050 \cdot 10^{-420} \quad (*) \\
1 \text{CK}_{\text{m}^3} &= 4.410310 \cdot 10^{-410} \\
1 \text{k CK}_{\text{m}^3} &= 0.03342452 \cdot 10^{-400} \\
1 \text{m CK}_{\text{m}^3 \text{s}} &= 111.5121 \cdot 10^{-550} \\
1 \text{CK}_{\text{m}^3 \text{s}} &= 0.5350351 \cdot 10^{-540} \\
1 \text{k CK}_{\text{m}^3 \text{s}} &= 4204.151 \cdot 10^{-540} \\
1 \text{m CK}_{\text{m}^3 \text{s}^2} &= 12.44104 \cdot 10^{-1120} \\
1 \text{CK}_{\text{m}^3 \text{s}^2} &= 0.1043550 \cdot 10^{-1110} \quad (*) \\
1 \text{k CK}_{\text{m}^3 \text{s}^2} &= 512.1255 \cdot 10^{-1110} \quad (*) \\
1 \text{m s CK}_{\text{m}^3} &= 0.005022334 \cdot 10^{-240} \\
1 \text{s CK}_{\text{m}^3} &= 35.24334 \cdot 10^{-240} \\
1 \text{k s CK}_{\text{m}^3} &= 0.3003411 \cdot 10^{-230} \quad (*) \\
1 \text{m kg CK} &= 24.43335 \cdot 10^{-20} \\
1 \text{kg CK} &= 0.2053425 \cdot 10^{-10} \\
1 \text{k kg CK} &= 0.001355213 \cdot 10^0 \quad (*) \\
1 \text{m kg CK} &= 3.205015 \cdot 10^{-150} \\
1 \text{k kg CK}_{\text{s}} &= 0.02331242 \cdot 10^{-140} \\
1 \text{k kg CK}_{\text{s}} &= 155.5402 \cdot 10^{-140} \quad (*) \\
1 \text{m kg CK}_{\text{s}^2} &= 0.4010532 \cdot 10^{-320} \\
1 \text{k CK}_{\text{s}^2} &= 3040.002 \cdot 10^{-320} \quad (*) \\
1 \text{k kg CK}_{\text{s}^2} &= 22.22310 \cdot 10^{-310} \\
1 \text{m kg s CK} &= 215.4302 \cdot 10^{110} \\
1 \text{kg s CK} &= 1.443423 \cdot 10^{120} \\
1 \text{kg s CK} &= 0.01215103 \cdot 10^{130} \\
1 \text{m kg m CK} &= 0.002452041 \cdot 10^{100} \\
1 \text{kg m CK} &= 21.01120 \cdot 10^{100} \\
1 \text{k kg m CK} &= 0.1402020 \cdot 10^{110} \\
1 \text{m kg m CK}_{\text{s}} &= 321.4244 \cdot 10^{-40} \\
1 \text{k kg m CK}_{\text{s}} &= 2.335344 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{Q\Theta}{LT} &= 10^{-320} = 0.4503435 \text{m CK}_{\text{ms}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 101.4153 \text{CK}_{\text{ms}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 0.01205151 \text{k CK}_{\text{ms}} \\
1 \text{ni'uvomu-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 4.012140 \text{m CK}_{\text{ms}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 512.2250 \text{CK}_{\text{ms}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 0.1044103 \text{k CK}_{\text{ms}^2} \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.01055545 \text{m s CK}_{\text{m}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 1.302314 \text{s CK}_{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 154.3113 \text{k s CK}_{\text{m}} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 5.511551 \text{m CK}_{\text{m}^2} \quad (*) \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.001133515 \text{CK}_{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 0.1350542 \text{k CK}_{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 45.15333 \text{m CK}_{\text{m}^2 \text{s}} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 0.01020002 \text{CK}_{\text{m}^2 \text{s}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1.211300 \text{k CK}_{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 402.2443 \text{m CK}_{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.05134525 \text{CK}_{\text{m}^2 \text{s}^2} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^2 T^2} &= 10^{-550} = 10.50001 \text{k CK}_{\text{m}^2 \text{s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 1.101503 \text{m s CK}_{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 130.4553 \text{s CK}_{\text{m}^2} \quad (*) \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.01550211 \text{k s CK}_{\text{m}^2} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 552.5235 \text{m CK}_{\text{m}^3} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.1135532 \text{CK}_{\text{m}^3} \quad (*) \\
1 \text{ni'uvono-} \frac{Q\Theta}{L^3} &= 10^{-400} = 13.53334 \text{k CK}_{\text{m}^3} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 4531.251 \text{m CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 1.021414 \text{CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'umuci-} \frac{Q\Theta}{L^3 T} &= 10^{-530} = 121.3412 \text{k CK}_{\text{m}^3 \text{s}} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.04033204 \text{m CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 5.151225 \text{CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapano-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1100} = 1051.502 \text{k CK}_{\text{m}^3 \text{s}^2} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 110.3424 \text{m s CK}_{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.01311235 \text{s CK}_{\text{m}^3} \\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 1.553315 \text{k s CK}_{\text{m}^3} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-M Q}\Theta &= 10^{-20} = 0.02051435 \text{m kg CK} \\
1 \text{ni'upa-M Q}\Theta &= 10^{-10} = 2.441014 \text{kg CK} \\
1 M Q\Theta &= 1 = 333.4543 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{M Q\Theta}{T} &= 10^{-150} = 0.1442032 \text{m kg CK}_{\text{s}} \\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 21.52213 \text{kg CK}_{\text{s}} \\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 0.003000253 \text{k kg CK}_{\text{s}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucire-} \frac{M Q\Theta}{T^2} &= 10^{-320} = 1.253231 \text{m kg CK}_{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 153.2322 \text{kg CK}_{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 0.02255512 \text{k kg CK}_{\text{s}^2} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{pare-M T Q}\Theta &= 10^{120} = 2325.025 \text{m kg s CK} \\
1 \text{pare-M T Q}\Theta &= 10^{120} = 0.3201550 \text{kg s CK} \quad (*) \\
1 \text{paci-M T Q}\Theta &= 10^{130} = 41.55402 \text{k kg s CK} \quad (*) \\
1 \text{pano-M L Q}\Theta &= 10^{100} = 204.4200 \text{m kg m CK} \quad (*) \\
1 \text{pano-M L Q}\Theta &= 10^{100} = 0.02432332 \text{kg m CK} \\
1 \text{papa-M L Q}\Theta &= 10^{110} = 3.325104 \text{k kg m CK} \\
1 \text{ni'uvo-} \frac{MLQ\Theta}{T} &= 10^{-40} = 0.001435122 \text{m kg m CK}_{\text{s}} \\
1 \text{ni'uci-} \frac{MLQ\Theta}{T} &= 10^{-30} = 0.2144400 \text{kg m CK}_{\text{s}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 0.02002522 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 40.21232 \cdot 10^{-210} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.3045010 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 2230.222 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 0.02202132 \cdot 10^{230} \\
1 \text{kg m s CK} &= 145.0344 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 1.221225 \cdot 10^{240} \\
1 \text{m kg m}^2 \text{CK} &= 0.2500353 \cdot 10^{210} \quad (*) \\
1 \text{kg m}^2 \text{CK} &= 0.002104421 \cdot 10^{220} \\
1 \text{k kg m}^2 \text{CK} &= 14.04432 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.03223530 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 234.3501 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 2.010051 \cdot 10^{50} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 4031.551 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 30.54030 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.2234144 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 2.210012 \cdot 10^{340} \quad (*) \\
1 \text{kg m}^2 \text{s CK} &= 0.01453314 \cdot 10^{350} \\
1 \text{k kg m}^2 \text{s CK} &= 122.3355 \cdot 10^{350} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.2435045 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.002050144 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 13.52413 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.03155402 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 232.3150 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 1.552251 \cdot 10^{-250} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 4000.250 \cdot 10^{-440} \quad (***) \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 30.31011 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.2214404 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2.150441 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 0.01440511 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 121.2544 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.002430410 \cdot 10^{-240} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 20.42512 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.1350022 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 315.0202 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 2.315105 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.01545145 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 35.50022 \cdot 10^{-550} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.3022031 \cdot 10^{-540} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2210.512 \cdot 10^{-540} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.02143031 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 143.4003 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 1.210433 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 24.22142 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.2035250 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.001343240 \cdot 10^{-340} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 3.141015 \cdot 10^{-530} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.02311035 \cdot 10^{-520} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 154.2053 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.3535413 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 25.51403 \text{k} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'urepa-} \frac{MLQ\Theta}{T^2} &= 10^{-210} = 0.01251013 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'ureno-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 1.525251 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'upamu-} \frac{MLQ\Theta}{T^2} &= 10^{-150} = 225.1511 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 23.20541 \text{m kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 3152.343 \text{kg m s CK} \\
1 \text{repa-} ML^2Q\Theta &= 10^{210} = 2.040531 \text{m kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 242.4101 \text{kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 0.03315242 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 14.32220 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.002140553 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 0.2542525 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 124.4402 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.01522225 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 2.243522 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} ML^2TQ\Theta &= 10^{340} = 0.2312504 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 31.43152 \text{kg m}^2 \text{s CK} \\
1 \text{vono-} ML^2TQ\Theta &= 10^{400} = 4133.510 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{L} &= 10^{-130} = 2.055122 \text{m} \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 244.5311 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 0.03344435 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 14.44550 \text{m} \frac{\text{kg CK}}{\text{m s}} \quad (*) \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 0.002200040 \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uremu-} \frac{MQ\Theta}{LT} &= 10^{-250} = 0.3005155 \text{k} \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 125.5454 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.01535402 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{LT^2} &= 10^{-420} = 2.303522 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.2333123 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 32.11211 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{re-} \frac{MTQ\Theta}{L} &= 10^{20} = 4210.355 \text{k} \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 210.2420 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.02454020 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'ureci-} \frac{MQ\Theta}{L^2} &= 10^{-230} = 3.354344 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.001451514 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.2203513 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^2T} &= 10^{-400} = 30.14112 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'umumu-} \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 0.01302124 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 1.542450 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^2T^2} &= 10^{-530} = 231.1543 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{MTQ\Theta}{L^3} &= 10^{-110} = 23.41232 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 3220.443 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 0.4221411 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.02110123 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{MQ\Theta}{L^3} &= 10^{-350} = 2.502340 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucivo-} \frac{MQ\Theta}{L^3} &= 10^{-340} = 340.4311 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^3T} &= 10^{-530} = 0.1454450 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 22.11400 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 0.003023042 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapano-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 1.304402 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned} 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 3013.103 \cdot 10^{-1100} \\ 1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 22.03030 \cdot 10^{-1050} \\ 1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 213.5231 \cdot 10^{-230} \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 1.431103 \cdot 10^{-220} \\ 1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 0.01204325 \cdot 10^{-210} \end{aligned}$$

$$\begin{aligned} 1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1050} = 154.5544 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*) \\ 1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1050} = 0.02320015 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*) \\ 1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 2345.352 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.3230133 \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni'urepa-} \frac{MTQ\Theta}{L^3} &= 10^{-210} = 42.32443 \text{k} \frac{\text{kg s CK}}{\text{m}^3} \end{aligned}$$

## 7.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= 1.142455 \cdot 10^{-40} \quad (*) \\ \text{Electron mass} &= 52.44500 \cdot 10^{-50} \quad (*) \\ \text{Elementary charge} &= 0.1452243 \cdot 10^0 \\ \text{\AA}^{16} &= 11.52115 \cdot 10^{50} \\ \text{Bohr radius}^{17} &= 4.102224 \cdot 10^{50} \\ \text{Fine structure constant}^{18} &= 0.001324245 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 104.4252 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^{20} &= 535.3551 \cdot 10^{-240} \quad (*) \\ \text{eV} &= 2.554515 \cdot 10^{-100} \quad (*) \\ \hbar^{21} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 0.5500555 \cdot 10^{100} \quad (***) \\ k_{\text{yellow}}^{22} &= 10.24250 \cdot 10^{-100} \\ k_{\text{X-Ray}}^{23} &= 425.4541 \cdot 10^{-40} \\ \\ \text{Earth g} &= 1.022222 \cdot 10^{-130} \\ \text{cm} &= 0.2102013 \cdot 10^{110} \\ \text{min} &= 0.001215412 \cdot 10^{140} \\ \text{hour} &= 0.2151301 \cdot 10^{140} \\ \text{Liter} &= 115.4131 \cdot 10^{330} \\ \text{Area of a soccer field} &= 533.1500 \cdot 10^{230} \quad (*) \\ 244 \text{ m}^2^{24} &= 2.452554 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.003354 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.125043 \cdot 10^{-20} \\ \text{inch}^{25} &= 0.5305524 \cdot 10^{110} \quad (*) \\ \text{mile} &= 1.130115 \cdot 10^{120} \\ \text{pound} &= 0.01115530 \cdot 10^{20} \quad (*) \\ \text{horsepower} &= 0.002420531 \cdot 10^{-140} \\ \text{kcal} &= 0.2042442 \cdot 10^{-10} \\ \text{kWh} &= 0.001224220 \cdot 10^0 \\ \text{Typical household electric field} &= 2.032220 \cdot 10^{-210} \\ \text{Earth magnetic field} &= 0.03005551 \cdot 10^{-200} \quad (***) \\ \text{Height of an average man}^{26} &= 144.1102 \cdot 10^{110} \end{aligned}$$

$$\begin{aligned} 1 \text{ni'uvu-} M &= 10^{-40} = 0.4351544 m_p \\ 1 \text{ni'umu-} M &= 10^{-50} = 0.01033022 m_e \\ 1 Q &= 1 = 3.145143 e \\ 1 \text{mu-} L &= 10^{50} = 0.04320534 \text{\AA} \\ 1 \text{mu-} L &= 10^{50} = 0.1234113 a_0 \\ 1 &= 1 = 345.0115 \alpha \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.005145005 Ry \quad (*) \\ 1 \text{ni'urevo-} \frac{1}{L^3} &= 10^{-240} = 0.001021030 \rho_{\max} \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.2000425 \text{eV} \quad (**) \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{pano-} L &= 10^{100} = 1.005555 \cdot \lambda_{\text{yellow}} \quad (***) \\ 1 \text{ni'upano-} \frac{1}{L} &= 10^{-100} = 0.05324055 \cdot k_{\text{yellow}} \quad (*) \\ 1 \text{ni'uvu-} \frac{1}{L} &= 10^{-40} = 0.001200151 \cdot k_{\text{X-Ray}} \quad (*) \\ \\ 1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 0.5343005 \cdot \text{Earth g} \quad (*) \\ 1 \text{papa-} L &= 10^{110} = 2.431320 \text{cm} \\ 1 \text{pavo-} T &= 10^{140} = 415.4014 \text{min} \\ 1 \text{pavo-} T &= 10^{140} = 2.332233 \text{h} \\ 1 \text{civo-} L^3 &= 10^{340} = 4305.534 l \\ 1 \text{revo-} L^2 &= 10^{240} = 1023.434 A \\ 1 \text{reci-} L^2 &= 10^{230} = 0.2043401 \cdot 244 \text{m}^2 \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.2550321 \text{km/h} \quad (*) \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.1503134 \text{mi/h} \\ 1 \text{papa-} L &= 10^{110} = 1.030250 \text{in} \\ 1 \text{pare-} L &= 10^{120} = 0.4443543 \text{mi} \\ 1 \text{re-} M &= 10^{20} = 45.24411 \text{pound} \\ 1 \text{ni'upavo-} \frac{ML^2}{T^3} &= 10^{-140} = 211.1200 \text{horsepower} \quad (*) \\ 1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 2.454055 \text{kcal} \quad (*) \\ 1 \frac{ML^2}{T^2} &= 1 = 413.1400 \text{kWh} \quad (*) \\ 1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 0.2510444 E_H \\ 1 \text{ni'ureno-} \frac{M}{T Q} &= 10^{-200} = 15.52015 \cdot \text{Earth magnetic field} \\ 1 \text{pare-} L &= 10^{120} = 3210.440 \bar{h} \end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/14 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>100 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

Mass of an average man =  $5.123203 \cdot 10^{20}$

$1 \text{ re-}M = 10^{20} = 0.1051234 \bar{m}$

Age of the Universe =  $52.33211 \cdot 10^{200}$

$1 \text{ reno-}T = 10^{200} = 0.01034324 t_U$

Size of the observable Universe =  $3.032214 \cdot 10^{210}$

$1 \text{ repa-}L = 10^{210} = 0.1534455 l_U \quad (*)$

Average density of the Universe =  $0.2031445 \cdot 10^{-430}$

$1 \text{ ni'uvoci-} \frac{M}{L^3} = 10^{-430} = 2.511334 \rho_U$

Earth mass =  $2.004333 \cdot 10^{110} \quad (*)$

$1 \text{ papa-}M = 10^{110} = 0.2545102 m_E$

Sun mass<sup>27</sup> =  $22.23231 \cdot 10^{120}$

$1 \text{ pare-}M = 10^{120} = 0.02254535 m_S$

Year =  $0.02335031 \cdot 10^{150}$

$1 \text{ pamu-}T = 10^{150} = 21.45052 \text{ y}$

Speed of Light =  $1.000000 \quad (***)$

$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$

Parsec =  $0.1230033 \cdot 10^{150} \quad (*)$

$1 \text{ pamu-}L = 10^{150} = 4.122310 \text{ pc}$

Astronomical unit =  $0.01531232 \cdot 10^{140}$

$1 \text{ pavo-}L = 10^{140} = 30.41505 \text{ au}$

Earth radius =  $0.03453233 \cdot 10^{130}$

$1 \text{ paci-}L = 10^{130} = 13.23050 r_E$

Distance Earth-Moon =  $10.22323 \cdot 10^{130}$

$1 \text{ paci-}L = 10^{130} = 0.05342034 d_M$

Momentum of someone walking<sup>28</sup> =  $3141.001 \cdot 10^0 \quad (*)$

$1 \text{ pa-} \frac{ML}{T} = 10^{10} = 145.4455 \cdot \text{Momentum of someone walking}$

Stefan-Boltzmann constant =  $0.05531034 \cdot 10^0 \quad (*)$

$1 \frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$

mol =  $2.420221 \cdot 10^{50}$

$1 \text{ mu-} = 10^{50} = 0.2111433 \text{ mol}$

Standard temperature<sup>29</sup> =  $0.02312054 \cdot 10^{-100}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 22.10404 T_0$

Room - standard temperature<sup>30</sup> =  $0.001040452 \cdot 10^{-100}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 521.4242 \Theta_R$

atm =  $12.21341 \cdot 10^{-350}$

$1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 0.04144042 \text{ atm}$

$c_s = 0.01531030 \cdot 10^{-10}$

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$

$\mu_0 = 1.000000 \quad (***)$

$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0 \quad (***)$

$G = 0.02510444 \cdot 10^0$

$1 \frac{L^3}{MT^2} = 1 = 20.32220 \cdot G$

### Extensive list of SI units

$1 \text{ m} = 114.3534 \cdot 10^{-10}$

$1 = 1 = 4344.000 \text{ m} \quad (**)$

$1 = 1 = 1.000000 \quad (***)$

$1 = 1 = 1.000000 \quad (***)$

$1 \text{ k} = 4344.000 \cdot 10^0 \quad (**)$

$1 \text{ pa-} = 10^{10} = 114.3534 \text{ k}$

$1 \text{ m s}^{\frac{1}{s}} = 13.20132 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.03504301 \text{ m}^{\frac{1}{s}}$

$1 \text{ s}^{\frac{1}{s}} = 0.1111243 \cdot 10^{-130}$

$1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 4.554532 \frac{1}{s} \quad (*)$

$1 \text{ k s}^{\frac{1}{s}} = 532.1110 \cdot 10^{-130}$

$1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 1025.014 \text{ k}^{\frac{1}{s}}$

$1 \text{ m s}^{\frac{1}{s^2}} = 1.511525 \cdot 10^{-310}$

$1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 0.3113022 \text{ m}^{\frac{1}{s^2}}$

$1 \text{ s}^{\frac{1}{s^2}} = 0.01235354 \cdot 10^{-300}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 40.54114 \frac{1}{s^2}$

$1 \text{ k s}^{\frac{1}{s^2}} = 104.0251 \cdot 10^{-300}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.005220030 \text{ k}^{\frac{1}{s^2}} \quad (*)$

$1 \text{ m s} = 1025.014 \cdot 10^{120}$

$1 \text{ paci-}T = 10^{130} = 532.1110 \text{ m s}$

$1 \text{ s} = 4.554532 \cdot 10^{130} \quad (*)$

$1 \text{ paci-}T = 10^{130} = 0.1111243 \text{ s}$

$1 \text{ k s} = 0.03504301 \cdot 10^{140}$

$1 \text{ pavo-}T = 10^{140} = 13.20132 \text{ k s}$

$1 \text{ m m} = 0.01150010 \cdot 10^{110} \quad (*)$

$1 \text{ papa-}L = 10^{110} = 43.32331 \text{ m m}$

$1 \text{ m} = 100.1340 \cdot 10^{110} \quad (*)$

$1 \text{ pare-}L = 10^{120} = 5542.222 \text{ m} \quad (*)$

$1 \text{ k m} = 0.4355245 \cdot 10^{120} \quad (*)$

$1 \text{ pare-}L = 10^{120} = 1.141510 \text{ k m}$

$1 \text{ m s}^{\frac{m}{s}} = 0.001322434 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.4201 \text{ m}^{\frac{m}{s}}$

$1 \text{ s}^{\frac{m}{s}} = 11.13221 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.04542533 \frac{\text{m}}{\text{s}}$

$1 \text{ k m}^{\frac{1}{s}} = 0.05334055 \cdot 10^{-10} \quad (*)$

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.23153 \text{ k}^{\frac{m}{s}}$

$1 \text{ m s}^{\frac{m}{s^2}} = 151.4532 \cdot 10^{-200}$

$1 \text{ ni'uren-} \frac{L}{T^2} = 10^{-200} = 0.003103533 \text{ m}^{\frac{m}{s^2}}$

$1 \text{ m}^{\frac{m}{s^2}} = 1.241553 \cdot 10^{-150} \quad (*)$

$1 \text{ ni'upamu-} \frac{L}{T^2} = 10^{-150} = 0.4043320 \frac{\text{m}}{\text{s}^2}$

$1 \text{ k m}^{\frac{m}{s^2}} = 0.01042135 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{L}{T^2} = 10^{-140} = 52.03243 \text{ k}^{\frac{m}{s^2}}$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>32 °C

$1 \text{m m s} = 0.1030442 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 5.304143 \text{ m m s}$
$1 \text{m s} = 501.0552 \cdot 10^{240} \quad (*)$	$1 \text{revo-}LT = 10^{240} = 0.001105312 \text{ m s}$
$1 \text{k m s} = 3.514420 \cdot 10^{250}$	$1 \text{remu-}LT = 10^{250} = 0.1313433 \text{ k m s}$
$1 \text{m m}^2 = 1.152044 \cdot 10^{220}$	$1 \text{rere-}L^2 = 10^{220} = 0.4321123 \text{ m m}^2$
$1 \text{m}^2 = 0.01003123 \cdot 10^{230} \quad (*)$	$1 \text{reci-}L^2 = 10^{230} = 55.24511 \text{ m}^2 \quad (*)$
$1 \text{k m}^2 = 44.10553 \cdot 10^{230} \quad (*)$	$1 \text{reci-}L^2 = 10^{230} = 0.01135445 \text{ k m}^2$
$1 \text{m}^{\frac{m^2}{s}} = 0.1325144 \cdot 10^{50}$	$1 \text{mu-}\frac{L^2}{T} = 10^{50} = 3.444114 \text{ m}^{\frac{m^2}{s}}$
$1 \text{m}^{\frac{2}{s}} = 0.001115203 \cdot 10^{100}$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 453.0555 \text{ m}^{\frac{2}{s}} \quad (**)$
$1 \text{k}^{\frac{m^2}{s}} = 5.351110 \cdot 10^{100}$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 0.1021335 \text{ k}^{\frac{m^2}{s}}$
$1 \text{m}^{\frac{m^2}{s^2}} = 0.01521544 \cdot 10^{-40}$	$1 \text{ni'uvo-}\frac{L^2}{T^2} = 10^{-40} = 30.54500 \text{ m}^{\frac{m^2}{s^2}} \quad (*)$
$1 \text{m}^{\frac{2}{s^2}} = 124.4155 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvo-}\frac{L^2}{T^2} = 10^{-40} = 0.004032541 \text{ m}^{\frac{2}{s^2}}$
$1 \text{k}^{\frac{m^2}{s^2}} = 1.044030 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{L^2}{T^2} = 10^{-30} = 0.5150521 \text{ k}^{\frac{m^2}{s^2}}$
$1 \text{m m}^2 \text{s} = 10.32313 \cdot 10^{350}$	$1 \text{cimu-}L^2T = 10^{350} = 0.05251243 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.05023033 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 11.03343 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 352.4552 \cdot 10^{400} \quad (*)$	$1 \text{vono-}L^2T = 10^{400} = 0.001311143 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 1.141510 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L} = 10^{-120} = 0.4355245 \text{ m}^{\frac{1}{m}} \quad (*)$
$1 \text{m}^{\frac{1}{m}} = 5542.222 \cdot 10^{-120} \quad (*)$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 100.1340 \text{ m}^{\frac{1}{m}} \quad (*)$
$1 \text{k}^{\frac{1}{m}} = 43.32331 \cdot 10^{-110}$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 0.01150010 \text{ k}^{\frac{1}{m}} \quad (*)$
$1 \text{m}^{\frac{1}{m s}} = 0.1313433 \cdot 10^{-250}$	$1 \text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 3.514420 \text{ m}^{\frac{1}{m s}}$
$1 \text{m}^{\frac{1}{ms}} = 0.001105312 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 501.0552 \text{ m}^{\frac{1}{s}} \quad (*)$
$1 \text{k}^{\frac{1}{m s}} = 5.304143 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 0.1030442 \text{ k}^{\frac{1}{m s}}$
$1 \text{m}^{\frac{1}{m s^2}} = 0.01504530 \cdot 10^{-420}$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 31.22124 \text{ m}^{\frac{1}{m s^2}}$
$1 \text{m}^{\frac{1}{m s^2}} = 123.3203 \cdot 10^{-420}$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 0.004104530 \text{ m}^{\frac{1}{s^2}}$
$1 \text{k}^{\frac{1}{m s^2}} = 1.034410 \cdot 10^{-410}$	$1 \text{ni'uvopa-}\frac{1}{LT^2} = 10^{-410} = 0.5232435 \text{ k}^{\frac{1}{m s^2}}$
$1 \text{m}^{\frac{s}{m}} = 10.23153 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 0.05334055 \text{ m}^{\frac{s}{m}} \quad (*)$
$1 \text{s}^{\frac{1}{m}} = 0.04542533 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 11.13221 \text{ m}^{\frac{s}{m}}$
$1 \text{k}^{\frac{s}{m}} = 345.4201 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 0.001322434 \text{ k}^{\frac{s}{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 0.01135445 \cdot 10^{-230}$	$1 \text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 44.10553 \text{ m}^{\frac{1}{m^2}} \quad (*)$
$1 \text{m}^{\frac{1}{m^2}} = 55.24511 \cdot 10^{-230} \quad (*)$	$1 \text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 0.01003123 \text{ m}^{\frac{1}{m^2}} \quad (*)$
$1 \text{k}^{\frac{1}{m^2}} = 0.4321123 \cdot 10^{-220}$	$1 \text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 1.152044 \text{ k}^{\frac{1}{m^2}}$
$1 \text{m}^{\frac{1}{m^2 s}} = 0.001311143 \cdot 10^{-400}$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 352.4552 \text{ m}^{\frac{1}{m^2 s}} \quad (*)$
$1 \text{m}^{\frac{1}{m^2 s}} = 11.03343 \cdot 10^{-400}$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 0.05023033 \text{ m}^{\frac{1}{m^2 s}}$
$1 \text{k}^{\frac{1}{m^2 s}} = 0.05251243 \cdot 10^{-350}$	$1 \text{ni'ucimu-}\frac{1}{L^2 T} = 10^{-350} = 10.32313 \text{ k}^{\frac{1}{m^2 s}}$
$1 \text{m}^{\frac{1}{m^2 s^2}} = 150.1540 \cdot 10^{-540}$	$1 \text{ni'umuovo-}\frac{1}{L^2 T^2} = 10^{-540} = 0.003131242 \text{ m}^{\frac{1}{m^2 s^2}}$
$1 \text{m}^{\frac{1}{m^2 s^2}} = 1.231020 \cdot 10^{-530}$	$1 \text{ni'umuci-}\frac{1}{L^2 T^2} = 10^{-530} = 0.4115402 \text{ m}^{\frac{1}{m^2 s^2}}$
$1 \text{k}^{\frac{1}{m^2 s^2}} = 0.01032532 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^2 T^2} = 10^{-520} = 52.45310 \text{ k}^{\frac{1}{m^2 s^2}}$
$1 \text{m}^{\frac{s}{m^2}} = 0.1021335 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{T}{L^2} = 10^{-100} = 5.351110 \text{ m}^{\frac{s}{m^2}}$
$1 \text{s}^{\frac{1}{m^2}} = 453.0555 \cdot 10^{-100} \quad (**)$	$1 \text{ni'upano-}\frac{T}{L^2} = 10^{-100} = 0.001115203 \text{ m}^{\frac{s}{m^2}}$
$1 \text{k}^{\frac{s}{m^2}} = 3.444114 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 0.1325144 \text{ k}^{\frac{s}{m^2}}$
$1 \text{m}^{\frac{1}{m^3}} = 113.3432 \cdot 10^{-350}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 4422.322 \text{ m}^{\frac{1}{m^3}}$
$1 \text{m}^{\frac{1}{m^3}} = 0.5511223 \cdot 10^{-340} \quad (*)$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 1.004513 \text{ m}^{\frac{1}{m^3}} \quad (*)$
$1 \text{k}^{\frac{1}{m^3}} = 4305.534 \cdot 10^{-340}$	$1 \text{ni'ucici-}\frac{1}{L^3} = 10^{-330} = 115.4131 \text{ k}^{\frac{1}{m^3}}$
$1 \text{m}^{\frac{1}{m^3 s}} = 13.04501 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^3 T} = 10^{-520} = 0.03535143 \text{ m}^{\frac{1}{m^3 s}}$
$1 \text{m}^{\frac{1}{m^3 s}} = 0.1101422 \cdot 10^{-510}$	$1 \text{ni'umupa-}\frac{1}{L^3 T} = 10^{-510} = 5.035135 \text{ m}^{\frac{1}{m^3 s}}$
$1 \text{k}^{\frac{1}{m^3 s}} = 523.4405 \cdot 10^{-510}$	$1 \text{ni'umuno-}\frac{1}{L^3 T} = 10^{-500} = 1034.150 \text{ k}^{\frac{1}{m^3 s}}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 1.454555 \cdot 10^{-1050} \quad (**)$	$1 \text{ni'upanomu-}\frac{1}{L^3 T^2} = 10^{-1050} = 0.3140412 \text{ m}^{\frac{1}{m^3 s^2}}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 0.01224441 \cdot 10^{-1040}$	$1 \text{ni'upanovo-}\frac{1}{L^3 T^2} = 10^{-1040} = 41.30252 \text{ m}^{\frac{1}{m^3 s^2}}$
$1 \text{k}^{\frac{1}{m^3 s^2}} = 103.1101 \cdot 10^{-1040}$	$1 \text{ni'upanovo-}\frac{1}{L^3 T^2} = 10^{-1040} = 0.005302204 \text{ k}^{\frac{1}{m^3 s^2}}$
$1 \text{m}^{\frac{s}{m^3}} = 1015.524 \cdot 10^{-220}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 540.4144 \text{ m}^{\frac{s}{m^3}}$
$1 \text{s}^{\frac{1}{m^3}} = 4.515042 \cdot 10^{-210}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 0.1121151 \text{ m}^{\frac{s}{m^3}}$

$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.03434045 \cdot 10^{-200}$	$1\text{ni}'\text{ureno-}\frac{T}{L^3} = 10^{-200} = 13.31502\text{k}\frac{\text{s}}{\text{m}^3}$
$1\text{m kg} = 3.254021 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 0.1415124\text{ m kg}$
$1\text{kg} = 0.02405501 \cdot 10^{20} \quad (*)$	$1\text{re-}M = 10^{20} = 21.21043\text{ kg}$
$1\text{k kg} = 202.4541 \cdot 10^{20}$	$1\text{re-}M = 10^{20} = 0.002515312\text{ k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 0.4105435 \cdot 10^{-120}$	$1\text{ni}'\text{upare-}\frac{M}{T} = 10^{-120} = 1.233021\text{ m}\frac{\text{kg}}{\text{s}}$
$1\frac{\text{kg}}{\text{s}} = 3122.522 \cdot 10^{-120}$	$1\text{ni}'\text{upapa-}\frac{M}{T} = 10^{-110} = 150.4313\frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 22.55135 \cdot 10^{-110} \quad (*)$	$1\text{ni}'\text{upapa-}\frac{M}{T} = 10^{-110} = 0.02223033\text{k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 0.05012001 \cdot 10^{-250} \quad (*)$	$1\text{ni}'\text{uremu-}\frac{M}{T^2} = 10^{-250} = 11.05143\text{ m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 351.5302 \cdot 10^{-250}$	$1\text{ni}'\text{urevo-}\frac{M}{T^2} = 10^{-240} = 1313.241\frac{\text{kg}}{\text{s}^2}$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 2.555434 \cdot 10^{-240} \quad (**)$	$1\text{ni}'\text{urevo-}\frac{M}{T^2} = 10^{-240} = 0.2000053\text{ k}\frac{\text{kg}}{\text{s}^2} \quad (**)$
$1\text{m kg s} = 25.23432 \cdot 10^{140}$	$1\text{pavo-}MT = 10^{140} = 0.02021533\text{ m kg s}$
$1\text{kg s} = 0.2124214 \cdot 10^{150}$	$1\text{pamu-}MT = 10^{150} = 2.401532\text{ kg s}$
$1\text{k kg s} = 0.001421430 \cdot 10^{200}$	$1\text{reno-}MT = 10^{200} = 324.4554\text{ k kg s} \quad (*)$
$1\text{m kg m} = 330.3405 \cdot 10^{120}$	$1\text{pare-}ML = 10^{120} = 0.001412253\text{ m kg m}$
$1\text{kg m} = 2.414103 \cdot 10^{130}$	$1\text{paci-}ML = 10^{130} = 0.2113321\text{ kg m}$
$1\text{k kg m} = 0.02032145 \cdot 10^{140}$	$1\text{pavo-}ML = 10^{140} = 25.10530\text{ k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 41.20311 \cdot 10^{-10}$	$1\text{ni}'\text{upa-}\frac{ML}{T} = 10^{-10} = 0.01230434\text{ m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.3132041 \cdot 10^0$	$1\frac{ML}{T} = 1 = 1.501323\frac{\text{kg m}}{\text{s}}$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 2303.145 \cdot 10^0$	$1\text{pa-}\frac{ML}{T} = 10^{10} = 221.5131\text{k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 5.024044 \cdot 10^{-140}$	$1\text{ni}'\text{upavo-}\frac{ML}{T^2} = 10^{-140} = 0.1103215\text{ m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 0.03525440 \cdot 10^{-130}$	$1\text{ni}'\text{upaci-}\frac{ML}{T^2} = 10^{-130} = 13.10552\frac{\text{kg m}}{\text{s}^2} \quad (*)$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 300.4335 \cdot 10^{-130} \quad (*)$	$1\text{ni}'\text{upare-}\frac{ML}{T^2} = 10^{-120} = 1552.541\text{k}\frac{\text{kg m}}{\text{s}^2} \quad (*)$
$1\text{m kg m s} = 0.002532240 \cdot 10^{300}$	$1\text{cino-}MLT = 10^{300} = 201.4343\text{ m kg m s}$
$1\text{kg m s} = 21.32000 \cdot 10^{300} \quad (**)$	$1\text{cino-}MLT = 10^{300} = 0.02353351\text{ kg m s}$
$1\text{k kg m s} = 0.1424313 \cdot 10^{310}$	$1\text{cipa-}MLT = 10^{310} = 3.235235\text{ k kg m s}$
$1\text{m kg m}^2 = 0.03313210 \cdot 10^{240}$	$1\text{revo-}ML^2 = 10^{240} = 14.05432\text{ m kg m}^2$
$1\text{kg m}^2 = 242.2320 \cdot 10^{240}$	$1\text{revo-}ML^2 = 10^{240} = 0.002110005\text{ kg m}^2 \quad (**)$
$1\text{k kg m}^2 = 2.035402 \cdot 10^{250}$	$1\text{remu-}ML^2 = 10^{250} = 0.2502200\text{ k kg m}^2 \quad (*)$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 4131.203 \cdot 10^{100}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 122.4255\text{ m}\frac{\text{kg m}^2}{\text{s}} \quad (*)$
$1\frac{\text{kg m}^2}{\text{s}} = 31.41212 \cdot 10^{110}$	$1\text{papa-}\frac{ML^2}{T} = 10^{110} = 0.01454343\frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.2311205 \cdot 10^{120}$	$1\text{pare-}\frac{ML^2}{T} = 10^{120} = 2.211234\text{k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 504.0151 \cdot 10^{-30}$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 1101.255\text{ m}\frac{\text{kg m}^2}{\text{s}^2} \quad (*)$
$1\frac{\text{kg m}^2}{\text{s}^2} = 3.540032 \cdot 10^{-20} \quad (*)$	$1\text{ni}'\text{ure-}\frac{ML^2}{T^2} = 10^{-20} = 0.1304310\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 0.03013251 \cdot 10^{-10}$	$1\text{ni}'\text{upa-}\frac{ML^2}{T^2} = 10^{-10} = 15.45435\text{k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2\text{s} = 0.2541100 \cdot 10^{410} \quad (*)$	$1\text{vopa-}ML^2T = 10^{410} = 2.011203\text{ m kg m}^2\text{s}$
$1\text{kg m}^2\text{s} = 0.002135350 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 234.5220\text{ kg m}^2\text{s}$
$1\text{k kg m}^2\text{s} = 14.31204 \cdot 10^{420}$	$1\text{vore-}ML^2T = 10^{420} = 0.03225533\text{ k kg m}^2\text{s} \quad (*)$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.03244250 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 14.22002\text{ m}\frac{\text{kg}}{\text{m}} \quad (*)$
$1\frac{\text{kg}}{\text{m}} = 240.1305 \cdot 10^{-100}$	$1\text{ni}'\text{upano-}\frac{M}{L} = 10^{-100} = 0.002124415\frac{\text{kg}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = 2.021342 \cdot 10^{-50}$	$1\text{ni}'\text{umu-}\frac{M}{L} = 10^{-50} = 0.2524110\text{k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = 4055.021 \cdot 10^{-240} \quad (*)$	$1\text{ni}'\text{ureci-}\frac{M}{LT} = 10^{-230} = 123.5211\text{ m}\frac{\text{kg}}{\text{m s}}$
$1\frac{\text{kg}}{\text{m s}} = 31.13415 \cdot 10^{-230}$	$1\text{ni}'\text{ureci-}\frac{M}{LT} = 10^{-230} = 0.01511310\frac{\text{kg}}{\text{m s}}$
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.2251140 \cdot 10^{-220}$	$1\text{ni}'\text{urere-}\frac{M}{LT} = 10^{-220} = 2.230550\text{k}\frac{\text{kg}}{\text{m s}} \quad (*)$
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 455.5540 \cdot 10^{-410} \quad (*)$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 1111.114\text{ m}\frac{\text{kg}}{\text{m s}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 3.505143 \cdot 10^{-400}$	$1\text{ni}'\text{uvono-}\frac{M}{LT^2} = 10^{-400} = 0.1315535\frac{\text{kg}}{\text{m s}^2} \quad (*)$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 0.02550550 \cdot 10^{-350} \quad (*)$	$1\text{ni}'\text{ucimu-}\frac{M}{LT^2} = 10^{-350} = 20.03214\text{k}\frac{\text{kg}}{\text{m s}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 0.2515035 \cdot 10^{30}$	$1\text{ci-}\frac{MT}{L} = 10^{30} = 2.025132\text{ m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 0.002120443 \cdot 10^{40}$	$1\text{vo-}\frac{MT}{L} = 10^{40} = 241.0124\frac{\text{kg s}}{\text{m}}$
$1\text{k}\frac{\text{kg s}}{\text{m}} = 14.14552 \cdot 10^{40} \quad (*)$	$1\text{vo-}\frac{MT}{L} = 10^{40} = 0.03254330\text{k}\frac{\text{kg s}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m}^2} = 323.4532 \cdot 10^{-220}$	$1\text{ni}'\text{urere-}\frac{M}{L^2} = 10^{-220} = 0.001424445\text{ m}\frac{\text{kg}}{\text{m}^2}$

$1 \frac{\text{kg}}{\text{m}^2} = 2.353125 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{M}{L^2} = 10^{-210} = 0.2132201 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 0.02014153 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{M}{L^2} = 10^{-200} = 25.32515 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 40.44222 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{M}{L^2 T} = 10^{-350} = 0.01241405 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.3104325 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 1.514313 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 2243.151 \cdot 10^{-340}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^2 T} = 10^{-330} = 223.4514 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 4.543535 \cdot 10^{-520}$	$1 \text{ni}'\text{umure}-\frac{M}{L^2 T^2} = 10^{-520} = 0.1113052 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.03455041 \cdot 10^{-510}$ (*)	$1 \text{ni}'\text{umupa}-\frac{M}{L^2 T^2} = 10^{-510} = 13.22241 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 254.2113 \cdot 10^{-510}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^2 T^2} = 10^{-500} = 2010.344 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 0.002510254 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 203.2340 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 21.13122 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 0.02414330 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.1412122 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{MT}{L^2} = 10^{-30} = 3.304114 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 3.225231 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^3} = 10^{-330} = 0.1431341 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.02344555 \cdot 10^{-320}$ (**)	$1 \text{ni}'\text{ucire}-\frac{M}{L^3} = 10^{-320} = 21.35552 \frac{\text{kg}}{\text{m}^3}$ (**)
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 201.1013 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire}-\frac{M}{L^3} = 10^{-320} = 0.002541335 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.4033441 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^3 T} = 10^{-500} = 1.244011 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 3055.251 \cdot 10^{-500}$ (*)	$1 \text{ni}'\text{uvomu}-\frac{M}{L^3 T} = 10^{-450} = 152.1325 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 22.35213 \cdot 10^{-450}$	$1 \text{ni}'\text{uvomu}-\frac{M}{L^3 T} = 10^{-450} = 0.02242451 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.04532000 \cdot 10^{-1030}$ (**)	$1 \text{ni}'\text{upanoci}-\frac{M}{L^3 T^2} = 10^{-1030} = 11.15033 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 344.4553 \cdot 10^{-1030}$ (*)	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 1324.551 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$ (*)
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 2.533251 \cdot 10^{-1020}$	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 0.2013523 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 25.01524 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{MT}{L^3} = 10^{-200} = 0.02035554 \text{m} \frac{\text{kg s}}{\text{m}^3}$ (**)
$1 \frac{\text{kg s}}{\text{m}^3} = 0.2105410 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{MT}{L^3} = 10^{-150} = 2.422544 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 0.001405301 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{MT}{L^3} = 10^{-140} = 331.3520 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 312.5444 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 1502.515 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 2.301302 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 0.2220542 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.01533500 \cdot 10^{-30}$ (*)	$1 \text{ni}'\text{uci}-\frac{1}{Q} = 10^{-30} = 30.33550 \text{k} \frac{1}{\text{C}}$ (*)
$1 \text{m} \frac{1}{\text{s C}} = 35.22555 \cdot 10^{-220}$ (**)	$1 \text{ni}'\text{urere}-\frac{1}{TQ} = 10^{-220} = 0.01312024 \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 0.3002243 \cdot 10^{-210}$ (*)	$1 \text{ni}'\text{urepa}-\frac{1}{TQ} = 10^{-210} = 1.554211 \frac{1}{\text{s C}}$ (*)
$1 \text{k} \frac{1}{\text{s C}} = 0.002153522 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{1}{TQ} = 10^{-200} = 232.5431 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 4.404333 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{1}{T^2 Q} = 10^{-350} = 0.1140242 \text{m} \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.03341154 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 13.54141 \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 244.2513 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 0.002052200 \text{k} \frac{1}{\text{s}^2 \text{C}}$ (*)
$1 \text{m} \frac{s}{\text{C}} = 2412.130 \cdot 10^{40}$	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 211.5050 \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 20.30451 \cdot 10^{50}$	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 0.02512544 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 0.1335503 \cdot 10^{100}$ (*)	$1 \text{pano}-\frac{T}{Q} = 10^{100} = 3.420434 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 0.03135012 \cdot 10^{30}$	$1 \text{ci}-\frac{L}{Q} = 10^{30} = 14.55533 \text{m} \frac{m}{\text{C}}$ (**)
$1 \frac{m}{\text{C}} = 230.5315 \cdot 10^{30}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 2213.043 \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 1.540541 \cdot 10^{40}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 0.3025002 \text{k} \frac{m}{\text{C}}$ (*)
$1 \text{m} \frac{m}{\text{s C}} = 0.003533142 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{TQ} = 10^{-100} = 130.5340 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 30.11152 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{TQ} = 10^{-100} = 0.01551103 \frac{m}{\text{s C}}$ (*)
$1 \text{k} \frac{m}{\text{s C}} = 0.2201351 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{TQ} = 10^{-50} = 2.321343 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 442.0054 \cdot 10^{-240}$ (*)	$1 \text{ni}'\text{urevo}-\frac{L}{T^2 Q} = 10^{-240} = 0.001134223 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 3.351054 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci}-\frac{L}{T^2 Q} = 10^{-230} = 0.1351344 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.02451213 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{L}{T^2 Q} = 10^{-220} = 20.44521 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 0.2420340 \cdot 10^{200}$	$1 \text{reno}-\frac{LT}{Q} = 10^{200} = 2.111331 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 2034.102 \cdot 10^{200}$	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 250.4210 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 13.42240 \cdot 10^{210}$	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 0.03410450 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 3.144152 \cdot 10^{140}$	$1 \text{pavo}-\frac{L^2}{Q} = 10^{140} = 0.1452555 \text{m} \frac{m^2}{\text{C}}$ (**)
$1 \frac{m^2}{\text{C}} = 0.02313343 \cdot 10^{150}$	$1 \text{pamu}-\frac{L^2}{Q} = 10^{150} = 22.05153 \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 154.4032 \cdot 10^{150} \\
1m \frac{m^2}{sC} &= 0.3543344 \cdot 10^{10} \\
1 \frac{m^2}{sC} &= 0.003020113 \cdot 10^{20} \\
1k \frac{m^2}{sC} &= 22.05230 \cdot 10^{20} \\
1m \frac{m^2}{s^2C} &= 0.04431435 \cdot 10^{-120} \\
1 \frac{m^2}{s^2C} &= 340.1012 \cdot 10^{-120} \\
1k \frac{m^2}{s^2C} &= 2.455525 \cdot 10^{-110} \quad (*) \\
1m \frac{m^2s}{C} &= 24.25001 \cdot 10^{310} \quad (*) \\
1 \frac{m^2s}{C} &= 0.2041322 \cdot 10^{320} \\
1k \frac{m^2s}{C} &= 1345.021 \cdot 10^{320} \\
1m \frac{1}{mC} &= 3.120333 \cdot 10^{-200} \\
1 \frac{1}{mC} &= 0.02253255 \cdot 10^{-150} \quad (*) \\
1k \frac{1}{mC} &= 153.0423 \cdot 10^{-150} \\
1m \frac{1}{msC} &= 0.3512425 \cdot 10^{-330} \\
1 \frac{1}{msC} &= 0.002553350 \cdot 10^{-320} \quad (*) \\
1k \frac{1}{msC} &= 21.50102 \cdot 10^{-320} \\
1m \frac{1}{ms^2C} &= 0.04353033 \cdot 10^{-500} \\
1 \frac{1}{ms^2C} &= 333.1312 \cdot 10^{-500} \\
1k \frac{1}{ms^2C} &= 2.434224 \cdot 10^{-450} \\
1m \frac{s}{mC} &= 24.03531 \cdot 10^{-30} \\
1 \frac{s}{mC} &= 0.2023245 \cdot 10^{-20} \\
1k \frac{s}{mC} &= 1333.134 \cdot 10^{-20} \\
1m \frac{1}{m^2C} &= 0.03111234 \cdot 10^{-310} \\
1 \frac{1}{m^2C} &= 224.5303 \cdot 10^{-310} \\
1k \frac{1}{m^2C} &= 1.523355 \cdot 10^{-300} \quad (*) \\
1m \frac{1}{m^2sC} &= 0.003502314 \cdot 10^{-440} \\
1 \frac{1}{m^2sC} &= 25.44504 \cdot 10^{-440} \\
1k \frac{1}{m^2sC} &= 0.2142253 \cdot 10^{-430} \\
1m \frac{1}{m^2s^2C} &= 434.1352 \cdot 10^{-1020} \\
1 \frac{1}{m^2s^2C} &= 3.321443 \cdot 10^{-1010} \\
1k \frac{1}{m^2s^2C} &= 0.02425550 \cdot 10^{-1000} \quad (***) \\
1m \frac{s}{m^2C} &= 0.2355343 \cdot 10^{-140} \quad (*) \\
1 \frac{s}{m^2C} &= 2020.053 \cdot 10^{-140} \\
1k \frac{s}{m^2C} &= 13.30414 \cdot 10^{-130} \\
1m \frac{1}{m^3C} &= 310.2151 \cdot 10^{-430} \\
1 \frac{1}{m^3C} &= 2.241321 \cdot 10^{-420} \\
1k \frac{1}{m^3C} &= 0.01520340 \cdot 10^{-410} \\
1m \frac{1}{m^3sC} &= 34.52221 \cdot 10^{-1000} \\
1 \frac{1}{m^3sC} &= 0.2540035 \cdot 10^{-550} \quad (*) \\
1k \frac{1}{m^3sC} &= 0.002134454 \cdot 10^{-540} \\
1m \frac{1}{m^3s^2C} &= 4.330131 \cdot 10^{-1130} \\
1 \frac{1}{m^3s^2C} &= 0.03312030 \cdot 10^{-1120} \\
1k \frac{1}{m^3s^2C} &= 242.1324 \cdot 10^{-1120} \\
1m \frac{s}{m^3C} &= 2351.205 \cdot 10^{-300} \\
1 \frac{s}{m^3C} &= 20.12510 \cdot 10^{-250} \\
1k \frac{s}{m^3C} &= 0.1324101 \cdot 10^{-240} \\
1m \frac{kg}{C} &= 12.43023 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 3020.025 \frac{k \cdot m^2}{C} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 1.303101 \frac{m \cdot m^2}{s \cdot C} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 154.4003 \frac{m^2}{s \cdot C} \quad (*) \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.02313304 \frac{k \cdot m^2}{s \cdot C} \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 11.32212 \frac{m \cdot m^2}{s^2 \cdot C} \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 0.001344554 \frac{m^2}{s^2 \cdot C} \quad (*) \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.2041251 \frac{k \cdot m^2}{s^2 \cdot C} \\
1 \text{cipa-} \frac{L^2T}{Q} &= 10^{310} = 0.02104022 \frac{m \cdot m^2 \cdot s}{C} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 2.455443 \frac{m^2 \cdot s}{C} \quad (*) \\
1 \text{cici-} \frac{L^2T}{Q} &= 10^{330} = 340.0515 \frac{k \cdot m^2 \cdot s}{C} \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.1505510 \frac{m \cdot \frac{1}{mC}}{C} \quad (*) \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 22.24452 \frac{1}{m \cdot C} \\
1 \text{ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 3042.550 \frac{k \cdot \frac{1}{mC}}{C} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 1.314315 \frac{m \cdot \frac{1}{msC}}{C} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 200.1325 \frac{\frac{1}{msC}}{C} \quad (*) \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.02333531 \frac{k \cdot \frac{1}{msC}}{C} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 11.42304 \frac{m \cdot \frac{1}{ms^2C}}{C} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.001400543 \frac{\frac{1}{ms^2C}}{C} \quad (*) \\
1 \text{ni'uvomo-} \frac{1}{LT^2Q} &= 10^{-450} = 0.2055445 \frac{k \cdot \frac{1}{ms^2C}}{C} \quad (*) \\
1 \text{ni'uci-} \frac{T}{LQ} &= 10^{-30} = 0.02122414 \frac{m \cdot \frac{s}{mC}}{C} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 2.521333 \frac{\frac{s}{mC}}{C} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 343.0435 \frac{k \cdot \frac{s}{mC}}{C} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 15.12510 \frac{m \cdot \frac{1}{m^2C}}{C} \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 2232.412 \frac{\frac{1}{m^2C}}{C} \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 0.3052003 \frac{k \cdot \frac{1}{m^2C}}{C} \quad (*) \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 132.1015 \frac{m \cdot \frac{1}{m^2sC}}{C} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 0.02004452 \frac{\frac{1}{m^2sC}}{C} \quad (*) \\
1 \text{ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 2.342041 \frac{k \cdot \frac{1}{m^2sC}}{C} \\
1 \text{ni'upanore-} \frac{1}{L^2T^2Q} &= 10^{-1020} = 0.001144333 \frac{m \cdot \frac{1}{m^2s^2C}}{C} \\
1 \text{ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 0.1403353 \frac{\frac{1}{m^2s^2C}}{C} \\
1 \text{ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 21.03143 \frac{k \cdot \frac{1}{m^2s^2C}}{C} \\
1 \text{ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 2.130153 \frac{m \cdot \frac{s}{m^2C}}{C} \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 253.0134 \frac{\frac{s}{m^2C}}{C} \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 0.03440455 \frac{k \cdot \frac{s}{m^2C}}{C} \quad (*) \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 1515.515 \frac{m \cdot \frac{1}{m^3C}}{C} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.2240342 \frac{\frac{1}{m^3C}}{C} \\
1 \text{ni'uvopa-} \frac{1}{L^3Q} &= 10^{-410} = 31.01031 \frac{k \cdot \frac{1}{m^3C}}{C} \\
1 \text{ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 0.01323322 \frac{m \cdot \frac{1}{m^3sC}}{C} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 2.012025 \frac{\frac{1}{m^3sC}}{C} \\
1 \text{ni'umuovo-} \frac{1}{L^3TQ} &= 10^{-540} = 235.0202 \frac{k \cdot \frac{1}{m^3sC}}{C} \\
1 \text{ni'upapaci-} \frac{1}{L^3TQ} &= 10^{-1130} = 0.1150405 \frac{m \cdot \frac{1}{m^3s^2C}}{C} \\
1 \text{ni'upapare-} \frac{1}{L^3TQ} &= 10^{-1120} = 14.10211 \frac{\frac{1}{m^3s^2C}}{C} \\
1 \text{ni'upapare-} \frac{1}{L^3TQ} &= 10^{-1120} = 0.002110451 \frac{k \cdot \frac{1}{m^3s^2C}}{C} \\
1 \text{ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 213.3541 \frac{m \cdot \frac{s}{m^3C}}{C} \\
1 \text{ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 0.02534550 \frac{\frac{s}{m^3C}}{C} \quad (*) \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 3.450532 \frac{k \cdot \frac{s}{m^3C}}{C} \\
1 \text{ni'uci-} \frac{M}{Q} &= 10^{-30} = 0.04040253 \frac{m \cdot \frac{kg}{C}}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.1043040 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 511.3302 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 1.430243 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.01204005 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 101.3154 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.2034334 \cdot 10^{-330} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.001342435 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 11.30354 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 111.4144 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 0.5342202 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.004200554 \cdot 10^{120} \quad (**) \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 1245.231 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 10.44532 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.05125525 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 143.3142 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s C}} &= 1.210112 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.01015002 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 20.41555 \cdot 10^{-220} \quad (**) \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.1345221 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.001132403 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.01120131 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 53.55224 \cdot 10^{220} \quad (*) \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 0.4211553 \cdot 10^{230} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.1251443 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 1050.431 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 5.142213 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.01440044 \cdot 10^{30} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 121.2222 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 1.020412 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.002045230 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 13.52011 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.1134415 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 1.122121 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.005412313 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 42.23011 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 0.1240423 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m C}} &= 1041.151 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 5.101100 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.01423354 \cdot 10^{-310} \\
1 \frac{\text{kg}}{\text{m s C}} &= 120.1505 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 1.011354 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.002031123 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 13.40102 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.1124353 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 1.112204 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.005325202 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 41.50014 \cdot 10^0 \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 5.155252 \frac{\text{kg}}{\text{C}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 0.001052415 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 0.3231401 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 42.34341 \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'upavo-} \frac{M}{TQ} &= 10^{-140} = 5430.211 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 2.503441 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 341.0015 \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 0.04442135 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.004535125 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 1.022305 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 121.4432 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 402.5523 \text{m} \frac{\text{kg m}}{\text{C}} \quad (*) \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.05142541 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 10.50513 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 3222.105 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 0.4223302 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 54.13054 \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.02455115 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 3.400050 \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (**) \\
1 \text{ni'ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 443.0340 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 45.23201 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.01020452 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 1.212314 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 4.015212 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 513.0251 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.1045014 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{TQ} &= 10^{30} = 32.12430 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 4212.243 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.5400004 \text{k} \frac{\text{kg m}^2}{\text{s C}} \quad (**) \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 245.0405 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.03350134 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 4.415001 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{cici-} \frac{ML^2 T}{Q} &= 10^{330} = 0.4511253 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 101.5042 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.01210203 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 4.051042 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 521.2025 \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 0.1054325 \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 32.41110 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 4245.434 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 0.5443350 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 251.2214 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 0.03420002 \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (**) \\
1 \text{ni'uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 4.453555 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (**) \\
1 \text{ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 0.4551114 \text{m} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 102.4125 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.01220554 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*)
\end{aligned}$$

$1m \frac{kg}{m^2 C} = 1234.230 \cdot 10^{-300}$	$1 ni'uremu - \frac{M}{L^2 Q} = 10^{-250} = 410.1450 m \frac{kg}{m^2 C}$
$1 \frac{kg}{m^2 C} = 10.35304 \cdot 10^{-250}$	$1 ni'uremu - \frac{M}{L^2 Q} = 10^{-250} = 0.05224423 \frac{kg}{m^2 C}$
$1k \frac{kg}{m^2 C} = 0.05044520 \cdot 10^{-240}$	$1 ni'urevo - \frac{M}{L^2 Q} = 10^{-240} = 11.00241 k \frac{kg}{m^2 C} (*)$
$1m \frac{kg}{m^2 s C} = 142.0512 \cdot 10^{-430}$	$1 ni'uvore - \frac{M}{L^2 T Q} = 10^{-420} = 3250.431 m \frac{kg}{m^2 s C}$
$1 \frac{kg}{m^2 s C} = 1.155413 \cdot 10^{-420} (*)$	$1 ni'uvore - \frac{M}{L^2 T Q} = 10^{-420} = 0.4300552 \frac{kg}{m^2 s C} (**)$
$1k \frac{kg}{m^2 s C} = 0.01010000 \cdot 10^{-410} (**)$	$1 ni'uvopa - \frac{M}{L^2 T Q} = 10^{-410} = 55.00552 k \frac{kg}{m^2 s C} (**)$
$1m \frac{kg}{m^2 s^2 C} = 20.23521 \cdot 10^{-1000}$	$1 ni'upanono - \frac{M}{L^2 T^2 Q} = 10^{-1000} = 0.02521002 m \frac{kg}{m^2 s^2 C} (*)$
$1 \frac{kg}{m^2 s^2 C} = 0.1333333 \cdot 10^{-550}$	$1 ni'umumu - \frac{M}{L^2 T^2 Q} = 10^{-550} = 3.430002 \frac{kg}{m^2 s^2 C} (**)$
$1k \frac{kg}{m^2 s^2 C} = 0.001122355 \cdot 10^{-540} (*)$	$1 ni'umuovo - \frac{M}{L^2 T^2 Q} = 10^{-540} = 450.5435 k \frac{kg}{m^2 s^2 C}$
$1m \frac{kg s}{m^2 C} = 0.01110232 \cdot 10^{-120}$	$1 ni'upare - \frac{MT}{L^2 Q} = 10^{-120} = 50.03124 m \frac{kg s}{m^2 C}$
$1 \frac{kg s}{m^2 C} = 53.12225 \cdot 10^{-120}$	$1 ni'upare - \frac{MT}{L^2 Q} = 10^{-120} = 0.01025552 \frac{kg s}{m^2 C} (**)$
$1k \frac{kg s}{m^2 C} = 0.4135054 \cdot 10^{-110}$	$1 ni'upapa - \frac{MT}{L^2 Q} = 10^{-110} = 1.223123 k \frac{kg s}{m^2 C}$
$1m \frac{kg}{m^3 C} = 12.32041 \cdot 10^{-410}$	$1 ni'uvopa - \frac{M}{L^3 Q} = 10^{-410} = 0.04112312 m \frac{kg}{m^3 C}$
$1 \frac{kg}{m^3 C} = 0.1033425 \cdot 10^{-400}$	$1 ni'uvono - \frac{M}{L^3 Q} = 10^{-400} = 5.241244 \frac{kg}{m^3 C}$
$1k \frac{kg}{m^3 C} = 503.2401 \cdot 10^{-400}$	$1 ni'uvono - \frac{M}{L^3 Q} = 10^{-400} = 0.001102200 k \frac{kg}{m^3 C} (*)$
$1m \frac{kg}{m^3 s C} = 1.414040 \cdot 10^{-540}$	$1 ni'umuovo - \frac{M}{L^3 T Q} = 10^{-540} = 0.3300210 m \frac{kg}{m^3 s C} (*)$
$1 \frac{kg}{m^3 s C} = 0.01153325 \cdot 10^{-530}$	$1 ni'umuci - \frac{M}{L^3 T Q} = 10^{-530} = 43.12125 \frac{kg}{m^3 s C}$
$1k \frac{kg}{m^3 s C} = 100.4204 \cdot 10^{-530} (*)$	$1 ni'umure - \frac{M}{L^3 T Q} = 10^{-520} = 5514.222 k \frac{kg}{m^3 s C} (*)$
$1m \frac{kg}{m^3 s^2 C} = 0.2020324 \cdot 10^{-1110}$	$1 ni'upapapa - \frac{M}{L^3 T^2 Q} = 10^{-1110} = 2.525402 m \frac{kg}{m^3 s^2 C}$
$1 \frac{kg}{m^3 s^2 C} = 0.001331011 \cdot 10^{-1100}$	$1 ni'upapano - \frac{M}{L^3 T^2 Q} = 10^{-1100} = 344.0021 \frac{kg}{m^3 s^2 C} (*)$
$1k \frac{kg}{m^3 s^2 C} = 11.20404 \cdot 10^{-1100}$	$1 ni'upapano - \frac{M}{L^3 T^2 Q} = 10^{-1100} = 0.04521340 k \frac{kg}{m^3 s^2 C}$
$1m \frac{kg s}{m^3 C} = 110.4302 \cdot 10^{-240}$	$1 ni'urevo - \frac{MT}{L^3 Q} = 10^{-240} = 0.005015155 m \frac{kg s}{m^3 C} (*)$
$1 \frac{kg s}{m^3 C} = 0.5255314 \cdot 10^{-230} (*)$	$1 ni'ureci - \frac{MT}{L^3 Q} = 10^{-230} = 1.031421 \frac{kg s}{m^3 C}$
$1k \frac{kg s}{m^3 C} = 0.004124152 \cdot 10^{-220}$	$1 ni'urere - \frac{MT}{L^3 Q} = 10^{-220} = 122.5300 k \frac{kg s}{m^3 C} (*)$
$1m C = 30.33550 \cdot 10^{30} (*)$	$1 ci-Q = 10^{30} = 0.01533500 m C (*)$
$1 C = 0.2220542 \cdot 10^{40}$	$1 vo-Q = 10^{40} = 2.301302 C$
$1k C = 1502.515 \cdot 10^{40}$	$1 mu-Q = 10^{50} = 312.5444 k C$
$1m \frac{C}{s} = 3.420434 \cdot 10^{-100}$	$1 ni'upano - \frac{Q}{T} = 10^{-100} = 0.1335503 m \frac{C}{s} (*)$
$1 \frac{C}{s} = 0.02512544 \cdot 10^{-50}$	$1 ni'umu - \frac{Q}{T} = 10^{-50} = 20.30451 \frac{C}{s}$
$1k \frac{C}{s} = 211.5050 \cdot 10^{-50}$	$1 ni'uvo - \frac{Q}{T} = 10^{-40} = 2412.130 k \frac{C}{s}$
$1m \frac{C}{s^2} = 0.4250403 \cdot 10^{-230}$	$1 ni'ureci - \frac{Q}{T^2} = 10^{-230} = 1.201330 m \frac{C}{s^2}$
$1 \frac{C}{s^2} = 0.003241521 \cdot 10^{-220}$	$1 ni'urere - \frac{Q}{T^2} = 10^{-220} = 142.3145 \frac{C}{s^2}$
$1k \frac{C}{s^2} = 23.55312 \cdot 10^{-220} (*)$	$1 ni'urere - \frac{Q}{T^2} = 10^{-220} = 0.02130221 k \frac{C}{s^2}$
$1m s C = 232.5431 \cdot 10^{200}$	$1 reno-TQ = 10^{200} = 0.002153522 m s C$
$1 s C = 1.554211 \cdot 10^{210} (*)$	$1 repa-TQ = 10^{210} = 0.3002243 s C (*)$
$1k s C = 0.01312024 \cdot 10^{220}$	$1 rere-TQ = 10^{220} = 35.22555 k s C (**)$
$1m m C = 3042.550 \cdot 10^{140} (*)$	$1 pamu-LQ = 10^{150} = 153.0423 m m C$
$1 m C = 22.24452 \cdot 10^{150}$	$1 pamu-LQ = 10^{150} = 0.02253255 m C (*)$
$1k m C = 0.1505510 \cdot 10^{200} (*)$	$1 reno-LQ = 10^{200} = 3.120333 k m C$
$1m \frac{m C}{s} = 343.0435 \cdot 10^{10}$	$1 re - \frac{LQ}{T} = 10^{20} = 1333.134 m \frac{m C}{s}$
$1 \frac{m C}{s} = 2.521333 \cdot 10^{20}$	$1 re - \frac{LQ}{T} = 10^{20} = 0.2023245 \frac{m C}{s}$
$1k \frac{m C}{s} = 0.02122414 \cdot 10^{30}$	$1 ci - \frac{LQ}{T} = 10^{30} = 24.03531 k \frac{m C}{s}$
$1m \frac{m C}{s^2} = 43.01522 \cdot 10^{-120}$	$1 ni'upare - \frac{LQ}{T^2} = 10^{-120} = 0.01155235 m \frac{m C}{s^2} (*)$
$1 \frac{m C}{s^2} = 0.3251244 \cdot 10^{-110}$	$1 ni'upapa - \frac{LQ}{T^2} = 10^{-110} = 1.420305 \frac{m C}{s^2}$
$1k \frac{m C}{s^2} = 0.002403500 \cdot 10^{-100} (*)$	$1 ni'upano - \frac{LQ}{T^2} = 10^{-100} = 212.2442 k \frac{m C}{s^2}$
$1m m s C = 0.02333531 \cdot 10^{320}$	$1 cire-LTQ = 10^{320} = 21.50102 m m s C$
$1 m s C = 200.1325 \cdot 10^{320} (*)$	$1 cire-LTQ = 10^{320} = 0.002553350 m s C (*)$
$1k m s C = 1.314315 \cdot 10^{330}$	$1 cici-LTQ = 10^{330} = 0.3512425 k m s C$
$1m m^2 C = 0.3052003 \cdot 10^{300} (*)$	$1 cino-L^2 Q = 10^{300} = 1.523355 m m^2 C (*)$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 2232.412 \cdot 10^{300} \\
1 \text{k m}^2 \text{ C} &= 15.12510 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.03440455 \cdot 10^{130} \quad (*) \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 253.0134 \cdot 10^{130} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 2.130153 \cdot 10^{140} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.004313100 \cdot 10^0 \quad (*) \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 33.01024 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.2412055 \cdot 10^{10} \quad (*) \\
1 \text{m m}^2 \text{ s C} &= 2.342041 \cdot 10^{430} \\
1 \text{m}^2 \text{ s C} &= 0.02004452 \cdot 10^{440} \quad (*) \\
1 \text{k m}^2 \text{ s C} &= 132.1015 \cdot 10^{440} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.3025002 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{C}}{\text{m}} &= 2213.043 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 14.55533 \cdot 10^{-30} \quad (***) \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 0.03410450 \cdot 10^{-210} \\
1 \frac{\text{C}}{\text{m s}} &= 250.4210 \cdot 10^{-210} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 2.111331 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.004235304 \cdot 10^{-340} \\
1 \frac{\text{C}}{\text{m s}^2} &= 32.32212 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 0.2351135 \cdot 10^{-330} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 2.321343 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.01551103 \cdot 10^{100} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 130.5340 \cdot 10^{100} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 3020.025 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 22.05153 \cdot 10^{-150} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.1452555 \cdot 10^{-140} \quad (***) \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 340.0515 \cdot 10^{-330} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 2.455443 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.02104022 \cdot 10^{-310} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 42.24224 \cdot 10^{-500} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.3222515 \cdot 10^{-450} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.002343012 \cdot 10^{-440} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.02313304 \cdot 10^{-20} \\
1 \frac{\text{s C}}{\text{m}^2} &= 154.4003 \cdot 10^{-20} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 1.303101 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 30.11105 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 0.2201314 \cdot 10^{-300} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 1450.030 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 3.351002 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.02451132 \cdot 10^{-430} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 210.0322 \cdot 10^{-430} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.4213204 \cdot 10^{-1010} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.003213234 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 23.34501 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 230.5241 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 1.540512 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.01300425 \cdot 10^{-120} \quad (*) \\
1 \text{m kg C} &= 1.220441 \cdot 10^{50} \\
1 \text{kg C} &= 0.01024030 \cdot 10^{100} \\
1 \text{k kg C} &= 45.50245 \cdot 10^{100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ cipa-}L^2Q &= 10^{310} = 224.5303 \text{ m}^2 \text{ C} \\
1 \text{ cipa-}L^2Q &= 10^{310} = 0.03111234 \text{ k m}^2 \text{ C} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 13.30414 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 2020.053 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 0.2355343 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \quad (*) \\
1 \frac{L^2Q}{T^2} &= 1 = 115.3151 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.01413432 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 2.115113 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ voci-}L^2TQ &= 10^{430} = 0.2142253 \text{ m m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 25.44504 \text{ m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 0.003502314 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 1.540541 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uuci-} \frac{Q}{L} &= 10^{-30} = 230.5315 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uuci-} \frac{Q}{L} &= 10^{-30} = 0.03135012 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 13.42240 \text{ m} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'urenno-} \frac{Q}{LT} &= 10^{-200} = 2034.102 \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'urenno-} \frac{Q}{LT} &= 10^{-200} = 0.2420340 \text{ k} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 120.3425 \text{ m} \frac{\text{C}}{\text{ms}^2} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 0.01430034 \frac{\text{C}}{\text{ms}^2} \quad (*) \\
1 \text{ ni'ucici-} \frac{Q}{LT^2} &= 10^{-330} = 2.134005 \text{ k} \frac{\text{C}}{\text{ms}^2} \quad (*) \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 0.2201351 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 30.11152 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.003533142 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 154.4032 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 0.02313343 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 3.144152 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 1345.021 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 0.2041322 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucipa-} \frac{Q}{L^2T} &= 10^{-310} = 24.25001 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 0.01205532 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'uvomu-} \frac{Q}{L^2T^2} &= 10^{-450} = 1.432532 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvovo-} \frac{Q}{L^2T^2} &= 10^{-440} = 214.1403 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 22.05230 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.003020113 \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.3543344 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 0.01551132 \text{ m} \frac{\text{C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 2.321421 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uremu-} \frac{Q}{L^3} &= 10^{-250} = 315.3345 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 0.1351410 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3T} &= 10^{-430} = 20.44552 \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'uvore-} \frac{Q}{L^3T} &= 10^{-420} = 2433.234 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3T^2} &= 10^{-1010} = 1.212042 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 143.5434 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 0.02145211 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.002213120 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 0.3025045 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 35.54003 \text{ k} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ mu-MQ} &= 10^{50} = 0.4150405 \text{ m kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 53.30102 \text{ kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 0.01112311 \text{ k kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 0.1401144 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{s}} &= 1142.440 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 5.550351 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 0.02001554 \cdot 10^{-210} \quad (***) \\
1 \frac{\text{kg C}}{\text{s}^2} &= 131.4511 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 1.110215 \cdot 10^{-200} \\
1 \text{m kg s C} &= 10.54223 \cdot 10^{220} \\
1 \text{kg s C} &= 0.05211135 \cdot 10^{230} \\
1 \text{k kg s C} &= 405.0300 \cdot 10^{230} \quad (*) \\
1 \text{m kg m C} &= 122.3010 \cdot 10^{200} \\
1 \text{kg m C} &= 1.025453 \cdot 10^{210} \\
1 \text{k kg m C} &= 0.005002254 \cdot 10^{220} \quad (*) \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 14.03555 \cdot 10^{30} \quad (***) \\
1 \frac{\text{kg m C}}{\text{s}} &= 0.1144510 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 1000.414 \cdot 10^{40} \quad (***) \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 2.005121 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 0.01321211 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 111.2152 \cdot 10^{-50} \\
1 \text{m kg m s C} &= 0.001100135 \cdot 10^{340} \quad (*) \\
1 \text{kg m s C} &= 5.223533 \cdot 10^{340} \\
1 \text{k kg m s C} &= 0.04101103 \cdot 10^{350} \\
1 \text{m kg m}^2 \text{C} &= 0.01225143 \cdot 10^{320} \\
1 \text{kg m}^2 \text{C} &= 103.1322 \cdot 10^{320} \\
1 \text{k kg m}^2 \text{C} &= 0.5014324 \cdot 10^{330} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 1410.414 \cdot 10^{140} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 11.50543 \cdot 10^{150} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.1002200 \cdot 10^{200} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 201.2254 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 1.323515 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.01114132 \cdot 10^{30} \\
1 \text{m kg m}^2 \text{s C} &= 0.1102054 \cdot 10^{450} \\
1 \text{kg m}^2 \text{s C} &= 524.0352 \cdot 10^{450} \\
1 \text{k kg m}^2 \text{s C} &= 4.111524 \cdot 10^{500} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 0.01214320 \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{m}} &= 102.2211 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 0.4534302 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 1354.342 \cdot 10^{-200} \\
1 \frac{\text{kg C}}{\text{m s}} &= 11.40414 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}} &= 0.05533030 \cdot 10^{-140} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 155.4435 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 1.312215 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}^2} &= 0.01104250 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 0.1052314 \cdot 10^{110} \\
1 \frac{\text{kg s C}}{\text{m}} &= 515.4404 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 4.035513 \cdot 10^{120} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 121.2202 \cdot 10^{-140} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 1.020354 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.004522335 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 13.51544 \cdot 10^{-310} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 0.1134355 \cdot 10^{-300} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uv} \frac{MQ}{T} &= 10^{-40} = 3.330450 \text{m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'uci} \frac{MQ}{T} &= 10^{-30} = 435.2052 \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'uci} \frac{MQ}{T} &= 10^{-30} = 0.1000522 \text{k} \frac{\text{kg C}}{\text{s}} \quad (***) \\
1 \text{ni'urepa} \frac{MQ}{T^2} &= 10^{-210} = 25.53011 \text{m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'ureno} \frac{MQ}{T^2} &= 10^{-200} = 3511.543 \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'ureno} \frac{MQ}{T^2} &= 10^{-200} = 0.5003223 \text{k} \frac{\text{kg C}}{\text{s}^2} \quad (*) \\
1 \text{rere-MLQ} &= 10^{220} = 0.05101535 \text{m kg s C} \\
1 \text{reci-MLQ} &= 10^{230} = 10.41251 \text{kg s C} \\
1 \text{revo-MLQ} &= 10^{240} = 1240.542 \text{k kg s C} \\
1 \text{reno-MLQ} &= 10^{200} = 0.004135444 \text{m kg m C} \\
1 \text{repa-MLQ} &= 10^{210} = 0.5313124 \text{kg m C} \\
1 \text{rere-MLQ} &= 10^{220} = 111.0334 \text{k kg m C} \\
1 \text{ci-MLQ} &= 10^{30} = 0.03321022 \text{m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{vo-MLQ} &= 10^{40} = 4.340413 \frac{\text{kg m C}}{\text{s}} \\
1 \text{mu-MLQ} &= 10^{50} = 555.1422 \text{k} \frac{\text{kg m C}}{\text{s}} \quad (***) \\
1 \text{ni'upano-MLQ} &= 10^{-100} = 0.2544130 \text{m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'umu-MLQ} &= 10^{-50} = 35.01433 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'uv} \frac{MLQ}{T^2} &= 10^{-40} = 4551.213 \text{k} \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{civo-MLTQ} &= 10^{340} = 504.5354 \text{m kg m s C} \\
1 \text{civo-MLTQ} &= 10^{340} = 0.1035404 \text{kg m s C} \\
1 \text{cimu-MLTQ} &= 10^{350} = 12.34345 \text{k kg m s C} \\
1 \text{cire-ML}^2 \text{Q} &= 10^{320} = 41.24541 \text{m kg m}^2 \text{C} \\
1 \text{cire-ML}^2 \text{Q} &= 10^{320} = 0.005300211 \text{kg m}^2 \text{C} \quad (*) \\
1 \text{cici-ML}^2 \text{Q} &= 10^{330} = 1.104404 \text{k kg m}^2 \text{C} \\
1 \text{pamu-ML}^2 \text{Q} &= 10^{150} = 331.1211 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{pamu-ML}^2 \text{Q} &= 10^{150} = 0.04325154 \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{reno-ML}^2 \text{Q} &= 10^{200} = 5.534055 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \quad (*) \\
1 \text{re-ML}^2 \text{Q} &= 10^{20} = 2535.301 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{re-ML}^2 \text{Q} &= 10^{20} = 0.3451341 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{ci-ML}^2 \text{Q} &= 10^{30} = 45.35224 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{vomu-ML}^2 \text{TQ} &= 10^{450} = 5.033234 \text{m kg m}^2 \text{s C} \\
1 \text{muno-ML}^2 \text{TQ} &= 10^{500} = 1033.525 \text{kg m}^2 \text{s C} \\
1 \text{muno-ML}^2 \text{TQ} &= 10^{500} = 0.1232200 \text{k kg m}^2 \text{s C} \quad (*) \\
1 \text{ni'ure-ML}^2 \text{Q} &= 10^{-20} = 42.01350 \text{m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'ure-ML}^2 \text{Q} &= 10^{-20} = 0.005343103 \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upa-ML}^2 \text{Q} &= 10^{-10} = 1.114252 \text{k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upamu-ML}^2 \text{Q} &= 10^{-150} = 334.0332 \text{m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'upamu-ML}^2 \text{Q} &= 10^{-150} = 0.04403351 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'upavo-ML}^2 \text{Q} &= 10^{-140} = 10.02303 \text{k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'ucire-ML}^2 \text{Q} &= 10^{-320} = 3001.503 \text{m} \frac{\text{kg C}}{\text{m s}^2} \quad (*) \\
1 \text{ni'ucire-ML}^2 \text{Q} &= 10^{-320} = 0.3522111 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'ucipa-ML}^2 \text{Q} &= 10^{-310} = 50.15254 \text{k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{papa-ML}^2 \text{Q} &= 10^{110} = 5.114142 \text{m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{pare-ML}^2 \text{Q} &= 10^{120} = 1043.140 \frac{\text{kg s C}}{\text{m}} \\
1 \text{pare-ML}^2 \text{Q} &= 10^{120} = 0.1243142 \text{k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ni'upavo-ML}^2 \text{Q} &= 10^{-140} = 0.004212350 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'upaci-ML}^2 \text{Q} &= 10^{-130} = 0.5400131 \frac{\text{kg C}}{\text{m}^2} \quad (*) \\
1 \text{ni'upare-ML}^2 \text{Q} &= 10^{-120} = 112.0235 \text{k} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'ucipa-ML}^2 \text{Q} &= 10^{-310} = 0.03350230 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} \\
1 \text{ni'ucino-ML}^2 \text{Q} &= 10^{-300} = 4.415111 \frac{\text{kg C}}{\text{m}^2 \text{s}}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 551.5331 \cdot 10^{-300}$	(*)	$1 ni'ucino \frac{MQ}{L^2 T} = 10^{-300} = 0.001004052 k \frac{kg\ C}{m^2 s}$	(*)
$1m \frac{kg\ C}{m^2 s^2} = 1.551325 \cdot 10^{-440}$	(*)	$1 ni'uvovo \frac{MQ}{L^2 T^2} = 10^{-440} = 0.3010411 m \frac{kg\ C}{m^2 s^2}$	
$1 \frac{kg\ C}{m^2 s^2} = 0.01305531 \cdot 10^{-430}$	(*)	$1 ni'uvoci \frac{MQ}{L^2 T^2} = 10^{-430} = 35.32253 \frac{kg\ C}{m^2 s^2}$	
$1k \frac{kg\ C}{m^2 s^2} = 110.2323 \cdot 10^{-430}$		$1 ni'uvore \frac{MQ}{L^2 T^2} = 10^{-420} = 5031.350 k \frac{kg\ C}{m^2 s^2}$	
$1m \frac{kg\ s\ C}{m^2} = 0.001050412 \cdot 10^0$		$1 \frac{MTQ}{L^2} = 1 = 513.0410 m \frac{kg\ s\ C}{m^2}$	
$1 \frac{kg\ s\ C}{m^2} = 5.142054$		$1 \frac{MTQ}{L^2} = 1 = 0.1045032 \frac{kg\ s\ C}{m^2}$	
$1k \frac{kg\ s\ C}{m^2} = 0.04025144 \cdot 10^{10}$		$1 pa \frac{MTQ}{L^2} = 10^{10} = 12.45351 k \frac{kg\ s\ C}{m^2}$	
$1m \frac{kg\ C}{m^3} = 1.210051 \cdot 10^{-250}$	(*)	$1 ni'uremu \frac{MQ}{L^3} = 10^{-250} = 0.4223405 m \frac{kg\ C}{m^3}$	
$1 \frac{kg\ C}{m^3} = 0.01014544 \cdot 10^{-240}$		$1 ni'urevo \frac{MQ}{L^3} = 10^{-240} = 54.13221 \frac{kg\ C}{m^3}$	
$1k \frac{kg\ C}{m^3} = 45.10432 \cdot 10^{-240}$		$1 ni'urevo \frac{MQ}{L^3} = 10^{-240} = 0.01122225 k \frac{kg\ C}{m^3}$	
$1m \frac{kg\ C}{m^3 s} = 0.1345154 \cdot 10^{-420}$		$1 ni'uvore \frac{MQ}{L^3 T} = 10^{-420} = 3.400142 m \frac{kg\ C}{m^3 s}$	(*)
$1 \frac{kg\ C}{m^3 s} = 1132.344 \cdot 10^{-420}$		$1 ni'uvopa \frac{MQ}{L^3 T} = 10^{-410} = 443.0450 \frac{kg\ C}{m^3 s}$	
$1k \frac{kg\ C}{m^3 s} = 5.502100 \cdot 10^{-410}$	(*)	$1 ni'uvopa \frac{MQ}{L^3 T} = 10^{-410} = 0.1005443 k \frac{kg\ C}{m^3 s}$	(*)
$1m \frac{kg\ C}{m^3 s^2} = 0.01544225 \cdot 10^{-550}$		$1 ni'umumu \frac{MQ}{L^3 T^2} = 10^{-550} = 30.15330 m \frac{kg\ C}{m^3 s^2}$	
$1 \frac{kg\ C}{m^3 s^2} = 130.3251 \cdot 10^{-550}$		$1 ni'umuvo \frac{MQ}{L^3 T^2} = 10^{-540} = 3542.454 \frac{kg\ C}{m^3 s^2}$	
$1k \frac{kg\ C}{m^3 s^2} = 1.100404 \cdot 10^{-540}$	(*)	$1 ni'umuvo \frac{MQ}{L^3 T^2} = 10^{-540} = 0.5043503 k \frac{kg\ C}{m^3 s^2}$	
$1m \frac{kg\ s\ C}{m^3} = 10.44514 \cdot 10^{-120}$		$1 ni'upare \frac{MTQ}{L^3} = 10^{-120} = 0.05143100 m \frac{kg\ s\ C}{m^3}$	(*)
$1 \frac{kg\ s\ C}{m^3} = 0.05125410 \cdot 10^{-110}$		$1 ni'upapa \frac{MTQ}{L^3} = 10^{-110} = 10.50532 \frac{kg\ s\ C}{m^3}$	
$1k \frac{kg\ s\ C}{m^3} = 401.4433 \cdot 10^{-110}$		$1 ni'upano \frac{MTQ}{L^3} = 10^{-100} = 1252.003 k \frac{kg\ s\ C}{m^3}$	(*)
<hr/>			
$1m \frac{1}{K} = 3.512545 \cdot 10^{100}$		$1 pano \frac{1}{\Theta} = 10^{100} = 0.1314245 m \frac{1}{K}$	
$1 \frac{1}{K} = 0.02553450 \cdot 10^{110}$	(*)	$1 papa \frac{1}{\Theta} = 10^{110} = 20.01245 \frac{1}{K}$	
$1k \frac{1}{K} = 215.0150 \cdot 10^{110}$		$1 pare \frac{1}{\Theta} = 10^{120} = 2333.435 k \frac{1}{K}$	
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$		$1 ni'uci \frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$	
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$		$1 ni'ure \frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$	
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$		$1 ni'ure \frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK}$	(*)
$1m \frac{1}{s^2 K} = 0.05331344 \cdot 10^{-200}$		$1 ni'uren \frac{1}{T^2\Theta} = 10^{-200} = 10.23450 m \frac{1}{s^2 K}$	
$1 \frac{1}{s^2 K} = 415.1451 \cdot 10^{-200}$		$1 ni'uren \frac{1}{T^2\Theta} = 10^{-200} = 0.001220231 \frac{1}{s^2 K}$	
$1k \frac{1}{s^2 K} = 3.154554 \cdot 10^{-150}$	(*)	$1 ni'upamu \frac{1}{T^2\Theta} = 10^{-150} = 0.1445203 k \frac{1}{s^2 K}$	
$1m \frac{s}{K} = 31.20440 \cdot 10^{230}$		$1 reci \frac{T}{\Theta} = 10^{230} = 0.01505432 m \frac{s}{K}$	
$1 \frac{s}{K} = 0.2253350 \cdot 10^{240}$		$1 revo \frac{T}{\Theta} = 10^{240} = 2.224402 \frac{s}{K}$	
$1k \frac{s}{K} = 1530.502 \cdot 10^{240}$		$1 remu \frac{T}{\Theta} = 10^{250} = 304.2444 k \frac{s}{K}$	
$1m \frac{m}{K} = 352.3114 \cdot 10^{210}$		$1 rere \frac{L}{\Theta} = 10^{220} = 1311.553 m \frac{m}{K}$	(*)
$1 \frac{m}{K} = 3.002344 \cdot 10^{220}$	(*)	$1 rere \frac{L}{\Theta} = 10^{220} = 0.1554131 \frac{m}{K}$	(*)
$1k \frac{m}{K} = 0.02154010 \cdot 10^{230}$		$1 reci \frac{L}{\Theta} = 10^{230} = 23.25340 k \frac{m}{K}$	
$1m \frac{m}{sK} = 44.04510 \cdot 10^{40}$		$1 vo \frac{L}{T\Theta} = 10^{40} = 0.01140214 m \frac{m}{sK}$	
$1 \frac{m}{sK} = 0.3341310 \cdot 10^{50}$		$1 mu \frac{L}{T\Theta} = 10^{50} = 1.354105 \frac{m}{sK}$	
$1k \frac{m}{sK} = 0.002443011 \cdot 10^{100}$		$1 pano \frac{L}{T\Theta} = 10^{100} = 205.2114 k \frac{m}{sK}$	
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$		$1 ni'umu \frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$	
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$		$1 ni'uv \frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$	
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$		$1 ni'uv \frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$	
$1m \frac{ms}{K} = 3125.552 \cdot 10^{340}$	(*)	$1 cimu \frac{LT}{\Theta} = 10^{350} = 150.2441 m \frac{ms}{K}$	
$1 \frac{ms}{K} = 23.01353 \cdot 10^{350}$		$1 cimu \frac{LT}{\Theta} = 10^{350} = 0.02220453 \frac{ms}{K}$	
$1k \frac{ms}{K} = 0.1533535 \cdot 10^{400}$		$1 vono \frac{LT}{\Theta} = 10^{400} = 3.033444 k \frac{ms}{K}$	
$1m \frac{m^2}{K} = 0.03533302 \cdot 10^{330}$		$1 cici \frac{L^2}{\Theta} = 10^{330} = 13.05310 m \frac{m^2}{K}$	
$1 \frac{m^2}{K} = 301.1253 \cdot 10^{330}$		$1 civo \frac{L^2}{\Theta} = 10^{340} = 1551.022 \frac{m^2}{K}$	(*)
$1k \frac{m^2}{K} = 2.201440 \cdot 10^{340}$		$1 civo \frac{L^2}{\Theta} = 10^{340} = 0.2321251 k \frac{m^2}{K}$	
$1m \frac{m^2}{sK} = 0.004420232 \cdot 10^{200}$		$1 reno \frac{L^2}{T\Theta} = 10^{200} = 113.4200 m \frac{m^2}{sK}$	(*)
$1 \frac{m^2}{sK} = 33.51211 \cdot 10^{200}$		$1 reno \frac{L^2}{T\Theta} = 10^{200} = 0.01351312 \frac{m^2}{sK}$	
$1k \frac{m^2}{sK} = 0.2451311 \cdot 10^{210}$		$1 repa \frac{L^2}{T\Theta} = 10^{210} = 2.044435 k \frac{m^2}{sK}$	
$1m \frac{m^2}{s^2 K} = 540.1421 \cdot 10^{20}$		$1 re \frac{L^2}{T^2\Theta} = 10^{20} = 0.001020215 m \frac{m^2}{s^2 K}$	

$1 \frac{m^2}{s^2 K} = 4.213440 \cdot 10^{30}$	$1 ci \frac{L^2}{T^2 \Theta} = 10^{30} = 0.1211553 \frac{m^2}{s^2 K}$ (*)
$1 k \frac{m^2}{s^2 K} = 0.03213433 \cdot 10^{40}$	$1 vo \frac{L^2}{T^2 \Theta} = 10^{40} = 14.35333 k \frac{m^2}{s^2 K}$
$1 m \frac{m^2 s}{K} = 0.3135120 \cdot 10^{500}$	$1 muno \frac{L^2 T}{\Theta} = 10^{500} = 1.455454 m \frac{m^2 s}{K}$ (*)
$1 \frac{m^2 s}{K} = 2305.410 \cdot 10^{500}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 221.2554 \frac{m^2 s}{K}$ (*)
$1 k \frac{m^2 s}{K} = 15.41021 \cdot 10^{510}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 0.03024500 k \frac{m^2 s}{K}$ (*)
$1 m \frac{1}{m K} = 0.03502433 \cdot 10^{-10}$	$1 ni'upa \frac{1}{L \Theta} = 10^{-10} = 13.20544 m \frac{1}{m K}$
$1 \frac{1}{m K} = 254.5005 \cdot 10^{-10}$ (*)	$1 \frac{1}{L \Theta} = 1 = 2004.412 \frac{1}{m K}$ (*)
$1 k \frac{1}{m K} = 2.142341$	$1 \frac{1}{L \Theta} = 1 = 0.2341545 k \frac{1}{m K}$
$1 m \frac{1}{m s K} = 0.004341524 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 114.4305 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 33.21554 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 0.01403320 \frac{1}{m s K}$
$1 k \frac{1}{m s K} = 0.2430044 \cdot 10^{-130}$ (*)	$1 ni'upaci \frac{1}{LT \Theta} = 10^{-130} = 2.103101 k \frac{1}{m s K}$
$1 m \frac{1}{m s^2 K} = 531.4403 \cdot 10^{-320}$	$1 ni'ucire \frac{1}{LT^2 \Theta} = 10^{-320} = 0.001025312 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 4.140524 \cdot 10^{-310}$	$1 ni'ucipa \frac{1}{LT^2 \Theta} = 10^{-310} = 0.1222355 \frac{1}{m s^2 K}$ (*)
$1 k \frac{1}{m s^2 K} = 0.03145355 \cdot 10^{-300}$ (*)	$1 ni'ucino \frac{1}{LT^2 \Theta} = 10^{-300} = 14.52131 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 0.3111341 \cdot 10^{120}$	$1 pare \frac{T}{L \Theta} = 10^{120} = 1.512431 m \frac{s}{m K}$
$1 \frac{s}{m K} = 2245.353 \cdot 10^{120}$	$1 paci \frac{T}{L \Theta} = 10^{130} = 223.2322 \frac{s}{m K}$
$1 k \frac{s}{m K} = 15.23434 \cdot 10^{130}$	$1 paci \frac{T}{L \Theta} = 10^{130} = 0.03051501 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 345.2335 \cdot 10^{-130}$	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 1323.251 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 2.540135 \cdot 10^{-120}$	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 0.2011544 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 0.02134541 \cdot 10^{-110}$	$1 ni'upapa \frac{1}{L^2 \Theta} = 10^{-110} = 23.50110 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 43.30303 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2 T \Theta} = 10^{-300} = 0.01150341 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.3312141 \cdot 10^{-250}$	$1 ni'uremu \frac{1}{L^2 T \Theta} = 10^{-250} = 1.410135 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 0.002421421 \cdot 10^{-240}$	$1 ni'urevo \frac{1}{L^2 T \Theta} = 10^{-240} = 211.0405 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 5.301444 \cdot 10^{-430}$	$1 ni'uvoci \frac{1}{L^2 T^2 \Theta} = 10^{-430} = 0.1031141 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.04130020 \cdot 10^{-420}$ (*)	$1 ni'uvore \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 12.24531 \frac{1}{m^2 s^2 K}$
$1 k \frac{1}{m^2 s^2 K} = 314.0213 \cdot 10^{-420}$	$1 ni'uvore \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 0.001455103 k \frac{1}{m^2 s^2 K}$ (*)
$1 m \frac{s}{m^2 K} = 3102.254 \cdot 10^0$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 151.5440 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.41411 \cdot 10^{10}$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 0.02240252 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.1520415 \cdot 10^{20}$	$1 re \frac{T}{L^2 \Theta} = 10^{20} = 3.100525 k \frac{s}{m^2 K}$ (*)
$1 m \frac{1}{m^3 K} = 3.442255 \cdot 10^{-240}$ (*)	$1 ni'urevo \frac{1}{L^3 \Theta} = 10^{-240} = 0.1330003 m \frac{1}{m^3 K}$ (**)
$1 \frac{1}{m^3 K} = 0.02531320 \cdot 10^{-230}$	$1 ni'ureci \frac{1}{L^3 \Theta} = 10^{-230} = 20.15130 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 213.1151 \cdot 10^{-230}$	$1 ni'urere \frac{1}{L^3 \Theta} = 10^{-220} = 2354.241 k \frac{1}{m^3 K}$
$1 m \frac{1}{m^3 s K} = 0.4315101 \cdot 10^{-410}$	$1 ni'uvopa \frac{1}{L^3 T \Theta} = 10^{-410} = 1.152421 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 0.003302342 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 141.3001 \frac{1}{m^3 s K}$ (*)
$1 k \frac{1}{m^3 s K} = 24.13205 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 0.02114122 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 0.05244552 \cdot 10^{-540}$ (*)	$1 ni'umuvo \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 10.33012 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 411.5130 \cdot 10^{-540}$	$1 ni'umuvo \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 0.001231111 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 3.131043 \cdot 10^{-530}$	$1 ni'umuci \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 0.1502044 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 30.53223 \cdot 10^{-110}$	$1 ni'upapa \frac{T}{L^3 \Theta} = 10^{-110} = 0.01522454 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.2233435 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3 \Theta} = 10^{-100} = 2.244232 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 1513.405 \cdot 10^{-100}$	$1 ni'umu \frac{T}{L^3 \Theta} = 10^{-50} = 311.0005 k \frac{s}{m^3 K}$ (**)
$1 m \frac{kg}{K} = 0.1423431 \cdot 10^{120}$	$1 pare \frac{M}{\Theta} = 10^{120} = 3.241000 m \frac{kg}{K}$ (**)
$1 \frac{kg}{K} = 1201.534 \cdot 10^{120}$	$1 paci \frac{M}{\Theta} = 10^{130} = 424.5304 \frac{kg}{K}$
$1 k \frac{kg}{K} = 10.11414 \cdot 10^{130}$	$1 paci \frac{M}{\Theta} = 10^{130} = 0.05443151 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 0.02031204 \cdot 10^{-10}$	$1 ni'upa \frac{M}{T \Theta} = 10^{-10} = 25.12115 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 134.0133 \cdot 10^{-10}$	$1 \frac{M}{T \Theta} = 1 = 3415.445 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 1.124420$	$1 \frac{M}{T \Theta} = 1 = 0.4453420 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 0.002302055 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 222.0200 m \frac{kg}{s^2 K}$ (*)
$1 \frac{kg}{s^2 K} = 15.34200 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 0.03033100 \frac{kg}{s^2 K}$ (*)
$1 k \frac{kg}{s^2 K} = 0.1254442 \cdot 10^{-130}$	$1 ni'upaci \frac{M}{T^2 \Theta} = 10^{-130} = 4.003124 k \frac{kg}{s^2 K}$ (*)

$$\begin{aligned}
1m \frac{\text{kg s}}{K} &= 1.240452 \cdot 10^{250} \\
1 \frac{\text{kg s}}{K} &= 0.01041212 \cdot 10^{300} \\
1k \frac{\text{kg s}}{K} &= 51.01243 \cdot 10^{300} \\
1m \frac{\text{kg m}}{K} &= 14.30321 \cdot 10^{230} \\
1 \frac{\text{kg m}}{K} &= 0.1204033 \cdot 10^{240} \\
1k \frac{\text{kg m}}{K} &= 1013.215 \cdot 10^{240} \\
1m \frac{\text{kg m}}{s K} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{s K} &= 0.01342511 \cdot 10^{110} \\
1k \frac{\text{kg m}}{s K} &= 113.0422 \cdot 10^{110} \\
1m \frac{\text{kg m}}{s^2 K} &= 0.2310113 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{s^2 K} &= 0.001541243 \cdot 10^{-20} \\
1k \frac{\text{kg m}}{s^2 K} &= 13.01111 \cdot 10^{-20} \\
1m \frac{\text{kg m s}}{K} &= 124.3053 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{K} &= 1.043101 \cdot 10^{410} \\
1k \frac{\text{kg m s}}{K} &= 0.005113445 \cdot 10^{420} \\
1m \frac{\text{kg m}^2}{K} &= 1433.215 \cdot 10^{340} \\
1 \frac{\text{kg m}^2}{K} &= 12.10140 \cdot 10^{350} \\
1k \frac{\text{kg m}^2}{K} &= 0.1015022 \cdot 10^{400} \\
1m \frac{\text{kg m}^2}{s K} &= 204.2041 \cdot 10^{210} \\
1 \frac{\text{kg m}^2}{s K} &= 1.345253 \cdot 10^{220} \\
1k \frac{\text{kg m}^2}{s K} &= 0.01132430 \cdot 10^{230} \\
1m \frac{\text{kg m}^2}{s^2 K} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{s^2 K} &= 0.1544334 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{s^2 K} &= 0.001303343 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 s}{K} &= 0.01245301 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 s}{K} &= 104.4553 \cdot 10^{520} \quad (*) \\
1k \frac{\text{kg m}^2 s}{K} &= 0.5130112 \cdot 10^{530} \\
1m \frac{\text{kg}}{m K} &= 1420.545 \cdot 10^0 \\
1 \frac{\text{kg}}{m K} &= 11.55442 \cdot 10^{10} \quad (*) \\
1k \frac{\text{kg}}{m K} &= 0.1010020 \cdot 10^{20} \quad (*) \\
1m \frac{\text{kg}}{m s K} &= 202.4002 \cdot 10^{-130} \quad (*) \\
1 \frac{\text{kg}}{m s K} &= 1.333404 \cdot 10^{-120} \\
1k \frac{\text{kg}}{m s K} &= 0.01122422 \cdot 10^{-110} \\
1m \frac{\text{kg}}{m s^2 K} &= 22.54051 \cdot 10^{-300} \\
1 \frac{\text{kg}}{m s^2 K} &= 0.1531123 \cdot 10^{-250} \\
1k \frac{\text{kg}}{m s^2 K} &= 0.001252222 \cdot 10^{-240} \\
1m \frac{\text{kg s}}{m K} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{m K} &= 103.5330 \cdot 10^{140} \\
1k \frac{\text{kg s}}{m K} &= 0.5045102 \cdot 10^{150} \\
1m \frac{\text{kg}}{m^2 K} &= 14.14112 \cdot 10^{-110} \\
1 \frac{\text{kg}}{m^2 K} &= 0.1153353 \cdot 10^{-100} \\
1k \frac{\text{kg}}{m^2 K} &= 1004.225 \cdot 10^{-100} \quad (*) \\
1m \frac{\text{kg}}{m^2 s K} &= 2.020405 \cdot 10^{-240} \\
1 \frac{\text{kg}}{m^2 s K} &= 0.01331043 \cdot 10^{-230} \\
1k \frac{\text{kg}}{m^2 s K} &= 112.0431 \cdot 10^{-230} \\
1m \frac{\text{kg}}{m^2 s^2 K} &= 0.2250054 \cdot 10^{-410} \quad (*) \\
1 \frac{\text{kg}}{m^2 s^2 K} &= 0.001524054 \cdot 10^{-400} \\
1k \frac{\text{kg}}{m^2 s^2 K} &= 12.50005 \cdot 10^{-400} \quad (***) \\
1m \frac{\text{kg s}}{m^2 K} &= 123.2111 \cdot 10^{20} \\
1 \frac{\text{kg s}}{m^2 K} &= 1.033450 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu-} \frac{MT}{\Theta} &= 10^{250} = 0.4050520 \text{ m} \frac{\text{kg s}}{K} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 52.11435 \frac{\text{kg s}}{K} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 0.01054302 \text{ k} \frac{\text{kg s}}{K} \\
1 \text{reci-} \frac{ML}{\Theta} &= 10^{230} = 0.03231251 \text{ m} \frac{\text{kg m}}{K} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 4.234211 \frac{\text{kg m}}{K} \\
1 \text{remu-} \frac{ML}{\Theta} &= 10^{250} = 543.0013 \text{ k} \frac{\text{kg m}}{K} \quad (*) \\
1 \text{pano-} \frac{ML}{T\Theta} &= 10^{100} = 0.2503342 \text{ m} \frac{\text{kg m}}{s K} \\
1 \text{papa-} \frac{ML}{T\Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{s K} \quad (*) \\
1 \text{pare-} \frac{ML}{T\Theta} &= 10^{120} = 4442.001 \text{ k} \frac{\text{kg m}}{s K} \quad (*) \\
1 \text{ni'uci-} \frac{ML}{T^2\Theta} &= 10^{-30} = 2.212301 \text{ m} \frac{\text{kg m}}{s^2 K} \\
1 \text{ni'ure-} \frac{ML}{T^2\Theta} &= 10^{-20} = 302.4113 \frac{\text{kg m}}{s^2 K} \\
1 \text{ni'ure-} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.03552452 \text{ k} \frac{\text{kg m}}{s^2 K} \quad (*) \\
1 \text{vono-} \frac{MLT}{\Theta} &= 10^{400} = 0.004040131 \text{ m} \frac{\text{kg m s}}{K} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 0.5155103 \frac{\text{kg m s}}{K} \quad (*) \\
1 \text{vore-} \frac{MLT}{\Theta} &= 10^{420} = 105.2353 \text{ k} \frac{\text{kg m s}}{K} \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 322.2000 \text{ m} \frac{\text{kg m}^2}{K} \quad (**) \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 0.04223133 \frac{\text{kg m}^2}{K} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 5.412501 \text{ k} \frac{\text{kg m}^2}{K} \\
1 \text{rere-} \frac{ML^2}{T\Theta} &= 10^{220} = 2455.021 \text{ m} \frac{\text{kg m}^2}{s K} \quad (*) \\
1 \text{rere-} \frac{ML^2}{T\Theta} &= 10^{220} = 0.3355533 \frac{\text{kg m}^2}{s K} \quad (**) \\
1 \text{reci-} \frac{ML^2}{T\Theta} &= 10^{230} = 44.30202 \text{ k} \frac{\text{kg m}^2}{s K} \\
1 \text{vo-} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.02204413 \text{ m} \frac{\text{kg m}^2}{s^2 K} \\
1 \text{mu-} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{s^2 K} \\
1 \text{pano-} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.2234 \text{ k} \frac{\text{kg m}^2}{s^2 K} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 40.25402 \text{ m} \frac{\text{kg m}^2 s}{K} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.005142352 \frac{\text{kg m}^2 s}{K} \\
1 \text{muci-} \frac{ML^2 T}{\Theta} &= 10^{530} = 1.050451 \text{ k} \frac{\text{kg m}^2 s}{K} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 325.0321 \text{ m} \frac{\text{kg}}{m K} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 0.04300421 \frac{\text{kg}}{m K} \quad (*) \\
1 \text{re-} \frac{M}{L\Theta} &= 10^{20} = 5.500353 \text{ k} \frac{\text{kg}}{m K} \quad (*) \\
1 \text{ni'upare-} \frac{M}{LT\Theta} &= 10^{-120} = 2520.503 \text{ m} \frac{\text{kg}}{m s K} \\
1 \text{ni'upare-} \frac{M}{LT\Theta} &= 10^{-120} = 0.3425445 \frac{\text{kg}}{m s K} \\
1 \text{ni'upapa-} \frac{M}{LT\Theta} &= 10^{-110} = 45.05300 \text{ k} \frac{\text{kg}}{m s K} \quad (*) \\
1 \text{ni'ucino-} \frac{M}{LT^2\Theta} &= 10^{-300} = 0.02224105 \text{ m} \frac{\text{kg}}{m s^2 K} \\
1 \text{ni'uremu-} \frac{M}{LT^2\Theta} &= 10^{-250} = 3.042055 \frac{\text{kg}}{m s^2 K} \quad (*) \\
1 \text{ni'urevo-} \frac{M}{LT^2\Theta} &= 10^{-240} = 401.3415 \text{ k} \frac{\text{kg}}{m s^2 K} \\
1 \text{pavo-} \frac{MT}{L\Theta} &= 10^{140} = 41.01323 \text{ m} \frac{\text{kg s}}{m K} \\
1 \text{pavo-} \frac{MT}{L\Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{m K} \\
1 \text{pamu-} \frac{MT}{L\Theta} &= 10^{150} = 1.100214 \text{ k} \frac{\text{kg s}}{m K} \quad (*) \\
1 \text{ni'upapa-} \frac{M}{L^2\Theta} &= 10^{-110} = 0.03300055 \text{ m} \frac{\text{kg}}{m^2 K} \quad (*** \\
1 \text{ni'upano-} \frac{M}{L^2\Theta} &= 10^{-100} = 4.311554 \frac{\text{kg}}{m^2 K} \quad (*) \\
1 \text{ni'umu-} \frac{M}{L^2\Theta} &= 10^{-50} = 551.4022 \text{ k} \frac{\text{kg}}{m^2 K} \quad (*) \\
1 \text{ni'urevo-} \frac{M}{L^2T\Theta} &= 10^{-240} = 0.2525302 \text{ m} \frac{\text{kg}}{m^2 s K} \\
1 \text{ni'ureci-} \frac{M}{L^2T\Theta} &= 10^{-230} = 34.35503 \frac{\text{kg}}{m^2 s K} \quad (*) \\
1 \text{ni'urere-} \frac{M}{L^2T\Theta} &= 10^{-220} = 4521.201 \text{ k} \frac{\text{kg}}{m^2 s K} \\
1 \text{ni'uvopa-} \frac{M}{L^2T^2\Theta} &= 10^{-410} = 2.232023 \text{ m} \frac{\text{kg}}{m^2 s^2 K} \\
1 \text{ni'uvono-} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 305.1110 \frac{\text{kg}}{m^2 s^2 K} \\
1 \text{ni'uvono-} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 0.04024123 \text{ k} \frac{\text{kg}}{m^2 s^2 K} \\
1 \text{re-} \frac{MT}{L^2\Theta} &= 10^{20} = 0.004112145 \text{ m} \frac{\text{kg s}}{m^2 K} \\
1 \text{ci-} \frac{MT}{L^2\Theta} &= 10^{30} = 0.5241054 \frac{\text{kg s}}{m^2 K}
\end{aligned}$$

$1\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}} = 0.005032543 \cdot 10^{40}$	$1\text{vo-}\frac{MT}{L^2\Theta} = 10^{40} = 110.2133 \text{k}\frac{\text{kg s}}{\text{m}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.1411244 \cdot 10^{-220}$	$1\text{ni'urere-}\frac{M}{L^3\Theta} = 10^{-220} = 3.305451 \text{m}\frac{\text{kg}}{\text{m}^3\text{K}}$
$1\frac{\text{kg}}{\text{m}^3\text{K}} = 1151.312 \cdot 10^{-220}$	$1\text{ni'urepa-}\frac{M}{L^3\Theta} = 10^{-210} = 432.3150 \frac{\text{kg}}{\text{m}^3\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{K}} = 10.02440 \cdot 10^{-210}$	$1\text{ni'urepa-}\frac{M}{L^3\Theta} = 10^{-210} = 0.05531314 \text{k}\frac{\text{kg}}{\text{m}^3\text{K}}$ (*)
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.02013221 \cdot 10^{-350}$	$1\text{ni'ucimu-}\frac{M}{L^3T\Theta} = 10^{-350} = 25.34113 \text{m}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\frac{\text{kg}}{\text{m}^3\text{s K}} = 132.4330 \cdot 10^{-350}$	$1\text{ni'ucivo-}\frac{M}{L^3T\Theta} = 10^{-340} = 3445.534 \frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s K}} = 1.114444 \cdot 10^{-340}$	$1\text{ni'ucivo-}\frac{M}{L^3T\Theta} = 10^{-340} = 0.4533122 \text{k}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.002242111 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{M}{L^3T^2\Theta} = 10^{-520} = 223.5552 \text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$ (**)
$1\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 15.21034 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{M}{L^3T^2\Theta} = 10^{-520} = 0.03100134 \frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$ (*)
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.1243400 \cdot 10^{-510}$ (*)	$1\text{ni'umupa-}\frac{M}{L^3T^2\Theta} = 10^{-510} = 4.034451 \text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 1.225525 \cdot 10^{-50}$ (*)	$1\text{ni'umu-}\frac{MT}{L^3\Theta} = 10^{-50} = 0.4123025 \text{m}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\frac{\text{kg s}}{\text{m}^3\text{K}} = 0.01032014 \cdot 10^{-40}$	$1\text{ni'uovo-}\frac{MT}{L^3\Theta} = 10^{-40} = 52.53540 \frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\text{k}\frac{\text{kg s}}{\text{m}^3\text{K}} = 50.20445 \cdot 10^{-40}$	$1\text{ni'uovo-}\frac{MT}{L^3\Theta} = 10^{-40} = 0.01104055 \text{k}\frac{\text{kg s}}{\text{m}^3\text{K}}$ (*)
$1\text{m K} = 2333.435 \cdot 10^{-120}$	$1\text{ni'upapa-}\Theta = 10^{-110} = 215.0150 \text{m K}$
$1\text{K} = 20.01245 \cdot 10^{-110}$	$1\text{ni'upapa-}\Theta = 10^{-110} = 0.02553450 \text{K}$ (*)
$1\text{k K} = 0.1314245 \cdot 10^{-100}$	$1\text{ni'upano-}\Theta = 10^{-100} = 3.512545 \text{k K}$
$1\text{m}\frac{\text{K}}{\text{s}} = 304.2444 \cdot 10^{-250}$	$1\text{ni'urevo-}\frac{\Theta}{T} = 10^{-240} = 1530.502 \text{m}\frac{\text{K}}{\text{s}}$
$1\frac{\text{K}}{\text{s}} = 2.224402 \cdot 10^{-240}$	$1\text{ni'urevo-}\frac{\Theta}{T} = 10^{-240} = 0.2253350 \frac{\text{K}}{\text{s}}$
$1\text{k}\frac{\text{K}}{\text{s}} = 0.01505432 \cdot 10^{-230}$	$1\text{ni'ureci-}\frac{\Theta}{T} = 10^{-230} = 31.20440 \text{k}\frac{\text{K}}{\text{s}}$
$1\text{m}\frac{\text{K}}{\text{s}^2} = 34.30322 \cdot 10^{-420}$	$1\text{ni'uvore-}\frac{\Theta}{T^2} = 10^{-420} = 0.01333210 \text{m}\frac{\text{K}}{\text{s}^2}$
$1\frac{\text{K}}{\text{s}^2} = 0.2521234 \cdot 10^{-410}$	$1\text{ni'uvopa-}\frac{\Theta}{T^2} = 10^{-410} = 2.023331 \frac{\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{K}}{\text{s}^2} = 0.002122331 \cdot 10^{-400}$	$1\text{ni'uvono-}\frac{\Theta}{T^2} = 10^{-400} = 240.4023 \text{k}\frac{\text{K}}{\text{s}^2}$
$1\text{m s K} = 0.02055403 \cdot 10^{20}$ (*)	$1\text{re-T}\Theta = 10^{20} = 24.34322 \text{m s K}$
$1\text{s K} = 140.0511 \cdot 10^{20}$	$1\text{re-T}\Theta = 10^{20} = 0.003331424 \text{s K}$
$1\text{k s K} = 1.142240 \cdot 10^{30}$	$1\text{ci-T}\Theta = 10^{30} = 0.4353205 \text{k s K}$
$1\text{m m K} = 0.2341545 \cdot 10^0$	$1\text{L}\Theta = 1 = 2.142341 \text{m m K}$
$1\text{m K} = 2004.412 \cdot 10^0$ (*)	$1\text{pa-L}\Theta = 10^{10} = 254.5005 \text{m K}$ (*)
$1\text{k m K} = 13.20544 \cdot 10^{10}$	$1\text{pa-L}\Theta = 10^{10} = 0.03502433 \text{k m K}$
$1\text{m}\frac{\text{m K}}{\text{s}} = 0.03051501 \cdot 10^{-130}$	$1\text{ni'upaci-}\frac{L\Theta}{T} = 10^{-130} = 15.23434 \text{m}\frac{\text{m K}}{\text{s}}$
$1\frac{\text{m K}}{\text{s}} = 223.2322 \cdot 10^{-130}$	$1\text{ni'upare-}\frac{L\Theta}{T} = 10^{-120} = 2245.353 \frac{\text{m K}}{\text{s}}$
$1\text{k}\frac{\text{m K}}{\text{s}} = 1.512431 \cdot 10^{-120}$	$1\text{ni'upare-}\frac{L\Theta}{T} = 10^{-120} = 0.3111341 \text{k}\frac{\text{m K}}{\text{s}}$
$1\text{m}\frac{\text{m K}}{\text{s}^2} = 0.003440341 \cdot 10^{-300}$	$1\text{ni'ucino-}\frac{L\Theta}{T^2} = 10^{-300} = 133.0445 \text{m}\frac{\text{m K}}{\text{s}^2}$
$1\frac{\text{m K}}{\text{s}^2} = 25.30034 \cdot 10^{-300}$ (*)	$1\text{ni'ucino-}\frac{L\Theta}{T^2} = 10^{-300} = 0.02020134 \frac{\text{m K}}{\text{s}^2}$
$1\text{k}\frac{\text{m K}}{\text{s}^2} = 0.2130105 \cdot 10^{-250}$	$1\text{ni'uremu-}\frac{L\Theta}{T^2} = 10^{-250} = 2.355435 \text{k}\frac{\text{m K}}{\text{s}^2}$ (*)
$1\text{m m s K} = 2.103101 \cdot 10^{130}$	$1\text{paci-LT}\Theta = 10^{130} = 0.2430044 \text{m m s K}$ (*)
$1\text{m s K} = 0.01403320 \cdot 10^{140}$	$1\text{pavo-LT}\Theta = 10^{140} = 33.21554 \text{m s K}$ (*)
$1\text{k m s K} = 114.4305 \cdot 10^{140}$	$1\text{pavo-LT}\Theta = 10^{140} = 0.004341524 \text{k m s K}$
$1\text{m m}^2\text{K} = 23.50110 \cdot 10^{110}$	$1\text{papa-L}^2\Theta = 10^{110} = 0.02134541 \text{m m}^2\text{K}$
$1\text{m}^2\text{K} = 0.2011544 \cdot 10^{120}$	$1\text{pare-L}^2\Theta = 10^{120} = 2.540135 \text{m}^2\text{K}$
$1\text{k m}^2\text{K} = 1323.251 \cdot 10^{120}$	$1\text{paci-L}^2\Theta = 10^{130} = 345.2335 \text{k m}^2\text{K}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}} = 3.100525 \cdot 10^{-20}$ (*)	$1\text{ni'ure-}\frac{L^2\Theta}{T} = 10^{-20} = 0.1520415 \text{m}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\frac{\text{m}^2\text{K}}{\text{s}} = 0.02240252 \cdot 10^{-10}$	$1\text{ni'upa-}\frac{L^2\Theta}{T} = 10^{-10} = 22.41411 \frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}} = 151.5440 \cdot 10^{-10}$	$1\frac{L^2\Theta}{T} = 1 = 3102.254 \text{k}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}^2} = 0.3450414 \cdot 10^{-150}$	$1\text{ni'upamu-}\frac{L^2\Theta}{T^2} = 10^{-150} = 1.324132 \text{m}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\frac{\text{m}^2\text{K}}{\text{s}^2} = 0.002534451 \cdot 10^{-140}$	$1\text{ni'upavo-}\frac{L^2\Theta}{T^2} = 10^{-140} = 201.2551 \frac{\text{m}^2\text{K}}{\text{s}^2}$ (*)
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}^2} = 21.33453 \cdot 10^{-140}$	$1\text{ni'upavo-}\frac{L^2\Theta}{T^2} = 10^{-140} = 0.02351301 \text{k}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{m m}^2\text{s K} = 211.0405 \cdot 10^{240}$	$1\text{revo-L}^2\Theta = 10^{240} = 0.002421421 \text{m m}^2\text{s K}$
$1\text{m}^2\text{s K} = 1.410135 \cdot 10^{250}$	$1\text{remu-L}^2\Theta = 10^{250} = 0.3312141 \text{m}^2\text{s K}$
$1\text{k m}^2\text{s K} = 0.01150341 \cdot 10^{300}$	$1\text{cino-L}^2\Theta = 10^{300} = 43.30303 \text{k m}^2\text{s K}$
$1\text{m}\frac{\text{K}}{\text{m}} = 23.25340 \cdot 10^{-230}$	$1\text{ni'ureci-}\frac{\Theta}{L} = 10^{-230} = 0.02154010 \text{m}\frac{\text{K}}{\text{m}}$

$1 \frac{K}{m} = 0.1554131 \cdot 10^{-220}$	(*)	$1 ni'urere \frac{\Theta}{L} = 10^{-220} = 3.002344 \frac{K}{m}$	(*)
$1 k \frac{K}{m} = 1311.553 \cdot 10^{-220}$	(*)	$1 ni'urepa \frac{\Theta}{L} = 10^{-210} = 352.3114 k \frac{K}{m}$	
$1 m \frac{K}{ms} = 3.033444 \cdot 10^{-400}$		$1 ni'uvono \frac{\Theta}{LT} = 10^{-400} = 0.1533535 m \frac{K}{ms}$	
$1 \frac{K}{ms} = 0.02220453 \cdot 10^{-350}$		$1 ni'ucimu \frac{\Theta}{LT} = 10^{-350} = 23.01353 \frac{K}{ms}$	
$1 k \frac{K}{ms} = 150.2441 \cdot 10^{-350}$		$1 ni'ucivo \frac{\Theta}{LT} = 10^{-340} = 3125.552 k \frac{K}{ms}$	(*)
$1 m \frac{K}{ms^2} = 0.3420320 \cdot 10^{-530}$		$1 ni'umuci \frac{\Theta}{LT^2} = 10^{-530} = 1.335535 m \frac{K}{ms^2}$	(*)
$1 \frac{K}{ms^2} = 0.002512445 \cdot 10^{-520}$		$1 ni'umure \frac{\Theta}{LT^2} = 10^{-520} = 203.0532 \frac{K}{ms^2}$	
$1 k \frac{K}{ms^2} = 21.15003 \cdot 10^{-520}$	(*)	$1 ni'umure \frac{\Theta}{LT^2} = 10^{-520} = 0.02412223 k \frac{K}{ms^2}$	
$1 m \frac{sK}{m} = 205.2114 \cdot 10^{-100}$		$1 ni'upano \frac{T\Theta}{L} = 10^{-100} = 0.002443011 m \frac{sK}{m}$	
$1 \frac{sK}{m} = 1.354105 \cdot 10^{-50}$		$1 ni'umu \frac{T\Theta}{L} = 10^{-50} = 0.3341310 \frac{sK}{m}$	
$1 k \frac{sK}{m} = 0.01140214 \cdot 10^{-40}$		$1 ni'uvo \frac{T\Theta}{L} = 10^{-40} = 44.04510 k \frac{sK}{m}$	
$1 m \frac{K}{m^2} = 0.2321251 \cdot 10^{-340}$		$1 ni'ucivo \frac{\Theta}{L^2} = 10^{-340} = 2.201440 m \frac{K}{m^2}$	
$1 \frac{K}{m^2} = 1551.022 \cdot 10^{-340}$	(*)	$1 ni'ucici \frac{\Theta}{L^2} = 10^{-330} = 301.1253 \frac{K}{m^2}$	
$1 k \frac{K}{m^2} = 13.05310 \cdot 10^{-330}$		$1 ni'ucici \frac{\Theta}{L^2} = 10^{-330} = 0.03533302 k \frac{K}{m^2}$	
$1 m \frac{K}{m^2 s} = 0.03024500 \cdot 10^{-510}$	(*)	$1 ni'umupa \frac{\Theta}{L^2 T} = 10^{-510} = 15.41021 m \frac{K}{m^2 s}$	
$1 \frac{K}{m^2 s} = 221.2554 \cdot 10^{-510}$	(*)	$1 ni'umuno \frac{\Theta}{L^2 T} = 10^{-500} = 2305.410 \frac{K}{m^2 s}$	
$1 k \frac{K}{m^2 s} = 1.455454 \cdot 10^{-500}$	(*)	$1 ni'umuno \frac{\Theta}{L^2 T} = 10^{-500} = 0.3135120 k \frac{K}{m^2 s}$	
$1 m \frac{K}{m^2 s^2} = 0.003410333 \cdot 10^{-1040}$		$1 ni'upanovo \frac{\Theta}{L^2 T^2} = 10^{-1040} = 134.2312 m \frac{K}{m^2 s^2}$	
$1 \frac{K}{m^2 s^2} = 25.04111 \cdot 10^{-1040}$		$1 ni'upanovo \frac{\Theta}{L^2 T^2} = 10^{-1040} = 0.02034144 \frac{K}{m^2 s^2}$	
$1 k \frac{K}{m^2 s^2} = 0.2111244 \cdot 10^{-1030}$		$1 ni'upanoci \frac{\Theta}{L^2 T^2} = 10^{-1030} = 2.420433 k \frac{K}{m^2 s^2}$	
$1 m \frac{sK}{m^2} = 2.044435 \cdot 10^{-210}$		$1 ni'urepa \frac{T\Theta}{L^2} = 10^{-210} = 0.2451311 m \frac{sK}{m^2}$	
$1 \frac{sK}{m^2} = 0.01351312 \cdot 10^{-200}$		$1 ni'uren \frac{T\Theta}{L^2} = 10^{-200} = 33.51211 \frac{sK}{m^2}$	
$1 k \frac{sK}{m^2} = 113.4200 \cdot 10^{-200}$	(*)	$1 ni'uren \frac{T\Theta}{L^2} = 10^{-200} = 0.004420232 k \frac{sK}{m^2}$	
$1 m \frac{K}{m^3} = 2313.214 \cdot 10^{-500}$		$1 ni'uvomu \frac{\Theta}{L^3} = 10^{-450} = 220.5315 m \frac{K}{m^3}$	
$1 \frac{K}{m^3} = 15.43523 \cdot 10^{-450}$		$1 ni'uvomu \frac{\Theta}{L^3} = 10^{-450} = 0.03020214 \frac{K}{m^3}$	
$1 k \frac{K}{m^3} = 0.1303030 \cdot 10^{-440}$		$1 ni'uvovo \frac{\Theta}{L^3} = 10^{-440} = 3.543504 k \frac{K}{m^3}$	
$1 m \frac{K}{m^3 s} = 301.5524 \cdot 10^{-1030}$	(*)	$1 ni'upanore \frac{\Theta}{L^3 T} = 10^{-1020} = 1544.112 m \frac{K}{m^3 s}$	
$1 \frac{K}{m^3 s} = 2.205105 \cdot 10^{-1020}$		$1 ni'upanore \frac{\Theta}{L^3 T} = 10^{-1020} = 0.2313434 \frac{K}{m^3 s}$	
$1 k \frac{K}{m^3 s} = 0.01452521 \cdot 10^{-1010}$		$1 ni'upanopa \frac{\Theta}{L^3 T} = 10^{-1010} = 31.44300 k \frac{K}{m^3 s}$	(*)
$1 m \frac{K}{m^3 s^2} = 34.00402 \cdot 10^{-1200}$	(*)	$1 ni'upareno \frac{\Theta}{L^3 T^2} = 10^{-1200} = 0.01345053 m \frac{K}{m^3 s^2}$	
$1 \frac{K}{m^3 s^2} = 0.2455345 \cdot 10^{-1150}$	(*)	$1 ni'upapamu \frac{\Theta}{L^3 T^2} = 10^{-1150} = 2.041404 \frac{K}{m^3 s^2}$	
$1 k \frac{K}{m^3 s^2} = 0.002103535 \cdot 10^{-1140}$		$1 ni'upapavo \frac{\Theta}{L^3 T^2} = 10^{-1140} = 242.5055 k \frac{K}{m^3 s^2}$	(*)
$1 m \frac{sK}{m^3} = 0.02041210 \cdot 10^{-320}$		$1 ni'ucire \frac{T\Theta}{L^3} = 10^{-320} = 25.00023 m \frac{sK}{m^3}$	(**)
$1 \frac{sK}{m^3} = 134.4523 \cdot 10^{-320}$		$1 ni'ucire \frac{T\Theta}{L^3} = 10^{-320} = 0.003401124 \frac{sK}{m^3}$	
$1 k \frac{sK}{m^3} = 1.132145 \cdot 10^{-310}$		$1 ni'ucipa \frac{T\Theta}{L^3} = 10^{-310} = 0.4432013 k \frac{sK}{m^3}$	
$1 m kg K = 110.0113 \cdot 10^{-100}$		$1 ni'upano-M\Theta = 10^{-100} = 0.005045540 m kg K$	(*)
$1 kg K = 0.5223343 \cdot 10^{-50}$		$1 ni'umu-M\Theta = 10^{-50} = 1.035430 kg K$	
$1 k kg K = 0.004100540 \cdot 10^{-40}$	(*)	$1 ni'uvo-M\Theta = 10^{-40} = 123.4414 k kg K$	
$1 m \frac{kg K}{s} = 12.22541 \cdot 10^{-230}$		$1 ni'ureci \frac{M\Theta}{T} = 10^{-230} = 0.04140012 m \frac{kg K}{s}$	(*)
$1 \frac{kg K}{s} = 0.1025432 \cdot 10^{-220}$		$1 ni'urere \frac{M\Theta}{T} = 10^{-220} = 5.313315 \frac{kg K}{s}$	
$1 k \frac{kg K}{s} = 500.2113 \cdot 10^{-220}$	(*)	$1 ni'urere \frac{M\Theta}{T} = 10^{-220} = 0.001110401 k \frac{kg K}{s}$	
$1 m \frac{kg K}{s^2} = 1.403523 \cdot 10^{-400}$		$1 ni'uvono \frac{M\Theta}{T^2} = 10^{-400} = 0.3321133 m \frac{kg K}{s^2}$	
$1 \frac{kg K}{s^2} = 0.01144442 \cdot 10^{-350}$		$1 ni'ucimu \frac{M\Theta}{T^2} = 10^{-350} = 43.40545 \frac{kg K}{s^2}$	
$1 k \frac{kg K}{s^2} = 100.0354 \cdot 10^{-350}$	(*)	$1 ni'ucivo \frac{M\Theta}{T^2} = 10^{-340} = 5552.023 k \frac{kg K}{s^2}$	(**)
$1 m kg s K = 545.5441 \cdot 10^{30}$		$1 vo-MT\Theta = 10^{40} = 1010.113 m kg s K$	
$1 kg s K = 4.300020 \cdot 10^{40}$	(**)	$1 vo-MT\Theta = 10^{40} = 0.1155553 kg s K$	(**)
$1 k kg s K = 0.03250013 \cdot 10^{50}$	(*)	$1 mu-MT\Theta = 10^{50} = 14.21121 k kg s K$	
$1 m kg m K = 0.01102031 \cdot 10^{20}$		$1 re-ML\Theta = 10^{20} = 50.33420 m kg m K$	
$1 kg m K = 52.40202 \cdot 10^{20}$		$1 re-ML\Theta = 10^{20} = 0.01033550 kg m K$	(*)
$1 k kg m K = 0.4111401 \cdot 10^{30}$		$1 ci-ML\Theta = 10^{30} = 1.232225 k kg m K$	
$1 m \frac{kg m K}{s} = 1225.114 \cdot 10^{-120}$		$1 ni'upapa \frac{ML\Theta}{T} = 10^{-110} = 412.5105 m \frac{kg m K}{s}$	

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 10.31300 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.05014142 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 141.0341 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 1.150515 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 0.01002135 \cdot 10^{-230} \quad (*) \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{k kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.1231254 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1033.132 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 5.030232 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.01413204 \cdot 10^{-130} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 115.2555 \cdot 10^{-130} \quad (***) \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 1.003523 \cdot 10^{-120} \quad (*) \\
1 \text{m kg m}^2 \text{s K} &= 5.530355 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.04322342 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 330.5141 \cdot 10^{310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 1.054201 \cdot 10^{-210} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.005210550 \cdot 10^{-200} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 40.50134 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.1220412 \cdot 10^{-340} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1024.005 \cdot 10^{-340} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 4.550105 \cdot 10^{-330} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.01401112 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 114.2413 \cdot 10^{-510} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 0.5550151 \cdot 10^{-500} \quad (***) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 5.442240 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.04244504 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 324.0252 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.01052252 \cdot 10^{-320} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 51.54215 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4035351 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 1214.251 \cdot 10^{-500} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 10.22150 \cdot 10^{-450} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.04534122 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 135.4310 \cdot 10^{-1030} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 1.140351 \cdot 10^{-1020} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 5532.425 \cdot 10^{-1020} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.05425103 \cdot 10^{-150} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 423.3411 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 3.230545 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 105.0351 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 0.5141510 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 0.004025022 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 12.12133 \cdot 10^{-1010} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.1020333 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 452.2155 \cdot 10^{-1000} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 0.05300402 \frac{\text{kg m K}}{\text{s}} \quad (*) \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 11.04431 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 3311.322 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.4325325 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'ureci-} \frac{ML\Theta}{T^2} &= 10^{-230} = 55.34255 \text{k} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{pamu-} ML\Theta &= 10^{150} = 10.04322 \text{m kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 1153.504 \text{kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 0.1414244 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 4.114221 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 524.3512 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.1102504 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 33.01524 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 4314.125 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 0.5520554 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.1002533 \text{m kg m}^2 \text{s K} \quad (*) \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 11.51422 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 1411.415 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.5102122 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 104.1312 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 0.01241011 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 4.150534 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 533.0254 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 0.1112334 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 33.31002 \text{m} \frac{\text{kg K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 4352.225 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 1.000542 \text{k} \frac{\text{kg K}}{\text{m s}^2} \quad (***) \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L} &= 10^{-40} = 0.1011512 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 12.02045 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{MT\Theta}{L} &= 10^{-20} = 1424.003 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 51.14325 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.01043202 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucipa-} \frac{M\Theta}{L^2} &= 10^{-310} = 1.243212 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 420.1515 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 0.05343300 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2T} &= 10^{-440} = 11.14314 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 3340.443 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 0.4403524 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^2T^2} &= 10^{-1010} = 100.2324 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 10.13313 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 1204.145 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 0.1430453 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.005130554 \text{m} \frac{\text{kg K}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 1.045054 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvore-} \frac{M\Theta}{L^3} &= 10^{-420} = 124.5421 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^3T} &= 10^{-1010} = 0.04212515 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 5.400324 \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 0.001120302 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 1.351512 \cdot 10^{-1140}$	$1 ni'upapavo- \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 0.3350343 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.01134332 \cdot 10^{-1130}$	$1 ni'upapaci- \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 44.15244 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 55.15132 \cdot 10^{-1130}$ (*)	$1 ni'upapaci- \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 0.01004112 k \frac{kg\ K}{m^3 s^2}$ (*)
$1m \frac{kg\ s\ K}{m^3} = 541.1552 \cdot 10^{-310}$ (*)	$1 ni'ucino- \frac{MT\Theta}{L^3} = 10^{-300} = 1015.120 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 4.222335 \cdot 10^{-300}$	$1 ni'ucino- \frac{MT\Theta}{L^3} = 10^{-300} = 0.1210252 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.03221254 \cdot 10^{-250}$	$1 ni'uremu- \frac{MT\Theta}{L^3} = 10^{-250} = 14.33352 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.01030421 \cdot 10^{-150}$	$1 ni'upamu- \frac{\Theta}{Q} = 10^{-150} = 53.04334 m \frac{K}{C}$
$1 \frac{K}{C} = 50.10411 \cdot 10^{-150}$	$1 ni'upamu- \frac{\Theta}{Q} = 10^{-150} = 0.01105334 \frac{K}{C}$
$1k \frac{K}{C} = 0.3514300 \cdot 10^{-140}$ (*)	$1 ni'upavo- \frac{\Theta}{Q} = 10^{-140} = 1.313504 k \frac{K}{C}$
$1m \frac{K}{sC} = 0.001145542 \cdot 10^{-320}$ (*)	$1 ni'ucire- \frac{\Theta}{TQ} = 10^{-320} = 433.2503 m \frac{K}{sC}$
$1 \frac{K}{sC} = 10.01320 \cdot 10^{-320}$	$1 ni'ucire- \frac{\Theta}{TQ} = 10^{-320} = 0.05542422 \frac{K}{sC}$ (*)
$1k \frac{K}{sC} = 0.04355112 \cdot 10^{-310}$ (*)	$1 ni'ucipa- \frac{\Theta}{TQ} = 10^{-310} = 11.41534 k \frac{K}{sC}$
$1m \frac{K}{s^2C} = 132.2403 \cdot 10^{-500}$	$1 ni'umuno- \frac{\Theta}{T^2Q} = 10^{-500} = 0.003454315 m \frac{K}{s^2C}$
$1 \frac{K}{s^2C} = 1.113155 \cdot 10^{-450}$ (*)	$1 ni'uvomu- \frac{\Theta}{T^2Q} = 10^{-450} = 0.4543114 \frac{K}{s^2C}$
$1k \frac{K}{s^2C} = 0.005333503 \cdot 10^{-440}$	$1 ni'uvovo- \frac{\Theta}{T^2Q} = 10^{-440} = 102.3214 k \frac{K}{s^2C}$
$1m \frac{s\ K}{C} = 0.05232245 \cdot 10^{-20}$	$1 ni'ure- \frac{T\Theta}{Q} = 10^{-20} = 10.34432 m \frac{s\ K}{C}$
$1 \frac{s\ K}{C} = 410.4403 \cdot 10^{-20}$	$1 ni'ure- \frac{T\Theta}{Q} = 10^{-20} = 0.001233233 \frac{s\ K}{C}$
$1k \frac{s\ K}{C} = 3.122020 \cdot 10^{-10}$	$1 ni'upa- \frac{T\Theta}{Q} = 10^{-10} = 0.1505005 k \frac{s\ K}{C}$ (*)
$1m \frac{m\ K}{C} = 1.032252 \cdot 10^{-40}$	$1 ni'uvo- \frac{L\Theta}{Q} = 10^{-40} = 0.5251433 m \frac{m\ K}{C}$
$1 \frac{m\ K}{C} = 5022.451 \cdot 10^{-40}$	$1 ni'uci- \frac{L\Theta}{Q} = 10^{-30} = 110.3410 \frac{m\ K}{C}$
$1k \frac{m\ K}{C} = 35.24433 \cdot 10^{-30}$	$1 ni'uci- \frac{L\Theta}{Q} = 10^{-30} = 0.01311214 k \frac{m\ K}{C}$
$1m \frac{m\ K}{sC} = 0.1152020 \cdot 10^{-210}$	$1 ni'urepa- \frac{L\Theta}{TQ} = 10^{-210} = 4.321254 m \frac{m\ K}{sC}$
$1 \frac{m\ K}{sC} = 0.001003103 \cdot 10^{-200}$ (*)	$1 ni'ureno- \frac{L\Theta}{TQ} = 10^{-200} = 552.5111 \frac{m\ K}{sC}$ (*)
$1k \frac{m\ K}{sC} = 4.410420 \cdot 10^{-200}$	$1 ni'ureno- \frac{L\Theta}{TQ} = 10^{-200} = 0.1135513 k \frac{m\ K}{sC}$ (*)
$1m \frac{m\ K}{s^2C} = 0.01325113 \cdot 10^{-340}$	$1 ni'ucivo- \frac{L\Theta}{T^2Q} = 10^{-340} = 34.44232 m \frac{m\ K}{s^2C}$
$1 \frac{m\ K}{s^2C} = 111.5140 \cdot 10^{-340}$	$1 ni'ucivo- \frac{L\Theta}{T^2Q} = 10^{-340} = 0.004531135 \frac{m\ K}{s^2C}$
$1k \frac{m\ K}{s^2C} = 0.5350514 \cdot 10^{-330}$	$1 ni'ucici- \frac{L\Theta}{T^2Q} = 10^{-330} = 1.021400 k \frac{m\ K}{s^2C}$ (*)
$1m \frac{ms\ K}{C} = 5.245120 \cdot 10^{50}$	$1 mu- \frac{LT\Theta}{Q} = 10^{50} = 0.1032554 m \frac{ms\ K}{C}$ (*)
$1 \frac{ms\ K}{C} = 0.04115234 \cdot 10^{100}$	$1 pano- \frac{LT\Theta}{Q} = 10^{100} = 12.31050 \frac{ms\ K}{C}$
$1k \frac{ms\ K}{C} = 313.1134 \cdot 10^{100}$	$1 pano- \frac{LT\Theta}{Q} = 10^{100} = 0.001502015 k \frac{ms\ K}{C}$
$1m \frac{m^2\ K}{C} = 103.4125 \cdot 10^{30}$	$1 vo- \frac{L^2\Theta}{Q} = 10^{40} = 5234.555 m \frac{m^2\ K}{C}$ (**)
$1 \frac{m^2\ K}{C} = 0.5034553 \cdot 10^{40}$ (*)	$1 vo- \frac{L^2\Theta}{Q} = 10^{40} = 1.101445 \frac{m^2\ K}{C}$
$1k \frac{m^2\ K}{C} = 3535.023 \cdot 10^{40}$	$1 mu- \frac{L^2\Theta}{Q} = 10^{50} = 130.4531 k \frac{m^2\ K}{C}$
$1m \frac{m^2\ K}{sC} = 11.54102 \cdot 10^{-100}$	$1 ni'upano- \frac{L^2\Theta}{TQ} = 10^{-100} = 0.04310105 m \frac{m^2\ K}{sC}$
$1 \frac{m^2\ K}{sC} = 0.1004452 \cdot 10^{-50}$ (*)	$1 ni'umu- \frac{L^2\Theta}{TQ} = 10^{-50} = 5.511422 \frac{m^2\ K}{sC}$
$1k \frac{m^2\ K}{sC} = 442.2144 \cdot 10^{-50}$	$1 ni'uvvo- \frac{L^2\Theta}{TQ} = 10^{-40} = 1133.455 k \frac{m^2\ K}{sC}$ (*)
$1m \frac{m^2\ K}{s^2C} = 1.331431 \cdot 10^{-230}$	$1 ni'ureci- \frac{L^2\Theta}{T^2Q} = 10^{-230} = 0.3434203 m \frac{m^2\ K}{s^2C}$
$1 \frac{m^2\ K}{s^2C} = 0.01121124 \cdot 10^{-220}$	$1 ni'urere- \frac{L^2\Theta}{T^2Q} = 10^{-220} = 45.15221 \frac{m^2\ K}{s^2C}$
$1k \frac{m^2\ K}{s^2C} = 54.03551 \cdot 10^{-220}$ (*)	$1 ni'urere- \frac{L^2\Theta}{T^2Q} = 10^{-220} = 0.01015544 k \frac{m^2\ K}{s^2C}$ (*)
$1m \frac{m^2\ s\ K}{C} = 530.2013 \cdot 10^{200}$	$1 reno- \frac{L^2T\Theta}{Q} = 10^{200} = 0.001031122 m \frac{m^2\ s\ K}{C}$
$1 \frac{m^2\ s\ K}{C} = 4.130124 \cdot 10^{210}$	$1 repa- \frac{L^2T\Theta}{Q} = 10^{210} = 0.1224510 \frac{m^2\ s\ K}{C}$
$1k \frac{m^2\ s\ K}{C} = 0.03140304 \cdot 10^{220}$	$1 rere- \frac{L^2T\Theta}{Q} = 10^{220} = 14.55034 k \frac{m^2\ s\ K}{C}$ (*)
$1m \frac{K}{mC} = 102.4553 \cdot 10^{-310}$ (*)	$1 ni'ucino- \frac{\Theta}{LQ} = 10^{-300} = 5321.301 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.4554352 \cdot 10^{-300}$ (*)	$1 ni'ucino- \frac{\Theta}{LQ} = 10^{-300} = 1.111305 \frac{K}{mC}$
$1k \frac{K}{mC} = 3504.142 \cdot 10^{-300}$	$1 ni'uremu- \frac{\Theta}{LQ} = 10^{-250} = 132.0202 k \frac{K}{mC}$
$1m \frac{K}{msC} = 11.43510 \cdot 10^{-440}$	$1 ni'uvovo- \frac{\Theta}{LTQ} = 10^{-440} = 0.04344132 m \frac{K}{msC}$
$1 \frac{K}{msC} = 0.05555355 \cdot 10^{-430}$ (**)	$1 ni'uvoci- \frac{\Theta}{LTQ} = 10^{-430} = 10.00020 \frac{K}{msC}$ (**)
$1k \frac{K}{msC} = 434.3424 \cdot 10^{-430}$	$1 ni'uvore- \frac{\Theta}{LTQ} = 10^{-420} = 1144.002 k \frac{K}{msC}$ (*)

$$\begin{aligned}
1 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 1.320101 \cdot 10^{-1010} \\
1 \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.01111220 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 53.20514 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 521.5441 \cdot 10^{-140} \\
1 \frac{\text{sK}}{\text{mC}} &= 4.053551 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 0.03112515 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 1.023132 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 4542.353 \cdot 10^{-420} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 34.54042 \cdot 10^{-410} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 0.1141442 \cdot 10^{-550} \\
1 \frac{\text{K}}{\text{m}^2 \text{sC}} &= 554.2021 \cdot 10^{-550} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 4.332200 \cdot 10^{-540} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.01313403 \cdot 10^{-1120} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 110.5245 \cdot 10^{-1120} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.5303552 \cdot 10^{-1110} \quad (*) \\
1 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 5.203054 \cdot 10^{-250} \\
1 \frac{\text{sK}}{\text{m}^2 \text{C}} &= 0.04043154 \cdot 10^{-240} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 310.3430 \cdot 10^{-240} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.01021314 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 45.30415 \cdot 10^{-530} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.3444000 \cdot 10^{-520} \quad (***) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.001135422 \cdot 10^{-1100} \\
1 \frac{\text{K}}{\text{m}^3 \text{sC}} &= 5.524311 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.04320551 \cdot 10^{-1050} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 131.1112 \cdot 10^{-1240} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 1.103321 \cdot 10^{-1230} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.005251052 \cdot 10^{-1220} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.05150333 \cdot 10^{-400} \\
1 \frac{\text{sK}}{\text{m}^3 \text{C}} &= 403.2415 \cdot 10^{-400} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 3.054353 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 253.2141 \cdot 10^{-140} \\
1 \frac{\text{kgK}}{\text{C}} &= 2.131512 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 0.01424240 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 33.03254 \cdot 10^{-310} \\
1 \frac{\text{kgK}}{\text{sC}} &= 0.2414010 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 2032.103 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 4.120144 \cdot 10^{-440} \\
1 \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 0.03131533 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 230.3054 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.002234213 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= 15.14053 \cdot 10^0 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 0.1241220 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 0.02541000 \cdot 10^{-20} \quad (***) \\
1 \frac{\text{kg mK}}{\text{C}} &= 213.5303 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 1.431131 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg mK}}{\text{sC}} &= 3313.055 \cdot 10^{-200} \quad (*) \\
1 \frac{\text{kg mK}}{\text{sC}} &= 24.22223 \cdot 10^{-150}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}' \text{upanopa} \frac{\Theta}{LT^2 Q} &= 10^{-1010} = 0.3504420 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}' \text{upanono} \frac{\Theta}{LT^2 Q} &= 10^{-1000} = 45.55113 \frac{\text{K}}{\text{ms}^2 \text{C}} \quad (*) \\
1 \text{ni}' \text{upanono} \frac{\Theta}{LT^2 Q} &= 10^{-1000} = 0.01025040 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}' \text{upavo} \frac{T\Theta}{LQ} &= 10^{-140} = 0.001040313 \text{m} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}' \text{upaci} \frac{T\Theta}{LQ} &= 10^{-130} = 0.1235424 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}' \text{upare} \frac{T\Theta}{LQ} &= 10^{-120} = 15.12003 \text{k} \frac{\text{sK}}{\text{mC}} \quad (*) \\
1 \text{ni}' \text{uvore} \frac{\Theta}{L^2 Q} &= 10^{-420} = 0.5334251 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{uvopa} \frac{\Theta}{L^2 Q} &= 10^{-410} = 111.3244 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{uvopa} \frac{\Theta}{L^2 Q} &= 10^{-410} = 0.01322505 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{umumu} \frac{\Theta}{L^2 TQ} &= 10^{-550} = 4.355421 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}' \text{umuovo} \frac{\Theta}{L^2 TQ} &= 10^{-540} = 1001.401 \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}' \text{umuovo} \frac{\Theta}{L^2 TQ} &= 10^{-540} = 0.1150033 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}' \text{upapare} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1120} = 35.14535 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upapare} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1120} = 0.005011133 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upapapa} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1110} = 1.030503 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uremu} \frac{T\Theta}{L^2 Q} &= 10^{-250} = 0.1042201 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{urevo} \frac{T\Theta}{L^2 Q} &= 10^{-240} = 12.42023 \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{urevo} \frac{T\Theta}{L^2 Q} &= 10^{-240} = 0.001515011 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{umuci} \frac{\Theta}{L^3 Q} &= 10^{-530} = 53.51303 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{umuci} \frac{\Theta}{L^3 Q} &= 10^{-530} = 0.01115230 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{umure} \frac{\Theta}{L^3 Q} &= 10^{-520} = 1.325215 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{upapano} \frac{\Theta}{L^3 TQ} &= 10^{-1100} = 441.1130 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}' \text{upapano} \frac{\Theta}{L^3 TQ} &= 10^{-1100} = 0.1003144 \frac{\text{K}}{\text{m}^3 \text{sC}} \quad (*) \\
1 \text{ni}' \text{upanomu} \frac{\Theta}{L^3 TQ} &= 10^{-1050} = 11.52112 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}' \text{uparevo} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1240} = 0.003525112 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upareci} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1230} = 0.5023215 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uparere} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1220} = 103.2334 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvono} \frac{T\Theta}{L^3 Q} &= 10^{-400} = 10.44051 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{uvono} \frac{T\Theta}{L^3 Q} &= 10^{-400} = 0.001244225 \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{ucimu} \frac{T\Theta}{L^3 Q} &= 10^{-350} = 0.1522023 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{upavo} \frac{M\Theta}{Q} &= 10^{-140} = 0.002014424 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{upaci} \frac{M\Theta}{Q} &= 10^{-130} = 0.2353443 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{upare} \frac{M\Theta}{Q} &= 10^{-120} = 32.35345 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{ucipa} \frac{M\Theta}{TQ} &= 10^{-310} = 0.01412330 \text{m} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{ucino} \frac{M\Theta}{TQ} &= 10^{-300} = 2.113404 \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{uremu} \frac{M\Theta}{TQ} &= 10^{-250} = 251.1025 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{uvovo} \frac{M\Theta}{T^2 Q} &= 10^{-440} = 0.1230503 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvoci} \frac{M\Theta}{T^2 Q} &= 10^{-430} = 15.01402 \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvore} \frac{M\Theta}{T^2 Q} &= 10^{-420} = 2215.220 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 224.3452 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.03105123 \frac{\text{kg sK}}{\text{C}} \\
1 \text{pa} \frac{MT\Theta}{Q} &= 10^{10} = 4.045130 \text{k} \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni}' \text{ure} \frac{ML\Theta}{Q} &= 10^{-20} = 20.11243 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}' \text{ure} \frac{ML\Theta}{Q} &= 10^{-20} = 0.002345313 \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}' \text{upa} \frac{ML\Theta}{Q} &= 10^{-10} = 0.3230043 \text{k} \frac{\text{kg mK}}{\text{C}} \quad (*) \\
1 \text{ni}' \text{upamu} \frac{ML\Theta}{TQ} &= 10^{-150} = 140.5504 \text{m} \frac{\text{kg mK}}{\text{sC}} \quad (*) \\
1 \text{ni}' \text{upamu} \frac{ML\Theta}{TQ} &= 10^{-150} = 0.02110051 \frac{\text{kg mK}}{\text{sC}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s C}} &= 0.2035320 \cdot 10^{-140} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 413.1035 \cdot 10^{-330} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 3.141104 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.02311114 \cdot 10^{-310} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 0.2242150 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.001521104 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 12.43422 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 2.545431 \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.02143103 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 143.4030 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.3322513 \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 2430.451 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 20.42543 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.04141545 \cdot 10^{-210} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 315.0252 \cdot 10^{-210} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2.315144 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 22.50133 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.1524124 \cdot 10^{230} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.001250031 \cdot 10^{240} \quad (*) \\
1m \frac{\text{kg K}}{\text{m C}} &= 2.523333 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 0.02124131 \cdot 10^{-240} \\
1k \frac{\text{kg K}}{\text{m C}} &= 142.1353 \cdot 10^{-240} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.3253510 \cdot 10^{-420} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 2405.404 \cdot 10^{-420} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 20.24455 \cdot 10^{-410} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.04105312 \cdot 10^{-550} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 312.2415 \cdot 10^{-550} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 2.255045 \cdot 10^{-540} \quad (*) \\
1m \frac{\text{kg s K}}{\text{m C}} &= 22.30251 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 0.1511051 \cdot 10^{-110} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.001235023 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.02514540 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 212.0400 \cdot 10^{-400} \quad (*) \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1.414515 \cdot 10^{-350} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 3244.140 \cdot 10^{-540} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 24.01213 \cdot 10^{-530} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.2021301 \cdot 10^{-520} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 405.4454 \cdot 10^{-1110} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3.113312 \cdot 10^{-1100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.02251050 \cdot 10^{-1050} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.2222335 \cdot 10^{-230} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.001504054 \cdot 10^{-220} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 12.32433 \cdot 10^{-220} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 251.0155 \cdot 10^{-520} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 2.113035 \cdot 10^{-510} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.01412050 \cdot 10^{-500}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 2.502254 k \frac{\text{kg m K}}{\text{s C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 1224.324 m \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 0.1454421 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucipa-} \frac{ML\Theta}{T^2Q} &= 10^{-310} = 22.11323 k \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ papa-} \frac{MLT\Theta}{Q} &= 10^{110} = 2.235513 m \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 310.0043 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 0.04034344 k \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.2004112 m \frac{\text{kg m}^2 \text{K}}{\text{C}} \quad (*) \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 23.41153 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 0.003220353 k \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 1.403051 m \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 210.2344 \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.02453535 k \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 12.22153 m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 1451.445 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 0.2203440 k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.02231544 m \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 3.051020 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 402.4021 k \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ ni'uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 0.2022014 m \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 24.02024 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 0.003245104 k \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 1.415200 m \frac{\text{kg K}}{\text{m s C}} \quad (*) \\
1 \text{ ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 212.1130 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 0.02515411 k \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 12.33050 m \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 1504.351 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 0.2223123 k \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.02251442 m \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 3.114214 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'upano-} \frac{MT\Theta}{LQ} &= 10^{-100} = 405.5530 k \frac{\text{kg s K}}{\text{m C}} \quad (*) \\
1 \text{ ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 20.25213 m \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 0.002410220 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 0.3254440 k \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 142.2035 m \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 0.02124502 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 2.524205 k \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 1235.240 m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.1511345 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upanomu-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1050} = 22.31040 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 2.255442 m \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 312.3322 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 0.04110345 k \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 0.002032422 m \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 0.2414424 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umuno-} \frac{M\Theta}{L^3Q} &= 10^{-500} = 33.04225 k \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 32.34422 \cdot 10^{-1050}$	$1 ni'upanomu \frac{M\Theta}{L^3 T Q} = 10^{-1050} = 0.01424523 m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 0.2353033 \cdot 10^{-1040}$	$1 ni'upanovo \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 2.132244 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 2014.112 \cdot 10^{-1040}$	$1 ni'upanoci \frac{M\Theta}{L^3 T Q} = 10^{-1030} = 253.3014 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 4.044100 \cdot 10^{-1220}$ (*)	$1 ni'uparere \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.1241435 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 0.03104222 \cdot 10^{-1210}$	$1 ni'uparepa \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 15.14352 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 224.3101 \cdot 10^{-1210}$	$1 ni'uparenko \frac{M\Theta}{L^3 T^2 Q} = 10^{-1200} = 2235.003 k \frac{kg\ K}{m^3 s^2 C}$ (*)
$1m \frac{kg\ s\ K}{m^3 C} = 0.002214433 \cdot 10^{-340}$	$1 ni'ucivo \frac{M\Theta}{L^3 Q} = 10^{-340} = 230.3452 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 15.01110 \cdot 10^{-340}$	$1 ni'ucivo \frac{M\Theta}{L^3 Q} = 10^{-340} = 0.03132442 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 0.1230251 \cdot 10^{-330}$	$1 ni'ucici \frac{M\Theta}{L^3 Q} = 10^{-330} = 4.121223 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 1012.030 \cdot 10^{-40}$	$1 ni'uci-Q\Theta = 10^{-30} = 544.1131 m CK$
$1 CK = 4.445231 \cdot 10^{-30}$	$1 ni'uci-Q\Theta = 10^{-30} = 0.1125501 CK$ (*)
$1k CK = 0.03412251 \cdot 10^{-20}$	$1 ni'ure-Q\Theta = 10^{-20} = 13.41414 k CK$
$1m \frac{CK}{s} = 112.5100 \cdot 10^{-210}$ (*)	$1 ni'ureno \frac{Q\Theta}{T} = 10^{-200} = 4452.002 m \frac{CK}{s}$ (*)
$1m \frac{CK}{s} = 0.5434051 \cdot 10^{-200}$	$1 ni'ureno \frac{Q\Theta}{T} = 10^{-200} = 1.012351 \frac{CK}{s}$
$1k \frac{CK}{s} = 4241.310 \cdot 10^{-200}$	$1 ni'upamu \frac{Q\Theta}{T} = 10^{-150} = 120.3045 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 12.55153 \cdot 10^{-340}$ (*)	$1 ni'ucivo \frac{Q\Theta}{T^2} = 10^{-340} = 0.04001452 m \frac{CK}{s^2}$ (*)
$1m \frac{CK}{s^2} = 0.1053251 \cdot 10^{-330}$	$1 ni'ucici \frac{Q\Theta}{T^2} = 10^{-330} = 5.110032 \frac{CK}{s^2}$ (*)
$1k \frac{CK}{s^2} = 520.2552 \cdot 10^{-330}$ (*)	$1 ni'ucire \frac{Q\Theta}{T^2} = 10^{-320} = 1042.212 k \frac{CK}{s^2}$
$1m s CK = 0.005103145 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 105.4033 m s CK$
$1s CK = 35.55354 \cdot 10^{100}$ (*)	$1 pano-TQ\Theta = 10^{100} = 0.01300044 s CK$ (**)
$1ks CK = 0.3030223 \cdot 10^{110}$	$1 papa-TQ\Theta = 10^{110} = 1.540023 k s CK$ (*)
$1mm CK = 0.1013431 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 5.423555 m m CK$ (**)
$1m CK = 450.1100 \cdot 10^{40}$ (*)	$1 vo-LQ\Theta = 10^{40} = 0.001123501 m CK$
$1km CK = 3.422242 \cdot 10^{50}$	$1 mu-LQ\Theta = 10^{50} = 0.1335042 km CK$
$1m \frac{m CK}{s} = 0.01131102 \cdot 10^{-50}$	$1 ni'umu \frac{LQ\Theta}{T} = 10^{-50} = 44.40145 m \frac{m CK}{s}$
$1m \frac{m CK}{s} = 54.51240 \cdot 10^{-50}$	$1 ni'umu \frac{LQ\Theta}{T} = 10^{-50} = 0.01010551 \frac{m CK}{s}$ (*)
$1k \frac{m CK}{s} = 0.4252413 \cdot 10^{-40}$	$1 ni'uvu \frac{LQ\Theta}{T} = 10^{-40} = 1.200551 k \frac{m CK}{s}$ (**)
$1m \frac{m CK}{s^2} = 0.001301423 \cdot 10^{-220}$	$1 ni'urere \frac{LQ\Theta}{T^2} = 10^{-220} = 355.1222 m \frac{m CK}{s^2}$ (*)
$1m \frac{m CK}{s^2} = 10.55201 \cdot 10^{-220}$ (*)	$1 ni'urere \frac{LQ\Theta}{T^2} = 10^{-220} = 0.05053440 \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 0.05215335 \cdot 10^{-210}$	$1 ni'urepa \frac{LQ\Theta}{T^2} = 10^{-210} = 10.40325 k \frac{m CK}{s^2}$
$1m ms CK = 0.5115354 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 1.052125 m ms CK$
$1ms CK = 0.004010035 \cdot 10^{220}$ (*)	$1 rere-LTQ\Theta = 10^{220} = 125.3421 ms CK$
$1km s CK = 30.35214 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.01532543 km ms CK$
$1mm^2 CK = 10.15235 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.05410450 mm^2 CK$
$1m^2 CK = 0.04512545 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 11.21505 m^2 CK$
$1km^2 CK = 343.2251 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 0.001332314 km^2 CK$
$1m \frac{m^2 CK}{s} = 1.133111 \cdot 10^{20}$	$1 re-L^2 Q\Theta = 10^{20} = 0.4424353 m \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s} = 5504.453 \cdot 10^{20}$ (*)	$1 ci-L^2 Q\Theta = 10^{30} = 100.5154 \frac{m^2 CK}{s}$ (*)
$1k \frac{m^2 CK}{s} = 43.03535 \cdot 10^{30}$	$1 ci-L^2 Q\Theta = 10^{30} = 0.01154501 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 0.1304100 \cdot 10^{-110}$ (*)	$1 ni'upapa \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 3.541010 m \frac{m^2 CK}{s^2}$
$1m \frac{m^2 CK}{s^2} = 0.001101114 \cdot 10^{-100}$	$1 ni'upano \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 504.1310 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 5.232143 \cdot 10^{-100}$	$1 ni'upano \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.1034443 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 51.32024 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.01050224 mm^2 s CK$
$1m^2 s CK = 0.4020334 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 1.251202 m^2 s CK$
$1km^2 s CK = 0.003044220 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 152.5511 km^2 s CK$ (*)
$1m \frac{CK}{m} = 10.10231 \cdot 10^{-150}$	$1 ni'upamu \frac{Q\Theta}{L} = 10^{-150} = 0.05454325 m \frac{CK}{m}$
$1m \frac{CK}{m} = 0.04433422 \cdot 10^{-140}$	$1 ni'upavo \frac{Q\Theta}{L} = 10^{-140} = 11.31504 \frac{CK}{m}$
$1k \frac{CK}{m} = 340.2314 \cdot 10^{-140}$	$1 ni'upavo \frac{Q\Theta}{L} = 10^{-140} = 0.001344153 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 1.123101 \cdot 10^{-320}$	$1 ni'ucire \frac{Q\Theta}{LT} = 10^{-320} = 0.4503435 m \frac{CK}{ms}$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 5420.524 \cdot 10^{-320} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 42.30223 \cdot 10^{-310} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 0.1252532 \cdot 10^{-450} \\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.001051344 \cdot 10^{-440} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 5.150232 \cdot 10^{-440} \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 50.51001 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{s CK}}{\text{m}} &= 0.3545132 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 0.003021244 \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 0.1004435 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^2} &= 442.2034 \cdot 10^{-300} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 3.352354 \cdot 10^{-250} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.01121110 \cdot 10^{-430} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 54.03424 \cdot 10^{-430} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.4215200 \cdot 10^{-420} \quad (*) \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.001250314 \cdot 10^{-1000} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 10.45443 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.05133533 \cdot 10^{-550} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.5034435 \cdot 10^{-130} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 0.003534524 \cdot 10^{-120} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 30.12322 \cdot 10^{-120} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 1003.050 \cdot 10^{-420} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^3} &= 4.410310 \cdot 10^{-410} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 0.03342452 \cdot 10^{-400} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 111.5121 \cdot 10^{-550} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.5350351 \cdot 10^{-540} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 4204.151 \cdot 10^{-540} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 12.44104 \cdot 10^{-1120} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.1043550 \cdot 10^{-1110} \quad (*) \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 512.1255 \cdot 10^{-1110} \quad (*) \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 0.005022334 \cdot 10^{-240} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 35.24334 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 0.3003411 \cdot 10^{-230} \quad (*) \\
1 \text{m kg CK} &= 24.43335 \cdot 10^{-20} \\
1 \text{kg CK} &= 0.2053425 \cdot 10^{-10} \\
1 \text{k kg CK} &= 0.001355213 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 3.205015 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{s}} &= 0.02331242 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 155.5402 \cdot 10^{-140} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.4010532 \cdot 10^{-320} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 3040.002 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 22.22310 \cdot 10^{-310} \\
1 \text{m kg s CK} &= 215.4302 \cdot 10^{110} \\
1 \text{kg s CK} &= 1.443423 \cdot 10^{120} \\
1 \text{k kg s CK} &= 0.01215103 \cdot 10^{130} \\
1 \text{m kg m CK} &= 0.002452041 \cdot 10^{100} \\
1 \text{kg m CK} &= 21.01120 \cdot 10^{100} \\
1 \text{k kg m CK} &= 0.1402020 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 321.4244 \cdot 10^{-40} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 2.335344 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 0.02002522 \cdot 10^{-20} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 101.4153 \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 0.01205151 \text{k} \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'uvomu-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 4.012140 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 512.2250 \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 0.1044103 \text{k} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.01055545 \text{m} \frac{\text{s CK}}{\text{m}} \quad (***) \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 1.302314 \frac{\text{s CK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 154.3113 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 5.511551 \text{m} \frac{\text{CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.001133515 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 0.1350542 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 45.15333 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 0.01020002 \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (**) \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1.211300 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 402.2443 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.05134525 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^2 T^2} &= 10^{-550} = 10.50001 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (**) \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 1.101503 \text{m} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 130.4553 \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.01550211 \text{k} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 552.5235 \text{m} \frac{\text{CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.1135532 \frac{\text{CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvono-} \frac{Q\Theta}{L^3} &= 10^{-400} = 13.53334 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 4531.251 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 1.021414 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuci-} \frac{Q\Theta}{L^3 T} &= 10^{-530} = 121.3412 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.04033204 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 5.151225 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapano-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1100} = 1051.502 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 110.3424 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.01311235 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 1.553315 \text{k} \frac{\text{s CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'ure-} M Q\Theta &= 10^{-20} = 0.02051435 \text{m kg CK} \\
1 \text{ni'upa-} M Q\Theta &= 10^{-10} = 2.441014 \text{kg CK} \\
1 M Q\Theta &= 1 = 333.4543 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{M Q\Theta}{T} &= 10^{-150} = 0.1442032 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 21.52213 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 0.003000253 \text{k} \frac{\text{kg CK}}{\text{s}} \quad (**) \\
1 \text{ni'ucire-} \frac{M Q\Theta}{T^2} &= 10^{-320} = 1.253231 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 153.2322 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 0.02255512 \text{k} \frac{\text{kg CK}}{\text{s}^2} \quad (**) \\
1 \text{pare-} M T Q\Theta &= 10^{120} = 2325.025 \text{m kg s CK} \\
1 \text{pare-} M T Q\Theta &= 10^{120} = 0.3201550 \text{kg s CK} \quad (*) \\
1 \text{paci-} M T Q\Theta &= 10^{130} = 41.55402 \text{k kg s CK} \quad (*) \\
1 \text{pano-} M L Q\Theta &= 10^{100} = 204.4200 \text{m kg m CK} \quad (*) \\
1 \text{pano-} M L Q\Theta &= 10^{100} = 0.02432332 \text{kg m CK} \\
1 \text{papa-} M L Q\Theta &= 10^{110} = 3.325104 \text{k kg m CK} \\
1 \text{ni'uv-} \frac{M L Q\Theta}{T} &= 10^{-40} = 0.001435122 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{M L Q\Theta}{T} &= 10^{-30} = 0.2144400 \frac{\text{kg m CK}}{\text{s}} \quad (*) \\
1 \text{ni'ure-} \frac{M L Q\Theta}{T} &= 10^{-20} = 25.51403 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m C K}}{\text{s}^2} &= 40.21232 \cdot 10^{-210} \\
1 \frac{\text{kg m C K}}{\text{s}^2} &= 0.3045010 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg m C K}}{\text{s}^2} &= 2230.222 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 0.02202132 \cdot 10^{230} \\
1 \text{kg m s CK} &= 145.0344 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 1.221225 \cdot 10^{240} \\
1 \text{m kg m}^2 \text{CK} &= 0.2500353 \cdot 10^{210} \quad (*) \\
1 \text{kg m}^2 \text{CK} &= 0.002104421 \cdot 10^{220} \\
1 \text{k kg m}^2 \text{CK} &= 14.04432 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.03223530 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 234.3501 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 2.010051 \cdot 10^{50} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 4031.551 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 30.54030 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.2234144 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 2.210012 \cdot 10^{340} \quad (*) \\
1 \text{kg m}^2 \text{s CK} &= 0.01453314 \cdot 10^{350} \\
1 \text{k kg m}^2 \text{s CK} &= 122.3355 \cdot 10^{350} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.2435045 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.002050144 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 13.52413 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}} &= 0.03155402 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m s}} &= 232.3150 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}} &= 1.552251 \cdot 10^{-250} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}^2} &= 4000.250 \cdot 10^{-440} \quad (***) \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 30.31011 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}^2} &= 0.2214404 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 2.150441 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 0.01440511 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 121.2544 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.002430410 \cdot 10^{-240} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 20.42512 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.1350022 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 315.0202 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 2.315105 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.01545145 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 35.50022 \cdot 10^{-550} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.3022031 \cdot 10^{-540} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2210.512 \cdot 10^{-540} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 0.02143031 \cdot 10^{-110} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 143.4003 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 1.210433 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 24.22142 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.2035250 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.001343240 \cdot 10^{-340} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 3.141015 \cdot 10^{-530} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.02311035 \cdot 10^{-520} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 154.2053 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.3535413 \cdot 10^{-1100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 3013.103 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{MLQ\Theta}{T^2} &= 10^{-210} = 0.01251013 \text{m} \frac{\text{kg m C K}}{\text{s}^2} \\
1 \text{ni'urenro-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 1.525251 \frac{\text{kg m C K}}{\text{s}^2} \\
1 \text{ni'upamu-} \frac{MLQ\Theta}{T^2} &= 10^{-150} = 225.1511 \text{k} \frac{\text{kg m C K}}{\text{s}^2} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 23.20541 \text{m kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 3152.343 \text{kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 0.4144425 \text{k kg m s CK} \\
1 \text{repa-} ML^2Q\Theta &= 10^{210} = 2.040531 \text{m kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 242.4101 \text{kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 0.03315242 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 14.32220 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.002140553 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 0.2542525 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 124.4402 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.01522225 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 2.243522 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} ML^2TQ\Theta &= 10^{340} = 0.2312504 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 31.43152 \text{kg m}^2 \text{s CK} \\
1 \text{vono-} ML^2TQ\Theta &= 10^{400} = 4133.510 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{L} &= 10^{-130} = 2.055122 \text{m} \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 244.5311 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 0.03344435 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 14.44550 \text{m} \frac{\text{kg CK}}{\text{m s}} \quad (*) \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 0.002200040 \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uremu-} \frac{MQ\Theta}{LT} &= 10^{-250} = 0.3005155 \text{k} \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 125.5454 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.01535402 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{LT^2} &= 10^{-420} = 2.303522 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.2333123 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 32.11211 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{re-} \frac{MTQ\Theta}{L} &= 10^{20} = 4210.355 \text{k} \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 210.2420 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.02454020 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'ureci-} \frac{MQ\Theta}{L^2} &= 10^{-230} = 3.354344 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.001451514 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.2203513 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^2T} &= 10^{-400} = 30.14112 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'umumu-} \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 0.01302124 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 1.542450 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^2T^2} &= 10^{-530} = 231.1543 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{MTQ\Theta}{L^2} &= 10^{-110} = 23.41232 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 3220.443 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 0.4221411 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.02110123 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{MQ\Theta}{L^3} &= 10^{-350} = 2.502340 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucivo-} \frac{MQ\Theta}{L^3} &= 10^{-340} = 340.4311 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^3T} &= 10^{-530} = 0.1454450 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 22.11400 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 0.003023042 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapano-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 1.304402 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1050} = 154.5544 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*)
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 22.03030 \cdot 10^{-1050} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 213.5231 \cdot 10^{-230} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 1.431103 \cdot 10^{-220} \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 0.01204325 \cdot 10^{-210}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1050} = 0.02320015 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*) \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 2345.352 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.3230133 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'urepa-} \frac{MTQ\Theta}{L^3} &= 10^{-210} = 42.32443 \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

### 7.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= 1.142455 \cdot 10^{-40} \quad (*) \\ \text{Electron mass} &= 52.44500 \cdot 10^{-50} \quad (*) \\ \text{Elementary charge} &= 0.1452243 \cdot 10^0 \\ \text{\AA}^{31} &= 11.52115 \cdot 10^{50} \\ \text{Bohr radius}^{32} &= 4.102224 \cdot 10^{50} \\ \text{Fine structure constant}^{33} &= 0.001324245 \cdot 10^0 \\ \text{Rydberg Energy}^{34} &= 104.4252 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^{35} &= 535.3551 \cdot 10^{-240} \quad (*) \\ \text{eV} &= 2.554515 \cdot 10^{-100} \quad (*) \\ \hbar^{36} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 0.5500555 \cdot 10^{100} \quad (***) \\ k_{\text{yellow}}^{37} &= 10.24250 \cdot 10^{-100} \\ k_{\text{X-Ray}}^{38} &= 425.4541 \cdot 10^{-40}\end{aligned}$$

$$\begin{aligned}\text{Earth g} &= 1.022222 \cdot 10^{-130} \\ \text{cm} &= 0.2102013 \cdot 10^{110} \\ \text{min} &= 0.001215412 \cdot 10^{140} \\ \text{hour} &= 0.2151301 \cdot 10^{140} \\ \text{Liter} &= 115.4131 \cdot 10^{330} \\ \text{Area of a soccer field} &= 533.1500 \cdot 10^{230} \quad (*) \\ 244 \text{ m}^2^{39} &= 2.452554 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.003354 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.125043 \cdot 10^{-20} \\ \text{inch}^{40} &= 0.5305524 \cdot 10^{110} \quad (*) \\ \text{mile} &= 1.130115 \cdot 10^{120} \\ \text{pound} &= 0.01115530 \cdot 10^{20} \quad (*) \\ \text{horsepower} &= 0.002420531 \cdot 10^{-140} \\ \text{kcal} &= 0.2042442 \cdot 10^{-10} \\ \text{kWh} &= 0.001224220 \cdot 10^0 \\ \text{Typical household electric field} &= 2.032220 \cdot 10^{-210} \\ \text{Earth magnetic field} &= 0.03005551 \cdot 10^{-200} \quad (***) \\ \text{Height of an average man}^{41} &= 144.1102 \cdot 10^{110}\end{aligned}$$

$$\begin{aligned}1 \text{ni'uvu-M} &= 10^{-40} = 0.4351544 m_p \\ 1 \text{ni'umu-M} &= 10^{-50} = 0.01033022 m_e \\ 1 Q &= 1 = 3.145143 e \\ 1 \text{mu-L} &= 10^{50} = 0.04320534 \text{\AA} \\ 1 \text{mu-L} &= 10^{50} = 0.1234113 a_0 \\ 1 &= 1 = 345.0115 \alpha \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.005145005 Ry \quad (*) \\ 1 \text{ni'urevo-} \frac{1}{L^3} &= 10^{-240} = 0.001021030 \rho_{\max} \\ 1 \text{ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.2000425 \text{eV} \quad (**) \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{pano-L} &= 10^{100} = 1.005555 \cdot \lambda_{\text{yellow}} \quad (***) \\ 1 \text{ni'upano-} \frac{1}{L} &= 10^{-100} = 0.05324055 \cdot k_{\text{yellow}} \quad (*) \\ 1 \text{ni'uvu-} \frac{1}{L} &= 10^{-40} = 0.001200151 \cdot k_{\text{X-Ray}} \quad (*)\end{aligned}$$

$$\begin{aligned}1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 0.5343005 \cdot \text{Earth g} \quad (*) \\ 1 \text{papa-L} &= 10^{110} = 2.431320 \text{cm} \\ 1 \text{pavo-T} &= 10^{140} = 415.4014 \text{min} \\ 1 \text{pavo-T} &= 10^{140} = 2.332233 \text{ h} \\ 1 \text{civo-L}^3 &= 10^{340} = 4305.534 l \\ 1 \text{revo-L}^2 &= 10^{240} = 1023.434 A \\ 1 \text{reci-L}^2 &= 10^{230} = 0.2043401 \cdot 244 \text{m}^2 \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.2550321 \text{km/h} \quad (*) \\ 1 \text{ni'ure-} \frac{L}{T} &= 10^{-20} = 0.1503134 \text{mi/h} \\ 1 \text{papa-L} &= 10^{110} = 1.030250 \text{in} \\ 1 \text{pare-L} &= 10^{120} = 0.4443543 \text{mi} \\ 1 \text{re-M} &= 10^{20} = 45.24411 \text{pound} \\ 1 \text{ni'upavo-} \frac{ML^2}{T^3} &= 10^{-140} = 211.1200 \text{horsepower} \quad (*) \\ 1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 2.454055 \text{kcal} \quad (*) \\ 1 \frac{ML^2}{T^2} &= 1 = 413.1400 \text{kWh} \quad (*) \\ 1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 0.2510444 E_H \\ 1 \text{ni'ureno-} \frac{M}{T Q} &= 10^{-200} = 15.52015 \cdot \text{Earth magnetic field} \\ 1 \text{pare-L} &= 10^{120} = 3210.440 \bar{h}\end{aligned}$$

<sup>31</sup>Length in atomic and solid state physics, 1/14 nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>36</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>100 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

Mass of an average man =  $5.123203 \cdot 10^{20}$

$1 \text{ re-}M = 10^{20} = 0.1051234 \bar{m}$

Age of the Universe =  $52.33211 \cdot 10^{200}$

$1 \text{ reno-}T = 10^{200} = 0.01034324 t_U$

Size of the observable Universe =  $3.032214 \cdot 10^{210}$

$1 \text{ repa-}L = 10^{210} = 0.1534455 l_U \quad (*)$

Average density of the Universe =  $0.2031445 \cdot 10^{-430}$

$1 \text{ ni'uvoci-} \frac{M}{L^3} = 10^{-430} = 2.511334 \rho_U$

Earth mass =  $2.004333 \cdot 10^{110} \quad (*)$

$1 \text{ papa-}M = 10^{110} = 0.2545102 m_E$

Sun mass<sup>42</sup> =  $22.23231 \cdot 10^{120}$

$1 \text{ pare-}M = 10^{120} = 0.02254535 m_S$

Year =  $0.02335031 \cdot 10^{150}$

$1 \text{ pamu-}T = 10^{150} = 21.45052 \text{ y}$

Speed of Light =  $1.000000 \quad (***)$

$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$

Parsec =  $0.1230033 \cdot 10^{150} \quad (*)$

$1 \text{ pamu-}L = 10^{150} = 4.122310 \text{ pc}$

Astronomical unit =  $0.01531232 \cdot 10^{140}$

$1 \text{ pavo-}L = 10^{140} = 30.41505 \text{ au}$

Earth radius =  $0.03453233 \cdot 10^{130}$

$1 \text{ paci-}L = 10^{130} = 13.23050 r_E$

Distance Earth-Moon =  $10.22323 \cdot 10^{130}$

$1 \text{ paci-}L = 10^{130} = 0.05342034 d_M$

Momentum of someone walking<sup>43</sup> =  $3141.001 \cdot 10^0 \quad (*)$

$1 \text{ pa-} \frac{ML}{T} = 10^{10} = 145.4455 \cdot \text{Momentum of someone walking}$

Stefan-Boltzmann constant =  $0.05531034 \cdot 10^0 \quad (*)$

$1 \frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$

mol =  $2.420221 \cdot 10^{50}$

$1 \text{ mu-} = 10^{50} = 0.2111433 \text{ mol}$

Standard temperature<sup>44</sup> =  $0.02312054 \cdot 10^{-100}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 22.10404 T_0$

Room - standard temperature<sup>45</sup> =  $0.001040452 \cdot 10^{-100}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 521.4242 \Theta_R$

atm =  $12.21341 \cdot 10^{-350}$

$1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 0.04144042 \text{ atm}$

$c_s = 0.01531030 \cdot 10^{-10}$

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$

$\mu_0 = 1.000000 \quad (***)$

$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0 \quad (***)$

$G = 0.02510444 \cdot 10^0$

$1 \frac{L^3}{MT^2} = 1 = 20.32220 \cdot G$

### Extensive list of SI units

$1 \text{ m} = 114.3534 \cdot 10^{-10}$

$1 = 1 = 4344.000 \text{ m} \quad (**)$

$1 = 1 = 1.000000 \quad (***)$

$1 = 1 = 1.000000 \quad (***)$

$1 \text{ k} = 4344.000 \cdot 10^0 \quad (**)$

$1 \text{ pa-} = 10^{10} = 114.3534 \text{ k}$

$1 \text{ m s}^{\frac{1}{s}} = 13.20132 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.03504301 \text{ m}^{\frac{1}{s}}$

$1 \text{ s}^{\frac{1}{s}} = 0.1111243 \cdot 10^{-130}$

$1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 4.554532 \frac{1}{s} \quad (*)$

$1 \text{ k s}^{\frac{1}{s}} = 532.1110 \cdot 10^{-130}$

$1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 1025.014 \text{ k}^{\frac{1}{s}}$

$1 \text{ m s}^{\frac{1}{s^2}} = 1.511525 \cdot 10^{-310}$

$1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 0.3113022 \text{ m}^{\frac{1}{s^2}}$

$1 \text{ s}^{\frac{1}{s^2}} = 0.01235354 \cdot 10^{-300}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 40.54114 \frac{1}{s^2}$

$1 \text{ k s}^{\frac{1}{s^2}} = 104.0251 \cdot 10^{-300}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.005220030 \text{ k}^{\frac{1}{s^2}} \quad (*)$

$1 \text{ m s} = 1025.014 \cdot 10^{120}$

$1 \text{ paci-}T = 10^{130} = 532.1110 \text{ m s}$

$1 \text{ s} = 4.554532 \cdot 10^{130} \quad (*)$

$1 \text{ paci-}T = 10^{130} = 0.1111243 \text{ s}$

$1 \text{ k s} = 0.03504301 \cdot 10^{140}$

$1 \text{ pavo-}T = 10^{140} = 13.20132 \text{ k s}$

$1 \text{ m m} = 0.01150010 \cdot 10^{110} \quad (*)$

$1 \text{ papa-}L = 10^{110} = 43.32331 \text{ m m}$

$1 \text{ m} = 100.1340 \cdot 10^{110} \quad (*)$

$1 \text{ pare-}L = 10^{120} = 5542.222 \text{ m} \quad (*)$

$1 \text{ k m} = 0.4355245 \cdot 10^{120} \quad (*)$

$1 \text{ pare-}L = 10^{120} = 1.141510 \text{ k m}$

$1 \text{ m m}^{\frac{1}{s}} = 0.001322434 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.4201 \text{ m}^{\frac{m}{s}}$

$1 \text{ s}^{\frac{1}{s}} = 11.13221 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.04542533 \frac{\text{m}}{\text{s}}$

$1 \text{ k m}^{\frac{1}{s}} = 0.05334055 \cdot 10^{-10} \quad (*)$

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.23153 \text{ k}^{\frac{m}{s}}$

$1 \text{ m m}^{\frac{1}{s^2}} = 151.4532 \cdot 10^{-200}$

$1 \text{ ni'uren-} \frac{L}{T^2} = 10^{-200} = 0.003103533 \text{ m}^{\frac{m}{s^2}}$

$1 \text{ m}^{\frac{1}{s^2}} = 1.241553 \cdot 10^{-150} \quad (*)$

$1 \text{ ni'upamu-} \frac{L}{T^2} = 10^{-150} = 0.4043320 \frac{\text{m}}{\text{s}^2}$

$1 \text{ k m}^{\frac{1}{s^2}} = 0.01042135 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{L}{T^2} = 10^{-140} = 52.03243 \text{ k}^{\frac{m}{s^2}}$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>32 °C

$1 \text{m m s} = 0.1030442 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 5.304143 \text{ m m s}$
$1 \text{m s} = 501.0552 \cdot 10^{240} \quad (*)$	$1 \text{revo-}LT = 10^{240} = 0.001105312 \text{ m s}$
$1 \text{k m s} = 3.514420 \cdot 10^{250}$	$1 \text{remu-}LT = 10^{250} = 0.1313433 \text{ k m s}$
$1 \text{m m}^2 = 1.152044 \cdot 10^{220}$	$1 \text{rere-}L^2 = 10^{220} = 0.4321123 \text{ m m}^2$
$1 \text{m}^2 = 0.01003123 \cdot 10^{230} \quad (*)$	$1 \text{reci-}L^2 = 10^{230} = 55.24511 \text{ m}^2 \quad (*)$
$1 \text{k m}^2 = 44.10553 \cdot 10^{230} \quad (*)$	$1 \text{reci-}L^2 = 10^{230} = 0.01135445 \text{ k m}^2$
$1 \text{m}^{\frac{m^2}{s}} = 0.1325144 \cdot 10^{50}$	$1 \text{mu-}\frac{L^2}{T} = 10^{50} = 3.444114 \text{ m}^{\frac{m^2}{s}}$
$1 \text{m}^{\frac{2}{s}} = 0.001115203 \cdot 10^{100}$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 453.0555 \text{ m}^{\frac{2}{s}} \quad (**)$
$1 \text{k m}^{\frac{2}{s}} = 5.351110 \cdot 10^{100}$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 0.1021335 \text{ k}^{\frac{m^2}{s}}$
$1 \text{m}^{\frac{m^2}{s^2}} = 0.01521544 \cdot 10^{-40}$	$1 \text{ni'uvo-}\frac{L^2}{T^2} = 10^{-40} = 30.54500 \text{ m}^{\frac{m^2}{s^2}} \quad (*)$
$1 \text{m}^{\frac{2}{s^2}} = 124.4155 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvo-}\frac{L^2}{T^2} = 10^{-40} = 0.004032541 \text{ m}^{\frac{2}{s^2}}$
$1 \text{k m}^{\frac{2}{s^2}} = 1.044030 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{L^2}{T^2} = 10^{-30} = 0.5150521 \text{ k}^{\frac{m^2}{s^2}}$
$1 \text{m m}^2 \text{s} = 10.32313 \cdot 10^{350}$	$1 \text{cimu-}L^2T = 10^{350} = 0.05251243 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.05023033 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 11.03343 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 352.4552 \cdot 10^{400} \quad (*)$	$1 \text{vono-}L^2T = 10^{400} = 0.001311143 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 1.141510 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L} = 10^{-120} = 0.4355245 \text{ m}^{\frac{1}{m}} \quad (*)$
$1 \text{m}^{\frac{1}{m}} = 5542.222 \cdot 10^{-120} \quad (*)$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 100.1340 \text{ m}^{\frac{1}{m}} \quad (*)$
$1 \text{k m}^{\frac{1}{m}} = 43.32331 \cdot 10^{-110}$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 0.01150010 \text{ k}^{\frac{1}{m}} \quad (*)$
$1 \text{m m}^{\frac{1}{s}} = 0.1313433 \cdot 10^{-250}$	$1 \text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 3.514420 \text{ m}^{\frac{1}{ms}}$
$1 \text{m}^{\frac{1}{ms}} = 0.001105312 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 501.0552 \text{ m}^{\frac{1}{s}}$
$1 \text{k m}^{\frac{1}{ms}} = 5.304143 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 0.1030442 \text{ k}^{\frac{1}{ms}}$
$1 \text{m}^{\frac{1}{ms^2}} = 0.01504530 \cdot 10^{-420}$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 31.22124 \text{ m}^{\frac{1}{ms^2}}$
$1 \text{m}^{\frac{1}{ms^2}} = 123.3203 \cdot 10^{-420}$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 0.004104530 \text{ m}^{\frac{1}{s^2}}$
$1 \text{k m}^{\frac{1}{ms^2}} = 1.034410 \cdot 10^{-410}$	$1 \text{ni'uvopa-}\frac{1}{LT^2} = 10^{-410} = 0.5232435 \text{ k}^{\frac{1}{ms^2}}$
$1 \text{m}^{\frac{s}{m}} = 10.23153 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 0.05334055 \text{ m}^{\frac{s}{m}} \quad (*)$
$1 \text{s}^{\frac{1}{m}} = 0.04542533 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 11.13221 \text{ m}^{\frac{s}{m}}$
$1 \text{k}^{\frac{s}{m}} = 345.4201 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 0.001322434 \text{ k}^{\frac{s}{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 0.01135445 \cdot 10^{-230}$	$1 \text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 44.10553 \text{ m}^{\frac{1}{m^2}} \quad (*)$
$1 \text{m}^{\frac{1}{m^2}} = 55.24511 \cdot 10^{-230} \quad (*)$	$1 \text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 0.01003123 \text{ m}^{\frac{1}{m^2}} \quad (*)$
$1 \text{k m}^{\frac{1}{m^2}} = 0.4321123 \cdot 10^{-220}$	$1 \text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 1.152044 \text{ k}^{\frac{1}{m^2}}$
$1 \text{m}^{\frac{1}{m^2}s} = 0.001311143 \cdot 10^{-400}$	$1 \text{ni'uvono-}\frac{1}{L^2T} = 10^{-400} = 352.4552 \text{ m}^{\frac{1}{m^2s}} \quad (*)$
$1 \text{m}^{\frac{1}{m^2}s} = 11.03343 \cdot 10^{-400}$	$1 \text{ni'uvono-}\frac{1}{L^2T} = 10^{-400} = 0.05023033 \text{ m}^{\frac{1}{s^2}}$
$1 \text{k m}^{\frac{1}{m^2}s} = 0.05251243 \cdot 10^{-350}$	$1 \text{ni'ucimu-}\frac{1}{L^2T} = 10^{-350} = 10.32313 \text{ k}^{\frac{1}{m^2s}}$
$1 \text{m}^{\frac{1}{m^2}s^2} = 150.1540 \cdot 10^{-540}$	$1 \text{ni'umuovo-}\frac{1}{L^2T^2} = 10^{-540} = 0.003131242 \text{ m}^{\frac{1}{m^2s^2}}$
$1 \text{m}^{\frac{1}{m^2}s^2} = 1.231020 \cdot 10^{-530}$	$1 \text{ni'umuci-}\frac{1}{L^2T^2} = 10^{-530} = 0.4115402 \text{ m}^{\frac{1}{m^2s^2}}$
$1 \text{k m}^{\frac{1}{m^2}s^2} = 0.01032532 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^2T^2} = 10^{-520} = 52.45310 \text{ k}^{\frac{1}{m^2s^2}}$
$1 \text{m}^{\frac{s}{m^2}} = 0.1021335 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{T}{L^2} = 10^{-100} = 5.351110 \text{ m}^{\frac{s}{m^2}}$
$1 \text{s}^{\frac{1}{m^2}} = 453.0555 \cdot 10^{-100} \quad (**)$	$1 \text{ni'upano-}\frac{T}{L^2} = 10^{-100} = 0.001115203 \text{ m}^{\frac{s}{m^2}}$
$1 \text{k}^{\frac{s}{m^2}} = 3.444114 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 0.1325144 \text{ k}^{\frac{s}{m^2}}$
$1 \text{m}^{\frac{1}{m^3}} = 113.3432 \cdot 10^{-350}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 4422.322 \text{ m}^{\frac{1}{m^3}}$
$1 \text{m}^{\frac{1}{m^3}} = 0.5511223 \cdot 10^{-340} \quad (*)$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 1.004513 \text{ m}^{\frac{1}{m^3}} \quad (*)$
$1 \text{k m}^{\frac{1}{m^3}} = 4305.534 \cdot 10^{-340}$	$1 \text{ni'ucici-}\frac{1}{L^3} = 10^{-330} = 115.4131 \text{ k}^{\frac{1}{m^3}}$
$1 \text{m}^{\frac{1}{m^3}s} = 13.04501 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^3T} = 10^{-520} = 0.03535143 \text{ m}^{\frac{1}{m^3s}}$
$1 \text{m}^{\frac{1}{m^3}s} = 0.1101422 \cdot 10^{-510}$	$1 \text{ni'umupa-}\frac{1}{L^3T} = 10^{-510} = 5.035135 \text{ m}^{\frac{1}{m^3s}}$
$1 \text{k m}^{\frac{1}{m^3}s} = 523.4405 \cdot 10^{-510}$	$1 \text{ni'umuno-}\frac{1}{L^3T} = 10^{-500} = 1034.150 \text{ k}^{\frac{1}{m^3s}}$
$1 \text{m}^{\frac{1}{m^3}s^2} = 1.454555 \cdot 10^{-1050} \quad (**)$	$1 \text{ni'upanomu-}\frac{1}{L^3T^2} = 10^{-1050} = 0.3140412 \text{ m}^{\frac{1}{m^3s^2}}$
$1 \text{m}^{\frac{1}{m^3}s^2} = 0.01224441 \cdot 10^{-1040}$	$1 \text{ni'upanovo-}\frac{1}{L^3T^2} = 10^{-1040} = 41.30252 \text{ m}^{\frac{1}{m^3s^2}}$
$1 \text{k m}^{\frac{1}{m^3}s^2} = 103.1101 \cdot 10^{-1040}$	$1 \text{ni'upanovo-}\frac{1}{L^3T^2} = 10^{-1040} = 0.005302204 \text{ k}^{\frac{1}{m^3s^2}}$
$1 \text{m}^{\frac{s}{m^3}} = 1015.524 \cdot 10^{-220}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 540.4144 \text{ m}^{\frac{s}{m^3}}$
$1 \text{s}^{\frac{1}{m^3}} = 4.515042 \cdot 10^{-210}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 0.1121151 \text{ m}^{\frac{s}{m^3}}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.03434045 \cdot 10^{-200} \\
1 \text{m kg} &= 3.254021 \cdot 10^{10} \\
1 \text{kg} &= 0.02405501 \cdot 10^{20} \quad (*) \\
1 \text{k kg} &= 202.4541 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 0.4105435 \cdot 10^{-120} \\
1 \frac{\text{kg}}{\text{s}} &= 3122.522 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 22.55135 \cdot 10^{-110} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.05012001 \cdot 10^{-250} \quad (*) \\
1 \frac{\text{kg}}{\text{s}^2} &= 351.5302 \cdot 10^{-250} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 2.555434 \cdot 10^{-240} \quad (***) \\
1 \text{m kg s} &= 25.23432 \cdot 10^{140} \\
1 \text{kg s} &= 0.2124214 \cdot 10^{150} \\
1 \text{k kg s} &= 0.001421430 \cdot 10^{200} \\
1 \text{m kg m} &= 330.3405 \cdot 10^{120} \\
1 \text{kg m} &= 2.414103 \cdot 10^{130} \\
1 \text{k kg m} &= 0.02032145 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 41.20311 \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}} &= 0.3132041 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 2303.145 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 5.024044 \cdot 10^{-140} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.03525440 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 300.4335 \cdot 10^{-130} \quad (*) \\
1 \text{m kg m s} &= 0.002532240 \cdot 10^{300} \\
1 \text{kg m s} &= 21.32000 \cdot 10^{300} \quad (***) \\
1 \text{k kg m s} &= 0.1424313 \cdot 10^{310} \\
1 \text{m kg m}^2 &= 0.03313210 \cdot 10^{240} \\
1 \text{kg m}^2 &= 242.2320 \cdot 10^{240} \\
1 \text{k kg m}^2 &= 2.035402 \cdot 10^{250} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 4131.203 \cdot 10^{100} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 31.41212 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.2311205 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 504.0151 \cdot 10^{-30} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 3.540032 \cdot 10^{-20} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.03013251 \cdot 10^{-10} \\
1 \text{m kg m}^2 \text{s} &= 0.2541100 \cdot 10^{410} \quad (*) \\
1 \text{kg m}^2 \text{s} &= 0.002135350 \cdot 10^{420} \\
1 \text{k kg m}^2 \text{s} &= 14.31204 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.03244250 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}} &= 240.1305 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 2.021342 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= 4055.021 \cdot 10^{-240} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}} &= 31.13415 \cdot 10^{-230} \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.2251140 \cdot 10^{-220} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 455.5540 \cdot 10^{-410} \quad (*) \\
1 \frac{\text{kg}}{\text{m s}^2} &= 3.505143 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 0.02550550 \cdot 10^{-350} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 0.2515035 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m}} &= 0.002120443 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg s}}{\text{m}} &= 14.14552 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2} &= 323.4532 \cdot 10^{-220}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ureno-} \frac{T}{L^3} &= 10^{-200} = 13.31502 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 \text{pa-} M &= 10^{10} = 0.1415124 \text{m kg} \\
1 \text{re-} M &= 10^{20} = 21.21043 \text{kg} \\
1 \text{re-} M &= 10^{20} = 0.002515312 \text{k kg} \\
1 \text{ni'upare-} \frac{M}{T} &= 10^{-120} = 1.233021 \text{m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 150.4313 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 0.02223033 \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uremu-} \frac{M}{T^2} &= 10^{-250} = 11.05143 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 1313.241 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 0.2000053 \text{k} \frac{\text{kg}}{\text{s}^2} \quad (***) \\
1 \text{pavo-} MT &= 10^{140} = 0.02021533 \text{m kg s} \\
1 \text{pamu-} MT &= 10^{150} = 2.401532 \text{kg s} \\
1 \text{reno-} MT &= 10^{200} = 324.4554 \text{k kg s} \quad (*) \\
1 \text{pare-} ML &= 10^{120} = 0.001412253 \text{m kg m} \\
1 \text{paci-} ML &= 10^{130} = 0.2113321 \text{kg m} \\
1 \text{pavo-} ML &= 10^{140} = 25.10530 \text{k kg m} \\
1 \text{ni'upa-} \frac{ML}{T} &= 10^{-10} = 0.01230434 \text{m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 1.501323 \frac{\text{kg m}}{\text{s}} \\
1 \text{pa-} \frac{ML}{T} &= 10^{10} = 221.5131 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML}{T^2} &= 10^{-140} = 0.1103215 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 13.10552 \frac{\text{kg m}}{\text{s}^2} \quad (*) \\
1 \text{ni'upare-} \frac{ML}{T^2} &= 10^{-120} = 1552.541 \text{k} \frac{\text{kg m}}{\text{s}^2} \quad (*) \\
1 \text{cino-} MLT &= 10^{300} = 201.4343 \text{m kg m s} \\
1 \text{cino-} MLT &= 10^{300} = 0.02353351 \text{kg m s} \\
1 \text{cipa-} MLT &= 10^{310} = 3.235235 \text{k kg m s} \\
1 \text{revo-} ML^2 &= 10^{240} = 14.05432 \text{m kg m}^2 \\
1 \text{revo-} ML^2 &= 10^{240} = 0.002110005 \text{kg m}^2 \quad (***) \\
1 \text{remu-} ML^2 &= 10^{250} = 0.2502200 \text{k kg m}^2 \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 122.4255 \text{m} \frac{\text{kg m}^2}{\text{s}} \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 0.01454343 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{pare-} \frac{ML^2}{T} &= 10^{120} = 2.211234 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 1101.255 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \quad (*) \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 0.1304310 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 15.45435 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{vopa-} ML^2 T &= 10^{410} = 2.011203 \text{m kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 234.5220 \text{kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 0.03225533 \text{k kg m}^2 \text{s} \quad (*) \\
1 \text{ni'upano-} \frac{M}{L} &= 10^{-100} = 14.22002 \text{m} \frac{\text{kg}}{\text{m}} \quad (*) \\
1 \text{ni'upano-} \frac{M}{L} &= 10^{-100} = 0.002124415 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'umu-} \frac{M}{L} &= 10^{-50} = 0.2524110 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ureci-} \frac{M}{LT} &= 10^{-230} = 123.5211 \text{m} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'ureci-} \frac{M}{LT} &= 10^{-230} = 0.01511310 \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'urere-} \frac{M}{LT} &= 10^{-220} = 2.230550 \text{k} \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 1111.114 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 0.1315535 \frac{\text{kg}}{\text{m s}^2} \quad (*) \\
1 \text{ni'ucimu-} \frac{M}{LT^2} &= 10^{-350} = 20.03214 \text{k} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ci-} \frac{MT}{L} &= 10^{30} = 2.025132 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{vo-} \frac{MT}{L} &= 10^{40} = 241.0124 \frac{\text{kg s}}{\text{m}} \\
1 \text{vo-} \frac{MT}{L} &= 10^{40} = 0.03254330 \text{k} \frac{\text{kg s}}{\text{m}} \\
1 \text{ni'urere-} \frac{M}{L^2} &= 10^{-220} = 0.001424445 \text{m} \frac{\text{kg}}{\text{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 2.353125 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{M}{L^2} = 10^{-210} = 0.2132201 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 0.02014153 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{M}{L^2} = 10^{-200} = 25.32515 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 40.44222 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{M}{L^2 T} = 10^{-350} = 0.01241405 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.3104325 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 1.514313 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 2243.151 \cdot 10^{-340}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^2 T} = 10^{-330} = 223.4514 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 4.543535 \cdot 10^{-520}$	$1 \text{ni}'\text{umure}-\frac{M}{L^2 T^2} = 10^{-520} = 0.1113052 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.03455041 \cdot 10^{-510}$ (*)	$1 \text{ni}'\text{umupa}-\frac{M}{L^2 T^2} = 10^{-510} = 13.22241 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 254.2113 \cdot 10^{-510}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^2 T^2} = 10^{-500} = 2010.344 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 0.002510254 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 203.2340 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 21.13122 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 0.02414330 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.1412122 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{MT}{L^2} = 10^{-30} = 3.304114 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 3.225231 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^3} = 10^{-330} = 0.1431341 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.02344555 \cdot 10^{-320}$ (**)	$1 \text{ni}'\text{ucire}-\frac{M}{L^3} = 10^{-320} = 21.35552 \frac{\text{kg}}{\text{m}^3}$ (**)
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 201.1013 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire}-\frac{M}{L^3} = 10^{-320} = 0.002541335 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.4033441 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^3 T} = 10^{-500} = 1.244011 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 3055.251 \cdot 10^{-500}$ (*)	$1 \text{ni}'\text{uvomu}-\frac{M}{L^3 T} = 10^{-450} = 152.1325 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 22.35213 \cdot 10^{-450}$	$1 \text{ni}'\text{uvomu}-\frac{M}{L^3 T} = 10^{-450} = 0.02242451 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.04532000 \cdot 10^{-1030}$ (**)	$1 \text{ni}'\text{upanoci}-\frac{M}{L^3 T^2} = 10^{-1030} = 11.15033 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 344.4553 \cdot 10^{-1030}$ (*)	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 1324.551 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$ (*)
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 2.533251 \cdot 10^{-1020}$	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 0.2013523 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 25.01524 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{MT}{L^3} = 10^{-200} = 0.02035554 \text{m} \frac{\text{kg s}}{\text{m}^3}$ (**)
$1 \frac{\text{kg s}}{\text{m}^3} = 0.2105410 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{MT}{L^3} = 10^{-150} = 2.422544 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 0.001405301 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{MT}{L^3} = 10^{-140} = 331.3520 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 312.5444 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 1502.515 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 2.301302 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 0.2220542 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.01533500 \cdot 10^{-30}$ (*)	$1 \text{ni}'\text{uci}-\frac{1}{Q} = 10^{-30} = 30.33550 \text{k} \frac{1}{\text{C}}$ (*)
$1 \text{m} \frac{1}{\text{s C}} = 35.22555 \cdot 10^{-220}$ (**)	$1 \text{ni}'\text{urere}-\frac{1}{TQ} = 10^{-220} = 0.01312024 \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 0.3002243 \cdot 10^{-210}$ (*)	$1 \text{ni}'\text{urepa}-\frac{1}{TQ} = 10^{-210} = 1.554211 \frac{1}{\text{s C}}$ (*)
$1 \text{k} \frac{1}{\text{s C}} = 0.002153522 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{1}{TQ} = 10^{-200} = 232.5431 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 4.404333 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{1}{T^2 Q} = 10^{-350} = 0.1140242 \text{m} \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.03341154 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 13.54141 \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 244.2513 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 0.002052200 \text{k} \frac{1}{\text{s}^2 \text{C}}$ (*)
$1 \text{m} \frac{s}{\text{C}} = 2412.130 \cdot 10^{40}$	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 211.5050 \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 20.30451 \cdot 10^{50}$	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 0.02512544 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 0.1335503 \cdot 10^{100}$ (*)	$1 \text{pano}-\frac{T}{Q} = 10^{100} = 3.420434 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 0.03135012 \cdot 10^{30}$	$1 \text{ci}-\frac{L}{Q} = 10^{30} = 14.55533 \text{m} \frac{m}{\text{C}}$ (**)
$1 \frac{m}{\text{C}} = 230.5315 \cdot 10^{30}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 2213.043 \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 1.540541 \cdot 10^{40}$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 0.3025002 \text{k} \frac{m}{\text{C}}$ (*)
$1 \text{m} \frac{m}{\text{s C}} = 0.003533142 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{TQ} = 10^{-100} = 130.5340 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 30.11152 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{TQ} = 10^{-100} = 0.01551103 \frac{m}{\text{s C}}$ (*)
$1 \text{k} \frac{m}{\text{s C}} = 0.2201351 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{TQ} = 10^{-50} = 2.321343 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 442.0054 \cdot 10^{-240}$ (*)	$1 \text{ni}'\text{urevo}-\frac{L}{T^2 Q} = 10^{-240} = 0.001134223 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 3.351054 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci}-\frac{L}{T^2 Q} = 10^{-230} = 0.1351344 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.02451213 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{L}{T^2 Q} = 10^{-220} = 20.44521 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 0.2420340 \cdot 10^{200}$	$1 \text{reno}-\frac{LT}{Q} = 10^{200} = 2.111331 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 2034.102 \cdot 10^{200}$	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 250.4210 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 13.42240 \cdot 10^{210}$	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 0.03410450 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 3.144152 \cdot 10^{140}$	$1 \text{pavo}-\frac{L^2}{Q} = 10^{140} = 0.1452555 \text{m} \frac{m^2}{\text{C}}$ (**)
$1 \frac{m^2}{\text{C}} = 0.02313343 \cdot 10^{150}$	$1 \text{pamu}-\frac{L^2}{Q} = 10^{150} = 22.05153 \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 154.4032 \cdot 10^{150} \\
1m \frac{m^2}{sC} &= 0.3543344 \cdot 10^{10} \\
1 \frac{m^2}{sC} &= 0.003020113 \cdot 10^{20} \\
1k \frac{m^2}{sC} &= 22.05230 \cdot 10^{20} \\
1m \frac{m^2}{s^2C} &= 0.04431435 \cdot 10^{-120} \\
1 \frac{m^2}{s^2C} &= 340.1012 \cdot 10^{-120} \\
1k \frac{m^2}{s^2C} &= 2.455525 \cdot 10^{-110} \quad (*) \\
1m \frac{m^2 s}{C} &= 24.25001 \cdot 10^{310} \quad (*) \\
1 \frac{m^2 s}{C} &= 0.2041322 \cdot 10^{320} \\
1k \frac{m^2 s}{C} &= 1345.021 \cdot 10^{320} \\
1m \frac{1}{mC} &= 3.120333 \cdot 10^{-200} \\
1 \frac{1}{mC} &= 0.02253255 \cdot 10^{-150} \quad (*) \\
1k \frac{1}{mC} &= 153.0423 \cdot 10^{-150} \\
1m \frac{1}{msC} &= 0.3512425 \cdot 10^{-330} \\
1 \frac{1}{msC} &= 0.002553350 \cdot 10^{-320} \quad (*) \\
1k \frac{1}{msC} &= 21.50102 \cdot 10^{-320} \\
1m \frac{1}{ms^2C} &= 0.04353033 \cdot 10^{-500} \\
1 \frac{1}{ms^2C} &= 333.1312 \cdot 10^{-500} \\
1k \frac{1}{ms^2C} &= 2.434224 \cdot 10^{-450} \\
1m \frac{s}{mC} &= 24.03531 \cdot 10^{-30} \\
1 \frac{s}{mC} &= 0.2023245 \cdot 10^{-20} \\
1k \frac{s}{mC} &= 1333.134 \cdot 10^{-20} \\
1m \frac{1}{m^2C} &= 0.03111234 \cdot 10^{-310} \\
1 \frac{1}{m^2C} &= 224.5303 \cdot 10^{-310} \\
1k \frac{1}{m^2C} &= 1.523355 \cdot 10^{-300} \quad (*) \\
1m \frac{1}{m^2sC} &= 0.003502314 \cdot 10^{-440} \\
1 \frac{1}{m^2sC} &= 25.44504 \cdot 10^{-440} \\
1k \frac{1}{m^2sC} &= 0.2142253 \cdot 10^{-430} \\
1m \frac{1}{m^2s^2C} &= 434.1352 \cdot 10^{-1020} \\
1 \frac{1}{m^2s^2C} &= 3.321443 \cdot 10^{-1010} \\
1k \frac{1}{m^2s^2C} &= 0.02425550 \cdot 10^{-1000} \quad (*) \\
1m \frac{s}{m^2C} &= 0.2355343 \cdot 10^{-140} \quad (*) \\
1 \frac{s}{m^2C} &= 2020.053 \cdot 10^{-140} \\
1k \frac{s}{m^2C} &= 13.30414 \cdot 10^{-130} \\
1m \frac{1}{m^3C} &= 310.2151 \cdot 10^{-430} \\
1 \frac{1}{m^3C} &= 2.241321 \cdot 10^{-420} \\
1k \frac{1}{m^3C} &= 0.01520340 \cdot 10^{-410} \\
1m \frac{1}{m^3sC} &= 34.52221 \cdot 10^{-1000} \\
1 \frac{1}{m^3sC} &= 0.2540035 \cdot 10^{-550} \quad (*) \\
1k \frac{1}{m^3sC} &= 0.002134454 \cdot 10^{-540} \\
1m \frac{1}{m^3s^2C} &= 4.330131 \cdot 10^{-1130} \\
1 \frac{1}{m^3s^2C} &= 0.03312030 \cdot 10^{-1120} \\
1k \frac{1}{m^3s^2C} &= 242.1324 \cdot 10^{-1120} \\
1m \frac{s}{m^3C} &= 2351.205 \cdot 10^{-300} \\
1 \frac{s}{m^3C} &= 20.12510 \cdot 10^{-250} \\
1k \frac{s}{m^3C} &= 0.1324101 \cdot 10^{-240} \\
1m \frac{kg}{C} &= 12.43023 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ reno-} \frac{L^2}{Q} &= 10^{200} = 3020.025 \frac{k m^2}{C} \\
1 \text{ pa-} \frac{L^2}{TQ} &= 10^{10} = 1.303101 m \frac{m^2}{sC} \\
1 \text{ re-} \frac{L^2}{TQ} &= 10^{20} = 154.4003 \frac{m^2}{sC} \quad (*) \\
1 \text{ re-} \frac{L^2}{TQ} &= 10^{20} = 0.02313304 k \frac{m^2}{sC} \\
1 \text{ ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 11.32212 m \frac{m^2}{s^2C} \\
1 \text{ ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 0.001344554 \frac{m^2}{s^2C} \quad (*) \\
1 \text{ ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.2041251 k \frac{m^2}{s^2C} \\
1 \text{ cipa-} \frac{L^2T}{Q} &= 10^{310} = 0.02104022 m \frac{m^2 s}{C} \\
1 \text{ cire-} \frac{L^2T}{Q} &= 10^{320} = 2.455443 \frac{m^2 s}{C} \quad (*) \\
1 \text{ cici-} \frac{L^2T}{Q} &= 10^{330} = 340.0515 k \frac{m^2 s}{C} \\
1 \text{ ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.1505510 m \frac{1}{mC} \quad (*) \\
1 \text{ ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 22.24452 \frac{1}{mC} \\
1 \text{ ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 3042.550 k \frac{1}{mC} \quad (*) \\
1 \text{ ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 1.314315 m \frac{1}{msC} \\
1 \text{ ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 200.1325 \frac{1}{msC} \quad (*) \\
1 \text{ ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.02333531 k \frac{1}{msC} \\
1 \text{ ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 11.42304 m \frac{1}{ms^2C} \\
1 \text{ ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.001400543 \frac{1}{ms^2C} \quad (*) \\
1 \text{ ni'uvomo-} \frac{1}{LT^2Q} &= 10^{-450} = 0.2055445 k \frac{1}{ms^2C} \quad (*) \\
1 \text{ ni'uci-} \frac{T}{LQ} &= 10^{-30} = 0.02122414 m \frac{s}{mC} \\
1 \text{ ni'ure-} \frac{T}{LQ} &= 10^{-20} = 2.521333 \frac{s}{mC} \\
1 \text{ ni'upa-} \frac{T}{LQ} &= 10^{-10} = 343.0435 k \frac{s}{msC} \\
1 \text{ ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 15.12510 m \frac{1}{m^2C} \\
1 \text{ ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 2232.412 \frac{1}{m^2C} \\
1 \text{ ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 0.3052003 k \frac{1}{m^2C} \quad (*) \\
1 \text{ ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 132.1015 m \frac{1}{m^2sC} \\
1 \text{ ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 0.02004452 \frac{1}{m^2sC} \quad (*) \\
1 \text{ ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 2.342041 k \frac{1}{m^2sC} \\
1 \text{ ni'upanore-} \frac{1}{L^2T^2Q} &= 10^{-1020} = 0.001144333 m \frac{1}{m^2s^2C} \\
1 \text{ ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 0.1403353 \frac{1}{m^2s^2C} \\
1 \text{ ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 21.03143 k \frac{1}{m^2s^2C} \\
1 \text{ ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 2.130153 m \frac{s}{m^2C} \\
1 \text{ ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 253.0134 \frac{s}{m^2C} \\
1 \text{ ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 0.03440455 k \frac{s}{m^2C} \quad (*) \\
1 \text{ ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 1515.515 m \frac{1}{m^3C} \\
1 \text{ ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.2240342 \frac{1}{m^3C} \\
1 \text{ ni'uvopa-} \frac{1}{L^3Q} &= 10^{-410} = 31.01031 k \frac{1}{m^3C} \\
1 \text{ ni'upanono-} \frac{1}{L^3TQ} &= 10^{-1000} = 0.01323322 m \frac{1}{m^3sC} \\
1 \text{ ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 2.012025 \frac{1}{m^3sC} \\
1 \text{ ni'umuovo-} \frac{1}{L^3TQ} &= 10^{-540} = 235.0202 k \frac{1}{m^3sC} \\
1 \text{ ni'upapaci-} \frac{1}{L^3TQ} &= 10^{-1130} = 0.1150405 m \frac{1}{m^3s^2C} \\
1 \text{ ni'upapare-} \frac{1}{L^3TQ} &= 10^{-1120} = 14.10211 \frac{1}{m^3s^2C} \\
1 \text{ ni'upapare-} \frac{1}{L^3TQ} &= 10^{-1120} = 0.002110451 k \frac{1}{m^3s^2C} \\
1 \text{ ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 213.3541 m \frac{s}{m^3C} \\
1 \text{ ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 0.02534550 \frac{s}{m^3C} \quad (*) \\
1 \text{ ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 3.450532 k \frac{s}{m^3C} \\
1 \text{ ni'uci-} \frac{M}{Q} &= 10^{-30} = 0.04040253 m \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.1043040 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 511.3302 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 1.430243 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.01204005 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 101.3154 \cdot 10^{-150} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.2034334 \cdot 10^{-330} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.001342435 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 11.30354 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 111.4144 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 0.5342202 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.004200554 \cdot 10^{120} \quad (**) \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 1245.231 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 10.44532 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.05125525 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 143.3142 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s C}} &= 1.210112 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.01015002 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 20.41555 \cdot 10^{-220} \quad (**) \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.1345221 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.001132403 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.01120131 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 53.55224 \cdot 10^{220} \quad (*) \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 0.4211553 \cdot 10^{230} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.1251443 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 1050.431 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 5.142213 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.01440044 \cdot 10^{30} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 121.2222 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 1.020412 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.002045230 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 13.52011 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.1134415 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 1.122121 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.005412313 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 42.23011 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 0.1240423 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m C}} &= 1041.151 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 5.101100 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.01423354 \cdot 10^{-310} \\
1 \frac{\text{kg}}{\text{m s C}} &= 120.1505 \cdot 10^{-310} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 1.011354 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.002031123 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 13.40102 \cdot 10^{-440} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.1124353 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 1.112204 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.005325202 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 41.50014 \cdot 10^0 \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 5.155252 \frac{\text{kg}}{\text{C}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 0.001052415 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 0.3231401 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 42.34341 \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'upavo-} \frac{M}{TQ} &= 10^{-140} = 5430.211 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 2.503441 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 341.0015 \frac{\text{kg}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 0.04442135 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.004535125 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 1.022305 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 121.4432 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 402.5523 \text{m} \frac{\text{kg m}}{\text{C}} \quad (*) \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.05142541 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 10.50513 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 3222.105 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 0.4223302 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 54.13054 \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.02455115 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 3.400050 \frac{\text{kg m}}{\text{s}^2 \text{C}} \quad (**) \\
1 \text{ni'ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 443.0340 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 45.23201 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.01020452 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 1.212314 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 4.015212 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 513.0251 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.1045014 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{TQ} &= 10^{30} = 32.12430 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 4212.243 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.5400004 \text{k} \frac{\text{kg m}^2}{\text{s C}} \quad (**) \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 245.0405 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.03350134 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 4.415001 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{cici-} \frac{ML^2 T}{Q} &= 10^{330} = 0.4511253 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 101.5042 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.01210203 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 4.051042 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 521.2025 \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 0.1054325 \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 32.41110 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 4245.434 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 0.5443350 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 251.2214 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 0.03420002 \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (**) \\
1 \text{ni'uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 4.453555 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \quad (**) \\
1 \text{ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 0.4551114 \text{m} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 102.4125 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.01220554 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*)
\end{aligned}$$

$1m \frac{kg}{m^2 C} = 1234.230 \cdot 10^{-300}$	$1 ni'uremu - \frac{M}{L^2 Q} = 10^{-250} = 410.1450 m \frac{kg}{m^2 C}$
$1 \frac{kg}{m^2 C} = 10.35304 \cdot 10^{-250}$	$1 ni'uremu - \frac{M}{L^2 Q} = 10^{-250} = 0.05224423 \frac{kg}{m^2 C}$
$1k \frac{kg}{m^2 C} = 0.05044520 \cdot 10^{-240}$	$1 ni'urevo - \frac{M}{L^2 Q} = 10^{-240} = 11.00241 k \frac{kg}{m^2 C} (*)$
$1m \frac{kg}{m^2 s C} = 142.0512 \cdot 10^{-430}$	$1 ni'uvore - \frac{M}{L^2 T Q} = 10^{-420} = 3250.431 m \frac{kg}{m^2 s C}$
$1 \frac{kg}{m^2 s C} = 1.155413 \cdot 10^{-420} (*)$	$1 ni'uvore - \frac{M}{L^2 T Q} = 10^{-420} = 0.4300552 \frac{kg}{m^2 s C} (**)$
$1k \frac{kg}{m^2 s C} = 0.01010000 \cdot 10^{-410} (**)$	$1 ni'uvopa - \frac{M}{L^2 T Q} = 10^{-410} = 55.00552 k \frac{kg}{m^2 s C} (**)$
$1m \frac{kg}{m^2 s^2 C} = 20.23521 \cdot 10^{-1000}$	$1 ni'upanono - \frac{M}{L^2 T^2 Q} = 10^{-1000} = 0.02521002 m \frac{kg}{m^2 s^2 C} (*)$
$1 \frac{kg}{m^2 s^2 C} = 0.1333333 \cdot 10^{-550}$	$1 ni'umumu - \frac{M}{L^2 T^2 Q} = 10^{-550} = 3.430002 \frac{kg}{m^2 s^2 C} (**)$
$1k \frac{kg}{m^2 s^2 C} = 0.001122355 \cdot 10^{-540} (*)$	$1 ni'umuovo - \frac{M}{L^2 T^2 Q} = 10^{-540} = 450.5435 k \frac{kg}{m^2 s^2 C}$
$1m \frac{kg s}{m^2 C} = 0.01110232 \cdot 10^{-120}$	$1 ni'upare - \frac{MT}{L^2 Q} = 10^{-120} = 50.03124 m \frac{kg s}{m^2 C}$
$1 \frac{kg s}{m^2 C} = 53.12225 \cdot 10^{-120}$	$1 ni'upare - \frac{MT}{L^2 Q} = 10^{-120} = 0.01025552 \frac{kg s}{m^2 C} (**)$
$1k \frac{kg s}{m^2 C} = 0.4135054 \cdot 10^{-110}$	$1 ni'upapa - \frac{MT}{L^2 Q} = 10^{-110} = 1.223123 k \frac{kg s}{m^2 C}$
$1m \frac{kg}{m^3 C} = 12.32041 \cdot 10^{-410}$	$1 ni'uvopa - \frac{M}{L^3 Q} = 10^{-410} = 0.04112312 m \frac{kg}{m^3 C}$
$1 \frac{kg}{m^3 C} = 0.1033425 \cdot 10^{-400}$	$1 ni'uvono - \frac{M}{L^3 Q} = 10^{-400} = 5.241244 \frac{kg}{m^3 C}$
$1k \frac{kg}{m^3 C} = 503.2401 \cdot 10^{-400}$	$1 ni'uvono - \frac{M}{L^3 Q} = 10^{-400} = 0.001102200 k \frac{kg}{m^3 C} (*)$
$1m \frac{kg}{m^3 s C} = 1.414040 \cdot 10^{-540}$	$1 ni'umuovo - \frac{M}{L^3 T Q} = 10^{-540} = 0.3300210 m \frac{kg}{m^3 s C} (*)$
$1 \frac{kg}{m^3 s C} = 0.01153325 \cdot 10^{-530}$	$1 ni'umuci - \frac{M}{L^3 T Q} = 10^{-530} = 43.12125 \frac{kg}{m^3 s C}$
$1k \frac{kg}{m^3 s C} = 100.4204 \cdot 10^{-530} (*)$	$1 ni'umure - \frac{M}{L^3 T Q} = 10^{-520} = 5514.222 k \frac{kg}{m^3 s C} (*)$
$1m \frac{kg}{m^3 s^2 C} = 0.2020324 \cdot 10^{-1110}$	$1 ni'upapapa - \frac{M}{L^3 T^2 Q} = 10^{-1110} = 2.525402 m \frac{kg}{m^3 s^2 C}$
$1 \frac{kg}{m^3 s^2 C} = 0.001331011 \cdot 10^{-1100}$	$1 ni'upapano - \frac{M}{L^3 T^2 Q} = 10^{-1100} = 344.0021 \frac{kg}{m^3 s^2 C} (*)$
$1k \frac{kg}{m^3 s^2 C} = 11.20404 \cdot 10^{-1100}$	$1 ni'upapano - \frac{M}{L^3 T^2 Q} = 10^{-1100} = 0.04521340 k \frac{kg}{m^3 s^2 C}$
$1m \frac{kg s}{m^3 C} = 110.4302 \cdot 10^{-240}$	$1 ni'urevo - \frac{MT}{L^3 Q} = 10^{-240} = 0.005015155 m \frac{kg s}{m^3 C} (*)$
$1 \frac{kg s}{m^3 C} = 0.5255314 \cdot 10^{-230} (*)$	$1 ni'ureci - \frac{MT}{L^3 Q} = 10^{-230} = 1.031421 \frac{kg s}{m^3 C}$
$1k \frac{kg s}{m^3 C} = 0.004124152 \cdot 10^{-220}$	$1 ni'urere - \frac{MT}{L^3 Q} = 10^{-220} = 122.5300 k \frac{kg s}{m^3 C} (*)$
$1m C = 30.33550 \cdot 10^{30} (*)$	$1 ci-Q = 10^{30} = 0.01533500 m C (*)$
$1 C = 0.2220542 \cdot 10^{40}$	$1 vo-Q = 10^{40} = 2.301302 C$
$1k C = 1502.515 \cdot 10^{40}$	$1 mu-Q = 10^{50} = 312.5444 k C$
$1m \frac{C}{s} = 3.420434 \cdot 10^{-100}$	$1 ni'upano - \frac{Q}{T} = 10^{-100} = 0.1335503 m \frac{C}{s} (*)$
$1 \frac{C}{s} = 0.02512544 \cdot 10^{-50}$	$1 ni'umu - \frac{Q}{T} = 10^{-50} = 20.30451 \frac{C}{s}$
$1k \frac{C}{s} = 211.5050 \cdot 10^{-50}$	$1 ni'uvo - \frac{Q}{T} = 10^{-40} = 2412.130 k \frac{C}{s}$
$1m \frac{C}{s^2} = 0.4250403 \cdot 10^{-230}$	$1 ni'ureci - \frac{Q}{T^2} = 10^{-230} = 1.201330 m \frac{C}{s^2}$
$1 \frac{C}{s^2} = 0.003241521 \cdot 10^{-220}$	$1 ni'urere - \frac{Q}{T^2} = 10^{-220} = 142.3145 \frac{C}{s^2}$
$1k \frac{C}{s^2} = 23.55312 \cdot 10^{-220} (*)$	$1 ni'urere - \frac{Q}{T^2} = 10^{-220} = 0.02130221 k \frac{C}{s^2}$
$1m s C = 232.5431 \cdot 10^{200}$	$1 reno-TQ = 10^{200} = 0.002153522 m s C$
$1 s C = 1.554211 \cdot 10^{210} (*)$	$1 repa-TQ = 10^{210} = 0.3002243 s C (*)$
$1k s C = 0.01312024 \cdot 10^{220}$	$1 rere-TQ = 10^{220} = 35.22555 k s C (**)$
$1m m C = 3042.550 \cdot 10^{140} (*)$	$1 pamu-LQ = 10^{150} = 153.0423 m m C$
$1 m C = 22.24452 \cdot 10^{150}$	$1 pamu-LQ = 10^{150} = 0.02253255 m C (*)$
$1k m C = 0.1505510 \cdot 10^{200} (*)$	$1 reno-LQ = 10^{200} = 3.120333 k m C$
$1m \frac{m C}{s} = 343.0435 \cdot 10^{10}$	$1 re - \frac{LQ}{T} = 10^{20} = 1333.134 m \frac{m C}{s}$
$1 \frac{m C}{s} = 2.521333 \cdot 10^{20}$	$1 re - \frac{LQ}{T} = 10^{20} = 0.2023245 \frac{m C}{s}$
$1k \frac{m C}{s} = 0.02122414 \cdot 10^{30}$	$1 ci - \frac{LQ}{T} = 10^{30} = 24.03531 k \frac{m C}{s}$
$1m \frac{m C}{s^2} = 43.01522 \cdot 10^{-120}$	$1 ni'upare - \frac{LQ}{T^2} = 10^{-120} = 0.01155235 m \frac{m C}{s^2} (*)$
$1 \frac{m C}{s^2} = 0.3251244 \cdot 10^{-110}$	$1 ni'upapa - \frac{LQ}{T^2} = 10^{-110} = 1.420305 \frac{m C}{s^2}$
$1k \frac{m C}{s^2} = 0.002403500 \cdot 10^{-100} (*)$	$1 ni'upano - \frac{LQ}{T^2} = 10^{-100} = 212.2442 k \frac{m C}{s^2}$
$1m m s C = 0.02333531 \cdot 10^{320}$	$1 cire-LTQ = 10^{320} = 21.50102 m m s C$
$1 m s C = 200.1325 \cdot 10^{320} (*)$	$1 cire-LTQ = 10^{320} = 0.002553350 m s C (*)$
$1k m s C = 1.314315 \cdot 10^{330}$	$1 cici-LTQ = 10^{330} = 0.3512425 k m s C$
$1m m^2 C = 0.3052003 \cdot 10^{300} (*)$	$1 cino-L^2 Q = 10^{300} = 1.523355 m m^2 C (*)$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 2232.412 \cdot 10^{300} \\
1 \text{k m}^2 \text{ C} &= 15.12510 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.03440455 \cdot 10^{130} \quad (*) \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 253.0134 \cdot 10^{130} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 2.130153 \cdot 10^{140} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.004313100 \cdot 10^0 \quad (*) \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 33.01024 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.2412055 \cdot 10^{10} \quad (*) \\
1 \text{m m}^2 \text{ s C} &= 2.342041 \cdot 10^{430} \\
1 \text{m}^2 \text{ s C} &= 0.02004452 \cdot 10^{440} \quad (*) \\
1 \text{k m}^2 \text{ s C} &= 132.1015 \cdot 10^{440} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.3025002 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{C}}{\text{m}} &= 2213.043 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 14.55533 \cdot 10^{-30} \quad (***) \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 0.03410450 \cdot 10^{-210} \\
1 \frac{\text{C}}{\text{m s}} &= 250.4210 \cdot 10^{-210} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 2.111331 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.004235304 \cdot 10^{-340} \\
1 \frac{\text{C}}{\text{m s}^2} &= 32.32212 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 0.2351135 \cdot 10^{-330} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 2.321343 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.01551103 \cdot 10^{100} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 130.5340 \cdot 10^{100} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 3020.025 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 22.05153 \cdot 10^{-150} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.1452555 \cdot 10^{-140} \quad (***) \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 340.0515 \cdot 10^{-330} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 2.455443 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.02104022 \cdot 10^{-310} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 42.24224 \cdot 10^{-500} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.3222515 \cdot 10^{-450} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.002343012 \cdot 10^{-440} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.02313304 \cdot 10^{-20} \\
1 \frac{\text{s C}}{\text{m}^2} &= 154.4003 \cdot 10^{-20} \quad (*) \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 1.303101 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 30.11105 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 0.2201314 \cdot 10^{-300} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 1450.030 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 3.351002 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.02451132 \cdot 10^{-430} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 210.0322 \cdot 10^{-430} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.4213204 \cdot 10^{-1010} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.003213234 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 23.34501 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 230.5241 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 1.540512 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.01300425 \cdot 10^{-120} \quad (*) \\
1 \text{m kg C} &= 1.220441 \cdot 10^{50} \\
1 \text{kg C} &= 0.01024030 \cdot 10^{100} \\
1 \text{k kg C} &= 45.50245 \cdot 10^{100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ cipa-}L^2Q &= 10^{310} = 224.5303 \text{ m}^2 \text{ C} \\
1 \text{ cipa-}L^2Q &= 10^{310} = 0.03111234 \text{ k m}^2 \text{ C} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 13.30414 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 2020.053 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 0.2355343 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \quad (*) \\
1 \frac{L^2Q}{T^2} &= 1 = 115.3151 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.01413432 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 2.115113 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ voci-}L^2TQ &= 10^{430} = 0.2142253 \text{ m m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 25.44504 \text{ m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 0.003502314 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvu-} \frac{Q}{L} &= 10^{-40} = 1.540541 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 230.5315 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 0.03135012 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 13.42240 \text{ m} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'uren-} \frac{Q}{LT} &= 10^{-200} = 2034.102 \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'uren-} \frac{Q}{LT} &= 10^{-200} = 0.2420340 \text{ k} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 120.3425 \text{ m} \frac{\text{C}}{\text{ms}^2} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 0.01430034 \frac{\text{C}}{\text{ms}^2} \quad (*) \\
1 \text{ ni'ucici-} \frac{Q}{LT^2} &= 10^{-330} = 2.134005 \text{ k} \frac{\text{C}}{\text{ms}^2} \quad (*) \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 0.2201351 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 30.11152 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.003533142 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 154.4032 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 0.02313343 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 3.144152 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 1345.021 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucire-} \frac{Q}{L^2T} &= 10^{-320} = 0.2041322 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucipa-} \frac{Q}{L^2T} &= 10^{-310} = 24.25001 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'umuno-} \frac{Q}{L^2T^2} &= 10^{-500} = 0.01205532 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'uvomu-} \frac{Q}{L^2T^2} &= 10^{-450} = 1.432532 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvovo-} \frac{Q}{L^2T^2} &= 10^{-440} = 214.1403 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 22.05230 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.003020113 \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.3543344 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 0.01551132 \text{ m} \frac{\text{C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 2.321421 \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uremu-} \frac{Q}{L^3} &= 10^{-250} = 315.3345 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3T} &= 10^{-440} = 0.1351410 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3T} &= 10^{-430} = 20.44552 \frac{\text{C}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ ni'uvore-} \frac{Q}{L^3T} &= 10^{-420} = 2433.234 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3T^2} &= 10^{-1010} = 1.212042 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 143.5434 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3T^2} &= 10^{-1000} = 0.02145211 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.002213120 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 0.3025045 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 35.54003 \text{ k} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ mu-MQ} &= 10^{50} = 0.4150405 \text{ m kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 53.30102 \text{ kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 0.01112311 \text{ k kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 0.1401144 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{s}} &= 1142.440 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 5.550351 \cdot 10^{-30} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 0.02001554 \cdot 10^{-210} \quad (***) \\
1 \frac{\text{kg C}}{\text{s}^2} &= 131.4511 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 1.110215 \cdot 10^{-200} \\
1 \text{m kg s C} &= 10.54223 \cdot 10^{220} \\
1 \text{kg s C} &= 0.05211135 \cdot 10^{230} \\
1 \text{k kg s C} &= 405.0300 \cdot 10^{230} \quad (*) \\
1 \text{m kg m C} &= 122.3010 \cdot 10^{200} \\
1 \text{kg m C} &= 1.025453 \cdot 10^{210} \\
1 \text{k kg m C} &= 0.005002254 \cdot 10^{220} \quad (*) \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 14.03555 \cdot 10^{30} \quad (***) \\
1 \frac{\text{kg m C}}{\text{s}} &= 0.1144510 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 1000.414 \cdot 10^{40} \quad (***) \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 2.005121 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 0.01321211 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 111.2152 \cdot 10^{-50} \\
1 \text{m kg m s C} &= 0.001100135 \cdot 10^{340} \quad (*) \\
1 \text{kg m s C} &= 5.223533 \cdot 10^{340} \\
1 \text{k kg m s C} &= 0.04101103 \cdot 10^{350} \\
1 \text{m kg m}^2 \text{C} &= 0.01225143 \cdot 10^{320} \\
1 \text{kg m}^2 \text{C} &= 103.1322 \cdot 10^{320} \\
1 \text{k kg m}^2 \text{C} &= 0.5014324 \cdot 10^{330} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 1410.414 \cdot 10^{140} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 11.50543 \cdot 10^{150} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.1002200 \cdot 10^{200} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 201.2254 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 1.323515 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.01114132 \cdot 10^{30} \\
1 \text{m kg m}^2 \text{s C} &= 0.1102054 \cdot 10^{450} \\
1 \text{kg m}^2 \text{s C} &= 524.0352 \cdot 10^{450} \\
1 \text{k kg m}^2 \text{s C} &= 4.111524 \cdot 10^{500} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 0.01214320 \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{m}} &= 102.2211 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 0.4534302 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 1354.342 \cdot 10^{-200} \\
1 \frac{\text{kg C}}{\text{m s}} &= 11.40414 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}} &= 0.05533030 \cdot 10^{-140} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 155.4435 \cdot 10^{-330} \quad (*) \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 1.312215 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}^2} &= 0.01104250 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 0.1052314 \cdot 10^{110} \\
1 \frac{\text{kg s C}}{\text{m}} &= 515.4404 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 4.035513 \cdot 10^{120} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 121.2202 \cdot 10^{-140} \\
1 \frac{\text{kg C}}{\text{m}^2} &= 1.020354 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.004522335 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 13.51544 \cdot 10^{-310} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 0.1134355 \cdot 10^{-300} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uv} \frac{MQ}{T} &= 10^{-40} = 3.330450 \text{m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'uci} \frac{MQ}{T} &= 10^{-30} = 435.2052 \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'uci} \frac{MQ}{T} &= 10^{-30} = 0.1000522 \text{k} \frac{\text{kg C}}{\text{s}} \quad (***) \\
1 \text{ni'urepa} \frac{MQ}{T^2} &= 10^{-210} = 25.53011 \text{m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'ureno} \frac{MQ}{T^2} &= 10^{-200} = 3511.543 \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'ureno} \frac{MQ}{T^2} &= 10^{-200} = 0.5003223 \text{k} \frac{\text{kg C}}{\text{s}^2} \quad (*) \\
1 \text{rere-MLQ} &= 10^{220} = 0.05101535 \text{m kg s C} \\
1 \text{reci-MLQ} &= 10^{230} = 10.41251 \text{kg s C} \\
1 \text{revo-MLQ} &= 10^{240} = 1240.542 \text{k kg s C} \\
1 \text{reno-MLQ} &= 10^{200} = 0.004135444 \text{m kg m C} \\
1 \text{repa-MLQ} &= 10^{210} = 0.5313124 \text{kg m C} \\
1 \text{rere-MLQ} &= 10^{220} = 111.0334 \text{k kg m C} \\
1 \text{ci-MLQ} &= 10^{30} = 0.03321022 \text{m} \frac{\text{kg m C}}{\text{s}} \\
1 \text{vo-MLQ} &= 10^{40} = 4.340413 \frac{\text{kg m C}}{\text{s}} \\
1 \text{mu-MLQ} &= 10^{50} = 555.1422 \text{k} \frac{\text{kg m C}}{\text{s}} \quad (***) \\
1 \text{ni'upano} \frac{MLQ}{T^2} &= 10^{-100} = 0.2544130 \text{m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'umu} \frac{MLQ}{T^2} &= 10^{-50} = 35.01433 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'uv} \frac{MLQ}{T^2} &= 10^{-40} = 4551.213 \text{k} \frac{\text{kg m C}}{\text{s}^2} \quad (*) \\
1 \text{civo-MLTQ} &= 10^{340} = 504.5354 \text{m kg m s C} \\
1 \text{civo-MLTQ} &= 10^{340} = 0.1035404 \text{kg m s C} \\
1 \text{cimu-MLTQ} &= 10^{350} = 12.34345 \text{k kg m s C} \\
1 \text{cire-ML}^2\text{Q} &= 10^{320} = 41.24541 \text{m kg m}^2\text{C} \\
1 \text{cire-ML}^2\text{Q} &= 10^{320} = 0.005300211 \text{kg m}^2\text{C} \quad (*) \\
1 \text{cici-ML}^2\text{Q} &= 10^{330} = 1.104404 \text{k kg m}^2\text{C} \\
1 \text{pamu-ML}^2\text{Q} &= 10^{150} = 331.1211 \text{m} \frac{\text{kg m}^2\text{C}}{\text{s}} \\
1 \text{pamu-ML}^2\text{Q} &= 10^{150} = 0.04325154 \frac{\text{kg m}^2\text{C}}{\text{s}} \\
1 \text{reno-ML}^2\text{Q} &= 10^{200} = 5.534055 \text{k} \frac{\text{kg m}^2\text{C}}{\text{s}} \quad (*) \\
1 \text{re-ML}^2\text{Q} &= 10^{20} = 2535.301 \text{m} \frac{\text{kg m}^2\text{C}}{\text{s}^2} \\
1 \text{re-ML}^2\text{Q} &= 10^{20} = 0.3451341 \frac{\text{kg m}^2\text{C}}{\text{s}^2} \\
1 \text{ci-ML}^2\text{Q} &= 10^{30} = 45.35224 \text{k} \frac{\text{kg m}^2\text{C}}{\text{s}^2} \\
1 \text{vomu-ML}^2\text{TQ} &= 10^{450} = 5.033234 \text{m kg m}^2\text{s C} \\
1 \text{muno-ML}^2\text{TQ} &= 10^{500} = 1033.525 \text{kg m}^2\text{s C} \\
1 \text{muno-ML}^2\text{TQ} &= 10^{500} = 0.1232200 \text{k kg m}^2\text{s C} \quad (*) \\
1 \text{ni'ure-ML} &= 10^{-20} = 42.01350 \text{m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'ure-ML} &= 10^{-20} = 0.005343103 \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upa-ML} &= 10^{-10} = 1.114252 \text{k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upamu-ML} &= 10^{-150} = 334.0332 \text{m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'upamu-ML} &= 10^{-150} = 0.04403351 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'upavo-ML} &= 10^{-140} = 10.02303 \text{k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'ucire-ML} &= 10^{-320} = 3001.503 \text{m} \frac{\text{kg C}}{\text{m s}^2} \quad (*) \\
1 \text{ni'ucire-ML} &= 10^{-320} = 0.3522111 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'ucipa-ML} &= 10^{-310} = 50.15254 \text{k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{papa-ML} &= 10^{110} = 5.114142 \text{m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{pare-ML} &= 10^{120} = 1043.140 \frac{\text{kg s C}}{\text{m}} \\
1 \text{pare-ML} &= 10^{120} = 0.1243142 \text{k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ni'upavo-ML} &= 10^{-140} = 0.004212350 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'upaci-ML} &= 10^{-130} = 0.5400131 \frac{\text{kg C}}{\text{m}^2} \quad (*) \\
1 \text{ni'upare-ML} &= 10^{-120} = 112.0235 \text{k} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'ucipa-ML} &= 10^{-310} = 0.03350230 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'ucino-ML} &= 10^{-300} = 4.415111 \frac{\text{kg C}}{\text{m}^2}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 551.5331 \cdot 10^{-300}$	(*)	$1 ni'ucino \frac{MQ}{L^2 T} = 10^{-300} = 0.001004052 k \frac{kg\ C}{m^2 s}$	(*)
$1m \frac{kg\ C}{m^2 s^2} = 1.551325 \cdot 10^{-440}$	(*)	$1 ni'uvovo \frac{MQ}{L^2 T^2} = 10^{-440} = 0.3010411 m \frac{kg\ C}{m^2 s^2}$	
$1 \frac{kg\ C}{m^2 s^2} = 0.01305531 \cdot 10^{-430}$	(*)	$1 ni'uvoci \frac{MQ}{L^2 T^2} = 10^{-430} = 35.32253 \frac{kg\ C}{m^2 s^2}$	
$1k \frac{kg\ C}{m^2 s^2} = 110.2323 \cdot 10^{-430}$		$1 ni'uvore \frac{MQ}{L^2 T^2} = 10^{-420} = 5031.350 k \frac{kg\ C}{m^2 s^2}$	
$1m \frac{kg\ s\ C}{m^2} = 0.001050412 \cdot 10^0$		$1 \frac{MTQ}{L^2} = 1 = 513.0410 m \frac{kg\ s\ C}{m^2}$	
$1 \frac{kg\ s\ C}{m^2} = 5.142054$		$1 \frac{MTQ}{L^2} = 1 = 0.1045032 \frac{kg\ s\ C}{m^2}$	
$1k \frac{kg\ s\ C}{m^2} = 0.04025144 \cdot 10^{10}$		$1 pa \frac{MTQ}{L^2} = 10^{10} = 12.45351 k \frac{kg\ s\ C}{m^2}$	
$1m \frac{kg\ C}{m^3} = 1.210051 \cdot 10^{-250}$	(*)	$1 ni'uremu \frac{MQ}{L^3} = 10^{-250} = 0.4223405 m \frac{kg\ C}{m^3}$	
$1 \frac{kg\ C}{m^3} = 0.01014544 \cdot 10^{-240}$		$1 ni'urevo \frac{MQ}{L^3} = 10^{-240} = 54.13221 \frac{kg\ C}{m^3}$	
$1k \frac{kg\ C}{m^3} = 45.10432 \cdot 10^{-240}$		$1 ni'urevo \frac{MQ}{L^3} = 10^{-240} = 0.01122225 k \frac{kg\ C}{m^3}$	
$1m \frac{kg\ C}{m^3 s} = 0.1345154 \cdot 10^{-420}$		$1 ni'uvore \frac{MQ}{L^3 T} = 10^{-420} = 3.400142 m \frac{kg\ C}{m^3 s}$	(*)
$1 \frac{kg\ C}{m^3 s} = 1132.344 \cdot 10^{-420}$		$1 ni'uvopa \frac{MQ}{L^3 T} = 10^{-410} = 443.0450 \frac{kg\ C}{m^3 s}$	
$1k \frac{kg\ C}{m^3 s} = 5.502100 \cdot 10^{-410}$	(*)	$1 ni'uvopa \frac{MQ}{L^3 T} = 10^{-410} = 0.1005443 k \frac{kg\ C}{m^3 s}$	(*)
$1m \frac{kg\ C}{m^3 s^2} = 0.01544225 \cdot 10^{-550}$		$1 ni'umumu \frac{MQ}{L^3 T^2} = 10^{-550} = 30.15330 m \frac{kg\ C}{m^3 s^2}$	
$1 \frac{kg\ C}{m^3 s^2} = 130.3251 \cdot 10^{-550}$		$1 ni'umuvo \frac{MQ}{L^3 T^2} = 10^{-540} = 3542.454 \frac{kg\ C}{m^3 s^2}$	
$1k \frac{kg\ C}{m^3 s^2} = 1.100404 \cdot 10^{-540}$	(*)	$1 ni'umuvo \frac{MQ}{L^3 T^2} = 10^{-540} = 0.5043503 k \frac{kg\ C}{m^3 s^2}$	
$1m \frac{kg\ s\ C}{m^3} = 10.44514 \cdot 10^{-120}$		$1 ni'upare \frac{MTQ}{L^3} = 10^{-120} = 0.05143100 m \frac{kg\ s\ C}{m^3}$	(*)
$1 \frac{kg\ s\ C}{m^3} = 0.05125410 \cdot 10^{-110}$		$1 ni'upapa \frac{MTQ}{L^3} = 10^{-110} = 10.50532 \frac{kg\ s\ C}{m^3}$	
$1k \frac{kg\ s\ C}{m^3} = 401.4433 \cdot 10^{-110}$		$1 ni'upano \frac{MTQ}{L^3} = 10^{-100} = 1252.003 k \frac{kg\ s\ C}{m^3}$	(*)
<hr/>			
$1m \frac{1}{K} = 3.512545 \cdot 10^{100}$		$1 pano \frac{1}{\Theta} = 10^{100} = 0.1314245 m \frac{1}{K}$	
$1 \frac{1}{K} = 0.02553450 \cdot 10^{110}$	(*)	$1 papa \frac{1}{\Theta} = 10^{110} = 20.01245 \frac{1}{K}$	
$1k \frac{1}{K} = 215.0150 \cdot 10^{110}$		$1 pare \frac{1}{\Theta} = 10^{120} = 2333.435 k \frac{1}{K}$	
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$		$1 ni'uci \frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$	
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$		$1 ni'ure \frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$	
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$		$1 ni'ure \frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK}$	(*)
$1m \frac{1}{s^2 K} = 0.05331344 \cdot 10^{-200}$		$1 ni'uren \frac{1}{T^2\Theta} = 10^{-200} = 10.23450 m \frac{1}{s^2 K}$	
$1 \frac{1}{s^2 K} = 415.1451 \cdot 10^{-200}$		$1 ni'uren \frac{1}{T^2\Theta} = 10^{-200} = 0.001220231 \frac{1}{s^2 K}$	
$1k \frac{1}{s^2 K} = 3.154554 \cdot 10^{-150}$	(*)	$1 ni'upamu \frac{1}{T^2\Theta} = 10^{-150} = 0.1445203 k \frac{1}{s^2 K}$	
$1m \frac{s}{K} = 31.20440 \cdot 10^{230}$		$1 reci \frac{T}{\Theta} = 10^{230} = 0.01505432 m \frac{s}{K}$	
$1 \frac{s}{K} = 0.2253350 \cdot 10^{240}$		$1 revo \frac{T}{\Theta} = 10^{240} = 2.224402 \frac{s}{K}$	
$1k \frac{s}{K} = 1530.502 \cdot 10^{240}$		$1 remu \frac{T}{\Theta} = 10^{250} = 304.2444 k \frac{s}{K}$	
$1m \frac{m}{K} = 352.3114 \cdot 10^{210}$		$1 rere \frac{L}{\Theta} = 10^{220} = 1311.553 m \frac{m}{K}$	(*)
$1 \frac{m}{K} = 3.002344 \cdot 10^{220}$	(*)	$1 rere \frac{L}{\Theta} = 10^{220} = 0.1554131 \frac{m}{K}$	(*)
$1k \frac{m}{K} = 0.02154010 \cdot 10^{230}$		$1 reci \frac{L}{\Theta} = 10^{230} = 23.25340 k \frac{m}{K}$	
$1m \frac{m}{sK} = 44.04510 \cdot 10^{40}$		$1 vo \frac{L}{T\Theta} = 10^{40} = 0.01140214 m \frac{m}{sK}$	
$1 \frac{m}{sK} = 0.3341310 \cdot 10^{50}$		$1 mu \frac{L}{T\Theta} = 10^{50} = 1.354105 \frac{m}{sK}$	
$1k \frac{m}{sK} = 0.002443011 \cdot 10^{100}$		$1 pano \frac{L}{T\Theta} = 10^{100} = 205.2114 k \frac{m}{sK}$	
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$		$1 ni'umu \frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$	
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$		$1 ni'uv \frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$	
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$		$1 ni'uv \frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$	
$1m \frac{ms}{K} = 3125.552 \cdot 10^{340}$	(*)	$1 cimu \frac{LT}{\Theta} = 10^{350} = 150.2441 m \frac{ms}{K}$	
$1 \frac{ms}{K} = 23.01353 \cdot 10^{350}$		$1 cimu \frac{LT}{\Theta} = 10^{350} = 0.02220453 \frac{ms}{K}$	
$1k \frac{ms}{K} = 0.1533535 \cdot 10^{400}$		$1 vono \frac{LT}{\Theta} = 10^{400} = 3.033444 k \frac{ms}{K}$	
$1m \frac{m^2}{K} = 0.03533302 \cdot 10^{330}$		$1 cici \frac{L^2}{\Theta} = 10^{330} = 13.05310 m \frac{m^2}{K}$	
$1 \frac{m^2}{K} = 301.1253 \cdot 10^{330}$		$1 civo \frac{L^2}{\Theta} = 10^{340} = 1551.022 \frac{m^2}{K}$	(*)
$1k \frac{m^2}{K} = 2.201440 \cdot 10^{340}$		$1 civo \frac{L^2}{\Theta} = 10^{340} = 0.2321251 k \frac{m^2}{K}$	
$1m \frac{m^2}{sK} = 0.004420232 \cdot 10^{200}$		$1 reno \frac{L^2}{T\Theta} = 10^{200} = 113.4200 m \frac{m^2}{sK}$	(*)
$1 \frac{m^2}{sK} = 33.51211 \cdot 10^{200}$		$1 reno \frac{L^2}{T\Theta} = 10^{200} = 0.01351312 \frac{m^2}{sK}$	
$1k \frac{m^2}{sK} = 0.2451311 \cdot 10^{210}$		$1 repa \frac{L^2}{T\Theta} = 10^{210} = 2.044435 k \frac{m^2}{sK}$	
$1m \frac{m^2}{s^2 K} = 540.1421 \cdot 10^{20}$		$1 re \frac{L^2}{T^2\Theta} = 10^{20} = 0.001020215 m \frac{m^2}{s^2 K}$	

$1 \frac{m^2}{s^2 K} = 4.213440 \cdot 10^{30}$	$1 ci \frac{L^2}{T^2 \Theta} = 10^{30} = 0.1211553 \frac{m^2}{s^2 K}$ (*)
$1 k \frac{m^2}{s^2 K} = 0.03213433 \cdot 10^{40}$	$1 vo \frac{L^2}{T^2 \Theta} = 10^{40} = 14.35333 k \frac{m^2}{s^2 K}$
$1 m \frac{m^2 s}{K} = 0.3135120 \cdot 10^{500}$	$1 muno \frac{L^2 T}{\Theta} = 10^{500} = 1.455454 m \frac{m^2 s}{K}$ (*)
$1 \frac{m^2 s}{K} = 2305.410 \cdot 10^{500}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 221.2554 \frac{m^2 s}{K}$ (*)
$1 k \frac{m^2 s}{K} = 15.41021 \cdot 10^{510}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 0.03024500 k \frac{m^2 s}{K}$ (*)
$1 m \frac{1}{m K} = 0.03502433 \cdot 10^{-10}$	$1 ni'upa \frac{1}{L \Theta} = 10^{-10} = 13.20544 m \frac{1}{m K}$
$1 \frac{1}{m K} = 254.5005 \cdot 10^{-10}$ (*)	$1 \frac{1}{L \Theta} = 1 = 2004.412 \frac{1}{m K}$ (*)
$1 k \frac{1}{m K} = 2.142341$	$1 \frac{1}{L \Theta} = 1 = 0.2341545 k \frac{1}{m K}$
$1 m \frac{1}{m s K} = 0.004341524 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 114.4305 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 33.21554 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 0.01403320 \frac{1}{m s K}$
$1 k \frac{1}{m s K} = 0.2430044 \cdot 10^{-130}$ (*)	$1 ni'upaci \frac{1}{LT \Theta} = 10^{-130} = 2.103101 k \frac{1}{m s K}$
$1 m \frac{1}{m s^2 K} = 531.4403 \cdot 10^{-320}$	$1 ni'ucire \frac{1}{LT^2 \Theta} = 10^{-320} = 0.001025312 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 4.140524 \cdot 10^{-310}$	$1 ni'ucipa \frac{1}{LT^2 \Theta} = 10^{-310} = 0.1222355 \frac{1}{m s^2 K}$ (*)
$1 k \frac{1}{m s^2 K} = 0.03145355 \cdot 10^{-300}$ (*)	$1 ni'ucino \frac{1}{LT^2 \Theta} = 10^{-300} = 14.52131 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 0.3111341 \cdot 10^{120}$	$1 pare \frac{T}{L \Theta} = 10^{120} = 1.512431 m \frac{s}{m K}$
$1 \frac{s}{m K} = 2245.353 \cdot 10^{120}$	$1 paci \frac{T}{L \Theta} = 10^{130} = 223.2322 \frac{s}{m K}$
$1 k \frac{s}{m K} = 15.23434 \cdot 10^{130}$	$1 paci \frac{T}{L \Theta} = 10^{130} = 0.03051501 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 345.2335 \cdot 10^{-130}$	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 1323.251 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 2.540135 \cdot 10^{-120}$	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 0.2011544 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 0.02134541 \cdot 10^{-110}$	$1 ni'upapa \frac{1}{L^2 \Theta} = 10^{-110} = 23.50110 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 43.30303 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2 T \Theta} = 10^{-300} = 0.01150341 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.3312141 \cdot 10^{-250}$	$1 ni'uremu \frac{1}{L^2 T \Theta} = 10^{-250} = 1.410135 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 0.002421421 \cdot 10^{-240}$	$1 ni'urevo \frac{1}{L^2 T \Theta} = 10^{-240} = 211.0405 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 5.301444 \cdot 10^{-430}$	$1 ni'uvoci \frac{1}{L^2 T^2 \Theta} = 10^{-430} = 0.1031141 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.04130020 \cdot 10^{-420}$ (*)	$1 ni'uvore \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 12.24531 \frac{1}{m^2 s^2 K}$
$1 k \frac{1}{m^2 s^2 K} = 314.0213 \cdot 10^{-420}$	$1 ni'uvore \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 0.001455103 k \frac{1}{m^2 s^2 K}$ (*)
$1 m \frac{s}{m^2 K} = 3102.254 \cdot 10^0$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 151.5440 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.41411 \cdot 10^{10}$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 0.02240252 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.1520415 \cdot 10^{20}$	$1 re \frac{T}{L^2 \Theta} = 10^{20} = 3.100525 k \frac{s}{m^2 K}$ (*)
$1 m \frac{1}{m^3 K} = 3.442255 \cdot 10^{-240}$ (*)	$1 ni'urevo \frac{1}{L^3 \Theta} = 10^{-240} = 0.1330003 m \frac{1}{m^3 K}$ (**)
$1 \frac{1}{m^3 K} = 0.02531320 \cdot 10^{-230}$	$1 ni'ureci \frac{1}{L^3 \Theta} = 10^{-230} = 20.15130 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 213.1151 \cdot 10^{-230}$	$1 ni'urere \frac{1}{L^3 \Theta} = 10^{-220} = 2354.241 k \frac{1}{m^3 K}$
$1 m \frac{1}{m^3 s K} = 0.4315101 \cdot 10^{-410}$	$1 ni'uvopa \frac{1}{L^3 T \Theta} = 10^{-410} = 1.152421 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 0.003302342 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 141.3001 \frac{1}{m^3 s K}$ (*)
$1 k \frac{1}{m^3 s K} = 24.13205 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 0.02114122 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 0.05244552 \cdot 10^{-540}$ (*)	$1 ni'umuvo \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 10.33012 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 411.5130 \cdot 10^{-540}$	$1 ni'umuvo \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 0.001231111 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 3.131043 \cdot 10^{-530}$	$1 ni'umuci \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 0.1502044 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 30.53223 \cdot 10^{-110}$	$1 ni'upapa \frac{T}{L^3 \Theta} = 10^{-110} = 0.01522454 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.2233435 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3 \Theta} = 10^{-100} = 2.244232 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 1513.405 \cdot 10^{-100}$	$1 ni'umu \frac{T}{L^3 \Theta} = 10^{-50} = 311.0005 k \frac{s}{m^3 K}$ (**)
$1 m \frac{kg}{K} = 0.1423431 \cdot 10^{120}$	$1 pare \frac{M}{\Theta} = 10^{120} = 3.241000 m \frac{kg}{K}$ (**)
$1 \frac{kg}{K} = 1201.534 \cdot 10^{120}$	$1 paci \frac{M}{\Theta} = 10^{130} = 424.5304 \frac{kg}{K}$
$1 k \frac{kg}{K} = 10.11414 \cdot 10^{130}$	$1 paci \frac{M}{\Theta} = 10^{130} = 0.05443151 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 0.02031204 \cdot 10^{-10}$	$1 ni'upa \frac{M}{T \Theta} = 10^{-10} = 25.12115 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 134.0133 \cdot 10^{-10}$	$1 \frac{M}{T \Theta} = 1 = 3415.445 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 1.124420$	$1 \frac{M}{T \Theta} = 1 = 0.4453420 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 0.002302055 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 222.0200 m \frac{kg}{s^2 K}$ (*)
$1 \frac{kg}{s^2 K} = 15.34200 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 0.03033100 \frac{kg}{s^2 K}$ (*)
$1 k \frac{kg}{s^2 K} = 0.1254442 \cdot 10^{-130}$	$1 ni'upaci \frac{M}{T^2 \Theta} = 10^{-130} = 4.003124 k \frac{kg}{s^2 K}$ (*)

$$\begin{aligned}
1m \frac{\text{kg s}}{K} &= 1.240452 \cdot 10^{250} \\
1 \frac{\text{kg s}}{K} &= 0.01041212 \cdot 10^{300} \\
1k \frac{\text{kg s}}{K} &= 51.01243 \cdot 10^{300} \\
1m \frac{\text{kg m}}{K} &= 14.30321 \cdot 10^{230} \\
1 \frac{\text{kg m}}{K} &= 0.1204033 \cdot 10^{240} \\
1k \frac{\text{kg m}}{K} &= 1013.215 \cdot 10^{240} \\
1m \frac{\text{kg m}}{s K} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{s K} &= 0.01342511 \cdot 10^{110} \\
1k \frac{\text{kg m}}{s K} &= 113.0422 \cdot 10^{110} \\
1m \frac{\text{kg m}}{s^2 K} &= 0.2310113 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{s^2 K} &= 0.001541243 \cdot 10^{-20} \\
1k \frac{\text{kg m}}{s^2 K} &= 13.01111 \cdot 10^{-20} \\
1m \frac{\text{kg m s}}{K} &= 124.3053 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{K} &= 1.043101 \cdot 10^{410} \\
1k \frac{\text{kg m s}}{K} &= 0.005113445 \cdot 10^{420} \\
1m \frac{\text{kg m}^2}{K} &= 1433.215 \cdot 10^{340} \\
1 \frac{\text{kg m}^2}{K} &= 12.10140 \cdot 10^{350} \\
1k \frac{\text{kg m}^2}{K} &= 0.1015022 \cdot 10^{400} \\
1m \frac{\text{kg m}^2}{s K} &= 204.2041 \cdot 10^{210} \\
1 \frac{\text{kg m}^2}{s K} &= 1.345253 \cdot 10^{220} \\
1k \frac{\text{kg m}^2}{s K} &= 0.01132430 \cdot 10^{230} \\
1m \frac{\text{kg m}^2}{s^2 K} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{s^2 K} &= 0.1544334 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{s^2 K} &= 0.001303343 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 s}{K} &= 0.01245301 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 s}{K} &= 104.4553 \cdot 10^{520} \quad (*) \\
1k \frac{\text{kg m}^2 s}{K} &= 0.5130112 \cdot 10^{530} \\
1m \frac{\text{kg}}{m K} &= 1420.545 \cdot 10^0 \\
1 \frac{\text{kg}}{m K} &= 11.55442 \cdot 10^{10} \quad (*) \\
1k \frac{\text{kg}}{m K} &= 0.1010020 \cdot 10^{20} \quad (*) \\
1m \frac{\text{kg}}{m s K} &= 202.4002 \cdot 10^{-130} \quad (*) \\
1 \frac{\text{kg}}{m s K} &= 1.333404 \cdot 10^{-120} \\
1k \frac{\text{kg}}{m s K} &= 0.01122422 \cdot 10^{-110} \\
1m \frac{\text{kg}}{m s^2 K} &= 22.54051 \cdot 10^{-300} \\
1 \frac{\text{kg}}{m s^2 K} &= 0.1531123 \cdot 10^{-250} \\
1k \frac{\text{kg}}{m s^2 K} &= 0.001252222 \cdot 10^{-240} \\
1m \frac{\text{kg s}}{m K} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{m K} &= 103.5330 \cdot 10^{140} \\
1k \frac{\text{kg s}}{m K} &= 0.5045102 \cdot 10^{150} \\
1m \frac{\text{kg}}{m^2 K} &= 14.14112 \cdot 10^{-110} \\
1 \frac{\text{kg}}{m^2 K} &= 0.1153353 \cdot 10^{-100} \\
1k \frac{\text{kg}}{m^2 K} &= 1004.225 \cdot 10^{-100} \quad (*) \\
1m \frac{\text{kg}}{m^2 s K} &= 2.020405 \cdot 10^{-240} \\
1 \frac{\text{kg}}{m^2 s K} &= 0.01331043 \cdot 10^{-230} \\
1k \frac{\text{kg}}{m^2 s K} &= 112.0431 \cdot 10^{-230} \\
1m \frac{\text{kg}}{m^2 s^2 K} &= 0.2250054 \cdot 10^{-410} \quad (*) \\
1 \frac{\text{kg}}{m^2 s^2 K} &= 0.001524054 \cdot 10^{-400} \\
1k \frac{\text{kg}}{m^2 s^2 K} &= 12.50005 \cdot 10^{-400} \quad (**) \\
1m \frac{\text{kg s}}{m^2 K} &= 123.2111 \cdot 10^{20} \\
1 \frac{\text{kg s}}{m^2 K} &= 1.033450 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu-} \frac{MT}{\Theta} &= 10^{250} = 0.4050520 \text{ m} \frac{\text{kg s}}{K} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 52.11435 \frac{\text{kg s}}{K} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 0.01054302 \text{ k} \frac{\text{kg s}}{K} \\
1 \text{reci-} \frac{ML}{\Theta} &= 10^{230} = 0.03231251 \text{ m} \frac{\text{kg m}}{K} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 4.234211 \frac{\text{kg m}}{K} \\
1 \text{remu-} \frac{ML}{\Theta} &= 10^{250} = 543.0013 \text{ k} \frac{\text{kg m}}{K} \quad (*) \\
1 \text{pano-} \frac{ML}{T\Theta} &= 10^{100} = 0.2503342 \text{ m} \frac{\text{kg m}}{s K} \\
1 \text{papa-} \frac{ML}{T\Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{s K} \quad (*) \\
1 \text{pare-} \frac{ML}{T\Theta} &= 10^{120} = 4442.001 \text{ k} \frac{\text{kg m}}{s K} \quad (*) \\
1 \text{ni'uci-} \frac{ML}{T^2\Theta} &= 10^{-30} = 2.212301 \text{ m} \frac{\text{kg m}}{s^2 K} \\
1 \text{ni'ure-} \frac{ML}{T^2\Theta} &= 10^{-20} = 302.4113 \frac{\text{kg m}}{s^2 K} \\
1 \text{ni'ure-} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.03552452 \text{ k} \frac{\text{kg m}}{s^2 K} \quad (*) \\
1 \text{vono-} \frac{MLT}{\Theta} &= 10^{400} = 0.004040131 \text{ m} \frac{\text{kg m s}}{K} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 0.5155103 \frac{\text{kg m s}}{K} \quad (*) \\
1 \text{vore-} \frac{MLT}{\Theta} &= 10^{420} = 105.2353 \text{ k} \frac{\text{kg m s}}{K} \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 322.2000 \text{ m} \frac{\text{kg m}^2}{K} \quad (**) \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 0.04223133 \frac{\text{kg m}^2}{K} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 5.412501 \text{ k} \frac{\text{kg m}^2}{K} \\
1 \text{rere-} \frac{ML^2}{T\Theta} &= 10^{220} = 2455.021 \text{ m} \frac{\text{kg m}^2}{s K} \quad (*) \\
1 \text{rere-} \frac{ML^2}{T\Theta} &= 10^{220} = 0.3355533 \frac{\text{kg m}^2}{s K} \quad (**) \\
1 \text{reci-} \frac{ML^2}{T\Theta} &= 10^{230} = 44.30202 \text{ k} \frac{\text{kg m}^2}{s K} \\
1 \text{vo-} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.02204413 \text{ m} \frac{\text{kg m}^2}{s^2 K} \\
1 \text{mu-} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{s^2 K} \\
1 \text{pano-} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.2234 \text{ k} \frac{\text{kg m}^2}{s^2 K} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 40.25402 \text{ m} \frac{\text{kg m}^2 s}{K} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.005142352 \frac{\text{kg m}^2 s}{K} \\
1 \text{muci-} \frac{ML^2 T}{\Theta} &= 10^{530} = 1.050451 \text{ k} \frac{\text{kg m}^2 s}{K} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 325.0321 \text{ m} \frac{\text{kg}}{m K} \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 0.04300421 \frac{\text{kg}}{m K} \quad (*) \\
1 \text{re-} \frac{M}{L\Theta} &= 10^{20} = 5.500353 \text{ k} \frac{\text{kg}}{m K} \quad (*) \\
1 \text{ni'upare-} \frac{M}{LT\Theta} &= 10^{-120} = 2520.503 \text{ m} \frac{\text{kg}}{m s K} \\
1 \text{ni'upare-} \frac{M}{LT\Theta} &= 10^{-120} = 0.3425445 \frac{\text{kg}}{m s K} \\
1 \text{ni'upapa-} \frac{M}{LT\Theta} &= 10^{-110} = 45.05300 \text{ k} \frac{\text{kg}}{m s K} \quad (*) \\
1 \text{ni'ucino-} \frac{M}{LT^2\Theta} &= 10^{-300} = 0.02224105 \text{ m} \frac{\text{kg}}{m s^2 K} \\
1 \text{ni'uremu-} \frac{M}{LT^2\Theta} &= 10^{-250} = 3.042055 \frac{\text{kg}}{m s^2 K} \quad (*) \\
1 \text{ni'urevo-} \frac{M}{LT^2\Theta} &= 10^{-240} = 401.3415 \text{ k} \frac{\text{kg}}{m s^2 K} \\
1 \text{pavo-} \frac{MT}{L\Theta} &= 10^{140} = 41.01323 \text{ m} \frac{\text{kg s}}{m K} \\
1 \text{pavo-} \frac{MT}{L\Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{m K} \\
1 \text{pamu-} \frac{MT}{L\Theta} &= 10^{150} = 1.100214 \text{ k} \frac{\text{kg s}}{m K} \quad (*) \\
1 \text{ni'upapa-} \frac{M}{L^2\Theta} &= 10^{-110} = 0.03300055 \text{ m} \frac{\text{kg}}{m^2 K} \quad (*** \\
1 \text{ni'upano-} \frac{M}{L^2\Theta} &= 10^{-100} = 4.311554 \frac{\text{kg}}{m^2 K} \quad (*) \\
1 \text{ni'umu-} \frac{M}{L^2\Theta} &= 10^{-50} = 551.4022 \text{ k} \frac{\text{kg}}{m^2 K} \quad (*) \\
1 \text{ni'urevo-} \frac{M}{L^2 T\Theta} &= 10^{-240} = 0.2525302 \text{ m} \frac{\text{kg}}{m^2 s K} \\
1 \text{ni'ureci-} \frac{M}{L^2 T\Theta} &= 10^{-230} = 34.35503 \frac{\text{kg}}{m^2 s K} \quad (*) \\
1 \text{ni'urere-} \frac{M}{L^2 T\Theta} &= 10^{-220} = 4521.201 \text{ k} \frac{\text{kg}}{m^2 s K} \\
1 \text{ni'uvopa-} \frac{M}{L^2 T^2\Theta} &= 10^{-410} = 2.232023 \text{ m} \frac{\text{kg}}{m^2 s^2 K} \\
1 \text{ni'uvono-} \frac{M}{L^2 T^2\Theta} &= 10^{-400} = 305.1110 \frac{\text{kg}}{m^2 s^2 K} \\
1 \text{ni'uvono-} \frac{M}{L^2 T^2\Theta} &= 10^{-400} = 0.04024123 \text{ k} \frac{\text{kg}}{m^2 s^2 K} \\
1 \text{re-} \frac{MT}{L^2\Theta} &= 10^{20} = 0.004112145 \text{ m} \frac{\text{kg s}}{m^2 K} \\
1 \text{ci-} \frac{MT}{L^2\Theta} &= 10^{30} = 0.5241054 \frac{\text{kg s}}{m^2 K}
\end{aligned}$$

$1\text{k}\frac{\text{kg s}}{\text{m}^2\text{K}} = 0.005032543 \cdot 10^{40}$	$1\text{vo-}\frac{MT}{L^2\Theta} = 10^{40} = 110.2133 \text{k}\frac{\text{kg s}}{\text{m}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 0.1411244 \cdot 10^{-220}$	$1\text{ni'urere-}\frac{M}{L^3\Theta} = 10^{-220} = 3.305451 \text{m}\frac{\text{kg}}{\text{m}^3\text{K}}$
$1\frac{\text{kg}}{\text{m}^3\text{K}} = 1151.312 \cdot 10^{-220}$	$1\text{ni'urepa-}\frac{M}{L^3\Theta} = 10^{-210} = 432.3150 \frac{\text{kg}}{\text{m}^3\text{K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{K}} = 10.02440 \cdot 10^{-210}$	$1\text{ni'urepa-}\frac{M}{L^3\Theta} = 10^{-210} = 0.05531314 \text{k}\frac{\text{kg}}{\text{m}^3\text{K}}$ (*)
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s K}} = 0.02013221 \cdot 10^{-350}$	$1\text{ni'ucimu-}\frac{M}{L^3T\Theta} = 10^{-350} = 25.34113 \text{m}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\frac{\text{kg}}{\text{m}^3\text{s K}} = 132.4330 \cdot 10^{-350}$	$1\text{ni'ucivo-}\frac{M}{L^3T\Theta} = 10^{-340} = 3445.534 \frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s K}} = 1.114444 \cdot 10^{-340}$	$1\text{ni'ucivo-}\frac{M}{L^3T\Theta} = 10^{-340} = 0.4533122 \text{k}\frac{\text{kg}}{\text{m}^3\text{s K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.002242111 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{M}{L^3T^2\Theta} = 10^{-520} = 223.5552 \text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$ (**)
$1\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 15.21034 \cdot 10^{-520}$	$1\text{ni'umure-}\frac{M}{L^3T^2\Theta} = 10^{-520} = 0.03100134 \frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$ (*)
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}} = 0.1243400 \cdot 10^{-510}$ (*)	$1\text{ni'umupa-}\frac{M}{L^3T^2\Theta} = 10^{-510} = 4.034451 \text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{K}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{K}} = 1.225525 \cdot 10^{-50}$ (*)	$1\text{ni'umu-}\frac{MT}{L^3\Theta} = 10^{-50} = 0.4123025 \text{m}\frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\frac{\text{kg s}}{\text{m}^3\text{K}} = 0.01032014 \cdot 10^{-40}$	$1\text{ni'uovo-}\frac{MT}{L^3\Theta} = 10^{-40} = 52.53540 \frac{\text{kg s}}{\text{m}^3\text{K}}$
$1\text{k}\frac{\text{kg s}}{\text{m}^3\text{K}} = 50.20445 \cdot 10^{-40}$	$1\text{ni'uovo-}\frac{MT}{L^3\Theta} = 10^{-40} = 0.01104055 \text{k}\frac{\text{kg s}}{\text{m}^3\text{K}}$ (*)
$1\text{m K} = 2333.435 \cdot 10^{-120}$	$1\text{ni'upapa-}\Theta = 10^{-110} = 215.0150 \text{m K}$
$1\text{K} = 20.01245 \cdot 10^{-110}$	$1\text{ni'upapa-}\Theta = 10^{-110} = 0.02553450 \text{K}$ (*)
$1\text{k K} = 0.1314245 \cdot 10^{-100}$	$1\text{ni'upano-}\Theta = 10^{-100} = 3.512545 \text{k K}$
$1\text{m}\frac{\text{K}}{\text{s}} = 304.2444 \cdot 10^{-250}$	$1\text{ni'urevo-}\frac{\Theta}{T} = 10^{-240} = 1530.502 \text{m}\frac{\text{K}}{\text{s}}$
$1\frac{\text{K}}{\text{s}} = 2.224402 \cdot 10^{-240}$	$1\text{ni'urevo-}\frac{\Theta}{T} = 10^{-240} = 0.2253350 \frac{\text{K}}{\text{s}}$
$1\text{k}\frac{\text{K}}{\text{s}} = 0.01505432 \cdot 10^{-230}$	$1\text{ni'ureci-}\frac{\Theta}{T} = 10^{-230} = 31.20440 \text{k}\frac{\text{K}}{\text{s}}$
$1\text{m}\frac{\text{K}}{\text{s}^2} = 34.30322 \cdot 10^{-420}$	$1\text{ni'uvore-}\frac{\Theta}{T^2} = 10^{-420} = 0.01333210 \text{m}\frac{\text{K}}{\text{s}^2}$
$1\frac{\text{K}}{\text{s}^2} = 0.2521234 \cdot 10^{-410}$	$1\text{ni'uvopa-}\frac{\Theta}{T^2} = 10^{-410} = 2.023331 \frac{\text{K}}{\text{s}^2}$
$1\text{k}\frac{\text{K}}{\text{s}^2} = 0.002122331 \cdot 10^{-400}$	$1\text{ni'uvono-}\frac{\Theta}{T^2} = 10^{-400} = 240.4023 \text{k}\frac{\text{K}}{\text{s}^2}$
$1\text{m s K} = 0.02055403 \cdot 10^{20}$ (*)	$1\text{re-T}\Theta = 10^{20} = 24.34322 \text{m s K}$
$1\text{s K} = 140.0511 \cdot 10^{20}$	$1\text{re-T}\Theta = 10^{20} = 0.003331424 \text{s K}$
$1\text{k s K} = 1.142240 \cdot 10^{30}$	$1\text{ci-T}\Theta = 10^{30} = 0.4353205 \text{k s K}$
$1\text{m m K} = 0.2341545 \cdot 10^0$	$1\text{L}\Theta = 1 = 2.142341 \text{m m K}$
$1\text{m K} = 2004.412 \cdot 10^0$ (*)	$1\text{pa-L}\Theta = 10^{10} = 254.5005 \text{m K}$ (*)
$1\text{k m K} = 13.20544 \cdot 10^{10}$	$1\text{pa-L}\Theta = 10^{10} = 0.03502433 \text{k m K}$
$1\text{m}\frac{\text{m K}}{\text{s}} = 0.03051501 \cdot 10^{-130}$	$1\text{ni'upaci-}\frac{L\Theta}{T} = 10^{-130} = 15.23434 \text{m}\frac{\text{m K}}{\text{s}}$
$1\frac{\text{m K}}{\text{s}} = 223.2322 \cdot 10^{-130}$	$1\text{ni'upare-}\frac{L\Theta}{T} = 10^{-120} = 2245.353 \frac{\text{m K}}{\text{s}}$
$1\text{k}\frac{\text{m K}}{\text{s}} = 1.512431 \cdot 10^{-120}$	$1\text{ni'upare-}\frac{L\Theta}{T} = 10^{-120} = 0.3111341 \text{k}\frac{\text{m K}}{\text{s}}$
$1\text{m}\frac{\text{m K}}{\text{s}^2} = 0.003440341 \cdot 10^{-300}$	$1\text{ni'ucino-}\frac{L\Theta}{T^2} = 10^{-300} = 133.0445 \text{m}\frac{\text{m K}}{\text{s}^2}$
$1\frac{\text{m K}}{\text{s}^2} = 25.30034 \cdot 10^{-300}$ (*)	$1\text{ni'ucino-}\frac{L\Theta}{T^2} = 10^{-300} = 0.02020134 \frac{\text{m K}}{\text{s}^2}$
$1\text{k}\frac{\text{m K}}{\text{s}^2} = 0.2130105 \cdot 10^{-250}$	$1\text{ni'uremu-}\frac{L\Theta}{T^2} = 10^{-250} = 2.355435 \text{k}\frac{\text{m K}}{\text{s}^2}$ (*)
$1\text{m m s K} = 2.103101 \cdot 10^{130}$	$1\text{paci-LT}\Theta = 10^{130} = 0.2430044 \text{m m s K}$ (*)
$1\text{m s K} = 0.01403320 \cdot 10^{140}$	$1\text{pavo-LT}\Theta = 10^{140} = 33.21554 \text{m s K}$ (*)
$1\text{k m s K} = 114.4305 \cdot 10^{140}$	$1\text{pavo-LT}\Theta = 10^{140} = 0.004341524 \text{k m s K}$
$1\text{m m}^2\text{K} = 23.50110 \cdot 10^{110}$	$1\text{papa-L}^2\Theta = 10^{110} = 0.02134541 \text{m m}^2\text{K}$
$1\text{m}^2\text{K} = 0.2011544 \cdot 10^{120}$	$1\text{pare-L}^2\Theta = 10^{120} = 2.540135 \text{m}^2\text{K}$
$1\text{k m}^2\text{K} = 1323.251 \cdot 10^{120}$	$1\text{paci-L}^2\Theta = 10^{130} = 345.2335 \text{k m}^2\text{K}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}} = 3.100525 \cdot 10^{-20}$ (*)	$1\text{ni'ure-}\frac{L^2\Theta}{T} = 10^{-20} = 0.1520415 \text{m}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\frac{\text{m}^2\text{K}}{\text{s}} = 0.02240252 \cdot 10^{-10}$	$1\text{ni'upa-}\frac{L^2\Theta}{T} = 10^{-10} = 22.41411 \frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}} = 151.5440 \cdot 10^{-10}$	$1\frac{L^2\Theta}{T} = 1 = 3102.254 \text{k}\frac{\text{m}^2\text{K}}{\text{s}}$
$1\text{m}\frac{\text{m}^2\text{K}}{\text{s}^2} = 0.3450414 \cdot 10^{-150}$	$1\text{ni'upamu-}\frac{L^2\Theta}{T^2} = 10^{-150} = 1.324132 \text{m}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\frac{\text{m}^2\text{K}}{\text{s}^2} = 0.002534451 \cdot 10^{-140}$	$1\text{ni'upavo-}\frac{L^2\Theta}{T^2} = 10^{-140} = 201.2551 \frac{\text{m}^2\text{K}}{\text{s}^2}$ (*)
$1\text{k}\frac{\text{m}^2\text{K}}{\text{s}^2} = 21.33453 \cdot 10^{-140}$	$1\text{ni'upavo-}\frac{L^2\Theta}{T^2} = 10^{-140} = 0.02351301 \text{k}\frac{\text{m}^2\text{K}}{\text{s}^2}$
$1\text{m m}^2\text{s K} = 211.0405 \cdot 10^{240}$	$1\text{revo-L}^2\Theta = 10^{240} = 0.002421421 \text{m m}^2\text{s K}$
$1\text{m}^2\text{s K} = 1.410135 \cdot 10^{250}$	$1\text{remu-L}^2\Theta = 10^{250} = 0.3312141 \text{m}^2\text{s K}$
$1\text{k m}^2\text{s K} = 0.01150341 \cdot 10^{300}$	$1\text{cino-L}^2\Theta = 10^{300} = 43.30303 \text{k m}^2\text{s K}$
$1\text{m}\frac{\text{K}}{\text{m}} = 23.25340 \cdot 10^{-230}$	$1\text{ni'ureci-}\frac{\Theta}{L} = 10^{-230} = 0.02154010 \text{m}\frac{\text{K}}{\text{m}}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.1554131 \cdot 10^{-220} \quad (*) \\
1 k \frac{K}{m} &= 1311.553 \cdot 10^{-220} \quad (*) \\
1 m \frac{K}{ms} &= 3.033444 \cdot 10^{-400} \\
1 \frac{K}{ms} &= 0.02220453 \cdot 10^{-350} \\
1 k \frac{K}{ms} &= 150.2441 \cdot 10^{-350} \\
1 m \frac{K}{ms^2} &= 0.3420320 \cdot 10^{-530} \\
1 \frac{K}{ms^2} &= 0.002512445 \cdot 10^{-520} \\
1 k \frac{K}{ms^2} &= 21.15003 \cdot 10^{-520} \quad (*) \\
1 m \frac{sK}{m} &= 205.2114 \cdot 10^{-100} \\
1 \frac{sK}{m} &= 1.354105 \cdot 10^{-50} \\
1 k \frac{sK}{m} &= 0.01140214 \cdot 10^{-40} \\
1 m \frac{K}{m^2} &= 0.2321251 \cdot 10^{-340} \\
1 \frac{K}{m^2} &= 1551.022 \cdot 10^{-340} \quad (*) \\
1 k \frac{K}{m^2} &= 13.05310 \cdot 10^{-330} \\
1 m \frac{K}{m^2 s} &= 0.03024500 \cdot 10^{-510} \quad (*) \\
1 \frac{K}{m^2 s} &= 221.2554 \cdot 10^{-510} \quad (*) \\
1 k \frac{K}{m^2 s} &= 1.455454 \cdot 10^{-500} \quad (*) \\
1 m \frac{K}{m^2 s^2} &= 0.003410333 \cdot 10^{-1040} \\
1 \frac{K}{m^2 s^2} &= 25.04111 \cdot 10^{-1040} \\
1 k \frac{K}{m^2 s^2} &= 0.2111244 \cdot 10^{-1030} \\
1 m \frac{sK}{m^2} &= 2.044435 \cdot 10^{-210} \\
1 \frac{sK}{m^2} &= 0.01351312 \cdot 10^{-200} \\
1 k \frac{sK}{m^2} &= 113.4200 \cdot 10^{-200} \quad (*) \\
1 m \frac{K}{m^3} &= 2313.214 \cdot 10^{-500} \\
1 \frac{K}{m^3} &= 15.43523 \cdot 10^{-450} \\
1 k \frac{K}{m^3} &= 0.1303030 \cdot 10^{-440} \\
1 m \frac{K}{m^3 s} &= 301.5524 \cdot 10^{-1030} \quad (*) \\
1 \frac{K}{m^3 s} &= 2.205105 \cdot 10^{-1020} \\
1 k \frac{K}{m^3 s} &= 0.01452521 \cdot 10^{-1010} \\
1 m \frac{K}{m^3 s^2} &= 34.00402 \cdot 10^{-1200} \quad (*) \\
1 \frac{K}{m^3 s^2} &= 0.2455345 \cdot 10^{-1150} \quad (*) \\
1 k \frac{K}{m^3 s^2} &= 0.002103535 \cdot 10^{-1140} \\
1 m \frac{sK}{m^3} &= 0.02041210 \cdot 10^{-320} \\
1 \frac{sK}{m^3} &= 134.4523 \cdot 10^{-320} \\
1 k \frac{sK}{m^3} &= 1.132145 \cdot 10^{-310} \\
1 m kg K &= 110.0113 \cdot 10^{-100} \\
1 kg K &= 0.5223343 \cdot 10^{-50} \\
1 k kg K &= 0.004100540 \cdot 10^{-40} \quad (*) \\
1 m \frac{kg K}{s} &= 12.22541 \cdot 10^{-230} \\
1 \frac{kg K}{s} &= 0.1025432 \cdot 10^{-220} \\
1 k \frac{kg K}{s} &= 500.2113 \cdot 10^{-220} \quad (*) \\
1 m \frac{kg K}{s^2} &= 1.403523 \cdot 10^{-400} \\
1 \frac{kg K}{s^2} &= 0.01144442 \cdot 10^{-350} \\
1 k \frac{kg K}{s^2} &= 100.0354 \cdot 10^{-350} \quad (*) \\
1 m kg s K &= 545.5441 \cdot 10^{30} \\
1 kg s K &= 4.300020 \cdot 10^{40} \quad (***) \\
1 k kg s K &= 0.03250013 \cdot 10^{50} \quad (*) \\
1 m kg m K &= 0.01102031 \cdot 10^{20} \\
1 kg m K &= 52.40202 \cdot 10^{20} \\
1 k kg m K &= 0.4111401 \cdot 10^{30} \\
1 m \frac{kg m K}{s} &= 1225.114 \cdot 10^{-120}
\end{aligned}$$

$$\begin{aligned}
1 ni'urere \frac{\Theta}{L} &= 10^{-220} = 3.002344 \frac{K}{m} \quad (*) \\
1 ni'urepa \frac{\Theta}{L} &= 10^{-210} = 352.3114 k \frac{K}{m} \\
1 ni'uvono \frac{\Theta}{LT} &= 10^{-400} = 0.1533535 m \frac{K}{ms} \\
1 ni'ucimu \frac{\Theta}{LT} &= 10^{-350} = 23.01353 \frac{K}{ms} \\
1 ni'ucivo \frac{\Theta}{LT} &= 10^{-340} = 3125.552 k \frac{K}{ms} \quad (*) \\
1 ni'umuci \frac{\Theta}{LT^2} &= 10^{-530} = 1.335535 m \frac{K}{ms^2} \quad (*) \\
1 ni'umure \frac{\Theta}{LT^2} &= 10^{-520} = 203.0532 \frac{K}{ms^2} \\
1 ni'umure \frac{\Theta}{LT^2} &= 10^{-520} = 0.02412223 k \frac{K}{ms^2} \\
1 ni'upano \frac{T\Theta}{L} &= 10^{-100} = 0.002443011 m \frac{sK}{m} \\
1 ni'umu \frac{T\Theta}{L} &= 10^{-50} = 0.3341310 \frac{sK}{m} \\
1 ni'uvo \frac{T\Theta}{L} &= 10^{-40} = 44.04510 k \frac{sK}{m} \\
1 ni'ucivo \frac{\Theta}{L^2} &= 10^{-340} = 2.201440 m \frac{K}{m^2} \\
1 ni'ucici \frac{\Theta}{L^2} &= 10^{-330} = 301.1253 \frac{K}{m^2} \\
1 ni'ucici \frac{\Theta}{L^2} &= 10^{-330} = 0.03533302 k \frac{K}{m^2} \\
1 ni'umupa \frac{\Theta}{L^2 T} &= 10^{-510} = 15.41021 m \frac{K}{m^2 s} \\
1 ni'umuno \frac{\Theta}{L^2 T} &= 10^{-500} = 2305.410 \frac{K}{m^2 s} \\
1 ni'umuno \frac{\Theta}{L^2 T} &= 10^{-500} = 0.3135120 k \frac{K}{m^2 s} \\
1 ni'upanovo \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 134.2312 m \frac{K}{m^2 s^2} \\
1 ni'upanovo \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.02034144 \frac{K}{m^2 s^2} \\
1 ni'upanoci \frac{\Theta}{L^2 T^2} &= 10^{-1030} = 2.420433 k \frac{K}{m^2 s^2} \\
1 ni'urepa \frac{T\Theta}{L^2} &= 10^{-210} = 0.2451311 m \frac{sK}{m} \\
1 ni'ureneno \frac{T\Theta}{L^2} &= 10^{-200} = 33.51211 \frac{sK}{m^2} \\
1 ni'ureneno \frac{T\Theta}{L^2} &= 10^{-200} = 0.004420232 k \frac{sK}{m^2} \\
1 ni'uvomu \frac{\Theta}{L^3} &= 10^{-450} = 220.5315 m \frac{K}{m^3} \\
1 ni'uvomu \frac{\Theta}{L^3} &= 10^{-450} = 0.03020214 \frac{K}{m^3} \\
1 ni'uvovo \frac{\Theta}{L^3} &= 10^{-440} = 3.543504 k \frac{K}{m^3} \\
1 ni'upanore \frac{\Theta}{L^3 T} &= 10^{-1020} = 1544.112 m \frac{K}{m^3 s} \\
1 ni'upanore \frac{\Theta}{L^3 T} &= 10^{-1020} = 0.2313434 \frac{K}{m^3 s} \\
1 ni'upanopa \frac{\Theta}{L^3 T} &= 10^{-1010} = 31.44300 k \frac{K}{m^3 s} \quad (*) \\
1 ni'upareno \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.01345053 m \frac{K}{m^3 s^2} \\
1 ni'upapamu \frac{\Theta}{L^3 T^2} &= 10^{-1150} = 2.041404 \frac{K}{m^3 s^2} \\
1 ni'upapavo \frac{\Theta}{L^3 T^2} &= 10^{-1140} = 242.5055 k \frac{K}{m^3 s^2} \quad (*) \\
1 ni'ucire \frac{T\Theta}{L^3} &= 10^{-320} = 25.00023 m \frac{sK}{m^3} \quad (***) \\
1 ni'ucire \frac{T\Theta}{L^3} &= 10^{-320} = 0.003401124 \frac{sK}{m^3} \\
1 ni'ucipa \frac{T\Theta}{L^3} &= 10^{-310} = 0.4432013 k \frac{sK}{m^3} \\
1 ni'upano M\Theta &= 10^{-100} = 0.005045540 m kg K \quad (*) \\
1 ni'umu M\Theta &= 10^{-50} = 1.035430 kg K \\
1 ni'uvu M\Theta &= 10^{-40} = 123.4414 k kg K \\
1 ni'ureci \frac{M\Theta}{T} &= 10^{-230} = 0.04140012 m \frac{kg K}{s} \quad (*) \\
1 ni'urere \frac{M\Theta}{T} &= 10^{-220} = 5.313315 \frac{kg K}{s} \\
1 ni'urere \frac{M\Theta}{T} &= 10^{-220} = 0.001110401 k \frac{kg K}{s} \\
1 ni'uvono \frac{M\Theta}{T^2} &= 10^{-400} = 0.3321133 m \frac{kg K}{s^2} \\
1 ni'ucimu \frac{M\Theta}{T^2} &= 10^{-350} = 43.40545 \frac{kg K}{s^2} \\
1 ni'ucivo \frac{M\Theta}{T^2} &= 10^{-340} = 5552.023 k \frac{kg K}{s^2} \quad (***) \\
1 vo-MT\Theta &= 10^{40} = 1010.113 m kg s K \\
1 vo-MT\Theta &= 10^{40} = 0.1155553 kg s K \quad (***) \\
1 mu-MT\Theta &= 10^{50} = 14.21121 k kg s K \\
1 re-ML\Theta &= 10^{20} = 50.33420 m kg m K \\
1 re-ML\Theta &= 10^{20} = 0.01033550 kg m K \quad (*) \\
1 ci-ML\Theta &= 10^{30} = 1.232225 k kg m K \\
1 ni'upapa \frac{ML\Theta}{T} &= 10^{-110} = 412.5105 m \frac{kg m K}{s}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 10.31300 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.05014142 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 141.0341 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 1.150515 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 0.01002135 \cdot 10^{-230} \quad (*) \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{k kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.1231254 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1033.132 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 5.030232 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.01413204 \cdot 10^{-130} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 115.2555 \cdot 10^{-130} \quad (***) \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 1.003523 \cdot 10^{-120} \quad (*) \\
1 \text{m kg m}^2 \text{s K} &= 5.530355 \cdot 10^{300} \quad (*) \\
1 \text{kg m}^2 \text{s K} &= 0.04322342 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 330.5141 \cdot 10^{310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 1.054201 \cdot 10^{-210} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.005210550 \cdot 10^{-200} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 40.50134 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.1220412 \cdot 10^{-340} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1024.005 \cdot 10^{-340} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 4.550105 \cdot 10^{-330} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.01401112 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 114.2413 \cdot 10^{-510} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.5550151 \cdot 10^{-500} \quad (***) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 5.442240 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.04244504 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 324.0252 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.01052252 \cdot 10^{-320} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 51.54215 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 0.4035351 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 1214.251 \cdot 10^{-500} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 10.22150 \cdot 10^{-450} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.04534122 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 135.4310 \cdot 10^{-1030} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 1.140351 \cdot 10^{-1020} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 5532.425 \cdot 10^{-1020} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.05425103 \cdot 10^{-150} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 423.3411 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 3.230545 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 105.0351 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 0.5141510 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 0.004025022 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 12.12133 \cdot 10^{-1010} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.1020333 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 452.2155 \cdot 10^{-1000} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 0.05300402 \frac{\text{kg m K}}{\text{s}} \quad (*) \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 11.04431 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 3311.322 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.4325325 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'ureci-} \frac{ML\Theta}{T^2} &= 10^{-230} = 55.34255 \text{k} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{pamu-} ML\Theta &= 10^{150} = 10.04322 \text{m kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 1153.504 \text{kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 0.1414244 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 4.114221 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 524.3512 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.1102504 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 33.01524 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 4314.125 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 0.5520554 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.1002533 \text{m kg m}^2 \text{s K} \quad (*) \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 11.51422 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 1411.415 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.5102122 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 104.1312 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 0.01241011 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 4.150534 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 533.0254 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 0.1112334 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 33.31002 \text{m} \frac{\text{kg K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 4352.225 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 1.000542 \text{k} \frac{\text{kg K}}{\text{m s}^2} \quad (***) \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L} &= 10^{-40} = 0.1011512 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 12.02045 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{MT\Theta}{L} &= 10^{-20} = 1424.003 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 51.14325 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.01043202 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucipa-} \frac{M\Theta}{L^2} &= 10^{-310} = 1.243212 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 420.1515 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 0.05343300 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2T} &= 10^{-440} = 11.14314 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 3340.443 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 0.4403524 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^2T^2} &= 10^{-1010} = 100.2324 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 10.13313 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 1204.145 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 0.1430453 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^3} &= 10^{-440} = 0.005130554 \text{m} \frac{\text{kg K}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 1.045054 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvore-} \frac{M\Theta}{L^3} &= 10^{-420} = 124.5421 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^3T} &= 10^{-1010} = 0.04212515 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 5.400324 \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 0.001120302 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 1.351512 \cdot 10^{-1140}$	$1 ni'upapavo- \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 0.3350343 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.01134332 \cdot 10^{-1130}$	$1 ni'upapaci- \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 44.15244 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 55.15132 \cdot 10^{-1130}$ (*)	$1 ni'upapaci- \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 0.01004112 k \frac{kg\ K}{m^3 s^2}$ (*)
$1m \frac{kg\ s\ K}{m^3} = 541.1552 \cdot 10^{-310}$ (*)	$1 ni'ucino- \frac{MT\Theta}{L^3} = 10^{-300} = 1015.120 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 4.222335 \cdot 10^{-300}$	$1 ni'ucino- \frac{MT\Theta}{L^3} = 10^{-300} = 0.1210252 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.03221254 \cdot 10^{-250}$	$1 ni'uremu- \frac{MT\Theta}{L^3} = 10^{-250} = 14.33352 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.01030421 \cdot 10^{-150}$	$1 ni'upamu- \frac{\Theta}{Q} = 10^{-150} = 53.04334 m \frac{K}{C}$
$1 \frac{K}{C} = 50.10411 \cdot 10^{-150}$	$1 ni'upamu- \frac{\Theta}{Q} = 10^{-150} = 0.01105334 \frac{K}{C}$
$1k \frac{K}{C} = 0.3514300 \cdot 10^{-140}$ (*)	$1 ni'upavo- \frac{\Theta}{Q} = 10^{-140} = 1.313504 k \frac{K}{C}$
$1m \frac{K}{sC} = 0.001145542 \cdot 10^{-320}$ (*)	$1 ni'ucire- \frac{\Theta}{TQ} = 10^{-320} = 433.2503 m \frac{K}{sC}$
$1 \frac{K}{sC} = 10.01320 \cdot 10^{-320}$	$1 ni'ucire- \frac{\Theta}{TQ} = 10^{-320} = 0.05542422 \frac{K}{sC}$ (*)
$1k \frac{K}{sC} = 0.04355112 \cdot 10^{-310}$ (*)	$1 ni'ucipa- \frac{\Theta}{TQ} = 10^{-310} = 11.41534 k \frac{K}{sC}$
$1m \frac{K}{s^2 C} = 132.2403 \cdot 10^{-500}$	$1 ni'umuno- \frac{\Theta}{T^2 Q} = 10^{-500} = 0.003454315 m \frac{K}{s^2 C}$
$1 \frac{K}{s^2 C} = 1.113155 \cdot 10^{-450}$ (*)	$1 ni'uvomu- \frac{\Theta}{T^2 Q} = 10^{-450} = 0.4543114 \frac{K}{s^2 C}$
$1k \frac{K}{s^2 C} = 0.005333503 \cdot 10^{-440}$	$1 ni'uvovo- \frac{\Theta}{T^2 Q} = 10^{-440} = 102.3214 k \frac{K}{s^2 C}$
$1m \frac{s\ K}{C} = 0.05232245 \cdot 10^{-20}$	$1 ni'ure- \frac{T\Theta}{Q} = 10^{-20} = 10.34432 m \frac{s\ K}{C}$
$1 \frac{s\ K}{C} = 410.4403 \cdot 10^{-20}$	$1 ni'ure- \frac{T\Theta}{Q} = 10^{-20} = 0.001233233 \frac{s\ K}{C}$
$1k \frac{s\ K}{C} = 3.122020 \cdot 10^{-10}$	$1 ni'upa- \frac{T\Theta}{Q} = 10^{-10} = 0.1505005 k \frac{s\ K}{C}$ (*)
$1m \frac{m\ K}{C} = 1.032252 \cdot 10^{-40}$	$1 ni'uvo- \frac{L\Theta}{Q} = 10^{-40} = 0.5251433 m \frac{m\ K}{C}$
$1 \frac{m\ K}{C} = 5022.451 \cdot 10^{-40}$	$1 ni'uci- \frac{L\Theta}{Q} = 10^{-30} = 110.3410 \frac{m\ K}{C}$
$1k \frac{m\ K}{C} = 35.24433 \cdot 10^{-30}$	$1 ni'uci- \frac{L\Theta}{Q} = 10^{-30} = 0.01311214 k \frac{m\ K}{C}$
$1m \frac{m\ K}{sC} = 0.1152020 \cdot 10^{-210}$	$1 ni'urepa- \frac{L\Theta}{TQ} = 10^{-210} = 4.321254 m \frac{m\ K}{sC}$
$1 \frac{m\ K}{sC} = 0.001003103 \cdot 10^{-200}$ (*)	$1 ni'ureno- \frac{L\Theta}{TQ} = 10^{-200} = 552.5111 \frac{m\ K}{sC}$ (*)
$1k \frac{m\ K}{sC} = 4.410420 \cdot 10^{-200}$	$1 ni'ureno- \frac{L\Theta}{TQ} = 10^{-200} = 0.1135513 k \frac{m\ K}{sC}$ (*)
$1m \frac{m\ K}{s^2 C} = 0.01325113 \cdot 10^{-340}$	$1 ni'ucivo- \frac{L\Theta}{T^2 Q} = 10^{-340} = 34.44232 m \frac{m\ K}{s^2 C}$
$1 \frac{m\ K}{s^2 C} = 111.5140 \cdot 10^{-340}$	$1 ni'ucivo- \frac{L\Theta}{T^2 Q} = 10^{-340} = 0.004531135 \frac{m\ K}{s^2 C}$
$1k \frac{m\ K}{s^2 C} = 0.5350514 \cdot 10^{-330}$	$1 ni'ucici- \frac{L\Theta}{T^2 Q} = 10^{-330} = 1.021400 k \frac{m\ K}{s^2 C}$ (*)
$1m \frac{ms\ K}{C} = 5.245120 \cdot 10^{50}$	$1 mu- \frac{LT\Theta}{Q} = 10^{50} = 0.1032554 m \frac{ms\ K}{C}$ (*)
$1 \frac{ms\ K}{C} = 0.04115234 \cdot 10^{100}$	$1 pano- \frac{LT\Theta}{Q} = 10^{100} = 12.31050 \frac{ms\ K}{C}$
$1k \frac{ms\ K}{C} = 313.1134 \cdot 10^{100}$	$1 pano- \frac{LT\Theta}{Q} = 10^{100} = 0.001502015 k \frac{ms\ K}{C}$
$1m \frac{m^2 K}{C} = 103.4125 \cdot 10^{30}$	$1 vo- \frac{L^2 \Theta}{Q} = 10^{40} = 5234.555 m \frac{m^2 K}{C}$ (**)
$1 \frac{m^2 K}{C} = 0.5034553 \cdot 10^{40}$ (*)	$1 vo- \frac{L^2 \Theta}{Q} = 10^{40} = 1.101445 \frac{m^2 K}{C}$
$1k \frac{m^2 K}{C} = 3535.023 \cdot 10^{40}$	$1 mu- \frac{L^2 \Theta}{Q} = 10^{50} = 130.4531 k \frac{m^2 K}{C}$
$1m \frac{m^2 K}{sC} = 11.54102 \cdot 10^{-100}$	$1 ni'upano- \frac{L^2 \Theta}{TQ} = 10^{-100} = 0.04310105 m \frac{m^2 K}{sC}$
$1 \frac{m^2 K}{sC} = 0.1004452 \cdot 10^{-50}$ (*)	$1 ni'umu- \frac{L^2 \Theta}{TQ} = 10^{-50} = 5.511422 \frac{m^2 K}{sC}$
$1k \frac{m^2 K}{sC} = 442.2144 \cdot 10^{-50}$	$1 ni'uvvo- \frac{L^2 \Theta}{TQ} = 10^{-40} = 1133.455 k \frac{m^2 K}{sC}$ (*)
$1m \frac{m^2 K}{s^2 C} = 1.331431 \cdot 10^{-230}$	$1 ni'ureci- \frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.3434203 m \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 K}{s^2 C} = 0.01121124 \cdot 10^{-220}$	$1 ni'urere- \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 45.15221 \frac{m^2 K}{s^2 C}$
$1k \frac{m^2 K}{s^2 C} = 54.03551 \cdot 10^{-220}$ (*)	$1 ni'urere- \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.01015544 k \frac{m^2 K}{s^2 C}$ (*)
$1m \frac{m^2 s\ K}{C} = 530.2013 \cdot 10^{200}$	$1 reno- \frac{L^2 T\Theta}{Q} = 10^{200} = 0.001031122 m \frac{m^2 s\ K}{C}$
$1 \frac{m^2 s\ K}{C} = 4.130124 \cdot 10^{210}$	$1 repa- \frac{L^2 T\Theta}{Q} = 10^{210} = 0.1224510 \frac{m^2 s\ K}{C}$
$1k \frac{m^2 s\ K}{C} = 0.03140304 \cdot 10^{220}$	$1 rere- \frac{L^2 T\Theta}{Q} = 10^{220} = 14.55034 k \frac{m^2 s\ K}{C}$ (*)
$1m \frac{K}{mC} = 102.4553 \cdot 10^{-310}$ (*)	$1 ni'ucino- \frac{\Theta}{LQ} = 10^{-300} = 5321.301 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.4554352 \cdot 10^{-300}$ (*)	$1 ni'ucino- \frac{\Theta}{LQ} = 10^{-300} = 1.111305 \frac{K}{mC}$
$1k \frac{K}{mC} = 3504.142 \cdot 10^{-300}$	$1 ni'uremu- \frac{\Theta}{LQ} = 10^{-250} = 132.0202 k \frac{K}{mC}$
$1m \frac{K}{msC} = 11.43510 \cdot 10^{-440}$	$1 ni'uvovo- \frac{\Theta}{LTQ} = 10^{-440} = 0.04344132 m \frac{K}{msC}$
$1 \frac{K}{msC} = 0.05555355 \cdot 10^{-430}$ (**)	$1 ni'uvoci- \frac{\Theta}{LTQ} = 10^{-430} = 10.00020 \frac{K}{msC}$ (**)
$1k \frac{K}{msC} = 434.3424 \cdot 10^{-430}$	$1 ni'uvore- \frac{\Theta}{LTQ} = 10^{-420} = 1144.002 k \frac{K}{msC}$ (*)

$$\begin{aligned}
1 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 1.320101 \cdot 10^{-1010} \\
1 \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.01111220 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 53.20514 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 521.5441 \cdot 10^{-140} \\
1 \frac{\text{sK}}{\text{mC}} &= 4.053551 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 0.03112515 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 1.023132 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 4542.353 \cdot 10^{-420} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 34.54042 \cdot 10^{-410} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 0.1141442 \cdot 10^{-550} \\
1 \frac{\text{K}}{\text{m}^2 \text{sC}} &= 554.2021 \cdot 10^{-550} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 4.332200 \cdot 10^{-540} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.01313403 \cdot 10^{-1120} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 110.5245 \cdot 10^{-1120} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.5303552 \cdot 10^{-1110} \quad (*) \\
1 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 5.203054 \cdot 10^{-250} \\
1 \frac{\text{sK}}{\text{m}^2 \text{C}} &= 0.04043154 \cdot 10^{-240} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 310.3430 \cdot 10^{-240} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.01021314 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 45.30415 \cdot 10^{-530} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.3444000 \cdot 10^{-520} \quad (***) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.001135422 \cdot 10^{-1100} \\
1 \frac{\text{K}}{\text{m}^3 \text{sC}} &= 5.524311 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.04320551 \cdot 10^{-1050} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 131.1112 \cdot 10^{-1240} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 1.103321 \cdot 10^{-1230} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.005251052 \cdot 10^{-1220} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.05150333 \cdot 10^{-400} \\
1 \frac{\text{sK}}{\text{m}^3 \text{C}} &= 403.2415 \cdot 10^{-400} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 3.054353 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 253.2141 \cdot 10^{-140} \\
1 \frac{\text{kgK}}{\text{C}} &= 2.131512 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 0.01424240 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 33.03254 \cdot 10^{-310} \\
1 \frac{\text{kgK}}{\text{sC}} &= 0.2414010 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 2032.103 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 4.120144 \cdot 10^{-440} \\
1 \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 0.03131533 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 230.3054 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.002234213 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= 15.14053 \cdot 10^0 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 0.1241220 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 0.02541000 \cdot 10^{-20} \quad (***) \\
1 \frac{\text{kg mK}}{\text{C}} &= 213.5303 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 1.431131 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg mK}}{\text{sC}} &= 3313.055 \cdot 10^{-200} \quad (*) \\
1 \frac{\text{kg mK}}{\text{sC}} &= 24.22223 \cdot 10^{-150}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}' \text{upanopa} \frac{\Theta}{LT^2 Q} &= 10^{-1010} = 0.3504420 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}' \text{upanono} \frac{\Theta}{LT^2 Q} &= 10^{-1000} = 45.55113 \frac{\text{K}}{\text{ms}^2 \text{C}} \quad (*) \\
1 \text{ni}' \text{upanono} \frac{\Theta}{LT^2 Q} &= 10^{-1000} = 0.01025040 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}' \text{upavo} \frac{T\Theta}{LQ} &= 10^{-140} = 0.001040313 \text{m} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}' \text{upaci} \frac{T\Theta}{LQ} &= 10^{-130} = 0.1235424 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}' \text{upare} \frac{T\Theta}{LQ} &= 10^{-120} = 15.12003 \text{k} \frac{\text{sK}}{\text{mC}} \quad (*) \\
1 \text{ni}' \text{uvore} \frac{\Theta}{L^2 Q} &= 10^{-420} = 0.5334251 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{uvopa} \frac{\Theta}{L^2 Q} &= 10^{-410} = 111.3244 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{uvopa} \frac{\Theta}{L^2 Q} &= 10^{-410} = 0.01322505 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{umumu} \frac{\Theta}{L^2 TQ} &= 10^{-550} = 4.355421 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}' \text{umuovo} \frac{\Theta}{L^2 TQ} &= 10^{-540} = 1001.401 \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}' \text{umuovo} \frac{\Theta}{L^2 TQ} &= 10^{-540} = 0.1150033 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}' \text{upapare} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1120} = 35.14535 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upapare} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1120} = 0.005011133 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upapapa} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1110} = 1.030503 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uremu} \frac{T\Theta}{L^2 Q} &= 10^{-250} = 0.1042201 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{urevo} \frac{T\Theta}{L^2 Q} &= 10^{-240} = 12.42023 \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{urevo} \frac{T\Theta}{L^2 Q} &= 10^{-240} = 0.001515011 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{umuci} \frac{\Theta}{L^3 Q} &= 10^{-530} = 53.51303 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{umuci} \frac{\Theta}{L^3 Q} &= 10^{-530} = 0.01115230 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{umure} \frac{\Theta}{L^3 Q} &= 10^{-520} = 1.325215 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{upapano} \frac{\Theta}{L^3 TQ} &= 10^{-1100} = 441.1130 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}' \text{upapano} \frac{\Theta}{L^3 TQ} &= 10^{-1100} = 0.1003144 \frac{\text{K}}{\text{m}^3 \text{sC}} \quad (*) \\
1 \text{ni}' \text{upanomu} \frac{\Theta}{L^3 TQ} &= 10^{-1050} = 11.52112 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}' \text{uparevo} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1240} = 0.003525112 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upareci} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1230} = 0.5023215 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uparere} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1220} = 103.2334 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvono} \frac{T\Theta}{L^3 Q} &= 10^{-400} = 10.44051 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{uvono} \frac{T\Theta}{L^3 Q} &= 10^{-400} = 0.001244225 \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{ucimu} \frac{T\Theta}{L^3 Q} &= 10^{-350} = 0.1522023 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{upavo} \frac{M\Theta}{Q} &= 10^{-140} = 0.002014424 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{upaci} \frac{M\Theta}{Q} &= 10^{-130} = 0.2353443 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{upare} \frac{M\Theta}{Q} &= 10^{-120} = 32.35345 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{ucipa} \frac{M\Theta}{TQ} &= 10^{-310} = 0.01412330 \text{m} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{ucino} \frac{M\Theta}{TQ} &= 10^{-300} = 2.113404 \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{uremu} \frac{M\Theta}{TQ} &= 10^{-250} = 251.1025 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{uvovo} \frac{M\Theta}{T^2 Q} &= 10^{-440} = 0.1230503 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvoci} \frac{M\Theta}{T^2 Q} &= 10^{-430} = 15.01402 \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvore} \frac{M\Theta}{T^2 Q} &= 10^{-420} = 2215.220 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 224.3452 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.03105123 \frac{\text{kg sK}}{\text{C}} \\
1 \text{pa} \frac{MT\Theta}{Q} &= 10^{10} = 4.045130 \text{k} \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni}' \text{ure} \frac{ML\Theta}{Q} &= 10^{-20} = 20.11243 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}' \text{ure} \frac{ML\Theta}{Q} &= 10^{-20} = 0.002345313 \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}' \text{upa} \frac{ML\Theta}{Q} &= 10^{-10} = 0.3230043 \text{k} \frac{\text{kg mK}}{\text{C}} \quad (*) \\
1 \text{ni}' \text{upamu} \frac{ML\Theta}{TQ} &= 10^{-150} = 140.5504 \text{m} \frac{\text{kg mK}}{\text{sC}} \quad (*) \\
1 \text{ni}' \text{upamu} \frac{ML\Theta}{TQ} &= 10^{-150} = 0.02110051 \frac{\text{kg mK}}{\text{sC}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s C}} &= 0.2035320 \cdot 10^{-140} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 413.1035 \cdot 10^{-330} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 3.141104 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.02311114 \cdot 10^{-310} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 0.2242150 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.001521104 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 12.43422 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 2.545431 \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.02143103 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 143.4030 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.3322513 \cdot 10^{-40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 2430.451 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 20.42543 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.04141545 \cdot 10^{-210} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 315.0252 \cdot 10^{-210} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2.315144 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 22.50133 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.1524124 \cdot 10^{230} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.001250031 \cdot 10^{240} \quad (*) \\
1m \frac{\text{kg K}}{\text{m C}} &= 2.523333 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 0.02124131 \cdot 10^{-240} \\
1k \frac{\text{kg K}}{\text{m C}} &= 142.1353 \cdot 10^{-240} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.3253510 \cdot 10^{-420} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 2405.404 \cdot 10^{-420} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 20.24455 \cdot 10^{-410} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.04105312 \cdot 10^{-550} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 312.2415 \cdot 10^{-550} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 2.255045 \cdot 10^{-540} \quad (*) \\
1m \frac{\text{kg s K}}{\text{m C}} &= 22.30251 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 0.1511051 \cdot 10^{-110} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.001235023 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.02514540 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 212.0400 \cdot 10^{-400} \quad (*) \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1.414515 \cdot 10^{-350} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 3244.140 \cdot 10^{-540} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 24.01213 \cdot 10^{-530} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.2021301 \cdot 10^{-520} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 405.4454 \cdot 10^{-1110} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3.113312 \cdot 10^{-1100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.02251050 \cdot 10^{-1050} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.2222335 \cdot 10^{-230} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.001504054 \cdot 10^{-220} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 12.32433 \cdot 10^{-220} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 251.0155 \cdot 10^{-520} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 2.113035 \cdot 10^{-510} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.01412050 \cdot 10^{-500}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 2.502254 k \frac{\text{kg m K}}{\text{s C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 1224.324 m \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 0.1454421 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucipa-} \frac{ML\Theta}{T^2Q} &= 10^{-310} = 22.11323 k \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ papa-} \frac{MLT\Theta}{Q} &= 10^{110} = 2.235513 m \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 310.0043 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 0.04034344 k \frac{\text{kg m s K}}{\text{C}} \\
1 \text{ mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.2004112 m \frac{\text{kg m}^2 \text{K}}{\text{C}} \quad (*) \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 23.41153 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 0.003220353 k \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 1.403051 m \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 210.2344 \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 0.02453535 k \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 12.22153 m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 1451.445 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 0.2203440 k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.02231544 m \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 3.051020 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 402.4021 k \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ ni'uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 0.2022014 m \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 24.02024 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 0.003245104 k \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 1.415200 m \frac{\text{kg K}}{\text{m s C}} \quad (*) \\
1 \text{ ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 212.1130 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 0.02515411 k \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 12.33050 m \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 1504.351 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 0.2223123 k \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.02251442 m \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 3.114214 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'upano-} \frac{MT\Theta}{LQ} &= 10^{-100} = 405.5530 k \frac{\text{kg s K}}{\text{m C}} \quad (*) \\
1 \text{ ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 20.25213 m \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 0.002410220 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 0.3254440 k \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 142.2035 m \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 0.02124502 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 2.524205 k \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 1235.240 m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.1511345 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upanomu-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1050} = 22.31040 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 2.255442 m \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 312.3322 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 0.04110345 k \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^3Q} &= 10^{-520} = 0.002032422 m \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 0.2414424 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umuno-} \frac{M\Theta}{L^3Q} &= 10^{-500} = 33.04225 k \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s C} = 32.34422 \cdot 10^{-1050}$	$1 ni' upanomu- \frac{M\Theta}{L^3 T Q} = 10^{-1050} = 0.01424523 m \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s C} = 0.2353033 \cdot 10^{-1040}$	$1 ni' upanovo- \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 2.132244 \frac{kg\ K}{m^3 s C}$
$1k \frac{kg\ K}{m^3 s C} = 2014.112 \cdot 10^{-1040}$	$1 ni' upanoci- \frac{M\Theta}{L^3 T Q} = 10^{-1030} = 253.3014 k \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 4.044100 \cdot 10^{-1220}$ (*)	$1 ni' uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.1241435 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 0.03104222 \cdot 10^{-1210}$	$1 ni' uparepa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 15.14352 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 224.3101 \cdot 10^{-1210}$	$1 ni' upareno- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1200} = 2235.003 k \frac{kg\ K}{m^3 s^2 C}$ (*)
$1m \frac{kg\ s\ K}{m^3 C} = 0.002214433 \cdot 10^{-340}$	$1 ni' ucivo- \frac{M\Theta}{L^3 Q} = 10^{-340} = 230.3452 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 15.01110 \cdot 10^{-340}$	$1 ni' ucivo- \frac{M\Theta}{L^3 Q} = 10^{-340} = 0.03132442 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 0.1230251 \cdot 10^{-330}$	$1 ni' ucici- \frac{M\Theta}{L^3 Q} = 10^{-330} = 4.121223 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 1012.030 \cdot 10^{-40}$	$1 ni' uci-Q\Theta = 10^{-30} = 544.1131 m CK$
$1 CK = 4.445231 \cdot 10^{-30}$	$1 ni' uci-Q\Theta = 10^{-30} = 0.1125501 CK$ (*)
$1k CK = 0.03412251 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 13.41414 k CK$
$1m \frac{CK}{s} = 112.5100 \cdot 10^{-210}$ (*)	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 4452.002 m \frac{CK}{s}$ (*)
$1m \frac{CK}{s} = 0.5434051 \cdot 10^{-200}$	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 1.012351 \frac{CK}{s}$
$1k \frac{CK}{s} = 4241.310 \cdot 10^{-200}$	$1 ni' upamu- \frac{Q\Theta}{T} = 10^{-150} = 120.3045 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 12.55153 \cdot 10^{-340}$ (*)	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 0.04001452 m \frac{CK}{s^2}$ (*)
$1m \frac{CK}{s^2} = 0.1053251 \cdot 10^{-330}$	$1 ni' ucici- \frac{Q\Theta}{T^2} = 10^{-330} = 5.110032 \frac{CK}{s^2}$ (*)
$1k \frac{CK}{s^2} = 520.2552 \cdot 10^{-330}$ (*)	$1 ni' ucire- \frac{Q\Theta}{T^2} = 10^{-320} = 1042.212 k \frac{CK}{s^2}$
$1m s CK = 0.005103145 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 105.4033 m s CK$
$1s CK = 35.55354 \cdot 10^{100}$ (*)	$1 pano-TQ\Theta = 10^{100} = 0.01300044 s CK$ (**)
$1ks CK = 0.3030223 \cdot 10^{110}$	$1 papa-TQ\Theta = 10^{110} = 1.540023 k s CK$ (*)
$1mm CK = 0.1013431 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 5.423555 m m CK$ (**)
$1m CK = 450.1100 \cdot 10^{40}$ (*)	$1 vo-LQ\Theta = 10^{40} = 0.001123501 m CK$
$1km CK = 3.422242 \cdot 10^{50}$	$1 mu-LQ\Theta = 10^{50} = 0.1335042 km CK$
$1m \frac{m CK}{s} = 0.01131102 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 44.40145 m \frac{m CK}{s}$
$1m \frac{m CK}{s} = 54.51240 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 0.01010551 \frac{m CK}{s}$ (*)
$1k \frac{m CK}{s} = 0.4252413 \cdot 10^{-40}$	$1 ni' uvo- \frac{LQ\Theta}{T} = 10^{-40} = 1.200551 k \frac{m CK}{s}$ (**)
$1m \frac{m CK}{s^2} = 0.001301423 \cdot 10^{-220}$	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 355.1222 m \frac{m CK}{s^2}$ (*)
$1m \frac{m CK}{s^2} = 10.55201 \cdot 10^{-220}$ (*)	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 0.05053440 \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 0.05215335 \cdot 10^{-210}$	$1 ni' urepa- \frac{LQ\Theta}{T^2} = 10^{-210} = 10.40325 k \frac{m CK}{s^2}$
$1m ms CK = 0.5115354 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 1.052125 m ms CK$
$1ms CK = 0.004010035 \cdot 10^{220}$ (*)	$1 rere-LTQ\Theta = 10^{220} = 125.3421 ms CK$
$1km s CK = 30.35214 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.01532543 km ms CK$
$1mm^2 CK = 10.15235 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.05410450 mm^2 CK$
$1m^2 CK = 0.04512545 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 11.21505 m^2 CK$
$1km^2 CK = 343.2251 \cdot 10^{200}$	$1 reno-L^2 Q\Theta = 10^{200} = 0.001332314 km^2 CK$
$1m \frac{m^2 CK}{s} = 1.133111 \cdot 10^{20}$	$1 re- \frac{L^2 Q\Theta}{T} = 10^{20} = 0.4424353 m \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s} = 5504.453 \cdot 10^{20}$ (*)	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 100.5154 \frac{m^2 CK}{s}$ (*)
$1k \frac{m^2 CK}{s} = 43.03535 \cdot 10^{30}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 0.01154501 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 0.1304100 \cdot 10^{-110}$ (*)	$1 ni' upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 3.541010 m \frac{m^2 CK}{s^2}$
$1m \frac{m^2 CK}{s^2} = 0.001101114 \cdot 10^{-100}$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 504.1310 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 5.232143 \cdot 10^{-100}$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.1034443 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 51.32024 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.01050224 mm^2 s CK$
$1m^2 s CK = 0.4020334 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 1.251202 m^2 s CK$
$1km^2 s CK = 0.003044220 \cdot 10^{340}$	$1 civo-L^2 TQ\Theta = 10^{340} = 152.5511 km^2 s CK$ (*)
$1m \frac{CK}{m} = 10.10231 \cdot 10^{-150}$	$1 ni' upamu- \frac{Q\Theta}{L} = 10^{-150} = 0.05454325 m \frac{CK}{m}$
$1m \frac{CK}{m} = 0.04433422 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 11.31504 \frac{CK}{m}$
$1k \frac{CK}{m} = 340.2314 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 0.001344153 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 1.123101 \cdot 10^{-320}$	$1 ni' ucire- \frac{Q\Theta}{LT} = 10^{-320} = 0.4503435 m \frac{CK}{ms}$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 5420.524 \cdot 10^{-320} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 42.30223 \cdot 10^{-310} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 0.1252532 \cdot 10^{-450} \\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.001051344 \cdot 10^{-440} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 5.150232 \cdot 10^{-440} \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 50.51001 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{s CK}}{\text{m}} &= 0.3545132 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 0.003021244 \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 0.1004435 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^2} &= 442.2034 \cdot 10^{-300} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 3.352354 \cdot 10^{-250} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.01121110 \cdot 10^{-430} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 54.03424 \cdot 10^{-430} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.4215200 \cdot 10^{-420} \quad (*) \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.001250314 \cdot 10^{-1000} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 10.45443 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.05133533 \cdot 10^{-550} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.5034435 \cdot 10^{-130} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 0.003534524 \cdot 10^{-120} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 30.12322 \cdot 10^{-120} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 1003.050 \cdot 10^{-420} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^3} &= 4.410310 \cdot 10^{-410} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 0.03342452 \cdot 10^{-400} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 111.5121 \cdot 10^{-550} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.5350351 \cdot 10^{-540} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 4204.151 \cdot 10^{-540} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 12.44104 \cdot 10^{-1120} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.1043550 \cdot 10^{-1110} \quad (*) \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 512.1255 \cdot 10^{-1110} \quad (*) \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 0.005022334 \cdot 10^{-240} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 35.24334 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 0.3003411 \cdot 10^{-230} \quad (*) \\
1 \text{m kg CK} &= 24.43335 \cdot 10^{-20} \\
1 \text{kg CK} &= 0.2053425 \cdot 10^{-10} \\
1 \text{k kg CK} &= 0.001355213 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 3.205015 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{s}} &= 0.02331242 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 155.5402 \cdot 10^{-140} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.4010532 \cdot 10^{-320} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 3040.002 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 22.22310 \cdot 10^{-310} \\
1 \text{m kg s CK} &= 215.4302 \cdot 10^{110} \\
1 \text{kg s CK} &= 1.443423 \cdot 10^{120} \\
1 \text{k kg s CK} &= 0.01215103 \cdot 10^{130} \\
1 \text{m kg m CK} &= 0.002452041 \cdot 10^{100} \\
1 \text{kg m CK} &= 21.01120 \cdot 10^{100} \\
1 \text{k kg m CK} &= 0.1402020 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 321.4244 \cdot 10^{-40} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 2.335344 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 0.02002522 \cdot 10^{-20} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 101.4153 \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 0.01205151 \text{k} \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'uvomu-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 4.012140 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 512.2250 \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 0.1044103 \text{k} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.01055545 \text{m} \frac{\text{s CK}}{\text{m}} \quad (***) \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 1.302314 \frac{\text{s CK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 154.3113 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 5.511551 \text{m} \frac{\text{CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.001133515 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 0.1350542 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 45.15333 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 0.01020002 \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (**) \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1.211300 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 402.2443 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.05134525 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^2 T^2} &= 10^{-550} = 10.50001 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (**) \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 1.101503 \text{m} \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 130.4553 \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.01550211 \text{k} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 552.5235 \text{m} \frac{\text{CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.1135532 \frac{\text{CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvono-} \frac{Q\Theta}{L^3} &= 10^{-400} = 13.53334 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 4531.251 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 1.021414 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuci-} \frac{Q\Theta}{L^3 T} &= 10^{-530} = 121.3412 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.04033204 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 5.151225 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapano-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1100} = 1051.502 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 110.3424 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.01311235 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 1.553315 \text{k} \frac{\text{s CK}}{\text{m}^3} \quad (*) \\
1 \text{ni'ure-} M Q\Theta &= 10^{-20} = 0.02051435 \text{m kg CK} \\
1 \text{ni'upa-} M Q\Theta &= 10^{-10} = 2.441014 \text{kg CK} \\
1 M Q\Theta &= 1 = 333.4543 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{M Q\Theta}{T} &= 10^{-150} = 0.1442032 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 21.52213 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{M Q\Theta}{T} &= 10^{-140} = 0.003000253 \text{k} \frac{\text{kg CK}}{\text{s}} \quad (**) \\
1 \text{ni'ucire-} \frac{M Q\Theta}{T^2} &= 10^{-320} = 1.253231 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 153.2322 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{M Q\Theta}{T^2} &= 10^{-310} = 0.02255512 \text{k} \frac{\text{kg CK}}{\text{s}^2} \quad (**) \\
1 \text{pare-} M T Q\Theta &= 10^{120} = 2325.025 \text{m kg s CK} \\
1 \text{pare-} M T Q\Theta &= 10^{120} = 0.3201550 \text{kg s CK} \quad (*) \\
1 \text{paci-} M T Q\Theta &= 10^{130} = 41.55402 \text{k kg s CK} \quad (*) \\
1 \text{pano-} M L Q\Theta &= 10^{100} = 204.4200 \text{m kg m CK} \quad (*) \\
1 \text{pano-} M L Q\Theta &= 10^{100} = 0.02432332 \text{kg m CK} \\
1 \text{papa-} M L Q\Theta &= 10^{110} = 3.325104 \text{k kg m CK} \\
1 \text{ni'uv-} \frac{M L Q\Theta}{T} &= 10^{-40} = 0.001435122 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{M L Q\Theta}{T} &= 10^{-30} = 0.2144400 \frac{\text{kg m CK}}{\text{s}} \quad (*) \\
1 \text{ni'ure-} \frac{M L Q\Theta}{T} &= 10^{-20} = 25.51403 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m C K}}{\text{s}^2} &= 40.21232 \cdot 10^{-210} \\
1 \frac{\text{kg m C K}}{\text{s}^2} &= 0.3045010 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg m C K}}{\text{s}^2} &= 2230.222 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 0.02202132 \cdot 10^{230} \\
1 \text{kg m s CK} &= 145.0344 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 1.221225 \cdot 10^{240} \\
1 \text{m kg m}^2 \text{CK} &= 0.2500353 \cdot 10^{210} \quad (*) \\
1 \text{kg m}^2 \text{CK} &= 0.002104421 \cdot 10^{220} \\
1 \text{k kg m}^2 \text{CK} &= 14.04432 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.03223530 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 234.3501 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 2.010051 \cdot 10^{50} \quad (*) \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 4031.551 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 30.54030 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.2234144 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 2.210012 \cdot 10^{340} \quad (*) \\
1 \text{kg m}^2 \text{s CK} &= 0.01453314 \cdot 10^{350} \\
1 \text{k kg m}^2 \text{s CK} &= 122.3355 \cdot 10^{350} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.2435045 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.002050144 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 13.52413 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}} &= 0.03155402 \cdot 10^{-300} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m s}} &= 232.3150 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}} &= 1.552251 \cdot 10^{-250} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}^2} &= 4000.250 \cdot 10^{-440} \quad (***) \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 30.31011 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}^2} &= 0.2214404 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 2.150441 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 0.01440511 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 121.2544 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.002430410 \cdot 10^{-240} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 20.42512 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.1350022 \cdot 10^{-230} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 315.0202 \cdot 10^{-420} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 2.315105 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.01545145 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 35.50022 \cdot 10^{-550} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.3022031 \cdot 10^{-540} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2210.512 \cdot 10^{-540} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 0.02143031 \cdot 10^{-110} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 143.4003 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 1.210433 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 24.22142 \cdot 10^{-400} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.2035250 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.001343240 \cdot 10^{-340} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 3.141015 \cdot 10^{-530} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.02311035 \cdot 10^{-520} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 154.2053 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.3535413 \cdot 10^{-1100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 3013.103 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{MLQ\Theta}{T^2} &= 10^{-210} = 0.01251013 \text{m} \frac{\text{kg m C K}}{\text{s}^2} \\
1 \text{ni'urenro-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 1.525251 \frac{\text{kg m C K}}{\text{s}^2} \\
1 \text{ni'upamu-} \frac{MLQ\Theta}{T^2} &= 10^{-150} = 225.1511 \text{k} \frac{\text{kg m C K}}{\text{s}^2} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 23.20541 \text{m kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 3152.343 \text{kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 0.4144425 \text{k kg m s CK} \\
1 \text{repa-} ML^2Q\Theta &= 10^{210} = 2.040531 \text{m kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 242.4101 \text{kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 0.03315242 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 14.32220 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.002140553 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 0.2542525 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 124.4402 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.01522225 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 2.243522 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} ML^2TQ\Theta &= 10^{340} = 0.2312504 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 31.43152 \text{kg m}^2 \text{s CK} \\
1 \text{vono-} ML^2TQ\Theta &= 10^{400} = 4133.510 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{L} &= 10^{-130} = 2.055122 \text{m} \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 244.5311 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 0.03344435 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 14.44550 \text{m} \frac{\text{kg CK}}{\text{m s}} \quad (*) \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 0.002200040 \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uremu-} \frac{MQ\Theta}{LT} &= 10^{-250} = 0.3005155 \text{k} \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 125.5454 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.01535402 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{LT^2} &= 10^{-420} = 2.303522 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.2333123 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 32.11211 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{re-} \frac{MTQ\Theta}{L} &= 10^{20} = 4210.355 \text{k} \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 210.2420 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.02454020 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'ureci-} \frac{MQ\Theta}{L^2} &= 10^{-230} = 3.354344 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.001451514 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.2203513 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^2T} &= 10^{-400} = 30.14112 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'umumu-} \frac{MQ\Theta}{L^2T^2} &= 10^{-550} = 0.01302124 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 1.542450 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^2T^2} &= 10^{-530} = 231.1543 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{MTQ\Theta}{L^2} &= 10^{-110} = 23.41232 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 3220.443 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 0.4221411 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.02110123 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{MQ\Theta}{L^3} &= 10^{-350} = 2.502340 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucivo-} \frac{MQ\Theta}{L^3} &= 10^{-340} = 340.4311 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^3T} &= 10^{-530} = 0.1454450 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 22.11400 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 0.003023042 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapano-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 1.304402 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1050} = 154.5544 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*)
\end{aligned}$$

$$1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 22.03030 \cdot 10^{-1050}$$

$$1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} = 213.5231 \cdot 10^{-230}$$

$$1 \frac{\text{kg s CK}}{\text{m}^3} = 1.431103 \cdot 10^{-220}$$

$$1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} = 0.01204325 \cdot 10^{-210}$$

$$1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3 T^2} = 10^{-1050} = 0.02320015 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*)$$

$$1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} = 10^{-220} = 2345.352 \text{m} \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'urere-} \frac{M\dot{T}Q\Theta}{L^3} = 10^{-220} = 0.3230133 \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'urepa-} \frac{M\dot{T}Q\Theta}{L^3} = 10^{-210} = 42.32443 \text{k} \frac{\text{kg s CK}}{\text{m}^3}$$

## 8 Base 10 - ??

### 8.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\text{Proton mass} = 27.24314 \cdot 10^{-20}$$

$$\text{Electron mass} = 0.01483708 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.3028221 \cdot 10^0$$

$$\text{\AA}^1 = 17453.61 \cdot 10^{20}$$

$$\text{Bohr radius}^2 = 9236.051 \cdot 10^{20}$$

$$\text{Fine structure constant}^3 = 0.007297353 \cdot 10^0$$

$$\text{Rydberg Energy}^4 = 3950.472 \cdot 10^{-30}$$

$$|\psi^{100}(0)|^2^5 = 0.004040091 \cdot 10^{-70} \quad (*)$$

$$\text{eV} = 290.3544 \cdot 10^{-30}$$

$$\hbar^6 = 1.000000 \quad (***)$$

$$\lambda_{\text{yellow}} = 0.01003582 \cdot 10^{30} \quad (*)$$

$$k_{\text{yellow}}^7 = 626.0757 \cdot 10^{-30}$$

$$k_{\text{X-Ray}}^8 = 3415.198 \cdot 10^{-20}$$

$$\text{Earth g} = 0.01018248 \cdot 10^{-40}$$

$$\text{cm} = 174.5361 \cdot 10^{30}$$

$$\text{min} = 31394.76 \cdot 10^{40}$$

$$\text{hour} = 0.0001883685 \cdot 10^{50}$$

$$\text{Liter} = 0.5316864 \cdot 10^{100}$$

$$\text{Area of a soccer field} = 217.5047 \cdot 10^{70}$$

$$100 \text{ m}^2^9 = 3.046284 \cdot 10^{70}$$

$$\text{km/h} = 9.265669 \cdot 10^{-10}$$

$$\text{mi/h} = 14.91165 \cdot 10^{-10}$$

$$\text{inch}^{10} = 443.3216 \cdot 10^{30}$$

$$\text{mile} = 0.002808809 \cdot 10^{40}$$

$$\text{pound} = 0.007387970 \cdot 10^{10}$$

$$\text{horsepower} = 25.82713 \cdot 10^{-50}$$

$$\text{kcal} = 75875.26 \cdot 10^{-10}$$

$$\text{kWh} = 0.006524098 \cdot 10^0$$

$$\text{Typical household electric field} = 0.4219499 \cdot 10^{-60} \quad (*)$$

$$\text{Earthmagneticfield} = 790.5285 \cdot 10^{-60}$$

$$1 \text{ ni'ure-}M = 10^{-20} = 0.03670649 m_p$$

$$1 \text{ ni'ure-}M = 10^{-20} = 67.39872 m_e$$

$$1 Q = 1 = 3.302269 e$$

$$1 \text{ re-}L = 10^{20} = 0.00005729475 \text{\AA}$$

$$1 \text{ re-}L = 10^{20} = 0.0001082714 a_0$$

$$1 = 1 = 137.0360 \alpha$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0002531343 Ry$$

$$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 247.5192 \rho_{\text{max}}$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.003444067 \text{ eV}$$

$$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$$

$$1 \text{ ci-}L = 10^{30} = 99.64304 \cdot \lambda_{\text{yellow}} \quad (*)$$

$$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.001597251 \cdot k_{\text{yellow}}$$

$$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.0002928088 \cdot k_{\text{X-Ray}}$$

$$1 \text{ ni'uvo-} \frac{ML}{T^2} = 10^{-40} = 98.20793 \cdot \text{Earth g}$$

$$1 \text{ ci-}L = 10^{30} = 0.005729475 \text{ cm}$$

$$1 \text{ vo-}T = 10^{40} = 0.00003185245 \text{ min}$$

$$1 \text{ mu-}T = 10^{50} = 5308.742 \text{ h}$$

$$1 \text{ pano-}L^3 = 10^{100} = 1.880808 l$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.004597603 A$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.3282688 \cdot 100 \text{ m}^2$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$$

$$1 \text{ ci-}L = 10^{30} = 0.002255699 \text{ in} \quad (*)$$

$$1 \text{ vo-}L = 10^{40} = 356.0228 \text{ mi}$$

$$1 \text{ pa-}M = 10^{10} = 135.3552 \text{ pound}$$

$$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.03871897 \text{ horsepower}$$

$$1 \frac{ML^2}{T^2} = 1 = 131795.3 \text{ kcal}$$

$$1 \frac{ML^2}{T^2} = 1 = 153.2779 \text{ kWh}$$

$$1 \text{ ni'uxa-} \frac{ML}{T^2Q} = 10^{-60} = 2.369950 E_H \quad (*)$$

$$1 \text{ ni'uxa-} \frac{M}{TQ} = 10^{-60} = 0.001264977 \cdot \text{Earthmagneticfield}$$

<sup>1</sup>Length in atomic and solid state physics,  $1/10 \text{ nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>36 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $30892.88 \cdot 10^{30}$

Mass of an average man =  $1.140138 \cdot 10^{10}$

Age of the Universe =  $0.003467530 \cdot 10^{60}$

Size of the observable Universe =  $15.35917 \cdot 10^{60}$

Average density of the Universe =  $3032.767 \cdot 10^{-130}$

Earth mass =  $972.7005 \cdot 10^{30}$  (\*)

Sun mass<sup>12</sup> =  $0.03239490 \cdot 10^{40}$

Year =  $1.651205 \cdot 10^{50}$

Speed of Light = 1.000000 (\*\*\*)

Parsec =  $5.385659 \cdot 10^{50}$

Astronomical unit =  $261102.2 \cdot 10^{40}$

Earth radius =  $11.11969 \cdot 10^{40}$

Distance Earth-Moon =  $670.9166 \cdot 10^{40}$

Momentum of someone walking<sup>13</sup> =  $709.0048 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1644934 \cdot 10^0$

mol =  $6022.141 \cdot 10^{20}$

Standard temperature<sup>14</sup> =  $6.834432 \cdot 10^{-30}$

Room - standard temperature<sup>15</sup> =  $0.5004161 \cdot 10^{-30}$  (\*)

atm =  $3453.656 \cdot 10^{-110}$

$c_s$  =  $11441.25 \cdot 10^{-10}$

$\mu_0$  = 1.000000 (\*\*\*)

$G$  =  $0.07957747 \cdot 10^0$

$1 \text{ vo-}L = 10^{40} = 323699.1 \bar{h}$  (\*)

$1 \text{ pa-}M = 10^{10} = 0.8770868 \bar{m}$

$1 \text{ xa-}T = 10^{60} = 288.3897 t_U$

$1 \text{ xa-}L = 10^{60} = 0.06510767 l_U$

$1 \text{ ni'}\text{upaci-}\frac{M}{L^3} = 10^{-130} = 0.0003297319 \rho_U$

$1 \text{ ci-}M = 10^{30} = 0.001028066 m_E$

$1 \text{ vo-}M = 10^{40} = 30.86905 m_S$

$1 \text{ mu-}T = 10^{50} = 0.6056184 \text{ y}$

$1 \frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)

$1 \text{ mu-}L = 10^{50} = 0.1856783 \text{ pc}$

$1 \text{ mu-}L = 10^{50} = 38299.17 \text{ au}$  (\*)

$1 \text{ vo-}L = 10^{40} = 0.08993054 r_E$  (\*)

$1 \text{ vo-}L = 10^{40} = 0.001490498 d_M$

$1 \frac{ML}{T} = 1 = 0.001410428 \cdot \text{Momentum of someone walking}$

$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$

$1 \text{ re-} = 10^{20} = 0.0001660539 \text{ mol}$

$1 \text{ ni'}\text{uci-}\Theta = 10^{-30} = 0.1463179 T_0$

$1 \text{ ni'}\text{uci-}\Theta = 10^{-30} = 1.998337 \Theta_R$  (\*)

$1 \text{ ni'}\text{upapa-}\frac{M}{LT^2} = 10^{-110} = 0.0002895483 \text{ atm}$

$1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$

$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0$  (\*\*\*)

$1 \frac{L^3}{MT^2} = 1 = 12.56637 \cdot G$

### Extensive list of SI units

$1 = 1 = 1.000000$  (\*\*\*)

$1 \frac{1}{s} = 0.001911147 \cdot 10^{-40}$

$1 \frac{1}{s^2} = 36524.83 \cdot 10^{-90}$

$1 s = 523.2460 \cdot 10^{40}$

$1 m = 17453.61 \cdot 10^{30}$

$1 \frac{m}{s} = 33.35641 \cdot 10^{-10}$

$1 \frac{m}{s^2} = 0.06374901 \cdot 10^{-50}$

$1 m s = 0.0009132529 \cdot 10^{80}$

$1 m^2 = 0.03046284 \cdot 10^{70}$

$1 \frac{m^2}{s} = 582189.6 \cdot 10^{20}$

$1 \frac{m^2}{s^2} = 1112.650 \cdot 10^{-20}$

$1 m^2 s = 15.93956 \cdot 10^{110}$

$1 \frac{1}{m} = 572947.5 \cdot 10^{-40}$

$1 \frac{1}{m s} = 1094.987 \cdot 10^{-80}$

$1 \frac{1}{m s^2} = 2.092681 \cdot 10^{-120}$

$1 \frac{s}{m} = 0.02997925 \cdot 10^{10}$  (\*)

$1 \frac{1}{m^2} = 32.82688 \cdot 10^{-70}$

$1 \frac{1}{m^2 s} = 0.06273700 \cdot 10^{-110}$  (\*)

$1 \frac{1}{m^2 s^2} = 0.0001198996 \cdot 10^{-150}$  (\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 \text{ ni'}\text{uovo-}\frac{1}{T} = 10^{-40} = 523.2460 \frac{1}{s}$

$1 \text{ ni'}\text{ubi-}\frac{1}{T^2} = 10^{-80} = 273786.3 \frac{1}{s^2}$

$1 \text{ vo-}T = 10^{40} = 0.001911147 \text{ s}$

$1 \text{ vo-}L = 10^{40} = 572947.5 \text{ m}$

$1 \text{ ni'}\text{upa-}\frac{L}{T} = 10^{-10} = 0.02997925 \frac{m}{s}$  (\*)

$1 \text{ ni'}\text{umu-}\frac{L}{T^2} = 10^{-50} = 15.68652 \frac{m}{s^2}$

$1 \text{ bi-}LT = 10^{80} = 1094.987 \text{ m s}$

$1 \text{ ze-}L^2 = 10^{70} = 32.82688 \text{ m}^2$

$1 \text{ ci-}\frac{L^2}{T} = 10^{30} = 17176.53 \frac{m^2}{s}$

$1 \text{ ni'}\text{ure-}\frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{m^2}{s^2}$

$1 \text{ papa-}L^2 T = 10^{110} = 0.06273700 \text{ m}^2 \text{ s}$  (\*)

$1 \text{ ni'}\text{uci-}\frac{1}{L} = 10^{-30} = 17453.61 \frac{1}{m}$

$1 \text{ ni'}\text{ubi-}\frac{1}{LT} = 10^{-80} = 0.0009132529 \frac{1}{m \text{ s}}$

$1 \text{ ni'}\text{upare-}\frac{1}{LT^2} = 10^{-120} = 0.4778559 \frac{1}{m \text{ s}^2}$

$1 \text{ pa-}\frac{T}{L} = 10^{10} = 33.35641 \frac{s}{m}$

$1 \text{ ni'}\text{uze-}\frac{1}{L^2} = 10^{-70} = 0.03046284 \frac{1}{m^2}$

$1 \text{ ni'}\text{upapa-}\frac{1}{L^2 T} = 10^{-110} = 15.93956 \frac{1}{m^2 \text{ s}}$

$1 \text{ ni'}\text{upamu-}\frac{1}{L^2 T^2} = 10^{-150} = 8340.309 \frac{1}{m^2 \text{ s}^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>20 °C

$1 \frac{s}{m^2} = 17176.53 \cdot 10^{-30}$	$1 ni'ure - \frac{T}{L^2} = 10^{-20} = 582189.6 \frac{s}{m^2}$
$1 \frac{1}{m^3} = 0.001880808 \cdot 10^{-100}$	$1 ni'upano - \frac{1}{L^3} = 10^{-100} = 531.6864 \frac{1}{m^3}$
$1 \frac{1}{m^3 s} = 35945.01 \cdot 10^{-150}$	$1 ni'upavo - \frac{1}{L^3 T} = 10^{-140} = 278202.8 \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s^2} = 68.69620 \cdot 10^{-190}$	$1 ni'upaso - \frac{1}{L^3 T^2} = 10^{-190} = 0.01455685 \frac{1}{m^3 s^2}$
$1 \frac{s}{m^3} = 0.9841252 \cdot 10^{-60}$	$1 ni'uxa - \frac{T}{L^3} = 10^{-60} = 1.016131 \frac{s}{m^3}$
$1 kg = 0.01628769 \cdot 10^{10}$	$1 pa-M = 10^{10} = 61.39608 kg$
$1 \frac{kg}{s} = 311281.6 \cdot 10^{-40}$	$1 ni'uci - \frac{M}{T} = 10^{-30} = 32125.25 \frac{kg}{s}$
$1 \frac{kg}{s^2} = 594.9050 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{T^2} = 10^{-80} = 0.001680941 \frac{kg}{s^2}$
$1 kg s = 8.522465 \cdot 10^{50}$	$1 mu-MT = 10^{50} = 0.1173369 kg s$
$1 kg m = 284.2788 \cdot 10^{40}$	$1 vo-ML = 10^{40} = 0.003517673 kg m$
$1 \frac{kg m}{s} = 0.5432987 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 1.840608 \frac{kg m}{s}$
$1 \frac{kg m}{s^2} = 0.001038324 \cdot 10^{-40}$	$1 ni'uvo - \frac{ML}{T^2} = 10^{-40} = 963.0908 \frac{kg m}{s^2}$
$1 kg m s = 148747.8 \cdot 10^{80}$	$1 so-MLT = 10^{90} = 67227.90 kg m s$
$1 kg m^2 = 0.0004961691 \cdot 10^{80}$	$1 bi-ML^2 = 10^{80} = 2015.442 kg m^2$
$1 \frac{kg m^2}{s} = 9482.522 \cdot 10^{30}$	$1 ci - \frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{kg m^2}{s}$
$1 \frac{kg m^2}{s^2} = 18.12249 \cdot 10^{-10}$	$1 ni'upa - \frac{ML^2}{T^2} = 10^{-10} = 0.05518004 \frac{kg m^2}{s^2} (*)$
$1 kg m^2 s = 0.2596185 \cdot 10^{120}$	$1 pare-ML^2 T = 10^{120} = 3.851806 kg m^2 s$
$1 \frac{kg}{m} = 9331.988 \cdot 10^{-30}$	$1 ni'uci - \frac{M}{L} = 10^{-30} = 0.0001071583 \frac{kg}{m}$
$1 \frac{kg}{m s} = 17.83480 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{LT} = 10^{-70} = 0.05607015 \frac{kg}{m s}$
$1 \frac{kg}{m s^2} = 0.03408493 \cdot 10^{-110}$	$1 ni'upapa - \frac{M}{LT^2} = 10^{-110} = 29.33848 \frac{kg}{m s^2}$
$1 \frac{kg s}{m} = 0.0004882925 \cdot 10^{20}$	$1 re - \frac{MT}{L} = 10^{20} = 2047.953 \frac{kg s}{m}$
$1 \frac{kg}{m^2} = 0.5346739 \cdot 10^{-60}$	$1 ni'uxa - \frac{M}{L^2} = 10^{-60} = 1.870299 \frac{kg}{m^2} (*)$
$1 \frac{kg}{m^2 s} = 0.001021841 \cdot 10^{-100}$	$1 ni'upano - \frac{M}{L^2 T} = 10^{-100} = 978.6263 \frac{kg}{m^2 s}$
$1 \frac{kg}{m^2 s^2} = 19528.88 \cdot 10^{-150}$	$1 ni'upavo - \frac{M}{L^2 T^2} = 10^{-140} = 512062.3 \frac{kg}{m^2 s^2}$
$1 \frac{kg s}{m^2} = 279.7660 \cdot 10^{-20}$	$1 ni'ure - \frac{M}{L^2} = 10^{-20} = 0.003574416 \frac{kg s}{m^2}$
$1 \frac{kg}{m^3} = 306340.1 \cdot 10^{-100}$	$1 ni'uso - \frac{M}{L^3} = 10^{-90} = 32643.46 \frac{kg}{m^3}$
$1 \frac{kg}{m^3 s} = 585.4610 \cdot 10^{-140}$	$1 ni'upavo - \frac{M}{L^3 T} = 10^{-140} = 0.001708056 \frac{kg}{m^3 s}$
$1 \frac{kg}{m^3 s^2} = 1.118902 \cdot 10^{-180}$	$1 ni'upabi - \frac{M}{L^3 T^2} = 10^{-180} = 0.8937333 \frac{kg}{m^3 s^2}$
$1 \frac{kg s}{m^3} = 0.01602912 \cdot 10^{-50}$	$1 ni'umu - \frac{MT}{L^3} = 10^{-50} = 62.38645 \frac{kg s}{m^3}$
$1 \frac{1}{C} = 52.90818 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{Q} = 10^{-20} = 0.01890067 \frac{1}{C} (*)$
$1 \frac{1}{s C} = 0.1011153 \cdot 10^{-60}$	$1 ni'uxa - \frac{1}{T Q} = 10^{-60} = 9.889699 \frac{1}{s C} (*)$
$1 \frac{1}{s^2 C} = 0.0001932462 \cdot 10^{-100}$	$1 ni'upano - \frac{1}{T^2 Q} = 10^{-100} = 5174.745 \frac{1}{s^2 C}$
$1 \frac{s}{C} = 27683.99 \cdot 10^{20} (*)$	$1 re - \frac{T}{Q} = 10^{20} = 0.00003612196 \frac{s}{C}$
$1 \frac{m}{C} = 0.000009234385 \cdot 10^{20}$	$1 re - \frac{L}{Q} = 10^{20} = 10829.09 \frac{m}{C}$
$1 \frac{m}{s C} = 1764.827 \cdot 10^{-30}$	$1 ni'uci - \frac{L}{T Q} = 10^{-30} = 0.0005666278 \frac{m}{s C}$
$1 \frac{m}{s^2 C} = 3.372844 \cdot 10^{-70}$	$1 ni'uze - \frac{L}{T^2 Q} = 10^{-70} = 0.2964857 \frac{m}{s^2 C}$
$1 \frac{m s}{C} = 0.04831855 \cdot 10^{60}$	$1 xa - \frac{LT}{Q} = 10^{60} = 20.69599 \frac{ms}{C} (*)$
$1 \frac{m^2}{C} = 1.611733 \cdot 10^{50}$	$1 mu - \frac{L^2}{Q} = 10^{50} = 0.6204501 \frac{m^2}{C}$
$1 \frac{m^2}{s C} = 0.003080259 \cdot 10^{10}$	$1 pa - \frac{L^2}{T Q} = 10^{10} = 324.6480 \frac{m^2}{s C}$
$1 \frac{m^2}{s^2 C} = 58868.29 \cdot 10^{-40}$	$1 ni'uvo - \frac{L^2}{T^2 Q} = 10^{-40} = 0.00001698708 \frac{m^2}{s^2 C}$
$1 \frac{m^2 s}{C} = 843.3329 \cdot 10^{90}$	$1 so - \frac{L^2 T}{Q} = 10^{90} = 0.001185771 \frac{m^2 s}{C}$
$1 \frac{1}{m C} = 0.003031361 \cdot 10^{-50}$	$1 ni'umu - \frac{1}{L Q} = 10^{-50} = 329.8849 \frac{1}{m C}$
$1 \frac{1}{m s C} = 57933.76 \cdot 10^{-100}$	$1 ni'upano - \frac{1}{L T Q} = 10^{-100} = 0.00001726109 \frac{1}{m s C}$
$1 \frac{1}{m s^2 C} = 110.7199 \cdot 10^{-140} (*)$	$1 ni'upavo - \frac{1}{L T^2 Q} = 10^{-140} = 0.009031797 \frac{1}{m s^2 C}$
$1 \frac{s}{m C} = 1.586147 \cdot 10^{-10}$	$1 ni'upa - \frac{T}{L Q} = 10^{-10} = 0.6304585 \frac{s}{m C}$
$1 \frac{1}{m^2 C} = 1736.811 \cdot 10^{-90}$	$1 ni'uso - \frac{1}{L^2 Q} = 10^{-90} = 0.0005757681 \frac{1}{m^2 C}$
$1 \frac{1}{m^2 s C} = 3.319300 \cdot 10^{-130} (*)$	$1 ni'upaci - \frac{1}{L^2 T Q} = 10^{-130} = 0.3012683 \frac{1}{m^2 s C}$
$1 \frac{1}{m^2 s^2 C} = 0.006343671 \cdot 10^{-170}$	$1 ni'upaze - \frac{1}{L^2 T^2 Q} = 10^{-170} = 157.6374 \frac{1}{m^2 s^2 C}$
$1 \frac{s}{m^2 C} = 0.00009087791 \cdot 10^{-40}$	$1 ni'uvo - \frac{T}{L^2 Q} = 10^{-40} = 11003.77 \frac{s}{m^2 C} (*)$

$1 \frac{1}{\text{m}^3 \text{C}} = 0.09951012 \cdot 10^{-120}$	(*)	$1 \text{ ni}'\text{upare-} \frac{1}{L^3 Q} = 10^{-120} = 10.04923 \frac{1}{\text{m}^3 \text{C}}$
$1 \frac{1}{\text{m}^3 \text{sC}} = 0.0001901785 \cdot 10^{-160}$		$1 \text{ ni}'\text{upaxa-} \frac{1}{L^3 TQ} = 10^{-160} = 5258.218 \frac{1}{\text{m}^3 \text{sC}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} = 3634.591 \cdot 10^{-210}$		$1 \text{ ni}'\text{urepa-} \frac{1}{L^3 T^2 Q} = 10^{-210} = 0.0002751342 \frac{1}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^3 \text{C}} = 52.06827 \cdot 10^{-80}$		$1 \text{ ni}'\text{ubi-} \frac{T}{L^3 Q} = 10^{-80} = 0.01920555 \frac{\text{s}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{C}} = 0.8617517 \cdot 10^{-10}$		$1 \text{ ni}'\text{upa-} \frac{M}{Q} = 10^{-10} = 1.160427 \frac{\text{kg}}{\text{C}}$
$1 \frac{\text{kg}}{\text{sC}} = 0.001646934 \cdot 10^{-50}$		$1 \text{ ni}'\text{umu-} \frac{M}{TQ} = 10^{-50} = 607.1888 \frac{\text{kg}}{\text{sC}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{C}} = 31475.34 \cdot 10^{-100}$		$1 \text{ ni}'\text{upano-} \frac{M}{T^2 Q} = 10^{-100} = 0.00003177091 \frac{\text{kg}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{C}} = 450.9081 \cdot 10^{30}$		$1 \text{ ci-} \frac{MT}{Q} = 10^{30} = 0.002217747 \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{C}} = 15040.68 \cdot 10^{20}$		$1 \text{ re-} \frac{ML}{Q} = 10^{20} = 0.00006648638 \frac{\text{kg m}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{sC}} = 28.74494 \cdot 10^{-20}$		$1 \text{ ni}'\text{ure-} \frac{ML}{TQ} = 10^{-20} = 0.03478873 \frac{\text{kg m}}{\text{sC}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{C}} = 0.05493582 \cdot 10^{-60}$		$1 \text{ ni}'\text{uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 18.20306 \frac{\text{kg m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg ms}}{\text{C}} = 0.0007869973 \cdot 10^{70}$	(*)	$1 \text{ ze-} \frac{MLT}{Q} = 10^{70} = 1270.652 \frac{\text{kg ms}}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 0.02625140 \cdot 10^{60}$		$1 \text{ xa-} \frac{ML^2}{Q} = 10^{60} = 38.09320 \frac{\text{kg m}^2}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{sC}} = 0.00005017029 \cdot 10^{20}$		$1 \text{ re-} \frac{ML^2}{TQ} = 10^{20} = 19932.11 \frac{\text{kg m}^2}{\text{sC}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} = 958.8281 \cdot 10^{-30}$		$1 \text{ ni}'\text{uci-} \frac{ML^2}{T^2 Q} = 10^{-30} = 0.001042940 \frac{\text{kg m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{C}} = 13.73594 \cdot 10^{100}$		$1 \text{ pano-} \frac{ML^2 T}{Q} = 10^{100} = 0.07280171 \frac{\text{kg m}^2 \text{s}}{\text{C}}$
$1 \frac{\text{kg}}{\text{mC}} = 0.00004937385 \cdot 10^{-40}$		$1 \text{ ni}'\text{uvo-} \frac{M}{LQ} = 10^{-40} = 20253.64 \frac{\text{kg}}{\text{mC}}$
$1 \frac{\text{kg}}{\text{msC}} = 943.6069 \cdot 10^{-90}$		$1 \text{ ni}'\text{uso-} \frac{M}{LTQ} = 10^{-90} = 0.001059763 \frac{\text{kg}}{\text{msC}}$
$1 \frac{\text{kg}}{\text{ms}^2 \text{C}} = 1.803372 \cdot 10^{-130}$		$1 \text{ ni}'\text{upaci-} \frac{M}{LT^2 Q} = 10^{-130} = 0.5545169 \frac{\text{kg}}{\text{ms}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{mC}} = 0.02583467 \cdot 10^0$		$1 \frac{MT}{LQ} = 1 = 38.70768 \frac{\text{kg s}}{\text{mC}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 28.28862 \cdot 10^{-80}$		$1 \text{ ni}'\text{ubi-} \frac{M}{L^2 Q} = 10^{-80} = 0.03534990 \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{sC}} = 0.05406372 \cdot 10^{-120}$		$1 \text{ ni}'\text{upare-} \frac{M}{L^2 TQ} = 10^{-120} = 18.49669 \frac{\text{kg}}{\text{m}^2 \text{sC}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 0.0001033237 \cdot 10^{-160}$		$1 \text{ ni}'\text{upaxa-} \frac{M}{L^2 T^2 Q} = 10^{-160} = 9678.320 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 14801.91 \cdot 10^{-40}$		$1 \text{ ni}'\text{ubo-} \frac{MT}{L^2 Q} = 10^{-40} = 0.00006755886 \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.001620790 \cdot 10^{-110}$		$1 \text{ ni}'\text{upapa-} \frac{M}{L^3 Q} = 10^{-110} = 616.9833 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{sC}} = 30975.67 \cdot 10^{-160}$		$1 \text{ ni}'\text{upaxa-} \frac{M}{L^3 TQ} = 10^{-160} = 0.00003228340 \frac{\text{kg}}{\text{m}^3 \text{sC}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 59.19907 \cdot 10^{-200}$	(*)	$1 \text{ ni}'\text{ureno-} \frac{M}{L^3 T^2 Q} = 10^{-200} = 0.01689216 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.8480716 \cdot 10^{-70}$		$1 \text{ ni}'\text{uze-} \frac{MT}{L^3 Q} = 10^{-70} = 1.179146 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{ C} = 0.01890067 \cdot 10^{20}$	(*)	$1 \text{ re-} Q = 10^{20} = 52.90818 \text{ C}$
$1 \frac{\text{C}}{\text{s}} = 0.00003612196 \cdot 10^{-20}$		$1 \text{ ni}'\text{ure-} \frac{Q}{T} = 10^{-20} = 27683.99 \frac{\text{C}}{\text{s}}$
$1 \frac{\text{C}}{\text{s}^2} = 690.3438 \cdot 10^{-70}$		(*)
$1 \text{ sC} = 9.889699 \cdot 10^{60}$	(*)	$1 \text{ ni}'\text{uze-} \frac{Q}{T^2} = 10^{-70} = 0.001448554 \frac{\text{C}}{\text{s}^2}$
$1 \text{ mC} = 329.8849 \cdot 10^{50}$		$1 \text{ xa-} TQ = 10^{60} = 0.1011153 \text{ sC}$
$1 \frac{\text{mC}}{\text{s}} = 0.6304585 \cdot 10^{10}$		$1 \text{ mu-LQ} = 10^{50} = 0.003031361 \text{ mC}$
$1 \frac{\text{mC}}{\text{s}^2} = 0.001204899 \cdot 10^{-30}$	(*)	$1 \text{ pa-} \frac{LQ}{T} = 10^{10} = 1.586147 \frac{\text{mC}}{\text{s}}$
$1 \text{ m sC} = 0.00001726109 \cdot 10^{100}$		$1 \text{ ni}'\text{uci-} \frac{LQ}{T^2} = 10^{-30} = 829.9451 \frac{\text{mC}}{\text{s}^2}$
$1 \text{ m}^2 \text{C} = 0.0005757681 \cdot 10^{90}$		$1 \text{ pano-LTQ} = 10^{100} = 57933.76 \text{ m sC}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 11003.77 \cdot 10^{40}$	(*)	$1 \text{ so-L}^2 \text{Q} = 10^{90} = 1736.811 \text{ m}^2 \text{C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 21.02983 \cdot 10^0$		$1 \text{ vo-} \frac{L^2 Q}{T} = 10^{40} = 0.00009087791 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{ m}^2 \text{sC} = 0.3012683 \cdot 10^{130}$		$1 \frac{L^2 Q}{T^2} = 1 = 0.04755150 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \frac{\text{C}}{\text{m}} = 10829.09 \cdot 10^{-20}$		$1 \text{ paci-L}^2 \text{TQ} = 10^{130} = 3.319300 \text{ m}^2 \text{sC}$
$1 \frac{\text{C}}{\text{ms}} = 20.69599 \cdot 10^{-60}$	(*)	(*)
$1 \frac{\text{C}}{\text{ms}^2} = 0.03955308 \cdot 10^{-100}$		$1 \text{ ni}'\text{ure-} \frac{Q}{L} = 10^{-20} = 0.00009234385 \frac{\text{C}}{\text{m}}$
$1 \frac{\text{sC}}{\text{m}} = 0.0005666278 \cdot 10^{30}$		$1 \text{ ni}'\text{uxa-} \frac{Q}{LT} = 10^{-60} = 0.04831855 \frac{\text{C}}{\text{ms}}$
$1 \frac{\text{C}}{\text{m}^2} = 0.6204501 \cdot 10^{-50}$		$1 \text{ ni}'\text{upano-} \frac{Q}{LT^2} = 10^{-100} = 25.28248 \frac{\text{C}}{\text{m s}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 0.001185771 \cdot 10^{-90}$		$1 \text{ ci-} \frac{TQ}{L} = 10^{30} = 1764.827 \frac{\text{sC}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 22661.84 \cdot 10^{-140}$		$1 \text{ ni}'\text{umu-} \frac{Q}{L^2} = 10^{-50} = 1.611733 \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{sC}}{\text{m}^2} = 324.6480 \cdot 10^{-10}$		$1 \text{ ni}'\text{uso-} \frac{Q}{L^2 T} = 10^{-90} = 843.3329 \frac{\text{C}}{\text{m}^2 \text{s}}$

$1 \frac{C}{m^3} = 0.00003554853 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q}{L^3} = 10^{-80} = 28130.56 \frac{C}{m^3}$
$1 \frac{C}{m^3 s} = 679.3847 \cdot 10^{-130}$	$1 ni' upaci- \frac{Q}{L^3 T} = 10^{-130} = 0.001471920 \frac{C}{m^3 s}$
$1 \frac{C}{m^3 s^2} = 1.298404 \cdot 10^{-170}$	$1 ni' upaze- \frac{Q}{L^3 T^2} = 10^{-170} = 0.7701762 \frac{C}{m^3 s^2}$
$1 \frac{s C}{m^3} = 0.01860063 \cdot 10^{-40}$ (*)	$1 ni' uvo- \frac{T Q}{L^3} = 10^{-40} = 53.76163 \frac{s C}{m^3}$
$1 kg\ C = 0.0003078482 \cdot 10^{30}$	$1 ci\text{-}MQ = 10^{30} = 3248.355\ kg\ C$
$1 \frac{kg\ C}{s} = 5883.431 \cdot 10^{-20}$	$1 ni' ure- \frac{M Q}{T} = 10^{-20} = 0.0001699688 \frac{kg\ C}{s}$ (*)
$1 \frac{kg\ C}{s^2} = 11.24410 \cdot 10^{-60}$	$1 ni' uxa- \frac{M Q}{T^2} = 10^{-60} = 0.08893551 \frac{kg\ C}{s^2}$
$1 kg\ s\ C = 0.1610803 \cdot 10^{70}$	$1 ze\text{-}MTQ = 10^{70} = 6.208084\ kg\ s\ C$
$1 kg\ m\ C = 5.373061 \cdot 10^{60}$	$1 xa\text{-}MLQ = 10^{60} = 0.1861137\ kg\ m\ C$
$1 \frac{kg\ m\ C}{s} = 0.01026871 \cdot 10^{20}$	$1 re\text{-} \frac{MLQ}{T} = 10^{20} = 97.38322 \frac{kg\ m\ C}{s}$
$1 \frac{kg\ m\ C}{s^2} = 0.00001962501 \cdot 10^{-20}$	$1 ni' ure- \frac{MLQ}{T^2} = 10^{-20} = 50955.38 \frac{kg\ m\ C}{s^2}$
$1 kg\ m\ s\ C = 2811.432 \cdot 10^{100}$	$1 pano\text{-}MLTQ = 10^{100} = 0.0003556906\ kg\ m\ s\ C$
$1 kg\ m^2\ C = 93779.29 \cdot 10^{90}$	$1 pano\text{-}ML^2Q = 10^{100} = 106633.4\ kg\ m^2\ C$
$1 \frac{kg\ m^2\ C}{s} = 179.2260 \cdot 10^{50}$	$1 mu\text{-} \frac{ML^2Q}{T} = 10^{50} = 0.005579547 \frac{kg\ m^2\ C}{s}$
$1 \frac{kg\ m^2\ C}{s^2} = 0.3425273 \cdot 10^{10}$	$1 pa\text{-} \frac{ML^2Q}{T^2} = 10^{10} = 2.919476 \frac{kg\ m^2\ C}{s^2}$
$1 kg\ m^2\ s\ C = 0.004906963 \cdot 10^{140}$	$1 pavo\text{-}ML^2TQ = 10^{140} = 203.7920\ kg\ m^2\ s\ C$
$1 \frac{kg\ C}{m} = 176.3808 \cdot 10^{-10}$	$1 ni' upa- \frac{MQ}{L} = 10^{-10} = 0.005669550 \frac{kg\ C}{m}$
$1 \frac{kg\ C}{m\ s} = 0.3370897 \cdot 10^{-50}$	$1 ni' umu- \frac{MQ}{LT} = 10^{-50} = 2.966569 \frac{kg\ C}{m\ s}$
$1 \frac{kg\ C}{m\ s^2} = 0.0006442280 \cdot 10^{-90}$	$1 ni' uso- \frac{MQ}{LT^2} = 10^{-90} = 1552.245 \frac{kg\ C}{m\ s^2}$
$1 \frac{kg\ s\ C}{m} = 92290.56 \cdot 10^{30}$	$1 vo- \frac{MTQ}{L} = 10^{40} = 108353.4 \frac{kg\ s\ C}{m}$
$1 \frac{kg\ C}{m^2} = 0.01010570 \cdot 10^{-40}$	$1 ni' uvo- \frac{MQ}{L^2} = 10^{-40} = 98.95410 \frac{kg\ C}{m^2}$
$1 \frac{kg\ C}{m^2\ s} = 0.00001931347 \cdot 10^{-80}$	$1 ni' ubi- \frac{MQ}{L^2 T} = 10^{-80} = 51777.33 \frac{kg\ C}{m^2\ s}$
$1 \frac{kg\ C}{m^2\ s^2} = 369.1088 \cdot 10^{-130}$	$1 ni' upaci- \frac{MQ}{L^2 T^2} = 10^{-130} = 0.002709228 \frac{kg\ C}{m^2\ s^2}$
$1 \frac{kg\ s\ C}{m^2} = 5.287764$	$1 \frac{MTQ}{L^2} = 1 = 0.1891158 \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ C}{m^3} = 5790.033 \cdot 10^{-80}$	$1 ni' ubi- \frac{MQ}{L^3} = 10^{-80} = 0.0001727106 \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3\ s} = 11.06560 \cdot 10^{-120}$	$1 ni' upare- \frac{MQ}{L^3 T} = 10^{-120} = 0.09037012 \frac{kg\ C}{m^3\ s}$
$1 \frac{kg\ C}{m^3\ s^2} = 0.02114800 \cdot 10^{-160}$ (*)	$1 ni' upaxa- \frac{MQ}{L^3 T^2} = 10^{-160} = 47.28580 \frac{kg\ C}{m^3\ s^2}$
$1 \frac{kg\ s\ C}{m^3} = 0.0003029611 \cdot 10^{-30}$	$1 ni' uci- \frac{MTQ}{L^3} = 10^{-30} = 3300.753 \frac{kg\ s\ C}{m^3}$ (*)
$1 \frac{1}{K} = 39.96674 \cdot 10^{30}$	$1 ci\text{-} \frac{1}{\Theta} = 10^{30} = 0.02502080 \frac{1}{K}$
$1 \frac{1}{s K} = 0.07638233 \cdot 10^{-10}$	$1 ni' upa- \frac{1}{T\Theta} = 10^{-10} = 13.09203 \frac{1}{s K}$
$1 \frac{1}{s^2 K} = 0.0001459779 \cdot 10^{-50}$	$1 ni' umu- \frac{1}{T^2\Theta} = 10^{-50} = 6850.354 \frac{1}{s^2 K}$
$1 \frac{s}{K} = 20912.44 \cdot 10^{70}$	$1 bi\text{-} \frac{T}{\Theta} = 10^{80} = 478184.3 \frac{s}{K}$
$1 \frac{m}{K} = 697563.8 \cdot 10^{60}$	$1 ze\text{-} \frac{L}{\Theta} = 10^{70} = 14335.61 \frac{m}{K}$
$1 \frac{m}{s K} = 1333.147 \cdot 10^{20}$	$1 re\text{-} \frac{L}{T\Theta} = 10^{20} = 0.0007501048 \frac{m}{s K}$
$1 \frac{m}{s^2 K} = 2.547840 \cdot 10^{-20}$	$1 ni' ure- \frac{L}{T^2\Theta} = 10^{-20} = 0.3924893 \frac{m}{s^2 K}$
$1 \frac{ms}{K} = 0.03649974 \cdot 10^{110}$ (*)	$1 papa\text{-} \frac{LT}{\Theta} = 10^{110} = 27.39745 \frac{m s}{K}$
$1 \frac{m^2}{K} = 1.217500 \cdot 10^{100}$ (*)	$1 pano\text{-} \frac{L^2}{\Theta} = 10^{100} = 0.8213549 \frac{m^2}{K}$
$1 \frac{m^2}{s K} = 0.002326822 \cdot 10^{60}$	$1 xa\text{-} \frac{L^2}{T\Theta} = 10^{60} = 429.7707 \frac{m^2}{s K}$
$1 \frac{m^2}{s^2 K} = 44469.00 \cdot 10^{10}$ (*)	$1 re\text{-} \frac{L^2}{T^2\Theta} = 10^{20} = 224875.8 \frac{m^2}{s^2 K}$
$1 \frac{m^2 s}{K} = 637.0522 \cdot 10^{140}$	$1 pavo\text{-} \frac{L^2 T}{\Theta} = 10^{140} = 0.001569730 \frac{m^2 s}{K}$
$1 \frac{1}{m K} = 0.002289885 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.7032 \frac{1}{m K}$
$1 \frac{1}{m s K} = 43763.06 \cdot 10^{-50}$	$1 ni' uvo- \frac{1}{LT\Theta} = 10^{-40} = 228503.2 \frac{1}{m s K}$
$1 \frac{1}{m s^2 K} = 83.63765 \cdot 10^{-90}$	$1 ni' uso- \frac{1}{LT^2\Theta} = 10^{-90} = 0.01195634 \frac{1}{m s^2 K}$
$1 \frac{s}{m K} = 1.198173 \cdot 10^{40}$	$1 vo- \frac{T}{L\Theta} = 10^{40} = 0.8346041 \frac{s}{m K}$
$1 \frac{1}{m^2 K} = 1311.984 \cdot 10^{-40}$	$1 ni' uvo- \frac{1}{L^2\Theta} = 10^{-40} = 0.0007622047 \frac{1}{m^2 K}$
$1 \frac{1}{m^2 s K} = 2.507394 \cdot 10^{-80}$	$1 ni' ubi- \frac{1}{L^2 T\Theta} = 10^{-80} = 0.3988205 \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s^2 K} = 0.004791998 \cdot 10^{-120}$ (*)	$1 ni' upare- \frac{1}{L^2 T^2\Theta} = 10^{-120} = 208.6812 \frac{1}{m^2 s^2 K}$
$1 \frac{s}{m^2 K} = 686490.1 \cdot 10^0$	$1 pa\text{-} \frac{T}{L^2\Theta} = 10^{10} = 14566.85 \frac{s}{m^2 K}$
$1 \frac{1}{m^3 K} = 0.07516977 \cdot 10^{-70}$	$1 ni' uze- \frac{1}{L^3\Theta} = 10^{-70} = 13.30322 \frac{1}{m^3 K}$
$1 \frac{1}{m^3 s K} = 0.0001436605 \cdot 10^{-110}$	$1 ni' upapa- \frac{1}{L^3 T\Theta} = 10^{-110} = 6960.856 \frac{1}{m^3 s K}$

$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 2745.563 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa-} \frac{1}{L^3 T^2 \Theta} = 10^{-160} = 0.0003642240 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^3 \text{K}} = 39.33228 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \frac{T}{L^3 \Theta} = 10^{-30} = 0.02542441 \frac{\text{s}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{K}} = 0.6509657 \cdot 10^{40}$	$1 \text{vo-} \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{\text{kg}}{\text{K}}$
$1 \frac{\text{kg}}{\text{s K}} = 0.001244091 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 803.7996 \frac{\text{kg}}{\text{s K}} \quad (*)$
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 23776.41 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo-} \frac{M}{T^2 \Theta} = 10^{-40} = 420584.9 \frac{\text{kg}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{K}} = 340.6152 \cdot 10^{80}$	$1 \text{bi-} \frac{MT}{\Theta} = 10^{80} = 0.002935864 \frac{\text{kg s}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{K}} = 11361.70 \cdot 10^{70}$	$1 \text{bi-} \frac{ML}{\Theta} = 10^{80} = 880150.0 \frac{\text{kg m}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{s K}} = 21.71388 \cdot 10^{30}$	$1 \text{ci-} \frac{ML}{T\Theta} = 10^{30} = 0.04605349 \frac{\text{kg m}}{\text{s K}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.04149842 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} = 10^{-10} = 24.09730 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.0005944963 \cdot 10^{120}$	$1 \text{pare-} \frac{MLT}{\Theta} = 10^{120} = 1682.096 \frac{\text{kg m s}}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{K}} = 0.01983026 \cdot 10^{110}$	$1 \text{papa-} \frac{ML^2}{\Theta} = 10^{110} = 50.42797 \frac{\text{kg m}^2}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{s K}} = 378985.5 \cdot 10^{60}$	$1 \text{ze-} \frac{ML^2}{T\Theta} = 10^{70} = 26386.23 \frac{\text{kg m}^2}{\text{s K}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 724.2971 \cdot 10^{20}$	$1 \text{re-} \frac{ML^2}{T^2 \Theta} = 10^{20} = 0.001380649 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 10.37611 \cdot 10^{150}$	$1 \text{pamu-} \frac{ML^2 T}{\Theta} = 10^{150} = 0.09637528 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \frac{\text{kg}}{\text{m K}} = 372969.2 \cdot 10^0$	$1 \text{pa-} \frac{M}{L\Theta} = 10^{10} = 26811.87 \frac{\text{kg}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m s K}} = 712.7990 \cdot 10^{-40} \quad (*)$	$1 \text{ni}'\text{uvo-} \frac{M}{LT\Theta} = 10^{-40} = 0.001402920 \frac{\text{kg}}{\text{m s K}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{K}} = 1.362264 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{M}{LT^2 \Theta} = 10^{-80} = 0.7340723 \frac{\text{kg}}{\text{m s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m K}} = 0.01951546 \cdot 10^{50}$	$1 \text{mu-} \frac{MT}{L\Theta} = 10^{50} = 51.24142 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 21.36918 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \frac{M}{L^2 \Theta} = 10^{-30} = 0.04679638 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.04083964 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{M}{L^2 T\Theta} = 10^{-70} = 24.48602 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 780505.6 \cdot 10^{-120}$	$1 \text{ni}'\text{upapa-} \frac{M}{L^2 T^2 \Theta} = 10^{-110} = 12812.21 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 11181.33 \cdot 10^{10}$	$1 \text{re-} \frac{MT}{L^2 \Theta} = 10^{20} = 894347.6 \frac{\text{kg s}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.001224342 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{M}{L^3 \Theta} = 10^{-60} = 816.7656 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 23398.97 \cdot 10^{-110}$	$1 \text{ni}'\text{upano-} \frac{M}{L^3 T\Theta} = 10^{-100} = 427369.3 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 44.71887 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{M}{L^3 T^2 \Theta} = 10^{-150} = 0.02236192 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 0.6406318 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{MT}{L^3 \Theta} = 10^{-20} = 1.560959 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \text{K} = 0.02502080 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \Theta = 10^{-30} = 39.96674 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 478184.3 \cdot 10^{-80}$	$1 \text{ni}'\text{uze-} \frac{\Theta}{T} = 10^{-70} = 20912.44 \frac{\text{K}}{\text{s}}$
$1 \frac{\text{K}}{\text{s}^2} = 913.8806 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{\Theta}{T^2} = 10^{-120} = 0.001094235 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.09203 \cdot 10^{10}$	$1 \text{pa-} T\Theta = 10^{10} = 0.07638233 \text{ s K}$
$1 \text{m K} = 436.7032 \cdot 10^0$	$1 L\Theta = 1 = 0.002289885 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 0.8346041 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{L\Theta}{T} = 10^{-40} = 1.198173 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.001595051 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2} = 10^{-80} = 626.9391 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 228503.2 \cdot 10^{40}$	$1 \text{mu-} LT\Theta = 10^{50} = 43763.06 \text{ m s K}$
$1 \text{m}^2 \text{ K} = 0.0007622047 \cdot 10^{40}$	$1 \text{vo-} L^2 \Theta = 10^{40} = 1311.984 \text{ m}^2 \text{ K}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}} = 14566.85 \cdot 10^{-10}$	$1 \frac{L^2 \Theta}{T} = 1 = 686490.1 \frac{\text{m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}^2} = 27.83940 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2 \Theta}{T^2} = 10^{-50} = 0.03592032 \frac{\text{m}^2 \text{ K}}{\text{s}^2}$
$1 \text{m}^2 \text{ s K} = 0.3988205 \cdot 10^{80}$	$1 \text{bi-} L^2 T\Theta = 10^{80} = 2.507394 \text{ m}^2 \text{ s K}$
$1 \frac{\text{K}}{\text{m}} = 14335.61 \cdot 10^{-70}$	$1 \text{ni}'\text{uxa-} \frac{\Theta}{L} = 10^{-60} = 697563.8 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 27.39745 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{\Theta}{LT} = 10^{-110} = 0.03649974 \frac{\text{K}}{\text{m s}} \quad (*)$
$1 \frac{\text{K}}{\text{m}^2} = 0.05236056 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu-} \frac{\Theta}{LT^2} = 10^{-150} = 19.09834 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{s K}}{\text{m}} = 0.0007501048 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{T\Theta}{L} = 10^{-20} = 1333.147 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 0.8213549 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{\Theta}{L^2} = 10^{-100} = 1.217500 \frac{\text{K}}{\text{m}^2} \quad (*)$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.001569730 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{\Theta}{L^2 T} = 10^{-140} = 637.0522 \frac{\text{K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 29999.85 \cdot 10^{-190} \quad (**)$	$1 \text{ni}'\text{upabi-} \frac{\Theta}{L^2 T^2} = 10^{-180} = 333335.0 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 429.7707 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{T\Theta}{L^2} = 10^{-60} = 0.002326822 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 470593.3 \cdot 10^{-140}$	$1 \text{ni}'\text{upaci-} \frac{\Theta}{L^3} = 10^{-130} = 21249.77 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 899.3729 \cdot 10^{-180} \quad (*)$	$1 \text{ni}'\text{upabi-} \frac{\Theta}{L^3 T} = 10^{-180} = 0.001111886 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 1.718834 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{\Theta}{L^3 T^2} = 10^{-220} = 0.5817898 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.02462360 \cdot 10^{-90}$	$1 \text{ni}'\text{uso-} \frac{T\Theta}{L^3} = 10^{-90} = 40.61144 \frac{\text{s K}}{\text{m}^3}$

$1 \text{ kg K} = 0.0004075310 \cdot 10^{-20}$	$1 \text{ ni'ure-}M\Theta = 10^{-20} = 2453.801 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 7788.516 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{M\Theta}{T} = 10^{-70} = 0.0001283942 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 14.88500 \cdot 10^{-110}$ (*)	$1 \text{ ni'upapa-} \frac{M\Theta}{T^2} = 10^{-110} = 0.06718173 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{ kg s K} = 0.2132389 \cdot 10^{20}$	$1 \text{ re-}MT\Theta = 10^{20} = 4.689575 \text{ kg s K}$
$1 \text{ kg m K} = 7.112885 \cdot 10^{10}$	$1 \text{ pa-}ML\Theta = 10^{10} = 0.1405899 \text{ kg m K}$ (*)
$1 \frac{\text{kg m K}}{\text{s}} = 0.01359377 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML\Theta}{T} = 10^{-30} = 73.56311 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 259796.9 \cdot 10^{-80}$	$1 \text{ ni'uze-} \frac{ML\Theta}{T^2} = 10^{-70} = 38491.60 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{ kg m s K} = 3721.788 \cdot 10^{50}$	$1 \text{ mu-}MLT\Theta = 10^{50} = 0.0002686880 \text{ kg m s K}$
$1 \text{ kg m}^2 \text{ K} = 124145.5 \cdot 10^{40}$	$1 \text{ mu-}ML^2\Theta = 10^{50} = 80550.65 \text{ kg m}^2 \text{ K}$
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}} = 237.2603 \cdot 10^0$	$1 \frac{ML^2\Theta}{T} = 1 = 0.004214780 \frac{\text{kg m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} = 0.4534393 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML^2\Theta}{T^2} = 10^{-40} = 2.205367 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s K} = 0.006495863 \cdot 10^{90}$	$1 \text{ so-}ML^2T\Theta = 10^{90} = 153.9441 \text{ kg m}^2 \text{ s K}$
$1 \frac{\text{kg K}}{\text{m}} = 233.4938 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M\Theta}{L} = 10^{-60} = 0.004282768 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 0.4462411 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M\Theta}{LT} = 10^{-100} = 2.240941 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 0.0008528323 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{M\Theta}{LT^2} = 10^{-140} = 1172.563 \frac{\text{kg K}}{\text{m s}^2}$
$1 \frac{\text{kg s K}}{\text{m}} = 122174.7 \cdot 10^{-20}$	$1 \text{ ni'upa-} \frac{M\Theta}{L^2} = 10^{-10} = 81850.00 \frac{\text{kg s K}}{\text{m}}$ (*)
$1 \frac{\text{kg K}}{\text{m}^2} = 0.01337797 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{M\Theta}{L^2} = 10^{-90} = 74.74975 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 255672.7 \cdot 10^{-140}$	$1 \text{ ni'upaci-} \frac{M\Theta}{L^2 T} = 10^{-130} = 39112.51 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 488.6281 \cdot 10^{-180}$	$1 \text{ ni'upabi-} \frac{M\Theta}{L^2 T^2} = 10^{-180} = 0.002046546 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 6.999969 \cdot 10^{-50}$ (**)	$1 \text{ ni'umu-} \frac{M\Theta}{L^2} = 10^{-50} = 0.1428578 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 7664.875 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M\Theta}{L^3} = 10^{-130} = 0.0001304653 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 14.64870 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{M\Theta}{L^3 T} = 10^{-170} = 0.06826543 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg s K}}{\text{m}^3 \text{s}^2} = 0.02799583 \cdot 10^{-210}$ (*)	$1 \text{ ni'urepa-} \frac{M\Theta}{L^3 T^2} = 10^{-210} = 35.71961 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 0.0004010615 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{M\Theta}{L^3} = 10^{-80} = 2493.383 \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{C}} = 1.323805 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{\Theta}{Q} = 10^{-50} = 0.7553982 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.002529986 \cdot 10^{-90}$ (*)	$1 \text{ ni'uso-} \frac{\Theta}{T Q} = 10^{-90} = 395.2591 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 48351.76 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{\Theta}{T^2 Q} = 10^{-140} = 0.00002068177 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 692.6756 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.001443677 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 23105.17 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L\Theta}{Q} = 10^{-20} = 0.00004328035 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 44.15738 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{L\Theta}{T Q} = 10^{-60} = 0.02264627 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.08439126 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{L\Theta}{T^2 Q} = 10^{-100} = 11.84957 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.001208969 \cdot 10^{30}$	$1 \text{ ci-} \frac{LT\Theta}{Q} = 10^{30} = 827.1512 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.04032686 \cdot 10^{20}$	$1 \text{ re-} \frac{L^2\Theta}{Q} = 10^{20} = 24.79737 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.00007707056 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L^2\Theta}{T Q} = 10^{-20} = 12975.12 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 1472.932 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{L^2\Theta}{T^2 Q} = 10^{-70} = 0.0006789181 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 21.10087 \cdot 10^{60}$ (*)	$1 \text{ xa-} \frac{L^2 T\Theta}{Q} = 10^{60} = 0.04739142 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.00007584708 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{\Theta}{L Q} = 10^{-80} = 13184.42 \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 1449.549 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{\Theta}{LT Q} = 10^{-130} = 0.0006898696 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 2.770302 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{\Theta}{LT^2 Q} = 10^{-170} = 0.3609715 \frac{\text{K}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m C}} = 0.03968668 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{T\Theta}{L Q} = 10^{-40} = 25.19737 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 43.45639 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{\Theta}{L^2 Q} = 10^{-120} = 0.02301157 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 0.08305156 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{\Theta}{L^2 T Q} = 10^{-160} = 12.04071 \frac{\text{K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 0.0001587237 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{\Theta}{L^2 T^2 Q} = 10^{-200} = 6300.254 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}}$ (*)
$1 \frac{\text{s K}}{\text{m}^2 \text{C}} = 22738.38 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{T\Theta}{L^2 Q} = 10^{-80} = 0.00004397850 \frac{\text{s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 0.002489823 \cdot 10^{-150}$	$1 \text{ ni'upamu-} \frac{\Theta}{L^3 Q} = 10^{-150} = 401.6350 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 47584.18 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{\Theta}{L^3 T Q} = 10^{-200} = 0.00002101539 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 90.94037 \cdot 10^{-240}$	$1 \text{ ni'urevo-} \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 0.01099622 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$ (*)
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 1.302790 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{T\Theta}{L^3 Q} = 10^{-110} = 0.7675835 \frac{\text{s K}}{\text{m}^3 \text{C}}$

$1 \frac{\text{kg K}}{\text{C}} = 0.02156172 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{M\Theta}{TQ} = 10^{-80} = 24267.36 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 0.00004120762 \cdot 10^{-80}$	$1 \text{ni}'\text{upaci}-\frac{M\Theta}{T^2Q} = 10^{-130} = 0.001269780 \frac{\text{kg K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{s}^2\text{C}} = 787.5382 \cdot 10^{-130}$	$1 \frac{MT\Theta}{Q} = 1 = 0.08863612 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg s K}}{\text{C}} = 11.28208 \cdot 10^0$	$1 \text{ni}'\text{upa}-\frac{ML\Theta}{Q} = 10^{-10} = 0.002657244 \frac{\text{kg m K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{C}} = 376.3298 \cdot 10^{-10}$	$1 \text{ni}'\text{umu}-\frac{ML\Theta}{TQ} = 10^{-50} = 1.390392 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s C}} = 0.7192216 \cdot 10^{-50}$	$1 \text{ni}'\text{uso}-\frac{ML\Theta}{T^2Q} = 10^{-90} = 727.5171 \frac{\text{kg m K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m K}}{\text{s}^2\text{C}} = 0.001374538 \cdot 10^{-90}$	$1 \text{vo}-\frac{MLT\Theta}{Q} = 10^{40} = 50783.84 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg ms K}}{\text{C}} = 0.00001969130 \cdot 10^{40}$	$1 \text{ci}-\frac{ML^2\Theta}{Q} = 10^{30} = 1522.461 \frac{\text{kg m}^2\text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{C}} = 0.0006568312 \cdot 10^{30}$	$1 \text{ni}'\text{ure}-\frac{ML^2\Theta}{TQ} = 10^{-20} = 0.00007966217 \frac{\text{kg m}^2\text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{s C}} = 12553.01 \cdot 10^{-20}$	$1 \text{ni}'\text{uxa}-\frac{ML^2\Theta}{T^2Q} = 10^{-60} = 0.04168291 \frac{\text{kg m}^2\text{K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{s}^2\text{C}} = 23.99065 \cdot 10^{-60}$ (*)	$1 \text{ze}-\frac{ML^2T\Theta}{Q} = 10^{70} = 2.909647 \frac{\text{kg m}^2\text{s K}}{\text{C}}$
$1 \frac{\text{kg m}^2\text{s K}}{\text{C}} = 0.3436843 \cdot 10^{70}$	$1 \text{ni}'\text{ubi}-\frac{M\Theta}{LQ} = 10^{-80} = 0.00008094719 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 12353.73 \cdot 10^{-80}$	$1 \text{ni}'\text{upare}-\frac{M\Theta}{LTQ} = 10^{-120} = 0.04235529 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 23.60980 \cdot 10^{-120}$	$1 \text{ni}'\text{upaxa}-\frac{M\Theta}{LT^2Q} = 10^{-160} = 22.16223 \frac{\text{kg K}}{\text{m s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m s}^2\text{C}} = 0.04512180 \cdot 10^{-160}$	$1 \text{ni}'\text{uci}-\frac{MT\Theta}{LQ} = 10^{-30} = 1547.020 \frac{\text{kg s K}}{\text{m C}}$
$1 \frac{\text{kg s K}}{\text{m C}} = 0.0006464041 \cdot 10^{-30}$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{L^2Q} = 10^{-110} = 1.412820 \frac{\text{kg K}}{\text{m}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{C}} = 0.7078040 \cdot 10^{-110}$	$1 \text{ni}'\text{upamu}-\frac{M\Theta}{L^2TQ} = 10^{-150} = 739.2526 \frac{\text{kg K}}{\text{m}^2\text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{s C}} = 0.001352718 \cdot 10^{-150}$	$1 \text{ni}'\text{ureno}-\frac{M\Theta}{L^2T^2Q} = 10^{-200} = 0.00003868109 \frac{\text{kg K}}{\text{m}^2\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{s}^2\text{C}} = 25852.42 \cdot 10^{-200}$	$1 \text{ni}'\text{uze}-\frac{MT\Theta}{L^2Q} = 10^{-70} = 0.002700108 \frac{\text{kg s K}}{\text{m}^2\text{C}}$ (*)
$1 \frac{\text{kg s K}}{\text{m}^2\text{C}} = 370.3556 \cdot 10^{-70}$	$1 \text{ni}'\text{upavo}-\frac{M\Theta}{L^3Q} = 10^{-140} = 24658.81 \frac{\text{kg K}}{\text{m}^3\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{C}} = 0.00004055345 \cdot 10^{-140}$	$1 \text{ni}'\text{upaso}-\frac{M\Theta}{L^3TQ} = 10^{-190} = 0.001290262 \frac{\text{kg K}}{\text{m}^3\text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{s C}} = 775.0362 \cdot 10^{-190}$	$1 \text{ni}'\text{ureci}-\frac{M\Theta}{L^3T^2Q} = 10^{-230} = 0.6751246 \frac{\text{kg K}}{\text{m}^3\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{s}^2\text{C}} = 1.481208 \cdot 10^{-230}$	$1 \text{ni}'\text{upano}-\frac{MT\Theta}{L^3Q} = 10^{-100} = 47.12662 \frac{\text{kg s K}}{\text{m}^3\text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^3\text{C}} = 0.02121943 \cdot 10^{-100}$	
$1 \text{CK} = 0.0004729099 \cdot 10^{-10}$ (*)	$1 \text{ni}'\text{upa}-Q\Theta = 10^{-10} = 2114.568 \text{ CK}$
$1 \frac{\text{CK}}{\text{s}} = 9038.005 \cdot 10^{-60}$ (*)	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{T} = 10^{-60} = 0.0001106439 \frac{\text{CK}}{\text{s}}$
$1 \frac{\text{CK}}{\text{s}^2} = 17.27296 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{T^2} = 10^{-100} = 0.05789397 \frac{\text{CK}}{\text{s}^2}$
$1 \text{s CK} = 0.2474482 \cdot 10^{30}$	$1 \text{ci}-TQ\Theta = 10^{30} = 4.041250 \text{ s CK}$
$1 \text{m CK} = 8.253984 \cdot 10^{20}$	$1 \text{re}-LQ\Theta = 10^{20} = 0.1211536 \text{ m CK}$
$1 \frac{\text{m CK}}{\text{s}} = 0.01577458 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{LQ\Theta}{T} = 10^{-20} = 63.39314 \frac{\text{m CK}}{\text{s}}$
$1 \frac{\text{m CK}}{\text{s}^2} = 0.00003014754 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{LQ\Theta}{T^2} = 10^{-60} = 33170.20 \frac{\text{m CK}}{\text{s}^2}$
$1 \text{m s CK} = 4318.864 \cdot 10^{60}$	$1 \text{xa}-LTQ\Theta = 10^{60} = 0.0002315424 \text{ m s CK}$
$1 \text{m}^2 \text{CK} = 0.00001440618 \cdot 10^{60}$	$1 \text{xa}-L^2Q\Theta = 10^{60} = 69414.66 \text{ m}^2\text{CK}$
$1 \frac{\text{m}^2\text{CK}}{\text{s}} = 275.3233 \cdot 10^{10}$	$1 \text{pa}-\frac{L^2Q\Theta}{T} = 10^{10} = 0.003632094 \frac{\text{m}^2\text{CK}}{\text{s}}$
$1 \frac{\text{m}^2\text{CK}}{\text{s}^2} = 0.5261833 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{L^2Q\Theta}{T^2} = 10^{-30} = 1.900479 \frac{\text{m}^2\text{CK}}{\text{s}^2}$ (*)
$1 \text{m}^2 \text{s CK} = 0.007537975 \cdot 10^{100}$	$1 \text{pano}-L^2TQ\Theta = 10^{100} = 132.6616 \text{ m}^2\text{s CK}$
$1 \frac{\text{CK}}{\text{m}} = 270.9526 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{Q\Theta}{L} = 10^{-50} = 0.003690683 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m s}} = 0.5178302 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{LT} = 10^{-90} = 1.931135 \frac{\text{CK}}{\text{m s}}$
$1 \frac{\text{CK}}{\text{m s}^2} = 0.0009896497 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{Q\Theta}{LT^2} = 10^{-130} = 1010.459 \frac{\text{CK}}{\text{m s}^2}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.00001417748 \cdot 10^0$	$1 \frac{TQ\Theta}{L} = 1 = 70534.38 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.01552416 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{Q\Theta}{L^2} = 10^{-80} = 64.41573 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2\text{s}} = 0.00002966895 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{Q\Theta}{L^2T} = 10^{-120} = 33705.27 \frac{\text{CK}}{\text{m}^2\text{s}}$
$1 \frac{\text{CK}}{\text{m}^2\text{s}^2} = 567.0173 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze}-\frac{Q\Theta}{L^2T^2} = 10^{-170} = 0.001763615 \frac{\text{CK}}{\text{m}^2\text{s}^2}$
$1 \frac{\text{CK}}{\text{m}^2} = 8.122953 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{TQ\Theta}{L^2} = 10^{-40} = 0.1231079 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 8894.528 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{Q\Theta}{L^3} = 10^{-120} = 0.0001124287 \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3\text{s}} = 16.99875 \cdot 10^{-160}$ (*)	$1 \text{ni}'\text{upaxa}-\frac{Q\Theta}{L^3T} = 10^{-160} = 0.05882785 \frac{\text{CK}}{\text{m}^3\text{s}}$
$1 \frac{\text{CK}}{\text{m}^3\text{s}^2} = 0.03248711 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{Q\Theta}{L^3T^2} = 10^{-200} = 30.78144 \frac{\text{CK}}{\text{m}^3\text{s}^2}$

$$\begin{aligned}
1 \frac{\text{s CK}}{\text{m}^3} &= 0.0004654026 \cdot 10^{-70} \\
1 \text{kg CK} &= 77026.08 \cdot 10^{-10} \\
1 \frac{\text{kg CK}}{\text{s}} &= 147.2082 \cdot 10^{-50} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.2813365 \cdot 10^{-90} \\
1 \text{kg s CK} &= 0.004030359 \cdot 10^{40} \\
1 \text{kg m CK} &= 0.1344383 \cdot 10^{30} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.0002569314 \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 4910.336 \cdot 10^{-60} \\
1 \text{kg m s CK} &= 70.34429 \cdot 10^{70} \\
1 \text{kg m}^2 \text{CK} &= 2346.433 \cdot 10^{60} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 4.484379 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.008570307 \cdot 10^{-20} \\
1 \text{kg m}^2 \text{s CK} &= 0.0001227762 \cdot 10^{110} \\
1 \frac{\text{kg CK}}{\text{m}} &= 4.413190 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 0.008434255 \cdot 10^{-80} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.00001611910 \cdot 10^{-120} \\
1 \frac{\text{kg s CK}}{\text{m}} &= 2309.184 \cdot 10^0 \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0002528526 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 4832.385 \cdot 10^{-120} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 9.235399 \cdot 10^{-160} \quad (*) \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.1323041 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 144.8713 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.2768703 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.0005291399 \cdot 10^{-190} \quad (*) \\
1 \frac{\text{kg s CK}}{\text{m}^3} &= 75803.31 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{TQ\Theta}{L^3} &= 10^{-70} = 2148.677 \frac{\text{s CK}}{\text{m}^3} \\
1 MQ\Theta &= 1 = 129826.2 \text{ kg CK} \\
1 \text{ni'umu-} \frac{MQ\Theta}{T} &= 10^{-50} = 0.006793101 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uso-} \frac{MQ\Theta}{T^2} &= 10^{-90} = 3.554463 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{vo-} MTQ\Theta &= 10^{40} = 248.1169 \text{ kg s CK} \\
1 \text{ci-} MLQ\Theta &= 10^{30} = 7.438357 \text{ kg m CK} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 3892.090 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} &= 10^{-60} = 0.0002036520 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ze-} MLTQ\Theta &= 10^{70} = 0.01421579 \text{ kg m s CK} \\
1 \text{xa-} ML^2Q\Theta &= 10^{60} = 0.0004261788 \text{ kg m}^2 \text{CK} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 0.2229963 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 116.6819 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{papa-} ML^2TQ\Theta &= 10^{110} = 8144.904 \text{ kg m}^2 \text{s CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{L} &= 10^{-40} = 0.2265935 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ubi-} \frac{MQ\Theta}{LT} &= 10^{-80} = 118.5641 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{LT^2} &= 10^{-120} = 62038.19 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0004330534 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'uze-} \frac{MQ\Theta}{L^2} &= 10^{-70} = 3954.873 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L^2T} &= 10^{-120} = 0.0002069371 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upaxa-} \frac{MQ\Theta}{L^2T^2} &= 10^{-160} = 0.1082790 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 7.558344 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 0.006902680 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{L^3T} &= 10^{-150} = 3.611799 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upaso-} \frac{MQ\Theta}{L^3T^2} &= 10^{-190} = 1889.859 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uxa-} \frac{MTQ\Theta}{L^3} &= 10^{-60} = 131920.4 \frac{\text{kg s CK}}{\text{m}^3}
\end{aligned}$$

## 8.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned}
\text{Proton mass} &= 27.24314 \cdot 10^{-20} \\
\text{Electron mass} &= 0.01483708 \cdot 10^{-20} \\
\text{Elementary charge} &= 0.3028221 \cdot 10^0 \\
\text{\AA}^{16} &= 17453.61 \cdot 10^{20} \\
\text{Bohr radius}^{17} &= 9236.051 \cdot 10^{20} \\
\text{Fine structure constant}^{18} &= 0.007297353 \cdot 10^0 \\
\text{Rydberg Energy}^{19} &= 3950.472 \cdot 10^{-30} \\
|\psi^{100}(0)|^2^{20} &= 0.004040091 \cdot 10^{-70} \quad (*) \\
\text{eV} &= 290.3544 \cdot 10^{-30} \\
\hbar^{21} &= 1.000000 \quad (***) \\
\lambda_{\text{yellow}} &= 0.01003582 \cdot 10^{30} \quad (*) \\
k_{\text{yellow}}^{22} &= 626.0757 \cdot 10^{-30} \\
k_{\text{X-Ray}}^{23} &= 3415.198 \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} M &= 10^{-20} = 0.03670649 m_p \\
1 \text{ni'ure-} M &= 10^{-20} = 67.39872 m_e \\
1 Q &= 1 = 3.302269 e \\
1 \text{re-} L &= 10^{20} = 0.00005729475 \text{\AA} \\
1 \text{re-} L &= 10^{20} = 0.0001082714 a_0 \\
1 &= 1 = 137.0360 \alpha \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.0002531343 Ry \\
1 \text{ni'uze-} \frac{1}{L^3} &= 10^{-70} = 247.5192 \rho_{\max} \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.003444067 \text{eV} \\
1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\
1 \text{ci-} L &= 10^{30} = 99.64304 \cdot \lambda_{\text{yellow}} \quad (*) \\
1 \text{ni'uci-} \frac{1}{L} &= 10^{-30} = 0.001597251 \cdot k_{\text{yellow}} \\
1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 0.0002928088 \cdot k_{\text{X-Ray}}
\end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/10 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\tilde{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

Earth g = $0.01018248 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo-} \frac{ML}{T^2} = 10^{-40} = 98.20793 \cdot \text{Earth g}$
cm = $174.5361 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.005729475 \text{ cm}$
min = $31394.76 \cdot 10^{40}$	$1 \text{ vo-}T = 10^{40} = 0.00003185245 \text{ min}$
hour = $0.0001883685 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 5308.742 \text{ h}$
Liter = $0.5316864 \cdot 10^{100}$	$1 \text{ pano-}L^3 = 10^{100} = 1.880808 l$
Area of a soccer field = $217.5047 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.004597603 A$
$100 \text{ m}^2$ <sup>24</sup> = $3.046284 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.3282688 \cdot 100 \text{ m}^2$
km/h = $9.265669 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$
mi/h = $14.91165 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$
inch <sup>25</sup> = $443.3216 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.002255699 \text{ in } (*)$
mile = $0.002808809 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 356.0228 \text{ mi}$
pound = $0.007387970 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 135.3552 \text{ pound}$
horsepower = $25.82713 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.03871897 \text{ horsepower}$
kcal = $75875.26 \cdot 10^{-10}$	$1 \frac{ML^2}{T^2} = 1 = 131795.3 \text{ kcal}$
kWh = $0.006524098 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 153.2779 \text{ kWh}$
Typical household electric field = $0.4219499 \cdot 10^{-60}$ (*)	$1 \text{ ni}'\text{uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 2.369950 E_H \text{ (*)}$
<i>Earthmagneticfield</i> = $790.5285 \cdot 10^{-60}$	$1 \text{ ni}'\text{uxa-} \frac{M}{TQ} = 10^{-60} = 0.001264977 \cdot \text{Earthmagneticfield}$
Height of an average man <sup>26</sup> = $30892.88 \cdot 10^{30}$	$1 \text{ vo-}L = 10^{40} = 323699.1 \bar{h} \text{ (*)}$
Mass of an average man = $1.140138 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 0.8770868 \bar{m}$
Age of the Universe = $0.003467530 \cdot 10^{60}$	$1 \text{ xa-}T = 10^{60} = 288.3897 t_U$
Size of the observable Universe = $15.35917 \cdot 10^{60}$	$1 \text{ xa-}L = 10^{60} = 0.06510767 l_U$
Average density of the Universe = $3032.767 \cdot 10^{-130}$	$1 \text{ ni}'\text{upaci-} \frac{M}{L^3} = 10^{-130} = 0.0003297319 \rho_U$
Earth mass = $972.7005 \cdot 10^{30}$ (*)	$1 \text{ ci-}M = 10^{30} = 0.001028066 m_E$
Sun mass <sup>27</sup> = $0.03239490 \cdot 10^{40}$	$1 \text{ vo-}M = 10^{40} = 30.86905 m_S$
Year = $1.651205 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 0.6056184 \text{ y}$
Speed of Light = 1.000000 (***)	$1 \frac{L}{T} = 1 = 1.000000 c \text{ (***)}$
Parsec = $5.385659 \cdot 10^{50}$	$1 \text{ mu-}L = 10^{50} = 0.1856783 \text{ pc}$
Astronomical unit = $261102.2 \cdot 10^{40}$	$1 \text{ mu-}L = 10^{50} = 38299.17 \text{ au } (*)$
Earth radius = $11.11969 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 0.08993054 r_E \text{ (*)}$
Distance Earth-Moon = $670.9166 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 0.001490498 d_M$
<i>Momentum of someone walking</i> <sup>28</sup> = $709.0048 \cdot 10^0$ (*)	$1 \frac{ML}{T} = 1 = 0.001410428 \cdot \text{Momentum of someone walking}$
Stefan-Boltzmann constant = $0.1644934 \cdot 10^0$	$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$
mol = $6022.141 \cdot 10^{20}$	$1 \text{ re-} = 10^{20} = 0.0001660539 \text{ mol}$
Standard temperature <sup>29</sup> = $6.834432 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci-} \Theta = 10^{-30} = 0.1463179 T_0$
Room - standard temperature <sup>30</sup> = $0.5004161 \cdot 10^{-30}$ (*)	$1 \text{ ni}'\text{uci-} \Theta = 10^{-30} = 1.998337 \Theta_R \text{ (*)}$
atm = $3453.656 \cdot 10^{-110}$	$1 \text{ ni}'\text{upapa-} \frac{M}{LT^2} = 10^{-110} = 0.0002895483 \text{ atm}$
$c_s = 11441.25 \cdot 10^{-10}$	$1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$
$\mu_0 = 1.000000 \text{ (***)}$	$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0 \text{ (***)}$
$G = 0.07957747 \cdot 10^0$	$1 \frac{I^3}{MT^2} = 1 = 12.56637 \cdot G$

## Extensive list of SI units

---

1 = 1.000000 (\*\*\*)

1 = 1 = 1.000000 (\*\*\*)

<sup>24</sup>Size of a home<sup>25</sup>36 in = 1 yd = 3 ft<sup>26</sup>in developed countries<sup>27</sup>The Schwarzschild radius of a mass M is  $2GM$ <sup>28</sup>p<sup>29</sup>0°C measured from absolute zero<sup>30</sup>20 °C

$1 \frac{1}{\text{s}} = 0.001911147 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{T} = 10^{-40} = 523.2460 \frac{1}{\text{s}}$
$1 \frac{1}{\text{s}^2} = 36524.83 \cdot 10^{-90}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2} = 10^{-80} = 273786.3 \frac{1}{\text{s}^2}$
$1 \text{s} = 523.2460 \cdot 10^{40}$	$1 \text{vo-}T = 10^{40} = 0.001911147 \text{ s}$
$1 \text{m} = 17453.61 \cdot 10^{30}$	$1 \text{vo-}L = 10^{40} = 572947.5 \text{ m}$
$1 \frac{\text{m}}{\text{s}} = 33.35641 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{L}{T} = 10^{-10} = 0.02997925 \frac{\text{m}}{\text{s}} \quad (*)$
$1 \frac{\text{m}}{\text{s}^2} = 0.06374901 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2} = 10^{-50} = 15.68652 \frac{\text{m}}{\text{s}^2}$
$1 \text{m s} = 0.0009132529 \cdot 10^{80}$	$1 \text{bi-}LT = 10^{80} = 1094.987 \text{ ms}$
$1 \text{m}^2 = 0.03046284 \cdot 10^{70}$	$1 \text{ze-}L^2 = 10^{70} = 32.82688 \text{ m}^2$
$1 \frac{\text{m}^2}{\text{s}} = 582189.6 \cdot 10^{20}$	$1 \text{ci-}\frac{L^2}{T} = 10^{30} = 17176.53 \frac{\text{m}^2}{\text{s}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 1112.650 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m}^2 \text{s} = 15.93956 \cdot 10^{110}$	$1 \text{papa-}L^2T = 10^{110} = 0.06273700 \text{ m}^2 \text{s} \quad (*)$
$1 \frac{1}{\text{m}} = 572947.5 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{1}{L} = 10^{-30} = 17453.61 \frac{1}{\text{m}}$
$1 \frac{1}{\text{m s}} = 1094.987 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{LT} = 10^{-80} = 0.0009132529 \frac{1}{\text{m s}}$
$1 \frac{1}{\text{m s}^2} = 2.092681 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{1}{L^2T^2} = 10^{-120} = 0.4778559 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}} = 0.02997925 \cdot 10^{10} \quad (*)$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 33.35641 \frac{\text{s}}{\text{m}}$
$1 \frac{1}{\text{m}^2} = 32.82688 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{1}{L^2} = 10^{-70} = 0.03046284 \frac{1}{\text{m}^2}$
$1 \frac{1}{\text{m}^2 \text{s}} = 0.06273700 \cdot 10^{-110} \quad (*)$	$1 \text{ni}'\text{upapa}-\frac{1}{L^2T} = 10^{-110} = 15.93956 \frac{1}{\text{m}^2 \text{s}}$
$1 \frac{1}{\text{m}^2 \text{s}^2} = 0.0001198996 \cdot 10^{-150} \quad (*)$	$1 \text{ni}'\text{upamu}-\frac{1}{L^2T^2} = 10^{-150} = 8340.309 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^2} = 17176.53 \cdot 10^{-30}$	$1 \text{ni}'\text{ure}-\frac{T}{L^2} = 10^{-20} = 582189.6 \frac{\text{s}}{\text{m}^2}$
$1 \frac{1}{\text{m}^3} = 0.001880808 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{1}{L^3} = 10^{-100} = 531.6864 \frac{1}{\text{m}^3}$
$1 \frac{1}{\text{m}^3 \text{s}} = 35945.01 \cdot 10^{-150}$	$1 \text{ni}'\text{upavo}-\frac{1}{L^3T} = 10^{-140} = 278202.8 \frac{1}{\text{m}^3 \text{s}}$
$1 \frac{1}{\text{m}^3 \text{s}^2} = 68.69620 \cdot 10^{-190}$	$1 \text{ni}'\text{upaso}-\frac{1}{L^3T^2} = 10^{-190} = 0.01455685 \frac{1}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^3} = 0.9841252 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{T}{L^3} = 10^{-60} = 1.016131 \frac{\text{s}}{\text{m}^3}$
$1 \text{kg} = 0.01628769 \cdot 10^{10}$	$1 \text{pa-}M = 10^{10} = 61.39608 \text{ kg}$
$1 \frac{\text{kg}}{\text{s}} = 311281.6 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 32125.25 \frac{\text{kg}}{\text{s}}$
$1 \frac{\text{kg}}{\text{s}^2} = 594.9050 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{T^2} = 10^{-80} = 0.001680941 \frac{\text{kg}}{\text{s}^2}$
$1 \text{kg s} = 8.522465 \cdot 10^{50}$	$1 \text{mu-}MT = 10^{50} = 0.1173369 \text{ kg s}$
$1 \text{kg m} = 284.2788 \cdot 10^{40}$	$1 \text{vo-}ML = 10^{40} = 0.003517673 \text{ kg m}$
$1 \frac{\text{kg m}}{\text{s}} = 0.5432987 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 1.840608 \frac{\text{kg m}}{\text{s}}$
$1 \frac{\text{kg m}}{\text{s}^2} = 0.001038324 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{ML}{T^2} = 10^{-40} = 963.0908 \frac{\text{kg m}}{\text{s}^2}$
$1 \text{kg m s} = 148747.8 \cdot 10^{80}$	$1 \text{so-}MLT = 10^{90} = 67227.90 \text{ kg m s}$
$1 \text{kg m}^2 = 0.0004961691 \cdot 10^{80}$	$1 \text{bi-}ML^2 = 10^{80} = 2015.442 \text{ kg m}^2$
$1 \frac{\text{kg m}^2}{\text{s}} = 9482.522 \cdot 10^{30}$	$1 \text{ci-}\frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{\text{kg m}^2}{\text{s}}$
$1 \frac{\text{kg m}^2}{\text{s}^2} = 18.12249 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.05518004 \frac{\text{kg m}^2}{\text{s}^2} \quad (*)$
$1 \text{kg m}^2 \text{s} = 0.2596185 \cdot 10^{120}$	$1 \text{pare-}ML^2T = 10^{120} = 3.851806 \text{ kg m}^2 \text{s}$
$1 \frac{\text{kg}}{\text{m}} = 9331.988 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{M}{L} = 10^{-30} = 0.0001071583 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 17.83480 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{LT} = 10^{-70} = 0.05607015 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m s}^2} = 0.03408493 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^2T^2} = 10^{-110} = 29.33848 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.0004882925 \cdot 10^{20}$	$1 \text{re-}\frac{MT}{L} = 10^{20} = 2047.953 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.5346739 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M}{L^2} = 10^{-60} = 1.870299 \frac{\text{kg}}{\text{m}^2} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.001021841 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{L^2T} = 10^{-100} = 978.6263 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 19528.88 \cdot 10^{-150}$	$1 \text{ni}'\text{upavo}-\frac{M}{L^2T^2} = 10^{-140} = 512062.3 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 279.7660 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.003574416 \frac{\text{kg}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 306340.1 \cdot 10^{-100}$	$1 \text{ni}'\text{uso}-\frac{M}{L^3} = 10^{-90} = 32643.46 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 585.4610 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{M}{L^3T} = 10^{-140} = 0.001708056 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 1.118902 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{M}{L^3T^2} = 10^{-180} = 0.8937333 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.01602912 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{MT}{L^3} = 10^{-50} = 62.38645 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 52.90818 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.01890067 \frac{1}{\text{C}} \quad (*)$
$1 \frac{1}{\text{s C}} = 0.1011153 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{1}{TQ} = 10^{-60} = 9.889699 \frac{1}{\text{s C}} \quad (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.0001932462 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{1}{T^2Q} = 10^{-100} = 5174.745 \frac{1}{\text{s}^2 \text{C}}$

$1 \frac{s}{C} = 27683.99 \cdot 10^{20}$	(*)	$1 \text{re-} \frac{T}{Q} = 10^{20} = 0.00003612196 \frac{s}{C}$
$1 \frac{m}{C} = 0.00009234385 \cdot 10^{20}$		$1 \text{re-} \frac{L}{Q} = 10^{20} = 10829.09 \frac{m}{C}$
$1 \frac{m}{sC} = 1764.827 \cdot 10^{-30}$		$1 \text{ni'uci-} \frac{L}{TQ} = 10^{-30} = 0.0005666278 \frac{m}{sC}$
$1 \frac{m}{s^2C} = 3.372844 \cdot 10^{-70}$		$1 \text{ni'uze-} \frac{L}{T^2Q} = 10^{-70} = 0.2964857 \frac{m}{s^2C}$
$1 \frac{m}{C} = 0.04831855 \cdot 10^{60}$		$1 \text{xa-} \frac{LT}{Q} = 10^{60} = 20.69599 \frac{m}{s}$
$1 \frac{m^2}{C} = 1.611733 \cdot 10^{50}$		$1 \text{mu-} \frac{L^2}{Q} = 10^{50} = 0.6204501 \frac{m^2}{C}$
$1 \frac{m^2}{sC} = 0.003080259 \cdot 10^{10}$		$1 \text{pa-} \frac{L^2}{TQ} = 10^{10} = 324.6480 \frac{m^2}{sC}$
$1 \frac{m^2}{s^2C} = 58868.29 \cdot 10^{-40}$		$1 \text{ni'uvo-} \frac{L^2}{T^2Q} = 10^{-40} = 0.00001698708 \frac{m^2}{s^2C}$
$1 \frac{m^2}{C} = 843.3329 \cdot 10^{90}$		$1 \text{so-} \frac{L^2T}{Q} = 10^{90} = 0.001185771 \frac{m^2}{C}$
$1 \frac{1}{mC} = 0.003031361 \cdot 10^{-50}$		$1 \text{ni'umu-} \frac{1}{LQ} = 10^{-50} = 329.8849 \frac{1}{mC}$
$1 \frac{1}{msC} = 57933.76 \cdot 10^{-100}$		$1 \text{ni'upano-} \frac{1}{LTQ} = 10^{-100} = 0.00001726109 \frac{1}{msC}$
$1 \frac{1}{ms^2C} = 110.7199 \cdot 10^{-140}$	(*)	$1 \text{ni'upavo-} \frac{1}{LT^2Q} = 10^{-140} = 0.009031797 \frac{1}{ms^2C}$
$1 \frac{s}{mC} = 1.586147 \cdot 10^{-10}$		$1 \text{ni'upa-} \frac{T}{LQ} = 10^{-10} = 0.6304585 \frac{s}{mC}$
$1 \frac{1}{m^2C} = 1736.811 \cdot 10^{-90}$		$1 \text{ni'uso-} \frac{1}{L^2Q} = 10^{-90} = 0.0005757681 \frac{1}{m^2C}$
$1 \frac{1}{m^2sC} = 3.319300 \cdot 10^{-130}$	(*)	$1 \text{ni'upaci-} \frac{1}{L^2TQ} = 10^{-130} = 0.3012683 \frac{1}{m^2sC}$
$1 \frac{1}{m^2s^2C} = 0.006343671 \cdot 10^{-170}$		$1 \text{ni'upaze-} \frac{1}{L^2T^2Q} = 10^{-170} = 157.6374 \frac{1}{m^2s^2C}$
$1 \frac{s}{m^2C} = 0.00009087791 \cdot 10^{-40}$		$1 \text{ni'uvo-} \frac{T}{L^2Q} = 10^{-40} = 11003.77 \frac{s}{m^2C}$
$1 \frac{1}{m^3C} = 0.09951012 \cdot 10^{-120}$	(*)	$1 \text{ni'upare-} \frac{1}{L^3Q} = 10^{-120} = 10.04923 \frac{1}{m^3C}$
$1 \frac{1}{m^3sC} = 0.0001901785 \cdot 10^{-160}$		$1 \text{ni'upaxa-} \frac{1}{L^3TQ} = 10^{-160} = 5258.218 \frac{1}{m^3sC}$
$1 \frac{1}{m^3s^2C} = 3634.591 \cdot 10^{-210}$		$1 \text{ni'urepa-} \frac{1}{L^3T^2Q} = 10^{-210} = 0.0002751342 \frac{1}{m^3s^2C}$
$1 \frac{s}{m^3C} = 52.06827 \cdot 10^{-80}$		$1 \text{ni'ubi-} \frac{T}{L^3Q} = 10^{-80} = 0.01920555 \frac{s}{m^3C}$
$1 \frac{kg}{C} = 0.8617517 \cdot 10^{-10}$		$1 \text{ni'upa-} \frac{M}{Q} = 10^{-10} = 1.160427 \frac{kg}{C}$
$1 \frac{kg}{sC} = 0.001646934 \cdot 10^{-50}$		$1 \text{ni'umu-} \frac{M}{TQ} = 10^{-50} = 607.1888 \frac{kg}{sC}$
$1 \frac{kg}{s^2C} = 31475.34 \cdot 10^{-100}$		$1 \text{ni'upano-} \frac{M}{T^2Q} = 10^{-100} = 0.00003177091 \frac{kg}{s^2C}$
$1 \frac{kg}{C} = 450.9081 \cdot 10^{30}$		$1 \text{ci-} \frac{MT}{Q} = 10^{30} = 0.002217747 \frac{kg}{C}$
$1 \frac{kgm}{C} = 15040.68 \cdot 10^{20}$		$1 \text{re-} \frac{ML}{Q} = 10^{20} = 0.00006648638 \frac{kgm}{C}$
$1 \frac{kgm}{sC} = 28.74494 \cdot 10^{-20}$		$1 \text{ni'ure-} \frac{ML}{TQ} = 10^{-20} = 0.03478873 \frac{kgm}{sC}$
$1 \frac{kgm}{s^2C} = 0.05493582 \cdot 10^{-60}$		$1 \text{ni'uxa-} \frac{ML}{T^2Q} = 10^{-60} = 18.20306 \frac{kgm}{s^2C}$
$1 \frac{kgs}{C} = 0.0007869973 \cdot 10^{70}$	(*)	$1 \text{ze-} \frac{MLT}{Q} = 10^{70} = 1270.652 \frac{kgs}{C}$
$1 \frac{kgm^2}{C} = 0.02625140 \cdot 10^{60}$		$1 \text{xa-} \frac{ML^2}{Q} = 10^{60} = 38.09320 \frac{kgm^2}{C}$
$1 \frac{kgm^2}{sC} = 0.00005017029 \cdot 10^{20}$		$1 \text{re-} \frac{ML^2}{TQ} = 10^{20} = 19932.11 \frac{kgm^2}{sC}$
$1 \frac{kgm^2}{s^2C} = 958.8281 \cdot 10^{-30}$		$1 \text{ni'uci-} \frac{ML^2}{T^2Q} = 10^{-30} = 0.001042940 \frac{kgm^2}{s^2C}$
$1 \frac{kgm^2s}{C} = 13.73594 \cdot 10^{100}$		$1 \text{pano-} \frac{ML^2T}{Q} = 10^{100} = 0.07280171 \frac{kgm^2s}{C}$
$1 \frac{kg}{mC} = 0.00004937385 \cdot 10^{-40}$		$1 \text{ni'uvo-} \frac{M}{LQ} = 10^{-40} = 20253.64 \frac{kg}{mC}$
$1 \frac{kg}{msC} = 943.6069 \cdot 10^{-90}$		$1 \text{ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.001059763 \frac{kg}{msC}$
$1 \frac{kg}{ms^2C} = 1.803372 \cdot 10^{-130}$		$1 \text{ni'upaci-} \frac{M}{LT^2Q} = 10^{-130} = 0.5545169 \frac{kg}{ms^2C}$
$1 \frac{kgs}{mC} = 0.02583467 \cdot 10^0$		$1 \frac{MT}{LQ} = 1 = 38.70768 \frac{kg}{mC}$
$1 \frac{kg}{m^2C} = 28.28862 \cdot 10^{-80}$		$1 \text{ni'ubi-} \frac{M}{L^2Q} = 10^{-80} = 0.03534990 \frac{kg}{m^2C}$
$1 \frac{kg}{m^2sC} = 0.05406372 \cdot 10^{-120}$		$1 \text{ni'upare-} \frac{M}{L^2TQ} = 10^{-120} = 18.49669 \frac{kg}{m^2sC}$
$1 \frac{kg}{m^2s^2C} = 0.0001033237 \cdot 10^{-160}$		$1 \text{ni'upaxa-} \frac{M}{L^2T^2Q} = 10^{-160} = 9678.320 \frac{kg}{m^2s^2C}$
$1 \frac{kgs}{m^2C} = 14801.91 \cdot 10^{-40}$		$1 \text{ni'uvo-} \frac{MT}{L^2Q} = 10^{-40} = 0.00006755886 \frac{kg}{m^2C}$
$1 \frac{kg}{m^3C} = 0.001620790 \cdot 10^{-110}$		$1 \text{ni'upapa-} \frac{M}{L^3Q} = 10^{-110} = 616.9833 \frac{kg}{m^3C}$
$1 \frac{kg}{m^3sC} = 30975.67 \cdot 10^{-160}$		$1 \text{ni'upaxa-} \frac{M}{L^3TQ} = 10^{-160} = 0.00003228340 \frac{kg}{m^3sC}$
$1 \frac{kg}{m^3s^2C} = 59.19907 \cdot 10^{-200}$	(*)	$1 \text{ni'ureno-} \frac{M}{L^3T^2Q} = 10^{-200} = 0.01689216 \frac{kg}{m^3s^2C}$
$1 \frac{kgs}{m^3C} = 0.8480716 \cdot 10^{-70}$		$1 \text{ni'uze-} \frac{MT}{L^3Q} = 10^{-70} = 1.179146 \frac{kg}{m^3C}$
$1 C = 0.01890067 \cdot 10^{20}$	(*)	$1 \text{re-} Q = 10^{20} = 52.90818 C$
$1 \frac{C}{s} = 0.00003612196 \cdot 10^{-20}$		$1 \text{ni'ure-} \frac{Q}{T} = 10^{-20} = 27683.99 \frac{C}{s}$

$1 \frac{C}{s^2} = 690.3438 \cdot 10^{-70}$	$1 ni'uze-\frac{Q}{T^2} = 10^{-70} = 0.001448554 \frac{C}{s^2}$
$1 s\text{ C} = 9.889699 \cdot 10^{60} \quad (*)$	$1 xa-TQ = 10^{60} = 0.1011153 \text{ s C}$
$1 m\text{ C} = 329.8849 \cdot 10^{50}$	$1 mu-LQ = 10^{50} = 0.003031361 \text{ m C}$
$1 \frac{m\text{ C}}{s} = 0.6304585 \cdot 10^{10}$	$1 pa-\frac{LQ}{T} = 10^{10} = 1.586147 \frac{m\text{ C}}{s}$
$1 \frac{m\text{ C}}{s^2} = 0.001204899 \cdot 10^{-30} \quad (*)$	$1 ni'uci-\frac{LQ}{T^2} = 10^{-30} = 829.9451 \frac{m\text{ C}}{s^2}$
$1 m\text{ s C} = 0.00001726109 \cdot 10^{100}$	$1 pano-LTQ = 10^{100} = 57933.76 \text{ m s C}$
$1 m^2\text{ C} = 0.0005757681 \cdot 10^{90}$	$1 so-L^2Q = 10^{90} = 1736.811 \text{ m}^2\text{ C}$
$1 \frac{m^2\text{ C}}{s} = 11003.77 \cdot 10^{40} \quad (*)$	$1 vo-\frac{L^2Q}{T} = 10^{40} = 0.00009087791 \frac{\text{m}^2\text{ C}}{s}$
$1 \frac{m^2\text{ C}}{s^2} = 21.02983 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 0.04755150 \frac{\text{m}^2\text{ C}}{s^2}$
$1 m^2\text{ s C} = 0.3012683 \cdot 10^{130}$	$1 paci-L^2TQ = 10^{130} = 3.319300 \text{ m}^2\text{ s C} \quad (*)$
$1 \frac{C}{m} = 10829.09 \cdot 10^{-20}$	$1 ni'ure-\frac{Q}{L} = 10^{-20} = 0.00009234385 \frac{C}{m}$
$1 \frac{C}{m\text{ s}} = 20.69599 \cdot 10^{-60} \quad (*)$	$1 ni'uxa-\frac{Q}{LT} = 10^{-60} = 0.04831855 \frac{C}{m\text{ s}}$
$1 \frac{C}{m\text{ s}^2} = 0.03955308 \cdot 10^{-100}$	$1 ni'upano-\frac{Q}{LT^2} = 10^{-100} = 25.28248 \frac{C}{m\text{ s}^2}$
$1 \frac{s\text{ C}}{m} = 0.0005666278 \cdot 10^{30}$	$1 ci-\frac{TQ}{L} = 10^{30} = 1764.827 \frac{\text{s C}}{m}$
$1 \frac{C}{m^2} = 0.6204501 \cdot 10^{-50}$	$1 ni'umu-\frac{Q}{L^2} = 10^{-50} = 1.611733 \frac{C}{\text{m}^2}$
$1 \frac{C}{m^2\text{ s}} = 0.001185771 \cdot 10^{-90}$	$1 ni'uso-\frac{Q}{L^2T} = 10^{-90} = 843.3329 \frac{C}{\text{m}^2\text{ s}}$
$1 \frac{C}{m^2\text{ s}^2} = 22661.84 \cdot 10^{-140}$	$1 ni'upavo-\frac{Q}{L^2T^2} = 10^{-140} = 0.00004412705 \frac{C}{\text{m}^2\text{ s}^2}$
$1 \frac{s\text{ C}}{m^2} = 324.6480 \cdot 10^{-10}$	$1 ni'upa-\frac{Q}{L^2} = 10^{-10} = 0.003080259 \frac{\text{s C}}{\text{m}^2}$
$1 \frac{C}{m^3} = 0.00003554853 \cdot 10^{-80}$	$1 ni'ubi-\frac{Q}{L^3} = 10^{-80} = 28130.56 \frac{C}{\text{m}^3}$
$1 \frac{C}{m^3\text{ s}} = 679.3847 \cdot 10^{-130}$	$1 ni'upaci-\frac{Q}{L^3T} = 10^{-130} = 0.001471920 \frac{C}{\text{m}^3\text{ s}}$
$1 \frac{C}{m^3\text{ s}^2} = 1.298404 \cdot 10^{-170}$	$1 ni'upaze-\frac{Q}{L^3T^2} = 10^{-170} = 0.7701762 \frac{C}{\text{m}^3\text{ s}^2}$
$1 \frac{s\text{ C}}{m^3} = 0.01860063 \cdot 10^{-40} \quad (*)$	$1 ni'uvo-\frac{TQ}{L^3} = 10^{-40} = 53.76163 \frac{\text{s C}}{\text{m}^3}$
$1 kg\text{ C} = 0.0003078482 \cdot 10^{30}$	$1 ci-MQ = 10^{30} = 3248.355 \text{ kg C}$
$1 \frac{kg\text{ C}}{s} = 5883.431 \cdot 10^{-20}$	$1 ni'ure-\frac{MQ}{T} = 10^{-20} = 0.0001699688 \frac{kg\text{ C}}{s} \quad (*)$
$1 \frac{kg\text{ C}}{s^2} = 11.24410 \cdot 10^{-60}$	$1 ni'uxa-\frac{MQ}{T^2} = 10^{-60} = 0.08893551 \frac{kg\text{ C}}{s^2}$
$1 kg\text{ s C} = 0.1610803 \cdot 10^{70}$	$1 ze-MTQ = 10^{70} = 6.208084 \text{ kg s C}$
$1 kg\text{ m C} = 5.373061 \cdot 10^{60}$	$1 xa-MLQ = 10^{60} = 0.1861137 \text{ kg m C}$
$1 \frac{kg\text{ m C}}{s} = 0.01026871 \cdot 10^{20}$	$1 re-\frac{MLQ}{T} = 10^{20} = 97.38322 \frac{kg\text{ m C}}{s}$
$1 \frac{kg\text{ m C}}{s^2} = 0.00001962501 \cdot 10^{-20}$	$1 ni'ure-\frac{MLQ}{T^2} = 10^{-20} = 50955.38 \frac{kg\text{ m C}}{s^2}$
$1 kg\text{ m s C} = 2811.432 \cdot 10^{100}$	$1 pano-MLTQ = 10^{100} = 0.0003556906 \text{ kg m s C}$
$1 kg\text{ m}^2\text{ C} = 93779.29 \cdot 10^{90}$	$1 pano-ML^2Q = 10^{100} = 106633.4 \text{ kg m}^2\text{ C}$
$1 \frac{kg\text{ m}^2\text{ C}}{s} = 179.2260 \cdot 10^{50}$	$1 mu-\frac{ML^2Q}{T} = 10^{50} = 0.005579547 \frac{kg\text{ m}^2\text{ C}}{s}$
$1 \frac{kg\text{ m}^2\text{ C}}{s^2} = 0.3425273 \cdot 10^{10}$	$1 pa-\frac{ML^2Q}{T^2} = 10^{10} = 2.919476 \frac{kg\text{ m}^2\text{ C}}{s^2}$
$1 kg\text{ m}^2\text{ s C} = 0.004906963 \cdot 10^{140}$	$1 pavo-ML^2TQ = 10^{140} = 203.7920 \text{ kg m}^2\text{ s C}$
$1 \frac{kg\text{ C}}{m} = 176.3808 \cdot 10^{-10}$	$1 ni'upa-\frac{MQ}{L} = 10^{-10} = 0.005669550 \frac{kg\text{ C}}{m}$
$1 \frac{kg\text{ C}}{m\text{ s}} = 0.3370897 \cdot 10^{-50}$	$1 ni'umu-\frac{MQ}{LT} = 10^{-50} = 2.966569 \frac{kg\text{ C}}{m\text{ s}}$
$1 \frac{kg\text{ C}}{m\text{ s}^2} = 0.0006442280 \cdot 10^{-90}$	$1 ni'uso-\frac{MQ}{LT^2} = 10^{-90} = 1552.245 \frac{kg\text{ C}}{m\text{ s}^2}$
$1 \frac{kg\text{ s C}}{m} = 92290.56 \cdot 10^{30}$	$1 vo-\frac{MTQ}{L} = 10^{40} = 108353.4 \frac{kg\text{ s C}}{m}$
$1 \frac{kg\text{ C}}{m^2} = 0.01010570 \cdot 10^{-40}$	$1 ni'uvo-\frac{MQ}{L^2} = 10^{-40} = 98.95410 \frac{kg\text{ C}}{m^2}$
$1 \frac{kg\text{ C}}{m^2\text{ s}} = 0.00001931347 \cdot 10^{-80}$	$1 ni'ubi-\frac{MQ}{L^2T} = 10^{-80} = 51777.33 \frac{kg\text{ C}}{m^2\text{ s}}$
$1 \frac{kg\text{ C}}{m^2\text{ s}^2} = 369.1088 \cdot 10^{-130}$	$1 ni'upaci-\frac{MQ}{L^2T^2} = 10^{-130} = 0.002709228 \frac{kg\text{ C}}{m^2\text{ s}^2}$
$1 \frac{kg\text{ s C}}{m^2} = 5.287764$	$1 \frac{MTQ}{L^2} = 1 = 0.1891158 \frac{kg\text{ s C}}{m^2}$
$1 \frac{kg\text{ C}}{m^3} = 5790.033 \cdot 10^{-80}$	$1 ni'ubi-\frac{MQ}{L^3} = 10^{-80} = 0.0001727106 \frac{kg\text{ C}}{m^3}$
$1 \frac{kg\text{ C}}{m^3\text{ s}} = 11.06560 \cdot 10^{-120}$	$1 ni'upare-\frac{MQ}{L^3T} = 10^{-120} = 0.09037012 \frac{kg\text{ C}}{m^3\text{ s}}$
$1 \frac{kg\text{ C}}{m^3\text{ s}^2} = 0.02114800 \cdot 10^{-160} \quad (*)$	$1 ni'upaxa-\frac{MQ}{L^3T^2} = 10^{-160} = 47.28580 \frac{kg\text{ C}}{m^3\text{ s}^2}$
$1 \frac{kg\text{ s C}}{m^3} = 0.0003029611 \cdot 10^{-30}$	$1 ni'uci-\frac{MTQ}{L^3} = 10^{-30} = 3300.753 \frac{kg\text{ s C}}{m^3} \quad (*)$
$1 \frac{1}{K} = 39.96674 \cdot 10^{30}$	$1 ci-\frac{1}{\Theta} = 10^{30} = 0.02502080 \frac{1}{K}$
$1 \frac{1}{s\text{ K}} = 0.07638233 \cdot 10^{-10}$	$1 ni'upa-\frac{1}{T\Theta} = 10^{-10} = 13.09203 \frac{1}{s\text{ K}}$
$1 \frac{1}{s^2\text{ K}} = 0.0001459779 \cdot 10^{-50}$	$1 ni'umu-\frac{1}{T^2\Theta} = 10^{-50} = 6850.354 \frac{1}{s^2\text{ K}}$
$1 \frac{s}{K} = 20912.44 \cdot 10^{70}$	$1 bi-\frac{T}{\Theta} = 10^{80} = 478184.3 \frac{s}{K}$

$1 \frac{m}{K} = 697563.8 \cdot 10^{60}$	$1 ze \cdot \frac{L}{\Theta} = 10^{70} = 14335.61 \frac{m}{K}$
$1 \frac{m}{sK} = 1333.147 \cdot 10^{20}$	$1 re \cdot \frac{L}{T\Theta} = 10^{20} = 0.0007501048 \frac{m}{sK}$
$1 \frac{m}{s^2K} = 2.547840 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{L}{T^2\Theta} = 10^{-20} = 0.3924893 \frac{m}{s^2K}$
$1 \frac{ms}{K} = 0.03649974 \cdot 10^{110}$ (*)	$1 papa \cdot \frac{LT}{\Theta} = 10^{110} = 27.39745 \frac{ms}{K}$
$1 \frac{m^2}{K} = 1.217500 \cdot 10^{100}$ (*)	$1 pano \cdot \frac{L^2}{\Theta} = 10^{100} = 0.8213549 \frac{m^2}{K}$
$1 \frac{m^2}{sK} = 0.002326822 \cdot 10^{60}$	$1 xa \cdot \frac{L^2}{T\Theta} = 10^{60} = 429.7707 \frac{m^2}{sK}$
$1 \frac{m^2}{s^2K} = 44469.00 \cdot 10^{10}$ (*)	$1 re \cdot \frac{L^2}{T^2\Theta} = 10^{20} = 224875.8 \frac{m^2}{s^2K}$
$1 \frac{m^2s}{K} = 637.0522 \cdot 10^{140}$	$1 pavo \cdot \frac{L^2T}{\Theta} = 10^{140} = 0.001569730 \frac{m^2s}{K}$
$1 \frac{1}{mK} = 0.002289885 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.7032 \frac{1}{mK}$
$1 \frac{1}{msK} = 43763.06 \cdot 10^{-50}$	$1 ni'uv \cdot \frac{1}{LT\Theta} = 10^{-40} = 228503.2 \frac{1}{msK}$
$1 \frac{1}{ms^2K} = 83.63765 \cdot 10^{-90}$	$1 ni'uso \cdot \frac{1}{LT^2\Theta} = 10^{-90} = 0.01195634 \frac{1}{ms^2K}$
$1 \frac{s}{mK} = 1.198173 \cdot 10^{40}$	$1 vo \cdot \frac{T}{L\Theta} = 10^{40} = 0.8346041 \frac{s}{mK}$
$1 \frac{1}{m^2K} = 1311.984 \cdot 10^{-40}$	$1 ni'uv \cdot \frac{1}{L^2\Theta} = 10^{-40} = 0.0007622047 \frac{1}{m^2K}$
$1 \frac{1}{m^2sK} = 2.507394 \cdot 10^{-80}$	$1 ni'ubi \cdot \frac{1}{L^2T\Theta} = 10^{-80} = 0.3988205 \frac{1}{m^2sK}$
$1 \frac{1}{m^2s^2K} = 0.004791998 \cdot 10^{-120}$ (*)	$1 ni'upar \cdot \frac{1}{L^2T^2\Theta} = 10^{-120} = 208.6812 \frac{1}{m^2s^2K}$
$1 \frac{s}{m^2K} = 686490.1 \cdot 10^0$	$1 pa \cdot \frac{T}{L^2\Theta} = 10^{10} = 14566.85 \frac{s}{m^2K}$
$1 \frac{1}{m^3K} = 0.07516977 \cdot 10^{-70}$	$1 ni'uze \cdot \frac{1}{L^3\Theta} = 10^{-70} = 13.30322 \frac{1}{m^3K}$
$1 \frac{1}{m^3sK} = 0.0001436605 \cdot 10^{-110}$	$1 ni'upap \cdot \frac{1}{L^3T\Theta} = 10^{-110} = 6960.856 \frac{1}{m^3sK}$
$1 \frac{1}{m^3s^2K} = 2745.563 \cdot 10^{-160}$	$1 ni'upax \cdot \frac{1}{L^3T^2\Theta} = 10^{-160} = 0.0003642240 \frac{1}{m^3s^2K}$
$1 \frac{s}{m^3K} = 39.33228 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{T}{L^3\Theta} = 10^{-30} = 0.02542441 \frac{s}{m^3K}$
$1 \frac{kg}{K} = 0.6509657 \cdot 10^{40}$	$1 vo \cdot \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{kg}{K}$
$1 \frac{kg}{sK} = 0.001244091 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 803.7996 \frac{kg}{sK}$ (*)
$1 \frac{kg}{s^2K} = 23776.41 \cdot 10^{-50}$	$1 ni'uv \cdot \frac{M}{T^2\Theta} = 10^{-40} = 420584.9 \frac{kg}{s^2K}$
$1 \frac{kg s}{K} = 340.6152 \cdot 10^{80}$	$1 bi \cdot \frac{MT}{\Theta} = 10^{80} = 0.002935864 \frac{kg s}{K}$
$1 \frac{kg m}{K} = 11361.70 \cdot 10^{70}$	$1 bi \cdot \frac{ML}{\Theta} = 10^{80} = 880150.0 \frac{kg m}{K}$
$1 \frac{kg m}{sK} = 21.71388 \cdot 10^{30}$	$1 ci \cdot \frac{ML}{T\Theta} = 10^{30} = 0.04605349 \frac{kg m}{sK}$
$1 \frac{kg m}{s^2K} = 0.04149842 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{ML}{T^2\Theta} = 10^{-10} = 24.09730 \frac{kg m}{s^2K}$
$1 \frac{kg ms}{K} = 0.0005944963 \cdot 10^{120}$	$1 pare \cdot \frac{MLT}{\Theta} = 10^{120} = 1682.096 \frac{kg ms}{K}$
$1 \frac{kg m^2}{K} = 0.01983026 \cdot 10^{110}$	$1 papa \cdot \frac{ML^2}{\Theta} = 10^{110} = 50.42797 \frac{kg m^2}{K}$
$1 \frac{kg m^2}{sK} = 378985.5 \cdot 10^{60}$	$1 ze \cdot \frac{ML^2}{T\Theta} = 10^{70} = 26386.23 \frac{kg m^2}{sK}$
$1 \frac{kg m^2}{s^2K} = 724.2971 \cdot 10^{20}$	$1 re \cdot \frac{ML^2}{T^2\Theta} = 10^{20} = 0.001380649 \frac{kg m^2}{s^2K}$
$1 \frac{kg m^2s}{K} = 10.37611 \cdot 10^{150}$	$1 pamu \cdot \frac{ML^2T}{\Theta} = 10^{150} = 0.09637528 \frac{kg m^2s}{K}$
$1 \frac{kg}{mK} = 372969.2 \cdot 10^0$	$1 pa \cdot \frac{M}{L\Theta} = 10^{10} = 26811.87 \frac{kg}{mK}$
$1 \frac{kg}{msK} = 712.7990 \cdot 10^{-40}$ (*)	$1 ni'uv \cdot \frac{M}{LT\Theta} = 10^{-40} = 0.001402920 \frac{kg}{msK}$
$1 \frac{kg}{m^2K} = 1.362264 \cdot 10^{-80}$	$1 ni'ubi \cdot \frac{M}{LT^2\Theta} = 10^{-80} = 0.7340723 \frac{kg}{ms^2K}$
$1 \frac{kg s}{mK} = 0.01951546 \cdot 10^{50}$	$1 mu \cdot \frac{MT}{L\Theta} = 10^{50} = 51.24142 \frac{kg s}{mK}$
$1 \frac{kg}{m^2K} = 21.36918 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{M}{L^2\Theta} = 10^{-30} = 0.04679638 \frac{kg}{m^2K}$
$1 \frac{kg}{m^2sK} = 0.04083964 \cdot 10^{-70}$	$1 ni'uze \cdot \frac{M}{L^2T\Theta} = 10^{-70} = 24.48602 \frac{kg}{m^2sK}$
$1 \frac{kg}{m^2s^2K} = 780505.6 \cdot 10^{-120}$	$1 ni'upap \cdot \frac{M}{L^2T^2\Theta} = 10^{-110} = 12812.21 \frac{kg}{m^2s^2K}$
$1 \frac{kg s}{m^2K} = 11181.33 \cdot 10^{10}$	$1 re \cdot \frac{MT}{L^2\Theta} = 10^{20} = 894347.6 \frac{kg s}{m^2K}$
$1 \frac{kg}{m^3K} = 0.001224342 \cdot 10^{-60}$	$1 ni'uxa \cdot \frac{M}{L^3\Theta} = 10^{-60} = 816.7656 \frac{kg}{m^3K}$
$1 \frac{kg}{m^3sK} = 23398.97 \cdot 10^{-110}$	$1 ni'upan \cdot \frac{M}{L^3T\Theta} = 10^{-100} = 427369.3 \frac{kg}{m^3sK}$
$1 \frac{kg}{m^3s^2K} = 44.71887 \cdot 10^{-150}$	$1 ni'upamu \cdot \frac{M}{L^3T^2\Theta} = 10^{-150} = 0.02236192 \frac{kg}{m^3s^2K}$
$1 \frac{kg s}{m^3K} = 0.6406318 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{MT}{L^3\Theta} = 10^{-20} = 1.560959 \frac{kg s}{m^3K}$
$1 K = 0.02502080 \cdot 10^{-30}$	$1 ni'uci \cdot \Theta = 10^{-30} = 39.96674 K$
$1 \frac{K}{s} = 478184.3 \cdot 10^{-80}$	$1 ni'uze \cdot \frac{\Theta}{T} = 10^{-70} = 20912.44 \frac{K}{s}$
$1 \frac{K}{s^2} = 913.8806 \cdot 10^{-120}$	$1 ni'upar \cdot \frac{\Theta}{T^2} = 10^{-120} = 0.001094235 \frac{K}{s^2}$
$1 sK = 13.09203 \cdot 10^{10}$	$1 pa \cdot T\Theta = 10^{10} = 0.07638233 sK$
$1 mK = 436.7032 \cdot 10^0$	$1 L\Theta = 1 = 0.002289885 mK$
$1 \frac{mK}{s} = 0.8346041 \cdot 10^{-40}$	$1 ni'uv \cdot \frac{L\Theta}{T} = 10^{-40} = 1.198173 \frac{mK}{s}$

$1 \frac{mK}{s^2} = 0.001595051 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2} = 10^{-80} = 626.9391 \frac{mK}{s^2}$
$1 m s K = 228503.2 \cdot 10^{40}$	$1 mu-LT\Theta = 10^{50} = 43763.06 m s K$
$1 m^2 K = 0.0007622047 \cdot 10^{40}$	$1 vo-L^2\Theta = 10^{40} = 1311.984 m^2 K$
$1 \frac{m^2 K}{s} = 14566.85 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 686490.1 \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s^2} = 27.83940 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2} = 10^{-50} = 0.03592032 \frac{m^2 K}{s^2}$
$1 m^2 s K = 0.3988205 \cdot 10^{80}$	$1 bi-L^2T\Theta = 10^{80} = 2.507394 m^2 s K$
$1 \frac{K}{m} = 14335.61 \cdot 10^{-70}$	$1 ni' uxa - \frac{\Theta}{L} = 10^{-60} = 697563.8 \frac{K}{m}$
$1 \frac{K}{ms} = 27.39745 \cdot 10^{-110}$	$1 ni' upapa - \frac{\Theta}{LT} = 10^{-110} = 0.03649974 \frac{K}{ms} (*)$
$1 \frac{K}{ms^2} = 0.05236056 \cdot 10^{-150}$	$1 ni' upamu - \frac{\Theta}{LT^2} = 10^{-150} = 19.09834 \frac{K}{ms^2}$
$1 \frac{sK}{m} = 0.0007501048 \cdot 10^{-20}$	$1 ni' ure - \frac{T\Theta}{L} = 10^{-20} = 1333.147 \frac{sK}{m}$
$1 \frac{K}{m^2} = 0.8213549 \cdot 10^{-100}$	$1 ni' upano - \frac{\Theta}{L^2} = 10^{-100} = 1.217500 \frac{K}{m^2} (*)$
$1 \frac{K}{m^2 s} = 0.001569730 \cdot 10^{-140}$	$1 ni' upavo - \frac{\Theta}{L^2 T} = 10^{-140} = 637.0522 \frac{K}{m^2 s}$
$1 \frac{K}{m^2 s^2} = 29999.85 \cdot 10^{-190} (*)$	$1 ni' upabi - \frac{\Theta}{L^2 T^2} = 10^{-180} = 333335.0 \frac{K}{m^2 s^2}$
$1 \frac{sK}{m^2} = 429.7707 \cdot 10^{-60}$	$1 ni' uxa - \frac{T\Theta}{L^2} = 10^{-60} = 0.002326822 \frac{sK}{m^2}$
$1 \frac{K}{m^3} = 470593.3 \cdot 10^{-140}$	$1 ni' upaci - \frac{\Theta}{L^3} = 10^{-130} = 21249.77 \frac{K}{m^3}$
$1 \frac{K}{m^3 s} = 899.3729 \cdot 10^{-180} (*)$	$1 ni' upabi - \frac{\Theta}{L^3 T} = 10^{-180} = 0.001111886 \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s^2} = 1.718834 \cdot 10^{-220}$	$1 ni' urere - \frac{\Theta}{L^3 T^2} = 10^{-220} = 0.5817898 \frac{K}{m^3 s^2}$
$1 \frac{sK}{m^3} = 0.02462360 \cdot 10^{-90}$	$1 ni' uso - \frac{T\Theta}{L^3} = 10^{-90} = 40.61144 \frac{sK}{m^3}$
$1 kg K = 0.0004075310 \cdot 10^{-20}$	$1 ni' ure-M\Theta = 10^{-20} = 2453.801 kg K$
$1 \frac{kg K}{s} = 7788.516 \cdot 10^{-70}$	$1 ni' uze - \frac{M\Theta}{T} = 10^{-70} = 0.0001283942 \frac{kg K}{s}$
$1 \frac{kg K}{s^2} = 14.88500 \cdot 10^{-110} (*)$	$1 ni' upapa - \frac{M\Theta}{T^2} = 10^{-110} = 0.06718173 \frac{kg K}{s^2}$
$1 kg s K = 0.2132389 \cdot 10^{20}$	$1 re-MT\Theta = 10^{20} = 4.689575 kg s K$
$1 kg m K = 7.112885 \cdot 10^{10}$	$1 pa-ML\Theta = 10^{10} = 0.1405899 kg m K (*)$
$1 \frac{kg m K}{s} = 0.01359377 \cdot 10^{-30}$	$1 ni' uci - \frac{ML\Theta}{T} = 10^{-30} = 73.56311 \frac{kg m K}{s}$
$1 \frac{kg m K}{s^2} = 259796.9 \cdot 10^{-80}$	$1 ni' uze - \frac{ML\Theta}{T^2} = 10^{-70} = 38491.60 \frac{kg m K}{s^2}$
$1 kg m s K = 3721.788 \cdot 10^{50}$	$1 mu-MLT\Theta = 10^{50} = 0.0002686880 kg m s K$
$1 kg m^2 K = 124145.5 \cdot 10^{40}$	$1 mu-ML^2\Theta = 10^{50} = 80550.65 kg m^2 K$
$1 \frac{kg m^2 K}{s} = 237.2603 \cdot 10^0$	$1 \frac{ML^2\Theta}{T} = 1 = 0.004214780 \frac{kg m^2 K}{s}$
$1 \frac{kg m^2 K}{s^2} = 0.4534393 \cdot 10^{-40}$	$1 ni' uvo - \frac{ML^2\Theta}{T^2} = 10^{-40} = 2.205367 \frac{kg m^2 K}{s^2}$
$1 kg m^2 s K = 0.006495863 \cdot 10^{90}$	$1 so-ML^2T\Theta = 10^{90} = 153.9441 kg m^2 s K$
$1 \frac{kg K}{m} = 233.4938 \cdot 10^{-60}$	$1 ni' uxa - \frac{M\Theta}{L} = 10^{-60} = 0.004282768 \frac{kg K}{m}$
$1 \frac{kg K}{m s} = 0.4462411 \cdot 10^{-100}$	$1 ni' upano - \frac{M\Theta}{LT} = 10^{-100} = 2.240941 \frac{kg K}{m s}$
$1 \frac{kg K}{m s^2} = 0.0008528323 \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{LT^2} = 10^{-140} = 1172.563 \frac{kg K}{m s^2}$
$1 \frac{kg s K}{m} = 122174.7 \cdot 10^{-20}$	$1 ni' upa - \frac{MT\Theta}{L} = 10^{-10} = 81850.00 \frac{kg s K}{m} (*)$
$1 \frac{kg K}{m^2} = 0.01337797 \cdot 10^{-90}$	$1 ni' uso - \frac{M\Theta}{L^2} = 10^{-90} = 74.74975 \frac{kg K}{m^2}$
$1 \frac{kg K}{m^2 s} = 255672.7 \cdot 10^{-140}$	$1 ni' upaci - \frac{M\Theta}{L^2 T} = 10^{-130} = 39112.51 \frac{kg K}{m^2 s}$
$1 \frac{kg K}{m^2 s^2} = 488.6281 \cdot 10^{-180}$	$1 ni' upabi - \frac{M\Theta}{L^2 T^2} = 10^{-180} = 0.002046546 \frac{kg K}{m^2 s^2}$
$1 \frac{kg s K}{m^2} = 6.999969 \cdot 10^{-50} (*)$	$1 ni' umu - \frac{MT\Theta}{L^2} = 10^{-50} = 0.1428578 \frac{kg s K}{m^2}$
$1 \frac{kg K}{m^3} = 7664.875 \cdot 10^{-130}$	$1 ni' upaci - \frac{M\Theta}{L^3} = 10^{-130} = 0.0001304653 \frac{kg K}{m^3}$
$1 \frac{kg K}{m^3 s} = 14.64870 \cdot 10^{-170}$	$1 ni' upaze - \frac{M\Theta}{L^3 T} = 10^{-170} = 0.06826543 \frac{kg K}{m^3 s}$
$1 \frac{kg K}{m^3 s^2} = 0.02799583 \cdot 10^{-210} (*)$	$1 ni' urepa - \frac{M\Theta}{L^3 T^2} = 10^{-210} = 35.71961 \frac{kg K}{m^3 s^2}$
$1 \frac{kg s K}{m^3} = 0.0004010615 \cdot 10^{-80}$	$1 ni' ubi - \frac{MT\Theta}{L^3} = 10^{-80} = 2493.383 \frac{kg s K}{m^3}$
$1 \frac{K}{C} = 1.323805 \cdot 10^{-50}$	$1 ni' umu - \frac{\Theta}{Q} = 10^{-50} = 0.7553982 \frac{K}{C}$
$1 \frac{K}{sC} = 0.002529986 \cdot 10^{-90} (*)$	$1 ni' uso - \frac{\Theta}{TQ} = 10^{-90} = 395.2591 \frac{K}{sC}$
$1 \frac{K}{s^2 C} = 48351.76 \cdot 10^{-140}$	$1 ni' upavo - \frac{\Theta}{T^2 Q} = 10^{-140} = 0.00002068177 \frac{K}{s^2 C}$
$1 \frac{sK}{C} = 692.6756 \cdot 10^{-10}$	$1 ni' upa - \frac{T\Theta}{Q} = 10^{-10} = 0.001443677 \frac{sK}{C}$
$1 \frac{mK}{C} = 23105.17 \cdot 10^{-20}$	$1 ni' ure - \frac{L\Theta}{Q} = 10^{-20} = 0.00004328035 \frac{mK}{C}$
$1 \frac{mK}{sC} = 44.15738 \cdot 10^{-60}$	$1 ni' uxa - \frac{L\Theta}{TQ} = 10^{-60} = 0.02264627 \frac{mK}{sC}$
$1 \frac{mK}{s^2 C} = 0.08439126 \cdot 10^{-100}$	$1 ni' upano - \frac{L\Theta}{T^2 Q} = 10^{-100} = 11.84957 \frac{mK}{s^2 C}$
$1 \frac{msK}{C} = 0.001208969 \cdot 10^{30}$	$1 ci - \frac{LT\Theta}{Q} = 10^{30} = 827.1512 \frac{msK}{C}$

$1 \frac{m^2 K}{C} = 0.04032686 \cdot 10^{20}$	$1 re - \frac{L^2 \Theta}{Q} = 10^{20} = 24.79737 \frac{m^2 K}{C}$
$1 \frac{m^2 K}{s C} = 0.00007707056 \cdot 10^{-20}$	$1 ni'ure - \frac{L^2 \Theta}{T Q} = 10^{-20} = 12975.12 \frac{m^2 K}{s C}$
$1 \frac{m^2 K}{s^2 C} = 1472.932 \cdot 10^{-70}$	$1 ni'uze - \frac{L^2 \Theta}{T^2 Q} = 10^{-70} = 0.0006789181 \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 s K}{C} = 21.10087 \cdot 10^{60}$ (*)	$1 xa - \frac{L^2 T \Theta}{Q} = 10^{60} = 0.04739142 \frac{m^2 s K}{C}$
$1 \frac{K}{m C} = 0.00007584708 \cdot 10^{-80}$	$1 ni'ubi - \frac{\Theta}{L Q} = 10^{-80} = 13184.42 \frac{K}{m C}$
$1 \frac{K}{m s C} = 1449.549 \cdot 10^{-130}$	$1 ni'upaci - \frac{\Theta}{L T Q} = 10^{-130} = 0.0006898696 \frac{K}{m s C}$
$1 \frac{K}{m s^2 C} = 2.770302 \cdot 10^{-170}$	$1 ni'upaze - \frac{\Theta}{L T^2 Q} = 10^{-170} = 0.3609715 \frac{K}{m s^2 C}$
$1 \frac{s K}{m C} = 0.03968668 \cdot 10^{-40}$	$1 ni'uvo - \frac{T \Theta}{L Q} = 10^{-40} = 25.19737 \frac{s K}{m C}$
$1 \frac{K}{m^2 C} = 43.45639 \cdot 10^{-120}$	$1 ni'upare - \frac{\Theta}{L^2 Q} = 10^{-120} = 0.02301157 \frac{K}{m^2 C}$
$1 \frac{K}{m^2 s C} = 0.08305156 \cdot 10^{-160}$	$1 ni'upaxa - \frac{\Theta}{L^2 T Q} = 10^{-160} = 12.04071 \frac{K}{m^2 s C}$
$1 \frac{K}{m^2 s^2 C} = 0.0001587237 \cdot 10^{-200}$	$1 ni'ureno - \frac{\Theta}{L^2 T^2 Q} = 10^{-200} = 6300.254 \frac{K}{m^2 s^2 C}$ (*)
$1 \frac{s K}{m^2 C} = 22738.38 \cdot 10^{-80}$	$1 ni'ubi - \frac{T \Theta}{L^2 Q} = 10^{-80} = 0.00004397850 \frac{s K}{m^2 C}$
$1 \frac{K}{m^3 C} = 0.002489823 \cdot 10^{-150}$	$1 ni'upamu - \frac{\Theta}{L^3 Q} = 10^{-150} = 401.6350 \frac{K}{m^3 C}$
$1 \frac{K}{m^3 s C} = 47584.18 \cdot 10^{-200}$	$1 ni'ureno - \frac{\Theta}{L^3 T Q} = 10^{-200} = 0.00002101539 \frac{K}{m^3 s C}$
$1 \frac{K}{m^3 s^2 C} = 90.94037 \cdot 10^{-240}$	$1 ni'urevo - \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 0.01099622 \frac{K}{m^3 s^2 C}$ (*)
$1 \frac{s K}{m^3 C} = 1.302790 \cdot 10^{-110}$	$1 ni'upapa - \frac{T \Theta}{L^3 Q} = 10^{-110} = 0.7675835 \frac{s K}{m^3 C}$
$1 \frac{kg K}{C} = 0.02156172 \cdot 10^{-40}$	$1 ni'ubo - \frac{M \Theta}{Q} = 10^{-40} = 46.37849 \frac{kg K}{C}$
$1 \frac{kg K}{s C} = 0.00004120762 \cdot 10^{-80}$	$1 ni'ubi - \frac{M \Theta}{T Q} = 10^{-80} = 24267.36 \frac{kg K}{s C}$
$1 \frac{kg K}{s^2 C} = 787.5382 \cdot 10^{-130}$	$1 ni'upaci - \frac{M \Theta}{T^2 Q} = 10^{-130} = 0.001269780 \frac{kg K}{s^2 C}$
$1 \frac{kg s K}{C} = 11.28208 \cdot 10^0$	$1 \frac{MT \Theta}{Q} = 1 = 0.08863612 \frac{kg s K}{C}$
$1 \frac{kg m K}{C} = 376.3298 \cdot 10^{-10}$	$1 ni'upa - \frac{ML \Theta}{Q} = 10^{-10} = 0.002657244 \frac{kg m K}{C}$
$1 \frac{kg m K}{s C} = 0.7192216 \cdot 10^{-50}$	$1 ni'umu - \frac{ML \Theta}{T Q} = 10^{-50} = 1.390392 \frac{kg m K}{s C}$
$1 \frac{kg m K}{s^2 C} = 0.001374538 \cdot 10^{-90}$	$1 ni'uso - \frac{ML \Theta}{T^2 Q} = 10^{-90} = 727.5171 \frac{kg m K}{s^2 C}$
$1 \frac{kg m s K}{C} = 0.00001969130 \cdot 10^{40}$	$1 vo - \frac{MLT \Theta}{Q} = 10^{40} = 50783.84 \frac{kg m s K}{C}$
$1 \frac{kg m^2 K}{C} = 0.0006568312 \cdot 10^{30}$	$1 ci - \frac{ML^2 \Theta}{Q} = 10^{30} = 1522.461 \frac{kg m^2 K}{C}$
$1 \frac{kg m^2 K}{s C} = 12553.01 \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2 \Theta}{T Q} = 10^{-20} = 0.00007966217 \frac{kg m^2 K}{s C}$
$1 \frac{kg m^2 K}{s^2 C} = 23.99065 \cdot 10^{-60}$ (*)	$1 ni'uxa - \frac{ML^2 \Theta}{T^2 Q} = 10^{-60} = 0.04168291 \frac{kg m^2 K}{s^2 C}$
$1 \frac{kg m^2 s K}{C} = 0.3436843 \cdot 10^{70}$	$1 ze - \frac{ML^2 T \Theta}{Q} = 10^{70} = 2.909647 \frac{kg m^2 s K}{C}$
$1 \frac{kg K}{m C} = 12353.73 \cdot 10^{-80}$	$1 ni'ubi - \frac{M \Theta}{L Q} = 10^{-80} = 0.00008094719 \frac{kg K}{m C}$
$1 \frac{kg K}{m s C} = 23.60980 \cdot 10^{-120}$	$1 ni'upare - \frac{M \Theta}{L T Q} = 10^{-120} = 0.04235529 \frac{kg K}{m s C}$
$1 \frac{kg K}{m s^2 C} = 0.04512180 \cdot 10^{-160}$	$1 ni'upaxa - \frac{M \Theta}{L T^2 Q} = 10^{-160} = 22.16223 \frac{kg K}{m s^2 C}$
$1 \frac{kg s K}{m C} = 0.0006464041 \cdot 10^{-30}$	$1 ni'uci - \frac{MT \Theta}{L Q} = 10^{-30} = 1547.020 \frac{kg s K}{m C}$
$1 \frac{kg K}{m^2 C} = 0.7078040 \cdot 10^{-110}$	$1 ni'upapa - \frac{M \Theta}{L^2 Q} = 10^{-110} = 1.412820 \frac{kg K}{m^2 C}$
$1 \frac{kg K}{m^2 s C} = 0.001352718 \cdot 10^{-150}$	$1 ni'upamu - \frac{M \Theta}{L^2 T Q} = 10^{-150} = 739.2526 \frac{kg K}{m^2 s C}$
$1 \frac{kg K}{m^2 s^2 C} = 25852.42 \cdot 10^{-200}$	$1 ni'ureno - \frac{M \Theta}{L^2 T^2 Q} = 10^{-200} = 0.00003868109 \frac{kg K}{m^2 s^2 C}$
$1 \frac{kg s K}{m^2 C} = 370.3556 \cdot 10^{-70}$	$1 ni'uze - \frac{MT \Theta}{L^2 Q} = 10^{-70} = 0.002700108 \frac{kg s K}{m^2 C}$ (*)
$1 \frac{kg K}{m^3 C} = 0.00004055345 \cdot 10^{-140}$	$1 ni'upavo - \frac{M \Theta}{L^3 Q} = 10^{-140} = 24658.81 \frac{kg K}{m^3 C}$
$1 \frac{kg K}{m^3 s C} = 775.0362 \cdot 10^{-190}$	$1 ni'upaso - \frac{M \Theta}{L^3 T Q} = 10^{-190} = 0.001290262 \frac{kg K}{m^3 s C}$
$1 \frac{kg K}{m^3 s^2 C} = 1.481208 \cdot 10^{-230}$	$1 ni'ureci - \frac{M \Theta}{L^3 T^2 Q} = 10^{-230} = 0.6751246 \frac{kg K}{m^3 s^2 C}$
$1 \frac{kg s K}{m^3 C} = 0.02121943 \cdot 10^{-100}$	$1 ni'upano - \frac{MT \Theta}{L^3 Q} = 10^{-100} = 47.12662 \frac{kg s K}{m^3 C}$
$1 CK = 0.0004729099 \cdot 10^{-10}$ (*)	$1 ni'upa - Q \Theta = 10^{-10} = 2114.568 CK$
$1 \frac{CK}{s} = 9038.005 \cdot 10^{-60}$ (*)	$1 ni'uxa - \frac{Q \Theta}{T} = 10^{-60} = 0.0001106439 \frac{CK}{s}$
$1 \frac{CK}{s^2} = 17.27296 \cdot 10^{-100}$	$1 ni'upano - \frac{Q \Theta}{T^2} = 10^{-100} = 0.05789397 \frac{CK}{s^2}$
$1 s CK = 0.2474482 \cdot 10^{30}$	$1 ci - T Q \Theta = 10^{30} = 4.041250 s CK$
$1 m CK = 8.253984 \cdot 10^{20}$	$1 re - L Q \Theta = 10^{20} = 0.1211536 m CK$
$1 \frac{m CK}{s} = 0.01577458 \cdot 10^{-20}$	$1 ni'ure - \frac{L Q \Theta}{T} = 10^{-20} = 63.39314 \frac{m CK}{s}$
$1 \frac{m CK}{s^2} = 0.00003014754 \cdot 10^{-60}$	$1 ni'uxa - \frac{L Q \Theta}{T^2} = 10^{-60} = 33170.20 \frac{m CK}{s^2}$

$1 \text{ m s CK} = 4318.864 \cdot 10^{60}$	$1 \text{ xa-LTQ}\Theta = 10^{60} = 0.0002315424 \text{ m s CK}$
$1 \text{ m}^2 \text{ CK} = 0.00001440618 \cdot 10^{60}$	$1 \text{ xa-L}^2 Q\Theta = 10^{60} = 69414.66 \text{ m}^2 \text{ CK}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}} = 275.3233 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2 Q\Theta}{T} = 10^{10} = 0.003632094 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} = 0.5261833 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{L^2 Q\Theta}{T^2} = 10^{-30} = 1.900479 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} (*)$
$1 \text{ m}^2 \text{ s CK} = 0.007537975 \cdot 10^{100}$	$1 \text{ pano-L}^2 TQ\Theta = 10^{100} = 132.6616 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{CK}}{\text{m}} = 270.9526 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{Q\Theta}{L} = 10^{-50} = 0.003690683 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m s}} = 0.5178302 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{Q\Theta}{LT} = 10^{-90} = 1.931135 \frac{\text{CK}}{\text{m s}}$
$1 \frac{\text{CK}}{\text{m s}^2} = 0.0009896497 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{Q\Theta}{LT^2} = 10^{-130} = 1010.459 \frac{\text{CK}}{\text{m s}^2}$
$1 \frac{\text{s CK}}{\text{m}} = 0.00001417748 \cdot 10^0$	$1 \frac{TQ\Theta}{L} = 1 = 70534.38 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.01552416 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q\Theta}{L^2} = 10^{-80} = 64.41573 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 0.00002966895 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{Q\Theta}{L^2 T} = 10^{-120} = 33705.27 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 567.0173 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{Q\Theta}{L^2 T^2} = 10^{-170} = 0.001763615 \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^2} = 8.122953 \cdot 10^{-40}$	$1 \text{ ni'uvu-} \frac{TQ\Theta}{L^2} = 10^{-40} = 0.1231079 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 8894.528 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{Q\Theta}{L^3} = 10^{-120} = 0.0001124287 \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 16.99875 \cdot 10^{-160} (*)$	$1 \text{ ni'upaxa-} \frac{Q\Theta}{L^3 T} = 10^{-160} = 0.05882785 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.03248711 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{Q\Theta}{L^3 T^2} = 10^{-200} = 30.78144 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^3} = 0.0004654026 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{TQ\Theta}{L^3} = 10^{-70} = 2148.677 \frac{\text{s CK}}{\text{m}^3}$
$1 \text{ kg CK} = 77026.08 \cdot 10^{-10}$	$1 MQ\Theta = 1 = 129826.2 \text{ kg CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 147.2082 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MQ\Theta}{T} = 10^{-50} = 0.006793101 \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 0.2813365 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{MQ\Theta}{T^2} = 10^{-90} = 3.554463 \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{ kg s CK} = 0.004030359 \cdot 10^{40}$	$1 \text{ vo-MTQ}\Theta = 10^{40} = 248.1169 \text{ kg s CK}$
$1 \text{ kg m CK} = 0.1344383 \cdot 10^{30}$	$1 \text{ ci-MLQ}\Theta = 10^{30} = 7.438357 \text{ kg m CK}$
$1 \frac{\text{kg m CK}}{\text{s}} = 0.0002569314 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{MLQ\Theta}{T} = 10^{-10} = 3892.090 \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}^2} = 4910.336 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{MLQ\Theta}{T^2} = 10^{-60} = 0.0002036520 \frac{\text{kg m CK}}{\text{s}^2}$
$1 \text{ kg m s CK} = 70.34429 \cdot 10^{70}$	$1 \text{ ze-MLTQ}\Theta = 10^{70} = 0.01421579 \text{ kg m s CK}$
$1 \text{ kg m}^2 \text{ CK} = 2346.433 \cdot 10^{60}$	$1 \text{ xa-ML}^2 Q\Theta = 10^{60} = 0.0004261788 \text{ kg m}^2 \text{ CK}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} = 4.484379 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2 Q\Theta}{T} = 10^{20} = 0.2229963 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} (*)$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} = 0.008570307 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{ML^2 Q\Theta}{T^2} = 10^{-20} = 116.6819 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s CK} = 0.0001227762 \cdot 10^{110}$	$1 \text{ papa-ML}^2 TQ\Theta = 10^{110} = 8144.904 \text{ kg m}^2 \text{ s CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 4.413190 \cdot 10^{-40}$	$1 \text{ ni'ubo-} \frac{MQ\Theta}{L} = 10^{-40} = 0.2265935 \frac{\text{kg CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m s}} = 0.008434255 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{MQ\Theta}{LT} = 10^{-80} = 118.5641 \frac{\text{kg CK}}{\text{m s}}$
$1 \frac{\text{kg CK}}{\text{m s}^2} = 0.00001611910 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{MQ\Theta}{LT^2} = 10^{-120} = 62038.19 \frac{\text{kg CK}}{\text{m s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}} = 2309.184 \cdot 10^0$	$1 \frac{MTQ\Theta}{L} = 1 = 0.0004330534 \frac{\text{kg s CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m}^2} = 0.0002528526 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{MQ\Theta}{L^2} = 10^{-70} = 3954.873 \frac{\text{kg CK}}{\text{m}^2}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} = 4832.385 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{MQ\Theta}{L^2 T} = 10^{-120} = 0.0002069371 \frac{\text{kg CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} = 9.235399 \cdot 10^{-160} (*)$	$1 \text{ ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} = 10^{-160} = 0.1082790 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^2} = 0.1323041 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} = 10^{-30} = 7.558344 \frac{\text{kg s CK}}{\text{m}^2}$
$1 \frac{\text{kg CK}}{\text{m}^3} = 144.8713 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{MQ\Theta}{L^3} = 10^{-110} = 0.006902680 \frac{\text{kg CK}}{\text{m}^3}$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} = 0.2768703 \cdot 10^{-150}$	$1 \text{ ni'upamu-} \frac{MQ\Theta}{L^3 T} = 10^{-150} = 3.611799 \frac{\text{kg CK}}{\text{m}^3 \text{s}} (*)$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 0.0005291399 \cdot 10^{-190} (*)$	$1 \text{ ni'upaso-} \frac{MQ\Theta}{L^3 T^2} = 10^{-190} = 1889.859 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^3} = 75803.31 \cdot 10^{-70}$	$1 \text{ ni'uxa-} \frac{MTQ\Theta}{L^3} = 10^{-60} = 131920.4 \frac{\text{kg s CK}}{\text{m}^3}$

### 8.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\text{Proton mass} = 27.24314 \cdot 10^{-20}$$

$$\text{Electron mass} = 0.01483708 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.3028221 \cdot 10^0$$

$$1 \text{ ni'ure-} M = 10^{-20} = 0.03670649 m_p$$

$$1 \text{ ni'ure-} M = 10^{-20} = 67.39872 m_e$$

$$1 Q = 1 = 3.302269 e$$

$\text{\AA}^{31} = 17453.61 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.00005729475 \text{ \AA}$
Bohr radius <sup>32</sup> = $9236.051 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.0001082714 a_0$
Fine structure constant <sup>33</sup> = $0.007297353 \cdot 10^0$	$1 = 1 = 137.0360 \alpha$
Rydberg Energy <sup>34</sup> = $3950.472 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0002531343 Ry$
$ \psi^{100}(0) ^2^{35} = 0.004040091 \cdot 10^{-70}$ (*)	$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 247.5192 \rho_{\max}$
eV = $290.3544 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.003444067 \text{ eV}$
$\hbar^{36} = 1.000000$ (***)	$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar$ (***)
$\lambda_{\text{yellow}} = 0.01003582 \cdot 10^{30}$ (*)	$1 \text{ ci-}L = 10^{30} = 99.64304 \cdot \lambda_{\text{yellow}}$ (*)
$k_{\text{yellow}}^{37} = 626.0757 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.001597251 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^{38} = 3415.198 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.0002928088 \cdot k_{\text{X-Ray}}$
Earth g = $0.01018248 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML}{T^2} = 10^{-40} = 98.20793 \cdot \text{Earth g}$
cm = $174.5361 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.005729475 \text{ cm}$
min = $31394.76 \cdot 10^{40}$	$1 \text{ vo-}T = 10^{40} = 0.00003185245 \text{ min}$
hour = $0.0001883685 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 5308.742 \text{ h}$
Liter = $0.5316864 \cdot 10^{100}$	$1 \text{ pano-}L^3 = 10^{100} = 1.880808 l$
Area of a soccer field = $217.5047 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.004597603 A$
$100 \text{ m}^2^{39} = 3.046284 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.3282688 \cdot 100 \text{ m}^2$
km/h = $9.265669 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$
mi/h = $14.91165 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$
inch <sup>40</sup> = $443.3216 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.002255699 \text{ in}$ (*)
mile = $0.002808809 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 356.0228 \text{ mi}$
pound = $0.007387970 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 135.3552 \text{ pound}$
horsepower = $25.82713 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.03871897 \text{ horsepower}$
kcal = $75875.26 \cdot 10^{-10}$	$1 \frac{ML^2}{T^2} = 1 = 131795.3 \text{ kcal}$
kWh = $0.006524098 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 153.2779 \text{ kWh}$
Typical household electric field = $0.4219499 \cdot 10^{-60}$ (*)	$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 2.369950 E_H$ (*)
<i>Earthmagneticfield</i> = $790.5285 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M}{T Q} = 10^{-60} = 0.001264977 \cdot Earthmagneticfield$
Height of an average man <sup>41</sup> = $30892.88 \cdot 10^{30}$	$1 \text{ vo-}L = 10^{40} = 323699.1 \bar{h}$ (*)
Mass of an average man = $1.140138 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 0.8770868 \bar{m}$
Age of the Universe = $0.003467530 \cdot 10^{60}$	$1 \text{ xa-}T = 10^{60} = 288.3897 t_U$
Size of the observable Universe = $15.35917 \cdot 10^{60}$	$1 \text{ xa-}L = 10^{60} = 0.06510767 l_U$
Average density of the Universe = $3032.767 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M}{L^3} = 10^{-130} = 0.0003297319 \rho_U$
Earth mass = $972.7005 \cdot 10^{30}$ (*)	$1 \text{ ci-}M = 10^{30} = 0.001028066 m_E$
Sun mass <sup>42</sup> = $0.03239490 \cdot 10^{40}$	$1 \text{ vo-}M = 10^{40} = 30.86905 m_S$
Year = $1.651205 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 0.6056184 \text{ y}$
Speed of Light = $1.000000$ (***)	$1 \frac{L}{T} = 1 = 1.000000 c$ (***)
Parsec = $5.385659 \cdot 10^{50}$	$1 \text{ mu-}L = 10^{50} = 0.1856783 \text{ pc}$
Astronomical unit = $261102.2 \cdot 10^{40}$	$1 \text{ mu-}L = 10^{50} = 38299.17 \text{ au}$ (*)
Earth radius = $11.11969 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 0.08993054 r_E$ (*)

<sup>31</sup>Length in atomic and solid state physics,  $1/10 \text{ nm}$ <sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$ <sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$ <sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval<sup>39</sup>Size of a home<sup>40</sup>36 in = 1 yd = 3 ft<sup>41</sup>in developed countries<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

$$\text{Distance Earth-Moon} = 670.9166 \cdot 10^{40}$$

$$\text{Momentum of someone walking}^{43} = 709.0048 \cdot 10^0 \quad (*)$$

$$\text{Stefan-Boltzmann constant} = 0.1644934 \cdot 10^0$$

$$\text{mol} = 6022.141 \cdot 10^{20}$$

$$\text{Standard temperature}^{44} = 6.834432 \cdot 10^{-30}$$

$$\text{Room - standard temperature}^{45} = 0.5004161 \cdot 10^{-30} \quad (*)$$

$$\text{atm} = 3453.656 \cdot 10^{-110}$$

$$c_s = 11441.25 \cdot 10^{-10}$$

$$\mu_0 = 1.000000 \quad (***)$$

$$G = 0.07957747 \cdot 10^0$$

$$1 \text{ vo-}L = 10^{40} = 0.001490498 d_M$$

$$1 \frac{ML}{T} = 1 = 0.001410428 \cdot \text{Momentum of someone walking}$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$$

$$1 \text{ re-} = 10^{20} = 0.0001660539 \text{ mol}$$

$$1 \text{ ni'}\text{uci-}\Theta = 10^{-30} = 0.1463179 T_0$$

$$1 \text{ ni'}\text{uci-}\Theta = 10^{-30} = 1.998337 \Theta_R \quad (*)$$

$$1 \text{ ni'}\text{upapa-} \frac{M}{LT^2} = 10^{-110} = 0.0002895483 \text{ atm}$$

$$1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$$

$$1 \frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0 \quad (***)$$

$$1 \frac{L^3}{MT^2} = 1 = 12.56637 \cdot G$$

### Extensive list of SI units

$$1 = 1.000000 \quad (***)$$

$$1 \frac{1}{s} = 0.001911147 \cdot 10^{-40}$$

$$1 \frac{1}{s^2} = 36524.83 \cdot 10^{-90}$$

$$1 s = 523.2460 \cdot 10^{40}$$

$$1 m = 17453.61 \cdot 10^{30}$$

$$1 \frac{m}{s} = 33.35641 \cdot 10^{-10}$$

$$1 \frac{m}{s^2} = 0.06374901 \cdot 10^{-50}$$

$$1 m s = 0.0009132529 \cdot 10^{80}$$

$$1 m^2 = 0.03046284 \cdot 10^{70}$$

$$1 \frac{m^2}{s} = 582189.6 \cdot 10^{20}$$

$$1 \frac{m^2}{s^2} = 1112.650 \cdot 10^{-20}$$

$$1 m^2 s = 15.93956 \cdot 10^{110}$$

$$1 \frac{1}{m} = 572947.5 \cdot 10^{-40}$$

$$1 \frac{1}{ms} = 1094.987 \cdot 10^{-80}$$

$$1 \frac{1}{m^2 s} = 2.092681 \cdot 10^{-120}$$

$$1 \frac{s}{m} = 0.02997925 \cdot 10^{10} \quad (*)$$

$$1 \frac{1}{m^2} = 32.82688 \cdot 10^{-70}$$

$$1 \frac{1}{m^2 s} = 0.06273700 \cdot 10^{-110} \quad (*)$$

$$1 \frac{1}{m^2 s^2} = 0.0001198996 \cdot 10^{-150} \quad (*)$$

$$1 \frac{s}{m^2} = 17176.53 \cdot 10^{-30}$$

$$1 \frac{1}{m^3} = 0.001880808 \cdot 10^{-100}$$

$$1 \frac{1}{m^3 s} = 35945.01 \cdot 10^{-150}$$

$$1 \frac{1}{m^3 s^2} = 68.69620 \cdot 10^{-190}$$

$$1 \frac{s}{m^3} = 0.9841252 \cdot 10^{-60}$$

$$1 kg = 0.01628769 \cdot 10^{10}$$

$$1 \frac{kg}{s} = 311281.6 \cdot 10^{-40}$$

$$1 \frac{kg}{s^2} = 594.9050 \cdot 10^{-80}$$

$$1 kg s = 8.522465 \cdot 10^{50}$$

$$1 kg m = 284.2788 \cdot 10^{40}$$

$$1 \frac{kg m}{s} = 0.5432987 \cdot 10^0$$

$$1 \frac{kg m}{s^2} = 0.001038324 \cdot 10^{-40}$$

$$1 kg m s = 148747.8 \cdot 10^{80}$$

$$1 kg m^2 = 0.0004961691 \cdot 10^{80}$$

$$1 \frac{kg m^2}{s} = 9482.522 \cdot 10^{30}$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ ni'}\text{uovo-} \frac{1}{T} = 10^{-40} = 523.2460 \frac{1}{s}$$

$$1 \text{ ni'}\text{ubi-} \frac{1}{T^2} = 10^{-80} = 273786.3 \frac{1}{s^2}$$

$$1 \text{ vo-}T = 10^{40} = 0.001911147 s$$

$$1 \text{ vo-}L = 10^{40} = 572947.5 m$$

$$1 \text{ ni'}\text{upa-} \frac{L}{T} = 10^{-10} = 0.02997925 \frac{m}{s} \quad (*)$$

$$1 \text{ ni'}\text{umu-} \frac{L}{T^2} = 10^{-50} = 15.68652 \frac{m}{s^2}$$

$$1 \text{ bi-}LT = 10^{80} = 1094.987 m s$$

$$1 \text{ ze-}L^2 = 10^{70} = 32.82688 m^2$$

$$1 \text{ ci-} \frac{L^2}{T} = 10^{30} = 17176.53 \frac{m^2}{s}$$

$$1 \text{ ni'}\text{ure-} \frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{m^2}{s^2}$$

$$1 \text{ papa-}L^2 T = 10^{110} = 0.06273700 m^2 s \quad (*)$$

$$1 \text{ ni'}\text{uci-} \frac{1}{L} = 10^{-30} = 17453.61 \frac{1}{m}$$

$$1 \text{ ni'}\text{ubi-} \frac{1}{LT} = 10^{-80} = 0.0009132529 \frac{1}{m s}$$

$$1 \text{ ni'}\text{upare-} \frac{1}{LT^2} = 10^{-120} = 0.4778559 \frac{1}{m s^2}$$

$$1 \text{ pa-} \frac{T}{L} = 10^{10} = 33.35641 \frac{s}{m}$$

$$1 \text{ ni'}\text{uze-} \frac{1}{L^2} = 10^{-70} = 0.03046284 \frac{1}{m^2}$$

$$1 \text{ ni'}\text{upapa-} \frac{1}{L^2 T} = 10^{-110} = 15.93956 \frac{1}{m^2 s}$$

$$1 \text{ ni'}\text{upamu-} \frac{1}{L^2 T^2} = 10^{-150} = 8340.309 \frac{1}{m^2 s^2}$$

$$1 \text{ ni'}\text{ure-} \frac{T}{L^2} = 10^{-20} = 582189.6 \frac{s}{m^2}$$

$$1 \text{ ni'}\text{upano-} \frac{1}{L^3} = 10^{-100} = 531.6864 \frac{1}{m^3}$$

$$1 \text{ ni'}\text{upavo-} \frac{1}{L^3 T} = 10^{-140} = 278202.8 \frac{1}{m^3 s}$$

$$1 \text{ ni'}\text{upaso-} \frac{1}{L^3 T^2} = 10^{-190} = 0.01455685 \frac{1}{m^3 s^2}$$

$$1 \text{ ni'}\text{uxa-} \frac{T}{L^3} = 10^{-60} = 1.016131 \frac{s}{m^3}$$

$$1 \text{ pa-}M = 10^{10} = 61.39608 kg$$

$$1 \text{ ni'}\text{uci-} \frac{M}{T} = 10^{-30} = 32125.25 \frac{kg}{s}$$

$$1 \text{ ni'}\text{ubi-} \frac{M}{T^2} = 10^{-80} = 0.001680941 \frac{kg}{s^2}$$

$$1 \text{ mu-}MT = 10^{50} = 0.1173369 kg s$$

$$1 \text{ vo-}ML = 10^{40} = 0.003517673 kg m$$

$$1 \frac{ML}{T} = 1 = 1.840608 \frac{kg m}{s}$$

$$1 \text{ ni'}\text{uovo-} \frac{ML}{T^2} = 10^{-40} = 963.0908 \frac{kg m}{s^2}$$

$$1 \text{ so-}MLT = 10^{90} = 67227.90 kg m s$$

$$1 \text{ bi-}ML^2 = 10^{80} = 2015.442 kg m^2$$

$$1 \text{ ci-} \frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{kg m^2}{s}$$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>20 °C

$1 \frac{\text{kg m}^2}{\text{s}^2} = 18.12249 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{ML^2}{T^2} = 10^{-10} = 0.05518004 \frac{\text{kg m}^2}{\text{s}^2} \quad (*)$
$1 \text{ kg m}^2 \text{ s} = 0.2596185 \cdot 10^{120}$	$1 \text{ pare-} ML^2 T = 10^{120} = 3.851806 \text{ kg m}^2 \text{ s}$
$1 \frac{\text{kg}}{\text{m}} = 9331.988 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{M}{L} = 10^{-30} = 0.0001071583 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 17.83480 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{M}{LT} = 10^{-70} = 0.05607015 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m s}^2} = 0.03408493 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{M}{LT^2} = 10^{-110} = 29.33848 \frac{\text{kg}}{\text{m s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.0004882925 \cdot 10^{20}$	$1 \text{ re-} \frac{MT}{L} = 10^{20} = 2047.953 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.5346739 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M}{L^2} = 10^{-60} = 1.870299 \frac{\text{kg}}{\text{m}^2} \quad (*)$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.001021841 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M}{L^2 T} = 10^{-100} = 978.6263 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 19528.88 \cdot 10^{-150}$	$1 \text{ ni'upavo-} \frac{M}{L^2 T^2} = 10^{-140} = 512062.3 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 279.7660 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MT}{L^2} = 10^{-20} = 0.003574416 \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 306340.1 \cdot 10^{-100}$	$1 \text{ ni'uso-} \frac{M}{L^3} = 10^{-90} = 32643.46 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 585.4610 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{M}{L^3 T} = 10^{-140} = 0.001708056 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 1.118902 \cdot 10^{-180}$	$1 \text{ ni'upabi-} \frac{M}{L^3 T^2} = 10^{-180} = 0.8937333 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.01602912 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MT}{L^3} = 10^{-50} = 62.38645 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 52.90818 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{1}{Q} = 10^{-20} = 0.01890067 \frac{1}{\text{C}} \quad (*)$
$1 \frac{1}{\text{sC}} = 0.1011153 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{1}{TQ} = 10^{-60} = 9.889699 \frac{1}{\text{sC}} \quad (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.0001932462 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{1}{T^2 Q} = 10^{-100} = 5174.745 \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{C}} = 27683.99 \cdot 10^{20} \quad (*)$	$1 \text{ re-} \frac{T}{Q} = 10^{20} = 0.00003612196 \frac{\text{s}}{\text{C}}$
$1 \frac{\text{m}}{\text{C}} = 0.00009234385 \cdot 10^{20}$	$1 \text{ re-} \frac{L}{Q} = 10^{20} = 10829.09 \frac{\text{m}}{\text{C}}$
$1 \frac{\text{m}}{\text{sC}} = 1764.827 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{L}{TQ} = 10^{-30} = 0.0005666278 \frac{\text{m}}{\text{sC}}$
$1 \frac{\text{m}}{\text{s}^2 \text{C}} = 3.372844 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{L}{T^2 Q} = 10^{-70} = 0.2964857 \frac{\text{m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s}}{\text{C}} = 0.04831855 \cdot 10^{60}$	$1 \text{ xa-} \frac{LT}{Q} = 10^{60} = 20.69599 \frac{\text{ms}}{\text{C}} \quad (*)$
$1 \frac{\text{m}^2}{\text{C}} = 1.611733 \cdot 10^{50}$	$1 \text{ mu-} \frac{L^2}{Q} = 10^{50} = 0.6204501 \frac{\text{m}^2}{\text{C}}$
$1 \frac{\text{m}^2}{\text{sC}} = 0.003080259 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2}{TQ} = 10^{10} = 324.6480 \frac{\text{m}^2}{\text{sC}}$
$1 \frac{\text{m}^2}{\text{s}^2 \text{C}} = 58868.29 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{L^2}{T^2 Q} = 10^{-40} = 0.00001698708 \frac{\text{m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s}}{\text{C}} = 843.3329 \cdot 10^{90}$	$1 \text{ so-} \frac{L^2 T}{Q} = 10^{90} = 0.001185771 \frac{\text{m}^2 \text{s}}{\text{C}}$
$1 \frac{1}{\text{mC}} = 0.003031361 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{1}{LQ} = 10^{-50} = 329.8849 \frac{1}{\text{mC}}$
$1 \frac{1}{\text{msC}} = 57933.76 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{1}{LTQ} = 10^{-100} = 0.00001726109 \frac{1}{\text{msC}}$
$1 \frac{1}{\text{ms}^2 \text{C}} = 110.7199 \cdot 10^{-140} \quad (*)$	$1 \text{ ni'upavo-} \frac{1}{LT^2 Q} = 10^{-140} = 0.009031797 \frac{1}{\text{ms}^2 \text{C}}$
$1 \frac{\text{s}}{\text{mC}} = 1.586147 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{T}{LQ} = 10^{-10} = 0.6304585 \frac{\text{s}}{\text{mC}}$
$1 \frac{1}{\text{m}^2 \text{C}} = 1736.811 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{1}{L^2 Q} = 10^{-90} = 0.0005757681 \frac{1}{\text{m}^2 \text{C}}$
$1 \frac{1}{\text{m}^2 \text{sC}} = 3.319300 \cdot 10^{-130} \quad (*)$	$1 \text{ ni'upaci-} \frac{1}{L^2 TQ} = 10^{-130} = 0.3012683 \frac{1}{\text{m}^2 \text{sC}}$
$1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} = 0.006343671 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{1}{L^2 T^2 Q} = 10^{-170} = 157.6374 \frac{1}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^2 \text{C}} = 0.00009087791 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{T}{L^2 Q} = 10^{-40} = 11003.77 \frac{\text{s}}{\text{m}^2 \text{C}} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{C}} = 0.09951012 \cdot 10^{-120} \quad (*)$	$1 \text{ ni'upare-} \frac{1}{L^3 Q} = 10^{-120} = 10.04923 \frac{1}{\text{m}^3 \text{C}}$
$1 \frac{1}{\text{m}^3 \text{sC}} = 0.0001901785 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{1}{L^3 TQ} = 10^{-160} = 5258.218 \frac{1}{\text{m}^3 \text{sC}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} = 3634.591 \cdot 10^{-210}$	$1 \text{ ni'urepa-} \frac{1}{L^3 T^2 Q} = 10^{-210} = 0.0002751342 \frac{1}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^3 \text{C}} = 52.06827 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{T}{L^3 Q} = 10^{-80} = 0.01920555 \frac{\text{s}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{C}} = 0.8617517 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{M}{Q} = 10^{-10} = 1.160427 \frac{\text{kg}}{\text{C}}$
$1 \frac{\text{kg}}{\text{sC}} = 0.001646934 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{M}{TQ} = 10^{-50} = 607.1888 \frac{\text{kg}}{\text{sC}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{C}} = 31475.34 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M}{T^2 Q} = 10^{-100} = 0.00003177091 \frac{\text{kg}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{C}} = 450.9081 \cdot 10^{30}$	$1 \text{ ci-} \frac{MT}{Q} = 10^{30} = 0.002217747 \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{C}} = 15040.68 \cdot 10^{20}$	$1 \text{ re-} \frac{ML}{Q} = 10^{20} = 0.00006648638 \frac{\text{kg m}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{sC}} = 28.74494 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{ML}{TQ} = 10^{-20} = 0.03478873 \frac{\text{kg m}}{\text{sC}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{C}} = 0.05493582 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 18.20306 \frac{\text{kg m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg ms}}{\text{C}} = 0.0007869973 \cdot 10^{70} \quad (*)$	$1 \text{ ze-} \frac{MLT}{Q} = 10^{70} = 1270.652 \frac{\text{kg ms}}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 0.02625140 \cdot 10^{60}$	$1 \text{ xa-} \frac{ML^2}{Q} = 10^{60} = 38.09320 \frac{\text{kg m}^2}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{sC}} = 0.00005017029 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2}{TQ} = 10^{20} = 19932.11 \frac{\text{kg m}^2}{\text{sC}} \quad (*)$

$1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} = 958.8281 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{ML^2}{T^2 Q} = 10^{-30} = 0.001042940 \frac{\text{kg m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{C}} = 13.73594 \cdot 10^{100}$	$1 \text{pano-} \frac{ML^2 T}{Q} = 10^{100} = 0.07280171 \frac{\text{kg m}^2 \text{s}}{\text{C}}$
$1 \frac{\text{kg}}{\text{m C}} = 0.00004937385 \cdot 10^{-40}$	$1 \text{ni'uvo-} \frac{M}{LQ} = 10^{-40} = 20253.64 \frac{\text{kg}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m s C}} = 943.6069 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.001059763 \frac{\text{kg}}{\text{m s C}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{C}} = 1.803372 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{M}{LT^2 Q} = 10^{-130} = 0.5545169 \frac{\text{kg}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m C}} = 0.02583467 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 38.70768 \frac{\text{kg s}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 28.28862 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{M}{L^2 Q} = 10^{-80} = 0.03534990 \frac{\text{kg}}{\text{m}^2 \text{C}} (*)$
$1 \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.05406372 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{M}{L^2 TQ} = 10^{-120} = 18.49669 \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 0.0001033237 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M}{L^2 T^2 Q} = 10^{-160} = 9678.320 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 14801.91 \cdot 10^{-40}$	$1 \text{ni'uvo-} \frac{MT}{L^2 Q} = 10^{-40} = 0.00006755886 \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.001620790 \cdot 10^{-110}$	$1 \text{ni'upapa-} \frac{M}{L^3 Q} = 10^{-110} = 616.9833 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s C}} = 30975.67 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M}{L^3 TQ} = 10^{-160} = 0.00003228340 \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 59.19907 \cdot 10^{-200} (*)$	$1 \text{ni'ureno-} \frac{M}{L^3 T^2 Q} = 10^{-200} = 0.01689216 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.8480716 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT}{L^3 Q} = 10^{-70} = 1.179146 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{C} = 0.01890067 \cdot 10^{20} (*)$	$1 \text{re-Q} = 10^{20} = 52.90818 \text{ C}$
$1 \frac{\text{C}}{\text{s}} = 0.00003612196 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{T} = 10^{-20} = 27683.99 \frac{\text{C}}{\text{s}} (*)$
$1 \frac{\text{C}}{\text{s}^2} = 690.3438 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{Q}{T^2} = 10^{-70} = 0.001448554 \frac{\text{C}}{\text{s}^2}$
$1 \text{s C} = 9.889699 \cdot 10^{60} (*)$	$1 \text{xa-TQ} = 10^{60} = 0.1011153 \text{ s C}$
$1 \text{m C} = 329.8849 \cdot 10^{50}$	$1 \text{mu-LQ} = 10^{50} = 0.003031361 \text{ m C}$
$1 \frac{\text{m C}}{\text{s}} = 0.6304585 \cdot 10^{10}$	$1 \text{pa-} \frac{LQ}{T} = 10^{10} = 1.586147 \frac{\text{m C}}{\text{s}}$
$1 \frac{\text{m C}}{\text{s}^2} = 0.001204899 \cdot 10^{-30} (*)$	$1 \text{ni'uci-} \frac{LQ}{T^2} = 10^{-30} = 829.9451 \frac{\text{m C}}{\text{s}^2}$
$1 \text{m s C} = 0.00001726109 \cdot 10^{100}$	$1 \text{pano-LTQ} = 10^{100} = 57933.76 \text{ m s C}$
$1 \text{m}^2 \text{C} = 0.0005757681 \cdot 10^{90}$	$1 \text{so-L}^2 \text{Q} = 10^{90} = 1736.811 \text{ m}^2 \text{ C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 11003.77 \cdot 10^{40} (*)$	$1 \text{vo-} \frac{L^2 Q}{T} = 10^{40} = 0.00009087791 \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 21.02983 \cdot 10^0$	$1 \frac{L^2 Q}{T^2} = 1 = 0.04755150 \frac{\text{m}^2 \text{ C}}{\text{s}^2}$
$1 \text{m}^2 \text{s C} = 0.3012683 \cdot 10^{130}$	$1 \text{paci-L}^2 \text{TQ} = 10^{130} = 3.319300 \text{ m}^2 \text{ s C} (*)$
$1 \frac{\text{C}}{\text{m}} = 10829.09 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{L} = 10^{-20} = 0.00009234385 \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m s}} = 20.69599 \cdot 10^{-60} (*)$	$1 \text{ni'uxa-} \frac{Q}{LT} = 10^{-60} = 0.04831855 \frac{\text{C}}{\text{m s}}$
$1 \frac{\text{C}}{\text{m s}^2} = 0.03955308 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q}{LT^2} = 10^{-100} = 25.28248 \frac{\text{C}}{\text{m s}^2}$
$1 \frac{\text{m}}{\text{s C}} = 0.0005666278 \cdot 10^{30}$	$1 \text{ci-} \frac{TQ}{L} = 10^{30} = 1764.827 \frac{\text{s C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}^2} = 0.6204501 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{Q}{L^2} = 10^{-50} = 1.611733 \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 0.001185771 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{Q}{L^2 T} = 10^{-90} = 843.3329 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 22661.84 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{Q}{L^2 T^2} = 10^{-140} = 0.00004412705 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^2} = 324.6480 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.003080259 \frac{\text{s C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^3} = 0.00003554853 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{Q}{L^3} = 10^{-80} = 28130.56 \frac{\text{C}}{\text{m}^3}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 679.3847 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{Q}{L^3 T} = 10^{-130} = 0.001471920 \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 1.298404 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{Q}{L^3 T^2} = 10^{-170} = 0.7701762 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^3} = 0.01860063 \cdot 10^{-40} (*)$	$1 \text{ni'uvoso-} \frac{TQ}{L^3} = 10^{-40} = 53.76163 \frac{\text{s C}}{\text{m}^3}$
$1 \text{kg C} = 0.0003078482 \cdot 10^{30}$	$1 \text{ci-MQ} = 10^{30} = 3248.355 \text{ kg C}$
$1 \frac{\text{kg C}}{\text{s}} = 5883.431 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{MQ}{T} = 10^{-20} = 0.0001699688 \frac{\text{kg C}}{\text{s}} (*)$
$1 \frac{\text{kg C}}{\text{s}^2} = 11.24410 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{MQ}{T^2} = 10^{-60} = 0.08893551 \frac{\text{kg C}}{\text{s}^2}$
$1 \text{kg s C} = 0.1610803 \cdot 10^{70}$	$1 \text{ze-MTQ} = 10^{70} = 6.208084 \text{ kg s C}$
$1 \text{kg m C} = 5.373061 \cdot 10^{60}$	$1 \text{xa-MLQ} = 10^{60} = 0.1861137 \text{ kg m C}$
$1 \frac{\text{kg m C}}{\text{s}} = 0.01026871 \cdot 10^{20}$	$1 \text{re-} \frac{MLQ}{T} = 10^{20} = 97.38322 \frac{\text{kg m C}}{\text{s}}$
$1 \frac{\text{kg m C}}{\text{s}^2} = 0.00001962501 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{MLQ}{T^2} = 10^{-20} = 50955.38 \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{kg m s C} = 2811.432 \cdot 10^{100}$	$1 \text{pano-MLTQ} = 10^{100} = 0.0003556906 \text{ kg m s C}$
$1 \text{kg m}^2 \text{C} = 93779.29 \cdot 10^{90}$	$1 \text{pano-ML}^2 \text{Q} = 10^{100} = 106633.4 \text{ kg m}^2 \text{ C}$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}} = 179.2260 \cdot 10^{50}$	$1 \text{mu-} \frac{ML^2 Q}{T} = 10^{50} = 0.005579547 \frac{\text{kg m}^2 \text{ C}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} = 0.3425273 \cdot 10^{10}$	$1 \text{pa-} \frac{ML^2 Q}{T^2} = 10^{10} = 2.919476 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2}$

$1 \text{ kg m}^2 \text{ s C} = 0.004906963 \cdot 10^{140}$	$1 \text{ pavo-}ML^2TQ = 10^{140} = 203.7920 \text{ kg m}^2 \text{ s C}$
$1 \frac{\text{kg C}}{\text{m}} = 176.3808 \cdot 10^{-10}$	$1 \text{ ni'}\text{upa-} \frac{MQ}{L} = 10^{-10} = 0.005669550 \frac{\text{kg C}}{\text{m}}$
$1 \frac{\text{kg C}}{\text{m s}} = 0.3370897 \cdot 10^{-50}$	$1 \text{ ni'}\text{umu-} \frac{MQ}{LT} = 10^{-50} = 2.966569 \frac{\text{kg C}}{\text{m s}}$
$1 \frac{\text{kg C}}{\text{m s}^2} = 0.0006442280 \cdot 10^{-90}$	$1 \text{ ni'}\text{uso-} \frac{MQ}{LT^2} = 10^{-90} = 1552.245 \frac{\text{kg C}}{\text{m s}^2}$
$1 \frac{\text{kg s C}}{\text{m}} = 92290.56 \cdot 10^{30}$	$1 \text{ vo-} \frac{MTQ}{L} = 10^{40} = 108353.4 \frac{\text{kg s C}}{\text{m}}$
$1 \frac{\text{kg C}}{\text{m}^2} = 0.01010570 \cdot 10^{-40}$	$1 \text{ ni'}\text{uvo-} \frac{MQ}{L^2} = 10^{-40} = 98.95410 \frac{\text{kg C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^2 \text{s}} = 0.00001931347 \cdot 10^{-80}$	$1 \text{ ni'}\text{ubi-} \frac{MQ}{L^2T} = 10^{-80} = 51777.33 \frac{\text{kg C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg s C}}{\text{m}^2} = 369.1088 \cdot 10^{-130}$	$1 \text{ ni'}\text{upaci-} \frac{MQ}{L^2T^2} = 10^{-130} = 0.002709228 \frac{\text{kg C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s C}}{\text{m}^2} = 5.287764$	$1 \frac{MTQ}{L^2} = 1 = 0.1891158 \frac{\text{kg s C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^3} = 5790.033 \cdot 10^{-80}$	$1 \text{ ni'}\text{ubi-} \frac{MQ}{L^3} = 10^{-80} = 0.0001727106 \frac{\text{kg C}}{\text{m}^3}$
$1 \frac{\text{kg C}}{\text{m}^3 \text{s}} = 11.06560 \cdot 10^{-120}$	$1 \text{ ni'}\text{upare-} \frac{MQ}{L^3T} = 10^{-120} = 0.09037012 \frac{\text{kg C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg C}}{\text{m}^3 \text{s}^2} = 0.02114800 \cdot 10^{-160}$	$1 \text{ ni'}\text{upaxa-} \frac{MQ}{L^3T^2} = 10^{-160} = 47.28580 \frac{\text{kg C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s C}}{\text{m}^3} = 0.0003029611 \cdot 10^{-30}$	$1 \text{ ni'}\text{uci-} \frac{MTQ}{L^3} = 10^{-30} = 3300.753 \frac{\text{kg s C}}{\text{m}^3}$ (*)
$1 \frac{1}{\text{K}} = 39.96674 \cdot 10^{30}$	$1 \text{ ci-} \frac{1}{\Theta} = 10^{30} = 0.02502080 \frac{1}{\text{K}}$
$1 \frac{1}{\text{s K}} = 0.07638233 \cdot 10^{-10}$	$1 \text{ ni'}\text{upa-} \frac{1}{T\Theta} = 10^{-10} = 13.09203 \frac{1}{\text{s K}}$
$1 \frac{1}{\text{s}^2 \text{K}} = 0.0001459779 \cdot 10^{-50}$	$1 \text{ ni'}\text{umu-} \frac{1}{T^2\Theta} = 10^{-50} = 6850.354 \frac{1}{\text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{K}} = 20912.44 \cdot 10^{70}$	$1 \text{ bi-} \frac{T}{\Theta} = 10^{80} = 478184.3 \frac{\text{s}}{\text{K}}$
$1 \frac{\text{m}}{\text{K}} = 697563.8 \cdot 10^{60}$	$1 \text{ ze-} \frac{L}{\Theta} = 10^{70} = 14335.61 \frac{\text{m}}{\text{K}}$
$1 \frac{\text{m}}{\text{s K}} = 1333.147 \cdot 10^{20}$	$1 \text{ re-} \frac{L}{T\Theta} = 10^{20} = 0.0007501048 \frac{\text{m}}{\text{s K}}$
$1 \frac{\text{m}}{\text{s}^2 \text{K}} = 2.547840 \cdot 10^{-20}$	$1 \text{ ni'}\text{ure-} \frac{L}{T^2\Theta} = 10^{-20} = 0.3924893 \frac{\text{m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{ms}}{\text{K}} = 0.03649974 \cdot 10^{110}$ (*)	$1 \text{ papa-} \frac{LT}{\Theta} = 10^{110} = 27.39745 \frac{\text{ms}}{\text{K}}$
$1 \frac{\text{m}^2}{\text{K}} = 1.217500 \cdot 10^{100}$ (*)	$1 \text{ pano-} \frac{L^2}{\Theta} = 10^{100} = 0.8213549 \frac{\text{m}^2}{\text{K}}$
$1 \frac{\text{m}^2}{\text{s K}} = 0.002326822 \cdot 10^{60}$	$1 \text{ xa-} \frac{L^2}{T\Theta} = 10^{60} = 429.7707 \frac{\text{m}^2}{\text{s K}}$
$1 \frac{\text{m}^2}{\text{s}^2 \text{K}} = 44469.00 \cdot 10^{10}$ (*)	$1 \text{ re-} \frac{L^2}{T^2\Theta} = 10^{20} = 224875.8 \frac{\text{m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{m}^2 \text{s}}{\text{K}} = 637.0522 \cdot 10^{140}$	$1 \text{ pavo-} \frac{L^2T}{\Theta} = 10^{140} = 0.001569730 \frac{\text{m}^2 \text{s}}{\text{K}}$
$1 \frac{1}{\text{m K}} = 0.002289885 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.7032 \frac{1}{\text{m K}}$
$1 \frac{1}{\text{m s K}} = 43763.06 \cdot 10^{-50}$	$1 \text{ ni'}\text{ubo-} \frac{1}{LT\Theta} = 10^{-40} = 228503.2 \frac{1}{\text{m s K}}$
$1 \frac{1}{\text{m s}^2 \text{K}} = 83.63765 \cdot 10^{-90}$	$1 \text{ ni'}\text{uso-} \frac{1}{LT^2\Theta} = 10^{-90} = 0.01195634 \frac{1}{\text{m s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m K}} = 1.198173 \cdot 10^{40}$	$1 \text{ vo-} \frac{T}{L\Theta} = 10^{40} = 0.8346041 \frac{\text{s}}{\text{m K}}$
$1 \frac{1}{\text{m}^2 \text{K}} = 1311.984 \cdot 10^{-40}$	$1 \text{ ni'}\text{ubo-} \frac{1}{L^2\Theta} = 10^{-40} = 0.0007622047 \frac{1}{\text{m}^2 \text{K}}$
$1 \frac{1}{\text{m}^2 \text{s K}} = 2.507394 \cdot 10^{-80}$	$1 \text{ ni'}\text{ubi-} \frac{1}{L^2T\Theta} = 10^{-80} = 0.3988205 \frac{1}{\text{m}^2 \text{s K}}$
$1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} = 0.004791998 \cdot 10^{-120}$ (*)	$1 \text{ ni'}\text{upare-} \frac{1}{L^2T^2\Theta} = 10^{-120} = 208.6812 \frac{1}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^2 \text{K}} = 686490.1 \cdot 10^0$	$1 \text{ pa-} \frac{T}{L^2\Theta} = 10^{10} = 14566.85 \frac{\text{s}}{\text{m}^2 \text{K}}$
$1 \frac{1}{\text{m}^3 \text{K}} = 0.07516977 \cdot 10^{-70}$	$1 \text{ ni'}\text{uze-} \frac{1}{L^3\Theta} = 10^{-70} = 13.30322 \frac{1}{\text{m}^3 \text{K}}$
$1 \frac{1}{\text{m}^3 \text{s K}} = 0.0001436605 \cdot 10^{-110}$	$1 \text{ ni'}\text{upapa-} \frac{1}{L^3T\Theta} = 10^{-110} = 6960.856 \frac{1}{\text{m}^3 \text{s K}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 2745.563 \cdot 10^{-160}$	$1 \text{ ni'}\text{upaxa-} \frac{1}{L^3T^2\Theta} = 10^{-160} = 0.0003642240 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{s}}{\text{m}^3 \text{K}} = 39.33228 \cdot 10^{-30}$	$1 \text{ ni'}\text{uci-} \frac{T}{L^3\Theta} = 10^{-30} = 0.02542441 \frac{\text{s}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{K}} = 0.6509657 \cdot 10^{40}$	$1 \text{ vo-} \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{\text{kg}}{\text{K}}$
$1 \frac{\text{kg}}{\text{s K}} = 0.0012444091 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 803.7996 \frac{\text{kg}}{\text{s K}}$ (*)
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 23776.41 \cdot 10^{-50}$	$1 \text{ ni'}\text{ubo-} \frac{M}{T^2\Theta} = 10^{-40} = 420584.9 \frac{\text{kg}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{K}} = 340.6152 \cdot 10^{80}$	$1 \text{ bi-} \frac{MT}{\Theta} = 10^{80} = 0.002935864 \frac{\text{kg s}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{K}} = 11361.70 \cdot 10^{70}$	$1 \text{ bi-} \frac{ML}{\Theta} = 10^{80} = 880150.0 \frac{\text{kg m}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{s K}} = 21.71388 \cdot 10^{30}$	$1 \text{ ci-} \frac{ML}{T\Theta} = 10^{30} = 0.04605349 \frac{\text{kg m}}{\text{s K}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.04149842 \cdot 10^{-10}$	$1 \text{ ni'}\text{upa-} \frac{ML}{T^2\Theta} = 10^{-10} = 24.09730 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.0005944963 \cdot 10^{120}$	$1 \text{ pare-} \frac{MLT}{\Theta} = 10^{120} = 1682.096 \frac{\text{kg m s}}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{K}} = 0.01983026 \cdot 10^{110}$	$1 \text{ papa-} \frac{ML}{\Theta} = 10^{110} = 50.42797 \frac{\text{kg m}^2}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{s K}} = 378985.5 \cdot 10^{60}$	$1 \text{ ze-} \frac{ML^2}{T\Theta} = 10^{70} = 26386.23 \frac{\text{kg m}^2}{\text{s K}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 724.2971 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2}{T^2\Theta} = 10^{20} = 0.001380649 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 10.37611 \cdot 10^{150}$	$1 \text{ pamu-} \frac{ML^2T}{\Theta} = 10^{150} = 0.09637528 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \frac{\text{kg}}{\text{m K}} = 372969.2 \cdot 10^0$	$1 \text{ pa-} \frac{M}{L\Theta} = 10^{10} = 26811.87 \frac{\text{kg}}{\text{m K}}$

$1 \frac{\text{kg}}{\text{m s K}} = 712.7990 \cdot 10^{-40}$	(*)	$1 \text{ni}'\text{uvo-} \frac{M}{LT\Theta} = 10^{-40} = 0.001402920 \frac{\text{kg}}{\text{m s K}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{K}} = 1.362264 \cdot 10^{-80}$		$1 \text{ni}'\text{ubi-} \frac{M}{LT^2\Theta} = 10^{-80} = 0.7340723 \frac{\text{kg}}{\text{m s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m K}} = 0.01951546 \cdot 10^{50}$		$1 \text{mu-} \frac{MT}{L\Theta} = 10^{50} = 51.24142 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 21.36918 \cdot 10^{-30}$		$1 \text{ni}'\text{uci-} \frac{M}{L^2\Theta} = 10^{-30} = 0.04679638 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.04083964 \cdot 10^{-70}$		$1 \text{ni}'\text{uze-} \frac{M}{L^2T\Theta} = 10^{-70} = 24.48602 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 780505.6 \cdot 10^{-120}$		$1 \text{ni}'\text{upapa-} \frac{M}{L^2T^2\Theta} = 10^{-110} = 12812.21 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 11181.33 \cdot 10^{10}$		$1 \text{re-} \frac{MT}{L^2\Theta} = 10^{20} = 894347.6 \frac{\text{kg s}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.001224342 \cdot 10^{-60}$		$1 \text{ni}'\text{uxa-} \frac{M}{L^3\Theta} = 10^{-60} = 816.7656 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 23398.97 \cdot 10^{-110}$		$1 \text{ni}'\text{upano-} \frac{M}{L^3T\Theta} = 10^{-100} = 427369.3 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 44.71887 \cdot 10^{-150}$		$1 \text{ni}'\text{upamu-} \frac{M}{L^3T^2\Theta} = 10^{-150} = 0.02236192 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 0.6406318 \cdot 10^{-20}$		$1 \text{ni}'\text{ure-} \frac{MT}{L^3\Theta} = 10^{-20} = 1.560959 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \text{K} = 0.02502080 \cdot 10^{-30}$		$1 \text{ni}'\text{uci-} \Theta = 10^{-30} = 39.96674 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 478184.3 \cdot 10^{-80}$		$1 \text{ni}'\text{uze-} \frac{\Theta}{T} = 10^{-70} = 20912.44 \frac{\text{K}}{\text{s}}$
$1 \frac{\text{K}}{\text{s}^2} = 913.8806 \cdot 10^{-120}$		$1 \text{ni}'\text{upare-} \frac{\Theta}{T^2} = 10^{-120} = 0.001094235 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.09203 \cdot 10^{10}$		$1 \text{pa-} T\Theta = 10^{10} = 0.07638233 \text{ s K}$
$1 \text{m K} = 436.7032 \cdot 10^0$		$1 L\Theta = 1 = 0.002289885 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 0.8346041 \cdot 10^{-40}$		$1 \text{ni}'\text{uwo-} \frac{L\Theta}{T} = 10^{-40} = 1.198173 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.001595051 \cdot 10^{-80}$		$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2} = 10^{-80} = 626.9391 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 228503.2 \cdot 10^{40}$		$1 \text{mu-LT}\Theta = 10^{50} = 43763.06 \text{ m s K}$
$1 \text{m}^2 \text{K} = 0.0007622047 \cdot 10^{40}$		$1 \text{vo-} L^2\Theta = 10^{40} = 1311.984 \text{ m}^2 \text{ K}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}} = 14566.85 \cdot 10^{-10}$		$1 \frac{L^2\Theta}{T} = 1 = 686490.1 \frac{\text{m}^2 \text{K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2} = 27.83940 \cdot 10^{-50}$		$1 \text{ni}'\text{umu-} \frac{L^2\Theta}{T^2} = 10^{-50} = 0.03592032 \frac{\text{m}^2 \text{K}}{\text{s}^2}$
$1 \text{m}^2 \text{s K} = 0.3988205 \cdot 10^{80}$		$1 \text{bi-} L^2T\Theta = 10^{80} = 2.507394 \text{ m}^2 \text{ s K}$
$1 \frac{\text{K}}{\text{m}} = 14335.61 \cdot 10^{-70}$		$1 \text{ni}'\text{uxa-} \frac{\Theta}{L} = 10^{-60} = 697563.8 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 27.39745 \cdot 10^{-110}$		$1 \text{ni}'\text{upapa-} \frac{\Theta}{LT} = 10^{-110} = 0.03649974 \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m s}^2} = 0.05236056 \cdot 10^{-150}$		$1 \text{ni}'\text{upamu-} \frac{\Theta}{LT^2} = 10^{-150} = 19.09834 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{K}}{\text{m}^2} = 0.0007501048 \cdot 10^{-20}$		$1 \text{ni}'\text{ure-} \frac{T\Theta}{L} = 10^{-20} = 1333.147 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 0.8213549 \cdot 10^{-100}$		$1 \text{ni}'\text{upano-} \frac{\Theta}{L^2} = 10^{-100} = 1.217500 \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.001569730 \cdot 10^{-140}$		$1 \text{ni}'\text{upavo-} \frac{\Theta}{L^2T} = 10^{-140} = 637.0522 \frac{\text{K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 29999.85 \cdot 10^{-190}$	(**)	$1 \text{ni}'\text{upabi-} \frac{\Theta}{L^2T^2} = 10^{-180} = 333335.0 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{K}}{\text{m}^2} = 429.7707 \cdot 10^{-60}$		$1 \text{ni}'\text{uxa-} \frac{T\Theta}{L^2} = 10^{-60} = 0.002326822 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 470593.3 \cdot 10^{-140}$		$1 \text{ni}'\text{upaci-} \frac{\Theta}{L^3} = 10^{-130} = 21249.77 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 899.3729 \cdot 10^{-180}$	(*)	$1 \text{ni}'\text{upabi-} \frac{\Theta}{L^3T} = 10^{-180} = 0.001111886 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 1.718834 \cdot 10^{-220}$		$1 \text{ni}'\text{urere-} \frac{\Theta}{L^3T^2} = 10^{-220} = 0.5817898 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 0.02462360 \cdot 10^{-90}$		$1 \text{ni}'\text{uso-} \frac{T\Theta}{L^3} = 10^{-90} = 40.61144 \frac{\text{s K}}{\text{m}^3}$
$1 \text{kg K} = 0.0004075310 \cdot 10^{-20}$		$1 \text{ni}'\text{ure-} M\Theta = 10^{-20} = 2453.801 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 7788.516 \cdot 10^{-70}$		$1 \text{ni}'\text{uze-} \frac{M\Theta}{T} = 10^{-70} = 0.0001283942 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 14.88500 \cdot 10^{-110}$	(*)	$1 \text{ni}'\text{upapa-} \frac{M\Theta}{T^2} = 10^{-110} = 0.06718173 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{kg s K} = 0.2132389 \cdot 10^{20}$		$1 \text{re-} MT\Theta = 10^{20} = 4.689575 \text{ kg s K}$
$1 \text{kg m K} = 7.112885 \cdot 10^{10}$		$1 \text{pa-} ML\Theta = 10^{10} = 0.1405899 \text{ kg m K}$
$1 \frac{\text{kg m K}}{\text{s}} = 0.01359377 \cdot 10^{-30}$		$1 \text{ni}'\text{uci-} \frac{ML\Theta}{T} = 10^{-30} = 73.56311 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 259796.9 \cdot 10^{-80}$		$1 \text{ni}'\text{uze-} \frac{ML\Theta}{T^2} = 10^{-70} = 38491.60 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{kg m s K} = 3721.788 \cdot 10^{50}$		$1 \text{mu-} MLT\Theta = 10^{50} = 0.0002686880 \text{ kg m s K}$
$1 \text{kg m}^2 \text{K} = 124145.5 \cdot 10^{40}$		$1 \text{mu-} ML^2\Theta = 10^{50} = 80550.65 \text{ kg m}^2 \text{ K}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}} = 237.2603 \cdot 10^0$		$1 \frac{ML^2\Theta}{T} = 1 = 0.004214780 \frac{\text{kg m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} = 0.4534393 \cdot 10^{-40}$		$1 \text{ni}'\text{uwo-} \frac{ML^2\Theta}{T^2} = 10^{-40} = 2.205367 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2}$
$1 \text{kg m}^2 \text{s K} = 0.006495863 \cdot 10^{90}$		$1 \text{so-} ML^2T\Theta = 10^{90} = 153.9441 \text{ kg m}^2 \text{ s K}$
$1 \frac{\text{kg K}}{\text{m}} = 233.4938 \cdot 10^{-60}$		$1 \text{ni}'\text{uxa-} \frac{M\Theta}{L} = 10^{-60} = 0.004282768 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 0.4462411 \cdot 10^{-100}$		$1 \text{ni}'\text{upano-} \frac{M\Theta}{LT} = 10^{-100} = 2.240941 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 0.0008528323 \cdot 10^{-140}$		$1 \text{ni}'\text{upavo-} \frac{M\Theta}{LT^2} = 10^{-140} = 1172.563 \frac{\text{kg K}}{\text{m s}^2}$

$1 \frac{\text{kg s K}}{\text{m}} = 122174.7 \cdot 10^{-20}$	$1 \frac{\text{ni}' \text{upa}}{L} = 10^{-10} = 81850.00 \frac{\text{kg s K}}{\text{m}}$ (*)
$1 \frac{\text{kg K}}{\text{m}^2} = 0.01337797 \cdot 10^{-90}$	$1 \frac{\text{ni}' \text{uso}}{L^2} = 10^{-90} = 74.74975 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 255672.7 \cdot 10^{-140}$	$1 \frac{\text{ni}' \text{upaci}}{L^2 T} = 10^{-130} = 39112.51 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 488.6281 \cdot 10^{-180}$	$1 \frac{\text{ni}' \text{upabi}}{L^2 T^2} = 10^{-180} = 0.002046546 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 6.999969 \cdot 10^{-50}$ (*)	$1 \frac{\text{ni}' \text{umu}}{L^2} = 10^{-50} = 0.1428578 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 7664.875 \cdot 10^{-130}$	$1 \frac{\text{ni}' \text{upaci}}{L^3} = 10^{-130} = 0.0001304653 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 14.64870 \cdot 10^{-170}$	$1 \frac{\text{ni}' \text{upaze}}{L^3 T} = 10^{-170} = 0.06826543 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.02799583 \cdot 10^{-210}$ (*)	$1 \frac{\text{ni}' \text{urepa}}{L^3 T^2} = 10^{-210} = 35.71961 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 0.0004010615 \cdot 10^{-80}$	$1 \frac{\text{ni}' \text{ubi}}{L^3} = 10^{-80} = 2493.383 \frac{\text{kg s K}}{\text{m}^3}$
<hr/>	
$1 \frac{\text{K}}{\text{C}} = 1.323805 \cdot 10^{-50}$	$1 \frac{\text{ni}' \text{umu}}{Q} = 10^{-50} = 0.7553982 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.002529986 \cdot 10^{-90}$ (*)	$1 \frac{\text{ni}' \text{uso}}{T Q} = 10^{-90} = 395.2591 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 48351.76 \cdot 10^{-140}$	$1 \frac{\text{ni}' \text{upavo}}{T^2 Q} = 10^{-140} = 0.00002068177 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{C}} = 692.6756 \cdot 10^{-10}$	$1 \frac{\text{ni}' \text{upa}}{Q} = 10^{-10} = 0.001443677 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 23105.17 \cdot 10^{-20}$	$1 \frac{\text{ni}' \text{ure}}{Q} = 10^{-20} = 0.00004328035 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 44.15738 \cdot 10^{-60}$	$1 \frac{\text{ni}' \text{uxa}}{T Q} = 10^{-60} = 0.02264627 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.08439126 \cdot 10^{-100}$	$1 \frac{\text{ni}' \text{upano}}{T^2 Q} = 10^{-100} = 11.84957 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.001208969 \cdot 10^{30}$	$1 \frac{\text{ci}}{Q} = 10^{30} = 827.1512 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.04032686 \cdot 10^{20}$	$1 \frac{\text{re}}{Q} = 10^{20} = 24.79737 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.00007707056 \cdot 10^{-20}$	$1 \frac{\text{ni}' \text{ure}}{Q} = 10^{-20} = 12975.12 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 1472.932 \cdot 10^{-70}$	$1 \frac{\text{ni}' \text{uze}}{T^2 Q} = 10^{-70} = 0.0006789181 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 21.10087 \cdot 10^{60}$ (*)	$1 \frac{\text{xa}}{Q} = 10^{60} = 0.04739142 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.00007584708 \cdot 10^{-80}$	$1 \frac{\text{ni}' \text{ubi}}{Q} = 10^{-80} = 13184.42 \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 1449.549 \cdot 10^{-130}$	$1 \frac{\text{ni}' \text{upaci}}{T Q} = 10^{-130} = 0.0006898696 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m s}^2 \text{C}} = 2.770302 \cdot 10^{-170}$	$1 \frac{\text{ni}' \text{upaze}}{T^2 Q} = 10^{-170} = 0.3609715 \frac{\text{K}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.03968668 \cdot 10^{-40}$	$1 \frac{\text{ni}' \text{uvo}}{Q} = 10^{-40} = 25.19737 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 43.45639 \cdot 10^{-120}$	$1 \frac{\text{ni}' \text{upare}}{Q} = 10^{-120} = 0.02301157 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 0.08305156 \cdot 10^{-160}$	$1 \frac{\text{ni}' \text{upaxa}}{Q} = 10^{-160} = 12.04071 \frac{\text{K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 0.0001587237 \cdot 10^{-200}$	$1 \frac{\text{ni}' \text{ureno}}{Q} = 10^{-200} = 6300.254 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}}$ (*)
$1 \frac{\text{s K}}{\text{m}^2 \text{C}} = 22738.38 \cdot 10^{-80}$	$1 \frac{\text{ni}' \text{ubi}}{Q} = 10^{-80} = 0.00004397850 \frac{\text{s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 0.002489823 \cdot 10^{-150}$	$1 \frac{\text{ni}' \text{upamu}}{Q} = 10^{-150} = 401.6350 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 47584.18 \cdot 10^{-200}$	$1 \frac{\text{ni}' \text{ureno}}{Q} = 10^{-200} = 0.00002101539 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 90.94037 \cdot 10^{-240}$	$1 \frac{\text{ni}' \text{urevo}}{Q} = 10^{-240} = 0.01099622 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$ (*)
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 1.302790 \cdot 10^{-110}$	$1 \frac{\text{ni}' \text{upapa}}{Q} = 10^{-110} = 0.7675835 \frac{\text{s K}}{\text{m}^3 \text{C}}$
<hr/>	
$1 \frac{\text{kg K}}{\text{C}} = 0.02156172 \cdot 10^{-40}$	$1 \frac{\text{ni}' \text{ubo}}{Q} = 10^{-40} = 46.37849 \frac{\text{kg K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 0.00004120762 \cdot 10^{-80}$	$1 \frac{\text{ni}' \text{ubi}}{T Q} = 10^{-80} = 24267.36 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s}^2 \text{C}} = 787.5382 \cdot 10^{-130}$	$1 \frac{\text{ni}' \text{upaci}}{T^2 Q} = 10^{-130} = 0.001269780 \frac{\text{kg K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{C}} = 11.28208 \cdot 10^0$	$1 \frac{\text{MT}}{Q} = 1 = 0.08863612 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{C}} = 376.3298 \cdot 10^{-10}$	$1 \frac{\text{ni}' \text{upa}}{Q} = 10^{-10} = 0.002657244 \frac{\text{kg m K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{s C}} = 0.7192216 \cdot 10^{-50}$	$1 \frac{\text{ni}' \text{umu}}{T Q} = 10^{-50} = 1.390392 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} = 0.001374538 \cdot 10^{-90}$	$1 \frac{\text{ni}' \text{uso}}{T^2 Q} = 10^{-90} = 727.5171 \frac{\text{kg m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m s K}}{\text{C}} = 0.00001969130 \cdot 10^{40}$	$1 \frac{\text{vo}}{Q} = 10^{40} = 50783.84 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{C}} = 0.0006568312 \cdot 10^{30}$	$1 \frac{\text{ci}}{Q} = 10^{30} = 1522.461 \frac{\text{kg m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} = 12553.01 \cdot 10^{-20}$	$1 \frac{\text{ni}' \text{ure}}{Q} = 10^{-20} = 0.00007966217 \frac{\text{kg m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} = 23.99065 \cdot 10^{-60}$ (*)	$1 \frac{\text{ni}' \text{uxa}}{T^2 Q} = 10^{-60} = 0.04168291 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} = 0.3436843 \cdot 10^{70}$	$1 \frac{\text{ze}}{Q} = 10^{70} = 2.909647 \frac{\text{kg m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 12353.73 \cdot 10^{-80}$	$1 \frac{\text{ni}' \text{ubi}}{Q} = 10^{-80} = 0.00008094719 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 23.60980 \cdot 10^{-120}$	$1 \frac{\text{ni}' \text{upare}}{T Q} = 10^{-120} = 0.04235529 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} = 0.04512180 \cdot 10^{-160}$	$1 \frac{\text{ni}' \text{upaxa}}{T^2 Q} = 10^{-160} = 22.16223 \frac{\text{kg K}}{\text{m s}^2 \text{C}}$

$1 \frac{\text{kg s K}}{\text{m C}} = 0.0006464041 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{MT\Theta}{LQ} = 10^{-30} = 1547.020 \frac{\text{kg s K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{C}} = 0.7078040 \cdot 10^{-110}$	$1 \text{ni'upapa-} \frac{M\Theta}{L^2 Q} = 10^{-110} = 1.412820 \frac{\text{kg K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} = 0.001352718 \cdot 10^{-150}$	$1 \text{ni'upamu-} \frac{M\Theta}{L^2 TQ} = 10^{-150} = 739.2526 \frac{\text{kg K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} = 25852.42 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M\Theta}{L^2 T^2 Q} = 10^{-200} = 0.00003868109 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} = 370.3556 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT\Theta}{L^2 Q} = 10^{-70} = 0.002700108 \frac{\text{kg s K}}{\text{m}^2 \text{C}} (*)$
$1 \frac{\text{kg K}}{\text{m}^3 \text{C}} = 0.00004055345 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{M\Theta}{L^3 Q} = 10^{-140} = 24658.81 \frac{\text{kg K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s C}} = 775.0362 \cdot 10^{-190}$	$1 \text{ni'upaso-} \frac{M\Theta}{L^3 TQ} = 10^{-190} = 0.001290262 \frac{\text{kg K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} = 1.481208 \cdot 10^{-230}$	$1 \text{ni'ureci-} \frac{M\Theta}{L^3 T^2 Q} = 10^{-230} = 0.6751246 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^3 \text{C}} = 0.02121943 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{MT\Theta}{L^3 Q} = 10^{-100} = 47.12662 \frac{\text{kg s K}}{\text{m}^3 \text{C}}$
$1 \text{CK} = 0.0004729099 \cdot 10^{-10} (*)$	$1 \text{ni'upa-} Q\Theta = 10^{-10} = 2114.568 \text{ CK}$
$1 \frac{\text{CK}}{\text{s}} = 9038.005 \cdot 10^{-60} (*)$	$1 \text{ni'uxa-} \frac{Q\Theta}{T} = 10^{-60} = 0.0001106439 \frac{\text{CK}}{\text{s}}$
$1 \frac{\text{CK}}{\text{s}^2} = 17.27296 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q\Theta}{T^2} = 10^{-100} = 0.05789397 \frac{\text{CK}}{\text{s}^2}$
$1 \text{s CK} = 0.2474482 \cdot 10^{30}$	$1 \text{ci-TQ}\Theta = 10^{30} = 4.041250 \text{ s CK}$
$1 \text{m CK} = 8.253984 \cdot 10^{20}$	$1 \text{re-LQ}\Theta = 10^{20} = 0.1211536 \text{ m CK}$
$1 \frac{\text{m CK}}{\text{s}} = 0.01577458 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{LQ\Theta}{T} = 10^{-20} = 63.39314 \frac{\text{m CK}}{\text{s}}$
$1 \frac{\text{m CK}}{\text{s}^2} = 0.00003014754 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{LQ\Theta}{T^2} = 10^{-60} = 33170.20 \frac{\text{m CK}}{\text{s}^2}$
$1 \text{m s CK} = 4318.864 \cdot 10^{60}$	$1 \text{xa-LTQ}\Theta = 10^{60} = 0.0002315424 \text{ m s CK}$
$1 \text{m}^2 \text{ CK} = 0.00001440618 \cdot 10^{60}$	$1 \text{xa-L}^2 \text{Q}\Theta = 10^{60} = 69414.66 \text{ m}^2 \text{ CK}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}} = 275.3233 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2 Q\Theta}{T} = 10^{10} = 0.003632094 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} = 0.5261833 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{L^2 Q\Theta}{T^2} = 10^{-30} = 1.900479 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} (*)$
$1 \text{m}^2 \text{ s CK} = 0.007537975 \cdot 10^{100}$	$1 \text{pano-} L^2 TQ\Theta = 10^{100} = 132.6616 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{CK}}{\text{m}} = 270.9526 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{Q\Theta}{L} = 10^{-50} = 0.003690683 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m s}} = 0.5178302 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{Q\Theta}{LT} = 10^{-90} = 1.931135 \frac{\text{CK}}{\text{m s}}$
$1 \frac{\text{CK}}{\text{m s}^2} = 0.0009896497 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{Q\Theta}{LT^2} = 10^{-130} = 1010.459 \frac{\text{CK}}{\text{m s}^2}$
$1 \frac{\text{s CK}}{\text{m}} = 0.00001417748 \cdot 10^0$	$1 \frac{TQ\Theta}{L} = 1 = 70534.38 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.01552416 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{Q\Theta}{L^2} = 10^{-80} = 64.41573 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 0.00002966895 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{Q\Theta}{L^2 T} = 10^{-120} = 33705.27 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 567.0173 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{Q\Theta}{L^2 T^2} = 10^{-170} = 0.001763615 \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^2} = 8.122953 \cdot 10^{-40}$	$1 \text{ni'uvo-} \frac{TQ\Theta}{L^2} = 10^{-40} = 0.1231079 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 8894.528 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{Q\Theta}{L^3} = 10^{-120} = 0.0001124287 \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 16.99875 \cdot 10^{-160} (*)$	$1 \text{ni'upaxa-} \frac{Q\Theta}{L^3 T} = 10^{-160} = 0.05882785 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.03248711 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{Q\Theta}{L^3 T^2} = 10^{-200} = 30.78144 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^3} = 0.0004654026 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{TQ\Theta}{L^3} = 10^{-70} = 2148.677 \frac{\text{s CK}}{\text{m}^3}$
$1 \text{kg CK} = 77026.08 \cdot 10^{-10}$	$1 MQ\Theta = 1 = 129826.2 \text{ kg CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 147.2082 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{MQ\Theta}{T} = 10^{-50} = 0.006793101 \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 0.2813365 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{MQ\Theta}{T^2} = 10^{-90} = 3.554463 \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{kg s CK} = 0.004030359 \cdot 10^{40}$	$1 \text{vo-MTQ}\Theta = 10^{40} = 248.1169 \text{ kg s CK}$
$1 \text{kg m CK} = 0.1344383 \cdot 10^{30}$	$1 \text{ci-MLQ}\Theta = 10^{30} = 7.438357 \text{ kg m CK}$
$1 \frac{\text{kg m CK}}{\text{s}} = 0.0002569314 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{MLQ\Theta}{T} = 10^{-10} = 3892.090 \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}^2} = 4910.336 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} = 10^{-60} = 0.0002036520 \frac{\text{kg m CK}}{\text{s}^2}$
$1 \text{kg m s CK} = 70.34429 \cdot 10^{70}$	$1 \text{ze-MLTQ}\Theta = 10^{70} = 0.01421579 \text{ kg m s CK}$
$1 \text{kg m}^2 \text{ CK} = 2346.433 \cdot 10^{60}$	$1 \text{xa-ML}^2 \text{Q}\Theta = 10^{60} = 0.0004261788 \text{ kg m}^2 \text{ CK}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} = 4.484379 \cdot 10^{20}$	$1 \text{re-} \frac{ML^2 Q\Theta}{T} = 10^{20} = 0.2229963 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} (*)$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} = 0.008570307 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{ML^2 Q\Theta}{T^2} = 10^{-20} = 116.6819 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{kg m}^2 \text{ s CK} = 0.0001227762 \cdot 10^{110}$	$1 \text{papa-ML}^2 \text{TQ}\Theta = 10^{110} = 8144.904 \text{ kg m}^2 \text{ s CK}$
$1 \frac{\text{kg CK}}{\text{m}} = 4.413190 \cdot 10^{-40}$	$1 \text{ni'ubo-} \frac{MQ\Theta}{L} = 10^{-40} = 0.2265935 \frac{\text{kg CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m s}} = 0.008434255 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{MQ\Theta}{LT} = 10^{-80} = 118.5641 \frac{\text{kg CK}}{\text{m s}}$
$1 \frac{\text{kg CK}}{\text{m s}^2} = 0.00001611910 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{MQ\Theta}{LT^2} = 10^{-120} = 62038.19 \frac{\text{kg CK}}{\text{m s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}} = 2309.184 \cdot 10^0$	$1 \frac{MTQ\Theta}{L} = 1 = 0.0004330534 \frac{\text{kg s CK}}{\text{m}}$

$$\begin{aligned}
 1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0002528526 \cdot 10^{-70} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 4832.385 \cdot 10^{-120} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 9.235399 \cdot 10^{-160} \quad (*) \\
 1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.1323041 \cdot 10^{-30} \\
 1 \frac{\text{kg CK}}{\text{m}^3} &= 144.8713 \cdot 10^{-110} \\
 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.2768703 \cdot 10^{-150} \\
 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.0005291399 \cdot 10^{-190} \quad (*) \\
 1 \frac{\text{kg s CK}}{\text{m}^3} &= 75803.31 \cdot 10^{-70}
 \end{aligned}$$

$$\begin{aligned}
 1 \text{ ni'uze-} \frac{MQ\Theta}{L^2} &= 10^{-70} = 3954.873 \frac{\text{kg CK}}{\text{m}^2} \\
 1 \text{ ni'upare-} \frac{MQ\Theta}{L^2 T} &= 10^{-120} = 0.0002069371 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
 1 \text{ ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-160} = 0.1082790 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
 1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 7.558344 \frac{\text{kg s CK}}{\text{m}^2} \\
 1 \text{ ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 0.006902680 \frac{\text{kg CK}}{\text{m}^3} \\
 1 \text{ ni'upamu-} \frac{MQ\Theta}{L^3 T} &= 10^{-150} = 3.611799 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
 1 \text{ ni'upaso-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-190} = 1889.859 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
 1 \text{ ni'uxa-} \frac{MTQ\Theta}{L^3} &= 10^{-60} = 131920.4 \frac{\text{kg s CK}}{\text{m}^3}
 \end{aligned}$$

## 9 Base 12 - ??

### 9.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned}
 \text{Proton mass} &= 73052A5 \cdot 10^{-20} \\
 \text{Electron mass} &= 69AB.013 \cdot 10^{-20} \\
 \text{Elementary charge} &= 0.37733A0 \cdot 10^0 \\
 \text{\AA}^1 &= 0.031B3168 \cdot 10^{20} \\
 \text{Bohr radius}^2 &= 0.0180AB69 \cdot 10^{20} \\
 \text{Fine structure constant}^3 &= 0.01073994 \cdot 10^0 \\
 \text{Rydberg Energy}^4 &= 0.3928187 \cdot 10^{-20} \\
 |\psi^{100}(0)|^5 &= 99566.29 \cdot 10^{-60} \\
 \text{eV} &= 0.033A7730 \cdot 10^{-20} \\
 \hbar^6 &= 1.000000 \quad (***) \\
 \lambda_{\text{yellow}} &= A6.2A997 \cdot 10^{20} \\
 k_{\text{yellow}}^7 &= 0.07200766 \cdot 10^{-20} \quad (*) \\
 k_{\text{X-Ray}}^8 &= 0.0006392A62 \cdot 10^{-10}
 \end{aligned}$$

$$\begin{aligned}
 1 \text{ ni'upa-}M &= 10^{-10} = 17A2B3.9 m_p \\
 1 \text{ ni'ure-}M &= 10^{-20} = 0.0001911A67 m_e \\
 1 Q &= 1 = 3.3763A1 e \\
 1 \text{ re-}L &= 10^{20} = 39.66A14 \text{\AA} \\
 1 \text{ re-}L &= 10^{20} = 72.0A500 a_0 \quad (*) \\
 1 &= 1 = B5.05226 \alpha \\
 1 \text{ ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 3.226382 Ry \\
 1 \text{ ni'uxa-} \frac{1}{L^3} &= 10^{-60} = 0.000012864A4 \rho_{\max} \\
 1 \text{ ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 37.3A685 \text{eV} \\
 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\
 1 \text{ re-}L &= 10^{20} = 0.011830A9 \cdot \lambda_{\text{yellow}} \\
 1 \text{ ni'ure-} \frac{1}{L} &= 10^{-20} = 18.112B9 \cdot k_{\text{yellow}} \\
 1 \text{ ni'upa-} \frac{1}{L} &= 10^{-10} = 1A98.066 \cdot k_{\text{X-Ray}}
 \end{aligned}$$
  

$$\begin{aligned}
 1 \text{ ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 975.66B7 \cdot \text{Earth g} \\
 1 \text{ re-}L &= 10^{20} = 0.00000143A19B \text{ cm} \\
 1 \text{ vo-}T &= 10^{40} = 68A9339. \text{ min} \\
 1 \text{ vo-}T &= 10^{40} = 1421A3.2 \text{ h} \\
 1 \text{ bi-}L^3 &= 10^{80} = 441B.974 l \\
 1 \text{ xa-}L^2 &= 10^{60} = B1807.72 A \\
 1 \text{ xa-}L^2 &= 10^{60} = 5634145. \cdot 84 \text{ m}^2 \\
 1 \text{ ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{ km/h} \\
 1 \text{ ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{ mi/h} \\
 1 \text{ ci-}L &= 10^{30} = 65130B.6 \text{ in} \\
 1 \text{ ci-}L &= 10^{30} = 21.29A02 \text{ mi} \\
 1 \text{ pa-}M &= 10^{10} = 59A10.06 \text{ pound} \\
 1 \text{ ni'uvu-} \frac{ML^2}{T^3} &= 10^{-40} = 0.0010854B3 \text{ horsepower} \\
 1 \frac{ML^2}{T^2} &= 1 = 6432B.33 \text{ kcal} \\
 1 \frac{ML^2}{T^2} &= 1 = 109.3403 \text{ kWh} \\
 1 \text{ ni'umu-} \frac{ML}{T^2Q} &= 10^{-50} = 0.0000A5709A9 E_H \\
 1 \text{ ni'uvu-} \frac{M}{TQ} &= 10^{-40} = 97A02.59 \cdot \text{Earthmagneticfield}
 \end{aligned}$$

<sup>1</sup>Length in atomic and solid state physics,  $1/\text{A nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>30 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.0000AA1872A \cdot 10^{30}$   
 Mass of an average man =  $0.002262371 \cdot 10^{10}$

Age of the Universe =  $225635.8 \cdot 10^{40}$   
 Size of the observable Universe =  $0.000579B020 \cdot 10^{50}$   
 Average density of the Universe =  $682.ABB5 \cdot 10^{-A0}$  (\*)  
 Earth mass =  $4120A28 \cdot 10^{20}$   
 Sun mass<sup>12</sup> =  $0.5599167 \cdot 10^{30}$   
 Year =  $0.039194A7 \cdot 10^{40}$   
 Speed of Light = 1.000000 (\*\*\*)  
 Parsec =  $0.1033141 \cdot 10^{40}$   
 Astronomical unit =  $0.000001297941 \cdot 10^{40}$   
 Earth radius =  $110.A68A \cdot 10^{30}$   
 Distance Earth-Moon =  $5589.605 \cdot 10^{30}$   
*Momentum of someone walking*<sup>13</sup> =  $4B1.0083 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$   
 mol =  $0.01110B95 \cdot 10^{20}$   
 Standard temperature<sup>14</sup> =  $0.000B323BA3 \cdot 10^{-20}$   
 Room - standard temperature<sup>15</sup> =  $0.00009A95396 \cdot 10^{-20}$   
 atm =  $0.00247290B \cdot 10^{-80}$   
 $c_s = 0.0000034BB524 \cdot 10^0$  (\*)

$\mu_0 = 1.000000$  (\*\*\*)  
 $G = 0.0B561508 \cdot 10^0$

$1m = 0.001889B98 \cdot 10^0$   
 $1 = 1.000000$  (\*\*\*)  
 $1k = 6B4.0000 \cdot 10^0$  (\*\*)  
 $1m\frac{1}{s} = 4A2B58.B \cdot 10^{-40}$   
 $1\frac{1}{s} = 0.0002985A47 \cdot 10^{-30}$   
 $1k\frac{1}{s} = 0.1760B49 \cdot 10^{-30}$   
 $1m\frac{1}{s^2} = 117.7401 \cdot 10^{-70}$   
 $1\frac{1}{s^2} = 7A823.1A \cdot 10^{-70}$   
 $1k\frac{1}{s^2} = 0.00004696247 \cdot 10^{-60}$   
 $1ms = 7.470374 \cdot 10^{30}$   
 $1s = 4332.151 \cdot 10^{30}$   
 $1ks = 0.000002580087 \cdot 10^{40}$  (\*)  
 $1mm = A707A.B1 \cdot 10^{20}$   
 $1m = 0.00006163AB3 \cdot 10^{30}$   
 $1km = 0.0366731B \cdot 10^{30}$   
 $1m\frac{m}{s} = 25.8A836 \cdot 10^{-10}$   
 $1\frac{m}{s} = 15264.AB \cdot 10^{-10}$   
 $1k\frac{m}{s} = 0.00009B63212 \cdot 10^0$   
 $1m\frac{m}{s^2} = 0.006B65A44 \cdot 10^{-40}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>18 °C

$1ci-L = 10^{30} = 1133B.A3\bar{h}$   
 $1pa-M = 10^{10} = 552.0297\bar{m}$   
 $1vo-T = 10^{40} = 0.000005537B64tu$   
 $1mu-L = 10^{50} = 2158.7A4lu$   
 $1ni'ujauau\frac{M}{L^3} = 10^{-A0} = 0.001964B91\rho_U$   
 $1ci-M = 10^{30} = 2B1846.Am_E$   
 $1ci-M = 10^{30} = 2.230A56m_S$   
 $1vo-T = 10^{40} = 32.33487y$   
 $1\frac{L}{T} = 1 = 1.000000c$  (\*\*\*)  
 $1vo-L = 10^{40} = B.899066pc$   
 $1vo-L = 10^{40} = 98884B.7au$   
 $1ci-L = 10^{30} = 0.00B021658r_E$   
 $1ci-L = 10^{30} = 0.0002235623d_M$   
 $1\frac{ML}{T} = 1 = 0.00252B621 \cdot Momentum of someone walking$

$1\frac{M}{T^3\Theta^4} = 1 = 6.0B4B92\frac{\pi^2}{50} = \sigma$   
 $1re- = 10^{20} = B0.01120mol$   
 $1ni'ure-\Theta = 10^{-20} = 1094.673T_0$   
 $1ni'ure-\Theta = 10^{-20} = 12669.39\Theta_R$   
 $1ni'ubi-\frac{M}{LT^2} = 10^{-80} = 504.B7BBatm$  (\*)  
 $1\frac{L}{T} = 1 = 36197A.6 \cdot c_s$

$1\frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0$  (\*\*\*)  
 $1\frac{L^3}{MT^2} = 1 = 10.69683 \cdot G$

### Extensive list of SI units

$1 = 1 = 6B4.0000m$  (\*\*)  
 $1 = 1 = 1.000000$  (\*\*\*)  
 $1 = 1 = 0.001889B98k$   
 $1ni'uvu-\frac{1}{T} = 10^{-40} = 0.000002580087m\frac{1}{s}$  (\*)  
 $1ni'uci-\frac{1}{T} = 10^{-30} = 4332.151\frac{1}{s}$   
 $1ni'uci-\frac{1}{T} = 10^{-30} = 7.470374k\frac{1}{s}$   
 $1ni'uze-\frac{1}{T^2} = 10^{-70} = 0.00A68A5AAm\frac{1}{s^2}$   
 $1ni'uze-\frac{1}{T^2} = 10^{-70} = 0.000016300A2\frac{1}{s^2}$  (\*)  
 $1ni'uxa-\frac{1}{T^2} = 10^{-60} = 27653.81k\frac{1}{s^2}$   
 $1ci-T = 10^{30} = 0.1760B49ms$   
 $1ci-T = 10^{30} = 0.0002985A47s$   
 $1vo-T = 10^{40} = 4A2B58.Bks$   
 $1re-L = 10^{20} = 0.00001172563mm$   
 $1ci-L = 10^{30} = 1B602.76m$   
 $1ci-L = 10^{30} = 34.73B1Bkm$   
 $1ni'upa-\frac{L}{T} = 10^{-10} = 0.04A127A8m\frac{m}{s}$   
 $1ni'upa-\frac{L}{T} = 10^{-10} = 0.00008449701\frac{m}{s}$   
 $1\frac{L}{T} = 1 = 1255A8.5k\frac{m}{s}$   
 $1ni'uvu-\frac{L}{T^2} = 10^{-40} = 188.26A3m\frac{m}{s^2}$

$1 \frac{m}{s^2} = 4.041888 \cdot 10^{-40}$	$1 ni' uvo - \frac{L}{T^2} = 10^{-40} = 0.2B8AB7B \frac{m}{s^2}$
$1 k \frac{m}{s^2} = 23B8.93B \cdot 10^{-40}$	$1 ni' uvo - \frac{L}{T^2} = 10^{-40} = 0.0005191B72 k \frac{m}{s^2}$
$1 m \text{ ms} = 0.0003929527 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 3225.270 \text{ m ms}$
$1 m \text{ s} = 0.2221423 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 5.602125 \text{ ms}$
$1 k \text{ ms} = 131.9405 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 0.00960A65B \text{ k ms}$
$1 m \text{ m}^2 = 5.4A5BA4 \cdot 10^{50}$	$1 mu-L^2 = 10^{50} = 0.2277695 \text{ m m}^2$
$1 m^2 = 3166.2B1 \cdot 10^{50}$	$1 mu-L^2 = 10^{50} = 0.0003A03A35 \text{ m}^2$
$1 km^2 = 0.000001988743 \cdot 10^{60}$	$1 xa-L^2 = 10^{60} = 6764B2.B \text{ km}^2$
$1 m \frac{m^2}{s} = 0.001322921 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 959.591B \frac{m^2}{s}$
$1 \frac{m^2}{s} = 0.8955A48 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 1.447672 \frac{m^2}{s}$
$1 k \frac{m^2}{s} = 510.414A \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 0.002439376 k \frac{m^2}{s}$
$1 m \frac{m^2}{s^2} = 367A61.9 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 m \frac{m^2}{s^2}$
$1 \frac{m^2}{s^2} = 0.0002082840 \cdot 10^{-10}$	$1 ni' upa - \frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{m^2}{s^2} (*)$
$1 k \frac{m^2}{s^2} = 0.1235146 \cdot 10^{-10}$	$1 ni' upa - \frac{L^2}{T^2} = 10^{-10} = A.0B6589 k \frac{m^2}{s^2}$
$1 m \text{ m}^2 \text{ s} = 1B119.64 \cdot 10^{80}$	$1 bi-L^2T = 10^{80} = 0.00006299AB1 \text{ m m}^2 \text{ s}$
$1 m^2 \text{ s} = 0.00001144796 \cdot 10^{90}$	$1 so-L^2T = 10^{90} = A9353.97 \text{ m}^2 \text{ s}$
$1 km^2 \text{ s} = 0.007899755 \cdot 10^{90}$	$1 so-L^2T = 10^{90} = 167.4A88 \text{ km}^2 \text{ s}$
$1 m \frac{1}{m} = 34.73B1B \cdot 10^{-30}$	$1 ni' uci - \frac{1}{L} = 10^{-30} = 0.0366731B m \frac{1}{m}$
$1 \frac{1}{m} = 1B602.76 \cdot 10^{-30}$	$1 ni' uci - \frac{1}{L} = 10^{-30} = 0.00006163AB3 \frac{1}{m}$
$1 k \frac{1}{m} = 0.00001172563 \cdot 10^{-20}$	$1 ni' ure - \frac{1}{L} = 10^{-20} = A707A.B1 k \frac{1}{m}$
$1 m \frac{1}{ms} = 0.00960A65B \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 131.9405 m \frac{1}{ms}$
$1 \frac{1}{ms} = 5.602125 \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 0.2221423 \frac{1}{ms}$
$1 k \frac{1}{ms} = 3225.270 \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 0.0003929527 k \frac{1}{ms}$
$1 m \frac{1}{ms^2} = 228513B \cdot 10^{-A0}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 548696.A m \frac{1}{ms^2}$
$1 \frac{1}{ms^2} = 0.00135521B \cdot 10^{-90}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 939.AA71 \frac{1}{ms^2}$
$1 k \frac{1}{ms^2} = 0.8B38779 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 1.412994 k \frac{1}{ms^2}$
$1 m \frac{s}{m} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 m \frac{s}{m}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 k \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 25.8A836 k \frac{s}{m}$
$1 m \frac{1}{m^2} = 6764B2.B \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{L^2} = 10^{-60} = 0.000001988743 m \frac{1}{m^2}$
$1 \frac{1}{m^2} = 0.0003A03A35 \cdot 10^{-50}$	$1 ni' umu - \frac{1}{L^2} = 10^{-50} = 3166.2B1 \frac{1}{m^2}$
$1 k \frac{1}{m^2} = 0.2277695 \cdot 10^{-50}$	$1 ni' umu - \frac{1}{L^2} = 10^{-50} = 5.4A5BA4 k \frac{1}{m^2}$
$1 m \frac{1}{m^2 s} = 167.4A88 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{L^2 T} = 10^{-90} = 0.007899755 m \frac{1}{m^2 s}$
$1 \frac{1}{m^2 s} = A9353.97 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{L^2 T} = 10^{-90} = 0.00001144796 \frac{1}{m^2 s}$
$1 k \frac{1}{m^2 s} = 0.00006299AB1 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^2 T} = 10^{-80} = 1B119.64 k \frac{1}{m^2 s}$
$1 m \frac{1}{m^2 s^2} = 0.044365B4 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2 T^2} = 10^{-100} = 29.06289 m \frac{1}{m^2 s^2}$
$1 \frac{1}{m^2 s^2} = 26.31B13 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2 T^2} = 10^{-100} = 0.04912273 \frac{1}{m^2 s^2}$
$1 k \frac{1}{m^2 s^2} = 1561B.45 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2 T^2} = 10^{-100} = 0.0000827BBA8 k \frac{1}{m^2 s^2} (*)$
$1 m \frac{s}{m^2} = 0.002439376 \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 510.414A m \frac{s}{m^2}$
$1 \frac{s}{m^2} = 1.447672 \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 0.8955A48 \frac{s}{m^2}$
$1 k \frac{s}{m^2} = 959.591B \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 0.001322921 k \frac{s}{m^2}$
$1 m \frac{1}{m^3} = 0.010B9215 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = B1.15A06 m \frac{1}{m^3}$
$1 \frac{1}{m^3} = 7.618486 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 0.1720559 \frac{1}{m^3}$
$1 k \frac{1}{m^3} = 441B.974 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 0.000291609B k \frac{1}{m^3}$
$1 m \frac{1}{m^3 s} = 305650A \cdot 10^{-100}$	$1 ni' uvaiei - \frac{1}{L^3 T} = 10^{-B0} = 3B4868.2 m \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s} = 0.001912533 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{1}{L^3 T} = 10^{-B0} = 69A.8A01 \frac{1}{m^3 s}$
$1 k \frac{1}{m^3 s} = 1.026433 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{1}{L^3 T} = 10^{-B0} = 0.B962026 k \frac{1}{m^3 s}$
$1 m \frac{1}{m^3 s^2} = 865.020B \cdot 10^{-130}$	$1 ni' upaci - \frac{1}{L^3 T^2} = 10^{-130} = 0.0014A56AB m \frac{1}{m^3 s^2}$
$1 \frac{1}{m^3 s^2} = 4B329A.5 \cdot 10^{-130}$	$1 ni' upare - \frac{1}{L^3 T^2} = 10^{-120} = 251A383. \frac{1}{m^3 s^2}$
$1 k \frac{1}{m^3 s^2} = 0.0002A37172 \cdot 10^{-120}$	$1 ni' upare - \frac{1}{L^3 T^2} = 10^{-120} = 4246.813 k \frac{1}{m^3 s^2}$

$$\begin{aligned}
1 \text{m} \frac{\text{s}}{\text{m}^3} &= 47.55297 \cdot 10^{-50} \\
1 \text{m} \frac{\text{s}}{\text{m}^3} &= 28111.01 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.0000166A2A4 \cdot 10^{-40} \\
1 \text{m kg} &= 7A310.A2 \cdot 10^0 \\
1 \text{kg} &= 0.00004666953 \cdot 10^{10} \\
1 \text{k kg} &= 0.02769716 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1A.0920B \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{s}} &= 10927.85 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 0.000007480418 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.0051B8628 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{s}^2} &= 2.BA479A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 1890.978 \cdot 10^{-60} \\
1 \text{m kg s} &= 0.00029680B7 \cdot 10^{40} \\
1 \text{kg s} &= 0.1750414 \cdot 10^{40} \\
1 \text{k kg s} &= B2.A306A \cdot 10^{40} \\
1 \text{m kg m} &= 4.016594 \cdot 10^{30} \\
1 \text{kg m} &= 23A2.842 \cdot 10^{30} \\
1 \text{k kg m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 0.000B32345B \cdot 10^0 \\
1 \frac{\text{kg m}}{\text{s}} &= 0.6629A12 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 393.3702 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 2778AA.6 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.0001639122 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.0A721226 \cdot 10^{-30} \\
1 \text{m kg m s} &= 15173.52 \cdot 10^{60} \\
1 \text{kg m s} &= 9AB9B1A. \cdot 10^{60} \\
1 \text{k kg m s} &= 0.0058A3575 \cdot 10^{70} \\
1 \text{m kg m}^2 &= 0.000206A8A8 \cdot 10^{60} \\
1 \text{kg m}^2 &= 0.1227A71 \cdot 10^{60} \\
1 \text{k kg m}^2 &= 82.914A4 \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 14.1A945 \cdot 10^{-10} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 9426.245 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.0000054B2985 \cdot 10^0 \\
1 \text{m kg m}^2 \text{s} &= 0.88B9863 \cdot 10^{90} \\
1 \text{kg m}^2 \text{s} &= 509.0812 \cdot 10^{90} \\
1 \text{k kg m}^2 \text{s} &= 2B1AA8.3 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.001347239 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}} &= 0.8A9B350 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 519.A444 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= 372644.8 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}} &= 0.0002100AA6 \cdot 10^{-50} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 0.1257A36 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= A1.4638B \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 5A2A9.20 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2} &= 0.00003479550 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 5.587529 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}} &= 3204.638 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'}\text{umu-} \frac{T}{L^3} &= 10^{-50} = 0.0271B313 \text{m} \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'}\text{umu-} \frac{T}{L^3} &= 10^{-50} = 0.000045A1B97 \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'}\text{uwo-} \frac{T}{L^3} &= 10^{-40} = 7906A.72 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 M &= 1 = 0.0000163BB04 \text{m kg} \quad (*) \\
1 \text{pa-}M &= 10^{10} = 27819.44 \text{ kg} \\
1 \text{pa-}M &= 10^{10} = 46.8A90A \text{k kg} \\
1 \text{ni'}\text{uci-} \frac{M}{T} &= 10^{-30} = 0.06639A84 \text{ m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{uci-} \frac{M}{T} &= 10^{-30} = 0.0000B340242 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{ure-} \frac{M}{T} &= 10^{-20} = 175A37.3 \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 23A.6B9A \text{ m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 0.4021A89 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'}\text{uxa-} \frac{M}{T^2} &= 10^{-60} = 0.0006B30821 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{vo-}MT &= 10^{40} = 435B.497 \text{ m kg s} \\
1 \text{vo-}MT &= 10^{40} = 7.4B9989 \text{ kg s} \\
1 \text{vo-}MT &= 10^{40} = 0.01099232 \text{k kg s} \\
1 \text{ci-}ML &= 10^{30} = 0.2BAA214 \text{ m kg m} \\
1 \text{ci-}ML &= 10^{30} = 0.0005206092 \text{ kg m} \\
1 \text{vo-}ML &= 10^{40} = 8B2608.B \text{ k kg m} \\
1 \frac{ML}{T} &= 1 = 1094.737 \text{ m} \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 1.A106A2 \frac{\text{kg m}}{\text{s}} \\
1 \frac{ML}{T} &= 1 = 0.00322003A \text{k} \frac{\text{kg m}}{\text{s}} \quad (*) \\
1 \text{ni'}\text{uwo-} \frac{ML}{T^2} &= 10^{-40} = 0.000004673230 \text{ m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'}\text{uci-} \frac{ML}{T^2} &= 10^{-30} = 7A43.708 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'}\text{uci-} \frac{ML}{T^2} &= 10^{-30} = 11.70743 \text{k} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{xa-}MLT &= 10^{60} = 0.000084A291B \text{ m kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 126334.0 \text{ kg m s} \\
1 \text{ze-}MLT &= 10^{70} = 211.188A \text{k kg m s} \\
1 \text{xa-}ML^2 &= 10^{60} = 5A39.6BA \text{ m kg m}^2 \\
1 \text{xa-}ML^2 &= 10^{60} = A.16100A \text{ kg m}^2 \quad (*) \\
1 \text{xa-}ML^2 &= 10^{60} = 0.0155B69B \text{ k kg m}^2 \\
1 \text{re-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \text{ m} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ci-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'}\text{upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.08AB38A3 \text{ m} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'}\text{upa-} \frac{ML^2}{T^2} &= 10^{-10} = 0.0001349690 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 2273B4.5 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{so-}ML^2T &= 10^{90} = 1.456230 \text{ m kg m}^2 \text{s} \\
1 \text{so-}ML^2T &= 10^{90} = 0.002453826 \text{ kg m}^2 \text{s} \\
1 \text{jauau-}ML^2T &= 10^{A0} = 4119413. \text{k kg m}^2 \text{s} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 943.B590 \text{ m} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 1.421329 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{ure-} \frac{M}{L} &= 10^{-20} = 0.0023B4B88 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'}\text{uxa-} \frac{M}{LT} &= 10^{-60} = 0.0000033BA674 \text{ m} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'}\text{umu-} \frac{M}{LT} &= 10^{-50} = 5912.938 \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'}\text{umu-} \frac{M}{LT} &= 10^{-50} = 9.B4AB35 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'}\text{uso-} \frac{M}{LT^2} &= 10^{-90} = 0.0122A0A5 \text{ m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'}\text{uso-} \frac{M}{LT^2} &= 10^{-90} = 0.00002072638 \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'}\text{ubi-} \frac{M}{LT^2} &= 10^{-80} = 36615.98 \text{k} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.2236413 \text{ m} \frac{\text{kg s}}{\text{m}} \\
1 \text{pa-} \frac{MT}{L} &= 10^{10} = 0.0003952971 \frac{\text{kg s}}{\text{m}}
\end{aligned}$$

$1k \frac{kg\cdot s}{m} = 0.000001A01351 \cdot 10^{20}$	$1 re - \frac{MT}{L} = 10^{20} = 6661B5.B k \frac{kg\cdot s}{m}$
$1m \frac{kg}{m^2} = 26.1644A \cdot 10^{-50}$	$1 ni'umu - \frac{M}{L^2} = 10^{-50} = 0.04943351 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 15527.67 \cdot 10^{-50}$	$1 ni'umu - \frac{M}{L^2} = 10^{-50} = 0.00008314066 \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 0.00000A10AB0A \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{L^2} = 10^{-40} = 123321.1 k \frac{kg}{m^2}$
$1m \frac{kg}{m^2} = 0.007076306 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{L^2T} = 10^{-80} = 185.041B m \frac{kg}{m^2\cdot s}$
$1 \frac{kg}{m^2\cdot s} = 4.0B8292 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{L^2T} = 10^{-80} = 0.2B34B03 \frac{kg}{m^2\cdot s}$
$1k \frac{kg}{m^2\cdot s} = 2441.19A \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{L^2T} = 10^{-80} = 0.00050B79B2 k \frac{kg}{m^2\cdot s}$
$1m \frac{kg}{m^2\cdot s^2} = 179866B \cdot 10^{-100}$	$1 ni'uvaiei - \frac{M}{L^2T^2} = 10^{-B0} = 732940.3 m \frac{kg}{m^2\cdot s^2}$
$1 \frac{kg}{m^2\cdot s^2} = 0.000B569439 \cdot 10^{-B0}$	$1 ni'uvaiei - \frac{M}{L^2T^2} = 10^{-B0} = 1068.9BA \frac{kg}{m^2\cdot s^2}$
$1k \frac{kg}{m^2\cdot s^2} = 0.6773900 \cdot 10^{-B0}$	$1 ni'uvaiei - \frac{M}{L^2T^2} = 10^{-B0} = 1.9857B4 k \frac{kg}{m^2\cdot s^2}$
$1m \frac{kg}{m^2} = A8859.16 \cdot 10^{-20}$	$1 ni'ure - \frac{MT}{L^2} = 10^{-20} = 0.000011513B0 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 0.00006259680 \cdot 10^{-10}$	$1 ni'upa - \frac{MT}{L^2} = 10^{-10} = 1B249.56 \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 0.03712B04 \cdot 10^{-10}$	$1 ni'upa - \frac{MT}{L^2} = 10^{-10} = 34.10A70 k \frac{kg}{m^2}$
$1m \frac{kg}{m^3} = 4B0062.6 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{L^3} = 10^{-80} = 0.00000253529A m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 0.0002A18B71 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{L^3} = 10^{-70} = 4273.46B \frac{kg}{m^3}$
$1k \frac{kg}{m^3} = 0.1791572 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{L^3} = 10^{-70} = 7.354719 k \frac{kg}{m^3}$
$1m \frac{kg}{m^3} = 119.8A36 \cdot 10^{-B0}$	$1 ni'uvaiei - \frac{M}{L^3T} = 10^{-B0} = 0.00A51433B m \frac{kg}{m^3\cdot s}$
$1 \frac{kg}{m^3} = 7BAB6.16 \cdot 10^{-B0}$	$1 ni'uvaiei - \frac{M}{L^3T} = 10^{-B0} = 0.00001602416 \frac{kg}{m^3\cdot s}$
$1k \frac{kg}{m^3} = 0.00004760932 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{M}{L^3T} = 10^{-A0} = 27170.39 k \frac{kg}{m^3\cdot s}$
$1m \frac{kg}{m^3\cdot s^2} = 0.03296726 \cdot 10^{-120}$	$1 ni'upare - \frac{M}{L^3T^2} = 10^{-120} = 38.65A74 m \frac{kg}{m^3\cdot s^2}$
$1 \frac{kg}{m^3\cdot s^2} = 1A.54BA1 \cdot 10^{-120}$	$1 ni'upare - \frac{M}{L^3T^2} = 10^{-120} = 0.064B7237 \frac{kg}{m^3\cdot s^2}$
$1k \frac{kg}{m^3\cdot s^2} = 10BAB.36 \cdot 10^{-120}$	$1 ni'upare - \frac{M}{L^3T^2} = 10^{-120} = 0.0000B0BB909 k \frac{kg}{m^3\cdot s^2}$
$1m \frac{kg}{m^3} = 0.001900976 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3} = 10^{-40} = 6A3.2000 m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 1.01A56A \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3} = 10^{-40} = 0.BA19A7B \frac{kg}{m^3}$
$1k \frac{kg}{m^3} = 705.0003 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3} = 10^{-40} = 0.0018577B7 k \frac{kg}{m^3}$
$1m \frac{1}{C} = 20410.40 \cdot 10^{-20}$	$1 ni'ure - \frac{1}{Q} = 10^{-20} = 0.00005ABAB83 m \frac{1}{C}$
$1 \frac{1}{C} = 0.00001210458 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{Q} = 10^{-10} = A2813.72 \frac{1}{C}$
$1k \frac{1}{C} = 0.008199B06 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{Q} = 10^{-10} = 157.B978 k \frac{1}{C}$
$1m \frac{1}{s\cdot C} = 5.845543 \cdot 10^{-50}$	$1 ni'umu - \frac{1}{T\cdot Q} = 10^{-50} = 0.213351A m \frac{1}{s\cdot C}$
$1 \frac{1}{s\cdot C} = 3369.71A \cdot 10^{-50}$	$1 ni'umu - \frac{1}{T\cdot Q} = 10^{-50} = 0.0003780B26 \frac{1}{s\cdot C}$
$1k \frac{1}{s\cdot C} = 0.000001AA9278 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T\cdot Q} = 10^{-40} = 635734.1 k \frac{1}{s\cdot C}$
$1m \frac{1}{s^2\cdot C} = 0.001400744 \cdot 10^{-80}$	$1 ni'ubi - \frac{1}{T^2\cdot Q} = 10^{-80} = 8BB.7A38 m \frac{1}{s^2\cdot C}$
$1 \frac{1}{s^2\cdot C} = 0.9318318 \cdot 10^{-80}$	$1 ni'ubi - \frac{1}{T^2\cdot Q} = 10^{-80} = 1.366A85 \frac{1}{s^2\cdot C}$
$1k \frac{1}{s^2\cdot C} = 543.9885 \cdot 10^{-80}$	$1 ni'ubi - \frac{1}{T^2\cdot Q} = 10^{-80} = 0.0022A497B k \frac{1}{s^2\cdot C}$
$1m \frac{s}{C} = 0.000087B982B \cdot 10^{20}$	$1 re - \frac{T}{Q} = 10^{20} = 1474B.9A m \frac{s}{C}$
$1 \frac{s}{C} = 0.050213B3 \cdot 10^{20}$	$1 re - \frac{T}{Q} = 10^{20} = 24.870B3 \frac{s}{C}$
$1k \frac{s}{C} = 2A.9A7A8 \cdot 10^{20}$	$1 re - \frac{T}{Q} = 10^{20} = 0.041754B9 k \frac{s}{C}$
$1m \frac{m}{C} = 1.051829 \cdot 10^{10}$	$1 pa - \frac{L}{Q} = 10^{10} = 0.B705351 m \frac{m}{C}$
$1 \frac{m}{C} = 723.8458 \cdot 10^{10}$	$1 pa - \frac{L}{Q} = 10^{10} = 0.001803095 \frac{m}{C}$
$1k \frac{m}{C} = 41B441.9 \cdot 10^{10}$	$1 re - \frac{L}{Q} = 10^{20} = 2A71B2A. k \frac{m}{C}$
$1m \frac{m}{s\cdot C} = 0.0002AAB179 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T\cdot Q} = 10^{-20} = 415B.816 m \frac{m}{s\cdot C}$
$1 \frac{m}{s\cdot C} = 0.1825281 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T\cdot Q} = 10^{-20} = 7.164761 \frac{m}{s\cdot C}$
$1k \frac{m}{s\cdot C} = B8.36B2A \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T\cdot Q} = 10^{-20} = 0.01039717 k \frac{m}{s\cdot C}$
$1m \frac{m}{s^2\cdot C} = 8208B.85 \cdot 10^{-60}$	$1 ni'uxa - \frac{L}{T^2\cdot Q} = 10^{-60} = 0.000015755A4 m \frac{m}{s^2\cdot C}$
$1 \frac{m}{s^2\cdot C} = 0.0000488BA3B \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\cdot Q} = 10^{-50} = 26549.43 \frac{m}{s^2\cdot C}$
$1k \frac{m}{s^2\cdot C} = 0.028A1104 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2\cdot Q} = 10^{-50} = 44.74A96 k \frac{m}{s^2\cdot C}$
$1m \frac{ms}{C} = 4511.788 \cdot 10^{40}$	$1 vo - \frac{LT}{Q} = 10^{40} = 0.0002866695 m \frac{ms}{C}$
$1 \frac{ms}{C} = 2688690 \cdot 10^{40}$	$1 mu - \frac{LT}{Q} = 10^{50} = 482A47.5 \frac{ms}{C}$
$1k \frac{ms}{C} = 0.001594616 \cdot 10^{50}$	$1 mu - \frac{LT}{Q} = 10^{50} = 812.2014 k \frac{ms}{C}$

$$\begin{aligned}
1 \text{m} \frac{\text{m}^2}{\text{C}} &= 0.00006419 A61 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2}{\text{C}} &= 0.03809 BB0 \cdot 10^{40} \quad (*) \\
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 21.60549 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 159 AA.71 \cdot 10^0 \\
1 \frac{\text{m}^2}{\text{sC}} &= A3956 A9. \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 0.005 B77887 \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 4.20 A2B2 \cdot 10^{-30} \\
1 \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 24 B8.718 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{C}} &= 0.00001492843 \cdot 10^{-20} \\
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{C}} &= 0.2313 AA6 \cdot 10^{70} \\
1 \frac{\text{m}^2 \text{s}}{\text{C}} &= 138.3256 \cdot 10^{70} \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{C}} &= 90 B4B.0B \cdot 10^{70} \\
1 \text{m} \frac{1}{\text{mC}} &= 0.0003 B80559 \cdot 10^{-40} \\
1 \frac{1}{\text{mC}} &= 0.23705 A0 \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{mC}} &= 13 B.6A86 \cdot 10^{-40} \\
1 \text{m} \frac{1}{\text{msC}} &= B1A9A.B5 \cdot 10^{-80} \\
1 \frac{1}{\text{msC}} &= 0.0000655 A621 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{msC}} &= 0.038 A1582 \cdot 10^{-70} \\
1 \text{m} \frac{1}{\text{ms}^2 \text{C}} &= 27.415 B1 \cdot 10^{-B0} \\
1 \frac{1}{\text{ms}^2 \text{C}} &= 1617 B.86 \cdot 10^{-B0} \\
1 \text{k} \frac{1}{\text{ms}^2 \text{C}} &= 0.00000 A5 B6875 \cdot 10^{-A0} \\
1 \text{m} \frac{s}{\text{mC}} &= 1.4 B7945 \cdot 10^{-10} \\
1 \frac{s}{\text{mC}} &= 99 A.2846 \cdot 10^{-10} \\
1 \text{k} \frac{s}{\text{mC}} &= 582500. A \cdot 10^{-10} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2 \text{C}} &= 7.94391 A \cdot 10^{-70} \\
1 \frac{1}{\text{m}^2 \text{C}} &= 4603. B57 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m}^2 \text{C}} &= 0.000002732357 \cdot 10^{-60} \\
1 \text{m} \frac{1}{\text{m}^2 \text{sC}} &= 0.0019 A2AA3 \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^2 \text{sC}} &= 1.079160 \cdot 10^{-A0} \\
1 \text{k} \frac{1}{\text{m}^2 \text{sC}} &= 739. A853 \cdot 10^{-A0} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 51475 B.5 \cdot 10^{-120} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0002 B63548 \cdot 10^{-110} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} &= 0.18683 B5 \cdot 10^{-110} \\
1 \text{m} \frac{s}{\text{m}^2 \text{C}} &= 292 A0.68 \cdot 10^{-40} \\
1 \frac{s}{\text{m}^2 \text{C}} &= 0.00001729852 \cdot 10^{-30} \\
1 \text{k} \frac{s}{\text{m}^2 \text{C}} &= 0.00B16 A068 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^3 \text{C}} &= 132 A10. A \cdot 10^{-A0} \\
1 \frac{1}{\text{m}^3 \text{C}} &= 0.00008998893 \cdot 10^{-90} \\
1 \text{k} \frac{1}{\text{m}^3 \text{C}} &= 0.05129677 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3 \text{sC}} &= 36.97105 \cdot 10^{-110} \\
1 \frac{1}{\text{m}^3 \text{sC}} &= 20927.26 \cdot 10^{-110} \\
1 \text{k} \frac{1}{\text{m}^3 \text{sC}} &= 0.00001240009 \cdot 10^{-100} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 1A836.A8 \text{m} \frac{\text{m}^2}{\text{C}} \\
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 33.2644 B \frac{\text{m}^2}{\text{C}} \\
1 \text{vo} \frac{L^2}{Q} &= 10^{40} = 0.05790 B0B \text{k} \frac{\text{m}^2}{\text{C}} \\
1 \frac{L^2}{TQ} &= 1 = 0.000080 B332 A \text{m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 11 B617.5 \frac{\text{m}^2}{\text{sC}} \\
1 \text{pa} \frac{L^2}{TQ} &= 10^{10} = 201.561 A \text{k} \frac{\text{m}^2}{\text{sC}} \\
1 \text{ni'uci} \frac{L^2}{T^2 Q} &= 10^{-30} = 0.2 A6169 B \text{m} \frac{\text{m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'uci} \frac{L^2}{T^2 Q} &= 10^{-30} = 0.0004 B774 B A \frac{\text{m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'ure} \frac{L^2}{T^2 Q} &= 10^{-20} = 870707.9 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{C}} \\
1 \text{ze} \frac{L^2 T}{Q} &= 10^{70} = 5.38 A544 A \text{m} \frac{\text{m}^2 \text{s}}{\text{C}} \\
1 \text{ze} \frac{L^2 T}{Q} &= 10^{70} = 0.009218442 \frac{\text{m}^2 \text{s}}{\text{C}} \\
1 \text{ze} \frac{L^2 T}{Q} &= 10^{70} = 0.000013 A3A86 \text{k} \frac{\text{m}^2 \text{s}}{\text{C}} \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 302 B.AA3 \text{m} \frac{1}{\text{mC}} \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 5.277 B B4 \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'uvo} \frac{1}{LQ} &= 10^{-40} = 0.00902 A676 \text{k} \frac{1}{\text{mC}} \\
1 \text{ni'ubi} \frac{1}{LTQ} &= 10^{-80} = 0.000010 A A38 B \text{m} \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = 1A371.B6 \frac{1}{\text{msC}} \\
1 \text{ni'uze} \frac{1}{LTQ} &= 10^{-70} = 32.64 A81 \text{k} \frac{1}{\text{msC}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2 Q} &= 10^{-B0} = 0.0471699 B \text{m} \frac{1}{\text{ms}^2 \text{C}} \\
1 \text{ni'uvaiei} \frac{1}{LT^2 Q} &= 10^{-B0} = 0.00007 B32343 \frac{1}{\text{ms}^2 \text{C}} \\
1 \text{ni'ujauau} \frac{1}{LT^2 Q} &= 10^{-A0} = 118752.3 \text{k} \frac{1}{\text{ms}^2 \text{C}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.859 A549 \text{m} \frac{s}{\text{mC}} \\
1 \text{ni'upa} \frac{T}{LQ} &= 10^{-10} = 0.00127 B487 \frac{s}{\text{mC}} \\
1 \frac{T}{LQ} &= 1 = 21405 A1. \text{k} \frac{s}{\text{mC}} \\
1 \text{ni'uze} \frac{1}{L^2 Q} &= 10^{-70} = 0.1661389 \text{m} \frac{1}{\text{m}^2 \text{C}} \\
1 \text{ni'uze} \frac{1}{L^2 Q} &= 10^{-70} = 0.00027 B97 A8 \frac{1}{\text{m}^2 \text{C}} \\
1 \text{ni'uxa} \frac{1}{L^2 Q} &= 10^{-60} = 47326 A.B \text{k} \frac{1}{\text{m}^2 \text{C}} \\
1 \text{ni'ujauau} \frac{1}{L^2 TQ} &= 10^{-A0} = 670. A44 A \text{m} \frac{1}{\text{m}^2 \text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2 TQ} &= 10^{-A0} = 0. B477785 \frac{1}{\text{m}^2 \text{sC}} \\
1 \text{ni'ujauau} \frac{1}{L^2 TQ} &= 10^{-A0} = 0.001781361 \text{k} \frac{1}{\text{m}^2 \text{sC}} \\
1 \text{ni'upare} \frac{1}{L^2 T^2 Q} &= 10^{-120} = 0.00000241972 A \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2 T^2 Q} &= 10^{-110} = 4078.762 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapa} \frac{1}{L^2 T^2 Q} &= 10^{-110} = 7.007 B B1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{C}} \quad (**) \\
1 \text{ni'uvo} \frac{T}{L^2 Q} &= 10^{-40} = 0.000043 B A884 \text{m} \frac{s}{\text{m}^2 \text{C}} \\
1 \text{ni'uci} \frac{T}{L^2 Q} &= 10^{-30} = 75 A10.87 \frac{s}{\text{m}^2 \text{C}} \\
1 \text{ni'uci} \frac{T}{L^2 Q} &= 10^{-30} = 10 B.2 B2 A \text{k} \frac{s}{\text{m}^2 \text{C}} \\
1 \text{ni'ujauau} \frac{1}{L^3 Q} &= 10^{-A0} = 0.00000954 B08 B \text{m} \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'uso} \frac{1}{L^3 Q} &= 10^{-90} = 143 B8.0 B \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'uso} \frac{1}{L^3 Q} &= 10^{-90} = 24.27836 \text{k} \frac{1}{\text{m}^3 \text{C}} \\
1 \text{ni'upapa} \frac{1}{L^3 TQ} &= 10^{-110} = 0.03445 B33 \text{m} \frac{1}{\text{m}^3 \text{sC}} \\
1 \text{ni'upapa} \frac{1}{L^3 TQ} &= 10^{-110} = 0.000059925 A1 \frac{1}{\text{m}^3 \text{sC}} \\
1 \text{ni'upano} \frac{1}{L^3 TQ} &= 10^{-100} = A0683. B4 \text{k} \frac{1}{\text{m}^3 \text{sC}} \\
1 \text{ni'upavo} \frac{1}{L^3 T^2 Q} &= 10^{-140} = 124.595 B \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3 T^2 Q} &= 10^{-140} = 0.20 A0723 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upavo} \frac{1}{L^3 T^2 Q} &= 10^{-140} = 0.00036 B0443 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uxa} \frac{T}{L^3 Q} &= 10^{-60} = 2266.917 \text{m} \frac{s}{\text{m}^3 \text{sC}} \\
1 \text{ni'uxa} \frac{T}{L^3 Q} &= 10^{-60} = 3.9 A5893 \frac{s}{\text{m}^3 \text{sC}}
\end{aligned}$$

$$\begin{aligned}
1 \mathbf{k} \frac{\text{s}}{\text{m}^3 \text{C}} &= 199.7114 \cdot 10^{-60} \\
1 \mathbf{m} \frac{\text{kg}}{\text{C}} &= 0.9278524 \cdot 10^{-10} \\
1 \frac{\text{kg}}{\text{C}} &= 540.41A9 \cdot 10^{-10} \\
1 \mathbf{k} \frac{\text{kg}}{\text{C}} &= 31078A.6 \cdot 10^{-10} \\
1 \mathbf{m} \frac{\text{kg}}{\text{s} \text{C}} &= 0.00021A954A \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s} \text{C}} &= 0.12BA2B6 \cdot 10^{-40} \\
1 \mathbf{k} \frac{\text{kg}}{\text{s} \text{C}} &= 88.0B9A7 \cdot 10^{-40} \\
1 \mathbf{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 608BA.08 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.000036124A6 \cdot 10^{-70} \\
1 \mathbf{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.02044406 \cdot 10^{-70} \\
1 \mathbf{m} \frac{\text{kg s}}{\text{C}} &= 3348.037 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 1A96509. \cdot 10^{20} \\
1 \mathbf{k} \frac{\text{kg s}}{\text{C}} &= 0.001123672 \cdot 10^{30} \\
1 \mathbf{m} \frac{\text{kg m}}{\text{C}} &= 0.0000485B227 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.02883A40 \cdot 10^{20} \\
1 \mathbf{k} \frac{\text{kg m}}{\text{C}} &= 16.B0559 \cdot 10^{20} \\
1 \mathbf{m} \frac{\text{kg m}}{\text{s} \text{C}} &= 11283.3B \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s} \text{C}} &= 77A0190. \cdot 10^{-20} \\
1 \mathbf{k} \frac{\text{kg m}}{\text{s} \text{C}} &= 0.004518A42 \cdot 10^{-10} \\
1 \mathbf{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 3.119027 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 195B.5B6 \cdot 10^{-50} \\
1 \mathbf{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.000001053461 \cdot 10^{-40} \\
1 \mathbf{m} \frac{\text{kg m s}}{\text{C}} &= 0.18141BB \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m s}}{\text{C}} &= B7.8031B \cdot 10^{50} \\
1 \mathbf{k} \frac{\text{kg m s}}{\text{C}} &= 689B0.60 \cdot 10^{50} \\
1 \mathbf{m} \frac{\text{kg m}^2}{\text{C}} &= 24A1.A50 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 1483A38. \cdot 10^{40} \\
1 \mathbf{k} \frac{\text{kg m}^2}{\text{C}} &= 0.00097B156B \cdot 10^{50} \\
1 \mathbf{m} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 0.690400B \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s} \text{C}} &= 3AA.839B \cdot 10^{10} \\
1 \mathbf{k} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 231771.3 \cdot 10^{10} \\
1 \mathbf{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00016B72A1 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0AB86B0B \cdot 10^{-20} \\
1 \mathbf{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 64.2828B \cdot 10^{-20} \\
1 \mathbf{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.00000A3296A4 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.005B39518 \cdot 10^{80} \\
1 \mathbf{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 3.532B58 \cdot 10^{80} \\
1 \mathbf{m} \frac{\text{kg}}{\text{m} \text{C}} &= 16083.05 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m} \text{C}} &= A549387. \cdot 10^{-40} \\
1 \mathbf{k} \frac{\text{kg}}{\text{m} \text{C}} &= 0.0060699BA \cdot 10^{-30} \\
1 \mathbf{m} \frac{\text{kg}}{\text{m s} \text{C}} &= 4.287B8B \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s} \text{C}} &= 2542.A0B \cdot 10^{-70} \\
1 \mathbf{k} \frac{\text{kg}}{\text{m s} \text{C}} &= 0.0000014BA108 \cdot 10^{-60} \\
1 \mathbf{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.000BA58613 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.6A54B91 \cdot 10^{-A0} \\
1 \mathbf{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 3B8.6B30 \cdot 10^{-A0} \\
1 \mathbf{m} \frac{\text{kg s}}{\text{m} \text{C}} &= 0.00006518526 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'uxa-} \frac{T}{L^3 Q} &= 10^{-60} = 0.006732853 \mathbf{k} \frac{\text{s}}{\text{m}^3 \text{C}} \\
1 \text{ ni'upa-} \frac{M}{Q} &= 10^{-10} = 1.374B9B \mathbf{m} \frac{\text{kg}}{\text{C}} \\
1 \text{ ni'upa-} \frac{M}{Q} &= 10^{-10} = 0.0022BA2B6 \frac{\text{kg}}{\text{C}} \\
1 \frac{M}{Q} &= 1 = 3A77526. \mathbf{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{M}{TQ} &= 10^{-40} = 5687.971 \mathbf{m} \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ ni'uvo-} \frac{M}{TQ} &= 10^{-40} = 9.73633A \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ ni'uvo-} \frac{M}{TQ} &= 10^{-40} = 0.0147288A \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ ni'ubi-} \frac{M}{T^2 Q} &= 10^{-80} = 0.00001B90511 \mathbf{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ ni'uze-} \frac{M}{T^2 Q} &= 10^{-70} = 35065.B0 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ ni'uze-} \frac{M}{T^2 Q} &= 10^{-70} = 5A.B13B9 \mathbf{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ re-} \frac{MT}{Q} &= 10^{20} = 0.00037A5353 \mathbf{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ ci-} \frac{MT}{Q} &= 10^{30} = 639833.1 \frac{\text{kg s}}{\text{C}} \\
1 \text{ ci-} \frac{MT}{Q} &= 10^{30} = AAB.B398 \mathbf{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{ re-} \frac{ML}{Q} &= 10^{20} = 26706.6A \mathbf{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{ re-} \frac{ML}{Q} &= 10^{20} = 44.A3085 \frac{\text{kg m}}{\text{C}} \\
1 \text{ re-} \frac{ML}{Q} &= 10^{20} = 0.0773BAAB \mathbf{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ ni'ure-} \frac{ML}{TQ} &= 10^{-20} = 0.0000AA805A6 \mathbf{m} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ ni'upa-} \frac{ML}{TQ} &= 10^{-10} = 16996A.9 \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ ni'upa-} \frac{ML}{TQ} &= 10^{-10} = 286.218A \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.3A6291B \mathbf{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.0006847569 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ ni'uvo-} \frac{ML}{T^2 Q} &= 10^{-40} = B6AA49.9 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ mu-} \frac{MLT}{Q} &= 10^{50} = 7.1B01A0 \mathbf{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{ mu-} \frac{MLT}{Q} &= 10^{50} = 0.01045710 \frac{\text{kg m s}}{\text{C}} \\
1 \text{ mu-} \frac{MLT}{Q} &= 10^{50} = 0.00001946707 \mathbf{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{ vo-} \frac{ML^2}{Q} &= 10^{40} = 0.0004BA169 \mathbf{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ mu-} \frac{ML^2}{Q} &= 10^{50} = 8761B5.3 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ mu-} \frac{ML^2}{Q} &= 10^{50} = 12AA.55A \mathbf{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ pa-} \frac{ML^2}{TQ} &= 10^{10} = 1.93AB41 \mathbf{m} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{ pa-} \frac{ML^2}{TQ} &= 10^{10} = 0.0030A2715 \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{ re-} \frac{ML^2}{TQ} &= 10^{20} = 5381962. \mathbf{k} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{ ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 7713.315 \mathbf{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 11.15210 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ ni'ure-} \frac{ML^2}{T^2 Q} &= 10^{-20} = 0.01A805AA \mathbf{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ bi-} \frac{ML^2 T}{Q} &= 10^{80} = 120324.5 \mathbf{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ bi-} \frac{ML^2 T}{Q} &= 10^{80} = 202.920A \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ bi-} \frac{ML^2 T}{Q} &= 10^{80} = 0.35A535A \mathbf{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ ni'ovo-} \frac{M}{LQ} &= 10^{-40} = 0.00007B84161 \mathbf{m} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ ni'uci-} \frac{M}{LQ} &= 10^{-30} = 119440.8 \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ ni'uci-} \frac{M}{LQ} &= 10^{-30} = 1B9.8B2A \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ ni'uze-} \frac{M}{LTQ} &= 10^{-70} = 0.2A09962 \mathbf{m} \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ ni'uze-} \frac{M}{LTQ} &= 10^{-70} = 0.0004AA5263 \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ ni'uxa-} \frac{M}{LTQ} &= 10^{-60} = 858875.2 \mathbf{k} \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 1016.5A1 \mathbf{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 1.8B5B19 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'ujauau-} \frac{M}{LT^2 Q} &= 10^{-A0} = 0.003026B93 \mathbf{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 1A497.82 \mathbf{m} \frac{\text{kg s}}{\text{m} \text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg s}}{\text{m C}} &= 0.038785AA \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 21.A0238 \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.0002B445A8 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.1857063 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= BA.156B2 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 83406.72 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.0000495A11A \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.02932694 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 1B.30492 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 11558.91 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.000007954557 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 1.070B51 \cdot 10^{-30} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 735.1B3B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 4271A2.0 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 5.931532 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 340B.7BB \cdot 10^{-90} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.000001B24102 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.0014266A8 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.94703A0 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 551.A167 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 396584.B \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0002242B71 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.13301B2 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 207A7.16 \cdot 10^{-60} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.000012328AA \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.008311058 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \text{m C} &= 157.B978 \cdot 10^{10} \\
1 \text{C} &= A2813.72 \cdot 10^{10} \\
1 \text{k C} &= 0.00005ABAB83 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 0.041754B9 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{s}} &= 24.870B3 \cdot 10^{-20} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 1474B.9A \cdot 10^{-20} \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= B747140. \cdot 10^{-60} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.00687B287 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 3.A81936 \cdot 10^{-50} \\
1 \text{m s C} &= 635734.1 \cdot 10^{40} \\
1 \text{s C} &= 0.0003780B26 \cdot 10^{50} \\
1 \text{k s C} &= 0.213351A \cdot 10^{50} \\
1 \text{m m C} &= 0.00902A676 \cdot 10^{40} \\
1 \text{m C} &= 5.277BB4 \cdot 10^{40} \quad (*) \\
1 \text{k m C} &= 302B.AA3 \cdot 10^{40} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 21405A1.. \cdot 10^0 \\
1 \frac{\text{m C}}{\text{s}} &= 0.00127B487 \cdot 10^{10} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.859A549 \cdot 10^{10} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 5B2.04BA \cdot 10^{-30} \\
1 \frac{\text{m C}}{\text{s}^2} &= 352296.7 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.0001BA0210 \cdot 10^{-20} \\
1 \text{m m s C} &= 32.64A81 \cdot 10^{70} \\
1 \text{m s C} &= 1A371.B6 \cdot 10^{70}
\end{aligned}$$

$$\begin{aligned}
1 \frac{MT}{LQ} &= 1 = 32.85AA5 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.056A7862 \text{k} \frac{\text{kg s}}{\text{m C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 40A4.256 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 7.052690 \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{M}{L^2 Q} &= 10^{-60} = 0.0101A9BB \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni'ujauau-} \frac{M}{L^2 TQ} &= 10^{-A0} = 0.00001548B10 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uso-} \frac{M}{L^2 TQ} &= 10^{-90} = 26086.13 \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'uso-} \frac{M}{L^2 TQ} &= 10^{-90} = 43.B37B5 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.06239225 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapa-} \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.0000A84B78B \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upano-} \frac{M}{L^2 T^2 Q} &= 10^{-100} = 165A96.9 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'uci-} \frac{MT}{L^2 Q} &= 10^{-30} = 0.B53041A \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'uci-} \frac{MT}{L^2 Q} &= 10^{-30} = 0.001792096 \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni'ure-} \frac{MT}{L^2 Q} &= 10^{-20} = 2A1A003. \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 0.20B4882 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'uso-} \frac{M}{L^3 Q} &= 10^{-90} = 0.0003714287 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'ubi-} \frac{M}{L^3 Q} &= 10^{-80} = 625B99.4 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 8A7.03B3 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 1.3421AB \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upano-} \frac{M}{L^3 TQ} &= 10^{-100} = 0.0022631A4 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upavo-} \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.0000031B40B8 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{M}{L^3 T^2 Q} &= 10^{-130} = 5569.B22 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upaci-} \frac{M}{L^3 T^2 Q} &= 10^{-130} = 9.5377A9 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uxa-} \frac{MT}{L^3 Q} &= 10^{-60} = 0.00005A0B943 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'umu-} \frac{MT}{L^3 Q} &= 10^{-50} = A1127.18 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni'umu-} \frac{MT}{L^3 Q} &= 10^{-50} = 155.31A8 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{pa-Q} &= 10^{10} = 0.008199B06 \text{m C} \\
1 \text{pa-Q} &= 10^{10} = 0.00001210458 \text{C} \\
1 \text{re-Q} &= 10^{20} = 20410.40 \text{k C} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 2A.9A7A8 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 0.050213B3 \frac{\text{C}}{\text{s}} \\
1 \text{ni'ure-} \frac{Q}{T} &= 10^{-20} = 0.000087B982B \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{ni'umu-} \frac{Q}{T^2} &= 10^{-50} = 10492B.0 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{Q}{T^2} &= 10^{-50} = 195.0A97 \frac{\text{C}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{Q}{T^2} &= 10^{-50} = 0.3102859 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{vo-TQ} &= 10^{40} = 0.000001AA9278 \text{m s C} \\
1 \text{mu-TQ} &= 10^{50} = 3369.71A \text{s C} \\
1 \text{mu-TQ} &= 10^{50} = 5.845543 \text{k s C} \\
1 \text{vo-LQ} &= 10^{40} = 13B.6A86 \text{m m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.23705A0 \text{m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.0003B80559 \text{k m C} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 582500.A \text{m} \frac{\text{m C}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 99A.2846 \frac{\text{m C}}{\text{s}} \\
1 \text{pa-} \frac{LQ}{T} &= 10^{10} = 1.4B7945 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{ni'uci-} \frac{LQ}{T^2} &= 10^{-30} = 0.0020343B0 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{LQ}{T^2} &= 10^{-20} = 35B579B. \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{LQ}{T^2} &= 10^{-20} = 605B.B86 \text{k} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ze-LTQ} &= 10^{70} = 0.038A1582 \text{m m s C} \\
1 \text{ze-LTQ} &= 10^{70} = 0.0000655A621 \text{m s C}
\end{aligned}$$

$$\begin{aligned}
1 \text{k m s C} &= 0.000010AA38B \cdot 10^{80} \\
1 \text{m m}^2 \text{C} &= 47326A.B \cdot 10^{60} \\
1 \text{m}^2 \text{C} &= 0.00027B97A8 \cdot 10^{70} \\
1 \text{k m}^2 \text{C} &= 0.1661389 \cdot 10^{70} \\
1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} &= 10B.2B2A \cdot 10^{30} \\
1 \text{m}^{\frac{\text{m}^2 \text{C}}{\text{s}}} &= 75A10.87 \cdot 10^{30} \\
1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 0.000043BA884 \cdot 10^{40} \\
1 \text{m} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 0.03040A8B \cdot 10^0 \\
1 \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 19.04367 \cdot 10^0 \\
1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} &= 10205.A0 \cdot 10^0 \\
1 \text{m m}^2 \text{s C} &= 0.001781361 \cdot 10^{A0} \\
1 \text{m}^2 \text{s C} &= 0.B477785 \cdot 10^{A0} \\
1 \text{k m}^2 \text{s C} &= 670.A44A \cdot 10^{A0} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 2A71B2A \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.001803095 \cdot 10^{-10} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 0.B705351 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 812.2014 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 482A47.5 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 0.0002866695 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.1A8B857 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 111.B7B6 \cdot 10^{-80} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 77503.AB \cdot 10^{-80} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.01039717 \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 7.164761 \cdot 10^{20} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 415B.816 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 0.05790B0B \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 33.2644B \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 1A836.A8 \cdot 10^{-40} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.000013A3A86 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.009218442 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 5.38A54A \cdot 10^{-70} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 3867.408 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.0000021946B6 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.0012B0598 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 201.561A \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 11B617.5 \cdot 10^{-10} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.000080B332A \cdot 10^0 \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= B08.4663 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^3} &= 649622.7 \cdot 10^{-70} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 0.00038534B5 \cdot 10^{-60} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.2708AB3 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 15B.85A7 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= A49B7.64 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.00007330224 \cdot 10^{-110} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.0425AB33 \cdot 10^{-110} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 25.27877 \cdot 10^{-110} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 3B2A8A0. \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.002340928 \cdot 10^{-30} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 1.39A281 \cdot 10^{-30} \\
1 \text{m kg C} &= 0.00683711A \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{bi-LTQ} &= 10^{80} = B1A9A.B5 \text{k m s C} \\
1 \text{xa-L}^2\text{Q} &= 10^{60} = 0.000002732357 \text{m m}^2 \text{C} \\
1 \text{ze-L}^2\text{Q} &= 10^{70} = 4603.B57 \text{m}^2 \text{C} \\
1 \text{ze-L}^2\text{Q} &= 10^{70} = 7.94391A \text{k m}^2 \text{C} \\
1 \text{ci-} \frac{L^2\text{Q}}{T} &= 10^{30} = 0.00B16A068 \text{m} \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \text{ci-} \frac{L^2\text{Q}}{T} &= 10^{30} = 0.00001729852 \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \text{vo-} \frac{L^2\text{Q}}{T} &= 10^{40} = 292A0.68 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}} \\
1 \frac{L^2\text{Q}}{T^2} &= 1 = 3B.674BA \text{m} \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \frac{L^2\text{Q}}{T^2} &= 1 = 0.06A20402 \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \frac{L^2\text{Q}}{T^2} &= 1 = 0.0000B9BA335 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} \\
1 \text{jauau-L}^2\text{TQ} &= 10^{A0} = 739.A853 \text{m m}^2 \text{s C} \\
1 \text{jauau-L}^2\text{TQ} &= 10^{A0} = 1.079160 \text{m}^2 \text{s C} \\
1 \text{jauau-L}^2\text{TQ} &= 10^{A0} = 0.0019A2AA3 \text{k m}^2 \text{s C} \\
1 \text{ni'upa-} \frac{Q}{L} &= 10^{-10} = 41B441.9 \text{m} \frac{\text{C}}{\text{m}} \\
1 \text{ni'upa-} \frac{Q}{L} &= 10^{-10} = 723.8458 \frac{\text{C}}{\text{m}} \\
1 \text{ni'upa-} \frac{Q}{L} &= 10^{-10} = 1.051829 \text{k} \frac{\text{C}}{\text{m}} \\
1 \text{ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.001594616 \text{m} \frac{\text{C}}{\text{m s}} \\
1 \text{ni'uvo-} \frac{Q}{LT} &= 10^{-40} = 2688690. \frac{\text{C}}{\text{m s}} \\
1 \text{ni'uvo-} \frac{Q}{LT} &= 10^{-40} = 4511.788 \text{k} \frac{\text{C}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 6.3B67A1 \text{m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.00AB31BB0 \frac{\text{C}}{\text{m s}^2} \quad (*) \\
1 \text{ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.000016A9A79 \text{k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{re-} \frac{TQ}{L} &= 10^{20} = B8.36B2A \text{m} \frac{\text{s C}}{\text{m}} \\
1 \text{re-} \frac{TQ}{L} &= 10^{20} = 0.1825281 \frac{\text{s C}}{\text{m}} \\
1 \text{re-} \frac{TQ}{L} &= 10^{20} = 0.0002AAB179 \text{k} \frac{\text{s C}}{\text{m}} \\
1 \text{ni'uvo-} \frac{Q}{L^2} &= 10^{-40} = 21.60549 \text{m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 0.03809BB0 \frac{\text{C}}{\text{m}^2} \quad (*) \\
1 \text{ni'ubo-} \frac{Q}{L^2} &= 10^{-40} = 0.00006419A61 \text{k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 90B4B.0B \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 138.3256 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uze-} \frac{Q}{L^2T} &= 10^{-70} = 0.2313AA6 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{Q}{L^2T^2} &= 10^{-B0} = 0.0003295402 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ujauau-} \frac{Q}{L^2T^2} &= 10^{-A0} = 570355.B \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ujauau-} \frac{Q}{L^2T^2} &= 10^{-A0} = 979.9876 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.005B77887 \text{m} \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = A3956A9. \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = 159AA.71 \text{k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.001103209 \text{m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 1A6036A. \frac{\text{C}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 32A7.298 \text{k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 4.776A1B \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.0080168B1 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q}{L^3T} &= 10^{-A0} = 0.000011A1432 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 1797A.99 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 2A.28103 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q}{L^3T^2} &= 10^{-110} = 0.04B17894 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 306B32.1 \text{m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 532.59BB \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 0.9127B72 \text{k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{re-MQ} &= 10^{20} = 196.2983 \text{m kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{ kg C} &= 3.A57734 \cdot 10^{20} \\
1 \text{ k kg C} &= 22A8.55B \cdot 10^{20} \\
1 \text{ m} \frac{\text{kg C}}{\text{s}} &= 169681A \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.000AA64477 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{kg C}}{\text{s}} &= 0.6365656 \cdot 10^{-10} \\
1 \text{ m} \frac{\text{kg C}}{\text{s}^2} &= 449.6B15 \cdot 10^{-50} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 2667A1.3 \cdot 10^{-50} \\
1 \text{ k} \frac{\text{kg C}}{\text{s}^2} &= 0.0001582256 \cdot 10^{-40} \\
1 \text{ m kg s C} &= 24.7062A \cdot 10^{50} \\
1 \text{ kg s C} &= 14662.B4 \cdot 10^{50} \\
1 \text{ k kg s C} &= 0.0000096A7451 \cdot 10^{60} \\
1 \text{ m kg m C} &= 350021.8 \cdot 10^{40} \quad (*) \\
1 \text{ kg m C} &= 0.0001B8892A \cdot 10^{50} \\
1 \text{ k kg m C} &= 0.118936A \cdot 10^{50} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}} &= 97.20657 \cdot 10^{10} \\
1 \frac{\text{kg m C}}{\text{s}} &= 56796.4B \cdot 10^{10} \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}} &= 0.0000326A166 \cdot 10^{20} \\
1 \text{ m} \frac{\text{kg m C}}{\text{s}^2} &= 0.022B6117 \cdot 10^{-20} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 13.726BB \cdot 10^{-20} \quad (*) \\
1 \text{ k} \frac{\text{kg m C}}{\text{s}^2} &= 9041.326 \cdot 10^{-20} \\
1 \text{ m kg m s C} &= 0.001271B00 \cdot 10^{80} \quad (*) \\
1 \text{ kg m s C} &= 0.8544787 \cdot 10^{80} \\
1 \text{ k kg m s C} &= 4A7.B16B \cdot 10^{80} \\
1 \text{ m kg m}^2 \text{ C} &= 18.B2855 \cdot 10^{70} \\
1 \text{ kg m}^2 \text{ C} &= 10147.54 \cdot 10^{70} \\
1 \text{ k kg m}^2 \text{ C} &= 0.000007017508 \cdot 10^{80} \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 0.004A981A1 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 2.A04675 \cdot 10^{40} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} &= 1783.B74 \cdot 10^{40} \\
1 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 1192275. \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 0.0007B714A0 \cdot 10^{10} \\
1 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} &= 0.473A10B \cdot 10^{10} \\
1 \text{ m kg m}^2 \text{ s C} &= 7552B.B7 \cdot 10^{A0} \\
1 \text{ kg m}^2 \text{ s C} &= 0.00004391159 \cdot 10^{B0} \\
1 \text{ k kg m}^2 \text{ s C} &= 0.025B5197 \cdot 10^{B0} \\
1 \text{ m} \frac{\text{kg C}}{\text{m}} &= 111.31A4 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{m}} &= 77012.B1 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}} &= 0.00004480077 \cdot 10^0 \quad (*) \\
1 \text{ m} \frac{\text{kg C}}{\text{m s}} &= 0.03098B10 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m s}} &= 19.377B8 \cdot 10^{-40} \\
1 \text{ k} \frac{\text{kg C}}{\text{m s}} &= 103B3.28 \cdot 10^{-40} \\
1 \text{ m} \frac{\text{kg C}}{\text{m s}^2} &= 874A040. \cdot 10^{-80} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 0.004BA0AB8 \cdot 10^{-70} \\
1 \text{ k} \frac{\text{kg C}}{\text{m s}^2} &= 2.A76782 \cdot 10^{-70} \\
1 \text{ m} \frac{\text{kg s C}}{\text{m}} &= 47BA05.7 \cdot 10^{20} \\
1 \frac{\text{kg s C}}{\text{m}} &= 0.0002849647 \cdot 10^{30} \\
1 \text{ k} \frac{\text{kg s C}}{\text{m}} &= 0.168BB64 \cdot 10^{30} \quad (*) \\
1 \text{ m} \frac{\text{kg C}}{\text{m}^2} &= 217BB02. \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.0012A2A12 \cdot 10^{-30} \\
1 \text{ k} \frac{\text{kg C}}{\text{m}^2} &= 0.8719092 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{ re-}MQ &= 10^{20} = 0.31228A5 \text{ kg C} \\
1 \text{ re-}MQ &= 10^{20} = 0.0005430BA6 \text{ k kg C} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{T} &= 10^{-10} = 77B235.8 \text{ m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{T} &= 10^{-10} = 112A.392 \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{T} &= 10^{-10} = 1.AA613A \text{ k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ ni'}\text{umu-} \frac{MQ}{T^2} &= 10^{-50} = 0.002888A91 \text{ m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{T^2} &= 10^{-40} = 4867A76. \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{T^2} &= 10^{-40} = 8188.773 \text{ k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ mu-}MTQ &= 10^{50} = 0.05054489 \text{ m kg s C} \\
1 \text{ mu-}MTQ &= 10^{50} = 0.00008855239 \text{ kg s C} \\
1 \text{ xa-}MTQ &= 10^{60} = 1305B2.2 \text{ k kg s C} \\
1 \text{ vo-}MLQ &= 10^{40} = 0.000003618A82 \text{ m kg m C} \\
1 \text{ mu-}MLQ &= 10^{50} = 609B.061 \text{ kg m C} \\
1 \text{ mu-}MLQ &= 10^{50} = A.5A1738 \text{ k kg m C} \\
1 \text{ pa-} \frac{MLQ}{T} &= 10^{10} = 0.0130067B \text{ m} \frac{\text{kg m C}}{\text{s}} \quad (*) \\
1 \text{ pa-} \frac{MLQ}{T} &= 10^{10} = 0.000021B1533 \frac{\text{kg m C}}{\text{s}} \\
1 \text{ re-} \frac{MLQ}{T} &= 10^{20} = 38974.71 \text{ k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 54.12029 \text{ m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.09291582 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ ni'}\text{ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.00013B4883 \text{ k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ bi-}MLTQ &= 10^{80} = 9A4.725A \text{ m kg m s C} \\
1 \text{ bi-}MLTQ &= 10^{80} = 1.50696B \text{ kg m s C} \\
1 \text{ bi-}MLTQ &= 10^{80} = 0.002555A83 \text{ k kg m s C} \\
1 \text{ ze-}ML^2Q &= 10^{70} = 0.06A65818 \text{ m kg m}^2 \text{ C} \\
1 \text{ ze-}ML^2Q &= 10^{70} = 0.0000BA76551 \text{ kg m}^2 \text{ C} \\
1 \text{ bi-}ML^2Q &= 10^{80} = 186565.4 \text{ k kg m}^2 \text{ C} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 254.743B \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.429395A \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.000738A936 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = A56475.9 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 160B.04A \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 2.72A061 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ jauau-}ML^2TQ &= 10^{A0} = 0.0000173A233 \text{ m kg m}^2 \text{ s C} \\
1 \text{ vaiei-}ML^2TQ &= 10^{B0} = 29477.59 \text{ kg m}^2 \text{ s C} \\
1 \text{ vaiei-}ML^2TQ &= 10^{B0} = 49.836A6 \text{ k kg m}^2 \text{ s C} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{L} &= 10^{-10} = 0.00ABA3262 \text{ m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{upa-} \frac{MQ}{L} &= 10^{-10} = 0.000016BA1A9 \frac{\text{kg C}}{\text{m}} \\
1 \frac{MQ}{L} &= 1 = 28987.60 \text{ k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 3A.B365A \text{ m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 0.069145A0 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{ubo-} \frac{MQ}{LT} &= 10^{-40} = 0.0000B81BA69 \text{ k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ ni'}\text{uze-} \frac{MQ}{LT^2} &= 10^{-70} = 148651.B \text{ m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'}\text{uze-} \frac{MQ}{LT^2} &= 10^{-70} = 24A.6389 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ ni'}\text{uze-} \frac{MQ}{LT^2} &= 10^{-70} = 0.41A968A \text{ k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ re-} \frac{MTQ}{L} &= 10^{20} = 0.0000026A4615 \text{ m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ci-} \frac{MTQ}{L} &= 10^{30} = 4540.143 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ci-} \frac{MTQ}{L} &= 10^{30} = 7.81B299 \text{ k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ ni'}\text{uci-} \frac{MQ}{L^2} &= 10^{-30} = 573AB7.7 \text{ m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'}\text{uci-} \frac{MQ}{L^2} &= 10^{-30} = 984.0AA8 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ ni'}\text{uci-} \frac{MQ}{L^2} &= 10^{-30} = 1.490503 \text{ k} \frac{\text{kg C}}{\text{m}^2}
\end{aligned}$$

$1m \frac{kg\ C}{m^2 s} = 601.1791 \cdot 10^{-70}$	$1 ni'uze - \frac{MQ}{L^2 T} = 10^{-70} = 0.001BB755A m \frac{kg\ C}{m^2 s}$ (*)
$1 \frac{kg\ C}{m^2 s} = 3587A9.2 \cdot 10^{-70}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 3550150. \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 0.0002018961 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 5B69.BB5 k \frac{kg\ C}{m^2 s}$ (*)
$1m \frac{kg\ C}{m^2 s^2} = 0.14A6163 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 8.6489B6 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 99.23A6B \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.0128B30A \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 579A1.75 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.00002158B9B k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.00917921A \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 139.1482 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 5.355310$	$1 \frac{MTQ}{L^2} = 1 = 0.232960B \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 3087.921 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.0003B08443 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.04232382 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 2A.46377 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 25.10A03 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.04B4A159 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 14A01.17 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.00008679636 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = B924057. \cdot 10^{-A0}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 102A3B.A m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.006986287 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 191.9388 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 3.B351AA \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 0.3066367 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 2907.381 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.0004434956 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 0.00000171628A \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 76418B.5 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 0.000B09A701 \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 1101.4A1 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 15A.8A59 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.008069199 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = A432B.50 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.000011AA413 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 0.00005BABAB5B \cdot 10^{-20}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 20040.68 k \frac{kg\ s\ C}{m^3}$ (*)
$1m \frac{1}{K} = 35A.8B57 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.00352B41A m \frac{1}{K}$
$1 \frac{1}{K} = 202B36.3 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000005B33234 \frac{1}{K}$
$1k \frac{1}{K} = 0.0001204512 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = A31A.960 k \frac{1}{K}$
$1m \frac{1}{s\ K} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{s\ K}$
$1 \frac{1}{s\ K} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{s\ K}$
$1k \frac{1}{s\ K} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{s\ K}$
$1m \frac{1}{s^2\ K} = 0.00002366927 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 5288B.BA m \frac{1}{s^2\ K}$
$1 \frac{1}{s^2\ K} = 0.013B3700 \cdot 10^{-40}$ (*)	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 90.49032 \frac{1}{s^2\ K}$
$1k \frac{1}{s^2\ K} = 9.285672 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.1373848 k \frac{1}{s^2\ K}$
$1m \frac{s}{K} = 0.0000012AB919 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 97A33A.8 m \frac{s}{K}$
$1 \frac{s}{K} = 0.000876B01B \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 1482.495 \frac{s}{K}$
$1k \frac{s}{K} = 0.4BB345A \cdot 10^{60}$ (*)	$1 xa - \frac{T}{\Theta} = 10^{60} = 2.49B418 k \frac{s}{K}$
$1m \frac{m}{K} = 0.01948561 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 68.93B7A m \frac{m}{K}$
$1 \frac{m}{K} = 10.4680B \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.0B770068 \frac{m}{K}$ (*)
$1k \frac{m}{K} = 71B7.80B \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00018124A7 k \frac{m}{K}$
$1m \frac{m}{s\ K} = 0.000005010A2B \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 249105.8 m \frac{m}{s\ K}$
$1 \frac{m}{s\ K} = 0.002A93532 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 418.3871 \frac{m}{s\ K}$
$1k \frac{m}{s\ K} = 1.8159A7 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.71A50B1 k \frac{m}{s\ K}$
$1m \frac{m}{s^2\ K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2\ K}$
$1 \frac{m}{s^2\ K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2\ K}$
$1k \frac{m}{s^2\ K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2\ K}$
$1m \frac{ms}{K} = 77.47AA1 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.016AA975 m \frac{ms}{K}$
$1 \frac{ms}{K} = 44A78.27 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.00002881003 \frac{ms}{K}$ (*)
$1k \frac{ms}{K} = 0.00002673285 \cdot 10^{90}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 48562.AB k \frac{ms}{K}$
$1m \frac{m^2}{K} = AB0A94.9 \cdot 10^{70}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 1122490. m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.00063A2AA7 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 1A94.517 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.37A9163 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 3.3446B5 k \frac{m^2}{K}$
$1m \frac{m^2}{s\ K} = 268.2239 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00483A087 m \frac{m^2}{s\ K}$
$1 \frac{m^2}{s\ K} = 15909A.9 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00000813A224 \frac{m^2}{s\ K}$

$1k \frac{m^2}{s^2 K} = 0.0000A337887 \cdot 10^{50}$	$1 \text{ mu-} \frac{L^2}{T\Theta} = 10^{50} = 12020.61 k \frac{m^2}{s^2 K}$
$1m \frac{m^2}{s^2 K} = 0.07222594 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2}{T^2\Theta} = 10^{10} = 18.0727B m \frac{m^2}{s^2 K}$
$1 \frac{m^2}{s^2 K} = 41.A5BA \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2}{T^2\Theta} = 10^{10} = 0.02A79151 \frac{m^2}{s^2 K}$
$1k \frac{m}{s^2 K} = 24A42.B4 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2}{T^2\Theta} = 10^{10} = 0.00004BA5244 k \frac{m^2}{s^2 K}$
$1m \frac{m^2 s}{K} = 0.003A7B624 \cdot 10^{B0}$	$1 \text{ vaiei-} \frac{L^2 T}{\Theta} = 10^{B0} = 310.45B9 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 2.300738 \cdot 10^{B0} \quad (*)$	$1 \text{ vaiei-} \frac{L^2 T}{\Theta} = 10^{B0} = 0.53BA682 \frac{m^2 s}{K}$
$1k \frac{m^2 s}{K} = 1376.429 \cdot 10^{B0}$	$1 \text{ vaiei-} \frac{L^2 T}{\Theta} = 10^{B0} = 0.000926A908 k \frac{m^2 s}{K}$
$1m \frac{1}{m K} = 0.000006A07374 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 19087B.3 m \frac{1}{m K}$
$1 \frac{1}{m K} = 0.003B59685 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 304.8532 \frac{1}{m K}$
$1k \frac{1}{m K} = 2.358B07$	$1 \frac{1}{L\Theta} = 1 = 0.52A758B k \frac{1}{m K}$
$1m \frac{1}{m s K} = 1725.870 \cdot 10^{-40}$	$1 ni' uvo- \frac{1}{LT\Theta} = 10^{-40} = 0.00075B7863 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = B14643.6 \cdot 10^{-40}$	$1 ni' uvo- \frac{1}{LT\Theta} = 10^{-40} = 0.0000010B5757 \frac{1}{m s K}$
$1k \frac{1}{m s K} = 0.000652295A \cdot 10^{-30}$	$1 ni' uci- \frac{1}{LT\Theta} = 10^{-30} = 1A47.966 k \frac{1}{m s K}$
$1m \frac{1}{m s^2 K} = 0.45B490A \cdot 10^{-70}$	$1 ni' uze- \frac{1}{LT^2\Theta} = 10^{-70} = 2.804369 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 272.7984 \cdot 10^{-70}$	$1 ni' uze- \frac{1}{LT^2\Theta} = 10^{-70} = 0.004742071 \frac{1}{m s^2 K}$
$1k \frac{1}{m s^2 K} = 16098A.8 \cdot 10^{-70}$	$1 ni' uxa- \frac{1}{LT^2\Theta} = 10^{-60} = 7B782B3. k \frac{1}{m s^2 K}$
$1m \frac{s}{m K} = 0.02526380 \cdot 10^{30}$	$1 ci- \frac{T}{L\Theta} = 10^{30} = 4B.1A715 m \frac{s}{m K}$
$1 \frac{s}{m K} = 14.AA256 \cdot 10^{30}$	$1 ci- \frac{T}{L\Theta} = 10^{30} = 0.08628167 \frac{s}{m K}$
$1k \frac{s}{m K} = 9948.249 \cdot 10^{30}$	$1 ci- \frac{T}{L\Theta} = 10^{30} = 0.0001287847 k \frac{s}{m K}$
$1m \frac{1}{m^2 K} = 0.1148396 \cdot 10^{-30}$	$1 ni' uci- \frac{1}{L^2\Theta} = 10^{-30} = A.905ABA m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 78.BB102 \cdot 10^{-30} \quad (*)$	$1 ni' uci- \frac{1}{L^2\Theta} = 10^{-30} = 0.0166B967 \frac{1}{m^2 K}$
$1k \frac{1}{m^2 K} = 45995.79 \cdot 10^{-30}$	$1 ni' uci- \frac{1}{L^2\Theta} = 10^{-30} = 0.00002813938 k \frac{1}{m^2 K}$
$1m \frac{1}{m^2 s K} = 0.00003174662 \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{L^2 T\Theta} = 10^{-60} = 39B33.07 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.019926A7 \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{L^2 T\Theta} = 10^{-60} = 67.471AA \frac{1}{m^2 s K}$
$1k \frac{1}{m^2 s K} = 10.71BA6 \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{L^2 T\Theta} = 10^{-60} = 0.0B521061 k \frac{1}{m^2 s K}$
$1m \frac{1}{m^2 s^2 K} = 897A.969 \cdot 10^{-40}$	$1 ni' ujauau- \frac{1}{L^2 T^2\Theta} = 10^{-A0} = 0.0001443091 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 5118A39. \cdot 10^{-A0}$	$1 ni' uso- \frac{1}{L^2 T^2\Theta} = 10^{-90} = 243167.1 \frac{1}{m^2 s^2 K}$
$1k \frac{1}{m^2 s^2 K} = 0.002B474A3 \cdot 10^{-90}$	$1 ni' uso- \frac{1}{L^2 T^2\Theta} = 10^{-90} = 40A.0221 k \frac{1}{m^2 s^2 K}$
$1m \frac{s}{m^2 K} = 492.5A6B \cdot 10^0$	$1 \frac{T}{L^2\Theta} = 1 = 0.002625780 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 291336.1 \cdot 10^0$	$1 \frac{T}{L^2\Theta} = 1 = 0.000004424214 \frac{s}{m^2 K}$
$1k \frac{s}{m^2 K} = 0.000171AA24 \cdot 10^{10}$	$1 pa- \frac{T}{L^2\Theta} = 10^{10} = 7623.B51 k \frac{s}{m^2 K}$
$1m \frac{1}{m^3 K} = 2228.644 \cdot 10^{-60}$	$1 ni' uxa- \frac{1}{L^3\Theta} = 10^{-60} = 0.00055A8036 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 13215AA. \cdot 10^{-60}$	$1 ni' umu- \frac{1}{L^3\Theta} = 10^{-50} = 95A338.1 \frac{1}{m^3 K}$
$1k \frac{1}{m^3 K} = 0.000894903B \cdot 10^{-50}$	$1 ni' umu- \frac{1}{L^3\Theta} = 10^{-50} = 1448.B11 k \frac{1}{m^3 K}$
$1m \frac{1}{m^3 s K} = 0.61800BB \cdot 10^{-90} \quad (**)$	$1 ni' uso- \frac{1}{L^3 T\Theta} = 10^{-90} = 1.B5594A m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 367.6B2B \cdot 10^{-90}$	$1 ni' uso- \frac{1}{L^3 T\Theta} = 10^{-90} = 0.003464988 \frac{1}{m^3 s K}$
$1k \frac{1}{m^3 s K} = 208076.1 \cdot 10^{-90}$	$1 ni' ubi- \frac{1}{L^3 T\Theta} = 10^{-80} = 5A06012. k \frac{1}{m^3 s K}$
$1m \frac{1}{m^3 s^2 K} = 0.000152B16A \cdot 10^{-100}$	$1 ni' upano- \frac{1}{L^3 T^2\Theta} = 10^{-100} = 8426.114 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.09B8BB6A \cdot 10^{-100} \quad (*)$	$1 ni' upano- \frac{1}{L^3 T^2\Theta} = 10^{-100} = 12.51B25 \frac{1}{m^3 s^2 K}$
$1k \frac{1}{m^3 s^2 K} = 59.37190 \cdot 10^{-100}$	$1 ni' upano- \frac{1}{L^3 T^2\Theta} = 10^{-100} = 0.020B2804 k \frac{1}{m^3 s^2 K}$
$1m \frac{s}{m^3 K} = 0.000009405689 \cdot 10^{-20}$	$1 ni' ure- \frac{T}{L^3\Theta} = 10^{-20} = 1350B4.7 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.0054A0675 \cdot 10^{-20}$	$1 ni' ure- \frac{T}{L^3\Theta} = 10^{-20} = 227.9971 \frac{s}{m^3 K}$
$1k \frac{s}{m^3 K} = 3.16311B \cdot 10^{-20}$	$1 ni' ure- \frac{T}{L^3\Theta} = 10^{-20} = 0.3A07873 k \frac{s}{m^3 K}$
$1m \frac{kg}{K} = 0.013A5345 \cdot 10^{30}$	$1 ci- \frac{M}{\Theta} = 10^{30} = 90.A7486 m \frac{kg}{K}$
$1 \frac{kg}{K} = 9.226005 \cdot 10^{30} \quad (*)$	$1 ci- \frac{M}{\Theta} = 10^{30} = 0.13819BB \frac{kg}{K} \quad (*)$
$1k \frac{kg}{K} = 5394.043 \cdot 10^{30}$	$1 ci- \frac{M}{\Theta} = 10^{30} = 0.0002311650 k \frac{kg}{K}$
$1m \frac{kg}{s K} = 0.00000386B2A3 \cdot 10^{10}$	$1 \frac{M}{T\Theta} = 1 = 3291B3.7 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 0.002196A06 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 56B.9718 \frac{kg}{s K}$
$1k \frac{kg}{s K} = 1.2B1959$	$1 \frac{M}{T\Theta} = 1 = 0.978B707 k \frac{kg}{s K}$
$1m \frac{kg}{s^2 K} = A52.7395 \cdot 10^{-40}$	$1 ni' uvo- \frac{M}{T^2\Theta} = 10^{-40} = 0.001197247 m \frac{kg}{s^2 K}$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 605695.8 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.00035B2799 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 57.96A2B \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= 33299.72 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 0.00001A85688 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 812A62.2 \cdot 10^{50} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.0004833383 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 0.28694B7 \cdot 10^{60} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.053B2A75 \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 31.00085 \cdot 10^{-10} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 194B4.4A \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 0.002A74B6B \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 1.804999 \cdot 10^{90} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= B71.5557 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 41.79912 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 24897.12 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 0.00001476534 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.00B757389 \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 6.886353 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 3A85.A3A \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 158142.4 \cdot 10^{B0} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0000A290054 \cdot 10^{100} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.05B05231 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 270.B769 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 15BA09.2 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.0000A4AA679 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 0.073379A1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 42.63438 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 252A3.3B \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.00001852974 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.00B9B0149 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 6.A16558 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0000050A5414 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.002B28652 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 1.8475B4 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 122B.94A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 82B45B.A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.00049317AB \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.3403436 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1B1.B339 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 114A17.8 \cdot 10^{-90}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvo-} \frac{M}{T^2 \Theta} &= 10^{-40} = 0.000001BA1A68 \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{uci-} \frac{M}{T^2 \Theta} &= 10^{-30} = 3525.8B1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.0215A276 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.0000380617A \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 64132.6A \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1592B56. \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 2685.A5B \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 4.508BBB \text{k} \frac{\text{kg m}}{\text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T \Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 23.03A23 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.03A85147 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.00006884BBB \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 41A.BB87 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.72309A6 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.001050722 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.02A97740 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.00005018093 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 87B07.11 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 104.81AA \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.194B038 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.00030BB575 \text{k} \frac{\text{kg m}^2}{\text{s K}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 8191444. \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 120B1.83 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 20.3AA95 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.004771B92 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.00000800A402 \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 11A01.89 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 17.96204 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.02A25112 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.00004B12685 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 70681.10 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 102.1435 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 0.1905974 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 2447A9.0 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 410.7A74 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 0.7092486 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{L^2 T \Theta} &= 10^{-60} = 0.000A13389A \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{L^2 T \Theta} &= 10^{-60} = 0.000001556940 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uxa-} \frac{M}{L^2 T \Theta} &= 10^{-50} = 2621.652 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 3.721214 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 0.006273344 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{ubi-} \frac{M}{L^2 T^2 \Theta} &= 10^{-80} = A8B047B. \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}
\end{aligned}$$

$1m \frac{kg\ s}{m^2 K} = 0.01980609 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 67.8A840 m \frac{kg\ s}{m^2 K}$
$1 \frac{kg\ s}{m^2 K} = 10.65A21 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0B596119 \frac{kg\ s}{m^2 K}$
$1k \frac{kg\ s}{m^2 K} = 7310.740 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.00017A1318 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.09B266A4 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 12.5B375 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 58.BA438 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.02106A34 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 33B10.73 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.00003734794 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s K} = 0.000023AA405 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 51B10.AA m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.01419514 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 8B.00858 \frac{kg}{m^3 s K} (*)$
$1k \frac{kg}{m^3 s K} = 9.418962 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 0.134AA2B k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 6647.37A \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001A06634 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = 3944009. \cdot 10^{-100} (*)$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 32116A.B \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 0.002230119 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 559.B0A9 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg\ s}{m^3 K} = 365.3475 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.00348715B m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 206882.1 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000005A4358B \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.0001226835 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A16B.242 k \frac{kg\ s}{m^3 K}$
$1m K = A31A.960 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.0001204512 m\ K$
$1 K = 0.000005B33234 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 202B36.3 K$
$1k K = 0.00352B41A \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 35A.8B57 k\ K$
$1m \frac{K}{s} = 2.49B418 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.4BB345A m \frac{K}{s} (*)$
$1 \frac{K}{s} = 1482.495 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.000876B01B \frac{K}{s}$
$1k \frac{K}{s} = 97A33A.8 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.0000012AB919 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00068B8B04 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 1940.98B m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.3AA4273 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 3.0A599B \frac{K}{s^2}$
$1k \frac{K}{s^2} = 231.5275 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 0.00538744A k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1 s\ K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1k s\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1 m\ K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1k m\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0001287847 \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 9948.249 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.08628167 \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 14.AA256 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 4B.1A715 \cdot 10^{-30}$	$1 ni'uci \frac{L\Theta}{T} = 10^{-30} = 0.02526380 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 35421.63 \cdot 10^{-70}$	$1 ni'uze \frac{L\Theta}{T^2} = 10^{-70} = 0.00003595B8B m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.00001BB1813 \cdot 10^{-60} (*)$	$1 ni'uxa \frac{L\Theta}{T^2} = 10^{-60} = 60270.98 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.011A2037 \cdot 10^{-60}$	$1 ni'uxa \frac{L\Theta}{T^2} = 10^{-60} = 44.95708 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 1A47.966 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.000652295A m\ m\ s\ K$
$1m s\ K = 0.0000010B5757 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = B14643.6 m\ s\ K$
$1k m\ s\ K = 0.00075B7863 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 1725.870 k\ m\ s\ K$
$1m m^2 K = 0.00002813938 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 45995.79 m\ m^2 K$
$1 m^2 K = 0.0166B967 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 78.BB102 m^2 K (*)$
$1k m^2 K = A.905ABA \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.1148396 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa \frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 1.914260 \cdot 10^{-40}$	$1 ni'uvo \frac{L^2\Theta}{T^2} = 10^{-40} = 0.69A1B79 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 1027.469 \cdot 10^{-40}$	$1 ni'uvo \frac{L^2\Theta}{T^2} = 10^{-40} = 0.000B9521A7 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 70A1B0.0 \cdot 10^{-40}$	$1 ni'uvo \frac{L^2\Theta}{T^2} = 10^{-40} = 0.000001844887 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.0B521061 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 10.71BA6 m\ m^2 s\ K$
$1 m^2 s\ K = 67.471AA \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.019926A7 m^2 s\ K$

$$\begin{aligned}
1 \text{k m}^2 \text{s K} &= 39B33.07 \cdot 10^{60} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 0.00018124A7 \cdot 10^{-50} \\
1 \frac{\text{K}}{\text{m}} &= 0.0B770068 \cdot 10^{-50} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 68.93B7A \cdot 10^{-50} \\
1 \text{m} \frac{\text{K}}{\text{m s}} &= 48562.AB \cdot 10^{-90} \\
1 \frac{\text{K}}{\text{m s}} &= 0.00002881003 \cdot 10^{-80} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m s}} &= 0.016AA975 \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2} &= 11.27154 \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m s}^2} &= 7794.142 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m s}^2} &= 4514268. \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 0.71A50B1 \cdot 10^{-20} \\
1 \frac{\text{s K}}{\text{m}} &= 418.3871 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s K}}{\text{m}} &= 249105.8 \cdot 10^{-20} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 3.3446B5 \cdot 10^{-80} \\
1 \frac{\text{K}}{\text{m}^2} &= 1A94.517 \cdot 10^{-80} \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 1122490. \cdot 10^{-80} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.000926A908 \cdot 10^{-B0} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.53BA682 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 310.45B9 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 21A722.7 \cdot 10^{-130} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.00012B8B29 \cdot 10^{-120} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.08802877 \cdot 10^{-120} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2} &= 12020.61 \cdot 10^{-50} \\
1 \frac{\text{s K}}{\text{m}^2} &= 0.00000813A224 \cdot 10^{-40} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2} &= 0.00483A087 \cdot 10^{-40} \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 65118.29 \cdot 10^{-B0} \\
1 \frac{\text{K}}{\text{m}^3} &= 0.00003874706 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 0.02199B23 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 16.0680B \cdot 10^{-120} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= A53A.411 \cdot 10^{-120} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 6063599. \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.004283660 \cdot 10^{-150} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 2.540332 \cdot 10^{-150} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 14B8.728 \cdot 10^{-150} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3} &= 0.0002354309 \cdot 10^{-70} \\
1 \frac{\text{s K}}{\text{m}^3} &= 0.13A7227 \cdot 10^{-70} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3} &= 92.37288 \cdot 10^{-70} \\
1 \text{m kg K} &= 0.3A79B1B \cdot 10^{-20} \\
1 \text{kg K} &= 22B.B836 \cdot 10^{-20} \\
1 \text{k kg K} &= 13759A.3 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 0.0000AB063B3 \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{s}} &= 0.063A03B4 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 37.A7775 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 26811.97 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 0.0000159027A \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 0.00A333652 \cdot 10^{-80} \\
1 \text{m kg s K} &= 1473.749 \cdot 10^{10} \\
1 \text{kg s K} &= 974054.5 \cdot 10^{10} \\
1 \text{kg K} &= 0.000568B454 \cdot 10^{20} \\
1 \text{m kg m K} &= 0.00001B9A264 \cdot 10^{10} \\
1 \text{kg m K} &= 0.011950AB \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-L}^2 T \Theta &= 10^{60} = 0.00003174662 \text{k m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 71B7.80B \text{m} \frac{\text{K}}{\text{m}} \\
1 \text{ni'umu-} \frac{\Theta}{L} &= 10^{-50} = 10.4680B \frac{\text{K}}{\text{m}} \\
1 \text{ni'umu-} \frac{\Theta}{LT} &= 10^{-50} = 0.01948561 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uso-} \frac{\Theta}{LT} &= 10^{-90} = 0.00002673285 \text{m} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 44A78.27 \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{\Theta}{LT} &= 10^{-80} = 77.47AA1 \text{k} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.0AA8BB16 \text{m} \frac{\text{K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'upano-} \frac{\Theta}{LT^2} &= 10^{-100} = 0.000169B27B \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{LT^2} &= 10^{-B0} = 2864BA.8 \text{k} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 1.8159A7 \text{m} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.002A93532 \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{T\Theta}{L} &= 10^{-20} = 0.000005010A2B \text{k} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.37A9163 \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ubi-} \frac{\Theta}{L^2} &= 10^{-80} = 0.00063A2AA7 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{\Theta}{L^2} &= 10^{-70} = AB0A94.9 \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 1376.429 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 2.300738 \frac{\text{K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^2T} &= 10^{-B0} = 0.003A7B624 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 5691780. \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 9744.450 \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{\Theta}{L^2T^2} &= 10^{-120} = 14.74221 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umu-} \frac{\Theta}{L^2} &= 10^{-50} = 0.0000A337887 \text{m} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'uvoo-} \frac{T\Theta}{L^2} &= 10^{-40} = 15909A.9 \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'uvoo-} \frac{T\Theta}{L^2} &= 10^{-40} = 268.2239 \text{k} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{\Theta}{L^3} &= 10^{-B0} = 0.00001A4B726 \text{m} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 32893.64 \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{\Theta}{L^3} &= 10^{-A0} = 56.B1692 \text{k} \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.07B90603 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upare-} \frac{\Theta}{L^3T} &= 10^{-120} = 0.0001195664 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{\Theta}{L^3T} &= 10^{-110} = 1B9B02.B \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 2A1.0937 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 0.4AAA443 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 0.0008595634 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upamu-} \frac{\Theta}{L^3T^2} &= 10^{-150} = 0.0008595634 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uze-} \frac{\Theta}{L^3} &= 10^{-70} = 52B6.202 \text{m} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{\Theta}{L^3} &= 10^{-70} = 9.096408 \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'uze-} \frac{\Theta}{L^3} &= 10^{-70} = 0.0137BB52 \text{k} \frac{\text{s K}}{\text{m}^3} \quad (*) \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 3.105910 \text{m kg K} \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 0.005400895 \text{kg K} \quad (*) \\
1 \text{ni'ure-M}\Theta &= 10^{-20} = 0.00000927261B \text{k kg K} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 1122A.16 \text{m} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 1A.95252 \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'umu-} \frac{M\Theta}{T} &= 10^{-50} = 0.03345B02 \text{k} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'uso-} \frac{M\Theta}{T^2} &= 10^{-90} = 0.0000483BB83 \text{m} \frac{\text{kg K}}{\text{s}^2} \quad (*) \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 81415.A9 \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ubi-} \frac{M\Theta}{T^2} &= 10^{-80} = 120.2628 \text{k} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{pa-MT}\Theta &= 10^{10} = 0.0008806309 \text{m kg s K} \\
1 \text{re-MT}\Theta &= 10^{20} = 12B9541. \text{kg s K} \\
1 \text{re-MT}\Theta &= 10^{20} = 21A8.094 \text{k kg s K} \\
1 \text{pa-ML}\Theta &= 10^{10} = 6065B.49 \text{m kg m K} \\
1 \text{pa-ML}\Theta &= 10^{10} = A5.42726 \text{kg m K}
\end{aligned}$$

$$\begin{aligned}
1 \text{k kg m K} &= 7.B892B8 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 56AB.358 \cdot 10^{-30} \\
1 \frac{\text{kg m K}}{\text{s}} &= 0.000003287B89 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 0.001A4AA0A \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 1.37B506 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 909.2783 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 52B404.0 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.2A1B9B6 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 179.315A \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= B5378.37 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.00007BB7679 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.04765516 \cdot 10^{-30} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 28.18183 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 43B6539 \cdot 10^{60} \\
1 \text{kg m}^2 \text{s K} &= 0.00260A14B \cdot 10^{70} \\
1 \text{kg m}^2 \text{s K} &= 1.549A31 \cdot 10^{70} \\
1 \frac{\text{kg K}}{\text{m}} &= 7744.96A \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.0000044A5A79 \cdot 10^{-40} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.002672227 \cdot 10^{-40} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1.947895 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1046.304 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= 71B490.2 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.000500A98A \cdot 10^{-B0} \quad (*) \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.2A92310 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 181.5181 \cdot 10^{-B0} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.00002863A75 \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0169A6B9 \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{m}} &= A.A87597 \cdot 10^{-10} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.00012AB309 \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.087675B0 \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 4B.B1405 \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 35A76.46 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.0000202A577 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.01203B46 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 9.97A327 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 5810.678 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 3349B21 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.5385250 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 30A.4695 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 194010.5 \cdot 10^{-40} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 2.525391 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 14A9.769 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 994426.2 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0006A0461A \cdot 10^{-110}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-ML}\Theta &= 10^{10} = 0.1607353 \text{k kg m K} \\
1 \text{ni'uci-} \frac{ML\Theta}{T} &= 10^{-30} = 0.000219A987 \text{m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 387612.B \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 651.4382 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.923AB87 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.0013A7884 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000002355231 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-ML}^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 4.26B182 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.007349324 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00001070341 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 1600A.01 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 27.14501 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.045921B2 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 293095.0 \text{m kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 495.702B \text{kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 0.833729A \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.00016AB540 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo-} \frac{M\Theta}{L} &= 10^{-40} = 288214.2 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo-} \frac{M\Theta}{L} &= 10^{-40} = 485.81B4 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.6896873 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.000B77495B \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.00000181310B \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2492.025 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 4.1854A4 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.0071A7BB5 \text{k} \frac{\text{kg K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 45160.28 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 77.97296 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 0.11276A0 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 97A7.319 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 14.82B71 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 0.024A03A9 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.000035308B9 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 5B357.43 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = A3.22B8B \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.1282B29 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0002146738 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^2T^2} &= 10^{-110} = 37A31B.8 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'ubo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 2.316182 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.003AA5988 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ubo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0000068BB808 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.4B20730 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000862B730 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000001288248 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 1909.464 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.3B57B41 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{M\Theta}{L^3 T} = 10^{-110} = 3.049814 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 235.7BA1 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{M\Theta}{L^3 T} = 10^{-110} = 0.0052A9749 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 172509.0 \cdot 10^{-150}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^3 T^2} = 10^{-140} = 75BA928. \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.0000B1419A9 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^3 T^2} = 10^{-140} = 10B60.90 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.06520201 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^3 T^2} = 10^{-140} = 1A.48681 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = A491.420 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{MT\Theta}{L^3} = 10^{-70} = 0.00011A25B5 \text{m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 0.000006024743 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{MT\Theta}{L^3} = 10^{-60} = 1BB25A.4 \frac{\text{kg s K}}{\text{m}^3} (*)$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.003594685 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{MT\Theta}{L^3} = 10^{-60} = 354.3648 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.100696A \cdot 10^{-40} (*)$	$1 \text{ni}'\text{uvo-} \frac{\Theta}{Q} = 10^{-40} = B.B528B8 \text{m} \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{C}} = 6B.7B258 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{\Theta}{Q} = 10^{-40} = 0.0187A34A \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 404B9.1A \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{\Theta}{Q} = 10^{-40} = 0.00002B8368B \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{s C}} = 0.000029A0B62 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{\Theta}{TQ} = 10^{-70} = 43092.39 \text{m} \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.0176BBBB \cdot 10^{-70} (**)$	$1 \text{ni}'\text{uze-} \frac{\Theta}{TQ} = 10^{-70} = 74.2A397 \frac{\text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{K}}{\text{s C}} = B.3BB3B8 \cdot 10^{-70} (*)$	$1 \text{ni}'\text{uze-} \frac{\Theta}{TQ} = 10^{-70} = 0.1085862 \text{k} \frac{\text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 7B07.A93 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei-} \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.0001621934 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 0.0000047012A2 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau-} \frac{\Theta}{T^2 Q} = 10^{-A0} = 274B61.8 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.0027A0071 \cdot 10^{-A0} (*)$	$1 \text{ni}'\text{ujauau-} \frac{\Theta}{T^2 Q} = 10^{-A0} = 463.4765 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{s K}}{\text{C}} = 435.71AA \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.00296AA19 \text{m} \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 2594A4.7 \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 4A02743. \frac{\text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{s K}}{\text{C}} = 0.0001529B95 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 8430.931 \text{k} \frac{\text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{C}} = 6199690. \cdot 10^{-20}$	$1 \text{ni}'\text{upa-} \frac{L\Theta}{Q} = 10^{-10} = 1B4AB5.B \text{m} \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 0.00368744A \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{L\Theta}{Q} = 10^{-10} = 345.5023 \frac{\text{m K}}{\text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{C}} = 2.08799B \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{L\Theta}{Q} = 10^{-10} = 0.59A9763 \text{k} \frac{\text{m K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{s C}} = 1534.1AA \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L\Theta}{TQ} = 10^{-50} = 0.0008400B24 \text{m} \frac{\text{m K}}{\text{s C}} (*)$
$1 \frac{\text{m K}}{\text{s C}} = 9BBAA6.A \cdot 10^{-50} (*)$	$1 \text{ni}'\text{ubo-} \frac{L\Theta}{TQ} = 10^{-40} = 1249899. \frac{\text{m K}}{\text{s C}}$
$1 \text{k} \frac{\text{m K}}{\text{s C}} = 0.0005953429 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo-} \frac{L\Theta}{TQ} = 10^{-40} = 20A7.4B6 \text{k} \frac{\text{m K}}{\text{s C}}$
$1 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.4065143 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2 Q} = 10^{-80} = 2.B72978 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 241.0761 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.005163149 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 143078.2 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.000008A38678 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m s K}}{\text{C}} = 0.02234216 \cdot 10^{20}$	$1 \text{re-} \frac{LT\Theta}{Q} = 10^{20} = 55.90A27 \text{m} \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 13.25B01 \cdot 10^{20}$	$1 \text{re-} \frac{LT\Theta}{Q} = 10^{20} = 0.09576213 \frac{\text{m s K}}{\text{C}}$
$1 \text{k} \frac{\text{m s K}}{\text{C}} = 8973.912 \cdot 10^{20}$	$1 \text{re-} \frac{LT\Theta}{Q} = 10^{20} = 0.00014441A1 \text{k} \frac{\text{m s K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 318.3617 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2\Theta}{Q} = 10^{10} = 0.0039A1A77 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 1998B0.7 \cdot 10^{10}$	$1 \text{re-} \frac{L^2\Theta}{Q} = 10^{20} = 6728087. \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.00010757B5 \cdot 10^{20}$	$1 \text{re-} \frac{L^2\Theta}{Q} = 10^{20} = B4A9.163 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.089A5731 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 14.3A37A \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 51.32830 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 0.024253AB \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 2B558.80 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 0.00004089B79 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.00002094818 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 59887.81 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.0124125A \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2\Theta}{T^2 Q} = 10^{-50} = A0.5A284 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 8.371872 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 0.1542523 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 1150279. \cdot 10^{40}$	$1 \text{mu-} \frac{L^2 T\Theta}{Q} = 10^{50} = A89444.9 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.0007922248 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2 T\Theta}{Q} = 10^{50} = 1666.480 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.45B11B3 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2 T\Theta}{Q} = 10^{50} = 2.806522 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{m C}} = 1B71.647 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{\Theta}{LQ} = 10^{-70} = 0.000612A50B \text{m} \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.00000117A1B8 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{\Theta}{LQ} = 10^{-60} = A66827.7 \frac{\text{K}}{\text{m C}}$
$1 \text{k} \frac{\text{K}}{\text{m C}} = 0.0007A99B02 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{\Theta}{LQ} = 10^{-60} = 1628.355 \text{k} \frac{\text{K}}{\text{m C}}$
$1 \text{m} \frac{\text{K}}{\text{m s C}} = 0.56335B5 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau-} \frac{\Theta}{LTQ} = 10^{-A0} = 2.20A6B4 \text{m} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{msC}} &= 324.2A34 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{K}}{\text{msC}} &= 1A2412.0 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} &= 0.0001361B25 \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{ms}^2\text{C}} &= 0.08B89513 \cdot 10^{-110} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} &= 52.41815 \cdot 10^{-110} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 849655B \cdot 10^{-40} \\
1 \frac{\text{sK}}{\text{mC}} &= 0.004A3B6A2 \cdot 10^{-30} \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 2.990A42 \cdot 10^{-30} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{C}} &= 0.00003A25B1B \cdot 10^{-90} \\
1 \frac{\text{K}}{\text{m}^2\text{C}} &= 0.0228A7A2 \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{C}} &= 13.5847A \cdot 10^{-90} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} &= A996.679 \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{m}^2\text{sC}} &= 0.000006314362 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} &= 0.003757519 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 2.64709B \cdot 10^{-140} \\
1 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 156B.A51 \cdot 10^{-140} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= A21250.6 \cdot 10^{-140} \\
1 \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} &= 0.14549BA \cdot 10^{-60} \\
1 \frac{\text{sK}}{\text{m}^2\text{C}} &= 96.2A280 \cdot 10^{-60} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} &= 56139.7A \cdot 10^{-60} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} &= 0.765B556 \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^3\text{C}} &= 444.5427 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{C}} &= 263825.B \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} &= 0.0001922485 \cdot 10^{-130} \\
1 \frac{\text{K}}{\text{m}^3\text{sC}} &= 0.1031334 \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} &= 71.16A10 \cdot 10^{-130} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 4B604.92 \cdot 10^{-170} \\
1 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 0.00002A52691 \cdot 10^{-160} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 0.017B1657 \cdot 10^{-160} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} &= 2827.31A \cdot 10^{-90} \\
1 \frac{\text{sK}}{\text{m}^3\text{C}} &= 0.000001678913 \cdot 10^{-80} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} &= 0.000A9581A5 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 4691829. \cdot 10^{-40} \\
1 \frac{\text{kgK}}{\text{C}} &= 0.002783586 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 1.640A98 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 1099.A5B \cdot 10^{-70} \\
1 \frac{\text{kgK}}{\text{sC}} &= 75026A.7 \cdot 10^{-70} \\
1 \frac{\text{kgK}}{\text{sC}} &= 0.00043621A5 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} &= 0.3000B76 \cdot 10^{-A0} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kgK}}{\text{s}^2\text{C}} &= 18A.0689 \cdot 10^{-A0} \\
1 \frac{\text{kgK}}{\text{s}^2\text{C}} &= 100852.9 \cdot 10^{-A0} \quad (*) \\
1 \frac{\text{kg sK}}{\text{C}} &= 0.0175B415 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= B.347533 \\
1 \frac{\text{kg sK}}{\text{C}} &= 6642.0BB \cdot 10^0 \quad (*) \\
1 \frac{\text{kg mK}}{\text{C}} &= 23B.6581 \cdot 10^{-10} \\
1 \frac{\text{kg mK}}{\text{C}} &= 142217.5 \cdot 10^{-10} \\
1 \frac{\text{kg mK}}{\text{C}} &= 0.000094455A9 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'ujauau- \frac{\Theta}{LTQ} &= 10^{-A0} = 0.003907AB5 \frac{\text{K}}{\text{msC}} \\
1 \text{ni}'ujauau- \frac{\Theta}{LTQ} &= 10^{-A0} = 0.0000065A3143 \text{k} \frac{\text{K}}{\text{msC}} \\
1 \text{ni}'upapa- \frac{\Theta}{LT^2Q} &= 10^{-110} = 9347.94B \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni}'upapa- \frac{\Theta}{LT^2Q} &= 10^{-110} = 14.05890 \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni}'upapa- \frac{\Theta}{LT^2Q} &= 10^{-110} = 0.02387266 \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni}'uci- \frac{T\Theta}{LQ} &= 10^{-30} = 151884.6 \text{m} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'uci- \frac{T\Theta}{LQ} &= 10^{-30} = 257.5AB0 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'uci- \frac{T\Theta}{LQ} &= 10^{-30} = 0.43235AA \text{k} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'uso- \frac{\Theta}{L^2Q} &= 10^{-90} = 31490.87 \text{m} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni}'uso- \frac{\Theta}{L^2Q} &= 10^{-90} = 54.75471 \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni}'uso- \frac{\Theta}{L^2Q} &= 10^{-90} = 0.0937B850 \text{k} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni}'upapa- \frac{\Theta}{L^2TQ} &= 10^{-110} = 0.0001139136 \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{ni}'upano- \frac{\Theta}{L^2TQ} &= 10^{-100} = 1B0091.9 \frac{\text{K}}{\text{m}^2\text{sC}} \quad (*) \\
1 \text{ni}'upano- \frac{\Theta}{L^2TQ} &= 10^{-100} = 339.0553 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{ni}'upavo- \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.48A5BBA \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \quad (*) \\
1 \text{ni}'upavo- \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.0008234399 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni}'upavo- \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.000001219B26 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni}'uxa- \frac{T\Theta}{L^2Q} &= 10^{-60} = 8.906440 \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni}'uxa- \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.01316243 \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni}'uxa- \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00002217B0A \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni}'upano- \frac{\Theta}{L^3Q} &= 10^{-100} = 1.711782 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni}'upano- \frac{\Theta}{L^3Q} &= 10^{-100} = 0.0028BB465 \frac{\text{K}}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni}'upano- \frac{\Theta}{L^3Q} &= 10^{-100} = 0.00000490246A \text{k} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni}'upaci- \frac{\Theta}{L^3TQ} &= 10^{-130} = 696A.760 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni}'upaci- \frac{\Theta}{L^3TQ} &= 10^{-130} = B.8B6202 \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni}'upaci- \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.01836B2A \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni}'upaze- \frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.00002505A34 \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni}'upaxa- \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 42222.B9 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni}'upaxa- \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 72.86B5A \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni}'uso- \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.0004577725 \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni}'ubi- \frac{T\Theta}{L^3Q} &= 10^{-80} = 788246.A \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni}'ubi- \frac{T\Theta}{L^3Q} &= 10^{-80} = 1141.A67 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni}'uci- \frac{M\Theta}{Q} &= 10^{-30} = 2767AA.4 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'uci- \frac{M\Theta}{Q} &= 10^{-30} = 466.3A50 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'uci- \frac{M\Theta}{Q} &= 10^{-30} = 0.7A28040 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'uze- \frac{M\Theta}{TQ} &= 10^{-70} = 0.000B2979BB \text{m} \frac{\text{kgK}}{\text{sC}} \quad (*) \\
1 \text{ni}'uxa- \frac{M\Theta}{TQ} &= 10^{-60} = 174B379. \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'uxa- \frac{M\Theta}{TQ} &= 10^{-60} = 2966.351 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'ujauau- \frac{M\Theta}{T^2Q} &= 10^{-A0} = 3.BBA860 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} \quad (*) \\
1 \text{ni}'ujauau- \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.006AB1855 \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \text{ni}'ujauau- \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.00000BB37322 \text{k} \frac{\text{kgK}}{\text{s}^2\text{C}} \quad (*) \\
1 \frac{MT\Theta}{Q} &= 1 = 74.77726 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.1091B60 \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0001A07BAB \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni}'upa- \frac{ML\Theta}{Q} &= 10^{-10} = 0.005197081 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 8A9569B. \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 13464.53 \text{k} \frac{\text{kg mK}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.066661 B_0 \cdot 10^{-40} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 39.55294 \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 22378.BB \cdot 10^{-40} \quad (*) \\
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.00001647580 \cdot 10^{-70} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 0.00A781285 \cdot 10^{-70} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 6.1A7721 \cdot 10^{-70} \\
1m \frac{kg \cdot m \cdot s \cdot K}{C} &= 9B553B.9 \cdot 10^{20} \\
1 \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.0005916583 \cdot 10^{30} \\
1k \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.3400836 \cdot 10^{30} \quad (*) \\
1m \frac{kg \cdot m^2 \cdot K}{C} &= 0.01233B31 \cdot 10^{20} \\
1 \frac{kg \cdot m^2 \cdot K}{C} &= 8.319424 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot K}{C} &= 4946.431 \cdot 10^{20} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 341303B. \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.001B26043 \cdot 10^{-10} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 1.152066 \cdot 10^{-10} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 947.9917 \cdot 10^{-50} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 552371.5 \cdot 10^{-50} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.0003188775 \cdot 10^{-40} \\
1m \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 50.BB111 \cdot 10^{50} \quad (*) \\
1 \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 2B369.83 \cdot 10^{50} \\
1k \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.00001851533 \cdot 10^{60} \\
1m \frac{kg \cdot K}{m \cdot C} &= 0.08B2B972 \cdot 10^{-60} \\
1 \frac{kg \cdot K}{m \cdot C} &= 52.09474 \cdot 10^{-60} \\
1k \frac{kg \cdot K}{m \cdot C} &= 2BB01.20 \cdot 10^{-60} \quad (*) \\
1m \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.000021130A3 \cdot 10^{-90} \\
1 \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.0126407B \cdot 10^{-90} \\
1k \frac{kg \cdot K}{m \cdot s \cdot C} &= 8.4A81B2 \cdot 10^{-90} \\
1m \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 5A62.679 \cdot 10^{-110} \\
1 \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.00000349858A \cdot 10^{-100} \\
1k \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.001B748A6 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot K}{m \cdot C} &= 322.20A0 \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot K}{m \cdot C} &= 1A1190.5 \cdot 10^{-30} \\
1k \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.0001095361 \cdot 10^{-20} \\
1m \frac{kg \cdot K}{m^2 \cdot C} &= 1560.609 \cdot 10^{-90} \\
1 \frac{kg \cdot K}{m^2 \cdot C} &= A16761.3 \cdot 10^{-90} \\
1k \frac{kg \cdot K}{m^2 \cdot C} &= 0.0005A41419 \cdot 10^{-80} \\
1m \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.411BB80 \cdot 10^{-100} \quad (*) \\
1 \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 245.5258 \cdot 10^{-100} \\
1k \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 145709.A \cdot 10^{-100} \\
1m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.0000B613353 \cdot 10^{-130} \\
1 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.067B0A1A \cdot 10^{-130} \\
1k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 3A.30266 \cdot 10^{-130} \\
1m \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 62938B9. \cdot 10^{-60} \\
1 \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.003733404 \cdot 10^{-50} \\
1k \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 2.106120 \cdot 10^{-50} \\
1m \frac{kg \cdot K}{m^3 \cdot C} &= 0.00002A34385 \cdot 10^{-B0} \\
1 \frac{kg \cdot K}{m^3 \cdot C} &= 0.017A07B1 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo \frac{ML\Theta}{TQ} &= 10^{-40} = 1A.00137 m \frac{kg \cdot m \cdot K}{s^2 C} \quad (*) \\
1 ni' uvo \frac{ML\Theta}{TQ} &= 10^{-40} = 0.032025 A8 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uvo \frac{ML\Theta}{TQ} &= 10^{-40} = 0.00005583 B06 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 79BA4.1A m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 116.4B42 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni' uze \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 0.1B47941 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 re \frac{MLT\Theta}{Q} &= 10^{20} = 0.000001257100 m \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 ci \frac{MLT\Theta}{Q} &= 10^{30} = 20BB.69A \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 ci \frac{MLT\Theta}{Q} &= 10^{30} = 3.724079 k \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 re \frac{ML^2\Theta}{Q} &= 10^{20} = A1.04541 m \frac{kg \cdot m^2 \cdot K}{C} \\
1 re \frac{ML^2\Theta}{Q} &= 10^{20} = 0.1551843 \frac{kg \cdot m^2 \cdot K}{C} \\
1 re \frac{ML^2\Theta}{Q} &= 10^{20} = 0.0002614908 k \frac{kg \cdot m^2 \cdot K}{C} \\
1 ni' upa \frac{ML^2\Theta}{TQ} &= 10^{-10} = 371074.3 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' upa \frac{ML^2\Theta}{TQ} &= 10^{-10} = 625.56 A2 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' upa \frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.A87AA5B k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' umu \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.001340 A58 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' uvo \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 2260 B23. \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni' uvo \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 3997.7AB k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 mu \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.0243 B776 m \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 mu \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.000040 B573A \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 xa \frac{ML^2T\Theta}{Q} &= 10^{60} = 70718.87 k \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 ni' uxa \frac{M\Theta}{LQ} &= 10^{-60} = 14.14185 m \frac{kg \cdot K}{m \cdot C} \\
1 ni' uxa \frac{M\Theta}{LQ} &= 10^{-60} = 0.023A1257 \frac{kg \cdot K}{m \cdot C} \\
1 ni' uxa \frac{M\Theta}{LQ} &= 10^{-60} = 0.00004013 AA7 k \frac{kg \cdot K}{m \cdot C} \\
1 ni' uso \frac{M\Theta}{LTQ} &= 10^{-90} = 589B9.4B m \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' uso \frac{M\Theta}{LTQ} &= 10^{-90} = 9A.B3692 \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' uso \frac{M\Theta}{LTQ} &= 10^{-90} = 0.1516452 k \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni' upapa \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.0002060789 m \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' upano \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 36415 B.8 \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' upano \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 612.0586 k \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni' uci \frac{MT\Theta}{LQ} &= 10^{-30} = 0.0039311 B4 m \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' ure \frac{MT\Theta}{LQ} &= 10^{-20} = 66257 A6. \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' ure \frac{MT\Theta}{LQ} &= 10^{-20} = B318.185 k \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni' uso \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.0008288155 m \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' ubi \frac{M\Theta}{L^2 Q} &= 10^{-80} = 1227156. \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' ubi \frac{M\Theta}{L^2 Q} &= 10^{-80} = 2069.514 k \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni' upano \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 2.B19014 m \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upano \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.005089511 \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upano \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0000088 B4115 k \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni' upaci \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 10618.B2 m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' upaci \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 19.754B8 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' upaci \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 0.03143 B92 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni' umu \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 1B1384.5 m \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' umu \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 33B.2317 \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni' umu \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 0.5900550 k \frac{kg \cdot s \cdot K}{m^2 \cdot C} \quad (*) \\
1 ni' uvaiei \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 424A9.B0 m \frac{kg \cdot K}{m^3 \cdot C} \\
1 ni' uvaiei \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 73.13304 \frac{kg \cdot K}{m^3 \cdot C}
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = B.591B01 \cdot 10^{-B0}$	$1 ni' uvaiei- \frac{M\Theta}{L^3 Q} = 10^{-B0} = 0.106628B k \frac{kg\ K}{m^3 C}$
$1m \frac{kg\ K}{m^3 s\ C} = 8035.A14 \cdot 10^{-130}$	$1 ni' upaci- \frac{M\Theta}{L^3 TQ} = 10^{-130} = 0.00015B4218 m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 0.00000478826B \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 TQ} = 10^{-120} = 270156.3 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.00282B786 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 TQ} = 10^{-120} = 457.0394 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 1.A65855 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.647B91A m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 1106.374 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.000B058863 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 766B91.2 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.00000170B068 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 0.1025425 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = B.971818 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 70.8B9A4 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.01848144 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 41064.92 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.00002B29731 k \frac{kg\ s\ K}{m^3 C}$
<hr/>	<hr/>
$1m CK = 0.00088B063A \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 1457.766 m\ CK$
$1 CK = 0.508743B \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 2.456210 CK$
$1k CK = 2B1.7994 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.004121789 k\ CK$
$1m \frac{CK}{s} = 206871.1 \cdot 10^{-50}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 5A438A1. m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.000122677B \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = A16B.784 \frac{CK}{s}$
$1k \frac{CK}{s} = 0.08284923 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 15.61125 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 58.BA133 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.02106B47 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 33B0A.A2 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.00003734982 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 0.00001B12AB4 \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{T^2} = 10^{-70} = 62963.5A k \frac{CK}{s^2}$
$1m s\ CK = 3.142863 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.3A3194B m\ s\ CK$
$1 s\ CK = 1974.81A \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00067B3691 s\ CK$
$1k s\ CK = 10613A0 \cdot 10^{20}$	$1 ci-TQ\Theta = 10^{30} = B617B9.4 k\ s\ CK$
$1m m\ CK = 456A5.B1 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.000028308A5 m\ m\ CK$
$1 m\ CK = 0.000027004A6 \cdot 10^{20} \quad (*)$	$1 re-LQ\Theta = 10^{20} = 478A1.38 m\ CK$
$1k m\ CK = 0.015B369A \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 80.39148 k\ m\ CK$
$1m \frac{m\ CK}{s} = 10.65976 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.0B596725 m \frac{m\ CK}{s}$
$1 \frac{m\ CK}{s} = 7310.360 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.00017A1402 \frac{m\ CK}{s}$
$1k \frac{m\ CK}{s} = 4249144 \cdot 10^{-20}$	$1 ni' upa- \frac{LQ\Theta}{T} = 10^{-10} = 2A3558.3 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 0.002B284A7 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 410.8093 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 1.847507 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.7092852 \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = B96.8A49 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.001025922 k \frac{m\ CK}{s^2}$
$1m m\ s\ CK = 0.000170A494 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 7672.A07 m\ m\ s\ CK$
$1 m\ s\ CK = 0.0B05425B \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 11.068B3 m\ s\ CK$
$1k m\ s\ CK = 64.791A8 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.01A66579 k\ m\ s\ CK$
$1m m^2\ CK = 2.34308A \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.5320650 m\ m^2\ CK$
$1 m^2\ CK = 139B.671 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000911A990 m^2\ CK$
$1k m^2\ CK = 91B225.4 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000001387614 k\ m^2\ CK$
$1m \frac{m^2\ CK}{s} = 0.00064A0760 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 1A5A.4B3 m \frac{m^2\ CK}{s}$
$1 \frac{m^2\ CK}{s} = 0.3857181 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 3.2A3B85 \frac{m^2\ CK}{s}$
$1k \frac{m^2\ CK}{s} = 218.962B \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 0.005719A18 k \frac{m^2\ CK}{s}$
$1m \frac{m^2\ CK}{s^2} = 15B9BB.8 \cdot 10^{-30} \quad (*)$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 800A82A. m \frac{m^2\ CK}{s^2} \quad (*)$
$1 \frac{m^2\ CK}{s^2} = 0.0000A4AA11A \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 11A02.41 \frac{m^2\ CK}{s^2}$
$1k \frac{m^2\ CK}{s^2} = 0.06034754 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 1B.AA61A k \frac{m^2\ CK}{s^2}$
$1m m^2\ s\ CK = 98A3.AA2 \cdot 10^{70}$	$1 ze-L^2TQ\Theta = 10^{70} = 0.0001295386 m\ m^2\ s\ CK$
$1 m^2\ s\ CK = 0.000005776454 \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 216754.3 m^2\ s\ CK$
$1k m^2\ s\ CK = 0.00331776A \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 381.A0BB k\ m^2\ s\ CK \quad (*)$
$1 \frac{m^2\ CK}{m} = 15.15954 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.084AB711 m \frac{CK}{m}$
$1 \frac{CK}{m} = 9AAB.630 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.0001264671 \frac{CK}{m}$
$1k \frac{CK}{m} = 5899541 \cdot 10^{-40}$	$1 ni' uci- \frac{Q\Theta}{L} = 10^{-30} = 2113B1.2 k \frac{CK}{m}$

$$\begin{aligned}
1 \text{m CK}_{\text{ms}} &= 0.004012331 \cdot 10^{-70} \\
1 \text{CK}_{\text{ms}} &= 2.3A0314 \cdot 10^{-70} \\
1 \text{k CK}_{\text{ms}} &= 1413.717 \cdot 10^{-70} \\
1 \text{m CK}_{\text{m s}^2} &= B31367.0 \cdot 10^{-B0} \\
1 \text{CK}_{\text{m s}^2} &= 0.0006622BB9 \cdot 10^{-A0} \quad (*) \\
1 \text{k CK}_{\text{m s}^2} &= 0.392B75A \cdot 10^{-A0} \\
1 \text{m s CK}_{\text{m}} &= 6119B.A5 \cdot 10^{-10} \\
1 \text{s CK}_{\text{m}} &= 0.00003640085 \cdot 10^0 \quad (*) \\
1 \text{k s CK}_{\text{m}} &= 0.0205B98A \cdot 10^0 \\
1 \text{m CK}_{\text{m}^2} &= 296518.B \cdot 10^{-70} \\
1 \text{CK}_{\text{m}^2} &= 0.000174A789 \cdot 10^{-60} \\
1 \text{k CK}_{\text{m}^2} &= 0.0B293302 \cdot 10^{-60} \\
1 \text{m CK}_{\text{m}^2 \text{s}} &= 7A.249AB \cdot 10^{-A0} \\
1 \text{CK}_{\text{m}^2 \text{s}} &= 46620.22 \cdot 10^{-A0} \\
1 \text{k CK}_{\text{m}^2 \text{s}} &= 0.000027669BB \cdot 10^{-90} \quad (*) \\
1 \text{m CK}_{\text{m}^2 \text{s}^2} &= 0.01A072AB \cdot 10^{-110} \\
1 \text{CK}_{\text{m}^2 \text{s}^2} &= 10.91637 \cdot 10^{-110} \\
1 \text{k CK}_{\text{m}^2 \text{s}^2} &= 7474.709 \cdot 10^{-110} \\
1 \text{m s CK}_{\text{m}^2} &= 0.000BB3248B \cdot 10^{-30} \quad (*) \\
1 \text{s CK}_{\text{m}^2} &= 0.6AAAA77 \cdot 10^{-30} \\
1 \text{k s CK}_{\text{m}^2} &= 3BB.90B2 \cdot 10^{-30} \quad (*) \\
1 \text{m CK}_{\text{m}^3} &= 0.005581830 \cdot 10^{-90} \\
1 \text{CK}_{\text{m}^3} &= 3.201247 \cdot 10^{-90} \\
1 \text{k CK}_{\text{m}^3} &= 19BB.43B \cdot 10^{-90} \quad (*) \\
1 \text{m CK}_{\text{m}^3 \text{s}} &= 0.000001345A20 \cdot 10^{-100} \\
1 \text{CK}_{\text{m}^3 \text{s}} &= 0.0008A91B34 \cdot 10^{-100} \\
1 \text{k CK}_{\text{m}^3 \text{s}} &= 0.5194B58 \cdot 10^{-100} \\
1 \text{m CK}_{\text{m}^3 \text{s}^2} &= 372.2704 \cdot 10^{-140} \\
1 \text{CK}_{\text{m}^3 \text{s}^2} &= 20BA87.6 \cdot 10^{-140} \\
1 \text{k CK}_{\text{m}^3 \text{s}^2} &= 0.0001256713 \cdot 10^{-130} \\
1 \text{m s CK}_{\text{m}^3} &= 1B.46B98 \cdot 10^{-60} \\
1 \text{s CK}_{\text{m}^3} &= 11645.A0 \cdot 10^{-60} \\
1 \text{k s CK}_{\text{m}^3} &= 79B719A \cdot 10^{-60} \\
1 \text{m kg CK} &= 338B1.29 \cdot 10^{-10} \\
1 \text{kg CK} &= 0.00001ABBB92 \cdot 10^0 \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{n}'uze-\frac{Q\Theta}{LT} &= 10^{-70} = 2BB.139A \text{m CK}_{\text{ms}} \quad (*) \\
1 \text{n}'uze-\frac{Q\Theta}{LT} &= 10^{-70} = 0.520B5B2 \text{CK}_{\text{ms}} \\
1 \text{n}'uze-\frac{Q\Theta}{LT} &= 10^{-70} = 0.0008B33542 \text{k CK}_{\text{ms}} \\
1 \text{n}'ujauau-\frac{Q\Theta}{LT^2} &= 10^{-A0} = 1095888. \text{m CK}_{\text{m s}^2} \\
1 \text{n}'ujauau-\frac{Q\Theta}{LT^2} &= 10^{-A0} = 1A12.607 \text{CK}_{\text{m s}^2} \\
1 \text{n}'ujauau-\frac{Q\Theta}{LT^2} &= 10^{-A0} = 3.22344A \text{k CK}_{\text{m s}^2} \\
1 \text{n}'upa-\frac{TQ\Theta}{L} &= 10^{-10} = 0.00001B75661 \text{m s CK}_{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 3499A.47 \text{s CK}_{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 5A.64B4B \text{k s CK}_{\text{m}} \\
1 \text{n}'uxa-\frac{Q\Theta}{L^2} &= 10^{-60} = 4363AA7. \text{m CK}_{\text{m}^2} \\
1 \text{n}'uxa-\frac{Q\Theta}{L^2} &= 10^{-60} = 7505.724 \text{CK}_{\text{m}^2} \\
1 \text{n}'uxa-\frac{Q\Theta}{L^2} &= 10^{-60} = 10.9A388 \text{k CK}_{\text{m}^2} \\
1 \text{n}'ujauau-\frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.01641635 \text{m CK}_{\text{m}^2 \text{s}} \\
1 \text{n}'ujauau-\frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.00002784677 \text{CK}_{\text{m}^2 \text{s}} \\
1 \text{n}'uso-\frac{Q\Theta}{L^2T} &= 10^{-90} = 46936.6A \text{k CK}_{\text{m}^2 \text{s}} \\
1 \text{n}'upapa-\frac{Q\Theta}{L^2T^2} &= 10^{-110} = 66.448B5 \text{m CK}_{\text{m}^2 \text{s}^2} \\
1 \text{n}'upapa-\frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.0B35005B \text{CK}_{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{n}'upapa-\frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.000176000A \text{k CK}_{\text{m}^2 \text{s}^2} \quad (**) \\
1 \text{n}'uci-\frac{TQ\Theta}{L^2} &= 10^{-30} = 1008.A19 \text{m s CK}_{\text{m}^2} \quad (*) \\
1 \text{n}'uci-\frac{TQ\Theta}{L^2} &= 10^{-30} = 1.8A1329 \text{s CK}_{\text{m}^2} \\
1 \text{n}'uci-\frac{TQ\Theta}{L^2} &= 10^{-30} = 0.003002239 \text{k s CK}_{\text{m}^2} \quad (*) \\
1 \text{n}'uso-\frac{Q\Theta}{L^3} &= 10^{-90} = 223.8788 \text{m CK}_{\text{m}^3} \\
1 \text{n}'uso-\frac{Q\Theta}{L^3} &= 10^{-90} = 0.395693A \text{CK}_{\text{m}^3} \\
1 \text{n}'uso-\frac{Q\Theta}{L^3} &= 10^{-90} = 0.00066689B6 \text{k CK}_{\text{m}^3} \\
1 \text{n}'upano-\frac{Q\Theta}{L^3T} &= 10^{-100} = 944938.A \text{m CK}_{\text{m}^3 \text{s}} \\
1 \text{n}'upano-\frac{Q\Theta}{L^3T} &= 10^{-100} = 1422.827 \text{CK}_{\text{m}^3 \text{s}} \\
1 \text{n}'upano-\frac{Q\Theta}{L^3T} &= 10^{-100} = 2.3B7510 \text{k CK}_{\text{m}^3 \text{s}} \\
1 \text{n}'upavo-\frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.003402074 \text{m CK}_{\text{m}^3 \text{s}^2} \\
1 \text{n}'upavo-\frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.0000059189A8 \text{CK}_{\text{m}^3 \text{s}^2} \\
1 \text{n}'upaci-\frac{Q\Theta}{L^3T^2} &= 10^{-130} = 9B59.486 \text{k CK}_{\text{m}^3 \text{s}^2} \\
1 \text{n}'uxa-\frac{TQ\Theta}{L^3} &= 10^{-60} = 0.061AA13A \text{m s CK}_{\text{m}^3} \\
1 \text{n}'uxa-\frac{TQ\Theta}{L^3} &= 10^{-60} = 0.0000A785695 \text{s CK}_{\text{m}^3} \\
1 \text{n}'umu-\frac{TQ\Theta}{L^3} &= 10^{-50} = 164812.0 \text{k s CK}_{\text{m}^3} \\
1 \text{n}'upa-MQ\Theta &= 10^{-10} = 0.00003758AA6 \text{m kg CK} \\
1 MQ\Theta &= 1 = 6316A.1A \text{kg CK} \\
1 MQ\Theta &= 1 = A9.9AB72 \text{k kg CK} \\
1 \text{n}'uvo-\frac{MQ\Theta}{T} &= 10^{-40} = 0.1358AB7 \text{m kg CK}_{\text{s}} \\
1 \text{n}'uvo-\frac{MQ\Theta}{T} &= 10^{-40} = 0.000228B691 \text{kg CK}_{\text{s}} \\
1 \text{n}'uci-\frac{MQ\Theta}{T} &= 10^{-30} = 3A2760.1 \text{k kg CK}_{\text{s}} \\
1 \text{n}'uze-\frac{MQ\Theta}{T^2} &= 10^{-70} = 561.6076 \text{m kg CK}_{\text{s}^2} \\
1 \text{n}'uze-\frac{MQ\Theta}{T^2} &= 10^{-70} = 0.9632132 \text{kg CK}_{\text{s}^2} \\
1 \text{n}'uze-\frac{MQ\Theta}{T^2} &= 10^{-70} = 0.001455484 \text{k kg CK}_{\text{s}^2} \\
1 \text{ci}-MTQ\Theta &= 10^{30} = A216.6A3 \text{m kg s CK} \\
1 \text{ci}-MTQ\Theta &= 10^{30} = 15.70572 \text{kg s CK} \\
1 \text{ci}-MTQ\Theta &= 10^{30} = 0.02648128 \text{k kg s CK} \\
1 \text{re}-MLQ\Theta &= 10^{20} = 0.7119899 \text{m kg m CK} \\
1 \text{re}-MLQ\Theta &= 10^{20} = 0.001031834 \text{kg m CK} \\
1 \text{re}-MLQ\Theta &= 10^{20} = 0.000001923141 \text{k kg m CK} \\
1 \text{n}'upa-\frac{MLQ\Theta}{T} &= 10^{-10} = 2639.2A4 \text{m kg m CK}_{\text{s}} \\
1 \text{n}'upa-\frac{MLQ\Theta}{T} &= 10^{-10} = 4.44716B \text{kg m CK}_{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m CK}}{\text{s}} &= 171.0BA8 \cdot 10^{-10} \\
1m \frac{\text{kg m CK}}{\text{s}^2} &= 114151.3 \cdot 10^{-50} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.0000787B293 \cdot 10^{-40} \\
1k \frac{\text{kg m CK}}{\text{s}^2} &= 0.0457593B \cdot 10^{-40} \\
1m \text{ kg m s CK} &= 7284.015 \cdot 10^{50} \\
1 \text{ kg m s CK} &= 0.000004220662 \cdot 10^{60} \\
1k \text{ kg m s CK} &= 0.002504A53 \cdot 10^{60} \\
1m \text{ kg m}^2 \text{ CK} &= 0.0000A441458 \cdot 10^{50} \\
1 \text{ kg m}^2 \text{ CK} &= 0.05BB5AA5 \cdot 10^{50} \quad (*) \\
1k \text{ kg m}^2 \text{ CK} &= 35.78582 \cdot 10^{50} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 25133.36 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 0.000014A160A \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.0098B795B \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 6.9910B4 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 3B39.15B \cdot 10^{-20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 2346944 \cdot 10^{-20} \\
1m \text{ kg m}^2 \text{ s CK} &= 0.383249A \cdot 10^{80} \\
1 \text{ kg m}^2 \text{ s CK} &= 217.4A81 \cdot 10^{80} \\
1k \text{ kg m}^2 \text{ s CK} &= 129A93.6 \cdot 10^{80} \\
1m \frac{\text{kg CK}}{\text{m}} &= 0.00065A0572 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.390646B \cdot 10^{-30} \\
1k \frac{\text{kg CK}}{\text{m}} &= 220.9839 \cdot 10^{-30} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 162780.3 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0000A663B03 \cdot 10^{-60} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 0.06127B26 \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 43.21904 \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 2574A.A0 \cdot 10^{-A0} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 0.00001518147 \cdot 10^{-90} \\
1m \frac{\text{kg s CK}}{\text{m}} &= 2.38632A \\
1 \frac{\text{kg s CK}}{\text{m}} &= 1405.226 \cdot 10^0 \\
1k \frac{\text{kg s CK}}{\text{m}} &= 9343BB.A \cdot 10^0 \quad (*) \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 10.85340 \cdot 10^{-60} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 7427.399 \cdot 10^{-60} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 430755A \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 0.002B82423 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 1.8796B9 \cdot 10^{-90} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= BB4.9A58 \cdot 10^{-90} \quad (*) \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 842944.5 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0004A00784 \cdot 10^{-100} \quad (*) \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 0.2969855 \cdot 10^{-100} \\
1m \frac{\text{kg s CK}}{\text{m}^2} &= 46329.49 \cdot 10^{-30} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.0000274A53B \cdot 10^{-20} \\
1k \frac{\text{kg s CK}}{\text{m}^2} &= 0.016211A4 \cdot 10^{-20} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 20A669.8 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.00012492B3 \cdot 10^{-80} \\
1k \frac{\text{kg CK}}{\text{m}^3} &= 0.083B964B \cdot 10^{-80} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 59.A7302 \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 34537.83 \cdot 10^{-100} \\
1k \frac{\text{kg CK}}{\text{m}^3} &= 0.00001B4A1B5 \cdot 10^{-B0} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 0.01443720 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.007662646 \text{ k} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ ni'ovo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = A960683. \text{ m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'ovo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 16794.86 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'ovo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 28.28436 \text{ k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ mu-} MLTQ\Theta &= 10^{50} = 0.00017B2272 \text{ m kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = 2A5389.8 \text{ kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = 4B6.2505 \text{ k kg m s CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 11A92.15 \text{ m kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 20.02048 \text{ kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 0.0355B592 \text{ k kg m}^2 \text{ CK} \\
1 \text{ pa-} \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.00004B45189 \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 8670B.08 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 129.3374 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.1917655 \text{ m} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.0003063297 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'upa-} \frac{ML^2Q\Theta}{T^2} &= 10^{-10} = 5313B5.6 \text{ k} \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 3.305254 \text{ m kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.005755534 \text{ kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.0000098689A8 \text{ k kg m}^2 \text{ s CK} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 1A24.A28 \text{ m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 3.2441B1 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 0.0056358BA \text{ k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 7AA1184. \text{ m} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 117A7.66 \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 1B.72401 \text{ k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.02992015 \text{ m} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00004A41678 \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{LT^2} &= 10^{-90} = 8499A.74 \text{ k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.5243968 \text{ m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0008B91108 \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.000001362564 \text{ k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0B403B54 \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00017707BA \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'umu-} \frac{MQ\Theta}{L^2} &= 10^{-50} = 29A213.A \text{ k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 405.14AA \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.6B82072 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.00100725A \text{ k} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 152A69A. \text{ m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 2595.A64 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 4.358AAA \text{ k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.000027A116B \text{ m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 47031.35 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 7B.0B167 \text{ k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 5955868. \text{ m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = A002.B62 \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 15.348B5 \text{ k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.020887AB \text{ m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000036889A0 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'uvaiei-} \frac{MQ\Theta}{L^3T} &= 10^{-B0} = 61A00.A4 \text{ k} \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ ni'upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 89.77422 \text{ m} \frac{\text{kg CK}}{\text{m}^3} \text{ s}^2
\end{aligned}$$

$$\begin{aligned}1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 9.572392 \cdot 10^{-130} \\1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 558A.749 \cdot 10^{-130} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.0008A34B34 \cdot 10^{-50} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.5161038 \cdot 10^{-50} \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 2B7.1715 \cdot 10^{-50}\end{aligned}$$

$$\begin{aligned}1 \text{n}i'upaci \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.1326526 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{n}i'upaci \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.00022350A1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{n}i'umu \frac{MTQ\Theta}{L^3} &= 10^{-50} = 1431.238 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{n}i'umu \frac{MTQ\Theta}{L^3} &= 10^{-50} = 2.4116B7 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{n}i'umu \frac{MTQ\Theta}{L^3} &= 10^{-50} = 0.00406691A \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

## 9.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= 73052A5 \cdot 10^{-20} \\ \text{Electron mass} &= 69AB.013 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.37733A0 \cdot 10^0 \\ \text{\AA}^{16} &= 0.031B3168 \cdot 10^{20} \\ \text{Bohr radius}^{17} &= 0.0180AB69 \cdot 10^{20} \\ \text{Fine structure constant}^{18} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 0.3928187 \cdot 10^{-20} \\ |\psi^{100}(0)|^{20} &= 99566.29 \cdot 10^{-60} \\ \text{eV} &= 0.033A7730 \cdot 10^{-20} \\ \hbar^{21} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= A6.2A997 \cdot 10^{20} \\ k_{\text{yellow}}^{22} &= 0.07200766 \cdot 10^{-20} \quad (*) \\ k_{\text{X-Ray}}^{23} &= 0.0006392A62 \cdot 10^{-10}\end{aligned}$$

$$\begin{aligned}1 \text{n}i'upa-M &= 10^{-10} = 17A2B3.9 m_p \\ 1 \text{n}i'ure-M &= 10^{-20} = 0.0001911A67 m_e \\ 1 Q &= 1 = 3.3763A1 e \\ 1 \text{re}-L &= 10^{20} = 39.66A14 \text{\AA} \\ 1 \text{re}-L &= 10^{20} = 72.0A500 a_0 \quad (*) \\ 1 &= 1 = B5.05226 \alpha \\ 1 \text{n}i'ure \frac{ML^2}{T^2} &= 10^{-20} = 3.226382 Ry \\ 1 \text{n}i'uxa \frac{1}{L^3} &= 10^{-60} = 0.000012864A4 \rho_{\max} \\ 1 \text{n}i'ure \frac{ML^2}{T^2} &= 10^{-20} = 37.3A685 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re}-L &= 10^{20} = 0.011830A9 \cdot \lambda_{\text{yellow}} \\ 1 \text{n}i'ure \frac{1}{L} &= 10^{-20} = 18.112B9 \cdot k_{\text{yellow}} \\ 1 \text{n}i'upa \frac{1}{L} &= 10^{-10} = 1A98.066 \cdot k_{\text{X-Ray}}\end{aligned}$$

$$\begin{aligned}\text{Earth g} &= 0.0012B7113 \cdot 10^{-30} \\ \text{cm} &= 89A671.3 \cdot 10^{20} \\ \text{min} &= 1943A7.1 \cdot 10^{30} \\ \text{hour} &= 0.000008A974B7 \cdot 10^{40} \\ \text{Liter} &= 0.000291609B \cdot 10^{80} \\ \text{Area of a soccer field} &= 0.000010B1637 \cdot 10^{60} \\ 84 \text{m}^2^{24} &= 220A40.4 \cdot 10^{50} \\ \text{km/h} &= 4945.445 \cdot 10^{-10} \\ \text{mi/h} &= 783B.462 \cdot 10^{-10} \\ \text{inch}^{25} &= 1A4B242 \cdot 10^{20} \\ \text{mile} &= 0.05858732 \cdot 10^{30} \\ \text{pound} &= 0.0000208AA55 \cdot 10^{10} \\ \text{horsepower} &= B40.262A \cdot 10^{-40} \\ \text{kcal} &= 0.00001A7A5B7 \cdot 10^0 \\ \text{kWh} &= 0.00B334A27 \cdot 10^0 \\ \text{Typical household electric field} &= 11913.9B \cdot 10^{-50} \\ \text{Earth magnetic field} &= 0.000012B01B6 \cdot 10^{-40} \\ \text{Height of an average man}^{26} &= 0.0000AA1872A \cdot 10^{30}\end{aligned}$$

$$\begin{aligned}1 \text{n}i'uci \frac{ML}{T^2} &= 10^{-30} = 975.66B7 \cdot \text{Earth g} \\ 1 \text{re}-L &= 10^{20} = 0.00000143A19B \text{cm} \\ 1 \text{vo}-T &= 10^{40} = 68A9339. \text{min} \\ 1 \text{vo}-T &= 10^{40} = 1421A3.2 \text{ h} \\ 1 \text{bi}-L^3 &= 10^{80} = 441B.974 l \\ 1 \text{xa}-L^2 &= 10^{60} = B1807.72 A \\ 1 \text{xa}-L^2 &= 10^{60} = 5634145. \cdot 84 \text{m}^2 \\ 1 \text{n}i'upa \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{km/h} \\ 1 \text{n}i'upa \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{mi/h} \\ 1 \text{ci}-L &= 10^{30} = 65130B.6 \text{ in} \\ 1 \text{ci}-L &= 10^{30} = 21.29A02 \text{ mi} \\ 1 \text{pa}-M &= 10^{10} = 59A10.06 \text{ pound} \\ 1 \text{n}i'uvu \frac{ML^2}{T^3} &= 10^{-40} = 0.0010854B3 \text{ horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 6432B.33 \text{kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 109.3403 \text{kWh} \\ 1 \text{n}i'umu \frac{ML}{T^2 Q} &= 10^{-50} = 0.0000A5709A9 E_H \\ 1 \text{n}i'uvu \frac{M}{T Q} &= 10^{-40} = 97A02.59 \cdot \text{Earth magnetic field} \\ 1 \text{ci}-L &= 10^{30} = 1133B.A3 \bar{h}\end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/A nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>30 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

Mass of an average man =  $0.002262371 \cdot 10^{10}$

Age of the Universe =  $225635.8 \cdot 10^{40}$

Size of the observable Universe =  $0.000579B020 \cdot 10^{50}$

Average density of the Universe =  $682.ABB5 \cdot 10^{-A0}$  (\*)

Earth mass =  $4120A28. \cdot 10^{20}$

Sun mass<sup>27</sup> =  $0.5599167 \cdot 10^{30}$

Year =  $0.039194A7 \cdot 10^{40}$

Speed of Light = 1.000000 (\*\*\*)

Parsec =  $0.1033141 \cdot 10^{40}$

Astronomical unit =  $0.000001297941 \cdot 10^{40}$

Earth radius =  $110.A68A \cdot 10^{30}$

Distance Earth-Moon =  $5589.605 \cdot 10^{30}$

Momentum of someone walking<sup>28</sup> =  $4B1.0083 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$

mol =  $0.01110B95 \cdot 10^{20}$

Standard temperature<sup>29</sup> =  $0.000B323BA3 \cdot 10^{-20}$

Room - standard temperature<sup>30</sup> =  $0.00009A95396 \cdot 10^{-20}$

atm =  $0.00247290B \cdot 10^{-80}$

$c_s = 0.0000034BB524 \cdot 10^0$  (\*)

$\mu_0 = 1.000000$  (\*\*\*)

$G = 0.0B561508 \cdot 10^0$

$1m = 0.001889B98 \cdot 10^0$

$1 = 1.000000$  (\*\*\*)

$1k = 6B4.0000 \cdot 10^0$  (\*\*)

$1m\frac{1}{s} = 4A2B58.B \cdot 10^{-40}$

$1\frac{1}{s} = 0.0002985A47 \cdot 10^{-30}$

$1k\frac{1}{s} = 0.1760B49 \cdot 10^{-30}$

$1m\frac{1}{s^2} = 117.7401 \cdot 10^{-70}$

$1\frac{1}{s^2} = 7A823.1A \cdot 10^{-70}$

$1k\frac{1}{s^2} = 0.00004696247 \cdot 10^{-60}$

$1ms = 7.470374 \cdot 10^{30}$

$1s = 4332.151 \cdot 10^{30}$

$1ks = 0.000002580087 \cdot 10^{40}$  (\*)

$1mm = A707A.B1 \cdot 10^{20}$

$1m = 0.00006163AB3 \cdot 10^{30}$

$1km = 0.0366731B \cdot 10^{30}$

$1m\frac{m}{s} = 25.8A836 \cdot 10^{-10}$

$1\frac{m}{s} = 15264.AB \cdot 10^{-10}$

$1k\frac{m}{s} = 0.000009B63212 \cdot 10^0$

$1m\frac{m}{s^2} = 0.006B65A44 \cdot 10^{-40}$

$1\frac{m}{s^2} = 4.041888 \cdot 10^{-40}$

$1k\frac{m}{s^2} = 23B8.93B \cdot 10^{-40}$

$1pa \cdot M = 10^{10} = 552.0297 \bar{m}$

$1vo \cdot T = 10^{40} = 0.000005537B64t_U$

$1mu \cdot L = 10^{50} = 2158.7A4l_U$

$1ni'ujauau \cdot \frac{M}{L^3} = 10^{-A0} = 0.001964B91\rho_U$

$1ci \cdot M = 10^{30} = 2B1846.Am_E$

$1ci \cdot M = 10^{30} = 2.230A56m_S$

$1vo \cdot T = 10^{40} = 32.33487y$

$1\frac{L}{T} = 1 = 1.000000c$  (\*\*\*)

$1vo \cdot L = 10^{40} = B.899066pc$

$1vo \cdot L = 10^{40} = 98884B.7au$

$1ci \cdot L = 10^{30} = 0.00B021658r_E$

$1ci \cdot L = 10^{30} = 0.0002235623d_M$

$1\frac{ML}{T} = 1 = 0.00252B621 \cdot Momentum of someone walking$

$1\frac{M}{T^3\Theta^4} = 1 = 6.0B4B92\frac{\pi^2}{50} = \sigma$

$1re = 10^{20} = B0.01120mol$

$1ni'ure \cdot \Theta = 10^{-20} = 1094.673T_0$

$1ni'ure \cdot \Theta = 10^{-20} = 12669.39\Theta_R$

$1ni'ubi \cdot \frac{M}{LT^2} = 10^{-80} = 504.B7BBatm$  (\*)

$1\frac{L}{T} = 1 = 36197A.6 \cdot c_s$

$1\frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0$  (\*\*\*)

$1\frac{L^3}{MT^2} = 1 = 10.69683 \cdot G$

### Extensive list of SI units

$1 = 1 = 6B4.0000m$  (\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 = 1 = 0.001889B98k$

$1ni'uvoo \cdot \frac{1}{T} = 10^{-40} = 0.000002580087m\frac{1}{s}$  (\*)

$1ni'uci \cdot \frac{1}{T} = 10^{-30} = 4332.151\frac{1}{s}$

$1ni'uci \cdot \frac{1}{T} = 10^{-30} = 7.470374k\frac{1}{s}$

$1ni'uze \cdot \frac{1}{T^2} = 10^{-70} = 0.00A68A5AAm\frac{1}{s^2}$

$1ni'uze \cdot \frac{1}{T^2} = 10^{-70} = 0.000016300A2\frac{1}{s^2}$  (\*)

$1ni'uxa \cdot \frac{1}{T^2} = 10^{-60} = 27653.81k\frac{1}{s^2}$

$1ci \cdot T = 10^{30} = 0.1760B49ms$

$1ci \cdot T = 10^{30} = 0.0002985A47s$

$1vo \cdot T = 10^{40} = 4A2B58.Bks$

$1re \cdot L = 10^{20} = 0.00001172563mm$

$1ci \cdot L = 10^{30} = 1B602.76m$

$1ci \cdot L = 10^{30} = 34.73B1Bkm$

$1ni'upa \cdot \frac{L}{T} = 10^{-10} = 0.04A127A8m\frac{m}{s}$

$1ni'upa \cdot \frac{L}{T} = 10^{-10} = 0.00008449701\frac{m}{s}$

$1\frac{L}{T} = 1 = 1255A8.5k\frac{m}{s}$

$1ni'uvoo \cdot \frac{L}{T^2} = 10^{-40} = 188.26A3m\frac{m}{s^2}$

$1ni'uvoo \cdot \frac{L}{T^2} = 10^{-40} = 0.2B8AB7B\frac{m}{s^2}$

$1ni'uvoo \cdot \frac{L}{T^2} = 10^{-40} = 0.0005191B72k\frac{m}{s^2}$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>18 °C

$1 \text{m m s} = 0.0003929527 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 3225.270 \text{ m m s}$
$1 \text{m s} = 0.2221423 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 5.602125 \text{ m s}$
$1 \text{k m s} = 131.9405 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 0.00960A65B \text{ k m s}$
$1 \text{m m}^2 = 5.4A5BA4 \cdot 10^{50}$	$1 \text{mu-L}^2 = 10^{50} = 0.2277695 \text{ m m}^2$
$1 \text{m}^2 = 3166.2B1 \cdot 10^{50}$	$1 \text{mu-L}^2 = 10^{50} = 0.0003A03A35 \text{ m}^2$
$1 \text{k m}^2 = 0.000001988743 \cdot 10^{60}$	$1 \text{xa-L}^2 = 10^{60} = 6764B2.B \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.001322921 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 959.591B \text{ m}^{\frac{m^2}{s}}$
$1 \text{m}^{\frac{2}{s}} = 0.8955A48 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 1.447672 \frac{\text{m}^2}{\text{s}}$
$1 \text{k m}^{\frac{2}{s}} = 510.414A \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.002439376 \text{k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{m^2}{s^2}}$
$1 \text{m}^{\frac{2}{s^2}} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k m}^{\frac{2}{s^2}} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 1B119.64 \cdot 10^{80}$	$1 \text{bi-L}^2 T = 10^{80} = 0.00006299AB1 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.00001144796 \cdot 10^{90}$	$1 \text{so-L}^2 T = 10^{90} = A9353.97 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.007899755 \cdot 10^{90}$	$1 \text{so-L}^2 T = 10^{90} = 167.4A88 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 34.73B1B \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.0366731B \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 1B602.76 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.00006163AB3 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 0.00001172563 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{1}{L} = 10^{-20} = A707A.B1 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 0.00960A65B \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 131.9405 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 5.602125 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.2221423 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 3225.270 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.0003929527 \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 228513B \cdot 10^{-A0}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 548696.A \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.00135521B \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 939.AA71 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 0.8B38779 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 1.412994 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m} \frac{\text{s}}{\text{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{\text{s}}{\text{m}}$
$1 \text{k} \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k} \frac{\text{s}}{\text{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 6764B2.B \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{L^2} = 10^{-60} = 0.000001988743 \text{ m}^{\frac{1}{\text{m}^2}}$
$1 \frac{1}{\text{m}^2} = 0.0003A03A35 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 3166.2B1 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.2277695 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 5.4A5BA4 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 167.4A88 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{L^2 T} = 10^{-90} = 0.007899755 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = A9353.97 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{L^2 T} = 10^{-90} = 0.00001144796 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.00006299AB1 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^2 T} = 10^{-80} = 1B119.64 \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.044365B4 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 29.06289 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 26.31B13 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.04912273 \frac{1}{\text{m}^2 s^2}$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 1561B.45 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.0000827BBA8 \text{ k} \frac{1}{\text{m}^2 s^2} \quad (*)$
$1 \text{m}^{\frac{s}{m^2}} = 0.002439376 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 510.414A \text{ m}^{\frac{s}{\text{m}^2}}$
$1 \frac{s}{m^2} = 1.447672 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.8955A48 \frac{\text{s}}{\text{m}^2}$
$1 \text{k} \frac{s}{m^2} = 959.591B \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.001322921 \text{k} \frac{\text{s}}{\text{m}^2}$
$1 \text{m}^{\frac{1}{m^3}} = 0.010B9215 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = B1.15A06 \text{ m}^{\frac{1}{\text{m}^3}}$
$1 \frac{1}{\text{m}^3} = 7.618486 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.1720559 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 441B.974 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.000291609B \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 305650A \cdot 10^{-100}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 3B4868.2 \text{ m}^{\frac{1}{\text{m}^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.001912533 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 69A.8A01 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 1.026433 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 0.B962026 \text{ k} \frac{1}{\text{m}^3 s}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 865.020B \cdot 10^{-130}$	$1 \text{ni'upaci-}\frac{1}{L^3 T^2} = 10^{-130} = 0.0014A56AB \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 4B329A.5 \cdot 10^{-130}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 251A383. \frac{1}{\text{m}^3 s^2}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 0.0002A37172 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 4246.813 \text{ k} \frac{1}{\text{m}^3 s^2}$
$1 \text{m}^{\frac{s}{m^3}} = 47.55297 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.0271B313 \text{ m}^{\frac{s}{\text{m}^3}}$
$1 \frac{s}{m^3} = 28111.01 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.000045A1B97 \frac{\text{s}}{\text{m}^3}$

$$\begin{aligned}
1 \mathbf{k} \frac{\mathbf{s}}{\mathbf{m}^3} &= 0.0000166A2A4 \cdot 10^{-40} \\
1 \mathbf{m} \mathbf{kg} &= 7A310.A2 \cdot 10^0 \\
1 \mathbf{kg} &= 0.00004666953 \cdot 10^{10} \\
1 \mathbf{kg} \mathbf{kg} &= 0.02769716 \cdot 10^{10} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}} &= 1A.0920B \cdot 10^{-30} \\
1 \frac{\mathbf{kg}}{\mathbf{s}} &= 10927.85 \cdot 10^{-30} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}} &= 0.000007480418 \cdot 10^{-20} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}^2} &= 0.0051B8628 \cdot 10^{-60} \\
1 \frac{\mathbf{kg}}{\mathbf{s}^2} &= 2.BA479A \cdot 10^{-60} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}^2} &= 1890.978 \cdot 10^{-60} \\
1 \mathbf{m} \mathbf{kg} \mathbf{s} &= 0.00029680B7 \cdot 10^{40} \\
1 \mathbf{kg} \mathbf{s} &= 0.1750414 \cdot 10^{40} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{s} &= B2.A306A \cdot 10^{40} \\
1 \mathbf{m} \mathbf{kg} \mathbf{m} &= 4.016594 \cdot 10^{30} \\
1 \mathbf{kg} \mathbf{m} &= 23A2.842 \cdot 10^{30} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} &= 0.000B32345B \cdot 10^0 \\
1 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} &= 0.6629A12 \cdot 10^0 \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} &= 393.3702 \cdot 10^0 \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} &= 2778AA.6 \cdot 10^{-40} \\
1 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} &= 0.0001639122 \cdot 10^{-30} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} &= 0.0A721226 \cdot 10^{-30} \\
1 \mathbf{m} \mathbf{kg} \mathbf{m} \mathbf{s} &= 15173.52 \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{m} \mathbf{s} &= 9AB9B1A. \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m} \mathbf{s} &= 0.0058A3575 \cdot 10^{70} \\
1 \mathbf{m} \mathbf{kg} \mathbf{m}^2 &= 0.000206A8A8 \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{m}^2 &= 0.1227A71 \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m}^2 &= 82.914A4 \cdot 10^{60} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} &= 14.1A945 \cdot 10^{-10} \\
1 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} &= 9426.245 \cdot 10^{-10} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} &= 0.0000054B2985 \cdot 10^0 \\
1 \mathbf{m} \mathbf{kg} \mathbf{m}^2 \mathbf{s} &= 0.88B9863 \cdot 10^{90} \\
1 \mathbf{kg} \mathbf{m}^2 \mathbf{s} &= 509.0812 \cdot 10^{90} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m}^2 \mathbf{s} &= 2B1AA8.3 \cdot 10^{90} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m}} &= 0.001347239 \cdot 10^{-20} \\
1 \frac{\mathbf{kg}}{\mathbf{m}} &= 0.8A9B350 \cdot 10^{-20} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m}} &= 519.A444 \cdot 10^{-20} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} &= 372644.8 \cdot 10^{-60} \\
1 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} &= 0.0002100AA6 \cdot 10^{-50} \quad (*) \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} &= 0.1257A36 \cdot 10^{-50} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} &= A1.4638B \cdot 10^{-90} \\
1 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} &= 5A2A9.20 \cdot 10^{-90} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} &= 0.00003479550 \cdot 10^{-80} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} &= 5.587529 \cdot 10^{10} \\
1 \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} &= 3204.638 \cdot 10^{10} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} &= 0.000001A01351 \cdot 10^{20} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}^2} &= 26.1644A \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \mathbf{ni}'\mathbf{u}\mathbf{v}\mathbf{o} - \frac{T}{L^3} &= 10^{-40} = 7906A.72 \mathbf{k} \frac{\mathbf{s}}{\mathbf{m}^3} \\
1 M &= 1 = 0.0000163BB04 \mathbf{m} \mathbf{kg} \quad (*) \\
1 \mathbf{pa}\text{-}M &= 10^{10} = 27819.44 \mathbf{kg} \\
1 \mathbf{pa}\text{-}M &= 10^{10} = 46.8A90A \mathbf{k} \mathbf{kg} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{M}{T} &= 10^{-30} = 0.06639A84 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{M}{T} &= 10^{-30} = 0.0000B340242 \frac{\mathbf{kg}}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{T} &= 10^{-20} = 175A37.3 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{T^2} &= 10^{-60} = 23A.6B9A \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{T^2} &= 10^{-60} = 0.4021A89 \frac{\mathbf{kg}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{T^2} &= 10^{-60} = 0.0006B30821 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}^2} \\
1 \mathbf{vo}\text{-}MT &= 10^{40} = 435B.497 \mathbf{m} \mathbf{kg} \mathbf{s} \\
1 \mathbf{vo}\text{-}MT &= 10^{40} = 7.4B9989 \mathbf{kg} \mathbf{s} \\
1 \mathbf{vo}\text{-}MT &= 10^{40} = 0.01099232 \mathbf{k} \mathbf{kg} \mathbf{m} \\
1 \mathbf{ci}\text{-}ML &= 10^{30} = 0.2BAA214 \mathbf{m} \mathbf{kg} \mathbf{m} \\
1 \mathbf{ci}\text{-}ML &= 10^{30} = 0.0005206092 \mathbf{kg} \mathbf{m} \\
1 \mathbf{vo}\text{-}ML &= 10^{40} = 8B2608.B \mathbf{k} \mathbf{kg} \mathbf{m} \\
1 \frac{ML}{T} &= 1 = 1094.737 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} \\
1 \frac{ML}{T} &= 1 = 1.A106A2 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} \\
1 \frac{ML}{T} &= 1 = 0.00322003A \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} \quad (*) \\
1 \mathbf{ni}'\mathbf{u}\mathbf{v}\mathbf{o} - \frac{ML}{T^2} &= 10^{-40} = 0.000004673230 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{ML}{T^2} &= 10^{-30} = 7A43.708 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{ML}{T^2} &= 10^{-30} = 11.70743 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} \\
1 \mathbf{xa}\text{-}MLT &= 10^{60} = 0.000084A291B \mathbf{m} \mathbf{kg} \mathbf{m} \mathbf{s} \\
1 \mathbf{ze}\text{-}MLT &= 10^{70} = 126334.0 \mathbf{kg} \mathbf{m} \mathbf{s} \\
1 \mathbf{ze}\text{-}MLT &= 10^{70} = 211.188A \mathbf{k} \mathbf{kg} \mathbf{m} \mathbf{s} \\
1 \mathbf{xa}\text{-}ML^2 &= 10^{60} = 5A39.6BA \mathbf{m} \mathbf{kg} \mathbf{m}^2 \\
1 \mathbf{xa}\text{-}ML^2 &= 10^{60} = A.16100A \mathbf{kg} \mathbf{m}^2 \quad (*) \\
1 \mathbf{xa}\text{-}ML^2 &= 10^{60} = 0.0155B69B \mathbf{k} \mathbf{kg} \mathbf{m}^2 \\
1 \mathbf{re}\text{-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} \\
1 \mathbf{ci}\text{-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} \\
1 \mathbf{ci}\text{-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{p}\mathbf{a} - \frac{ML^2}{T^2} &= 10^{-10} = 0.08AB38A3 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{p}\mathbf{a} - \frac{ML^2}{T^2} &= 10^{-10} = 0.0001349690 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 2273B4.5 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} \\
1 \mathbf{so}\text{-}ML^2T &= 10^{90} = 1.456230 \mathbf{m} \mathbf{kg} \mathbf{m}^2 \mathbf{s} \\
1 \mathbf{so}\text{-}ML^2T &= 10^{90} = 0.002453826 \mathbf{kg} \mathbf{m}^2 \mathbf{s} \\
1 \mathbf{jauau}\text{-}ML^2T &= 10^{A0} = 4119413. \mathbf{k} \mathbf{kg} \mathbf{m}^2 \mathbf{s} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{L} &= 10^{-20} = 943.B590 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{L} &= 10^{-20} = 1.421329 \frac{\mathbf{kg}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{L} &= 10^{-20} = 0.0023B4B88 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{LT} &= 10^{-60} = 0.0000033BA674 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{m}\mathbf{u} - \frac{M}{LT} &= 10^{-50} = 5912.938 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{m}\mathbf{u} - \frac{M}{LT} &= 10^{-50} = 9.B4AB35 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{s}\mathbf{o} - \frac{M}{LT^2} &= 10^{-90} = 0.0122A0A5 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{s}\mathbf{o} - \frac{M}{LT^2} &= 10^{-90} = 0.00002072638 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{b}\mathbf{i} - \frac{M}{LT^2} &= 10^{-80} = 36615.98 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} \\
1 \mathbf{pa}\text{-} \frac{MT}{L} &= 10^{10} = 0.2236413 \mathbf{m} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} \\
1 \mathbf{pa}\text{-} \frac{MT}{L} &= 10^{10} = 0.0003952971 \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} \\
1 \mathbf{re}\text{-} \frac{MT}{L} &= 10^{20} = 6661B5.B \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{m}\mathbf{u} - \frac{M}{L^2} &= 10^{-50} = 0.04943351 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 15527.67 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00008314066 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 0.00000A10AB0A \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{M}{L^2} = 10^{-40} = 123321.1 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.007076306 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 185.041 B \text{ m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 4.0B8292 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.2B34B03 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 2441.19 A \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.00050B79B2 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 179866 B \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 732940.3 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.000B569439 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 1068.9 BA \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.6773900 \cdot 10^{-B0} \quad (*)$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 1.9857B4 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = A8859.16 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.000011513B0 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 0.00006259680 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 1B249.56 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.03712B04 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 34.10A70 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4B0062.6 \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{ubi}-\frac{M}{L^3} = 10^{-80} = 0.00000253529A \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.0002A18B71 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 4273.46 B \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.1791572 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 7.354719 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 119.8A36 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.00A51433B \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 7BAB6.16 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.00001602416 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.00004760932 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = 27170.39 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.03296726 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 38.65A74 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 1A.54BA1 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.064B7237 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 10BAB.36 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.0000B0BB909 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.001900976 \cdot 10^{-40} \quad (*)$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 6A3.2000 \text{m} \frac{\text{kg s}}{\text{m}^3} \quad (**)$
$1 \frac{\text{kg s}}{\text{m}^3} = 1.01A56A \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.BA19A7B \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 705.0003 \cdot 10^{-40} \quad (**)$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.0018577B7 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 20410.40 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00005ABAB83 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 0.00001210458 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = A2813.72 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.008199B06 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 157.B978 \text{k} \frac{1}{\text{C}}$
$1 \text{m} \frac{1}{\text{s C}} = 5.845543 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.213351A \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 3369.71A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0003780B26 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 0.000001AA9278 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{TQ} = 10^{-40} = 635734.1 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.001400744 \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 8BB.7A38 \text{m} \frac{1}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.9318318 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 1.366A85 \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 543.9885 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.0022A497B \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.000087B982B \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 1474B.9A \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 0.050213B3 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 24.870B3 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 2A.9A7A8 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.041754B9 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 1.051829 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.B705351 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 723.8458 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.001803095 \text{m} \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 41B441.9 \cdot 10^{10}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 2A71B2A. \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.0002AAB179 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 415B.816 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 0.1825281 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 7.164761 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = B8.36B2A \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.01039717 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 8208B.85 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2 Q} = 10^{-60} = 0.000015755A4 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 0.0000488BA3B \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 26549.43 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.028A1104 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 44.74A96 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 4511.788 \cdot 10^{40}$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.0002866695 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 2688690. \cdot 10^{40}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 482A47.5 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 0.001594616 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 812.2014 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 0.00006419A61 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 1A836.A8 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 0.03809BB0 \cdot 10^{40} \quad (*)$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 33.2644B \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 21.60549 \cdot 10^{40} \\
1m \frac{m^2}{sC} &= 159AA.71 \cdot 10^0 \\
1 \frac{m^2}{sC} &= A3956A9. \cdot 10^0 \\
1k \frac{m^2}{sC} &= 0.005B77887 \cdot 10^{10} \\
1m \frac{m^2}{s^2C} &= 4.20A2B2 \cdot 10^{-30} \\
1 \frac{m^2}{s^2C} &= 24B8.718 \cdot 10^{-30} \\
1k \frac{m^2}{s^2C} &= 0.000001492843 \cdot 10^{-20} \\
1m \frac{m^2s}{C} &= 0.2313AA6 \cdot 10^{70} \\
1 \frac{m^2s}{C} &= 138.3256 \cdot 10^{70} \\
1k \frac{m^2s}{C} &= 90B4B.0B \cdot 10^{70} \\
1m \frac{1}{mC} &= 0.0003B80559 \cdot 10^{-40} \\
1 \frac{1}{mC} &= 0.23705A0 \cdot 10^{-40} \\
1k \frac{1}{mC} &= 13B.6A86 \cdot 10^{-40} \\
1m \frac{1}{msC} &= B1A9A.B5 \cdot 10^{-80} \\
1 \frac{1}{msC} &= 0.0000655A621 \cdot 10^{-70} \\
1k \frac{1}{msC} &= 0.038A1582 \cdot 10^{-70} \\
1m \frac{1}{ms^2C} &= 27.415B1 \cdot 10^{-B0} \\
1 \frac{1}{ms^2C} &= 1617B.86 \cdot 10^{-B0} \\
1k \frac{1}{ms^2C} &= 0.00000A5B6875 \cdot 10^{-A0} \\
1m \frac{s}{mC} &= 1.4B7945 \cdot 10^{-10} \\
1 \frac{s}{mC} &= 99A.2846 \cdot 10^{-10} \\
1k \frac{s}{mC} &= 582500.A \cdot 10^{-10} \quad (*) \\
1m \frac{1}{m^2C} &= 7.94391A \cdot 10^{-70} \\
1 \frac{1}{m^2C} &= 4603.B57 \cdot 10^{-70} \\
1k \frac{1}{m^2C} &= 0.000002732357 \cdot 10^{-60} \\
1m \frac{1}{m^2sC} &= 0.0019A2AA3 \cdot 10^{-A0} \\
1 \frac{1}{m^2sC} &= 1.079160 \cdot 10^{-A0} \\
1k \frac{1}{m^2sC} &= 739.A853 \cdot 10^{-A0} \\
1m \frac{1}{m^2s^2C} &= 51475B.5 \cdot 10^{-120} \\
1 \frac{1}{m^2s^2C} &= 0.0002B63548 \cdot 10^{-110} \\
1k \frac{1}{m^2s^2C} &= 0.18683B5 \cdot 10^{-110} \\
1m \frac{s}{m^2C} &= 292A0.68 \cdot 10^{-40} \\
1 \frac{s}{m^2C} &= 0.00001729852 \cdot 10^{-30} \\
1k \frac{s}{m^2C} &= 0.00B16A068 \cdot 10^{-30} \\
1m \frac{1}{m^3C} &= 132A10.A \cdot 10^{-A0} \\
1 \frac{1}{m^3C} &= 0.00008998893 \cdot 10^{-90} \\
1k \frac{1}{m^3C} &= 0.05129677 \cdot 10^{-90} \\
1m \frac{1}{m^3sC} &= 36.97105 \cdot 10^{-110} \\
1 \frac{1}{m^3sC} &= 20927.26 \cdot 10^{-110} \\
1k \frac{1}{m^3sC} &= 0.00001240009 \cdot 10^{-100} \quad (**) \\
1m \frac{1}{m^3s^2C} &= 0.00A027971 \cdot 10^{-140} \\
1 \frac{1}{m^3s^2C} &= 5.96A49B \cdot 10^{-140} \\
1k \frac{1}{m^3s^2C} &= 3431.82A \cdot 10^{-140} \\
1m \frac{s}{m^3C} &= 0.0005511343 \cdot 10^{-60} \\
1 \frac{s}{m^3C} &= 0.3180428 \cdot 10^{-60} \\
1k \frac{s}{m^3C} &= 199.7114 \cdot 10^{-60} \\
1m \frac{kg}{C} &= 0.9278524 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{vo-} \frac{L^2}{Q} &= 10^{40} = 0.05790B0B \text{k} \frac{m^2}{C} \\
1 \frac{L^2}{TQ} &= 1 = 0.000080B332A \text{m} \frac{m^2}{sC} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 11B617.5 \frac{m^2}{sC} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 201.561A \text{k} \frac{m^2}{sC} \\
1 \text{ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.2A6169B \text{m} \frac{m^2}{s^2C} \\
1 \text{ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0004B774BA \frac{m^2}{s^2C} \\
1 \text{ni'ure-} \frac{L^2}{T^2Q} &= 10^{-20} = 870707.9 \text{k} \frac{m^2}{s^2C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 5.38A54A \text{m} \frac{m^2s}{C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 0.009218442 \frac{m^2s}{C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 0.000013A3A86 \text{k} \frac{m^2s}{C} \\
1 \text{ni'uvoo-} \frac{1}{LQ} &= 10^{-40} = 302B.AA3 \text{m} \frac{1}{mC} \\
1 \text{ni'uvoo-} \frac{1}{LQ} &= 10^{-40} = 5.277BB4 \frac{1}{mC} \quad (*) \\
1 \text{ni'uvoo-} \frac{1}{LQ} &= 10^{-40} = 0.00902A676 \text{k} \frac{1}{mC} \\
1 \text{ni'ubibi-} \frac{1}{LTQ} &= 10^{-80} = 0.000010AA38B \text{m} \frac{1}{msC} \\
1 \text{ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 1A371.B6 \frac{1}{msC} \\
1 \text{ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 32.64A81 \text{k} \frac{1}{msC} \\
1 \text{ni'uviae-} \frac{1}{LT^2Q} &= 10^{-B0} = 0.0471699B \text{m} \frac{1}{ms^2C} \\
1 \text{ni'uviae-} \frac{1}{LT^2Q} &= 10^{-B0} = 0.00007B32343 \frac{1}{ms^2C} \\
1 \text{ni'ujauau-} \frac{1}{LT^2Q} &= 10^{-A0} = 118752.3 \text{k} \frac{1}{ms^2C} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.859A549 \text{m} \frac{s}{mC} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.00127B487 \frac{s}{mC} \\
1 \frac{T}{LQ} &= 1 = 21405A1. \text{k} \frac{s}{mC} \\
1 \text{ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 0.1661389 \text{m} \frac{1}{m^2C} \\
1 \text{ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 0.00027B97A8 \frac{1}{m^2C} \\
1 \text{ni'uxa-} \frac{1}{L^2Q} &= 10^{-60} = 47326A.B \text{k} \frac{1}{m^2C} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 670.A44A \text{m} \frac{1}{m^2sC} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 0.B477785 \frac{1}{m^2sC} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 0.001781361 \text{k} \frac{1}{m^2sC} \\
1 \text{ni'upare-} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.00000241972A \text{m} \frac{1}{m^2s^2C} \\
1 \text{ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 4078.762 \frac{1}{m^2s^2C} \\
1 \text{ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 7.007BB1 \text{k} \frac{1}{m^2s^2C} \quad (**) \\
1 \text{ni'uvoo-} \frac{T}{L^2Q} &= 10^{-40} = 0.000043BA884 \text{m} \frac{s}{m^2C} \\
1 \text{ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 75A10.87 \frac{s}{m^2C} \\
1 \text{ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 10B.2B2A \text{k} \frac{s}{m^2C} \\
1 \text{ni'ujauau-} \frac{1}{L^3Q} &= 10^{-A0} = 0.00000954B08B \text{m} \frac{1}{m^3C} \\
1 \text{ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 143B8.0B \frac{1}{m^3C} \\
1 \text{ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 24.27836 \text{k} \frac{1}{m^3C} \\
1 \text{ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 0.03445B33 \text{m} \frac{1}{m^3sC} \\
1 \text{ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 0.000059925A1 \frac{1}{m^3sC} \\
1 \text{ni'upano-} \frac{1}{L^3TQ} &= 10^{-100} = A0683.B4 \text{k} \frac{1}{m^3sC} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 124.595B \text{m} \frac{1}{m^3s^2C} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.20A0723 \frac{1}{m^3s^2C} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.00036B0443 \text{k} \frac{1}{m^3s^2C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 2266.917 \text{m} \frac{s}{m^3C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 3.9A5893 \frac{s}{m^3C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 0.006732853 \text{k} \frac{s}{m^3C} \\
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 1.374B9B \text{m} \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 540.41A9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 31078A.6 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.00021A954A \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.12BA2B6 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 88.0B9A7 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 608BA.08 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.000036124A6 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.02044406 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 3348.037 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 1A96509. \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.001123672 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0000485B227 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.02883A40 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 16.B0559 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 11283.3B \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s C}} &= 77A0190. \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.004518A42 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 3.119027 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 195B.5B6 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.000001053461 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.18141BB \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m s}}{\text{C}} &= B7.8031B \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 689B0.60 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 24A1.A50 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 1483A38. \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.00097B156B \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.690400B \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 3AA.839B \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 231771.3 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00016B72A1 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0AB86B0B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 64.2828B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.00000A3296A4 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.005B39518 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 3.532B58 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 16083.05 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m C}} &= A549387. \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 0.0060699BA \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 4.287B8B \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s C}} &= 2542.A0B \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 0.0000014BA108 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.000BA58613 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.6A54B91 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 3B8.6B30 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 0.00006518526 \cdot 10^0 \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.038785AA \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 21.A0238 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upa}-\frac{M}{Q} &= 10^{-10} = 0.0022BA2B6 \frac{\text{kg}}{\text{C}} \\
1 \frac{M}{Q} &= 1 = 3A77526. \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'\text{uvo}-\frac{M}{TQ} &= 10^{-40} = 5687.971 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubo}-\frac{M}{TQ} &= 10^{-40} = 9.73633A \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubo}-\frac{M}{TQ} &= 10^{-40} = 0.0147288A \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubi}-\frac{M}{T^2Q} &= 10^{-80} = 0.00001B90511 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{M}{T^2Q} &= 10^{-70} = 35065.B0 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{M}{T^2Q} &= 10^{-70} = 5A.B13B9 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re}-\frac{MT}{Q} &= 10^{20} = 0.00037A5353 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci}-\frac{MT}{Q} &= 10^{30} = 639833.1 \frac{\text{kg s}}{\text{C}} \\
1 \text{ci}-\frac{MT}{Q} &= 10^{30} = AAB.B398 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re}-\frac{ML}{Q} &= 10^{20} = 26706.6A \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{re}-\frac{ML}{Q} &= 10^{20} = 44.A3085 \frac{\text{kg m}}{\text{C}} \\
1 \text{re}-\frac{ML}{Q} &= 10^{20} = 0.0773BAAB \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni}'\text{ure}-\frac{ML}{TQ} &= 10^{-20} = 0.0000AA805A6 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{upa}-\frac{ML}{TQ} &= 10^{-10} = 16996A.9 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{upa}-\frac{ML}{TQ} &= 10^{-10} = 286.218A \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{umu}-\frac{ML}{T^2Q} &= 10^{-50} = 0.3A6291B \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{ML}{T^2Q} &= 10^{-50} = 0.0006847569 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ubo}-\frac{ML}{T^2Q} &= 10^{-40} = B6AA49.9 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu}-\frac{MLT}{Q} &= 10^{50} = 7.1B01A0 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{mu}-\frac{MLT}{Q} &= 10^{50} = 0.01045710 \frac{\text{kg m s}}{\text{C}} \\
1 \text{mu}-\frac{MLT}{Q} &= 10^{50} = 0.00001946707 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{vo}-\frac{ML^2}{Q} &= 10^{40} = 0.0004BAAB169 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu}-\frac{ML^2}{Q} &= 10^{50} = 8761B5.3 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu}-\frac{ML^2}{Q} &= 10^{50} = 12AA.55A \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa}-\frac{ML^2}{TQ} &= 10^{10} = 1.93AB41 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{pa}-\frac{ML^2}{TQ} &= 10^{10} = 0.0030A2715 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{re}-\frac{ML^2}{TQ} &= 10^{20} = 5381962. \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ni}'\text{ure}-\frac{ML^2}{T^2Q} &= 10^{-20} = 7713.315 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ure}-\frac{ML^2}{T^2Q} &= 10^{-20} = 11.15210 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ure}-\frac{ML^2}{T^2Q} &= 10^{-20} = 0.01A805AA \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi}-\frac{ML^2T}{Q} &= 10^{80} = 120324.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi}-\frac{ML^2T}{Q} &= 10^{80} = 202.920A \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi}-\frac{ML^2T}{Q} &= 10^{80} = 0.35A535A \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni}'\text{ubo}-\frac{M}{LQ} &= 10^{-40} = 0.00007B84161 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uci}-\frac{M}{LQ} &= 10^{-30} = 119440.8 \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uci}-\frac{M}{LQ} &= 10^{-30} = 1B9.8B2A \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uze}-\frac{M}{LTQ} &= 10^{-70} = 0.2A09962 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{uze}-\frac{M}{LTQ} &= 10^{-70} = 0.0004AA5263 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{uxa}-\frac{M}{LTQ} &= 10^{-60} = 858875.2 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{ujauau}-\frac{M}{LT^2Q} &= 10^{-A0} = 1016.5A1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{ujauau}-\frac{M}{LT^2Q} &= 10^{-A0} = 1.8B5B19 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{ujauau}-\frac{M}{LT^2Q} &= 10^{-A0} = 0.003026B93 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 1A497.82 \text{m} \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 32.85AA5 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.056A7862 \text{k} \frac{\text{kg s}}{\text{m C}}
\end{aligned}$$

$1\text{m}\frac{\text{kg}}{\text{m}^2\text{C}} = 0.0002B445A8 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{L^2Q} = 10^{-60} = 40A4.256\text{ m}\frac{\text{kg}}{\text{m}^2\text{C}}$
$1\frac{\text{kg}}{\text{m}^2\text{C}} = 0.1857063 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{L^2Q} = 10^{-60} = 7.052690\frac{\text{kg}}{\text{m}^2\text{C}}$
$1\text{k}\frac{\text{kg}}{\text{m}^2\text{C}} = BA.156B2 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{L^2Q} = 10^{-60} = 0.0101A9BB\text{k}\frac{\text{kg}}{\text{m}^2\text{C}} \quad (*)$
$1\text{m}\frac{\text{kg}}{\text{m}^2\text{s C}} = 83406.72 \cdot 10^{-A0}$	$1\text{ni}'\text{ujauau}-\frac{M}{L^2TQ} = 10^{-A0} = 0.00001548B10\text{ m}\frac{\text{kg}}{\text{m}^2\text{s C}}$
$1\frac{\text{kg}}{\text{m}^2\text{s C}} = 0.0000495A11A \cdot 10^{-90}$	$1\text{ni}'\text{uso}-\frac{M}{L^2TQ} = 10^{-90} = 26086.13\frac{\text{kg}}{\text{m}^2\text{s C}}$
$1\text{k}\frac{\text{kg}}{\text{m}^2\text{s C}} = 0.02932694 \cdot 10^{-90}$	$1\text{ni}'\text{uso}-\frac{M}{L^2TQ} = 10^{-90} = 43.B37B5\text{k}\frac{\text{kg}}{\text{m}^2\text{s C}}$
$1\text{m}\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}} = 1B.30492 \cdot 10^{-110}$	$1\text{ni}'\text{upapa}-\frac{M}{L^2T^2Q} = 10^{-110} = 0.06239225\text{ m}\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}}$
$1\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}} = 11558.91 \cdot 10^{-110}$	$1\text{ni}'\text{upapa}-\frac{M}{L^2T^2Q} = 10^{-110} = 0.0000A84B78B\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}}$
$1\text{k}\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}} = 0.000007954557 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\frac{M}{L^2T^2Q} = 10^{-100} = 165A96.9\text{k}\frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}}$
$1\text{m}\frac{\text{kg s}}{\text{m}^2\text{C}} = 1.070B51 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{MT}{L^2Q} = 10^{-30} = 0.B53041A\text{m}\frac{\text{kg s}}{\text{m}^2\text{C}}$
$1\frac{\text{kg s}}{\text{m}^2\text{C}} = 735.1B3B \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{MT}{L^2Q} = 10^{-30} = 0.001792096\frac{\text{kg s}}{\text{m}^2\text{C}}$
$1\text{k}\frac{\text{kg s}}{\text{m}^2\text{C}} = 4271A2.0 \cdot 10^{-30}$	$1\text{ni}'\text{ure}-\frac{MT}{L^2Q} = 10^{-20} = 2A1A003.\text{k}\frac{\text{kg s}}{\text{m}^2\text{C}} \quad (*)$
$1\frac{\text{kg}}{\text{m}^3\text{C}} = 5.931532 \cdot 10^{-90}$	$1\text{ni}'\text{uso}-\frac{M}{L^3Q} = 10^{-90} = 0.20B4882\text{ m}\frac{\text{kg}}{\text{m}^3\text{C}}$
$1\frac{\text{kg}}{\text{m}^3\text{C}} = 340B.7BB \cdot 10^{-90} \quad (*)$	$1\text{ni}'\text{uso}-\frac{M}{L^3Q} = 10^{-90} = 0.0003714287\frac{\text{kg}}{\text{m}^3\text{C}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{C}} = 0.000001B24102 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{L^3Q} = 10^{-80} = 625B99.4\text{k}\frac{\text{kg}}{\text{m}^3\text{C}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s C}} = 0.0014266A8 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\frac{M}{L^3TQ} = 10^{-100} = 8A7.03B3\text{ m}\frac{\text{kg}}{\text{m}^3\text{s C}}$
$1\frac{\text{kg}}{\text{m}^3\text{s C}} = 0.94703A0 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\frac{M}{L^3TQ} = 10^{-100} = 1.3421AB\frac{\text{kg}}{\text{m}^3\text{s C}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s C}} = 551.A167 \cdot 10^{-100}$	$1\text{ni}'\text{upano}-\frac{M}{L^3TQ} = 10^{-100} = 0.0022631A4\text{k}\frac{\text{kg}}{\text{m}^3\text{s C}}$
$1\text{m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}} = 396584.B \cdot 10^{-140}$	$1\text{ni}'\text{upavo}-\frac{M}{L^3T^2Q} = 10^{-140} = 0.0000031B40B8\text{ m}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}}$
$1\frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}} = 0.0002242B71 \cdot 10^{-130}$	$1\text{ni}'\text{upaci}-\frac{M}{L^3T^2Q} = 10^{-130} = 5569.B22\frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}}$
$1\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}} = 0.13301B2 \cdot 10^{-130}$	$1\text{ni}'\text{upaci}-\frac{M}{L^3T^2Q} = 10^{-130} = 9.5377A9\text{k}\frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}}$
$1\frac{\text{kg s}}{\text{m}^3\text{C}} = 207A7.16 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{MT}{L^3Q} = 10^{-60} = 0.00005A0B943\text{ m}\frac{\text{kg s}}{\text{m}^3\text{C}}$
$1\frac{\text{kg s}}{\text{m}^3\text{C}} = 0.000012328AA \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{MT}{L^3Q} = 10^{-50} = A1127.18\frac{\text{kg s}}{\text{m}^3\text{C}}$
$1\text{k}\frac{\text{kg s}}{\text{m}^3\text{C}} = 0.008311058 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{MT}{L^3Q} = 10^{-50} = 155.31A8\text{k}\frac{\text{kg s}}{\text{m}^3\text{C}}$
$1\text{m C} = 157.B978 \cdot 10^{10}$	$1\text{pa-}Q = 10^{10} = 0.008199B06\text{ m C}$
$1\text{C} = A2813.72 \cdot 10^{10}$	$1\text{pa-}Q = 10^{10} = 0.00001210458\text{ C}$
$1\text{k C} = 0.00005ABAB83 \cdot 10^{20}$	$1\text{re-}Q = 10^{20} = 20410.40\text{k C}$
$1\text{m}\frac{\text{C}}{\text{s}} = 0.041754B9 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{Q}{T} = 10^{-20} = 2A.9A7A8\text{ m}\frac{\text{C}}{\text{s}}$
$1\frac{\text{C}}{\text{s}} = 24.870B3 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{Q}{T} = 10^{-20} = 0.050213B3\frac{\text{C}}{\text{s}}$
$1\text{k}\frac{\text{C}}{\text{s}} = 1474B.9A \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{Q}{T} = 10^{-20} = 0.000087B982B\text{k}\frac{\text{C}}{\text{s}}$
$1\text{m}\frac{\text{C}}{\text{s}^2} = B747140. \cdot 10^{-60}$	$1\text{ni}'\text{umu}-\frac{Q}{T^2} = 10^{-50} = 10492B.0\text{ m}\frac{\text{C}}{\text{s}^2}$
$1\frac{\text{C}}{\text{s}^2} = 0.00687B287 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{Q}{T^2} = 10^{-50} = 195.0A97\frac{\text{C}}{\text{s}^2}$
$1\text{k}\frac{\text{C}}{\text{s}^2} = 3.A81936 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{Q}{T^2} = 10^{-50} = 0.3102859\text{k}\frac{\text{C}}{\text{s}^2}$
$1\text{m s C} = 635734.1 \cdot 10^{40}$	$1\text{vo-}TQ = 10^{40} = 0.000001AA9278\text{ m s C}$
$1\text{s C} = 0.0003780B26 \cdot 10^{50}$	$1\text{mu-}TQ = 10^{50} = 3369.71A\text{ s C}$
$1\text{k s C} = 0.213351A \cdot 10^{50}$	$1\text{mu-}TQ = 10^{50} = 5.845543\text{k s C}$
$1\text{m m C} = 0.00902A676 \cdot 10^{40}$	$1\text{vo-}LQ = 10^{40} = 13B.6A86\text{ m m C}$
$1\text{m C} = 5.277BB4 \cdot 10^{40} \quad (*)$	$1\text{vo-}LQ = 10^{40} = 0.23705A0\text{ m C}$
$1\text{k m C} = 302B.AA3 \cdot 10^{40}$	$1\text{vo-}LQ = 10^{40} = 0.0003B80559\text{ k m C}$
$1\text{m}\frac{\text{m C}}{\text{s}} = 21405A1. \cdot 10^0$	$1\text{pa-}\frac{LQ}{T} = 10^{10} = 582500.A\text{ m}\frac{\text{m C}}{\text{s}} \quad (*)$
$1\frac{\text{m C}}{\text{s}} = 0.00127B487 \cdot 10^{10}$	$1\text{pa-}\frac{LQ}{T} = 10^{10} = 99A.2846\frac{\text{m C}}{\text{s}}$
$1\text{k}\frac{\text{m C}}{\text{s}} = 0.859A549 \cdot 10^{10}$	$1\text{pa-}\frac{LQ}{T} = 10^{10} = 1.4B7945\text{k}\frac{\text{m C}}{\text{s}}$
$1\text{m}\frac{\text{m C}}{\text{s}^2} = 5B2.04BA \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{LQ}{T^2} = 10^{-30} = 0.0020343B0\text{ m}\frac{\text{m C}}{\text{s}^2}$
$1\frac{\text{m C}}{\text{s}^2} = 352296.7 \cdot 10^{-30}$	$1\text{ni}'\text{ure}-\frac{LQ}{T^2} = 10^{-20} = 35B579B.\frac{\text{m C}}{\text{s}^2}$
$1\text{k}\frac{\text{m C}}{\text{s}^2} = 0.0001BA0210 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{LQ}{T^2} = 10^{-20} = 605B.B86\text{k}\frac{\text{m C}}{\text{s}^2}$
$1\text{m m s C} = 32.64A81 \cdot 10^{70}$	$1\text{ze-}LTQ = 10^{70} = 0.038A1582\text{ m m s C}$
$1\text{m s C} = 1A371.B6 \cdot 10^{70}$	$1\text{ze-}LTQ = 10^{70} = 0.0000655A621\text{ m s C}$
$1\text{k m s C} = 0.000010AA38B \cdot 10^{80}$	$1\text{bi-}LTQ = 10^{80} = B1A9A.B5\text{k m s C}$
$1\text{m m}^2\text{C} = 47326A.B \cdot 10^{60}$	$1\text{xa-}L^2Q = 10^{60} = 0.000002732357\text{ m m}^2\text{C}$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.00027B97A8 \cdot 10^{70} \\
1 \text{ k m}^2 \text{ C} &= 0.1661389 \cdot 10^{70} \\
1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 10B.2B2A \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 75A10.87 \cdot 10^{30} \\
1 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.000043BA884 \cdot 10^{40} \\
1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.03040A8B \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 19.04367 \cdot 10^0 \\
1 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 10205.A0 \cdot 10^0 \\
1 \text{ m m}^2 \text{ s C} &= 0.001781361 \cdot 10^{40} \\
1 \text{ m}^2 \text{ s C} &= 0.B477785 \cdot 10^{40} \\
1 \text{ k m}^2 \text{ s C} &= 670.A44A \cdot 10^{40} \\
1 \text{ m} \frac{\text{C}}{\text{m}} &= 2A71B2A \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.001803095 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{C}}{\text{m}} &= 0.B705351 \cdot 10^{-10} \\
1 \text{ m} \frac{\text{C}}{\text{m s}} &= 812.2014 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 482A47.5 \cdot 10^{-50} \\
1 \text{ k} \frac{\text{C}}{\text{m s}} &= 0.0002866695 \cdot 10^{-40} \\
1 \text{ m} \frac{\text{C}}{\text{m s}^2} &= 0.1A8B857 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 111.B7B6 \cdot 10^{-80} \\
1 \text{ k} \frac{\text{C}}{\text{m s}^2} &= 77503.AB \cdot 10^{-80} \\
1 \text{ m} \frac{\text{s C}}{\text{m}} &= 0.01039717 \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 7.164761 \cdot 10^{20} \\
1 \text{ k} \frac{\text{s C}}{\text{m}} &= 415B.816 \cdot 10^{20} \\
1 \text{ m} \frac{\text{C}}{\text{m}^2} &= 0.05790B0B \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 33.2644B \cdot 10^{-40} \\
1 \text{ k} \frac{\text{C}}{\text{m}^2} &= 1A836.A8 \cdot 10^{-40} \\
1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.000013A3A86 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.009218442 \cdot 10^{-70} \\
1 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 5.38A54A \cdot 10^{-70} \\
1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 3867.408 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.0000021946B6 \cdot 10^{-A0} \\
1 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.0012B0598 \cdot 10^{-A0} \\
1 \text{ m} \frac{\text{s C}}{\text{m}^2} &= 201.561A \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 11B617.5 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{s C}}{\text{m}^2} &= 0.000080B332A \cdot 10^0 \\
1 \text{ m} \frac{\text{C}}{\text{m}^3} &= B08.4663 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^3} &= 649622.7 \cdot 10^{-70} \\
1 \text{ k} \frac{\text{C}}{\text{m}^3} &= 0.00038534B5 \cdot 10^{-60} \\
1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.2708AB3 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 15B.85A7 \cdot 10^{-A0} \\
1 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} &= A49B7.64 \cdot 10^{-A0} \\
1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.00007330224 \cdot 10^{-110} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.0425AB33 \cdot 10^{-110} \\
1 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 25.27877 \cdot 10^{-110} \\
1 \text{ m} \frac{\text{s C}}{\text{m}^3} &= 3B2A8A0 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.002340928 \cdot 10^{-30} \\
1 \text{ k} \frac{\text{s C}}{\text{m}^3} &= 1.39A281 \cdot 10^{-30} \\
1 \text{ m kg C} &= 0.00683711A \cdot 10^{20} \\
1 \text{ kg C} &= 3.A57734 \cdot 10^{20} \\
1 \text{ k kg C} &= 22A8.55B \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ze-L}^2 \text{Q} &= 10^{70} = 4603.B57 \text{ m}^2 \text{ C} \\
1 \text{ ze-L}^2 \text{Q} &= 10^{70} = 7.94391A \text{ k m}^2 \text{ C} \\
1 \text{ ci-} \frac{L^2 Q}{T} &= 10^{30} = 0.00B16A068 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ ci-} \frac{L^2 Q}{T} &= 10^{30} = 0.00001729852 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2 Q}{T} &= 10^{40} = 292A0.68 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2 Q}{T^2} &= 1 = 3B.674BA \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2 Q}{T^2} &= 1 = 0.06A20402 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2 Q}{T^2} &= 1 = 0.0000B9BA335 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ jauau-L}^2 \text{TQ} &= 10^{A0} = 739.A853 \text{ m m}^2 \text{ s C} \\
1 \text{ jauau-L}^2 \text{TQ} &= 10^{A0} = 1.079160 \text{ m}^2 \text{ s C} \\
1 \text{ jauau-L}^2 \text{TQ} &= 10^{A0} = 0.0019A2AA3 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 41B441.9 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 723.8458 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 1.051829 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.001594616 \text{ m} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'uvo-} \frac{Q}{LT} &= 10^{-40} = 2688690. \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'uvo-} \frac{Q}{LT} &= 10^{-40} = 4511.788 \text{ k} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 6.3B67A1 \text{ m} \frac{\text{C}}{\text{ms}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.00AB31BB0 \frac{\text{C}}{\text{ms}^2} (*) \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.000016A9A79 \text{ k} \frac{\text{C}}{\text{ms}^2} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = B8.36B2A \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.1825281 \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.0002AAB179 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'uvo-} \frac{Q}{L^2} &= 10^{-40} = 21.60549 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'uvo-} \frac{Q}{L^2} &= 10^{-40} = 0.03809BB0 \frac{\text{C}}{\text{m}^2} (*) \\
1 \text{ ni'uvo-} \frac{Q}{L^2} &= 10^{-40} = 0.00006419A61 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2 T} &= 10^{-70} = 90B4B.0B \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2 T} &= 10^{-70} = 138.3256 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2 T} &= 10^{-70} = 0.2313AA6 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uvaiei-} \frac{Q}{L^2 T^2} &= 10^{-B0} = 0.0003295402 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ujauau-} \frac{Q}{L^2 T^2} &= 10^{-A0} = 570355.B \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ujauau-} \frac{Q}{L^2 T^2} &= 10^{-A0} = 979.9876 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.005B77887 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = A3956A9. \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = 159AA.71 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.001103209 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 1A6036A. \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 32A7.298 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 4.776A1B \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3 T} &= 10^{-A0} = 0.0080168B1 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3 T} &= 10^{-A0} = 0.000011A1432 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upapa-} \frac{Q}{L^3 T^2} &= 10^{-110} = 1797A.99 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3 T^2} &= 10^{-110} = 2A.28103 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3 T^2} &= 10^{-110} = 0.04B17894 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 306B32.1 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 532.59BB \frac{\text{s C}}{\text{m}^3} (*) \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 0.9127B72 \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ re-MQ} &= 10^{20} = 196.2983 \text{ m kg C} \\
1 \text{ re-MQ} &= 10^{20} = 0.31228A5 \text{ kg C} \\
1 \text{ re-MQ} &= 10^{20} = 0.0005430BA6 \text{ k kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 169681A \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.000AA64477 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 0.6365656 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 449.6B15 \cdot 10^{-50} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 2667A1.3 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 0.0001582256 \cdot 10^{-40} \\
1 \text{m kg s C} &= 24.7062A \cdot 10^{50} \\
1 \text{kg s C} &= 14662.B4 \cdot 10^{50} \\
1 \text{k kg s C} &= 0.0000096A7451 \cdot 10^{60} \\
1 \text{m kg m C} &= 350021.8 \cdot 10^{40} \quad (*) \\
1 \text{kg m C} &= 0.0001B8892A \cdot 10^{50} \\
1 \text{k kg m C} &= 0.118936A \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 97.20657 \cdot 10^{10} \\
1 \frac{\text{kg m C}}{\text{s}} &= 56796.4B \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 0.0000326A166 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 0.022B6117 \cdot 10^{-20} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 13.726BB \cdot 10^{-20} \quad (*) \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 9041.326 \cdot 10^{-20} \\
1 \text{m kg m s C} &= 0.001271B00 \cdot 10^{80} \quad (*) \\
1 \text{kg m s C} &= 0.8544787 \cdot 10^{80} \\
1 \text{k kg m s C} &= 4A7.B16B \cdot 10^{80} \\
1 \text{m kg m}^2 \text{C} &= 18.B2855 \cdot 10^{70} \\
1 \text{kg m}^2 \text{C} &= 10147.54 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{C} &= 0.000007017508 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.004A981A1 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 2.A04675 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 1783.B74 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 1192275. \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.0007B714A0 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.473A10B \cdot 10^{10} \\
1 \text{m kg m}^2 \text{s C} &= 7552B.B7 \cdot 10^{A0} \\
1 \text{kg m}^2 \text{s C} &= 0.00004391159 \cdot 10^{B0} \\
1 \text{k kg m}^2 \text{s C} &= 0.025B5197 \cdot 10^{B0} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 111.31A4 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{m}} &= 77012.B1 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 0.00004480077 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 0.03098B10 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m s}} &= 19.377B8 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}} &= 103B3.28 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 874A040. \cdot 10^{-80} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 0.004BA0AB8 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}^2} &= 2.A76782 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 47BA05.7 \cdot 10^{20} \\
1 \frac{\text{kg s C}}{\text{m}} &= 0.0002849647 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 0.168BB64 \cdot 10^{30} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 217BB02. \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.0012A2A12 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.8719092 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 601.1791 \cdot 10^{-70} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 3587A9.2 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upa-} \frac{MQ}{T} &= 10^{-10} = 77B235.8 \text{m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'upa-} \frac{MQ}{T} &= 10^{-10} = 112A.392 \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'upa-} \frac{MQ}{T} &= 10^{-10} = 1.AA613A \text{k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'umu-} \frac{MQ}{T^2} &= 10^{-50} = 0.002888A91 \text{m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'uvo-} \frac{MQ}{T^2} &= 10^{-40} = 4867A76. \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'uvo-} \frac{MQ}{T^2} &= 10^{-40} = 8188.773 \text{k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{mu-} MTQ &= 10^{50} = 0.05054489 \text{m kg s C} \\
1 \text{mu-} MTQ &= 10^{50} = 0.00008855239 \text{kg s C} \\
1 \text{xa-} MTQ &= 10^{60} = 1305B2.2 \text{k kg s C} \\
1 \text{vo-} MLQ &= 10^{40} = 0.000003618A82 \text{m kg m C} \\
1 \text{mu-} MLQ &= 10^{50} = 609B.061 \text{kg m C} \\
1 \text{mu-} MLQ &= 10^{50} = A.5A1738 \text{k kg m C} \\
1 \text{pa-} \frac{MLQ}{T} &= 10^{10} = 0.0130067B \text{m} \frac{\text{kg m C}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{MLQ}{T} &= 10^{10} = 0.000021B1533 \frac{\text{kg m C}}{\text{s}} \\
1 \text{re-} \frac{MLQ}{T} &= 10^{20} = 38974.71 \text{k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ni'ure-} \frac{MLQ}{T^2} &= 10^{-20} = 54.12029 \text{m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.09291582 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.00013B4883 \text{k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{bi-} MLTQ &= 10^{80} = 9A4.725A \text{m kg m s C} \\
1 \text{bi-} MLTQ &= 10^{80} = 1.50696B \text{kg m s C} \\
1 \text{bi-} MLTQ &= 10^{80} = 0.002555A83 \text{k kg m s C} \\
1 \text{ze-} ML^2Q &= 10^{70} = 0.06A65818 \text{m kg m}^2 \text{C} \\
1 \text{ze-} ML^2Q &= 10^{70} = 0.0000BA76551 \text{kg m}^2 \text{C} \\
1 \text{bi-} ML^2Q &= 10^{80} = 186565.4 \text{k kg m}^2 \text{C} \\
1 \text{vo-} \frac{ML^2Q}{T} &= 10^{40} = 254.743B \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.429395A \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.000738A936 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{pa-} \frac{ML^2Q}{T^2} &= 10^{10} = A56475.9 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 160B.04A \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 2.72A061 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{jauau-} ML^2TQ &= 10^{A0} = 0.0000173A233 \text{m kg m}^2 \text{s C} \\
1 \text{vaiei-} ML^2TQ &= 10^{B0} = 29477.59 \text{kg m}^2 \text{s C} \\
1 \text{vaiei-} ML^2TQ &= 10^{B0} = 49.836A6 \text{k kg m}^2 \text{s C} \\
1 \text{ni'upa-} \frac{MQ}{L} &= 10^{-10} = 0.00ABA3262 \text{m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upa-} \frac{MQ}{L} &= 10^{-10} = 0.000016BA1A9 \frac{\text{kg C}}{\text{m}} \\
1 \frac{MQ}{L} &= 1 = 28987.60 \text{k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'uvo-} \frac{MQ}{LT} &= 10^{-40} = 3A.B365A \text{m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'uvo-} \frac{MQ}{LT} &= 10^{-40} = 0.069145A0 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'uvo-} \frac{MQ}{LT} &= 10^{-40} = 0.0000B81BA69 \text{k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'uze-} \frac{MQ}{LT^2} &= 10^{-70} = 148651.B \text{m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'uze-} \frac{MQ}{LT^2} &= 10^{-70} = 24A.6389 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'uze-} \frac{MQ}{LT^2} &= 10^{-70} = 0.41A968A \text{k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{re-} \frac{MTQ}{L} &= 10^{20} = 0.0000026A4615 \text{m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-} \frac{MTQ}{L} &= 10^{30} = 4540.143 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-} \frac{MTQ}{L} &= 10^{30} = 7.81B299 \text{k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ni'uci-} \frac{MQ}{L^2} &= 10^{-30} = 573AB7.7 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{MQ}{L^2} &= 10^{-30} = 984.0AA8 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{MQ}{L^2} &= 10^{-30} = 1.490503 \text{k} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{MQ}{L^2T} &= 10^{-70} = 0.001BB755A \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uxa-} \frac{MQ}{L^2T} &= 10^{-60} = 3550150. \frac{\text{kg C}}{\text{m}^2 \text{s}}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 0.0002018961 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 5B69.BB5 k \frac{kg\ C}{m^2 s}$ (*)
$1m \frac{kg\ C}{m^2 s^2} = 0.14A6163 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 8.6489B6 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 99.23A6B \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.0128B30A \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 579A1.75 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.00002158B9B k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.00917921A \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 139.1482 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 5.355310$	$1 \frac{MTQ}{L^2} = 1 = 0.232960B \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 3087.921 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.0003B08443 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.04232382 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 2A.46377 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 25.10A03 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.04B4A159 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 14A01.17 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.00008679636 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = B924057. \cdot 10^{-A0}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 102A3B.A m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.006986287 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 191.9388 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 3.B351AA \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 0.3066367 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 2907.381 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.0004434956 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 0.00000171628A \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 76418B.5 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 0.000B09A701 \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 1101.4A1 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 15A.8A59 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.008069199 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = A432B.50 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.000011AA413 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 0.00005BABAB5B \cdot 10^{-20}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 20040.68 k \frac{kg\ s\ C}{m^3}$ (*)
$1m \frac{1}{K} = 35A.8B57 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.00352B41A m \frac{1}{K}$
$1 \frac{1}{K} = 202B36.3 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000005B33234 \frac{1}{K}$
$1k \frac{1}{K} = 0.0001204512 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = A31A.960 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{sK}$
$1 \frac{1}{sK} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{sK}$
$1k \frac{1}{sK} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{sK}$
$1m \frac{1}{s^2 K} = 0.00002366927 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 5288B.BA m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 0.013B3700 \cdot 10^{-40}$ (*)	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 90.49032 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 9.285672 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.1373848 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.0000012AB919 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 97A33A.8 m \frac{s}{K}$
$1 \frac{s}{K} = 0.000876B01B \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 1482.495 \frac{s}{K}$
$1k \frac{s}{K} = 0.4BB345A \cdot 10^{60}$ (*)	$1 xa - \frac{T}{\Theta} = 10^{60} = 2.49B418 k \frac{s}{K}$
$1m \frac{m}{K} = 0.01948561 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 68.93B7A m \frac{m}{K}$
$1 \frac{m}{K} = 10.4680B \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.0B770068 \frac{m}{K}$ (*)
$1k \frac{m}{K} = 71B7.80B \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00018124A7 k \frac{m}{K}$
$1m \frac{m}{sK} = 0.000005010A2B \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 249105.8 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.002A93532 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 418.3871 \frac{m}{sK}$
$1k \frac{m}{sK} = 1.8159A7 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.71A50B1 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 77.47AA1 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.016AA975 m \frac{ms}{K}$
$1 \frac{ms}{K} = 44A78.27 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.00002881003 \frac{ms}{K}$ (*)
$1k \frac{ms}{K} = 0.00002673285 \cdot 10^{90}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 48562.AB k \frac{ms}{K}$
$1m \frac{m^2}{K} = AB0A94.9 \cdot 10^{70}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 1122490. m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.00063A2AA7 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 1A94.517 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.37A9163 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 3.3446B5 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 268.2239 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00483A087 m \frac{m^2}{sK}$
$1 \frac{m^2}{sK} = 15909A.9 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00000813A224 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.0000A337887 \cdot 10^{50}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 12020.61 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 0.07222594 \cdot 10^{10}$	$1 pa - \frac{L^2}{T^2\Theta} = 10^{10} = 18.0727B m \frac{m^2}{s^2 K}$

$1 \frac{m^2}{s^2 K} = 41.A5BA \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.02A79151 \frac{m^2}{s^2 K}$
$1 k \frac{m^2}{s^2 K} = 24A42.B4 \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.00004BA5244 k \frac{m^2}{s^2 K}$
$1 m \frac{m^2 s}{K} = 0.003A7B624 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 310.45B9 m \frac{m^2 s}{K}$
$1 \frac{m^2 s}{K} = 2.300738 \cdot 10^{B0} (*)$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 0.53BA682 \frac{m^2 s}{K}$
$1 k \frac{m^2 s}{K} = 1376.429 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 0.000926A908 k \frac{m^2 s}{K}$
$1 m \frac{1}{m K} = 0.000006A07374 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 19087B.3 m \frac{1}{m K}$
$1 \frac{1}{m K} = 0.003B59685 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 304.8532 \frac{1}{m K}$
$1 k \frac{1}{m K} = 2.358B07$	$1 \frac{1}{L \Theta} = 1 = 0.52A758B k \frac{1}{m K}$
$1 m \frac{1}{m s K} = 1725.870 \cdot 10^{-40}$	$1 ni'uv - \frac{1}{LT \Theta} = 10^{-40} = 0.00075B7863 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = B14643.6 \cdot 10^{-40}$	$1 ni'uv - \frac{1}{LT \Theta} = 10^{-40} = 0.0000010B5757 \frac{1}{m s K}$
$1 k \frac{1}{m s K} = 0.000652295A \cdot 10^{-30}$	$1 ni'uci - \frac{1}{LT \Theta} = 10^{-30} = 1A47.966 k \frac{1}{m s K}$
$1 m \frac{1}{m s^2 K} = 0.45B490A \cdot 10^{-70}$	$1 ni'uze - \frac{1}{LT^2 \Theta} = 10^{-70} = 2.804369 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 272.7984 \cdot 10^{-70}$	$1 ni'uze - \frac{1}{LT^2 \Theta} = 10^{-70} = 0.004742071 \frac{1}{m s^2 K}$
$1 k \frac{1}{m s^2 K} = 16098A.8 \cdot 10^{-70}$	$1 ni'uxa - \frac{1}{LT^2 \Theta} = 10^{-60} = 7B782B3. k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 0.02526380 \cdot 10^{30}$	$1 ci - \frac{T}{L \Theta} = 10^{30} = 4B.1A715 m \frac{s}{m K}$
$1 \frac{s}{m K} = 14.AA256 \cdot 10^{30}$	$1 ci - \frac{T}{L \Theta} = 10^{30} = 0.08628167 \frac{s}{m K}$
$1 k \frac{s}{m K} = 9948.249 \cdot 10^{30}$	$1 ci - \frac{T}{L \Theta} = 10^{30} = 0.0001287847 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 0.1148396 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{L^2 \Theta} = 10^{-30} = A.905ABA m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 78.BB102 \cdot 10^{-30} (*)$	$1 ni'uci - \frac{1}{L^2 \Theta} = 10^{-30} = 0.0166B967 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 45995.79 \cdot 10^{-30}$	$1 ni'uci - \frac{1}{L^2 \Theta} = 10^{-30} = 0.00002813938 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 0.00003174662 \cdot 10^{-60}$	$1 ni'uxa - \frac{1}{L^2 T \Theta} = 10^{-60} = 39B33.07 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.019926A7 \cdot 10^{-60}$	$1 ni'uxa - \frac{1}{L^2 T \Theta} = 10^{-60} = 67.471AA \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 10.71BA6 \cdot 10^{-60}$	$1 ni'uxa - \frac{1}{L^2 T \Theta} = 10^{-60} = 0.0B521061 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 897A.969 \cdot 10^{-40}$	$1 ni'ujauau - \frac{1}{L^2 T^2 \Theta} = 10^{-A0} = 0.0001443091 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 5118A39. \cdot 10^{-A0}$	$1 ni'uso - \frac{1}{L^2 T^2 \Theta} = 10^{-90} = 243167.1 \frac{1}{m^2 s^2 K}$
$1 k \frac{1}{m^2 s^2 K} = 0.002B474A3 \cdot 10^{-90}$	$1 ni'uso - \frac{1}{L^2 T^2 \Theta} = 10^{-90} = 40A.0221 k \frac{1}{m^2 s^2 K}$
$1 m \frac{s}{m^2 K} = 492.5A6B \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.002625780 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 291336.1 \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.000004424214 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.000171AA24 \cdot 10^{10}$	$1 pa - \frac{T}{L^2 \Theta} = 10^{10} = 7623.B51 k \frac{s}{m^2 K}$
$1 m \frac{1}{m^3 K} = 2228.644 \cdot 10^{-60}$	$1 ni'uxa - \frac{1}{L^3 \Theta} = 10^{-60} = 0.00055A8036 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 13215AA. \cdot 10^{-60}$	$1 ni'umu - \frac{1}{L^3 \Theta} = 10^{-50} = 95A338.1 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 0.000894903B \cdot 10^{-50}$	$1 ni'umu - \frac{1}{L^3 \Theta} = 10^{-50} = 1448.B11 k \frac{1}{m^3 K}$
$1 m \frac{1}{m^3 s K} = 0.61800BB \cdot 10^{-90} (**)$	$1 ni'uso - \frac{1}{L^3 T \Theta} = 10^{-90} = 1.B5594A m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = 367.6B2B \cdot 10^{-90}$	$1 ni'uso - \frac{1}{L^3 T \Theta} = 10^{-90} = 0.003464988 \frac{1}{m^3 s K}$
$1 k \frac{1}{m^3 s K} = 208076.1 \cdot 10^{-90}$	$1 ni'ubi - \frac{1}{L^3 T \Theta} = 10^{-80} = 5A06012. k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 0.000152B16A \cdot 10^{-100}$	$1 ni'upano - \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 8426.114 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.09B8BB6A \cdot 10^{-100} (*)$	$1 ni'upano - \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 12.51B25 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 59.37190 \cdot 10^{-100}$	$1 ni'upano - \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 0.020B2804 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 0.000009405689 \cdot 10^{-20}$	$1 ni'ure - \frac{T}{L^3 \Theta} = 10^{-20} = 1350B4.7 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.0054A0675 \cdot 10^{-20}$	$1 ni'ure - \frac{T}{L^3 \Theta} = 10^{-20} = 227.9971 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 3.16311B \cdot 10^{-20}$	$1 ni'ure - \frac{T}{L^3 \Theta} = 10^{-20} = 0.3A07873 k \frac{s}{m^3 K}$
$1 m \frac{kg}{K} = 0.013A5345 \cdot 10^{30}$	$1 ci - \frac{M}{\Theta} = 10^{30} = 90.A7486 m \frac{kg}{K}$
$1 \frac{kg}{K} = 9.226005 \cdot 10^{30} (*)$	$1 ci - \frac{M}{\Theta} = 10^{30} = 0.13819BB \frac{kg}{K} (*)$
$1 k \frac{kg}{K} = 5394.043 \cdot 10^{30}$	$1 ci - \frac{M}{\Theta} = 10^{30} = 0.0002311650 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 0.00000386B2A3 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 3291B3.7 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 0.002196A06 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 56B.9718 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 1.2B1959$	$1 \frac{M}{T \Theta} = 1 = 0.978B707 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = A52.7395 \cdot 10^{-40}$	$1 ni'uv - \frac{M}{T^2 \Theta} = 10^{-40} = 0.001197247 m \frac{kg}{s^2 K}$
$1 \frac{kg}{s^2 K} = 605695.8 \cdot 10^{-40}$	$1 ni'uv - \frac{M}{T^2 \Theta} = 10^{-40} = 0.000001BA1A68 \frac{kg}{s^2 K}$
$1 k \frac{kg}{s^2 K} = 0.00035B2799 \cdot 10^{-30}$	$1 ni'uci - \frac{M}{T^2 \Theta} = 10^{-30} = 3525.8B1 k \frac{kg}{s^2 K}$

$$\begin{aligned}
1m \frac{\text{kg s}}{\text{K}} &= 57.96A2B \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= 33299.72 \cdot 10^{60} \\
1k \frac{\text{kg s}}{\text{K}} &= 0.00001A85688 \cdot 10^{70} \\
1m \frac{\text{kg m}}{\text{K}} &= 812A62.2 \cdot 10^{50} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.0004833383 \cdot 10^{60} \\
1k \frac{\text{kg m}}{\text{K}} &= 0.28694B7 \cdot 10^{60} \\
1m \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1k \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1m \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.053B2A75 \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 31.00085 \cdot 10^{-10} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 194B4.4A \cdot 10^{-10} \\
1m \frac{\text{kg m s}}{\text{K}} &= 0.002A74B6B \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 1.804999 \cdot 10^{90} \\
1k \frac{\text{kg m s}}{\text{K}} &= B71.5557 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{K}} &= 41.79912 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 24897.12 \cdot 10^{80} \\
1k \frac{\text{kg m}^2}{\text{K}} &= 0.00001476534 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{s K}} &= 0.00B757389 \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 6.886353 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{\text{s K}} &= 3A85.A3A \cdot 10^{50} \\
1m \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1k \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 158142.4 \cdot 10^{B0} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0000A290054 \cdot 10^{100} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.05B05231 \cdot 10^{100} \\
1m \frac{\text{kg}}{\text{m K}} &= 270.B769 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 15BA09.2 \cdot 10^0 \\
1k \frac{\text{kg}}{\text{m K}} &= 0.0000A4AA679 \cdot 10^{10} \\
1m \frac{\text{kg}}{\text{m s K}} &= 0.073379A1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 42.63438 \cdot 10^{-30} \\
1k \frac{\text{kg}}{\text{m s K}} &= 252A3.3B \cdot 10^{-30} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00001852974 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00B9B0149 \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 6.A16558 \cdot 10^{-60} \\
1m \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1k \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0000050A5414 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.002B28652 \cdot 10^{-20} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 1.8475B4 \cdot 10^{-20} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 122B.94A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 82B45B.A \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.00049317AB \cdot 10^{-50} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.3403436 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1B1.B339 \cdot 10^{-90} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 114A17.8 \cdot 10^{-90} \\
1m \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.01980609 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 10.65A21 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.0215A276 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.0000380617A \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 64132.6A \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1592B56. \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 2685.A5B \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 4.508BBB \text{k} \frac{\text{kg m}}{\text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 23.03A23 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.03A85147 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.00006884BBB \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 41A.BB87 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.72309A6 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.001050722 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.02A97740 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.00005018093 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 87B07.11 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 104.81AA \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.194B038 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.00030BB575 \text{k} \frac{\text{kg m}^2}{\text{s K}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 8191444. \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 120B1.83 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 20.3AA95 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.004771B92 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00000800A402 \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 11A01.89 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 17.96204 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.02A25112 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.00004B12685 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 70681.10 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 102.1435 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 0.1905974 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 2447A9.0 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 410.7A74 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 0.7092486 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.000A13389A \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.000001556940 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2T\Theta} &= 10^{-50} = 2621.652 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 3.721214 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.006273344 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'ubi-} \frac{M}{L^2T^2\Theta} &= 10^{-80} = A8B047B. \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 67.8A840 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 0.0B596119 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 7310.740 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.00017A1318 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.09B266A4 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 12.5B375 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 58.BA438 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.02106A34 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 33B10.73 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.00003734794 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s\ K} = 0.000023AA405 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 51B10.AA m \frac{kg}{m^3 s\ K}$
$1 \frac{kg}{m^3 s\ K} = 0.01419514 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 8B.00858 \frac{kg}{m^3 s\ K} (*)$
$1k \frac{kg}{m^3 s\ K} = 9.418962 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 0.134AA2B k \frac{kg}{m^3 s\ K}$
$1m \frac{kg}{m^3 s^2 K} = 6647.37A \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001A06634 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = 3944009. \cdot 10^{-100} (*)$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 32116A.B \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 0.002230119 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 559.B0A9 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 365.3475 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.00348715B m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 206882.1 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000005A4358B \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.0001226835 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A16B.242 k \frac{kg\ s}{m^3 K}$
$1m K = A31A.960 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.0001204512 m\ K$
$1 K = 0.000005B33234 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 202B36.3 K$
$1k K = 0.00352B41A \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 35A.8B57 k\ K$
$1m \frac{K}{s} = 2.49B418 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.4BB345A m \frac{K}{s} (*)$
$1 \frac{K}{s} = 1482.495 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.000876B01B \frac{K}{s}$
$1k \frac{K}{s} = 97A33A.8 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0000012AB919 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00068B8B04 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 1940.98B m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.3AA4273 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 3.0A599B \frac{K}{s^2}$
$1k \frac{K}{s^2} = 231.5275 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.00538744A k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1m K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1k m\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0001287847 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 9948.249 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.08628167 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 14.AA256 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 4B.1A715 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.02526380 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 35421.63 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.00003595B8B m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.00001BB1813 \cdot 10^{-60} (*)$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 60270.98 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.011A2037 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = A4.95708 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 1A47.966 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.000652295A m\ m\ s\ K$
$1m s\ K = 0.0000010B5757 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = B14643.6 m\ s\ K$
$1k m\ s\ K = 0.00075B7863 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 1725.870 k\ m\ s\ K$
$1m m^2 K = 0.00002813938 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 45995.79 m\ m^2 K$
$1m^2 K = 0.0166B967 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 78.BB102 m^2 K (*)$
$1k m^2 K = A.905ABA \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.1148396 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 1.914260 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.69A1B79 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 1027.469 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000B9521A7 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 70A1B0.0 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000001844887 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.0B521061 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 10.71BA6 m\ m^2 s\ K$
$1m^2 s\ K = 67.471AA \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.019926A7 m^2 s\ K$
$1k m^2 s\ K = 39B33.07 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00003174662 k\ m^2 s\ K$
$1m \frac{K}{m} = 0.00018124A7 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 71B7.80B m \frac{K}{m}$

$$\begin{aligned}
1 \frac{K}{m} &= 0.0B770068 \cdot 10^{-50} \quad (*) \\
1 k \frac{K}{m} &= 68.93B7A \cdot 10^{-50} \\
1 m \frac{K}{ms} &= 48562.AB \cdot 10^{-90} \\
1 \frac{K}{ms} &= 0.00002881003 \cdot 10^{-80} \quad (*) \\
1 k \frac{K}{ms} &= 0.016AA975 \cdot 10^{-80} \\
1 m \frac{K}{ms^2} &= 11.27154 \cdot 10^{-100} \\
1 \frac{K}{ms^2} &= 7794.142 \cdot 10^{-100} \\
1 k \frac{K}{ms^2} &= 4514268. \cdot 10^{-100} \\
1 m \frac{sK}{m} &= 0.71A50B1 \cdot 10^{-20} \\
1 \frac{sK}{m} &= 418.3871 \cdot 10^{-20} \\
1 k \frac{sK}{m} &= 249105.8 \cdot 10^{-20} \\
1 m \frac{K}{m^2} &= 3.3446B5 \cdot 10^{-80} \\
1 \frac{K}{m^2} &= 1A94.517 \cdot 10^{-80} \\
1 k \frac{K}{m^2} &= 1122490. \cdot 10^{-80} \\
1 m \frac{K}{m^2 s} &= 0.000926A908 \cdot 10^{-B0} \\
1 \frac{K}{m^2 s} &= 0.53BA682 \cdot 10^{-B0} \\
1 k \frac{K}{m^2 s} &= 310.45B9 \cdot 10^{-B0} \\
1 m \frac{K}{m^2 s^2} &= 21A722.7 \cdot 10^{-130} \\
1 \frac{K}{m^2 s^2} &= 0.00012B8B29 \cdot 10^{-120} \\
1 k \frac{K}{m^2 s^2} &= 0.08802877 \cdot 10^{-120} \\
1 m \frac{sK}{m^2} &= 12020.61 \cdot 10^{-50} \\
1 \frac{sK}{m^2} &= 0.00000813A224 \cdot 10^{-40} \\
1 k \frac{sK}{m^2} &= 0.00483A087 \cdot 10^{-40} \\
1 m \frac{K}{m^3} &= 65118.29 \cdot 10^{-B0} \\
1 \frac{K}{m^3} &= 0.00003874706 \cdot 10^{-A0} \\
1 k \frac{K}{m^3} &= 0.02199B23 \cdot 10^{-A0} \\
1 m \frac{K}{m^3 s} &= 16.0680B \cdot 10^{-120} \\
1 \frac{K}{m^3 s} &= A53A.411 \cdot 10^{-120} \\
1 k \frac{K}{m^3 s} &= 6063599. \cdot 10^{-120} \\
1 m \frac{K}{m^3 s^2} &= 0.004283660 \cdot 10^{-150} \\
1 \frac{K}{m^3 s^2} &= 2.540332 \cdot 10^{-150} \\
1 k \frac{K}{m^3 s^2} &= 14B8.728 \cdot 10^{-150} \\
1 m \frac{sK}{m^3} &= 0.0002354309 \cdot 10^{-70} \\
1 \frac{sK}{m^3} &= 0.13A7227 \cdot 10^{-70} \\
1 k \frac{sK}{m^3} &= 92.37288 \cdot 10^{-70} \\
1 m kg K &= 0.3A79B1B \cdot 10^{-20} \\
1 kg K &= 22B.B836 \cdot 10^{-20} \\
1 k kg K &= 13759A.3 \cdot 10^{-20} \\
1 m \frac{kg K}{s} &= 0.0000AB063B3 \cdot 10^{-50} \\
1 \frac{kg K}{s} &= 0.063A03B4 \cdot 10^{-50} \\
1 k \frac{kg K}{s} &= 37.A7775 \cdot 10^{-50} \\
1 m \frac{kg K}{s^2} &= 26811.97 \cdot 10^{-90} \\
1 \frac{kg K}{s^2} &= 0.0000159027A \cdot 10^{-80} \\
1 k \frac{kg K}{s^2} &= 0.00A333652 \cdot 10^{-80} \\
1 m kg s K &= 1473.749 \cdot 10^{10} \\
1 kg s K &= 974054.5 \cdot 10^{10} \\
1 k kg s K &= 0.000568B454 \cdot 10^{20} \\
1 m kg m K &= 0.00001B9A264 \cdot 10^{10} \\
1 kg m K &= 0.011950AB \cdot 10^{10} \\
1 k kg m K &= 7.B892B8 \cdot 10^{10} \\
1 m \frac{kg m K}{s} &= 56AB.358 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 10.4680B \frac{K}{m} \\
1 ni'umu-\frac{\Theta}{L} &= 10^{-50} = 0.01948561 k \frac{K}{m} \\
1 ni'uso-\frac{\Theta}{LT} &= 10^{-90} = 0.00002673285 m \frac{K}{ms} \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 44A78.27 \frac{K}{ms} \\
1 ni'ubi-\frac{\Theta}{LT} &= 10^{-80} = 77.47AA1 k \frac{K}{ms} \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.0AA8BB16 m \frac{K}{ms^2} \quad (*) \\
1 ni'upano-\frac{\Theta}{LT^2} &= 10^{-100} = 0.000169B27B \frac{K}{ms^2} \\
1 ni'uvaiei-\frac{\Theta}{LT^2} &= 10^{-B0} = 2864BA.8 k \frac{K}{ms^2} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 1.8159A7 m \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.002A93532 \frac{sK}{m} \\
1 ni'ure-\frac{T\Theta}{L} &= 10^{-20} = 0.000005010A2B k \frac{sK}{m} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.37A9163 m \frac{K}{m^2} \\
1 ni'ubi-\frac{\Theta}{L^2} &= 10^{-80} = 0.00063A2AA7 \frac{K}{m^2} \\
1 ni'uze-\frac{\Theta}{L^2} &= 10^{-70} = AB0A94.9 k \frac{K}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 1376.429 m \frac{K}{m^2 s} \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 2.300738 \frac{K}{m^2 s} \quad (*) \\
1 ni'uvaiei-\frac{\Theta}{L^2T} &= 10^{-B0} = 0.003A7B624 k \frac{K}{m^2 s} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 5691780. m \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 9744.450 \frac{K}{m^2 s^2} \\
1 ni'upare-\frac{\Theta}{L^2T^2} &= 10^{-120} = 14.74221 k \frac{K}{m^2 s^2} \\
1 ni'umu-\frac{T\Theta}{L^2} &= 10^{-50} = 0.0000A337887 m \frac{sK}{m^2} \\
1 ni'uvu-\frac{T\Theta}{L^2} &= 10^{-40} = 15909A.9 \frac{sK}{m^2} \\
1 ni'uvu-\frac{T\Theta}{L^2} &= 10^{-40} = 268.2239 k \frac{sK}{m^2} \\
1 ni'uvaiei-\frac{\Theta}{L^3} &= 10^{-B0} = 0.00001A4B726 m \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 32893.64 \frac{K}{m^3} \\
1 ni'ujauau-\frac{\Theta}{L^3} &= 10^{-A0} = 56.B1692 k \frac{K}{m^3} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.07B90603 m \frac{K}{m^3 s} \\
1 ni'upare-\frac{\Theta}{L^3T} &= 10^{-120} = 0.0001195664 \frac{K}{m^3 s} \\
1 ni'upapa-\frac{\Theta}{L^3T} &= 10^{-110} = 1B9B02.B k \frac{K}{m^3 s} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 2A1.0937 m \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 0.4AAA443 \frac{K}{m^3 s^2} \\
1 ni'upamu-\frac{\Theta}{L^3T^2} &= 10^{-150} = 0.0008595634 k \frac{K}{m^3 s^2} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 52B6.202 m \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 9.096408 \frac{sK}{m^3} \\
1 ni'uze-\frac{T\Theta}{L^3} &= 10^{-70} = 0.0137BB52 k \frac{sK}{m^3} \quad (*) \\
1 ni'ure-M\Theta &= 10^{-20} = 3.105910 m kg K \\
1 ni'ure-M\Theta &= 10^{-20} = 0.005400895 kg K \quad (*) \\
1 ni'ure-M\Theta &= 10^{-20} = 0.00000927261B k kg K \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 1122A.16 m \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 1A.95252 \frac{kg K}{s} \\
1 ni'umu-\frac{M\Theta}{T} &= 10^{-50} = 0.03345B02 k \frac{kg K}{s} \\
1 ni'uso-\frac{M\Theta}{T^2} &= 10^{-90} = 0.0000483BB83 m \frac{kg K}{s^2} \quad (*) \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 81415.A9 \frac{kg K}{s^2} \\
1 ni'ubi-\frac{M\Theta}{T^2} &= 10^{-80} = 120.2628 k \frac{kg K}{s^2} \\
1 pa-MT\Theta &= 10^{10} = 0.0008806309 m kg s K \\
1 re-MT\Theta &= 10^{20} = 12B9541. kg s K \\
1 re-MT\Theta &= 10^{20} = 21A8.094 k kg s K \\
1 pa-ML\Theta &= 10^{10} = 6065B.49 m kg m K \\
1 pa-ML\Theta &= 10^{10} = A5.42726 kg m K \\
1 pa-ML\Theta &= 10^{10} = 0.1607353 k kg m K \\
1 ni'uci-\frac{ML\Theta}{T} &= 10^{-30} = 0.000219A987 m \frac{kg m K}{s}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.000003287B89 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.001A4AA0A \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.37B506 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 909.2783 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 52B404.0 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.2A1B9B6 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 179.315A \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= B5378.37 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.00007BB7679 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.04765516 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 28.18183 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 43B6539 \cdot 10^{60} \\
1 \text{kg m}^2 \text{s K} &= 0.00260A14B \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 1.549A31 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 7744.96A \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.0000044A5A79 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.002672227 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 1.947895 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1046.304 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 71B490.2 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.000500A98A \cdot 10^{-B0} \quad (*) \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.2A92310 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 181.5181 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.00002863A75 \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0169A6B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= A.A87597 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.00012AB309 \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.087675B0 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 4B.B1405 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 35A76.46 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.0000202A577 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.01203B46 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 9.97A327 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 5810.678 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 3349B21 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.5385250 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 30A.4695 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 194010.5 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 2.525391 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 14A9.769 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 994426.2 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0006A0461A \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.3B57B41 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 235.7BA1 \cdot 10^{-110}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 387612.B \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 651.4382 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.923AB87 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.0013A7884 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000002355231 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-} ML^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 4.26B182 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.007349324 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00001070341 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 1600A.01 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 27.14501 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.045921B2 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 293095.0 \text{m kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 495.702B \text{kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 0.833729A \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.00016AB540 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvoo-} \frac{M\Theta}{L} &= 10^{-40} = 288214.2 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvoo-} \frac{M\Theta}{L} &= 10^{-40} = 485.81B4 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.6896873 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.000B77495B \frac{\text{kg K}}{\text{ms}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.00000181310B \text{k} \frac{\text{kg K}}{\text{ms}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2492.025 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 4.1854A4 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.0071A7BB5 \text{k} \frac{\text{kg K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 45160.28 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 77.97296 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 0.11276A0 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 97A7.319 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 14.82B71 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 0.024A03A9 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.000035308B9 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 5B357.43 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = A3.22B8B \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.1282B29 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0002146738 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^2T^2} &= 10^{-110} = 37A31B.8 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvoo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 2.316182 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.003AA5988 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0000068BB808 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.4B20730 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000862B730 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000001288248 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 1909.464 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 3.049814 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 0.0052A9749 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 172509.0 \cdot 10^{-150}$	$1 ni' upavo- \frac{M\Theta}{L^3 T^2} = 10^{-140} = 75BA928. m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.0000B1419A9 \cdot 10^{-140}$	$1 ni' upavo- \frac{M\Theta}{L^3 T^2} = 10^{-140} = 10B60.90 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.06520201 \cdot 10^{-140}$	$1 ni' upavo- \frac{M\Theta}{L^3 T^2} = 10^{-140} = 1A.48681 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = A491.420 \cdot 10^{-70}$	$1 ni' uze- \frac{MT\Theta}{L^3} = 10^{-70} = 0.00011A25B5 m \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.000006024743 \cdot 10^{-60}$	$1 ni' uxa- \frac{MT\Theta}{L^3} = 10^{-60} = 1BB25A.4 \frac{kg\ s\ K}{m^3} (*)$
$1k \frac{kg\ s\ K}{m^3} = 0.003594685 \cdot 10^{-60}$	$1 ni' uxa- \frac{MT\Theta}{L^3} = 10^{-60} = 354.3648 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.100696A \cdot 10^{-40} (*)$	$1 ni' uvo- \frac{\Theta}{Q} = 10^{-40} = B.B528B8 m \frac{K}{C}$
$1 \frac{K}{C} = 6B.7B258 \cdot 10^{-40}$	$1 ni' uvo- \frac{\Theta}{Q} = 10^{-40} = 0.0187A34A \frac{K}{C}$
$1k \frac{K}{C} = 404B9.1A \cdot 10^{-40}$	$1 ni' uvo- \frac{\Theta}{Q} = 10^{-40} = 0.00002B8368B k \frac{K}{C}$
$1m \frac{K}{sC} = 0.000029A0B62 \cdot 10^{-70}$	$1 ni' uze- \frac{\Theta}{TQ} = 10^{-70} = 43092.39 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.0176BBBB \cdot 10^{-70} (**)$	$1 ni' uze- \frac{\Theta}{TQ} = 10^{-70} = 74.2A397 \frac{K}{sC}$
$1k \frac{K}{sC} = B.3BB3B8 \cdot 10^{-70} (*)$	$1 ni' uze- \frac{\Theta}{TQ} = 10^{-70} = 0.1085862 k \frac{K}{sC}$
$1m \frac{K}{s^2C} = 7B07.A93 \cdot 10^{-B0}$	$1 ni' uvaiei- \frac{\Theta}{T^2Q} = 10^{-B0} = 0.0001621934 m \frac{K}{s^2C}$
$1 \frac{K}{s^2C} = 0.0000047012A2 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{T^2Q} = 10^{-A0} = 274B61.8 \frac{K}{s^2C}$
$1k \frac{K}{s^2C} = 0.0027A0071 \cdot 10^{-A0} (*)$	$1 ni' ujauau- \frac{\Theta}{T^2Q} = 10^{-A0} = 463.4765 k \frac{K}{s^2C}$
$1m \frac{sK}{C} = 435.71AA \cdot 10^{-10}$	$1 ni' upa- \frac{T\Theta}{Q} = 10^{-10} = 0.00296AA19 m \frac{sK}{C}$
$1 \frac{sK}{C} = 2594A4.7 \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 4A02743. \frac{sK}{C}$
$1k \frac{sK}{C} = 0.0001529B95 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 8430.931 k \frac{sK}{C}$
$1m \frac{mK}{C} = 6199690. \cdot 10^{-20}$	$1 ni' upa- \frac{L\Theta}{Q} = 10^{-10} = 1B4AB5.B m \frac{mK}{C}$
$1 \frac{mK}{C} = 0.00368744A \cdot 10^{-10}$	$1 ni' upa- \frac{L\Theta}{Q} = 10^{-10} = 345.5023 \frac{mK}{C}$
$1k \frac{mK}{C} = 2.08799B \cdot 10^{-10}$	$1 ni' upa- \frac{L\Theta}{Q} = 10^{-10} = 0.59A9763 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 1534.1AA \cdot 10^{-50}$	$1 ni' umu- \frac{L\Theta}{TQ} = 10^{-50} = 0.0008400B24 m \frac{mK}{sC} (*)$
$1 \frac{mK}{sC} = 9BBA6.A \cdot 10^{-50} (*)$	$1 ni' uvo- \frac{L\Theta}{TQ} = 10^{-40} = 1249899. \frac{mK}{sC}$
$1k \frac{mK}{sC} = 0.0005953429 \cdot 10^{-40}$	$1 ni' uvo- \frac{L\Theta}{TQ} = 10^{-40} = 20A7.4B6 k \frac{mK}{sC}$
$1m \frac{mK}{s^2C} = 0.4065143 \cdot 10^{-80}$	$1 ni' ubi- \frac{L\Theta}{T^2Q} = 10^{-80} = 2.B72978 m \frac{mK}{s^2C}$
$1 \frac{mK}{s^2C} = 241.0761 \cdot 10^{-80}$	$1 ni' ubi- \frac{L\Theta}{T^2Q} = 10^{-80} = 0.005163149 \frac{mK}{s^2C}$
$1k \frac{mK}{s^2C} = 143078.2 \cdot 10^{-80}$	$1 ni' ubi- \frac{L\Theta}{T^2Q} = 10^{-80} = 0.000008A38678 k \frac{mK}{s^2C}$
$1m \frac{msK}{C} = 0.02234216 \cdot 10^{20}$	$1 re- \frac{LT\Theta}{Q} = 10^{20} = 55.90A27 m \frac{msK}{C}$
$1 \frac{msK}{C} = 13.25B01 \cdot 10^{20}$	$1 re- \frac{LT\Theta}{Q} = 10^{20} = 0.09576213 \frac{msK}{C}$
$1k \frac{msK}{C} = 8973.912 \cdot 10^{20}$	$1 re- \frac{LT\Theta}{Q} = 10^{20} = 0.00014441A1 k \frac{msK}{C}$
$1m \frac{m^2K}{C} = 318.3617 \cdot 10^{10}$	$1 pa- \frac{L^2\Theta}{Q} = 10^{10} = 0.0039A1A77 m \frac{m^2K}{C}$
$1 \frac{m^2K}{C} = 1998B0.7 \cdot 10^{10}$	$1 re- \frac{L^2\Theta}{Q} = 10^{20} = 6728087. \frac{m^2K}{C}$
$1k \frac{m^2K}{C} = 0.00010757B5 \cdot 10^{20}$	$1 re- \frac{L^2\Theta}{Q} = 10^{20} = B4A9.163 k \frac{m^2K}{C}$
$1m \frac{m^2K}{sC} = 0.089A5731 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2\Theta}{TQ} = 10^{-20} = 14.3A37A m \frac{m^2K}{sC}$
$1 \frac{m^2K}{sC} = 51.32830 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2\Theta}{TQ} = 10^{-20} = 0.024253AB \frac{m^2K}{sC}$
$1k \frac{m^2K}{sC} = 2B558.80 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2\Theta}{TQ} = 10^{-20} = 0.00004089B79 k \frac{m^2K}{sC}$
$1m \frac{m^2K}{s^2C} = 0.00002094818 \cdot 10^{-50}$	$1 ni' umu- \frac{L^2\Theta}{T^2Q} = 10^{-50} = 59887.81 m \frac{m^2K}{s^2C}$
$1 \frac{m^2K}{s^2C} = 0.0124125A \cdot 10^{-50}$	$1 ni' umu- \frac{L^2\Theta}{T^2Q} = 10^{-50} = A0.5A284 \frac{m^2K}{s^2C}$
$1k \frac{m^2K}{s^2C} = 8.371872 \cdot 10^{-50}$	$1 ni' umu- \frac{L^2\Theta}{T^2Q} = 10^{-50} = 0.1542523 k \frac{m^2K}{s^2C}$
$1m \frac{m^2sK}{C} = 1150279. \cdot 10^{40}$	$1 mu- \frac{L^2T\Theta}{Q} = 10^{50} = A89444.9 m \frac{m^2sK}{C}$
$1 \frac{m^2sK}{C} = 0.0007922248 \cdot 10^{50}$	$1 mu- \frac{L^2T\Theta}{Q} = 10^{50} = 1666.480 \frac{m^2sK}{C}$
$1k \frac{m^2sK}{C} = 0.45B11B3 \cdot 10^{50}$	$1 mu- \frac{L^2T\Theta}{Q} = 10^{50} = 2.806522 k \frac{m^2sK}{C}$
$1m \frac{K}{mC} = 1B71.647 \cdot 10^{-70}$	$1 ni' uze- \frac{\Theta}{LQ} = 10^{-70} = 0.000612A50B m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.00000117A1B8 \cdot 10^{-60}$	$1 ni' uxa- \frac{\Theta}{LQ} = 10^{-60} = A66827.7 \frac{K}{mC}$
$1k \frac{K}{mC} = 0.0007A99B02 \cdot 10^{-60}$	$1 ni' uxa- \frac{\Theta}{LQ} = 10^{-60} = 1628.355 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.56335B5 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{LTQ} = 10^{-A0} = 2.20A6B4 m \frac{K}{msC}$
$1 \frac{K}{msC} = 324.2A34 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{LTQ} = 10^{-A0} = 0.003907AB5 \frac{K}{msC}$
$1k \frac{K}{msC} = 1A2412.0 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{LTQ} = 10^{-A0} = 0.0000065A3143 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 0.0001361B25 \cdot 10^{-110} \\
1 \frac{K}{ms^2C} &= 0.08B89513 \cdot 10^{-110} \\
1k \frac{K}{ms^2C} &= 52.41815 \cdot 10^{-110} \\
1m \frac{sK}{mC} &= 849655B \cdot 10^{-40} \\
1 \frac{sK}{mC} &= 0.004A3B6A2 \cdot 10^{-30} \\
1k \frac{sK}{mC} &= 2.990A42 \cdot 10^{-30} \\
1m \frac{K}{m^2C} &= 0.00003A25B1B \cdot 10^{-90} \\
1 \frac{K}{m^2C} &= 0.0228A7A2 \cdot 10^{-90} \\
1k \frac{K}{m^2C} &= 13.5847A \cdot 10^{-90} \\
1m \frac{K}{m^2sC} &= A996.679 \cdot 10^{-110} \\
1 \frac{K}{m^2sC} &= 0.000006314362 \cdot 10^{-100} \\
1k \frac{K}{m^2sC} &= 0.003757519 \cdot 10^{-100} \\
1m \frac{K}{m^2s^2C} &= 2.64709B \cdot 10^{-140} \\
1 \frac{K}{m^2s^2C} &= 156B.A51 \cdot 10^{-140} \\
1k \frac{K}{m^2s^2C} &= A21250.6 \cdot 10^{-140} \\
1m \frac{sK}{m^2C} &= 0.14549BA \cdot 10^{-60} \\
1 \frac{sK}{m^2C} &= 96.2A280 \cdot 10^{-60} \\
1k \frac{sK}{m^2C} &= 56139.7A \cdot 10^{-60} \\
1m \frac{K}{m^3C} &= 0.765B556 \cdot 10^{-100} \\
1 \frac{K}{m^3C} &= 444.5427 \cdot 10^{-100} \\
1k \frac{K}{m^3C} &= 263825.B \cdot 10^{-100} \\
1m \frac{K}{m^3sC} &= 0.0001922485 \cdot 10^{-130} \\
1 \frac{K}{m^3sC} &= 0.1031334 \cdot 10^{-130} \\
1k \frac{K}{m^3sC} &= 71.16A10 \cdot 10^{-130} \\
1m \frac{K}{m^3s^2C} &= 4B604.92 \cdot 10^{-170} \\
1 \frac{K}{m^3s^2C} &= 0.00002A52691 \cdot 10^{-160} \\
1k \frac{K}{m^3s^2C} &= 0.017B1657 \cdot 10^{-160} \\
1m \frac{sK}{m^3C} &= 2827.31A \cdot 10^{-90} \\
1 \frac{sK}{m^3C} &= 0.000001678913 \cdot 10^{-80} \\
1k \frac{sK}{m^3C} &= 0.000A9581A5 \cdot 10^{-80} \\
1m \frac{kgK}{C} &= 4691829 \cdot 10^{-40} \\
1 \frac{kgK}{C} &= 0.002783586 \cdot 10^{-30} \\
1k \frac{kgK}{C} &= 1.640A98 \cdot 10^{-30} \\
1m \frac{kgK}{sC} &= 1099.A5B \cdot 10^{-70} \\
1 \frac{kgK}{sC} &= 75026A.7 \cdot 10^{-70} \\
1k \frac{kgK}{sC} &= 0.00043621A5 \cdot 10^{-60} \\
1m \frac{kgK}{s^2C} &= 0.3000B76 \cdot 10^{-A0} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{kgK}{s^2C} &= 18A.0689 \cdot 10^{-A0} \\
1k \frac{kgK}{s^2C} &= 100852.9 \cdot 10^{-A0} \quad (*) \\
1m \frac{kg sK}{C} &= 0.0175B415 \cdot 10^0 \\
1 \frac{kg sK}{C} &= B.347533 \\
1k \frac{kg sK}{C} &= 6642.0BB \cdot 10^0 \quad (*) \\
1m \frac{kg mK}{C} &= 23B.6581 \cdot 10^{-10} \\
1 \frac{kg mK}{C} &= 142217.5 \cdot 10^{-10} \\
1k \frac{kg mK}{C} &= 0.000094455A9 \cdot 10^0 \\
1m \frac{kg mK}{sC} &= 0.066661B0 \cdot 10^{-40} \\
1 \frac{kg mK}{sC} &= 39.55294 \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 9347.94B m \frac{K}{ms^2C} \\
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 14.05890 \frac{K}{ms^2C} \\
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 0.02387266 k \frac{K}{ms^2C} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 151884.6 m \frac{sK}{mC} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 257.5AB0 \frac{sK}{mC} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 0.43235AA k \frac{sK}{mC} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 31490.87 m \frac{K}{m^2C} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 54.75471 \frac{K}{m^2C} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 0.0937B850 k \frac{K}{m^2C} \\
1 ni'upapa \frac{\Theta}{L^2TQ} &= 10^{-110} = 0.0001139136 m \frac{K}{m^2sC} \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = 1B0091.9 \frac{K}{m^2sC} \quad (*) \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = 339.0553 k \frac{K}{m^2sC} \\
1 ni'upavo \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.48A5BBA m \frac{K}{m^2s^2C} \quad (*) \\
1 ni'upavo \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.0008234399 \frac{K}{m^2s^2C} \\
1 ni'upavo \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.000001219B26 k \frac{K}{m^2s^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 8.906440 m \frac{sK}{m^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.01316243 \frac{sK}{m^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00002217B0A k \frac{sK}{m^2C} \\
1 ni'upano \frac{\Theta}{L^3Q} &= 10^{-100} = 1.711782 m \frac{K}{m^3C} \\
1 ni'upano \frac{\Theta}{L^3Q} &= 10^{-100} = 0.0028BB465 \frac{K}{m^3C} \quad (*) \\
1 ni'upano \frac{\Theta}{L^3Q} &= 10^{-100} = 0.00000490246A k \frac{K}{m^3C} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 696A.760 m \frac{K}{m^3sC} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = B.8B6202 \frac{K}{m^3sC} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.01836B2A k \frac{K}{m^3sC} \\
1 ni'upaze \frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.00002505A34 m \frac{K}{m^3s^2C} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 42222.B9 \frac{K}{m^3s^2C} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 72.86B5A k \frac{K}{m^3s^2C} \\
1 ni'uso \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.0004577725 m \frac{sK}{m^3C} \\
1 ni'ubi \frac{T\Theta}{L^3Q} &= 10^{-80} = 788246.A \frac{sK}{m^3C} \\
1 ni'ubi \frac{T\Theta}{L^3Q} &= 10^{-80} = 1141.A67 k \frac{sK}{m^3C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 2767AA.4 m \frac{kgK}{C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 466.3A50 \frac{kgK}{C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 0.7A28040 k \frac{kgK}{C} \\
1 ni'uze \frac{M\Theta}{TQ} &= 10^{-70} = 0.000B2979BB m \frac{kgK}{sC} \quad (*) \\
1 ni'uxa \frac{M\Theta}{TQ} &= 10^{-60} = 174B379. \frac{kgK}{sC} \\
1 ni'uxa \frac{M\Theta}{TQ} &= 10^{-60} = 2966.351 k \frac{kgK}{sC} \\
1 ni'ujauau \frac{M\Theta}{T^2Q} &= 10^{-A0} = 3.BBA860 m \frac{kgK}{s^2C} \quad (*) \\
1 ni'ujauau \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.006AB1855 \frac{kgK}{s^2C} \\
1 ni'ujauau \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.00000B37322 k \frac{kgK}{s^2C} \quad (*) \\
1 \frac{MT\Theta}{Q} &= 1 = 74.77726 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.1091B60 \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0001A07BAB k \frac{kg sK}{C} \\
1 ni'upa \frac{ML\Theta}{Q} &= 10^{-10} = 0.005197081 m \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 8A9569B. \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 13464.53 k \frac{kg mK}{C} \\
1 ni'uvo \frac{ML\Theta}{TQ} &= 10^{-40} = 1A.00137 m \frac{kg mK}{sC} \quad (*) \\
1 ni'uvo \frac{ML\Theta}{TQ} &= 10^{-40} = 0.032025A8 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s C}} &= 22378.BB \cdot 10^{-40} \quad (*) \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.00001647580 \cdot 10^{-70} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.00A781285 \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 6.1A7721 \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 9B553B.9 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.0005916583 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.3400836 \cdot 10^{30} \quad (*) \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.01233B31 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 8.319424 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 4946.431 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 341303B. \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.001B26043 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 1.152066 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 947.9917 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 552371.5 \cdot 10^{-50} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.0003188775 \cdot 10^{-40} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 50.BB111 \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 2B369.83 \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.00001851533 \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.08B2B972 \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 52.09474 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 2BB01.20 \cdot 10^{-60} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.000021130A3 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.0126407B \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 8.4A81B2 \cdot 10^{-90} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 5A62.679 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.00000349858A \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.001B748A6 \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 322.20A0 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 1A1190.5 \cdot 10^{-30} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.0001095361 \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1560.609 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= A16761.3 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.0005A41419 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.411BB80 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 245.5258 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 145709.A \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0000B613353 \cdot 10^{-130} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.067B0A1A \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3A.30266 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 62938B9. \cdot 10^{-60} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.003733404 \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 2.106120 \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.00002A34385 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.017A07B1 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= B.591B01 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvo-} \frac{ML\Theta}{TQ} &= 10^{-40} = 0.00005583B06 \text{k} \frac{\text{kg m K}}{\text{s C}} \\
1 \text{ni}'\text{uze-} \frac{ML\Theta}{T^2Q} &= 10^{-70} = 79BA4.1A \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze-} \frac{ML\Theta}{T^2Q} &= 10^{-70} = 116.4B42 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze-} \frac{ML\Theta}{T^2Q} &= 10^{-70} = 0.1B47941 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{re-} \frac{ML\Theta}{Q} &= 10^{20} = 0.000001257100 \text{m} \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ci-} \frac{ML\Theta}{Q} &= 10^{30} = 20BB.69A \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ci-} \frac{ML\Theta}{Q} &= 10^{30} = 3.724079 \text{k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{re-} \frac{ML^2\Theta}{Q} &= 10^{20} = A1.04541 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{re-} \frac{ML^2\Theta}{Q} &= 10^{20} = 0.1551843 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{re-} \frac{ML^2\Theta}{Q} &= 10^{20} = 0.0002614908 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ni}'\text{upa-} \frac{ML^2\Theta}{TQ} &= 10^{-10} = 371074.3 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ni}'\text{upa-} \frac{ML^2\Theta}{TQ} &= 10^{-10} = 625.56A2 \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ni}'\text{upa-} \frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.A87AA5B \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ni}'\text{umu-} \frac{ML^2\Theta}{T^2Q} &= 10^{-50} = 0.001340A58 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 2260B23. \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 3997.7AB \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{mu-} \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.0243B776 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{mu-} \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.000040B573A \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{xa-} \frac{ML^2T\Theta}{Q} &= 10^{60} = 70718.87 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{LQ} &= 10^{-60} = 14.14185 \text{m} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{LQ} &= 10^{-60} = 0.023A1257 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{LQ} &= 10^{-60} = 0.00004013AA7 \text{k} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{LTQ} &= 10^{-90} = 589B9.4B \text{m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{LTQ} &= 10^{-90} = 9A.B3692 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{LTQ} &= 10^{-90} = 0.1516452 \text{k} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{upapa-} \frac{M\Theta}{LT^2Q} &= 10^{-110} = 0.0002060789 \text{m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{LT^2Q} &= 10^{-100} = 36415B.8 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{LT^2Q} &= 10^{-100} = 612.0586 \text{k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{uci-} \frac{MT\Theta}{LQ} &= 10^{-30} = 0.0039311B4 \text{m} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{ure-} \frac{MT\Theta}{LQ} &= 10^{-20} = 66257A6. \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{ure-} \frac{MT\Theta}{LQ} &= 10^{-20} = B318.185 \text{k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{L^2Q} &= 10^{-90} = 0.0008288155 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{ubi-} \frac{M\Theta}{L^2Q} &= 10^{-80} = 1227156. \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{ubi-} \frac{M\Theta}{L^2Q} &= 10^{-80} = 2069.514 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{L^2TQ} &= 10^{-100} = 2.B19014 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.005089511 \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.0000088B4115 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 10618.B2 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 19.754B8 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 0.03143B92 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{MT\Theta}{L^2Q} &= 10^{-50} = 1B1384.5 \text{m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{MT\Theta}{L^2Q} &= 10^{-50} = 33B.2317 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{MT\Theta}{L^2Q} &= 10^{-50} = 0.5900550 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{uvaiei-} \frac{M\Theta}{L^3Q} &= 10^{-B0} = 424A9.B0 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei-} \frac{M\Theta}{L^3Q} &= 10^{-B0} = 73.13304 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei-} \frac{M\Theta}{L^3Q} &= 10^{-B0} = 0.106628B \text{k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 8035.A14 \cdot 10^{-130}$	$1 ni' upaci- \frac{M\Theta}{L^3 T Q} = 10^{-130} = 0.00015B4218 m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 0.00000478826B \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 270156.3 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.00282B786 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 457.0394 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 1.A65855 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.647B91A m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 1106.374 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.000B058863 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 766B91.2 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.00000170B068 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 0.1025425 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = B.971818 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 70.8B9A4 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.01848144 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 41064.92 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.00002B29731 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 0.00088B063A \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 1457.766 m\ CK$
$1 CK = 0.508743B \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 2.456210 CK$
$1k CK = 2B1.7994 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.004121789 k\ CK$
$1m \frac{CK}{s} = 206871.1 \cdot 10^{-50}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 5A438A1. m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.000122677B \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = A16B.784 \frac{CK}{s}$
$1k \frac{CK}{s} = 0.08284923 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 15.61125 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 58.BA133 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.02106B47 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 33B0A.A2 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.00003734982 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 0.00001B12AB4 \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{T^2} = 10^{-70} = 62963.5A k \frac{CK}{s^2}$
$1m s\ CK = 3.142863 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.3A3194B m\ s\ CK$
$1s CK = 1974.81A \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00067B3691 s\ CK$
$1ks\ CK = 10613A0 \cdot 10^{20}$	$1 ci-TQ\Theta = 10^{30} = B617B9.4 k\ s\ CK$
$1mm\ CK = 456A5.B1 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.000028308A5 m\ m\ CK$
$1m CK = 0.000027004A6 \cdot 10^{20} (*)$	$1 re-LQ\Theta = 10^{20} = 478A1.38 m\ CK$
$1km\ CK = 0.015B369A \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 80.39148 k\ m\ CK$
$1m \frac{m\ CK}{s} = 10.65976 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.0B596725 m \frac{m\ CK}{s}$
$1 \frac{m\ CK}{s} = 7310.360 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.00017A1402 \frac{m\ CK}{s}$
$1k \frac{m\ CK}{s} = 4249144 \cdot 10^{-20}$	$1 ni' upa- \frac{LQ\Theta}{T} = 10^{-10} = 2A3558.3 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 0.002B284A7 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 410.8093 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 1.847507 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.7092852 \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = B96.8A49 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.001025922 k \frac{m\ CK}{s^2}$
$1mm\ s\ CK = 0.000170A494 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 7672.A07 m\ m\ s\ CK$
$1ms\ CK = 0.0B05425B \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 11.068B3 m\ s\ CK$
$1km\ s\ CK = 64.791A8 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.01A66579 k\ m\ s\ CK$
$1mm^2\ CK = 2.34308A \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.5320650 m\ m^2\ CK$
$1m^2\ CK = 139B.671 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000911A990 m^2\ CK$
$1km^2\ CK = 91B225.4 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000001387614 k\ m^2\ CK$
$1m \frac{m^2\ CK}{s} = 0.00064A0760 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 1A5A.4B3 m \frac{m^2\ CK}{s}$
$1 \frac{m^2\ CK}{s} = 0.3857181 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 3.2A3B85 \frac{m^2\ CK}{s}$
$1k \frac{m^2\ CK}{s} = 218.962B \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 0.005719A18 k \frac{m^2\ CK}{s}$
$1m \frac{m^2\ CK}{s^2} = 15B9BB.8 \cdot 10^{-30} (*)$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 800A82A. m \frac{m^2\ CK}{s^2} (*)$
$1 \frac{m^2\ CK}{s^2} = 0.0000A4AA11A \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 11A02.41 \frac{m^2\ CK}{s^2}$
$1k \frac{m^2\ CK}{s^2} = 0.06034754 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 1B.AA61A k \frac{m^2\ CK}{s^2}$
$1mm^2\ s\ CK = 98A3.AA2 \cdot 10^{70}$	$1 ze-L^2TQ\Theta = 10^{70} = 0.0001295386 m\ m^2\ s\ CK$
$1m^2\ s\ CK = 0.000005776454 \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 216754.3 m^2\ s\ CK$
$1km^2\ s\ CK = 0.00331776A \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 381.A0BB k\ m^2\ s\ CK (*)$
$1m \frac{CK}{m} = 15.15954 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.084AB711 m \frac{CK}{m}$
$1 \frac{CK}{m} = 9AAB.630 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.0001264671 \frac{CK}{m}$
$1k \frac{CK}{m} = 5899541 \cdot 10^{-40}$	$1 ni' uci- \frac{Q\Theta}{L} = 10^{-30} = 2113B1.2 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 0.004012331 \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{LT} = 10^{-70} = 2BB.139A m \frac{CK}{ms} (*)$

$1 \frac{\text{CK}}{\text{ms}} = 2.3A0314 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{Q\Theta}{LT} = 10^{-70} = 0.520B5B2 \frac{\text{CK}}{\text{ms}}$
$1 \text{k} \frac{\text{CK}}{\text{ms}} = 1413.717 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{Q\Theta}{LT} = 10^{-70} = 0.0008B33542 \text{k} \frac{\text{CK}}{\text{ms}}$
$1 \text{m} \frac{\text{CK}}{\text{ms}^2} = B31367.0 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{LT^2} = 10^{-A0} = 1095888. \text{m} \frac{\text{CK}}{\text{ms}^2}$
$1 \frac{\text{CK}}{\text{ms}^2} = 0.0006622BB9 \cdot 10^{-A0} \quad (*)$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{LT^2} = 10^{-A0} = 1A12.607 \frac{\text{CK}}{\text{ms}^2}$
$1 \text{k} \frac{\text{CK}}{\text{ms}^2} = 0.392B75A \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{LT^2} = 10^{-A0} = 3.22344A \text{k} \frac{\text{CK}}{\text{ms}^2}$
$1 \text{m} \frac{\text{sCK}}{\text{m}} = 6119B.A5 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{TQ\Theta}{L} = 10^{-10} = 0.00001B75661 \text{m} \frac{\text{sCK}}{\text{m}}$
$1 \frac{\text{sCK}}{\text{m}} = 0.00003640085 \cdot 10^0 \quad (*)$	$1 \frac{TQ\Theta}{L} = 1 = 3499A.47 \frac{\text{sCK}}{\text{m}}$
$1 \text{k} \frac{\text{sCK}}{\text{m}} = 0.0205B98A \cdot 10^0$	$1 \frac{TQ\Theta}{L} = 1 = 5A.64B4B \text{k} \frac{\text{sCK}}{\text{m}}$
$1 \text{m} \frac{\text{CK}}{\text{m}^2} = 296518.B \cdot 10^{-70}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{L^2} = 10^{-60} = 4363AA7. \text{m} \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.000174A789 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{L^2} = 10^{-60} = 7505.724 \frac{\text{CK}}{\text{m}^2}$
$1 \text{k} \frac{\text{CK}}{\text{m}^2} = 0.0B293302 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{L^2} = 10^{-60} = 10.9A388 \text{k} \frac{\text{CK}}{\text{m}^2}$
$1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} = 7A.249AB \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{L^2T} = 10^{-A0} = 0.01641635 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 46620.22 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{L^2T} = 10^{-A0} = 0.00002784677 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} = 0.000027669BB \cdot 10^{-90} \quad (*)$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^2T} = 10^{-90} = 46936.6A \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 0.01A072AB \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{Q\Theta}{L^2T^2} = 10^{-110} = 66.448B5 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 10.91637 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{Q\Theta}{L^2T^2} = 10^{-110} = 0.0B35005B \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 7474.709 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{Q\Theta}{L^2T^2} = 10^{-110} = 0.000176000A \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (**)$
$1 \text{m} \frac{\text{sCK}}{\text{m}^2} = 0.000BB3248B \cdot 10^{-30} \quad (*)$	$1 \text{ni}'\text{uci}-\frac{TQ\Theta}{L^2} = 10^{-30} = 1008.A19 \text{m} \frac{\text{sCK}}{\text{m}^2} \quad (*)$
$1 \frac{\text{sCK}}{\text{m}^2} = 0.6AAAA77 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{TQ\Theta}{L^2} = 10^{-30} = 1.8A1329 \frac{\text{sCK}}{\text{m}^2}$
$1 \text{k} \frac{\text{sCK}}{\text{m}^2} = 3BB.90B2 \cdot 10^{-30} \quad (*)$	$1 \text{ni}'\text{uci}-\frac{TQ\Theta}{L^2} = 10^{-30} = 0.003002239 \text{k} \frac{\text{sCK}}{\text{m}^2} \quad (*)$
$1 \text{m} \frac{\text{CK}}{\text{m}^3} = 0.005581830 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^3} = 10^{-90} = 223.8788 \text{m} \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3} = 3.201247 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^3} = 10^{-90} = 0.395693A \frac{\text{CK}}{\text{m}^3}$
$1 \text{k} \frac{\text{CK}}{\text{m}^3} = 19BB.43B \cdot 10^{-90} \quad (*)$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^3} = 10^{-90} = 0.00066689B6 \text{k} \frac{\text{CK}}{\text{m}^3}$
$1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.000001345A20 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{L^3T} = 10^{-100} = 944938.A \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.0008A91B34 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{L^3T} = 10^{-100} = 1422.827 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.5194B58 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{L^3T} = 10^{-100} = 2.3B7510 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 372.2704 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q\Theta}{L^3T^2} = 10^{-140} = 0.003402074 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 20BA87.6 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q\Theta}{L^3T^2} = 10^{-140} = 0.0000059189A8 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.0001256713 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{Q\Theta}{L^3T^2} = 10^{-130} = 9B59.486 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{sCK}}{\text{m}^3} = 1B.46B98 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{TQ\Theta}{L^3} = 10^{-60} = 0.061AA13A \text{m} \frac{\text{sCK}}{\text{m}^3}$
$1 \frac{\text{sCK}}{\text{m}^3} = 11645.A0 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{TQ\Theta}{L^3} = 10^{-60} = 0.0000A785695 \frac{\text{sCK}}{\text{m}^3}$
$1 \text{k} \frac{\text{sCK}}{\text{m}^3} = 79B719A \cdot 10^{-60}$	$1 \text{ni}'\text{umu}-\frac{TQ\Theta}{L^3} = 10^{-50} = 164812.0 \text{k} \frac{\text{sCK}}{\text{m}^3}$
$1 \text{m kg CK} = 338B1.29 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-MQ\Theta = 10^{-10} = 0.00003758AA6 \text{m kg CK}$
$1 \text{kg CK} = 0.00001ABB92 \cdot 10^0 \quad (**)$	$1 MQ\Theta = 1 = 6316A.1A \text{ kg CK}$
$1 \text{kg CK} = 0.011387A5 \cdot 10^0$	$1 MQ\Theta = 1 = A9.9AB72 \text{k kg CK}$
$1 \text{m kg CK} = 9.377AA6 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MQ\Theta}{T} = 10^{-40} = 0.1358AB7 \text{m} \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}} = 5473.22A \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MQ\Theta}{T} = 10^{-40} = 0.000228B691 \frac{\text{kg CK}}{\text{s}}$
$1 \text{k} \frac{\text{kg CK}}{\text{s}} = 3147957 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{MQ\Theta}{T} = 10^{-30} = 3A2760.1 \text{k} \frac{\text{kg CK}}{\text{s}}$
$1 \text{m kg CK} = 0.00221704B \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MQ\Theta}{T^2} = 10^{-70} = 561.6076 \text{m} \frac{\text{kg CK}}{\text{s}^2}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 1.315822 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MQ\Theta}{T^2} = 10^{-70} = 0.9632132 \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg CK}}{\text{s}^2} = 890.295B \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MQ\Theta}{T^2} = 10^{-70} = 0.001455484 \text{k} \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{m kg s CK} = 0.0001219552 \cdot 10^{30}$	$1 \text{ci}-MTQ\Theta = 10^{30} = A216.6A3 \text{ m kg s CK}$
$1 \text{kg s CK} = 0.08230B89 \cdot 10^{30}$	$1 \text{ci}-MTQ\Theta = 10^{30} = 15.70572 \text{ kg s CK}$
$1 \text{kg kg s CK} = 48.A4096 \cdot 10^{30}$	$1 \text{ci}-MTQ\Theta = 10^{30} = 0.02648128 \text{k kg s CK}$
$1 \text{m kg m CK} = 1.8362B6 \cdot 10^{20}$	$1 \text{re}-MLQ\Theta = 10^{20} = 0.7119899 \text{ m kg m CK}$
$1 \text{kg m CK} = B8B.1464 \cdot 10^{20}$	$1 \text{re}-MLQ\Theta = 10^{20} = 0.001031834 \text{ kg m CK}$
$1 \text{kg kg m CK} = 6967A2.9 \cdot 10^{20}$	$1 \text{re}-MLQ\Theta = 10^{20} = 0.000001923141 \text{k kg m CK}$
$1 \text{m kg m CK} = 0.0004900539 \cdot 10^{-10} \quad (*)$	$1 \text{ni}'\text{upa}-\frac{MLQ\Theta}{T} = 10^{-10} = 2639.2A4 \text{m} \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}} = 0.28BA30B \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MLQ\Theta}{T} = 10^{-10} = 4.44716B \frac{\text{kg m CK}}{\text{s}}$
$1 \text{k} \frac{\text{kg m CK}}{\text{s}} = 171.0BA8 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MLQ\Theta}{T} = 10^{-10} = 0.007662646 \text{k} \frac{\text{kg m CK}}{\text{s}}$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 114151.3 \cdot 10^{-50} \\
1 \text{kg m CK} &= 0.0000787B293 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 0.0457593B \cdot 10^{-40} \\
1 \text{m kg m s CK} &= 7284.015 \cdot 10^{50} \\
1 \text{kg m s CK} &= 0.000004220662 \cdot 10^{60} \\
1 \text{k kg m s CK} &= 0.002504A53 \cdot 10^{60} \\
1 \text{m kg m}^2 \text{CK} &= 0.0000A441458 \cdot 10^{50} \\
1 \text{kg m}^2 \text{CK} &= 0.05BB5AA5 \cdot 10^{50} \quad (*) \\
1 \text{k kg m}^2 \text{CK} &= 35.78582 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 25133.36 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.000014A160A \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.0098B795B \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 6.9910B4 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 3B39.15B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 2346944 \cdot 10^{-20} \\
1 \text{m kg m}^2 \text{s CK} &= 0.383249A \cdot 10^{80} \\
1 \text{kg m}^2 \text{s CK} &= 217.4A81 \cdot 10^{80} \\
1 \text{k kg m}^2 \text{s CK} &= 129A93.6 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.00065A0572 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.390646B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 220.9839 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 162780.3 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0000A663B03 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.06127B26 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 43.21904 \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2574A.A0 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.00001518147 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 2.38632A \\
1 \frac{\text{kg s CK}}{\text{m}} &= 1405.226 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 9343BB.A \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 10.85340 \cdot 10^{-60} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 7427.399 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 430755A \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.002B82423 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 1.8796B9 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= BB4.9A58 \cdot 10^{-90} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 842944.5 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.0004A00784 \cdot 10^{-100} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.2969855 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 46329.49 \cdot 10^{-30} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.0000274A53B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 0.016211A4 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 20A669.8 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.00012492B3 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.083B964B \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 59.A7302 \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 34537.83 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.00001B4A1B5 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.01443720 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 9.572392 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = A960683. \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni}'\text{ubo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 16794.86 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni}'\text{ubo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 28.28436 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{mu-}MLTQ\Theta &= 10^{50} = 0.00017B2272 \text{m kg m s CK} \\
1 \text{xa-}MLTQ\Theta &= 10^{60} = 2A5389.8 \text{ kg m s CK} \\
1 \text{xa-}MLTQ\Theta &= 10^{60} = 4B6.2505 \text{k kg m s CK} \\
1 \text{mu-}ML^2Q\Theta &= 10^{50} = 11A92.15 \text{ m kg m}^2 \text{CK} \\
1 \text{mu-}ML^2Q\Theta &= 10^{50} = 20.02048 \text{ kg m}^2 \text{CK} \\
1 \text{mu-}ML^2Q\Theta &= 10^{50} = 0.0355B592 \text{k kg m}^2 \text{CK} \\
1 \text{pa-} \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.00004B45189 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 8670B.08 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 129.3374 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni}'\text{ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.1917655 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni}'\text{ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.0003063297 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni}'\text{upa-} \frac{ML^2Q\Theta}{T^2} &= 10^{-10} = 5313B5.6 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{bi-}ML^2TQ\Theta &= 10^{80} = 3.305254 \text{ m kg m}^2 \text{s CK} \\
1 \text{bi-}ML^2TQ\Theta &= 10^{80} = 0.005755534 \text{ kg m}^2 \text{s CK} \\
1 \text{bi-}ML^2TQ\Theta &= 10^{80} = 0.0000098689A8 \text{k kg m}^2 \text{s CK} \\
1 \text{ni}'\text{uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 1A24.A28 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni}'\text{uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 3.2441B1 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni}'\text{uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 0.0056358BA \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 7AA1184. \text{m} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 117A7.66 \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 1B.72401 \text{k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni}'\text{ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.02992015 \text{m} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ni}'\text{ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00004A41678 \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{LT^2} &= 10^{-90} = 8499A.74 \text{k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.5243968 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0008B91108 \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.000001362564 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0B403B54 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00017707BA \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni}'\text{umu-} \frac{MQ\Theta}{L^2} &= 10^{-50} = 29A213.A \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 405.14AA \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.6B82072 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.00100725A \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 152A69A. \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 2595.A64 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 4.358AAA \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.000027A116B \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni}'\text{ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 47031.35 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni}'\text{ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 7B.0B167 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni}'\text{ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 5955868. \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni}'\text{ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = A002.B62 \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ni}'\text{ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 15.348B5 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.020887AB \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000036889A0 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{vuaeie-} \frac{MQ\Theta}{L^3T} &= 10^{-B0} = 61A00.A4 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 89.77422 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 0.1326526 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 558A.749 \cdot 10^{-130} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.0008A34B34 \cdot 10^{-50} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.5161038 \cdot 10^{-50} \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 2B7.1715 \cdot 10^{-50}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.00022350A1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 1431.238 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 2.4116B7 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 0.00406691A \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

### 9.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= 73052A5 \cdot 10^{-20} \\ \text{Electron mass} &= 69AB.013 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.37733A0 \cdot 10^0 \\ \text{\AA}^{31} &= 0.031B3168 \cdot 10^{20} \\ \text{Bohr radius}^{32} &= 0.0180AB69 \cdot 10^{20} \\ \text{Fine structure constant}^{33} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{34} &= 0.3928187 \cdot 10^{-20} \\ |\psi^{100}(0)|^{235} &= 99566.29 \cdot 10^{-60} \\ \text{eV} &= 0.033A7730 \cdot 10^{-20} \\ \hbar^{36} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= A6.2A997 \cdot 10^{20} \\ k_{\text{yellow}}^{37} &= 0.07200766 \cdot 10^{-20} \quad (*) \\ k_{\text{X-Ray}}^{38} &= 0.0006392A62 \cdot 10^{-10}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upa-} M &= 10^{-10} = 17A2B3.9 m_p \\ 1 \text{ni'ure-} M &= 10^{-20} = 0.0001911A67 m_e \\ 1 Q &= 1 = 3.3763A1 e \\ 1 \text{re-} L &= 10^{20} = 39.66A14 \text{\AA} \\ 1 \text{re-} L &= 10^{20} = 72.0A500 a_0 \quad (*) \\ 1 = 1 &= B5.05226 \alpha \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 3.226382 Ry \\ 1 \text{ni'uxa-} \frac{1}{L^3} &= 10^{-60} = 0.000012864A4 \rho_{\max} \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 37.3A685 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re-} L &= 10^{20} = 0.011830A9 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 18.112B9 \cdot k_{\text{yellow}} \\ 1 \text{ni'upa-} \frac{1}{L} &= 10^{-10} = 1A98.066 \cdot k_{\text{X-Ray}}\end{aligned}$$

$$\begin{aligned}\text{Earth g} &= 0.0012B7113 \cdot 10^{-30} \\ \text{cm} &= 89A671.3 \cdot 10^{20} \\ \text{min} &= 1943A7.1 \cdot 10^{30} \\ \text{hour} &= 0.000008A974B7 \cdot 10^{40} \\ \text{Liter} &= 0.000291609B \cdot 10^{80}\end{aligned}$$

$$\begin{aligned}\text{Area of a soccer field} &= 0.000010B1637 \cdot 10^{60} \\ 84 \text{m}^2^{39} &= 220A40.4 \cdot 10^{50} \\ \text{km/h} &= 4945.445 \cdot 10^{-10} \\ \text{mi/h} &= 783B.462 \cdot 10^{-10} \\ \text{inch}^{40} &= 1A4B242 \cdot 10^{20} \\ \text{mile} &= 0.05858732 \cdot 10^{30} \\ \text{pound} &= 0.0000208AA55 \cdot 10^{10} \\ \text{horsepower} &= B40.262A \cdot 10^{-40} \\ \text{kcal} &= 0.00001A7A5B7 \cdot 10^0 \\ \text{kWh} &= 0.00B334A27 \cdot 10^0 \\ \text{Typical household electric field} &= 11913.9B \cdot 10^{-50} \\ \text{Earth magnetic field} &= 0.000012B01B6 \cdot 10^{-40} \\ \text{Height of an average man}^{41} &= 0.0000AA1872A \cdot 10^{30}\end{aligned}$$

$$\begin{aligned}1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 975.66B7 \cdot \text{Earth g} \\ 1 \text{re-} L &= 10^{20} = 0.00000143A19B \text{cm} \\ 1 \text{vo-} T &= 10^{40} = 68A9339. \text{min} \\ 1 \text{vo-} T &= 10^{40} = 1421A3.2 \text{ h} \\ 1 \text{bi-} L^3 &= 10^{80} = 441B.974 l \\ 1 \text{xa-} L^2 &= 10^{60} = B1807.72 A \\ 1 \text{xa-} L^2 &= 10^{60} = 5634145. \cdot 84 \text{m}^2 \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{km/h} \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{mi/h} \\ 1 \text{ci-} L &= 10^{30} = 65130B.6 \text{ in} \\ 1 \text{ci-} L &= 10^{30} = 21.29A02 \text{ mi} \\ 1 \text{pa-} M &= 10^{10} = 59A10.06 \text{ pound} \\ 1 \text{ni'uvu-} \frac{ML^2}{T^3} &= 10^{-40} = 0.0010854B3 \text{horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 6432B.33 \text{kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 109.3403 \text{kWh} \\ 1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.0000A5709A9 E_H \\ 1 \text{ni'uvu-} \frac{M}{T Q} &= 10^{-40} = 97A02.59 \cdot \text{Earth magnetic field} \\ 1 \text{ci-} L &= 10^{30} = 1133B.A3 \bar{h}\end{aligned}$$

<sup>31</sup>Length in atomic and solid state physics, 1/A nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>30 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

Mass of an average man =  $0.002262371 \cdot 10^{10}$

Age of the Universe =  $225635.8 \cdot 10^{40}$

Size of the observable Universe =  $0.000579B020 \cdot 10^{50}$

Average density of the Universe =  $682.ABB5 \cdot 10^{-A0}$  (\*)

Earth mass =  $4120A28. \cdot 10^{20}$

Sun mass<sup>42</sup> =  $0.5599167 \cdot 10^{30}$

Year =  $0.039194A7 \cdot 10^{40}$

Speed of Light = 1.000000 (\*\*\*)

Parsec =  $0.1033141 \cdot 10^{40}$

Astronomical unit =  $0.000001297941 \cdot 10^{40}$

Earth radius =  $110.A68A \cdot 10^{30}$

Distance Earth-Moon =  $5589.605 \cdot 10^{30}$

Momentum of someone walking<sup>43</sup> =  $4B1.0083 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$

mol =  $0.01110B95 \cdot 10^{20}$

Standard temperature<sup>44</sup> =  $0.000B323BA3 \cdot 10^{-20}$

Room - standard temperature<sup>45</sup> =  $0.00009A95396 \cdot 10^{-20}$

atm =  $0.00247290B \cdot 10^{-80}$

$c_s = 0.0000034BB524 \cdot 10^0$  (\*)

$\mu_0 = 1.000000$  (\*\*\*)

$G = 0.0B561508 \cdot 10^0$

$1m = 0.001889B98 \cdot 10^0$

$1 = 1.000000$  (\*\*\*)

$1k = 6B4.0000 \cdot 10^0$  (\*\*)

$1m\frac{1}{s} = 4A2B58.B \cdot 10^{-40}$

$1\frac{1}{s} = 0.0002985A47 \cdot 10^{-30}$

$1k\frac{1}{s} = 0.1760B49 \cdot 10^{-30}$

$1m\frac{1}{s^2} = 117.7401 \cdot 10^{-70}$

$1\frac{1}{s^2} = 7A823.1A \cdot 10^{-70}$

$1k\frac{1}{s^2} = 0.00004696247 \cdot 10^{-60}$

$1ms = 7.470374 \cdot 10^{30}$

$1s = 4332.151 \cdot 10^{30}$

$1ks = 0.000002580087 \cdot 10^{40}$  (\*)

$1mm = A707A.B1 \cdot 10^{20}$

$1m = 0.00006163AB3 \cdot 10^{30}$

$1km = 0.0366731B \cdot 10^{30}$

$1m\frac{m}{s} = 25.8A836 \cdot 10^{-10}$

$1\frac{m}{s} = 15264.AB \cdot 10^{-10}$

$1k\frac{m}{s} = 0.000009B63212 \cdot 10^0$

$1m\frac{m}{s^2} = 0.006B65A44 \cdot 10^{-40}$

$1\frac{m}{s^2} = 4.041888 \cdot 10^{-40}$

$1k\frac{m}{s^2} = 23B8.93B \cdot 10^{-40}$

$1pa \cdot M = 10^{10} = 552.0297 \bar{m}$

$1vo \cdot T = 10^{40} = 0.000005537B64t_U$

$1mu \cdot L = 10^{50} = 2158.7A4l_U$

$1ni'ujauau \cdot \frac{M}{L^3} = 10^{-A0} = 0.001964B91\rho_U$

$1ci \cdot M = 10^{30} = 2B1846.Am_E$

$1ci \cdot M = 10^{30} = 2.230A56m_S$

$1vo \cdot T = 10^{40} = 32.33487y$

$1\frac{L}{T} = 1 = 1.000000c$  (\*\*\*)

$1vo \cdot L = 10^{40} = B.899066pc$

$1vo \cdot L = 10^{40} = 98884B.7au$

$1ci \cdot L = 10^{30} = 0.00B021658r_E$

$1ci \cdot L = 10^{30} = 0.0002235623d_M$

$1\frac{ML}{T} = 1 = 0.00252B621 \cdot Momentum of someone walking$

$1\frac{M}{T^3\Theta^4} = 1 = 6.0B4B92\frac{\pi^2}{50} = \sigma$

$1re = 10^{20} = B0.01120mol$

$1ni'ure \cdot \Theta = 10^{-20} = 1094.673T_0$

$1ni'ure \cdot \Theta = 10^{-20} = 12669.39\Theta_R$

$1ni'ubi \cdot \frac{M}{LT^2} = 10^{-80} = 504.B7BBatm$  (\*)

$1\frac{L}{T} = 1 = 36197A.6 \cdot c_s$

$1\frac{ML}{Q^2} = 1 = 1.000000 \cdot \mu_0$  (\*\*\*)

$1\frac{L^3}{MT^2} = 1 = 10.69683 \cdot G$

### Extensive list of SI units

$1 = 1 = 6B4.0000m$  (\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 = 1 = 0.001889B98k$

$1ni'uvoo \cdot \frac{1}{T} = 10^{-40} = 0.000002580087m\frac{1}{s}$  (\*)

$1ni'uci \cdot \frac{1}{T} = 10^{-30} = 4332.151\frac{1}{s}$

$1ni'uci \cdot \frac{1}{T} = 10^{-30} = 7.470374k\frac{1}{s}$

$1ni'uze \cdot \frac{1}{T^2} = 10^{-70} = 0.00A68A5AAm\frac{1}{s^2}$

$1ni'uze \cdot \frac{1}{T^2} = 10^{-70} = 0.000016300A2\frac{1}{s^2}$  (\*)

$1ni'uxa \cdot \frac{1}{T^2} = 10^{-60} = 27653.81k\frac{1}{s^2}$

$1ci \cdot T = 10^{30} = 0.1760B49ms$

$1ci \cdot T = 10^{30} = 0.0002985A47s$

$1vo \cdot T = 10^{40} = 4A2B58.Bks$

$1re \cdot L = 10^{20} = 0.00001172563mm$

$1ci \cdot L = 10^{30} = 1B602.76m$

$1ci \cdot L = 10^{30} = 34.73B1Bkm$

$1ni'upa \cdot \frac{L}{T} = 10^{-10} = 0.04A127A8m\frac{m}{s}$

$1ni'upa \cdot \frac{L}{T} = 10^{-10} = 0.00008449701\frac{m}{s}$

$1\frac{L}{T} = 1 = 1255A8.5k\frac{m}{s}$

$1ni'uvoo \cdot \frac{L}{T^2} = 10^{-40} = 188.26A3m\frac{m}{s^2}$

$1ni'uvoo \cdot \frac{L}{T^2} = 10^{-40} = 0.2B8AB7B\frac{m}{s^2}$

$1ni'uvoo \cdot \frac{L}{T^2} = 10^{-40} = 0.0005191B72k\frac{m}{s^2}$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>18 °C

$1 \text{m m s} = 0.0003929527 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 3225.270 \text{ m m s}$
$1 \text{m s} = 0.2221423 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 5.602125 \text{ m s}$
$1 \text{k m s} = 131.9405 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 0.00960A65B \text{ k m s}$
$1 \text{m m}^2 = 5.4A5BA4 \cdot 10^{50}$	$1 \text{mu-L}^2 = 10^{50} = 0.2277695 \text{ m m}^2$
$1 \text{m}^2 = 3166.2B1 \cdot 10^{50}$	$1 \text{mu-L}^2 = 10^{50} = 0.0003A03A35 \text{ m}^2$
$1 \text{k m}^2 = 0.000001988743 \cdot 10^{60}$	$1 \text{xa-L}^2 = 10^{60} = 6764B2.B \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.001322921 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 959.591B \text{ m}^{\frac{m^2}{s}}$
$1 \text{m}^{\frac{2}{s}} = 0.8955A48 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 1.447672 \frac{\text{m}^2}{\text{s}}$
$1 \text{k m}^{\frac{2}{s}} = 510.414A \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.002439376 \text{k} \frac{\text{m}^2}{\text{s}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{m^2}{s^2}}$
$1 \text{m}^{\frac{2}{s^2}} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k m}^{\frac{2}{s^2}} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 1B119.64 \cdot 10^{80}$	$1 \text{bi-L}^2 T = 10^{80} = 0.00006299AB1 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 0.00001144796 \cdot 10^{90}$	$1 \text{so-L}^2 T = 10^{90} = A9353.97 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.007899755 \cdot 10^{90}$	$1 \text{so-L}^2 T = 10^{90} = 167.4A88 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 34.73B1B \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.0366731B \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 1B602.76 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.00006163AB3 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 0.00001172563 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{1}{L} = 10^{-20} = A707A.B1 \text{ k} \frac{1}{\text{m}}$
$1 \text{m} \frac{1}{\text{m s}} = 0.00960A65B \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 131.9405 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 5.602125 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.2221423 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 3225.270 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.0003929527 \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 228513B \cdot 10^{-A0}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 548696.A \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.00135521B \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 939.AA71 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 0.8B38779 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 1.412994 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m} \frac{\text{s}}{\text{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{\text{s}}{\text{m}}$
$1 \text{k} \frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k} \frac{\text{s}}{\text{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 6764B2.B \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{L^2} = 10^{-60} = 0.000001988743 \text{ m}^{\frac{1}{\text{m}^2}}$
$1 \frac{1}{\text{m}^2} = 0.0003A03A35 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 3166.2B1 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 0.2277695 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 5.4A5BA4 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 167.4A88 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{L^2 T} = 10^{-90} = 0.007899755 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = A9353.97 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{L^2 T} = 10^{-90} = 0.00001144796 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.00006299AB1 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^2 T} = 10^{-80} = 1B119.64 \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.044365B4 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 29.06289 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 26.31B13 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.04912273 \frac{1}{\text{m}^2 s^2}$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 1561B.45 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.0000827BBA8 \text{ k} \frac{1}{\text{m}^2 s^2} \quad (*)$
$1 \text{m}^{\frac{s}{m^2}} = 0.002439376 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 510.414A \text{ m}^{\frac{s}{\text{m}^2}}$
$1 \frac{s}{m^2} = 1.447672 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.8955A48 \frac{\text{s}}{\text{m}^2}$
$1 \text{k} \frac{s}{m^2} = 959.591B \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.001322921 \text{k} \frac{\text{s}}{\text{m}^2}$
$1 \text{m}^{\frac{1}{m^3}} = 0.010B9215 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = B1.15A06 \text{ m}^{\frac{1}{\text{m}^3}}$
$1 \frac{1}{\text{m}^3} = 7.618486 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.1720559 \frac{1}{\text{m}^3}$
$1 \text{k} \frac{1}{\text{m}^3} = 441B.974 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.000291609B \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 305650A \cdot 10^{-100}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 3B4868.2 \text{ m}^{\frac{1}{\text{m}^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.001912533 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 69A.8A01 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 1.026433 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 0.B962026 \text{ k} \frac{1}{\text{m}^3 s}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 865.020B \cdot 10^{-130}$	$1 \text{ni'upaci-}\frac{1}{L^3 T^2} = 10^{-130} = 0.0014A56AB \text{ m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 4B329A.5 \cdot 10^{-130}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 251A383. \frac{1}{\text{m}^3 s^2}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 0.0002A37172 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 4246.813 \text{ k} \frac{1}{\text{m}^3 s^2}$
$1 \text{m}^{\frac{s}{m^3}} = 47.55297 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.0271B313 \text{ m}^{\frac{s}{\text{m}^3}}$
$1 \frac{s}{m^3} = 28111.01 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.000045A1B97 \frac{\text{s}}{\text{m}^3}$

$$\begin{aligned}
1 \mathbf{k} \frac{\mathbf{s}}{\mathbf{m}^3} &= 0.0000166A2A4 \cdot 10^{-40} \\
1 \mathbf{m} \mathbf{kg} &= 7A310.A2 \cdot 10^0 \\
1 \mathbf{kg} &= 0.00004666953 \cdot 10^{10} \\
1 \mathbf{kg} \mathbf{kg} &= 0.02769716 \cdot 10^{10} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}} &= 1A.0920B \cdot 10^{-30} \\
1 \frac{\mathbf{kg}}{\mathbf{s}} &= 10927.85 \cdot 10^{-30} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}} &= 0.000007480418 \cdot 10^{-20} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}^2} &= 0.0051B8628 \cdot 10^{-60} \\
1 \frac{\mathbf{kg}}{\mathbf{s}^2} &= 2.BA479A \cdot 10^{-60} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}^2} &= 1890.978 \cdot 10^{-60} \\
1 \mathbf{m} \mathbf{kg} \mathbf{s} &= 0.00029680B7 \cdot 10^{40} \\
1 \mathbf{kg} \mathbf{s} &= 0.1750414 \cdot 10^{40} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{s} &= B2.A306A \cdot 10^{40} \\
1 \mathbf{m} \mathbf{kg} \mathbf{m} &= 4.016594 \cdot 10^{30} \\
1 \mathbf{kg} \mathbf{m} &= 23A2.842 \cdot 10^{30} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m} &= 0.000001415007 \cdot 10^{40} \quad (*) \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} &= 0.000B32345B \cdot 10^0 \\
1 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} &= 0.6629A12 \cdot 10^0 \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} &= 393.3702 \cdot 10^0 \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} &= 2778AA.6 \cdot 10^{-40} \\
1 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} &= 0.0001639122 \cdot 10^{-30} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} &= 0.0A721226 \cdot 10^{-30} \\
1 \mathbf{m} \mathbf{kg} \mathbf{m} \mathbf{s} &= 15173.52 \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{m} \mathbf{s} &= 9AB9B1A. \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m} \mathbf{s} &= 0.0058A3575 \cdot 10^{70} \\
1 \mathbf{m} \mathbf{kg} \mathbf{m}^2 &= 0.000206A8A8 \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{m}^2 &= 0.1227A71 \cdot 10^{60} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m}^2 &= 82.914A4 \cdot 10^{60} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} &= 59041.89 \cdot 10^{20} \\
1 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} &= 0.000033B4494 \cdot 10^{30} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} &= 0.01B14B26 \cdot 10^{30} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} &= 14.1A945 \cdot 10^{-10} \\
1 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} &= 9426.245 \cdot 10^{-10} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} &= 0.0000054B2985 \cdot 10^0 \\
1 \mathbf{m} \mathbf{kg} \mathbf{m}^2 \mathbf{s} &= 0.88B9863 \cdot 10^{90} \\
1 \mathbf{kg} \mathbf{m}^2 \mathbf{s} &= 509.0812 \cdot 10^{90} \\
1 \mathbf{kg} \mathbf{kg} \mathbf{m}^2 \mathbf{s} &= 2B1AA8.3 \cdot 10^{90} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m}} &= 0.001347239 \cdot 10^{-20} \\
1 \frac{\mathbf{kg}}{\mathbf{m}} &= 0.8A9B350 \cdot 10^{-20} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m}} &= 519.A444 \cdot 10^{-20} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} &= 372644.8 \cdot 10^{-60} \\
1 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} &= 0.0002100AA6 \cdot 10^{-50} \quad (*) \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} &= 0.1257A36 \cdot 10^{-50} \\
1 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} &= A1.4638B \cdot 10^{-90} \\
1 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} &= 5A2A9.20 \cdot 10^{-90} \\
1 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} &= 0.00003479550 \cdot 10^{-80} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} &= 5.587529 \cdot 10^{10} \\
1 \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} &= 3204.638 \cdot 10^{10} \\
1 \mathbf{k} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} &= 0.000001A01351 \cdot 10^{20} \\
1 \mathbf{m} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}^2} &= 26.1644A \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \mathbf{ni}'\mathbf{u}\mathbf{v}\mathbf{o} - \frac{T}{L^3} &= 10^{-40} = 7906A.72 \mathbf{k} \frac{\mathbf{s}}{\mathbf{m}^3} \\
1 M &= 1 = 0.0000163BB04 \mathbf{m} \mathbf{kg} \quad (*) \\
1 \mathbf{pa}\text{-}M &= 10^{10} = 27819.44 \mathbf{kg} \\
1 \mathbf{pa}\text{-}M &= 10^{10} = 46.8A90A \mathbf{k} \mathbf{kg} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{M}{T} &= 10^{-30} = 0.06639A84 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{M}{T} &= 10^{-30} = 0.0000B340242 \frac{\mathbf{kg}}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{T} &= 10^{-20} = 175A37.3 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{T^2} &= 10^{-60} = 23A.6B9A \mathbf{m} \frac{\mathbf{kg}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{T^2} &= 10^{-60} = 0.4021A89 \frac{\mathbf{kg}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{T^2} &= 10^{-60} = 0.0006B30821 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{s}^2} \\
1 \mathbf{vo}\text{-}MT &= 10^{40} = 435B.497 \mathbf{m} \mathbf{kg} \mathbf{s} \\
1 \mathbf{vo}\text{-}MT &= 10^{40} = 7.4B9989 \mathbf{kg} \mathbf{s} \\
1 \mathbf{vo}\text{-}MT &= 10^{40} = 0.01099232 \mathbf{k} \mathbf{kg} \mathbf{m} \\
1 \mathbf{ci}\text{-}ML &= 10^{30} = 0.2BAA214 \mathbf{m} \mathbf{kg} \mathbf{m} \\
1 \mathbf{ci}\text{-}ML &= 10^{30} = 0.0005206092 \mathbf{kg} \mathbf{m} \\
1 \mathbf{vo}\text{-}ML &= 10^{40} = 8B2608.B \mathbf{k} \mathbf{kg} \mathbf{m} \\
1 \frac{ML}{T} &= 1 = 1094.737 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} \\
1 \frac{ML}{T} &= 1 = 1.A106A2 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} \\
1 \frac{ML}{T} &= 1 = 0.00322003A \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}} \quad (*) \\
1 \mathbf{ni}'\mathbf{u}\mathbf{v}\mathbf{o} - \frac{ML}{T^2} &= 10^{-40} = 0.000004673230 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{ML}{T^2} &= 10^{-30} = 7A43.708 \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{c}\mathbf{i} - \frac{ML}{T^2} &= 10^{-30} = 11.70743 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}}{\mathbf{s}^2} \\
1 \mathbf{xa}\text{-}MLT &= 10^{60} = 0.000084A291B \mathbf{m} \mathbf{kg} \mathbf{m} \mathbf{s} \\
1 \mathbf{ze}\text{-}MLT &= 10^{70} = 126334.0 \mathbf{kg} \mathbf{m} \mathbf{s} \\
1 \mathbf{ze}\text{-}MLT &= 10^{70} = 211.188A \mathbf{k} \mathbf{kg} \mathbf{m} \mathbf{s} \\
1 \mathbf{xa}\text{-}ML^2 &= 10^{60} = 5A39.6BA \mathbf{m} \mathbf{kg} \mathbf{m}^2 \\
1 \mathbf{xa}\text{-}ML^2 &= 10^{60} = A.16100A \mathbf{kg} \mathbf{m}^2 \quad (*) \\
1 \mathbf{xa}\text{-}ML^2 &= 10^{60} = 0.0155B69B \mathbf{k} \mathbf{kg} \mathbf{m}^2 \\
1 \mathbf{re}\text{-} \frac{ML^2}{T} &= 10^{20} = 0.00002104911 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} \\
1 \mathbf{ci}\text{-} \frac{ML^2}{T} &= 10^{30} = 37310.30 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} \\
1 \mathbf{ci}\text{-} \frac{ML^2}{T} &= 10^{30} = 62.8B8B8 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{p}\mathbf{a} - \frac{ML^2}{T^2} &= 10^{-10} = 0.08AB38A3 \mathbf{m} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{p}\mathbf{a} - \frac{ML^2}{T^2} &= 10^{-10} = 0.0001349690 \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} \\
1 \frac{ML^2}{T^2} &= 1 = 2273B4.5 \mathbf{k} \frac{\mathbf{kg} \mathbf{m}^2}{\mathbf{s}^2} \\
1 \mathbf{so}\text{-}ML^2T &= 10^{90} = 1.456230 \mathbf{m} \mathbf{kg} \mathbf{m}^2 \mathbf{s} \\
1 \mathbf{so}\text{-}ML^2T &= 10^{90} = 0.002453826 \mathbf{kg} \mathbf{m}^2 \mathbf{s} \\
1 \mathbf{jauau}\text{-}ML^2T &= 10^{A0} = 4119413. \mathbf{k} \mathbf{kg} \mathbf{m}^2 \mathbf{s} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{L} &= 10^{-20} = 943.B590 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{L} &= 10^{-20} = 1.421329 \frac{\mathbf{kg}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{r}\mathbf{e} - \frac{M}{L} &= 10^{-20} = 0.0023B4B88 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{x}\mathbf{a} - \frac{M}{LT} &= 10^{-60} = 0.0000033BA674 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{m}\mathbf{u} - \frac{M}{LT} &= 10^{-50} = 5912.938 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{m}\mathbf{u} - \frac{M}{LT} &= 10^{-50} = 9.B4AB35 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{s}\mathbf{o} - \frac{M}{LT^2} &= 10^{-90} = 0.0122A0A5 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{s}\mathbf{o} - \frac{M}{LT^2} &= 10^{-90} = 0.00002072638 \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{b}\mathbf{i} - \frac{M}{LT^2} &= 10^{-80} = 36615.98 \mathbf{k} \frac{\mathbf{kg}}{\mathbf{m} \mathbf{s}^2} \\
1 \mathbf{pa}\text{-} \frac{MT}{L} &= 10^{10} = 0.2236413 \mathbf{m} \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} \\
1 \mathbf{pa}\text{-} \frac{MT}{L} &= 10^{10} = 0.0003952971 \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} \\
1 \mathbf{re}\text{-} \frac{MT}{L} &= 10^{20} = 6661B5.B \frac{\mathbf{kg} \mathbf{s}}{\mathbf{m}} \\
1 \mathbf{ni}'\mathbf{u}\mathbf{m}\mathbf{u} - \frac{M}{L^2} &= 10^{-50} = 0.04943351 \mathbf{m} \frac{\mathbf{kg}}{\mathbf{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 15527.67 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00008314066 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 0.00000A10AB0A \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{M}{L^2} = 10^{-40} = 123321.1 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.007076306 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 185.041 B \text{ m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 4.0B8292 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.2B34B03 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 2441.19 A \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.00050B79B2 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 179866 B \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 732940.3 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.000B569439 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 1068.9 BA \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.6773900 \cdot 10^{-B0} \quad (*)$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 1.9857B4 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = A8859.16 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.000011513B0 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 0.00006259680 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 1B249.56 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.03712B04 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 34.10A70 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 4B0062.6 \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{ubi}-\frac{M}{L^3} = 10^{-80} = 0.00000253529A \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.0002A18B71 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 4273.46 B \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.1791572 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 7.354719 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 119.8A36 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.00A51433B \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 7BAB6.16 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.00001602416 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.00004760932 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = 27170.39 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.03296726 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 38.65A74 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 1A.54BA1 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.064B7237 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 10BAB.36 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.0000B0BB909 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} \quad (*)$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.001900976 \cdot 10^{-40} \quad (*)$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 6A3.2000 \text{m} \frac{\text{kg s}}{\text{m}^3} \quad (**)$
$1 \frac{\text{kg s}}{\text{m}^3} = 1.01A56A \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.BA19A7B \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 705.0003 \cdot 10^{-40} \quad (**)$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.0018577B7 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 20410.40 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00005ABAB83 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 0.00001210458 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = A2813.72 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.008199B06 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 157.B978 \text{k} \frac{1}{\text{C}}$
$1 \text{m} \frac{1}{\text{s C}} = 5.845543 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.213351A \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 3369.71A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0003780B26 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 0.000001AA9278 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{TQ} = 10^{-40} = 635734.1 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.001400744 \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 8BB.7A38 \text{m} \frac{1}{\text{s}^2 \text{C}} \quad (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.9318318 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 1.366A85 \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 543.9885 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.0022A497B \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.000087B982B \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 1474B.9A \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 0.050213B3 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 24.870B3 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 2A.9A7A8 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.041754B9 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 1.051829 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.B705351 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 723.8458 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.001803095 \text{m} \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 41B441.9 \cdot 10^{10}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 2A71B2A \cdot \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.0002AAB179 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 415B.816 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 0.1825281 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 7.164761 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = B8.36B2A \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.01039717 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 8208B.85 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2 Q} = 10^{-60} = 0.000015755A4 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 0.0000488BA3B \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 26549.43 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.028A1104 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 44.74A96 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 4511.788 \cdot 10^{40}$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.0002866695 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 2688690 \cdot 10^{40}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 482A47.5 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 0.001594616 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 812.2014 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 0.00006419A61 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 1A836.A8 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 0.03809BB0 \cdot 10^{40} \quad (*)$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 33.2644B \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 21.60549 \cdot 10^{40} \\
1m \frac{m^2}{sC} &= 159AA.71 \cdot 10^0 \\
1 \frac{m^2}{sC} &= A3956A9. \cdot 10^0 \\
1k \frac{m^2}{sC} &= 0.005B77887 \cdot 10^{10} \\
1m \frac{m^2}{s^2C} &= 4.20A2B2 \cdot 10^{-30} \\
1 \frac{m^2}{s^2C} &= 24B8.718 \cdot 10^{-30} \\
1k \frac{m^2}{s^2C} &= 0.000001492843 \cdot 10^{-20} \\
1m \frac{m^2s}{C} &= 0.2313AA6 \cdot 10^{70} \\
1 \frac{m^2s}{C} &= 138.3256 \cdot 10^{70} \\
1k \frac{m^2s}{C} &= 90B4B.0B \cdot 10^{70} \\
1m \frac{1}{mC} &= 0.0003B80559 \cdot 10^{-40} \\
1 \frac{1}{mC} &= 0.23705A0 \cdot 10^{-40} \\
1k \frac{1}{mC} &= 13B.6A86 \cdot 10^{-40} \\
1m \frac{1}{msC} &= B1A9A.B5 \cdot 10^{-80} \\
1 \frac{1}{msC} &= 0.0000655A621 \cdot 10^{-70} \\
1k \frac{1}{msC} &= 0.038A1582 \cdot 10^{-70} \\
1m \frac{1}{ms^2C} &= 27.415B1 \cdot 10^{-B0} \\
1 \frac{1}{ms^2C} &= 1617B.86 \cdot 10^{-B0} \\
1k \frac{1}{ms^2C} &= 0.00000A5B6875 \cdot 10^{-A0} \\
1m \frac{s}{mC} &= 1.4B7945 \cdot 10^{-10} \\
1 \frac{s}{mC} &= 99A.2846 \cdot 10^{-10} \\
1k \frac{s}{mC} &= 582500.A \cdot 10^{-10} \quad (*) \\
1m \frac{1}{m^2C} &= 7.94391A \cdot 10^{-70} \\
1 \frac{1}{m^2C} &= 4603.B57 \cdot 10^{-70} \\
1k \frac{1}{m^2C} &= 0.000002732357 \cdot 10^{-60} \\
1m \frac{1}{m^2sC} &= 0.0019A2AA3 \cdot 10^{-A0} \\
1 \frac{1}{m^2sC} &= 1.079160 \cdot 10^{-A0} \\
1k \frac{1}{m^2sC} &= 739.A853 \cdot 10^{-A0} \\
1m \frac{1}{m^2s^2C} &= 51475B.5 \cdot 10^{-120} \\
1 \frac{1}{m^2s^2C} &= 0.0002B63548 \cdot 10^{-110} \\
1k \frac{1}{m^2s^2C} &= 0.18683B5 \cdot 10^{-110} \\
1m \frac{s}{m^2C} &= 292A0.68 \cdot 10^{-40} \\
1 \frac{s}{m^2C} &= 0.00001729852 \cdot 10^{-30} \\
1k \frac{s}{m^2C} &= 0.00B16A068 \cdot 10^{-30} \\
1m \frac{1}{m^3C} &= 132A10.A \cdot 10^{-A0} \\
1 \frac{1}{m^3C} &= 0.00008998893 \cdot 10^{-90} \\
1k \frac{1}{m^3C} &= 0.05129677 \cdot 10^{-90} \\
1m \frac{1}{m^3sC} &= 36.97105 \cdot 10^{-110} \\
1 \frac{1}{m^3sC} &= 20927.26 \cdot 10^{-110} \\
1k \frac{1}{m^3sC} &= 0.00001240009 \cdot 10^{-100} \quad (**) \\
1m \frac{1}{m^3s^2C} &= 0.00A027971 \cdot 10^{-140} \\
1 \frac{1}{m^3s^2C} &= 5.96A49B \cdot 10^{-140} \\
1k \frac{1}{m^3s^2C} &= 3431.82A \cdot 10^{-140} \\
1m \frac{s}{m^3C} &= 0.0005511343 \cdot 10^{-60} \\
1 \frac{s}{m^3C} &= 0.3180428 \cdot 10^{-60} \\
1k \frac{s}{m^3C} &= 199.7114 \cdot 10^{-60} \\
1m \frac{kg}{C} &= 0.9278524 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{vo-} \frac{L^2}{Q} &= 10^{40} = 0.05790B0B \text{k} \frac{m^2}{C} \\
1 \frac{L^2}{TQ} &= 1 = 0.000080B332A \text{m} \frac{m^2}{sC} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 11B617.5 \frac{m^2}{sC} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 201.561A \text{k} \frac{m^2}{sC} \\
1 \text{ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.2A6169B \text{m} \frac{m^2}{s^2C} \\
1 \text{ni'uci-} \frac{L^2}{T^2Q} &= 10^{-30} = 0.0004B774BA \frac{m^2}{s^2C} \\
1 \text{ni'ure-} \frac{L^2}{T^2Q} &= 10^{-20} = 870707.9 \text{k} \frac{m^2}{s^2C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 5.38A54A \text{m} \frac{m^2s}{C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 0.009218442 \frac{m^2s}{C} \\
1 \text{ze-} \frac{L^2T}{Q} &= 10^{70} = 0.000013A3A86 \text{k} \frac{m^2s}{C} \\
1 \text{ni'uvoo-} \frac{1}{LQ} &= 10^{-40} = 302B.AA3 \text{m} \frac{1}{mC} \\
1 \text{ni'uvoo-} \frac{1}{LQ} &= 10^{-40} = 5.277BB4 \frac{1}{mC} \quad (*) \\
1 \text{ni'uvoo-} \frac{1}{LQ} &= 10^{-40} = 0.00902A676 \text{k} \frac{1}{mC} \\
1 \text{ni'ubibi-} \frac{1}{LTQ} &= 10^{-80} = 0.000010AA38B \text{m} \frac{1}{msC} \\
1 \text{ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 1A371.B6 \frac{1}{msC} \\
1 \text{ni'uze-} \frac{1}{LTQ} &= 10^{-70} = 32.64A81 \text{k} \frac{1}{msC} \\
1 \text{ni'uviae-} \frac{1}{LT^2Q} &= 10^{-B0} = 0.0471699B \text{m} \frac{1}{ms^2C} \\
1 \text{ni'uviae-} \frac{1}{LT^2Q} &= 10^{-B0} = 0.00007B32343 \frac{1}{ms^2C} \\
1 \text{ni'ujauau-} \frac{1}{LT^2Q} &= 10^{-A0} = 118752.3 \text{k} \frac{1}{ms^2C} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.859A549 \text{m} \frac{s}{mC} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 0.00127B487 \frac{s}{mC} \\
1 \frac{T}{LQ} &= 1 = 21405A1. \text{k} \frac{s}{mC} \\
1 \text{ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 0.1661389 \text{m} \frac{1}{m^2C} \\
1 \text{ni'uze-} \frac{1}{L^2Q} &= 10^{-70} = 0.00027B97A8 \frac{1}{m^2C} \\
1 \text{ni'uxa-} \frac{1}{L^2Q} &= 10^{-60} = 47326A.B \text{k} \frac{1}{m^2C} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 670.A44A \text{m} \frac{1}{m^2sC} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 0.B477785 \frac{1}{m^2sC} \\
1 \text{ni'ujauau-} \frac{1}{L^2TQ} &= 10^{-A0} = 0.001781361 \text{k} \frac{1}{m^2sC} \\
1 \text{ni'upare-} \frac{1}{L^2T^2Q} &= 10^{-120} = 0.00000241972A \text{m} \frac{1}{m^2s^2C} \\
1 \text{ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 4078.762 \frac{1}{m^2s^2C} \\
1 \text{ni'upapa-} \frac{1}{L^2T^2Q} &= 10^{-110} = 7.007BB1 \text{k} \frac{1}{m^2s^2C} \quad (**) \\
1 \text{ni'uvoo-} \frac{T}{L^2Q} &= 10^{-40} = 0.000043BA884 \text{m} \frac{s}{m^2C} \\
1 \text{ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 75A10.87 \frac{s}{m^2C} \\
1 \text{ni'uci-} \frac{T}{L^2Q} &= 10^{-30} = 10B.2B2A \text{k} \frac{s}{m^2C} \\
1 \text{ni'ujauau-} \frac{1}{L^3Q} &= 10^{-A0} = 0.00000954B08B \text{m} \frac{1}{m^3C} \\
1 \text{ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 143B8.0B \frac{1}{m^3C} \\
1 \text{ni'uso-} \frac{1}{L^3Q} &= 10^{-90} = 24.27836 \text{k} \frac{1}{m^3C} \\
1 \text{ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 0.03445B33 \text{m} \frac{1}{m^3sC} \\
1 \text{ni'upapa-} \frac{1}{L^3TQ} &= 10^{-110} = 0.000059925A1 \frac{1}{m^3sC} \\
1 \text{ni'upano-} \frac{1}{L^3TQ} &= 10^{-100} = A0683.B4 \text{k} \frac{1}{m^3sC} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 124.595B \text{m} \frac{1}{m^3s^2C} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.20A0723 \frac{1}{m^3s^2C} \\
1 \text{ni'upavo-} \frac{1}{L^3T^2Q} &= 10^{-140} = 0.00036B0443 \text{k} \frac{1}{m^3s^2C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 2266.917 \text{m} \frac{s}{m^3C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 3.9A5893 \frac{s}{m^3C} \\
1 \text{ni'uxa-} \frac{T}{L^3Q} &= 10^{-60} = 0.006732853 \text{k} \frac{s}{m^3C} \\
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 1.374B9B \text{m} \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 540.41A9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 31078A.6 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.00021A954A \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.12BA2B6 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 88.0B9A7 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 608BA.08 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.000036124A6 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.02044406 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 3348.037 \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 1A96509. \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.001123672 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0000485B227 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.02883A40 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 16.B0559 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 11283.3B \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s C}} &= 77A0190. \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.004518A42 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 3.119027 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 195B.5B6 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.000001053461 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.18141BB \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m s}}{\text{C}} &= B7.8031B \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 689B0.60 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 24A1.A50 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 1483A38. \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.00097B156B \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.690400B \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 3AA.839B \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 231771.3 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.00016B72A1 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0AB86B0B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 64.2828B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.00000A3296A4 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.005B39518 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 3.532B58 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 16083.05 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m C}} &= A549387. \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 0.0060699BA \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 4.287B8B \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s C}} &= 2542.A0B \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 0.0000014BA108 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.000BA58613 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.6A54B91 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 3B8.6B30 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 0.00006518526 \cdot 10^0 \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.038785AA \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 21.A0238 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upa}-\frac{M}{Q} &= 10^{-10} = 0.0022BA2B6 \frac{\text{kg}}{\text{C}} \\
1 \frac{M}{Q} &= 1 = 3A77526. \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'\text{uvo}-\frac{M}{TQ} &= 10^{-40} = 5687.971 \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubo}-\frac{M}{TQ} &= 10^{-40} = 9.73633A \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubo}-\frac{M}{TQ} &= 10^{-40} = 0.0147288A \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubi}-\frac{M}{T^2Q} &= 10^{-80} = 0.00001B90511 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{M}{T^2Q} &= 10^{-70} = 35065.B0 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze}-\frac{M}{T^2Q} &= 10^{-70} = 5A.B13B9 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re}-\frac{MT}{Q} &= 10^{20} = 0.00037A5353 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci}-\frac{MT}{Q} &= 10^{30} = 639833.1 \frac{\text{kg s}}{\text{C}} \\
1 \text{ci}-\frac{MT}{Q} &= 10^{30} = AAB.B398 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re}-\frac{ML}{Q} &= 10^{20} = 26706.6A \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{re}-\frac{ML}{Q} &= 10^{20} = 44.A3085 \frac{\text{kg m}}{\text{C}} \\
1 \text{re}-\frac{ML}{Q} &= 10^{20} = 0.0773BAAB \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni}'\text{ure}-\frac{ML}{TQ} &= 10^{-20} = 0.0000AA805A6 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{upa}-\frac{ML}{TQ} &= 10^{-10} = 16996A.9 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{upa}-\frac{ML}{TQ} &= 10^{-10} = 286.218A \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{umu}-\frac{ML}{T^2Q} &= 10^{-50} = 0.3A6291B \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu}-\frac{ML}{T^2Q} &= 10^{-50} = 0.0006847569 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ubo}-\frac{ML}{T^2Q} &= 10^{-40} = B6AA49.9 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu}-\frac{MLT}{Q} &= 10^{50} = 7.1B01A0 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{mu}-\frac{MLT}{Q} &= 10^{50} = 0.01045710 \frac{\text{kg m s}}{\text{C}} \\
1 \text{mu}-\frac{MLT}{Q} &= 10^{50} = 0.00001946707 \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{vo}-\frac{ML^2}{Q} &= 10^{40} = 0.0004BAAB169 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu}-\frac{ML^2}{Q} &= 10^{50} = 8761B5.3 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu}-\frac{ML^2}{Q} &= 10^{50} = 12AA.55A \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa}-\frac{ML^2}{TQ} &= 10^{10} = 1.93AB41 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{pa}-\frac{ML^2}{TQ} &= 10^{10} = 0.0030A2715 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{re}-\frac{ML^2}{TQ} &= 10^{20} = 5381962. \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ni}'\text{ure}-\frac{ML^2}{T^2Q} &= 10^{-20} = 7713.315 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ure}-\frac{ML^2}{T^2Q} &= 10^{-20} = 11.15210 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ure}-\frac{ML^2}{T^2Q} &= 10^{-20} = 0.01A805AA \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi}-\frac{ML^2T}{Q} &= 10^{80} = 120324.5 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi}-\frac{ML^2T}{Q} &= 10^{80} = 202.920A \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi}-\frac{ML^2T}{Q} &= 10^{80} = 0.35A535A \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni}'\text{ubo}-\frac{M}{LQ} &= 10^{-40} = 0.00007B84161 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uci}-\frac{M}{LQ} &= 10^{-30} = 119440.8 \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uci}-\frac{M}{LQ} &= 10^{-30} = 1B9.8B2A \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uze}-\frac{M}{LTQ} &= 10^{-70} = 0.2A09962 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{uze}-\frac{M}{LTQ} &= 10^{-70} = 0.0004AA5263 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{uxa}-\frac{M}{LTQ} &= 10^{-60} = 858875.2 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{ujauau}-\frac{M}{LT^2Q} &= 10^{-A0} = 1016.5A1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{ujauau}-\frac{M}{LT^2Q} &= 10^{-A0} = 1.8B5B19 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{ujauau}-\frac{M}{LT^2Q} &= 10^{-A0} = 0.003026B93 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 1A497.82 \text{m} \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 32.85AA5 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.056A7862 \text{k} \frac{\text{kg s}}{\text{m C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.0002B445A8 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.1857063 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= BA.156B2 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 83406.72 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.0000495A11A \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.02932694 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 1B.30492 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 11558.91 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.000007954557 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 1.070B51 \cdot 10^{-30} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 735.1B3B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 4271A2.0 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 5.931532 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 340B.7BB \cdot 10^{-90} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.000001B24102 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.0014266A8 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.94703A0 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 551.A167 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 396584.B \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.0002242B71 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.13301B2 \cdot 10^{-130} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 207A7.16 \cdot 10^{-60} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.000012328AA \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.008311058 \cdot 10^{-50} \\
1 \text{m C} &= 157.B978 \cdot 10^{10} \\
1 \text{C} &= A2813.72 \cdot 10^{10} \\
1 \text{k C} &= 0.00005ABAB83 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 0.041754B9 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{s}} &= 24.870B3 \cdot 10^{-20} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 1474B.9A \cdot 10^{-20} \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= B747140. \cdot 10^{-60} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.00687B287 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 3.A81936 \cdot 10^{-50} \\
1 \text{m s C} &= 635734.1 \cdot 10^{40} \\
1 \text{s C} &= 0.0003780B26 \cdot 10^{50} \\
1 \text{k s C} &= 0.213351A \cdot 10^{50} \\
1 \text{m m C} &= 0.00902A676 \cdot 10^{40} \\
1 \text{m C} &= 5.277BB4 \cdot 10^{40} \quad (*) \\
1 \text{k m C} &= 302B.AA3 \cdot 10^{40} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 21405A1. \cdot 10^0 \\
1 \frac{\text{m C}}{\text{s}} &= 0.00127B487 \cdot 10^{10} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.859A549 \cdot 10^{10} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 5B2.04BA \cdot 10^{-30} \\
1 \frac{\text{m C}}{\text{s}^2} &= 352296.7 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.0001BA0210 \cdot 10^{-20} \\
1 \text{m m s C} &= 32.64A81 \cdot 10^{70} \\
1 \text{m s C} &= 1A371.B6 \cdot 10^{70} \\
1 \text{k m s C} &= 0.000010AA38B \cdot 10^{80} \\
1 \text{m m}^2 \text{C} &= 47326A.B \cdot 10^{60}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'uxa \frac{M}{L^2 Q} &= 10^{-60} = 40A4.256 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni}'uxa \frac{M}{L^2 Q} &= 10^{-60} = 7.052690 \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{ni}'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.0101A9BB \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni}'ujauau \frac{M}{L^2 TQ} &= 10^{-A0} = 0.00001548B10 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'uso \frac{M}{L^2 TQ} &= 10^{-90} = 26086.13 \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'uso \frac{M}{L^2 TQ} &= 10^{-90} = 43.B37B5 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{ni}'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.06239225 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.0000A84B78B \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'upano \frac{M}{L^2 T^2 Q} &= 10^{-100} = 165A96.9 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.B53041A \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni}'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.001792096 \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{ni}'ure \frac{MT}{L^2 Q} &= 10^{-20} = 2A1A003. \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni}'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.20B4882 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni}'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.0003714287 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni}'ubi \frac{M}{L^3 Q} &= 10^{-80} = 625B99.4 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{ni}'upano \frac{M}{L^3 TQ} &= 10^{-100} = 8A7.03B3 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni}'upano \frac{M}{L^3 TQ} &= 10^{-100} = 1.3421AB \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni}'upano \frac{M}{L^3 TQ} &= 10^{-100} = 0.0022631A4 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{ni}'upavo \frac{M}{L^3 T^2 Q} &= 10^{-140} = 0.0000031B40B8 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 5569.B22 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 9.5377A9 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.00005A0B943 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni}'umu \frac{MT}{L^3 Q} &= 10^{-50} = A1127.18 \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{ni}'umu \frac{MT}{L^3 Q} &= 10^{-50} = 155.31A8 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{pa-Q} &= 10^{10} = 0.008199B06 \text{m C} \\
1 \text{pa-Q} &= 10^{10} = 0.00001210458 \text{C} \\
1 \text{re-Q} &= 10^{20} = 20410.40 \text{k C} \\
1 \text{ni}'ure \frac{Q}{T} &= 10^{-20} = 2A.9A7A8 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{ni}'ure \frac{Q}{T} &= 10^{-20} = 0.050213B3 \frac{\text{C}}{\text{s}} \\
1 \text{ni}'ure \frac{Q}{T} &= 10^{-20} = 0.000087B982B \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{ni}'umu \frac{Q}{T^2} &= 10^{-50} = 10492B.0 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{ni}'umu \frac{Q}{T^2} &= 10^{-50} = 195.0A97 \frac{\text{C}}{\text{s}^2} \\
1 \text{ni}'umu \frac{Q}{T^2} &= 10^{-50} = 0.3102859 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{vo-TQ} &= 10^{40} = 0.000001AA9278 \text{m s C} \\
1 \text{mu-TQ} &= 10^{50} = 3369.71A \text{s C} \\
1 \text{mu-TQ} &= 10^{50} = 5.845543 \text{k s C} \\
1 \text{vo-LQ} &= 10^{40} = 13B.6A86 \text{m m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.23705A0 \text{m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.0003B80559 \text{k m C} \\
1 \text{pa} \frac{LQ}{T} &= 10^{10} = 582500.A \text{m} \frac{\text{m C}}{\text{s}} \quad (*) \\
1 \text{pa} \frac{LQ}{T} &= 10^{10} = 99A.2846 \frac{\text{m C}}{\text{s}} \\
1 \text{pa} \frac{LQ}{T} &= 10^{10} = 1.4B7945 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{ni}'uci \frac{LQ}{T^2} &= 10^{-30} = 0.0020343B0 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni}'ure \frac{LQ}{T^2} &= 10^{-20} = 35B579B. \frac{\text{m C}}{\text{s}^2} \\
1 \text{ni}'ure \frac{LQ}{T^2} &= 10^{-20} = 605B.B86 \text{k} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ze-LTQ} &= 10^{70} = 0.038A1582 \text{m m s C} \\
1 \text{ze-LTQ} &= 10^{70} = 0.0000655A621 \text{m s C} \\
1 \text{bi-LTQ} &= 10^{80} = B1A9A.B5 \text{k m s C} \\
1 \text{xa-L}^2 Q &= 10^{60} = 0.000002732357 \text{m m}^2 \text{C}
\end{aligned}$$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 0.00027B97A8 \cdot 10^{70} \\
1 \text{ k m}^2 \text{ C} &= 0.1661389 \cdot 10^{70} \\
1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 10B.2B2A \cdot 10^{30} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 75A10.87 \cdot 10^{30} \\
1 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.000043BA884 \cdot 10^{40} \\
1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.03040A8B \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 19.04367 \cdot 10^0 \\
1 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 10205.A0 \cdot 10^0 \\
1 \text{ m m}^2 \text{ s C} &= 0.001781361 \cdot 10^{40} \\
1 \text{ m}^2 \text{ s C} &= 0.B477785 \cdot 10^{40} \\
1 \text{ k m}^2 \text{ s C} &= 670.A44A \cdot 10^{40} \\
1 \text{ m} \frac{\text{C}}{\text{m}} &= 2A71B2A \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{m}} &= 0.001803095 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{C}}{\text{m}} &= 0.B705351 \cdot 10^{-10} \\
1 \text{ m} \frac{\text{C}}{\text{m s}} &= 812.2014 \cdot 10^{-50} \\
1 \frac{\text{C}}{\text{m s}} &= 482A47.5 \cdot 10^{-50} \\
1 \text{ k} \frac{\text{C}}{\text{m s}} &= 0.0002866695 \cdot 10^{-40} \\
1 \text{ m} \frac{\text{C}}{\text{m s}^2} &= 0.1A8B857 \cdot 10^{-80} \\
1 \frac{\text{C}}{\text{m s}^2} &= 111.B7B6 \cdot 10^{-80} \\
1 \text{ k} \frac{\text{C}}{\text{m s}^2} &= 77503.AB \cdot 10^{-80} \\
1 \text{ m} \frac{\text{s C}}{\text{m}} &= 0.01039717 \cdot 10^{20} \\
1 \frac{\text{s C}}{\text{m}} &= 7.164761 \cdot 10^{20} \\
1 \text{ k} \frac{\text{s C}}{\text{m}} &= 415B.816 \cdot 10^{20} \\
1 \text{ m} \frac{\text{C}}{\text{m}^2} &= 0.05790B0B \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}^2} &= 33.2644B \cdot 10^{-40} \\
1 \text{ k} \frac{\text{C}}{\text{m}^2} &= 1A836.A8 \cdot 10^{-40} \\
1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.000013A3A86 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.009218442 \cdot 10^{-70} \\
1 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 5.38A54A \cdot 10^{-70} \\
1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 3867.408 \cdot 10^{-B0} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.0000021946B6 \cdot 10^{-A0} \\
1 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.0012B0598 \cdot 10^{-A0} \\
1 \text{ m} \frac{\text{s C}}{\text{m}^2} &= 201.561A \cdot 10^{-10} \\
1 \frac{\text{s C}}{\text{m}^2} &= 11B617.5 \cdot 10^{-10} \\
1 \text{ k} \frac{\text{s C}}{\text{m}^2} &= 0.000080B332A \cdot 10^0 \\
1 \text{ m} \frac{\text{C}}{\text{m}^3} &= B08.4663 \cdot 10^{-70} \\
1 \frac{\text{C}}{\text{m}^3} &= 649622.7 \cdot 10^{-70} \\
1 \text{ k} \frac{\text{C}}{\text{m}^3} &= 0.00038534B5 \cdot 10^{-60} \\
1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.2708AB3 \cdot 10^{-A0} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 15B.85A7 \cdot 10^{-A0} \\
1 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} &= A49B7.64 \cdot 10^{-A0} \\
1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.00007330224 \cdot 10^{-110} \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.0425AB33 \cdot 10^{-110} \\
1 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 25.27877 \cdot 10^{-110} \\
1 \text{ m} \frac{\text{s C}}{\text{m}^3} &= 3B2A8A0 \cdot 10^{-40} \\
1 \frac{\text{s C}}{\text{m}^3} &= 0.002340928 \cdot 10^{-30} \\
1 \text{ k} \frac{\text{s C}}{\text{m}^3} &= 1.39A281 \cdot 10^{-30} \\
1 \text{ m kg C} &= 0.00683711A \cdot 10^{20} \\
1 \text{ kg C} &= 3.A57734 \cdot 10^{20} \\
1 \text{ k kg C} &= 22A8.55B \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ze-L}^2 \text{Q} &= 10^{70} = 4603.B57 \text{ m}^2 \text{ C} \\
1 \text{ ze-L}^2 \text{Q} &= 10^{70} = 7.94391A \text{ k m}^2 \text{ C} \\
1 \text{ ci-} \frac{L^2 Q}{T} &= 10^{30} = 0.00B16A068 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ ci-} \frac{L^2 Q}{T} &= 10^{30} = 0.00001729852 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ vo-} \frac{L^2 Q}{T} &= 10^{40} = 292A0.68 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2 Q}{T^2} &= 1 = 3B.674BA \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2 Q}{T^2} &= 1 = 0.06A20402 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2 Q}{T^2} &= 1 = 0.0000B9BA335 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ jauau-L}^2 \text{TQ} &= 10^{A0} = 739.A853 \text{ m m}^2 \text{ s C} \\
1 \text{ jauau-L}^2 \text{TQ} &= 10^{A0} = 1.079160 \text{ m}^2 \text{ s C} \\
1 \text{ jauau-L}^2 \text{TQ} &= 10^{A0} = 0.0019A2AA3 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 41B441.9 \text{ m} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 723.8458 \frac{\text{C}}{\text{m}} \\
1 \text{ ni'upa-} \frac{Q}{L} &= 10^{-10} = 1.051829 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'umu-} \frac{Q}{LT} &= 10^{-50} = 0.001594616 \text{ m} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'uvo-} \frac{Q}{LT} &= 10^{-40} = 2688690. \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'uvo-} \frac{Q}{LT} &= 10^{-40} = 4511.788 \text{ k} \frac{\text{C}}{\text{ms}} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 6.3B67A1 \text{ m} \frac{\text{C}}{\text{ms}^2} \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.00AB31BB0 \frac{\text{C}}{\text{ms}^2} (*) \\
1 \text{ ni'ubi-} \frac{Q}{LT^2} &= 10^{-80} = 0.000016A9A79 \text{ k} \frac{\text{C}}{\text{ms}^2} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = B8.36B2A \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.1825281 \frac{\text{s C}}{\text{m}} \\
1 \text{ re-} \frac{TQ}{L} &= 10^{20} = 0.0002AAB179 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'uvo-} \frac{Q}{L^2} &= 10^{-40} = 21.60549 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'uvo-} \frac{Q}{L^2} &= 10^{-40} = 0.03809BB0 \frac{\text{C}}{\text{m}^2} (*) \\
1 \text{ ni'uvo-} \frac{Q}{L^2} &= 10^{-40} = 0.00006419A61 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^2 T} &= 10^{-70} = 90B4B.0B \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2 T} &= 10^{-70} = 138.3256 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uze-} \frac{Q}{L^2 T} &= 10^{-70} = 0.2313AA6 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uvaiei-} \frac{Q}{L^2 T^2} &= 10^{-B0} = 0.0003295402 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ujauau-} \frac{Q}{L^2 T^2} &= 10^{-A0} = 570355.B \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'ujauau-} \frac{Q}{L^2 T^2} &= 10^{-A0} = 979.9876 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 0.005B77887 \text{ m} \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = A3956A9. \frac{\text{s C}}{\text{m}^2} \\
1 \frac{TQ}{L^2} &= 1 = 159AA.71 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'uze-} \frac{Q}{L^3} &= 10^{-70} = 0.001103209 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 1A6036A. \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 32A7.298 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uxa-} \frac{Q}{L^3} &= 10^{-60} = 4.776A1B \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3 T} &= 10^{-A0} = 0.0080168B1 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'ujauau-} \frac{Q}{L^3 T} &= 10^{-A0} = 0.000011A1432 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upapa-} \frac{Q}{L^3 T^2} &= 10^{-110} = 1797A.99 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3 T^2} &= 10^{-110} = 2A.28103 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upapa-} \frac{Q}{L^3 T^2} &= 10^{-110} = 0.04B17894 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 306B32.1 \text{ m} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 532.59BB \frac{\text{s C}}{\text{m}^3} (*) \\
1 \text{ ni'uci-} \frac{TQ}{L^3} &= 10^{-30} = 0.9127B72 \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ re-MQ} &= 10^{20} = 196.2983 \text{ m kg C} \\
1 \text{ re-MQ} &= 10^{20} = 0.31228A5 \text{ kg C} \\
1 \text{ re-MQ} &= 10^{20} = 0.0005430BA6 \text{ k kg C}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg C}}{\text{s}} &= 169681A \cdot 10^{-20} \\
1 \frac{\text{kg C}}{\text{s}} &= 0.000AA64477 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{s}} &= 0.6365656 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg C}}{\text{s}^2} &= 449.6B15 \cdot 10^{-50} \\
1 \frac{\text{kg C}}{\text{s}^2} &= 2667A1.3 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg C}}{\text{s}^2} &= 0.0001582256 \cdot 10^{-40} \\
1 \text{m kg s C} &= 24.7062A \cdot 10^{50} \\
1 \text{kg s C} &= 14662.B4 \cdot 10^{50} \\
1 \text{k kg s C} &= 0.0000096A7451 \cdot 10^{60} \\
1 \text{m kg m C} &= 350021.8 \cdot 10^{40} \quad (*) \\
1 \text{kg m C} &= 0.0001B8892A \cdot 10^{50} \\
1 \text{k kg m C} &= 0.118936A \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}} &= 97.20657 \cdot 10^{10} \\
1 \frac{\text{kg m C}}{\text{s}} &= 56796.4B \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m C}}{\text{s}} &= 0.0000326A166 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m C}}{\text{s}^2} &= 0.022B6117 \cdot 10^{-20} \\
1 \frac{\text{kg m C}}{\text{s}^2} &= 13.726BB \cdot 10^{-20} \quad (*) \\
1 \text{k} \frac{\text{kg m C}}{\text{s}^2} &= 9041.326 \cdot 10^{-20} \\
1 \text{m kg m s C} &= 0.001271B00 \cdot 10^{80} \quad (*) \\
1 \text{kg m s C} &= 0.8544787 \cdot 10^{80} \\
1 \text{k kg m s C} &= 4A7.B16B \cdot 10^{80} \\
1 \text{m kg m}^2 \text{C} &= 18.B2855 \cdot 10^{70} \\
1 \text{kg m}^2 \text{C} &= 10147.54 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{C} &= 0.000007017508 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 0.004A981A1 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 2.A04675 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} &= 1783.B74 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 1192275. \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.0007B714A0 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} &= 0.473A10B \cdot 10^{10} \\
1 \text{m kg m}^2 \text{s C} &= 7552B.B7 \cdot 10^{A0} \\
1 \text{kg m}^2 \text{s C} &= 0.00004391159 \cdot 10^{B0} \\
1 \text{k kg m}^2 \text{s C} &= 0.025B5197 \cdot 10^{B0} \\
1 \text{m} \frac{\text{kg C}}{\text{m}} &= 111.31A4 \cdot 10^{-10} \\
1 \frac{\text{kg C}}{\text{m}} &= 77012.B1 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg C}}{\text{m}} &= 0.00004480077 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m s}} &= 0.03098B10 \cdot 10^{-40} \\
1 \frac{\text{kg C}}{\text{m s}} &= 19.377B8 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}} &= 103B3.28 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg C}}{\text{m s}^2} &= 874A040. \cdot 10^{-80} \\
1 \frac{\text{kg C}}{\text{m s}^2} &= 0.004BA0AB8 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg C}}{\text{m s}^2} &= 2.A76782 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s C}}{\text{m}} &= 47BA05.7 \cdot 10^{20} \\
1 \frac{\text{kg s C}}{\text{m}} &= 0.0002849647 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg s C}}{\text{m}} &= 0.168BB64 \cdot 10^{30} \quad (*) \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2} &= 217BB02. \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg C}}{\text{m}^2} &= 0.0012A2A12 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg C}}{\text{m}^2} &= 0.8719092 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 601.1791 \cdot 10^{-70} \\
1 \frac{\text{kg C}}{\text{m}^2 \text{s}} &= 3587A9.2 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upa-} \frac{MQ}{T} &= 10^{-10} = 77B235.8 \text{m} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'upa-} \frac{MQ}{T} &= 10^{-10} = 112A.392 \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'upa-} \frac{MQ}{T} &= 10^{-10} = 1.AA613A \text{k} \frac{\text{kg C}}{\text{s}} \\
1 \text{ni'umu-} \frac{MQ}{T^2} &= 10^{-50} = 0.002888A91 \text{m} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'uvo-} \frac{MQ}{T^2} &= 10^{-40} = 4867A76. \frac{\text{kg C}}{\text{s}^2} \\
1 \text{ni'uvo-} \frac{MQ}{T^2} &= 10^{-40} = 8188.773 \text{k} \frac{\text{kg C}}{\text{s}^2} \\
1 \text{mu-} MTQ &= 10^{50} = 0.05054489 \text{m kg s C} \\
1 \text{mu-} MTQ &= 10^{50} = 0.00008855239 \text{kg s C} \\
1 \text{xa-} MTQ &= 10^{60} = 1305B2.2 \text{k kg s C} \\
1 \text{vo-} MLQ &= 10^{40} = 0.000003618A82 \text{m kg m C} \\
1 \text{mu-} MLQ &= 10^{50} = 609B.061 \text{kg m C} \\
1 \text{mu-} MLQ &= 10^{50} = A.5A1738 \text{k kg m C} \\
1 \text{pa-} \frac{MLQ}{T} &= 10^{10} = 0.0130067B \text{m} \frac{\text{kg m C}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{MLQ}{T} &= 10^{10} = 0.000021B1533 \frac{\text{kg m C}}{\text{s}} \\
1 \text{re-} \frac{MLQ}{T} &= 10^{20} = 38974.71 \text{k} \frac{\text{kg m C}}{\text{s}} \\
1 \text{ni'ure-} \frac{MLQ}{T^2} &= 10^{-20} = 54.12029 \text{m} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.09291582 \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{ni'ure-} \frac{MLQ}{T^2} &= 10^{-20} = 0.00013B4883 \text{k} \frac{\text{kg m C}}{\text{s}^2} \\
1 \text{bi-} MLTQ &= 10^{80} = 9A4.725A \text{m kg m s C} \\
1 \text{bi-} MLTQ &= 10^{80} = 1.50696B \text{kg m s C} \\
1 \text{bi-} MLTQ &= 10^{80} = 0.002555A83 \text{k kg m s C} \\
1 \text{ze-} ML^2Q &= 10^{70} = 0.06A65818 \text{m kg m}^2 \text{C} \\
1 \text{ze-} ML^2Q &= 10^{70} = 0.0000BA76551 \text{kg m}^2 \text{C} \\
1 \text{bi-} ML^2Q &= 10^{80} = 186565.4 \text{k kg m}^2 \text{C} \\
1 \text{vo-} \frac{ML^2Q}{T} &= 10^{40} = 254.743B \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.429395A \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{vo-} \frac{ML^2Q}{T} &= 10^{40} = 0.000738A936 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} \\
1 \text{pa-} \frac{ML^2Q}{T^2} &= 10^{10} = A56475.9 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 160B.04A \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{pa-} \frac{ML^2Q}{T^2} &= 10^{10} = 2.72A061 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} \\
1 \text{jauau-} ML^2TQ &= 10^{A0} = 0.0000173A233 \text{m kg m}^2 \text{s C} \\
1 \text{vaiei-} ML^2TQ &= 10^{B0} = 29477.59 \text{kg m}^2 \text{s C} \\
1 \text{vaiei-} ML^2TQ &= 10^{B0} = 49.836A6 \text{k kg m}^2 \text{s C} \\
1 \text{ni'upa-} \frac{MQ}{L} &= 10^{-10} = 0.00ABA3262 \text{m} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'upa-} \frac{MQ}{L} &= 10^{-10} = 0.000016BA1A9 \frac{\text{kg C}}{\text{m}} \\
1 \frac{MQ}{L} &= 1 = 28987.60 \text{k} \frac{\text{kg C}}{\text{m}} \\
1 \text{ni'uvo-} \frac{MQ}{LT} &= 10^{-40} = 3A.B365A \text{m} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'uvo-} \frac{MQ}{LT} &= 10^{-40} = 0.069145A0 \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'uvo-} \frac{MQ}{LT} &= 10^{-40} = 0.0000B81BA69 \text{k} \frac{\text{kg C}}{\text{m s}} \\
1 \text{ni'uze-} \frac{MQ}{LT^2} &= 10^{-70} = 148651.B \text{m} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'uze-} \frac{MQ}{LT^2} &= 10^{-70} = 24A.6389 \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{ni'uze-} \frac{MQ}{LT^2} &= 10^{-70} = 0.41A968A \text{k} \frac{\text{kg C}}{\text{m s}^2} \\
1 \text{re-} \frac{MTQ}{L} &= 10^{20} = 0.0000026A4615 \text{m} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-} \frac{MTQ}{L} &= 10^{30} = 4540.143 \frac{\text{kg s C}}{\text{m}} \\
1 \text{ci-} \frac{MTQ}{L} &= 10^{30} = 7.81B299 \text{k} \frac{\text{kg s C}}{\text{m}} \\
1 \text{ni'uci-} \frac{MQ}{L^2} &= 10^{-30} = 573AB7.7 \text{m} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{MQ}{L^2} &= 10^{-30} = 984.0AA8 \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{MQ}{L^2} &= 10^{-30} = 1.490503 \text{k} \frac{\text{kg C}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{MQ}{L^2T} &= 10^{-70} = 0.001BB755A \text{m} \frac{\text{kg C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uxa-} \frac{MQ}{L^2T} &= 10^{-60} = 3550150. \frac{\text{kg C}}{\text{m}^2 \text{s}}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 0.0002018961 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 5B69.BB5 k \frac{kg\ C}{m^2 s}$ (*)
$1m \frac{kg\ C}{m^2 s^2} = 0.14A6163 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 8.6489B6 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 99.23A6B \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.0128B30A \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 579A1.75 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.00002158B9B k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.00917921A \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 139.1482 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 5.355310$	$1 \frac{MTQ}{L^2} = 1 = 0.232960B \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 3087.921 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.0003B08443 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.04232382 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 2A.46377 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 25.10A03 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.04B4A159 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 14A01.17 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.00008679636 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = B924057. \cdot 10^{-A0}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 102A3B.A m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.006986287 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 191.9388 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 3.B351AA \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 0.3066367 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 2907.381 \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.0004434956 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 0.00000171628A \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 76418B.5 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 0.000B09A701 \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 1101.4A1 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 15A.8A59 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.008069199 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = A432B.50 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.000011AA413 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 0.00005BABAB5B \cdot 10^{-20}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 20040.68 k \frac{kg\ s\ C}{m^3}$ (*)
$1m \frac{1}{K} = 35A.8B57 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.00352B41A m \frac{1}{K}$
$1 \frac{1}{K} = 202B36.3 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000005B33234 \frac{1}{K}$
$1k \frac{1}{K} = 0.0001204512 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = A31A.960 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{sK}$
$1 \frac{1}{sK} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{sK}$
$1k \frac{1}{sK} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{sK}$
$1m \frac{1}{s^2 K} = 0.00002366927 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 5288B.BA m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 0.013B3700 \cdot 10^{-40}$ (*)	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 90.49032 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 9.285672 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.1373848 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 0.0000012AB919 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 97A33A.8 m \frac{s}{K}$
$1 \frac{s}{K} = 0.000876B01B \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 1482.495 \frac{s}{K}$
$1k \frac{s}{K} = 0.4BB345A \cdot 10^{60}$ (*)	$1 xa - \frac{T}{\Theta} = 10^{60} = 2.49B418 k \frac{s}{K}$
$1m \frac{m}{K} = 0.01948561 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 68.93B7A m \frac{m}{K}$
$1 \frac{m}{K} = 10.4680B \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.0B770068 \frac{m}{K}$ (*)
$1k \frac{m}{K} = 71B7.80B \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.00018124A7 k \frac{m}{K}$
$1m \frac{m}{sK} = 0.000005010A2B \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 249105.8 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.002A93532 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 418.3871 \frac{m}{sK}$
$1k \frac{m}{sK} = 1.8159A7 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.71A50B1 k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 77.47AA1 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.016AA975 m \frac{ms}{K}$
$1 \frac{ms}{K} = 44A78.27 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.00002881003 \frac{ms}{K}$ (*)
$1k \frac{ms}{K} = 0.00002673285 \cdot 10^{90}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 48562.AB k \frac{ms}{K}$
$1m \frac{m^2}{K} = AB0A94.9 \cdot 10^{70}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 1122490. m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.00063A2AA7 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 1A94.517 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.37A9163 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 3.3446B5 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 268.2239 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00483A087 m \frac{m^2}{sK}$
$1 \frac{m^2}{sK} = 15909A.9 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00000813A224 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.0000A337887 \cdot 10^{50}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 12020.61 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 0.07222594 \cdot 10^{10}$	$1 pa - \frac{L^2}{T^2\Theta} = 10^{10} = 18.0727B m \frac{m^2}{s^2 K}$

$$\begin{aligned}
1 \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 41.A5BA \cdot 10^{10} \\
1 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} &= 24A42.B4 \cdot 10^{10} \\
1 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} &= 0.003A7B624 \cdot 10^{B0} \\
1 \frac{\text{m}^2 \text{s}}{\text{K}} &= 2.300738 \cdot 10^{B0} \quad (*) \\
1 \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} &= 1376.429 \cdot 10^{B0} \\
1 \text{m} \frac{1}{\text{m K}} &= 0.000006A07374 \cdot 10^0 \\
1 \frac{1}{\text{m K}} &= 0.003B59685 \cdot 10^0 \\
1 \text{k} \frac{1}{\text{m K}} &= 2.358B07 \\
1 \text{m} \frac{1}{\text{m s K}} &= 1725.870 \cdot 10^{-40} \\
1 \frac{1}{\text{m s K}} &= B14643.6 \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{m s K}} &= 0.000652295A \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m s}^2 \text{K}} &= 0.45B490A \cdot 10^{-70} \\
1 \frac{1}{\text{m s}^2 \text{K}} &= 272.7984 \cdot 10^{-70} \\
1 \text{k} \frac{1}{\text{m s}^2 \text{K}} &= 16098A.8 \cdot 10^{-70} \\
1 \text{m} \frac{s}{\text{m K}} &= 0.02526380 \cdot 10^{30} \\
1 \frac{s}{\text{m K}} &= 14.AA256 \cdot 10^{30} \\
1 \text{k} \frac{s}{\text{m K}} &= 9948.249 \cdot 10^{30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{K}} &= 0.1148396 \cdot 10^{-30} \\
1 \frac{1}{\text{m}^2 \text{K}} &= 78.BB102 \cdot 10^{-30} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^2 \text{K}} &= 45995.79 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s K}} &= 0.00003174662 \cdot 10^{-60} \\
1 \frac{1}{\text{m}^2 \text{s K}} &= 0.019926A7 \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s K}} &= 10.71BA6 \cdot 10^{-60} \\
1 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 897A.969 \cdot 10^{-40} \\
1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 5118A39. \cdot 10^{-A0} \\
1 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} &= 0.002B474A3 \cdot 10^{-90} \\
1 \text{m} \frac{s}{\text{m}^2 \text{K}} &= 492.5A6B \cdot 10^0 \\
1 \frac{s}{\text{m}^2 \text{K}} &= 291336.1 \cdot 10^0 \\
1 \text{k} \frac{s}{\text{m}^2 \text{K}} &= 0.000171AA24 \cdot 10^{10} \\
1 \text{m} \frac{1}{\text{m}^3 \text{K}} &= 2228.644 \cdot 10^{-60} \\
1 \frac{1}{\text{m}^3 \text{K}} &= 13215AA. \cdot 10^{-60} \\
1 \text{k} \frac{1}{\text{m}^3 \text{K}} &= 0.000894903B \cdot 10^{-50} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s K}} &= 0.61800BB \cdot 10^{-90} \quad (***) \\
1 \frac{1}{\text{m}^3 \text{s K}} &= 367.6B2B \cdot 10^{-90} \\
1 \text{k} \frac{1}{\text{m}^3 \text{s K}} &= 208076.1 \cdot 10^{-90} \\
1 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.000152B16A \cdot 10^{-100} \\
1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 0.09B8BB6A \cdot 10^{-100} \quad (*) \\
1 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} &= 59.37190 \cdot 10^{-100} \\
1 \text{m} \frac{s}{\text{m}^3 \text{K}} &= 0.000009405689 \cdot 10^{-20} \\
1 \frac{s}{\text{m}^3 \text{K}} &= 0.0054A0675 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{m}^3 \text{K}} &= 3.16311B \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{K}} &= 0.013A5345 \cdot 10^{30} \\
1 \frac{\text{kg}}{\text{K}} &= 9.226005 \cdot 10^{30} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{K}} &= 5394.043 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg}}{\text{s K}} &= 0.00000386B2A3 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{s K}} &= 0.002196A06 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{s K}} &= 1.2B1959 \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} &= A52.7395 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 605695.8 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.00035B2799 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.02A79151 \frac{\text{m}^2}{\text{s}^2 \text{K}} \\
1 \text{pa} \cdot \frac{L^2}{T^2 \Theta} &= 10^{10} = 0.00004BA5244 \text{k} \frac{\text{m}^2}{\text{s}^2 \text{K}} \\
1 \text{vai} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 310.45B9 \text{m} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{vai} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 0.53BA682 \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \text{vai} \cdot \frac{L^2 T}{\Theta} &= 10^{B0} = 0.000926A908 \text{k} \frac{\text{m}^2 \text{s}}{\text{K}} \\
1 \frac{1}{L \Theta} &= 1 = 19087B.3 \text{m} \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 304.8532 \frac{1}{\text{m K}} \\
1 \frac{1}{L \Theta} &= 1 = 0.52A758B \text{k} \frac{1}{\text{m K}} \\
1 \text{ni}'\text{u}vo \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.00075B7863 \text{m} \frac{1}{\text{m s K}} \\
1 \text{ni}'\text{u}vo \cdot \frac{1}{LT \Theta} &= 10^{-40} = 0.0000010B5757 \frac{1}{\text{m s K}} \\
1 \text{ni}'\text{uci} \cdot \frac{1}{LT \Theta} &= 10^{-30} = 1A47.966 \text{k} \frac{1}{\text{m s K}} \\
1 \text{ni}'\text{uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 2.804369 \text{m} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uze} \cdot \frac{1}{LT^2 \Theta} &= 10^{-70} = 0.004742071 \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uxa} \cdot \frac{1}{LT^2 \Theta} &= 10^{-60} = 7B782B3. \text{k} \frac{1}{\text{m s}^2 \text{K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 4B.1A715 \text{m} \frac{s}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.08628167 \frac{s}{\text{m K}} \\
1 \text{ci} \cdot \frac{T}{L \Theta} &= 10^{30} = 0.0001287847 \text{k} \frac{s}{\text{m K}} \\
1 \text{ni}'\text{uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = A.905ABA \text{m} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.0166B967 \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{uci} \cdot \frac{1}{L^2 \Theta} &= 10^{-30} = 0.00002813938 \text{k} \frac{1}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 39B33.07 \text{m} \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 67.471AA \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uxa} \cdot \frac{1}{L^2 T \Theta} &= 10^{-60} = 0.0B521061 \text{k} \frac{1}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{ujauau} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-A0} = 0.0001443091 \text{m} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uso} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-90} = 243167.1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uso} \cdot \frac{1}{L^2 T^2 \Theta} &= 10^{-90} = 40A.0221 \text{k} \frac{1}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.002625780 \text{m} \frac{s}{\text{m}^2 \text{K}} \\
1 \frac{T}{L^2 \Theta} &= 1 = 0.000004424214 \frac{s}{\text{m}^2 \text{K}} \\
1 \text{pa} \cdot \frac{T}{L^2 \Theta} &= 10^{10} = 7623.B51 \text{k} \frac{s}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{uxa} \cdot \frac{1}{L^3 \Theta} &= 10^{-60} = 0.00055A8036 \text{m} \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{umu} \cdot \frac{1}{L^3 \Theta} &= 10^{-50} = 95A338.1 \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{umu} \cdot \frac{1}{L^3 \Theta} &= 10^{-50} = 1448.B11 \text{k} \frac{1}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 1.B5594A \text{m} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni}'\text{uso} \cdot \frac{1}{L^3 T \Theta} &= 10^{-90} = 0.003464988 \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni}'\text{ubi} \cdot \frac{1}{L^3 T \Theta} &= 10^{-80} = 5A06012. \text{k} \frac{1}{\text{m}^3 \text{s K}} \\
1 \text{ni}'\text{upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 8426.114 \text{m} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 12.51B25 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{upano} \cdot \frac{1}{L^3 T^2 \Theta} &= 10^{-100} = 0.020B2804 \text{k} \frac{1}{\text{m}^3 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 1350B4.7 \text{m} \frac{s}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 227.9971 \frac{s}{\text{m}^3 \text{K}} \\
1 \text{ni}'\text{ure} \cdot \frac{T}{L^3 \Theta} &= 10^{-20} = 0.3A07873 \text{k} \frac{s}{\text{m}^3 \text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 90.A7486 \text{m} \frac{\text{kg}}{\text{K}} \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.13819BB \frac{\text{kg}}{\text{K}} \quad (*) \\
1 \text{ci} \cdot \frac{M}{\Theta} &= 10^{30} = 0.0002311650 \text{k} \frac{\text{kg}}{\text{K}} \\
1 \frac{M}{T \Theta} &= 1 = 3291B3.7 \text{m} \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 56B.9718 \frac{\text{kg}}{\text{s K}} \\
1 \frac{M}{T \Theta} &= 1 = 0.978B707 \text{k} \frac{\text{kg}}{\text{s K}} \\
1 \text{ni}'\text{uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.001197247 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvo} \cdot \frac{M}{T^2 \Theta} &= 10^{-40} = 0.000001BA1A68 \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{uci} \cdot \frac{M}{T^2 \Theta} &= 10^{-30} = 3525.8B1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{\text{kg s}}{\text{K}} &= 57.96A2B \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= 33299.72 \cdot 10^{60} \\
1k \frac{\text{kg s}}{\text{K}} &= 0.00001A85688 \cdot 10^{70} \\
1m \frac{\text{kg m}}{\text{K}} &= 812A62.2 \cdot 10^{50} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.0004833383 \cdot 10^{60} \\
1k \frac{\text{kg m}}{\text{K}} &= 0.28694B7 \cdot 10^{60} \\
1m \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1k \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1m \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.053B2A75 \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 31.00085 \cdot 10^{-10} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 194B4.4A \cdot 10^{-10} \\
1m \frac{\text{kg m s}}{\text{K}} &= 0.002A74B6B \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 1.804999 \cdot 10^{90} \\
1k \frac{\text{kg m s}}{\text{K}} &= B71.5557 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{K}} &= 41.79912 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 24897.12 \cdot 10^{80} \\
1k \frac{\text{kg m}^2}{\text{K}} &= 0.00001476534 \cdot 10^{90} \\
1m \frac{\text{kg m}^2}{\text{s K}} &= 0.00B757389 \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 6.886353 \cdot 10^{50} \\
1k \frac{\text{kg m}^2}{\text{s K}} &= 3A85.A3A \cdot 10^{50} \\
1m \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1k \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 158142.4 \cdot 10^{B0} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0000A290054 \cdot 10^{100} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.05B05231 \cdot 10^{100} \\
1m \frac{\text{kg}}{\text{m K}} &= 270.B769 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 15BA09.2 \cdot 10^0 \\
1k \frac{\text{kg}}{\text{m K}} &= 0.0000A4AA679 \cdot 10^{10} \\
1m \frac{\text{kg}}{\text{m s K}} &= 0.073379A1 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 42.63438 \cdot 10^{-30} \\
1k \frac{\text{kg}}{\text{m s K}} &= 252A3.3B \cdot 10^{-30} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00001852974 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00B9B0149 \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 6.A16558 \cdot 10^{-60} \\
1m \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1k \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1m \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.0000050A5414 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.002B28652 \cdot 10^{-20} \\
1k \frac{\text{kg}}{\text{m}^2 \text{K}} &= 1.8475B4 \cdot 10^{-20} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 122B.94A \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 82B45B.A \cdot 10^{-60} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.00049317AB \cdot 10^{-50} \\
1m \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.3403436 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1B1.B339 \cdot 10^{-90} \\
1k \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 114A17.8 \cdot 10^{-90} \\
1m \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.01980609 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 10.65A21 \cdot 10^{10}
\end{aligned}$$

$$\begin{aligned}
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.0215A276 \text{m} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.0000380617A \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 64132.6A \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 1592B56. \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 2685.A5B \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 4.508BBB \text{k} \frac{\text{kg m}}{\text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 23.03A23 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.03A85147 \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.00006884BBB \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 41A.BB87 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.72309A6 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.001050722 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.02A97740 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.00005018093 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 87B07.11 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 104.81AA \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.194B038 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T\Theta} &= 10^{50} = 0.00030BB575 \text{k} \frac{\text{kg m}^2}{\text{s K}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 8191444. \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 120B1.83 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 20.3AA95 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.004771B92 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.00000800A402 \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \text{pa-} \frac{M}{L\Theta} &= 10^{10} = 11A01.89 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 17.96204 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.02A25112 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT\Theta} &= 10^{-30} = 0.00004B12685 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 70681.10 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 102.1435 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2\Theta} &= 10^{-60} = 0.1905974 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 2447A9.0 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 410.7A74 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2\Theta} &= 10^{-20} = 0.7092486 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.000A13389A \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uxa-} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.000001556940 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2T\Theta} &= 10^{-50} = 2621.652 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 3.721214 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.006273344 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'ubi-} \frac{M}{L^2T^2\Theta} &= 10^{-80} = A8B047B. \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 67.8A840 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa-} \frac{MT}{L^2\Theta} &= 10^{10} = 0.0B596119 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 7310.740 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.00017A1318 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.09B266A4 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 12.5B375 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 58.BA438 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.02106A34 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 33B10.73 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.00003734794 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s\ K} = 0.000023AA405 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 51B10.AA m \frac{kg}{m^3 s\ K}$
$1 \frac{kg}{m^3 s\ K} = 0.01419514 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 8B.00858 \frac{kg}{m^3 s\ K} (*)$
$1k \frac{kg}{m^3 s\ K} = 9.418962 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 0.134AA2B k \frac{kg}{m^3 s\ K}$
$1m \frac{kg}{m^3 s^2 K} = 6647.37A \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.0001A06634 m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = 3944009. \cdot 10^{-100} (*)$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 32116A.B \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 0.002230119 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 559.B0A9 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 365.3475 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.00348715B m \frac{kg}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 206882.1 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000005A4358B \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.0001226835 \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = A16B.242 k \frac{kg\ s}{m^3 K}$
$1m K = A31A.960 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.0001204512 m\ K$
$1 K = 0.000005B33234 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 202B36.3 K$
$1k K = 0.00352B41A \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 35A.8B57 k\ K$
$1m \frac{K}{s} = 2.49B418 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.4BB345A m \frac{K}{s} (*)$
$1 \frac{K}{s} = 1482.495 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.000876B01B \frac{K}{s}$
$1k \frac{K}{s} = 97A33A.8 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0000012AB919 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.00068B8B04 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 1940.98B m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.3AA4273 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 3.0A599B \frac{K}{s^2}$
$1k \frac{K}{s^2} = 231.5275 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.00538744A k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1 m\ K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1k m\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0001287847 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 9948.249 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.08628167 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 14.AA256 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 4B.1A715 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.02526380 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 35421.63 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.00003595B8B m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.00001BB1813 \cdot 10^{-60} (*)$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 60270.98 \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.011A2037 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = A4.95708 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 1A47.966 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.000652295A m\ m\ s\ K$
$1m s\ K = 0.0000010B5757 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = B14643.6 m\ s\ K$
$1k m\ s\ K = 0.00075B7863 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 1725.870 k\ m\ s\ K$
$1m m^2 K = 0.00002813938 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 45995.79 m\ m^2 K$
$1 m^2 K = 0.0166B967 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 78.BB102 m^2 K (*)$
$1k m^2 K = A.905ABA \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.1148396 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 1.914260 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.69A1B79 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 1027.469 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000B9521A7 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 70A1B0.0 \cdot 10^{-40}$	$1 ni'uvu-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000001844887 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.0B521061 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 10.71BA6 m\ m^2 s\ K$
$1 m^2 s\ K = 67.471AA \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.019926A7 m^2 s\ K$
$1k m^2 s\ K = 39B33.07 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00003174662 k\ m^2 s\ K$
$1m \frac{K}{m} = 0.00018124A7 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 71B7.80B m \frac{K}{m}$

$1 \frac{K}{m} = 0.0B770068 \cdot 10^{-50}$	(*)	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 10.4680B \frac{K}{m}$
$1 k \frac{K}{m} = 68.93B7A \cdot 10^{-50}$		$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 0.01948561 k \frac{K}{m}$
$1 m \frac{K}{ms} = 48562.AB \cdot 10^{-90}$		$1 ni'uso-\frac{\Theta}{LT} = 10^{-90} = 0.00002673285 m \frac{K}{ms}$
$1 \frac{K}{ms} = 0.00002881003 \cdot 10^{-80}$	(*)	$1 ni'ubi-\frac{\Theta}{LT} = 10^{-80} = 44A78.27 \frac{K}{ms}$
$1 k \frac{K}{ms} = 0.016AA975 \cdot 10^{-80}$		$1 ni'ubi-\frac{\Theta}{LT} = 10^{-80} = 77.47AA1 k \frac{K}{ms}$
$1 m \frac{K}{ms^2} = 11.27154 \cdot 10^{-100}$		$1 ni'upano-\frac{\Theta}{LT^2} = 10^{-100} = 0.0AA8BB16 m \frac{K}{ms^2}$
$1 \frac{K}{ms^2} = 7794.142 \cdot 10^{-100}$		$1 ni'upano-\frac{\Theta}{LT^2} = 10^{-100} = 0.000169B27B \frac{K}{ms^2}$
$1 k \frac{K}{ms^2} = 4514268. \cdot 10^{-100}$		$1 ni'uvaiei-\frac{\Theta}{LT^2} = 10^{-B0} = 2864BA.8 k \frac{K}{ms^2}$
$1 m \frac{sK}{m} = 0.71A50B1 \cdot 10^{-20}$		$1 ni'ure-\frac{T\Theta}{L} = 10^{-20} = 1.8159A7 m \frac{sK}{m}$
$1 \frac{sK}{m} = 418.3871 \cdot 10^{-20}$		$1 ni'ure-\frac{T\Theta}{L} = 10^{-20} = 0.002A93532 \frac{sK}{m}$
$1 k \frac{sK}{m} = 249105.8 \cdot 10^{-20}$		$1 ni'ure-\frac{T\Theta}{L} = 10^{-20} = 0.000005010A2B k \frac{sK}{m}$
$1 m \frac{K}{m^2} = 3.3446B5 \cdot 10^{-80}$		$1 ni'ubi-\frac{\Theta}{L^2} = 10^{-80} = 0.37A9163 m \frac{K}{m^2}$
$1 \frac{K}{m^2} = 1A94.517 \cdot 10^{-80}$		$1 ni'ubi-\frac{\Theta}{L^2} = 10^{-80} = 0.00063A2AA7 \frac{K}{m^2}$
$1 k \frac{K}{m^2} = 1122490. \cdot 10^{-80}$		$1 ni'uze-\frac{\Theta}{L^2} = 10^{-70} = AB0A94.9 k \frac{K}{m^2}$
$1 m \frac{K}{m^2 s} = 0.000926A908 \cdot 10^{-B0}$		$1 ni'uvaiei-\frac{\Theta}{L^2 T} = 10^{-B0} = 1376.429 m \frac{K}{m^2 s}$
$1 \frac{K}{m^2 s} = 0.53BA682 \cdot 10^{-B0}$		$1 ni'uvaiei-\frac{\Theta}{L^2 T} = 10^{-B0} = 2.300738 \frac{K}{m^2 s}$
$1 k \frac{K}{m^2 s} = 310.45B9 \cdot 10^{-B0}$		(*)
$1 m \frac{K}{m^2 s^2} = 21A722.7 \cdot 10^{-130}$		$1 ni'uvaiei-\frac{\Theta}{L^2 T} = 10^{-B0} = 0.003A7B624 k \frac{K}{m^2 s}$
$1 \frac{K}{m^2 s^2} = 0.00012B8B29 \cdot 10^{-120}$		$1 ni'upare-\frac{\Theta}{L^2 T^2} = 10^{-120} = 5691780. m \frac{K}{m^2 s^2}$
$1 k \frac{K}{m^2 s^2} = 0.08802877 \cdot 10^{-120}$		$1 ni'upare-\frac{\Theta}{L^2 T^2} = 10^{-120} = 9744.450 \frac{K}{m^2 s^2}$
$1 m \frac{sK}{m^2} = 12020.61 \cdot 10^{-50}$		$1 ni'upare-\frac{\Theta}{L^2 T^2} = 10^{-120} = 14.74221 k \frac{K}{m^2 s^2}$
$1 \frac{sK}{m^2} = 0.00000813A224 \cdot 10^{-40}$		$1 ni'umu-\frac{\Theta}{L^2} = 10^{-50} = 0.0000A337887 m \frac{sK}{m^2}$
$1 k \frac{sK}{m^2} = 0.00483A087 \cdot 10^{-40}$		$1 ni'uvo-\frac{T\Theta}{L^2} = 10^{-40} = 15909A.9 \frac{sK}{m^2}$
$1 m \frac{K}{m^3} = 65118.29 \cdot 10^{-B0}$		$1 ni'uvo-\frac{T\Theta}{L^2} = 10^{-40} = 268.2239 k \frac{sK}{m^2}$
$1 \frac{K}{m^3} = 0.00003874706 \cdot 10^{-A0}$		$1 ni'uvaiei-\frac{\Theta}{L^3} = 10^{-B0} = 0.00001A4B726 m \frac{K}{m^3}$
$1 k \frac{K}{m^3} = 0.02199B23 \cdot 10^{-A0}$		$1 ni'ujauau-\frac{\Theta}{L^3} = 10^{-A0} = 32893.64 \frac{K}{m^3}$
$1 m \frac{K}{m^3 s} = 16.0680B \cdot 10^{-120}$		$1 ni'ujauau-\frac{\Theta}{L^3} = 10^{-A0} = 56.B1692 k \frac{K}{m^3}$
$1 \frac{K}{m^3 s} = A53A.411 \cdot 10^{-120}$		$1 ni'upare-\frac{\Theta}{L^3 T} = 10^{-120} = 0.07B90603 m \frac{K}{m^3 s}$
$1 k \frac{K}{m^3 s} = 6063599. \cdot 10^{-120}$		$1 ni'upare-\frac{\Theta}{L^3 T} = 10^{-120} = 0.0001195664 \frac{K}{m^3 s}$
$1 m \frac{K}{m^3 s^2} = 0.004283660 \cdot 10^{-150}$		$1 ni'upapa-\frac{\Theta}{L^3 T} = 10^{-110} = 1B9B02.B k \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s^2} = 2.540332 \cdot 10^{-150}$		$1 ni'upamu-\frac{\Theta}{L^3 T^2} = 10^{-150} = 2A1.0937 m \frac{K}{m^3 s^2}$
$1 k \frac{K}{m^3 s^2} = 14B8.728 \cdot 10^{-150}$		$1 ni'upamu-\frac{\Theta}{L^3 T^2} = 10^{-150} = 0.4AAA443 \frac{K}{m^3 s^2}$
$1 m \frac{sK}{m^3} = 0.0002354309 \cdot 10^{-70}$		$1 ni'upamu-\frac{\Theta}{L^3 T^2} = 10^{-150} = 0.0008595634 k \frac{K}{m^3 s^2}$
$1 \frac{sK}{m^3} = 0.13A7227 \cdot 10^{-70}$		$1 ni'uze-\frac{T\Theta}{L^3} = 10^{-70} = 52B6.202 m \frac{sK}{m^3}$
$1 k \frac{sK}{m^3} = 92.37288 \cdot 10^{-70}$		$1 ni'uze-\frac{T\Theta}{L^3} = 10^{-70} = 9.096408 \frac{sK}{m^3}$
$1 m kg K = 0.3A79B1B \cdot 10^{-20}$		$1 ni'uze-\frac{T\Theta}{L^3} = 10^{-70} = 0.0137BB52 k \frac{sK}{m^3}$
$1 kg K = 22B.B836 \cdot 10^{-20}$		(*)
$1 kg K = 13759A.3 \cdot 10^{-20}$		$1 ni'ure-M\Theta = 10^{-20} = 3.105910 m kg K$
$1 m \frac{kg K}{s} = 0.0000AB063B3 \cdot 10^{-50}$		$1 ni'ure-M\Theta = 10^{-20} = 0.005400895 kg K$
$1 \frac{kg K}{s} = 0.063A03B4 \cdot 10^{-50}$		(*)
$1 k \frac{kg K}{s} = 37.A7775 \cdot 10^{-50}$		$1 ni'ure-M\Theta = 10^{-20} = 0.00000927261B k kg K$
$1 m \frac{kg K}{s^2} = 26811.97 \cdot 10^{-90}$		$1 ni'umu-\frac{M\Theta}{T} = 10^{-50} = 1122A.16 m \frac{kg K}{s}$
$1 \frac{kg K}{s^2} = 0.0000159027A \cdot 10^{-80}$		$1 ni'umu-\frac{M\Theta}{T} = 10^{-50} = 1A.95252 \frac{kg K}{s}$
$1 k \frac{kg K}{s^2} = 0.00A333652 \cdot 10^{-80}$		$1 ni'umu-\frac{M\Theta}{T} = 10^{-50} = 0.03345B02 k \frac{kg K}{s}$
$1 m kg s K = 1473.749 \cdot 10^{10}$		$1 ni'uso-\frac{M\Theta}{T^2} = 10^{-90} = 0.0000483BB83 m \frac{kg K}{s^2}$
$1 kg s K = 974054.5 \cdot 10^{10}$		(*)
$1 kg s K = 0.000568B454 \cdot 10^{20}$		$1 ni'ubi-\frac{M\Theta}{T^2} = 10^{-80} = 81415.A9 \frac{kg K}{s^2}$
$1 m kg m K = 0.00001B9A264 \cdot 10^{10}$		$1 ni'ubi-\frac{M\Theta}{T^2} = 10^{-80} = 120.2628 k \frac{kg K}{s^2}$
$1 kg m K = 0.011950AB \cdot 10^{10}$		$1 pa-MT\Theta = 10^{10} = 0.0008806309 m kg s K$
$1 k kg m K = 7.B892B8 \cdot 10^{10}$		$1 re-MT\Theta = 10^{20} = 12B9541. kg s K$
$1 m \frac{kg m K}{s} = 56AB.358 \cdot 10^{-30}$		$1 re-MT\Theta = 10^{20} = 21A8.094 kg s K$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.000003287B89 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.001A4AA0A \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 1.37B506 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 909.2783 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 52B404.0 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.2A1B9B6 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 179.315A \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= B5378.37 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.00007BB7679 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.04765516 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 28.18183 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 43B6539 \cdot 10^{60} \\
1 \text{kg m}^2 \text{s K} &= 0.00260A14B \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 1.549A31 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 7744.96A \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.0000044A5A79 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.002672227 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 1.947895 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= 1046.304 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 71B490.2 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.000500A98A \cdot 10^{-B0} \quad (*) \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.2A92310 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 181.5181 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.00002863A75 \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.0169A6B9 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= A.A87597 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.00012AB309 \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.087675B0 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 4B.B1405 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 35A76.46 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.0000202A577 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.01203B46 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 9.97A327 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 5810.678 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 3349B21 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.5385250 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 30A.4695 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 194010.5 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 2.525391 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 14A9.769 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 994426.2 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.0006A0461A \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.3B57B41 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 235.7BA1 \cdot 10^{-110}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 387612.B \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 651.4382 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.923AB87 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.0013A7884 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.000002355231 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-} MLT\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-} ML^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-} ML^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 4.26B182 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.007349324 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.00001070341 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 1600A.01 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 27.14501 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.045921B2 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 293095.0 \text{m kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 495.702B \text{kg m}^2 \text{s K} \\
1 \text{ze-} ML^2T\Theta &= 10^{70} = 0.833729A \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.00016AB540 \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvoo-} \frac{M\Theta}{L} &= 10^{-40} = 288214.2 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvoo-} \frac{M\Theta}{L} &= 10^{-40} = 485.81B4 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.6896873 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.000B77495B \frac{\text{kg K}}{\text{ms}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.00000181310B \text{k} \frac{\text{kg K}}{\text{ms}} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 2492.025 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 4.1854A4 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.0071A7BB5 \text{k} \frac{\text{kg K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 45160.28 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 77.97296 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 0.11276A0 \text{k} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 97A7.319 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 14.82B71 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 0.024A03A9 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvaiei-} \frac{M\Theta}{L^2T} &= 10^{-B0} = 0.000035308B9 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 5B357.43 \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = A3.22B8B \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.1282B29 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.0002146738 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^2T^2} &= 10^{-110} = 37A31B.8 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvoo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 2.316182 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.003AA5988 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.0000068BB808 \text{k} \frac{\text{kg s K}}{\text{m}^2} \quad (*) \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.4B20730 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000862B730 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000001288248 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 1909.464 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 3.049814 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 0.0052A9749 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 172509.0 \cdot 10^{-150}$	$1 ni' upavo- \frac{M\Theta}{L^3 T^2} = 10^{-140} = 75BA928. m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.0000B1419A9 \cdot 10^{-140}$	$1 ni' upavo- \frac{M\Theta}{L^3 T^2} = 10^{-140} = 10B60.90 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.06520201 \cdot 10^{-140}$	$1 ni' upavo- \frac{M\Theta}{L^3 T^2} = 10^{-140} = 1A.48681 k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = A491.420 \cdot 10^{-70}$	$1 ni' uze- \frac{MT\Theta}{L^3} = 10^{-70} = 0.00011A25B5 m \frac{kg\ s\ K}{m^3}$
$1 \frac{kg\ s\ K}{m^3} = 0.000006024743 \cdot 10^{-60}$	$1 ni' uxa- \frac{MT\Theta}{L^3} = 10^{-60} = 1BB25A.4 \frac{kg\ s\ K}{m^3} (*)$
$1k \frac{kg\ s\ K}{m^3} = 0.003594685 \cdot 10^{-60}$	$1 ni' uxa- \frac{MT\Theta}{L^3} = 10^{-60} = 354.3648 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.100696A \cdot 10^{-40} (*)$	$1 ni' uvo- \frac{\Theta}{Q} = 10^{-40} = B.B528B8 m \frac{K}{C}$
$1 \frac{K}{C} = 6B.7B258 \cdot 10^{-40}$	$1 ni' uvo- \frac{\Theta}{Q} = 10^{-40} = 0.0187A34A \frac{K}{C}$
$1k \frac{K}{C} = 404B9.1A \cdot 10^{-40}$	$1 ni' uvo- \frac{\Theta}{Q} = 10^{-40} = 0.00002B8368B k \frac{K}{C}$
$1m \frac{K}{sC} = 0.000029A0B62 \cdot 10^{-70}$	$1 ni' uze- \frac{\Theta}{TQ} = 10^{-70} = 43092.39 m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.0176BBBB \cdot 10^{-70} (**)$	$1 ni' uze- \frac{\Theta}{TQ} = 10^{-70} = 74.2A397 \frac{K}{sC}$
$1k \frac{K}{sC} = B.3BB3B8 \cdot 10^{-70} (*)$	$1 ni' uze- \frac{\Theta}{TQ} = 10^{-70} = 0.1085862 k \frac{K}{sC}$
$1m \frac{K}{s^2C} = 7B07.A93 \cdot 10^{-B0}$	$1 ni' uvaiei- \frac{\Theta}{T^2Q} = 10^{-B0} = 0.0001621934 m \frac{K}{s^2C}$
$1 \frac{K}{s^2C} = 0.0000047012A2 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{T^2Q} = 10^{-A0} = 274B61.8 \frac{K}{s^2C}$
$1k \frac{K}{s^2C} = 0.0027A0071 \cdot 10^{-A0} (*)$	$1 ni' ujauau- \frac{\Theta}{T^2Q} = 10^{-A0} = 463.4765 k \frac{K}{s^2C}$
$1m \frac{sK}{C} = 435.71AA \cdot 10^{-10}$	$1 ni' upa- \frac{T\Theta}{Q} = 10^{-10} = 0.00296AA19 m \frac{sK}{C}$
$1 \frac{sK}{C} = 2594A4.7 \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 4A02743. \frac{sK}{C}$
$1k \frac{sK}{C} = 0.0001529B95 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 8430.931 k \frac{sK}{C}$
$1m \frac{mK}{C} = 6199690. \cdot 10^{-20}$	$1 ni' upa- \frac{L\Theta}{Q} = 10^{-10} = 1B4AB5.B m \frac{mK}{C}$
$1 \frac{mK}{C} = 0.00368744A \cdot 10^{-10}$	$1 ni' upa- \frac{L\Theta}{Q} = 10^{-10} = 345.5023 \frac{mK}{C}$
$1k \frac{mK}{C} = 2.08799B \cdot 10^{-10}$	$1 ni' upa- \frac{L\Theta}{Q} = 10^{-10} = 0.59A9763 k \frac{mK}{C}$
$1m \frac{mK}{sC} = 1534.1AA \cdot 10^{-50}$	$1 ni' umu- \frac{L\Theta}{TQ} = 10^{-50} = 0.0008400B24 m \frac{mK}{sC} (*)$
$1 \frac{mK}{sC} = 9BBA6.A \cdot 10^{-50} (*)$	$1 ni' uvo- \frac{L\Theta}{TQ} = 10^{-40} = 1249899. \frac{mK}{sC}$
$1k \frac{mK}{sC} = 0.0005953429 \cdot 10^{-40}$	$1 ni' uvo- \frac{L\Theta}{TQ} = 10^{-40} = 20A7.4B6 k \frac{mK}{sC}$
$1m \frac{mK}{s^2C} = 0.4065143 \cdot 10^{-80}$	$1 ni' ubi- \frac{L\Theta}{T^2Q} = 10^{-80} = 2.B72978 m \frac{mK}{s^2C}$
$1 \frac{mK}{s^2C} = 241.0761 \cdot 10^{-80}$	$1 ni' ubi- \frac{L\Theta}{T^2Q} = 10^{-80} = 0.005163149 \frac{mK}{s^2C}$
$1k \frac{mK}{s^2C} = 143078.2 \cdot 10^{-80}$	$1 ni' ubi- \frac{L\Theta}{T^2Q} = 10^{-80} = 0.000008A38678 k \frac{mK}{s^2C}$
$1m \frac{msK}{C} = 0.02234216 \cdot 10^{20}$	$1 re- \frac{LT\Theta}{Q} = 10^{20} = 55.90A27 m \frac{msK}{C}$
$1 \frac{msK}{C} = 13.25B01 \cdot 10^{20}$	$1 re- \frac{LT\Theta}{Q} = 10^{20} = 0.09576213 \frac{msK}{C}$
$1k \frac{msK}{C} = 8973.912 \cdot 10^{20}$	$1 re- \frac{LT\Theta}{Q} = 10^{20} = 0.00014441A1 k \frac{msK}{C}$
$1m \frac{m^2K}{C} = 318.3617 \cdot 10^{10}$	$1 pa- \frac{L^2\Theta}{Q} = 10^{10} = 0.0039A1A77 m \frac{m^2K}{C}$
$1 \frac{m^2K}{C} = 1998B0.7 \cdot 10^{10}$	$1 re- \frac{L^2\Theta}{Q} = 10^{20} = 6728087. \frac{m^2K}{C}$
$1k \frac{m^2K}{C} = 0.00010757B5 \cdot 10^{20}$	$1 re- \frac{L^2\Theta}{Q} = 10^{20} = B4A9.163 k \frac{m^2K}{C}$
$1m \frac{m^2K}{sC} = 0.089A5731 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2\Theta}{TQ} = 10^{-20} = 14.3A37A m \frac{m^2K}{sC}$
$1 \frac{m^2K}{sC} = 51.32830 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2\Theta}{TQ} = 10^{-20} = 0.024253AB \frac{m^2K}{sC}$
$1k \frac{m^2K}{sC} = 2B558.80 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2\Theta}{TQ} = 10^{-20} = 0.00004089B79 k \frac{m^2K}{sC}$
$1m \frac{m^2K}{s^2C} = 0.00002094818 \cdot 10^{-50}$	$1 ni' umu- \frac{L^2\Theta}{T^2Q} = 10^{-50} = 59887.81 m \frac{m^2K}{s^2C}$
$1 \frac{m^2K}{s^2C} = 0.0124125A \cdot 10^{-50}$	$1 ni' umu- \frac{L^2\Theta}{T^2Q} = 10^{-50} = A0.5A284 \frac{m^2K}{s^2C}$
$1k \frac{m^2K}{s^2C} = 8.371872 \cdot 10^{-50}$	$1 ni' umu- \frac{L^2\Theta}{T^2Q} = 10^{-50} = 0.1542523 k \frac{m^2K}{s^2C}$
$1m \frac{m^2sK}{C} = 1150279. \cdot 10^{40}$	$1 mu- \frac{L^2T\Theta}{Q} = 10^{50} = A89444.9 m \frac{m^2sK}{C}$
$1 \frac{m^2sK}{C} = 0.0007922248 \cdot 10^{50}$	$1 mu- \frac{L^2T\Theta}{Q} = 10^{50} = 1666.480 \frac{m^2sK}{C}$
$1k \frac{m^2sK}{C} = 0.45B11B3 \cdot 10^{50}$	$1 mu- \frac{L^2T\Theta}{Q} = 10^{50} = 2.806522 k \frac{m^2sK}{C}$
$1m \frac{K}{mC} = 1B71.647 \cdot 10^{-70}$	$1 ni' uze- \frac{\Theta}{LQ} = 10^{-70} = 0.000612A50B m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.00000117A1B8 \cdot 10^{-60}$	$1 ni' uxa- \frac{\Theta}{LQ} = 10^{-60} = A66827.7 \frac{K}{mC}$
$1k \frac{K}{mC} = 0.0007A99B02 \cdot 10^{-60}$	$1 ni' uxa- \frac{\Theta}{LQ} = 10^{-60} = 1628.355 k \frac{K}{mC}$
$1m \frac{K}{msC} = 0.56335B5 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{LTQ} = 10^{-A0} = 2.20A6B4 m \frac{K}{msC}$
$1 \frac{K}{msC} = 324.2A34 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{LTQ} = 10^{-A0} = 0.003907AB5 \frac{K}{msC}$
$1k \frac{K}{msC} = 1A2412.0 \cdot 10^{-A0}$	$1 ni' ujauau- \frac{\Theta}{LTQ} = 10^{-A0} = 0.0000065A3143 k \frac{K}{msC}$

$$\begin{aligned}
1 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.0001361B25 \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.08B89513 \cdot 10^{-110} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 52.41815 \cdot 10^{-110} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 849655B \cdot 10^{-40} \\
1 \frac{\text{sK}}{\text{mC}} &= 0.004A3B6A2 \cdot 10^{-30} \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 2.990A42 \cdot 10^{-30} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.00003A25B1B \cdot 10^{-90} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.0228A7A2 \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 13.5847A \cdot 10^{-90} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} &= A996.679 \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{m}^2 \text{sC}} &= 0.000006314362 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 0.003757519 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 2.64709B \cdot 10^{-140} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 156B.A51 \cdot 10^{-140} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= A21250.6 \cdot 10^{-140} \\
1 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 0.14549BA \cdot 10^{-60} \\
1 \frac{\text{sK}}{\text{m}^2 \text{C}} &= 96.2A280 \cdot 10^{-60} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 56139.7A \cdot 10^{-60} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.765B556 \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 444.5427 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 263825.B \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.0001922485 \cdot 10^{-130} \\
1 \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.1031334 \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 71.16A10 \cdot 10^{-130} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 4B604.92 \cdot 10^{-170} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.00002A52691 \cdot 10^{-160} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.017B1657 \cdot 10^{-160} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 2827.31A \cdot 10^{-90} \\
1 \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.000001678913 \cdot 10^{-80} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.000A9581A5 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 4691829 \cdot 10^{-40} \\
1 \frac{\text{kgK}}{\text{C}} &= 0.002783586 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 1.640A98 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 1099.A5B \cdot 10^{-70} \\
1 \frac{\text{kgK}}{\text{sC}} &= 75026A.7 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 0.00043621A5 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 0.3000B76 \cdot 10^{-A0} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 18A.0689 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 100852.9 \cdot 10^{-A0} \quad (*) \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.0175B415 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= B.347533 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 6642.0BB \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 23B.6581 \cdot 10^{-10} \\
1 \frac{\text{kg mK}}{\text{C}} &= 142217.5 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 0.000094455A9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg mK}}{\text{sC}} &= 0.066661B0 \cdot 10^{-40} \\
1 \frac{\text{kg mK}}{\text{sC}} &= 39.55294 \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upapa-} \frac{\Theta}{LT^2Q} &= 10^{-110} = 9347.94B \text{ m} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}'\text{upapa-} \frac{\Theta}{LT^2Q} &= 10^{-110} = 14.05890 \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}'\text{upapa-} \frac{\Theta}{LT^2Q} &= 10^{-110} = 0.02387266 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}'\text{uci-} \frac{T\Theta}{LQ} &= 10^{-30} = 151884.6 \text{ m} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'\text{uci-} \frac{T\Theta}{LQ} &= 10^{-30} = 257.5AB0 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'\text{uci-} \frac{T\Theta}{LQ} &= 10^{-30} = 0.43235AA \text{k} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}'\text{uso-} \frac{\Theta}{L^2Q} &= 10^{-90} = 31490.87 \text{ m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uso-} \frac{\Theta}{L^2Q} &= 10^{-90} = 54.75471 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uso-} \frac{\Theta}{L^2Q} &= 10^{-90} = 0.0937B850 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upapa-} \frac{\Theta}{L^2TQ} &= 10^{-110} = 0.0001139136 \text{ m} \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni}'\text{upano-} \frac{\Theta}{L^2TQ} &= 10^{-100} = 1B0091.9 \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{\Theta}{L^2TQ} &= 10^{-100} = 339.0553 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni}'\text{upavo-} \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.48A5BBA \text{ m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{upavo-} \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.0008234399 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upavo-} \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.000001219B26 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uxa-} \frac{T\Theta}{L^2Q} &= 10^{-60} = 8.906440 \text{ m} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uxa-} \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.01316243 \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{uxa-} \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00002217B0A \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{\Theta}{L^3Q} &= 10^{-100} = 1.711782 \text{ m} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{\Theta}{L^3Q} &= 10^{-100} = 0.0028BB465 \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{\Theta}{L^3Q} &= 10^{-100} = 0.00000490246A \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{\Theta}{L^3TQ} &= 10^{-130} = 696A.760 \text{ m} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}'\text{upaci-} \frac{\Theta}{L^3TQ} &= 10^{-130} = B.8B6202 \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}'\text{upaci-} \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.01836B2A \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}'\text{upaze-} \frac{\Theta}{L^3T^2Q} &= 10^{-170} = 0.00002505A34 \text{ m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaxa-} \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 42222.B9 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaxa-} \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 72.86B5A \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{uso-} \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.0004577725 \text{ m} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{ubi-} \frac{T\Theta}{L^3Q} &= 10^{-80} = 788246.A \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{ubi-} \frac{T\Theta}{L^3Q} &= 10^{-80} = 1141.A67 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uci-} \frac{M\Theta}{Q} &= 10^{-30} = 2767AA.4 \text{ m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{uci-} \frac{M\Theta}{Q} &= 10^{-30} = 466.3A50 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{uci-} \frac{M\Theta}{Q} &= 10^{-30} = 0.7A28040 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}'\text{uze-} \frac{M\Theta}{TQ} &= 10^{-70} = 0.000B2979BB \text{ m} \frac{\text{kgK}}{\text{sC}} \quad (*) \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{TQ} &= 10^{-60} = 174B379. \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{TQ} &= 10^{-60} = 2966.351 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}'\text{ujauau-} \frac{M\Theta}{T^2Q} &= 10^{-A0} = 3.BBA860 \text{ m} \frac{\text{kgK}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{ujauau-} \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.006AB1855 \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ujauau-} \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.00000B37322 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} \quad (*) \\
1 \frac{MT\Theta}{Q} &= 1 = 74.77726 \text{ m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.1091B60 \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0001A07BAB \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni}'\text{upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 0.005197081 \text{ m} \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 8A9569B. \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 13464.53 \text{k} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML\Theta}{TQ} &= 10^{-40} = 1A.00137 \text{ m} \frac{\text{kg mK}}{\text{sC}} \quad (*) \\
1 \text{ni}'\text{uvo-} \frac{ML\Theta}{TQ} &= 10^{-40} = 0.032025A8 \frac{\text{kg mK}}{\text{sC}}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s C}} &= 22378.BB \cdot 10^{-40} \quad (*) \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.00001647580 \cdot 10^{-70} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.00A781285 \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 6.1A7721 \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 9B553B.9 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.0005916583 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.3400836 \cdot 10^{30} \quad (*) \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.01233B31 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 8.319424 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 4946.431 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 341303B. \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.001B26043 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 1.152066 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 947.9917 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 552371.5 \cdot 10^{-50} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.0003188775 \cdot 10^{-40} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 50.BB111 \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 2B369.83 \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.00001851533 \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.08B2B972 \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 52.09474 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 2BB01.20 \cdot 10^{-60} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.000021130A3 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.0126407B \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 8.4A81B2 \cdot 10^{-90} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 5A62.679 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.00000349858A \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.001B748A6 \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 322.20A0 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 1A1190.5 \cdot 10^{-30} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.0001095361 \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1560.609 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= A16761.3 \cdot 10^{-90} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.0005A41419 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.411BB80 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 245.5258 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 145709.A \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0000B613353 \cdot 10^{-130} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.067B0A1A \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3A.30266 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 62938B9. \cdot 10^{-60} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.003733404 \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 2.106120 \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.00002A34385 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.017A07B1 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= B.591B01 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvo-} \frac{ML\Theta}{TQ} &= 10^{-40} = 0.00005583B06 \text{k} \frac{\text{kg m K}}{\text{s C}} \\
1 \text{ni}'\text{uze-} \frac{ML\Theta}{T^2Q} &= 10^{-70} = 79BA4.1A \text{m} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze-} \frac{ML\Theta}{T^2Q} &= 10^{-70} = 116.4B42 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze-} \frac{ML\Theta}{T^2Q} &= 10^{-70} = 0.1B47941 \text{k} \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{re-} \frac{ML\Theta}{Q} &= 10^{20} = 0.000001257100 \text{m} \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ci-} \frac{ML\Theta}{Q} &= 10^{30} = 20BB.69A \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ci-} \frac{ML\Theta}{Q} &= 10^{30} = 3.724079 \text{k} \frac{\text{kg m s K}}{\text{C}} \\
1 \text{re-} \frac{ML^2\Theta}{Q} &= 10^{20} = A1.04541 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{re-} \frac{ML^2\Theta}{Q} &= 10^{20} = 0.1551843 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{re-} \frac{ML^2\Theta}{Q} &= 10^{20} = 0.0002614908 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ni}'\text{upa-} \frac{ML^2\Theta}{TQ} &= 10^{-10} = 371074.3 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ni}'\text{upa-} \frac{ML^2\Theta}{TQ} &= 10^{-10} = 625.56A2 \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ni}'\text{upa-} \frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.A87AA5B \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ni}'\text{umu-} \frac{ML^2\Theta}{T^2Q} &= 10^{-50} = 0.001340A58 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 2260B23. \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uvo-} \frac{ML^2\Theta}{T^2Q} &= 10^{-40} = 3997.7AB \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{mu-} \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.0243B776 \text{m} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{mu-} \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.000040B573A \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{xa-} \frac{ML^2T\Theta}{Q} &= 10^{60} = 70718.87 \text{k} \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{LQ} &= 10^{-60} = 14.14185 \text{m} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{LQ} &= 10^{-60} = 0.023A1257 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uxa-} \frac{M\Theta}{LQ} &= 10^{-60} = 0.00004013AA7 \text{k} \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{LTQ} &= 10^{-90} = 589B9.4B \text{m} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{LTQ} &= 10^{-90} = 9A.B3692 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{LTQ} &= 10^{-90} = 0.1516452 \text{k} \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni}'\text{upapa-} \frac{M\Theta}{LT^2Q} &= 10^{-110} = 0.0002060789 \text{m} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{LT^2Q} &= 10^{-100} = 36415B.8 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{LT^2Q} &= 10^{-100} = 612.0586 \text{k} \frac{\text{kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{uci-} \frac{MT\Theta}{LQ} &= 10^{-30} = 0.0039311B4 \text{m} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{ure-} \frac{MT\Theta}{LQ} &= 10^{-20} = 66257A6. \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{ure-} \frac{MT\Theta}{LQ} &= 10^{-20} = B318.185 \text{k} \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni}'\text{uso-} \frac{M\Theta}{L^2Q} &= 10^{-90} = 0.0008288155 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{ubi-} \frac{M\Theta}{L^2Q} &= 10^{-80} = 1227156. \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{ubi-} \frac{M\Theta}{L^2Q} &= 10^{-80} = 2069.514 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{L^2TQ} &= 10^{-100} = 2.B19014 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.005089511 \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ni}'\text{upano-} \frac{M\Theta}{L^2TQ} &= 10^{-100} = 0.0000088B4115 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s} \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 10618.B2 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 19.754B8 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{upaci-} \frac{M\Theta}{L^2T^2Q} &= 10^{-130} = 0.03143B92 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{MT\Theta}{L^2Q} &= 10^{-50} = 1B1384.5 \text{m} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{MT\Theta}{L^2Q} &= 10^{-50} = 33B.2317 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni}'\text{umu-} \frac{MT\Theta}{L^2Q} &= 10^{-50} = 0.5900550 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{uvaiei-} \frac{M\Theta}{L^3Q} &= 10^{-B0} = 424A9.B0 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei-} \frac{M\Theta}{L^3Q} &= 10^{-B0} = 73.13304 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni}'\text{uvaiei-} \frac{M\Theta}{L^3Q} &= 10^{-B0} = 0.106628B \text{k} \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 8035.A14 \cdot 10^{-130}$	$1 ni' upaci- \frac{M\Theta}{L^3 T Q} = 10^{-130} = 0.00015B4218 m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 0.00000478826B \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 270156.3 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.00282B786 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 457.0394 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 1.A65855 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.647B91A m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 1106.374 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.000B058863 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 766B91.2 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.00000170B068 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 0.1025425 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = B.971818 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 70.8B9A4 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.01848144 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 41064.92 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.00002B29731 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 0.00088B063A \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 1457.766 m\ CK$
$1 CK = 0.508743B \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 2.456210 CK$
$1k CK = 2B1.7994 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.004121789 k\ CK$
$1m \frac{CK}{s} = 206871.1 \cdot 10^{-50}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 5A438A1. m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.000122677B \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = A16B.784 \frac{CK}{s}$
$1k \frac{CK}{s} = 0.08284923 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 15.61125 k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 58.BA133 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.02106B47 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 33B0A.A2 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.00003734982 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 0.00001B12AB4 \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{T^2} = 10^{-70} = 62963.5A k \frac{CK}{s^2}$
$1m s\ CK = 3.142863 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.3A3194B m\ s\ CK$
$1s CK = 1974.81A \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00067B3691 s\ CK$
$1k s\ CK = 10613A0 \cdot 10^{20}$	$1 ci-TQ\Theta = 10^{30} = B617B9.4 k\ s\ CK$
$1mm\ CK = 456A5.B1 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.000028308A5 m\ m\ CK$
$1m CK = 0.000027004A6 \cdot 10^{20} (*)$	$1 re-LQ\Theta = 10^{20} = 478A1.38 m\ CK$
$1km\ CK = 0.015B369A \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 80.39148 k\ m\ CK$
$1m \frac{m\ CK}{s} = 10.65976 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.0B596725 m \frac{m\ CK}{s}$
$1 \frac{m\ CK}{s} = 7310.360 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.00017A1402 \frac{m\ CK}{s}$
$1k \frac{m\ CK}{s} = 4249144 \cdot 10^{-20}$	$1 ni' upa- \frac{LQ\Theta}{T} = 10^{-10} = 2A3558.3 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 0.002B284A7 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 410.8093 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 1.847507 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.7092852 \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = B96.8A49 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.001025922 k \frac{m\ CK}{s^2}$
$1mm\ s\ CK = 0.000170A494 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 7672.A07 m\ m\ s\ CK$
$1ms\ CK = 0.0B05425B \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 11.068B3 m\ s\ CK$
$1km\ s\ CK = 64.791A8 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.01A66579 k\ m\ s\ CK$
$1mm\ m^2 CK = 2.34308A \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.5320650 m\ m^2\ CK$
$1m^2 CK = 139B.671 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000911A990 m^2\ CK$
$1km^2 CK = 91B225.4 \cdot 10^{40}$	$1 vo-L^2Q\Theta = 10^{40} = 0.000001387614 k\ m^2\ CK$
$1m \frac{m^2 CK}{s} = 0.00064A0760 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 1A5A.4B3 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 0.3857181 \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 3.2A3B85 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 218.962B \cdot 10^{10}$	$1 pa- \frac{L^2Q\Theta}{T} = 10^{10} = 0.005719A18 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 15B9BB.8 \cdot 10^{-30} (*)$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 800A82A. m \frac{m^2 CK}{s^2} (*)$
$1 \frac{m^2 CK}{s^2} = 0.0000A4AA11A \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 11A02.41 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 0.06034754 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2Q\Theta}{T^2} = 10^{-20} = 1B.AA61A k \frac{m^2 CK}{s^2}$
$1mm\ m^2 s\ CK = 98A3.AA2 \cdot 10^{70}$	$1 ze-L^2TQ\Theta = 10^{70} = 0.0001295386 m\ m^2\ s\ CK$
$1m^2 s\ CK = 0.000005776454 \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 216754.3 m^2\ s\ CK$
$1km^2 s\ CK = 0.00331776A \cdot 10^{80}$	$1 bi-L^2TQ\Theta = 10^{80} = 381.A0BB k\ m^2\ s\ CK (*)$
$1m \frac{CK}{m} = 15.15954 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.084AB711 m \frac{CK}{m}$
$1 \frac{CK}{m} = 9AAB.630 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.0001264671 \frac{CK}{m}$
$1k \frac{CK}{m} = 5899541 \cdot 10^{-40}$	$1 ni' uci- \frac{Q\Theta}{L} = 10^{-30} = 2113B1.2 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 0.004012331 \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{LT} = 10^{-70} = 2BB.139A m \frac{CK}{ms} (*)$

$1 \frac{\text{CK}}{\text{ms}} = 2.3A0314 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{Q\Theta}{LT} = 10^{-70} = 0.520B5B2 \frac{\text{CK}}{\text{ms}}$
$1 \text{k} \frac{\text{CK}}{\text{ms}} = 1413.717 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{Q\Theta}{LT} = 10^{-70} = 0.0008B33542 \text{k} \frac{\text{CK}}{\text{ms}}$
$1 \text{m} \frac{\text{CK}}{\text{ms}^2} = B31367.0 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{LT^2} = 10^{-A0} = 1095888. \text{m} \frac{\text{CK}}{\text{ms}^2}$
$1 \frac{\text{CK}}{\text{ms}^2} = 0.0006622BB9 \cdot 10^{-A0} \quad (*)$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{LT^2} = 10^{-A0} = 1A12.607 \frac{\text{CK}}{\text{ms}^2}$
$1 \text{k} \frac{\text{CK}}{\text{ms}^2} = 0.392B75A \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{LT^2} = 10^{-A0} = 3.22344A \text{k} \frac{\text{CK}}{\text{ms}^2}$
$1 \text{m} \frac{\text{sCK}}{\text{m}} = 6119B.A5 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{TQ\Theta}{L} = 10^{-10} = 0.00001B75661 \text{m} \frac{\text{sCK}}{\text{m}}$
$1 \frac{\text{sCK}}{\text{m}} = 0.00003640085 \cdot 10^0 \quad (*)$	$1 \frac{TQ\Theta}{L} = 1 = 3499A.47 \frac{\text{sCK}}{\text{m}}$
$1 \text{k} \frac{\text{sCK}}{\text{m}} = 0.0205B98A \cdot 10^0$	$1 \frac{TQ\Theta}{L} = 1 = 5A.64B4B \text{k} \frac{\text{sCK}}{\text{m}}$
$1 \text{m} \frac{\text{CK}}{\text{m}^2} = 296518.B \cdot 10^{-70}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{L^2} = 10^{-60} = 4363AA7. \text{m} \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.000174A789 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{L^2} = 10^{-60} = 7505.724 \frac{\text{CK}}{\text{m}^2}$
$1 \text{k} \frac{\text{CK}}{\text{m}^2} = 0.0B293302 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{Q\Theta}{L^2} = 10^{-60} = 10.9A388 \text{k} \frac{\text{CK}}{\text{m}^2}$
$1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} = 7A.249AB \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{L^2T} = 10^{-A0} = 0.01641635 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 46620.22 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{Q\Theta}{L^2T} = 10^{-A0} = 0.00002784677 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} = 0.000027669BB \cdot 10^{-90} \quad (*)$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^2T} = 10^{-90} = 46936.6A \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 0.01A072AB \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{Q\Theta}{L^2T^2} = 10^{-110} = 66.448B5 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 10.91637 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{Q\Theta}{L^2T^2} = 10^{-110} = 0.0B35005B \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*)$
$1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 7474.709 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{Q\Theta}{L^2T^2} = 10^{-110} = 0.000176000A \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (**)$
$1 \text{m} \frac{\text{sCK}}{\text{m}^2} = 0.000BB3248B \cdot 10^{-30} \quad (*)$	$1 \text{ni}'\text{uci}-\frac{TQ\Theta}{L^2} = 10^{-30} = 1008.A19 \text{m} \frac{\text{sCK}}{\text{m}^2} \quad (*)$
$1 \frac{\text{sCK}}{\text{m}^2} = 0.6AAAA77 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{TQ\Theta}{L^2} = 10^{-30} = 1.8A1329 \frac{\text{sCK}}{\text{m}^2}$
$1 \text{k} \frac{\text{sCK}}{\text{m}^2} = 3BB.90B2 \cdot 10^{-30} \quad (*)$	$1 \text{ni}'\text{uci}-\frac{TQ\Theta}{L^2} = 10^{-30} = 0.003002239 \text{k} \frac{\text{sCK}}{\text{m}^2} \quad (*)$
$1 \text{m} \frac{\text{CK}}{\text{m}^3} = 0.005581830 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^3} = 10^{-90} = 223.8788 \text{m} \frac{\text{CK}}{\text{m}^3}$
$1 \frac{\text{CK}}{\text{m}^3} = 3.201247 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^3} = 10^{-90} = 0.395693A \frac{\text{CK}}{\text{m}^3}$
$1 \text{k} \frac{\text{CK}}{\text{m}^3} = 19BB.43B \cdot 10^{-90} \quad (*)$	$1 \text{ni}'\text{uso}-\frac{Q\Theta}{L^3} = 10^{-90} = 0.00066689B6 \text{k} \frac{\text{CK}}{\text{m}^3}$
$1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.000001345A20 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{L^3T} = 10^{-100} = 944938.A \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.0008A91B34 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{L^3T} = 10^{-100} = 1422.827 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} = 0.5194B58 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{Q\Theta}{L^3T} = 10^{-100} = 2.3B7510 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 372.2704 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q\Theta}{L^3T^2} = 10^{-140} = 0.003402074 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 20BA87.6 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{Q\Theta}{L^3T^2} = 10^{-140} = 0.0000059189A8 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.0001256713 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{Q\Theta}{L^3T^2} = 10^{-130} = 9B59.486 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{sCK}}{\text{m}^3} = 1B.46B98 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{TQ\Theta}{L^3} = 10^{-60} = 0.061AA13A \text{m} \frac{\text{sCK}}{\text{m}^3}$
$1 \frac{\text{sCK}}{\text{m}^3} = 11645.A0 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{TQ\Theta}{L^3} = 10^{-60} = 0.0000A785695 \frac{\text{sCK}}{\text{m}^3}$
$1 \text{k} \frac{\text{sCK}}{\text{m}^3} = 79B719A \cdot 10^{-60}$	$1 \text{ni}'\text{umu}-\frac{TQ\Theta}{L^3} = 10^{-50} = 164812.0 \text{k} \frac{\text{sCK}}{\text{m}^3}$
$1 \text{m kg CK} = 338B1.29 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-MQ\Theta = 10^{-10} = 0.00003758AA6 \text{m kg CK}$
$1 \text{kg CK} = 0.00001ABB92 \cdot 10^0 \quad (**)$	$1 MQ\Theta = 1 = 6316A.1A \text{ kg CK}$
$1 \text{kg CK} = 0.011387A5 \cdot 10^0$	$1 MQ\Theta = 1 = A9.9AB72 \text{k kg CK}$
$1 \text{m kg CK} = 9.377AA6 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MQ\Theta}{T} = 10^{-40} = 0.1358AB7 \text{m} \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}} = 5473.22A \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MQ\Theta}{T} = 10^{-40} = 0.000228B691 \frac{\text{kg CK}}{\text{s}}$
$1 \text{k} \frac{\text{kg CK}}{\text{s}} = 3147957 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{MQ\Theta}{T} = 10^{-30} = 3A2760.1 \text{k} \frac{\text{kg CK}}{\text{s}}$
$1 \text{m kg CK} = 0.00221704B \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MQ\Theta}{T^2} = 10^{-70} = 561.6076 \text{m} \frac{\text{kg CK}}{\text{s}^2}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 1.315822 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MQ\Theta}{T^2} = 10^{-70} = 0.9632132 \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg CK}}{\text{s}^2} = 890.295B \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{MQ\Theta}{T^2} = 10^{-70} = 0.001455484 \text{k} \frac{\text{kg CK}}{\text{s}^2}$
$1 \text{m kg s CK} = 0.0001219552 \cdot 10^{30}$	$1 \text{ci}-MTQ\Theta = 10^{30} = A216.6A3 \text{ m kg s CK}$
$1 \text{kg s CK} = 0.08230B89 \cdot 10^{30}$	$1 \text{ci}-MTQ\Theta = 10^{30} = 15.70572 \text{ kg s CK}$
$1 \text{k kg s CK} = 48.A4096 \cdot 10^{30}$	$1 \text{ci}-MTQ\Theta = 10^{30} = 0.02648128 \text{k kg s CK}$
$1 \text{m kg m CK} = 1.8362B6 \cdot 10^{20}$	$1 \text{re}-MLQ\Theta = 10^{20} = 0.7119899 \text{ m kg m CK}$
$1 \text{kg m CK} = B8B.1464 \cdot 10^{20}$	$1 \text{re}-MLQ\Theta = 10^{20} = 0.001031834 \text{ kg m CK}$
$1 \text{k kg m CK} = 6967A2.9 \cdot 10^{20}$	$1 \text{re}-MLQ\Theta = 10^{20} = 0.000001923141 \text{k kg m CK}$
$1 \text{m kg m CK} = 0.0004900539 \cdot 10^{-10} \quad (*)$	$1 \text{ni}'\text{upa}-\frac{MLQ\Theta}{T} = 10^{-10} = 2639.2A4 \text{m} \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}} = 0.28BA30B \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MLQ\Theta}{T} = 10^{-10} = 4.44716B \frac{\text{kg m CK}}{\text{s}}$
$1 \text{k} \frac{\text{kg m CK}}{\text{s}} = 171.0BA8 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MLQ\Theta}{T} = 10^{-10} = 0.007662646 \text{k} \frac{\text{kg m CK}}{\text{s}}$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 114151.3 \cdot 10^{-50} \\
1 \text{kg m CK} &= 0.0000787B293 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 0.0457593B \cdot 10^{-40} \\
1 \text{m kg m s CK} &= 7284.015 \cdot 10^{50} \\
1 \text{kg m s CK} &= 0.000004220662 \cdot 10^{60} \\
1 \text{k kg m s CK} &= 0.002504A53 \cdot 10^{60} \\
1 \text{m kg m}^2 \text{CK} &= 0.0000A441458 \cdot 10^{50} \\
1 \text{kg m}^2 \text{CK} &= 0.05BB5AA5 \cdot 10^{50} \quad (*) \\
1 \text{k kg m}^2 \text{CK} &= 35.78582 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 25133.36 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.000014A160A \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.0098B795B \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 6.9910B4 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 3B39.15B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 2346944 \cdot 10^{-20} \\
1 \text{m kg m}^2 \text{s CK} &= 0.383249A \cdot 10^{80} \\
1 \text{kg m}^2 \text{s CK} &= 217.4A81 \cdot 10^{80} \\
1 \text{k kg m}^2 \text{s CK} &= 129A93.6 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.00065A0572 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.390646B \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 220.9839 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 162780.3 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0000A663B03 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.06127B26 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 43.21904 \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 2574A.A0 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.00001518147 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 2.38632A \\
1 \frac{\text{kg s CK}}{\text{m}} &= 1405.226 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 9343BB.A \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 10.85340 \cdot 10^{-60} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 7427.399 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 430755A \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.002B82423 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 1.8796B9 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= BB4.9A58 \cdot 10^{-90} \quad (*) \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 842944.5 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.0004A00784 \cdot 10^{-100} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.2969855 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 46329.49 \cdot 10^{-30} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.0000274A53B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 0.016211A4 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 20A669.8 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.00012492B3 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.083B964B \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 59.A7302 \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 34537.83 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.00001B4A1B5 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.01443720 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 9.572392 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{uvo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = A960683. \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni}'\text{ubo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 16794.86 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni}'\text{ubo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 28.28436 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{mu-}MLTQ\Theta &= 10^{50} = 0.00017B2272 \text{m kg m s CK} \\
1 \text{xa-}MLTQ\Theta &= 10^{60} = 2A5389.8 \text{ kg m s CK} \\
1 \text{xa-}MLTQ\Theta &= 10^{60} = 4B6.2505 \text{k kg m s CK} \\
1 \text{mu-}ML^2Q\Theta &= 10^{50} = 11A92.15 \text{ m kg m}^2 \text{CK} \\
1 \text{mu-}ML^2Q\Theta &= 10^{50} = 20.02048 \text{ kg m}^2 \text{CK} \\
1 \text{mu-}ML^2Q\Theta &= 10^{50} = 0.0355B592 \text{k kg m}^2 \text{CK} \\
1 \text{pa-} \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.00004B45189 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 8670B.08 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 129.3374 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni}'\text{ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.1917655 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni}'\text{ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.0003063297 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni}'\text{upa-} \frac{ML^2Q\Theta}{T^2} &= 10^{-10} = 5313B5.6 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{bi-}ML^2TQ\Theta &= 10^{80} = 3.305254 \text{ m kg m}^2 \text{s CK} \\
1 \text{bi-}ML^2TQ\Theta &= 10^{80} = 0.005755534 \text{ kg m}^2 \text{s CK} \\
1 \text{bi-}ML^2TQ\Theta &= 10^{80} = 0.0000098689A8 \text{k kg m}^2 \text{s CK} \\
1 \text{ni}'\text{uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 1A24.A28 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni}'\text{uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 3.2441B1 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni}'\text{uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 0.0056358BA \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 7AA1184. \text{m} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 117A7.66 \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 1B.72401 \text{k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni}'\text{ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.02992015 \text{m} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ni}'\text{ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00004A41678 \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{LT^2} &= 10^{-90} = 8499A.74 \text{k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.5243968 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0008B91108 \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.000001362564 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0B403B54 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni}'\text{uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00017707BA \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni}'\text{umu-} \frac{MQ\Theta}{L^2} &= 10^{-50} = 29A213.A \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 405.14AA \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.6B82072 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.00100725A \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 152A69A. \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 2595.A64 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 4.358AAA \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.000027A116B \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni}'\text{ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 47031.35 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni}'\text{ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 7B.0B167 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni}'\text{ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 5955868. \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni}'\text{ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = A002.B62 \frac{\text{kg CK}}{\text{m}^3} \quad (*) \\
1 \text{ni}'\text{ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 15.348B5 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.020887AB \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000036889A0 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{vuaeie-} \frac{MQ\Theta}{L^3T} &= 10^{-B0} = 61A00.A4 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 89.77422 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 0.1326526 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 558A.749 \cdot 10^{-130}$$

$$1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} = 0.0008A34B34 \cdot 10^{-50}$$

$$1 \frac{\text{kg s CK}}{\text{m}^3} = 0.5161038 \cdot 10^{-50}$$

$$1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} = 2B7.1715 \cdot 10^{-50}$$

$$1 \text{ni'upaci-} \frac{MQ\Theta}{L^3 T^2} = 10^{-130} = 0.00022350A1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$$

$$1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} = 10^{-50} = 1431.238 \text{m} \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} = 10^{-50} = 2.4116B7 \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} = 10^{-50} = 0.00406691A \text{k} \frac{\text{kg s CK}}{\text{m}^3}$$

**Part IV**

**Unnamed Natural Units**

This part uses natural units, where  $\epsilon_0 = \frac{1}{2\tau}$  and  $G = \frac{1}{4\tau}$ .

# 10 Base 6 - ??

## 10.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\text{Proton mass} = 1.454155 \cdot 10^{-40} \quad (*)$$

$$\text{Electron mass} = 114.2154 \cdot 10^{-50}$$

$$\text{Elementary charge} = 0.03024132 \cdot 10^0$$

$$\text{\AA}^1 = 5.325455 \cdot 10^{50} \quad (*)$$

$$\text{Bohr radius}^2 = 2.542033 \cdot 10^{50}$$

$$\text{Fine structure constant}^3 = 0.001324245 \cdot 10^0$$

$$\text{Rydberg Energy}^4 = 133.3430 \cdot 10^{-100}$$

$$|\psi_{100}(0)|^5 = 2400.014 \cdot 10^{-240} \quad (*)$$

$$\text{eV} = 4.122500 \cdot 10^{-100} \quad (*)$$

$$\hbar^6 = 1.000000 \quad (***)$$

$$\lambda_{\text{yellow}} = 0.4043354 \cdot 10^{100}$$

$$k_{\text{yellow}}^7 = 13.04434 \cdot 10^{-100}$$

$$k_{\text{X-Ray}}^8 = 1020.505 \cdot 10^{-40}$$

$$\text{Earth g} = 2.044443 \cdot 10^{-130}$$

$$\text{cm} = 0.1312212 \cdot 10^{110}$$

$$\text{min} = 551.5310 \cdot 10^{130} \quad (*)$$

$$\text{hour} = 0.1345112 \cdot 10^{140}$$

$$\text{Liter} = 24.51122 \cdot 10^{330}$$

$$\text{Area of a soccer field} = 244.3530 \cdot 10^{230}$$

$$244 \text{ m}^2^9 = 1.224255 \cdot 10^{230} \quad (*)$$

$$\text{km/h} = 2.003354 \cdot 10^{-20} \quad (*)$$

$$\text{mi/h} = 3.125043 \cdot 10^{-20}$$

$$\text{inch}^{10} = 0.3524120 \cdot 10^{110}$$

$$\text{mile} = 0.5150240 \cdot 10^{120}$$

$$\text{pound} = 0.01421123 \cdot 10^{20}$$

$$\text{horsepower} = 0.005241503 \cdot 10^{-140}$$

$$\text{kcal} = 0.3000454 \cdot 10^{-10} \quad (**)$$

$$\text{kWh} = 0.001554250 \cdot 10^0 \quad (*)$$

$$\text{Typical household electric field} = 22.50321 \cdot 10^{-210}$$

$$\text{Earthmagneticfield} = 0.3324433 \cdot 10^{-200}$$

$$1 \text{ ni}'\text{uvo-}M = 10^{-40} = 0.3141524 m_p$$

$$1 \text{ ni}'\text{uvo-}M = 10^{-40} = 4353.442 m_e$$

$$1 Q = 1 = 15.41232 e$$

$$1 \text{ mu-}L = 10^{50} = 0.1024053 \text{ \AA}$$

$$1 \text{ mu-}L = 10^{50} = 0.2010412 a_0$$

$$1 = 1 = 345.0115 \alpha$$

$$1 \text{ ni}'\text{upano-} \frac{ML^2}{T^2} = 10^{-100} = 0.003425353 Ry$$

$$1 \text{ ni}'\text{ureci-} \frac{1}{L^3} = 10^{-230} = 212.5544 \rho_{\max} \quad (*)$$

$$1 \text{ ni}'\text{upano-} \frac{ML^2}{T^2} = 10^{-100} = 0.1225555 \text{ eV} \quad (**)$$

$$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$$

$$1 \text{ pano-}L = 10^{100} = 1.241541 \cdot \lambda_{\text{yellow}}$$

$$1 \text{ ni}'\text{upano-} \frac{1}{L} = 10^{-100} = 0.03535250 \cdot k_{\text{yellow}}$$

$$1 \text{ ni}'\text{uci-} \frac{1}{L} = 10^{-30} = 535.5111 \cdot k_{\text{X-Ray}}$$

$$1 \text{ ni}'\text{upaci-} \frac{ML}{T^2} = 10^{-130} = 0.2451302 \cdot \text{Earth g}$$

$$1 \text{ papa-}L = 10^{110} = 3.522124 \text{ cm}$$

$$1 \text{ pavo-}T = 10^{140} = 1004.054 \text{ min} \quad (*)$$

$$1 \text{ pavo-}T = 10^{140} = 3.400322 \text{ h} \quad (*)$$

$$1 \text{ cici-}L^3 = 10^{330} = 0.02045001 l \quad (*)$$

$$1 \text{ revo-}L^2 = 10^{240} = 2051.311 A$$

$$1 \text{ reci-}L^2 = 10^{230} = 0.4131202 \cdot 244 \text{ m}^2$$

$$1 \text{ ni}'\text{ure-} \frac{L}{T} = 10^{-20} = 0.2550321 \text{ km/h} \quad (*)$$

$$1 \text{ ni}'\text{ure-} \frac{L}{T} = 10^{-20} = 0.1503134 \text{ mi/h}$$

$$1 \text{ papa-}L = 10^{110} = 1.311332 \text{ in}$$

$$1 \text{ pare-}L = 10^{120} = 1.044102 \text{ mi}$$

$$1 \text{ re-}M = 10^{20} = 32.50010 \text{ pound} \quad (*)$$

$$1 \text{ ni}'\text{upavo-} \frac{ML^2}{T^3} = 10^{-140} = 103.3400 \text{ horsepower} \quad (*)$$

$$1 \text{ ni}'\text{upa-} \frac{ML^2}{T^2} = 10^{-10} = 1.555241 \text{ kcal} \quad (**)$$

$$1 \frac{ML^2}{T^2} = 1 = 300.2145 \text{ kWh} \quad (*)$$

$$1 \text{ ni}'\text{urepa-} \frac{ML}{T^2 Q} = 10^{-210} = 0.02231402 E_H$$

$$1 \text{ ni}'\text{ureno-} \frac{M}{TQ} = 10^{-200} = 1.402131 \cdot \text{Earthmagneticfield}$$

<sup>1</sup>Length in atomic and solid state physics, 1/14 nm

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>100 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $113.2210 \cdot 10^{110}$   
 Mass of an average man =  $11.22355 \cdot 10^{20}$  (\*)

Age of the Universe =  $35.01410 \cdot 10^{200}$   
 Size of the observable Universe =  $2.104341 \cdot 10^{210}$   
 Average density of the Universe =  $1.221111 \cdot 10^{-430}$   
 Earth mass =  $2.505235 \cdot 10^{110}$   
 Sun mass<sup>12</sup> =  $32.22323 \cdot 10^{120}$   
 Year =  $0.01502055 \cdot 10^{150}$  (\*)  
 Speed of Light = 1.000000 (\*\*\*)  
 Parsec =  $0.1000240 \cdot 10^{150}$  (\*\*)  
 Astronomical unit =  $0.01205430 \cdot 10^{140}$   
 Earth radius =  $0.02411400 \cdot 10^{130}$  (\*)  
 Distance Earth-Moon =  $4.310121 \cdot 10^{130}$   
*Momentum of someone walking*<sup>13</sup> =  $4350.404 \cdot 10^0$

Stefan-Boltzmann constant =  $0.05531034 \cdot 10^0$  (\*)  
 mol =  $2.420221 \cdot 10^{50}$   
 Standard temperature<sup>14</sup> =  $0.03331113 \cdot 10^{-100}$   
 Room - standard temperature<sup>15</sup> =  $0.001324322 \cdot 10^{-100}$   
 atm =  $53.30244 \cdot 10^{-350}$   
 $c_s = 0.01531030 \cdot 10^{-10}$

$\mu_0 = 20.32220 \cdot 10^0$   
 $G = 0.01233222 \cdot 10^0$

1 pare- $L = 10^{120} = 4431.453 \bar{h}$   
 1 re- $M = 10^{20} = 0.04505441 \bar{m}$   
 1 reno- $T = 10^{200} = 0.01321222 t_U$   
 1 repa- $L = 10^{210} = 0.2424151 l_U$   
 $1 \text{ ni'uvoci-} \frac{M}{L^3} = 10^{-430} = 0.4145223 \rho_U$   
 1 papa- $M = 10^{110} = 0.2033214 m_E$   
 1 pare- $M = 10^{120} = 0.01433031 m_S$   
 1 pamu- $T = 10^{150} = 31.31023 \text{ y}$   
 $1 \frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)  
 1 pamu- $L = 10^{150} = 5.553201 \text{ pc}$  (\*)  
 1 pavo- $L = 10^{140} = 42.24551 \text{ au}$  (\*)  
 1 paci- $L = 10^{130} = 21.15341 r_E$   
 1 paci- $L = 10^{130} = 0.1154100 d_M$  (\*)  
 $1 \text{ pa-} \frac{ML}{T} = 10^{10} = 114.3104 \cdot \text{ Momentum of someone walking}$

$1 \frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$   
 1 mu- =  $10^{50} = 0.2111433 \text{ mol}$   
 $1 \text{ ni'upano-} \Theta = 10^{-100} = 14.01040 T_0$   
 $1 \text{ ni'upano-} \Theta = 10^{-100} = 344.5551 \Theta_R$  (\*\*)  
 $1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 0.01024011 \text{ atm}$   
 $1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$

$1 \frac{ML}{Q^2} = 1 = 0.02510444 \cdot \mu_0$   
 $1 \frac{L^3}{MT^2} = 1 = 41.04440 \cdot G$

#### Extensive list of SI units

$1 \text{ m} = 114.3534 \cdot 10^{-10}$   
 $1 = 1.000000$  (\*\*\*)  
 $1 \text{ k} = 4344.000 \cdot 10^0$  (\*\*)  
 $1 \text{ m s}^{\frac{1}{s}} = 21.11313 \cdot 10^{-140}$   
 $1 \text{ s}^{\frac{1}{s}} = 0.1410533 \cdot 10^{-130}$   
 $1 \text{ k s}^{\frac{1}{s}} = 0.001151043 \cdot 10^{-120}$   
 $1 \text{ m s}^{\frac{1}{s^2}} = 3.423453 \cdot 10^{-310}$   
 $1 \text{ s}^{\frac{1}{s^2}} = 0.02515153 \cdot 10^{-300}$   
 $1 \text{ k s}^{\frac{1}{s^2}} = 212.0542 \cdot 10^{-300}$   
 $1 \text{ m s} = 432.4424 \cdot 10^{120}$   
 $1 \text{ s} = 3.310530 \cdot 10^{130}$   
 $1 \text{ k s} = 0.02420401 \cdot 10^{140}$   
 $1 \text{ m m} = 5312.311 \cdot 10^{100}$   
 $1 \text{ m} = 41.35130 \cdot 10^{110}$   
 $1 \text{ k m} = 0.3144215 \cdot 10^{120}$   
 $1 \text{ m s}^{\frac{m}{s}} = 0.001322434 \cdot 10^{-20}$   
 $1 \text{ s}^{\frac{m}{s}} = 11.13221 \cdot 10^{-20}$   
 $1 \text{ k s}^{\frac{m}{s}} = 0.05334055 \cdot 10^{-10}$  (\*)  
 $1 \text{ m s}^{\frac{m}{s^2}} = 235.5252 \cdot 10^{-200}$

$1 = 1 = 4344.000 \text{ m}$  (\*\*)  
 $1 = 1 = 1.000000$  (\*\*\*)  
 $1 \text{ pa-} = 10^{10} = 114.3534 \text{ k}$   
 $1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.02420401 \text{ m s}^{\frac{1}{s}}$   
 $1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 3.310530 \frac{1}{s}$   
 $1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 432.4424 \text{ k s}^{\frac{1}{s}}$   
 $1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 0.1334311 \text{ m s}^{\frac{1}{s^2}}$   
 $1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 20.25035 \frac{1}{s^2}$   
 $1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.002410013 \text{ k s}^{\frac{1}{s^2}}$  (\*)  
 $1 \text{ pare-} T = 10^{120} = 0.001151043 \text{ m s}$   
 $1 \text{ paci-} T = 10^{130} = 0.1410533 \text{ s}$   
 $1 \text{ pavo-} T = 10^{140} = 21.11313 \text{ k s}$   
 $1 \text{ papa-} L = 10^{110} = 102.5542 \text{ m m}$  (\*)  
 $1 \text{ papa-} L = 10^{110} = 0.01223113 \text{ m}$   
 $1 \text{ pare-} L = 10^{120} = 1.452542 \text{ k m}$   
 $1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.4201 \text{ m s}^{\frac{m}{s}}$   
 $1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.04542533 \frac{\text{m}}{\text{s}}$   
 $1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.23153 \text{ k s}^{\frac{m}{s}}$   
 $1 \text{ ni'ureno-} \frac{L}{T^2} = 10^{-200} = 0.002130235 \text{ m s}^{\frac{m}{s^2}}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>32 °C

$1\frac{m}{s^2} = 2.020013 \cdot 10^{-150}$	(*)	$1 ni'upamu \cdot \frac{L}{T^2} = 10^{-150} = 0.2530232 \frac{m}{s^2}$
$1k\frac{m}{s^2} = 0.01330343 \cdot 10^{-140}$		$1 ni'upavo \cdot \frac{L}{T^2} = 10^{-140} = 34.41011 k \frac{m}{s^2}$
$1m\frac{ms}{s} = 0.03132211 \cdot 10^{240}$		$1 revo \cdot LT = 10^{240} = 15.01233 m\frac{ms}{s}$
$1m\frac{s}{s} = 230.3254 \cdot 10^{240}$		$1 revo \cdot LT = 10^{240} = 0.002215023 ms$
$1k\frac{ms}{s} = 1.535210 \cdot 10^{250}$		$1 remu \cdot LT = 10^{250} = 0.3031311 km\frac{s}{s}$
$1m\frac{m^2}{s} = 0.3540221 \cdot 10^{220}$		$1 rere \cdot L^2 = 10^{220} = 1.304225 m\frac{m^2}{s}$
$1m^2 = 3013.414 \cdot 10^{220}$		$1 reci \cdot L^2 = 10^{230} = 154.5342 m^2$
$1k\frac{m^2}{s} = 22.03255 \cdot 10^{230}$	(*)	$1 reci \cdot L^2 = 10^{230} = 0.02315335 km\frac{m^2}{s}$
$1m\frac{m^2}{s} = 0.1041200 \cdot 10^{50}$	(*)	$1 mu \cdot \frac{L^2}{T} = 10^{50} = 5.211543 m \frac{m^2}{s}$
$1\frac{m^2}{s} = 510.1141 \cdot 10^{50}$		$1 pano \cdot \frac{L^2}{T} = 10^{100} = 1054.315 \frac{m^2}{s}$
$1k\frac{m^2}{s} = 3.554034 \cdot 10^{100}$	(*)	$1 pano \cdot \frac{L^2}{T} = 10^{100} = 0.1300414 k \frac{m^2}{s}$
$1m\frac{m^2}{s^2} = 0.01521544 \cdot 10^{-40}$		$1 ni'uvo \cdot \frac{L^2}{T^2} = 10^{-40} = 30.54500 m \frac{m^2}{s^2}$
$1\frac{m^2}{s^2} = 124.4155 \cdot 10^{-40}$	(*)	$1 ni'uvo \cdot \frac{L^2}{T^2} = 10^{-40} = 0.004032541 \frac{m^2}{s^2}$
$1k\frac{m^2}{s^2} = 1.044030 \cdot 10^{-30}$		$1 ni'uci \cdot \frac{L^2}{T^2} = 10^{-30} = 0.5150521 k \frac{m^2}{s^2}$
$1m\frac{m^2 s}{s} = 2.153440 \cdot 10^{350}$		$1 cimu \cdot L^2 T = 10^{350} = 0.2325520 m\frac{m^2 s}{s}$
$1m^2 s = 0.01443102 \cdot 10^{400}$		$1 vono \cdot L^2 T = 10^{400} = 32.03005 m^2 s$
$1k\frac{m^2 s}{s} = 121.4425 \cdot 10^{400}$		$1 vono \cdot L^2 T = 10^{400} = 0.004201012 km\frac{s}{s}$
$1m\frac{1}{m} = 1.452542 \cdot 10^{-120}$		$1 ni'upare \cdot \frac{1}{L} = 10^{-120} = 0.3144215 m \frac{1}{m}$
$1\frac{1}{m} = 0.01223113 \cdot 10^{-110}$		$1 ni'upapa \cdot \frac{1}{L} = 10^{-110} = 41.35130 \frac{1}{m}$
$1k\frac{1}{m} = 102.5542 \cdot 10^{-110}$	(*)	$1 ni'upano \cdot \frac{1}{L} = 10^{-100} = 5312.311 k \frac{1}{m}$
$1m\frac{1}{ms} = 0.3031311 \cdot 10^{-250}$		$1 ni'uremu \cdot \frac{1}{LT} = 10^{-250} = 1.535210 m \frac{1}{ms}$
$1\frac{1}{ms} = 0.002215023 \cdot 10^{-240}$		$1 ni'urevo \cdot \frac{1}{LT} = 10^{-240} = 230.3254 \frac{1}{ms}$
$1k\frac{1}{ms} = 15.01233 \cdot 10^{-240}$		$1 ni'urevo \cdot \frac{1}{LT} = 10^{-240} = 0.03132211 k \frac{1}{ms}$
$1m\frac{1}{ms^2} = 0.05125544 \cdot 10^{-420}$	(*)	$1 ni'uvore \cdot \frac{1}{LT^2} = 10^{-420} = 10.50511 m \frac{1}{ms^2}$
$1\frac{1}{ms^2} = 401.4550 \cdot 10^{-420}$	(*)	$1 ni'uvore \cdot \frac{1}{LT^2} = 10^{-420} = 0.001251534 \frac{1}{ms^2}$
$1k\frac{1}{ms^2} = 3.043045 \cdot 10^{-410}$		$1 ni'uvopa \cdot \frac{1}{LT^2} = 10^{-410} = 0.1530350 k \frac{1}{ms^2}$
$1m\frac{s}{m} = 10.23153 \cdot 10^{10}$		$1 pa \cdot \frac{T}{L} = 10^{10} = 0.05334055 m \frac{s}{m}$
$1\frac{s}{m} = 0.04542533 \cdot 10^{20}$		$1 re \cdot \frac{T}{L} = 10^{20} = 11.13221 \frac{s}{m}$
$1k\frac{s}{m} = 345.4201 \cdot 10^{20}$		$1 re \cdot \frac{T}{L} = 10^{20} = 0.001322434 k \frac{s}{m}$
$1m\frac{1}{m^2} = 0.02315335 \cdot 10^{-230}$		$1 ni'ureci \cdot \frac{1}{L^2} = 10^{-230} = 22.03255 m \frac{1}{m^2}$
$1\frac{1}{m^2} = 154.5342 \cdot 10^{-230}$		$1 ni'urere \cdot \frac{1}{L^2} = 10^{-220} = 3013.414 \frac{1}{m^2}$
$1k\frac{1}{m^2} = 1.304225 \cdot 10^{-220}$		$1 ni'urere \cdot \frac{1}{L^2} = 10^{-220} = 0.3540221 k \frac{1}{m^2}$
$1m\frac{1}{m^2 s} = 0.004201012 \cdot 10^{-400}$		$1 ni'uvono \cdot \frac{1}{L^2 T} = 10^{-400} = 121.4425 m \frac{1}{m^2 s}$
$1\frac{1}{m^2 s} = 32.03005 \cdot 10^{-400}$	(*)	$1 ni'uvono \cdot \frac{1}{L^2 T} = 10^{-400} = 0.01443102 \frac{1}{m^2 s}$
$1k\frac{1}{m^2 s} = 0.2325520 \cdot 10^{-350}$	(*)	$1 ni'ucimu \cdot \frac{1}{L^2 T} = 10^{-350} = 2.153440 k \frac{1}{m^2 s}$
$1m\frac{1}{m^2 s^2} = 1121.144 \cdot 10^{-540}$		$1 ni'umuci \cdot \frac{1}{L^2 T^2} = 10^{-530} = 451.5102 m \frac{1}{m^2 s^2}$
$1\frac{1}{m^2 s^2} = 5.404121 \cdot 10^{-530}$		$1 ni'umuci \cdot \frac{1}{L^2 T^2} = 10^{-530} = 0.1015530 \frac{1}{m^2 s^2}$
$1k\frac{1}{m^2 s^2} = 0.04215413 \cdot 10^{-520}$		$1 ni'umure \cdot \frac{1}{L^2 T^2} = 10^{-520} = 12.11215 k \frac{1}{m^2 s^2}$
$1m\frac{s}{m^2} = 0.1300414 \cdot 10^{-100}$	(*)	$1 ni'upano \cdot \frac{1}{L^2} = 10^{-100} = 3.554034 m \frac{s}{m^2}$
$1\frac{s}{m^2} = 1054.315 \cdot 10^{-100}$		$1 ni'umu \cdot \frac{T}{L^2} = 10^{-50} = 510.1141 \frac{s}{m^2}$
$1k\frac{s}{m^2} = 5.211543 \cdot 10^{-50}$		$1 ni'umu \cdot \frac{T}{L^2} = 10^{-50} = 0.1041200 k \frac{s}{m^2}$
$1m\frac{1}{m^3} = 333.0150 \cdot 10^{-350}$		$1 ni'ucivo \cdot \frac{1}{L^3} = 10^{-340} = 1401.311 m \frac{1}{m^3}$
$1\frac{1}{m^3} = 2.433243 \cdot 10^{-340}$		$1 ni'ucivo \cdot \frac{1}{L^3} = 10^{-340} = 0.2100314 \frac{1}{m^3}$
$1k\frac{1}{m^3} = 0.02045001 \cdot 10^{-330}$	(*)	$1 ni'ucici \cdot \frac{1}{L^3} = 10^{-330} = 24.51122 k \frac{1}{m^3}$
$1m\frac{1}{m^3 s} = 100.3121 \cdot 10^{-520}$	(*)	$1 ni'umure \cdot \frac{1}{L^3 T} = 10^{-520} = 0.005524534 m \frac{1}{m^3 s}$
$1\frac{1}{m^3 s} = 0.4410533 \cdot 10^{-510}$		$1 ni'umupa \cdot \frac{1}{L^3 T} = 10^{-510} = 1.135453 \frac{1}{m^3 s}$
$1k\frac{1}{m^3 s} = 0.003343043 \cdot 10^{-500}$		$1 ni'umuno \cdot \frac{1}{L^3 T} = 10^{-500} = 135.3243 k \frac{1}{m^3 s}$
$1m\frac{1}{m^3 s^2} = 14.20224 \cdot 10^{-1050}$		$1 ni'upanomu \cdot \frac{1}{L^3 T^2} = 10^{-1050} = 0.03251410 m \frac{1}{m^3 s^2}$
$1\frac{1}{m^3 s^2} = 0.1155204 \cdot 10^{-1040}$	(*)	$1 ni'upanovo \cdot \frac{1}{L^3 T^2} = 10^{-1040} = 4.302110 \frac{1}{m^3 s^2}$
$1k\frac{1}{m^3 s^2} = 1005.420 \cdot 10^{-1040}$	(*)	$1 ni'upanoci \cdot \frac{1}{L^3 T^2} = 10^{-1030} = 550.2320 k \frac{1}{m^3 s^2}$

$$\begin{aligned}
1 \text{m} \frac{\text{s}}{\text{m}^3} &= 2035.451 \cdot 10^{-220} \\
1 \frac{\text{s}}{\text{m}^3} &= 13.43413 \cdot 10^{-210} \\
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.1131214 \cdot 10^{-200} \\
1 \text{m kg} &= 4.534223 \cdot 10^{10} \\
1 \text{kg} &= 0.03450502 \cdot 10^{20} \\
1 \text{k kg} &= 253.4524 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.221532 \cdot 10^{-120} \\
1 \frac{\text{kg}}{\text{s}} &= 0.01024545 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 45.54314 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.2212520 \cdot 10^{-250} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.001455430 \cdot 10^{-240} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 12.25210 \cdot 10^{-240} \\
1 \text{m kg s} &= 25.23432 \cdot 10^{140} \\
1 \text{kg s} &= 0.2124214 \cdot 10^{150} \\
1 \text{k kg s} &= 0.001421430 \cdot 10^{200} \\
1 \text{m kg m} &= 330.3405 \cdot 10^{120} \\
1 \text{kg m} &= 2.414103 \cdot 10^{130} \\
1 \text{k kg m} &= 0.02032145 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 55.50304 \cdot 10^{-10} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}} &= 0.4335434 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 3320.202 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 14.05213 \cdot 10^{-140} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.1145532 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.001001312 \cdot 10^{-120} \quad (*) \\
1 \text{m kg m s} &= 0.002023113 \cdot 10^{300} \\
1 \text{kg m s} &= 13.33022 \cdot 10^{300} \\
1 \text{k kg m s} &= 0.1122131 \cdot 10^{310} \\
1 \text{m kg m}^2 &= 0.02301105 \cdot 10^{240} \\
1 \text{kg m}^2 &= 153.3331 \cdot 10^{240} \\
1 \text{k kg m}^2 &= 1.254114 \cdot 10^{250} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 4131.203 \cdot 10^{100} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 31.41212 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.2311205 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 0.001112142 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 5.325013 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.04145452 \cdot 10^{-10} \\
1 \text{m kg m}^2 \text{s} &= 0.1250330 \cdot 10^{410} \\
1 \text{kg m}^2 \text{s} &= 0.001045453 \cdot 10^{420} \\
1 \text{k kg m}^2 \text{s} &= 5.134020 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.1053254 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}} &= 520.3015 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4.043124 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= 0.01543453 \cdot 10^{-230} \\
1 \frac{\text{kg}}{\text{m s}} &= 130.3005 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 1.100200 \cdot 10^{-220} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.003155544 \cdot 10^{-400} \quad (***) \\
1 \frac{\text{kg}}{\text{m s}^2} &= 23.23310 \cdot 10^{-400} \\
1 \frac{\text{kg}}{\text{m s}^2} &= 0.1552352 \cdot 10^{-350} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}} &= 0.4025113 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m}} &= 0.003051540 \cdot 10^{40}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{T}{L^3} &= 10^{-210} = 250.2052 \text{m} \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'urepa-} \frac{T}{L^3} &= 10^{-210} = 0.03403534 \frac{\text{s}}{\text{m}^3} \\
1 \text{ni'ureno-} \frac{T}{L^3} &= 10^{-200} = 4.435311 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 \text{pa-} M &= 10^{10} = 0.1114301 \text{m kg} \\
1 \text{re-} M &= 10^{20} = 13.24113 \text{kg} \\
1 \text{re-} M &= 10^{20} = 0.002012524 \text{k kg} \\
1 \text{ni'upare-} \frac{M}{T} &= 10^{-120} = 0.4143102 \text{m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 53.21342 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 0.01111315 \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uremu-} \frac{M}{T^2} &= 10^{-250} = 2.305445 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 313.5205 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 0.04124423 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{pavo-} MT &= 10^{140} = 0.02021533 \text{m kg s} \\
1 \text{pamu-} MT &= 10^{150} = 2.401532 \text{kg s} \\
1 \text{reno-} MT &= 10^{200} = 324.4554 \text{k kg s} \quad (*) \\
1 \text{pare-} ML &= 10^{120} = 0.001412253 \text{m kg m} \\
1 \text{paci-} ML &= 10^{130} = 0.2113321 \text{kg m} \\
1 \text{pavo-} ML &= 10^{140} = 25.10530 \text{k kg m} \\
1 \text{ni'upa-} \frac{ML}{T} &= 10^{-10} = 0.01000530 \text{m} \frac{\text{kg m}}{\text{s}} \quad (**) \\
1 \frac{ML}{T} &= 1 = 1.145043 \frac{\text{kg m}}{\text{s}} \\
1 \text{pa-} \frac{ML}{T} &= 10^{10} = 140.4201 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML}{T^2} &= 10^{-140} = 0.03314054 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 4.332535 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML}{T^2} &= 10^{-120} = 554.2504 \text{k} \frac{\text{kg m}}{\text{s}^2} \quad (*) \\
1 \text{cino-} MLT &= 10^{300} = 252.1545 \text{m kg m s} \\
1 \text{cino-} MLT &= 10^{300} = 0.03431130 \text{kg m s} \\
1 \text{cipa-} MLT &= 10^{310} = 4.511215 \text{k kg m s} \\
1 \text{revo-} ML^2 &= 10^{240} = 22.21132 \text{m kg m}^2 \\
1 \text{revo-} ML^2 &= 10^{240} = 0.003034211 \text{kg m}^2 \\
1 \text{remu-} ML^2 &= 10^{250} = 0.4004444 \text{k kg m}^2 \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 122.4255 \text{m} \frac{\text{kg m}^2}{\text{s}} \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 0.01454343 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{paro-} \frac{ML^2}{T} &= 10^{120} = 2.211234 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 455.1252 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \quad (*) \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 0.1024150 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 12.21022 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{vopa-} ML^2 T &= 10^{410} = 4.022405 \text{m kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 513.4441 \text{kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 0.1045551 \text{k kg m}^2 \text{s} \quad (**) \\
1 \text{ni'upano-} \frac{M}{L} &= 10^{-100} = 5.110011 \text{m} \frac{\text{kg}}{\text{m}} \quad (*) \\
1 \text{ni'upano-} \frac{M}{L} &= 10^{-100} = 0.001042205 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'umu-} \frac{M}{L} &= 10^{-50} = 0.1242033 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ureci-} \frac{M}{LT} &= 10^{-230} = 30.20301 \text{m} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'urere-} \frac{M}{LT} &= 10^{-220} = 3544.003 \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'urere-} \frac{M}{LT} &= 10^{-220} = 0.5045222 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 144.4453 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 0.02155525 \frac{\text{kg}}{\text{m s}^2} \quad (**) \\
1 \text{ni'ucimu-} \frac{M}{LT^2} &= 10^{-350} = 3.005023 \text{k} \frac{\text{kg}}{\text{m s}^2} \quad (*) \\
1 \text{ci-} \frac{MT}{L} &= 10^{30} = 1.245402 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{vo-} \frac{MT}{L} &= 10^{40} = 152.3412 \frac{\text{kg s}}{\text{m}}
\end{aligned}$$

$1k \frac{kg\ s}{m} = 22.32352 \cdot 10^{40}$	$1 vo \frac{MT}{L} = 10^{40} = 0.02245323 k \frac{kg\ s}{m}$
$1m \frac{kg}{m^2} = 1342.115 \cdot 10^{-220}$	$1 ni'urepa \frac{M}{L^2} = 10^{-210} = 341.1153 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 11.30122 \cdot 10^{-210}$	$1 ni'urepa \frac{M}{L^2} = 10^{-210} = 0.04443530 \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 0.05443022 \cdot 10^{-200}$	$1 ni'ureno \frac{M}{L^2} = 10^{-200} = 10.11432 k \frac{kg}{m^2}$
$1m \frac{kg}{m^2\ s} = 243.0533 \cdot 10^{-350}$	$1 ni'ucivo \frac{M}{L^2 T} = 10^{-340} = 2102.312 m \frac{kg}{m^2\ s}$
$1 \frac{kg}{m^2\ s} = 2.043015 \cdot 10^{-340}$	$1 ni'ucivo \frac{M}{L^2 T} = 10^{-340} = 0.2453452 \frac{kg}{m^2\ s}$
$1k \frac{kg}{m^2\ s^2} = 0.01350113 \cdot 10^{-330}$	$1 ni'ucici \frac{M}{L^2 T} = 10^{-330} = 33.54153 k \frac{kg}{m^2\ s}$
$1m \frac{kg}{m^2\ s^2} = 44.02345 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^2 T^2} = 10^{-520} = 0.01140554 m \frac{kg}{m^2\ s^2} (*)$
$1 \frac{kg}{m^2\ s^2} = 0.3335451 \cdot 10^{-510}$	$1 ni'umupa \frac{M}{L^2 T^2} = 10^{-510} = 1.354551 \frac{kg}{m^2\ s^2} (*)$
$1k \frac{kg}{m^2\ s^2} = 0.002441413 \cdot 10^{-500}$	$1 ni'umuno \frac{M}{L^2 T^2} = 10^{-500} = 205.3123 k \frac{kg}{m^2\ s^2}$
$1m \frac{kg}{m^2} = 0.005420552 \cdot 10^{-40} (*)$	$1 ni'uvo \frac{MT}{L^2} = 10^{-40} = 101.4150 m \frac{kg\ s}{m^2}$
$1 \frac{kg\ s}{m^2} = 42.30243 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^2} = 10^{-40} = 0.01205143 \frac{kg\ s}{m^2}$
$1k \frac{kg\ s}{m^2} = 0.3224245 \cdot 10^{-30}$	$1 ni'uci \frac{MT}{L^2} = 10^{-30} = 1.432035 k \frac{kg\ s}{m^2}$
$1m \frac{kg}{m^3} = 21.35341 \cdot 10^{-330}$	$1 ni'ucici \frac{M}{L^3} = 10^{-330} = 0.02345231 m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 0.1431200 \cdot 10^{-320} (*)$	$1 ni'ucire \frac{M}{L^3} = 10^{-320} = 3.225550 \frac{kg}{m^3} (**)$
$1k \frac{kg}{m^3} = 1204.410 \cdot 10^{-320}$	$1 ni'ucipa \frac{M}{L^3} = 10^{-310} = 423.2225 k \frac{kg}{m^3}$
$1m \frac{kg}{m^3\ s} = 3.511043 \cdot 10^{-500}$	$1 ni'umuno \frac{M}{L^3 T} = 10^{-500} = 0.1315112 m \frac{kg}{m^3\ s}$
$1 \frac{kg}{m^3\ s} = 0.02552220 \cdot 10^{-450} (*)$	$1 ni'uvomu \frac{M}{L^3 T} = 10^{-450} = 20.02231 \frac{kg}{m^3\ s}$
$1k \frac{kg}{m^3\ s} = 214.5114 \cdot 10^{-450}$	$1 ni'uvovo \frac{M}{L^3 T} = 10^{-440} = 2335.002 k \frac{kg}{m^3\ s} (*)$
$1m \frac{kg}{m^3\ s^2} = 1.032240 \cdot 10^{-1030}$	$1 ni'upanoci \frac{M}{L^3 T^2} = 10^{-1030} = 0.5251535 m \frac{kg}{m^3\ s^2}$
$1 \frac{kg}{m^3\ s^2} = 0.005022352 \cdot 10^{-1020}$	$1 ni'upanore \frac{M}{L^3 T^2} = 10^{-1020} = 110.3422 \frac{kg}{m^3\ s^2}$
$1k \frac{kg}{m^3\ s^2} = 35.24345 \cdot 10^{-1020}$	$1 ni'upanore \frac{M}{L^3 T^2} = 10^{-1020} = 0.01311232 k \frac{kg}{m^3\ s^2}$
$1m \frac{kg}{m^3} = 120.1222 \cdot 10^{-200}$	$1 ni'ureno \frac{M}{L^3} = 10^{-200} = 0.004251150 m \frac{kg\ s}{m^3}$
$1 \frac{kg\ s}{m^3} = 1.011145 \cdot 10^{-150}$	$1 ni'upamu \frac{MT}{L^3} = 10^{-150} = 0.5445343 \frac{kg\ s}{m^3}$
$1k \frac{kg\ s}{m^3} = 0.004441445 \cdot 10^{-140}$	$1 ni'upavo \frac{MT}{L^3} = 10^{-140} = 113.0441 k \frac{kg\ s}{m^3}$
$1m \frac{1}{C} = 0.001530345 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{Q} = 10^{-40} = 304.3050 m \frac{1}{C}$
$1 \frac{1}{C} = 12.51534 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{Q} = 10^{-40} = 0.04014552 \frac{1}{C} (*)$
$1k \frac{1}{C} = 0.1050510 \cdot 10^{-30}$	$1 ni'uci \frac{1}{Q} = 10^{-30} = 5.125551 k \frac{1}{C} (**)$
$1m \frac{1}{sC} = 313.2205 \cdot 10^{-220}$	$1 ni'urere \frac{1}{TQ} = 10^{-220} = 0.001501234 m \frac{1}{sC}$
$1 \frac{1}{sC} = 2.303253 \cdot 10^{-210}$	$1 ni'urepa \frac{1}{TQ} = 10^{-210} = 0.2215024 \frac{1}{sC}$
$1k \frac{1}{sC} = 0.01535205 \cdot 10^{-200}$	$1 ni'ureno \frac{1}{TQ} = 10^{-200} = 30.31312 k \frac{1}{sC}$
$1m \frac{1}{s^2C} = 53.12305 \cdot 10^{-350}$	$1 ni'ucimu \frac{1}{T^2 Q} = 10^{-350} = 0.01025543 m \frac{1}{s^2C} (*)$
$1 \frac{1}{s^2C} = 0.4135124 \cdot 10^{-340}$	$1 ni'ucivo \frac{1}{T^2 Q} = 10^{-340} = 1.223113 \frac{1}{s^2C}$
$1k \frac{1}{s^2C} = 3144.214 \cdot 10^{-340}$	$1 ni'ucici \frac{1}{T^2 Q} = 10^{-330} = 145.2543 k \frac{1}{s^2C}$
$1m \frac{s}{C} = 0.01044030 \cdot 10^{50}$	$1 mu \frac{T}{Q} = 10^{50} = 51.50520 m \frac{s}{C}$
$1 \frac{s}{C} = 51.22003 \cdot 10^{50} (*)$	$1 mu \frac{T}{Q} = 10^{50} = 0.01051421 \frac{s}{C}$
$1k \frac{s}{C} = 0.4011532 \cdot 10^{100}$	$1 pano \frac{T}{Q} = 10^{100} = 1.253020 k \frac{s}{C}$
$1m \frac{m}{C} = 0.1211214 \cdot 10^{30}$	$1 ci \frac{L}{Q} = 10^{30} = 4.215415 m \frac{m}{C}$
$1 \frac{m}{C} = 0.001015530 \cdot 10^{40} (*)$	$1 vo \frac{L}{Q} = 10^{40} = 540.4124 \frac{m}{C}$
$1k \frac{m}{C} = 4.515100 \cdot 10^{40} (*)$	$1 vo \frac{L}{Q} = 10^{40} = 0.1121145 k \frac{m}{C}$
$1m \frac{m}{sC} = 0.02153435 \cdot 10^{-100}$	$1 ni'upano \frac{L}{TQ} = 10^{-100} = 23.25521 m \frac{m}{sC} (*)$
$1 \frac{m}{sC} = 144.3101 \cdot 10^{-100}$	$1 ni'upano \frac{L}{TQ} = 10^{-100} = 0.003203010 \frac{m}{sC}$
$1k \frac{m}{sC} = 1.214425 \cdot 10^{-50}$	$1 ni'umu \frac{L}{TQ} = 10^{-50} = 0.4201014 k \frac{m}{sC}$
$1m \frac{m}{s^2C} = 3540.215 \cdot 10^{-240}$	$1 ni'ureci \frac{L}{T^2 Q} = 10^{-230} = 130.4230 m \frac{m}{s^2C}$
$1 \frac{m}{s^2C} = 30.13412 \cdot 10^{-230}$	$1 ni'ureci \frac{L}{T^2 Q} = 10^{-230} = 0.01545343 \frac{m}{s^2C}$
$1k \frac{m}{s^2C} = 0.2203254 \cdot 10^{-220}$	$1 ni'urere \frac{L}{T^2 Q} = 10^{-220} = 2.315340 k \frac{m}{s^2C}$
$1m \frac{ms}{C} = 0.4455142 \cdot 10^{200} (*)$	$1 reno \frac{LT}{Q} = 10^{200} = 1.124153 m \frac{ms}{C}$
$1 \frac{ms}{C} = 3421.001 \cdot 10^{200} (*)$	$1 repa \frac{LT}{Q} = 10^{210} = 133.5425 \frac{ms}{C}$
$1k \frac{ms}{C} = 25.13052 \cdot 10^{210}$	$1 repa \frac{LT}{Q} = 10^{210} = 0.02030402 k \frac{ms}{C}$

$1m \frac{m^2}{C} = 5.502314 \cdot 10^{140}$	$1 pavo \frac{L^2}{Q} = 10^{140} = 0.1005420 m \frac{m^2}{C}$ (*)
$1 \frac{m^2}{C} = 0.04302104 \cdot 10^{150}$	$1 pamu \frac{L^2}{Q} = 10^{150} = 11.55204 \frac{m^2}{C}$ (*)
$1k \frac{m^2}{C} = 325.1404 \cdot 10^{150}$	$1 reno \frac{L^2}{Q} = 10^{200} = 1420.225 k \frac{m^2}{C}$
$1m \frac{m^2}{sC} = 1.353243 \cdot 10^{10}$	$1 pa \frac{L^2}{TQ} = 10^{10} = 0.3343045 m \frac{m^2}{sC}$
$1 \frac{m^2}{sC} = 0.01135452 \cdot 10^{20}$	$1 re \frac{L^2}{TQ} = 10^{20} = 44.10535 \frac{m^2}{sC}$
$1k \frac{m^2}{sC} = 55.24531 \cdot 10^{20}$ (*)	$1 re \frac{L^2}{TQ} = 10^{20} = 0.01003121 k \frac{m^2}{sC}$ (*)
$1m \frac{m^2}{s^2C} = 0.2451121 \cdot 10^{-120}$	$1 ni'upare \frac{L^2}{T^2Q} = 10^{-120} = 2.045001 m \frac{m^2}{s^2C}$ (*)
$1 \frac{m^2}{s^2C} = 2100.313 \cdot 10^{-120}$ (*)	$1 ni'upapa \frac{L^2}{T^2Q} = 10^{-110} = 243.3244 \frac{m^2}{s^2C}$
$1k \frac{m^2}{s^2C} = 14.01310 \cdot 10^{-110}$	$1 ni'upapa \frac{L^2}{T^2Q} = 10^{-110} = 0.03330152 k \frac{m^2}{s^2C}$
$1m \frac{m^2s}{C} = 32.35120 \cdot 10^{310}$	$1 cipa \frac{L^2T}{Q} = 10^{310} = 0.01424353 m \frac{m^2s}{C}$
$1 \frac{m^2s}{C} = 0.2353250 \cdot 10^{320}$	$1 cire \frac{L^2T}{Q} = 10^{320} = 2.132050 \frac{m^2s}{C}$
$1k \frac{m^2s}{C} = 2014.255 \cdot 10^{320}$ (*)	$1 cici \frac{L^2T}{Q} = 10^{330} = 253.2344 k \frac{m^2s}{C}$
$1m \frac{1}{mC} = 24.10012 \cdot 10^{-200}$ (*)	$1 ni'ureno \frac{1}{LQ} = 10^{-200} = 0.02120543 m \frac{1}{mC}$
$1 \frac{1}{mC} = 0.2025034 \cdot 10^{-150}$	$1 ni'upamu \frac{1}{LQ} = 10^{-150} = 2.515154 \frac{1}{mC}$
$1k \frac{1}{mC} = 0.001334310 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LQ} = 10^{-140} = 342.3455 k \frac{1}{mC}$ (*)
$1m \frac{1}{msC} = 4.324422 \cdot 10^{-330}$	$1 ni'ucici \frac{1}{LTQ} = 10^{-330} = 0.1151043 m \frac{1}{msC}$
$1 \frac{1}{msC} = 0.03310524 \cdot 10^{-320}$	$1 ni'ucire \frac{1}{LTQ} = 10^{-320} = 14.10533 \frac{1}{msC}$
$1k \frac{1}{msC} = 242.0400 \cdot 10^{-320}$ (*)	$1 ni'ucire \frac{1}{LTQ} = 10^{-320} = 0.002111314 k \frac{1}{msC}$
$1m \frac{1}{ms^2C} = 1.143534 \cdot 10^{-500}$	$1 ni'umuno \frac{1}{LT^2Q} = 10^{-500} = 0.4344002 m \frac{1}{ms^2C}$ (*)
$1 \frac{1}{ms^2C} = 0.01000000 \cdot 10^{-450}$ (***)	$1 ni'uvomu \frac{1}{LT^2Q} = 10^{-450} = 100.0000 \frac{1}{ms^2C}$ (**)
$1k \frac{1}{ms^2C} = 43.43554 \cdot 10^{-450}$ (*)	$1 ni'uvomu \frac{1}{LT^2Q} = 10^{-450} = 0.01143535 k \frac{1}{ms^2C}$
$1m \frac{s}{mC} = 133.0344 \cdot 10^{-30}$	$1 ni'ure \frac{T}{LQ} = 10^{-20} = 3441.010 m \frac{s}{mC}$
$1 \frac{s}{mC} = 1.120213 \cdot 10^{-20}$	$1 ni'ure \frac{T}{LQ} = 10^{-20} = 0.4522511 \frac{s}{mC}$
$1k \frac{s}{mC} = 5355.541 \cdot 10^{-20}$ (*)	$1 ni'upa \frac{T}{LQ} = 10^{-10} = 102.0415 k \frac{s}{mC}$
$1m \frac{1}{m^2C} = 0.3441005 \cdot 10^{-310}$ (*)	$1 ni'ucipa \frac{1}{L^2Q} = 10^{-310} = 1.330344 m \frac{1}{m^2C}$
$1 \frac{1}{m^2C} = 0.002530231 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2Q} = 10^{-300} = 202.0014 \frac{1}{m^2C}$ (*)
$1k \frac{1}{m^2C} = 21.30234 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2Q} = 10^{-300} = 0.02355253 k \frac{1}{m^2C}$ (*)
$1m \frac{1}{m^2sC} = 0.1023153 \cdot 10^{-440}$	$1 ni'uvovo \frac{1}{L^2TQ} = 10^{-440} = 5.334101 m \frac{1}{m^2sC}$
$1 \frac{1}{m^2sC} = 454.2531 \cdot 10^{-440}$	$1 ni'uvovo \frac{1}{L^2TQ} = 10^{-440} = 0.001113222 \frac{1}{m^2sC}$
$1k \frac{1}{m^2sC} = 3.454155 \cdot 10^{-430}$ (*)	$1 ni'uvoci \frac{1}{L^2TQ} = 10^{-430} = 0.1322434 k \frac{1}{m^2sC}$
$1m \frac{1}{m^2s^2C} = 0.01452542 \cdot 10^{-1010}$	$1 ni'upanopa \frac{1}{L^2T^2Q} = 10^{-1010} = 31.44221 m \frac{1}{m^2s^2C}$
$1 \frac{1}{m^2s^2C} = 122.3112 \cdot 10^{-1010}$	$1 ni'upanono \frac{1}{L^2T^2Q} = 10^{-1000} = 4135.132 \frac{1}{m^2s^2C}$
$1k \frac{1}{m^2s^2C} = 1.025542 \cdot 10^{-1000}$ (*)	$1 ni'upanono \frac{1}{L^2T^2Q} = 10^{-1000} = 0.5312314 k \frac{1}{m^2s^2C}$
$1m \frac{s}{m^2C} = 2.120543 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{L^2Q} = 10^{-140} = 0.2410012 m \frac{s}{m^2C}$ (*)
$1 \frac{s}{m^2C} = 0.01415040 \cdot 10^{-130}$	$1 ni'upaci \frac{T}{L^2Q} = 10^{-130} = 32.54154 \frac{s}{m^2C}$
$1k \frac{s}{m^2C} = 115.4204 \cdot 10^{-130}$	$1 ni'upare \frac{T}{L^2Q} = 10^{-120} = 4305.334 k \frac{s}{m^2C}$
$1m \frac{1}{m^3C} = 0.005150515 \cdot 10^{-420}$	$1 ni'uvore \frac{1}{L^3Q} = 10^{-420} = 104.4030 m \frac{1}{m^3C}$
$1 \frac{1}{m^3C} = 40.32535 \cdot 10^{-420}$	$1 ni'uvore \frac{1}{L^3Q} = 10^{-420} = 0.01244200 \frac{1}{m^3C}$ (*)
$1k \frac{1}{m^3C} = 0.3054454 \cdot 10^{-410}$	$1 ni'uvopa \frac{1}{L^3Q} = 10^{-410} = 1.521545 k \frac{1}{m^3C}$
$1m \frac{1}{m^3sC} = 1300.413 \cdot 10^{-1000}$ (*)	$1 ni'umumu \frac{1}{L^3TQ} = 10^{-550} = 355.4040 m \frac{1}{m^3sC}$ (*)
$1 \frac{1}{m^3sC} = 10.54314 \cdot 10^{-550}$	$1 ni'umumu \frac{1}{L^3TQ} = 10^{-550} = 0.05101143 \frac{1}{m^3sC}$
$1k \frac{1}{m^3sC} = 0.05211540 \cdot 10^{-540}$	$1 ni'umuvo \frac{1}{L^3TQ} = 10^{-540} = 10.41200 k \frac{1}{m^3sC}$ (*)
$1m \frac{1}{m^3s^2C} = 231.5334 \cdot 10^{-1130}$	$1 ni'upapare \frac{1}{L^3T^2Q} = 10^{-1120} = 2203.300 m \frac{1}{m^3s^2C}$ (*)
$1 \frac{1}{m^3s^2C} = 1.545341 \cdot 10^{-1120}$	$1 ni'upapare \frac{1}{L^3T^2Q} = 10^{-1120} = 0.3013415 \frac{1}{m^3s^2C}$
$1k \frac{1}{m^3s^2C} = 0.01304224 \cdot 10^{-1110}$	$1 ni'upapapa \frac{1}{L^3T^2Q} = 10^{-1110} = 35.40223 k \frac{1}{m^3s^2C}$
$1m \frac{s}{m^3C} = 0.03043050 \cdot 10^{-250}$	$1 ni'uremu \frac{T}{L^3Q} = 10^{-250} = 15.30345 m \frac{s}{m^3C}$
$1 \frac{s}{m^3C} = 222.4535 \cdot 10^{-250}$	$1 ni'urevo \frac{T}{L^3Q} = 10^{-240} = 2253.212 \frac{s}{m^3C}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} &= 1.505543 \cdot 10^{-240} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 111.5131 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{C}} &= 0.5350435 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 4204.224 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s} \text{C}} &= 20.23112 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s} \text{C}} &= 0.1333022 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg}}{\text{s} \text{C}} &= 0.001122131 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 3.303403 \cdot 10^{-330} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.02414102 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 203.2144 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 414.5453 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 3.153242 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.02321332 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 5113.122 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 40.04123 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.3033534 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}}{\text{s} \text{C}} &= 0.001250325 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s} \text{C}} &= 10.45453 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s} \text{C}} &= 0.05134014 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 230.1104 \cdot 10^{-220} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 1.533330 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.01254113 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.03022220 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 221.1034 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 1.454212 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.3413333 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 2510.304 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 21.13130 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 0.1014542 \cdot 10^{30} \\
1 \frac{\text{kg m}^2}{\text{s} \text{C}} &= 451.0412 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s} \text{C}} &= 3.430421 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.01441311 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 121.3252 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 1.021312 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 2.103514 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.01404034 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 114.4540 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m} \text{C}} &= 1.413312 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m} \text{C}} &= 0.01153050 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg}}{\text{m} \text{C}} &= 100.4003 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s} \text{C}} &= 0.2523431 \cdot 10^{-310} \\
1 \frac{\text{kg}}{\text{m s} \text{C}} &= 0.002124213 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m s} \text{C}} &= 14.21430 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.04534220 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 345.0500 \cdot 10^{-440} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 2.534523 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s}}{\text{m} \text{C}} &= 10.01312 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urevo-} \frac{T}{L^3 Q} &= 10^{-240} = 0.3120233 \text{k} \frac{\text{s}}{\text{m}^3 \text{C}} \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 4531.211 \text{m} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 1.021404 \frac{\text{kg}}{\text{C}} \\
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 121.3402 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ureno-} \frac{M}{T^2 Q} &= 10^{-200} = 0.02521550 \text{m} \frac{\text{kg}}{\text{s} \text{C}} \quad (*) \\
1 \text{ni'upamu-} \frac{M}{T^2 Q} &= 10^{-150} = 3.431132 \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni'upavo-} \frac{M}{T^2 Q} &= 10^{-140} = 451.1221 \text{k} \frac{\text{kg}}{\text{s} \text{C}} \\
1 \text{ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 0.1412254 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 21.13322 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 0.002510532 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.001221022 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 0.1450103 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 22.01401 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 105.2441 \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.01254231 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 1.533505 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'uvo-} \frac{ML}{T^2 Q} &= 10^{-40} = 402.2411 \text{m} \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni'uvo-} \frac{ML}{T^2 Q} &= 10^{-40} = 0.05134443 \frac{\text{kg m}}{\text{s} \text{C}} \\
1 \text{ni'uci-} \frac{ML}{T^2 Q} &= 10^{-30} = 10.45552 \text{k} \frac{\text{kg m}}{\text{s} \text{C}} \quad (***) \\
1 \text{ni'urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.002221133 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 0.3034213 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 40.04450 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 15.42341 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.002311413 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 0.3141455 \text{k} \frac{\text{kg m s}}{\text{C}} \quad (*) \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 1.341120 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 203.2332 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.02414321 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{T^2 Q} &= 10^{30} = 5.413243 \text{m} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{vo-} \frac{ML^2}{T^2 Q} &= 10^{40} = 1122.232 \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{vo-} \frac{ML^2}{T^2 Q} &= 10^{40} = 0.1333143 \text{k} \frac{\text{kg m}^2}{\text{s} \text{C}} \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 32.10034 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.004205010 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 0.5351323 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{cici-} \frac{ML^2 T}{Q} &= 10^{330} = 0.2425123 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 33.20501 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.004340225 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 0.3301310 \text{m} \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 43.13431 \frac{\text{kg}}{\text{m} \text{C}} \\
1 \text{ni'upare-} \frac{M}{LQ} &= 10^{-120} = 5520.205 \text{k} \frac{\text{kg}}{\text{m} \text{C}} \quad (*) \\
1 \text{ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 2.021534 \text{m} \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 240.1533 \frac{\text{kg}}{\text{m s} \text{C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 0.03244555 \text{k} \frac{\text{kg}}{\text{m s} \text{C}} \quad (***) \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 11.14302 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 0.001324113 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 0.2012525 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 0.05542502 \text{m} \frac{\text{kg s}}{\text{m} \text{C}} \quad (*)
\end{aligned}$$

$1 \frac{\text{kg s}}{\text{m C}} = 0.04355041 \cdot 10^0$ (*)	$1 \frac{MT}{LQ} = 1 = 11.41543 \frac{\text{kg s}}{\text{m C}}$
$1 \text{k} \frac{\text{kg s}}{\text{m C}} = 333.3032 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 0.001400123 \text{k} \frac{\text{kg s}}{\text{m C}}$ (*)
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.02222423 \cdot 10^{-250}$	$1 \text{ni}'\text{uremu-} \frac{M}{L^2 Q} = 10^{-250} = 22.55353 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}}$ (*)
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 150.4132 \cdot 10^{-250}$	$1 \text{ni}'\text{urevo-} \frac{M}{L^2 Q} = 10^{-240} = 3123.220 \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} = 1.232502 \cdot 10^{-240}$	$1 \text{ni}'\text{urevo-} \frac{M}{L^2 Q} = 10^{-240} = 0.4110224 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.004025111 \cdot 10^{-420}$	$1 \text{ni}'\text{uvore-} \frac{M}{L^2 TQ} = 10^{-420} = 124.5402 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s C}} = 30.51534 \cdot 10^{-420}$	$1 \text{ni}'\text{uvore-} \frac{M}{L^2 TQ} = 10^{-420} = 0.01523413 \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.2232351 \cdot 10^{-410}$	$1 \text{ni}'\text{uvopa-} \frac{M}{L^2 TQ} = 10^{-410} = 2.245324 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 1053.253 \cdot 10^{-1000}$	$1 \text{ni}'\text{umumu-} \frac{M}{L^2 T^2 Q} = 10^{-550} = 511.0013 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$ (*)
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 5.203012 \cdot 10^{-550}$	$1 \text{ni}'\text{umumu-} \frac{M}{L^2 T^2 Q} = 10^{-550} = 0.1042210 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 0.04043122 \cdot 10^{-540}$	$1 \text{ni}'\text{umuvo-} \frac{M}{L^2 T^2 Q} = 10^{-540} = 12.42034 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 0.1225211 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{MT}{L^2 Q} = 10^{-120} = 4.124422 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 1031.342 \cdot 10^{-120}$	$1 \text{ni}'\text{upapa-} \frac{MT}{L^2 Q} = 10^{-110} = 530.0030 \frac{\text{kg s}}{\text{m}^2 \text{C}}$ (*)
$1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 5.014500 \cdot 10^{-110}$ (*)	$1 \text{ni}'\text{upapa-} \frac{MT}{L^2 Q} = 10^{-110} = 0.1104343 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} = 321.2100 \cdot 10^{-410}$ (*)	$1 \text{ni}'\text{uvono-} \frac{M}{L^3 Q} = 10^{-400} = 1440.235 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 2.333505 \cdot 10^{-400}$	$1 \text{ni}'\text{uvono-} \frac{M}{L^3 Q} = 10^{-400} = 0.2150123 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.02001311 \cdot 10^{-350}$ (*)	$1 \text{ni}'\text{ucimu-} \frac{M}{L^3 Q} = 10^{-350} = 25.53414 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 54.20545 \cdot 10^{-540}$	$1 \text{ni}'\text{umuvo-} \frac{M}{L^3 TQ} = 10^{-540} = 0.01014151 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s C}} = 0.4230241 \cdot 10^{-530}$	$1 \text{ni}'\text{umuci-} \frac{M}{L^3 TQ} = 10^{-530} = 1.205144 \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 0.003224243 \cdot 10^{-520}$	$1 \text{ni}'\text{umure-} \frac{M}{L^3 TQ} = 10^{-520} = 143.2040 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 13.42114 \cdot 10^{-1110}$	$1 \text{ni}'\text{upapapa-} \frac{M}{L^3 T^2 Q} = 10^{-1110} = 0.03411154 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1130121 \cdot 10^{-1100}$	$1 \text{ni}'\text{upapano-} \frac{M}{L^3 T^2 Q} = 10^{-1100} = 4.443532 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 544.3020 \cdot 10^{-1100}$	$1 \text{ni}'\text{upapano-} \frac{M}{L^3 T^2 Q} = 10^{-1100} = 0.001011432 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 1552.352 \cdot 10^{-240}$ (*)	$1 \text{ni}'\text{ureci-} \frac{MT}{L^3 Q} = 10^{-230} = 300.5022 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}}$ (*)
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 13.10430 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci-} \frac{MT}{L^3 Q} = 10^{-230} = 0.03530212 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.1103113 \cdot 10^{-220}$	$1 \text{ni}'\text{urere-} \frac{MT}{L^3 Q} = 10^{-220} = 5.024522 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{m C} = 5.125551 \cdot 10^{30}$ (**)	$1 \text{ci-} Q = 10^{30} = 0.1050510 \text{m C}$
$1 \text{C} = 0.04014552 \cdot 10^{40}$ (*)	$1 \text{vo-} Q = 10^{40} = 12.51534 \text{C}$
$1 \text{k C} = 304.3050 \cdot 10^{40}$	$1 \text{vo-} Q = 10^{40} = 0.001530345 \text{k C}$
$1 \text{m} \frac{\text{C}}{\text{s}} = 1.253020 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{Q}{T} = 10^{-100} = 0.4011532 \text{m} \frac{\text{C}}{\text{s}}$
$1 \frac{\text{C}}{\text{s}} = 0.01051421 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{Q}{T} = 10^{-50} = 51.22003 \frac{\text{C}}{\text{s}}$ (*)
$1 \text{k} \frac{\text{C}}{\text{s}} = 51.50520 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{Q}{T} = 10^{-50} = 0.01044030 \text{k} \frac{\text{C}}{\text{s}}$
$1 \text{m} \frac{\text{C}}{\text{s}^2} = 0.2305220 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci-} \frac{Q}{T^2} = 10^{-230} = 2.213140 \text{m} \frac{\text{C}}{\text{s}^2}$
$1 \frac{\text{C}}{\text{s}^2} = 0.001540455 \cdot 10^{-220}$ (*)	$1 \text{ni}'\text{urere-} \frac{Q}{T^2} = 10^{-220} = 302.5112 \frac{\text{C}}{\text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{s}^2} = 13.00414 \cdot 10^{-220}$ (*)	$1 \text{ni}'\text{urere-} \frac{Q}{T^2} = 10^{-220} = 0.03554035 \text{k} \frac{\text{C}}{\text{s}^2}$ (*)
$1 \text{m s C} = 30.31312 \cdot 10^{200}$	$1 \text{reno-} TQ = 10^{200} = 0.01535205 \text{m s C}$
$1 \text{s C} = 0.2215024 \cdot 10^{210}$	$1 \text{repa-} TQ = 10^{210} = 2.303253 \text{s C}$
$1 \text{k s C} = 0.001501234 \cdot 10^{220}$	$1 \text{rere-} TQ = 10^{220} = 313.2205 \text{k s C}$
$1 \text{m m C} = 342.3455 \cdot 10^{140}$ (*)	$1 \text{pavo-} LQ = 10^{140} = 0.001334310 \text{m m C}$
$1 \text{m C} = 2.515154 \cdot 10^{150}$	$1 \text{pamu-} LQ = 10^{150} = 0.2025034 \text{m C}$
$1 \text{k m C} = 0.02120543 \cdot 10^{200}$	$1 \text{reno-} LQ = 10^{200} = 24.10012 \text{k m C}$ (*)
$1 \text{m} \frac{\text{m C}}{\text{s}} = 102.0415 \cdot 10^{10}$	$1 \text{re-} \frac{LQ}{T} = 10^{20} = 5355.541 \text{m} \frac{\text{m C}}{\text{s}}$ (*)
$1 \frac{\text{m C}}{\text{s}} = 0.4522511 \cdot 10^{20}$	$1 \text{re-} \frac{LQ}{T} = 10^{20} = 1.120213 \frac{\text{m C}}{\text{s}}$
$1 \text{k} \frac{\text{m C}}{\text{s}} = 3441.010 \cdot 10^{20}$	$1 \text{ci-} \frac{LQ}{T} = 10^{30} = 133.0344 \text{k} \frac{\text{m C}}{\text{s}}$
$1 \text{m} \frac{\text{m C}}{\text{s}^2} = 14.44310 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{LQ}{T^2} = 10^{-120} = 0.03200301 \text{m} \frac{\text{m C}}{\text{s}^2}$ (*)
$1 \frac{\text{m C}}{\text{s}^2} = 0.1215443 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{LQ}{T^2} = 10^{-110} = 4.153435 \frac{\text{m C}}{\text{s}^2}$
$1 \text{k} \frac{\text{m C}}{\text{s}^2} = 0.001023153 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{LQ}{T^2} = 10^{-100} = 533.4100 \text{k} \frac{\text{m C}}{\text{s}^2}$ (*)
$1 \text{m m s C} = 0.002111314 \cdot 10^{320}$	$1 \text{cire-} LTQ = 10^{320} = 242.0400 \text{m m s C}$ (*)
$1 \text{m s C} = 14.10533 \cdot 10^{320}$	$1 \text{cire-} LTQ = 10^{320} = 0.03310524 \text{m s C}$

$1 \text{k m s C} = 0.1151043 \cdot 10^{330}$	$1 \text{ cici-}LTQ = 10^{330} = 4.324422 \text{ k m s C}$
$1 \text{m m}^2 \text{C} = 0.02355253 \cdot 10^{300}$ (*)	$1 \text{ cino-}L^2Q = 10^{300} = 21.30234 \text{ m m}^2 \text{C}$
$1 \text{m}^2 \text{C} = 202.0014 \cdot 10^{300}$ (*)	$1 \text{ cino-}L^2Q = 10^{300} = 0.002530231 \text{ m}^2 \text{C}$
$1 \text{k m}^2 \text{C} = 1.330344 \cdot 10^{310}$	$1 \text{ cipa-}L^2Q = 10^{310} = 0.3441005 \text{ k m}^2 \text{C}$ (*)
$1 \text{m}^{\frac{m^2}{s}} \text{C} = 4305.334 \cdot 10^{120}$	$1 \text{ paci-}\frac{L^2Q}{T} = 10^{130} = 115.4204 \text{ m}^{\frac{m^2}{s}} \text{C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 32.54154 \cdot 10^{130}$	$1 \text{ paci-}\frac{L^2Q}{T} = 10^{130} = 0.01415040 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} = 0.2410012 \cdot 10^{140}$ (*)	$1 \text{ pavo-}\frac{L^2Q}{T} = 10^{140} = 2.120543 \text{ k} \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{m}^{\frac{m^2}{s^2}} \text{C} = 0.001140441 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 440.3221 \text{ m}^{\frac{m^2 \text{C}}{s^2}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 5.533222$	$1 \frac{L^2Q}{T^2} = 1 = 0.1002244 \frac{\text{m}^2 \text{C}}{\text{s}^2}$ (*)
$1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} = 0.04324423 \cdot 10^{10}$	$1 \text{ pa-}\frac{L^2Q}{T^2} = 10^{10} = 11.51043 \text{ k} \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m m}^2 \text{s C} = 0.1322434 \cdot 10^{430}$	$1 \text{ voci-}L^2TQ = 10^{430} = 3.454155 \text{ m m}^2 \text{s C}$ (*)
$1 \text{m}^2 \text{s C} = 0.001113222 \cdot 10^{440}$	$1 \text{ vovo-}L^2TQ = 10^{440} = 454.2531 \text{ m}^2 \text{s C}$
$1 \text{k m}^2 \text{s C} = 5.334101 \cdot 10^{440}$	$1 \text{ vovo-}L^2TQ = 10^{440} = 0.1023153 \text{ k m}^2 \text{s C}$
$1 \text{m} \frac{\text{C}}{\text{m}} = 0.1121145 \cdot 10^{-40}$	$1 \text{ ni'uvuo-}\frac{Q}{L} = 10^{-40} = 4.515100 \text{ m}^{\frac{\text{C}}{\text{m}}}$ (*)
$1 \frac{\text{C}}{\text{m}} = 540.4124 \cdot 10^{-40}$	$1 \text{ ni'uvuo-}\frac{Q}{L} = 10^{-40} = 0.001015530 \frac{\text{C}}{\text{m}}$ (*)
$1 \text{k} \frac{\text{C}}{\text{m}} = 4.215415 \cdot 10^{-30}$	$1 \text{ ni'uci-}\frac{Q}{L} = 10^{-30} = 0.1211214 \text{ k} \frac{\text{C}}{\text{m}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}s}} = 0.02030402 \cdot 10^{-210}$	$1 \text{ ni'urepa-}\frac{Q}{LT} = 10^{-210} = 25.13052 \text{ m}^{\frac{\text{C}}{\text{m}s}}$
$1 \frac{\text{C}}{\text{m}s} = 133.5425 \cdot 10^{-210}$	$1 \text{ ni'ureno-}\frac{Q}{LT} = 10^{-200} = 3421.001 \frac{\text{C}}{\text{m}s}$ (*)
$1 \text{k} \frac{\text{C}}{\text{m}s} = 1.124153 \cdot 10^{-200}$	$1 \text{ ni'ureno-}\frac{Q}{LT} = 10^{-200} = 0.4455142 \text{ k} \frac{\text{C}}{\text{m}s}$ (*)
$1 \text{m}^{\frac{\text{C}}{\text{m}s^2}} = 0.003313330 \cdot 10^{-340}$	$1 \text{ ni'ucivo-}\frac{Q}{LT^2} = 10^{-340} = 140.5352 \text{ m}^{\frac{\text{C}}{\text{m}s^2}}$
$1 \frac{\text{C}}{\text{m}s^2} = 24.22421 \cdot 10^{-340}$	$1 \text{ ni'ucivo-}\frac{Q}{LT^2} = 10^{-340} = 0.02105515 \frac{\text{C}}{\text{m}s^2}$ (*)
$1 \text{k} \frac{\text{C}}{\text{m}s^2} = 0.2035451 \cdot 10^{-330}$	$1 \text{ ni'ucici-}\frac{Q}{LT^2} = 10^{-330} = 2.502053 \text{ k} \frac{\text{C}}{\text{m}s^2}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}}} = 0.4201014 \cdot 10^{50}$	$1 \text{ mu-}\frac{TQ}{L} = 10^{50} = 1.214425 \text{ m}^{\frac{\text{sC}}{\text{m}}}$
$1 \frac{\text{sC}}{\text{m}} = 0.003203010 \cdot 10^{100}$	$1 \text{ pano-}\frac{TQ}{L} = 10^{100} = 144.3101 \frac{\text{sC}}{\text{m}}$
$1 \text{k} \frac{\text{sC}}{\text{m}} = 23.25521 \cdot 10^{100}$ (*)	$1 \text{ pano-}\frac{TQ}{L} = 10^{100} = 0.02153435 \text{ k} \frac{\text{sC}}{\text{m}}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2}} = 1420.225 \cdot 10^{-200}$	$1 \text{ ni'upamu-}\frac{Q}{L^2} = 10^{-150} = 325.1404 \text{ m}^{\frac{\text{C}}{\text{m}^2}}$
$1 \frac{\text{C}}{\text{m}^2} = 11.55204 \cdot 10^{-150}$ (*)	$1 \text{ ni'upamu-}\frac{Q}{L^2} = 10^{-150} = 0.04302104 \frac{\text{C}}{\text{m}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2} = 0.1005420 \cdot 10^{-140}$ (*)	$1 \text{ ni'upavo-}\frac{Q}{L^2} = 10^{-140} = 5.502314 \text{ k} \frac{\text{C}}{\text{m}^2}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2s}} = 253.2344 \cdot 10^{-330}$	$1 \text{ ni'ucire-}\frac{Q}{L^2T} = 10^{-320} = 2014.255 \text{ m}^{\frac{\text{C}}{\text{m}^2s}}$ (*)
$1 \frac{\text{C}}{\text{m}^2s} = 2.132050 \cdot 10^{-320}$	$1 \text{ ni'ucire-}\frac{Q}{L^2T} = 10^{-320} = 0.2353250 \frac{\text{C}}{\text{m}^2s}$
$1 \text{k} \frac{\text{C}}{\text{m}^2s} = 0.01424353 \cdot 10^{-310}$	$1 \text{ ni'ucipa-}\frac{Q}{L^2T} = 10^{-310} = 32.35120 \text{ k} \frac{\text{C}}{\text{m}^2s}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^2s^2}} = 45.50402 \cdot 10^{-500}$	$1 \text{ ni'umuno-}\frac{Q}{L^2T^2} = 10^{-500} = 0.01112253 \text{ m}^{\frac{\text{C}}{\text{m}^2s^2}}$
$1 \frac{\text{C}}{\text{m}^2s^2} = 0.3501121 \cdot 10^{-450}$	$1 \text{ ni'uvomu-}\frac{Q}{L^2T^2} = 10^{-450} = 1.321331 \frac{\text{C}}{\text{m}^2s^2}$ (*)
$1 \text{k} \frac{\text{C}}{\text{m}^2s^2} = 0.002543500 \cdot 10^{-440}$ (*)	$1 \text{ ni'uvovo-}\frac{Q}{L^2T^2} = 10^{-440} = 200.5303 \text{ k} \frac{\text{C}}{\text{m}^2s^2}$ (*)
$1 \text{m}^{\frac{\text{sC}}{\text{m}^2}} = 0.01003121 \cdot 10^{-20}$ (*)	$1 \text{ ni'ure-}\frac{TQ}{L^2} = 10^{-20} = 55.24531 \text{ m}^{\frac{\text{sC}}{\text{m}^2}}$ (*)
$1 \frac{\text{sC}}{\text{m}^2} = 44.10535 \cdot 10^{-20}$	$1 \text{ ni'ure-}\frac{TQ}{L^2} = 10^{-20} = 0.01135452 \frac{\text{sC}}{\text{m}^2}$
$1 \text{k} \frac{\text{sC}}{\text{m}^2} = 0.3343045 \cdot 10^{-10}$	$1 \text{ ni'upa-}\frac{TQ}{L^2} = 10^{-10} = 1.353243 \text{ k} \frac{\text{sC}}{\text{m}^2}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3}} = 22.30433 \cdot 10^{-310}$	$1 \text{ ni'ucipa-}\frac{Q}{L^3} = 10^{-310} = 0.02251254 \text{ m}^{\frac{\text{C}}{\text{m}^3}}$
$1 \frac{\text{C}}{\text{m}^3} = 0.1511212 \cdot 10^{-300}$	$1 \text{ ni'ucino-}\frac{Q}{L^3} = 10^{-300} = 3.113555 \frac{\text{C}}{\text{m}^3}$ (**)
$1 \text{k} \frac{\text{C}}{\text{m}^3} = 1235.124 \cdot 10^{-300}$	$1 \text{ ni'uremu-}\frac{Q}{L^3} = 10^{-250} = 405.5230 \text{ k} \frac{\text{C}}{\text{m}^3}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3s}} = 4.040014 \cdot 10^{-440}$ (*)	$1 \text{ ni'uvovo-}\frac{Q}{L^3T} = 10^{-440} = 0.1243121 \text{ m}^{\frac{\text{C}}{\text{m}^3s}}$
$1 \frac{\text{C}}{\text{m}^3s} = 0.03101115 \cdot 10^{-430}$	$1 \text{ ni'uvoci-}\frac{Q}{L^3T} = 10^{-430} = 15.20312 \frac{\text{C}}{\text{m}^3s}$
$1 \text{k} \frac{\text{C}}{\text{m}^3s} = 224.0415 \cdot 10^{-430}$	$1 \text{ ni'uvore-}\frac{Q}{L^3T} = 10^{-420} = 2241.244 \text{ k} \frac{\text{C}}{\text{m}^3s}$
$1 \text{m}^{\frac{\text{C}}{\text{m}^3s^2}} = 1.055232 \cdot 10^{-1010}$ (*)	$1 \text{ ni'upanopa-}\frac{Q}{L^3T^2} = 10^{-1010} = 0.5053220 \text{ m}^{\frac{\text{C}}{\text{m}^3s^2}}$
$1 \frac{\text{C}}{\text{m}^3s^2} = 0.005220003 \cdot 10^{-1000}$ (**)	$1 \text{ ni'upanono-}\frac{Q}{L^3T^2} = 10^{-1000} = 104.0254 \frac{\text{C}}{\text{m}^3s^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^3s^2} = 40.54054 \cdot 10^{-1000}$	$1 \text{ ni'upanono-}\frac{Q}{L^3T^2} = 10^{-1000} = 0.01235402 \text{ k} \frac{\text{C}}{\text{m}^3s^2}$
$1 \text{m}^{\frac{\text{sC}}{\text{m}^3}} = 123.1423 \cdot 10^{-140}$	$1 \text{ ni'upavo-}\frac{TQ}{L^3} = 10^{-140} = 0.004113355 \text{ m}^{\frac{\text{sC}}{\text{m}^3}}$ (*)
$1 \frac{\text{sC}}{\text{m}^3} = 1.033241 \cdot 10^{-130}$	$1 \text{ ni'upaci-}\frac{TQ}{L^3} = 10^{-130} = 0.5242531 \frac{\text{sC}}{\text{m}^3}$
$1 \text{k} \frac{\text{sC}}{\text{m}^3} = 0.005031151 \cdot 10^{-120}$	$1 \text{ ni'upare-}\frac{TQ}{L^3} = 10^{-120} = 110.2352 \text{ k} \frac{\text{sC}}{\text{m}^3}$
$1 \text{m kg C} = 0.3155545 \cdot 10^{50}$ (**)	$1 \text{ mu-MQ} = 10^{50} = 1.444452 \text{ m kg C}$

$1 \text{ kg C} = 0.002323311 \cdot 10^{100}$	$1 \text{ pano-}MQ = 10^{100} = 215.5524 \text{ kg C}$ (*)
$1 \text{k kg C} = 15.52353 \cdot 10^{100}$	$1 \text{ pano-}MQ = 10^{100} = 0.03005021 \text{k kg C}$ (*)
$1 \text{m} \frac{\text{kg C}}{\text{s}} = 0.05355013 \cdot 10^{-40}$ (*)	$1 \text{ ni'}\text{uvo-} \frac{MQ}{T} = 10^{-40} = 10.20515 \text{ m} \frac{\text{kg C}}{\text{s}}$
$1 \frac{\text{kg C}}{\text{s}} = 421.1413 \cdot 10^{-40}$	$1 \text{ ni'}\text{ubo-} \frac{MQ}{T} = 10^{-40} = 0.001212345 \frac{\text{kg C}}{\text{s}}$
$1 \text{k} \frac{\text{kg C}}{\text{s}} = 3.212100 \cdot 10^{-30}$ (*)	$1 \text{ ni'}\text{uci-} \frac{MQ}{T} = 10^{-30} = 0.1440235 \text{k} \frac{\text{kg C}}{\text{s}}$
$1 \text{m} \frac{\text{kg C}}{\text{s}^2} = 0.01334135 \cdot 10^{-210}$	$1 \text{ ni'}\text{urepa-} \frac{MQ}{T^2} = 10^{-210} = 34.24232 \text{ m} \frac{\text{kg C}}{\text{s}^2}$
$1 \frac{\text{kg C}}{\text{s}^2} = 112.3104 \cdot 10^{-210}$	$1 \text{ ni'}\text{ureno-} \frac{MQ}{T^2} = 10^{-200} = 4503.415 \frac{\text{kg C}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg C}}{\text{s}^2} = 0.5420550 \cdot 10^{-200}$ (*)	$1 \text{ ni'}\text{ureno-} \frac{MQ}{T^2} = 10^{-200} = 1.014150 \text{k} \frac{\text{kg C}}{\text{s}^2}$
$1 \text{m kg s C} = 1.543454 \cdot 10^{220}$	$1 \text{ rere-}MTQ = 10^{220} = 0.3020300 \text{ m kg s C}$ (*)
$1 \text{kg s C} = 0.01303005 \cdot 10^{230}$ (*)	$1 \text{ reci-}MTQ = 10^{230} = 35.44002 \text{ kg s C}$ (*)
$1 \text{k kg s C} = 110.0200 \cdot 10^{230}$ (*)	$1 \text{ revo-}MTQ = 10^{240} = 5045.215 \text{k kg s C}$
$1 \text{m kg m C} = 22.12522 \cdot 10^{200}$	$1 \text{ reno-}MLQ = 10^{200} = 0.02305444 \text{ m kg m C}$
$1 \text{kg m C} = 0.1455431 \cdot 10^{210}$ (*)	$1 \text{ repa-}MLQ = 10^{210} = 3.135204 \text{ kg m C}$
$1 \text{k kg m C} = 0.001225211 \cdot 10^{220}$	$1 \text{ rere-}MLQ = 10^{220} = 412.4421 \text{k kg m C}$
$1 \text{m} \frac{\text{kg m C}}{\text{s}} = 4.011140 \cdot 10^{30}$	$1 \text{ ci-} \frac{MLQ}{T} = 10^{30} = 0.1253143 \text{ m} \frac{\text{kg m C}}{\text{s}}$
$1 \frac{\text{kg m C}}{\text{s}} = 0.03040141 \cdot 10^{40}$	$1 \text{ vo-} \frac{MLQ}{T} = 10^{40} = 15.32222 \frac{\text{kg m C}}{\text{s}}$
$1 \text{k} \frac{\text{kg m C}}{\text{s}} = 222.2423 \cdot 10^{40}$	$1 \text{ vo-} \frac{MLQ}{T} = 10^{40} = 0.002255352 \text{k} \frac{\text{kg m C}}{\text{s}}$ (*)
$1 \text{m} \frac{\text{kg m C}}{\text{s}^2} = 1.050403 \cdot 10^{-100}$	$1 \text{ ni'}\text{upano-} \frac{MLQ}{T^2} = 10^{-100} = 0.5130452 \text{ m} \frac{\text{kg m C}}{\text{s}^2}$
$1 \frac{\text{kg m C}}{\text{s}^2} = 5142.012 \cdot 10^{-100}$	$1 \text{ ni'}\text{umu-} \frac{MLQ}{T^2} = 10^{-50} = 104.5042 \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg m C}}{\text{s}^2} = 40.25111 \cdot 10^{-50}$	$1 \text{ ni'}\text{umu-} \frac{MLQ}{T^2} = 10^{-50} = 0.01245402 \text{k} \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{m kg m s C} = 122.1532 \cdot 10^{330}$	$1 \text{ civo-}MLTQ = 10^{340} = 4143.100 \text{ m kg m s C}$ (*)
$1 \text{kg m s C} = 1.024545 \cdot 10^{340}$	$1 \text{ civo-}MLTQ = 10^{340} = 0.5321335 \text{ kg m s C}$
$1 \text{k kg m s C} = 4554.320 \cdot 10^{340}$ (*)	$1 \text{ cimu-}MLTQ = 10^{350} = 111.1314 \text{k kg m s C}$
$1 \text{m kg m}^2 \text{C} = 0.001405214 \cdot 10^{320}$	$1 \text{ cire-}ML^2Q = 10^{320} = 331.4053 \text{ m kg m}^2 \text{C}$
$1 \text{kg m}^2 \text{C} = 11.45533 \cdot 10^{320}$ (*)	$1 \text{ cire-}ML^2Q = 10^{320} = 0.04332533 \text{ kg m}^2 \text{C}$
$1 \text{k kg m}^2 \text{C} = 0.1001312 \cdot 10^{330}$ (*)	$1 \text{ cici-}ML^2Q = 10^{330} = 5.542501 \text{k kg m}^2 \text{C}$
$1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}} = 251.2404 \cdot 10^{140}$	$1 \text{ pavo-} \frac{ML^2Q}{T} = 10^{140} = 0.002031002 \text{ m} \frac{\text{kg m}^2 \text{C}}{\text{s}}$ (*)
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}} = 2.114532 \cdot 10^{150}$	$1 \text{ pamu-} \frac{ML^2Q}{T} = 10^{150} = 0.2412302 \frac{\text{kg m}^2 \text{C}}{\text{s}}$
$1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}} = 0.01413313 \cdot 10^{200}$	$1 \text{ reno-} \frac{ML^2Q}{T} = 10^{200} = 33.01305 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}}$
$1 \text{m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} = 45.14220 \cdot 10^{10}$	$1 \text{ pa-} \frac{ML^2Q}{T^2} = 10^{10} = 0.01121255 \text{ m} \frac{\text{kg m}^2 \text{C}}{\text{s}^2}$ (*)
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} = 0.3433323 \cdot 10^{20}$	$1 \text{ re-} \frac{ML^2Q}{T^2} = 10^{20} = 1.332030 \frac{\text{kg m}^2 \text{C}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2} = 2523.431 \cdot 10^{20}$	$1 \text{ ci-} \frac{ML^2Q}{T^2} = 10^{30} = 202.1533 \text{k} \frac{\text{kg m}^2 \text{C}}{\text{s}^2}$
$1 \text{m kg m}^2 \text{s C} = 5550.310 \cdot 10^{440}$ (**)	$1 \text{ vomu-}ML^2TQ = 10^{450} = 100.0530 \text{ m kg m}^2 \text{s C}$ (*)
$1 \text{kg m}^2 \text{s C} = 43.35440 \cdot 10^{450}$	$1 \text{ vomu-}ML^2TQ = 10^{450} = 0.01145043 \text{ kg m}^2 \text{s C}$
$1 \text{k kg m}^2 \text{s C} = 0.3320203 \cdot 10^{500}$	$1 \text{ muno-}ML^2TQ = 10^{500} = 1.404200 \text{k kg m}^2 \text{s C}$ (*)
$1 \text{m} \frac{\text{kg C}}{\text{m}} = 0.004402351 \cdot 10^{-20}$	$1 \text{ ni'}\text{ure-} \frac{MQ}{L} = 10^{-20} = 114.0553 \text{ m} \frac{\text{kg C}}{\text{m}}$ (*)
$1 \frac{\text{kg C}}{\text{m}} = 33.35453 \cdot 10^{-20}$	$1 \text{ ni'}\text{ure-} \frac{MQ}{L} = 10^{-20} = 0.01354551 \frac{\text{kg C}}{\text{m}}$ (*)
$1 \text{k} \frac{\text{kg C}}{\text{m}} = 0.2441414 \cdot 10^{-10}$	$1 \text{ ni'}\text{upa-} \frac{MQ}{L} = 10^{-10} = 2.053122 \text{k} \frac{\text{kg C}}{\text{m}}$
$1 \text{m} \frac{\text{kg C}}{\text{m}^2} = 1154.050 \cdot 10^{-200}$	$1 \text{ ni'}\text{upamu-} \frac{MQ}{LT} = 10^{-150} = 431.0154 \text{ m} \frac{\text{kg C}}{\text{m s}}$
$1 \frac{\text{kg C}}{\text{m}^2} = 10.04442 \cdot 10^{-150}$	$1 \text{ ni'}\text{upamu-} \frac{MQ}{LT} = 10^{-150} = 0.05511524 \frac{\text{kg C}}{\text{m s}}$ (*)
$1 \text{k} \frac{\text{kg C}}{\text{m}^2} = 0.04422054 \cdot 10^{-140}$	$1 \text{ ni'}\text{upavo-} \frac{MQ}{LT} = 10^{-140} = 11.33512 \text{k} \frac{\text{kg C}}{\text{m s}}$
$1 \text{m} \frac{\text{kg C}}{\text{m}^2} = 213.0024 \cdot 10^{-330}$ (*)	$1 \text{ ni'}\text{ucire-} \frac{MQ}{LT^2} = 10^{-320} = 2355.525 \text{ m} \frac{\text{kg C}}{\text{m s}^2}$ (*)
$1 \frac{\text{kg C}}{\text{m}^2} = 1.423021 \cdot 10^{-320}$	$1 \text{ ni'}\text{ucire-} \frac{MQ}{LT^2} = 10^{-320} = 0.3242214 \frac{\text{kg C}}{\text{m s}^2}$
$1 \text{k} \frac{\text{kg C}}{\text{m}^2} = 0.01201222 \cdot 10^{-310}$	$1 \text{ ni'}\text{ucipa-} \frac{MQ}{LT^2} = 10^{-310} = 42.51151 \text{k} \frac{\text{kg C}}{\text{m s}^2}$
$1 \text{m} \frac{\text{kg s C}}{\text{m}} = 0.02430534 \cdot 10^{110}$	$1 \text{ papa-} \frac{MTQ}{L} = 10^{110} = 21.02311 \text{ m} \frac{\text{kg s C}}{\text{m}}$
$1 \frac{\text{kg s C}}{\text{m}} = 204.3020 \cdot 10^{110}$	$1 \text{ pare-} \frac{MTQ}{L} = 10^{120} = 2453.450 \frac{\text{kg s C}}{\text{m}}$
$1 \text{k} \frac{\text{kg s C}}{\text{m}} = 1.350113 \cdot 10^{120}$	$1 \text{ pare-} \frac{MTQ}{L} = 10^{120} = 0.3354151 \text{k} \frac{\text{kg s C}}{\text{m}}$
$1 \text{m} \frac{\text{kg C}}{\text{m}^2} = 103.2240 \cdot 10^{-140}$	$1 \text{ ni'}\text{upavo-} \frac{MQ}{L^2} = 10^{-140} = 0.005251533 \text{ m} \frac{\text{kg C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^2} = 0.5022354 \cdot 10^{-130}$	$1 \text{ ni'}\text{upaci-} \frac{MQ}{L^2} = 10^{-130} = 1.103421 \frac{\text{kg C}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg C}}{\text{m}^2} = 0.003524351 \cdot 10^{-120}$	$1 \text{ ni'}\text{upare-} \frac{MQ}{L^2} = 10^{-120} = 131.1232 \text{k} \frac{\text{kg C}}{\text{m}^2}$

$1m \frac{kg\ C}{m^2 s} = 15.05355 \cdot 10^{-310}$	(*)	$1 ni'ucipa - \frac{MQ}{L^2 T} = 10^{-310} = 0.03120540 m \frac{kg\ C}{m^2 s}$
$1 \frac{kg\ C}{m^2 s} = 0.1233532 \cdot 10^{-300}$		$1 ni'ucino - \frac{MQ}{L^2 T} = 10^{-300} = 4.103124 \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 1035.050 \cdot 10^{-300}$		$1 ni'uremu - \frac{MQ}{L^2 T} = 10^{-250} = 523.0333 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 3.054153 \cdot 10^{-440}$		$1 ni'uvovo - \frac{MQ}{L^2 T^2} = 10^{-440} = 0.1522134 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.02234252 \cdot 10^{-430}$		$1 ni'uvoci - \frac{MQ}{L^2 T^2} = 10^{-430} = 22.43414 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 151.4123 \cdot 10^{-430}$		$1 ni'uvore - \frac{MQ}{L^2 T^2} = 10^{-420} = 3105.033 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 351.1045 \cdot 10^{-10}$		$1 \frac{MTQ}{L^2} = 1 = 1315.111 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 2.552221$	(*)	$1 \frac{MTQ}{L^2} = 1 = 0.2002230 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 0.02145115 \cdot 10^{10}$		$1 pa - \frac{MTQ}{L^2} = 10^{10} = 23.35001 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 1.311524 \cdot 10^{-250}$		$1 ni'uremu - \frac{MQ}{L^3} = 10^{-250} = 0.3523230 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.01104034 \cdot 10^{-240}$		$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 50.21022 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 52.53354 \cdot 10^{-240}$		$1 ni'urevo - \frac{MQ}{L^3} = 10^{-240} = 0.01032034 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 0.2335454 \cdot 10^{-420}$		$1 ni'uvore - \frac{MQ}{L^3 T} = 10^{-420} = 2.144255 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 2003.015 \cdot 10^{-420}$	(*)	$1 ni'uvopa - \frac{MQ}{L^3 T} = 10^{-410} = 255.1242 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 13.15405 \cdot 10^{-410}$		$1 ni'uvopa - \frac{MQ}{L^3 T} = 10^{-410} = 0.03505530 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 0.04233444 \cdot 10^{-550}$		$1 ni'umumu - \frac{MQ}{L^3 T^2} = 10^{-550} = 12.04135 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 323.1013 \cdot 10^{-550}$		$1 ni'umuovo - \frac{MQ}{L^3 T^2} = 10^{-540} = 1430.441 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 2.350125 \cdot 10^{-540}$		$1 ni'umuovo - \frac{MQ}{L^3 T^2} = 10^{-540} = 0.2134523 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 5.232150 \cdot 10^{-120}$		$1 ni'upare - \frac{MTQ}{L^3} = 10^{-120} = 0.1034443 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 0.04104320 \cdot 10^{-110}$		$1 ni'upapa - \frac{MTQ}{L^3} = 10^{-110} = 12.33250 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 312.1543 \cdot 10^{-110}$		$1 ni'upano - \frac{MTQ}{L^3} = 10^{-100} = 1505.025 k \frac{kg\ s\ C}{m^3}$
$1m \frac{1}{K} = 2.423454 \cdot 10^{100}$		$1 pano - \frac{1}{\Theta} = 10^{100} = 0.2105001 m \frac{1}{K}$
$1 \frac{1}{K} = 0.02040353 \cdot 10^{110}$		$1 papa - \frac{1}{\Theta} = 10^{110} = 25.01003 \frac{1}{K}$
$1k \frac{1}{K} = 134.4205 \cdot 10^{110}$		$1 pare - \frac{1}{\Theta} = 10^{120} = 3402.245 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$		$1 ni'uci - \frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$		$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$		$1 ni'ure - \frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK}$
$1m \frac{1}{s^2 K} = 0.1152350 \cdot 10^{-200}$		$1 ni'ureno - \frac{1}{T^2\Theta} = 10^{-200} = 4.315250 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 1003.344 \cdot 10^{-200}$	(*)	$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 552.2325 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 4.412450 \cdot 10^{-150}$		$1 ni'upamu - \frac{1}{T^2\Theta} = 10^{-150} = 0.1135151 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 13.40220 \cdot 10^{230}$		$1 reci - \frac{T}{\Theta} = 10^{230} = 0.03415303 m \frac{s}{K}$
$1 \frac{s}{K} = 0.1124453 \cdot 10^{240}$		$1 revo - \frac{T}{\Theta} = 10^{240} = 4.453205 \frac{s}{K}$
$1k \frac{s}{K} = 543.2311 \cdot 10^{240}$		$1 revo - \frac{T}{\Theta} = 10^{240} = 0.001012533 k \frac{s}{K}$
$1m \frac{m}{K} = 154.1335 \cdot 10^{210}$		$1 rere - \frac{L}{\Theta} = 10^{220} = 3023.550 m \frac{m}{K}$
$1 \frac{m}{K} = 1.301152 \cdot 10^{220}$		
$1k \frac{m}{K} = 0.01055003 \cdot 10^{230}$	(**)	$1 rere - \frac{L}{\Theta} = 10^{220} = 0.3552302 \frac{m}{K}$
$1m \frac{m}{sK} = 31.52112 \cdot 10^{40}$		$1 reci - \frac{L}{\Theta} = 10^{230} = 50.55120 k \frac{m}{K}$
$1 \frac{m}{sK} = 0.2320343 \cdot 10^{50}$		$1 vo - \frac{L}{T\Theta} = 10^{40} = 0.01450510 m \frac{m}{sK}$
$1k \frac{m}{sK} = 0.001550224 \cdot 10^{100}$	(*)	$1 mu - \frac{L}{T\Theta} = 10^{50} = 2.202320 \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$		$1 pano - \frac{L}{T\Theta} = 10^{100} = 301.2300 k \frac{m}{sK}$
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$		$1 ni'umu - \frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$		$1 ni'uvo - \frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 1052.104 \cdot 10^{340}$		$1 ni'ubo - \frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$
$1 \frac{ms}{K} = 5.153003 \cdot 10^{350}$	(*)	$1 cimu - \frac{LT}{\Theta} = 10^{350} = 511.5531 m \frac{ms}{K}$
$1k \frac{ms}{K} = 0.04034331 \cdot 10^{400}$		
$1m \frac{m^2}{K} = 0.01220203 \cdot 10^{330}$		$1 cimu - \frac{LT}{\Theta} = 10^{350} = 0.1043344 \frac{ms}{K}$
$1 \frac{m^2}{K} = 102.3430 \cdot 10^{330}$		$1 vono - \frac{LT}{\Theta} = 10^{400} = 12.43425 k \frac{ms}{K}$
$1k \frac{m^2}{K} = 0.4544525 \cdot 10^{340}$		$1 cic - \frac{L^2}{\Theta} = 10^{330} = 41.52013 m \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.002210114 \cdot 10^{200}$		$1 civo - \frac{L^2}{\Theta} = 10^{340} = 5331.532 \frac{m^2}{K}$
$1 \frac{m^2}{sK} = 14.53403 \cdot 10^{200}$		$1 civo - \frac{L^2}{\Theta} = 10^{340} = 1.112525 k \frac{m^2}{K}$
		$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 231.2400 m \frac{m^2}{sK}$
		$1 reno - \frac{L^2}{T\Theta} = 10^{200} = 0.03143023 \frac{m^2}{sK}$

$1k \frac{m^2}{s^2 K} = 0.1223434 \cdot 10^{210}$	$1 \text{ repa-} \frac{L^2}{T\Theta} = 10^{210} = 4.133314 k \frac{m^2}{s^2 K}$
$1m \frac{m^2}{s^2 K} = 400.2415 \cdot 10^{20}$ (*)	$1 \text{ re-} \frac{L^2}{T^2\Theta} = 10^{20} = 0.001254552 m \frac{m^2}{s^2 K}$ (*)
$1 \frac{m^2}{s^2 K} = 3.032433 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2}{T^2\Theta} = 10^{30} = 0.1534331 \frac{m^2}{s^2 K}$
$1k \frac{m}{s^2 K} = 0.02220005 \cdot 10^{40}$ (**)	$1 \text{ vo-} \frac{L^2}{T^2\Theta} = 10^{40} = 23.02253 k \frac{m^2}{s^2 K}$
$1m \frac{m^2 s}{K} = 0.04524455 \cdot 10^{500}$ (*)	$1 \text{ muno-} \frac{L^2 T}{\Theta} = 10^{500} = 11.15515 m \frac{m^2 s}{K}$ (*)
$1 \frac{m^2 s}{K} = 344.2313 \cdot 10^{500}$	$1 \text{ muno-} \frac{L^2 T}{\Theta} = 10^{500} = 0.001325555 \frac{m^2 s}{K}$ (**)
$1k \frac{m^2 s}{K} = 2.531332 \cdot 10^{510}$	$1 \text{ mupa-} \frac{L^2 T}{\Theta} = 10^{510} = 0.2015120 k \frac{m^2 s}{K}$
$1m \frac{1}{m K} = 0.03502433 \cdot 10^{-10}$	$1 \text{ ni'uppa-} \frac{1}{L\Theta} = 10^{-10} = 13.20544 m \frac{1}{m K}$
$1 \frac{1}{m K} = 254.5005 \cdot 10^{-10}$ (*)	$1 \frac{1}{L\Theta} = 1 = 2004.412 \frac{1}{m K}$ (*)
$1k \frac{1}{m K} = 2.142341$	$1 \frac{1}{L\Theta} = 1 = 0.2341545 k \frac{1}{m K}$
$1m \frac{1}{m s K} = 0.01031113 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{1}{LT\Theta} = 10^{-140} = 53.02054 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 50.12533 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{1}{LT\Theta} = 10^{-140} = 0.01105024 \frac{1}{m s K}$
$1k \frac{1}{m s K} = 0.3520120 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{1}{LT\Theta} = 10^{-130} = 1.313100 k \frac{1}{m s K}$ (*)
$1m \frac{1}{m s^2 K} = 1503.321 \cdot 10^{-320}$	$1 \text{ ni'ucipa-} \frac{1}{LT^2\Theta} = 10^{-310} = 312.4340 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 12.32145 \cdot 10^{-310}$	$1 \text{ ni'ucipa-} \frac{1}{LT^2\Theta} = 10^{-310} = 0.04111554 \frac{1}{m s^2 K}$ (*)
$1k \frac{1}{m s^2 K} = 0.1033520 \cdot 10^{-300}$	$1 \text{ ni'ucino-} \frac{1}{LT^2\Theta} = 10^{-300} = 5.240432 k \frac{1}{m s^2 K}$
$1m \frac{s}{m K} = 0.2133014 \cdot 10^{120}$	$1 \text{ pare-} \frac{T}{L\Theta} = 10^{120} = 2.352225 m \frac{s}{m K}$
$1 \frac{s}{m K} = 1425.204 \cdot 10^{120}$	$1 \text{ paci-} \frac{T}{L\Theta} = 10^{130} = 323.3503 \frac{s}{m K}$
$1k \frac{s}{m K} = 12.03100 \cdot 10^{130}$ (*)	$1 \text{ paci-} \frac{T}{L\Theta} = 10^{130} = 0.04241234 k \frac{s}{m K}$
$1m \frac{1}{m^2 K} = 522.2101 \cdot 10^{-130}$	$1 \text{ ni'upare-} \frac{1}{L^2\Theta} = 10^{-120} = 1040.014 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 4.055454 \cdot 10^{-120}$ (*)	$1 \text{ ni'upare-} \frac{1}{L^2\Theta} = 10^{-120} = 0.1235034 \frac{1}{m^2 K}$
$1k \frac{1}{m^2 K} = 0.03114151 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{1}{L^2\Theta} = 10^{-110} = 15.11104 k \frac{1}{m^2 K}$
$1m \frac{1}{m^2 s K} = 131.0101 \cdot 10^{-300}$	$1 \text{ ni'ucino-} \frac{1}{L^2\Theta} = 10^{-300} = 0.003531504 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 1.102432 \cdot 10^{-250}$	$1 \text{ ni'uremu-} \frac{1}{L^2\Theta} = 10^{-250} = 0.5030452 \frac{1}{m^2 s K}$
$1k \frac{1}{m^2 s K} = 0.005243242 \cdot 10^{-240}$	$1 \text{ ni'urevo-} \frac{1}{L^2\Theta} = 10^{-240} = 103.3202 k \frac{1}{m^2 s K}$
$1m \frac{1}{m^2 s^2 K} = 23.32513 \cdot 10^{-430}$	$1 \text{ ni'uvoci-} \frac{1}{L^2\Theta} = 10^{-430} = 0.02151035 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.2000435 \cdot 10^{-420}$ (**)	$1 \text{ ni'uvore-} \frac{1}{L^2\Theta} = 10^{-420} = 2.554502 \frac{1}{m^2 s^2 K}$ (*)
$1k \frac{1}{m^2 s^2 K} = 1313.533 \cdot 10^{-420}$	$1 \text{ ni'uvopa-} \frac{1}{L^2\Theta} = 10^{-410} = 351.4150 k \frac{1}{m^2 s^2 K}$
$1m \frac{s}{m^2 K} = 3102.254 \cdot 10^0$	$1 \text{ pa-} \frac{T}{L^2\Theta} = 10^{10} = 151.5440 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.41411 \cdot 10^{10}$	$1 \text{ pa-} \frac{T}{L^2\Theta} = 10^{10} = 0.02240252 \frac{s}{m^2 K}$
$1k \frac{s}{m^2 K} = 0.1520415 \cdot 10^{20}$	$1 \text{ re-} \frac{T}{L^2\Theta} = 10^{20} = 3.100525 k \frac{s}{m^2 K}$ (*)
$1m \frac{1}{m^3 K} = 11.32500 \cdot 10^{-240}$ (*)	$1 \text{ ni'urevo-} \frac{1}{L^3\Theta} = 10^{-240} = 0.04430012 m \frac{1}{m^3 K}$ (*)
$1 \frac{1}{m^3 K} = 0.05503040 \cdot 10^{-230}$ (*)	$1 \text{ ni'ureci-} \frac{1}{L^3\Theta} = 10^{-230} = 10.05343 \frac{1}{m^3 K}$
$1k \frac{1}{m^3 K} = 430.2343 \cdot 10^{-230}$	$1 \text{ ni'urere-} \frac{1}{L^3\Theta} = 10^{-220} = 1155.121 k \frac{1}{m^3 K}$ (*)
$1m \frac{1}{m^3 s K} = 2.051250 \cdot 10^{-410}$	$1 \text{ ni'uvopa-} \frac{1}{L^3\Theta} = 10^{-410} = 0.2443555 m \frac{1}{m^3 s K}$ (**)
$1 \frac{1}{m^3 s K} = 0.01353341 \cdot 10^{-400}$	$1 \text{ ni'uvono-} \frac{1}{L^3\Theta} = 10^{-400} = 33.42441 \frac{1}{m^3 s K}$
$1k \frac{1}{m^3 s K} = 113.5535 \cdot 10^{-400}$ (*)	$1 \text{ ni'uvono-} \frac{1}{L^3\Theta} = 10^{-400} = 0.004410253 k \frac{1}{m^3 s K}$
$1m \frac{1}{m^3 s^2 K} = 0.3351153 \cdot 10^{-540}$	$1 \text{ ni'umuovo-} \frac{1}{L^3\Theta} = 10^{-540} = 1.351320 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 2451.300 \cdot 10^{-540}$ (*)	$1 \text{ ni'umuci-} \frac{1}{L^3\Theta} = 10^{-530} = 204.4445 \frac{1}{m^3 s^2 K}$
$1k \frac{1}{m^3 s^2 K} = 21.00430 \cdot 10^{-530}$ (*)	$1 \text{ ni'umuci-} \frac{1}{L^3\Theta} = 10^{-530} = 0.02433110 k \frac{1}{m^3 s^2 K}$
$1m \frac{s}{m^3 K} = 42.43352 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{T}{L^3\Theta} = 10^{-110} = 0.01202255 m \frac{s}{m^3 K}$ (*)
$1 \frac{s}{m^3 K} = 0.3235320 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{T}{L^3\Theta} = 10^{-100} = 1.424252 \frac{s}{m^3 K}$
$1k \frac{s}{m^3 K} = 2353.422 \cdot 10^{-100}$	$1 \text{ ni'umu-} \frac{T}{L^3\Theta} = 10^{-50} = 213.1531 k \frac{s}{m^3 K}$
$1m \frac{kg}{K} = 0.1423431 \cdot 10^{120}$	$1 \text{ pare-} \frac{M}{\Theta} = 10^{120} = 3.241000 m \frac{kg}{K}$ (**)
$1 \frac{kg}{K} = 1201.534 \cdot 10^{120}$	$1 \text{ paci-} \frac{M}{\Theta} = 10^{130} = 424.5304 \frac{kg}{K}$
$1k \frac{kg}{K} = 10.11414 \cdot 10^{130}$	$1 \text{ paci-} \frac{M}{\Theta} = 10^{130} = 0.05443151 k \frac{kg}{K}$
$1m \frac{kg}{s K} = 0.02542151 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{M}{T\Theta} = 10^{-10} = 20.10321 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 214.0305 \cdot 10^{-10}$	$1 \frac{M}{T\Theta} = 1 = 2344.212 \frac{kg}{s K}$
$1k \frac{kg}{s K} = 1.432011$	$1 \frac{M}{T\Theta} = 1 = 0.3224340 k \frac{kg}{s K}$
$1m \frac{kg}{s^2 K} = 0.005004154 \cdot 10^{-140}$ (*)	$1 \text{ ni'upavo-} \frac{M}{T^2\Theta} = 10^{-140} = 111.0100 m \frac{kg}{s^2 K}$ (*)

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 35.12401 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.2553325 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 1.005110 \cdot 10^{250} \quad (*) \\
1 \frac{\text{kg s}}{\text{K}} &= 0.004424015 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 33.54055 \cdot 10^{300} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 11.23403 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.05423133 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 423.2120 \cdot 10^{240} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.01342511 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.0422 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.3324243 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.002432011 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 20.43523 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 42.13243 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 0.3213304 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.002334523 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 514.4053 \cdot 10^{340} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 4.030500 \cdot 10^{350} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 0.03053111 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 125.5535 \cdot 10^{210} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1.053542 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 5205.104 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.1544334 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.001303343 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.003041310 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 22.23411 \cdot 10^{520} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.1505000 \cdot 10^{530} \quad (***) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 2235.243 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 15.14554 \cdot 10^{10} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.1242012 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 405.2003 \cdot 10^{-130} \quad (*) \\
1 \frac{\text{kg}}{\text{m s K}} &= 3.111212 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 0.02245244 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 110.1404 \cdot 10^{-300} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.5234244 \cdot 10^{-250} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.004110120 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.5330 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.5045102 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 32.32225 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.2351150 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 2012.453 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 5.453434 \cdot 10^{-240} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.04254300 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 324.4502 \cdot 10^{-230} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.352035 \cdot 10^{-410} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.01134435 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 55.20032 \cdot 10^{-400} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upavo-} \frac{M}{T^2 \Theta} &= 10^{-140} = 0.01314330 \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{upaci-} \frac{M}{T^2 \Theta} &= 10^{-130} = 2.001342 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{remu-} \frac{MT}{\Theta} &= 10^{250} = 0.5505321 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 113.3210 \frac{\text{kg s}}{\text{K}} \\
1 \text{cino-} \frac{MT}{\Theta} &= 10^{300} = 0.01350140 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{reci-} \frac{ML}{\Theta} &= 10^{230} = 0.04501441 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 10.13520 \frac{\text{kg m}}{\text{K}} \\
1 \text{revo-} \frac{ML}{\Theta} &= 10^{240} = 0.001204430 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano-} \frac{ML}{T \Theta} &= 10^{100} = 0.2503342 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa-} \frac{ML}{T \Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare-} \frac{ML}{T \Theta} &= 10^{120} = 4442.001 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni}'\text{uci-} \frac{ML}{T^2 \Theta} &= 10^{-30} = 1.402222 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 210.1400 \frac{\text{kg m}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{ure-} \frac{ML}{T^2 \Theta} &= 10^{-20} = 0.02452405 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vono-} \frac{MLT}{\Theta} &= 10^{400} = 0.01212030 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa-} \frac{MLT}{\Theta} &= 10^{410} = 1.435421 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore-} \frac{MLT}{\Theta} &= 10^{420} = 214.5151 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{civo-} \frac{ML^2}{\Theta} &= 10^{340} = 0.001044400 \text{m} \frac{\text{kg m}^2}{\text{K}} \quad (*) \\
1 \text{cimu-} \frac{ML^2}{\Theta} &= 10^{350} = 0.1245031 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono-} \frac{ML^2}{\Theta} &= 10^{400} = 15.22540 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 4000.100 \text{m} \frac{\text{kg m}^2}{\text{s K}} \quad (***) \\
1 \text{rere-} \frac{ML^2}{T \Theta} &= 10^{220} = 0.5103543 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci-} \frac{ML^2}{T \Theta} &= 10^{230} = 104.1525 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo-} \frac{ML^2}{T^2 \Theta} &= 10^{40} = 0.02204413 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu-} \frac{ML^2}{T^2 \Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano-} \frac{ML^2}{T^2 \Theta} &= 10^{100} = 354.2234 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 153.1343 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{mure-} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.02254352 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci-} \frac{ML^2 T}{\Theta} &= 10^{530} = 3.122032 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 224.2421 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 0.03103453 \frac{\text{kg}}{\text{m K}} \\
1 \text{re-} \frac{M}{L \Theta} &= 10^{20} = 4.043230 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 1240.231 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{upare-} \frac{M}{LT \Theta} &= 10^{-120} = 0.1512522 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{upapa-} \frac{M}{LT \Theta} &= 10^{-110} = 22.32430 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni}'\text{ucino-} \frac{M}{LT^2 \Theta} &= 10^{-300} = 0.005035253 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{uremu-} \frac{M}{LT^2 \Theta} &= 10^{-250} = 1.034204 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni}'\text{urevo-} \frac{M}{LT^2 \Theta} &= 10^{-240} = 123.2523 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 41.01323 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo-} \frac{MT}{L \Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu-} \frac{MT}{L \Theta} &= 10^{150} = 1.100214 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni}'\text{upapa-} \frac{M}{L^2 \Theta} &= 10^{-110} = 0.01430030 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{upano-} \frac{M}{L^2 \Theta} &= 10^{-100} = 2.133555 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (***) \\
1 \text{ni}'\text{umu-} \frac{M}{L^2 \Theta} &= 10^{-50} = 253.5011 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni}'\text{urevo-} \frac{M}{L^2 T \Theta} &= 10^{-240} = 0.1010322 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{ureci-} \frac{M}{L^2 T \Theta} &= 10^{-230} = 12.00240 \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni}'\text{urere-} \frac{M}{L^2 T \Theta} &= 10^{-220} = 1421.454 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni}'\text{uvopa-} \frac{M}{L^2 T^2 \Theta} &= 10^{-410} = 0.3350035 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \text{ni}'\text{uvono-} \frac{M}{L^2 T^2 \Theta} &= 10^{-400} = 44.14444 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni}'\text{uvono-} \frac{M}{L^2 T^2 \Theta} &= 10^{-400} = 0.01004021 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \quad (*)
\end{aligned}$$

$1m \frac{kg\ s}{m^2 K} = 200.3505 \cdot 10^{20}$	(*)	$1 re - \frac{MT}{L^2 \Theta} = 10^{20} = 0.002550133 m \frac{kg\ s}{m^2 K}$	(*)
$1 \frac{kg\ s}{m^2 K} = 1.320151 \cdot 10^{30}$		$1 ci - \frac{MT}{L^2 \Theta} = 10^{30} = 0.3504213 \frac{kg\ s}{m^2 K}$	
$1k \frac{kg\ s}{m^2 K} = 0.01111300 \cdot 10^{40}$	(*)	$1 vo - \frac{MT}{L^2 \Theta} = 10^{40} = 45.54432 k \frac{kg\ s}{m^2 K}$	
$1m \frac{kg}{m^3 K} = 0.4451201 \cdot 10^{-220}$		$1 ni'urere - \frac{M}{L^3 \Theta} = 10^{-220} = 1.125201 m \frac{kg}{m^3 K}$	
$1 \frac{kg}{m^3 K} = 3413.543 \cdot 10^{-220}$		$1 ni'urepa - \frac{M}{L^3 \Theta} = 10^{-210} = 134.1022 \frac{kg}{m^3 K}$	
$1k \frac{kg}{m^3 K} = 25.10444 \cdot 10^{-210}$		$1 ni'urepa - \frac{M}{L^3 \Theta} = 10^{-210} = 0.02032220 k \frac{kg}{m^3 K}$	
$1m \frac{kg}{m^3 s K} = 0.1210133 \cdot 10^{-350}$		$1 ni'ucimu - \frac{M}{L^3 T \Theta} = 10^{-350} = 4.223152 m \frac{kg}{m^3 s K}$	
$1 \frac{kg}{m^3 s K} = 0.001015020 \cdot 10^{-340}$		$1 ni'ucivo - \frac{M}{L^3 T \Theta} = 10^{-340} = 541.2523 \frac{kg}{m^3 s K}$	
$1k \frac{kg}{m^3 s K} = 4.511102 \cdot 10^{-340}$		$1 ni'ucivo - \frac{M}{L^3 T \Theta} = 10^{-340} = 0.1122150 k \frac{kg}{m^3 s K}$	
$1m \frac{kg}{m^3 s^2 K} = 0.02151513 \cdot 10^{-520}$		$1 ni'umure - \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 23.32002 m \frac{kg}{m^3 s^2 K}$	(*)
$1 \frac{kg}{m^3 s^2 K} = 144.1413 \cdot 10^{-520}$		$1 ni'umure - \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 0.003205435 \frac{kg}{m^3 s^2 K}$	
$1k \frac{kg}{m^3 s^2 K} = 1.213340 \cdot 10^{-510}$		$1 ni'umupa - \frac{M}{L^3 T^2 \Theta} = 10^{-510} = 0.4204334 k \frac{kg}{m^3 s^2 K}$	
$1m \frac{kg}{m^3 K} = 2.455455 \cdot 10^{-50}$	(*)	$1 ni'umu - \frac{MT}{L^3 \Theta} = 10^{-50} = 0.2041313 m \frac{kg}{m^3 K}$	
$1 \frac{kg}{m^3 K} = 0.02104031 \cdot 10^{-40}$		$1 ni'uvo - \frac{MT}{L^3 \Theta} = 10^{-40} = 24.24550 \frac{kg}{m^3 K}$	(*)
$1k \frac{kg}{m^3 K} = 140.4134 \cdot 10^{-40}$		$1 ni'uvo - \frac{MT}{L^3 \Theta} = 10^{-40} = 0.003320254 k \frac{kg}{m^3 K}$	
$1m K = 3402.245 \cdot 10^{-120}$		$1 ni'upapa - \Theta = 10^{-110} = 134.4205 m K$	
$1 K = 25.01003 \cdot 10^{-110}$	(*)	$1 ni'upapa - \Theta = 10^{-110} = 0.02040353 K$	
$1k K = 0.2105001 \cdot 10^{-100}$	(*)	$1 ni'upano - \Theta = 10^{-100} = 2.423454 k K$	
$1m \frac{K}{s} = 0.001012533 \cdot 10^{-240}$		$1 ni'urevo - \frac{\Theta}{T} = 10^{-240} = 543.2311 m \frac{K}{s}$	
$1 \frac{K}{s} = 4.453205 \cdot 10^{-240}$		$1 ni'urevo - \frac{\Theta}{T} = 10^{-240} = 0.1124453 \frac{K}{s}$	
$1k \frac{K}{s} = 0.03415303 \cdot 10^{-230}$		$1 ni'ureci - \frac{\Theta}{T} = 10^{-230} = 13.40220 k \frac{K}{s}$	
$1m \frac{K}{s^2} = 143.4034 \cdot 10^{-420}$		$1 ni'uvore - \frac{\Theta}{T^2} = 10^{-420} = 0.003220342 m \frac{K}{s^2}$	
$1 \frac{K}{s^2} = 1.210500 \cdot 10^{-410}$	(*)	$1 ni'uvopa - \frac{\Theta}{T^2} = 10^{-410} = 0.4221250 \frac{K}{s^2}$	
$1k \frac{K}{s^2} = 0.01015255 \cdot 10^{-400}$	(*)	$1 ni'uvono - \frac{\Theta}{T^2} = 10^{-400} = 54.10304 k \frac{K}{s^2}$	
$1m s K = 0.02055403 \cdot 10^{20}$	(*)	$1 re - T \Theta = 10^{20} = 24.34322 m s K$	
$1 s K = 140.0511 \cdot 10^{20}$		$1 re - T \Theta = 10^{20} = 0.003331424 s K$	
$1k s K = 1.142240 \cdot 10^{30}$		$1 ci - T \Theta = 10^{30} = 0.4353205 k s K$	
$1m m K = 0.2341545 \cdot 10^0$		$1 L \Theta = 1 = 2.142341 m m K$	
$1 m K = 2004.412 \cdot 10^0$	(*)	$1 pa - L \Theta = 10^{10} = 254.5005 m K$	(*)
$1k m K = 13.20544 \cdot 10^{10}$		$1 pa - L \Theta = 10^{10} = 0.03502433 k m K$	
$1m \frac{m K}{s} = 0.04241234 \cdot 10^{-130}$		$1 ni'upaci - \frac{L \Theta}{T} = 10^{-130} = 12.03100 m \frac{m K}{s}$	(*)
$1 \frac{m K}{s} = 323.3503 \cdot 10^{-130}$		$1 ni'upare - \frac{L \Theta}{T} = 10^{-120} = 1425.204 \frac{m K}{s}$	
$1k \frac{m K}{s} = 2.352225 \cdot 10^{-120}$		$1 ni'upare - \frac{L \Theta}{T} = 10^{-120} = 0.2133014 k \frac{m K}{s}$	
$1m \frac{m K}{s^2} = 0.01132112 \cdot 10^{-300}$		$1 ni'ucino - \frac{L \Theta}{T^2} = 10^{-300} = 44.32223 m \frac{m K}{s^2}$	
$1 \frac{m K}{s^2} = 55.00113 \cdot 10^{-300}$	(**)	$1 ni'ucino - \frac{L \Theta}{T^2} = 10^{-300} = 0.01010045 \frac{m K}{s^2}$	(*)
$1k \frac{m K}{s^2} = 0.4300215 \cdot 10^{-250}$	(*)	$1 ni'uremu - \frac{L \Theta}{T^2} = 10^{-250} = 1.155520 k \frac{m K}{s^2}$	(**)
$1m m s K = 1.313100 \cdot 10^{130}$	(*)	$1 paci - LT \Theta = 10^{130} = 0.3520120 m m s K$	
$1 m s K = 0.01105024 \cdot 10^{140}$		$1 pavo - LT \Theta = 10^{140} = 50.12533 m s K$	
$1k m s K = 53.02054 \cdot 10^{140}$		$1 pavo - LT \Theta = 10^{140} = 0.01031113 k m s K$	
$1m m^2 K = 15.11104 \cdot 10^{110}$		$1 papa - L^2 \Theta = 10^{110} = 0.03114151 m m^2 K$	
$1 m^2 K = 0.1235034 \cdot 10^{120}$		$1 pare - L^2 \Theta = 10^{120} = 4.055454 m^2 K$	(*)
$1k m^2 K = 1040.014 \cdot 10^{120}$		$1 paci - L^2 \Theta = 10^{130} = 522.2101 k m^2 K$	
$1m \frac{m^2 K}{s} = 3.100525 \cdot 10^{-20}$	(*)	$1 ni'ure - \frac{L^2 \Theta}{T} = 10^{-20} = 0.1520415 m \frac{m^2 K}{s}$	
$1 \frac{m^2 K}{s} = 0.02240252 \cdot 10^{-10}$		$1 ni'upa - \frac{L^2 \Theta}{T} = 10^{-10} = 22.41411 \frac{m^2 K}{s}$	
$1k \frac{m^2 K}{s} = 151.5440 \cdot 10^{-10}$		$1 \frac{L^2 \Theta}{T} = 1 = 3102.254 k \frac{m^2 K}{s}$	
$1m \frac{m^2 K}{s^2} = 0.5215254 \cdot 10^{-150}$		$1 ni'upamu - \frac{L^2 \Theta}{T^2} = 10^{-150} = 1.040334 m \frac{m^2 K}{s^2}$	
$1 \frac{m^2 K}{s^2} = 0.004053431 \cdot 10^{-140}$		$1 ni'upavo - \frac{L^2 \Theta}{T^2} = 10^{-140} = 123.5453 \frac{m^2 K}{s^2}$	
$1k \frac{m^2 K}{s^2} = 31.12414 \cdot 10^{-140}$		$1 ni'upavo - \frac{L^2 \Theta}{T^2} = 10^{-140} = 0.01512041 k \frac{m^2 K}{s^2}$	
$1m m^2 s K = 103.3202 \cdot 10^{240}$		$1 revo - L^2 T \Theta = 10^{240} = 0.005243242 m m^2 s K$	
$1 m^2 s K = 0.5030452 \cdot 10^{250}$		$1 remu - L^2 T \Theta = 10^{250} = 1.102432 m^2 s K$	

$$\begin{aligned}
1 \text{k m}^2 \text{s K} &= 0.003531504 \cdot 10^{300} \\
1 \text{m} \frac{\text{K}}{\text{m}} &= 50.55120 \cdot 10^{-230} \quad (*) \\
1 \frac{\text{K}}{\text{m}} &= 0.3552302 \cdot 10^{-220} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}} &= 3023.550 \cdot 10^{-220} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m s}} &= 12.43425 \cdot 10^{-400} \\
1 \frac{\text{K}}{\text{m s}} &= 0.1043344 \cdot 10^{-350} \\
1 \text{k} \frac{\text{K}}{\text{m s}} &= 511.5531 \cdot 10^{-350} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m s}^2} &= 2.252212 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m s}^2} &= 0.01525511 \cdot 10^{-520} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m s}^2} &= 125.1202 \cdot 10^{-520} \\
1 \text{m} \frac{\text{s K}}{\text{m}} &= 301.2300 \cdot 10^{-100} \quad (*) \\
1 \frac{\text{s K}}{\text{m}} &= 2.202320 \cdot 10^{-50} \\
1 \text{k} \frac{\text{s K}}{\text{m}} &= 0.01450510 \cdot 10^{-40} \\
1 \text{m} \frac{\text{K}}{\text{m}^2} &= 1.112525 \cdot 10^{-340} \\
1 \frac{\text{K}}{\text{m}^2} &= 5331.532 \cdot 10^{-340} \\
1 \text{k} \frac{\text{K}}{\text{m}^2} &= 41.52013 \cdot 10^{-330} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.2015120 \cdot 10^{-510} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}} &= 0.001325555 \cdot 10^{-500} \quad (***) \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} &= 11.15515 \cdot 10^{-500} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 0.03252531 \cdot 10^{-1040} \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 240.4543 \cdot 10^{-1040} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} &= 2.024134 \cdot 10^{-1030} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2} &= 4.133314 \cdot 10^{-210} \\
1 \frac{\text{s K}}{\text{m}^2} &= 0.03143023 \cdot 10^{-200} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2} &= 231.2400 \cdot 10^{-200} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3} &= 0.01410130 \cdot 10^{-450} \\
1 \frac{\text{K}}{\text{m}^3} &= 115.0334 \cdot 10^{-450} \\
1 \text{k} \frac{\text{K}}{\text{m}^3} &= 1.002020 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.002514100 \cdot 10^{-1020} \quad (*) \\
1 \frac{\text{K}}{\text{m}^3 \text{s}} &= 21.20023 \cdot 10^{-1020} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} &= 0.1414231 \cdot 10^{-1010} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 452.0523 \cdot 10^{-1200} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 3.435303 \cdot 10^{-1150} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} &= 0.02525131 \cdot 10^{-1140} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3} &= 0.05553335 \cdot 10^{-320} \quad (***) \\
1 \frac{\text{s K}}{\text{m}^3} &= 434.2053 \cdot 10^{-320} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3} &= 3.322103 \cdot 10^{-310} \\
1 \text{m kg K} &= 220.0225 \cdot 10^{-100} \\
1 \text{kg K} &= 1.445113 \cdot 10^{-50} \\
1 \text{kg K} &= 0.01220152 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{s}} &= 35.44512 \cdot 10^{-230} \\
1 \frac{\text{kg K}}{\text{s}} &= 0.3021100 \cdot 10^{-220} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{s}} &= 2210.054 \cdot 10^{-220} \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2} &= 10.42334 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{s}^2} &= 0.05111052 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2} &= 400.2344 \cdot 10^{-350} \quad (*) \\
1 \text{m kg s K} &= 0.001212534 \cdot 10^{40} \\
1 \text{kg s K} &= 10.21041 \cdot 10^{40} \\
1 \text{kg s K} &= 0.04524415 \cdot 10^{50} \\
1 \text{m kg m K} &= 0.01355201 \cdot 10^{20} \quad (*) \\
1 \text{kg m K} &= 114.1134 \cdot 10^{20}
\end{aligned}$$

$$\begin{aligned}
1 \text{cino-}L^2 T \Theta &= 10^{300} = 131.0101 \text{k m}^2 \text{s K} \\
1 \text{ni'ureci-} \frac{\Theta}{L} &= 10^{-230} = 0.01055003 \text{m} \frac{\text{K}}{\text{m}} \quad (**) \\
1 \text{ni'urere-} \frac{\Theta}{L} &= 10^{-220} = 1.301152 \frac{\text{K}}{\text{m}} \\
1 \text{ni'urepa-} \frac{\Theta}{L} &= 10^{-210} = 154.1335 \text{k} \frac{\text{K}}{\text{m}} \\
1 \text{ni'uvono-} \frac{\Theta}{LT} &= 10^{-400} = 0.04034331 \text{m} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'ucimu-} \frac{\Theta}{LT} &= 10^{-350} = 5.153003 \frac{\text{K}}{\text{m s}} \quad (*) \\
1 \text{ni'ucivo-} \frac{\Theta}{LT} &= 10^{-340} = 1052.104 \text{k} \frac{\text{K}}{\text{m s}} \\
1 \text{ni'umuci-} \frac{\Theta}{LT^2} &= 10^{-530} = 0.2225524 \text{m} \frac{\text{K}}{\text{m s}^2} \quad (*) \\
1 \text{ni'umure-} \frac{\Theta}{LT^2} &= 10^{-520} = 30.44221 \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'umure-} \frac{\Theta}{LT^2} &= 10^{-520} = 0.004020334 \text{k} \frac{\text{K}}{\text{m s}^2} \\
1 \text{ni'upano-} \frac{T \Theta}{L} &= 10^{-100} = 0.001550224 \text{m} \frac{\text{s K}}{\text{m}} \quad (*) \\
1 \text{ni'umu-} \frac{T \Theta}{L} &= 10^{-50} = 0.2320343 \frac{\text{s K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{T \Theta}{L} &= 10^{-40} = 31.52112 \text{k} \frac{\text{s K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{\Theta}{L^2} &= 10^{-340} = 0.4544525 \text{m} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucici-} \frac{\Theta}{L^2} &= 10^{-330} = 102.3430 \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'ucici-} \frac{\Theta}{L^2} &= 10^{-330} = 0.01220203 \text{k} \frac{\text{K}}{\text{m}^2} \\
1 \text{ni'umupa-} \frac{\Theta}{L^2 T} &= 10^{-510} = 2.531332 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuno-} \frac{\Theta}{L^2 T} &= 10^{-500} = 344.2313 \frac{\text{K}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuno-} \frac{\Theta}{L^2 T} &= 10^{-500} = 0.04524455 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 14.15445 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanovo-} \frac{\Theta}{L^2 T^2} &= 10^{-1040} = 0.002121504 \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanoci-} \frac{\Theta}{L^2 T^2} &= 10^{-1030} = 0.2520252 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'urepa-} \frac{\Theta}{L^2} &= 10^{-210} = 0.1223434 \text{m} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureno-} \frac{\Theta}{L^2} &= 10^{-200} = 14.53403 \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'ureno-} \frac{\Theta}{L^2} &= 10^{-200} = 0.002210114 \text{k} \frac{\text{s K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{\Theta}{L^3} &= 10^{-450} = 33.12155 \text{m} \frac{\text{K}}{\text{m}^3} \quad (*) \\
1 \text{ni'uvovo-} \frac{\Theta}{L^3} &= 10^{-440} = 4330.323 \frac{\text{K}}{\text{m}^3} \\
1 \text{ni'uvovo-} \frac{\Theta}{L^3} &= 10^{-440} = 0.5535440 \text{k} \frac{\text{K}}{\text{m}^3} \quad (*) \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 202.5534 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upanore-} \frac{\Theta}{L^3 T} &= 10^{-1020} = 0.02411041 \frac{\text{K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upanopa-} \frac{\Theta}{L^3 T} &= 10^{-1010} = 3.255420 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upareno-} \frac{\Theta}{L^3 T^2} &= 10^{-1200} = 0.001120511 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapamu-} \frac{\Theta}{L^3 T^2} &= 10^{-1150} = 0.1331133 \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapavo-} \frac{\Theta}{L^3 T^2} &= 10^{-1140} = 20.20512 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'ucire-} \frac{T \Theta}{L^3} &= 10^{-320} = 10.00222 \text{m} \frac{\text{s K}}{\text{m}^3} \quad (*) \\
1 \text{ni'ucire-} \frac{T \Theta}{L^3} &= 10^{-320} = 0.001144242 \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'ucipa-} \frac{T \Theta}{L^3} &= 10^{-310} = 0.1403245 \text{k} \frac{\text{s K}}{\text{m}^3} \\
1 \text{ni'upano-} M \Theta &= 10^{-100} = 0.002322550 \text{m kg K} \quad (*) \\
1 \text{ni'umu-} M \Theta &= 10^{-50} = 0.3155125 \text{kg K} \quad (*) \\
1 \text{ni'ubo-} M \Theta &= 10^{-40} = 41.52051 \text{k kg K} \\
1 \text{ni'ureci-} \frac{M \Theta}{T} &= 10^{-230} = 0.01302410 \text{m} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'urere-} \frac{M \Theta}{T} &= 10^{-220} = 1.543222 \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'urepa-} \frac{M \Theta}{T} &= 10^{-210} = 231.2420 \text{k} \frac{\text{kg K}}{\text{s}} \\
1 \text{ni'uvono-} \frac{M \Theta}{T^2} &= 10^{-400} = 0.05201522 \text{m} \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ucimu-} \frac{M \Theta}{T^2} &= 10^{-350} = 10.53124 \frac{\text{kg K}}{\text{s}^2} \\
1 \text{ni'ucivo-} \frac{M \Theta}{T^2} &= 10^{-340} = 1255.004 \text{k} \frac{\text{kg K}}{\text{s}^2} \quad (**) \\
1 \text{vo-} MT \Theta &= 10^{40} = 421.0432 \text{m kg s K} \\
1 \text{vo-} MT \Theta &= 10^{40} = 0.05353452 \text{kg s K} \\
1 \text{mu-} MT \Theta &= 10^{50} = 11.15525 \text{k kg s K} \quad (*) \\
1 \text{re-} ML \Theta &= 10^{20} = 33.35011 \text{m kg m K} \\
1 \text{re-} ML \Theta &= 10^{20} = 0.004401344 \text{kg m K}
\end{aligned}$$

$$\begin{aligned}
1 \text{k kg m K} &= 0.5535350 \cdot 10^{30} \quad (*) \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= 2454.231 \cdot 10^{-120} \\
1 \frac{\text{kg m K}}{\text{s}} &= 21.03001 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.1403233 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 444.4541 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 3.412041 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 0.02505213 \cdot 10^{-230} \\
1 \text{m kg ms K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{k kg ms K} &= 431.1151 \cdot 10^{150} \\
1 \text{k kg ms K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{k kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.2002505 \cdot 10^0 \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1315.312 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 11.10523 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.03230413 \cdot 10^{-130} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 234.5554 \cdot 10^{-130} \quad (***) \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.011450 \cdot 10^{-120} \\
1 \text{m kg m}^2 \text{s K} &= 4.104052 \cdot 10^{300} \\
1 \text{k kg m}^2 \text{s K} &= 0.03121352 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 225.4150 \cdot 10^{310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 3.140022 \cdot 10^{-210} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}} &= 0.02310202 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 154.1321 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.5322452 \cdot 10^{-340} \\
1 \frac{\text{kg K}}{\text{m s}} &= 4144.034 \cdot 10^{-340} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 31.52043 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.1324314 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.001114434 \cdot 10^{-500} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 5.344303 \cdot 10^{-500} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 15.32452 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.1253341 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.001052055 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.04333533 \cdot 10^{-320} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 331.4531 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 2.423432 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.01145224 \cdot 10^{-450} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 100.1045 \cdot 10^{-450} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.4353130 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.002114012 \cdot 10^{-1020} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 14.12505 \cdot 10^{-1020} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.1152340 \cdot 10^{-1010} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.2413033 \cdot 10^{-150} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.002031244 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 13.40204 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 1024.312 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.552320 \cdot 10^{-430} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 0.03502402 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 145.5004 \cdot 10^{-1010} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{ci-ML}\Theta &= 10^{30} = 1.002025 \text{k kg m K} \quad (*) \\
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 204.2332 \text{m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 0.02430201 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 3.322133 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 1125.544 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.1341512 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'ureci-} \frac{ML\Theta}{T^2} &= 10^{-230} = 20.33233 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{pamu-} MLT\Theta &= 10^{150} = 10.04322 \text{m kg ms K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 1153.504 \text{kg ms K} \\
1 \text{reno-} MLT\Theta &= 10^{200} = 0.1414244 \text{k kg ms K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 2.551425 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 351.0143 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.05001125 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \quad (*) \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 14.30542 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 2135.043 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 0.2540255 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.1233340 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 15.05132 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 2224.010 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.1455205 \text{m} \frac{\text{kg K}}{\text{m}} \quad (*) \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 22.12214 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 0.003024014 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 1.024422 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 122.1343 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 0.01450523 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 3.450004 \text{m} \frac{\text{kg K}}{\text{m s}^2} \quad (***) \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 453.3201 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 0.1022040 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L} &= 10^{-40} = 0.03035335 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 4.010223 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{MT\Theta}{L} &= 10^{-20} = 512.0013 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 11.45351 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.001405003 \frac{\text{kg K}}{\text{m}^2} \quad (*) \\
1 \text{ni'ucipa-} \frac{M\Theta}{L^2} &= 10^{-310} = 0.2105020 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2 T} &= 10^{-450} = 43.34440 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2 T} &= 10^{-440} = 5545.122 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2 T} &= 10^{-440} = 1.142250 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2 T^2} &= 10^{-1020} = 241.3333 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2 T^2} &= 10^{-1020} = 0.03302533 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^2 T^2} &= 10^{-1010} = 4.315324 \text{k} \frac{\text{kg s K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 2.114240 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 251.2021 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 0.03415334 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 532.3501 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.1112010 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvore-} \frac{M\Theta}{L^3} &= 10^{-420} = 13.21000 \text{k} \frac{\text{kg K}}{\text{m}^3} \quad (***) \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3 T} &= 10^{-1000} = 3140.400 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*)
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 1.224445 \cdot 10^{-1000}$	$1 \text{ni}'\text{upanono}-\frac{M\Theta}{L^3 T} = 10^{-1000} = 0.4130233 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 0.01031104 \cdot 10^{-550}$	$1 \text{ni}'\text{umumu}-\frac{M\Theta}{L^3 T} = 10^{-550} = 53.02141 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 30.35012 \cdot 10^{-1140}$	$1 \text{ni}'\text{upapavo}-\frac{M\Theta}{L^3 T^2} = 10^{-1140} = 0.01533101 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.2221435 \cdot 10^{-1130}$	$1 \text{ni}'\text{upapaci}-\frac{M\Theta}{L^3 T^2} = 10^{-1130} = 2.300353 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} (*)$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.001503304 \cdot 10^{-1120}$	$1 \text{ni}'\text{upapare}-\frac{M\Theta}{L^3 T^2} = 10^{-1120} = 312.4404 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = 0.003445154 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{MT\Theta}{L^3} = 10^{-300} = 132.4501 \text{m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 25.33423 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{MT\Theta}{L^3} = 10^{-300} = 0.02013420 \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.2132555 \cdot 10^{-250} (*)$	$1 \text{ni}'\text{uremu}-\frac{MT\Theta}{L^3} = 10^{-250} = 2.352250 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.05240425 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{Q} = 10^{-150} = 10.33520 \text{m} \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{C}} = 411.1552 \cdot 10^{-150} (*)$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{Q} = 10^{-140} = 1232.150 \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 3.124335 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{Q} = 10^{-140} = 0.1503322 \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{s C}} = 0.01313100 \cdot 10^{-320} (*)$	$1 \text{ni}'\text{ucire}-\frac{\Theta}{TQ} = 10^{-320} = 35.20122 \text{m} \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s C}} = 110.5024 \cdot 10^{-320}$	$1 \text{ni}'\text{ucire}-\frac{\Theta}{TQ} = 10^{-320} = 0.005012535 \frac{\text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{K}}{\text{s C}} = 0.5302052 \cdot 10^{-310}$	$1 \text{ni}'\text{ucipa}-\frac{\Theta}{TQ} = 10^{-310} = 1.031114 \text{k} \frac{\text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 2341.544 \cdot 10^{-500}$	$1 \text{ni}'\text{uvomu}-\frac{\Theta}{T^2 Q} = 10^{-450} = 214.2342 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 20.04411 \cdot 10^{-450}$	$1 \text{ni}'\text{uvomu}-\frac{\Theta}{T^2 Q} = 10^{-450} = 0.02545010 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.1320543 \cdot 10^{-440}$	$1 \text{ni}'\text{uvovo}-\frac{\Theta}{T^2 Q} = 10^{-440} = 3.502435 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{s K}}{\text{C}} = 0.3112415 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{T\Theta}{Q} = 10^{-20} = 1.512041 \text{m} \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 2250.301 \cdot 10^{-20}$	$1 \text{ni}'\text{upa}-\frac{T\Theta}{Q} = 10^{-10} = 223.1422 \frac{\text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{s K}}{\text{C}} = 15.24232 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{T\Theta}{Q} = 10^{-10} = 0.03050431 \text{k} \frac{\text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{C}} = 3.514144 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{L\Theta}{Q} = 10^{-40} = 0.1313534 \text{m} \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 0.02554500 \cdot 10^{-30} (*)$	$1 \text{ni}'\text{uci}-\frac{L\Theta}{Q} = 10^{-30} = 20.00440 \frac{\text{m K}}{\text{C}} (*)$
$1 \text{k} \frac{\text{m K}}{\text{C}} = 215.1034 \cdot 10^{-30}$	$1 \text{ni}'\text{ure}-\frac{L\Theta}{Q} = 10^{-20} = 2332.514 \text{k} \frac{\text{m K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{s C}} = 1.033202 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{L\Theta}{TQ} = 10^{-210} = 0.5243244 \text{m} \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s C}} = 0.005030450 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{L\Theta}{TQ} = 10^{-200} = 110.2433 \frac{\text{m K}}{\text{s C}}$
$1 \text{k} \frac{\text{m K}}{\text{s C}} = 35.31502 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{L\Theta}{TQ} = 10^{-200} = 0.01310102 \text{k} \frac{\text{m K}}{\text{s C}}$
$1 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.1511104 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{L\Theta}{T^2 Q} = 10^{-340} = 3.114152 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 1235.033 \cdot 10^{-340}$	$1 \text{ni}'\text{ucici}-\frac{L\Theta}{T^2 Q} = 10^{-330} = 405.5500 \frac{\text{m K}}{\text{s}^2 \text{C}} (*)$
$1 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 10.40014 \cdot 10^{-330} (*)$	$1 \text{ni}'\text{ucici}-\frac{L\Theta}{T^2 Q} = 10^{-330} = 0.05222103 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m s K}}{\text{C}} = 21.41252 \cdot 10^{50}$	$1 \text{mu}-\frac{LT\Theta}{Q} = 10^{50} = 0.02343134 \text{m} \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.1432435 \cdot 10^{100}$	$1 \text{pano}-\frac{LT\Theta}{Q} = 10^{100} = 3.223103 \frac{\text{m s K}}{\text{C}}$
$1 \text{k} \frac{\text{m s K}}{\text{C}} = 1205.450 \cdot 10^{100}$	$1 \text{papa}-\frac{LT\Theta}{Q} = 10^{110} = 422.4443 \text{k} \frac{\text{m s K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 243.3105 \cdot 10^{30}$	$1 \text{vo}-\frac{L^2 \Theta}{Q} = 10^{40} = 2100.431 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} (*)$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 2.044444 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2 \Theta}{Q} = 10^{40} = 0.2451301 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.01351315 \cdot 10^{50}$	$1 \text{mu}-\frac{L^2 \Theta}{Q} = 10^{50} = 33.51155 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} (*)$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 44.10250 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L^2 \Theta}{TQ} = 10^{-100} = 0.01135535 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} (*)$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.3342435 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2 \Theta}{TQ} = 10^{-50} = 1.353342 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.002443554 \cdot 10^{-40} (*)$	$1 \text{ni}'\text{uvo}-\frac{L^2 \Theta}{TQ} = 10^{-40} = 205.1251 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 11.55120 \cdot 10^{-230} (*)$	$1 \text{ni}'\text{ureci}-\frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.04302345 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.1005342 \cdot 10^{-220} (*)$	$1 \text{ni}'\text{urere}-\frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 5.503043 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 443.0010 \cdot 10^{-220} (*)$	$1 \text{ni}'\text{urere}-\frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.001132500 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} (*)$
$1 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 1343.314 \cdot 10^{200}$	$1 \text{repa}-\frac{L^2 T\Theta}{Q} = 10^{210} = 340.4144 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 11.31131 \cdot 10^{210}$	$1 \text{repa}-\frac{L^2 T\Theta}{Q} = 10^{210} = 0.04435555 \frac{\text{m}^2 \text{s K}}{\text{C}} (*)$
$1 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.05451453 \cdot 10^{220}$	$1 \text{rere}-\frac{L^2 T\Theta}{Q} = 10^{220} = 10.10525 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{m C}} = 0.001135150 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{\Theta}{LQ} = 10^{-300} = 441.2452 \text{m} \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m C}} = 5.522322 \cdot 10^{-300}$	$1 \text{ni}'\text{ucino}-\frac{\Theta}{LQ} = 10^{-300} = 0.1003345 \frac{\text{K}}{\text{m C}} (*)$
$1 \text{k} \frac{\text{K}}{\text{m C}} = 0.04315244 \cdot 10^{-250}$	$1 \text{ni}'\text{uremu}-\frac{\Theta}{LQ} = 10^{-250} = 11.52351 \text{k} \frac{\text{K}}{\text{m C}}$
$1 \text{m} \frac{\text{K}}{\text{m s C}} = 205.5402 \cdot 10^{-440}$	$1 \text{ni}'\text{uvovo}-\frac{\Theta}{LTQ} = 10^{-440} = 0.002434323 \text{m} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{m s C}} &= 1.400510 \cdot 10^{-430} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m s C}} &= 0.01142235 \cdot 10^{-420} \\
1 \text{m} \frac{\text{K}}{\text{m s}^2 \text{C}} &= 34.02243 \cdot 10^{-1010} \\
1 \frac{\text{K}}{\text{m s}^2 \text{C}} &= 0.2501002 \cdot 10^{-1000} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{m s}^2 \text{C}} &= 2105.000 \cdot 10^{-1000} \quad (**) \\
1 \text{m} \frac{\text{s K}}{\text{m C}} &= 4300.220 \cdot 10^{-140} \quad (*) \\
1 \frac{\text{s K}}{\text{m C}} &= 32.50145 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s K}}{\text{m C}} &= 0.2402534 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 14.42243 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.1214105 \cdot 10^{-410} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.001022031 \cdot 10^{-400} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s C}} &= 3.012254 \cdot 10^{-550} \\
1 \frac{\text{K}}{\text{m}^2 \text{s C}} &= 0.02202315 \cdot 10^{-540} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s C}} &= 145.0505 \cdot 10^{-540} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.5055114 \cdot 10^{-1120} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3552.300 \cdot 10^{-1120} \quad (**) \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 30.23545 \cdot 10^{-1110} \\
1 \text{m} \frac{\text{s K}}{\text{m}^2 \text{C}} &= 101.5255 \cdot 10^{-250} \quad (*) \\
1 \frac{\text{s K}}{\text{m}^2 \text{C}} &= 0.4513120 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s K}}{\text{m}^2 \text{C}} &= 3432.401 \cdot 10^{-240} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.2302252 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.001534330 \cdot 10^{-520} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 12.54552 \cdot 10^{-520} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s C}} &= 0.04133312 \cdot 10^{-1100} \\
1 \frac{\text{K}}{\text{m}^3 \text{s C}} &= 314.3022 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s C}} &= 2.312355 \cdot 10^{-1050} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.01112525 \cdot 10^{-1230} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 53.31530 \cdot 10^{-1230} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.4152011 \cdot 10^{-1220} \\
1 \text{m} \frac{\text{s K}}{\text{m}^3 \text{C}} &= 1.251202 \cdot 10^{-400} \\
1 \frac{\text{s K}}{\text{m}^3 \text{C}} &= 0.01050224 \cdot 10^{-350} \\
1 \text{k} \frac{\text{s K}}{\text{m}^3 \text{C}} &= 51.40435 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kg K}}{\text{C}} &= 3243.043 \cdot 10^{-140} \\
1 \frac{\text{kg K}}{\text{C}} &= 24.00253 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{C}} &= 0.2020453 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg K}}{\text{s C}} &= 551.3102 \cdot 10^{-310} \quad (*) \\
1 \frac{\text{kg K}}{\text{s C}} &= 4.311145 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg K}}{\text{s C}} &= 0.03255345 \cdot 10^{-250} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 135.5200 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 1.141133 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg K}}{\text{s}^2 \text{C}} &= 0.005535344 \cdot 10^{-420} \quad (*) \\
1 \text{m} \frac{\text{kg s K}}{\text{C}} &= 0.02011451 \cdot 10^0 \\
1 \frac{\text{kg s K}}{\text{C}} &= 132.3210 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s K}}{\text{C}} &= 1.113504 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m K}}{\text{C}} &= 0.2244124 \cdot 10^{-20} \\
1 \frac{\text{kg m K}}{\text{C}} &= 1522.403 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m K}}{\text{C}} &= 12.44515 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uvoci-} \frac{\Theta}{LTQ} &= 10^{-430} = 0.3331425 \frac{\text{K}}{\text{m s C}} \\
1 \text{ni'uvore-} \frac{\Theta}{LTQ} &= 10^{-420} = 43.53211 \text{k} \frac{\text{K}}{\text{m s C}} \\
1 \text{ni'upanopa-} \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.01344210 \text{m} \frac{\text{K}}{\text{m s}^2 \text{C}} \\
1 \text{ni'upanono-} \frac{\Theta}{LT^2Q} &= 10^{-1000} = 2.040354 \frac{\text{K}}{\text{m s}^2 \text{C}} \\
1 \text{ni'umumu-} \frac{\Theta}{LT^2Q} &= 10^{-550} = 242.3455 \text{k} \frac{\text{K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ni'upaci-} \frac{T\Theta}{LQ} &= 10^{-130} = 115.5515 \text{m} \frac{\text{s K}}{\text{m C}} \quad (*) \\
1 \text{ni'upaci-} \frac{T\Theta}{LQ} &= 10^{-130} = 0.01421033 \frac{\text{s K}}{\text{m C}} \\
1 \text{ni'upare-} \frac{T\Theta}{LQ} &= 10^{-120} = 2.123312 \text{k} \frac{\text{s K}}{\text{m C}} \\
1 \text{ni'uvore-} \frac{\Theta}{L^2Q} &= 10^{-420} = 0.03204211 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni'uvopa-} \frac{\Theta}{L^2Q} &= 10^{-410} = 4.202440 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni'uvono-} \frac{\Theta}{L^2Q} &= 10^{-400} = 534.4354 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni'umumu-} \frac{\Theta}{L^2TQ} &= 10^{-550} = 0.1550225 \text{m} \frac{\text{K}}{\text{m}^2 \text{s C}} \quad (*) \\
1 \text{ni'umuovo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 23.20344 \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{ni'umuovo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 0.003152113 \text{k} \frac{\text{K}}{\text{m}^2 \text{s C}} \\
1 \text{ni'upapare-} \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 1.055004 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (***) \\
1 \text{ni'upapapa-} \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 130.1152 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapapa-} \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 0.01541340 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 5410.302 \text{m} \frac{\text{s K}}{\text{m}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 1.121443 \frac{\text{s K}}{\text{m}^2 \text{C}} \\
1 \text{ni'ureci-} \frac{T\Theta}{L^2Q} &= 10^{-230} = 133.2244 \text{k} \frac{\text{s K}}{\text{m}^2 \text{C}} \\
1 \text{ni'umuci-} \frac{\Theta}{L^3Q} &= 10^{-530} = 2.220010 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'umure-} \frac{\Theta}{L^3Q} &= 10^{-520} = 303.2435 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni'umure-} \frac{\Theta}{L^3Q} &= 10^{-520} = 0.04002421 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 12.23434 \text{m} \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.001453404 \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upanomu-} \frac{\Theta}{L^3TQ} &= 10^{-1050} = 0.2210115 \text{k} \frac{\text{K}}{\text{m}^3 \text{s C}} \\
1 \text{ni'upareci-} \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 45.44531 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upareci-} \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 0.01023430 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uparere-} \frac{\Theta}{L^3T^2Q} &= 10^{-1220} = 1.220204 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.4020333 \text{m} \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{ni'ucimu-} \frac{T\Theta}{L^3Q} &= 10^{-350} = 51.32023 \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{ni'ucimu-} \frac{T\Theta}{L^3Q} &= 10^{-350} = 0.01045221 \text{k} \frac{\text{s K}}{\text{m}^3 \text{C}} \\
1 \text{ni'upaci-} \frac{M\Theta}{Q} &= 10^{-130} = 142.2404 \text{m} \frac{\text{kg K}}{\text{C}} \\
1 \text{ni'upaci-} \frac{M\Theta}{Q} &= 10^{-130} = 0.02125332 \frac{\text{kg K}}{\text{C}} \\
1 \text{ni'upare-} \frac{M\Theta}{Q} &= 10^{-120} = 2.525154 \text{k} \frac{\text{kg K}}{\text{C}} \\
1 \text{ni'ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 1004.322 \text{m} \frac{\text{kg K}}{\text{s C}} \quad (*) \\
1 \text{ni'ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 0.1153504 \frac{\text{kg K}}{\text{s C}} \\
1 \text{ni'uremu-} \frac{M\Theta}{TQ} &= 10^{-250} = 14.14245 \text{k} \frac{\text{kg K}}{\text{s C}} \\
1 \text{ni'uvovo-} \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.003335013 \text{m} \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \text{ni'uvoci-} \frac{M\Theta}{T^2Q} &= 10^{-430} = 0.4401350 \frac{\text{kg K}}{\text{s}^2 \text{C}} \\
1 \text{ni'uvore-} \frac{M\Theta}{T^2Q} &= 10^{-420} = 100.2030 \text{k} \frac{\text{kg K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \frac{MT\Theta}{Q} &= 1 = 25.40254 \text{m} \frac{\text{kg s K}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.003452521 \frac{\text{kg s K}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 10^{-10} = 0.4541022 \text{k} \frac{\text{kg s K}}{\text{C}} \\
1 \text{ni'ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 2.233543 \text{m} \frac{\text{kg m K}}{\text{C}} \\
1 \text{ni'upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 305.3350 \frac{\text{kg m K}}{\text{C}} \\
1 \text{ni'upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 0.04031224 \text{k} \frac{\text{kg m K}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.04104051 \cdot 10^{-150} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 312.1350 \cdot 10^{-150} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 2.254145 \cdot 10^{-140} \\
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.01103553 \cdot 10^{-320} \quad (*) \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 52.53040 \cdot 10^{-320} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 0.4122235 \cdot 10^{-310} \\
1m \frac{kg \cdot m \cdot s \cdot K}{C} &= 1.241152 \cdot 10^{110} \\
1 \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.01041431 \cdot 10^{120} \\
1k \frac{kg \cdot m \cdot s \cdot K}{C} &= 51.03123 \cdot 10^{120} \\
1m \frac{kg \cdot m^2 \cdot K}{C} &= 14.31055 \cdot 10^{50} \quad (*) \\
1 \frac{kg \cdot m^2 \cdot K}{C} &= 0.1204322 \cdot 10^{100} \\
1k \frac{kg \cdot m^2 \cdot K}{C} &= 1013.424 \cdot 10^{100} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 2.552033 \cdot 10^{-40} \quad (*) \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.02144554 \cdot 10^{-30} \quad (*) \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 143.5251 \cdot 10^{-30} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.5022054 \cdot 10^{-210} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.003524131 \cdot 10^{-200} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 30.03233 \cdot 10^{-200} \\
1m \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 101.1111 \cdot 10^{220} \\
1 \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.4441201 \cdot 10^{230} \\
1k \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.003405155 \cdot 10^{240} \quad (*) \\
1m \frac{kg \cdot K}{m \cdot C} &= 45.04433 \cdot 10^{-250} \\
1 \frac{kg \cdot K}{m \cdot C} &= 0.3425122 \cdot 10^{-240} \\
1k \frac{kg \cdot K}{m \cdot C} &= 2520.224 \cdot 10^{-240} \\
1m \frac{kg \cdot K}{m \cdot s \cdot C} &= 12.12533 \cdot 10^{-420} \\
1 \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.1021040 \cdot 10^{-410} \\
1k \frac{kg \cdot K}{m \cdot s \cdot C} &= 452.4413 \cdot 10^{-410} \\
1m \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 2.200224 \cdot 10^{-550} \quad (*) \\
1 \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.01445112 \cdot 10^{-540} \\
1k \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 122.0151 \cdot 10^{-540} \\
1m \frac{kg \cdot s \cdot K}{m \cdot C} &= 250.5213 \cdot 10^{-120} \\
1 \frac{kg \cdot s \cdot K}{m \cdot C} &= 2.112212 \cdot 10^{-110} \\
1k \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.01411323 \cdot 10^{-100} \\
1m \frac{kg \cdot K}{m^2 \cdot C} &= 1.045211 \cdot 10^{-400} \\
1 \frac{kg \cdot K}{m^2 \cdot C} &= 5131.541 \cdot 10^{-400} \\
1k \frac{kg \cdot K}{m^2 \cdot C} &= 40.20300 \cdot 10^{-350} \quad (*) \\
1m \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.1532451 \cdot 10^{-530} \\
1 \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 0.001253341 \cdot 10^{-520} \\
1k \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 10.52054 \cdot 10^{-520} \\
1m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.03140020 \cdot 10^{-1100} \quad (*) \\
1 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 231.0201 \cdot 10^{-1100} \\
1k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 1.541321 \cdot 10^{-1050} \\
1m \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 4.002345 \cdot 10^{-230} \quad (*) \\
1 \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.03032411 \cdot 10^{-220} \\
1k \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 221.5550 \cdot 10^{-220} \quad (***) \\
1m \frac{kg \cdot K}{m^3 \cdot C} &= 0.01332232 \cdot 10^{-510} \\
1 \frac{kg \cdot K}{m^3 \cdot C} &= 112.1432 \cdot 10^{-510}
\end{aligned}$$

$$\begin{aligned}
1 ni'upamu \frac{ML\Theta}{TQ} &= 10^{-150} = 12.33341 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'upavo \frac{ML\Theta}{TQ} &= 10^{-140} = 1505.132 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'upavo \frac{ML\Theta}{TQ} &= 10^{-140} = 0.2224012 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucire \frac{ML\Theta}{T^2 Q} &= 10^{-320} = 50.21323 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucire \frac{ML\Theta}{T^2 Q} &= 10^{-320} = 0.01032113 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'ucipa \frac{ML\Theta}{T^2 Q} &= 10^{-310} = 1.230044 k \frac{kg \cdot m \cdot K}{s^2 C} \quad (*) \\
1 papa \frac{MLT\Theta}{Q} &= 10^{110} = 0.4045245 m \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 pare \frac{MLT\Theta}{Q} &= 10^{120} = 52.05533 \frac{kg \cdot m \cdot s \cdot K}{C} \quad (*) \\
1 pare \frac{MLT\Theta}{Q} &= 10^{120} = 0.01054040 k \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 mu \frac{ML^2\Theta}{Q} &= 10^{50} = 0.03230150 m \frac{kg \cdot m^2 \cdot K}{C} \\
1 pano \frac{ML^2\Theta}{Q} &= 10^{100} = 4.232502 \frac{kg \cdot m^2 \cdot K}{C} \\
1 papa \frac{ML^2\Theta}{Q} &= 10^{110} = 542.4022 k \frac{kg \cdot m^2 \cdot K}{C} \\
1 ni'uvu \frac{ML^2\Theta}{TQ} &= 10^{-40} = 0.2002341 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 ni'uci \frac{ML^2\Theta}{TQ} &= 10^{-30} = 23.35133 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'ure \frac{ML^2\Theta}{TQ} &= 10^{-20} = 3213.554 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 ni'urepa \frac{ML^2\Theta}{T^2 Q} &= 10^{-210} = 1.103503 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'ureno \frac{ML^2\Theta}{T^2 Q} &= 10^{-200} = 131.1325 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'ureno \frac{ML^2\Theta}{T^2 Q} &= 10^{-200} = 0.01553420 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \quad (*) \\
1 rere \frac{ML^2 T\Theta}{Q} &= 10^{220} = 0.005450105 m \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 reci \frac{ML^2 T\Theta}{Q} &= 10^{230} = 1.130523 \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 revo \frac{ML^2 T\Theta}{Q} &= 10^{240} = 134.3032 k \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 ni'uremu \frac{M\Theta}{LQ} &= 10^{-250} = 0.01122531 m \frac{kg \cdot K}{m \cdot C} \\
1 ni'urevo \frac{M\Theta}{LQ} &= 10^{-240} = 1.333532 \frac{kg \cdot K}{m \cdot C} \\
1 ni'ureci \frac{M\Theta}{LQ} &= 10^{-230} = 202.4154 k \frac{kg \cdot K}{m \cdot C} \\
1 ni'uvore \frac{M\Theta}{LTQ} &= 10^{-420} = 0.04210433 m \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'uvopa \frac{M\Theta}{LTQ} &= 10^{-410} = 5.353454 \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'uvono \frac{M\Theta}{LTQ} &= 10^{-400} = 1115.525 k \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'umumu \frac{M\Theta}{LT^2 Q} &= 10^{-550} = 0.2322551 m \frac{kg \cdot K}{m \cdot s^2 \cdot C} \quad (*) \\
1 ni'umuovo \frac{M\Theta}{LT^2 Q} &= 10^{-540} = 31.55130 \frac{kg \cdot K}{m \cdot s^2 \cdot C} \quad (*) \\
1 ni'umuovo \frac{M\Theta}{LT^2 Q} &= 10^{-540} = 0.004152053 k \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'upare \frac{MT\Theta}{LQ} &= 10^{-120} = 0.002033232 m \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'upapa \frac{MT\Theta}{LQ} &= 10^{-110} = 0.2415351 \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'upano \frac{MT\Theta}{LQ} &= 10^{-100} = 33.05330 k \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'uvono \frac{M\Theta}{L^2 Q} &= 10^{-400} = 0.5140522 m \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'ucimu \frac{M\Theta}{L^2 Q} &= 10^{-350} = 105.0234 \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'ucimu \frac{M\Theta}{L^2 Q} &= 10^{-350} = 0.01251214 k \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'umuci \frac{M\Theta}{L^2 TQ} &= 10^{-530} = 3.035340 m \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umure \frac{M\Theta}{L^2 TQ} &= 10^{-520} = 401.0225 \frac{kg \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umure \frac{M\Theta}{L^2 TQ} &= 10^{-520} = 0.05120015 k \frac{kg \cdot K}{m^2 \cdot s \cdot C} \quad (*) \\
1 ni'upapano \frac{M\Theta}{L^2 T^2 Q} &= 10^{-1100} = 14.55205 m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \quad (*) \\
1 ni'upapano \frac{M\Theta}{L^2 T^2 Q} &= 10^{-1100} = 0.002212215 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upanomu \frac{M\Theta}{L^2 T^2 Q} &= 10^{-1050} = 0.3024015 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'ureci \frac{MT\Theta}{L^2 Q} &= 10^{-230} = 0.1255003 m \frac{kg \cdot s \cdot K}{m^2 \cdot C} \quad (**) \\
1 ni'urere \frac{MT\Theta}{L^2 Q} &= 10^{-220} = 15.34344 \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni'urere \frac{MT\Theta}{L^2 Q} &= 10^{-220} = 0.002302313 k \frac{kg \cdot s \cdot K}{m^2 \cdot C} \\
1 ni'umupa \frac{M\Theta}{L^3 Q} &= 10^{-510} = 34.32432 m \frac{kg \cdot K}{m^3 \cdot C} \\
1 ni'umuno \frac{M\Theta}{L^3 Q} &= 10^{-500} = 4513.201 \frac{kg \cdot K}{m^3 \cdot C}
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = 0.5410213 \cdot 10^{-500}$	$1 ni' umuno - \frac{M\Theta}{L^3 Q} = 10^{-500} = 1.015304 k \frac{kg\ K}{m^3 C}$
$1 m \frac{kg\ K}{m^3 s\ C} = 0.002413032 \cdot 10^{-1040}$	$1 ni' upanovo - \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 211.4241 m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 20.31243 \cdot 10^{-1040}$	$1 ni' upanovo - \frac{M\Theta}{L^3 TQ} = 10^{-1040} = 0.02512023 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.1340203 \cdot 10^{-1030}$	$1 ni' upanoci - \frac{M\Theta}{L^3 TQ} = 10^{-1030} = 3.415335 k \frac{kg\ K}{m^3 s\ C}$
$1 m \frac{kg\ K}{m^3 s^2 C} = 433.3531 \cdot 10^{-1220}$	$1 ni' uparere - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.001145352 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 3.314530 \cdot 10^{-1210}$	$1 ni' uparepa - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 0.1405003 \frac{kg\ K}{m^3 s^2 C} (*)$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.02423431 \cdot 10^{-1200}$	$1 ni' upareno - \frac{M\Theta}{L^3 T^2 Q} = 10^{-1200} = 21.05021 k \frac{kg\ K}{m^3 s^2 C}$
$1 m \frac{kg\ s\ K}{m^3 C} = 0.05344305 \cdot 10^{-340}$	$1 ni' ucivo - \frac{MT\Theta}{L^3 Q} = 10^{-340} = 10.22040 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 420.2402 \cdot 10^{-340}$	$1 ni' ucivo - \frac{MT\Theta}{L^3 Q} = 10^{-340} = 0.001214121 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 3.204142 \cdot 10^{-330}$	$1 ni' ucici - \frac{MT\Theta}{L^3 Q} = 10^{-330} = 0.1442300 k \frac{kg\ s\ K}{m^3 C} (*)$
$1 m CK = 225.2213 \cdot 10^{-40}$	$1 ni' uvo-Q\Theta = 10^{-40} = 0.002225523 m CK (*)$
$1 CK = 1.525512 \cdot 10^{-30} (*)$	$1 ni' uci-Q\Theta = 10^{-30} = 0.3044215 CK$
$1 k CK = 0.01251202 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 40.20333 k CK$
$1 m \frac{CK}{s} = 41.15100 \cdot 10^{-210} (*)$	$1 ni' urepa - \frac{Q\Theta}{T} = 10^{-210} = 0.01231121 m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.3131021 \cdot 10^{-200}$	$1 ni' ureno - \frac{Q\Theta}{T} = 10^{-200} = 1.502100 \frac{CK}{s} (*)$
$1 k \frac{CK}{s} = 2302.253 \cdot 10^{-200}$	$1 ni' upamu - \frac{Q\Theta}{T} = 10^{-150} = 222.0005 k \frac{CK}{s} (**)$
$1 m \frac{CK}{s^2} = 11.05550 \cdot 10^{-340} (**)$	$1 ni' ucivo - \frac{Q\Theta}{T^2} = 10^{-340} = 0.05005050 m \frac{CK}{s^2} (*)$
$1 \frac{CK}{s^2} = 0.05310153 \cdot 10^{-330}$	$1 ni' ucici - \frac{Q\Theta}{T^2} = 10^{-330} = 10.30220 \frac{CK}{s^2}$
$1 k \frac{CK}{s^2} = 413.3313 \cdot 10^{-330}$	$1 ni' ucire - \frac{Q\Theta}{T^2} = 10^{-320} = 1223.434 k \frac{CK}{s^2}$
$1 m s CK = 0.001243430 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 403.4325 m s CK$
$1 s CK = 10.43345 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 0.05153001 s CK (*)$
$1 k s CK = 0.05115533 \cdot 10^{110} (*)$	$1 papa-TQ\Theta = 10^{110} = 10.52104 k s CK$
$1 m m CK = 0.01434035 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 32.20340 m m CK$
$1 m CK = 121.0500 \cdot 10^{40} (*)$	$1 vo-LQ\Theta = 10^{40} = 0.004221244 m CK$
$1 k m CK = 1.015255 \cdot 10^{50} (*)$	$1 mu-LQ\Theta = 10^{50} = 0.5410301 k m CK$
$1 m \frac{m\ CK}{s} = 3001.034 \cdot 10^{-100} (*)$	$1 ni' umu - \frac{LQ\Theta}{T} = 10^{-50} = 155.5134 m \frac{m\ CK}{s} (*)$
$1 \frac{m\ CK}{s} = 21.52504 \cdot 10^{-50}$	$1 ni' umu - \frac{LQ\Theta}{T} = 10^{-50} = 0.02330531 \frac{m\ CK}{s}$
$1 k \frac{m\ CK}{s} = 0.1442243 \cdot 10^{-40}$	$1 ni' uvo - \frac{LQ\Theta}{T} = 10^{-40} = 3.204210 k \frac{m\ CK}{s}$
$1 m \frac{m\ CK}{s^2} = 503.4354 \cdot 10^{-230}$	$1 ni' urere - \frac{LQ\Theta}{T^2} = 10^{-220} = 1101.513 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 3.534452 \cdot 10^{-220}$	$1 ni' urere - \frac{LQ\Theta}{T^2} = 10^{-220} = 0.1305004 \frac{m\ CK}{s^2} (*)$
$1 k \frac{m\ CK}{s^2} = 0.03012255 \cdot 10^{-210} (*)$	$1 ni' urepa - \frac{LQ\Theta}{T^2} = 10^{-210} = 15.50225 k \frac{m\ CK}{s^2}$
$1 m m s CK = 0.1012534 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 5.432304 m m s CK$
$1 m s CK = 445.3211 \cdot 10^{210}$	$1 rere-LTQ\Theta = 10^{220} = 1124.452 m s CK$
$1 k m s CK = 3.415305 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.1340215 k m s CK$
$1 m m^2 CK = 1.132113 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.4432221 m m^2 CK$
$1 m^2 CK = 0.005500120 \cdot 10^{200} (**)$	$1 reno-L^2 Q\Theta = 10^{200} = 101.0045 m^2 CK (*)$
$1 k m^2 CK = 43.00221 \cdot 10^{200} (*)$	$1 reno-L^2 Q\Theta = 10^{200} = 0.01155515 k m^2 CK (**)$
$1 m \frac{m^2 CK}{s} = 0.2050225 \cdot 10^{20}$	$1 re - \frac{L^2 Q\Theta}{T} = 10^{20} = 2.445215 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 1352.444 \cdot 10^{20}$	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 334.4325 \frac{m^2 CK}{s}$
$1 k \frac{m^2 CK}{s} = 11.35150 \cdot 10^{30}$	$1 ci - \frac{L^2 Q\Theta}{T} = 10^{30} = 0.04412451 k \frac{m^2 CK}{s}$
$1 m \frac{m^2 CK}{s^2} = 0.03345304 \cdot 10^{-110}$	$1 ni' upapa - \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 13.52212 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 245.0040 \cdot 10^{-110} (*)$	$1 ni' upano - \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 2045.505 \frac{m^2 CK}{s^2}$
$1 k \frac{m^2 CK}{s^2} = 2.055402 \cdot 10^{-100} (*)$	$1 ni' upano - \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.2434323 k \frac{m^2 CK}{s^2}$
$1 m m^2 s CK = 4.241240 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.1203055 m m^2 s CK (*)$
$1 m^2 s CK = 0.03233504 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 14.25203 m^2 s CK$
$1 k m^2 s CK = 235.2230 \cdot 10^{330}$	$1 covo-L^2 TQ\Theta = 10^{340} = 2133.013 k m^2 s CK$
$1 m \frac{CK}{m} = 3.252533 \cdot 10^{-150}$	$1 ni' upamu - \frac{Q\Theta}{L} = 10^{-150} = 0.1415444 m \frac{CK}{m}$
$1 \frac{CK}{m} = 0.02404544 \cdot 10^{-140}$	$1 ni' upavo - \frac{Q\Theta}{L} = 10^{-140} = 21.21503 \frac{CK}{m}$
$1 k \frac{CK}{m} = 202.4135 \cdot 10^{-140}$	$1 ni' upavo - \frac{Q\Theta}{L} = 10^{-140} = 0.002520250 k \frac{CK}{m}$

$1m_{ms}^{CK} = 0.5531012 \cdot 10^{-320}$	(*)	$1ni'ucire-\frac{Q\Theta}{LT} = 10^{-320} = 1.002511 m_{ms}^{CK}$	(*)
$1m_{ms}^{CK} = 4322.525 \cdot 10^{-320}$		$1ni'ucipa-\frac{Q\Theta}{LT} = 10^{-310} = 115.1352 \frac{CK}{ms}$	
$1k_{ms}^{CK} = 33.05301 \cdot 10^{-310}$		$1ni'ucipa-\frac{Q\Theta}{LT} = 10^{-310} = 0.01411340 k_{ms}^{CK}$	
$1m_{ms^2}^{CK} = 0.1402043 \cdot 10^{-450}$		$1ni'uvomu-\frac{Q\Theta}{LT^2} = 10^{-450} = 3.325012 m_{ms^2}^{CK}$	
$1m_{ms^2}^{CK} = 0.001143230 \cdot 10^{-440}$		$1ni'uvovo-\frac{Q\Theta}{LT^2} = 10^{-440} = 434.5505 \frac{CK}{ms^2}$	(*)
$1k_{ms^2}^{CK} = 5.553334 \cdot 10^{-440}$	(*)	$1ni'uvovo-\frac{Q\Theta}{LT^2} = 10^{-440} = 0.1000223 k_{ms^2}^{CK}$	(**)
$1m_{m}^{sCK} = 20.15121 \cdot 10^{-20}$		$1ni'ure-\frac{TQ\Theta}{L} = 10^{-20} = 0.02531330 m_{m}^{sCK}$	
$1s_{m}^{sCK} = 0.1325555 \cdot 10^{-10}$	(**)	$1ni'upa-\frac{TQ\Theta}{L} = 10^{-10} = 3.442311 \frac{sCK}{m}$	
$1k_{m}^{sCK} = 0.001115515 \cdot 10^0$	(*)	$1\frac{TQ\Theta}{L} = 1 = 452.4453 k_{m}^{sCK}$	
$1m_{m^2}^{CK} = 0.04520525 \cdot 10^{-300}$		$1ni'ucino-\frac{Q\Theta}{L^2} = 10^{-300} = 11.20510 m_{m^2}^{CK}$	
$1m_{m^2}^{CK} = 343.5304 \cdot 10^{-300}$		$1ni'ucino-\frac{Q\Theta}{L^2} = 10^{-300} = 0.001331132 \frac{CK}{m^2}$	
$1k_{m^2}^{CK} = 2.525132 \cdot 10^{-250}$		$1ni'uremu-\frac{Q\Theta}{L^2} = 10^{-250} = 0.2020511 k_{m^2}^{CK}$	
$1m_{m^2 s}^{CK} = 0.01215123 \cdot 10^{-430}$		$1ni'uvoci-\frac{Q\Theta}{L^2 T} = 10^{-430} = 41.55255 m_{m^2 s}^{CK}$	(*)
$1m_{m^2 s}^{CK} = 102.2521 \cdot 10^{-430}$		$1ni'uvore-\frac{Q\Theta}{L^2 T} = 10^{-420} = 5340.223 \frac{CK}{m^2 s}$	
$1k_{m^2 s}^{CK} = 0.4540541 \cdot 10^{-420}$		$1ni'uvore-\frac{Q\Theta}{L^2 T} = 10^{-420} = 1.113514 k_{m^2 s}^{CK}$	
$1m_{m^2 s^2}^{CK} = 0.002204155 \cdot 10^{-1000}$	(*)	$1ni'upanono-\frac{Q\Theta}{L^2 T^2} = 10^{-1000} = 231.4411 m_{m^2 s^2}^{CK}$	
$1m_{m^2 s^2}^{CK} = 14.52121 \cdot 10^{-1000}$		$1ni'upanono-\frac{Q\Theta}{L^2 T^2} = 10^{-1000} = 0.03145413 \frac{CK}{m^2 s^2}$	
$1k_{m^2 s^2}^{CK} = 0.1222351 \cdot 10^{-550}$		$1ni'umumu-\frac{Q\Theta}{L^2 T^2} = 10^{-550} = 4.140544 k_{m^2 s^2}^{CK}$	
$1m_{m^2}^{sCK} = 0.2514101 \cdot 10^{-130}$		$1ni'upaci-\frac{TQ\Theta}{L^2} = 10^{-130} = 2.025533 m_{m^2}^{sCK}$	(*)
$1s_{m^2}^{CK} = 0.002120024 \cdot 10^{-120}$	(*)	$1ni'upare-\frac{TQ\Theta}{L^2} = 10^{-120} = 241.1040 \frac{sCK}{m^2}$	
$1k_{m^2}^{sCK} = 14.14232 \cdot 10^{-120}$		$1ni'upare-\frac{TQ\Theta}{L^2} = 10^{-120} = 0.03255414 k_{sCK}^{m^2}$	(*)
$1m_{m^3}^{CK} = 1051.135 \cdot 10^{-420}$		$1ni'uvopa-\frac{Q\Theta}{L^3} = 10^{-410} = 512.4034 m_{m^3}^{CK}$	
$1m_{m^3}^{CK} = 5.144435 \cdot 10^{-410}$		$1ni'uvopa-\frac{Q\Theta}{L^3} = 10^{-410} = 0.1044311 \frac{CK}{m^3}$	
$1k_{m^3}^{CK} = 0.04031151 \cdot 10^{-400}$		$1ni'uvono-\frac{Q\Theta}{L^3} = 10^{-400} = 12.44530 k_{m^3}^{CK}$	
$1m_{m^3 s}^{CK} = 154.0015 \cdot 10^{-550}$	(*)	$1ni'umuvo-\frac{Q\Theta}{L^3 T} = 10^{-540} = 3030.234 m_{m^3 s}^{CK}$	
$1m_{m^3 s}^{CK} = 1.300040 \cdot 10^{-540}$	(**)	$1ni'umuvo-\frac{Q\Theta}{L^3 T} = 10^{-540} = 0.3555411 \frac{CK}{m^3 s}$	(**)
$1k_{m^3 s}^{CK} = 0.01054031 \cdot 10^{-530}$		$1ni'umuci-\frac{Q\Theta}{L^3 T} = 10^{-530} = 51.03205 k_{m^3 s}^{CK}$	
$1m_{m^3 s^2}^{CK} = 31.45320 \cdot 10^{-1120}$		$1ni'upapare-\frac{Q\Theta}{L^3 T^2} = 10^{-1120} = 0.01452151 m_{m^3 s^2}^{CK}$	
$1m_{m^3 s^2}^{CK} = 0.2314330 \cdot 10^{-1110}$		$1ni'upapapa-\frac{Q\Theta}{L^3 T^2} = 10^{-1110} = 2.204234 \frac{CK}{m^3 s^2}$	
$1k_{m^3 s^2}^{CK} = 0.001544500 \cdot 10^{-1100}$	(*)	$1ni'upapano-\frac{Q\Theta}{L^3 T^2} = 10^{-1100} = 301.4533 k_{m^3 s^2}^{CK}$	
$1m_{m^3}^{sCK} = 0.004013211 \cdot 10^{-240}$		$1ni'urevo-\frac{TQ\Theta}{L^3} = 10^{-240} = 125.2305 m_{m^3}^{sCK}$	
$1s_{m^3}^{CK} = 30.41521 \cdot 10^{-240}$		$1ni'urevo-\frac{TQ\Theta}{L^3} = 10^{-240} = 0.01531223 \frac{sCK}{m^3}$	
$1k_{m^3}^{sCK} = 0.2223552 \cdot 10^{-230}$	(*)	$1ni'ureci-\frac{TQ\Theta}{L^3} = 10^{-230} = 2.254210 k_{sCK}^{m^3}$	
$1m kg CK = 13.24315 \cdot 10^{-20}$		$1ni'ure-MQ\Theta = 10^{-20} = 0.03450003 m kg CK$	(**)
$1kg CK = 0.1114434 \cdot 10^{-10}$		$1ni'upa-MQ\Theta = 10^{-10} = 4.533155 kg CK$	(*)
$1k kg CK = 534.4310 \cdot 10^{-10}$		$1MQ\Theta = 1 = 1022.040 k kg CK$	
$1m_{kg}^{CK} = 2.402301 \cdot 10^{-150}$		$1ni'upamu-\frac{MQ\Theta}{T} = 10^{-150} = 0.2123521 m_{kg}^{CK}$	
$1kg_{s}^{CK} = 0.02022214 \cdot 10^{-140}$		$1ni'upavo-\frac{MQ\Theta}{T} = 10^{-140} = 25.23043 \frac{kg CK}{s}$	
$1kg_{s}^{CK} = 133.2232 \cdot 10^{-140}$		$1ni'upavo-\frac{MQ\Theta}{T} = 10^{-140} = 0.003432431 k_{kg CK}^{s}$	
$1m_{kg}^{CK} = 0.4314423 \cdot 10^{-320}$		$1ni'ucire-\frac{MQ\Theta}{T^2} = 10^{-320} = 1.152505 m_{kg}^{CK}$	
$1kg_{s^2}^{CK} = 3302.141 \cdot 10^{-320}$		$1ni'ucipa-\frac{MQ\Theta}{T^2} = 10^{-310} = 141.3101 \frac{kg CK}{s^2}$	
$1kg_{s^2}^{CK} = 24.13032 \cdot 10^{-310}$		$1ni'ucipa-\frac{MQ\Theta}{T^2} = 10^{-310} = 0.02114240 k_{kg CK}^{s^2}$	
$1m kg s CK = 53.22455 \cdot 10^{110}$	(*)	$1papa-MTQ\Theta = 10^{110} = 0.01024422 m kg s CK$	
$1kg s CK = 0.4144035 \cdot 10^{120}$		$1pare-MTQ\Theta = 10^{120} = 1.221342 kg s CK$	
$1kg s CK = 3152.045 \cdot 10^{120}$		$1paci-MTQ\Theta = 10^{130} = 145.0522 k kg s CK$	
$1m kg m CK = 0.001042334 \cdot 10^{100}$		$1pano-MLQ\Theta = 10^{100} = 520.1520 m kg m CK$	
$1kg m CK = 5.111055 \cdot 10^{100}$	(*)	$1pano-MLQ\Theta = 10^{100} = 0.1053124 kg m CK$	
$1kg m CK = 0.04002345 \cdot 10^{110}$	(*)	$1papa-MLQ\Theta = 10^{110} = 12.55003 k kg m CK$	(**)
$1kg m CK = 152.4042 \cdot 10^{-40}$		$1ni'ubo-\frac{MLQ\Theta}{T} = 10^{-40} = 0.003051132 m_{kg m CK}^{kg m CK}$	
$1kg m CK = 1.245555 \cdot 10^{-30}$	(**)	$1ni'uci-\frac{MLQ\Theta}{T} = 10^{-30} = 0.4024153 \frac{kg m CK}{s}$	

$$\begin{aligned}
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 0.01045211 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 31.24031 \cdot 10^{-210} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.2300105 \cdot 10^{-200} \quad (*) \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 1532.452 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 3544.514 \cdot 10^{220} \\
1 \text{kg m s CK} &= 30.21101 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 0.2210055 \cdot 10^{240} \quad (***) \\
1 \text{m kg m}^2 \text{CK} &= 0.04444543 \cdot 10^{210} \\
1 \text{kg m}^2 \text{CK} &= 341.2043 \cdot 10^{210} \\
1 \text{k kg m}^2 \text{CK} &= 2.505214 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.01205331 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 101.4311 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.4504434 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 2150.422 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 14.40454 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.1212533 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 0.2454232 \cdot 10^{340} \\
1 \text{kg m}^2 \text{s CK} &= 2103.002 \cdot 10^{340} \quad (*) \\
1 \text{k kg m}^2 \text{s CK} &= 14.03233 \cdot 10^{350} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.2114013 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.001412510 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 11.52340 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}} &= 0.03432023 \cdot 10^{-300} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 252.2333 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}} &= 2.123253 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}^2} &= 0.01021530 \cdot 10^{-430} \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 45.32232 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}^2} &= 0.3445153 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 1.145224 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 0.01001045 \cdot 10^{10} \quad (*) \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 43.53132 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.003035013 \cdot 10^{-240} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 22.21440 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.1503305 \cdot 10^{-230} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 513.5533 \cdot 10^{-420} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 4.023324 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.03050404 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 125.4424 \cdot 10^{-550} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 1.053010 \cdot 10^{-540} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 5200.525 \cdot 10^{-540} \quad (*) \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 0.01455005 \cdot 10^{-110} \quad (**) \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 122.4445 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 1.031104 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 42.05544 \cdot 10^{-400} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.3210454 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.002332454 \cdot 10^{-340} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 11.22410 \cdot 10^{-530} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.05414405 \cdot 10^{-520} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 422.4410 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 2.033013 \cdot 10^{-1100}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 51.40521 \text{k} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'urepa-} \frac{MLQ\Theta}{T^2} &= 10^{-210} = 0.01503510 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'ureno-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 2.222115 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'upamu-} \frac{MLQ\Theta}{T^2} &= 10^{-150} = 303.5340 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 130.2410 \text{m kg m s CK} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 0.01543221 \text{kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 2.312415 \text{k kg m s CK} \\
1 \text{repa-} ML^2Q\Theta &= 10^{210} = 11.25543 \text{m kg m}^2 \text{CK} \quad (*) \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 1341.511 \text{kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 0.2033232 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 42.25300 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.005415423 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 1.122530 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 233.3144 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.03211235 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvo-} \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 4.210433 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} ML^2TQ\Theta &= 10^{340} = 2.042331 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 243.0200 \text{kg m}^2 \text{s CK} \quad (*) \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 0.03322131 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{L} &= 10^{-130} = 2.413331 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 330.2532 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 0.04315322 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 13.32415 \text{m} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 0.002022431 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'uremu-} \frac{MQ\Theta}{LT} &= 10^{-250} = 0.2402555 \text{k} \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 53.45320 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.01114554 \frac{\text{kg CK}}{\text{m s}^2} \quad (*) \\
1 \text{ni'uvore-} \frac{MQ\Theta}{LT^2} &= 10^{-420} = 1.324501 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.4334434 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 55.45115 \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 0.01142250 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 153.3100 \text{m} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.02300352 \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'ureci-} \frac{MQ\Theta}{L^2} &= 10^{-230} = 3.124403 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{L^2 T} &= 10^{-420} = 0.001045324 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{MQ\Theta}{L^2 T} &= 10^{-410} = 0.1250133 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^2 T} &= 10^{-400} = 15.24245 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-540} = 4003.212 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-540} = 0.5112040 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-530} = 104.2451 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{MTQ\Theta}{L^2} &= 10^{-110} = 31.40354 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 4130.231 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 0.5302135 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.01213104 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{MQ\Theta}{L^3} &= 10^{-350} = 1.441052 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucivo-} \frac{MQ\Theta}{L^3} &= 10^{-340} = 215.1053 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^3 T} &= 10^{-530} = 0.04505354 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3 T} &= 10^{-520} = 10.14421 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3 T} &= 10^{-520} = 0.001205501 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upapano-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1100} = 0.2505523 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*)
\end{aligned}$$

$$\begin{aligned} 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.01341323 \cdot 10^{-1050} \\ 1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 112.5422 \cdot 10^{-1050} \\ 1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 232.2302 \cdot 10^{-230} \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 1.551510 \cdot 10^{-220} \quad (*) \\ 1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 0.01310050 \cdot 10^{-210} \quad (*) \end{aligned}$$

$$\begin{aligned} 1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1050} = 34.12445 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni'upanovo-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1040} = 4445.501 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 2200.501 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \quad (*) \\ 1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.3010134 \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni'urepa-} \frac{MTQ\Theta}{L^3} &= 10^{-210} = 35.31534 \text{k} \frac{\text{kg s CK}}{\text{m}^3} \end{aligned}$$

## 10.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= 1.454155 \cdot 10^{-40} \quad (*) \\ \text{Electron mass} &= 114.2154 \cdot 10^{-50} \\ \text{Elementary charge} &= 0.03024132 \cdot 10^0 \\ \text{\AA}^{16} &= 5.325455 \cdot 10^{50} \quad (*) \\ \text{Bohr radius}^{17} &= 2.542033 \cdot 10^{50} \\ \text{Fine structure constant}^{18} &= 0.001324245 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 133.3430 \cdot 10^{-100} \\ |\psi^{100}(0)|^2^{20} &= 2400.014 \cdot 10^{-240} \quad (*) \\ \text{eV} &= 4.122500 \cdot 10^{-100} \quad (*) \\ \hbar^{21} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 0.4043354 \cdot 10^{100} \\ k_{\text{yellow}}^{22} &= 13.04434 \cdot 10^{-100} \\ k_{\text{X-Ray}}^{23} &= 1020.505 \cdot 10^{-40} \end{aligned}$$

$$\begin{aligned} \text{Earth g} &= 2.044443 \cdot 10^{-130} \\ \text{cm} &= 0.1312212 \cdot 10^{110} \\ \text{min} &= 551.5310 \cdot 10^{130} \quad (*) \\ \text{hour} &= 0.1345112 \cdot 10^{140} \\ \text{Liter} &= 24.51122 \cdot 10^{330} \\ \text{Area of a soccer field} &= 244.3530 \cdot 10^{230} \\ 244 \text{ m}^2^{24} &= 1.224255 \cdot 10^{230} \quad (*) \\ \text{km/h} &= 2.003354 \cdot 10^{-20} \quad (*) \\ \text{mi/h} &= 3.125043 \cdot 10^{-20} \\ \text{inch}^{25} &= 0.3524120 \cdot 10^{110} \\ \text{mile} &= 0.5150240 \cdot 10^{120} \\ \text{pound} &= 0.01421123 \cdot 10^{20} \\ \text{horsepower} &= 0.005241503 \cdot 10^{-140} \\ \text{kcal} &= 0.3000454 \cdot 10^{-10} \quad (**) \\ \text{kWh} &= 0.001554250 \cdot 10^0 \quad (*) \\ \text{Typical household electric field} &= 22.50321 \cdot 10^{-210} \\ \text{Earth magnetic field} &= 0.3324433 \cdot 10^{-200} \\ \text{Height of an average man}^{26} &= 113.2210 \cdot 10^{110} \end{aligned}$$

$$\begin{aligned} \text{1 ni'uvoso-} \frac{ML^2}{T^2} &= 10^{-40} = 0.3141524 m_p \\ \text{1 ni'uvoso-} \frac{ML^2}{T^2} &= 10^{-40} = 4353.442 m_e \\ \text{1 Q} &= 1 = 15.41232 e \\ \text{1 mu-L} &= 10^{50} = 0.1024053 \text{\AA} \\ \text{1 mu-L} &= 10^{50} = 0.2010412 a_0 \\ \text{1} &= 1 = 345.0115 \alpha \\ \text{1 ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.003425353 Ry \\ \text{1 ni'ureci-} \frac{1}{L^3} &= 10^{-230} = 212.5544 \rho_{\max} \quad (*) \\ \text{1 ni'upano-} \frac{ML^2}{T^2} &= 10^{-100} = 0.1225555 \text{eV} \quad (**) \\ \text{1} \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ \text{1 pano-L} &= 10^{100} = 1.241541 \cdot \lambda_{\text{yellow}} \\ \text{1 ni'upano-} \frac{1}{L} &= 10^{-100} = 0.03535250 \cdot k_{\text{yellow}} \\ \text{1 ni'uci-} \frac{1}{L} &= 10^{-30} = 535.5111 \cdot k_{\text{X-Ray}} \\ \text{1 ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 0.2451302 \cdot \text{Earth g} \\ \text{1 papa-L} &= 10^{110} = 3.522124 \text{cm} \\ \text{1 pavo-T} &= 10^{140} = 1004.054 \text{min} \quad (*) \\ \text{1 pavo-T} &= 10^{140} = 3.400322 \text{h} \quad (*) \\ \text{1 cici-L}^3 &= 10^{330} = 0.02045001 l \quad (*) \\ \text{1 revo-L}^2 &= 10^{240} = 2051.311 A \\ \text{1 reci-L}^2 &= 10^{230} = 0.4131202 \cdot 244 \text{m}^2 \\ \text{1 ni'ure-} \frac{L}{T} &= 10^{-20} = 0.2550321 \text{km/h} \quad (*) \\ \text{1 ni'ure-} \frac{L}{T} &= 10^{-20} = 0.1503134 \text{mi/h} \\ \text{1 papa-L} &= 10^{110} = 1.311332 \text{in} \\ \text{1 pare-L} &= 10^{120} = 1.044102 \text{mi} \\ \text{1 re-M} &= 10^{20} = 32.50010 \text{pound} \quad (*) \\ \text{1 ni'upavo-} \frac{ML^2}{T^3} &= 10^{-140} = 103.3400 \text{horsepower} \quad (*) \\ \text{1 ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 1.555241 \text{kcal} \quad (**) \\ \text{1} \frac{ML^2}{T^2} &= 1 = 300.2145 \text{kWh} \quad (*) \\ \text{1 ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 0.02231402 E_H \\ \text{1 ni'ureno-} \frac{M}{T Q} &= 10^{-200} = 1.402131 \cdot \text{Earth magnetic field} \\ \text{1 pare-L} &= 10^{120} = 4431.453 \bar{h} \end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/14 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>100 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

$$\text{Mass of an average man} = 11.22355 \cdot 10^{20} \quad (*)$$

$$1 \text{ re-}M = 10^{20} = 0.04505441 \bar{m}$$

$$\text{Age of the Universe} = 35.01410 \cdot 10^{200}$$

$$1 \text{ reno-}T = 10^{200} = 0.01321222 t_U$$

$$\text{Size of the observable Universe} = 2.104341 \cdot 10^{210}$$

$$1 \text{ repa-}L = 10^{210} = 0.2424151 l_U$$

$$\text{Average density of the Universe} = 1.221111 \cdot 10^{-430}$$

$$1 \text{ ni'uvoci-} \frac{M}{L^3} = 10^{-430} = 0.4145223 \rho_U$$

$$\text{Earth mass} = 2.505235 \cdot 10^{110}$$

$$1 \text{ papa-}M = 10^{110} = 0.2033214 m_E$$

$$\text{Sun mass}^{27} = 32.22323 \cdot 10^{120}$$

$$1 \text{ pare-}M = 10^{120} = 0.01433031 m_S$$

$$\text{Year} = 0.01502055 \cdot 10^{150} \quad (*)$$

$$1 \text{ pamu-}T = 10^{150} = 31.31023 \text{ y}$$

$$\text{Speed of Light} = 1.000000 \quad (***)$$

$$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$$

$$\text{Parsec} = 0.1000240 \cdot 10^{150} \quad (**)$$

$$1 \text{ pamu-}L = 10^{150} = 5.553201 \text{ pc} \quad (*)$$

$$\text{Astronomical unit} = 0.01205430 \cdot 10^{140}$$

$$1 \text{ pavo-}L = 10^{140} = 42.24551 \text{ au} \quad (*)$$

$$\text{Earth radius} = 0.02411400 \cdot 10^{130} \quad (*)$$

$$1 \text{ paci-}L = 10^{130} = 21.15341 r_E$$

$$\text{Distance Earth-Moon} = 4.310121 \cdot 10^{130}$$

$$1 \text{ paci-}L = 10^{130} = 0.1154100 d_M \quad (*)$$

$$\text{Momentum of someone walking}^{28} = 4350.404 \cdot 10^0$$

$$1 \text{ pa-} \frac{ML}{T} = 10^{10} = 114.3104 \cdot \text{Momentum of someone walking}$$

$$\text{Stefan-Boltzmann constant} = 0.05531034 \cdot 10^0 \quad (*)$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$$

$$\text{mol} = 2.420221 \cdot 10^{50}$$

$$1 \text{ mu-} = 10^{50} = 0.2111433 \text{ mol}$$

$$\text{Standard temperature}^{29} = 0.03331113 \cdot 10^{-100}$$

$$1 \text{ ni'upano-} \Theta = 10^{-100} = 14.01040 T_0$$

$$\text{Room - standard temperature}^{30} = 0.001324322 \cdot 10^{-100}$$

$$1 \text{ ni'upano-} \Theta = 10^{-100} = 344.5551 \Theta_R \quad (**)$$

$$\text{atm} = 53.30244 \cdot 10^{-350}$$

$$1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 0.01024011 \text{ atm}$$

$$c_s = 0.01531030 \cdot 10^{-10}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$$

$$\mu_0 = 20.32220 \cdot 10^0$$

$$1 \frac{ML}{Q^2} = 1 = 0.02510444 \cdot \mu_0$$

$$G = 0.01233222 \cdot 10^0$$

$$1 \frac{L^3}{MT^2} = 1 = 41.04440 \cdot G$$

### Extensive list of SI units

$$1 \text{ m} = 114.3534 \cdot 10^{-10}$$

$$1 = 1 = 4344.000 \text{ m} \quad (**)$$

$$1 = 1.000000 \quad (***)$$

$$1 = 1 = 1.000000 \quad (***)$$

$$1 \text{ k} = 4344.000 \cdot 10^0 \quad (**)$$

$$1 \text{ pa-} = 10^{10} = 114.3534 \text{ k}$$

$$1 \text{ m} \frac{1}{\text{s}} = 21.11313 \cdot 10^{-140}$$

$$1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.02420401 \text{ m} \frac{1}{\text{s}}$$

$$1 \frac{1}{\text{s}} = 0.1410533 \cdot 10^{-130}$$

$$1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 3.310530 \frac{1}{\text{s}}$$

$$1 \text{ k} \frac{1}{\text{s}} = 0.001151043 \cdot 10^{-120}$$

$$1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 432.4424 \text{ k} \frac{1}{\text{s}}$$

$$1 \text{ m} \frac{1}{\text{s}^2} = 3.423453 \cdot 10^{-310}$$

$$1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 0.1334311 \text{ m} \frac{1}{\text{s}^2}$$

$$1 \frac{1}{\text{s}^2} = 0.02515153 \cdot 10^{-300}$$

$$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 20.25035 \frac{1}{\text{s}^2}$$

$$1 \text{ k} \frac{1}{\text{s}^2} = 212.0542 \cdot 10^{-300}$$

$$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.002410013 \text{ k} \frac{1}{\text{s}^2} \quad (*)$$

$$1 \text{ m s} = 432.4424 \cdot 10^{120}$$

$$1 \text{ pare-}T = 10^{120} = 0.001151043 \text{ m s}$$

$$1 \text{ s} = 3.310530 \cdot 10^{130}$$

$$1 \text{ paci-}T = 10^{130} = 0.1410533 \text{ s}$$

$$1 \text{ k s} = 0.02420401 \cdot 10^{140}$$

$$1 \text{ pavo-}T = 10^{140} = 21.11313 \text{ k s}$$

$$1 \text{ m m} = 5312.311 \cdot 10^{100}$$

$$1 \text{ papa-}L = 10^{110} = 102.5542 \text{ m m} \quad (*)$$

$$1 \text{ m} = 41.35130 \cdot 10^{110}$$

$$1 \text{ papa-}L = 10^{110} = 0.01223113 \text{ m}$$

$$1 \text{ k m} = 0.3144215 \cdot 10^{120}$$

$$1 \text{ pare-}L = 10^{120} = 1.452542 \text{ k m}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}} = 0.001322434 \cdot 10^{-20}$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.4201 \text{ m} \frac{\text{m}}{\text{s}}$$

$$1 \frac{\text{m}}{\text{s}} = 11.13221 \cdot 10^{-20}$$

$$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.04542533 \frac{\text{m}}{\text{s}}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.05334055 \cdot 10^{-10} \quad (*)$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.23153 \text{ k} \frac{\text{m}}{\text{s}}$$

$$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 235.5252 \cdot 10^{-200}$$

$$1 \text{ ni'ureno-} \frac{L}{T^2} = 10^{-200} = 0.002130235 \text{ m} \frac{\text{m}}{\text{s}^2}$$

$$1 \frac{\text{m}}{\text{s}^2} = 2.020013 \cdot 10^{-150} \quad (*)$$

$$1 \text{ ni'upamu-} \frac{L}{T^2} = 10^{-150} = 0.2530232 \frac{\text{m}}{\text{s}^2}$$

$$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 0.01330343 \cdot 10^{-140}$$

$$1 \text{ ni'upavo-} \frac{L}{T^2} = 10^{-140} = 34.41011 \text{ k} \frac{\text{m}}{\text{s}^2}$$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>32 °C

$1 \text{m m s} = 0.03132211 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 15.01233 \text{ m m s}$
$1 \text{m s} = 230.3254 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 0.002215023 \text{ m s}$
$1 \text{k m s} = 1.535210 \cdot 10^{250}$	$1 \text{remu-}LT = 10^{250} = 0.3031311 \text{ k m s}$
$1 \text{m m}^2 = 0.3540221 \cdot 10^{220}$	$1 \text{rere-}L^2 = 10^{220} = 1.304225 \text{ m m}^2$
$1 \text{m}^2 = 3013.414 \cdot 10^{220}$	$1 \text{reci-}L^2 = 10^{230} = 154.5342 \text{ m}^2$
$1 \text{k m}^2 = 22.03255 \cdot 10^{230} \quad (*)$	$1 \text{reci-}L^2 = 10^{230} = 0.02315335 \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.1041200 \cdot 10^{50} \quad (*)$	$1 \text{mu-}\frac{L^2}{T} = 10^{50} = 5.211543 \text{ m}^{\frac{m^2}{s}}$
$1 \frac{\text{m}^2}{\text{s}} = 510.1141 \cdot 10^{50}$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 1054.315 \frac{\text{m}^2}{\text{s}}$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 3.554034 \cdot 10^{100} \quad (*)$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 0.1300414 \text{ k} \frac{\text{m}^2}{\text{s}} \quad (*)$
$1 \text{m}^{\frac{m}{s^2}} = 0.01521544 \cdot 10^{-40}$	$1 \text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 30.54500 \text{ m}^{\frac{m^2}{s^2}} \quad (*)$
$1 \frac{\text{m}^2}{\text{s}^2} = 124.4155 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 0.004032541 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 1.044030 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{L^2}{T^2} = 10^{-30} = 0.5150521 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 2.153440 \cdot 10^{350}$	$1 \text{cimu-}L^2T = 10^{350} = 0.2325520 \text{ m m}^2 \text{s} \quad (*)$
$1 \text{m}^2 \text{s} = 0.01443102 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 32.03005 \text{ m}^2 \text{s} \quad (*)$
$1 \text{k m}^2 \text{s} = 121.4425 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 0.004201012 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 1.452542 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L} = 10^{-120} = 0.3144215 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 0.01223113 \cdot 10^{-110}$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 41.35130 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 102.5542 \cdot 10^{-110} \quad (*)$	$1 \text{ni'upano-}\frac{1}{L} = 10^{-100} = 5312.311 \text{ k} \frac{1}{\text{m}}$
$1 \text{m}^{\frac{1}{\text{m s}}} = 0.3031311 \cdot 10^{-250}$	$1 \text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 1.535210 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 0.002215023 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 230.3254 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 15.01233 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 0.03132211 \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 0.05125544 \cdot 10^{-420} \quad (*)$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 10.50511 \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 401.4550 \cdot 10^{-420} \quad (*)$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 0.001251534 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 3.043045 \cdot 10^{-410}$	$1 \text{ni'uvopa-}\frac{1}{LT^2} = 10^{-410} = 0.1530350 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 10.23153 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 0.05334055 \text{ m}^{\frac{s}{m}} \quad (*)$
$1 \frac{s}{m} = 0.04542533 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 11.13221 \frac{s}{\text{m}}$
$1 \text{k} \frac{s}{m} = 345.4201 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 0.001322434 \text{ k} \frac{s}{\text{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 0.02315335 \cdot 10^{-230}$	$1 \text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 22.03255 \text{ m}^{\frac{1}{m^2}} \quad (*)$
$1 \frac{1}{\text{m}^2} = 154.5342 \cdot 10^{-230}$	$1 \text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 3013.414 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 1.304225 \cdot 10^{-220}$	$1 \text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 0.3540221 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 0.004201012 \cdot 10^{-400}$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 121.4425 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 32.03005 \cdot 10^{-400} \quad (*)$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 0.01443102 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.2325520 \cdot 10^{-350} \quad (*)$	$1 \text{ni'ucimu-}\frac{1}{L^2 T} = 10^{-350} = 2.153440 \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 1121.144 \cdot 10^{-540}$	$1 \text{ni'umuci-}\frac{1}{L^2 T^2} = 10^{-530} = 451.5102 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 5.404121 \cdot 10^{-530}$	$1 \text{ni'umuci-}\frac{1}{L^2 T^2} = 10^{-530} = 0.1015530 \frac{1}{\text{m}^2 s^2} \quad (*)$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 0.04215413 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^2 T^2} = 10^{-520} = 12.11215 \text{ k} \frac{1}{\text{m}^2 s^2}$
$1 \text{m}^{\frac{s}{m^2}} = 0.1300414 \cdot 10^{-100} \quad (*)$	$1 \text{ni'upano-}\frac{T}{L^2} = 10^{-100} = 3.554034 \text{ m}^{\frac{s}{m^2}} \quad (*)$
$1 \frac{s}{m^2} = 1054.315 \cdot 10^{-100}$	$1 \text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 510.1141 \frac{s}{\text{m}^2}$
$1 \text{k} \frac{s}{m^2} = 5.211543 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 0.1041200 \text{ k} \frac{s}{\text{m}^2} \quad (*)$
$1 \text{m}^{\frac{1}{m^3}} = 333.0150 \cdot 10^{-350}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 1401.311 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 2.433243 \cdot 10^{-340}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 0.2100314 \frac{1}{\text{m}^3} \quad (*)$
$1 \text{k} \frac{1}{\text{m}^3} = 0.02045001 \cdot 10^{-330} \quad (*)$	$1 \text{ni'ucici-}\frac{1}{L^3} = 10^{-330} = 24.51122 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 100.3121 \cdot 10^{-520} \quad (*)$	$1 \text{ni'umure-}\frac{1}{L^3 T} = 10^{-520} = 0.005524534 \text{ m}^{\frac{1}{m^3 s}} \quad (*)$
$1 \frac{1}{\text{m}^3 s} = 0.4410533 \cdot 10^{-510}$	$1 \text{ni'umupa-}\frac{1}{L^3 T} = 10^{-510} = 1.135453 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 0.003343043 \cdot 10^{-500}$	$1 \text{ni'umuno-}\frac{1}{L^3 T} = 10^{-500} = 135.3243 \text{ k} \frac{1}{\text{m}^3 s}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 14.20224 \cdot 10^{-1050}$	$1 \text{ni'upanomu-}\frac{1}{L^3 T^2} = 10^{-1050} = 0.03251410 \text{ m}^{\frac{1}{m^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 0.1155204 \cdot 10^{-1040} \quad (*)$	$1 \text{ni'upanovo-}\frac{1}{L^3 T^2} = 10^{-1040} = 4.302110 \frac{1}{\text{m}^3 s^2}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 1005.420 \cdot 10^{-1040} \quad (*)$	$1 \text{ni'upanoci-}\frac{1}{L^3 T^2} = 10^{-1030} = 550.2320 \text{ k} \frac{1}{\text{m}^3 s^2} \quad (*)$
$1 \text{m}^{\frac{s}{m^3}} = 2035.451 \cdot 10^{-220}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 250.2052 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 13.43413 \cdot 10^{-210}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 0.03403534 \frac{s}{\text{m}^3}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.1131214 \cdot 10^{-200} \\
1 \text{m kg} &= 4.534223 \cdot 10^{10} \\
1 \text{kg} &= 0.03450502 \cdot 10^{20} \\
1 \text{k kg} &= 253.4524 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.221532 \cdot 10^{-120} \\
1 \frac{\text{kg}}{\text{s}} &= 0.01024545 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 45.54314 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.2212520 \cdot 10^{-250} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.001455430 \cdot 10^{-240} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 12.25210 \cdot 10^{-240} \\
1 \text{m kg s} &= 25.23432 \cdot 10^{140} \\
1 \text{kg s} &= 0.2124214 \cdot 10^{150} \\
1 \text{k kg s} &= 0.001421430 \cdot 10^{200} \\
1 \text{m kg m} &= 330.3405 \cdot 10^{120} \\
1 \text{kg m} &= 2.414103 \cdot 10^{130} \\
1 \text{k kg m} &= 0.02032145 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 55.50304 \cdot 10^{-10} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}} &= 0.4335434 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 3320.202 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 14.05213 \cdot 10^{-140} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.1145532 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.001001312 \cdot 10^{-120} \quad (*) \\
1 \text{m kg m s} &= 0.002023113 \cdot 10^{300} \\
1 \text{kg m s} &= 13.33022 \cdot 10^{300} \\
1 \text{k kg m s} &= 0.1122131 \cdot 10^{310} \\
1 \text{m kg m}^2 &= 0.02301105 \cdot 10^{240} \\
1 \text{kg m}^2 &= 153.3331 \cdot 10^{240} \\
1 \text{k kg m}^2 &= 1.254114 \cdot 10^{250} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 4131.203 \cdot 10^{100} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 31.41212 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.2311205 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 0.001112142 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 5.325013 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.04145452 \cdot 10^{-10} \\
1 \text{m kg m}^2 \text{s} &= 0.1250330 \cdot 10^{410} \\
1 \text{kg m}^2 \text{s} &= 0.001045453 \cdot 10^{420} \\
1 \text{k kg m}^2 \text{s} &= 5.134020 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.1053254 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}} &= 520.3015 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4.043124 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= 0.01543453 \cdot 10^{-230} \\
1 \frac{\text{kg}}{\text{m s}} &= 130.3005 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 1.100200 \cdot 10^{-220} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.003155544 \cdot 10^{-400} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ureno-} \frac{T}{L^3} &= 10^{-200} = 4.435311 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 \text{pa-} M &= 10^{10} = 0.1114301 \text{m kg} \\
1 \text{re-} M &= 10^{20} = 13.24113 \text{kg} \\
1 \text{re-} M &= 10^{20} = 0.002012524 \text{k kg} \\
1 \text{ni'upare-} \frac{M}{T} &= 10^{-120} = 0.4143102 \text{m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 53.21342 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 0.01111315 \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uremu-} \frac{M}{T^2} &= 10^{-250} = 2.305445 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 313.5205 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 0.04124423 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{pavo-} MT &= 10^{140} = 0.02021533 \text{m kg s} \\
1 \text{pamu-} MT &= 10^{150} = 2.401532 \text{kg s} \\
1 \text{reno-} MT &= 10^{200} = 324.4554 \text{k kg s} \quad (*) \\
1 \text{pare-} ML &= 10^{120} = 0.001412253 \text{m kg m} \\
1 \text{paci-} ML &= 10^{130} = 0.2113321 \text{kg m} \\
1 \text{pavo-} ML &= 10^{140} = 25.10530 \text{k kg m} \\
1 \text{ni'upa-} \frac{ML}{T} &= 10^{-10} = 0.01000530 \text{m} \frac{\text{kg m}}{\text{s}} \quad (**)
\end{aligned}$$

**1**  $\frac{ML}{T}$  **= 1 = 1.145043**  $\frac{\text{kg m}}{\text{s}}$

$$\begin{aligned}
1 \text{pa-} \frac{ML}{T} &= 10^{10} = 140.4201 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML}{T^2} &= 10^{-140} = 0.03314054 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 4.332535 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML}{T^2} &= 10^{-120} = 554.2504 \text{k} \frac{\text{kg m}}{\text{s}^2} \quad (*) \\
1 \text{cino-} MLT &= 10^{300} = 252.1545 \text{m kg m s} \\
1 \text{cino-} MLT &= 10^{300} = 0.03431130 \text{kg m s} \\
1 \text{cipa-} MLT &= 10^{310} = 4.511215 \text{k kg m s} \\
1 \text{revo-} ML^2 &= 10^{240} = 22.21132 \text{m kg m}^2 \\
1 \text{revo-} ML^2 &= 10^{240} = 0.003034211 \text{kg m}^2 \\
1 \text{remu-} ML^2 &= 10^{250} = 0.4004444 \text{k kg m}^2 \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 122.4255 \text{m} \frac{\text{kg m}^2}{\text{s}} \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 0.01454343 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{pare-} \frac{ML^2}{T} &= 10^{120} = 2.211234 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 455.1252 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \quad (*) \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 0.1024150 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 12.21022 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{vopa-} ML^2 T &= 10^{410} = 4.022405 \text{m kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 513.4441 \text{kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 0.1045551 \text{k kg m}^2 \text{s} \quad (**)
\end{aligned}$$

**1**  $\frac{ni'upano-} L$  **= 10<sup>-100</sup> = 5.110011**  $\frac{\text{m} \frac{\text{kg}}{\text{m}}}{\text{m}}$  **(\*)**

$$\begin{aligned}
1 \text{ni'upano-} \frac{M}{L} &= 10^{-100} = 0.001042205 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'umu-} \frac{M}{L} &= 10^{-50} = 0.1242033 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ureci-} \frac{M}{LT} &= 10^{-230} = 30.20301 \text{m} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'urere-} \frac{M}{LT} &= 10^{-220} = 3544.003 \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'urere-} \frac{M}{LT} &= 10^{-220} = 0.5045222 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 144.4453 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 0.02155525 \frac{\text{kg}}{\text{m s}^2} \quad (**)
\end{aligned}$$

**1**  $\frac{ni'ucimu-} {LT^2}$  **= 10<sup>-350</sup> = 3.005023**  $\text{k} \frac{\text{kg}}{\text{m s}^2}$  **(\*)**

$$\begin{aligned}
1 \text{ci-} \frac{MT}{L} &= 10^{30} = 1.245402 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{vo-} \frac{MT}{L} &= 10^{40} = 152.3412 \frac{\text{kg s}}{\text{m}} \\
1 \text{vo-} \frac{MT}{L} &= 10^{40} = 0.02245323 \text{k} \frac{\text{kg s}}{\text{m}} \\
1 \text{ni'urepa-} \frac{M}{L^2} &= 10^{-210} = 341.1153 \text{m} \frac{\text{kg}}{\text{m}^2}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{m}^2} &= 11.30122 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2} &= 0.05443022 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} &= 243.0533 \cdot 10^{-350} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}} &= 2.043015 \cdot 10^{-340} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} &= 0.01350113 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} &= 44.02345 \cdot 10^{-520} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} &= 0.3335451 \cdot 10^{-510} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} &= 0.002441413 \cdot 10^{-500} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2} &= 0.005420552 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg s}}{\text{m}^2} &= 42.30243 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2} &= 0.3224245 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3} &= 21.35341 \cdot 10^{-330} \\
1 \frac{\text{kg}}{\text{m}^3} &= 0.1431200 \cdot 10^{-320} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^3} &= 1204.410 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} &= 3.511043 \cdot 10^{-500} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}} &= 0.02552220 \cdot 10^{-450} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} &= 214.5114 \cdot 10^{-450} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} &= 1.032240 \cdot 10^{-1030} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} &= 0.005022352 \cdot 10^{-1020} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} &= 35.24345 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3} &= 120.1222 \cdot 10^{-200} \\
1 \frac{\text{kg s}}{\text{m}^3} &= 1.011145 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3} &= 0.004441445 \cdot 10^{-140} \\
1 \text{m} \frac{1}{\text{C}} &= 0.001530345 \cdot 10^{-40} \\
1 \frac{1}{\text{C}} &= 12.51534 \cdot 10^{-40} \\
1 \text{k} \frac{1}{\text{C}} &= 0.1050510 \cdot 10^{-30} \\
1 \text{m} \frac{1}{\text{s C}} &= 313.2205 \cdot 10^{-220} \\
1 \frac{1}{\text{s C}} &= 2.303253 \cdot 10^{-210} \\
1 \text{k} \frac{1}{\text{s C}} &= 0.01535205 \cdot 10^{-200} \\
1 \text{m} \frac{1}{\text{s}^2 \text{C}} &= 53.12305 \cdot 10^{-350} \\
1 \frac{1}{\text{s}^2 \text{C}} &= 0.4135124 \cdot 10^{-340} \\
1 \text{k} \frac{1}{\text{s}^2 \text{C}} &= 3144.214 \cdot 10^{-340} \\
1 \text{m} \frac{\text{s}}{\text{C}} &= 0.01044030 \cdot 10^{50} \\
1 \frac{\text{s}}{\text{C}} &= 51.22003 \cdot 10^{50} \quad (*) \\
1 \text{k} \frac{\text{s}}{\text{C}} &= 0.4011532 \cdot 10^{100} \\
1 \text{m} \frac{\text{m}}{\text{C}} &= 0.1211214 \cdot 10^{30} \\
1 \frac{\text{m}}{\text{C}} &= 0.001015530 \cdot 10^{40} \quad (*) \\
1 \text{k} \frac{\text{m}}{\text{C}} &= 4.515100 \cdot 10^{40} \quad (*) \\
1 \text{m} \frac{\text{m}}{\text{s C}} &= 0.02153435 \cdot 10^{-100} \\
1 \frac{\text{m}}{\text{s C}} &= 144.3101 \cdot 10^{-100} \\
1 \text{k} \frac{\text{m}}{\text{s C}} &= 1.214425 \cdot 10^{-50} \\
1 \text{m} \frac{\text{m}}{\text{s}^2 \text{C}} &= 3540.215 \cdot 10^{-240} \\
1 \frac{\text{m}}{\text{s}^2 \text{C}} &= 30.13412 \cdot 10^{-230} \\
1 \text{k} \frac{\text{m}}{\text{s}^2 \text{C}} &= 0.2203254 \cdot 10^{-220} \\
1 \text{m} \frac{\text{ms}}{\text{C}} &= 0.4455142 \cdot 10^{200} \quad (*) \\
1 \frac{\text{ms}}{\text{C}} &= 3421.001 \cdot 10^{200} \quad (*) \\
1 \text{k} \frac{\text{ms}}{\text{C}} &= 25.13052 \cdot 10^{210} \\
1 \text{m} \frac{\text{m}^2}{\text{C}} &= 5.502314 \cdot 10^{140} \\
1 \frac{\text{m}^2}{\text{C}} &= 0.04302104 \cdot 10^{150}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{urepa} \frac{M}{L^2} &= 10^{-210} = 0.04443530 \frac{\text{kg}}{\text{m}^2} \\
1 \text{ni}'\text{uren}o \frac{M}{L^2} &= 10^{-200} = 10.11432 \text{k} \frac{\text{kg}}{\text{m}^2} \\
1 \text{ni}'\text{ucivo} \frac{M}{L^2 T} &= 10^{-340} = 2102.312 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{ucivo} \frac{M}{L^2 T} &= 10^{-340} = 0.2453452 \frac{\text{kg}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{ucici} \frac{M}{L^2 T} &= 10^{-330} = 33.54153 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} \\
1 \text{ni}'\text{umure} \frac{M}{L^2 T^2} &= 10^{-520} = 0.01140554 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni}'\text{umupa} \frac{M}{L^2 T^2} &= 10^{-510} = 1.354551 \frac{\text{kg}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni}'\text{umuno} \frac{M}{L^2 T^2} &= 10^{-500} = 205.3123 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} \\
1 \text{ni}'\text{uvo} \frac{MT}{L^2} &= 10^{-40} = 101.4150 \text{m} \frac{\text{kg s}}{\text{m}^2} \\
1 \text{ni}'\text{uvo} \frac{MT}{L^2} &= 10^{-40} = 0.01205143 \frac{\text{kg s}}{\text{m}^2} \\
1 \text{ni}'\text{uci} \frac{MT}{L^2} &= 10^{-30} = 1.432035 \text{k} \frac{\text{kg s}}{\text{m}^2} \\
1 \text{ni}'\text{ucici} \frac{M}{L^3} &= 10^{-330} = 0.02345231 \text{m} \frac{\text{kg}}{\text{m}^3} \\
1 \text{ni}'\text{ucire} \frac{M}{L^3} &= 10^{-320} = 3.225550 \frac{\text{kg}}{\text{m}^3} \quad (***) \\
1 \text{ni}'\text{ucipa} \frac{M}{L^3} &= 10^{-310} = 423.2225 \text{k} \frac{\text{kg}}{\text{m}^3} \\
1 \text{ni}'\text{umuno} \frac{M}{L^3 T} &= 10^{-500} = 0.1315112 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{uvomu} \frac{M}{L^3 T} &= 10^{-450} = 20.02231 \frac{\text{kg}}{\text{m}^3 \text{s}} \\
1 \text{ni}'\text{uvovo} \frac{M}{L^3 T} &= 10^{-440} = 2335.002 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni}'\text{upanoci} \frac{M}{L^3 T^2} &= 10^{-1030} = 0.5251535 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} \\
1 \text{ni}'\text{upanore} \frac{M}{L^3 T^2} &= 10^{-1020} = 110.3422 \frac{\text{kg}}{\text{m}^3 \text{s}^2} \\
1 \text{ni}'\text{upanore} \frac{M}{L^3 T^2} &= 10^{-1020} = 0.01311232 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} \\
1 \text{ni}'\text{uren}o \frac{MT}{L^3} &= 10^{-200} = 0.004251150 \text{m} \frac{\text{kg s}}{\text{m}^3} \\
1 \text{ni}'\text{upamu} \frac{MT}{L^3} &= 10^{-150} = 0.5445343 \frac{\text{kg s}}{\text{m}^3} \\
1 \text{ni}'\text{upavo} \frac{MT}{L^3} &= 10^{-140} = 113.0441 \text{k} \frac{\text{kg s}}{\text{m}^3} \\
1 \text{ni}'\text{uvo} \frac{1}{Q} &= 10^{-40} = 304.3050 \text{m} \frac{1}{\text{C}} \\
1 \text{ni}'\text{uvo} \frac{1}{Q} &= 10^{-40} = 0.04014552 \frac{1}{\text{C}} \quad (*) \\
1 \text{ni}'\text{uci} \frac{1}{Q} &= 10^{-30} = 5.125551 \text{k} \frac{1}{\text{C}} \quad (***) \\
1 \text{ni}'\text{urere} \frac{1}{T Q} &= 10^{-220} = 0.001501234 \text{m} \frac{1}{\text{s C}} \\
1 \text{ni}'\text{urepa} \frac{1}{T Q} &= 10^{-210} = 0.2215024 \frac{1}{\text{s C}} \\
1 \text{ni}'\text{uren}o \frac{1}{T Q} &= 10^{-200} = 30.31312 \text{k} \frac{1}{\text{s C}} \\
1 \text{ni}'\text{ucimu} \frac{1}{T^2 Q} &= 10^{-350} = 0.01025543 \text{m} \frac{1}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni}'\text{ucivo} \frac{1}{T^2 Q} &= 10^{-340} = 1.223113 \frac{1}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ucici} \frac{1}{T^2 Q} &= 10^{-330} = 145.2543 \text{k} \frac{1}{\text{s}^2 \text{C}} \\
1 \text{mu} \frac{T}{Q} &= 10^{50} = 51.50520 \text{m} \frac{\text{s}}{\text{C}} \\
1 \text{mu} \frac{T}{Q} &= 10^{50} = 0.01051421 \frac{\text{s}}{\text{C}} \\
1 \text{pano} \frac{T}{Q} &= 10^{100} = 1.253020 \text{k} \frac{\text{s}}{\text{C}} \\
1 \text{ci} \frac{L}{Q} &= 10^{30} = 4.215415 \text{m} \frac{\text{m}}{\text{C}} \\
1 \text{vo} \frac{L}{Q} &= 10^{40} = 540.4124 \frac{\text{m}}{\text{C}} \\
1 \text{vo} \frac{L}{Q} &= 10^{40} = 0.1121145 \text{k} \frac{\text{m}}{\text{C}} \\
1 \text{ni}'\text{upano} \frac{L}{T Q} &= 10^{-100} = 23.25521 \text{m} \frac{\text{m}}{\text{s C}} \quad (*) \\
1 \text{ni}'\text{upano} \frac{L}{T Q} &= 10^{-100} = 0.003203010 \frac{\text{m}}{\text{s C}} \\
1 \text{ni}'\text{umu} \frac{L}{T Q} &= 10^{-50} = 0.4201014 \text{k} \frac{\text{m}}{\text{s C}} \\
1 \text{ni}'\text{ureci} \frac{L}{T^2 Q} &= 10^{-230} = 130.4230 \text{m} \frac{\text{m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ureci} \frac{L}{T^2 Q} &= 10^{-230} = 0.01545343 \frac{\text{m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{urere} \frac{L}{T^2 Q} &= 10^{-220} = 2.315340 \text{k} \frac{\text{m}}{\text{s}^2 \text{C}} \\
1 \text{reno} \frac{LT}{Q} &= 10^{200} = 1.124153 \text{m} \frac{\text{ms}}{\text{C}} \\
1 \text{repa} \frac{LT}{Q} &= 10^{210} = 133.5425 \frac{\text{ms}}{\text{C}} \\
1 \text{repa} \frac{LT}{Q} &= 10^{210} = 0.02030402 \text{k} \frac{\text{ms}}{\text{C}} \\
1 \text{pavo} \frac{L^2}{Q} &= 10^{140} = 0.1005420 \text{m} \frac{\text{m}^2}{\text{C}} \quad (*) \\
1 \text{pamu} \frac{L^2}{Q} &= 10^{150} = 11.55204 \frac{\text{m}^2}{\text{C}} \quad (*)
\end{aligned}$$

$$\begin{aligned}
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 325.1404 \cdot 10^{150} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 1.353243 \cdot 10^{10} \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.01135452 \cdot 10^{20} \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 55.24531 \cdot 10^{20} \quad (*) \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 0.2451121 \cdot 10^{-120} \\
1 \frac{\text{m}^2}{\text{s}^2\text{C}} &= 2100.313 \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{\text{m}}{\text{s}^2\text{C}} &= 14.01310 \cdot 10^{-110} \\
1 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} &= 32.35120 \cdot 10^{310} \\
1 \frac{\text{m}^2\text{s}}{\text{C}} &= 0.2353250 \cdot 10^{320} \\
1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} &= 2014.255 \cdot 10^{320} \quad (*) \\
1 \text{m} \frac{1}{\text{mC}} &= 24.10012 \cdot 10^{-200} \quad (*) \\
1 \frac{1}{\text{mC}} &= 0.2025034 \cdot 10^{-150} \\
1 \text{k} \frac{1}{\text{mC}} &= 0.001334310 \cdot 10^{-140} \\
1 \text{m} \frac{1}{\text{msC}} &= 4.324422 \cdot 10^{-330} \\
1 \frac{1}{\text{msC}} &= 0.03310524 \cdot 10^{-320} \\
1 \text{k} \frac{1}{\text{msC}} &= 242.0400 \cdot 10^{-320} \quad (*) \\
1 \text{m} \frac{1}{\text{ms}^2\text{C}} &= 1.143534 \cdot 10^{-500} \\
1 \frac{1}{\text{ms}^2\text{C}} &= 0.01000000 \cdot 10^{-450} \quad (***) \\
1 \text{k} \frac{1}{\text{ms}^2\text{C}} &= 43.43554 \cdot 10^{-450} \quad (*) \\
1 \text{m} \frac{s}{\text{mC}} &= 133.0344 \cdot 10^{-30} \\
1 \frac{s}{\text{mC}} &= 1.120213 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{mC}} &= 5355.541 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2\text{C}} &= 0.3441005 \cdot 10^{-310} \quad (*) \\
1 \frac{1}{\text{m}^2\text{C}} &= 0.002530231 \cdot 10^{-300} \\
1 \text{k} \frac{1}{\text{m}^2\text{C}} &= 21.30234 \cdot 10^{-300} \\
1 \text{m} \frac{1}{\text{m}^2\text{sC}} &= 0.1023153 \cdot 10^{-440} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 454.2531 \cdot 10^{-440} \\
1 \text{k} \frac{1}{\text{m}^2\text{sC}} &= 3.454155 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 0.01452542 \cdot 10^{-1010} \\
1 \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 122.3112 \cdot 10^{-1010} \\
1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 1.025542 \cdot 10^{-1000} \quad (*) \\
1 \text{m} \frac{s}{\text{m}^2\text{C}} &= 2.120543 \cdot 10^{-140} \\
1 \frac{s}{\text{m}^2\text{C}} &= 0.01415040 \cdot 10^{-130} \\
1 \text{k} \frac{s}{\text{m}^2\text{C}} &= 115.4204 \cdot 10^{-130} \\
1 \text{m} \frac{1}{\text{m}^3\text{C}} &= 0.005150515 \cdot 10^{-420} \\
1 \frac{1}{\text{m}^3\text{C}} &= 40.32535 \cdot 10^{-420} \\
1 \text{k} \frac{1}{\text{m}^3\text{C}} &= 0.3054454 \cdot 10^{-410} \\
1 \text{m} \frac{1}{\text{m}^3\text{sC}} &= 1300.413 \cdot 10^{-1000} \quad (*) \\
1 \frac{1}{\text{m}^3\text{sC}} &= 10.54314 \cdot 10^{-550} \\
1 \text{k} \frac{1}{\text{m}^3\text{sC}} &= 0.05211540 \cdot 10^{-540} \\
1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 231.5334 \cdot 10^{-1130} \\
1 \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 1.545341 \cdot 10^{-1120} \\
1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.01304224 \cdot 10^{-1110} \\
1 \text{m} \frac{s}{\text{m}^3\text{C}} &= 0.03043050 \cdot 10^{-250} \\
1 \frac{s}{\text{m}^3\text{C}} &= 222.4535 \cdot 10^{-250} \\
1 \text{k} \frac{s}{\text{m}^3\text{C}} &= 1.505543 \cdot 10^{-240} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 111.5131 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 1420.225 \text{k} \frac{\text{m}^2}{\text{C}} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 0.3343045 \text{m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 44.10535 \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.01003121 \text{k} \frac{\text{m}^2}{\text{sC}} \quad (*) \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 2.045001 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} \quad (*) \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 243.3244 \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.03330152 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{cipa-} \frac{L^2T}{Q} &= 10^{310} = 0.01424353 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 2.132050 \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{cici-} \frac{L^2T}{Q} &= 10^{330} = 253.2344 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.02120543 \text{m} \frac{1}{\text{mC}} \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 2.515154 \frac{1}{\text{mC}} \\
1 \text{ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 342.3455 \text{k} \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 0.1151043 \text{m} \frac{1}{\text{msC}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 14.10533 \frac{1}{\text{msC}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.002111314 \text{k} \frac{1}{\text{msC}} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.4344002 \text{m} \frac{1}{\text{ms}^2\text{C}} \quad (*) \\
1 \text{ni'uvomu-} \frac{1}{LT^2Q} &= 10^{-450} = 100.0000 \frac{1}{\text{ms}^2\text{C}} \quad (***) \\
1 \text{ni'uvomu-} \frac{1}{LT^2Q} &= 10^{-450} = 0.01143535 \text{k} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 3441.010 \text{m} \frac{s}{\text{mC}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 0.4522511 \frac{s}{\text{mC}} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 102.0415 \text{k} \frac{s}{\text{mC}} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 1.330344 \text{m} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 202.0014 \frac{1}{\text{m}^2\text{C}} \quad (*) \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 0.02355253 \text{k} \frac{1}{\text{m}^2\text{C}} \quad (*) \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 5.334101 \text{m} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 0.001113222 \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 0.1322434 \text{k} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 31.44221 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 4135.132 \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 0.5312314 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 0.2410012 \text{m} \frac{s}{\text{m}^2\text{C}} \quad (*) \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 32.54154 \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'upare-} \frac{T}{L^2Q} &= 10^{-120} = 4305.334 \text{k} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 104.4030 \text{m} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.01244200 \frac{1}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni'uvopa-} \frac{1}{L^3Q} &= 10^{-410} = 1.521545 \text{k} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 355.4040 \text{m} \frac{1}{\text{m}^3\text{sC}} \quad (*) \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 0.05101143 \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'umuvo-} \frac{1}{L^3TQ} &= 10^{-540} = 10.41200 \text{k} \frac{1}{\text{m}^3\text{sC}} \quad (*) \\
1 \text{ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 2203.300 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} \quad (*) \\
1 \text{ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 0.3013415 \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upapapa-} \frac{1}{L^3T^2Q} &= 10^{-1110} = 35.40223 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 15.30345 \text{m} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 2253.212 \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 0.3120233 \text{k} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 4531.211 \text{m} \frac{\text{kg}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.5350435 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 4204.224 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 20.23112 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.1333022 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 0.001122131 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 3.303403 \cdot 10^{-330} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.02414102 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 203.2144 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 414.5453 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 3.153242 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.02321332 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 5113.122 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 40.04123 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.3033534 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 0.001250325 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s C}} &= 10.45453 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.05134014 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 230.1104 \cdot 10^{-220} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 1.533330 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.01254113 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.03022220 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 221.1034 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 1.454212 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.3413333 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 2510.304 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 21.13130 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.1014542 \cdot 10^{30} \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 451.0412 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 3.430421 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.01441311 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 121.3252 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 1.021312 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 2.103514 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.01404034 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 114.4540 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 1.413312 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m C}} &= 0.01153050 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 100.4003 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.2523431 \cdot 10^{-310} \\
1 \frac{\text{kg}}{\text{m s C}} &= 0.002124213 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 14.21430 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.04534220 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 345.0500 \cdot 10^{-440} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 2.534523 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 10.01312 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.04355041 \cdot 10^0 \quad (*) \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 333.3032 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 1.021404 \frac{\text{kg}}{\text{C}} \\
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 121.3402 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 0.02521550 \text{m} \frac{\text{kg}}{\text{s C}} \quad (*) \\
1 \text{ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 3.431132 \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'upavo-} \frac{M}{TQ} &= 10^{-140} = 451.1221 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 0.1412254 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 21.13322 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 0.002510532 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.001221022 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 0.1450103 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 22.01401 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 105.2441 \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.01254231 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 1.533505 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 402.2411 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 0.05134443 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 10.45552 \text{k} \frac{\text{kg m}}{\text{s C}} \quad (***) \\
1 \text{ni'urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.002221133 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 0.3034213 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 40.04450 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 15.42341 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.002311413 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 0.3141455 \text{k} \frac{\text{kg m s}}{\text{C}} \quad (*) \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 1.341120 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 203.2332 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.02414321 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{TQ} &= 10^{30} = 5.413243 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 1122.232 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.1333143 \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 32.10034 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.004205010 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 0.5351323 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{cici-} \frac{ML^2 T}{Q} &= 10^{330} = 0.2425123 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 33.20501 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.004340225 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 0.3301310 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 43.13431 \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upare-} \frac{M}{LQ} &= 10^{-120} = 5520.205 \text{k} \frac{\text{kg}}{\text{m C}} \quad (*) \\
1 \text{ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 2.021534 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 240.1533 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 0.03244555 \text{k} \frac{\text{kg}}{\text{m s C}} \quad (***) \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 11.14302 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 0.001324113 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 0.2012525 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 0.05542502 \text{m} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 11.41543 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.001400123 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*)
\end{aligned}$$

$1\text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.02222423 \cdot 10^{-250}$	$1\text{ni}'uremu-\frac{M}{L^2 Q} = 10^{-250} = 22.55353 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}}$ (*)
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} = 150.4132 \cdot 10^{-250}$	$1\text{ni}'urevo-\frac{M}{L^2 Q} = 10^{-240} = 3123.220 \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} = 1.232502 \cdot 10^{-240}$	$1\text{ni}'urevo-\frac{M}{L^2 Q} = 10^{-240} = 0.4110224 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.004025111 \cdot 10^{-420}$	$1\text{ni}'uvore-\frac{M}{L^2 T Q} = 10^{-420} = 124.5402 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 30.51534 \cdot 10^{-420}$	$1\text{ni}'uvore-\frac{M}{L^2 T Q} = 10^{-420} = 0.01523413 \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.2232351 \cdot 10^{-410}$	$1\text{ni}'uvopa-\frac{M}{L^2 T^2 Q} = 10^{-410} = 2.245324 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 1053.253 \cdot 10^{-1000}$	$1\text{ni}'umumu-\frac{M}{L^2 T^2 Q} = 10^{-550} = 511.0013 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$ (*)
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 5.203012 \cdot 10^{-550}$	$1\text{ni}'umumu-\frac{M}{L^2 T^2 Q} = 10^{-550} = 0.1042210 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 0.04043122 \cdot 10^{-540}$	$1\text{ni}'umuvo-\frac{M}{L^2 T^2 Q} = 10^{-540} = 12.42034 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1\text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 0.1225211 \cdot 10^{-120}$	$1\text{ni}'upare-\frac{MT}{L^2 Q} = 10^{-120} = 4.124422 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1\text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 1031.342 \cdot 10^{-120}$	$1\text{ni}'upapa-\frac{MT}{L^2 Q} = 10^{-110} = 530.0030 \frac{\text{kg s}}{\text{m}^2 \text{C}}$ (*)
$1\text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 5.014500 \cdot 10^{-110}$ (*)	$1\text{ni}'upapa-\frac{MT}{L^2 Q} = 10^{-110} = 0.1104343 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} = 321.2100 \cdot 10^{-410}$ (*)	$1\text{ni}'uvono-\frac{M}{L^3 Q} = 10^{-400} = 1440.235 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} = 2.333505 \cdot 10^{-400}$	$1\text{ni}'uvono-\frac{M}{L^3 Q} = 10^{-400} = 0.2150123 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.02001311 \cdot 10^{-350}$ (*)	$1\text{ni}'ucimu-\frac{M}{L^3 Q} = 10^{-350} = 25.53414 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 54.20545 \cdot 10^{-540}$	$1\text{ni}'umuvo-\frac{M}{L^3 T Q} = 10^{-540} = 0.01014151 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 0.4230241 \cdot 10^{-530}$	$1\text{ni}'umuci-\frac{M}{L^3 T Q} = 10^{-530} = 1.205144 \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 0.003224243 \cdot 10^{-520}$	$1\text{ni}'umure-\frac{M}{L^3 T Q} = 10^{-520} = 143.2040 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 13.42114 \cdot 10^{-1110}$	$1\text{ni}'upapapa-\frac{M}{L^3 T^2 Q} = 10^{-1110} = 0.03411154 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1130121 \cdot 10^{-1100}$	$1\text{ni}'upapano-\frac{M}{L^3 T^2 Q} = 10^{-1100} = 4.443532 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 544.3020 \cdot 10^{-1100}$	$1\text{ni}'upapano-\frac{M}{L^3 T^2 Q} = 10^{-1100} = 0.001011432 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1\text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 1552.352 \cdot 10^{-240}$ (*)	$1\text{ni}'ureci-\frac{MT}{L^3 Q} = 10^{-230} = 300.5022 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}}$ (*)
$1\text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 13.10430 \cdot 10^{-230}$	$1\text{ni}'ureci-\frac{MT}{L^3 Q} = 10^{-230} = 0.03530212 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1\text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.1103113 \cdot 10^{-220}$	$1\text{ni}'urere-\frac{MT}{L^3 Q} = 10^{-220} = 5.024522 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1\text{m} \text{C} = 5.125551 \cdot 10^{30}$ (**)	$1\text{ci}-Q = 10^{30} = 0.1050510 \text{m C}$
$1\text{C} = 0.04014552 \cdot 10^{40}$ (*)	$1\text{vo}-Q = 10^{40} = 12.51534 \text{C}$
$1\text{k} \text{C} = 304.3050 \cdot 10^{40}$	$1\text{vo}-Q = 10^{40} = 0.001530345 \text{k C}$
$1\text{m} \frac{\text{C}}{\text{s}} = 1.253020 \cdot 10^{-100}$	$1\text{ni}'upano-\frac{Q}{T} = 10^{-100} = 0.4011532 \text{m} \frac{\text{C}}{\text{s}}$
$1\text{C} = 0.01051421 \cdot 10^{-50}$	$1\text{ni}'umu-\frac{Q}{T} = 10^{-50} = 51.22003 \frac{\text{C}}{\text{s}}$ (*)
$1\text{k} \frac{\text{C}}{\text{s}} = 51.50520 \cdot 10^{-50}$	$1\text{ni}'umu-\frac{Q}{T} = 10^{-50} = 0.01044030 \text{k} \frac{\text{C}}{\text{s}}$
$1\text{m} \frac{\text{C}}{\text{s}^2} = 0.2305220 \cdot 10^{-230}$	$1\text{ni}'ureci-\frac{Q}{T^2} = 10^{-230} = 2.213140 \text{m} \frac{\text{C}}{\text{s}^2}$
$1\text{C} = 0.001540455 \cdot 10^{-220}$ (*)	$1\text{ni}'urere-\frac{Q}{T^2} = 10^{-220} = 302.5112 \frac{\text{C}}{\text{s}^2}$
$1\text{k} \frac{\text{C}}{\text{s}^2} = 13.00414 \cdot 10^{-220}$ (*)	$1\text{ni}'urere-\frac{Q}{T^2} = 10^{-220} = 0.03554035 \text{k} \frac{\text{C}}{\text{s}^2}$ (*)
$1\text{m} \text{s C} = 30.31312 \cdot 10^{200}$	$1\text{reno}-TQ = 10^{200} = 0.01535205 \text{m s C}$
$1\text{s C} = 0.2215024 \cdot 10^{210}$	$1\text{repa}-TQ = 10^{210} = 2.303253 \text{s C}$
$1\text{k s C} = 0.001501234 \cdot 10^{220}$	$1\text{rere}-TQ = 10^{220} = 313.2205 \text{k s C}$
$1\text{m m C} = 342.3455 \cdot 10^{140}$ (*)	$1\text{pavo}-LQ = 10^{140} = 0.001334310 \text{m m C}$
$1\text{m C} = 2.515154 \cdot 10^{150}$	$1\text{pamu}-LQ = 10^{150} = 0.2025034 \text{m C}$
$1\text{k m C} = 0.02120543 \cdot 10^{200}$	$1\text{reno}-LQ = 10^{200} = 24.10012 \text{k m C}$ (*)
$1\text{m} \frac{\text{m C}}{\text{s}} = 102.0415 \cdot 10^{10}$	$1\text{re}-\frac{LQ}{T} = 10^{20} = 5355.541 \text{m} \frac{\text{m C}}{\text{s}}$ (*)
$1\text{k} \frac{\text{m C}}{\text{s}} = 0.4522511 \cdot 10^{20}$	$1\text{re}-\frac{LQ}{T} = 10^{20} = 1.120213 \frac{\text{m C}}{\text{s}}$
$1\text{k} \frac{\text{m C}}{\text{s}} = 3441.010 \cdot 10^{20}$	$1\text{ci}-\frac{LQ}{T} = 10^{30} = 133.0344 \text{k} \frac{\text{m C}}{\text{s}}$
$1\text{m} \frac{\text{m C}}{\text{s}^2} = 14.44310 \cdot 10^{-120}$	$1\text{ni}'upare-\frac{LQ}{T^2} = 10^{-120} = 0.03200301 \text{m} \frac{\text{m C}}{\text{s}^2}$ (*)
$1\text{k} \frac{\text{m C}}{\text{s}^2} = 0.1215443 \cdot 10^{-110}$	$1\text{ni}'upapa-\frac{LQ}{T^2} = 10^{-110} = 4.153435 \frac{\text{m C}}{\text{s}^2}$
$1\text{k} \frac{\text{m C}}{\text{s}^2} = 0.001023153 \cdot 10^{-100}$	$1\text{ni}'upano-\frac{LQ}{T^2} = 10^{-100} = 533.4100 \text{k} \frac{\text{m C}}{\text{s}^2}$ (*)
$1\text{m m s C} = 0.002111314 \cdot 10^{320}$	$1\text{cire}-LTQ = 10^{320} = 242.0400 \text{m m s C}$ (*)
$1\text{m s C} = 14.10533 \cdot 10^{320}$	$1\text{cire}-LTQ = 10^{320} = 0.03310524 \text{m s C}$
$1\text{k m s C} = 0.1151043 \cdot 10^{330}$	$1\text{cici}-LTQ = 10^{330} = 4.324422 \text{k m s C}$
$1\text{m m}^2 \text{C} = 0.02355253 \cdot 10^{300}$ (*)	$1\text{cino}-L^2 Q = 10^{300} = 21.30234 \text{m m}^2 \text{C}$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 202.0014 \cdot 10^{300} \quad (*) \\
1 \text{k m}^2 \text{ C} &= 1.330344 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 4305.334 \cdot 10^{120} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 32.54154 \cdot 10^{130} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.2410012 \cdot 10^{140} \quad (*) \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.001140441 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 5.533222 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.04324423 \cdot 10^{10} \\
1 \text{m} \text{m}^2 \text{s C} &= 0.1322434 \cdot 10^{430} \\
1 \text{m}^2 \text{s C} &= 0.001113222 \cdot 10^{440} \\
1 \text{k m}^2 \text{s C} &= 5.334101 \cdot 10^{440} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.1121145 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}} &= 540.4124 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 4.215415 \cdot 10^{-30} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 0.02030402 \cdot 10^{-210} \\
1 \frac{\text{C}}{\text{m s}} &= 133.5425 \cdot 10^{-210} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 1.124153 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.003313330 \cdot 10^{-340} \\
1 \frac{\text{C}}{\text{m s}^2} &= 24.22421 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 0.2035451 \cdot 10^{-330} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.4201014 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.003203010 \cdot 10^{100} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 23.25521 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 1420.225 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 11.55204 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.1005420 \cdot 10^{-140} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 253.2344 \cdot 10^{-330} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 2.132050 \cdot 10^{-320} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.01424353 \cdot 10^{-310} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 45.50402 \cdot 10^{-500} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.3501121 \cdot 10^{-450} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.002543500 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.01003121 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{s C}}{\text{m}^2} &= 44.10535 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.3343045 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 22.30433 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 0.1511212 \cdot 10^{-300} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 1235.124 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 4.040014 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.03101115 \cdot 10^{-430} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 224.0415 \cdot 10^{-430} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 1.055232 \cdot 10^{-1010} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.005220003 \cdot 10^{-1000} \quad (***) \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 40.54054 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 123.1423 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 1.033241 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.005031151 \cdot 10^{-120} \\
1 \text{m kg C} &= 0.3155545 \cdot 10^{50} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ cino-}L^2Q &= 10^{300} = 0.002530231 \text{ m}^2 \text{ C} \\
1 \text{ cipa-}L^2Q &= 10^{310} = 0.3441005 \text{ k m}^2 \text{ C} \quad (*) \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 115.4204 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 0.01415040 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 2.120543 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 440.3221 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.1002244 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \quad (*) \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 11.51043 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ voci-}L^2TQ &= 10^{430} = 3.454155 \text{ m m}^2 \text{ s C} \quad (*) \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 454.2531 \text{ m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 0.1023153 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvuo-} \frac{Q}{L} &= 10^{-40} = 4.515100 \text{ m} \frac{\text{C}}{\text{m}} \quad (*) \\
1 \text{ ni'uvuo-} \frac{Q}{L} &= 10^{-40} = 0.001015530 \frac{\text{C}}{\text{m}} \quad (*) \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 0.1211214 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 25.13052 \text{ m} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ureno-} \frac{Q}{LT} &= 10^{-200} = 3421.001 \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'ureno-} \frac{Q}{LT} &= 10^{-200} = 0.4455142 \text{ k} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 140.5352 \text{ m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 0.02105515 \frac{\text{C}}{\text{m s}^2} \quad (*) \\
1 \text{ ni'ucici-} \frac{Q}{LT^2} &= 10^{-330} = 2.502053 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 1.214425 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 144.3101 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.02153435 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 325.1404 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 0.04302104 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 5.502314 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucire-} \frac{Q}{L^2 T} &= 10^{-320} = 2014.255 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'ucire-} \frac{Q}{L^2 T} &= 10^{-320} = 0.2353250 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucipa-} \frac{Q}{L^2 T} &= 10^{-310} = 32.35120 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'umuno-} \frac{Q}{L^2 T^2} &= 10^{-500} = 0.01112253 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvomu-} \frac{Q}{L^2 T^2} &= 10^{-450} = 1.321331 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvovo-} \frac{Q}{L^2 T^2} &= 10^{-440} = 200.5303 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 55.24531 \text{ m} \frac{\text{s C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.01135452 \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 1.353243 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 0.02251254 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 3.113555 \frac{\text{C}}{\text{m}^3} \quad (***) \\
1 \text{ ni'uremu-} \frac{Q}{L^3} &= 10^{-250} = 405.5230 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3 T} &= 10^{-440} = 0.1243121 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3 T} &= 10^{-430} = 15.20312 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvore-} \frac{Q}{L^3 T} &= 10^{-420} = 2241.244 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3 T^2} &= 10^{-1010} = 0.5053220 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3 T^2} &= 10^{-1000} = 104.0254 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3 T^2} &= 10^{-1000} = 0.01235402 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.004113355 \text{ m} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 0.5242531 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 110.2352 \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ mu-MQ} &= 10^{50} = 1.444452 \text{ m kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 215.5524 \text{ kg C} \quad (*) \\
1 \text{ pano-MQ} &= 10^{100} = 0.03005021 \text{ k kg C} \quad (*)
\end{aligned}$$

$1m \frac{kg\ C}{s} = 0.05355013 \cdot 10^{-40}$	(*)	$1 ni' uvo- \frac{MQ}{T} = 10^{-40} = 10.20515 m \frac{kg\ C}{s}$
$1 \frac{kg\ C}{s} = 421.1413 \cdot 10^{-40}$		$1 ni' uvo- \frac{MQ}{T} = 10^{-40} = 0.001212345 \frac{kg\ C}{s}$
$1k \frac{kg\ C}{s} = 3.212100 \cdot 10^{-30}$	(*)	$1 ni' uci- \frac{MQ}{T} = 10^{-30} = 0.1440235 k \frac{kg\ C}{s}$
$1m \frac{kg\ C}{s^2} = 0.01334135 \cdot 10^{-210}$		$1 ni' urepa- \frac{MQ}{T^2} = 10^{-210} = 34.24232 m \frac{kg\ C}{s^2}$
$1 \frac{kg\ C}{s^2} = 112.3104 \cdot 10^{-210}$		$1 ni' ureno- \frac{MQ}{T^2} = 10^{-200} = 4503.415 \frac{kg\ C}{s^2}$
$1k \frac{kg\ C}{s^2} = 0.5420550 \cdot 10^{-200}$	(*)	$1 ni' ureno- \frac{MQ}{T^2} = 10^{-200} = 1.014150 k \frac{kg\ C}{s^2}$
$1m kg\ s\ C = 1.543454 \cdot 10^{220}$		$1 rere-MTQ = 10^{220} = 0.3020300 m\ kg\ s\ C$ (*)
$1 kg\ s\ C = 0.01303005 \cdot 10^{230}$	(*)	$1 reci-MTQ = 10^{230} = 35.44002 kg\ s\ C$ (*)
$1k kg\ s\ C = 110.0200 \cdot 10^{230}$	(*)	$1 revo-MTQ = 10^{240} = 5045.215 k\ kg\ s\ C$
$1m kg\ m\ C = 22.12522 \cdot 10^{200}$		$1 reno-MLQ = 10^{200} = 0.02305444 m\ kg\ m\ C$
$1 kg\ m\ C = 0.1455431 \cdot 10^{210}$	(*)	$1 repa-MLQ = 10^{210} = 3.135204 kg\ m\ C$
$1k kg\ m\ C = 0.001225211 \cdot 10^{220}$		$1 rere-MLQ = 10^{220} = 412.4421 k\ kg\ m\ C$
$1m \frac{kg\ m\ C}{s} = 4.011140 \cdot 10^{30}$		$1 ci- \frac{MLQ}{T} = 10^{30} = 0.1253143 m \frac{kg\ m\ C}{s}$
$1 \frac{kg\ m\ C}{s} = 0.03040141 \cdot 10^{40}$		$1 vo- \frac{MLQ}{T} = 10^{40} = 15.32222 \frac{kg\ m\ C}{s}$
$1k \frac{kg\ m\ C}{s} = 222.2423 \cdot 10^{40}$		$1 vo- \frac{MLQ}{T} = 10^{40} = 0.002255352 k \frac{kg\ m\ C}{s}$ (*)
$1m \frac{kg\ m\ C}{s^2} = 1.050403 \cdot 10^{-100}$		$1 ni' upano- \frac{MLQ}{T^2} = 10^{-100} = 0.5130452 m \frac{kg\ m\ C}{s^2}$
$1 \frac{kg\ m\ C}{s^2} = 5142.012 \cdot 10^{-100}$		$1 ni' umu- \frac{MLQ}{T^2} = 10^{-50} = 104.5042 \frac{kg\ m\ C}{s^2}$
$1k \frac{kg\ m\ C}{s^2} = 40.25111 \cdot 10^{-50}$		$1 ni' umu- \frac{MLQ}{T^2} = 10^{-50} = 0.01245402 k \frac{kg\ m\ C}{s^2}$
$1m kg\ m\ s\ C = 122.1532 \cdot 10^{330}$		$1 civo-MLTQ = 10^{340} = 4143.100 m\ kg\ m\ s\ C$ (*)
$1 kg\ m\ s\ C = 1.024545 \cdot 10^{340}$		$1 civo-MLTQ = 10^{340} = 0.5321335 kg\ m\ s\ C$
$1k kg\ m\ s\ C = 4554.320 \cdot 10^{340}$	(*)	$1 cimu-MLTQ = 10^{350} = 111.1314 k\ kg\ m\ s\ C$
$1m kg\ m^2\ C = 0.001405214 \cdot 10^{320}$		$1 cire-ML^2Q = 10^{320} = 331.4053 m\ kg\ m^2\ C$
$1 kg\ m^2\ C = 11.45533 \cdot 10^{320}$	(*)	$1 cire-ML^2Q = 10^{320} = 0.04332533 kg\ m^2\ C$
$1k kg\ m^2\ C = 0.1001312 \cdot 10^{330}$	(*)	$1 cici-ML^2Q = 10^{330} = 5.542501 k\ kg\ m^2\ C$
$1m \frac{kg\ m^2\ C}{s} = 251.2404 \cdot 10^{140}$		$1 pavo- \frac{ML^2Q}{T} = 10^{140} = 0.002031002 m \frac{kg\ m^2\ C}{s}$ (*)
$1 \frac{kg\ m^2\ C}{s} = 2.114532 \cdot 10^{150}$		$1 pamu- \frac{ML^2Q}{T} = 10^{150} = 0.2412302 \frac{kg\ m^2\ C}{s}$
$1k \frac{kg\ m^2\ C}{s} = 0.01413313 \cdot 10^{200}$		$1 reno- \frac{ML^2Q}{T} = 10^{200} = 33.01305 k \frac{kg\ m^2\ C}{s}$
$1m \frac{kg\ m^2\ C}{s^2} = 45.14220 \cdot 10^{10}$		$1 pa- \frac{ML^2Q}{T^2} = 10^{10} = 0.01121255 m \frac{kg\ m^2\ C}{s^2}$ (*)
$1 \frac{kg\ m^2\ C}{s^2} = 0.3433323 \cdot 10^{20}$		$1 re- \frac{ML^2Q}{T^2} = 10^{20} = 1.332030 \frac{kg\ m^2\ C}{s^2}$
$1k \frac{kg\ m^2\ C}{s^2} = 2523.431 \cdot 10^{20}$		$1 ci- \frac{ML^2Q}{T^2} = 10^{30} = 202.1533 k \frac{kg\ m^2\ C}{s^2}$
$1m kg\ m^2\ s\ C = 5550.310 \cdot 10^{440}$	(**)	$1 vomu-ML^2TQ = 10^{450} = 100.0530 m\ kg\ m^2\ s\ C$ (*)
$1 kg\ m^2\ s\ C = 43.35440 \cdot 10^{450}$		$1 vomu-ML^2TQ = 10^{450} = 0.01145043 kg\ m^2\ s\ C$
$1k kg\ m^2\ s\ C = 0.3320203 \cdot 10^{500}$		$1 munoo-ML^2TQ = 10^{500} = 1.404200 k\ kg\ m^2\ s\ C$ (*)
$1m \frac{kg\ C}{m} = 0.004402351 \cdot 10^{-20}$		$1 ni' ure- \frac{MQ}{L} = 10^{-20} = 114.0553 m \frac{kg\ C}{m}$ (*)
$1 \frac{kg\ C}{m} = 33.35453 \cdot 10^{-20}$		$1 ni' ure- \frac{MQ}{L} = 10^{-20} = 0.01354551 \frac{kg\ C}{m}$ (*)
$1k \frac{kg\ C}{m} = 0.2441414 \cdot 10^{-10}$		$1 ni' upa- \frac{MQ}{L} = 10^{-10} = 2.053122 k \frac{kg\ C}{m}$
$1m \frac{kg\ C}{ms} = 1154.050 \cdot 10^{-200}$		$1 ni' upamu- \frac{MQ}{LT} = 10^{-150} = 431.0154 m \frac{kg\ C}{ms}$
$1 \frac{kg\ C}{ms} = 10.04442 \cdot 10^{-150}$		$1 ni' upamu- \frac{MQ}{LT} = 10^{-150} = 0.05511524 \frac{kg\ C}{ms}$ (*)
$1k \frac{kg\ C}{ms} = 0.04422054 \cdot 10^{-140}$		$1 ni' upavo- \frac{MQ}{LT} = 10^{-140} = 11.33512 k \frac{kg\ C}{ms}$
$1m \frac{kg\ C}{ms^2} = 213.0024 \cdot 10^{-330}$	(*)	$1 ni' ucire- \frac{MQ}{LT^2} = 10^{-320} = 2355.525 m \frac{kg\ C}{ms^2}$ (*)
$1 \frac{kg\ C}{ms^2} = 1.423021 \cdot 10^{-320}$		$1 ni' ucire- \frac{MQ}{LT^2} = 10^{-320} = 0.3242214 \frac{kg\ C}{ms^2}$
$1k \frac{kg\ C}{ms^2} = 0.01201222 \cdot 10^{-310}$		$1 ni' ucipa- \frac{MQ}{LT^2} = 10^{-310} = 42.51151 k \frac{kg\ C}{ms^2}$
$1m \frac{kg\ C}{m} = 0.02430534 \cdot 10^{110}$		$1 papa- \frac{MTQ}{L} = 10^{110} = 21.02311 m \frac{kg\ s\ C}{m}$
$1 \frac{kg\ s\ C}{m} = 204.3020 \cdot 10^{110}$		$1 pare- \frac{MTQ}{L} = 10^{120} = 2453.450 \frac{kg\ s\ C}{m}$
$1k \frac{kg\ s\ C}{m} = 1.350113 \cdot 10^{120}$		$1 pare- \frac{MTQ}{L} = 10^{120} = 0.3354151 k \frac{kg\ s\ C}{m}$
$1m \frac{kg\ C}{m^2} = 103.2240 \cdot 10^{-140}$		$1 ni' upavo- \frac{MTQ}{L^2} = 10^{-140} = 0.005251533 m \frac{kg\ C}{m^2}$
$1 \frac{kg\ C}{m^2} = 0.5022354 \cdot 10^{-130}$		$1 ni' upaci- \frac{MQ}{L^2} = 10^{-130} = 1.103421 \frac{kg\ C}{m^2}$
$1k \frac{kg\ C}{m^2} = 0.003524351 \cdot 10^{-120}$		$1 ni' upare- \frac{MQ}{L^2} = 10^{-120} = 131.1232 k \frac{kg\ C}{m^2}$
$1m \frac{kg\ C}{m^2\ s} = 15.05355 \cdot 10^{-310}$	(*)	$1 ni' ucipa- \frac{MQ}{L^2T} = 10^{-310} = 0.03120540 m \frac{kg\ C}{m^2\ s}$
$1 \frac{kg\ C}{m^2\ s} = 0.1233532 \cdot 10^{-300}$		$1 ni' ucino- \frac{MQ}{L^2T} = 10^{-300} = 4.103124 \frac{kg\ C}{m^2\ s}$

$1k \frac{kg\ C}{m^2 s} = 1035.050 \cdot 10^{-300}$	$1 ni'uremu-\frac{MQ}{L^2 T} = 10^{-250} = 523.0333 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 3.054153 \cdot 10^{-440}$	$1 ni'uvovo-\frac{MQ}{L^2 T^2} = 10^{-440} = 0.1522134 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.02234252 \cdot 10^{-430}$	$1 ni'uvoci-\frac{MQ}{L^2 T^2} = 10^{-430} = 22.43414 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 151.4123 \cdot 10^{-430}$	$1 ni'uvore-\frac{MQ}{L^2 T^2} = 10^{-420} = 3105.033 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 351.1045 \cdot 10^{-10}$	$1 \frac{MTQ}{L^2} = 1 = 1315.111 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 2.552221 (*)$	$1 \frac{MTQ}{L^2} = 1 = 0.2002230 \frac{kg\ s\ C}{m^2} (*)$
$1k \frac{kg\ s\ C}{m^2} = 0.02145115 \cdot 10^{10}$	$1 pa-\frac{MTQ}{L^2} = 10^{10} = 23.35001 k \frac{kg\ s\ C}{m^2} (*)$
$1m \frac{kg\ C}{m^3} = 1.311524 \cdot 10^{-250}$	$1 ni'uremu-\frac{MQ}{L^3} = 10^{-250} = 0.3523230 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.01104034 \cdot 10^{-240}$	$1 ni'urevo-\frac{MQ}{L^3} = 10^{-240} = 50.21022 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 52.53354 \cdot 10^{-240}$	$1 ni'urevo-\frac{MQ}{L^3} = 10^{-240} = 0.01032034 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 0.2335454 \cdot 10^{-420}$	$1 ni'uvore-\frac{MQ}{L^3 T} = 10^{-420} = 2.144255 m \frac{kg\ C}{m^3 s} (*)$
$1 \frac{kg\ C}{m^3 s} = 2003.015 \cdot 10^{-420} (*)$	$1 ni'uvopa-\frac{MQ}{L^3 T} = 10^{-410} = 255.1242 \frac{kg\ C}{m^3 s} (*)$
$1k \frac{kg\ C}{m^3 s} = 13.15405 \cdot 10^{-410}$	$1 ni'uvopa-\frac{MQ}{L^3 T} = 10^{-410} = 0.03505530 k \frac{kg\ C}{m^3 s} (*)$
$1m \frac{kg\ C}{m^3 s^2} = 0.04233444 \cdot 10^{-550}$	$1 ni'umumu-\frac{MQ}{L^3 T^2} = 10^{-550} = 12.04135 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 323.1013 \cdot 10^{-550}$	$1 ni'umuovo-\frac{MQ}{L^3 T^2} = 10^{-540} = 1430.441 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 2.350125 \cdot 10^{-540}$	$1 ni'umuovo-\frac{MQ}{L^3 T^2} = 10^{-540} = 0.2134523 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 5.232150 \cdot 10^{-120}$	$1 ni'upare-\frac{MTQ}{L^3} = 10^{-120} = 0.1034443 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 0.04104320 \cdot 10^{-110}$	$1 ni'upapa-\frac{MTQ}{L^3} = 10^{-110} = 12.33250 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 312.1543 \cdot 10^{-110}$	$1 ni'upano-\frac{MTQ}{L^3} = 10^{-100} = 1505.025 k \frac{kg\ s\ C}{m^3}$
<hr/>	
$1m \frac{1}{K} = 2.423454 \cdot 10^{100}$	$1 pano-\frac{1}{\Theta} = 10^{100} = 0.2105001 m \frac{1}{K} (*)$
$1 \frac{1}{K} = 0.02040353 \cdot 10^{110}$	$1 papa-\frac{1}{\Theta} = 10^{110} = 25.01003 \frac{1}{K} (*)$
$1k \frac{1}{K} = 134.4205 \cdot 10^{110}$	$1 pare-\frac{1}{\Theta} = 10^{120} = 3402.245 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$	$1 ni'uci-\frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$	$1 ni'ure-\frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$	$1 ni'ure-\frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK} (*)$
$1m \frac{1}{s^2 K} = 0.1152350 \cdot 10^{-200}$	$1 ni'uren-\frac{1}{T^2\Theta} = 10^{-200} = 4.315250 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 1003.344 \cdot 10^{-200} (*)$	$1 ni'upamu-\frac{1}{T^2\Theta} = 10^{-150} = 552.2325 \frac{1}{s^2 K} (*)$
$1k \frac{1}{s^2 K} = 4.412450 \cdot 10^{-150}$	$1 ni'upamu-\frac{1}{T^2\Theta} = 10^{-150} = 0.1135151 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 13.40220 \cdot 10^{230}$	$1 reci-\frac{T}{\Theta} = 10^{230} = 0.03415303 m \frac{s}{K}$
$1 \frac{s}{K} = 0.1124453 \cdot 10^{240}$	$1 revo-\frac{T}{\Theta} = 10^{240} = 4.453205 \frac{s}{K}$
$1k \frac{s}{K} = 543.2311 \cdot 10^{240}$	$1 revo-\frac{T}{\Theta} = 10^{240} = 0.001012533 k \frac{s}{K}$
$1m \frac{m}{K} = 154.1335 \cdot 10^{210}$	$1 rere-\frac{L}{\Theta} = 10^{220} = 3023.550 m \frac{m}{K} (*)$
$1 \frac{m}{K} = 1.301152 \cdot 10^{220}$	$1 rere-\frac{L}{\Theta} = 10^{220} = 0.3552302 \frac{m}{K} (*)$
$1k \frac{m}{K} = 0.01055003 \cdot 10^{230} (**)$	$1 reci-\frac{L}{\Theta} = 10^{230} = 50.55120 k \frac{m}{K} (*)$
$1m \frac{m}{sK} = 31.52112 \cdot 10^{40}$	$1 vo-\frac{L}{T\Theta} = 10^{40} = 0.01450510 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.2320343 \cdot 10^{50}$	$1 mu-\frac{L}{T\Theta} = 10^{50} = 2.202320 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.001550224 \cdot 10^{100} (*)$	$1 pano-\frac{L}{T\Theta} = 10^{100} = 301.2300 k \frac{m}{sK} (*)$
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$	$1 ni'umu-\frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$	$1 ni'uvo-\frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$	$1 ni'uvo-\frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 1052.104 \cdot 10^{340}$	$1 cimu-\frac{LT}{\Theta} = 10^{350} = 511.5531 m \frac{ms}{K} (*)$
$1 \frac{ms}{K} = 5.153003 \cdot 10^{350} (*)$	$1 cimu-\frac{LT}{\Theta} = 10^{350} = 0.1043344 \frac{ms}{K}$
$1k \frac{ms}{K} = 0.04034331 \cdot 10^{400}$	$1 vono-\frac{LT}{\Theta} = 10^{400} = 12.43425 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 0.01220203 \cdot 10^{330}$	$1 cici-\frac{L^2}{\Theta} = 10^{330} = 41.52013 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 102.3430 \cdot 10^{330}$	$1 civo-\frac{L^2}{\Theta} = 10^{340} = 5331.532 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.4544525 \cdot 10^{340}$	$1 civo-\frac{L^2}{\Theta} = 10^{340} = 1.112525 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.002210114 \cdot 10^{200}$	$1 reno-\frac{L^2}{T\Theta} = 10^{200} = 231.2400 m \frac{m^2}{sK} (*)$
$1 \frac{m^2}{sK} = 14.53403 \cdot 10^{200}$	$1 reno-\frac{L^2}{T\Theta} = 10^{200} = 0.03143023 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.1223434 \cdot 10^{210}$	$1 repa-\frac{L^2}{T\Theta} = 10^{210} = 4.133314 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 400.2415 \cdot 10^{20} (*)$	$1 re-\frac{L^2}{T^2\Theta} = 10^{20} = 0.001254552 m \frac{m^2}{s^2 K} (*)$

$1 \frac{m^2}{s^2 K} = 3.032433 \cdot 10^{30}$	$1 ci \frac{L^2}{T^2 \Theta} = 10^{30} = 0.1534331 \frac{m^2}{s^2 K}$
$1 k \frac{m^2}{s^2 K} = 0.02220005 \cdot 10^{40}$ (**)	$1 vo \frac{L^2}{T^2 \Theta} = 10^{40} = 23.02253 k \frac{m^2}{s^2 K}$
$1 m \frac{m^2 s}{K} = 0.04524455 \cdot 10^{500}$ (*)	$1 muno \frac{L^2 T}{\Theta} = 10^{500} = 11.15515 m \frac{m^2 s}{K}$ (*)
$1 \frac{m^2 s}{K} = 344.2313 \cdot 10^{500}$	$1 muno \frac{L^2 T}{\Theta} = 10^{500} = 0.001325555 \frac{m^2 s}{K}$ (**)
$1 k \frac{m^2 s}{K} = 2.531332 \cdot 10^{510}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 0.2015120 k \frac{m^2 s}{K}$
$1 m \frac{1}{m K} = 0.03502433 \cdot 10^{-10}$	$1 ni'upa \frac{1}{L \Theta} = 10^{-10} = 13.20544 m \frac{1}{m K}$
$1 \frac{1}{m K} = 254.5005 \cdot 10^{-10}$ (*)	$1 \frac{1}{L \Theta} = 1 = 2004.412 \frac{1}{m K}$ (*)
$1 k \frac{1}{m K} = 2.142341$	$1 \frac{1}{L \Theta} = 1 = 0.2341545 k \frac{1}{m K}$
$1 m \frac{1}{m s K} = 0.01031113 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 53.02054 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 50.12533 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 0.01105024 \frac{1}{m s K}$
$1 k \frac{1}{m s K} = 0.3520120 \cdot 10^{-130}$	$1 ni'upaci \frac{1}{LT \Theta} = 10^{-130} = 1.313100 k \frac{1}{m s K}$ (*)
$1 m \frac{1}{m s^2 K} = 1503.321 \cdot 10^{-320}$	$1 ni'ucipa \frac{1}{LT^2 \Theta} = 10^{-310} = 312.4340 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 12.32145 \cdot 10^{-310}$	$1 ni'ucipa \frac{1}{LT^2 \Theta} = 10^{-310} = 0.04111554 \frac{1}{m s^2 K}$ (*)
$1 k \frac{1}{m s^2 K} = 0.1033520 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{LT^2 \Theta} = 10^{-300} = 5.240432 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 0.2133014 \cdot 10^{120}$	$1 pare \frac{T}{L \Theta} = 10^{120} = 2.352225 m \frac{s}{m K}$
$1 \frac{s}{m K} = 1425.204 \cdot 10^{120}$	$1 paci \frac{T}{L \Theta} = 10^{130} = 323.3503 \frac{s}{m K}$
$1 k \frac{s}{m K} = 12.03100 \cdot 10^{130}$ (*)	$1 paci \frac{T}{L \Theta} = 10^{130} = 0.04241234 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 522.2101 \cdot 10^{-130}$	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 1040.014 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 4.055454 \cdot 10^{-120}$ (*)	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 0.1235034 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 0.03114151 \cdot 10^{-110}$	$1 ni'upapa \frac{1}{L^2 \Theta} = 10^{-110} = 15.11104 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 131.0101 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2 s \Theta} = 10^{-300} = 0.003531504 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 1.102432 \cdot 10^{-250}$	$1 ni'uremu \frac{1}{L^2 T \Theta} = 10^{-250} = 0.5030452 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 0.005243242 \cdot 10^{-240}$	$1 ni'urevo \frac{1}{L^2 T \Theta} = 10^{-240} = 103.3202 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 23.32513 \cdot 10^{-430}$	$1 ni'uvoci \frac{1}{L^2 T^2 \Theta} = 10^{-430} = 0.02151035 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.2000435 \cdot 10^{-420}$ (**)	$1 ni'uvore \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 2.554502 \frac{1}{m^2 s^2 K}$ (*)
$1 k \frac{1}{m^2 s^2 K} = 1313.533 \cdot 10^{-420}$	$1 ni'uvopa \frac{1}{L^2 T^2 \Theta} = 10^{-410} = 351.4150 k \frac{1}{m^2 s^2 K}$
$1 m \frac{s}{m^2 K} = 3102.254 \cdot 10^0$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 151.5440 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.41411 \cdot 10^{10}$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 0.02240252 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.1520415 \cdot 10^{20}$	$1 re \frac{T}{L^2 \Theta} = 10^{20} = 3.100525 k \frac{s}{m^2 K}$ (*)
$1 m \frac{1}{m^3 K} = 11.32500 \cdot 10^{-240}$ (*)	$1 ni'urevo \frac{1}{L^3 \Theta} = 10^{-240} = 0.04430012 m \frac{1}{m^3 K}$ (*)
$1 \frac{1}{m^3 K} = 0.05503040 \cdot 10^{-230}$ (*)	$1 ni'ureci \frac{1}{L^3 \Theta} = 10^{-230} = 10.05343 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 430.2343 \cdot 10^{-230}$	$1 ni'urere \frac{1}{L^3 \Theta} = 10^{-220} = 1155.121 k \frac{1}{m^3 K}$ (*)
$1 m \frac{1}{m^3 s K} = 2.051250 \cdot 10^{-410}$	$1 ni'uvopa \frac{1}{L^3 T \Theta} = 10^{-410} = 0.2443555 m \frac{1}{m^3 s K}$ (**)
$1 \frac{1}{m^3 s K} = 0.01353341 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 33.42441 \frac{1}{m^3 s K}$
$1 k \frac{1}{m^3 s K} = 113.5535 \cdot 10^{-400}$ (*)	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 0.004410253 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 0.3351153 \cdot 10^{-540}$	$1 ni'umuvo \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 1.351320 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 2451.300 \cdot 10^{-540}$ (*)	$1 ni'umuci \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 204.4445 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 21.00430 \cdot 10^{-530}$ (*)	$1 ni'umuci \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 0.02433110 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 42.43352 \cdot 10^{-110}$	$1 ni'upapa \frac{T}{L^3 \Theta} = 10^{-110} = 0.01202255 m \frac{s}{m^3 K}$ (*)
$1 \frac{s}{m^3 K} = 0.3235320 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3 \Theta} = 10^{-100} = 1.424252 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 2353.422 \cdot 10^{-100}$	$1 ni'umu \frac{T}{L^3 \Theta} = 10^{-50} = 213.1531 k \frac{s}{m^3 K}$
$1 m \frac{kg}{K} = 0.1423431 \cdot 10^{120}$	$1 pare \frac{M}{\Theta} = 10^{120} = 3.241000 m \frac{kg}{K}$ (**)
$1 \frac{kg}{K} = 1201.534 \cdot 10^{120}$	$1 paci \frac{M}{\Theta} = 10^{130} = 424.5304 \frac{kg}{K}$
$1 k \frac{kg}{K} = 10.11414 \cdot 10^{130}$	$1 paci \frac{M}{\Theta} = 10^{130} = 0.05443151 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 0.02542151 \cdot 10^{-10}$	$1 ni'upa \frac{M}{T \Theta} = 10^{-10} = 20.10321 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 214.0305 \cdot 10^{-10}$	$1 \frac{M}{T \Theta} = 1 = 2344.212 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 1.432011$	$1 \frac{M}{T \Theta} = 1 = 0.3224340 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 0.005004154 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 111.0100 m \frac{kg}{s^2 K}$ (*)
$1 \frac{kg}{s^2 K} = 35.12401 \cdot 10^{-140}$	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 0.01314330 \frac{kg}{s^2 K}$
$1 k \frac{kg}{s^2 K} = 0.2553325 \cdot 10^{-130}$ (*)	$1 ni'upaci \frac{M}{T^2 \Theta} = 10^{-130} = 2.001342 k \frac{kg}{s^2 K}$ (*)

$$\begin{aligned}
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 1.005110 \cdot 10^{250} \quad (*) \\
1 \frac{\text{kg s}}{\text{K}} &= 0.004424015 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 33.54055 \cdot 10^{300} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 11.23403 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.05423133 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 423.2120 \cdot 10^{240} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.01342511 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.0422 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.3324243 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.002432011 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 20.43523 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 42.13243 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 0.3213304 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.002334523 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 514.4053 \cdot 10^{340} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 4.030500 \cdot 10^{350} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 0.03053111 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 125.5535 \cdot 10^{210} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1.053542 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 5205.104 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.1544334 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.001303343 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.003041310 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 22.23411 \cdot 10^{520} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.1505000 \cdot 10^{530} \quad (***) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 2235.243 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 15.14554 \cdot 10^{10} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.1242012 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 405.2003 \cdot 10^{-130} \quad (*) \\
1 \frac{\text{kg}}{\text{m s K}} &= 3.111212 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 0.02245244 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 110.1404 \cdot 10^{-300} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.5234244 \cdot 10^{-250} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.004110120 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.5330 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.5045102 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 32.32225 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.2351150 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 2012.453 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 5.453434 \cdot 10^{-240} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.04254300 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 324.4502 \cdot 10^{-230} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.352035 \cdot 10^{-410} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.01134435 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 55.20032 \cdot 10^{-400} \quad (***) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 200.3505 \cdot 10^{20} \quad (*) \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 1.320151 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu} \frac{MT}{\Theta} &= 10^{250} = 0.5505321 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 113.3210 \frac{\text{kg s}}{\text{K}} \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 0.01350140 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{reci} \frac{ML}{\Theta} &= 10^{230} = 0.04501441 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 10.13520 \frac{\text{kg m}}{\text{K}} \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 0.001204430 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano} \frac{ML}{T\Theta} &= 10^{100} = 0.2503342 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa} \frac{ML}{T\Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare} \frac{ML}{T\Theta} &= 10^{120} = 4442.001 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni'uci} \frac{ML}{T^2\Theta} &= 10^{-30} = 1.402222 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 210.1400 \frac{\text{kg m}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.02452405 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vono} \frac{MLT}{\Theta} &= 10^{400} = 0.01212030 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 1.435421 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore} \frac{MLT}{\Theta} &= 10^{420} = 214.5151 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{civo} \frac{ML^2}{\Theta} &= 10^{340} = 0.001044400 \text{m} \frac{\text{kg m}^2}{\text{K}} \quad (*) \\
1 \text{cimu} \frac{ML^2}{\Theta} &= 10^{350} = 0.1245031 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 15.22540 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 4000.100 \text{m} \frac{\text{kg m}^2}{\text{s K}} \quad (***) \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 0.5103543 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci} \frac{ML^2}{T\Theta} &= 10^{230} = 104.1525 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.02204413 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.2234 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure} \frac{ML^2 T}{\Theta} &= 10^{520} = 153.1343 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{mure} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.02254352 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci} \frac{ML^2 T}{\Theta} &= 10^{530} = 3.122032 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 224.2421 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 0.03103453 \frac{\text{kg}}{\text{m K}} \\
1 \text{re} \frac{M}{L\Theta} &= 10^{20} = 4.043230 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 1240.231 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 0.1512522 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upapa} \frac{M}{LT\Theta} &= 10^{-110} = 22.32430 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'ucino} \frac{M}{LT^2\Theta} &= 10^{-300} = 0.005035253 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 1.034204 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'urevo} \frac{M}{LT^2\Theta} &= 10^{-240} = 123.2523 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 41.01323 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu} \frac{MT}{L\Theta} &= 10^{150} = 1.100214 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'upapa} \frac{M}{L^2\Theta} &= 10^{-110} = 0.01430030 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 2.133555 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (***) \\
1 \text{ni'umu} \frac{M}{L^2\Theta} &= 10^{-50} = 253.5011 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 0.1010322 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'ureci} \frac{M}{L^2T\Theta} &= 10^{-230} = 12.00240 \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'urere} \frac{M}{L^2T\Theta} &= 10^{-220} = 1421.454 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uvopa} \frac{M}{L^2T^2\Theta} &= 10^{-410} = 0.3350035 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \text{ni'uvono} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 44.14444 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvono} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 0.01004021 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \text{re} \frac{MT}{L^2\Theta} &= 10^{20} = 0.002550133 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ci} \frac{MT}{L^2\Theta} &= 10^{30} = 0.3504213 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 0.01111300 \cdot 10^{40}$ (*)	$1 vo \frac{MT}{L^2 \Theta} = 10^{40} = 45.54432 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.4451201 \cdot 10^{-220}$	$1 ni'urere \frac{M}{L^3 \Theta} = 10^{-220} = 1.125201 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 3413.543 \cdot 10^{-220}$	$1 ni'urepa \frac{M}{L^3 \Theta} = 10^{-210} = 134.1022 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 25.10444 \cdot 10^{-210}$	$1 ni'urepa \frac{M}{L^3 \Theta} = 10^{-210} = 0.02032220 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s K} = 0.1210133 \cdot 10^{-350}$	$1 ni'ucimu \frac{M}{L^3 T \Theta} = 10^{-350} = 4.223152 m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.001015020 \cdot 10^{-340}$	$1 ni'ucivo \frac{M}{L^3 T \Theta} = 10^{-340} = 541.2523 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 4.511102 \cdot 10^{-340}$	$1 ni'ucivo \frac{M}{L^3 T \Theta} = 10^{-340} = 0.1122150 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 0.02151513 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 23.32002 m \frac{kg}{m^3 s^2 K}$ (*)
$1 \frac{kg}{m^3 s^2 K} = 144.1413 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 0.003205435 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 1.213340 \cdot 10^{-510}$	$1 ni'umupa \frac{M}{L^3 T^2 \Theta} = 10^{-510} = 0.4204334 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 2.455455 \cdot 10^{-50}$ (*)	$1 ni'umu \frac{MT}{L^3 \Theta} = 10^{-50} = 0.2041313 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 0.02104031 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^3 \Theta} = 10^{-40} = 24.24550 \frac{kg\ s}{m^3 K}$ (*)
$1k \frac{kg\ s}{m^3 K} = 140.4134 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^3 \Theta} = 10^{-40} = 0.003320254 k \frac{kg\ s}{m^3 K}$
$1m K = 3402.245 \cdot 10^{-120}$	$1 ni'upapa-\Theta = 10^{-110} = 134.4205 m\ K$
$1 K = 25.01003 \cdot 10^{-110}$ (*)	$1 ni'upapa-\Theta = 10^{-110} = 0.02040353 K$
$1k K = 0.2105001 \cdot 10^{-100}$ (*)	$1 ni'upano-\Theta = 10^{-100} = 2.423454 k\ K$
$1m \frac{K}{s} = 0.001012533 \cdot 10^{-240}$	$1 ni'urevo \frac{\Theta}{T} = 10^{-240} = 543.2311 m \frac{K}{s}$
$1 \frac{K}{s} = 4.453205 \cdot 10^{-240}$	$1 ni'urevo \frac{\Theta}{T} = 10^{-240} = 0.1124453 \frac{K}{s}$
$1k \frac{K}{s} = 0.03415303 \cdot 10^{-230}$	$1 ni'ureci \frac{\Theta}{T} = 10^{-230} = 13.40220 k \frac{K}{s}$
$1m \frac{K}{s^2} = 143.4034 \cdot 10^{-420}$	$1 ni'uvore \frac{\Theta}{T^2} = 10^{-420} = 0.003220342 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 1.210500 \cdot 10^{-410}$ (*)	$1 ni'uvopa \frac{\Theta}{T^2} = 10^{-410} = 0.4221250 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 0.01015255 \cdot 10^{-400}$ (*)	$1 ni'uvono \frac{\Theta}{T^2} = 10^{-400} = 54.10304 k \frac{K}{s^2}$
$1m s\ K = 0.02055403 \cdot 10^{20}$ (*)	$1 re-T\Theta = 10^{20} = 24.34322 m\ s\ K$
$1 s\ K = 140.0511 \cdot 10^{20}$	$1 re-T\Theta = 10^{20} = 0.003331424 s\ K$
$1k s\ K = 1.142240 \cdot 10^{30}$	$1 ci-T\Theta = 10^{30} = 0.4353205 k\ s\ K$
$1m m\ K = 0.2341545 \cdot 10^0$	$1 L\Theta = 1 = 2.142341 m\ m\ K$
$1 m\ K = 2004.412 \cdot 10^0$ (*)	$1 pa-L\Theta = 10^{10} = 254.5005 m\ K$ (*)
$1k m\ K = 13.20544 \cdot 10^{10}$	$1 pa-L\Theta = 10^{10} = 0.03502433 k\ m\ K$
$1m \frac{m\ K}{s} = 0.04241234 \cdot 10^{-130}$	$1 ni'upaci \frac{L\Theta}{T} = 10^{-130} = 12.03100 m \frac{m\ K}{s}$ (*)
$1 \frac{m\ K}{s} = 323.3503 \cdot 10^{-130}$	$1 ni'upare \frac{L\Theta}{T} = 10^{-120} = 1425.204 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 2.352225 \cdot 10^{-120}$	$1 ni'upare \frac{L\Theta}{T} = 10^{-120} = 0.2133014 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 0.01132112 \cdot 10^{-300}$	$1 ni'ucino \frac{L\Theta}{T^2} = 10^{-300} = 44.32223 m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 55.00113 \cdot 10^{-300}$ (**)	$1 ni'ucino \frac{L\Theta}{T^2} = 10^{-300} = 0.01010045 \frac{m\ K}{s^2}$ (*)
$1k \frac{m\ K}{s^2} = 0.4300215 \cdot 10^{-250}$ (*)	$1 ni'uremu \frac{L\Theta}{T^2} = 10^{-250} = 1.155520 k \frac{m\ K}{s^2}$ (**)
$1m m\ s\ K = 1.313100 \cdot 10^{130}$ (*)	$1 paci-LT\Theta = 10^{130} = 0.3520120 m\ m\ s\ K$
$1m s\ K = 0.01105024 \cdot 10^{140}$	$1 pavo-LT\Theta = 10^{140} = 50.12533 m\ s\ K$
$1k m\ s\ K = 53.02054 \cdot 10^{140}$	$1 pavo-LT\Theta = 10^{140} = 0.01031113 k\ m\ s\ K$
$1m m^2 K = 15.11104 \cdot 10^{110}$	$1 papa-L^2\Theta = 10^{110} = 0.03114151 m\ m^2 K$
$1 m^2 K = 0.1235034 \cdot 10^{120}$	$1 pare-L^2\Theta = 10^{120} = 4.055454 m^2 K$ (*)
$1k m^2 K = 1040.014 \cdot 10^{120}$	$1 paci-L^2\Theta = 10^{130} = 522.2101 k\ m^2 K$
$1m \frac{m^2 K}{s} = 3.100525 \cdot 10^{-20}$ (*)	$1 ni'ure-\frac{L^2\Theta}{T} = 10^{-20} = 0.1520415 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.02240252 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 22.41411 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 151.5440 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 3102.254 k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5215254 \cdot 10^{-150}$	$1 ni'upamu-\frac{L^2\Theta}{T^2} = 10^{-150} = 1.040334 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 0.004053431 \cdot 10^{-140}$	$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 123.5453 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 31.12414 \cdot 10^{-140}$	$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 0.01512041 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 103.3202 \cdot 10^{240}$	$1 revo-L^2T\Theta = 10^{240} = 0.005243242 m\ m^2 s\ K$
$1 m^2 s\ K = 0.5030452 \cdot 10^{250}$	$1 remu-L^2T\Theta = 10^{250} = 1.102432 m^2 s\ K$
$1k m^2 s\ K = 0.003531504 \cdot 10^{300}$	$1 cino-L^2T\Theta = 10^{300} = 131.0101 k\ m^2 s\ K$
$1m \frac{K}{m} = 50.55120 \cdot 10^{-230}$ (*)	$1 ni'ureci-\frac{\Theta}{L} = 10^{-230} = 0.01055003 m \frac{K}{m}$ (**)

$1 \frac{K}{m} = 0.3552302 \cdot 10^{-220}$	(*)	$1 ni'urere-\frac{\Theta}{L} = 10^{-220} = 1.301152 \frac{K}{m}$
$1 k \frac{K}{m} = 3023.550 \cdot 10^{-220}$	(*)	$1 ni'urepa-\frac{\Theta}{L} = 10^{-210} = 154.1335 k \frac{K}{m}$
$1 m \frac{K}{ms} = 12.43425 \cdot 10^{-400}$		$1 ni'uvono-\frac{\Theta}{LT} = 10^{-400} = 0.04034331 m \frac{K}{ms}$
$1 \frac{K}{ms} = 0.1043344 \cdot 10^{-350}$		$1 ni'ucimu-\frac{\Theta}{LT} = 10^{-350} = 5.153003 \frac{K}{ms}$
$1 k \frac{K}{ms} = 511.5531 \cdot 10^{-350}$	(*)	$1 ni'ucivo-\frac{\Theta}{LT} = 10^{-340} = 1052.104 k \frac{K}{ms}$
$1 m \frac{K}{ms^2} = 2.252212 \cdot 10^{-530}$		$1 ni'umuci-\frac{\Theta}{LT^2} = 10^{-530} = 0.2225524 m \frac{K}{ms^2}$
$1 \frac{K}{ms^2} = 0.01525511 \cdot 10^{-520}$	(*)	$1 ni'umure-\frac{\Theta}{LT^2} = 10^{-520} = 30.44221 \frac{K}{ms^2}$
$1 k \frac{K}{ms^2} = 125.1202 \cdot 10^{-520}$		$1 ni'umure-\frac{\Theta}{LT^2} = 10^{-520} = 0.004020334 k \frac{K}{ms^2}$
$1 m \frac{sK}{m} = 301.2300 \cdot 10^{-100}$	(*)	$1 ni'upano-\frac{T\Theta}{L} = 10^{-100} = 0.001550224 m \frac{sK}{m}$
$1 \frac{sK}{m} = 2.202320 \cdot 10^{-50}$		$1 ni'umu-\frac{T\Theta}{L} = 10^{-50} = 0.2320343 \frac{sK}{m}$
$1 k \frac{sK}{m} = 0.01450510 \cdot 10^{-40}$		$1 ni'uvo-\frac{T\Theta}{L} = 10^{-40} = 31.52112 k \frac{sK}{m}$
$1 m \frac{K}{m^2} = 1.112525 \cdot 10^{-340}$		$1 ni'ucivo-\frac{\Theta}{L^2} = 10^{-340} = 0.4544525 m \frac{K}{m^2}$
$1 \frac{K}{m^2} = 5331.532 \cdot 10^{-340}$		$1 ni'ucici-\frac{\Theta}{L^2} = 10^{-330} = 102.3430 \frac{K}{m^2}$
$1 k \frac{K}{m^2} = 41.52013 \cdot 10^{-330}$		$1 ni'ucici-\frac{\Theta}{L^2} = 10^{-330} = 0.01220203 k \frac{K}{m^2}$
$1 m \frac{K}{m^2 s} = 0.2015120 \cdot 10^{-510}$		$1 ni'umupa-\frac{\Theta}{L^2 T} = 10^{-510} = 2.531332 m \frac{K}{m^2 s}$
$1 \frac{K}{m^2 s} = 0.001325555 \cdot 10^{-500}$	(**)	$1 ni'umuno-\frac{\Theta}{L^2 T} = 10^{-500} = 344.2313 \frac{K}{m^2 s}$
$1 k \frac{K}{m^2 s} = 11.15515 \cdot 10^{-500}$	(*)	$1 ni'umuno-\frac{\Theta}{L^2 T} = 10^{-500} = 0.04524455 k \frac{K}{m^2 s}$
$1 m \frac{K}{m^2 s^2} = 0.03252531 \cdot 10^{-1040}$		$1 ni'upanovo-\frac{\Theta}{L^2 T^2} = 10^{-1040} = 14.15445 m \frac{K}{m^2 s^2}$
$1 \frac{K}{m^2 s^2} = 240.4543 \cdot 10^{-1040}$		$1 ni'upanovo-\frac{\Theta}{L^2 T^2} = 10^{-1040} = 0.002121504 \frac{K}{m^2 s^2}$
$1 k \frac{K}{m^2 s^2} = 2.024134 \cdot 10^{-1030}$		$1 ni'upanoci-\frac{\Theta}{L^2 T^2} = 10^{-1030} = 0.2520252 k \frac{K}{m^2 s^2}$
$1 m \frac{sK}{m^2} = 4.133314 \cdot 10^{-210}$		$1 ni'urepa-\frac{T\Theta}{L^2} = 10^{-210} = 0.1223434 m \frac{sK}{m^2}$
$1 \frac{sK}{m^2} = 0.03143023 \cdot 10^{-200}$		$1 ni'ureno-\frac{T\Theta}{L^2} = 10^{-200} = 14.53403 \frac{sK}{m^2}$
$1 k \frac{sK}{m^2} = 231.2400 \cdot 10^{-200}$	(*)	$1 ni'ureno-\frac{T\Theta}{L^2} = 10^{-200} = 0.002210114 k \frac{sK}{m^2}$
$1 m \frac{K}{m^3} = 0.01410130 \cdot 10^{-450}$		$1 ni'uvomu-\frac{\Theta}{L^3} = 10^{-450} = 33.12155 m \frac{K}{m^3}$
$1 \frac{K}{m^3} = 115.0334 \cdot 10^{-450}$		$1 ni'uvovo-\frac{\Theta}{L^3} = 10^{-440} = 4330.323 \frac{K}{m^3}$
$1 k \frac{K}{m^3} = 1.002020 \cdot 10^{-440}$	(*)	$1 ni'uvovo-\frac{\Theta}{L^3} = 10^{-440} = 0.5535440 k \frac{K}{m^3}$
$1 m \frac{K}{m^3 s} = 0.002514100 \cdot 10^{-1020}$	(*)	$1 ni'upanore-\frac{\Theta}{L^3 T} = 10^{-1020} = 202.5534 m \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s} = 21.20023 \cdot 10^{-1020}$	(*)	$1 ni'upanore-\frac{\Theta}{L^3 T} = 10^{-1020} = 0.02411041 \frac{K}{m^3 s}$
$1 k \frac{K}{m^3 s} = 0.1414231 \cdot 10^{-1010}$		$1 ni'upanopa-\frac{\Theta}{L^3 T} = 10^{-1010} = 3.255420 k \frac{K}{m^3 s}$
$1 m \frac{K}{m^3 s^2} = 452.0523 \cdot 10^{-1200}$		$1 ni'upareno-\frac{\Theta}{L^3 T^2} = 10^{-1200} = 0.001120511 m \frac{K}{m^3 s^2}$
$1 \frac{K}{m^3 s^2} = 3.435303 \cdot 10^{-1150}$		$1 ni'upapamu-\frac{\Theta}{L^3 T^2} = 10^{-1150} = 0.1331133 \frac{K}{m^3 s^2}$
$1 k \frac{K}{m^3 s^2} = 0.02525131 \cdot 10^{-1140}$		$1 ni'upapavo-\frac{\Theta}{L^3 T^2} = 10^{-1140} = 20.20512 k \frac{K}{m^3 s^2}$
$1 m \frac{sK}{m^3} = 0.05553335 \cdot 10^{-320}$	(**)	$1 ni'ucire-\frac{T\Theta}{L^3} = 10^{-320} = 10.00222 m \frac{sK}{m^3}$
$1 \frac{sK}{m^3} = 434.2053 \cdot 10^{-320}$		$1 ni'ucire-\frac{T\Theta}{L^3} = 10^{-320} = 0.001144242 \frac{sK}{m^3}$
$1 k \frac{sK}{m^3} = 3.322103 \cdot 10^{-310}$		$1 ni'ucipa-\frac{T\Theta}{L^3} = 10^{-310} = 0.1403245 k \frac{sK}{m^3}$
$1 m kg K = 220.0225 \cdot 10^{-100}$		$1 ni'upano-M\Theta = 10^{-100} = 0.002322550 m kg K$
$1 kg K = 1.445113 \cdot 10^{-50}$		(*)
$1 k kg K = 0.01220152 \cdot 10^{-40}$		$1 ni'umu-M\Theta = 10^{-50} = 0.3155125 kg K$
$1 m \frac{kg K}{s} = 35.44512 \cdot 10^{-230}$		(*)
$1 \frac{kg K}{s} = 0.3021100 \cdot 10^{-220}$	(*)	$1 ni'uvo-M\Theta = 10^{-40} = 41.52051 k kg K$
$1 k \frac{kg K}{s} = 2210.054 \cdot 10^{-220}$		$1 ni'ureci-\frac{M\Theta}{T} = 10^{-230} = 0.01302410 m \frac{kg K}{s}$
$1 m \frac{kg K}{s^2} = 10.42334 \cdot 10^{-400}$		$1 ni'urere-\frac{M\Theta}{T} = 10^{-220} = 1.543222 \frac{kg K}{s}$
$1 \frac{kg K}{s^2} = 0.05111052 \cdot 10^{-350}$		$1 ni'urepa-\frac{M\Theta}{T} = 10^{-210} = 231.2420 k \frac{kg K}{s}$
$1 k \frac{kg K}{s^2} = 400.2344 \cdot 10^{-350}$	(*)	$1 ni'uvono-\frac{M\Theta}{T^2} = 10^{-400} = 0.05201522 m \frac{kg K}{s^2}$
$1 m kg s K = 0.001212534 \cdot 10^{40}$		$1 ni'ucimu-\frac{M\Theta}{T^2} = 10^{-350} = 10.53124 \frac{kg K}{s^2}$
$1 kg s K = 10.21041 \cdot 10^{40}$		$1 ni'ucivo-\frac{M\Theta}{T^2} = 10^{-340} = 1255.004 k \frac{kg K}{s^2}$
$1 k kg s K = 0.04524415 \cdot 10^{50}$		(**)
$1 m kg m K = 0.01355201 \cdot 10^{20}$	(*)	$1 vo-MT\Theta = 10^{40} = 421.0432 m kg s K$
$1 kg m K = 114.1134 \cdot 10^{20}$		$1 vo-MT\Theta = 10^{40} = 0.05353452 kg s K$
$1 k kg m K = 0.5535350 \cdot 10^{30}$	(*)	$1 mu-MT\Theta = 10^{50} = 11.15525 k kg s K$
$1 m \frac{kg m K}{s} = 2454.231 \cdot 10^{-120}$		(*)

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 21.03001 \cdot 10^{-110} \quad (*) \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.1403233 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 444.4541 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 3.412041 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 0.02505213 \cdot 10^{-230} \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{k kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{k kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.2002505 \cdot 10^0 \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1315.312 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 11.10523 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.03230413 \cdot 10^{-130} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 234.5554 \cdot 10^{-130} \quad (***) \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.011450 \cdot 10^{-120} \\
1 \text{m kg m}^2 \text{s K} &= 4.104052 \cdot 10^{300} \\
1 \text{kg m}^2 \text{s K} &= 0.03121352 \cdot 10^{310} \\
1 \text{k kg m}^2 \text{s K} &= 225.4150 \cdot 10^{310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 3.140022 \cdot 10^{-210} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}} &= 0.02310202 \cdot 10^{-200} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 154.1321 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 0.5322452 \cdot 10^{-340} \\
1 \frac{\text{kg K}}{\text{m s}} &= 4144.034 \cdot 10^{-340} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 31.52043 \cdot 10^{-330} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.1324314 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.001114434 \cdot 10^{-500} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 5.344303 \cdot 10^{-500} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 15.32452 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.1253341 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 0.001052055 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.04333533 \cdot 10^{-320} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 331.4531 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 2.423432 \cdot 10^{-310} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.01145224 \cdot 10^{-450} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 100.1045 \cdot 10^{-450} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.4353130 \cdot 10^{-440} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.002114012 \cdot 10^{-1020} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 14.12505 \cdot 10^{-1020} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.1152340 \cdot 10^{-1010} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 0.2413033 \cdot 10^{-150} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.002031244 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 13.40204 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 1024.312 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.552320 \cdot 10^{-430} \quad (*) \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 0.03502402 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 145.5004 \cdot 10^{-1010} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 1.224445 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.01031104 \cdot 10^{-550}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 0.02430201 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 3.322133 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 1125.544 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.1341512 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'ureci-} \frac{ML\Theta}{T^2} &= 10^{-230} = 20.33233 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{pamu-} ML\Theta &= 10^{150} = 10.04322 \text{m kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 1153.504 \text{kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 0.1414244 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 2.551425 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 351.0143 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.05001125 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \quad (*) \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 14.30542 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 2135.043 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 0.2540255 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.1233340 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 15.05132 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 2224.010 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.1455205 \text{m} \frac{\text{kg K}}{\text{m}} \quad (*) \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 22.12214 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 0.003024014 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 1.024422 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 122.1343 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 0.01450523 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 3.450004 \text{m} \frac{\text{kg K}}{\text{m s}^2} \quad (***) \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 453.3201 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 0.1022040 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvo-} \frac{MT\Theta}{L} &= 10^{-40} = 0.03035335 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 4.010223 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{MT\Theta}{L} &= 10^{-20} = 512.0013 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 11.45351 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.001405003 \frac{\text{kg K}}{\text{m}^2} \quad (*) \\
1 \text{ni'ucipa-} \frac{M\Theta}{L^2} &= 10^{-310} = 0.2105020 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 43.34440 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2T} &= 10^{-440} = 5545.122 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2T} &= 10^{-440} = 1.142250 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 241.3333 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 0.03302533 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^2T^2} &= 10^{-1010} = 4.315324 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 2.114240 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 251.2021 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 0.03415334 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 532.3501 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.1112010 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvore-} \frac{M\Theta}{L^3} &= 10^{-420} = 13.21000 \text{k} \frac{\text{kg K}}{\text{m}^3} \quad (***) \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 3140.400 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 0.4130233 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'umumu-} \frac{M\Theta}{L^3T} &= 10^{-550} = 53.02141 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1\text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 30.35012 \cdot 10^{-1140}$	$1\text{ni}'\text{upapavo-} \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 0.01533101 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1\text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.2221435 \cdot 10^{-1130}$	$1\text{ni}'\text{upapaci-} \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 2.300353 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$ (*)
$1\text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.001503304 \cdot 10^{-1120}$	$1\text{ni}'\text{upapare-} \frac{M\Theta}{L^3 T^2} = 10^{-1120} = 312.4404 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1\text{m} \frac{\text{kg s K}}{\text{m}^3} = 0.003445154 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 132.4501 \text{m} \frac{\text{kg s K}}{\text{m}^3}$
$1\text{k} \frac{\text{kg s K}}{\text{m}^3} = 25.33423 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.02013420 \frac{\text{kg s K}}{\text{m}^3}$
$1\text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.2132555 \cdot 10^{-250}$ (**)	$1\text{ni}'\text{uremu-} \frac{MT\Theta}{L^3} = 10^{-250} = 2.352250 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1\text{m} \frac{\text{K}}{\text{C}} = 0.05240425 \cdot 10^{-150}$	$1\text{ni}'\text{upamu-} \frac{\Theta}{Q} = 10^{-150} = 10.33520 \text{m} \frac{\text{K}}{\text{C}}$
$1\text{k} \frac{\text{K}}{\text{C}} = 411.1552 \cdot 10^{-150}$ (*)	$1\text{ni}'\text{upavo-} \frac{\Theta}{Q} = 10^{-140} = 1232.150 \frac{\text{K}}{\text{C}}$
$1\text{k} \frac{\text{K}}{\text{C}} = 3.124335 \cdot 10^{-140}$	$1\text{ni}'\text{upavo-} \frac{\Theta}{Q} = 10^{-140} = 0.1503322 \text{k} \frac{\text{K}}{\text{C}}$
$1\text{m} \frac{\text{K}}{\text{s C}} = 0.01313100 \cdot 10^{-320}$ (*)	$1\text{ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 35.20122 \text{m} \frac{\text{K}}{\text{s C}}$
$1\text{k} \frac{\text{K}}{\text{s C}} = 110.5024 \cdot 10^{-320}$	$1\text{ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.005012535 \frac{\text{K}}{\text{s C}}$
$1\text{k} \frac{\text{K}}{\text{s C}} = 0.5302052 \cdot 10^{-310}$	$1\text{ni}'\text{ucipa-} \frac{\Theta}{TQ} = 10^{-310} = 1.031114 \text{k} \frac{\text{K}}{\text{s C}}$
$1\text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 2341.544 \cdot 10^{-500}$	$1\text{ni}'\text{uvomu-} \frac{\Theta}{T^2 Q} = 10^{-450} = 214.2342 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 20.04411 \cdot 10^{-450}$	$1\text{ni}'\text{uvomu-} \frac{\Theta}{T^2 Q} = 10^{-450} = 0.02545010 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.1320543 \cdot 10^{-440}$	$1\text{ni}'\text{uvovo-} \frac{\Theta}{T^2 Q} = 10^{-440} = 3.502435 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1\text{m} \frac{\text{s K}}{\text{C}} = 0.3112415 \cdot 10^{-20}$	$1\text{ni}'\text{ure-} \frac{T\Theta}{Q} = 10^{-20} = 1.512041 \text{m} \frac{\text{s K}}{\text{C}}$
$1\text{s K} \frac{\text{C}}{\text{C}} = 2250.301 \cdot 10^{-20}$	$1\text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 223.1422 \frac{\text{s K}}{\text{C}}$
$1\text{k} \frac{\text{s K}}{\text{C}} = 15.24232 \cdot 10^{-10}$	$1\text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.03050431 \text{k} \frac{\text{s K}}{\text{C}}$
$1\text{m} \frac{\text{m K}}{\text{C}} = 3.514144 \cdot 10^{-40}$	$1\text{ni}'\text{uvo-} \frac{L\Theta}{Q} = 10^{-40} = 0.1313534 \text{m} \frac{\text{m K}}{\text{C}}$
$1\text{m} \frac{\text{m K}}{\text{C}} = 0.02554500 \cdot 10^{-30}$ (**)	$1\text{ni}'\text{uci-} \frac{L\Theta}{Q} = 10^{-30} = 20.00440 \frac{\text{m K}}{\text{C}}$ (*)
$1\text{k} \frac{\text{m K}}{\text{C}} = 215.1034 \cdot 10^{-30}$	$1\text{ni}'\text{ure-} \frac{L\Theta}{Q} = 10^{-20} = 2332.514 \text{k} \frac{\text{m K}}{\text{C}}$
$1\text{m} \frac{\text{m K}}{\text{s C}} = 1.033202 \cdot 10^{-210}$	$1\text{ni}'\text{urepa-} \frac{L\Theta}{TQ} = 10^{-210} = 0.5243244 \text{m} \frac{\text{m K}}{\text{s C}}$
$1\text{k} \frac{\text{m K}}{\text{s C}} = 0.005030450 \cdot 10^{-200}$	$1\text{ni}'\text{ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 110.2433 \frac{\text{m K}}{\text{s C}}$
$1\text{k} \frac{\text{m K}}{\text{s C}} = 35.31502 \cdot 10^{-200}$	$1\text{ni}'\text{ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 0.01310102 \text{k} \frac{\text{m K}}{\text{s C}}$
$1\text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.1511104 \cdot 10^{-340}$	$1\text{ni}'\text{ucivo-} \frac{L\Theta}{T^2 Q} = 10^{-340} = 3.114152 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 1235.033 \cdot 10^{-340}$	$1\text{ni}'\text{ucici-} \frac{L\Theta}{T^2 Q} = 10^{-330} = 405.5500 \frac{\text{m K}}{\text{s}^2 \text{C}}$ (**)
$1\text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 10.40014 \cdot 10^{-330}$ (*)	$1\text{ni}'\text{ucici-} \frac{L\Theta}{T^2 Q} = 10^{-330} = 0.05222103 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1\text{m} \frac{\text{m s K}}{\text{C}} = 21.41252 \cdot 10^{50}$	$1\text{mu-} \frac{LT\Theta}{Q} = 10^{50} = 0.02343134 \text{m} \frac{\text{m s K}}{\text{C}}$
$1\text{k} \frac{\text{m s K}}{\text{C}} = 0.1432435 \cdot 10^{100}$	$1\text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 3.223103 \frac{\text{m s K}}{\text{C}}$
$1\text{k} \frac{\text{m s K}}{\text{C}} = 1205.450 \cdot 10^{100}$	$1\text{papa-} \frac{LT\Theta}{Q} = 10^{110} = 422.4443 \text{k} \frac{\text{m s K}}{\text{C}}$
$1\text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 243.3105 \cdot 10^{30}$	$1\text{vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 2100.431 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}}$ (*)
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 2.044444 \cdot 10^{40}$	$1\text{vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 0.2451301 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.01351315 \cdot 10^{50}$	$1\text{mu-} \frac{L^2 \Theta}{Q} = 10^{50} = 33.51155 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$ (*)
$1\text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 44.10250 \cdot 10^{-100}$	$1\text{ni}'\text{upano-} \frac{L^2 \Theta}{TQ} = 10^{-100} = 0.01135535 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}}$ (*)
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.3342435 \cdot 10^{-50}$	$1\text{ni}'\text{umu-} \frac{L^2 \Theta}{TQ} = 10^{-50} = 1.353342 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.002443554 \cdot 10^{-40}$ (*)	$1\text{ni}'\text{ubo-} \frac{L^2 \Theta}{TQ} = 10^{-40} = 205.1251 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1\text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 11.55120 \cdot 10^{-230}$ (*)	$1\text{ni}'\text{ureci-} \frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.04302345 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.1005342 \cdot 10^{-220}$ (*)	$1\text{ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 5.503043 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 443.0010 \cdot 10^{-220}$ (*)	$1\text{ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.001132500 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$ (*)
$1\text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 1343.314 \cdot 10^{200}$	$1\text{repa-} \frac{L^2 T\Theta}{Q} = 10^{210} = 340.4144 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1\text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 11.31131 \cdot 10^{210}$	$1\text{repa-} \frac{L^2 T\Theta}{Q} = 10^{210} = 0.04435555 \frac{\text{m}^2 \text{s K}}{\text{C}}$ (**)
$1\text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.05451453 \cdot 10^{220}$	$1\text{rere-} \frac{L^2 T\Theta}{Q} = 10^{220} = 10.10525 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1\text{m} \frac{\text{K}}{\text{m C}} = 0.001135150 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{\Theta}{LQ} = 10^{-300} = 441.2452 \text{m} \frac{\text{K}}{\text{m C}}$
$1\text{k} \frac{\text{K}}{\text{m C}} = 5.522322 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{\Theta}{LQ} = 10^{-300} = 0.1003345 \frac{\text{K}}{\text{m C}}$ (*)
$1\text{k} \frac{\text{K}}{\text{m C}} = 0.04315244 \cdot 10^{-250}$	$1\text{ni}'\text{uremu-} \frac{\Theta}{LQ} = 10^{-250} = 11.52351 \text{k} \frac{\text{K}}{\text{m C}}$
$1\text{k} \frac{\text{K}}{\text{m s C}} = 205.5402 \cdot 10^{-440}$	$1\text{ni}'\text{uvovo-} \frac{\Theta}{LTQ} = 10^{-440} = 0.002434323 \text{m} \frac{\text{K}}{\text{m s C}}$
$1\text{k} \frac{\text{K}}{\text{m s C}} = 1.400510 \cdot 10^{-430}$ (*)	$1\text{ni}'\text{uvoci-} \frac{\Theta}{LTQ} = 10^{-430} = 0.3331425 \frac{\text{K}}{\text{m s C}}$
$1\text{k} \frac{\text{K}}{\text{m s C}} = 0.01142235 \cdot 10^{-420}$	$1\text{ni}'\text{uvore-} \frac{\Theta}{LTQ} = 10^{-420} = 43.53211 \text{k} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 34.02243 \cdot 10^{-1010} \\
1 \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.2501002 \cdot 10^{-1000} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 2105.000 \cdot 10^{-1000} \quad (**) \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 4300.220 \cdot 10^{-140} \quad (*) \\
1 \frac{\text{sK}}{\text{mC}} &= 32.50145 \cdot 10^{-130} \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 0.2402534 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 14.42243 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.1214105 \cdot 10^{-410} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.001022031 \cdot 10^{-400} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 3.012254 \cdot 10^{-550} \\
1 \frac{\text{K}}{\text{m}^2 \text{sC}} &= 0.02202315 \cdot 10^{-540} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 145.0505 \cdot 10^{-540} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.5055114 \cdot 10^{-1120} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3552.300 \cdot 10^{-1120} \quad (**) \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 30.23545 \cdot 10^{-1110} \\
1 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 101.5255 \cdot 10^{-250} \quad (*) \\
1 \frac{\text{sK}}{\text{m}^2 \text{C}} &= 0.4513120 \cdot 10^{-240} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 3432.401 \cdot 10^{-240} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.2302252 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.001534330 \cdot 10^{-520} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 12.54552 \cdot 10^{-520} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.04133312 \cdot 10^{-1100} \\
1 \frac{\text{K}}{\text{m}^3 \text{sC}} &= 314.3022 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 2.312355 \cdot 10^{-1050} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.01112525 \cdot 10^{-1230} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 53.31530 \cdot 10^{-1230} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.4152011 \cdot 10^{-1220} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 1.251202 \cdot 10^{-400} \\
1 \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.01050224 \cdot 10^{-350} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 51.40435 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 3243.043 \cdot 10^{-140} \\
1 \frac{\text{kgK}}{\text{C}} &= 24.00253 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 0.2020453 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 551.3102 \cdot 10^{-310} \quad (*) \\
1 \frac{\text{kgK}}{\text{sC}} &= 4.311145 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 0.03255345 \cdot 10^{-250} \quad (*) \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 135.5200 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 1.141133 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 0.005535344 \cdot 10^{-420} \quad (*) \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.02011451 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= 132.3210 \cdot 10^0 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 1.113504 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 0.2244124 \cdot 10^{-20} \\
1 \frac{\text{kg mK}}{\text{C}} &= 1522.403 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 12.44515 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg mK}}{\text{sC}} &= 0.04104051 \cdot 10^{-150} \\
1 \frac{\text{kg mK}}{\text{sC}} &= 312.1350 \cdot 10^{-150}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}' \text{upanopa} \frac{\Theta}{LT^2 Q} &= 10^{-1010} = 0.01344210 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}' \text{upanono} \frac{\Theta}{LT^2 Q} &= 10^{-1000} = 2.040354 \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni}' \text{umumu} \frac{\Theta}{LT^2 Q} &= 10^{-550} = 242.3455 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} \quad (*) \\
1 \text{ni}' \text{upaci} \frac{T\Theta}{LQ} &= 10^{-130} = 115.5515 \text{m} \frac{\text{sK}}{\text{mC}} \quad (*) \\
1 \text{ni}' \text{upaci} \frac{T\Theta}{LQ} &= 10^{-130} = 0.01421033 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}' \text{upare} \frac{T\Theta}{LQ} &= 10^{-120} = 2.123312 \text{k} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni}' \text{uvore} \frac{\Theta}{L^2 Q} &= 10^{-420} = 0.03204211 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{uvopa} \frac{\Theta}{L^2 Q} &= 10^{-410} = 4.202440 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{uvono} \frac{\Theta}{L^2 Q} &= 10^{-400} = 534.4354 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{umumu} \frac{\Theta}{L^2 TQ} &= 10^{-550} = 0.1550225 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni}' \text{umuovo} \frac{\Theta}{L^2 TQ} &= 10^{-540} = 23.20344 \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni}' \text{umuovo} \frac{\Theta}{L^2 TQ} &= 10^{-540} = 0.003152113 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni}' \text{upapare} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1120} = 1.055004 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (**) \\
1 \text{ni}' \text{upapapa} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1110} = 130.1152 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upapapa} \frac{\Theta}{L^2 T^2 Q} &= 10^{-1110} = 0.01541340 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{urevo} \frac{T\Theta}{L^2 Q} &= 10^{-240} = 5410.302 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{urevo} \frac{T\Theta}{L^2 Q} &= 10^{-240} = 1.121443 \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{ureci} \frac{T\Theta}{L^2 Q} &= 10^{-230} = 133.2244 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni}' \text{umuci} \frac{\Theta}{L^3 Q} &= 10^{-530} = 2.220010 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni}' \text{umure} \frac{\Theta}{L^3 Q} &= 10^{-520} = 303.2435 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{umure} \frac{\Theta}{L^3 Q} &= 10^{-520} = 0.04002421 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni}' \text{upapano} \frac{\Theta}{L^3 TQ} &= 10^{-1100} = 12.23434 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}' \text{upapano} \frac{\Theta}{L^3 TQ} &= 10^{-1100} = 0.001453404 \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}' \text{upanomu} \frac{\Theta}{L^3 TQ} &= 10^{-1050} = 0.2210115 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni}' \text{upareci} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1230} = 45.44531 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{upareci} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1230} = 0.01023430 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uparere} \frac{\Theta}{L^3 T^2 Q} &= 10^{-1220} = 1.220204 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvono} \frac{T\Theta}{L^3 Q} &= 10^{-400} = 0.4020333 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{ucimu} \frac{T\Theta}{L^3 Q} &= 10^{-350} = 51.32023 \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{ucimu} \frac{T\Theta}{L^3 Q} &= 10^{-350} = 0.01045221 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni}' \text{upaci} \frac{M\Theta}{Q} &= 10^{-130} = 142.2404 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{upaci} \frac{M\Theta}{Q} &= 10^{-130} = 0.02125332 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{upare} \frac{M\Theta}{Q} &= 10^{-120} = 2.525154 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni}' \text{ucino} \frac{M\Theta}{TQ} &= 10^{-300} = 1004.322 \text{m} \frac{\text{kgK}}{\text{sC}} \quad (*) \\
1 \text{ni}' \text{ucino} \frac{M\Theta}{TQ} &= 10^{-300} = 0.1153504 \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{uremu} \frac{M\Theta}{TQ} &= 10^{-250} = 14.14245 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni}' \text{uvovo} \frac{M\Theta}{T^2 Q} &= 10^{-440} = 0.003335013 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvoci} \frac{M\Theta}{T^2 Q} &= 10^{-430} = 0.4401350 \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni}' \text{uvore} \frac{M\Theta}{T^2 Q} &= 10^{-420} = 100.2030 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} \quad (*) \\
1 \frac{MT\Theta}{Q} &= 1 = 25.40254 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.003452521 \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 10^{10} = 0.4541022 \text{k} \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni}' \text{ure} \frac{ML\Theta}{Q} &= 10^{-20} = 2.233543 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}' \text{upa} \frac{ML\Theta}{Q} &= 10^{-10} = 305.3350 \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}' \text{upa} \frac{ML\Theta}{Q} &= 10^{-10} = 0.04031224 \text{k} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni}' \text{upamu} \frac{ML\Theta}{TQ} &= 10^{-150} = 12.33341 \text{m} \frac{\text{kg mK}}{\text{sC}} \\
1 \text{ni}' \text{upavo} \frac{ML\Theta}{TQ} &= 10^{-140} = 1505.132 \frac{\text{kg mK}}{\text{sC}}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 2.254145 \cdot 10^{-140} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.01103553 \cdot 10^{-320} \quad (*) \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 52.53040 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.4122235 \cdot 10^{-310} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 1.241152 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.01041431 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 51.03123 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14.31055 \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.1204322 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 1013.424 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 2.552033 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.02144554 \cdot 10^{-30} \quad (*) \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 143.5251 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.5022054 \cdot 10^{-210} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.003524131 \cdot 10^{-200} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 30.03233 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 101.1111 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.4441201 \cdot 10^{230} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.003405155 \cdot 10^{240} \quad (*) \\
1m \frac{\text{kg K}}{\text{m C}} &= 45.04433 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 0.3425122 \cdot 10^{-240} \\
1k \frac{\text{kg K}}{\text{m C}} &= 2520.224 \cdot 10^{-240} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 12.12533 \cdot 10^{-420} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.1021040 \cdot 10^{-410} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 452.4413 \cdot 10^{-410} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 2.200224 \cdot 10^{-550} \quad (*) \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.01445112 \cdot 10^{-540} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 122.0151 \cdot 10^{-540} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 250.5213 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 2.112212 \cdot 10^{-110} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.01411323 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1.045211 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 5131.541 \cdot 10^{-400} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 40.20300 \cdot 10^{-350} \quad (*) \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.1532451 \cdot 10^{-530} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.001253341 \cdot 10^{-520} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 10.52054 \cdot 10^{-520} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.03140020 \cdot 10^{-1100} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 231.0201 \cdot 10^{-1100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 1.541321 \cdot 10^{-1050} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 4.002345 \cdot 10^{-230} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.03032411 \cdot 10^{-220} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 221.5550 \cdot 10^{-220} \quad (***) \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.01332232 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 112.1432 \cdot 10^{-510} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.5410213 \cdot 10^{-500}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 0.2224012 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 50.21323 \frac{\text{m kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 0.01032113 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'ucipa-} \frac{ML\Theta}{T^2Q} &= 10^{-310} = 1.230044 \frac{\text{k kg m K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{papa-} \frac{MLT\Theta}{Q} &= 10^{110} = 0.4045245 \frac{\text{m kg m s K}}{\text{C}} \\
1 \text{pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 52.05533 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 0.01054040 \frac{\text{k kg m s K}}{\text{C}} \\
1 \text{mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.03230150 \frac{\text{m kg m}^2 \text{K}}{\text{C}} \\
1 \text{pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 4.232502 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{papa-} \frac{ML^2\Theta}{Q} &= 10^{110} = 542.4022 \frac{\text{k kg m}^2 \text{K}}{\text{C}} \\
1 \text{ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 0.2002341 \frac{\text{m kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 23.35133 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni'ure-} \frac{ML^2\Theta}{TQ} &= 10^{-20} = 3213.554 \frac{\text{k kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 1.103503 \frac{\text{m kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 131.1325 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 0.01553420 \frac{\text{k kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.005450105 \frac{\text{m kg m}^2 \text{s K}}{\text{C}} \\
1 \text{reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 1.130523 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 134.3032 \frac{\text{k kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ni'uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 0.01122531 \frac{\text{m kg K}}{\text{m C}} \\
1 \text{ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 1.333532 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ni'ureci-} \frac{M\Theta}{LQ} &= 10^{-230} = 202.4154 \frac{\text{k kg K}}{\text{m C}} \\
1 \text{ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 0.04210433 \frac{\text{m kg K}}{\text{m s C}} \\
1 \text{ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 5.353454 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ni'uvono-} \frac{M\Theta}{LTQ} &= 10^{-400} = 1115.525 \frac{\text{k kg K}}{\text{m s C}} \\
1 \text{ni'umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 0.2322551 \frac{\text{m kg K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 31.55130 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 0.004152053 \frac{\text{k kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ni'upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.002033232 \frac{\text{m kg s K}}{\text{m C}} \\
1 \text{ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 0.2415351 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ni'upano-} \frac{MT\Theta}{LQ} &= 10^{-100} = 33.05330 \frac{\text{k kg s K}}{\text{m C}} \\
1 \text{ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 0.5140522 \frac{\text{m kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 105.0234 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 0.01251214 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 3.035340 \frac{\text{m kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni'umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 401.0225 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ni'umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 0.05120015 \frac{\text{k kg K}}{\text{m}^2 \text{s C}} \quad (*) \\
1 \text{ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 14.55205 \frac{\text{m kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.002212215 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upanomu-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1050} = 0.3024015 \frac{\text{k kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 0.1255003 \frac{\text{m kg s K}}{\text{m}^2 \text{C}} \quad (***) \\
1 \text{ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 15.34344 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 0.002302313 \frac{\text{k kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ni'umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 34.32432 \frac{\text{m kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni'umuno-} \frac{M\Theta}{L^3Q} &= 10^{-500} = 4513.201 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ni'umuno-} \frac{M\Theta}{L^3Q} &= 10^{-500} = 1.015304 \frac{\text{k kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 0.002413032 \cdot 10^{-1040}$	$1 ni' upanovo- \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 211.4241 m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 20.31243 \cdot 10^{-1040}$	$1 ni' upanovo- \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 0.02512023 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.1340203 \cdot 10^{-1030}$	$1 ni' upanoci- \frac{M\Theta}{L^3 T Q} = 10^{-1030} = 3.415335 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 433.3531 \cdot 10^{-1220}$	$1 ni' uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.001145352 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 3.314530 \cdot 10^{-1210}$	$1 ni' uparepa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 0.1405003 \frac{kg\ K}{m^3 s^2 C} (*)$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.02423431 \cdot 10^{-1200}$	$1 ni' upareno- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1200} = 21.05021 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 0.05344305 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 10.22040 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 420.2402 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 0.001214121 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 3.204142 \cdot 10^{-330}$	$1 ni' ucici- \frac{MT\Theta}{L^3 Q} = 10^{-330} = 0.1442300 k \frac{kg\ s\ K}{m^3 C} (*)$
$1m CK = 225.2213 \cdot 10^{-40}$	$1 ni' uvo-Q\Theta = 10^{-40} = 0.002225523 m CK (*)$
$1 CK = 1.525512 \cdot 10^{-30} (*)$	$1 ni' uci-Q\Theta = 10^{-30} = 0.3044215 CK$
$1k CK = 0.01251202 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 40.20333 k CK$
$1m \frac{CK}{s} = 41.15100 \cdot 10^{-210} (*)$	$1 ni' urepa- \frac{Q\Theta}{T} = 10^{-210} = 0.01231121 m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.3131021 \cdot 10^{-200}$	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 1.502100 \frac{CK}{s} (*)$
$1k \frac{CK}{s} = 2302.253 \cdot 10^{-200}$	$1 ni' upamu- \frac{Q\Theta}{T} = 10^{-150} = 222.0005 k \frac{CK}{s} (**)$
$1m \frac{CK}{s^2} = 11.05550 \cdot 10^{-340} (**)$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 0.05005050 m \frac{CK}{s^2} (*)$
$1 \frac{CK}{s^2} = 0.05310153 \cdot 10^{-330}$	$1 ni' ucici- \frac{Q\Theta}{T^2} = 10^{-330} = 10.30220 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 413.3313 \cdot 10^{-330}$	$1 ni' ucire- \frac{Q\Theta}{T^2} = 10^{-320} = 1223.434 k \frac{CK}{s^2}$
$1ms CK = 0.001243430 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 403.4325 ms CK$
$1s CK = 10.43345 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 0.05153001 s CK (*)$
$1ks CK = 0.05115533 \cdot 10^{110} (*)$	$1 papa-TQ\Theta = 10^{110} = 10.52104 ks CK$
$1mm CK = 0.01434035 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 32.20340 mm CK$
$1m CK = 121.0500 \cdot 10^{40} (*)$	$1 vo-LQ\Theta = 10^{40} = 0.004221244 m CK$
$1km CK = 1.015255 \cdot 10^{50} (*)$	$1 mu-LQ\Theta = 10^{50} = 0.5410301 km CK$
$1m \frac{m CK}{s} = 3001.034 \cdot 10^{-100} (*)$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 155.5134 m \frac{m CK}{s} (*)$
$1 \frac{m CK}{s} = 21.52504 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 0.02330531 \frac{m CK}{s}$
$1k \frac{m CK}{s} = 0.1442243 \cdot 10^{-40}$	$1 ni' uvo- \frac{LQ\Theta}{T} = 10^{-40} = 3.204210 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 503.4354 \cdot 10^{-230}$	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 1101.513 m \frac{m CK}{s^2}$
$1 \frac{m CK}{s^2} = 3.534452 \cdot 10^{-220}$	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 0.1305004 \frac{m CK}{s^2} (*)$
$1k \frac{m CK}{s^2} = 0.03012255 \cdot 10^{-210} (*)$	$1 ni' urepa- \frac{LQ\Theta}{T^2} = 10^{-210} = 15.50225 k \frac{m CK}{s^2}$
$1mm s CK = 0.1012534 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 5.432304 mm s CK$
$1ms CK = 445.3211 \cdot 10^{210}$	$1 rere-LTQ\Theta = 10^{220} = 1124.452 ms CK$
$1kms CK = 3.415305 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.1340215 km s CK$
$1mm^2 CK = 1.132113 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.4432221 mm^2 CK$
$1m^2 CK = 0.005500120 \cdot 10^{200} (**)$	$1 reno-L^2 Q\Theta = 10^{200} = 101.0045 m^2 CK (*)$
$1km^2 CK = 43.00221 \cdot 10^{200} (*)$	$1 reno-L^2 Q\Theta = 10^{200} = 0.01155515 km^2 CK (**)$
$1m \frac{m^2 CK}{s} = 0.2050225 \cdot 10^{20}$	$1 re- \frac{L^2 Q\Theta}{T} = 10^{20} = 2.445215 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 1352.444 \cdot 10^{20}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 334.4325 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 11.35150 \cdot 10^{30}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 0.04412451 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 0.03345304 \cdot 10^{-110}$	$1 ni' upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 13.52212 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 245.0040 \cdot 10^{-110} (*)$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 2045.505 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 2.055402 \cdot 10^{-100} (*)$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.2434323 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 4.241240 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.1203055 mm^2 s CK (*)$
$1m^2 s CK = 0.03233504 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 14.25203 m^2 s CK$
$1km^2 s CK = 235.2230 \cdot 10^{330}$	$1 civo-L^2 TQ\Theta = 10^{340} = 2133.013 km^2 s CK$
$1m \frac{CK}{m} = 3.252533 \cdot 10^{-150}$	$1 ni' upamu- \frac{Q\Theta}{L} = 10^{-150} = 0.1415444 m \frac{CK}{m}$
$1 \frac{CK}{m} = 0.02404544 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 21.21503 \frac{CK}{m}$
$1k \frac{CK}{m} = 202.4135 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 0.002520250 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 0.5531012 \cdot 10^{-320} (*)$	$1 ni' ucire- \frac{Q\Theta}{LT} = 10^{-320} = 1.002511 m \frac{CK}{ms} (*)$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 4322.525 \cdot 10^{-320} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 33.05301 \cdot 10^{-310} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 0.1402043 \cdot 10^{-450} \\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.001143230 \cdot 10^{-440} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 5.553334 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 20.15121 \cdot 10^{-20} \\
1 \frac{\text{s CK}}{\text{m}} &= 0.1325555 \cdot 10^{-10} \quad (***) \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 0.001115515 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 0.04520525 \cdot 10^{-300} \\
1 \frac{\text{CK}}{\text{m}^2} &= 343.5304 \cdot 10^{-300} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 2.525132 \cdot 10^{-250} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.01215123 \cdot 10^{-430} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 102.2521 \cdot 10^{-430} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.4540541 \cdot 10^{-420} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.002204155 \cdot 10^{-1000} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 14.52121 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.1222351 \cdot 10^{-550} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.2514101 \cdot 10^{-130} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 0.002120024 \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 14.14232 \cdot 10^{-120} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 1051.135 \cdot 10^{-420} \\
1 \frac{\text{CK}}{\text{m}^3} &= 5.144435 \cdot 10^{-410} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 0.04031151 \cdot 10^{-400} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 154.0015 \cdot 10^{-550} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 1.300040 \cdot 10^{-540} \quad (***) \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.01054031 \cdot 10^{-530} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 31.45320 \cdot 10^{-1120} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.2314330 \cdot 10^{-1110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.001544500 \cdot 10^{-1100} \quad (*) \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 0.004013211 \cdot 10^{-240} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 30.41521 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 0.2223552 \cdot 10^{-230} \quad (*) \\
1 \text{m kg CK} &= 13.24315 \cdot 10^{-20} \\
1 \text{kg CK} &= 0.1114434 \cdot 10^{-10} \\
1 \text{kg kg CK} &= 534.4310 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 2.402301 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{s}} &= 0.02022214 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 133.2232 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.4314423 \cdot 10^{-320} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 3302.141 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 24.13032 \cdot 10^{-310} \\
1 \text{m kg s CK} &= 53.22455 \cdot 10^{110} \quad (*) \\
1 \text{kg s CK} &= 0.4144035 \cdot 10^{120} \\
1 \text{kg kg s CK} &= 3152.045 \cdot 10^{120} \\
1 \text{m kg m CK} &= 0.001042334 \cdot 10^{100} \\
1 \text{kg m CK} &= 5.111055 \cdot 10^{100} \quad (*) \\
1 \text{kg kg m CK} &= 0.04002345 \cdot 10^{110} \quad (*) \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 152.4042 \cdot 10^{-40} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 1.245555 \cdot 10^{-30} \quad (***) \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 0.01045211 \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 115.1352 \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 0.01411340 \text{k} \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'uvomu-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 3.325012 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 434.5505 \frac{\text{CK}}{\text{m s}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 0.1000223 \text{k} \frac{\text{CK}}{\text{m s}^2} \quad (***) \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.02531330 \text{m} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 3.442311 \frac{\text{s CK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 452.4453 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 11.20510 \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.001331132 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 0.2020511 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 41.55255 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 5340.223 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1.113514 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 231.4411 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.03145413 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^2 T^2} &= 10^{-550} = 4.140544 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 2.025533 \text{m} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 241.1040 \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.03255414 \text{k} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 512.4034 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.1044311 \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvono-} \frac{Q\Theta}{L^3} &= 10^{-400} = 12.44530 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 3030.234 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 0.3555411 \frac{\text{CK}}{\text{m}^3 \text{s}} \quad (***) \\
1 \text{ni'umuci-} \frac{Q\Theta}{L^3 T} &= 10^{-530} = 51.03205 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.01452151 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 2.204234 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapano-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1100} = 301.4533 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 125.2305 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.01531223 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 2.254210 \text{k} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ure-MQ}\Theta &= 10^{-20} = 0.03450003 \text{m kg CK} \quad (***) \\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 4.533155 \text{kg CK} \quad (*) \\
1 \text{MQ}\Theta &= 1 = 1022.040 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 0.2123521 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 25.23043 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 0.003432431 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 1.152505 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 141.3101 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 0.02114240 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{papa-MTQ}\Theta &= 10^{110} = 0.01024422 \text{m kg s CK} \\
1 \text{pare-MTQ}\Theta &= 10^{120} = 1.221342 \text{kg s CK} \\
1 \text{paci-MTQ}\Theta &= 10^{130} = 145.0522 \text{k kg s CK} \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 520.1520 \text{m kg m CK} \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 0.1053124 \text{kg m CK} \\
1 \text{papa-MLQ}\Theta &= 10^{110} = 12.55003 \text{k kg m CK} \quad (***) \\
1 \text{ni'ubo-} \frac{MLQ\Theta}{T} &= 10^{-40} = 0.003051132 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{MLQ\Theta}{T} &= 10^{-30} = 0.4024153 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 51.40521 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 31.24031 \cdot 10^{-210} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.2300105 \cdot 10^{-200} \quad (*) \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 1532.452 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 3544.514 \cdot 10^{220} \\
1 \text{kg m s CK} &= 30.21101 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 0.2210055 \cdot 10^{240} \quad (***) \\
1 \text{m kg m}^2 \text{CK} &= 0.04444543 \cdot 10^{210} \\
1 \text{kg m}^2 \text{CK} &= 341.2043 \cdot 10^{210} \\
1 \text{k kg m}^2 \text{CK} &= 2.505214 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.01205331 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 101.4311 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.4504434 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 2150.422 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 14.40454 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.1212533 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 0.2454232 \cdot 10^{340} \\
1 \text{kg m}^2 \text{s CK} &= 2103.002 \cdot 10^{340} \quad (*) \\
1 \text{k kg m}^2 \text{s CK} &= 14.03233 \cdot 10^{350} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.2114013 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.001412510 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 11.52340 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}} &= 0.03432023 \cdot 10^{-300} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 252.2333 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}} &= 2.123253 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}^2} &= 0.01021530 \cdot 10^{-430} \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 45.32232 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}^2} &= 0.3445153 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 1.145224 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 0.01001045 \cdot 10^{10} \quad (*) \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 43.53132 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.003035013 \cdot 10^{-240} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 22.21440 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.1503305 \cdot 10^{-230} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 513.5533 \cdot 10^{-420} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 4.023324 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.03050404 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 125.4424 \cdot 10^{-550} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 1.053010 \cdot 10^{-540} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 5200.525 \cdot 10^{-540} \quad (*) \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 0.01455005 \cdot 10^{-110} \quad (**) \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 122.4445 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 1.031104 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 42.05544 \cdot 10^{-400} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.3210454 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.002332454 \cdot 10^{-340} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 11.22410 \cdot 10^{-530} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.05414405 \cdot 10^{-520} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 422.4410 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 2.033013 \cdot 10^{-1100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.01341323 \cdot 10^{-1050}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{MLQ\Theta}{T^2} &= 10^{-210} = 0.01503510 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'urenlo-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 2.222115 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'upamu-} \frac{MLQ\Theta}{T^2} &= 10^{-150} = 303.5340 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 130.2410 \text{m kg m s CK} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 0.01543221 \text{kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 2.312415 \text{k kg m s CK} \\
1 \text{repa-} ML^2Q\Theta &= 10^{210} = 11.25543 \text{m kg m}^2 \text{CK} \quad (*) \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 1341.511 \text{kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 0.2033232 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 42.25300 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.005415423 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 1.122530 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 233.3144 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.03211235 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvlo-} \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 4.210433 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} ML^2TQ\Theta &= 10^{340} = 2.042331 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 243.0200 \text{kg m}^2 \text{s CK} \quad (*) \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 0.03322131 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{L} &= 10^{-130} = 2.413331 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 330.2532 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 0.04315322 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 13.32415 \text{m} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 0.002022431 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'uremu-} \frac{MQ\Theta}{LT} &= 10^{-250} = 0.2402555 \text{k} \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 53.45320 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.01114554 \frac{\text{kg CK}}{\text{m s}^2} \quad (*) \\
1 \text{ni'uvore-} \frac{MQ\Theta}{LT^2} &= 10^{-420} = 1.324501 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.4334434 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 55.45115 \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 0.01142250 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 153.3100 \text{m} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.02300352 \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'ureci-} \frac{MQ\Theta}{L^2} &= 10^{-230} = 3.124403 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.001045324 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.1250133 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^2T} &= 10^{-400} = 15.24245 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 4003.212 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 0.5112040 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^2T^2} &= 10^{-530} = 104.2451 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{MTQ\Theta}{L^2} &= 10^{-110} = 31.40354 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 4130.231 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 0.5302135 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.01213104 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{MQ\Theta}{L^3} &= 10^{-350} = 1.441052 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucivo-} \frac{MQ\Theta}{L^3} &= 10^{-340} = 215.1053 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^3T} &= 10^{-530} = 0.04505354 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 10.14421 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 0.001205501 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upapano-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 0.2505523 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*) \\
1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1050} = 34.12445 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 112.5422 \cdot 10^{-1050} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 232.2302 \cdot 10^{-230} \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 1.551510 \cdot 10^{-220} \quad (*) \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 0.01310050 \cdot 10^{-210} \quad (*)\end{aligned}$$

$$\begin{aligned}1 \text{ni'upanovo-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-1040} = 4445.501 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 2200.501 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \quad (*) \\1 \text{ni'urere-} \frac{MTQ\Theta}{L^3} &= 10^{-220} = 0.3010134 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'urepa-} \frac{MTQ\Theta}{L^3} &= 10^{-210} = 35.31534 \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

## 10.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

Proton mass = $1.454155 \cdot 10^{-40}$ (*)	$1 \text{ni'uvu-} M = 10^{-40} = 0.3141524 m_p$
Electron mass = $114.2154 \cdot 10^{-50}$	$1 \text{ni'uvu-} M = 10^{-40} = 4353.442 m_e$
Elementary charge = $0.03024132 \cdot 10^0$	$1 Q = 1 = 15.41232 e$
$\text{\AA}^{31} = 5.325455 \cdot 10^{50}$ (*)	$1 \text{mu-} L = 10^{50} = 0.1024053 \text{\AA}$
Bohr radius <sup>32</sup> = $2.542033 \cdot 10^{50}$	$1 \text{mu-} L = 10^{50} = 0.2010412 a_0$
Fine structure constant <sup>33</sup> = $0.001324245 \cdot 10^0$	$1 = 1 = 345.0115 \alpha$
Rydberg Energy <sup>34</sup> = $133.3430 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{ML^2}{T^2} = 10^{-100} = 0.003425353 Ry$
$ \psi_{100}(0) ^2^{35} = 2400.014 \cdot 10^{-240}$ (*)	$1 \text{ni'ureci-} \frac{1}{L^3} = 10^{-230} = 212.5544 \rho_{\max} \quad (*)$
eV = $4.122500 \cdot 10^{-100}$ (*)	$1 \text{ni'upano-} \frac{ML^2}{T^2} = 10^{-100} = 0.1225555 \text{eV} \quad (**)$
$\hbar^{36} = 1.000000 \quad (***)$	$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$
$\lambda_{\text{yellow}} = 0.4043354 \cdot 10^{100}$	$1 \text{pano-} L = 10^{100} = 1.241541 \cdot \lambda_{\text{yellow}}$
$k_{\text{yellow}}^{37} = 13.04434 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{1}{L} = 10^{-100} = 0.03535250 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^{38} = 1020.505 \cdot 10^{-40}$	$1 \text{ni'uci-} \frac{1}{L} = 10^{-30} = 535.5111 \cdot k_{\text{X-Ray}}$
Earth g = $2.044443 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{ML}{T^2} = 10^{-130} = 0.2451302 \cdot \text{Earth g}$
cm = $0.1312212 \cdot 10^{110}$	$1 \text{papa-} L = 10^{110} = 3.522124 \text{cm}$
min = $551.5310 \cdot 10^{130}$ (*)	$1 \text{pavo-} T = 10^{140} = 1004.054 \text{min} \quad (*)$
hour = $0.1345112 \cdot 10^{140}$	$1 \text{pavo-} T = 10^{140} = 3.400322 \text{h} \quad (*)$
Liter = $24.51122 \cdot 10^{330}$	$1 \text{cici-} L^3 = 10^{330} = 0.02045001 l \quad (*)$
Area of a soccer field = $244.3530 \cdot 10^{230}$	$1 \text{revo-} L^2 = 10^{240} = 2051.311 A$
$244 \text{m}^2^{39} = 1.224255 \cdot 10^{230}$ (*)	$1 \text{reci-} L^2 = 10^{230} = 0.4131202 \cdot 244 \text{m}^2$
km/h = $2.003354 \cdot 10^{-20}$ (*)	$1 \text{ni'ure-} \frac{L}{T} = 10^{-20} = 0.2550321 \text{km/h} \quad (*)$
mi/h = $3.125043 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{L}{T} = 10^{-20} = 0.1503134 \text{mi/h}$
inch <sup>40</sup> = $0.3524120 \cdot 10^{110}$	$1 \text{papa-} L = 10^{110} = 1.311332 \text{in}$
mile = $0.5150240 \cdot 10^{120}$	$1 \text{pare-} L = 10^{120} = 1.044102 \text{mi}$
pound = $0.01421123 \cdot 10^{20}$	$1 \text{re-} M = 10^{20} = 32.50010 \text{pound} \quad (*)$
horsepower = $0.005241503 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{ML^2}{T^3} = 10^{-140} = 103.3400 \text{horsepower} \quad (*)$
kcal = $0.3000454 \cdot 10^{-10}$ (**)	$1 \text{ni'upa-} \frac{ML^2}{T^2} = 10^{-10} = 1.555241 \text{kcal} \quad (**)$
kWh = $0.001554250 \cdot 10^0$ (*)	$1 \frac{ML^2}{T^2} = 1 = 300.2145 \text{kWh} \quad (*)$
Typical household electric field = $22.50321 \cdot 10^{-210}$	$1 \text{ni'urepa-} \frac{ML}{T^2 Q} = 10^{-210} = 0.02231402 E_H$
<i>Earthmagneticfield</i> = $0.3324433 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M}{T Q} = 10^{-200} = 1.402131 \cdot Earthmagneticfield$
Height of an average man <sup>41</sup> = $113.2210 \cdot 10^{110}$	$1 \text{pare-} L = 10^{120} = 4431.453 \bar{h}$

<sup>31</sup>Length in atomic and solid state physics, 1/14 nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\pi}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>100 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

Mass of an average man =  $11.22355 \cdot 10^{20}$  (\*)

$1 \text{ re-}M = 10^{20} = 0.04505441 \bar{m}$

Age of the Universe =  $35.01410 \cdot 10^{200}$

$1 \text{ reno-}T = 10^{200} = 0.01321222 t_U$

Size of the observable Universe =  $2.104341 \cdot 10^{210}$

$1 \text{ repa-}L = 10^{210} = 0.2424151 l_U$

Average density of the Universe =  $1.221111 \cdot 10^{-430}$

$1 \text{ ni'uvoci-} \frac{M}{L^3} = 10^{-430} = 0.4145223 \rho_U$

Earth mass =  $2.505235 \cdot 10^{110}$

$1 \text{ papa-}M = 10^{110} = 0.2033214 m_E$

Sun mass<sup>42</sup> =  $32.22323 \cdot 10^{120}$

$1 \text{ pare-}M = 10^{120} = 0.01433031 m_S$

Year =  $0.01502055 \cdot 10^{150}$  (\*)

$1 \text{ pamu-}T = 10^{150} = 31.31023 \text{ y}$

Speed of Light =  $1.000000$  (\*\*\*)

$1 \frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)

Parsec =  $0.1000240 \cdot 10^{150}$  (\*\*)

$1 \text{ pamu-}L = 10^{150} = 5.553201 \text{ pc}$  (\*)

Astronomical unit =  $0.01205430 \cdot 10^{140}$

$1 \text{ pavo-}L = 10^{140} = 42.24551 \text{ au}$  (\*)

Earth radius =  $0.02411400 \cdot 10^{130}$  (\*)

$1 \text{ paci-}L = 10^{130} = 21.15341 r_E$

Distance Earth-Moon =  $4.310121 \cdot 10^{130}$

$1 \text{ paci-}L = 10^{130} = 0.1154100 d_M$  (\*)

*Momentum of someone walking*<sup>43</sup> =  $4350.404 \cdot 10^0$

$1 \text{ pa-} \frac{ML}{T} = 10^{10} = 114.3104 \cdot \text{Momentum of someone walking}$

Stefan-Boltzmann constant =  $0.05531034 \cdot 10^0$  (\*)

$1 \frac{M}{T^3 \Theta^4} = 1 = 10.02504 \frac{\pi^2}{140} = \sigma$

mol =  $2.420221 \cdot 10^{50}$

$1 \text{ mu-} = 10^{50} = 0.2111433 \text{ mol}$

Standard temperature<sup>44</sup> =  $0.03331113 \cdot 10^{-100}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 14.01040 T_0$

Room - standard temperature<sup>45</sup> =  $0.001324322 \cdot 10^{-100}$

$1 \text{ ni'upano-} \Theta = 10^{-100} = 344.5551 \Theta_R$  (\*\*)

atm =  $53.30244 \cdot 10^{-350}$

$1 \text{ ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 0.01024011 \text{ atm}$

$c_s = 0.01531030 \cdot 10^{-10}$

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 30.42224 \cdot c_s$

$\mu_0 = 20.32220 \cdot 10^0$

$1 \frac{ML}{Q^2} = 1 = 0.02510444 \cdot \mu_0$

$G = 0.01233222 \cdot 10^0$

$1 \frac{L^3}{MT^2} = 1 = 41.04440 \cdot G$

### Extensive list of SI units

$1 \text{ m} = 114.3534 \cdot 10^{-10}$

$1 = 1 = 4344.000 \text{ m}$  (\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 \text{ k} = 4344.000 \cdot 10^0$  (\*\*)

$1 \text{ pa-} = 10^{10} = 114.3534 \text{ k}$

$1 \text{ m} \frac{1}{\text{s}} = 21.11313 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{1}{T} = 10^{-140} = 0.02420401 \text{ m} \frac{1}{\text{s}}$

$1 \frac{1}{\text{s}} = 0.1410533 \cdot 10^{-130}$

$1 \text{ ni'upaci-} \frac{1}{T} = 10^{-130} = 3.310530 \frac{1}{\text{s}}$

$1 \text{ k} \frac{1}{\text{s}} = 0.001151043 \cdot 10^{-120}$

$1 \text{ ni'upare-} \frac{1}{T} = 10^{-120} = 432.4424 \text{ k} \frac{1}{\text{s}}$

$1 \text{ m} \frac{1}{\text{s}^2} = 3.423453 \cdot 10^{-310}$

$1 \text{ ni'ucipa-} \frac{1}{T^2} = 10^{-310} = 0.1334311 \text{ m} \frac{1}{\text{s}^2}$

$1 \frac{1}{\text{s}^2} = 0.02515153 \cdot 10^{-300}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 20.25035 \frac{1}{\text{s}^2}$

$1 \text{ k} \frac{1}{\text{s}^2} = 212.0542 \cdot 10^{-300}$

$1 \text{ ni'ucino-} \frac{1}{T^2} = 10^{-300} = 0.002410013 \text{ k} \frac{1}{\text{s}^2}$  (\*)

$1 \text{ m s} = 432.4424 \cdot 10^{120}$

$1 \text{ pare-}T = 10^{120} = 0.001151043 \text{ m s}$

$1 \text{ s} = 3.310530 \cdot 10^{130}$

$1 \text{ paci-}T = 10^{130} = 0.1410533 \text{ s}$

$1 \text{ k s} = 0.02420401 \cdot 10^{140}$

$1 \text{ pavo-}T = 10^{140} = 21.11313 \text{ k s}$

$1 \text{ m m} = 5312.311 \cdot 10^{100}$

$1 \text{ papa-}L = 10^{110} = 102.5542 \text{ m m}$  (\*)

$1 \text{ m} = 41.35130 \cdot 10^{110}$

$1 \text{ papa-}L = 10^{110} = 0.01223113 \text{ m}$

$1 \text{ k m} = 0.3144215 \cdot 10^{120}$

$1 \text{ pare-}L = 10^{120} = 1.452542 \text{ k m}$

$1 \text{ m} \frac{\text{m}}{\text{s}} = 0.001322434 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 345.4201 \text{ m} \frac{\text{m}}{\text{s}}$

$1 \frac{\text{m}}{\text{s}} = 11.13221 \cdot 10^{-20}$

$1 \text{ ni'ure-} \frac{L}{T} = 10^{-20} = 0.04542533 \frac{\text{m}}{\text{s}}$

$1 \text{ k} \frac{\text{m}}{\text{s}} = 0.05334055 \cdot 10^{-10}$  (\*)

$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 10.23153 \text{ k} \frac{\text{m}}{\text{s}}$

$1 \text{ m} \frac{\text{m}}{\text{s}^2} = 235.5252 \cdot 10^{-200}$

$1 \text{ ni'ureno-} \frac{L}{T^2} = 10^{-200} = 0.002130235 \text{ m} \frac{\text{m}}{\text{s}^2}$

$1 \frac{\text{m}}{\text{s}^2} = 2.020013 \cdot 10^{-150}$  (\*)

$1 \text{ ni'upamu-} \frac{L}{T^2} = 10^{-150} = 0.2530232 \frac{\text{m}}{\text{s}^2}$

$1 \text{ k} \frac{\text{m}}{\text{s}^2} = 0.01330343 \cdot 10^{-140}$

$1 \text{ ni'upavo-} \frac{L}{T^2} = 10^{-140} = 34.41011 \text{ k} \frac{\text{m}}{\text{s}^2}$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>32 °C

$1 \text{m m s} = 0.03132211 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 15.01233 \text{ m m s}$
$1 \text{m s} = 230.3254 \cdot 10^{240}$	$1 \text{revo-}LT = 10^{240} = 0.002215023 \text{ m s}$
$1 \text{k m s} = 1.535210 \cdot 10^{250}$	$1 \text{remu-}LT = 10^{250} = 0.3031311 \text{ k m s}$
$1 \text{m m}^2 = 0.3540221 \cdot 10^{220}$	$1 \text{rere-}L^2 = 10^{220} = 1.304225 \text{ m m}^2$
$1 \text{m}^2 = 3013.414 \cdot 10^{220}$	$1 \text{reci-}L^2 = 10^{230} = 154.5342 \text{ m}^2$
$1 \text{k m}^2 = 22.03255 \cdot 10^{230} \quad (*)$	$1 \text{reci-}L^2 = 10^{230} = 0.02315335 \text{ k m}^2$
$1 \text{m}^{\frac{m}{s}} = 0.1041200 \cdot 10^{50} \quad (*)$	$1 \text{mu-}\frac{L^2}{T} = 10^{50} = 5.211543 \text{ m}^{\frac{m^2}{s}}$
$1 \frac{\text{m}^2}{\text{s}} = 510.1141 \cdot 10^{50}$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 1054.315 \frac{\text{m}^2}{\text{s}}$
$1 \text{k} \frac{\text{m}^2}{\text{s}} = 3.554034 \cdot 10^{100} \quad (*)$	$1 \text{pano-}\frac{L^2}{T} = 10^{100} = 0.1300414 \text{ k} \frac{\text{m}^2}{\text{s}} \quad (*)$
$1 \text{m}^{\frac{m}{s^2}} = 0.01521544 \cdot 10^{-40}$	$1 \text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 30.54500 \text{ m}^{\frac{m^2}{s^2}} \quad (*)$
$1 \frac{\text{m}^2}{\text{s}^2} = 124.4155 \cdot 10^{-40} \quad (*)$	$1 \text{ni'uvu-}\frac{L^2}{T^2} = 10^{-40} = 0.004032541 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2} = 1.044030 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{L^2}{T^2} = 10^{-30} = 0.5150521 \text{ k} \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m m}^2 \text{s} = 2.153440 \cdot 10^{350}$	$1 \text{cimu-}L^2T = 10^{350} = 0.2325520 \text{ m m}^2 \text{s} \quad (*)$
$1 \text{m}^2 \text{s} = 0.01443102 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 32.03005 \text{ m}^2 \text{s} \quad (*)$
$1 \text{k m}^2 \text{s} = 121.4425 \cdot 10^{400}$	$1 \text{vono-}L^2T = 10^{400} = 0.004201012 \text{ k m}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 1.452542 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L} = 10^{-120} = 0.3144215 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 0.01223113 \cdot 10^{-110}$	$1 \text{ni'upapa-}\frac{1}{L} = 10^{-110} = 41.35130 \frac{1}{\text{m}}$
$1 \text{k} \frac{1}{\text{m}} = 102.5542 \cdot 10^{-110} \quad (*)$	$1 \text{ni'upano-}\frac{1}{L} = 10^{-100} = 5312.311 \text{ k} \frac{1}{\text{m}}$
$1 \text{m}^{\frac{1}{\text{m s}}} = 0.3031311 \cdot 10^{-250}$	$1 \text{ni'uremu-}\frac{1}{LT} = 10^{-250} = 1.535210 \text{ m}^{\frac{1}{\text{m s}}}$
$1 \frac{1}{\text{m s}} = 0.002215023 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 230.3254 \frac{1}{\text{m s}}$
$1 \text{k} \frac{1}{\text{m s}} = 15.01233 \cdot 10^{-240}$	$1 \text{ni'urevo-}\frac{1}{LT} = 10^{-240} = 0.03132211 \text{ k} \frac{1}{\text{m s}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 0.05125544 \cdot 10^{-420} \quad (*)$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 10.50511 \text{ m}^{\frac{1}{\text{m s}^2}}$
$1 \frac{1}{\text{m s}^2} = 401.4550 \cdot 10^{-420} \quad (*)$	$1 \text{ni'uvore-}\frac{1}{LT^2} = 10^{-420} = 0.001251534 \frac{1}{\text{m s}^2}$
$1 \text{k} \frac{1}{\text{m s}^2} = 3.043045 \cdot 10^{-410}$	$1 \text{ni'uvopa-}\frac{1}{LT^2} = 10^{-410} = 0.1530350 \text{ k} \frac{1}{\text{m s}^2}$
$1 \text{m}^{\frac{s}{m}} = 10.23153 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 0.05334055 \text{ m}^{\frac{s}{m}} \quad (*)$
$1 \frac{s}{m} = 0.04542533 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 11.13221 \frac{s}{\text{m}}$
$1 \text{k} \frac{s}{m} = 345.4201 \cdot 10^{20}$	$1 \text{re-}\frac{T}{L} = 10^{20} = 0.001322434 \text{ k} \frac{s}{\text{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 0.02315335 \cdot 10^{-230}$	$1 \text{ni'ureci-}\frac{1}{L^2} = 10^{-230} = 22.03255 \text{ m}^{\frac{1}{m^2}} \quad (*)$
$1 \frac{1}{\text{m}^2} = 154.5342 \cdot 10^{-230}$	$1 \text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 3013.414 \frac{1}{\text{m}^2}$
$1 \text{k} \frac{1}{\text{m}^2} = 1.304225 \cdot 10^{-220}$	$1 \text{ni'urere-}\frac{1}{L^2} = 10^{-220} = 0.3540221 \text{ k} \frac{1}{\text{m}^2}$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 0.004201012 \cdot 10^{-400}$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 121.4425 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 32.03005 \cdot 10^{-400} \quad (*)$	$1 \text{ni'uvono-}\frac{1}{L^2 T} = 10^{-400} = 0.01443102 \frac{1}{\text{m}^2 s}$
$1 \text{k} \frac{1}{\text{m}^2 s} = 0.2325520 \cdot 10^{-350} \quad (*)$	$1 \text{ni'ucimu-}\frac{1}{L^2 T} = 10^{-350} = 2.153440 \text{ k} \frac{1}{\text{m}^2 s}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 1121.144 \cdot 10^{-540}$	$1 \text{ni'umuci-}\frac{1}{L^2 T^2} = 10^{-530} = 451.5102 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = 5.404121 \cdot 10^{-530}$	$1 \text{ni'umuci-}\frac{1}{L^2 T^2} = 10^{-530} = 0.1015530 \frac{1}{\text{m}^2 s^2} \quad (*)$
$1 \text{k} \frac{1}{\text{m}^2 s^2} = 0.04215413 \cdot 10^{-520}$	$1 \text{ni'umure-}\frac{1}{L^2 T^2} = 10^{-520} = 12.11215 \text{ k} \frac{1}{\text{m}^2 s^2}$
$1 \text{m}^{\frac{s}{m^2}} = 0.1300414 \cdot 10^{-100} \quad (*)$	$1 \text{ni'upano-}\frac{T}{L^2} = 10^{-100} = 3.554034 \text{ m}^{\frac{s}{m^2}} \quad (*)$
$1 \frac{s}{m^2} = 1054.315 \cdot 10^{-100}$	$1 \text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 510.1141 \frac{s}{\text{m}^2}$
$1 \text{k} \frac{s}{m^2} = 5.211543 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^2} = 10^{-50} = 0.1041200 \text{ k} \frac{s}{\text{m}^2} \quad (*)$
$1 \text{m}^{\frac{1}{m^3}} = 333.0150 \cdot 10^{-350}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 1401.311 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 2.433243 \cdot 10^{-340}$	$1 \text{ni'ucivo-}\frac{1}{L^3} = 10^{-340} = 0.2100314 \frac{1}{\text{m}^3} \quad (*)$
$1 \text{k} \frac{1}{\text{m}^3} = 0.02045001 \cdot 10^{-330} \quad (*)$	$1 \text{ni'ucici-}\frac{1}{L^3} = 10^{-330} = 24.51122 \text{ k} \frac{1}{\text{m}^3}$
$1 \text{m}^{\frac{1}{m^3 s}} = 100.3121 \cdot 10^{-520} \quad (*)$	$1 \text{ni'umure-}\frac{1}{L^3 T} = 10^{-520} = 0.005524534 \text{ m}^{\frac{1}{m^3 s}} \quad (*)$
$1 \frac{1}{\text{m}^3 s} = 0.4410533 \cdot 10^{-510}$	$1 \text{ni'umupa-}\frac{1}{L^3 T} = 10^{-510} = 1.135453 \frac{1}{\text{m}^3 s}$
$1 \text{k} \frac{1}{\text{m}^3 s} = 0.003343043 \cdot 10^{-500}$	$1 \text{ni'umuno-}\frac{1}{L^3 T} = 10^{-500} = 135.3243 \text{ k} \frac{1}{\text{m}^3 s}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 14.20224 \cdot 10^{-1050}$	$1 \text{ni'upanomu-}\frac{1}{L^3 T^2} = 10^{-1050} = 0.03251410 \text{ m}^{\frac{1}{m^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 0.1155204 \cdot 10^{-1040} \quad (*)$	$1 \text{ni'upanovo-}\frac{1}{L^3 T^2} = 10^{-1040} = 4.302110 \frac{1}{\text{m}^3 s^2}$
$1 \text{k} \frac{1}{\text{m}^3 s^2} = 1005.420 \cdot 10^{-1040} \quad (*)$	$1 \text{ni'upanoci-}\frac{1}{L^3 T^2} = 10^{-1030} = 550.2320 \text{ k} \frac{1}{\text{m}^3 s^2} \quad (*)$
$1 \text{m}^{\frac{s}{m^3}} = 2035.451 \cdot 10^{-220}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 250.2052 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 13.43413 \cdot 10^{-210}$	$1 \text{ni'urepa-}\frac{T}{L^3} = 10^{-210} = 0.03403534 \frac{s}{\text{m}^3}$

$$\begin{aligned}
1 \text{k} \frac{\text{s}}{\text{m}^3} &= 0.1131214 \cdot 10^{-200} \\
1 \text{m kg} &= 4.534223 \cdot 10^{10} \\
1 \text{kg} &= 0.03450502 \cdot 10^{20} \\
1 \text{k kg} &= 253.4524 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{s}} &= 1.221532 \cdot 10^{-120} \\
1 \frac{\text{kg}}{\text{s}} &= 0.01024545 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{s}} &= 45.54314 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2} &= 0.2212520 \cdot 10^{-250} \\
1 \frac{\text{kg}}{\text{s}^2} &= 0.001455430 \cdot 10^{-240} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s}^2} &= 12.25210 \cdot 10^{-240} \\
1 \text{m kg s} &= 25.23432 \cdot 10^{140} \\
1 \text{kg s} &= 0.2124214 \cdot 10^{150} \\
1 \text{k kg s} &= 0.001421430 \cdot 10^{200} \\
1 \text{m kg m} &= 330.3405 \cdot 10^{120} \\
1 \text{kg m} &= 2.414103 \cdot 10^{130} \\
1 \text{k kg m} &= 0.02032145 \cdot 10^{140} \\
1 \text{m} \frac{\text{kg m}}{\text{s}} &= 55.50304 \cdot 10^{-10} \quad (*) \\
1 \frac{\text{kg m}}{\text{s}} &= 0.4335434 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}}{\text{s}} &= 3320.202 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2} &= 14.05213 \cdot 10^{-140} \\
1 \frac{\text{kg m}}{\text{s}^2} &= 0.1145532 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2} &= 0.001001312 \cdot 10^{-120} \quad (*) \\
1 \text{m kg m s} &= 0.002023113 \cdot 10^{300} \\
1 \text{kg m s} &= 13.33022 \cdot 10^{300} \\
1 \text{k kg m s} &= 0.1122131 \cdot 10^{310} \\
1 \text{m kg m}^2 &= 0.02301105 \cdot 10^{240} \\
1 \text{kg m}^2 &= 153.3331 \cdot 10^{240} \\
1 \text{k kg m}^2 &= 1.254114 \cdot 10^{250} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}} &= 4131.203 \cdot 10^{100} \\
1 \frac{\text{kg m}^2}{\text{s}} &= 31.41212 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}} &= 0.2311205 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2} &= 0.001112142 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2} &= 5.325013 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2} &= 0.04145452 \cdot 10^{-10} \\
1 \text{m kg m}^2 \text{s} &= 0.1250330 \cdot 10^{410} \\
1 \text{kg m}^2 \text{s} &= 0.001045453 \cdot 10^{420} \\
1 \text{k kg m}^2 \text{s} &= 5.134020 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg}}{\text{m}} &= 0.1053254 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}} &= 520.3015 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}} &= 4.043124 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m s}} &= 0.01543453 \cdot 10^{-230} \\
1 \frac{\text{kg}}{\text{m s}} &= 130.3005 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m s}} &= 1.100200 \cdot 10^{-220} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2} &= 0.003155544 \cdot 10^{-400} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ureno-} \frac{T}{L^3} &= 10^{-200} = 4.435311 \text{k} \frac{\text{s}}{\text{m}^3} \\
1 \text{pa-} M &= 10^{10} = 0.1114301 \text{m kg} \\
1 \text{re-} M &= 10^{20} = 13.24113 \text{kg} \\
1 \text{re-} M &= 10^{20} = 0.002012524 \text{k kg} \\
1 \text{ni'upare-} \frac{M}{T} &= 10^{-120} = 0.4143102 \text{m} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 53.21342 \frac{\text{kg}}{\text{s}} \\
1 \text{ni'upapa-} \frac{M}{T} &= 10^{-110} = 0.01111315 \text{k} \frac{\text{kg}}{\text{s}} \\
1 \text{ni'uremu-} \frac{M}{T^2} &= 10^{-250} = 2.305445 \text{m} \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 313.5205 \frac{\text{kg}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{M}{T^2} &= 10^{-240} = 0.04124423 \text{k} \frac{\text{kg}}{\text{s}^2} \\
1 \text{pavo-} MT &= 10^{140} = 0.02021533 \text{m kg s} \\
1 \text{pamu-} MT &= 10^{150} = 2.401532 \text{kg s} \\
1 \text{reno-} MT &= 10^{200} = 324.4554 \text{k kg s} \quad (*) \\
1 \text{pare-} ML &= 10^{120} = 0.001412253 \text{m kg m} \\
1 \text{paci-} ML &= 10^{130} = 0.2113321 \text{kg m} \\
1 \text{pavo-} ML &= 10^{140} = 25.10530 \text{k kg m} \\
1 \text{ni'upa-} \frac{ML}{T} &= 10^{-10} = 0.01000530 \text{m} \frac{\text{kg m}}{\text{s}} \quad (**)
\end{aligned}$$

$1 \frac{ML}{T} = 1 = 1.145043 \frac{\text{kg m}}{\text{s}}$

$$\begin{aligned}
1 \text{pa-} \frac{ML}{T} &= 10^{10} = 140.4201 \text{k} \frac{\text{kg m}}{\text{s}} \\
1 \text{ni'upavo-} \frac{ML}{T^2} &= 10^{-140} = 0.03314054 \text{m} \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'upaci-} \frac{ML}{T^2} &= 10^{-130} = 4.332535 \frac{\text{kg m}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML}{T^2} &= 10^{-120} = 554.2504 \text{k} \frac{\text{kg m}}{\text{s}^2} \quad (*) \\
1 \text{cino-} MLT &= 10^{300} = 252.1545 \text{m kg m s} \\
1 \text{cino-} MLT &= 10^{300} = 0.03431130 \text{kg m s} \\
1 \text{cipa-} MLT &= 10^{310} = 4.511215 \text{k kg m s} \\
1 \text{revo-} ML^2 &= 10^{240} = 22.21132 \text{m kg m}^2 \\
1 \text{revo-} ML^2 &= 10^{240} = 0.003034211 \text{kg m}^2 \\
1 \text{remu-} ML^2 &= 10^{250} = 0.4004444 \text{k kg m}^2 \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 122.4255 \text{m} \frac{\text{kg m}^2}{\text{s}} \quad (*) \\
1 \text{papa-} \frac{ML^2}{T} &= 10^{110} = 0.01454343 \frac{\text{kg m}^2}{\text{s}} \\
1 \text{pare-} \frac{ML^2}{T} &= 10^{120} = 2.211234 \text{k} \frac{\text{kg m}^2}{\text{s}} \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 455.1252 \text{m} \frac{\text{kg m}^2}{\text{s}^2} \quad (*) \\
1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 0.1024150 \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{ni'upa-} \frac{ML^2}{T^2} &= 10^{-10} = 12.21022 \text{k} \frac{\text{kg m}^2}{\text{s}^2} \\
1 \text{vopa-} ML^2 T &= 10^{410} = 4.022405 \text{m kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 513.4441 \text{kg m}^2 \text{s} \\
1 \text{vore-} ML^2 T &= 10^{420} = 0.1045551 \text{k kg m}^2 \text{s} \quad (**)
\end{aligned}$$

$1 \text{ni'upano-} \frac{M}{L} = 10^{-100} = 5.110011 \text{m} \frac{\text{kg}}{\text{m}} \quad (*)$

$$\begin{aligned}
1 \text{ni'upano-} \frac{M}{L} &= 10^{-100} = 0.001042205 \frac{\text{kg}}{\text{m}} \\
1 \text{ni'umu-} \frac{M}{L} &= 10^{-50} = 0.1242033 \text{k} \frac{\text{kg}}{\text{m}} \\
1 \text{ni'ureci-} \frac{M}{LT} &= 10^{-230} = 30.20301 \text{m} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'urere-} \frac{M}{LT} &= 10^{-220} = 3544.003 \frac{\text{kg}}{\text{m s}} \quad (*) \\
1 \text{ni'urere-} \frac{M}{LT} &= 10^{-220} = 0.5045222 \text{k} \frac{\text{kg}}{\text{m s}} \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 144.4453 \text{m} \frac{\text{kg}}{\text{m s}^2} \\
1 \text{ni'uvono-} \frac{M}{LT^2} &= 10^{-400} = 0.02155525 \frac{\text{kg}}{\text{m s}^2} \quad (**)
\end{aligned}$$

$1 \text{ni'ucimu-} \frac{M}{LT^2} = 10^{-350} = 3.005023 \text{k} \frac{\text{kg}}{\text{m s}^2} \quad (*)$

$$\begin{aligned}
1 \text{ci-} \frac{MT}{L} &= 10^{30} = 1.245402 \text{m} \frac{\text{kg s}}{\text{m}} \\
1 \text{vo-} \frac{MT}{L} &= 10^{40} = 152.3412 \frac{\text{kg s}}{\text{m}} \\
1 \text{vo-} \frac{MT}{L} &= 10^{40} = 0.02245323 \text{k} \frac{\text{kg s}}{\text{m}} \\
1 \text{ni'urepa-} \frac{M}{L^2} &= 10^{-210} = 341.1153 \text{m} \frac{\text{kg}}{\text{m}^2}
\end{aligned}$$

$1 \frac{\text{kg}}{\text{m}^2} = 11.30122 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{M}{L^2} = 10^{-210} = 0.04443530 \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 0.05443022 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{M}{L^2} = 10^{-200} = 10.11432 \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 243.0533 \cdot 10^{-350}$	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 2102.312 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 2.043015 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{M}{L^2 T} = 10^{-340} = 0.2453452 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.01350113 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^2 T} = 10^{-330} = 33.54153 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 44.02345 \cdot 10^{-520}$	$1 \text{ni}'\text{umure}-\frac{M}{L^2 T^2} = 10^{-520} = 0.01140554 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} (*)$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.3335451 \cdot 10^{-510}$	$1 \text{ni}'\text{umupa}-\frac{M}{L^2 T^2} = 10^{-510} = 1.354551 \frac{\text{kg}}{\text{m}^2 \text{s}^2} (*)$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.002441413 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^2 T^2} = 10^{-500} = 205.3123 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 0.005420552 \cdot 10^{-40} (*)$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 101.4150 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 42.30243 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{MT}{L^2} = 10^{-40} = 0.01205143 \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.3224245 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{MT}{L^2} = 10^{-30} = 1.432035 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 21.35341 \cdot 10^{-330}$	$1 \text{ni}'\text{ucici}-\frac{M}{L^3} = 10^{-330} = 0.02345231 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.1431200 \cdot 10^{-320} (*)$	$1 \text{ni}'\text{ucire}-\frac{M}{L^3} = 10^{-320} = 3.225550 \frac{\text{kg}}{\text{m}^3} (**)$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 1204.410 \cdot 10^{-320}$	$1 \text{ni}'\text{ucipa}-\frac{M}{L^3} = 10^{-310} = 423.2225 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 3.511043 \cdot 10^{-500}$	$1 \text{ni}'\text{umuno}-\frac{M}{L^3 T} = 10^{-500} = 0.1315112 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{s}} = 0.02552220 \cdot 10^{-450} (*)$	$1 \text{ni}'\text{uvomu}-\frac{M}{L^3 T} = 10^{-450} = 20.02231 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 214.5114 \cdot 10^{-450}$	$1 \text{ni}'\text{uvovo}-\frac{M}{L^3 T} = 10^{-440} = 2335.002 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} (*)$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 1.032240 \cdot 10^{-1030}$	$1 \text{ni}'\text{upanoci}-\frac{M}{L^3 T^2} = 10^{-1030} = 0.5251535 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.005022352 \cdot 10^{-1020}$	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 110.3422 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 35.24345 \cdot 10^{-1020}$	$1 \text{ni}'\text{upanore}-\frac{M}{L^3 T^2} = 10^{-1020} = 0.01311232 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 120.1222 \cdot 10^{-200}$	$1 \text{ni}'\text{ureno}-\frac{MT}{L^3} = 10^{-200} = 0.004251150 \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 1.011145 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{MT}{L^3} = 10^{-150} = 0.5445343 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 0.004441445 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{MT}{L^3} = 10^{-140} = 113.0441 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 0.001530345 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{1}{Q} = 10^{-40} = 304.3050 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 12.51534 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{Q} = 10^{-40} = 0.04014552 \frac{1}{\text{C}} (*)$
$1 \text{k} \frac{1}{\text{C}} = 0.1050510 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{1}{Q} = 10^{-30} = 5.125551 \text{k} \frac{1}{\text{C}} (**)$
$1 \text{m} \frac{1}{\text{s C}} = 313.2205 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{1}{TQ} = 10^{-220} = 0.001501234 \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 2.303253 \cdot 10^{-210}$	$1 \text{ni}'\text{urepa}-\frac{1}{TQ} = 10^{-210} = 0.2215024 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 0.01535205 \cdot 10^{-200}$	$1 \text{ni}'\text{uren}-\frac{1}{TQ} = 10^{-200} = 30.31312 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 53.12305 \cdot 10^{-350}$	$1 \text{ni}'\text{ucimu}-\frac{1}{T^2 Q} = 10^{-350} = 0.01025543 \text{m} \frac{1}{\text{s}^2 \text{C}} (*)$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.4135124 \cdot 10^{-340}$	$1 \text{ni}'\text{ucivo}-\frac{1}{T^2 Q} = 10^{-340} = 1.223113 \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 3144.214 \cdot 10^{-340}$	$1 \text{ni}'\text{ucici}-\frac{1}{T^2 Q} = 10^{-330} = 145.2543 \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.01044030 \cdot 10^{50}$	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 51.50520 \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 51.22003 \cdot 10^{50} (*)$	$1 \text{mu}-\frac{T}{Q} = 10^{50} = 0.01051421 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 0.4011532 \cdot 10^{100}$	$1 \text{pano}-\frac{T}{Q} = 10^{100} = 1.253020 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 0.1211214 \cdot 10^{30}$	$1 \text{ci}-\frac{L}{Q} = 10^{30} = 4.215415 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 0.001015530 \cdot 10^{40} (*)$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 540.4124 \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = 4.515100 \cdot 10^{40} (*)$	$1 \text{vo}-\frac{L}{Q} = 10^{40} = 0.1121145 \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.02153435 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{TQ} = 10^{-100} = 23.25521 \text{m} \frac{m}{\text{s C}} (*)$
$1 \frac{m}{\text{s C}} = 144.3101 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{L}{TQ} = 10^{-100} = 0.003203010 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = 1.214425 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{TQ} = 10^{-50} = 0.4201014 \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 3540.215 \cdot 10^{-240}$	$1 \text{ni}'\text{ureci}-\frac{L}{T^2 Q} = 10^{-230} = 130.4230 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 30.13412 \cdot 10^{-230}$	$1 \text{ni}'\text{ureci}-\frac{L}{T^2 Q} = 10^{-230} = 0.01545343 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.2203254 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{L}{T^2 Q} = 10^{-220} = 2.315340 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 0.4455142 \cdot 10^{200} (*)$	$1 \text{reno}-\frac{LT}{Q} = 10^{200} = 1.124153 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 3421.001 \cdot 10^{200} (*)$	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 133.5425 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 25.13052 \cdot 10^{210}$	$1 \text{repa}-\frac{LT}{Q} = 10^{210} = 0.02030402 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 5.502314 \cdot 10^{140}$	$1 \text{pavo}-\frac{L^2}{Q} = 10^{140} = 0.1005420 \text{m} \frac{m^2}{\text{C}} (*)$
$1 \frac{m^2}{\text{C}} = 0.04302104 \cdot 10^{150}$	$1 \text{pamu}-\frac{L^2}{Q} = 10^{150} = 11.55204 \frac{m^2}{\text{C}} (*)$

$$\begin{aligned}
1 \text{k} \frac{\text{m}^2}{\text{C}} &= 325.1404 \cdot 10^{150} \\
1 \text{m} \frac{\text{m}^2}{\text{sC}} &= 1.353243 \cdot 10^{10} \\
1 \frac{\text{m}^2}{\text{sC}} &= 0.01135452 \cdot 10^{20} \\
1 \text{k} \frac{\text{m}^2}{\text{sC}} &= 55.24531 \cdot 10^{20} \quad (*) \\
1 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} &= 0.2451121 \cdot 10^{-120} \\
1 \frac{\text{m}^2}{\text{s}^2\text{C}} &= 2100.313 \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{\text{m}}{\text{s}^2\text{C}} &= 14.01310 \cdot 10^{-110} \\
1 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} &= 32.35120 \cdot 10^{310} \\
1 \frac{\text{m}^2\text{s}}{\text{C}} &= 0.2353250 \cdot 10^{320} \\
1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} &= 2014.255 \cdot 10^{320} \quad (*) \\
1 \text{m} \frac{1}{\text{mC}} &= 24.10012 \cdot 10^{-200} \quad (*) \\
1 \frac{1}{\text{mC}} &= 0.2025034 \cdot 10^{-150} \\
1 \text{k} \frac{1}{\text{mC}} &= 0.001334310 \cdot 10^{-140} \\
1 \text{m} \frac{1}{\text{msC}} &= 4.324422 \cdot 10^{-330} \\
1 \frac{1}{\text{msC}} &= 0.03310524 \cdot 10^{-320} \\
1 \text{k} \frac{1}{\text{msC}} &= 242.0400 \cdot 10^{-320} \quad (*) \\
1 \text{m} \frac{1}{\text{ms}^2\text{C}} &= 1.143534 \cdot 10^{-500} \\
1 \frac{1}{\text{ms}^2\text{C}} &= 0.01000000 \cdot 10^{-450} \quad (***) \\
1 \text{k} \frac{1}{\text{ms}^2\text{C}} &= 43.43554 \cdot 10^{-450} \quad (*) \\
1 \text{m} \frac{s}{\text{mC}} &= 133.0344 \cdot 10^{-30} \\
1 \frac{s}{\text{mC}} &= 1.120213 \cdot 10^{-20} \\
1 \text{k} \frac{s}{\text{mC}} &= 5355.541 \cdot 10^{-20} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2\text{C}} &= 0.3441005 \cdot 10^{-310} \quad (*) \\
1 \frac{1}{\text{m}^2\text{C}} &= 0.002530231 \cdot 10^{-300} \\
1 \text{k} \frac{1}{\text{m}^2\text{C}} &= 21.30234 \cdot 10^{-300} \\
1 \text{m} \frac{1}{\text{m}^2\text{sC}} &= 0.1023153 \cdot 10^{-440} \\
1 \frac{1}{\text{m}^2\text{sC}} &= 454.2531 \cdot 10^{-440} \\
1 \text{k} \frac{1}{\text{m}^2\text{sC}} &= 3.454155 \cdot 10^{-430} \quad (*) \\
1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 0.01452542 \cdot 10^{-1010} \\
1 \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 122.3112 \cdot 10^{-1010} \\
1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} &= 1.025542 \cdot 10^{-1000} \quad (*) \\
1 \text{m} \frac{s}{\text{m}^2\text{C}} &= 2.120543 \cdot 10^{-140} \\
1 \frac{s}{\text{m}^2\text{C}} &= 0.01415040 \cdot 10^{-130} \\
1 \text{k} \frac{s}{\text{m}^2\text{C}} &= 115.4204 \cdot 10^{-130} \\
1 \text{m} \frac{1}{\text{m}^3\text{C}} &= 0.005150515 \cdot 10^{-420} \\
1 \frac{1}{\text{m}^3\text{C}} &= 40.32535 \cdot 10^{-420} \\
1 \text{k} \frac{1}{\text{m}^3\text{C}} &= 0.3054454 \cdot 10^{-410} \\
1 \text{m} \frac{1}{\text{m}^3\text{sC}} &= 1300.413 \cdot 10^{-1000} \quad (*) \\
1 \frac{1}{\text{m}^3\text{sC}} &= 10.54314 \cdot 10^{-550} \\
1 \text{k} \frac{1}{\text{m}^3\text{sC}} &= 0.05211540 \cdot 10^{-540} \\
1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 231.5334 \cdot 10^{-1130} \\
1 \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 1.545341 \cdot 10^{-1120} \\
1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} &= 0.01304224 \cdot 10^{-1110} \\
1 \text{m} \frac{s}{\text{m}^3\text{C}} &= 0.03043050 \cdot 10^{-250} \\
1 \frac{s}{\text{m}^3\text{C}} &= 222.4535 \cdot 10^{-250} \\
1 \text{k} \frac{s}{\text{m}^3\text{C}} &= 1.505543 \cdot 10^{-240} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{C}} &= 111.5131 \cdot 10^{-30}
\end{aligned}$$

$$\begin{aligned}
1 \text{reno-} \frac{L^2}{Q} &= 10^{200} = 1420.225 \text{k} \frac{\text{m}^2}{\text{C}} \\
1 \text{pa-} \frac{L^2}{TQ} &= 10^{10} = 0.3343045 \text{m} \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 44.10535 \frac{\text{m}^2}{\text{sC}} \\
1 \text{re-} \frac{L^2}{TQ} &= 10^{20} = 0.01003121 \text{k} \frac{\text{m}^2}{\text{sC}} \quad (*) \\
1 \text{ni'upare-} \frac{L^2}{T^2Q} &= 10^{-120} = 2.045001 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} \quad (*) \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 243.3244 \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{ni'upapa-} \frac{L^2}{T^2Q} &= 10^{-110} = 0.03330152 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} \\
1 \text{cipa-} \frac{L^2T}{Q} &= 10^{310} = 0.01424353 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{cire-} \frac{L^2T}{Q} &= 10^{320} = 2.132050 \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{cici-} \frac{L^2T}{Q} &= 10^{330} = 253.2344 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} \\
1 \text{ni'ureno-} \frac{1}{LQ} &= 10^{-200} = 0.02120543 \text{m} \frac{1}{\text{mC}} \\
1 \text{ni'upamu-} \frac{1}{LQ} &= 10^{-150} = 2.515154 \frac{1}{\text{mC}} \\
1 \text{ni'upavo-} \frac{1}{LQ} &= 10^{-140} = 342.3455 \text{k} \frac{1}{\text{mC}} \quad (*) \\
1 \text{ni'ucici-} \frac{1}{LTQ} &= 10^{-330} = 0.1151043 \text{m} \frac{1}{\text{msC}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 14.10533 \frac{1}{\text{msC}} \\
1 \text{ni'ucire-} \frac{1}{LTQ} &= 10^{-320} = 0.002111314 \text{k} \frac{1}{\text{msC}} \\
1 \text{ni'umuno-} \frac{1}{LT^2Q} &= 10^{-500} = 0.4344002 \text{m} \frac{1}{\text{ms}^2\text{C}} \quad (*) \\
1 \text{ni'uvomu-} \frac{1}{LT^2Q} &= 10^{-450} = 100.0000 \frac{1}{\text{ms}^2\text{C}} \quad (***) \\
1 \text{ni'uvomu-} \frac{1}{LT^2Q} &= 10^{-450} = 0.01143535 \text{k} \frac{1}{\text{ms}^2\text{C}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 3441.010 \text{m} \frac{s}{\text{mC}} \\
1 \text{ni'ure-} \frac{T}{LQ} &= 10^{-20} = 0.4522511 \frac{s}{\text{mC}} \\
1 \text{ni'upa-} \frac{T}{LQ} &= 10^{-10} = 102.0415 \text{k} \frac{s}{\text{mC}} \\
1 \text{ni'ucipa-} \frac{1}{L^2Q} &= 10^{-310} = 1.330344 \text{m} \frac{1}{\text{m}^2\text{C}} \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 202.0014 \frac{1}{\text{m}^2\text{C}} \quad (*) \\
1 \text{ni'ucino-} \frac{1}{L^2Q} &= 10^{-300} = 0.02355253 \text{k} \frac{1}{\text{m}^2\text{C}} \quad (*) \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 5.334101 \text{m} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'uvovo-} \frac{1}{L^2TQ} &= 10^{-440} = 0.001113222 \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'uvoci-} \frac{1}{L^2TQ} &= 10^{-430} = 0.1322434 \text{k} \frac{1}{\text{m}^2\text{sC}} \\
1 \text{ni'upanopa-} \frac{1}{L^2T^2Q} &= 10^{-1010} = 31.44221 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 4135.132 \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upanono-} \frac{1}{L^2T^2Q} &= 10^{-1000} = 0.5312314 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upavo-} \frac{T}{L^2Q} &= 10^{-140} = 0.2410012 \text{m} \frac{s}{\text{m}^2\text{C}} \quad (*) \\
1 \text{ni'upaci-} \frac{T}{L^2Q} &= 10^{-130} = 32.54154 \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'upare-} \frac{T}{L^2Q} &= 10^{-120} = 4305.334 \text{k} \frac{s}{\text{m}^2\text{C}} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 104.4030 \text{m} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'uvore-} \frac{1}{L^3Q} &= 10^{-420} = 0.01244200 \frac{1}{\text{m}^3\text{C}} \quad (*) \\
1 \text{ni'uvopa-} \frac{1}{L^3Q} &= 10^{-410} = 1.521545 \text{k} \frac{1}{\text{m}^3\text{C}} \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 355.4040 \text{m} \frac{1}{\text{m}^3\text{sC}} \quad (*) \\
1 \text{ni'umumu-} \frac{1}{L^3TQ} &= 10^{-550} = 0.05101143 \frac{1}{\text{m}^3\text{sC}} \\
1 \text{ni'umuvo-} \frac{1}{L^3TQ} &= 10^{-540} = 10.41200 \text{k} \frac{1}{\text{m}^3\text{sC}} \quad (*) \\
1 \text{ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 2203.300 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} \quad (*) \\
1 \text{ni'upapare-} \frac{1}{L^3T^2Q} &= 10^{-1120} = 0.3013415 \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upapapa-} \frac{1}{L^3T^2Q} &= 10^{-1110} = 35.40223 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'uremu-} \frac{T}{L^3Q} &= 10^{-250} = 15.30345 \text{m} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 2253.212 \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'urevo-} \frac{T}{L^3Q} &= 10^{-240} = 0.3120233 \text{k} \frac{s}{\text{m}^3\text{C}} \\
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 4531.211 \text{m} \frac{\text{kg}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 0.5350435 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 4204.224 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 20.23112 \cdot 10^{-200} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.1333022 \cdot 10^{-150} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 0.001122131 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 3.303403 \cdot 10^{-330} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.02414102 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 203.2144 \cdot 10^{-320} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= 414.5453 \cdot 10^{100} \\
1 \frac{\text{kg s}}{\text{C}} &= 3.153242 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.02321332 \cdot 10^{120} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 5113.122 \cdot 10^{40} \\
1 \frac{\text{kg m}}{\text{C}} &= 40.04123 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 0.3033534 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 0.001250325 \cdot 10^{-40} \\
1 \frac{\text{kg m}}{\text{s C}} &= 10.45453 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.05134014 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 230.1104 \cdot 10^{-220} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 1.533330 \cdot 10^{-210} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.01254113 \cdot 10^{-200} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.03022220 \cdot 10^{220} \\
1 \frac{\text{kg m s}}{\text{C}} &= 221.1034 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 1.454212 \cdot 10^{230} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 0.3413333 \cdot 10^{200} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 2510.304 \cdot 10^{200} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 21.13130 \cdot 10^{210} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 0.1014542 \cdot 10^{30} \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 451.0412 \cdot 10^{30} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 3.430421 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.01441311 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 121.3252 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 1.021312 \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 2.103514 \cdot 10^{330} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.01404034 \cdot 10^{340} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 114.4540 \cdot 10^{340} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= 1.413312 \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m C}} &= 0.01153050 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 100.4003 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 0.2523431 \cdot 10^{-310} \\
1 \frac{\text{kg}}{\text{m s C}} &= 0.002124213 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 14.21430 \cdot 10^{-300} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.04534220 \cdot 10^{-440} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 345.0500 \cdot 10^{-440} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 2.534523 \cdot 10^{-430} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 10.01312 \cdot 10^{-10} \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.04355041 \cdot 10^0 \quad (*) \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= 333.3032 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} \frac{M}{Q} &= 10^{-20} = 1.021404 \frac{\text{kg}}{\text{C}} \\
1 \text{ni'upa-} \frac{M}{Q} &= 10^{-10} = 121.3402 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni'ureno-} \frac{M}{TQ} &= 10^{-200} = 0.02521550 \text{m} \frac{\text{kg}}{\text{s C}} \quad (*) \\
1 \text{ni'upamu-} \frac{M}{TQ} &= 10^{-150} = 3.431132 \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'upavo-} \frac{M}{TQ} &= 10^{-140} = 451.1221 \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni'ucici-} \frac{M}{T^2 Q} &= 10^{-330} = 0.1412254 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 21.13322 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni'ucire-} \frac{M}{T^2 Q} &= 10^{-320} = 0.002510532 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{pano-} \frac{MT}{Q} &= 10^{100} = 0.001221022 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{papa-} \frac{MT}{Q} &= 10^{110} = 0.1450103 \frac{\text{kg s}}{\text{C}} \\
1 \text{pare-} \frac{MT}{Q} &= 10^{120} = 22.01401 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 105.2441 \text{m} \frac{\text{kg m}}{\text{C}} \\
1 \text{mu-} \frac{ML}{Q} &= 10^{50} = 0.01254231 \frac{\text{kg m}}{\text{C}} \\
1 \text{pano-} \frac{ML}{Q} &= 10^{100} = 1.533505 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 402.2411 \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uvo-} \frac{ML}{TQ} &= 10^{-40} = 0.05134443 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni'uci-} \frac{ML}{TQ} &= 10^{-30} = 10.45552 \text{k} \frac{\text{kg m}}{\text{s C}} \quad (***) \\
1 \text{ni'urere-} \frac{ML}{T^2 Q} &= 10^{-220} = 0.002221133 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'urepa-} \frac{ML}{T^2 Q} &= 10^{-210} = 0.3034213 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni'ureno-} \frac{ML}{T^2 Q} &= 10^{-200} = 40.04450 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 15.42341 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{rere-} \frac{MLT}{Q} &= 10^{220} = 0.002311413 \frac{\text{kg m s}}{\text{C}} \\
1 \text{reci-} \frac{MLT}{Q} &= 10^{230} = 0.3141455 \text{k} \frac{\text{kg m s}}{\text{C}} \quad (*) \\
1 \text{reno-} \frac{ML^2}{Q} &= 10^{200} = 1.341120 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 203.2332 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{repa-} \frac{ML^2}{Q} &= 10^{210} = 0.02414321 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{ci-} \frac{ML^2}{TQ} &= 10^{30} = 5.413243 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 1122.232 \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{vo-} \frac{ML^2}{TQ} &= 10^{40} = 0.1333143 \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 32.10034 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ni'upano-} \frac{ML^2}{T^2 Q} &= 10^{-100} = 0.004205010 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni'umu-} \frac{ML^2}{T^2 Q} &= 10^{-50} = 0.5351323 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{cici-} \frac{ML^2 T}{Q} &= 10^{330} = 0.2425123 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 33.20501 \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{civo-} \frac{ML^2 T}{Q} &= 10^{340} = 0.004340225 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni'upavo-} \frac{M}{LQ} &= 10^{-140} = 0.3301310 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upaci-} \frac{M}{LQ} &= 10^{-130} = 43.13431 \frac{\text{kg}}{\text{m C}} \\
1 \text{ni'upare-} \frac{M}{LQ} &= 10^{-120} = 5520.205 \text{k} \frac{\text{kg}}{\text{m C}} \quad (*) \\
1 \text{ni'ucipa-} \frac{M}{LTQ} &= 10^{-310} = 2.021534 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 240.1533 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni'ucino-} \frac{M}{LTQ} &= 10^{-300} = 0.03244555 \text{k} \frac{\text{kg}}{\text{m s C}} \quad (***) \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 11.14302 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvovo-} \frac{M}{LT^2 Q} &= 10^{-440} = 0.001324113 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'uvoci-} \frac{M}{LT^2 Q} &= 10^{-430} = 0.2012525 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni'upa-} \frac{MT}{LQ} &= 10^{-10} = 0.05542502 \text{m} \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 11.41543 \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 0.001400123 \text{k} \frac{\text{kg s}}{\text{m C}} \quad (*)
\end{aligned}$$

$1\text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} = 0.02222423 \cdot 10^{-250}$	$1\text{ni}'uremu-\frac{M}{L^2 Q} = 10^{-250} = 22.55353 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}}$ (*)
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} = 150.4132 \cdot 10^{-250}$	$1\text{ni}'urevo-\frac{M}{L^2 Q} = 10^{-240} = 3123.220 \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} = 1.232502 \cdot 10^{-240}$	$1\text{ni}'urevo-\frac{M}{L^2 Q} = 10^{-240} = 0.4110224 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.004025111 \cdot 10^{-420}$	$1\text{ni}'uvore-\frac{M}{L^2 T Q} = 10^{-420} = 124.5402 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 30.51534 \cdot 10^{-420}$	$1\text{ni}'uvore-\frac{M}{L^2 T Q} = 10^{-420} = 0.01523413 \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.2232351 \cdot 10^{-410}$	$1\text{ni}'uvopa-\frac{M}{L^2 T^2 Q} = 10^{-410} = 2.245324 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 1053.253 \cdot 10^{-1000}$	$1\text{ni}'umumu-\frac{M}{L^2 T^2 Q} = 10^{-550} = 511.0013 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$ (*)
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 5.203012 \cdot 10^{-550}$	$1\text{ni}'umumu-\frac{M}{L^2 T^2 Q} = 10^{-550} = 0.1042210 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 0.04043122 \cdot 10^{-540}$	$1\text{ni}'umuvo-\frac{M}{L^2 T^2 Q} = 10^{-540} = 12.42034 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1\text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 0.1225211 \cdot 10^{-120}$	$1\text{ni}'upare-\frac{MT}{L^2 Q} = 10^{-120} = 4.124422 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1\text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 1031.342 \cdot 10^{-120}$	$1\text{ni}'upapa-\frac{MT}{L^2 Q} = 10^{-110} = 530.0030 \frac{\text{kg s}}{\text{m}^2 \text{C}}$ (*)
$1\text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} = 5.014500 \cdot 10^{-110}$ (*)	$1\text{ni}'upapa-\frac{MT}{L^2 Q} = 10^{-110} = 0.1104343 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} = 321.2100 \cdot 10^{-410}$ (*)	$1\text{ni}'uvono-\frac{M}{L^3 Q} = 10^{-400} = 1440.235 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} = 2.333505 \cdot 10^{-400}$	$1\text{ni}'uvono-\frac{M}{L^3 Q} = 10^{-400} = 0.2150123 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.02001311 \cdot 10^{-350}$ (*)	$1\text{ni}'ucimu-\frac{M}{L^3 Q} = 10^{-350} = 25.53414 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 54.20545 \cdot 10^{-540}$	$1\text{ni}'umuvo-\frac{M}{L^3 T Q} = 10^{-540} = 0.01014151 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 0.4230241 \cdot 10^{-530}$	$1\text{ni}'umuci-\frac{M}{L^3 T Q} = 10^{-530} = 1.205144 \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} = 0.003224243 \cdot 10^{-520}$	$1\text{ni}'umure-\frac{M}{L^3 T Q} = 10^{-520} = 143.2040 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}}$
$1\text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 13.42114 \cdot 10^{-1110}$	$1\text{ni}'upapapa-\frac{M}{L^3 T^2 Q} = 10^{-1110} = 0.03411154 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 0.1130121 \cdot 10^{-1100}$	$1\text{ni}'upapano-\frac{M}{L^3 T^2 Q} = 10^{-1100} = 4.443532 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1\text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 544.3020 \cdot 10^{-1100}$	$1\text{ni}'upapano-\frac{M}{L^3 T^2 Q} = 10^{-1100} = 0.001011432 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1\text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 1552.352 \cdot 10^{-240}$ (*)	$1\text{ni}'ureci-\frac{MT}{L^3 Q} = 10^{-230} = 300.5022 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}}$ (*)
$1\text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 13.10430 \cdot 10^{-230}$	$1\text{ni}'ureci-\frac{MT}{L^3 Q} = 10^{-230} = 0.03530212 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1\text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} = 0.1103113 \cdot 10^{-220}$	$1\text{ni}'urere-\frac{MT}{L^3 Q} = 10^{-220} = 5.024522 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1\text{m} \text{C} = 5.125551 \cdot 10^{30}$ (**)	$1\text{ci}-Q = 10^{30} = 0.1050510 \text{m C}$
$1\text{C} = 0.04014552 \cdot 10^{40}$ (*)	$1\text{vo}-Q = 10^{40} = 12.51534 \text{C}$
$1\text{k} \text{C} = 304.3050 \cdot 10^{40}$	$1\text{vo}-Q = 10^{40} = 0.001530345 \text{k C}$
$1\text{m} \frac{\text{C}}{\text{s}} = 1.253020 \cdot 10^{-100}$	$1\text{ni}'upano-\frac{Q}{T} = 10^{-100} = 0.4011532 \text{m} \frac{\text{C}}{\text{s}}$
$1\text{C} = 0.01051421 \cdot 10^{-50}$	$1\text{ni}'umu-\frac{Q}{T} = 10^{-50} = 51.22003 \frac{\text{C}}{\text{s}}$ (*)
$1\text{k} \frac{\text{C}}{\text{s}} = 51.50520 \cdot 10^{-50}$	$1\text{ni}'umu-\frac{Q}{T} = 10^{-50} = 0.01044030 \text{k} \frac{\text{C}}{\text{s}}$
$1\text{m} \frac{\text{C}}{\text{s}^2} = 0.2305220 \cdot 10^{-230}$	$1\text{ni}'ureci-\frac{Q}{T^2} = 10^{-230} = 2.213140 \text{m} \frac{\text{C}}{\text{s}^2}$
$1\text{C} = 0.001540455 \cdot 10^{-220}$ (*)	$1\text{ni}'urere-\frac{Q}{T^2} = 10^{-220} = 302.5112 \frac{\text{C}}{\text{s}^2}$
$1\text{k} \frac{\text{C}}{\text{s}^2} = 13.00414 \cdot 10^{-220}$ (*)	$1\text{ni}'urere-\frac{Q}{T^2} = 10^{-220} = 0.03554035 \text{k} \frac{\text{C}}{\text{s}^2}$ (*)
$1\text{m} \text{s C} = 30.31312 \cdot 10^{200}$	$1\text{reno}-TQ = 10^{200} = 0.01535205 \text{m s C}$
$1\text{s C} = 0.2215024 \cdot 10^{210}$	$1\text{repa}-TQ = 10^{210} = 2.303253 \text{s C}$
$1\text{k s C} = 0.001501234 \cdot 10^{220}$	$1\text{rere}-TQ = 10^{220} = 313.2205 \text{k s C}$
$1\text{m m C} = 342.3455 \cdot 10^{140}$ (*)	$1\text{pavo}-LQ = 10^{140} = 0.001334310 \text{m m C}$
$1\text{m C} = 2.515154 \cdot 10^{150}$	$1\text{pamu}-LQ = 10^{150} = 0.2025034 \text{m C}$
$1\text{k m C} = 0.02120543 \cdot 10^{200}$	$1\text{reno}-LQ = 10^{200} = 24.10012 \text{k m C}$ (*)
$1\text{m} \frac{\text{m C}}{\text{s}} = 102.0415 \cdot 10^{10}$	$1\text{re}-\frac{LQ}{T} = 10^{20} = 5355.541 \text{m} \frac{\text{m C}}{\text{s}}$ (*)
$1\text{k} \frac{\text{m C}}{\text{s}} = 0.4522511 \cdot 10^{20}$	$1\text{re}-\frac{LQ}{T} = 10^{20} = 1.120213 \frac{\text{m C}}{\text{s}}$
$1\text{k} \frac{\text{m C}}{\text{s}} = 3441.010 \cdot 10^{20}$	$1\text{ci}-\frac{LQ}{T} = 10^{30} = 133.0344 \text{k} \frac{\text{m C}}{\text{s}}$
$1\text{m} \frac{\text{m C}}{\text{s}^2} = 14.44310 \cdot 10^{-120}$	$1\text{ni}'upare-\frac{LQ}{T^2} = 10^{-120} = 0.03200301 \text{m} \frac{\text{m C}}{\text{s}^2}$ (*)
$1\text{k} \frac{\text{m C}}{\text{s}^2} = 0.1215443 \cdot 10^{-110}$	$1\text{ni}'upapa-\frac{LQ}{T^2} = 10^{-110} = 4.153435 \frac{\text{m C}}{\text{s}^2}$
$1\text{k} \frac{\text{m C}}{\text{s}^2} = 0.001023153 \cdot 10^{-100}$	$1\text{ni}'upano-\frac{LQ}{T^2} = 10^{-100} = 533.4100 \text{k} \frac{\text{m C}}{\text{s}^2}$ (*)
$1\text{m m s C} = 0.002111314 \cdot 10^{320}$	$1\text{cire}-LTQ = 10^{320} = 242.0400 \text{m m s C}$ (*)
$1\text{m s C} = 14.10533 \cdot 10^{320}$	$1\text{cire}-LTQ = 10^{320} = 0.03310524 \text{m s C}$
$1\text{k m s C} = 0.1151043 \cdot 10^{330}$	$1\text{cici}-LTQ = 10^{330} = 4.324422 \text{k m s C}$
$1\text{m m}^2 \text{C} = 0.02355253 \cdot 10^{300}$ (*)	$1\text{cino}-L^2 Q = 10^{300} = 21.30234 \text{m m}^2 \text{C}$

$$\begin{aligned}
1 \text{ m}^2 \text{ C} &= 202.0014 \cdot 10^{300} \quad (*) \\
1 \text{k m}^2 \text{ C} &= 1.330344 \cdot 10^{310} \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 4305.334 \cdot 10^{120} \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}} &= 32.54154 \cdot 10^{130} \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} &= 0.2410012 \cdot 10^{140} \quad (*) \\
1 \text{m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.001140441 \cdot 10^0 \\
1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 5.533222 \\
1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} &= 0.04324423 \cdot 10^{10} \\
1 \text{m} \text{m}^2 \text{s C} &= 0.1322434 \cdot 10^{430} \\
1 \text{m}^2 \text{s C} &= 0.001113222 \cdot 10^{440} \\
1 \text{k m}^2 \text{s C} &= 5.334101 \cdot 10^{440} \\
1 \text{m} \frac{\text{C}}{\text{m}} &= 0.1121145 \cdot 10^{-40} \\
1 \frac{\text{C}}{\text{m}} &= 540.4124 \cdot 10^{-40} \\
1 \text{k} \frac{\text{C}}{\text{m}} &= 4.215415 \cdot 10^{-30} \\
1 \text{m} \frac{\text{C}}{\text{m s}} &= 0.02030402 \cdot 10^{-210} \\
1 \frac{\text{C}}{\text{m s}} &= 133.5425 \cdot 10^{-210} \\
1 \text{k} \frac{\text{C}}{\text{m s}} &= 1.124153 \cdot 10^{-200} \\
1 \text{m} \frac{\text{C}}{\text{m s}^2} &= 0.003313330 \cdot 10^{-340} \\
1 \frac{\text{C}}{\text{m s}^2} &= 24.22421 \cdot 10^{-340} \\
1 \text{k} \frac{\text{C}}{\text{m s}^2} &= 0.2035451 \cdot 10^{-330} \\
1 \text{m} \frac{\text{s C}}{\text{m}} &= 0.4201014 \cdot 10^{50} \\
1 \frac{\text{s C}}{\text{m}} &= 0.003203010 \cdot 10^{100} \\
1 \text{k} \frac{\text{s C}}{\text{m}} &= 23.25521 \cdot 10^{100} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^2} &= 1420.225 \cdot 10^{-200} \\
1 \frac{\text{C}}{\text{m}^2} &= 11.55204 \cdot 10^{-150} \quad (*) \\
1 \text{k} \frac{\text{C}}{\text{m}^2} &= 0.1005420 \cdot 10^{-140} \quad (*) \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} &= 253.2344 \cdot 10^{-330} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}} &= 2.132050 \cdot 10^{-320} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} &= 0.01424353 \cdot 10^{-310} \\
1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 45.50402 \cdot 10^{-500} \\
1 \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.3501121 \cdot 10^{-450} \\
1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} &= 0.002543500 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{s C}}{\text{m}^2} &= 0.01003121 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{s C}}{\text{m}^2} &= 44.10535 \cdot 10^{-20} \\
1 \text{k} \frac{\text{s C}}{\text{m}^2} &= 0.3343045 \cdot 10^{-10} \\
1 \text{m} \frac{\text{C}}{\text{m}^3} &= 22.30433 \cdot 10^{-310} \\
1 \frac{\text{C}}{\text{m}^3} &= 0.1511212 \cdot 10^{-300} \\
1 \text{k} \frac{\text{C}}{\text{m}^3} &= 1235.124 \cdot 10^{-300} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} &= 4.040014 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}} &= 0.03101115 \cdot 10^{-430} \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} &= 224.0415 \cdot 10^{-430} \\
1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 1.055232 \cdot 10^{-1010} \quad (*) \\
1 \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 0.005220003 \cdot 10^{-1000} \quad (***) \\
1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} &= 40.54054 \cdot 10^{-1000} \\
1 \text{m} \frac{\text{s C}}{\text{m}^3} &= 123.1423 \cdot 10^{-140} \\
1 \frac{\text{s C}}{\text{m}^3} &= 1.033241 \cdot 10^{-130} \\
1 \text{k} \frac{\text{s C}}{\text{m}^3} &= 0.005031151 \cdot 10^{-120} \\
1 \text{m kg C} &= 0.3155545 \cdot 10^{50} \quad (**)
\end{aligned}$$

$$\begin{aligned}
1 \text{ cino-}L^2Q &= 10^{300} = 0.002530231 \text{ m}^2 \text{ C} \\
1 \text{ cipa-}L^2Q &= 10^{310} = 0.3441005 \text{ k m}^2 \text{ C} \quad (*) \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 115.4204 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ paci-} \frac{L^2Q}{T} &= 10^{130} = 0.01415040 \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \text{ pavo-} \frac{L^2Q}{T} &= 10^{140} = 2.120543 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}} \\
1 \frac{L^2Q}{T^2} &= 1 = 440.3221 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \frac{L^2Q}{T^2} &= 1 = 0.1002244 \frac{\text{m}^2 \text{ C}}{\text{s}^2} \quad (*) \\
1 \text{ pa-} \frac{L^2Q}{T^2} &= 10^{10} = 11.51043 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} \\
1 \text{ voci-}L^2TQ &= 10^{430} = 3.454155 \text{ m m}^2 \text{ s C} \quad (*) \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 454.2531 \text{ m}^2 \text{ s C} \\
1 \text{ vovo-}L^2TQ &= 10^{440} = 0.1023153 \text{ k m}^2 \text{ s C} \\
1 \text{ ni'uvuo-} \frac{Q}{L} &= 10^{-40} = 4.515100 \text{ m} \frac{\text{C}}{\text{m}} \quad (*) \\
1 \text{ ni'uvuo-} \frac{Q}{L} &= 10^{-40} = 0.001015530 \frac{\text{C}}{\text{m}} \quad (*) \\
1 \text{ ni'uci-} \frac{Q}{L} &= 10^{-30} = 0.1211214 \text{ k} \frac{\text{C}}{\text{m}} \\
1 \text{ ni'urepa-} \frac{Q}{LT} &= 10^{-210} = 25.13052 \text{ m} \frac{\text{C}}{\text{m s}} \\
1 \text{ ni'ureno-} \frac{Q}{LT} &= 10^{-200} = 3421.001 \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'ureno-} \frac{Q}{LT} &= 10^{-200} = 0.4455142 \text{ k} \frac{\text{C}}{\text{m s}} \quad (*) \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 140.5352 \text{ m} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ ni'ucivo-} \frac{Q}{LT^2} &= 10^{-340} = 0.02105515 \frac{\text{C}}{\text{m s}^2} \quad (*) \\
1 \text{ ni'ucici-} \frac{Q}{LT^2} &= 10^{-330} = 2.502053 \text{ k} \frac{\text{C}}{\text{m s}^2} \\
1 \text{ mu-} \frac{TQ}{L} &= 10^{50} = 1.214425 \text{ m} \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 144.3101 \frac{\text{s C}}{\text{m}} \\
1 \text{ pano-} \frac{TQ}{L} &= 10^{100} = 0.02153435 \text{ k} \frac{\text{s C}}{\text{m}} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 325.1404 \text{ m} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upamu-} \frac{Q}{L^2} &= 10^{-150} = 0.04302104 \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'upavo-} \frac{Q}{L^2} &= 10^{-140} = 5.502314 \text{ k} \frac{\text{C}}{\text{m}^2} \\
1 \text{ ni'ucire-} \frac{Q}{L^2 T} &= 10^{-320} = 2014.255 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ ni'ucire-} \frac{Q}{L^2 T} &= 10^{-320} = 0.2353250 \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'ucipa-} \frac{Q}{L^2 T} &= 10^{-310} = 32.35120 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}} \\
1 \text{ ni'umuno-} \frac{Q}{L^2 T^2} &= 10^{-500} = 0.01112253 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvomu-} \frac{Q}{L^2 T^2} &= 10^{-450} = 1.321331 \frac{\text{C}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uvovo-} \frac{Q}{L^2 T^2} &= 10^{-440} = 200.5303 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 55.24531 \text{ m} \frac{\text{s C}}{\text{m}^2} \quad (*) \\
1 \text{ ni'ure-} \frac{TQ}{L^2} &= 10^{-20} = 0.01135452 \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'upa-} \frac{TQ}{L^2} &= 10^{-10} = 1.353243 \text{ k} \frac{\text{s C}}{\text{m}^2} \\
1 \text{ ni'ucipa-} \frac{Q}{L^3} &= 10^{-310} = 0.02251254 \text{ m} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'ucino-} \frac{Q}{L^3} &= 10^{-300} = 3.113555 \frac{\text{C}}{\text{m}^3} \quad (***) \\
1 \text{ ni'uremu-} \frac{Q}{L^3} &= 10^{-250} = 405.5230 \text{ k} \frac{\text{C}}{\text{m}^3} \\
1 \text{ ni'uvovo-} \frac{Q}{L^3 T} &= 10^{-440} = 0.1243121 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvoci-} \frac{Q}{L^3 T} &= 10^{-430} = 15.20312 \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvore-} \frac{Q}{L^3 T} &= 10^{-420} = 2241.244 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upanopa-} \frac{Q}{L^3 T^2} &= 10^{-1010} = 0.5053220 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3 T^2} &= 10^{-1000} = 104.0254 \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upanono-} \frac{Q}{L^3 T^2} &= 10^{-1000} = 0.01235402 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2} \\
1 \text{ ni'upavo-} \frac{TQ}{L^3} &= 10^{-140} = 0.004113355 \text{ m} \frac{\text{s C}}{\text{m}^3} \quad (*) \\
1 \text{ ni'upaci-} \frac{TQ}{L^3} &= 10^{-130} = 0.5242531 \frac{\text{s C}}{\text{m}^3} \\
1 \text{ ni'upare-} \frac{TQ}{L^3} &= 10^{-120} = 110.2352 \text{ k} \frac{\text{s C}}{\text{m}^3} \\
1 \text{ mu-MQ} &= 10^{50} = 1.444452 \text{ m kg C} \\
1 \text{ pano-MQ} &= 10^{100} = 215.5524 \text{ kg C} \quad (*) \\
1 \text{ pano-MQ} &= 10^{100} = 0.03005021 \text{ k kg C} \quad (*)
\end{aligned}$$

$1m \frac{kg\ C}{s} = 0.05355013 \cdot 10^{-40}$	(*)	$1 ni' uvo- \frac{MQ}{T} = 10^{-40} = 10.20515 m \frac{kg\ C}{s}$
$1 \frac{kg\ C}{s} = 421.1413 \cdot 10^{-40}$		$1 ni' uvo- \frac{MQ}{T} = 10^{-40} = 0.001212345 \frac{kg\ C}{s}$
$1k \frac{kg\ C}{s} = 3.212100 \cdot 10^{-30}$	(*)	$1 ni' uci- \frac{MQ}{T} = 10^{-30} = 0.1440235 k \frac{kg\ C}{s}$
$1m \frac{kg\ C}{s^2} = 0.01334135 \cdot 10^{-210}$		$1 ni' urepa- \frac{MQ}{T^2} = 10^{-210} = 34.24232 m \frac{kg\ C}{s^2}$
$1 \frac{kg\ C}{s^2} = 112.3104 \cdot 10^{-210}$		$1 ni' ureno- \frac{MQ}{T^2} = 10^{-200} = 4503.415 \frac{kg\ C}{s^2}$
$1k \frac{kg\ C}{s^2} = 0.5420550 \cdot 10^{-200}$	(*)	$1 ni' ureno- \frac{MQ}{T^2} = 10^{-200} = 1.014150 k \frac{kg\ C}{s^2}$
$1m kg\ s\ C = 1.543454 \cdot 10^{220}$		$1 rere-MTQ = 10^{220} = 0.3020300 m\ kg\ s\ C$ (*)
$1 kg\ s\ C = 0.01303005 \cdot 10^{230}$	(*)	$1 reci-MTQ = 10^{230} = 35.44002 kg\ s\ C$ (*)
$1k kg\ s\ C = 110.0200 \cdot 10^{230}$	(*)	$1 revo-MTQ = 10^{240} = 5045.215 k\ kg\ s\ C$
$1m kg\ m\ C = 22.12522 \cdot 10^{200}$		$1 reno-MLQ = 10^{200} = 0.02305444 m\ kg\ m\ C$
$1 kg\ m\ C = 0.1455431 \cdot 10^{210}$	(*)	$1 repa-MLQ = 10^{210} = 3.135204 kg\ m\ C$
$1k kg\ m\ C = 0.001225211 \cdot 10^{220}$		$1 rere-MLQ = 10^{220} = 412.4421 k\ kg\ m\ C$
$1m \frac{kg\ m\ C}{s} = 4.011140 \cdot 10^{30}$		$1 ci- \frac{MLQ}{T} = 10^{30} = 0.1253143 m \frac{kg\ m\ C}{s}$
$1 \frac{kg\ m\ C}{s} = 0.03040141 \cdot 10^{40}$		$1 vo- \frac{MLQ}{T} = 10^{40} = 15.32222 \frac{kg\ m\ C}{s}$
$1k \frac{kg\ m\ C}{s} = 222.2423 \cdot 10^{40}$		$1 vo- \frac{MLQ}{T} = 10^{40} = 0.002255352 k \frac{kg\ m\ C}{s}$ (*)
$1m \frac{kg\ m\ C}{s^2} = 1.050403 \cdot 10^{-100}$		$1 ni' upano- \frac{MLQ}{T^2} = 10^{-100} = 0.5130452 m \frac{kg\ m\ C}{s^2}$
$1 \frac{kg\ m\ C}{s^2} = 5142.012 \cdot 10^{-100}$		$1 ni' umu- \frac{MLQ}{T^2} = 10^{-50} = 104.5042 \frac{kg\ m\ C}{s^2}$
$1k \frac{kg\ m\ C}{s^2} = 40.25111 \cdot 10^{-50}$		$1 ni' umu- \frac{MLQ}{T^2} = 10^{-50} = 0.01245402 k \frac{kg\ m\ C}{s^2}$
$1m kg\ m\ s\ C = 122.1532 \cdot 10^{330}$		$1 civo-MLTQ = 10^{340} = 4143.100 m\ kg\ m\ s\ C$ (*)
$1 kg\ m\ s\ C = 1.024545 \cdot 10^{340}$		$1 civo-MLTQ = 10^{340} = 0.5321335 kg\ m\ s\ C$
$1k kg\ m\ s\ C = 4554.320 \cdot 10^{340}$	(*)	$1 cimu-MLTQ = 10^{350} = 111.1314 k\ kg\ m\ s\ C$
$1m kg\ m^2\ C = 0.001405214 \cdot 10^{320}$		$1 cire-ML^2Q = 10^{320} = 331.4053 m\ kg\ m^2\ C$
$1 kg\ m^2\ C = 11.45533 \cdot 10^{320}$	(*)	$1 cire-ML^2Q = 10^{320} = 0.04332533 kg\ m^2\ C$
$1k kg\ m^2\ C = 0.1001312 \cdot 10^{330}$	(*)	$1 cici-ML^2Q = 10^{330} = 5.542501 k\ kg\ m^2\ C$
$1m \frac{kg\ m^2\ C}{s} = 251.2404 \cdot 10^{140}$		$1 pavo- \frac{ML^2Q}{T} = 10^{140} = 0.002031002 m \frac{kg\ m^2\ C}{s}$ (*)
$1 \frac{kg\ m^2\ C}{s} = 2.114532 \cdot 10^{150}$		$1 pamu- \frac{ML^2Q}{T} = 10^{150} = 0.2412302 \frac{kg\ m^2\ C}{s}$
$1k \frac{kg\ m^2\ C}{s} = 0.01413313 \cdot 10^{200}$		$1 reno- \frac{ML^2Q}{T} = 10^{200} = 33.01305 k \frac{kg\ m^2\ C}{s}$
$1m \frac{kg\ m^2\ C}{s^2} = 45.14220 \cdot 10^{10}$		$1 pa- \frac{ML^2Q}{T^2} = 10^{10} = 0.01121255 m \frac{kg\ m^2\ C}{s^2}$ (*)
$1 \frac{kg\ m^2\ C}{s^2} = 0.3433323 \cdot 10^{20}$		$1 re- \frac{ML^2Q}{T^2} = 10^{20} = 1.332030 \frac{kg\ m^2\ C}{s^2}$
$1k \frac{kg\ m^2\ C}{s^2} = 2523.431 \cdot 10^{20}$		$1 ci- \frac{ML^2Q}{T^2} = 10^{30} = 202.1533 k \frac{kg\ m^2\ C}{s^2}$
$1m kg\ m^2\ s\ C = 5550.310 \cdot 10^{440}$	(**)	$1 vomu-ML^2TQ = 10^{450} = 100.0530 m\ kg\ m^2\ s\ C$ (*)
$1 kg\ m^2\ s\ C = 43.35440 \cdot 10^{450}$		$1 vomu-ML^2TQ = 10^{450} = 0.01145043 kg\ m^2\ s\ C$
$1k kg\ m^2\ s\ C = 0.3320203 \cdot 10^{500}$		$1 munoo-ML^2TQ = 10^{500} = 1.404200 k\ kg\ m^2\ s\ C$ (*)
$1m \frac{kg\ C}{m} = 0.004402351 \cdot 10^{-20}$		$1 ni' ure- \frac{MQ}{L} = 10^{-20} = 114.0553 m \frac{kg\ C}{m}$ (*)
$1 \frac{kg\ C}{m} = 33.35453 \cdot 10^{-20}$		$1 ni' ure- \frac{MQ}{L} = 10^{-20} = 0.01354551 \frac{kg\ C}{m}$ (*)
$1k \frac{kg\ C}{m} = 0.2441414 \cdot 10^{-10}$		$1 ni' upa- \frac{MQ}{L} = 10^{-10} = 2.053122 k \frac{kg\ C}{m}$
$1m \frac{kg\ C}{m\ s} = 1154.050 \cdot 10^{-200}$		$1 ni' upamu- \frac{MQ}{LT} = 10^{-150} = 431.0154 m \frac{kg\ C}{ms}$
$1 \frac{kg\ C}{m\ s} = 10.04442 \cdot 10^{-150}$		$1 ni' upamu- \frac{MQ}{LT} = 10^{-150} = 0.05511524 \frac{kg\ C}{ms}$ (*)
$1k \frac{kg\ C}{m\ s} = 0.04422054 \cdot 10^{-140}$		$1 ni' upavo- \frac{MQ}{LT} = 10^{-140} = 11.33512 k \frac{kg\ C}{ms}$
$1m \frac{kg\ C}{m\ s^2} = 213.0024 \cdot 10^{-330}$	(*)	$1 ni' ucire- \frac{MQ}{LT^2} = 10^{-320} = 2355.525 m \frac{kg\ C}{ms^2}$ (*)
$1 \frac{kg\ C}{m\ s^2} = 1.423021 \cdot 10^{-320}$		$1 ni' ucire- \frac{MQ}{LT^2} = 10^{-320} = 0.3242214 \frac{kg\ C}{ms^2}$
$1k \frac{kg\ C}{m\ s^2} = 0.01201222 \cdot 10^{-310}$		$1 ni' ucipa- \frac{MQ}{LT^2} = 10^{-310} = 42.51151 k \frac{kg\ C}{ms^2}$
$1m \frac{kg\ C}{m\ s^3} = 0.02430534 \cdot 10^{110}$		$1 papa- \frac{MTQ}{L} = 10^{110} = 21.02311 m \frac{kg\ s\ C}{m}$
$1 \frac{kg\ C}{m\ s^3} = 204.3020 \cdot 10^{110}$		$1 pare- \frac{MTQ}{L} = 10^{120} = 2453.450 \frac{kg\ s\ C}{m}$
$1k \frac{kg\ C}{m\ s^3} = 1.350113 \cdot 10^{120}$		$1 pare- \frac{MTQ}{L} = 10^{120} = 0.3354151 k \frac{kg\ s\ C}{m}$
$1m \frac{kg\ C}{m^2} = 103.2240 \cdot 10^{-140}$		$1 ni' upavo- \frac{MTQ}{L^2} = 10^{-140} = 0.005251533 m \frac{kg\ C}{m^2}$
$1 \frac{kg\ C}{m^2} = 0.5022354 \cdot 10^{-130}$		$1 ni' upaci- \frac{MQ}{L^2} = 10^{-130} = 1.103421 \frac{kg\ C}{m^2}$
$1k \frac{kg\ C}{m^2} = 0.003524351 \cdot 10^{-120}$		$1 ni' upare- \frac{MQ}{L^2} = 10^{-120} = 131.1232 k \frac{kg\ C}{m^2}$
$1m \frac{kg\ C}{m^2\ s} = 15.05355 \cdot 10^{-310}$	(*)	$1 ni' ucipa- \frac{MQ}{L^2T} = 10^{-310} = 0.03120540 m \frac{kg\ C}{m^2\ s}$
$1 \frac{kg\ C}{m^2\ s} = 0.1233532 \cdot 10^{-300}$		$1 ni' ucino- \frac{MQ}{L^2T} = 10^{-300} = 4.103124 \frac{kg\ C}{m^2\ s}$

$1k \frac{kg\ C}{m^2 s} = 1035.050 \cdot 10^{-300}$	$1 ni'uremu-\frac{MQ}{L^2 T} = 10^{-250} = 523.0333 k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 3.054153 \cdot 10^{-440}$	$1 ni'uvovo-\frac{MQ}{L^2 T^2} = 10^{-440} = 0.1522134 m \frac{kg\ C}{m^2 s^2}$
$1 \frac{kg\ C}{m^2 s^2} = 0.02234252 \cdot 10^{-430}$	$1 ni'uvoci-\frac{MQ}{L^2 T^2} = 10^{-430} = 22.43414 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 151.4123 \cdot 10^{-430}$	$1 ni'uvore-\frac{MQ}{L^2 T^2} = 10^{-420} = 3105.033 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 351.1045 \cdot 10^{-10}$	$1 \frac{MTQ}{L^2} = 1 = 1315.111 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 2.552221 (*)$	$1 \frac{MTQ}{L^2} = 1 = 0.2002230 \frac{kg\ s\ C}{m^2} (*)$
$1k \frac{kg\ s\ C}{m^2} = 0.02145115 \cdot 10^{10}$	$1 pa-\frac{MTQ}{L^2} = 10^{10} = 23.35001 k \frac{kg\ s\ C}{m^2} (*)$
$1m \frac{kg\ C}{m^3} = 1.311524 \cdot 10^{-250}$	$1 ni'uremu-\frac{MQ}{L^3} = 10^{-250} = 0.3523230 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 0.01104034 \cdot 10^{-240}$	$1 ni'urevo-\frac{MQ}{L^3} = 10^{-240} = 50.21022 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 52.53354 \cdot 10^{-240}$	$1 ni'urevo-\frac{MQ}{L^3} = 10^{-240} = 0.01032034 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 0.2335454 \cdot 10^{-420}$	$1 ni'uvore-\frac{MQ}{L^3 T} = 10^{-420} = 2.144255 m \frac{kg\ C}{m^3 s} (*)$
$1 \frac{kg\ C}{m^3 s} = 2003.015 \cdot 10^{-420} (*)$	$1 ni'uvopa-\frac{MQ}{L^3 T} = 10^{-410} = 255.1242 \frac{kg\ C}{m^3 s} (*)$
$1k \frac{kg\ C}{m^3 s} = 13.15405 \cdot 10^{-410}$	$1 ni'uvopa-\frac{MQ}{L^3 T} = 10^{-410} = 0.03505530 k \frac{kg\ C}{m^3 s} (*)$
$1m \frac{kg\ C}{m^3 s^2} = 0.04233444 \cdot 10^{-550}$	$1 ni'umumu-\frac{MQ}{L^3 T^2} = 10^{-550} = 12.04135 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 323.1013 \cdot 10^{-550}$	$1 ni'umuovo-\frac{MQ}{L^3 T^2} = 10^{-540} = 1430.441 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 2.350125 \cdot 10^{-540}$	$1 ni'umuovo-\frac{MQ}{L^3 T^2} = 10^{-540} = 0.2134523 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 5.232150 \cdot 10^{-120}$	$1 ni'upare-\frac{MTQ}{L^3} = 10^{-120} = 0.1034443 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 0.04104320 \cdot 10^{-110}$	$1 ni'upapa-\frac{MTQ}{L^3} = 10^{-110} = 12.33250 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 312.1543 \cdot 10^{-110}$	$1 ni'upano-\frac{MTQ}{L^3} = 10^{-100} = 1505.025 k \frac{kg\ s\ C}{m^3}$
<hr/>	
$1m \frac{1}{K} = 2.423454 \cdot 10^{100}$	$1 pano-\frac{1}{\Theta} = 10^{100} = 0.2105001 m \frac{1}{K} (*)$
$1 \frac{1}{K} = 0.02040353 \cdot 10^{110}$	$1 papa-\frac{1}{\Theta} = 10^{110} = 25.01003 \frac{1}{K} (*)$
$1k \frac{1}{K} = 134.4205 \cdot 10^{110}$	$1 pare-\frac{1}{\Theta} = 10^{120} = 3402.245 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.4353205 \cdot 10^{-30}$	$1 ni'uci-\frac{1}{T\Theta} = 10^{-30} = 1.142240 m \frac{1}{sK}$
$1 \frac{1}{sK} = 0.003331424 \cdot 10^{-20}$	$1 ni'ure-\frac{1}{T\Theta} = 10^{-20} = 140.0511 \frac{1}{sK}$
$1k \frac{1}{sK} = 24.34322 \cdot 10^{-20}$	$1 ni'ure-\frac{1}{T\Theta} = 10^{-20} = 0.02055403 k \frac{1}{sK} (*)$
$1m \frac{1}{s^2 K} = 0.1152350 \cdot 10^{-200}$	$1 ni'uren-\frac{1}{T^2\Theta} = 10^{-200} = 4.315250 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 1003.344 \cdot 10^{-200} (*)$	$1 ni'upamu-\frac{1}{T^2\Theta} = 10^{-150} = 552.2325 \frac{1}{s^2 K} (*)$
$1k \frac{1}{s^2 K} = 4.412450 \cdot 10^{-150}$	$1 ni'upamu-\frac{1}{T^2\Theta} = 10^{-150} = 0.1135151 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 13.40220 \cdot 10^{230}$	$1 reci-\frac{T}{\Theta} = 10^{230} = 0.03415303 m \frac{s}{K}$
$1 \frac{s}{K} = 0.1124453 \cdot 10^{240}$	$1 revo-\frac{T}{\Theta} = 10^{240} = 4.453205 \frac{s}{K}$
$1k \frac{s}{K} = 543.2311 \cdot 10^{240}$	$1 revo-\frac{T}{\Theta} = 10^{240} = 0.001012533 k \frac{s}{K}$
$1m \frac{m}{K} = 154.1335 \cdot 10^{210}$	$1 rere-\frac{L}{\Theta} = 10^{220} = 3023.550 m \frac{m}{K} (*)$
$1 \frac{m}{K} = 1.301152 \cdot 10^{220}$	$1 rere-\frac{L}{\Theta} = 10^{220} = 0.3552302 \frac{m}{K} (*)$
$1k \frac{m}{K} = 0.01055003 \cdot 10^{230} (**)$	$1 reci-\frac{L}{\Theta} = 10^{230} = 50.55120 k \frac{m}{K} (*)$
$1m \frac{m}{sK} = 31.52112 \cdot 10^{40}$	$1 vo-\frac{L}{T\Theta} = 10^{40} = 0.01450510 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.2320343 \cdot 10^{50}$	$1 mu-\frac{L}{T\Theta} = 10^{50} = 2.202320 \frac{m}{sK}$
$1k \frac{m}{sK} = 0.001550224 \cdot 10^{100} (*)$	$1 pano-\frac{L}{T\Theta} = 10^{100} = 301.2300 k \frac{m}{sK} (*)$
$1m \frac{m}{s^2 K} = 5.344351 \cdot 10^{-50}$	$1 ni'umu-\frac{L}{T^2\Theta} = 10^{-50} = 0.1022031 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 0.04202434 \cdot 10^{-40}$	$1 ni'uvo-\frac{L}{T^2\Theta} = 10^{-40} = 12.14110 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 320.4205 \cdot 10^{-40}$	$1 ni'uvo-\frac{L}{T^2\Theta} = 10^{-40} = 0.001442244 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 1052.104 \cdot 10^{340}$	$1 cimu-\frac{LT}{\Theta} = 10^{350} = 511.5531 m \frac{ms}{K} (*)$
$1 \frac{ms}{K} = 5.153003 \cdot 10^{350} (*)$	$1 cimu-\frac{LT}{\Theta} = 10^{350} = 0.1043344 \frac{ms}{K}$
$1k \frac{ms}{K} = 0.04034331 \cdot 10^{400}$	$1 vono-\frac{LT}{\Theta} = 10^{400} = 12.43425 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 0.01220203 \cdot 10^{330}$	$1 cici-\frac{L^2}{\Theta} = 10^{330} = 41.52013 m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 102.3430 \cdot 10^{330}$	$1 civo-\frac{L^2}{\Theta} = 10^{340} = 5331.532 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.4544525 \cdot 10^{340}$	$1 civo-\frac{L^2}{\Theta} = 10^{340} = 1.112525 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 0.002210114 \cdot 10^{200}$	$1 reno-\frac{L^2}{T\Theta} = 10^{200} = 231.2400 m \frac{m^2}{sK} (*)$
$1 \frac{m^2}{sK} = 14.53403 \cdot 10^{200}$	$1 reno-\frac{L^2}{T\Theta} = 10^{200} = 0.03143023 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.1223434 \cdot 10^{210}$	$1 repa-\frac{L^2}{T\Theta} = 10^{210} = 4.133314 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 400.2415 \cdot 10^{20} (*)$	$1 re-\frac{L^2}{T^2\Theta} = 10^{20} = 0.001254552 m \frac{m^2}{s^2 K} (*)$

$1 \frac{m^2}{s^2 K} = 3.032433 \cdot 10^{30}$	$1 ci \frac{L^2}{T^2 \Theta} = 10^{30} = 0.1534331 \frac{m^2}{s^2 K}$
$1 k \frac{m^2}{s^2 K} = 0.02220005 \cdot 10^{40}$ (**)	$1 vo \frac{L^2}{T^2 \Theta} = 10^{40} = 23.02253 k \frac{m^2}{s^2 K}$
$1 m \frac{m^2 s}{K} = 0.04524455 \cdot 10^{500}$ (*)	$1 muno \frac{L^2 T}{\Theta} = 10^{500} = 11.15515 m \frac{m^2 s}{K}$ (*)
$1 \frac{m^2 s}{K} = 344.2313 \cdot 10^{500}$	$1 muno \frac{L^2 T}{\Theta} = 10^{500} = 0.001325555 \frac{m^2 s}{K}$ (**)
$1 k \frac{m^2 s}{K} = 2.531332 \cdot 10^{510}$	$1 mupa \frac{L^2 T}{\Theta} = 10^{510} = 0.2015120 k \frac{m^2 s}{K}$
$1 m \frac{1}{m K} = 0.03502433 \cdot 10^{-10}$	$1 ni'upa \frac{1}{L \Theta} = 10^{-10} = 13.20544 m \frac{1}{m K}$
$1 \frac{1}{m K} = 254.5005 \cdot 10^{-10}$ (*)	$1 \frac{1}{L \Theta} = 1 = 2004.412 \frac{1}{m K}$ (*)
$1 k \frac{1}{m K} = 2.142341$	$1 \frac{1}{L \Theta} = 1 = 0.2341545 k \frac{1}{m K}$
$1 m \frac{1}{m s K} = 0.01031113 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 53.02054 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 50.12533 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{LT \Theta} = 10^{-140} = 0.01105024 \frac{1}{m s K}$
$1 k \frac{1}{m s K} = 0.3520120 \cdot 10^{-130}$	$1 ni'upaci \frac{1}{LT \Theta} = 10^{-130} = 1.313100 k \frac{1}{m s K}$ (*)
$1 m \frac{1}{m s^2 K} = 1503.321 \cdot 10^{-320}$	$1 ni'ucipa \frac{1}{LT^2 \Theta} = 10^{-310} = 312.4340 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 12.32145 \cdot 10^{-310}$	$1 ni'ucipa \frac{1}{LT^2 \Theta} = 10^{-310} = 0.04111554 \frac{1}{m s^2 K}$ (*)
$1 k \frac{1}{m s^2 K} = 0.1033520 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{LT^2 \Theta} = 10^{-300} = 5.240432 k \frac{1}{m s^2 K}$
$1 m \frac{s}{m K} = 0.2133014 \cdot 10^{120}$	$1 pare \frac{T}{L \Theta} = 10^{120} = 2.352225 m \frac{s}{m K}$
$1 \frac{s}{m K} = 1425.204 \cdot 10^{120}$	$1 paci \frac{T}{L \Theta} = 10^{130} = 323.3503 \frac{s}{m K}$
$1 k \frac{s}{m K} = 12.03100 \cdot 10^{130}$ (*)	$1 paci \frac{T}{L \Theta} = 10^{130} = 0.04241234 k \frac{s}{m K}$
$1 m \frac{1}{m^2 K} = 522.2101 \cdot 10^{-130}$	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 1040.014 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = 4.055454 \cdot 10^{-120}$ (*)	$1 ni'upare \frac{1}{L^2 \Theta} = 10^{-120} = 0.1235034 \frac{1}{m^2 K}$
$1 k \frac{1}{m^2 K} = 0.03114151 \cdot 10^{-110}$	$1 ni'upapa \frac{1}{L^2 \Theta} = 10^{-110} = 15.11104 k \frac{1}{m^2 K}$
$1 m \frac{1}{m^2 s K} = 131.0101 \cdot 10^{-300}$	$1 ni'ucino \frac{1}{L^2 s \Theta} = 10^{-300} = 0.003531504 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 1.102432 \cdot 10^{-250}$	$1 ni'uremu \frac{1}{L^2 T \Theta} = 10^{-250} = 0.5030452 \frac{1}{m^2 s K}$
$1 k \frac{1}{m^2 s K} = 0.005243242 \cdot 10^{-240}$	$1 ni'urevo \frac{1}{L^2 T \Theta} = 10^{-240} = 103.3202 k \frac{1}{m^2 s K}$
$1 m \frac{1}{m^2 s^2 K} = 23.32513 \cdot 10^{-430}$	$1 ni'uvoci \frac{1}{L^2 T^2 \Theta} = 10^{-430} = 0.02151035 m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.2000435 \cdot 10^{-420}$ (**)	$1 ni'uvore \frac{1}{L^2 T^2 \Theta} = 10^{-420} = 2.554502 \frac{1}{m^2 s^2 K}$ (*)
$1 k \frac{1}{m^2 s^2 K} = 1313.533 \cdot 10^{-420}$	$1 ni'uvopa \frac{1}{L^2 T^2 \Theta} = 10^{-410} = 351.4150 k \frac{1}{m^2 s^2 K}$
$1 m \frac{s}{m^2 K} = 3102.254 \cdot 10^0$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 151.5440 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 22.41411 \cdot 10^{10}$	$1 pa \frac{T}{L^2 \Theta} = 10^{10} = 0.02240252 \frac{s}{m^2 K}$
$1 k \frac{s}{m^2 K} = 0.1520415 \cdot 10^{20}$	$1 re \frac{T}{L^2 \Theta} = 10^{20} = 3.100525 k \frac{s}{m^2 K}$ (*)
$1 m \frac{1}{m^3 K} = 11.32500 \cdot 10^{-240}$ (*)	$1 ni'urevo \frac{1}{L^3 \Theta} = 10^{-240} = 0.04430012 m \frac{1}{m^3 K}$ (*)
$1 \frac{1}{m^3 K} = 0.05503040 \cdot 10^{-230}$ (*)	$1 ni'ureci \frac{1}{L^3 \Theta} = 10^{-230} = 10.05343 \frac{1}{m^3 K}$
$1 k \frac{1}{m^3 K} = 430.2343 \cdot 10^{-230}$	$1 ni'urere \frac{1}{L^3 \Theta} = 10^{-220} = 1155.121 k \frac{1}{m^3 K}$ (*)
$1 m \frac{1}{m^3 s K} = 2.051250 \cdot 10^{-410}$	$1 ni'uvopa \frac{1}{L^3 T \Theta} = 10^{-410} = 0.2443555 m \frac{1}{m^3 s K}$ (**)
$1 \frac{1}{m^3 s K} = 0.01353341 \cdot 10^{-400}$	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 33.42441 \frac{1}{m^3 s K}$
$1 k \frac{1}{m^3 s K} = 113.5535 \cdot 10^{-400}$ (*)	$1 ni'uvono \frac{1}{L^3 T \Theta} = 10^{-400} = 0.004410253 k \frac{1}{m^3 s K}$
$1 m \frac{1}{m^3 s^2 K} = 0.3351153 \cdot 10^{-540}$	$1 ni'umuvo \frac{1}{L^3 T^2 \Theta} = 10^{-540} = 1.351320 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 2451.300 \cdot 10^{-540}$ (*)	$1 ni'umuci \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 204.4445 \frac{1}{m^3 s^2 K}$
$1 k \frac{1}{m^3 s^2 K} = 21.00430 \cdot 10^{-530}$ (*)	$1 ni'umuci \frac{1}{L^3 T^2 \Theta} = 10^{-530} = 0.02433110 k \frac{1}{m^3 s^2 K}$
$1 m \frac{s}{m^3 K} = 42.43352 \cdot 10^{-110}$	$1 ni'upapa \frac{T}{L^3 \Theta} = 10^{-110} = 0.01202255 m \frac{s}{m^3 K}$ (*)
$1 \frac{s}{m^3 K} = 0.3235320 \cdot 10^{-100}$	$1 ni'upano \frac{T}{L^3 \Theta} = 10^{-100} = 1.424252 \frac{s}{m^3 K}$
$1 k \frac{s}{m^3 K} = 2353.422 \cdot 10^{-100}$	$1 ni'umu \frac{T}{L^3 \Theta} = 10^{-50} = 213.1531 k \frac{s}{m^3 K}$
$1 m \frac{kg}{K} = 0.1423431 \cdot 10^{120}$	$1 pare \frac{M}{\Theta} = 10^{120} = 3.241000 m \frac{kg}{K}$ (**)
$1 \frac{kg}{K} = 1201.534 \cdot 10^{120}$	$1 paci \frac{M}{\Theta} = 10^{130} = 424.5304 \frac{kg}{K}$
$1 k \frac{kg}{K} = 10.11414 \cdot 10^{130}$	$1 paci \frac{M}{\Theta} = 10^{130} = 0.05443151 k \frac{kg}{K}$
$1 m \frac{kg}{s K} = 0.02542151 \cdot 10^{-10}$	$1 ni'upa \frac{M}{T \Theta} = 10^{-10} = 20.10321 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 214.0305 \cdot 10^{-10}$	$1 \frac{M}{T \Theta} = 1 = 2344.212 \frac{kg}{s K}$
$1 k \frac{kg}{s K} = 1.432011$	$1 \frac{M}{T \Theta} = 1 = 0.3224340 k \frac{kg}{s K}$
$1 m \frac{kg}{s^2 K} = 0.005004154 \cdot 10^{-140}$ (*)	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 111.0100 m \frac{kg}{s^2 K}$ (*)
$1 \frac{kg}{s^2 K} = 35.12401 \cdot 10^{-140}$	$1 ni'upavo \frac{M}{T^2 \Theta} = 10^{-140} = 0.01314330 \frac{kg}{s^2 K}$
$1 k \frac{kg}{s^2 K} = 0.2553325 \cdot 10^{-130}$ (*)	$1 ni'upaci \frac{M}{T^2 \Theta} = 10^{-130} = 2.001342 k \frac{kg}{s^2 K}$ (*)

$$\begin{aligned}
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 1.005110 \cdot 10^{250} \quad (*) \\
1 \frac{\text{kg s}}{\text{K}} &= 0.004424015 \cdot 10^{300} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 33.54055 \cdot 10^{300} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 11.23403 \cdot 10^{230} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.05423133 \cdot 10^{240} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 423.2120 \cdot 10^{240} \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 2.034420 \cdot 10^{100} \\
1 \frac{\text{kg m}}{\text{s K}} &= 0.01342511 \cdot 10^{110} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 113.0422 \cdot 10^{110} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.3324243 \cdot 10^{-30} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.002432011 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 20.43523 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 42.13243 \cdot 10^{400} \\
1 \frac{\text{kg m s}}{\text{K}} &= 0.3213304 \cdot 10^{410} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 0.002334523 \cdot 10^{420} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 514.4053 \cdot 10^{340} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 4.030500 \cdot 10^{350} \quad (*) \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 0.03053111 \cdot 10^{400} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 125.5535 \cdot 10^{210} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 1.053542 \cdot 10^{220} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 5205.104 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 23.14142 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.1544334 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.001303343 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.003041310 \cdot 10^{520} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 22.23411 \cdot 10^{520} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.1505000 \cdot 10^{530} \quad (***) \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 2235.243 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 15.14554 \cdot 10^{10} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.1242012 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 405.2003 \cdot 10^{-130} \quad (*) \\
1 \frac{\text{kg}}{\text{m s K}} &= 3.111212 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 0.02245244 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 110.1404 \cdot 10^{-300} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.5234244 \cdot 10^{-250} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.004110120 \cdot 10^{-240} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= 0.01234300 \cdot 10^{140} \quad (*) \\
1 \frac{\text{kg s}}{\text{m K}} &= 103.5330 \cdot 10^{140} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.5045102 \cdot 10^{150} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 32.32225 \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.2351150 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 2012.453 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 5.453434 \cdot 10^{-240} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.04254300 \cdot 10^{-230} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 324.4502 \cdot 10^{-230} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.352035 \cdot 10^{-410} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 0.01134435 \cdot 10^{-400} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 55.20032 \cdot 10^{-400} \quad (***) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 200.3505 \cdot 10^{20} \quad (*) \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 1.320151 \cdot 10^{30}
\end{aligned}$$

$$\begin{aligned}
1 \text{remu} \frac{MT}{\Theta} &= 10^{250} = 0.5505321 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 113.3210 \frac{\text{kg s}}{\text{K}} \\
1 \text{cino} \frac{MT}{\Theta} &= 10^{300} = 0.01350140 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{reci} \frac{ML}{\Theta} &= 10^{230} = 0.04501441 \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 10.13520 \frac{\text{kg m}}{\text{K}} \\
1 \text{revo} \frac{ML}{\Theta} &= 10^{240} = 0.001204430 \text{k} \frac{\text{kg m}}{\text{K}} \\
1 \text{pano} \frac{ML}{T\Theta} &= 10^{100} = 0.2503342 \text{m} \frac{\text{kg m}}{\text{s K}} \\
1 \text{papa} \frac{ML}{T\Theta} &= 10^{110} = 34.05502 \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{pare} \frac{ML}{T\Theta} &= 10^{120} = 4442.001 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{ni'uci} \frac{ML}{T^2\Theta} &= 10^{-30} = 1.402222 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 210.1400 \frac{\text{kg m}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{ni'ure} \frac{ML}{T^2\Theta} &= 10^{-20} = 0.02452405 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{vono} \frac{MLT}{\Theta} &= 10^{400} = 0.01212030 \text{m} \frac{\text{kg m s}}{\text{K}} \\
1 \text{vopa} \frac{MLT}{\Theta} &= 10^{410} = 1.435421 \frac{\text{kg m s}}{\text{K}} \\
1 \text{vore} \frac{MLT}{\Theta} &= 10^{420} = 214.5151 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{civo} \frac{ML^2}{\Theta} &= 10^{340} = 0.001044400 \text{m} \frac{\text{kg m}^2}{\text{K}} \quad (*) \\
1 \text{cimu} \frac{ML^2}{\Theta} &= 10^{350} = 0.1245031 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{vono} \frac{ML^2}{\Theta} &= 10^{400} = 15.22540 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 4000.100 \text{m} \frac{\text{kg m}^2}{\text{s K}} \quad (***) \\
1 \text{rere} \frac{ML^2}{T\Theta} &= 10^{220} = 0.5103543 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{reci} \frac{ML^2}{T\Theta} &= 10^{230} = 104.1525 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{vo} \frac{ML^2}{T^2\Theta} &= 10^{40} = 0.02204413 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mu} \frac{ML^2}{T^2\Theta} &= 10^{50} = 3.015142 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{pano} \frac{ML^2}{T^2\Theta} &= 10^{100} = 354.2234 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{mure} \frac{ML^2 T}{\Theta} &= 10^{520} = 153.1343 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{mure} \frac{ML^2 T}{\Theta} &= 10^{520} = 0.02254352 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{muci} \frac{ML^2 T}{\Theta} &= 10^{530} = 3.122032 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 224.2421 \text{m} \frac{\text{kg}}{\text{m K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 0.03103453 \frac{\text{kg}}{\text{m K}} \\
1 \text{re} \frac{M}{L\Theta} &= 10^{20} = 4.043230 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 1240.231 \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upare} \frac{M}{LT\Theta} &= 10^{-120} = 0.1512522 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'upapa} \frac{M}{LT\Theta} &= 10^{-110} = 22.32430 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'ucino} \frac{M}{LT^2\Theta} &= 10^{-300} = 0.005035253 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uremu} \frac{M}{LT^2\Theta} &= 10^{-250} = 1.034204 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'urevo} \frac{M}{LT^2\Theta} &= 10^{-240} = 123.2523 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 41.01323 \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{pavo} \frac{MT}{L\Theta} &= 10^{140} = 0.005224233 \frac{\text{kg s}}{\text{m K}} \\
1 \text{pamu} \frac{MT}{L\Theta} &= 10^{150} = 1.100214 \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'upapa} \frac{M}{L^2\Theta} &= 10^{-110} = 0.01430030 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ni'upano} \frac{M}{L^2\Theta} &= 10^{-100} = 2.133555 \frac{\text{kg}}{\text{m}^2 \text{K}} \quad (***) \\
1 \text{ni'umu} \frac{M}{L^2\Theta} &= 10^{-50} = 253.5011 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'urevo} \frac{M}{L^2T\Theta} &= 10^{-240} = 0.1010322 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'ureci} \frac{M}{L^2T\Theta} &= 10^{-230} = 12.00240 \frac{\text{kg}}{\text{m}^2 \text{s K}} \quad (*) \\
1 \text{ni'urere} \frac{M}{L^2T\Theta} &= 10^{-220} = 1421.454 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uvopa} \frac{M}{L^2T^2\Theta} &= 10^{-410} = 0.3350035 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \text{ni'uvono} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 44.14444 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uvono} \frac{M}{L^2T^2\Theta} &= 10^{-400} = 0.01004021 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \quad (*) \\
1 \text{re} \frac{MT}{L^2\Theta} &= 10^{20} = 0.002550133 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \quad (*) \\
1 \text{ci} \frac{MT}{L^2\Theta} &= 10^{30} = 0.3504213 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = 0.01111300 \cdot 10^{40}$ (*)	$1 vo \frac{MT}{L^2 \Theta} = 10^{40} = 45.54432 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.4451201 \cdot 10^{-220}$	$1 ni'urere \frac{M}{L^3 \Theta} = 10^{-220} = 1.125201 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 3413.543 \cdot 10^{-220}$	$1 ni'urepa \frac{M}{L^3 \Theta} = 10^{-210} = 134.1022 \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 25.10444 \cdot 10^{-210}$	$1 ni'urepa \frac{M}{L^3 \Theta} = 10^{-210} = 0.02032220 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s K} = 0.1210133 \cdot 10^{-350}$	$1 ni'ucimu \frac{M}{L^3 T \Theta} = 10^{-350} = 4.223152 m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.001015020 \cdot 10^{-340}$	$1 ni'ucivo \frac{M}{L^3 T \Theta} = 10^{-340} = 541.2523 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 4.511102 \cdot 10^{-340}$	$1 ni'ucivo \frac{M}{L^3 T \Theta} = 10^{-340} = 0.1122150 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 0.02151513 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 23.32002 m \frac{kg}{m^3 s^2 K}$ (*)
$1 \frac{kg}{m^3 s^2 K} = 144.1413 \cdot 10^{-520}$	$1 ni'umure \frac{M}{L^3 T^2 \Theta} = 10^{-520} = 0.003205435 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 1.213340 \cdot 10^{-510}$	$1 ni'umupa \frac{M}{L^3 T^2 \Theta} = 10^{-510} = 0.4204334 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 2.455455 \cdot 10^{-50}$ (*)	$1 ni'umu \frac{MT}{L^3 \Theta} = 10^{-50} = 0.2041313 m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 0.02104031 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^3 \Theta} = 10^{-40} = 24.24550 \frac{kg\ s}{m^3 K}$ (*)
$1k \frac{kg\ s}{m^3 K} = 140.4134 \cdot 10^{-40}$	$1 ni'uvo \frac{MT}{L^3 \Theta} = 10^{-40} = 0.003320254 k \frac{kg\ s}{m^3 K}$
$1m K = 3402.245 \cdot 10^{-120}$	$1 ni'upapa-\Theta = 10^{-110} = 134.4205 m\ K$
$1 K = 25.01003 \cdot 10^{-110}$ (*)	$1 ni'upapa-\Theta = 10^{-110} = 0.02040353 K$
$1k K = 0.2105001 \cdot 10^{-100}$ (*)	$1 ni'upano-\Theta = 10^{-100} = 2.423454 k\ K$
$1m \frac{K}{s} = 0.001012533 \cdot 10^{-240}$	$1 ni'urevo \frac{\Theta}{T} = 10^{-240} = 543.2311 m \frac{K}{s}$
$1 \frac{K}{s} = 4.453205 \cdot 10^{-240}$	$1 ni'urevo \frac{\Theta}{T} = 10^{-240} = 0.1124453 \frac{K}{s}$
$1k \frac{K}{s} = 0.03415303 \cdot 10^{-230}$	$1 ni'ureci \frac{\Theta}{T} = 10^{-230} = 13.40220 k \frac{K}{s}$
$1m \frac{K}{s^2} = 143.4034 \cdot 10^{-420}$	$1 ni'uvore \frac{\Theta}{T^2} = 10^{-420} = 0.003220342 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 1.210500 \cdot 10^{-410}$ (*)	$1 ni'uvopa \frac{\Theta}{T^2} = 10^{-410} = 0.4221250 \frac{K}{s^2}$
$1k \frac{K}{s^2} = 0.01015255 \cdot 10^{-400}$ (*)	$1 ni'uvono \frac{\Theta}{T^2} = 10^{-400} = 54.10304 k \frac{K}{s^2}$
$1m s\ K = 0.02055403 \cdot 10^{20}$ (*)	$1 re-T\Theta = 10^{20} = 24.34322 m\ s\ K$
$1 s\ K = 140.0511 \cdot 10^{20}$	$1 re-T\Theta = 10^{20} = 0.003331424 s\ K$
$1k s\ K = 1.142240 \cdot 10^{30}$	$1 ci-T\Theta = 10^{30} = 0.4353205 k\ s\ K$
$1m m\ K = 0.2341545 \cdot 10^0$	$1 L\Theta = 1 = 2.142341 m\ m\ K$
$1 m\ K = 2004.412 \cdot 10^0$ (*)	$1 pa-L\Theta = 10^{10} = 254.5005 m\ K$ (*)
$1k m\ K = 13.20544 \cdot 10^{10}$	$1 pa-L\Theta = 10^{10} = 0.03502433 k\ m\ K$
$1m \frac{m\ K}{s} = 0.04241234 \cdot 10^{-130}$	$1 ni'upaci \frac{L\Theta}{T} = 10^{-130} = 12.03100 m \frac{m\ K}{s}$ (*)
$1 \frac{m\ K}{s} = 323.3503 \cdot 10^{-130}$	$1 ni'upare \frac{L\Theta}{T} = 10^{-120} = 1425.204 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 2.352225 \cdot 10^{-120}$	$1 ni'upare \frac{L\Theta}{T} = 10^{-120} = 0.2133014 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 0.01132112 \cdot 10^{-300}$	$1 ni'ucino \frac{L\Theta}{T^2} = 10^{-300} = 44.32223 m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 55.00113 \cdot 10^{-300}$ (**)	$1 ni'ucino \frac{L\Theta}{T^2} = 10^{-300} = 0.01010045 \frac{m\ K}{s^2}$ (*)
$1k \frac{m\ K}{s^2} = 0.4300215 \cdot 10^{-250}$ (*)	$1 ni'uremu \frac{L\Theta}{T^2} = 10^{-250} = 1.155520 k \frac{m\ K}{s^2}$ (**)
$1m m\ s\ K = 1.313100 \cdot 10^{130}$ (*)	$1 paci-LT\Theta = 10^{130} = 0.3520120 m\ m\ s\ K$
$1m s\ K = 0.01105024 \cdot 10^{140}$	$1 pavo-LT\Theta = 10^{140} = 50.12533 m\ s\ K$
$1k m\ s\ K = 53.02054 \cdot 10^{140}$	$1 pavo-LT\Theta = 10^{140} = 0.01031113 k\ m\ s\ K$
$1m m^2 K = 15.11104 \cdot 10^{110}$	$1 papa-L^2\Theta = 10^{110} = 0.03114151 m\ m^2 K$
$1 m^2 K = 0.1235034 \cdot 10^{120}$	$1 pare-L^2\Theta = 10^{120} = 4.055454 m^2 K$ (*)
$1k m^2 K = 1040.014 \cdot 10^{120}$	$1 paci-L^2\Theta = 10^{130} = 522.2101 k\ m^2 K$
$1m \frac{m^2 K}{s} = 3.100525 \cdot 10^{-20}$ (*)	$1 ni'ure-\frac{L^2\Theta}{T} = 10^{-20} = 0.1520415 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.02240252 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 22.41411 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 151.5440 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 3102.254 k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 0.5215254 \cdot 10^{-150}$	$1 ni'upamu-\frac{L^2\Theta}{T^2} = 10^{-150} = 1.040334 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 0.004053431 \cdot 10^{-140}$	$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 123.5453 \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 31.12414 \cdot 10^{-140}$	$1 ni'upavo-\frac{L^2\Theta}{T^2} = 10^{-140} = 0.01512041 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 103.3202 \cdot 10^{240}$	$1 revo-L^2T\Theta = 10^{240} = 0.005243242 m\ m^2 s\ K$
$1 m^2 s\ K = 0.5030452 \cdot 10^{250}$	$1 remu-L^2T\Theta = 10^{250} = 1.102432 m^2 s\ K$
$1k m^2 s\ K = 0.003531504 \cdot 10^{300}$	$1 cino-L^2T\Theta = 10^{300} = 131.0101 k\ m^2 s\ K$
$1m \frac{K}{m} = 50.55120 \cdot 10^{-230}$ (*)	$1 ni'ureci-\frac{\Theta}{L} = 10^{-230} = 0.01055003 m \frac{K}{m}$ (**)

$1 \frac{K}{m} = 0.3552302 \cdot 10^{-220}$	(*)	$1 ni'urere-\frac{\Theta}{L} = 10^{-220} = 1.301152 \frac{K}{m}$
$1 k \frac{K}{m} = 3023.550 \cdot 10^{-220}$	(*)	$1 ni'urepa-\frac{\Theta}{L} = 10^{-210} = 154.1335 k \frac{K}{m}$
$1 m \frac{K}{ms} = 12.43425 \cdot 10^{-400}$		$1 ni'uvono-\frac{\Theta}{LT} = 10^{-400} = 0.04034331 m \frac{K}{ms}$
$1 \frac{K}{ms} = 0.1043344 \cdot 10^{-350}$		$1 ni'ucimu-\frac{\Theta}{LT} = 10^{-350} = 5.153003 \frac{K}{ms}$
$1 k \frac{K}{ms} = 511.5531 \cdot 10^{-350}$	(*)	$1 ni'ucivo-\frac{\Theta}{LT} = 10^{-340} = 1052.104 k \frac{K}{ms}$
$1 m \frac{K}{ms^2} = 2.252212 \cdot 10^{-530}$		$1 ni'umuci-\frac{\Theta}{LT^2} = 10^{-530} = 0.2225524 m \frac{K}{ms^2}$
$1 \frac{K}{ms^2} = 0.01525511 \cdot 10^{-520}$	(*)	$1 ni'umure-\frac{\Theta}{LT^2} = 10^{-520} = 30.44221 \frac{K}{ms^2}$
$1 k \frac{K}{ms^2} = 125.1202 \cdot 10^{-520}$		$1 ni'umure-\frac{\Theta}{LT^2} = 10^{-520} = 0.004020334 k \frac{K}{ms^2}$
$1 m \frac{sK}{m} = 301.2300 \cdot 10^{-100}$	(*)	$1 ni'upano-\frac{T\Theta}{L} = 10^{-100} = 0.001550224 m \frac{sK}{m}$
$1 \frac{sK}{m} = 2.202320 \cdot 10^{-50}$		$1 ni'umu-\frac{T\Theta}{L} = 10^{-50} = 0.2320343 \frac{sK}{m}$
$1 k \frac{sK}{m} = 0.01450510 \cdot 10^{-40}$		$1 ni'uvo-\frac{T\Theta}{L} = 10^{-40} = 31.52112 k \frac{sK}{m}$
$1 m \frac{K}{m^2} = 1.112525 \cdot 10^{-340}$		$1 ni'ucivo-\frac{\Theta}{L^2} = 10^{-340} = 0.4544525 m \frac{K}{m^2}$
$1 \frac{K}{m^2} = 5331.532 \cdot 10^{-340}$		$1 ni'ucici-\frac{\Theta}{L^2} = 10^{-330} = 102.3430 \frac{K}{m^2}$
$1 k \frac{K}{m^2} = 41.52013 \cdot 10^{-330}$		$1 ni'ucici-\frac{\Theta}{L^2} = 10^{-330} = 0.01220203 k \frac{K}{m^2}$
$1 m \frac{K}{m^2 s} = 0.2015120 \cdot 10^{-510}$		$1 ni'umupa-\frac{\Theta}{L^2 T} = 10^{-510} = 2.531332 m \frac{K}{m^2 s}$
$1 \frac{K}{m^2 s} = 0.001325555 \cdot 10^{-500}$	(**)	$1 ni'umuno-\frac{\Theta}{L^2 T} = 10^{-500} = 344.2313 \frac{K}{m^2 s}$
$1 k \frac{K}{m^2 s} = 11.15515 \cdot 10^{-500}$	(*)	$1 ni'umuno-\frac{\Theta}{L^2 T} = 10^{-500} = 0.04524455 k \frac{K}{m^2 s}$
$1 m \frac{K}{m^2 s^2} = 0.03252531 \cdot 10^{-1040}$		$1 ni'upanovo-\frac{\Theta}{L^2 T^2} = 10^{-1040} = 14.15445 m \frac{K}{m^2 s^2}$
$1 \frac{K}{m^2 s^2} = 240.4543 \cdot 10^{-1040}$		$1 ni'upanovo-\frac{\Theta}{L^2 T^2} = 10^{-1040} = 0.002121504 \frac{K}{m^2 s^2}$
$1 k \frac{K}{m^2 s^2} = 2.024134 \cdot 10^{-1030}$		$1 ni'upanoci-\frac{\Theta}{L^2 T^2} = 10^{-1030} = 0.2520252 k \frac{K}{m^2 s^2}$
$1 m \frac{sK}{m^2} = 4.133314 \cdot 10^{-210}$		$1 ni'urepa-\frac{T\Theta}{L^2} = 10^{-210} = 0.1223434 m \frac{sK}{m^2}$
$1 \frac{sK}{m^2} = 0.03143023 \cdot 10^{-200}$		$1 ni'ureno-\frac{T\Theta}{L^2} = 10^{-200} = 14.53403 \frac{sK}{m^2}$
$1 k \frac{sK}{m^2} = 231.2400 \cdot 10^{-200}$	(*)	$1 ni'ureno-\frac{T\Theta}{L^2} = 10^{-200} = 0.002210114 k \frac{sK}{m^2}$
$1 m \frac{K}{m^3} = 0.01410130 \cdot 10^{-450}$		$1 ni'uvomu-\frac{\Theta}{L^3} = 10^{-450} = 33.12155 m \frac{K}{m^3}$
$1 \frac{K}{m^3} = 115.0334 \cdot 10^{-450}$		$1 ni'uvovo-\frac{\Theta}{L^3} = 10^{-440} = 4330.323 \frac{K}{m^3}$
$1 k \frac{K}{m^3} = 1.002020 \cdot 10^{-440}$	(*)	$1 ni'uvovo-\frac{\Theta}{L^3} = 10^{-440} = 0.5535440 k \frac{K}{m^3}$
$1 m \frac{K}{m^3 s} = 0.002514100 \cdot 10^{-1020}$	(*)	$1 ni'upanore-\frac{\Theta}{L^3 T} = 10^{-1020} = 202.5534 m \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s} = 21.20023 \cdot 10^{-1020}$	(*)	$1 ni'upanore-\frac{\Theta}{L^3 T} = 10^{-1020} = 0.02411041 \frac{K}{m^3 s}$
$1 k \frac{K}{m^3 s} = 0.1414231 \cdot 10^{-1010}$		$1 ni'upanopa-\frac{\Theta}{L^3 T} = 10^{-1010} = 3.255420 k \frac{K}{m^3 s}$
$1 m \frac{K}{m^3 s^2} = 452.0523 \cdot 10^{-1200}$		$1 ni'upareno-\frac{\Theta}{L^3 T^2} = 10^{-1200} = 0.001120511 m \frac{K}{m^3 s^2}$
$1 \frac{K}{m^3 s^2} = 3.435303 \cdot 10^{-1150}$		$1 ni'upapamu-\frac{\Theta}{L^3 T^2} = 10^{-1150} = 0.1331133 \frac{K}{m^3 s^2}$
$1 k \frac{K}{m^3 s^2} = 0.02525131 \cdot 10^{-1140}$		$1 ni'upapavo-\frac{\Theta}{L^3 T^2} = 10^{-1140} = 20.20512 k \frac{K}{m^3 s^2}$
$1 m \frac{sK}{m^3} = 0.05553335 \cdot 10^{-320}$	(**)	$1 ni'ucire-\frac{T\Theta}{L^3} = 10^{-320} = 10.00222 m \frac{sK}{m^3}$
$1 \frac{sK}{m^3} = 434.2053 \cdot 10^{-320}$		$1 ni'ucire-\frac{T\Theta}{L^3} = 10^{-320} = 0.001144242 \frac{sK}{m^3}$
$1 k \frac{sK}{m^3} = 3.322103 \cdot 10^{-310}$		$1 ni'ucipa-\frac{T\Theta}{L^3} = 10^{-310} = 0.1403245 k \frac{sK}{m^3}$
$1 m kg K = 220.0225 \cdot 10^{-100}$		$1 ni'upano-M\Theta = 10^{-100} = 0.002322550 m kg K$
$1 kg K = 1.445113 \cdot 10^{-50}$		(*)
$1 k kg K = 0.01220152 \cdot 10^{-40}$		$1 ni'umu-M\Theta = 10^{-50} = 0.3155125 kg K$
$1 m \frac{kg K}{s} = 35.44512 \cdot 10^{-230}$		(*)
$1 \frac{kg K}{s} = 0.3021100 \cdot 10^{-220}$	(*)	$1 ni'uvo-M\Theta = 10^{-40} = 41.52051 k kg K$
$1 k \frac{kg K}{s} = 2210.054 \cdot 10^{-220}$		$1 ni'ureci-\frac{M\Theta}{T} = 10^{-230} = 0.01302410 m \frac{kg K}{s}$
$1 m \frac{kg K}{s^2} = 10.42334 \cdot 10^{-400}$		$1 ni'urere-\frac{M\Theta}{T} = 10^{-220} = 1.543222 \frac{kg K}{s}$
$1 \frac{kg K}{s^2} = 0.05111052 \cdot 10^{-350}$		$1 ni'urepa-\frac{M\Theta}{T} = 10^{-210} = 231.2420 k \frac{kg K}{s}$
$1 k \frac{kg K}{s^2} = 400.2344 \cdot 10^{-350}$	(*)	$1 ni'uvono-\frac{M\Theta}{T^2} = 10^{-400} = 0.05201522 m \frac{kg K}{s^2}$
$1 m kg s K = 0.001212534 \cdot 10^{40}$		$1 ni'ucimu-\frac{M\Theta}{T^2} = 10^{-350} = 10.53124 \frac{kg K}{s^2}$
$1 kg s K = 10.21041 \cdot 10^{40}$		$1 ni'ucivo-\frac{M\Theta}{T^2} = 10^{-340} = 1255.004 k \frac{kg K}{s^2}$
$1 k kg s K = 0.04524415 \cdot 10^{50}$		(**)
$1 m kg m K = 0.01355201 \cdot 10^{20}$	(*)	$1 vo-MT\Theta = 10^{40} = 421.0432 m kg s K$
$1 kg m K = 114.1134 \cdot 10^{20}$		$1 vo-MT\Theta = 10^{40} = 0.05353452 kg s K$
$1 k kg m K = 0.5535350 \cdot 10^{30}$	(*)	$1 mu-MT\Theta = 10^{50} = 11.15525 k kg s K$
$1 m \frac{kg m K}{s} = 2454.231 \cdot 10^{-120}$		(*)

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 21.03001 \cdot 10^{-110} \quad (*) \\
1 \frac{\text{kg m K}}{\text{s}} &= 0.1403233 \cdot 10^{-100} \\
1 \frac{\text{m kg m K}}{\text{s}^2} &= 444.4541 \cdot 10^{-250} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 3.412041 \cdot 10^{-240} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 0.02505213 \cdot 10^{-230} \\
1 \text{m kg m s K} &= 0.05513104 \cdot 10^{150} \quad (*) \\
1 \text{kg m s K} &= 431.1151 \cdot 10^{150} \\
1 \text{kg m s K} &= 3.255350 \cdot 10^{200} \quad (*) \\
1 \text{m kg m}^2 \text{K} &= 1.103553 \cdot 10^{130} \quad (*) \\
1 \text{kg m}^2 \text{K} &= 0.005253043 \cdot 10^{140} \\
1 \text{kg m}^2 \text{K} &= 41.22241 \cdot 10^{140} \\
1 \frac{\text{m kg m}^2 \text{K}}{\text{s}} &= 0.2002505 \cdot 10^0 \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 1315.312 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 11.10523 \cdot 10^{10} \\
1 \frac{\text{m kg m}^2 \text{K}}{\text{s}^2} &= 0.03230413 \cdot 10^{-130} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 234.5554 \cdot 10^{-130} \quad (***) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 2.011450 \cdot 10^{-120} \\
1 \text{m kg m}^2 \text{s K} &= 4.104052 \cdot 10^{300} \\
1 \text{kg m}^2 \text{s K} &= 0.03121352 \cdot 10^{310} \\
1 \text{kg m}^2 \text{s K} &= 225.4150 \cdot 10^{310} \\
1 \frac{\text{m kg K}}{\text{m}} &= 3.140022 \cdot 10^{-210} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}} &= 0.02310202 \cdot 10^{-200} \\
1 \frac{\text{kg K}}{\text{m}} &= 154.1321 \cdot 10^{-200} \\
1 \frac{\text{m kg K}}{\text{m s}} &= 0.5322452 \cdot 10^{-340} \\
1 \frac{\text{kg K}}{\text{m s}} &= 4144.034 \cdot 10^{-340} \\
1 \frac{\text{kg K}}{\text{m s}} &= 31.52043 \cdot 10^{-330} \\
1 \frac{\text{m kg K}}{\text{m s}^2} &= 0.1324314 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 0.001114434 \cdot 10^{-500} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 5.344303 \cdot 10^{-500} \\
1 \frac{\text{m kg s K}}{\text{m}} &= 15.32452 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.1253341 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.001052055 \cdot 10^{-20} \quad (*) \\
1 \frac{\text{m kg K}}{\text{m}^2} &= 0.04333533 \cdot 10^{-320} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 331.4531 \cdot 10^{-320} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 2.423432 \cdot 10^{-310} \\
1 \frac{\text{m kg K}}{\text{m}^2 \text{s}} &= 0.01145224 \cdot 10^{-450} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 100.1045 \cdot 10^{-450} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.4353130 \cdot 10^{-440} \\
1 \frac{\text{m kg K}}{\text{m}^2 \text{s}^2} &= 0.002114012 \cdot 10^{-1020} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 14.12505 \cdot 10^{-1020} \\
1 \frac{\text{m kg K}}{\text{m}^2 \text{s}^2} &= 0.1152340 \cdot 10^{-1010} \\
1 \frac{\text{m kg s K}}{\text{m}^2} &= 0.2413033 \cdot 10^{-150} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 0.002031244 \cdot 10^{-140} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 13.40204 \cdot 10^{-140} \\
1 \frac{\text{m kg K}}{\text{m}^3} &= 1024.312 \cdot 10^{-440} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 4.552320 \cdot 10^{-430} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3} &= 0.03502402 \cdot 10^{-420} \\
1 \frac{\text{m kg K}}{\text{m}^3 \text{s}} &= 145.5004 \cdot 10^{-1010} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 1.224445 \cdot 10^{-1000} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.01031104 \cdot 10^{-550}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upapa-} \frac{ML\Theta}{T} &= 10^{-110} = 0.02430201 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'upano-} \frac{ML\Theta}{T} &= 10^{-100} = 3.322133 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 1125.544 \text{m} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'urevo-} \frac{ML\Theta}{T^2} &= 10^{-240} = 0.1341512 \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'ureci-} \frac{ML\Theta}{T^2} &= 10^{-230} = 20.33233 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{pamu-} ML\Theta &= 10^{150} = 10.04322 \text{m kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 1153.504 \text{kg m s K} \\
1 \text{reno-} ML\Theta &= 10^{200} = 0.1414244 \text{k kg m s K} \\
1 \text{paci-} ML^2\Theta &= 10^{130} = 0.5021320 \text{m kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 103.2113 \text{kg m}^2 \text{K} \\
1 \text{pavo-} ML^2\Theta &= 10^{140} = 0.01230043 \text{k kg m}^2 \text{K} \quad (*) \\
1 \frac{ML^2\Theta}{T} &= 1 = 2.551425 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \quad (*) \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 351.0143 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{pa-} \frac{ML^2\Theta}{T} &= 10^{10} = 0.05001125 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \quad (*) \\
1 \text{ni'upaci-} \frac{ML^2\Theta}{T^2} &= 10^{-130} = 14.30542 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 2135.043 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'upare-} \frac{ML^2\Theta}{T^2} &= 10^{-120} = 0.2540255 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{cino-} ML^2T\Theta &= 10^{300} = 0.1233340 \text{m kg m}^2 \text{s K} \\
1 \text{cipa-} ML^2T\Theta &= 10^{310} = 15.05132 \text{kg m}^2 \text{s K} \\
1 \text{cire-} ML^2T\Theta &= 10^{320} = 2224.010 \text{k kg m}^2 \text{s K} \\
1 \text{ni'urepa-} \frac{M\Theta}{L} &= 10^{-210} = 0.1455205 \text{m} \frac{\text{kg K}}{\text{m}} \quad (*) \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 22.12214 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ureno-} \frac{M\Theta}{L} &= 10^{-200} = 0.003024014 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ucivo-} \frac{M\Theta}{LT} &= 10^{-340} = 1.024422 \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 122.1343 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ucici-} \frac{M\Theta}{LT} &= 10^{-330} = 0.01450523 \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'umupa-} \frac{M\Theta}{LT^2} &= 10^{-510} = 3.450004 \text{m} \frac{\text{kg K}}{\text{m s}^2} \quad (***) \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 453.3201 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'umuno-} \frac{M\Theta}{LT^2} &= 10^{-500} = 0.1022040 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvu-} \frac{MT\Theta}{L} &= 10^{-40} = 0.03035335 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'uci-} \frac{MT\Theta}{L} &= 10^{-30} = 4.010223 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'ure-} \frac{MT\Theta}{L} &= 10^{-20} = 512.0013 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 11.45351 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ucire-} \frac{M\Theta}{L^2} &= 10^{-320} = 0.001405003 \frac{\text{kg K}}{\text{m}^2} \quad (*) \\
1 \text{ni'ucipa-} \frac{M\Theta}{L^2} &= 10^{-310} = 0.2105020 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uvomu-} \frac{M\Theta}{L^2T} &= 10^{-450} = 43.34440 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2T} &= 10^{-440} = 5545.122 \frac{\text{kg K}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvovo-} \frac{M\Theta}{L^2T} &= 10^{-440} = 1.142250 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 241.3333 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanore-} \frac{M\Theta}{L^2T^2} &= 10^{-1020} = 0.03302533 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanopa-} \frac{M\Theta}{L^2T^2} &= 10^{-1010} = 4.315324 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upamu-} \frac{MT\Theta}{L^2} &= 10^{-150} = 2.114240 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 251.2021 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'upavo-} \frac{MT\Theta}{L^2} &= 10^{-140} = 0.03415334 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 532.3501 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvoci-} \frac{M\Theta}{L^3} &= 10^{-430} = 0.1112010 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uvore-} \frac{M\Theta}{L^3} &= 10^{-420} = 13.21000 \text{k} \frac{\text{kg K}}{\text{m}^3} \quad (***) \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 3140.400 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upanono-} \frac{M\Theta}{L^3T} &= 10^{-1000} = 0.4130233 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'umumu-} \frac{M\Theta}{L^3T} &= 10^{-550} = 53.02141 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1\text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 30.35012 \cdot 10^{-1140}$	$1\text{ni}'\text{upapavo-} \frac{M\Theta}{L^3 T^2} = 10^{-1140} = 0.01533101 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1\text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.2221435 \cdot 10^{-1130}$	$1\text{ni}'\text{upapaci-} \frac{M\Theta}{L^3 T^2} = 10^{-1130} = 2.300353 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$ (*)
$1\text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.001503304 \cdot 10^{-1120}$	$1\text{ni}'\text{upapare-} \frac{M\Theta}{L^3 T^2} = 10^{-1120} = 312.4404 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1\text{m} \frac{\text{kg s K}}{\text{m}^3} = 0.003445154 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 132.4501 \text{m} \frac{\text{kg s K}}{\text{m}^3}$
$1\text{k} \frac{\text{kg s K}}{\text{m}^3} = 25.33423 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{MT\Theta}{L^3} = 10^{-300} = 0.02013420 \frac{\text{kg s K}}{\text{m}^3}$
$1\text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.2132555 \cdot 10^{-250}$ (**)	$1\text{ni}'\text{uremu-} \frac{MT\Theta}{L^3} = 10^{-250} = 2.352250 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1\text{m} \frac{\text{K}}{\text{C}} = 0.05240425 \cdot 10^{-150}$	$1\text{ni}'\text{upamu-} \frac{\Theta}{Q} = 10^{-150} = 10.33520 \text{m} \frac{\text{K}}{\text{C}}$
$1\text{k} \frac{\text{K}}{\text{C}} = 411.1552 \cdot 10^{-150}$ (*)	$1\text{ni}'\text{upavo-} \frac{\Theta}{Q} = 10^{-140} = 1232.150 \frac{\text{K}}{\text{C}}$
$1\text{k} \frac{\text{K}}{\text{C}} = 3.124335 \cdot 10^{-140}$	$1\text{ni}'\text{upavo-} \frac{\Theta}{Q} = 10^{-140} = 0.1503322 \text{k} \frac{\text{K}}{\text{C}}$
$1\text{m} \frac{\text{K}}{\text{s C}} = 0.01313100 \cdot 10^{-320}$ (*)	$1\text{ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 35.20122 \text{m} \frac{\text{K}}{\text{s C}}$
$1\text{k} \frac{\text{K}}{\text{s C}} = 110.5024 \cdot 10^{-320}$	$1\text{ni}'\text{ucire-} \frac{\Theta}{TQ} = 10^{-320} = 0.005012535 \frac{\text{K}}{\text{s C}}$
$1\text{k} \frac{\text{K}}{\text{s C}} = 0.5302052 \cdot 10^{-310}$	$1\text{ni}'\text{ucipa-} \frac{\Theta}{TQ} = 10^{-310} = 1.031114 \text{k} \frac{\text{K}}{\text{s C}}$
$1\text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 2341.544 \cdot 10^{-500}$	$1\text{ni}'\text{uvomu-} \frac{\Theta}{T^2 Q} = 10^{-450} = 214.2342 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 20.04411 \cdot 10^{-450}$	$1\text{ni}'\text{uvomu-} \frac{\Theta}{T^2 Q} = 10^{-450} = 0.02545010 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.1320543 \cdot 10^{-440}$	$1\text{ni}'\text{uvovo-} \frac{\Theta}{T^2 Q} = 10^{-440} = 3.502435 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1\text{m} \frac{\text{s K}}{\text{C}} = 0.3112415 \cdot 10^{-20}$	$1\text{ni}'\text{ure-} \frac{T\Theta}{Q} = 10^{-20} = 1.512041 \text{m} \frac{\text{s K}}{\text{C}}$
$1\text{s K} \frac{\text{C}}{\text{C}} = 2250.301 \cdot 10^{-20}$	$1\text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 223.1422 \frac{\text{s K}}{\text{C}}$
$1\text{k} \frac{\text{s K}}{\text{C}} = 15.24232 \cdot 10^{-10}$	$1\text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.03050431 \text{k} \frac{\text{s K}}{\text{C}}$
$1\text{m} \frac{\text{m K}}{\text{C}} = 3.514144 \cdot 10^{-40}$	$1\text{ni}'\text{uvo-} \frac{L\Theta}{Q} = 10^{-40} = 0.1313534 \text{m} \frac{\text{m K}}{\text{C}}$
$1\text{m} \frac{\text{m K}}{\text{C}} = 0.02554500 \cdot 10^{-30}$ (**)	$1\text{ni}'\text{uci-} \frac{L\Theta}{Q} = 10^{-30} = 20.00440 \frac{\text{m K}}{\text{C}}$ (*)
$1\text{k} \frac{\text{m K}}{\text{C}} = 215.1034 \cdot 10^{-30}$	$1\text{ni}'\text{ure-} \frac{L\Theta}{Q} = 10^{-20} = 2332.514 \text{k} \frac{\text{m K}}{\text{C}}$
$1\text{m} \frac{\text{m K}}{\text{s C}} = 1.033202 \cdot 10^{-210}$	$1\text{ni}'\text{urepa-} \frac{L\Theta}{TQ} = 10^{-210} = 0.5243244 \text{m} \frac{\text{m K}}{\text{s C}}$
$1\text{k} \frac{\text{m K}}{\text{s C}} = 0.005030450 \cdot 10^{-200}$	$1\text{ni}'\text{ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 110.2433 \frac{\text{m K}}{\text{s C}}$
$1\text{k} \frac{\text{m K}}{\text{s C}} = 35.31502 \cdot 10^{-200}$	$1\text{ni}'\text{ureno-} \frac{L\Theta}{TQ} = 10^{-200} = 0.01310102 \text{k} \frac{\text{m K}}{\text{s C}}$
$1\text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.1511104 \cdot 10^{-340}$	$1\text{ni}'\text{ucivo-} \frac{L\Theta}{T^2 Q} = 10^{-340} = 3.114152 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 1235.033 \cdot 10^{-340}$	$1\text{ni}'\text{ucici-} \frac{L\Theta}{T^2 Q} = 10^{-330} = 405.5500 \frac{\text{m K}}{\text{s}^2 \text{C}}$ (**)
$1\text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 10.40014 \cdot 10^{-330}$ (*)	$1\text{ni}'\text{ucici-} \frac{L\Theta}{T^2 Q} = 10^{-330} = 0.05222103 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1\text{m} \frac{\text{m s K}}{\text{C}} = 21.41252 \cdot 10^{50}$	$1\text{mu-} \frac{LT\Theta}{Q} = 10^{50} = 0.02343134 \text{m} \frac{\text{m s K}}{\text{C}}$
$1\text{k} \frac{\text{m s K}}{\text{C}} = 0.1432435 \cdot 10^{100}$	$1\text{pano-} \frac{LT\Theta}{Q} = 10^{100} = 3.223103 \frac{\text{m s K}}{\text{C}}$
$1\text{k} \frac{\text{m s K}}{\text{C}} = 1205.450 \cdot 10^{100}$	$1\text{papa-} \frac{LT\Theta}{Q} = 10^{110} = 422.4443 \text{k} \frac{\text{m s K}}{\text{C}}$
$1\text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 243.3105 \cdot 10^{30}$	$1\text{vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 2100.431 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}}$ (*)
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 2.044444 \cdot 10^{40}$	$1\text{vo-} \frac{L^2 \Theta}{Q} = 10^{40} = 0.2451301 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.01351315 \cdot 10^{50}$	$1\text{mu-} \frac{L^2 \Theta}{Q} = 10^{50} = 33.51155 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$ (*)
$1\text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 44.10250 \cdot 10^{-100}$	$1\text{ni}'\text{upano-} \frac{L^2 \Theta}{TQ} = 10^{-100} = 0.01135535 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}}$ (*)
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.3342435 \cdot 10^{-50}$	$1\text{ni}'\text{umu-} \frac{L^2 \Theta}{TQ} = 10^{-50} = 1.353342 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.002443554 \cdot 10^{-40}$ (*)	$1\text{ni}'\text{ubo-} \frac{L^2 \Theta}{TQ} = 10^{-40} = 205.1251 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1\text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 11.55120 \cdot 10^{-230}$ (*)	$1\text{ni}'\text{ureci-} \frac{L^2 \Theta}{T^2 Q} = 10^{-230} = 0.04302345 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.1005342 \cdot 10^{-220}$ (*)	$1\text{ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 5.503043 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1\text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 443.0010 \cdot 10^{-220}$ (*)	$1\text{ni}'\text{urere-} \frac{L^2 \Theta}{T^2 Q} = 10^{-220} = 0.001132500 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$ (*)
$1\text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 1343.314 \cdot 10^{200}$	$1\text{repa-} \frac{L^2 T\Theta}{Q} = 10^{210} = 340.4144 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1\text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 11.31131 \cdot 10^{210}$	$1\text{repa-} \frac{L^2 T\Theta}{Q} = 10^{210} = 0.04435555 \frac{\text{m}^2 \text{s K}}{\text{C}}$ (**)
$1\text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.05451453 \cdot 10^{220}$	$1\text{rere-} \frac{L^2 T\Theta}{Q} = 10^{220} = 10.10525 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1\text{m} \frac{\text{K}}{\text{m C}} = 0.001135150 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{\Theta}{LQ} = 10^{-300} = 441.2452 \text{m} \frac{\text{K}}{\text{m C}}$
$1\text{k} \frac{\text{K}}{\text{m C}} = 5.522322 \cdot 10^{-300}$	$1\text{ni}'\text{ucino-} \frac{\Theta}{LQ} = 10^{-300} = 0.1003345 \frac{\text{K}}{\text{m C}}$ (*)
$1\text{k} \frac{\text{K}}{\text{m C}} = 0.04315244 \cdot 10^{-250}$	$1\text{ni}'\text{uremu-} \frac{\Theta}{LQ} = 10^{-250} = 11.52351 \text{k} \frac{\text{K}}{\text{m C}}$
$1\text{k} \frac{\text{K}}{\text{m s C}} = 205.5402 \cdot 10^{-440}$	$1\text{ni}'\text{uvovo-} \frac{\Theta}{LTQ} = 10^{-440} = 0.002434323 \text{m} \frac{\text{K}}{\text{m s C}}$
$1\text{k} \frac{\text{K}}{\text{m s C}} = 1.400510 \cdot 10^{-430}$ (*)	$1\text{ni}'\text{uvoci-} \frac{\Theta}{LTQ} = 10^{-430} = 0.3331425 \frac{\text{K}}{\text{m s C}}$
$1\text{k} \frac{\text{K}}{\text{m s C}} = 0.01142235 \cdot 10^{-420}$	$1\text{ni}'\text{uvore-} \frac{\Theta}{LTQ} = 10^{-420} = 43.53211 \text{k} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 34.02243 \cdot 10^{-1010} \\
1 \frac{\text{K}}{\text{ms}^2 \text{C}} &= 0.2501002 \cdot 10^{-1000} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} &= 2105.000 \cdot 10^{-1000} \quad (**) \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 4300.220 \cdot 10^{-140} \quad (*) \\
1 \frac{\text{sK}}{\text{mC}} &= 32.50145 \cdot 10^{-130} \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 0.2402534 \cdot 10^{-120} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} &= 14.42243 \cdot 10^{-420} \\
1 \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.1214105 \cdot 10^{-410} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} &= 0.001022031 \cdot 10^{-400} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 3.012254 \cdot 10^{-550} \\
1 \frac{\text{K}}{\text{m}^2 \text{sC}} &= 0.02202315 \cdot 10^{-540} \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} &= 145.0505 \cdot 10^{-540} \\
1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.5055114 \cdot 10^{-1120} \quad (*) \\
1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 3552.300 \cdot 10^{-1120} \quad (**) \\
1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} &= 30.23545 \cdot 10^{-1110} \\
1 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 101.5255 \cdot 10^{-250} \quad (*) \\
1 \frac{\text{sK}}{\text{m}^2 \text{C}} &= 0.4513120 \cdot 10^{-240} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} &= 3432.401 \cdot 10^{-240} \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.2302252 \cdot 10^{-530} \\
1 \frac{\text{K}}{\text{m}^3 \text{C}} &= 0.001534330 \cdot 10^{-520} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} &= 12.54552 \cdot 10^{-520} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 0.04133312 \cdot 10^{-1100} \\
1 \frac{\text{K}}{\text{m}^3 \text{sC}} &= 314.3022 \cdot 10^{-1100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} &= 2.312355 \cdot 10^{-1050} \quad (*) \\
1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.01112525 \cdot 10^{-1230} \\
1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 53.31530 \cdot 10^{-1230} \\
1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.4152011 \cdot 10^{-1220} \\
1 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 1.251202 \cdot 10^{-400} \\
1 \frac{\text{sK}}{\text{m}^3 \text{C}} &= 0.01050224 \cdot 10^{-350} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} &= 51.40435 \cdot 10^{-350} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 3243.043 \cdot 10^{-140} \\
1 \frac{\text{kgK}}{\text{C}} &= 24.00253 \cdot 10^{-130} \quad (*) \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= 0.2020453 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= 551.3102 \cdot 10^{-310} \quad (*) \\
1 \frac{\text{kgK}}{\text{sC}} &= 4.311145 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 0.03255345 \cdot 10^{-250} \quad (*) \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 135.5200 \cdot 10^{-440} \quad (*) \\
1 \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 1.141133 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} &= 0.005535344 \cdot 10^{-420} \quad (*) \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.02011451 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= 132.3210 \cdot 10^0 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 1.113504 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= 0.2244124 \cdot 10^{-20} \\
1 \frac{\text{kg mK}}{\text{C}} &= 1522.403 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 12.44515 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg mK}}{\text{sC}} &= 0.04104051 \cdot 10^{-150} \\
1 \frac{\text{kg mK}}{\text{sC}} &= 312.1350 \cdot 10^{-150}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'upanopa-} \frac{\Theta}{LT^2Q} &= 10^{-1010} = 0.01344210 \text{m} \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni'upanono-} \frac{\Theta}{LT^2Q} &= 10^{-1000} = 2.040354 \frac{\text{K}}{\text{ms}^2 \text{C}} \\
1 \text{ni'umumu-} \frac{\Theta}{LT^2Q} &= 10^{-550} = 242.3455 \text{k} \frac{\text{K}}{\text{ms}^2 \text{C}} \quad (*) \\
1 \text{ni'upaci-} \frac{T\Theta}{LQ} &= 10^{-130} = 115.5515 \text{m} \frac{\text{sK}}{\text{mC}} \quad (*) \\
1 \text{ni'upaci-} \frac{T\Theta}{LQ} &= 10^{-130} = 0.01421033 \frac{\text{sK}}{\text{mC}} \\
1 \text{ni'upare-} \frac{T\Theta}{LQ} &= 10^{-120} = 2.123312 \text{k} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni'uvore-} \frac{\Theta}{L^2Q} &= 10^{-420} = 0.03204211 \text{m} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni'uvopa-} \frac{\Theta}{L^2Q} &= 10^{-410} = 4.202440 \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni'uvono-} \frac{\Theta}{L^2Q} &= 10^{-400} = 534.4354 \text{k} \frac{\text{K}}{\text{m}^2 \text{C}} \\
1 \text{ni'umumu-} \frac{\Theta}{L^2TQ} &= 10^{-550} = 0.1550225 \text{m} \frac{\text{K}}{\text{m}^2 \text{sC}} \quad (*) \\
1 \text{ni'umuovo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 23.20344 \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni'umuovo-} \frac{\Theta}{L^2TQ} &= 10^{-540} = 0.003152113 \text{k} \frac{\text{K}}{\text{m}^2 \text{sC}} \\
1 \text{ni'upapare-} \frac{\Theta}{L^2T^2Q} &= 10^{-1120} = 1.055004 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (**) \\
1 \text{ni'upapapa-} \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 130.1152 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'upapapa-} \frac{\Theta}{L^2T^2Q} &= 10^{-1110} = 0.01541340 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 5410.302 \text{m} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni'urevo-} \frac{T\Theta}{L^2Q} &= 10^{-240} = 1.121443 \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni'ureci-} \frac{T\Theta}{L^2Q} &= 10^{-230} = 133.2244 \text{k} \frac{\text{sK}}{\text{m}^2 \text{C}} \\
1 \text{ni'umuci-} \frac{\Theta}{L^3Q} &= 10^{-530} = 2.220010 \text{m} \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'umure-} \frac{\Theta}{L^3Q} &= 10^{-520} = 303.2435 \frac{\text{K}}{\text{m}^3 \text{C}} \\
1 \text{ni'umure-} \frac{\Theta}{L^3Q} &= 10^{-520} = 0.04002421 \text{k} \frac{\text{K}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{ni'upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 12.23434 \text{m} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni'upapano-} \frac{\Theta}{L^3TQ} &= 10^{-1100} = 0.001453404 \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni'upanomu-} \frac{\Theta}{L^3TQ} &= 10^{-1050} = 0.2210115 \text{k} \frac{\text{K}}{\text{m}^3 \text{sC}} \\
1 \text{ni'upareci-} \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 45.44531 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'upareci-} \frac{\Theta}{L^3T^2Q} &= 10^{-1230} = 0.01023430 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uparere-} \frac{\Theta}{L^3T^2Q} &= 10^{-1220} = 1.220204 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{ni'uvono-} \frac{T\Theta}{L^3Q} &= 10^{-400} = 0.4020333 \text{m} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni'ucimu-} \frac{T\Theta}{L^3Q} &= 10^{-350} = 51.32023 \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni'ucimu-} \frac{T\Theta}{L^3Q} &= 10^{-350} = 0.01045221 \text{k} \frac{\text{sK}}{\text{m}^3 \text{C}} \\
1 \text{ni'upaci-} \frac{M\Theta}{Q} &= 10^{-130} = 142.2404 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni'upaci-} \frac{M\Theta}{Q} &= 10^{-130} = 0.02125332 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni'upare-} \frac{M\Theta}{Q} &= 10^{-120} = 2.525154 \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni'ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 1004.322 \text{m} \frac{\text{kgK}}{\text{sC}} \quad (*) \\
1 \text{ni'ucino-} \frac{M\Theta}{TQ} &= 10^{-300} = 0.1153504 \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni'uremu-} \frac{M\Theta}{TQ} &= 10^{-250} = 14.14245 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni'uvovo-} \frac{M\Theta}{T^2Q} &= 10^{-440} = 0.003335013 \text{m} \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni'uvoci-} \frac{M\Theta}{T^2Q} &= 10^{-430} = 0.4401350 \frac{\text{kgK}}{\text{s}^2 \text{C}} \\
1 \text{ni'uvore-} \frac{M\Theta}{T^2Q} &= 10^{-420} = 100.2030 \text{k} \frac{\text{kgK}}{\text{s}^2 \text{C}} \quad (*) \\
1 \frac{MT\Theta}{Q} &= 1 = 25.40254 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.003452521 \frac{\text{kg sK}}{\text{C}} \\
1 \frac{pa-MT\Theta}{Q} &= 10^{10} = 0.4541022 \text{k} \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni'ure-} \frac{ML\Theta}{Q} &= 10^{-20} = 2.233543 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni'upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 305.3350 \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni'upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 0.04031224 \text{k} \frac{\text{kg mK}}{\text{C}} \\
1 \text{ni'upamu-} \frac{ML\Theta}{TQ} &= 10^{-150} = 12.33341 \text{m} \frac{\text{kg mK}}{\text{sC}} \\
1 \text{ni'upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 1505.132 \frac{\text{kg mK}}{\text{sC}}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s C}} &= 2.254145 \cdot 10^{-140} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.01103553 \cdot 10^{-320} \quad (*) \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 52.53040 \cdot 10^{-320} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.4122235 \cdot 10^{-310} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 1.241152 \cdot 10^{110} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.01041431 \cdot 10^{120} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 51.03123 \cdot 10^{120} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14.31055 \cdot 10^{50} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.1204322 \cdot 10^{100} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 1013.424 \cdot 10^{100} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 2.552033 \cdot 10^{-40} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 0.02144554 \cdot 10^{-30} \quad (*) \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s C}} &= 143.5251 \cdot 10^{-30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.5022054 \cdot 10^{-210} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.003524131 \cdot 10^{-200} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 30.03233 \cdot 10^{-200} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 101.1111 \cdot 10^{220} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.4441201 \cdot 10^{230} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.003405155 \cdot 10^{240} \quad (*) \\
1m \frac{\text{kg K}}{\text{m C}} &= 45.04433 \cdot 10^{-250} \\
1 \frac{\text{kg K}}{\text{m C}} &= 0.3425122 \cdot 10^{-240} \\
1k \frac{\text{kg K}}{\text{m C}} &= 2520.224 \cdot 10^{-240} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 12.12533 \cdot 10^{-420} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.1021040 \cdot 10^{-410} \\
1k \frac{\text{kg K}}{\text{m s C}} &= 452.4413 \cdot 10^{-410} \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 2.200224 \cdot 10^{-550} \quad (*) \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.01445112 \cdot 10^{-540} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 122.0151 \cdot 10^{-540} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 250.5213 \cdot 10^{-120} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 2.112212 \cdot 10^{-110} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.01411323 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 1.045211 \cdot 10^{-400} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 5131.541 \cdot 10^{-400} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 40.20300 \cdot 10^{-350} \quad (*) \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.1532451 \cdot 10^{-530} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 0.001253341 \cdot 10^{-520} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 10.52054 \cdot 10^{-520} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.03140020 \cdot 10^{-1100} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 231.0201 \cdot 10^{-1100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 1.541321 \cdot 10^{-1050} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 4.002345 \cdot 10^{-230} \quad (*) \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.03032411 \cdot 10^{-220} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 221.5550 \cdot 10^{-220} \quad (***) \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.01332232 \cdot 10^{-510} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 112.1432 \cdot 10^{-510} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.5410213 \cdot 10^{-500}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upavo-} \frac{ML\Theta}{TQ} &= 10^{-140} = 0.2224012 \frac{\text{kg m K}}{\text{s C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 50.21323 \frac{\text{m kg m K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ucire-} \frac{ML\Theta}{T^2Q} &= 10^{-320} = 0.01032113 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'ucipa-} \frac{ML\Theta}{T^2Q} &= 10^{-310} = 1.230044 \frac{\text{k kg m K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ papa-} \frac{MLT\Theta}{Q} &= 10^{110} = 0.4045245 \frac{\text{m kg m s K}}{\text{C}} \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 52.05533 \frac{\text{kg m s K}}{\text{C}} \quad (*) \\
1 \text{ pare-} \frac{MLT\Theta}{Q} &= 10^{120} = 0.01054040 \frac{\text{k kg m s K}}{\text{C}} \\
1 \text{ mu-} \frac{ML^2\Theta}{Q} &= 10^{50} = 0.03230150 \frac{\text{m kg m}^2 \text{K}}{\text{C}} \\
1 \text{ pano-} \frac{ML^2\Theta}{Q} &= 10^{100} = 4.232502 \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 \text{ papa-} \frac{ML^2\Theta}{Q} &= 10^{110} = 542.4022 \frac{\text{k kg m}^2 \text{K}}{\text{C}} \\
1 \text{ ni'uvo-} \frac{ML^2\Theta}{TQ} &= 10^{-40} = 0.2002341 \frac{\text{m kg m}^2 \text{K}}{\text{s C}} \quad (*) \\
1 \text{ ni'uci-} \frac{ML^2\Theta}{TQ} &= 10^{-30} = 23.35133 \frac{\text{kg m}^2 \text{K}}{\text{s C}} \\
1 \text{ ni'ure-} \frac{ML^2\Theta}{TQ} &= 10^{-20} = 3213.554 \frac{\text{k kg m}^2 \text{K}}{\text{s C}} \quad (*) \\
1 \text{ ni'urepa-} \frac{ML^2\Theta}{T^2Q} &= 10^{-210} = 1.103503 \frac{\text{m kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 131.1325 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 \text{ ni'ureno-} \frac{ML^2\Theta}{T^2Q} &= 10^{-200} = 0.01553420 \frac{\text{k kg m}^2 \text{K}}{\text{s}^2 \text{C}} \quad (*) \\
1 \text{ rere-} \frac{ML^2T\Theta}{Q} &= 10^{220} = 0.005450105 \frac{\text{m kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ reci-} \frac{ML^2T\Theta}{Q} &= 10^{230} = 1.130523 \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ revo-} \frac{ML^2T\Theta}{Q} &= 10^{240} = 134.3032 \frac{\text{k kg m}^2 \text{s K}}{\text{C}} \\
1 \text{ ni'uremu-} \frac{M\Theta}{LQ} &= 10^{-250} = 0.01122531 \frac{\text{m kg K}}{\text{m C}} \\
1 \text{ ni'urevo-} \frac{M\Theta}{LQ} &= 10^{-240} = 1.333532 \frac{\text{kg K}}{\text{m C}} \\
1 \text{ ni'ureci-} \frac{M\Theta}{LQ} &= 10^{-230} = 202.4154 \frac{\text{k kg K}}{\text{m C}} \\
1 \text{ ni'uvore-} \frac{M\Theta}{LTQ} &= 10^{-420} = 0.04210433 \frac{\text{m kg K}}{\text{m s C}} \\
1 \text{ ni'uvopa-} \frac{M\Theta}{LTQ} &= 10^{-410} = 5.353454 \frac{\text{kg K}}{\text{m s C}} \\
1 \text{ ni'uvono-} \frac{M\Theta}{LTQ} &= 10^{-400} = 1115.525 \frac{\text{k kg K}}{\text{m s C}} \\
1 \text{ ni'umumu-} \frac{M\Theta}{LT^2Q} &= 10^{-550} = 0.2322551 \frac{\text{m kg K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 31.55130 \frac{\text{kg K}}{\text{m s}^2 \text{C}} \quad (*) \\
1 \text{ ni'umuovo-} \frac{M\Theta}{LT^2Q} &= 10^{-540} = 0.004152053 \frac{\text{k kg K}}{\text{m s}^2 \text{C}} \\
1 \text{ ni'upare-} \frac{MT\Theta}{LQ} &= 10^{-120} = 0.002033232 \frac{\text{m kg s K}}{\text{m C}} \\
1 \text{ ni'upapa-} \frac{MT\Theta}{LQ} &= 10^{-110} = 0.2415351 \frac{\text{kg s K}}{\text{m C}} \\
1 \text{ ni'upano-} \frac{MT\Theta}{LQ} &= 10^{-100} = 33.05330 \frac{\text{k kg s K}}{\text{m C}} \\
1 \text{ ni'uvono-} \frac{M\Theta}{L^2Q} &= 10^{-400} = 0.5140522 \frac{\text{m kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 105.0234 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'ucimu-} \frac{M\Theta}{L^2Q} &= 10^{-350} = 0.01251214 \frac{\text{k kg K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umuci-} \frac{M\Theta}{L^2TQ} &= 10^{-530} = 3.035340 \frac{\text{m kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 401.0225 \frac{\text{kg K}}{\text{m}^2 \text{s C}} \\
1 \text{ ni'umure-} \frac{M\Theta}{L^2TQ} &= 10^{-520} = 0.05120015 \frac{\text{k kg K}}{\text{m}^2 \text{s C}} \quad (*) \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 14.55205 \frac{\text{m kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 \text{ ni'upapano-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1100} = 0.002212215 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'upanomu-} \frac{M\Theta}{L^2T^2Q} &= 10^{-1050} = 0.3024015 \frac{\text{k kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{ ni'ureci-} \frac{MT\Theta}{L^2Q} &= 10^{-230} = 0.1255003 \frac{\text{m kg s K}}{\text{m}^2 \text{C}} \quad (***) \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 15.34344 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'urere-} \frac{MT\Theta}{L^2Q} &= 10^{-220} = 0.002302313 \frac{\text{k kg s K}}{\text{m}^2 \text{C}} \\
1 \text{ ni'umupa-} \frac{M\Theta}{L^3Q} &= 10^{-510} = 34.32432 \frac{\text{m kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umuno-} \frac{M\Theta}{L^3Q} &= 10^{-500} = 4513.201 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 \text{ ni'umuno-} \frac{M\Theta}{L^3Q} &= 10^{-500} = 1.015304 \frac{\text{k kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s C} = 0.002413032 \cdot 10^{-1040}$	$1 ni' upanovo- \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 211.4241 m \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s C} = 20.31243 \cdot 10^{-1040}$	$1 ni' upanovo- \frac{M\Theta}{L^3 T Q} = 10^{-1040} = 0.02512023 \frac{kg\ K}{m^3 s C}$
$1k \frac{kg\ K}{m^3 s C} = 0.1340203 \cdot 10^{-1030}$	$1 ni' upanoci- \frac{M\Theta}{L^3 T Q} = 10^{-1030} = 3.415335 k \frac{kg\ K}{m^3 s C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 433.3531 \cdot 10^{-1220}$	$1 ni' uparere- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1220} = 0.001145352 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 3.314530 \cdot 10^{-1210}$	$1 ni' uparepa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1210} = 0.1405003 \frac{kg\ K}{m^3 s^2 C} (*)$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.02423431 \cdot 10^{-1200}$	$1 ni' upareno- \frac{M\Theta}{L^3 T^2 Q} = 10^{-1200} = 21.05021 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 0.05344305 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 10.22040 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 420.2402 \cdot 10^{-340}$	$1 ni' ucivo- \frac{MT\Theta}{L^3 Q} = 10^{-340} = 0.001214121 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 3.204142 \cdot 10^{-330}$	$1 ni' ucici- \frac{MT\Theta}{L^3 Q} = 10^{-330} = 0.1442300 k \frac{kg\ s\ K}{m^3 C} (*)$
$1m CK = 225.2213 \cdot 10^{-40}$	$1 ni' uvo-Q\Theta = 10^{-40} = 0.002225523 m CK (*)$
$1 CK = 1.525512 \cdot 10^{-30} (*)$	$1 ni' uci-Q\Theta = 10^{-30} = 0.3044215 CK$
$1k CK = 0.01251202 \cdot 10^{-20}$	$1 ni' ure-Q\Theta = 10^{-20} = 40.20333 k CK$
$1m \frac{CK}{s} = 41.15100 \cdot 10^{-210} (*)$	$1 ni' urepa- \frac{Q\Theta}{T} = 10^{-210} = 0.01231121 m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.3131021 \cdot 10^{-200}$	$1 ni' ureno- \frac{Q\Theta}{T} = 10^{-200} = 1.502100 \frac{CK}{s} (*)$
$1k \frac{CK}{s} = 2302.253 \cdot 10^{-200}$	$1 ni' upamu- \frac{Q\Theta}{T} = 10^{-150} = 222.0005 k \frac{CK}{s} (**)$
$1m \frac{CK}{s^2} = 11.05550 \cdot 10^{-340} (**)$	$1 ni' ucivo- \frac{Q\Theta}{T^2} = 10^{-340} = 0.05005050 m \frac{CK}{s^2} (*)$
$1 \frac{CK}{s^2} = 0.05310153 \cdot 10^{-330}$	$1 ni' ucici- \frac{Q\Theta}{T^2} = 10^{-330} = 10.30220 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 413.3313 \cdot 10^{-330}$	$1 ni' ucire- \frac{Q\Theta}{T^2} = 10^{-320} = 1223.434 k \frac{CK}{s^2}$
$1ms CK = 0.001243430 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 403.4325 ms CK$
$1s CK = 10.43345 \cdot 10^{100}$	$1 pano-TQ\Theta = 10^{100} = 0.05153001 s CK (*)$
$1ks CK = 0.05115533 \cdot 10^{110} (*)$	$1 papa-TQ\Theta = 10^{110} = 10.52104 ks CK$
$1mm CK = 0.01434035 \cdot 10^{40}$	$1 vo-LQ\Theta = 10^{40} = 32.20340 mm CK$
$1m CK = 121.0500 \cdot 10^{40} (*)$	$1 vo-LQ\Theta = 10^{40} = 0.004221244 m CK$
$1km CK = 1.015255 \cdot 10^{50} (*)$	$1 mu-LQ\Theta = 10^{50} = 0.5410301 km CK$
$1m \frac{m CK}{s} = 3001.034 \cdot 10^{-100} (*)$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 155.5134 m \frac{m CK}{s} (*)$
$1 \frac{m CK}{s} = 21.52504 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T} = 10^{-50} = 0.02330531 \frac{m CK}{s}$
$1k \frac{m CK}{s} = 0.1442243 \cdot 10^{-40}$	$1 ni' uvo- \frac{LQ\Theta}{T} = 10^{-40} = 3.204210 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 503.4354 \cdot 10^{-230}$	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 1101.513 m \frac{m CK}{s^2}$
$1 \frac{m CK}{s^2} = 3.534452 \cdot 10^{-220}$	$1 ni' urere- \frac{LQ\Theta}{T^2} = 10^{-220} = 0.1305004 \frac{m CK}{s^2} (*)$
$1k \frac{m CK}{s^2} = 0.03012255 \cdot 10^{-210} (*)$	$1 ni' urepa- \frac{LQ\Theta}{T^2} = 10^{-210} = 15.50225 k \frac{m CK}{s^2}$
$1mm s CK = 0.1012534 \cdot 10^{210}$	$1 repa-LTQ\Theta = 10^{210} = 5.432304 mm s CK$
$1ms CK = 445.3211 \cdot 10^{210}$	$1 rere-LTQ\Theta = 10^{220} = 1124.452 ms CK$
$1kms CK = 3.415305 \cdot 10^{220}$	$1 rere-LTQ\Theta = 10^{220} = 0.1340215 km s CK$
$1mm^2 CK = 1.132113 \cdot 10^{150}$	$1 pamu-L^2 Q\Theta = 10^{150} = 0.4432221 mm^2 CK$
$1m^2 CK = 0.005500120 \cdot 10^{200} (**)$	$1 reno-L^2 Q\Theta = 10^{200} = 101.0045 m^2 CK (*)$
$1km^2 CK = 43.00221 \cdot 10^{200} (*)$	$1 reno-L^2 Q\Theta = 10^{200} = 0.01155515 km^2 CK (**)$
$1m \frac{m^2 CK}{s} = 0.2050225 \cdot 10^{20}$	$1 re- \frac{L^2 Q\Theta}{T} = 10^{20} = 2.445215 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 1352.444 \cdot 10^{20}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 334.4325 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 11.35150 \cdot 10^{30}$	$1 ci- \frac{L^2 Q\Theta}{T} = 10^{30} = 0.04412451 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 0.03345304 \cdot 10^{-110}$	$1 ni' upapa- \frac{L^2 Q\Theta}{T^2} = 10^{-110} = 13.52212 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 245.0040 \cdot 10^{-110} (*)$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 2045.505 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 2.055402 \cdot 10^{-100} (*)$	$1 ni' upano- \frac{L^2 Q\Theta}{T^2} = 10^{-100} = 0.2434323 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 4.241240 \cdot 10^{320}$	$1 cire-L^2 TQ\Theta = 10^{320} = 0.1203055 mm^2 s CK (*)$
$1m^2 s CK = 0.03233504 \cdot 10^{330}$	$1 cici-L^2 TQ\Theta = 10^{330} = 14.25203 m^2 s CK$
$1km^2 s CK = 235.2230 \cdot 10^{330}$	$1 civo-L^2 TQ\Theta = 10^{340} = 2133.013 km^2 s CK$
$1m \frac{CK}{m} = 3.252533 \cdot 10^{-150}$	$1 ni' upamu- \frac{Q\Theta}{L} = 10^{-150} = 0.1415444 m \frac{CK}{m}$
$1 \frac{CK}{m} = 0.02404544 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 21.21503 \frac{CK}{m}$
$1k \frac{CK}{m} = 202.4135 \cdot 10^{-140}$	$1 ni' upavo- \frac{Q\Theta}{L} = 10^{-140} = 0.002520250 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 0.5531012 \cdot 10^{-320} (*)$	$1 ni' ucire- \frac{Q\Theta}{LT} = 10^{-320} = 1.002511 m \frac{CK}{ms} (*)$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 4322.525 \cdot 10^{-320} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 33.05301 \cdot 10^{-310} \\
1 \text{m} \frac{\text{CK}}{\text{m s}^2} &= 0.1402043 \cdot 10^{-450} \\
1 \frac{\text{CK}}{\text{m s}^2} &= 0.001143230 \cdot 10^{-440} \\
1 \text{k} \frac{\text{CK}}{\text{m s}^2} &= 5.553334 \cdot 10^{-440} \quad (*) \\
1 \text{m} \frac{\text{s CK}}{\text{m}} &= 20.15121 \cdot 10^{-20} \\
1 \frac{\text{s CK}}{\text{m}} &= 0.1325555 \cdot 10^{-10} \quad (***) \\
1 \text{k} \frac{\text{s CK}}{\text{m}} &= 0.001115515 \cdot 10^0 \quad (*) \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 0.04520525 \cdot 10^{-300} \\
1 \frac{\text{CK}}{\text{m}^2} &= 343.5304 \cdot 10^{-300} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 2.525132 \cdot 10^{-250} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.01215123 \cdot 10^{-430} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 102.2521 \cdot 10^{-430} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.4540541 \cdot 10^{-420} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.002204155 \cdot 10^{-1000} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 14.52121 \cdot 10^{-1000} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.1222351 \cdot 10^{-550} \\
1 \text{m} \frac{\text{s CK}}{\text{m}^2} &= 0.2514101 \cdot 10^{-130} \\
1 \frac{\text{s CK}}{\text{m}^2} &= 0.002120024 \cdot 10^{-120} \quad (*) \\
1 \text{k} \frac{\text{s CK}}{\text{m}^2} &= 14.14232 \cdot 10^{-120} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 1051.135 \cdot 10^{-420} \\
1 \frac{\text{CK}}{\text{m}^3} &= 5.144435 \cdot 10^{-410} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 0.04031151 \cdot 10^{-400} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 154.0015 \cdot 10^{-550} \quad (*) \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 1.300040 \cdot 10^{-540} \quad (***) \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.01054031 \cdot 10^{-530} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 31.45320 \cdot 10^{-1120} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.2314330 \cdot 10^{-1110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.001544500 \cdot 10^{-1100} \quad (*) \\
1 \text{m} \frac{\text{s CK}}{\text{m}^3} &= 0.004013211 \cdot 10^{-240} \\
1 \frac{\text{s CK}}{\text{m}^3} &= 30.41521 \cdot 10^{-240} \\
1 \text{k} \frac{\text{s CK}}{\text{m}^3} &= 0.2223552 \cdot 10^{-230} \quad (*) \\
1 \text{m kg CK} &= 13.24315 \cdot 10^{-20} \\
1 \text{kg CK} &= 0.1114434 \cdot 10^{-10} \\
1 \text{kg kg CK} &= 534.4310 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 2.402301 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{s}} &= 0.02022214 \cdot 10^{-140} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 133.2232 \cdot 10^{-140} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.4314423 \cdot 10^{-320} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 3302.141 \cdot 10^{-320} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 24.13032 \cdot 10^{-310} \\
1 \text{m kg s CK} &= 53.22455 \cdot 10^{110} \quad (*) \\
1 \text{kg s CK} &= 0.4144035 \cdot 10^{120} \\
1 \text{kg kg s CK} &= 3152.045 \cdot 10^{120} \\
1 \text{m kg m CK} &= 0.001042334 \cdot 10^{100} \\
1 \text{kg m CK} &= 5.111055 \cdot 10^{100} \quad (*) \\
1 \text{kg kg m CK} &= 0.04002345 \cdot 10^{110} \quad (*) \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 152.4042 \cdot 10^{-40} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 1.245555 \cdot 10^{-30} \quad (***) \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= 0.01045211 \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 115.1352 \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'ucipa-} \frac{Q\Theta}{LT} &= 10^{-310} = 0.01411340 \text{k} \frac{\text{CK}}{\text{m s}} \\
1 \text{ni'uvomu-} \frac{Q\Theta}{LT^2} &= 10^{-450} = 3.325012 \text{m} \frac{\text{CK}}{\text{m s}^2} \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 434.5505 \frac{\text{CK}}{\text{m s}^2} \quad (*) \\
1 \text{ni'uvovo-} \frac{Q\Theta}{LT^2} &= 10^{-440} = 0.1000223 \text{k} \frac{\text{CK}}{\text{m s}^2} \quad (***) \\
1 \text{ni'ure-} \frac{TQ\Theta}{L} &= 10^{-20} = 0.02531330 \text{m} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 3.442311 \frac{\text{s CK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 452.4453 \text{k} \frac{\text{s CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 11.20510 \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ucino-} \frac{Q\Theta}{L^2} &= 10^{-300} = 0.001331132 \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uremu-} \frac{Q\Theta}{L^2} &= 10^{-250} = 0.2020511 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uvoci-} \frac{Q\Theta}{L^2 T} &= 10^{-430} = 41.55255 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \quad (*) \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 5340.223 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvore-} \frac{Q\Theta}{L^2 T} &= 10^{-420} = 1.113514 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 231.4411 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upanono-} \frac{Q\Theta}{L^2 T^2} &= 10^{-1000} = 0.03145413 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umumu-} \frac{Q\Theta}{L^2 T^2} &= 10^{-550} = 4.140544 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upaci-} \frac{TQ\Theta}{L^2} &= 10^{-130} = 2.025533 \text{m} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 241.1040 \frac{\text{s CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{TQ\Theta}{L^2} &= 10^{-120} = 0.03255414 \text{k} \frac{\text{s CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 512.4034 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvopa-} \frac{Q\Theta}{L^3} &= 10^{-410} = 0.1044311 \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uvono-} \frac{Q\Theta}{L^3} &= 10^{-400} = 12.44530 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 3030.234 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umuovo-} \frac{Q\Theta}{L^3 T} &= 10^{-540} = 0.3555411 \frac{\text{CK}}{\text{m}^3 \text{s}} \quad (***) \\
1 \text{ni'umuci-} \frac{Q\Theta}{L^3 T} &= 10^{-530} = 51.03205 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapare-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1120} = 0.01452151 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapapa-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1110} = 2.204234 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upapano-} \frac{Q\Theta}{L^3 T^2} &= 10^{-1100} = 301.4533 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 125.2305 \text{m} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'urevo-} \frac{TQ\Theta}{L^3} &= 10^{-240} = 0.01531223 \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ureci-} \frac{TQ\Theta}{L^3} &= 10^{-230} = 2.254210 \text{k} \frac{\text{s CK}}{\text{m}^3} \\
1 \text{ni'ure-MQ}\Theta &= 10^{-20} = 0.03450003 \text{m kg CK} \quad (***) \\
1 \text{ni'upa-MQ}\Theta &= 10^{-10} = 4.533155 \text{kg CK} \quad (*) \\
1 \text{MQ}\Theta &= 1 = 1022.040 \text{k kg CK} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{T} &= 10^{-150} = 0.2123521 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 25.23043 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'upavo-} \frac{MQ\Theta}{T} &= 10^{-140} = 0.003432431 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'ucire-} \frac{MQ\Theta}{T^2} &= 10^{-320} = 1.152505 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 141.3101 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'ucipa-} \frac{MQ\Theta}{T^2} &= 10^{-310} = 0.02114240 \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{papa-MTQ}\Theta &= 10^{110} = 0.01024422 \text{m kg s CK} \\
1 \text{pare-MTQ}\Theta &= 10^{120} = 1.221342 \text{kg s CK} \\
1 \text{paci-MTQ}\Theta &= 10^{130} = 145.0522 \text{k kg s CK} \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 520.1520 \text{m kg m CK} \\
1 \text{pano-MLQ}\Theta &= 10^{100} = 0.1053124 \text{kg m CK} \\
1 \text{papa-MLQ}\Theta &= 10^{110} = 12.55003 \text{k kg m CK} \quad (***) \\
1 \text{ni'ubo-} \frac{MLQ\Theta}{T} &= 10^{-40} = 0.003051132 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{MLQ\Theta}{T} &= 10^{-30} = 0.4024153 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'ure-} \frac{MLQ\Theta}{T} &= 10^{-20} = 51.40521 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= 31.24031 \cdot 10^{-210} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.2300105 \cdot 10^{-200} \quad (*) \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 1532.452 \cdot 10^{-200} \\
1 \text{m kg m s CK} &= 3544.514 \cdot 10^{220} \\
1 \text{kg m s CK} &= 30.21101 \cdot 10^{230} \\
1 \text{k kg m s CK} &= 0.2210055 \cdot 10^{240} \quad (***) \\
1 \text{m kg m}^2 \text{CK} &= 0.04444543 \cdot 10^{210} \\
1 \text{kg m}^2 \text{CK} &= 341.2043 \cdot 10^{210} \\
1 \text{k kg m}^2 \text{CK} &= 2.505214 \cdot 10^{220} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.01205331 \cdot 10^{40} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 101.4311 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.4504434 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 2150.422 \cdot 10^{-100} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 14.40454 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.1212533 \cdot 10^{-40} \\
1 \text{m kg m}^2 \text{s CK} &= 0.2454232 \cdot 10^{340} \\
1 \text{kg m}^2 \text{s CK} &= 2103.002 \cdot 10^{340} \quad (*) \\
1 \text{k kg m}^2 \text{s CK} &= 14.03233 \cdot 10^{350} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.2114013 \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.001412510 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 11.52340 \cdot 10^{-120} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.03432023 \cdot 10^{-300} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 252.2333 \cdot 10^{-300} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 2.123253 \cdot 10^{-250} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.01021530 \cdot 10^{-430} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 45.32232 \cdot 10^{-430} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.3445153 \cdot 10^{-420} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 1.145224 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 0.01001045 \cdot 10^{10} \quad (*) \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 43.53132 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 0.003035013 \cdot 10^{-240} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 22.21440 \cdot 10^{-240} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 0.1503305 \cdot 10^{-230} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 513.5533 \cdot 10^{-420} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 4.023324 \cdot 10^{-410} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.03050404 \cdot 10^{-400} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 125.4424 \cdot 10^{-550} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 1.053010 \cdot 10^{-540} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 5200.525 \cdot 10^{-540} \quad (*) \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 0.01455005 \cdot 10^{-110} \quad (**) \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 122.4445 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 1.031104 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 42.05544 \cdot 10^{-400} \quad (*) \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.3210454 \cdot 10^{-350} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.002332454 \cdot 10^{-340} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 11.22410 \cdot 10^{-530} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.05414405 \cdot 10^{-520} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 422.4410 \cdot 10^{-520} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 2.033013 \cdot 10^{-1100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.01341323 \cdot 10^{-1050}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'urepa-} \frac{MLQ\Theta}{T^2} &= 10^{-210} = 0.01503510 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'urenlo-} \frac{MLQ\Theta}{T^2} &= 10^{-200} = 2.222115 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'upamu-} \frac{MLQ\Theta}{T^2} &= 10^{-150} = 303.5340 \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 130.2410 \text{m kg m s CK} \\
1 \text{reci-} MLTQ\Theta &= 10^{230} = 0.01543221 \text{kg m s CK} \\
1 \text{revo-} MLTQ\Theta &= 10^{240} = 2.312415 \text{k kg m s CK} \\
1 \text{repa-} ML^2Q\Theta &= 10^{210} = 11.25543 \text{m kg m}^2 \text{CK} \quad (**) \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 1341.511 \text{kg m}^2 \text{CK} \\
1 \text{rere-} ML^2Q\Theta &= 10^{220} = 0.2033232 \text{k kg m}^2 \text{CK} \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 42.25300 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \quad (*) \\
1 \text{vo-} \frac{ML^2Q\Theta}{T} &= 10^{40} = 0.005415423 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{mu-} \frac{ML^2Q\Theta}{T} &= 10^{50} = 1.122530 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 233.3144 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'umu-} \frac{ML^2Q\Theta}{T^2} &= 10^{-50} = 0.03211235 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'uvlo-} \frac{ML^2Q\Theta}{T^2} &= 10^{-40} = 4.210433 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{civo-} ML^2TQ\Theta &= 10^{340} = 2.042331 \text{m kg m}^2 \text{s CK} \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 243.0200 \text{kg m}^2 \text{s CK} \quad (*) \\
1 \text{cimu-} ML^2TQ\Theta &= 10^{350} = 0.03322131 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'upaci-} \frac{MQ\Theta}{L} &= 10^{-130} = 2.413331 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 330.2532 \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L} &= 10^{-120} = 0.04315322 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 13.32415 \text{m} \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'ucino-} \frac{MQ\Theta}{LT} &= 10^{-300} = 0.002022431 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'uremu-} \frac{MQ\Theta}{LT} &= 10^{-250} = 0.2402555 \text{k} \frac{\text{kg CK}}{\text{m s}} \quad (**) \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 53.45320 \text{m} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ni'uvoci-} \frac{MQ\Theta}{LT^2} &= 10^{-430} = 0.01114554 \frac{\text{kg CK}}{\text{m s}^2} \quad (*) \\
1 \text{ni'uvore-} \frac{MQ\Theta}{LT^2} &= 10^{-420} = 1.324501 \text{k} \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.4334434 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 55.45115 \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \text{pa-} \frac{MTQ\Theta}{L} &= 10^{10} = 0.01142250 \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 153.3100 \text{m} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'urevo-} \frac{MQ\Theta}{L^2} &= 10^{-240} = 0.02300352 \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'ureci-} \frac{MQ\Theta}{L^2} &= 10^{-230} = 3.124403 \text{k} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'uvore-} \frac{MQ\Theta}{L^2T} &= 10^{-420} = 0.001045324 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvopa-} \frac{MQ\Theta}{L^2T} &= 10^{-410} = 0.1250133 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^2T} &= 10^{-400} = 15.24245 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 4003.212 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'umuovo-} \frac{MQ\Theta}{L^2T^2} &= 10^{-540} = 0.5112040 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^2T^2} &= 10^{-530} = 104.2451 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{MTQ\Theta}{L^2} &= 10^{-110} = 31.40354 \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 4130.231 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upano-} \frac{MTQ\Theta}{L^2} &= 10^{-100} = 0.5302135 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'uvono-} \frac{MQ\Theta}{L^3} &= 10^{-400} = 0.01213104 \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucimu-} \frac{MQ\Theta}{L^3} &= 10^{-350} = 1.441052 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ucivo-} \frac{MQ\Theta}{L^3} &= 10^{-340} = 215.1053 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'umuci-} \frac{MQ\Theta}{L^3T} &= 10^{-530} = 0.04505354 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 10.14421 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'umure-} \frac{MQ\Theta}{L^3T} &= 10^{-520} = 0.001205501 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upapano-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1100} = 0.2505523 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \quad (*) \\
1 \text{ni'upanomu-} \frac{MQ\Theta}{L^3T^2} &= 10^{-1050} = 34.12445 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$1k \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 112.5422 \cdot 10^{-1050}$$

$$1m \frac{\text{kg s CK}}{\text{m}^3} = 232.2302 \cdot 10^{-230}$$

$$1 \frac{\text{kg s CK}}{\text{m}^3} = 1.551510 \cdot 10^{-220} \quad (*)$$

$$1k \frac{\text{kg s CK}}{\text{m}^3} = 0.01310050 \cdot 10^{-210} \quad (*)$$

$$1 ni'upanovo - \frac{MQ\Theta}{L^3 T^2} = 10^{-1040} = 4445.501 k \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$$

$$1 ni'urere - \frac{MTQ\Theta}{L^3} = 10^{-220} = 2200.501 m \frac{\text{kg s CK}}{\text{m}^3} \quad (*)$$

$$1 ni'urere - \frac{MTQ\Theta}{L^3} = 10^{-220} = 0.3010134 \frac{\text{kg s CK}}{\text{m}^3}$$

$$1 ni'urepa - \frac{MTQ\Theta}{L^3} = 10^{-210} = 35.31534 k \frac{\text{kg s CK}}{\text{m}^3}$$

# 11 Base 10 - ??

## 11.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\text{Proton mass} = 38.52762 \cdot 10^{-20}$$

$$\text{Electron mass} = 0.02098280 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.08542454 \cdot 10^0$$

$$\text{\AA}^1 = 12341.56 \cdot 10^{20}$$

$$\text{Bohr radius}^2 = 6530.874 \cdot 10^{20}$$

$$\text{Fine structure constant}^3 = 0.007297353 \cdot 10^0$$

$$\text{Rydberg Energy}^4 = 5586.811 \cdot 10^{-30}$$

$$|\psi_{100}(0)|^2^5 = 0.01142710 \cdot 10^{-70}$$

$$\text{eV} = 410.6231 \cdot 10^{-30}$$

$$\hbar^6 = 1.000000 \quad (***)$$

$$\lambda_{\text{yellow}} = 0.007096399 \cdot 10^{30} \quad (*)$$

$$k_{\text{yellow}}^7 = 885.4047 \cdot 10^{-30}$$

$$k_{\text{X-Ray}}^8 = 4829.820 \cdot 10^{-20}$$

$$1 \text{ ni'ure-}M = 10^{-20} = 0.02595541 m_p$$

$$1 \text{ ni'ure-}M = 10^{-20} = 47.65809 m_e$$

$$1 Q = 1 = 11.70624 e$$

$$1 \text{ re-}L = 10^{20} = 0.00008102701 \text{\AA}$$

$$1 \text{ re-}L = 10^{20} = 0.0001531189 a_0$$

$$1 = 1 = 137.0360 \alpha$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0001789930 Ry \quad (*)$$

$$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 87.51124 \rho_{\text{max}}$$

$$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.002435323 \text{ eV}$$

$$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$$

$$1 \text{ ci-}L = 10^{30} = 140.9165 \cdot \lambda_{\text{yellow}}$$

$$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.001129427 \cdot k_{\text{yellow}}$$

$$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.0002070471 \cdot k_{\text{X-Ray}}$$

$$\text{Earth g} = 0.02036495 \cdot 10^{-40}$$

$$\text{cm} = 123.4156 \cdot 10^{30}$$

$$\text{min} = 22199.45 \cdot 10^{40} \quad (*)$$

$$\text{hour} = 0.0001331967 \cdot 10^{50}$$

$$\text{Liter} = 0.1879795 \cdot 10^{100}$$

$$1 \text{ ni'ubo-} \frac{ML}{T^2} = 10^{-40} = 49.10396 \cdot \text{Earth g}$$

$$1 \text{ ci-}L = 10^{30} = 0.008102701 \text{ cm}$$

$$1 \text{ vo-}T = 10^{40} = 0.00004504617 \text{ min}$$

$$1 \text{ mu-}T = 10^{50} = 7507.695 \text{ h}$$

$$1 \text{ pano-}L^3 = 10^{100} = 5.319728 l$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.009195205 A$$

$$1 \text{ ze-}L^2 = 10^{70} = 0.6565376 \cdot 100 \text{ m}^2$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$$

$$1 \text{ ci-}L = 10^{30} = 0.003190040 \text{ in} \quad (*)$$

$$1 \text{ vo-}L = 10^{40} = 503.4923 \text{ mi}$$

$$1 \text{ pa-}M = 10^{10} = 95.71057 \text{ pound}$$

$$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.01935948 \text{ horsepower}$$

$$1 \frac{ML^2}{T^2} = 1 = 93193.33 \text{ kcal}$$

$$1 \frac{ML^2}{T^2} = 1 = 108.3838 \text{ kWh}$$

$$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 0.3342752 E_H$$

$$1 \text{ ni'uxa-} \frac{M}{TQ} = 10^{-60} = 0.0001784217 \cdot \text{Earthmagneticfield}$$

<sup>1</sup>Length in atomic and solid state physics,  $1/10 \text{ nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\pi}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>36 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $21844.57 \cdot 10^{30}$

Mass of an average man =  $1.612399 \cdot 10^{10}$  (\*)

Age of the Universe =  $0.002451914 \cdot 10^{60}$

Size of the observable Universe =  $10.86058 \cdot 10^{60}$

Average density of the Universe =  $12131.07 \cdot 10^{-130}$

Earth mass =  $1375.606 \cdot 10^{30}$

Sun mass<sup>12</sup> =  $0.04581331 \cdot 10^{40}$

Year =  $1.167578 \cdot 10^{50}$

Speed of Light = 1.000000 (\*\*\*)

Parsec =  $3.808236 \cdot 10^{50}$

Astronomical unit =  $184627.2 \cdot 10^{40}$

Earth radius =  $7.862810 \cdot 10^{40}$

Distance Earth-Moon =  $474.4097 \cdot 10^{40}$

Momentum of someone walking<sup>13</sup> =  $1002.684 \cdot 10^0$  (\*)

Stefan-Boltzmann constant =  $0.1644934 \cdot 10^0$

mol =  $6022.141 \cdot 10^{20}$

Standard temperature<sup>14</sup> =  $9.665347 \cdot 10^{-30}$

Room - standard temperature<sup>15</sup> =  $0.7076952 \cdot 10^{-30}$

atm =  $13814.62 \cdot 10^{-110}$

$c_s$  =  $11441.25 \cdot 10^{-10}$

$\mu_0$  =  $12.56637 \cdot 10^0$

$G$  =  $0.03978874 \cdot 10^0$

1 vo- $L$  =  $10^{40} = 457779.7 \bar{h}$

1 pa- $M$  =  $10^{10} = 0.6201941 \bar{m}$

1 xa- $T$  =  $10^{60} = 407.8447 t_U$

1 xa- $L$  =  $10^{60} = 0.09207615 l_U$

1 ni'upare- $\frac{M}{L^3}$  =  $10^{-120} = 824329.8 \rho_U$

1 ci- $M$  =  $10^{30} = 0.0007269522 m_E$

1 vo- $M$  =  $10^{40} = 21.82772 m_S$

1 mu- $T$  =  $10^{50} = 0.8564738 y$

1  $\frac{L}{T}$  =  $1 = 1.000000 c$  (\*\*\*)

1 mu- $L$  =  $10^{50} = 0.2625888 pc$

1 mu- $L$  =  $10^{50} = 54163.21 au$

1 vo- $L$  =  $10^{40} = 0.1271810 r_E$

1 vo- $L$  =  $10^{40} = 0.002107883 d_M$

1  $\frac{ML}{T} = 1 = 0.0009973230 \cdot Momentum of someone walking$

1  $\frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$

1 re- =  $10^{20} = 0.0001660539 mol$

1 ni'uci- $\Theta$  =  $10^{-30} = 0.1034624 T_0$

1 ni'uci- $\Theta$  =  $10^{-30} = 1.413038 \Theta_R$

1 ni'upano- $\frac{M}{LT^2}$  =  $10^{-100} = 723870.7 atm$

1  $\frac{L}{T} = 1 = 874030.5 \cdot c_s$

1  $\frac{ML}{Q^2} = 1 = 0.07957747 \cdot \mu_0$

1  $\frac{L^3}{MT^2} = 1 = 25.13274 \cdot G$

### Extensive list of SI units

1 = 1.000000 (\*\*\*)

1  $\frac{1}{s} = 0.002702770 \cdot 10^{-40}$

1  $\frac{1}{s^2} = 73049.67 \cdot 10^{-90}$

1 s =  $369.9908 \cdot 10^{40}$  (\*)

1 m =  $12341.56 \cdot 10^{30}$

1  $\frac{m}{s} = 33.35641 \cdot 10^{-10}$

1  $\frac{m}{s^2} = 0.09015471 \cdot 10^{-50}$

1 m s =  $0.0004566265 \cdot 10^{80}$

1  $m^2 = 0.01523142 \cdot 10^{70}$

1  $\frac{m^2}{s} = 411670.2 \cdot 10^{20}$

1  $\frac{m^2}{s^2} = 1112.650 \cdot 10^{-20}$

1  $m^2 s = 5.635484 \cdot 10^{110}$

1  $\frac{1}{m} = 810270.1 \cdot 10^{-40}$

1  $\frac{1}{ms} = 2189.974 \cdot 10^{-80}$

1  $\frac{1}{m^2 s} = 5.918996 \cdot 10^{-120}$  (\*)

1  $\frac{s}{m} = 0.02997925 \cdot 10^{10}$  (\*)

1  $\frac{1}{m^2} = 65.65376 \cdot 10^{-70}$

1  $\frac{1}{m^2 s} = 0.1774470 \cdot 10^{-110}$

1  $\frac{1}{m^2 s^2} = 0.0004795986 \cdot 10^{-150}$

1 = 1 = 1.000000 (\*\*\*)

1 ni'uvu- $\frac{1}{T} = 10^{-40} = 369.9908 \frac{1}{s}$  (\*)

1 ni'ubi- $\frac{1}{T^2} = 10^{-80} = 136893.2 \frac{1}{s^2}$

1 vo- $T$  =  $10^{40} = 0.002702770 s$

1 vo- $L$  =  $10^{40} = 810270.1 m$

1 ni'upa- $\frac{L}{T} = 10^{-10} = 0.02997925 \frac{m}{s}$  (\*)

1 ni'umu- $\frac{L}{T^2} = 10^{-50} = 11.09204 \frac{m}{s^2}$

1 bi- $LT = 10^{80} = 2189.974 m s$

1 ze- $L^2 = 10^{70} = 65.65376 m^2$

1 ci- $\frac{L^2}{T} = 10^{30} = 24291.29 \frac{m^2}{s}$

1 ni'ure- $\frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{m^2}{s^2}$

1 papa- $L^2 T = 10^{110} = 0.1774470 m^2 s$

1 ni'uci- $\frac{1}{L} = 10^{-30} = 12341.56 \frac{1}{m}$

1 ni'ubi- $\frac{1}{LT} = 10^{-80} = 0.0004566265 \frac{1}{ms}$

1 ni'upare- $\frac{1}{LT^2} = 10^{-120} = 0.1689476 \frac{1}{ms^2}$

1 pa- $\frac{T}{L} = 10^{10} = 33.35641 \frac{s}{m}$

1 ni'uze- $\frac{1}{L^2} = 10^{-70} = 0.01523142 \frac{1}{m^2}$

1 ni'upapa- $\frac{1}{L^2 T} = 10^{-110} = 5.635484 \frac{1}{m^2 s}$

1 ni'upamu- $\frac{1}{L^2 T^2} = 10^{-150} = 2085.077 \frac{1}{m^2 s^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>20 °C

$1 \frac{s}{m^2} = 24291.29 \cdot 10^{-30}$	$1 \frac{ni'ure}{L^2} = 10^{-20} = 411670.2 \frac{s}{m^2}$
$1 \frac{1}{m^3} = 0.005319728 \cdot 10^{-100}$	$1 \frac{ni'upano}{L^3} = 10^{-100} = 187.9795 \frac{1}{m^3}$
$1 \frac{1}{m^3 s} = 0.00001437800 \cdot 10^{-140}$ (*)	$1 \frac{ni'upavo}{L^3 T} = 10^{-140} = 69550.69 \frac{1}{m^3 s}$
$1 \frac{1}{m^3 s^2} = 388.6044 \cdot 10^{-190}$	$1 \frac{ni'upaso}{L^3 T^2} = 10^{-190} = 0.002573311 \frac{1}{m^3 s^2}$
$1 \frac{s}{m^3} = 1.968250 \cdot 10^{-60}$	$1 \frac{ni'uxa}{L^3} = 10^{-60} = 0.5080654 \frac{s}{m^3}$
$1 \text{kg} = 0.02303427 \cdot 10^{10}$	$1 \text{pa-}M = 10^{10} = 43.41358 \text{ kg}$
$1 \frac{\text{kg}}{s} = 622563.2 \cdot 10^{-40}$	$1 \frac{ni'uci}{T} = 10^{-30} = 16062.63 \frac{\text{kg}}{s}$
$1 \frac{\text{kg}}{s^2} = 1682.645 \cdot 10^{-80}$	$1 \frac{ni'ubi}{T^2} = 10^{-80} = 0.0005943023 \frac{\text{kg}}{s^2}$
$1 \text{kg s} = 8.522465 \cdot 10^{50}$	$1 \text{mu-}MT = 10^{50} = 0.1173369 \text{ kg s}$
$1 \text{kg m} = 284.2788 \cdot 10^{40}$	$1 \text{vo-}ML = 10^{40} = 0.003517673 \text{ kg m}$
$1 \frac{\text{kg m}}{s} = 0.7683404 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 1.301507 \frac{\text{kg m}}{s}$
$1 \frac{\text{kg m}}{s^2} = 0.002076647 \cdot 10^{-40}$	$1 \frac{ni'uvoo}{T^2} = 10^{-40} = 481.5454 \frac{\text{kg m}}{s^2}$
$1 \text{kg m s} = 105180.5 \cdot 10^{80}$	$1 \text{so-}MLT = 10^{90} = 95074.61 \text{ kg m s}$
$1 \text{kg m}^2 = 0.0003508445 \cdot 10^{80}$	$1 \text{bi-}ML^2 = 10^{80} = 2850.265 \text{ kg m}^2$
$1 \frac{\text{kg m}^2}{s} = 9482.522 \cdot 10^{30}$	$1 \text{ci-} \frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{\text{kg m}^2}{s}$
$1 \frac{\text{kg m}^2}{s^2} = 25.62908 \cdot 10^{-10}$	$1 \frac{ni'upa}{T^2} = 10^{-10} = 0.03901818 \frac{\text{kg m}^2}{s^2}$
$1 \text{kg m}^2 s = 0.1298092 \cdot 10^{120}$	$1 \text{pare-}ML^2 T = 10^{120} = 7.703612 \text{ kg m}^2 s$
$1 \frac{\text{kg}}{m} = 18663.98 \cdot 10^{-30}$	$1 \frac{ni'ure}{L} = 10^{-20} = 535791.5 \frac{\text{kg}}{m}$
$1 \frac{\text{kg}}{m s} = 50.44444 \cdot 10^{-70}$	$1 \frac{ni'uze}{LT} = 10^{-70} = 0.01982379 \frac{\text{kg}}{m s}$
$1 \frac{\text{kg}}{m s^2} = 0.1363397 \cdot 10^{-110}$	$1 \frac{ni'upapa}{LT^2} = 10^{-110} = 7.334620 \frac{\text{kg}}{m s^2}$
$1 \frac{\text{kg s}}{m} = 0.0006905499 \cdot 10^{20}$ (*)	$1 \frac{re}{L} = 10^{20} = 1448.121 \frac{\text{kg s}}{m}$
$1 \frac{\text{kg}}{m^2} = 1.512286 \cdot 10^{-60}$	$1 \frac{ni'uxa}{L^2} = 10^{-60} = 0.6612505 \frac{\text{kg}}{m^2}$
$1 \frac{\text{kg}}{m^2 s} = 0.004087362 \cdot 10^{-100}$	$1 \frac{ni'upano}{L^2 T} = 10^{-100} = 244.6566 \frac{\text{kg}}{m^2 s}$
$1 \frac{\text{kg}}{m^2 s^2} = 0.00001104720 \cdot 10^{-140}$	$1 \frac{ni'upavo}{L^2 T^2} = 10^{-140} = 90520.67 \frac{\text{kg}}{m^2 s^2}$
$1 \frac{\text{kg s}}{m^2} = 559.5319 \cdot 10^{-20}$	$1 \frac{ni'ure}{L^2} = 10^{-20} = 0.001787208 \frac{\text{kg s}}{m^2}$
$1 \frac{\text{kg}}{m^3} = 0.0001225360 \cdot 10^{-90}$	$1 \frac{ni'uso}{L^3} = 10^{-90} = 8160.865 \frac{\text{kg}}{m^3}$
$1 \frac{\text{kg}}{m^3 s} = 3311.867 \cdot 10^{-140}$	$1 \frac{ni'upavo}{L^3 T} = 10^{-140} = 0.0003019445 \frac{\text{kg}}{m^3 s}$
$1 \frac{\text{kg}}{m^3 s^2} = 8.951216 \cdot 10^{-180}$	$1 \frac{ni'upabi}{L^3 T^2} = 10^{-180} = 0.1117167 \frac{\text{kg}}{m^3 s^2}$
$1 \frac{\text{kg s}}{m^3} = 0.04533720 \cdot 10^{-50}$	$1 \frac{ni'umu}{L^3} = 10^{-50} = 22.05694 \frac{\text{kg s}}{m^3}$
$1 \frac{1}{C} = 187.5546 \cdot 10^{-20}$	$1 \frac{ni'ure}{Q} = 10^{-20} = 0.005331781 \frac{1}{C}$
$1 \frac{1}{sC} = 0.5069170 \cdot 10^{-60}$	$1 \frac{ni'uxa}{TQ} = 10^{-60} = 1.972710 \frac{1}{sC}$
$1 \frac{1}{s^2 C} = 0.001370080 \cdot 10^{-100}$ (*)	$1 \frac{ni'upano}{T^2 Q} = 10^{-100} = 729.8843 \frac{1}{s^2 C}$
$1 \frac{s}{C} = 69393.47 \cdot 10^{20}$	$1 \frac{re}{Q} = 10^{20} = 0.00001441058 \frac{s}{C}$
$1 \frac{m}{C} = 0.0002314717 \cdot 10^{20}$	$1 \frac{re}{Q} = 10^{20} = 4320.182 \frac{m}{C}$
$1 \frac{m}{sC} = 6256.148 \cdot 10^{-30}$	$1 \frac{ni'uci}{TQ} = 10^{-30} = 0.0001598428 \frac{m}{sC}$
$1 \frac{m}{s^2 C} = 16.90893 \cdot 10^{-70}$	$1 \frac{ni'uze}{T^2 Q} = 10^{-70} = 0.05914035 \frac{m}{s^2 C}$
$1 \frac{ms}{C} = 0.08564239 \cdot 10^{60}$	$1 \frac{xa}{Q} = \frac{LT}{Q} = 10^{60} = 11.67646 \frac{ms}{C}$
$1 \frac{m^2}{C} = 2.856723 \cdot 10^{50}$	$1 \frac{mu}{Q} = \frac{L^2}{Q} = 10^{50} = 0.3500515 \frac{m^2}{C}$ (*)
$1 \frac{m^2}{sC} = 0.007721065 \cdot 10^{10}$	$1 \frac{pa}{TQ} = \frac{L^2}{Q} = 10^{10} = 129.5158 \frac{m^2}{sC}$
$1 \frac{m^2}{s^2 C} = 208682.6 \cdot 10^{-40}$	$1 \frac{ni'uci}{T^2 Q} = 10^{-30} = 47919.65 \frac{m^2}{s^2 C}$
$1 \frac{m^2 s}{C} = 1056.961 \cdot 10^{90}$	$1 \frac{so}{Q} = \frac{L^2 T}{Q} = 10^{90} = 0.0009461087 \frac{m^2 s}{C}$
$1 \frac{1}{mC} = 0.01519699 \cdot 10^{-50}$ (*)	$1 \frac{ni'umu}{LQ} = 10^{-50} = 65.80251 \frac{1}{mC}$
$1 \frac{1}{msC} = 410739.7 \cdot 10^{-100}$	$1 \frac{ni'uso}{LTQ} = 10^{-90} = 24346.32 \frac{1}{msC}$
$1 \frac{1}{ms^2 C} = 1110.135 \cdot 10^{-140}$	$1 \frac{ni'upavo}{LT^2 Q} = 10^{-140} = 0.0009007914 \frac{1}{ms^2 C}$ (*)
$1 \frac{s}{mC} = 5.622746 \cdot 10^{-10}$	$1 \frac{ni'upa}{LQ} = 10^{-10} = 0.1778491 \frac{s}{mC}$
$1 \frac{1}{m^2 C} = 12313.67 \cdot 10^{-90}$	$1 \frac{ni'ubi}{L^2 Q} = 10^{-80} = 812105.8 \frac{1}{m^2 C}$
$1 \frac{1}{m^2 sC} = 33.28101 \cdot 10^{-130}$	$1 \frac{ni'upaci}{L^2 TQ} = 10^{-130} = 0.03004717 \frac{1}{m^2 sC}$ (*)
$1 \frac{1}{m^2 s^2 C} = 0.08995092 \cdot 10^{-170}$ (*)	$1 \frac{ni'upaze}{L^2 T^2 Q} = 10^{-170} = 11.11717 \frac{1}{m^2 s^2 C}$
$1 \frac{s}{m^2 C} = 0.0004555943 \cdot 10^{-40}$	$1 \frac{ni'uvoo}{L^2 Q} = 10^{-40} = 2194.935 \frac{s}{m^2 C}$

$1 \frac{1}{\text{m}^3\text{C}} = 0.9977395 \cdot 10^{-120}$	(*)	$1 \text{ni}'\text{upare-} \frac{1}{L^3Q} = 10^{-120} = 1.002266 \frac{1}{\text{m}^3\text{C}}$	(*)
$1 \frac{1}{\text{m}^3\text{sC}} = 0.002696661 \cdot 10^{-160}$		$1 \text{ni}'\text{upaxa-} \frac{1}{L^3TQ} = 10^{-160} = 370.8290 \frac{1}{\text{m}^3\text{sC}}$	
$1 \frac{1}{\text{m}^3\text{s}^2\text{C}} = 72884.54 \cdot 10^{-210}$		$1 \text{ni}'\text{ureno-} \frac{1}{L^3T^2Q} = 10^{-200} = 137203.3 \frac{1}{\text{m}^3\text{s}^2\text{C}}$	
$1 \frac{\text{s}}{\text{m}^3\text{C}} = 369.1544 \cdot 10^{-80}$		$1 \text{ni}'\text{ubi-} \frac{T}{L^3Q} = 10^{-80} = 0.002708894 \frac{\text{s}}{\text{m}^3\text{C}}$	
$1 \frac{\text{kg}}{\text{C}} = 4.320182 \cdot 10^{-10}$		$1 \text{ni}'\text{upa-} \frac{M}{Q} = 10^{-10} = 0.2314717 \frac{\text{kg}}{\text{C}}$	
$1 \frac{\text{kg}}{\text{sC}} = 0.01167646 \cdot 10^{-50}$		$1 \text{ni}'\text{umu-} \frac{M}{TQ} = 10^{-50} = 85.64239 \frac{\text{kg}}{\text{sC}}$	
$1 \frac{\text{kg}}{\text{s}^2\text{C}} = 315587.9 \cdot 10^{-100}$		$1 \text{ni}'\text{uso-} \frac{M}{T^2Q} = 10^{-90} = 31686.89 \frac{\text{kg}}{\text{s}^2\text{C}}$	
$1 \frac{\text{kg s}}{\text{C}} = 1598.428 \cdot 10^{30}$		$1 \text{ci-} \frac{MT}{Q} = 10^{30} = 0.0006256148 \frac{\text{kg s}}{\text{C}}$	
$1 \frac{\text{kg m}}{\text{C}} = 53317.81 \cdot 10^{20}$		$1 \text{re-} \frac{ML}{Q} = 10^{20} = 0.00001875546 \frac{\text{kg m}}{\text{C}}$	
$1 \frac{\text{kg m}}{\text{sC}} = 144.1058 \cdot 10^{-20}$		$1 \text{ni}'\text{ure-} \frac{ML}{TQ} = 10^{-20} = 0.006939347 \frac{\text{kg m}}{\text{sC}}$	
$1 \frac{\text{kg m}}{\text{s}^2\text{C}} = 0.3894848 \cdot 10^{-60}$		$1 \text{ni}'\text{uxa-} \frac{ML}{T^2Q} = 10^{-60} = 2.567494 \frac{\text{kg m}}{\text{s}^2\text{C}}$	
$1 \frac{\text{kg ms}}{\text{C}} = 0.001972710 \cdot 10^{70}$		$1 \text{ze-} \frac{MLT}{Q} = 10^{70} = 506.9170 \frac{\text{kg ms}}{\text{C}}$	
$1 \frac{\text{kg m}^2}{\text{C}} = 0.06580251 \cdot 10^{60}$		$1 \text{xa-} \frac{ML^2}{Q} = 10^{60} = 15.19699 \frac{\text{kg m}^2}{\text{C}}$	(*)
$1 \frac{\text{kg m}^2}{\text{sC}} = 0.0001778491 \cdot 10^{20}$		$1 \text{re-} \frac{ML^2}{TQ} = 10^{20} = 5622.746 \frac{\text{kg m}^2}{\text{sC}}$	
$1 \frac{\text{kg m}^2}{\text{s}^2\text{C}} = 4806.851 \cdot 10^{-30}$		$1 \text{ni}'\text{uci-} \frac{ML^2}{T^2Q} = 10^{-30} = 0.0002080364 \frac{\text{kg m}^2}{\text{s}^2\text{C}}$	
$1 \frac{\text{kg m}^2\text{s}}{\text{C}} = 24.34632 \cdot 10^{100}$		$1 \text{pano-} \frac{ML^2T}{Q} = 10^{100} = 0.04107397 \frac{\text{kg m}^2\text{s}}{\text{C}}$	
$1 \frac{\text{kg}}{\text{mC}} = 0.0003500515 \cdot 10^{-40}$	(*)	$1 \text{ni}'\text{uvu-} \frac{M}{LQ} = 10^{-40} = 2856.723 \frac{\text{kg}}{\text{mC}}$	
$1 \frac{\text{kg}}{\text{msC}} = 9461.087 \cdot 10^{-90}$		$1 \text{ni}'\text{uso-} \frac{M}{LTQ} = 10^{-90} = 0.0001056961 \frac{\text{kg}}{\text{msC}}$	
$1 \frac{\text{kg}}{\text{ms}^2\text{C}} = 25.57114 \cdot 10^{-130}$		$1 \text{ni}'\text{upaci-} \frac{M}{LT^2Q} = 10^{-130} = 0.03910658 \frac{\text{kg}}{\text{ms}^2\text{C}}$	
$1 \frac{\text{kg s}}{\text{mC}} = 0.1295158 \cdot 10^0$		$1 \frac{MT}{LQ} = 1 = 7.721065 \frac{\text{kg s}}{\text{mC}}$	
$1 \frac{\text{kg}}{\text{m}^2\text{C}} = 283.6362 \cdot 10^{-80}$		$1 \text{ni}'\text{ubi-} \frac{M}{L^2Q} = 10^{-80} = 0.003525643 \frac{\text{kg}}{\text{m}^2\text{C}}$	
$1 \frac{\text{kg}}{\text{m}^2\text{sC}} = 0.7666036 \cdot 10^{-120}$		$1 \text{ni}'\text{upare-} \frac{M}{L^2TQ} = 10^{-120} = 1.304455 \frac{\text{kg}}{\text{m}^2\text{sC}}$	
$1 \frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}} = 0.002071953 \cdot 10^{-160}$		$1 \text{ni}'\text{upaxa-} \frac{M}{L^2T^2Q} = 10^{-160} = 482.6364 \frac{\text{kg}}{\text{m}^2\text{s}^2\text{C}}$	
$1 \frac{\text{kg s}}{\text{m}^2\text{C}} = 104942.8 \cdot 10^{-40}$		$1 \text{ni}'\text{uci-} \frac{MT}{L^2Q} = 10^{-30} = 95290.01 \frac{\text{kg s}}{\text{m}^2\text{C}}$	
$1 \frac{\text{kg}}{\text{m}^3\text{C}} = 0.02298220 \cdot 10^{-110}$		$1 \text{ni}'\text{upapa-} \frac{M}{L^3Q} = 10^{-110} = 43.51194 \frac{\text{kg}}{\text{m}^3\text{C}}$	
$1 \frac{\text{kg}}{\text{m}^3\text{sC}} = 621156.0 \cdot 10^{-160}$		$1 \text{ni}'\text{upamu-} \frac{M}{L^3TQ} = 10^{-150} = 16099.02 \frac{\text{kg}}{\text{m}^3\text{sC}}$	(*)
$1 \frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}} = 1678.842 \cdot 10^{-200}$		$1 \text{ni}'\text{ureno-} \frac{M}{L^3T^2Q} = 10^{-200} = 0.0005956487 \frac{\text{kg}}{\text{m}^3\text{s}^2\text{C}}$	
$1 \frac{\text{kg s}}{\text{m}^3\text{C}} = 8.503201 \cdot 10^{-70}$		$1 \text{ni}'\text{uze-} \frac{MT}{L^3Q} = 10^{-70} = 0.1176028 \frac{\text{kg s}}{\text{m}^3\text{C}}$	
$1 \text{C} = 0.005331781 \cdot 10^{20}$		$1 \text{re-} Q = 10^{20} = 187.5546 \text{ C}$	
$1 \frac{\text{C}}{\text{s}} = 0.00001441058 \cdot 10^{-20}$		$1 \text{ni}'\text{ure-} \frac{Q}{T} = 10^{-20} = 69393.47 \frac{\text{C}}{\text{s}}$	
$1 \frac{\text{C}}{\text{s}^2} = 389.4848 \cdot 10^{-70}$		$1 \text{ni}'\text{uze-} \frac{Q}{T^2} = 10^{-70} = 0.002567494 \frac{\text{C}}{\text{s}^2}$	
$1 \text{sC} = 1.972710 \cdot 10^{60}$		$1 \text{xa-} TQ = 10^{60} = 0.5069170 \text{ sC}$	
$1 \text{mC} = 65.80251 \cdot 10^{50}$		$1 \text{mu-} LQ = 10^{50} = 0.01519699 \text{ mC}$	(*)
$1 \frac{\text{mC}}{\text{s}} = 0.1778491 \cdot 10^{10}$		$1 \text{pa-} \frac{LQ}{T} = 10^{10} = 5.622746 \frac{\text{mC}}{\text{s}}$	
$1 \frac{\text{mC}}{\text{s}^2} = 0.0004806851 \cdot 10^{-30}$		$1 \text{ni}'\text{uci-} \frac{LQ}{T^2} = 10^{-30} = 2080.364 \frac{\text{mC}}{\text{s}^2}$	
$1 \text{m sC} = 24346.32 \cdot 10^{90}$		$1 \text{pano-} LTQ = 10^{100} = 410739.7 \text{ m sC}$	
$1 \text{m}^2\text{C} = 812105.8 \cdot 10^{80}$		$1 \text{so-} L^2Q = 10^{90} = 12313.67 \text{ m}^2\text{C}$	
$1 \frac{\text{m}^2\text{C}}{\text{s}} = 2194.935 \cdot 10^{40}$		$1 \text{vo-} \frac{L^2Q}{T} = 10^{40} = 0.0004555943 \frac{\text{m}^2\text{C}}{\text{s}}$	
$1 \frac{\text{m}^2\text{C}}{\text{s}^2} = 5.932406$		$1 \frac{L^2Q}{T^2} = 1 = 0.1685657 \frac{\text{m}^2\text{C}}{\text{s}^2}$	
$1 \text{m}^2\text{sC} = 0.03004717 \cdot 10^{130}$	(*)	$1 \text{paci-} L^2TQ = 10^{130} = 33.28101 \text{ m}^2\text{sC}$	
$1 \frac{\text{C}}{\text{m}} = 4320.182 \cdot 10^{-20}$		$1 \text{ni}'\text{ure-} \frac{Q}{L} = 10^{-20} = 0.0002314717 \frac{\text{C}}{\text{m}}$	
$1 \frac{\text{C}}{\text{m s}} = 11.67646 \cdot 10^{-60}$		$1 \text{ni}'\text{uxa-} \frac{Q}{LT} = 10^{-60} = 0.08564239 \frac{\text{C}}{\text{ms}}$	
$1 \frac{\text{C}}{\text{m s}^2} = 0.03155879 \cdot 10^{-100}$		$1 \text{ni}'\text{upano-} \frac{Q}{LT^2} = 10^{-100} = 31.68689 \frac{\text{C}}{\text{ms}^2}$	
$1 \frac{\text{sC}}{\text{m}} = 0.0001598428 \cdot 10^{30}$		$1 \text{ci-} \frac{TQ}{L} = 10^{30} = 6256.148 \frac{\text{sC}}{\text{m}}$	
$1 \frac{\text{C}}{\text{m}^2} = 0.3500515 \cdot 10^{-50}$	(*)	$1 \text{ni}'\text{umu-} \frac{Q}{L^2} = 10^{-50} = 2.856723 \frac{\text{C}}{\text{m}^2}$	
$1 \frac{\text{C}}{\text{m}^2\text{s}} = 0.0009461087 \cdot 10^{-90}$		$1 \text{ni}'\text{uso-} \frac{Q}{L^2T} = 10^{-90} = 1056.961 \frac{\text{C}}{\text{m}^2\text{s}}$	
$1 \frac{\text{C}}{\text{m}^2\text{s}^2} = 25571.14 \cdot 10^{-140}$		$1 \text{ni}'\text{upavo-} \frac{Q}{L^2T^2} = 10^{-140} = 0.00003910658 \frac{\text{C}}{\text{m}^2\text{s}^2}$	
$1 \frac{\text{sC}}{\text{m}^2} = 129.5158 \cdot 10^{-10}$		$1 \text{ni}'\text{upa-} \frac{TQ}{L^2} = 10^{-10} = 0.007721065 \frac{\text{sC}}{\text{m}^2}$	

$1 \frac{C}{m^3} = 0.00002836362 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q}{L^3} = 10^{-80} = 35256.43 \frac{C}{m^3}$
$1 \frac{C}{m^3 s} = 766.6036 \cdot 10^{-130}$	$1 ni' upaci- \frac{Q}{L^3 T} = 10^{-130} = 0.001304455 \frac{C}{m^3 s}$
$1 \frac{C}{m^3 s^2} = 2.071953 \cdot 10^{-170}$	$1 ni' upaze- \frac{Q}{L^3 T^2} = 10^{-170} = 0.4826364 \frac{C}{m^3 s^2}$
$1 \frac{s C}{m^3} = 0.01049428 \cdot 10^{-40}$	$1 ni' uvo- \frac{T Q}{L^3} = 10^{-40} = 95.29001 \frac{s C}{m^3} \quad (*)$
<hr/>	
$1 kg \text{ C} = 0.0001228136 \cdot 10^{30}$	$1 ci-MQ = 10^{30} = 8142.418 \text{ kg C}$
$1 \frac{kg \text{ C}}{s} = 3319.371 \cdot 10^{-20}$	$1 ni' ure- \frac{MQ}{T} = 10^{-20} = 0.0003012619 \frac{kg \text{ C}}{s}$
$1 \frac{kg \text{ C}}{s^2} = 8.971496 \cdot 10^{-60}$	$1 ni' uxa- \frac{MQ}{T^2} = 10^{-60} = 0.1114641 \frac{kg \text{ C}}{s^2}$
$1 kg \text{ s C} = 0.04543992 \cdot 10^{70} \quad (*)$	$1 ze-MTQ = 10^{70} = 22.00708 \text{ kg s C} \quad (*)$
$1 kg \text{ m C} = 1.515712 \cdot 10^{60}$	$1 xa-MLQ = 10^{60} = 0.6597558 \text{ kg m C}$
$1 \frac{kg \text{ m C}}{s} = 0.004096622 \cdot 10^{20}$	$1 re-\frac{MLQ}{T} = 10^{20} = 244.1035 \frac{kg \text{ m C}}{s}$
$1 \frac{kg \text{ m C}}{s^2} = 0.00001107223 \cdot 10^{-20}$	$1 ni' ure- \frac{MLQ}{T^2} = 10^{-20} = 90316.05 \frac{kg \text{ m C}}{s^2}$
$1 kg \text{ m s C} = 560.7996 \cdot 10^{100} \quad (*)$	$1 pano-MLTQ = 10^{100} = 0.001783168 \text{ kg m s C}$
$1 kg \text{ m}^2 \text{ C} = 18706.26 \cdot 10^{90}$	$1 pano-ML^2Q = 10^{100} = 534580.4 \text{ kg m}^2 \text{ C}$
$1 \frac{kg \text{ m}^2 \text{ C}}{s} = 50.55872 \cdot 10^{50}$	$1 mu-\frac{ML^2Q}{T} = 10^{50} = 0.01977898 \frac{kg \text{ m}^2 \text{ C}}{s}$
$1 \frac{kg \text{ m}^2 \text{ C}}{s^2} = 0.1366486 \cdot 10^{10}$	$1 pa-\frac{ML^2Q}{T^2} = 10^{10} = 7.318040 \frac{kg \text{ m}^2 \text{ C}}{s^2}$
$1 kg \text{ m}^2 \text{ s C} = 0.0006921144 \cdot 10^{140}$	$1 pavo-ML^2TQ = 10^{140} = 1444.848 \text{ kg m}^2 \text{ s C}$
$1 \frac{kg \text{ C}}{m} = 99.51223 \cdot 10^{-10} \quad (*)$	$1 ni' upa- \frac{MQ}{L} = 10^{-10} = 0.01004902 \frac{kg \text{ C}}{m} \quad (*)$
$1 \frac{kg \text{ C}}{m s} = 0.2689587 \cdot 10^{-50}$	$1 ni' umu- \frac{MQ}{LT} = 10^{-50} = 3.718043 \frac{kg \text{ C}}{m s}$
$1 \frac{kg \text{ C}}{m s^2} = 0.0007269335 \cdot 10^{-90}$	$1 ni' uso- \frac{MQ}{LT^2} = 10^{-90} = 1375.642 \frac{kg \text{ C}}{m s^2}$
$1 \frac{kg \text{ s C}}{m} = 36818.61 \cdot 10^{30}$	$1 vo- \frac{MTQ}{L} = 10^{40} = 271601.8 \frac{kg \text{ s C}}{m}$
$1 \frac{kg \text{ C}}{m^2} = 0.008063178 \cdot 10^{-40}$	$1 ni' uvo- \frac{MQ}{L^2} = 10^{-40} = 124.0206 \frac{kg \text{ C}}{m^2}$
$1 \frac{kg \text{ C}}{m^2 s} = 0.00002179292 \cdot 10^{-80}$	$1 ni' ubi- \frac{MQ}{L^2 T} = 10^{-80} = 45886.47 \frac{kg \text{ C}}{m^2 s}$
$1 \frac{kg \text{ C}}{m^2 s^2} = 589.0125 \cdot 10^{-130}$	$1 ni' upaci- \frac{MQ}{L^2 T^2} = 10^{-130} = 0.001697757 \frac{kg \text{ C}}{m^2 s^2}$
$1 \frac{kg \text{ s C}}{m^2} = 2.983302$	$1 \frac{MTQ}{L^2} = 1 = 0.3351991 \frac{kg \text{ s C}}{m^2} \quad (*)$
$1 \frac{kg \text{ C}}{m^3} = 6533.352 \cdot 10^{-80}$	$1 ni' ubi- \frac{MQ}{L^3} = 10^{-80} = 0.0001530608 \frac{kg \text{ C}}{m^3}$
$1 \frac{kg \text{ C}}{m^3 s} = 17.65815 \cdot 10^{-120}$	$1 ni' upare- \frac{MQ}{L^3 T} = 10^{-120} = 0.05663107 \frac{kg \text{ C}}{m^3 s}$
$1 \frac{kg \text{ C}}{m^3 s^2} = 0.04772592 \cdot 10^{-160}$	$1 ni' upaxa- \frac{MQ}{L^3 T^2} = 10^{-160} = 20.95297 \frac{kg \text{ C}}{m^3 s^2}$
$1 \frac{kg \text{ s C}}{m^3} = 0.0002417280 \cdot 10^{-30}$	$1 ni' uci- \frac{MTQ}{L^3} = 10^{-30} = 4136.881 \frac{kg \text{ s C}}{m^3}$
<hr/>	
$1 \frac{1}{K} = 28.26076 \cdot 10^{30}$	$1 ci- \frac{1}{\Theta} = 10^{30} = 0.03538476 \frac{1}{K}$
$1 \frac{1}{s K} = 0.07638233 \cdot 10^{-10}$	$1 ni' upa- \frac{1}{T \Theta} = 10^{-10} = 13.09203 \frac{1}{s K}$
$1 \frac{1}{s^2 K} = 0.0002064439 \cdot 10^{-50}$	$1 ni' umu- \frac{1}{T^2 \Theta} = 10^{-50} = 4843.932 \frac{1}{s^2 K}$
$1 \frac{s}{K} = 10456.22 \cdot 10^{70}$	$1 bi- \frac{T}{\Theta} = 10^{80} = 956368.7 \frac{s}{K}$
$1 \frac{m}{K} = 348781.9 \cdot 10^{60}$	$1 ze- \frac{L}{\Theta} = 10^{70} = 28671.21 \frac{m}{K}$
$1 \frac{m}{s K} = 942.6773 \cdot 10^{20}$	$1 re- \frac{L}{T \Theta} = 10^{20} = 0.001060808 \frac{m}{s K}$
$1 \frac{m}{s^2 K} = 2.547840 \cdot 10^{-20}$	$1 ni' ure- \frac{L}{T^2 \Theta} = 10^{-20} = 0.3924893 \frac{m}{s^2 K}$
$1 \frac{ms}{K} = 0.01290461 \cdot 10^{110}$	$1 papa- \frac{LT}{\Theta} = 10^{110} = 77.49170 \frac{m s}{K}$
$1 \frac{m^2}{K} = 0.4304514 \cdot 10^{100}$	$1 pano- \frac{L^2}{\Theta} = 10^{100} = 2.323143 \frac{m^2}{K}$
$1 \frac{m^2}{s K} = 0.001163411 \cdot 10^{60}$	$1 xa- \frac{L^2}{T \Theta} = 10^{60} = 859.5413 \frac{m^2}{s K}$
$1 \frac{m^2}{s^2 K} = 31444.33 \cdot 10^{10}$	$1 re- \frac{L^2}{T^2 \Theta} = 10^{20} = 318022.3 \frac{m^2}{s^2 K}$
$1 \frac{m^2 s}{K} = 159.2630 \cdot 10^{140}$	$1 pavo- \frac{L^2 T}{\Theta} = 10^{140} = 0.006278921 \frac{m^2 s}{K}$
$1 \frac{1}{m K} = 0.002289885 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 436.7032 \frac{1}{m K}$
$1 \frac{1}{m s K} = 61890.32 \cdot 10^{-50}$	$1 ni' uvo- \frac{1}{LT \Theta} = 10^{-40} = 161576.2 \frac{1}{m s K}$
$1 \frac{1}{m s^2 K} = 167.2753 \cdot 10^{-90}$	$1 ni' uso- \frac{1}{LT^2 \Theta} = 10^{-90} = 0.005978169 \frac{1}{m s^2 K}$
$1 \frac{s}{m K} = 0.8472361 \cdot 10^{40}$	$1 vo- \frac{T}{L \Theta} = 10^{40} = 1.180308 \frac{s}{m K}$
$1 \frac{1}{m^2 K} = 1855.425 \cdot 10^{-40}$	$1 ni' uvo- \frac{1}{L^2 \Theta} = 10^{-40} = 0.0005389601 \frac{1}{m^2 K}$
$1 \frac{1}{m^2 s K} = 5.014787 \cdot 10^{-80}$	$1 ni' ubi- \frac{1}{L^2 T \Theta} = 10^{-80} = 0.1994103 \frac{1}{m^2 s K} \quad (*)$
$1 \frac{1}{m^2 s^2 K} = 0.01355382 \cdot 10^{-120}$	$1 ni' upare- \frac{1}{L^2 T^2 \Theta} = 10^{-120} = 73.77995 \frac{1}{m^2 s^2 K} \quad (*)$
$1 \frac{s}{m^2 K} = 686490.1 \cdot 10^0$	$1 pa- \frac{T}{L^2 \Theta} = 10^{10} = 14566.85 \frac{s}{m^2 K}$
$1 \frac{1}{m^3 K} = 0.1503395 \cdot 10^{-70}$	$1 ni' uze- \frac{1}{L^3 \Theta} = 10^{-70} = 6.651610 \frac{1}{m^3 K}$
$1 \frac{1}{m^3 s K} = 0.0004063332 \cdot 10^{-110}$	$1 ni' upapa- \frac{1}{L^3 T \Theta} = 10^{-110} = 2461.034 \frac{1}{m^3 s K}$

$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 10982.25 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa}-\frac{1}{L^3 T^2 \Theta} = 10^{-160} = 0.00009105600 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$ (*)
$1 \frac{\text{s}}{\text{m}^3 \text{K}} = 55.62424 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{T}{L^3 \Theta} = 10^{-30} = 0.01797777 \frac{\text{s}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{K}} = 0.6509657 \cdot 10^{40}$	$1 \text{vo}-\frac{M}{\Theta} = 10^{40} = 1.536179 \frac{\text{kg}}{\text{K}}$
$1 \frac{\text{kg}}{\text{s K}} = 0.001759411 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 568.3721 \frac{\text{kg}}{\text{s K}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 47552.83 \cdot 10^{-50}$	$1 \text{ni}'\text{uvo}-\frac{M}{T^2 \Theta} = 10^{-40} = 210292.4 \frac{\text{kg}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{K}} = 240.8513 \cdot 10^{80}$	$1 \text{bi}-\frac{MT}{\Theta} = 10^{80} = 0.004151939 \frac{\text{kg s}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{K}} = 8033.935 \cdot 10^{70}$	$1 \text{ze}-\frac{ML}{\Theta} = 10^{70} = 0.0001244720 \frac{\text{kg m}}{\text{K}}$
$1 \frac{\text{kg m}}{\text{s K}} = 21.71388 \cdot 10^{30}$	$1 \text{ci}-\frac{ML}{T \Theta} = 10^{30} = 0.04605349 \frac{\text{kg m}}{\text{s K}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.05868763 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{ML}{T^2 \Theta} = 10^{-10} = 17.03937 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.0002972482 \cdot 10^{120}$	$1 \text{pare}-\frac{MLT}{\Theta} = 10^{120} = 3364.192 \frac{\text{kg m s}}{\text{K}}$
$1 \frac{\text{kg m}^2}{\text{K}} = 0.009915132 \cdot 10^{110}$ (*)	$1 \text{papa}-\frac{ML^2}{\Theta} = 10^{110} = 100.8559 \frac{\text{kg m}^2}{\text{K}}$ (*)
$1 \frac{\text{kg m}^2}{\text{s K}} = 267983.2 \cdot 10^{60}$	$1 \text{ze}-\frac{ML^2}{T \Theta} = 10^{70} = 37315.77 \frac{\text{kg m}^2}{\text{s K}}$
$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 724.2971 \cdot 10^{20}$	$1 \text{re}-\frac{ML^2}{T^2 \Theta} = 10^{20} = 0.001380649 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 3.668507 \cdot 10^{150}$	$1 \text{pamu}-\frac{ML^2 T}{\Theta} = 10^{150} = 0.2725904 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \frac{\text{kg}}{\text{m K}} = 527458.1 \cdot 10^0$	$1 \text{pa}-\frac{M}{L \Theta} = 10^{10} = 18958.85 \frac{\text{kg}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m s K}} = 1425.598 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{M}{LT \Theta} = 10^{-40} = 0.0007014601 \frac{\text{kg}}{\text{m s K}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{K}} = 3.853064 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{LT^2 \Theta} = 10^{-80} = 0.2595337 \frac{\text{kg}}{\text{m s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m K}} = 0.01951546 \cdot 10^{50}$	$1 \text{mu}-\frac{MT}{L \Theta} = 10^{50} = 51.24142 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 42.73835 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{M}{L^2 \Theta} = 10^{-30} = 0.02339819 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.1155119 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^2 T \Theta} = 10^{-70} = 8.657114 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 0.0003122022 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^2 T^2 \Theta} = 10^{-110} = 3203.052 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 15812.80 \cdot 10^{10}$	$1 \text{re}-\frac{MT}{L^2 \Theta} = 10^{20} = 632399.3 \frac{\text{kg s}}{\text{m}^2 \text{K}}$ (*)
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.003462961 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M}{L^3 \Theta} = 10^{-60} = 288.7702 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 93595.87 \cdot 10^{-110}$	$1 \text{ni}'\text{upano}-\frac{M}{L^3 T \Theta} = 10^{-100} = 106842.3 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 252.9681 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M}{L^3 T^2 \Theta} = 10^{-150} = 0.003953067 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 1.281264 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^3 \Theta} = 10^{-20} = 0.7804796 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \text{K} = 0.03538476 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\Theta = 10^{-30} = 28.26076 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 956368.7 \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{T} = 10^{-70} = 10456.22 \frac{\text{K}}{\text{s}}$
$1 \frac{\text{K}}{\text{s}^2} = 2584.845 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{\Theta}{T^2} = 10^{-120} = 0.0003868704 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.09203 \cdot 10^{10}$	$1 \text{pa}-T \Theta = 10^{10} = 0.07638233 \text{ s K}$
$1 \text{m K} = 436.7032 \cdot 10^0$	$1 L \Theta = 1 = 0.002289885 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 1.180308 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{L \Theta}{T} = 10^{-40} = 0.8472361 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.003190103 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{L \Theta}{T^2} = 10^{-80} = 313.4695 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 161576.2 \cdot 10^{40}$	$1 \text{mu}-LT \Theta = 10^{50} = 61890.32 \text{ m s K}$
$1 \text{m}^2 \text{ K} = 0.0005389601 \cdot 10^{40}$	$1 \text{vo}-L^2 \Theta = 10^{40} = 1855.425 \text{ m}^2 \text{ K}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}} = 14566.85 \cdot 10^{-10}$	$1 \frac{L^2 \Theta}{T} = 1 = 686490.1 \frac{\text{m}^2 \text{ K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ K}}{\text{s}^2} = 39.37085 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2 \Theta}{T^2} = 10^{-50} = 0.02539950 \frac{\text{m}^2 \text{ K}}{\text{s}^2}$ (*)
$1 \text{m}^2 \text{ s K} = 0.1994103 \cdot 10^{80}$ (*)	$1 \text{bi}-L^2 T \Theta = 10^{80} = 5.014787 \text{ m}^2 \text{ s K}$
$1 \frac{\text{K}}{\text{m}} = 28671.21 \cdot 10^{-70}$	$1 \text{ni}'\text{uxa}-\frac{\Theta}{L} = 10^{-60} = 348781.9 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 77.49170 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{\Theta}{LT} = 10^{-110} = 0.01290461 \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.2094422 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{LT^2} = 10^{-150} = 4.774586 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{s K}}{\text{m}} = 0.001060808 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{T \Theta}{L} = 10^{-20} = 942.6773 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 2.323143 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{\Theta}{L^2} = 10^{-100} = 0.4304514 \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.006278921 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^2 T} = 10^{-140} = 159.2630 \frac{\text{K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 0.00001697048 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{\Theta}{L^2 T^2} = 10^{-180} = 58925.86 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 859.5413 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{T \Theta}{L^2} = 10^{-60} = 0.001163411 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 0.0001882373 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{\Theta}{L^3} = 10^{-130} = 5312.443 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 5087.622 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{\Theta}{L^3 T} = 10^{-180} = 0.0001965555 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 13.75067 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{\Theta}{L^3 T^2} = 10^{-220} = 0.07272372 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.06964606 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{T \Theta}{L^3} = 10^{-90} = 14.35831 \frac{\text{s K}}{\text{m}^3}$

$1 \text{ kg K} = 0.0008150619 \cdot 10^{-20}$	$1 \text{ ni'ure-}M\Theta = 10^{-20} = 1226.901 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 22029.25 \cdot 10^{-70}$	$1 \text{ ni'uxa-} \frac{M\Theta}{T} = 10^{-60} = 453941.9 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 59.54000 \cdot 10^{-110}$ (**)	$1 \text{ ni'upapa-} \frac{M\Theta}{T^2} = 10^{-110} = 0.01679543 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{ kg s K} = 0.3015654 \cdot 10^{20}$	$1 \text{ re-}MT\Theta = 10^{20} = 3.316031 \text{ kg s K}$
$1 \text{ kg m K} = 10.05914 \cdot 10^{10}$	$1 \text{ pa-}ML\Theta = 10^{10} = 0.09941209 \text{ kg m K}$ (*)
$1 \frac{\text{kg m K}}{\text{s}} = 0.02718754 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML\Theta}{T} = 10^{-30} = 36.78156 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 734816.7 \cdot 10^{-80}$	$1 \text{ ni'uze-} \frac{ML\Theta}{T^2} = 10^{-70} = 13608.84 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{ kg m s K} = 3721.788 \cdot 10^{50}$	$1 \text{ mu-}MLT\Theta = 10^{50} = 0.0002686880 \text{ kg m s K}$
$1 \text{ kg m}^2 \text{ K} = 124145.5 \cdot 10^{40}$	$1 \text{ mu-}ML^2\Theta = 10^{50} = 80550.65 \text{ kg m}^2 \text{ K}$
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}} = 335.5367 \cdot 10^0$	$1 \frac{ML^2\Theta}{T} = 1 = 0.002980300 \frac{\text{kg m}^2 \text{ K}}{\text{s}}$ (*)
$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} = 0.9068787 \cdot 10^{-40}$	$1 \text{ ni'uvu-} \frac{ML^2\Theta}{T^2} = 10^{-40} = 1.102683 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s K} = 0.004593269 \cdot 10^{90}$	$1 \text{ so-}ML^2T\Theta = 10^{90} = 217.7099 \text{ kg m}^2 \text{ s K}$ (*)
$1 \frac{\text{kg K}}{\text{m}} = 660.4203 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M\Theta}{L} = 10^{-60} = 0.001514187 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 1.784964 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{M\Theta}{LT} = 10^{-100} = 0.5602353 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 0.004824348 \cdot 10^{-140}$	$1 \text{ ni'upavo-} \frac{M\Theta}{LT^2} = 10^{-140} = 207.2819 \frac{\text{kg K}}{\text{m s}^2}$
$1 \frac{\text{kg s K}}{\text{m}} = 244349.4 \cdot 10^{-20}$	$1 \text{ ni'upa-} \frac{M\Theta}{L} = 10^{-10} = 40925.00 \frac{\text{kg s K}}{\text{m}}$ (*)
$1 \frac{\text{kg K}}{\text{m}^2} = 0.05351188 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{M\Theta}{L^2} = 10^{-90} = 18.68744 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 0.0001446303 \cdot 10^{-130}$	$1 \text{ ni'upaci-} \frac{M\Theta}{L^2T} = 10^{-130} = 6914.180 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 3909.025 \cdot 10^{-180}$	$1 \text{ ni'upabi-} \frac{M\Theta}{L^2T^2} = 10^{-180} = 0.0002558183 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 19.79890 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{M\Theta}{L^2} = 10^{-50} = 0.05050785 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 43359.08 \cdot 10^{-130}$	$1 \text{ ni'upare-} \frac{M\Theta}{L^3} = 10^{-120} = 230632.2 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 117.1896 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{M\Theta}{L^3T} = 10^{-170} = 0.008533179 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.3167366 \cdot 10^{-210}$	$1 \text{ ni'urepa-} \frac{M\Theta}{L^3T^2} = 10^{-210} = 3.157197 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 0.001604246 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{M\Theta}{L^3} = 10^{-80} = 623.3458 \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{C}} = 6.636574 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{\Theta}{Q} = 10^{-50} = 0.1506801 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.01793714 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{\Theta}{TQ} = 10^{-90} = 55.75026 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 484799.5 \cdot 10^{-140}$ (*)	$1 \text{ ni'upaci-} \frac{\Theta}{T^2Q} = 10^{-130} = 20627.08 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 2455.471 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.0004072538 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 81905.70 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L\Theta}{Q} = 10^{-20} = 0.00001220916 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 221.3723 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{L\Theta}{TQ} = 10^{-60} = 0.004517277 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.5983184 \cdot 10^{-100}$	$1 \text{ ni'upano-} \frac{L\Theta}{T^2Q} = 10^{-100} = 1.671351 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.003030435 \cdot 10^{30}$	$1 \text{ ci-} \frac{LT\Theta}{Q} = 10^{30} = 329.9856 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.1010844 \cdot 10^{20}$	$1 \text{ re-} \frac{L^2\Theta}{Q} = 10^{20} = 9.892719 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.0002732080 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 3660.215 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 7384.185 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{L^2\Theta}{T^2Q} = 10^{-70} = 0.0001354246 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 37.40031 \cdot 10^{60}$ (*)	$1 \text{ xa-} \frac{L^2T\Theta}{Q} = 10^{60} = 0.02673775 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.0005377418 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{\Theta}{LQ} = 10^{-80} = 1859.629 \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 14533.92 \cdot 10^{-130}$	$1 \text{ ni'upare-} \frac{\Theta}{LTQ} = 10^{-120} = 688045.4 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 39.28186 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{\Theta}{LT^2Q} = 10^{-170} = 0.02545704 \frac{\text{K}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m C}} = 0.1989595 \cdot 10^{-40}$	$1 \text{ ni'ubo-} \frac{T\Theta}{LQ} = 10^{-40} = 5.026149 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 435.7161 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{\Theta}{L^2Q} = 10^{-120} = 0.002295072 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 1.177640 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{\Theta}{L^2TQ} = 10^{-160} = 0.8491556 \frac{\text{K}}{\text{m}^2 \text{s} \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 0.003182891 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{\Theta}{L^2T^2Q} = 10^{-200} = 314.1797 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^2 \text{C}} = 161210.9 \cdot 10^{-80}$	$1 \text{ ni'uze-} \frac{T\Theta}{L^2Q} = 10^{-70} = 62030.53 \frac{\text{s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 0.03530477 \cdot 10^{-150}$	$1 \text{ ni'upamu-} \frac{\Theta}{L^3Q} = 10^{-150} = 28.32478 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 954206.9 \cdot 10^{-200}$	$1 \text{ ni'upaso-} \frac{\Theta}{L^3TQ} = 10^{-190} = 10479.91 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 2579.002 \cdot 10^{-240}$ (*)	$1 \text{ ni'urevo-} \frac{\Theta}{L^3T^2Q} = 10^{-240} = 0.0003877469 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 13.06244 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{T\Theta}{L^3Q} = 10^{-110} = 0.07655538 \frac{\text{s K}}{\text{m}^3 \text{C}}$

$1 \frac{\text{kg K}}{\text{C}} = 0.1528686 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo-} \frac{M\Theta}{TQ} = 10^{-80} = 2420.319 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 0.0004131687 \cdot 10^{-80}$	$1 \text{ni}'\text{upare-} \frac{M\Theta}{T^2Q} = 10^{-120} = 895495.6 \frac{\text{kg K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{s}^2\text{C}} = 11167.00 \cdot 10^{-130} \quad (*)$	$1 \frac{MT\Theta}{Q} = 1 = 0.01768035 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg s K}}{\text{C}} = 56.55998 \cdot 10^0 \quad (*)$	$1 \text{ni}'\text{upa-} \frac{ML\Theta}{Q} = 10^{-10} = 0.0005300435 \frac{\text{kg m K}}{\text{C}} \quad (*)$
$1 \frac{\text{kg m K}}{\text{C}} = 1886.638 \cdot 10^{-10}$	$1 \text{ni}'\text{umu-} \frac{ML\Theta}{TQ} = 10^{-50} = 0.1961112 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s C}} = 5.099148 \cdot 10^{-50} \quad (*)$	$1 \text{ni}'\text{uso-} \frac{ML\Theta}{T^2Q} = 10^{-90} = 72.55933 \frac{\text{kg m K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m K}}{\text{s}^2\text{C}} = 0.01378183 \cdot 10^{-90}$	$1 \text{vo-} \frac{MLT\Theta}{Q} = 10^{40} = 14325.86 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg m s K}}{\text{C}} = 0.00006980385 \cdot 10^{40}$	$1 \text{ci-} \frac{ML^2\Theta}{Q} = 10^{30} = 429.4784 \frac{\text{kg m}^2\text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{C}} = 0.002328406 \cdot 10^{30}$	$1 \text{ni}'\text{ure-} \frac{ML^2\Theta}{TQ} = 10^{-20} = 0.00001589030 \frac{\text{kg m}^2\text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{s C}} = 62931.46 \cdot 10^{-20}$	$1 \text{ni}'\text{uxa-} \frac{ML^2\Theta}{T^2Q} = 10^{-60} = 0.005879266 \frac{\text{kg m}^2\text{K}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m}^2\text{K}}{\text{s}^2\text{C}} = 170.0893 \cdot 10^{-60}$	$1 \text{ze-} \frac{ML^2T\Theta}{Q} = 10^{70} = 1.160781 \frac{\text{kg m}^2\text{s K}}{\text{C}}$
$1 \frac{\text{kg m}^2\text{s K}}{\text{C}} = 0.8614887 \cdot 10^{70}$	$1 \text{ni}'\text{uze-} \frac{M\Theta}{LQ} = 10^{-70} = 80733.14 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 123864.9 \cdot 10^{-80}$	$1 \text{ni}'\text{upare-} \frac{M\Theta}{LTQ} = 10^{-120} = 0.002987052 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 334.7783 \cdot 10^{-120}$	$1 \text{ni}'\text{upaxa-} \frac{M\Theta}{LT^2Q} = 10^{-160} = 1.105182 \frac{\text{kg K}}{\text{m s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m s}^2\text{C}} = 0.9048287 \cdot 10^{-160}$	$1 \text{ni}'\text{uci-} \frac{MT\Theta}{LQ} = 10^{-30} = 218.2031 \frac{\text{kg s K}}{\text{m C}}$
$1 \frac{\text{kg s K}}{\text{m C}} = 0.004582886 \cdot 10^{-30}$	$1 \text{ni}'\text{upapa-} \frac{M\Theta}{L^2Q} = 10^{-110} = 0.09963732 \frac{\text{kg K}}{\text{m}^2\text{C}} \quad (*)$
$1 \frac{\text{kg K}}{\text{m}^2\text{C}} = 10.03640 \cdot 10^{-110}$	$1 \text{ni}'\text{upamu-} \frac{M\Theta}{L^2TQ} = 10^{-150} = 36.86489 \frac{\text{kg K}}{\text{m}^2\text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{s C}} = 0.02712608 \cdot 10^{-150}$	$1 \text{ni}'\text{upaso-} \frac{M\Theta}{L^2T^2Q} = 10^{-190} = 13639.67 \frac{\text{kg K}}{\text{m}^2\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^2\text{s}^2\text{C}} = 733155.7 \cdot 10^{-200}$	$1 \text{ni}'\text{uze-} \frac{MT\Theta}{L^2Q} = 10^{-70} = 0.0002692968 \frac{\text{kg s K}}{\text{m}^2\text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^2\text{C}} = 3713.375 \cdot 10^{-70}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^3Q} = 10^{-140} = 1229.680 \frac{\text{kg K}}{\text{m}^3\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{C}} = 0.0008132195 \cdot 10^{-140}$	$1 \text{ni}'\text{upabi-} \frac{M\Theta}{L^3TQ} = 10^{-180} = 454970.4 \frac{\text{kg K}}{\text{m}^3\text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{s C}} = 21979.45 \cdot 10^{-190}$	$1 \text{ni}'\text{ureci-} \frac{M\Theta}{L^3T^2Q} = 10^{-230} = 0.01683348 \frac{\text{kg K}}{\text{m}^3\text{s}^2\text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3\text{s}^2\text{C}} = 59.40541 \cdot 10^{-230}$	$1 \text{ni}'\text{upano-} \frac{MT\Theta}{L^3Q} = 10^{-100} = 3.323543 \frac{\text{kg s K}}{\text{m}^3\text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^3\text{C}} = 0.3008837 \cdot 10^{-100} \quad (*)$	
$1 \text{CK} = 0.0001886638 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} Q\Theta = 10^{-10} = 5300.435 \text{ CK} \quad (*)$
$1 \frac{\text{C K}}{\text{s}} = 5099.148 \cdot 10^{-60} \quad (*)$	$1 \text{ni}'\text{uxa-} \frac{Q\Theta}{T} = 10^{-60} = 0.0001961112 \frac{\text{C K}}{\text{s}}$
$1 \frac{\text{C K}}{\text{s}^2} = 13.78183 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{Q\Theta}{T^2} = 10^{-100} = 0.07255933 \frac{\text{C K}}{\text{s}^2}$
$1 \text{s CK} = 0.06980385 \cdot 10^{30}$	$1 \text{ci-} TQ\Theta = 10^{30} = 14.32586 \text{ s CK}$
$1 \text{m CK} = 2.328406 \cdot 10^{20}$	$1 \text{re-} LQ\Theta = 10^{20} = 0.4294784 \text{ m CK}$
$1 \frac{\text{m CK}}{\text{s}} = 0.006293146 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{LQ\Theta}{T} = 10^{-20} = 158.9030 \frac{\text{m CK}}{\text{s}}$
$1 \frac{\text{m CK}}{\text{s}^2} = 0.00001700893 \cdot 10^{-60} \quad (*)$	$1 \text{ni}'\text{uxa-} \frac{LQ\Theta}{T^2} = 10^{-60} = 58792.66 \frac{\text{m CK}}{\text{s}^2}$
$1 \text{m s CK} = 861.4887 \cdot 10^{60}$	$1 \text{xa-} LTQ\Theta = 10^{60} = 0.001160781 \text{ m s CK}$
$1 \text{m}^2\text{ CK} = 28736.17 \cdot 10^{50}$	$1 \text{xa-} L^2Q\Theta = 10^{60} = 347993.5 \text{ m}^2\text{ CK} \quad (*)$
$1 \frac{\text{m}^2\text{ CK}}{\text{s}} = 77.66726 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2Q\Theta}{T} = 10^{10} = 0.01287544 \frac{\text{m}^2\text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2\text{ CK}}{\text{s}^2} = 0.2099168 \cdot 10^{-30} \quad (*)$	$1 \text{ni}'\text{uci-} \frac{L^2Q\Theta}{T^2} = 10^{-30} = 4.763793 \frac{\text{m}^2\text{ CK}}{\text{s}^2}$
$1 \text{m}^2\text{ s CK} = 0.001063212 \cdot 10^{100}$	$1 \text{pano-} L^2TQ\Theta = 10^{100} = 940.5464 \text{ m}^2\text{ s CK}$
$1 \frac{\text{C K}}{\text{m}} = 152.8686 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{Q\Theta}{L} = 10^{-50} = 0.006541565 \frac{\text{C K}}{\text{m}}$
$1 \frac{\text{C K}}{\text{m s}} = 0.4131687 \cdot 10^{-90}$	$1 \text{ni}'\text{uso-} \frac{Q\Theta}{LT} = 10^{-90} = 2.420319 \frac{\text{C K}}{\text{m s}}$
$1 \frac{\text{C K}}{\text{m s}^2} = 0.001116700 \cdot 10^{-130} \quad (*)$	$1 \text{ni}'\text{upaci-} \frac{Q\Theta}{LT^2} = 10^{-130} = 895.4956 \frac{\text{C K}}{\text{m s}^2}$
$1 \frac{\text{C K}}{\text{m}} = 56559.98 \cdot 10^{-10}$	$1 \frac{TQ\Theta}{L} = 1 = 176803.5 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{C K}}{\text{m}^2} = 0.01238649 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{Q\Theta}{L^2} = 10^{-80} = 80.73314 \frac{\text{C K}}{\text{m}^2}$
$1 \frac{\text{C K}}{\text{m}^2\text{s}} = 0.00003347783 \cdot 10^{-120}$	$1 \text{ni}'\text{upare-} \frac{Q\Theta}{L^2T} = 10^{-120} = 29870.52 \frac{\text{C K}}{\text{m}^2\text{s}}$
$1 \frac{\text{C K}}{\text{m}^2\text{s}^2} = 904.8287 \cdot 10^{-170}$	$1 \text{ni}'\text{upaze-} \frac{Q\Theta}{L^2T^2} = 10^{-170} = 0.001105182 \frac{\text{C K}}{\text{m}^2\text{s}^2}$
$1 \frac{\text{C K}}{\text{m}^2} = 4.582886 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{TQ\Theta}{L^2} = 10^{-40} = 0.2182031 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{C K}}{\text{m}^3} = 10036.40 \cdot 10^{-120} \quad (*)$	$1 \text{ni}'\text{upare-} \frac{Q\Theta}{L^3} = 10^{-120} = 0.00009963732 \frac{\text{C K}}{\text{m}^3} \quad (*)$
$1 \frac{\text{C K}}{\text{m}^3\text{s}} = 27.12608 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa-} \frac{Q\Theta}{L^3T} = 10^{-160} = 0.03686489 \frac{\text{C K}}{\text{m}^3\text{s}}$
$1 \frac{\text{C K}}{\text{m}^3\text{s}^2} = 0.07331557 \cdot 10^{-200}$	$1 \text{ni}'\text{uren-} \frac{Q\Theta}{L^3T^2} = 10^{-200} = 13.63967 \frac{\text{C K}}{\text{m}^3\text{s}^2}$

$$\begin{aligned}
1 \frac{\text{s CK}}{\text{m}^3} &= 0.0003713375 \cdot 10^{-70} \\
1 \text{kg CK} &= 43457.31 \cdot 10^{-10} \\
1 \frac{\text{kg CK}}{\text{s}} &= 117.4551 \cdot 10^{-50} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 0.3174542 \cdot 10^{-90} \\
1 \text{kg s CK} &= 0.001607880 \cdot 10^{40} \\
1 \text{kg m CK} &= 0.05363312 \cdot 10^{30} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.0001449580 \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 3917.881 \cdot 10^{-60} \\
1 \text{kg m s CK} &= 19.84376 \cdot 10^{70} \\
1 \text{kg m}^2 \text{CK} &= 661.9165 \cdot 10^{60} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 1.789008 \cdot 10^{20} \quad (*) \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 0.004835278 \cdot 10^{-20} \\
1 \text{kg m}^2 \text{s CK} &= 244903.0 \cdot 10^{100} \\
1 \frac{\text{kg CK}}{\text{m}} &= 3.521216 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 0.009517038 \cdot 10^{-80} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.00002572237 \cdot 10^{-120} \\
1 \frac{\text{kg s CK}}{\text{m}} &= 1302.817 \cdot 10^0 \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0002853136 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 7711.371 \cdot 10^{-120} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 20.84206 \cdot 10^{-160} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.1055634 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 231.1811 \cdot 10^{-110} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.6248294 \cdot 10^{-150} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.001688770 \cdot 10^{-190} \\
1 \frac{\text{kg s CK}}{\text{m}^3} &= 85534.87 \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{TQ\Theta}{L^3} &= 10^{-70} = 2692.968 \frac{\text{s CK}}{\text{m}^3} \\
1 MQ\Theta &= 1 = 230110.9 \text{ kg CK} \\
1 \text{ni'umu-} \frac{MQ\Theta}{T} &= 10^{-50} = 0.008513890 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uso-} \frac{MQ\Theta}{T^2} &= 10^{-90} = 3.150061 \frac{\text{kg CK}}{\text{s}^2} \quad (*) \\
1 \text{vo-} MTQ\Theta &= 10^{40} = 621.9368 \text{ kg s CK} \\
1 \text{ci-} MLQ\Theta &= 10^{30} = 18.64520 \text{ kg m CK} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 6898.550 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} &= 10^{-60} = 0.0002552400 \frac{\text{kg m CK}}{\text{s}^2} \quad (*) \\
1 \text{ze-} MLTQ\Theta &= 10^{70} = 0.05039368 \text{ kg m s CK} \\
1 \text{xa-} ML^2Q\Theta &= 10^{60} = 0.001510764 \text{ kg m}^2 \text{CK} \\
1 \text{re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 0.5589689 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 206.8133 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{papa-} ML^2TQ\Theta &= 10^{110} = 40832.49 \text{ kg m}^2 \text{s CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{L} &= 10^{-40} = 0.2839928 \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{ni'ubi-} \frac{MQ\Theta}{LT} &= 10^{-80} = 105.0747 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ni'upare-} \frac{MQ\Theta}{LT^2} &= 10^{-120} = 38876.67 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0007675672 \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'uze-} \frac{MQ\Theta}{L^2} &= 10^{-70} = 3504.915 \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'upare-} \frac{MQ\Theta}{L^2T} &= 10^{-120} = 0.0001296786 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upaxa-} \frac{MQ\Theta}{L^2T^2} &= 10^{-160} = 0.04797989 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 9.472980 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 0.004325613 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'upamu-} \frac{MQ\Theta}{L^3T} &= 10^{-150} = 1.600437 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
1 \text{ni'upaso-} \frac{MQ\Theta}{L^3T^2} &= 10^{-190} = 592.1469 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uxa-} \frac{MTQ\Theta}{L^3} &= 10^{-60} = 116911.4 \frac{\text{kg s CK}}{\text{m}^3}
\end{aligned}$$

## 11.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned}
\text{Proton mass} &= 38.52762 \cdot 10^{-20} \\
\text{Electron mass} &= 0.02098280 \cdot 10^{-20} \\
\text{Elementary charge} &= 0.08542454 \cdot 10^0 \\
\text{\AA}^{16} &= 12341.56 \cdot 10^{20} \\
\text{Bohr radius}^{17} &= 6530.874 \cdot 10^{20} \\
\text{Fine structure constant}^{18} &= 0.007297353 \cdot 10^0 \\
\text{Rydberg Energy}^{19} &= 5586.811 \cdot 10^{-30} \\
|\psi_{100}(0)|^2^{20} &= 0.01142710 \cdot 10^{-70} \\
\text{eV} &= 410.6231 \cdot 10^{-30} \\
\hbar^{21} &= 1.000000 \quad (***) \\
\lambda_{\text{yellow}} &= 0.007096399 \cdot 10^{30} \quad (*) \\
k_{\text{yellow}}^{22} &= 885.4047 \cdot 10^{-30} \\
k_{\text{X-Ray}}^{23} &= 4829.820 \cdot 10^{-20}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure-} M &= 10^{-20} = 0.02595541 m_p \\
1 \text{ni'ure-} M &= 10^{-20} = 47.65809 m_e \\
1 Q &= 1 = 11.70624 e \\
1 \text{re-} L &= 10^{20} = 0.00008102701 \text{\AA} \\
1 \text{re-} L &= 10^{20} = 0.0001531189 a_0 \\
1 &= 1 = 137.0360 \alpha \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.0001789930 Ry \quad (*) \\
1 \text{ni'uze-} \frac{1}{L^3} &= 10^{-70} = 87.51124 \rho_{\max} \\
1 \text{ni'uci-} \frac{ML^2}{T^2} &= 10^{-30} = 0.002435323 \text{eV} \\
1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\
1 \text{ci-} L &= 10^{30} = 140.9165 \cdot \lambda_{\text{yellow}} \\
1 \text{ni'uci-} \frac{1}{L} &= 10^{-30} = 0.001129427 \cdot k_{\text{yellow}} \\
1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 0.0002070471 \cdot k_{\text{X-Ray}}
\end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/10 nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\tilde{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

Earth g = $0.02036495 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML}{T^2} = 10^{-40} = 49.10396 \cdot \text{Earth g}$
cm = $123.4156 \cdot 10^{30}$	$1 \text{ ci-} L = 10^{30} = 0.008102701 \text{ cm}$
min = $22199.45 \cdot 10^{40}$ (*)	$1 \text{ vo-} T = 10^{40} = 0.00004504617 \text{ min}$
hour = $0.0001331967 \cdot 10^{50}$	$1 \text{ mu-} T = 10^{50} = 7507.695 \text{ h}$
Liter = $0.1879795 \cdot 10^{100}$	$1 \text{ pano-} L^3 = 10^{100} = 5.319728 l$
Area of a soccer field = $108.7523 \cdot 10^{70}$	$1 \text{ ze-} L^2 = 10^{70} = 0.009195205 A$
$100 \text{ m}^2$ <sup>24</sup> = $1.523142 \cdot 10^{70}$	$1 \text{ ze-} L^2 = 10^{70} = 0.6565376 \cdot 100 \text{ m}^2$
km/h = $9.265669 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$
mi/h = $14.91165 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$
inch <sup>25</sup> = $313.4757 \cdot 10^{30}$	$1 \text{ ci-} L = 10^{30} = 0.003190040 \text{ in } (*)$
mile = $0.001986128 \cdot 10^{40}$	$1 \text{ vo-} L = 10^{40} = 503.4923 \text{ mi}$
pound = $0.01044817 \cdot 10^{10}$	$1 \text{ pa-} M = 10^{10} = 95.71057 \text{ pound}$
horsepower = $51.65427 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.01935948 \text{ horsepower}$
kcal = $0.00001073038 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 93193.33 \text{ kcal}$
kWh = $0.009226467 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 108.3838 \text{ kWh}$
Typical household electric field = $2.991547 \cdot 10^{-60}$ (*)	$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 0.3342752 E_H$
<i>Earthmagneticfield</i> = $5604.701 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M}{T Q} = 10^{-60} = 0.0001784217 \cdot \text{Earthmagneticfield}$
Height of an average man <sup>26</sup> = $21844.57 \cdot 10^{30}$	$1 \text{ vo-} L = 10^{40} = 457779.7 \bar{h}$
Mass of an average man = $1.612399 \cdot 10^{10}$ (*)	$1 \text{ pa-} M = 10^{10} = 0.6201941 \bar{m}$
Age of the Universe = $0.002451914 \cdot 10^{60}$	$1 \text{ xa-} T = 10^{60} = 407.8447 t_U$
Size of the observable Universe = $10.86058 \cdot 10^{60}$	$1 \text{ xa-} L = 10^{60} = 0.09207615 l_U$
Average density of the Universe = $12131.07 \cdot 10^{-130}$	$1 \text{ ni'upare-} \frac{M}{L^3} = 10^{-120} = 824329.8 \rho_U$
Earth mass = $1375.606 \cdot 10^{30}$	$1 \text{ ci-} M = 10^{30} = 0.0007269522 m_E$
Sun mass <sup>27</sup> = $0.04581331 \cdot 10^{40}$	$1 \text{ vo-} M = 10^{40} = 21.82772 m_S$
Year = $1.167578 \cdot 10^{50}$	$1 \text{ mu-} T = 10^{50} = 0.8564738 \text{ y}$
Speed of Light = $1.000000 \text{ (***)}$	$1 \frac{L}{T} = 1 = 1.000000 c \text{ (***)}$
Parsec = $3.808236 \cdot 10^{50}$	$1 \text{ mu-} L = 10^{50} = 0.2625888 \text{ pc}$
Astronomical unit = $184627.2 \cdot 10^{40}$	$1 \text{ mu-} L = 10^{50} = 54163.21 \text{ au}$
Earth radius = $7.862810 \cdot 10^{40}$	$1 \text{ vo-} L = 10^{40} = 0.1271810 r_E$
Distance Earth-Moon = $474.4097 \cdot 10^{40}$	$1 \text{ vo-} L = 10^{40} = 0.002107883 d_M$
<i>Momentum of someone walking</i> <sup>28</sup> = $1002.684 \cdot 10^0$ (*)	$1 \frac{ML}{T} = 1 = 0.0009973230 \cdot \text{Momentum of someone walking}$
Stefan-Boltzmann constant = $0.1644934 \cdot 10^0$	$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$
mol = $6022.141 \cdot 10^{20}$	$1 \text{ re-} = 10^{20} = 0.0001660539 \text{ mol}$
Standard temperature <sup>29</sup> = $9.665347 \cdot 10^{-30}$	$1 \text{ ni'uci-} \Theta = 10^{-30} = 0.1034624 T_0$
Room - standard temperature <sup>30</sup> = $0.7076952 \cdot 10^{-30}$	$1 \text{ ni'uci-} \Theta = 10^{-30} = 1.413038 \Theta_R$
atm = $13814.62 \cdot 10^{-110}$	$1 \text{ ni'upano-} \frac{M}{L T^2} = 10^{-100} = 723870.7 \text{ atm}$
$c_s = 11441.25 \cdot 10^{-10}$	$1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$
$\mu_0 = 12.56637 \cdot 10^0$	$1 \frac{ML}{Q^2} = 1 = 0.07957747 \cdot \mu_0$
$G = 0.03978874 \cdot 10^0$	$1 \frac{L^3}{MT^2} = 1 = 25.13274 \cdot G$

## Extensive list of SI units

---

1 = 1.000000 (\*\*\*)

1 = 1 = 1.000000 (\*\*\*)

<sup>24</sup>Size of a home<sup>25</sup>36 in = 1 yd = 3 ft<sup>26</sup>in developed countries<sup>27</sup>The Schwarzschild radius of a mass M is  $2GM$ <sup>28</sup>p<sup>29</sup>0°C measured from absolute zero<sup>30</sup>20 °C

$1 \frac{1}{\text{s}} = 0.002702770 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{T} = 10^{-40} = 369.9908 \frac{1}{\text{s}}$ (*)
$1 \frac{1}{\text{s}^2} = 73049.67 \cdot 10^{-90}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2} = 10^{-80} = 136893.2 \frac{1}{\text{s}^2}$
$1 \text{s} = 369.9908 \cdot 10^{40}$ (*)	$1 \text{vo}\text{-}T = 10^{40} = 0.002702770 \text{ s}$
$1 \text{m} = 12341.56 \cdot 10^{30}$	$1 \text{vo}\text{-}L = 10^{40} = 810270.1 \text{ m}$
$1 \frac{\text{m}}{\text{s}} = 33.35641 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{L}{T} = 10^{-10} = 0.02997925 \frac{\text{m}}{\text{s}}$ (*)
$1 \frac{\text{m}}{\text{s}^2} = 0.09015471 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2} = 10^{-50} = 11.09204 \frac{\text{m}}{\text{s}^2}$
$1 \text{m s} = 0.0004566265 \cdot 10^{80}$	$1 \text{bi}\text{-}LT = 10^{80} = 2189.974 \text{ m s}$
$1 \text{m}^2 = 0.01523142 \cdot 10^{70}$	$1 \text{ze}\text{-}L^2 = 10^{70} = 65.65376 \text{ m}^2$
$1 \frac{\text{m}^2}{\text{s}} = 411670.2 \cdot 10^{20}$	$1 \text{ci}\text{-}\frac{L^2}{T} = 10^{30} = 24291.29 \frac{\text{m}^2}{\text{s}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 1112.650 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{\text{m}^2}{\text{s}^2}$
$1 \text{m}^2 \text{s} = 5.635484 \cdot 10^{110}$	$1 \text{papa}\text{-}L^2T = 10^{110} = 0.1774470 \text{ m}^2 \text{s}$
$1 \frac{1}{\text{m}} = 810270.1 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{1}{L} = 10^{-30} = 12341.56 \frac{1}{\text{m}}$
$1 \frac{1}{\text{m s}} = 2189.974 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{LT} = 10^{-80} = 0.0004566265 \frac{1}{\text{m s}}$
$1 \frac{1}{\text{m}^2} = 5.918996 \cdot 10^{-120}$ (*)	$1 \text{ni}'\text{upare}-\frac{1}{LT^2} = 10^{-120} = 0.1689476 \frac{1}{\text{m s}^2}$
$1 \frac{\text{s}}{\text{m}} = 0.02997925 \cdot 10^{10}$ (*)	$1 \text{pa}\text{-}\frac{T}{L} = 10^{10} = 33.35641 \frac{\text{s}}{\text{m}}$
$1 \frac{1}{\text{m}^2} = 65.65376 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{1}{L^2} = 10^{-70} = 0.01523142 \frac{1}{\text{m}^2}$
$1 \frac{1}{\text{m}^2 \text{s}} = 0.1774470 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{1}{L^2T} = 10^{-110} = 5.635484 \frac{1}{\text{m}^2 \text{s}}$
$1 \frac{1}{\text{m}^2 \text{s}^2} = 0.0004795986 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{1}{L^2T^2} = 10^{-150} = 2085.077 \frac{1}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^2} = 24291.29 \cdot 10^{-30}$	$1 \text{ni}'\text{ure}-\frac{T}{L^2} = 10^{-20} = 411670.2 \frac{\text{s}}{\text{m}^2}$
$1 \frac{1}{\text{m}^3} = 0.005319728 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{1}{L^3} = 10^{-100} = 187.9795 \frac{1}{\text{m}^3}$
$1 \frac{1}{\text{m}^3 \text{s}} = 0.00001437800 \cdot 10^{-140}$ (*)	$1 \text{ni}'\text{upavo}-\frac{1}{L^3T} = 10^{-140} = 69550.69 \frac{1}{\text{m}^3 \text{s}}$
$1 \frac{1}{\text{m}^3 \text{s}^2} = 388.6044 \cdot 10^{-190}$	$1 \text{ni}'\text{upaso}-\frac{1}{L^3T^2} = 10^{-190} = 0.002573311 \frac{1}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s}}{\text{m}^3} = 1.968250 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{T}{L^3} = 10^{-60} = 0.5080654 \frac{\text{s}}{\text{m}^3}$
$1 \text{kg} = 0.02303427 \cdot 10^{10}$	$1 \text{pa}\text{-}M = 10^{10} = 43.41358 \text{ kg}$
$1 \frac{\text{kg}}{\text{s}} = 622563.2 \cdot 10^{-40}$	$1 \text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 16062.63 \frac{\text{kg}}{\text{s}}$
$1 \frac{\text{kg}}{\text{s}^2} = 1682.645 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{T^2} = 10^{-80} = 0.0005943023 \frac{\text{kg}}{\text{s}^2}$
$1 \text{kg s} = 8.522465 \cdot 10^{50}$	$1 \text{mu}\text{-}MT = 10^{50} = 0.1173369 \text{ kg s}$
$1 \text{kg m} = 284.2788 \cdot 10^{40}$	$1 \text{vo}\text{-}ML = 10^{40} = 0.003517673 \text{ kg m}$
$1 \frac{\text{kg m}}{\text{s}} = 0.7683404 \cdot 10^0$	$1 \frac{ML}{T} = 1 = 1.301507 \frac{\text{kg m}}{\text{s}}$
$1 \frac{\text{kg m}}{\text{s}^2} = 0.002076647 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{ML}{T^2} = 10^{-40} = 481.5454 \frac{\text{kg m}}{\text{s}^2}$
$1 \text{kg m s} = 105180.5 \cdot 10^{80}$	$1 \text{so}\text{-}MLT = 10^{90} = 95074.61 \text{ kg m s}$
$1 \text{kg m}^2 = 0.0003508445 \cdot 10^{80}$	$1 \text{bi}\text{-}ML^2 = 10^{80} = 2850.265 \text{ kg m}^2$
$1 \frac{\text{kg m}^2}{\text{s}} = 9482.522 \cdot 10^{30}$	$1 \text{ci}\text{-}\frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{\text{kg m}^2}{\text{s}}$
$1 \frac{\text{kg m}^2}{\text{s}^2} = 25.62908 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.03901818 \frac{\text{kg m}^2}{\text{s}^2}$
$1 \text{kg m}^2 \text{s} = 0.1298092 \cdot 10^{120}$	$1 \text{pare}\text{-}ML^2T = 10^{120} = 7.703612 \text{ kg m}^2 \text{s}$
$1 \frac{\text{kg}}{\text{m}} = 18663.98 \cdot 10^{-30}$	$1 \text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 535791.5 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 50.44444 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{LT} = 10^{-70} = 0.01982379 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m}^2} = 0.1363397 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{M}{L^2T} = 10^{-110} = 7.334620 \frac{\text{kg}}{\text{m s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.0006905499 \cdot 10^{20}$ (*)	$1 \text{re}\text{-}\frac{MT}{L} = 10^{20} = 1448.121 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 1.512286 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M}{L^2} = 10^{-60} = 0.6612505 \frac{\text{kg}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.004087362 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M}{L^2T} = 10^{-100} = 244.6566 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.00001104720 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{M}{L^2T^2} = 10^{-140} = 90520.67 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 559.5319 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.001787208 \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.0001225360 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{M}{L^3} = 10^{-90} = 8160.865 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 3311.867 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{M}{L^3T} = 10^{-140} = 0.0003019445 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 8.951216 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{M}{L^3T^2} = 10^{-180} = 0.1117167 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.04533720 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{MT}{L^3} = 10^{-50} = 22.05694 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 187.5546 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.005331781 \frac{1}{\text{C}}$
$1 \frac{1}{\text{s C}} = 0.5069170 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{1}{TQ} = 10^{-60} = 1.972710 \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.001370080 \cdot 10^{-100}$ (*)	$1 \text{ni}'\text{upano}-\frac{1}{T^2 Q} = 10^{-100} = 729.8843 \frac{1}{\text{s}^2 \text{C}}$

$1 \frac{s}{C} = 69393.47 \cdot 10^{20}$	$1 \text{re-} \frac{T}{Q} = 10^{20} = 0.00001441058 \frac{s}{C}$
$1 \frac{m}{C} = 0.0002314717 \cdot 10^{20}$	$1 \text{re-} \frac{L}{Q} = 10^{20} = 4320.182 \frac{m}{C}$
$1 \frac{m}{sC} = 6256.148 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{L}{TQ} = 10^{-30} = 0.0001598428 \frac{m}{sC}$
$1 \frac{m}{s^2C} = 16.90893 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{L}{T^2Q} = 10^{-70} = 0.05914035 \frac{m}{s^2C}$
$1 \frac{m}{C} = 0.08564239 \cdot 10^{60}$	$1 \text{xa-} \frac{LT}{Q} = 10^{60} = 11.67646 \frac{ms}{C}$
$1 \frac{m^2}{C} = 2.856723 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2}{Q} = 10^{50} = 0.3500515 \frac{m^2}{C} \quad (*)$
$1 \frac{m^2}{sC} = 0.007721065 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2}{TQ} = 10^{10} = 129.5158 \frac{m^2}{sC}$
$1 \frac{m^2}{s^2C} = 208682.6 \cdot 10^{-40}$	$1 \text{ni'uci-} \frac{L^2}{T^2Q} = 10^{-30} = 47919.65 \frac{m^2}{s^2C}$
$1 \frac{m^2s}{C} = 1056.961 \cdot 10^{90}$	$1 \text{so-} \frac{L^2T}{Q} = 10^{90} = 0.0009461087 \frac{m^2s}{C}$
$1 \frac{1}{mC} = 0.01519699 \cdot 10^{-50} \quad (*)$	$1 \text{ni'umu-} \frac{1}{LQ} = 10^{-50} = 65.80251 \frac{1}{mC}$
$1 \frac{1}{msC} = 410739.7 \cdot 10^{-100}$	$1 \text{ni'uso-} \frac{1}{LTQ} = 10^{-90} = 24346.32 \frac{1}{msC}$
$1 \frac{1}{ms^2C} = 1110.135 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{1}{LT^2Q} = 10^{-140} = 0.0009007914 \frac{1}{ms^2C} \quad (*)$
$1 \frac{s}{mC} = 5.622746 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{T}{LQ} = 10^{-10} = 0.1778491 \frac{s}{mC}$
$1 \frac{1}{m^2C} = 12313.67 \cdot 10^{-90}$	$1 \text{ni'ubi-} \frac{1}{L^2Q} = 10^{-80} = 812105.8 \frac{1}{m^2C}$
$1 \frac{1}{m^2sC} = 33.28101 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{1}{L^2TQ} = 10^{-130} = 0.03004717 \frac{1}{m^2sC} \quad (*)$
$1 \frac{1}{m^2s^2C} = 0.08995092 \cdot 10^{-170} \quad (*)$	$1 \text{ni'upaze-} \frac{1}{L^2T^2Q} = 10^{-170} = 11.11717 \frac{1}{m^2s^2C}$
$1 \frac{s}{m^2C} = 0.0004555943 \cdot 10^{-40}$	$1 \text{ni'uvo-} \frac{T}{L^2Q} = 10^{-40} = 2194.935 \frac{s}{m^2C}$
$1 \frac{1}{m^3C} = 0.9977395 \cdot 10^{-120} \quad (*)$	$1 \text{ni'upare-} \frac{1}{L^3Q} = 10^{-120} = 1.002266 \frac{1}{m^3C} \quad (*)$
$1 \frac{1}{m^3sC} = 0.002696661 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{1}{L^3TQ} = 10^{-160} = 370.8290 \frac{1}{m^3sC}$
$1 \frac{1}{m^3s^2C} = 72884.54 \cdot 10^{-210}$	$1 \text{ni'ureno-} \frac{1}{L^3T^2Q} = 10^{-200} = 137203.3 \frac{1}{m^3s^2C}$
$1 \frac{s}{m^3C} = 369.1544 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{T}{L^3Q} = 10^{-80} = 0.002708894 \frac{s}{m^3C}$
$1 \frac{kg}{C} = 4.320182 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{M}{Q} = 10^{-10} = 0.2314717 \frac{kg}{C}$
$1 \frac{kg}{sC} = 0.01167646 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{M}{TQ} = 10^{-50} = 85.64239 \frac{kg}{sC}$
$1 \frac{kg}{s^2C} = 315587.9 \cdot 10^{-100}$	$1 \text{ni'uso-} \frac{M}{T^2Q} = 10^{-90} = 31686.89 \frac{kg}{s^2C}$
$1 \frac{kg s}{C} = 1598.428 \cdot 10^{30}$	$1 \text{ci-} \frac{MT}{Q} = 10^{30} = 0.0006256148 \frac{kgs}{C}$
$1 \frac{kg m}{C} = 53317.81 \cdot 10^{20}$	$1 \text{re-} \frac{ML}{Q} = 10^{20} = 0.00001875546 \frac{kgm}{C}$
$1 \frac{kg m}{sC} = 144.1058 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{ML}{TQ} = 10^{-20} = 0.006939347 \frac{kgm}{sC}$
$1 \frac{kg m}{s^2C} = 0.3894848 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{ML}{T^2Q} = 10^{-60} = 2.567494 \frac{kgm}{s^2C}$
$1 \frac{kg ms}{C} = 0.001972710 \cdot 10^{70}$	$1 \text{ze-} \frac{MLT}{Q} = 10^{70} = 506.9170 \frac{kgms}{C}$
$1 \frac{kg m^2}{C} = 0.06580251 \cdot 10^{60}$	$1 \text{xa-} \frac{ML^2}{Q} = 10^{60} = 15.19699 \frac{kgm^2}{C} \quad (*)$
$1 \frac{kg m^2}{sC} = 0.0001778491 \cdot 10^{20}$	$1 \text{re-} \frac{ML^2}{TQ} = 10^{20} = 5622.746 \frac{kgm^2}{sC}$
$1 \frac{kg m^2}{s^2C} = 4806.851 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{ML^2}{T^2Q} = 10^{-30} = 0.0002080364 \frac{kgm^2}{s^2C}$
$1 \frac{kg m^2 s}{C} = 24.34632 \cdot 10^{100}$	$1 \text{pano-} \frac{ML^2T}{Q} = 10^{100} = 0.04107397 \frac{kgm^2s}{C}$
$1 \frac{kg}{mC} = 0.0003500515 \cdot 10^{-40} \quad (*)$	$1 \text{ni'ovo-} \frac{M}{LQ} = 10^{-40} = 2856.723 \frac{kg}{mC}$
$1 \frac{kg}{msC} = 9461.087 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.0001056961 \frac{kg}{msC}$
$1 \frac{kg}{ms^2C} = 25.57114 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{M}{LT^2Q} = 10^{-130} = 0.03910658 \frac{kg}{ms^2C}$
$1 \frac{kg s}{mC} = 0.1295158 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 7.721065 \frac{kgs}{mC}$
$1 \frac{kg}{m^2C} = 283.6362 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{M}{L^2Q} = 10^{-80} = 0.003525643 \frac{kg}{m^2C}$
$1 \frac{kg}{m^2sC} = 0.7666036 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{M}{L^2TQ} = 10^{-120} = 1.304455 \frac{kg}{m^2sC}$
$1 \frac{kg}{m^2s^2C} = 0.002071953 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M}{L^2T^2Q} = 10^{-160} = 482.6364 \frac{kg}{m^2s^2C}$
$1 \frac{kg s}{m^2C} = 104942.8 \cdot 10^{-40}$	$1 \text{ni'uci-} \frac{MT}{L^2Q} = 10^{-30} = 95290.01 \frac{kgs}{m^2C}$
$1 \frac{kg}{m^3C} = 0.02298220 \cdot 10^{-110}$	$1 \text{ni'upapa-} \frac{M}{L^3Q} = 10^{-110} = 43.51194 \frac{kg}{m^3C}$
$1 \frac{kg}{m^3sC} = 621156.0 \cdot 10^{-160}$	$1 \text{ni'upamu-} \frac{M}{L^3TQ} = 10^{-150} = 16099.02 \frac{kg}{m^3sC} \quad (*)$
$1 \frac{kg}{m^3s^2C} = 1678.842 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M}{L^3T^2Q} = 10^{-200} = 0.0005956487 \frac{kg}{m^3s^2C}$
$1 \frac{kg s}{m^3C} = 8.503201 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT}{L^3Q} = 10^{-70} = 0.1176028 \frac{kgs}{m^3C}$
$1 C = 0.005331781 \cdot 10^{20}$	$1 \text{re-} Q = 10^{20} = 187.5546 C$
$1 \frac{C}{s} = 0.00001441058 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{T} = 10^{-20} = 69393.47 \frac{C}{s}$

$1 \frac{C}{s^2} = 389.4848 \cdot 10^{-70}$	$1 ni'uze- \frac{Q}{T^2} = 10^{-70} = 0.002567494 \frac{C}{s^2}$
$1 s C = 1.972710 \cdot 10^{60}$	$1 xa-TQ = 10^{60} = 0.5069170 s C$
$1 m C = 65.80251 \cdot 10^{50}$	$1 mu-LQ = 10^{50} = 0.01519699 m C \quad (*)$
$1 \frac{m C}{s} = 0.1778491 \cdot 10^{10}$	$1 pa- \frac{LQ}{T} = 10^{10} = 5.622746 \frac{m C}{s}$
$1 \frac{m C}{s^2} = 0.0004806851 \cdot 10^{-30}$	$1 ni'uci- \frac{LQ}{T^2} = 10^{-30} = 2080.364 \frac{m C}{s^2}$
$1 m s C = 24346.32 \cdot 10^{90}$	$1 pano-LTQ = 10^{100} = 410739.7 m s C$
$1 m^2 C = 812105.8 \cdot 10^{80}$	$1 so-L^2 Q = 10^{90} = 12313.67 m^2 C$
$1 \frac{m^2 C}{s} = 2194.935 \cdot 10^{40}$	$1 vo- \frac{L^2 Q}{T} = 10^{40} = 0.0004555943 \frac{m^2 C}{s}$
$1 \frac{m^2 C}{s^2} = 5.932406$	$1 \frac{L^2 Q}{T^2} = 1 = 0.1685657 \frac{m^2 C}{s^2}$
$1 m^2 s C = 0.03004717 \cdot 10^{130} \quad (*)$	$1 paci- L^2 TQ = 10^{130} = 33.28101 m^2 s C$
$1 \frac{C}{m} = 4320.182 \cdot 10^{-20}$	$1 ni'ure- \frac{Q}{L} = 10^{-20} = 0.0002314717 \frac{C}{m}$
$1 \frac{C}{m s} = 11.67646 \cdot 10^{-60}$	$1 ni'uxa- \frac{Q}{LT} = 10^{-60} = 0.08564239 \frac{C}{m s}$
$1 \frac{C}{m s^2} = 0.03155879 \cdot 10^{-100}$	$1 ni'upano- \frac{Q}{LT^2} = 10^{-100} = 31.68689 \frac{C}{m s^2}$
$1 \frac{s C}{m} = 0.0001598428 \cdot 10^{30}$	$1 ci- \frac{TQ}{L} = 10^{30} = 6256.148 \frac{s C}{m}$
$1 \frac{C}{m^2} = 0.3500515 \cdot 10^{-50} \quad (*)$	$1 ni'umu- \frac{Q}{L^2} = 10^{-50} = 2.856723 \frac{C}{m^2}$
$1 \frac{C}{m^2 s} = 0.0009461087 \cdot 10^{-90}$	$1 ni'uso- \frac{Q}{L^2 T} = 10^{-90} = 1056.961 \frac{C}{m^2 s}$
$1 \frac{C}{m^2 s^2} = 25571.14 \cdot 10^{-140}$	$1 ni'upavo- \frac{Q}{L^2 T^2} = 10^{-140} = 0.00003910658 \frac{C}{m^2 s^2}$
$1 \frac{s C}{m^2} = 129.5158 \cdot 10^{-10}$	$1 ni'upa- \frac{TQ}{L^2} = 10^{-10} = 0.007721065 \frac{s C}{m^2}$
$1 \frac{C}{m^3} = 0.00002836362 \cdot 10^{-80}$	$1 ni'ubi- \frac{Q}{L^3} = 10^{-80} = 35256.43 \frac{C}{m^3}$
$1 \frac{C}{m^3 s} = 766.6036 \cdot 10^{-130}$	$1 ni'upaci- \frac{Q}{L^3 T} = 10^{-130} = 0.001304455 \frac{C}{m^3 s}$
$1 \frac{C}{m^3 s^2} = 2.071953 \cdot 10^{-170}$	$1 ni'upaze- \frac{Q}{L^3 T^2} = 10^{-170} = 0.4826364 \frac{C}{m^3 s^2}$
$1 \frac{s C}{m^3} = 0.01049428 \cdot 10^{-40}$	$1 ni'uvo- \frac{TQ}{L^3} = 10^{-40} = 95.29001 \frac{s C}{m^3} \quad (*)$
$1 kg C = 0.0001228136 \cdot 10^{30}$	$1 ci-MQ = 10^{30} = 8142.418 kg C$
$1 \frac{kg C}{s} = 3319.371 \cdot 10^{-20}$	$1 ni'ure- \frac{MQ}{T} = 10^{-20} = 0.0003012619 \frac{kg C}{s}$
$1 \frac{kg C}{s^2} = 8.971496 \cdot 10^{-60}$	$1 ni'uxa- \frac{MQ}{T^2} = 10^{-60} = 0.1114641 \frac{kg C}{s^2}$
$1 kg s C = 0.04543992 \cdot 10^{70} \quad (*)$	$1 ze-MTQ = 10^{70} = 22.00708 kg s C \quad (*)$
$1 kg m C = 1.515712 \cdot 10^{60}$	$1 xa-MLQ = 10^{60} = 0.6597558 kg m C$
$1 \frac{kg m C}{s} = 0.004096622 \cdot 10^{20}$	$1 re- \frac{MLQ}{T} = 10^{20} = 244.1035 \frac{kg m C}{s}$
$1 \frac{kg m C}{s^2} = 0.00001107223 \cdot 10^{-20}$	$1 ni'ure- \frac{MLQ}{T^2} = 10^{-20} = 90316.05 \frac{kg m C}{s^2}$
$1 kg m s C = 560.7996 \cdot 10^{100} \quad (*)$	$1 pano-MLTQ = 10^{100} = 0.001783168 kg m s C$
$1 kg m^2 C = 18706.26 \cdot 10^{90}$	$1 pano-ML^2 Q = 10^{100} = 534580.4 kg m^2 C$
$1 \frac{kg m^2 C}{s} = 50.55872 \cdot 10^{50}$	$1 mu- \frac{ML^2 Q}{T} = 10^{50} = 0.01977898 \frac{kg m^2 C}{s}$
$1 \frac{kg m^2 C}{s^2} = 0.1366486 \cdot 10^{10}$	$1 pa- \frac{ML^2 Q}{T^2} = 10^{10} = 7.318040 \frac{kg m^2 C}{s^2}$
$1 kg m^2 s C = 0.0006921144 \cdot 10^{140}$	$1 pavo-ML^2 TQ = 10^{140} = 1444.848 kg m^2 s C$
$1 \frac{kg C}{m} = 99.51223 \cdot 10^{-10} \quad (*)$	$1 ni'upa- \frac{MQ}{L} = 10^{-10} = 0.01004902 \frac{kg C}{m} \quad (*)$
$1 \frac{kg C}{m s} = 0.2689587 \cdot 10^{-50}$	$1 ni'umu- \frac{MQ}{LT} = 10^{-50} = 3.718043 \frac{kg C}{m s}$
$1 \frac{kg C}{m s^2} = 0.0007269335 \cdot 10^{-90}$	$1 ni'uso- \frac{MQ}{LT^2} = 10^{-90} = 1375.642 \frac{kg C}{m s^2}$
$1 \frac{kg s C}{m} = 36818.61 \cdot 10^{30}$	$1 vo- \frac{MTQ}{L} = 10^{40} = 271601.8 \frac{kg s C}{m}$
$1 \frac{kg C}{m^2} = 0.008063178 \cdot 10^{-40}$	$1 ni'ovo- \frac{MQ}{L^2} = 10^{-40} = 124.0206 \frac{kg C}{m^2}$
$1 \frac{kg C}{m^2 s} = 0.00002179292 \cdot 10^{-80}$	$1 ni'ubi- \frac{MQ}{L^2 T} = 10^{-80} = 45886.47 \frac{kg C}{m^2 s}$
$1 \frac{kg C}{m^2 s^2} = 589.0125 \cdot 10^{-130}$	$1 ni'upaci- \frac{MQ}{L^2 T^2} = 10^{-130} = 0.001697757 \frac{kg C}{m^2 s^2}$
$1 \frac{kg s C}{m^2} = 2.983302$	$1 \frac{MTQ}{L^2} = 1 = 0.3351991 \frac{kg s C}{m^2} \quad (*)$
$1 \frac{kg C}{m^3} = 6533.352 \cdot 10^{-80}$	$1 ni'ubi- \frac{MQ}{L^3} = 10^{-80} = 0.0001530608 \frac{kg C}{m^3}$
$1 \frac{kg C}{m^3 s} = 17.65815 \cdot 10^{-120}$	$1 ni'upare- \frac{MQ}{L^3 T} = 10^{-120} = 0.05663107 \frac{kg C}{m^3 s}$
$1 \frac{kg C}{m^3 s^2} = 0.04772592 \cdot 10^{-160}$	$1 ni'upaxa- \frac{MQ}{L^3 T^2} = 10^{-160} = 20.95297 \frac{kg C}{m^3 s^2}$
$1 \frac{kg s C}{m^3} = 0.0002417280 \cdot 10^{-30}$	$1 ni'uci- \frac{MTQ}{L^3} = 10^{-30} = 4136.881 \frac{kg s C}{m^3}$
$1 \frac{1}{K} = 28.26076 \cdot 10^{30}$	$1 ci- \frac{1}{\Theta} = 10^{30} = 0.03538476 \frac{1}{K}$
$1 \frac{1}{s K} = 0.07638233 \cdot 10^{-10}$	$1 ni'upa- \frac{1}{T\Theta} = 10^{-10} = 13.09203 \frac{1}{s K}$
$1 \frac{1}{s^2 K} = 0.0002064439 \cdot 10^{-50}$	$1 ni'umu- \frac{1}{T^2 \Theta} = 10^{-50} = 4843.932 \frac{1}{s^2 K}$
$1 \frac{s}{K} = 10456.22 \cdot 10^{70}$	$1 bi- \frac{T}{\Theta} = 10^{80} = 956368.7 \frac{s}{K}$

$1 \frac{m}{K} = 348781.9 \cdot 10^{60}$	$1 ze \cdot \frac{L}{\Theta} = 10^{70} = 28671.21 \frac{m}{K}$
$1 \frac{m}{sK} = 942.6773 \cdot 10^{20}$	$1 re \cdot \frac{L}{T\Theta} = 10^{20} = 0.001060808 \frac{m}{sK}$
$1 \frac{m}{s^2K} = 2.547840 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{L}{T^2\Theta} = 10^{-20} = 0.3924893 \frac{m}{s^2K}$
$1 \frac{m}{K} = 0.01290461 \cdot 10^{110}$	$1 papa \cdot \frac{LT}{\Theta} = 10^{110} = 77.49170 \frac{ms}{K}$
$1 \frac{m^2}{K} = 0.4304514 \cdot 10^{100}$	$1 pano \cdot \frac{L^2}{\Theta} = 10^{100} = 2.323143 \frac{m^2}{K}$
$1 \frac{m^2}{sK} = 0.001163411 \cdot 10^{60}$	$1 xa \cdot \frac{L^2}{T\Theta} = 10^{60} = 859.5413 \frac{m^2}{sK}$
$1 \frac{m^2}{s^2K} = 31444.33 \cdot 10^{10}$	$1 re \cdot \frac{L^2}{T^2\Theta} = 10^{20} = 318022.3 \frac{m^2}{s^2K}$
$1 \frac{m^2s}{K} = 159.2630 \cdot 10^{140}$	$1 pavo \cdot \frac{L^2T}{\Theta} = 10^{140} = 0.006278921 \frac{m^2s}{K}$
$1 \frac{1}{mK} = 0.002289885 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 436.7032 \frac{1}{mK}$
$1 \frac{1}{msK} = 61890.32 \cdot 10^{-50}$	$1 ni'uvo \cdot \frac{1}{LT\Theta} = 10^{-40} = 161576.2 \frac{1}{msK}$
$1 \frac{1}{ms^2K} = 167.2753 \cdot 10^{-90}$	$1 ni'uso \cdot \frac{1}{LT^2\Theta} = 10^{-90} = 0.005978169 \frac{1}{ms^2K}$
$1 \frac{s}{mK} = 0.8472361 \cdot 10^{40}$	$1 vo \cdot \frac{T}{L\Theta} = 10^{40} = 1.180308 \frac{s}{mK}$
$1 \frac{1}{m^2K} = 1855.425 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{1}{L^2\Theta} = 10^{-40} = 0.0005389601 \frac{1}{m^2K}$
$1 \frac{1}{m^2sK} = 5.014787 \cdot 10^{-80}$	$1 ni'ubi \cdot \frac{1}{L^2T\Theta} = 10^{-80} = 0.1994103 \frac{1}{m^2sK} (*)$
$1 \frac{1}{m^2s^2K} = 0.01355382 \cdot 10^{-120}$	$1 ni'upare \cdot \frac{1}{L^2T^2\Theta} = 10^{-120} = 73.77995 \frac{1}{m^2s^2K} (*)$
$1 \frac{s}{m^2K} = 686490.1 \cdot 10^0$	$1 pa \cdot \frac{T}{L^2\Theta} = 10^{10} = 14566.85 \frac{s}{m^2K}$
$1 \frac{1}{m^3K} = 0.1503395 \cdot 10^{-70}$	$1 ni'uze \cdot \frac{1}{L^3\Theta} = 10^{-70} = 6.651610 \frac{1}{m^3K}$
$1 \frac{1}{m^3sK} = 0.0004063332 \cdot 10^{-110}$	$1 ni'upapa \cdot \frac{1}{L^3T\Theta} = 10^{-110} = 2461.034 \frac{1}{m^3sK}$
$1 \frac{1}{m^3s^2K} = 10982.25 \cdot 10^{-160}$	$1 ni'upaxa \cdot \frac{1}{L^3T^2\Theta} = 10^{-160} = 0.00009105600 \frac{1}{m^3s^2K} (*)$
$1 \frac{s}{m^3K} = 55.62424 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{T}{L^3\Theta} = 10^{-30} = 0.01797777 \frac{s}{m^3K}$
$1 \frac{kg}{K} = 0.6509657 \cdot 10^{40}$	$1 vo \cdot \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{kg}{K}$
$1 \frac{kg}{sK} = 0.001759411 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 568.3721 \frac{kg}{sK}$
$1 \frac{kg}{s^2K} = 47552.83 \cdot 10^{-50}$	$1 ni'uvo \cdot \frac{M}{T^2\Theta} = 10^{-40} = 210292.4 \frac{kg}{s^2K}$
$1 \frac{kgs}{K} = 240.8513 \cdot 10^{80}$	$1 bi \cdot \frac{MT}{\Theta} = 10^{80} = 0.004151939 \frac{kg s}{K}$
$1 \frac{kgm}{K} = 8033.935 \cdot 10^{70}$	$1 ze \cdot \frac{ML}{\Theta} = 10^{70} = 0.0001244720 \frac{kg m}{K}$
$1 \frac{kgm}{sK} = 21.71388 \cdot 10^{30}$	$1 ci \cdot \frac{ML}{T\Theta} = 10^{30} = 0.04605349 \frac{kg m}{sK}$
$1 \frac{kgs}{s^2K} = 0.05868763 \cdot 10^{-10}$	$1 ni'upa \cdot \frac{ML}{T^2\Theta} = 10^{-10} = 17.03937 \frac{kg m}{s^2K}$
$1 \frac{kgs}{K} = 0.0002972482 \cdot 10^{120}$	$1 pare \cdot \frac{MLT}{\Theta} = 10^{120} = 3364.192 \frac{kg ms}{K}$
$1 \frac{kgm^2}{K} = 0.009915132 \cdot 10^{110} (*)$	$1 papa \cdot \frac{ML^2}{\Theta} = 10^{110} = 100.8559 \frac{kg m^2}{K} (*)$
$1 \frac{kgm^2}{sK} = 267983.2 \cdot 10^{60}$	$1 ze \cdot \frac{ML^2}{T\Theta} = 10^{70} = 37315.77 \frac{kg m^2}{sK}$
$1 \frac{kgm^2}{s^2K} = 724.2971 \cdot 10^{20}$	$1 re \cdot \frac{ML^2}{T^2\Theta} = 10^{20} = 0.001380649 \frac{kg m^2}{s^2K}$
$1 \frac{kgm^2s}{K} = 3.668507 \cdot 10^{150}$	$1 pamu \cdot \frac{ML^2T}{\Theta} = 10^{150} = 0.2725904 \frac{kg m^2s}{K}$
$1 \frac{kg}{mK} = 527458.1 \cdot 10^0$	$1 pa \cdot \frac{M}{L\Theta} = 10^{10} = 18958.85 \frac{kg}{mK}$
$1 \frac{kg}{msK} = 1425.598 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{M}{LT\Theta} = 10^{-40} = 0.0007014601 \frac{kg}{msK}$
$1 \frac{kg}{m^2K} = 3.853064 \cdot 10^{-80}$	$1 ni'ubi \cdot \frac{M}{LT^2\Theta} = 10^{-80} = 0.2595337 \frac{kg}{ms^2K}$
$1 \frac{kgs}{mK} = 0.01951546 \cdot 10^{50}$	$1 mu \cdot \frac{MT}{L\Theta} = 10^{50} = 51.24142 \frac{kg s}{mK}$
$1 \frac{kg}{m^2K} = 42.73835 \cdot 10^{-30}$	$1 ni'uci \cdot \frac{M}{L^2\Theta} = 10^{-30} = 0.02339819 \frac{kg}{m^2K}$
$1 \frac{kg}{m^2sK} = 0.1155119 \cdot 10^{-70}$	$1 ni'uze \cdot \frac{M}{L^2T\Theta} = 10^{-70} = 8.657114 \frac{kg}{m^2sK}$
$1 \frac{kg}{m^2s^2K} = 0.0003122022 \cdot 10^{-110}$	$1 ni'upapa \cdot \frac{M}{L^2T^2\Theta} = 10^{-110} = 3203.052 \frac{kg}{m^2s^2K}$
$1 \frac{kgs}{m^2K} = 15812.80 \cdot 10^{10}$	$1 re \cdot \frac{MT}{L^2\Theta} = 10^{20} = 632399.3 \frac{kg s}{m^2K} (*)$
$1 \frac{kg}{m^3K} = 0.003462961 \cdot 10^{-60}$	$1 ni'uxa \cdot \frac{M}{L^3\Theta} = 10^{-60} = 288.7702 \frac{kg}{m^3K}$
$1 \frac{kg}{m^3sK} = 93595.87 \cdot 10^{-110}$	$1 ni'upano \cdot \frac{M}{L^3T\Theta} = 10^{-100} = 106842.3 \frac{kg}{m^3sK}$
$1 \frac{kg}{m^3s^2K} = 252.9681 \cdot 10^{-150}$	$1 ni'upamu \cdot \frac{M}{L^3T^2\Theta} = 10^{-150} = 0.003953067 \frac{kg}{m^3s^2K}$
$1 \frac{kgs}{m^3K} = 1.281264 \cdot 10^{-20}$	$1 ni'ure \cdot \frac{MT}{L^3\Theta} = 10^{-20} = 0.7804796 \frac{kg s}{m^3K}$
$1 K = 0.03538476 \cdot 10^{-30}$	$1 ni'uci \cdot \Theta = 10^{-30} = 28.26076 K$
$1 \frac{K}{s} = 956368.7 \cdot 10^{-80}$	$1 ni'uze \cdot \frac{\Theta}{T} = 10^{-70} = 10456.22 \frac{K}{s}$
$1 \frac{K}{s^2} = 2584.845 \cdot 10^{-120}$	$1 ni'upare \cdot \frac{\Theta}{T^2} = 10^{-120} = 0.0003868704 \frac{K}{s^2}$
$1 sK = 13.09203 \cdot 10^{10}$	$1 pa \cdot T\Theta = 10^{10} = 0.07638233 sK$
$1 mK = 436.7032 \cdot 10^0$	$1 L\Theta = 1 = 0.002289885 mK$
$1 \frac{mK}{s} = 1.180308 \cdot 10^{-40}$	$1 ni'uvo \cdot \frac{L\Theta}{T} = 10^{-40} = 0.8472361 \frac{mK}{s}$

$$1 \frac{\text{mK}}{\text{s}^2} = 0.003190103 \cdot 10^{-80}$$

$$1 \text{ m s K} = 161576.2 \cdot 10^{40}$$

$$1 \text{ m}^2 \text{ K} = 0.0005389601 \cdot 10^{40}$$

$$1 \frac{\text{m}^2 \text{ K}}{\text{s}} = 14566.85 \cdot 10^{-10}$$

$$1 \frac{\text{m}^2 \text{ K}}{\text{s}^2} = 39.37085 \cdot 10^{-50}$$

$$1 \text{ m}^2 \text{ s K} = 0.1994103 \cdot 10^{80} \quad (*)$$

$$1 \frac{\text{K}}{\text{m}} = 28671.21 \cdot 10^{-70}$$

$$1 \frac{\text{K}}{\text{m s}} = 77.49170 \cdot 10^{-110}$$

$$1 \frac{\text{K}}{\text{m s}^2} = 0.2094422 \cdot 10^{-150}$$

$$1 \frac{\text{sK}}{\text{m}} = 0.001060808 \cdot 10^{-20}$$

$$1 \frac{\text{K}}{\text{m}^2} = 2.323143 \cdot 10^{-100}$$

$$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.006278921 \cdot 10^{-140}$$

$$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 0.00001697048 \cdot 10^{-180}$$

$$1 \frac{\text{sK}}{\text{m}^2} = 859.5413 \cdot 10^{-60}$$

$$1 \frac{\text{K}}{\text{m}^3} = 0.0001882373 \cdot 10^{-130}$$

$$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 5087.622 \cdot 10^{-180}$$

$$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 13.75067 \cdot 10^{-220}$$

$$1 \frac{\text{sK}}{\text{m}^3} = 0.06964606 \cdot 10^{-90}$$

$$1 \text{ kg K} = 0.0008150619 \cdot 10^{-20}$$

$$1 \frac{\text{kg K}}{\text{s}} = 22029.25 \cdot 10^{-70}$$

$$1 \frac{\text{kg K}}{\text{s}^2} = 59.54000 \cdot 10^{-110} \quad (**)$$

$$1 \text{ kg s K} = 0.3015654 \cdot 10^{20}$$

$$1 \text{ kg m K} = 10.05914 \cdot 10^{10}$$

$$1 \frac{\text{kg m K}}{\text{s}} = 0.02718754 \cdot 10^{-30}$$

$$1 \frac{\text{kg m K}}{\text{s}^2} = 734816.7 \cdot 10^{-80}$$

$$1 \text{ kg m s K} = 3721.788 \cdot 10^{50}$$

$$1 \text{ kg m}^2 \text{ K} = 124145.5 \cdot 10^{40}$$

$$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}} = 335.5367 \cdot 10^0$$

$$1 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2} = 0.9068787 \cdot 10^{-40}$$

$$1 \text{ kg m}^2 \text{ s K} = 0.004593269 \cdot 10^{90}$$

$$1 \frac{\text{kg K}}{\text{m}} = 660.4203 \cdot 10^{-60}$$

$$1 \frac{\text{kg K}}{\text{m s}} = 1.784964 \cdot 10^{-100}$$

$$1 \frac{\text{kg K}}{\text{m s}^2} = 0.004824348 \cdot 10^{-140}$$

$$1 \frac{\text{kg s K}}{\text{m}} = 244349.4 \cdot 10^{-20}$$

$$1 \frac{\text{kg K}}{\text{m}^2} = 0.05351188 \cdot 10^{-90}$$

$$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 0.0001446303 \cdot 10^{-130}$$

$$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 3909.025 \cdot 10^{-180}$$

$$1 \frac{\text{kg s K}}{\text{m}^2} = 19.79890 \cdot 10^{-50}$$

$$1 \frac{\text{kg K}}{\text{m}^3} = 43359.08 \cdot 10^{-130}$$

$$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 117.1896 \cdot 10^{-170}$$

$$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.3167366 \cdot 10^{-210}$$

$$1 \frac{\text{kg s K}}{\text{m}^3} = 0.001604246 \cdot 10^{-80}$$

$$1 \frac{\text{K}}{\text{C}} = 6.636574 \cdot 10^{-50}$$

$$1 \frac{\text{K}}{\text{s C}} = 0.01793714 \cdot 10^{-90}$$

$$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 484799.5 \cdot 10^{-140} \quad (*)$$

$$1 \frac{\text{sK}}{\text{C}} = 2455.471 \cdot 10^{-10}$$

$$1 \frac{\text{mK}}{\text{C}} = 81905.70 \cdot 10^{-20}$$

$$1 \frac{\text{mK}}{\text{s C}} = 221.3723 \cdot 10^{-60}$$

$$1 \frac{\text{mK}}{\text{s}^2 \text{C}} = 0.5983184 \cdot 10^{-100}$$

$$1 \frac{\text{msK}}{\text{C}} = 0.003030435 \cdot 10^{30}$$

$$1 \text{ ni' ubi-} \frac{L\Theta}{T^2} = 10^{-80} = 313.4695 \frac{\text{mK}}{\text{s}^2}$$

$$1 \text{ mu-LT}\Theta = 10^{50} = 61890.32 \text{ m s K}$$

$$1 \text{ vo-L}^2\Theta = 10^{40} = 1855.425 \text{ m}^2 \text{ K}$$

$$1 \frac{L^2\Theta}{T} = 1 = 686490.1 \frac{\text{m}^2 \text{ K}}{\text{s}}$$

$$1 \text{ ni' umu-} \frac{L^2\Theta}{T^2} = 10^{-50} = 0.02539950 \frac{\text{m}^2 \text{ K}}{\text{s}^2} \quad (*)$$

$$1 \text{ bi-L}^2T\Theta = 10^{80} = 5.014787 \text{ m}^2 \text{ s K}$$

$$1 \text{ ni'uxa-} \frac{\Theta}{L} = 10^{-60} = 348781.9 \frac{\text{K}}{\text{m}}$$

$$1 \text{ ni'upapa-} \frac{\Theta}{LT} = 10^{-110} = 0.01290461 \frac{\text{K}}{\text{m s}}$$

$$1 \text{ ni'upamu-} \frac{\Theta}{LT^2} = 10^{-150} = 4.774586 \frac{\text{K}}{\text{m s}^2}$$

$$1 \text{ ni'ure-} \frac{T\Theta}{L} = 10^{-20} = 942.6773 \frac{\text{sK}}{\text{m}}$$

$$1 \text{ ni'upano-} \frac{\Theta}{L^2} = 10^{-100} = 0.4304514 \frac{\text{K}}{\text{m}^2}$$

$$1 \text{ ni'upavo-} \frac{\Theta}{L^2 T} = 10^{-140} = 159.2630 \frac{\text{K}}{\text{m}^2 \text{s}}$$

$$1 \text{ ni'upabi-} \frac{\Theta}{L^2 T^2} = 10^{-180} = 58925.86 \frac{\text{K}}{\text{m}^2 \text{s}^2}$$

$$1 \text{ ni'uxa-} \frac{T\Theta}{L^2} = 10^{-60} = 0.001163411 \frac{\text{sK}}{\text{m}^2}$$

$$1 \text{ ni'upaci-} \frac{\Theta}{L^3} = 10^{-130} = 5312.443 \frac{\text{K}}{\text{m}^3}$$

$$1 \text{ ni'upabi-} \frac{\Theta}{L^3 T} = 10^{-180} = 0.0001965555 \frac{\text{K}}{\text{m}^3 \text{s}}$$

$$1 \text{ ni'urere-} \frac{\Theta}{L^3 T^2} = 10^{-220} = 0.07272372 \frac{\text{K}}{\text{m}^3 \text{s}^2}$$

$$1 \text{ ni'uso-} \frac{T\Theta}{L^3} = 10^{-90} = 14.35831 \frac{\text{sK}}{\text{m}^3}$$

$$1 \text{ ni'ure-M}\Theta = 10^{-20} = 1226.901 \text{ kg K}$$

$$1 \text{ ni'uxa-} \frac{M\Theta}{T} = 10^{-60} = 453941.9 \frac{\text{kg K}}{\text{s}}$$

$$1 \text{ ni'upapa-} \frac{M\Theta}{T^2} = 10^{-110} = 0.01679543 \frac{\text{kg K}}{\text{s}^2}$$

$$1 \text{ re-MT}\Theta = 10^{20} = 3.316031 \text{ kg s K}$$

$$1 \text{ pa-ML}\Theta = 10^{10} = 0.09941209 \text{ kg m K} \quad (*)$$

$$1 \text{ ni'uci-} \frac{ML\Theta}{T} = 10^{-30} = 36.78156 \frac{\text{kg m K}}{\text{s}}$$

$$1 \text{ ni'uze-} \frac{ML\Theta}{T^2} = 10^{-70} = 13608.84 \frac{\text{kg m K}}{\text{s}^2}$$

$$1 \text{ mu-MLT}\Theta = 10^{50} = 0.0002686880 \text{ kg m s K}$$

$$1 \text{ mu-ML}^2\Theta = 10^{50} = 80550.65 \text{ kg m}^2 \text{ K}$$

$$1 \frac{ML^2\Theta}{T} = 1 = 0.002980300 \frac{\text{kg m}^2 \text{ K}}{\text{s}} \quad (*)$$

$$1 \text{ ni'uvo-} \frac{ML^2\Theta}{T^2} = 10^{-40} = 1.102683 \frac{\text{kg m}^2 \text{ K}}{\text{s}^2}$$

$$1 \text{ so-ML}^2T\Theta = 10^{90} = 217.7099 \text{ kg m}^2 \text{ s K} \quad (*)$$

$$1 \text{ ni'uxa-} \frac{M\Theta}{L} = 10^{-60} = 0.001514187 \frac{\text{kg K}}{\text{m}}$$

$$1 \text{ ni'upano-} \frac{M\Theta}{LT} = 10^{-100} = 0.5602353 \frac{\text{kg K}}{\text{m s}}$$

$$1 \text{ ni'upavo-} \frac{M\Theta}{LT^2} = 10^{-140} = 207.2819 \frac{\text{kg K}}{\text{m s}^2}$$

$$1 \text{ ni'upa-} \frac{MT\Theta}{L} = 10^{-10} = 40925.00 \frac{\text{kg s K}}{\text{m}} \quad (*)$$

$$1 \text{ ni'uso-} \frac{M\Theta}{L^2} = 10^{-90} = 18.68744 \frac{\text{kg K}}{\text{m}^2}$$

$$1 \text{ ni'upaci-} \frac{M\Theta}{L^2 T} = 10^{-130} = 6914.180 \frac{\text{kg K}}{\text{m}^2 \text{s}}$$

$$1 \text{ ni'upabi-} \frac{M\Theta}{L^2 T^2} = 10^{-180} = 0.0002558183 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$$

$$1 \text{ ni'umu-} \frac{MT\Theta}{L^2} = 10^{-50} = 0.05050785 \frac{\text{kg s K}}{\text{m}^2}$$

$$1 \text{ ni'upare-} \frac{M\Theta}{L^3} = 10^{-120} = 230632.2 \frac{\text{kg K}}{\text{m}^3}$$

$$1 \text{ ni'upaze-} \frac{M\Theta}{L^3 T} = 10^{-170} = 0.008533179 \frac{\text{kg K}}{\text{m}^3 \text{s}}$$

$$1 \text{ ni'urepa-} \frac{M\Theta}{L^3 T^2} = 10^{-210} = 3.157197 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$$

$$1 \text{ ni'ubi-} \frac{MT\Theta}{L^3} = 10^{-80} = 623.3458 \frac{\text{kg s K}}{\text{m}^3}$$

$$1 \text{ ni'umu-} \frac{\Theta}{Q} = 10^{-50} = 0.1506801 \frac{\text{K}}{\text{C}}$$

$$1 \text{ ni'uso-} \frac{\Theta}{TQ} = 10^{-90} = 55.75026 \frac{\text{K}}{\text{s C}}$$

$$1 \text{ ni'upaci-} \frac{\Theta}{T^2 Q} = 10^{-130} = 20627.08 \frac{\text{K}}{\text{s}^2 \text{C}}$$

$$1 \text{ ni'upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.0004072538 \frac{\text{sK}}{\text{C}}$$

$$1 \text{ ni'ure-} \frac{L\Theta}{Q} = 10^{-20} = 0.00001220916 \frac{\text{mK}}{\text{C}}$$

$$1 \text{ ni'uxa-} \frac{L\Theta}{TQ} = 10^{-60} = 0.004517277 \frac{\text{mK}}{\text{s C}}$$

$$1 \text{ ni'upano-} \frac{L\Theta}{T^2 Q} = 10^{-100} = 1.671351 \frac{\text{mK}}{\text{s}^2 \text{C}}$$

$$1 \text{ ci-} \frac{LT\Theta}{Q} = 10^{30} = 329.9856 \frac{\text{m s K}}{\text{C}}$$

$1 \frac{m^2 K}{C} = 0.1010844 \cdot 10^{20}$	$1 re - \frac{L^2 \Theta}{Q} = 10^{20} = 9.892719 \frac{m^2 K}{C}$
$1 \frac{m^2 K}{s C} = 0.0002732080 \cdot 10^{-20}$	$1 ni'ure - \frac{L^2 \Theta}{T Q} = 10^{-20} = 3660.215 \frac{m^2 K}{s C}$
$1 \frac{m^2 K}{s^2 C} = 7384.185 \cdot 10^{-70}$	$1 ni'uze - \frac{L^2 \Theta}{T^2 Q} = 10^{-70} = 0.0001354246 \frac{m^2 K}{s^2 C}$
$1 \frac{m^2 s K}{C} = 37.40031 \cdot 10^{60} \quad (*)$	$1 xa - \frac{L^2 T \Theta}{Q} = 10^{60} = 0.02673775 \frac{m^2 s K}{C}$
$1 \frac{K}{m C} = 0.0005377418 \cdot 10^{-80}$	$1 ni'ubi - \frac{\Theta}{L Q} = 10^{-80} = 1859.629 \frac{K}{m C}$
$1 \frac{K}{m s C} = 14533.92 \cdot 10^{-130}$	$1 ni'upare - \frac{\Theta}{L T Q} = 10^{-120} = 688045.4 \frac{K}{m s C}$
$1 \frac{K}{m s^2 C} = 39.28186 \cdot 10^{-170}$	$1 ni'upaze - \frac{\Theta}{L T^2 Q} = 10^{-170} = 0.02545704 \frac{K}{m s^2 C}$
$1 \frac{s K}{m C} = 0.1989595 \cdot 10^{-40}$	$1 ni'uvu - \frac{T \Theta}{L Q} = 10^{-40} = 5.026149 \frac{s K}{m C}$
$1 \frac{K}{m^2 C} = 435.7161 \cdot 10^{-120}$	$1 ni'upare - \frac{\Theta}{L^2 Q} = 10^{-120} = 0.002295072 \frac{K}{m^2 C}$
$1 \frac{K}{m^2 s C} = 1.177640 \cdot 10^{-160}$	$1 ni'upaxa - \frac{\Theta}{L^2 T Q} = 10^{-160} = 0.8491556 \frac{K}{m^2 s C}$
$1 \frac{K}{m^2 s^2 C} = 0.003182891 \cdot 10^{-200}$	$1 ni'ureno - \frac{\Theta}{L^2 T^2 Q} = 10^{-200} = 314.1797 \frac{K}{m^2 s^2 C}$
$1 \frac{s K}{m^2 C} = 161210.9 \cdot 10^{-80}$	$1 ni'uze - \frac{T \Theta}{L^2 Q} = 10^{-70} = 62030.53 \frac{s K}{m^2 C}$
$1 \frac{K}{m^3 C} = 0.03530477 \cdot 10^{-150}$	$1 ni'upamu - \frac{\Theta}{L^3 Q} = 10^{-150} = 28.32478 \frac{K}{m^3 C}$
$1 \frac{K}{m^3 s C} = 954206.9 \cdot 10^{-200}$	$1 ni'upaso - \frac{\Theta}{L^3 T Q} = 10^{-190} = 10479.91 \frac{K}{m^3 s C}$
$1 \frac{K}{m^3 s^2 C} = 2579.002 \cdot 10^{-240} \quad (*)$	$1 ni'urevo - \frac{\Theta}{L^3 T^2 Q} = 10^{-240} = 0.0003877469 \frac{K}{m^3 s^2 C}$
$1 \frac{s K}{m^3 C} = 13.06244 \cdot 10^{-110}$	$1 ni'upapa - \frac{T \Theta}{L^3 Q} = 10^{-110} = 0.07655538 \frac{s K}{m^3 C}$
$1 \frac{kg K}{C} = 0.1528686 \cdot 10^{-40}$	$1 ni'uvu - \frac{M \Theta}{Q} = 10^{-40} = 6.541565 \frac{kg K}{C}$
$1 \frac{kg K}{s C} = 0.0004131687 \cdot 10^{-80}$	$1 ni'ubi - \frac{M \Theta}{T Q} = 10^{-80} = 2420.319 \frac{kg K}{s C}$
$1 \frac{kg K}{s^2 C} = 11167.00 \cdot 10^{-130} \quad (*)$	$1 ni'upare - \frac{M \Theta}{T^2 Q} = 10^{-120} = 895495.6 \frac{kg K}{s^2 C}$
$1 \frac{kg s K}{C} = 56.55998 \cdot 10^0 \quad (*)$	$1 \frac{MT \Theta}{Q} = 1 = 0.01768035 \frac{kg s K}{C}$
$1 \frac{kg m K}{C} = 1886.638 \cdot 10^{-10}$	$1 ni'upa - \frac{ML \Theta}{Q} = 10^{-10} = 0.0005300435 \frac{kg m K}{C} \quad (*)$
$1 \frac{kg m K}{s C} = 5.099148 \cdot 10^{-50} \quad (*)$	$1 ni'umu - \frac{ML \Theta}{T Q} = 10^{-50} = 0.1961112 \frac{kg m K}{s C}$
$1 \frac{kg m K}{s^2 C} = 0.01378183 \cdot 10^{-90}$	$1 ni'uso - \frac{ML \Theta}{T^2 Q} = 10^{-90} = 72.55933 \frac{kg m K}{s^2 C}$
$1 \frac{kg m s K}{C} = 0.00006980385 \cdot 10^{40}$	$1 vo - \frac{MLT \Theta}{Q} = 10^{40} = 14325.86 \frac{kg m s K}{C}$
$1 \frac{kg m^2 K}{C} = 0.002328406 \cdot 10^{30}$	$1 ci - \frac{ML^2 \Theta}{Q} = 10^{30} = 429.4784 \frac{kg m^2 K}{C}$
$1 \frac{kg m^2 K}{s C} = 62931.46 \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2 \Theta}{T Q} = 10^{-20} = 0.00001589030 \frac{kg m^2 K}{s C}$
$1 \frac{kg m^2 K}{s^2 C} = 170.0893 \cdot 10^{-60}$	$1 ni'uxa - \frac{ML^2 \Theta}{T^2 Q} = 10^{-60} = 0.005879266 \frac{kg m^2 K}{s^2 C}$
$1 \frac{kg m^2 s K}{C} = 0.8614887 \cdot 10^{70}$	$1 ze - \frac{ML^2 T \Theta}{Q} = 10^{70} = 1.160781 \frac{kg m^2 s K}{C}$
$1 \frac{kg K}{m C} = 123864.9 \cdot 10^{-80}$	$1 ni'uze - \frac{M \Theta}{L Q} = 10^{-70} = 80733.14 \frac{kg K}{m C}$
$1 \frac{kg K}{m s C} = 334.7783 \cdot 10^{-120}$	$1 ni'upare - \frac{M \Theta}{L T Q} = 10^{-120} = 0.002987052 \frac{kg K}{m s C}$
$1 \frac{kg K}{m s^2 C} = 0.9048287 \cdot 10^{-160}$	$1 ni'upaxa - \frac{M \Theta}{L T^2 Q} = 10^{-160} = 1.105182 \frac{kg K}{m s^2 C}$
$1 \frac{kg s K}{m C} = 0.004582886 \cdot 10^{-30}$	$1 ni'uci - \frac{MT \Theta}{L Q} = 10^{-30} = 218.2031 \frac{kg s K}{m C}$
$1 \frac{kg K}{m^2 C} = 10.03640 \cdot 10^{-110}$	$1 ni'upapa - \frac{M \Theta}{L^2 Q} = 10^{-110} = 0.09963732 \frac{kg K}{m^2 C} \quad (*)$
$1 \frac{kg K}{m^2 s C} = 0.02712608 \cdot 10^{-150}$	$1 ni'upamu - \frac{M \Theta}{L^2 T Q} = 10^{-150} = 36.86489 \frac{kg K}{m^2 s C}$
$1 \frac{kg K}{m^2 s^2 C} = 733155.7 \cdot 10^{-200}$	$1 ni'upaso - \frac{M \Theta}{L^2 T^2 Q} = 10^{-190} = 13639.67 \frac{kg K}{m^2 s^2 C}$
$1 \frac{kg s K}{m^2 C} = 3713.375 \cdot 10^{-70}$	$1 ni'uze - \frac{MT \Theta}{L^2 Q} = 10^{-70} = 0.0002692968 \frac{kg s K}{m^2 C}$
$1 \frac{kg K}{m^3 C} = 0.0008132195 \cdot 10^{-140}$	$1 ni'upavo - \frac{M \Theta}{L^3 Q} = 10^{-140} = 1229.680 \frac{kg K}{m^3 C}$
$1 \frac{kg K}{m^3 s C} = 21979.45 \cdot 10^{-190}$	$1 ni'upabi - \frac{M \Theta}{L^3 T Q} = 10^{-180} = 454970.4 \frac{kg K}{m^3 s C}$
$1 \frac{kg K}{m^3 s^2 C} = 59.40541 \cdot 10^{-230}$	$1 ni'ureci - \frac{M \Theta}{L^3 T^2 Q} = 10^{-230} = 0.01683348 \frac{kg K}{m^3 s^2 C}$
$1 \frac{kg s K}{m^3 C} = 0.3008837 \cdot 10^{-100} \quad (*)$	$1 ni'upano - \frac{MT \Theta}{L^3 Q} = 10^{-100} = 3.323543 \frac{kg s K}{m^3 C}$
$1 CK = 0.0001886638 \cdot 10^{-10}$	$1 ni'upa - Q \Theta = 10^{-10} = 5300.435 CK \quad (*)$
$1 \frac{CK}{s} = 5099.148 \cdot 10^{-60} \quad (*)$	$1 ni'uxa - \frac{Q \Theta}{T} = 10^{-60} = 0.0001961112 \frac{CK}{s}$
$1 \frac{CK}{s^2} = 13.78183 \cdot 10^{-100}$	$1 ni'upano - \frac{Q \Theta}{T^2} = 10^{-100} = 0.07255933 \frac{CK}{s^2}$
$1 s CK = 0.06980385 \cdot 10^{30}$	$1 ci - T Q \Theta = 10^{30} = 14.32586 s CK$
$1 m CK = 2.328406 \cdot 10^{20}$	$1 re - L Q \Theta = 10^{20} = 0.4294784 m CK$
$1 \frac{m CK}{s} = 0.006293146 \cdot 10^{-20}$	$1 ni'ure - \frac{L Q \Theta}{T} = 10^{-20} = 158.9030 \frac{m CK}{s}$
$1 \frac{m CK}{s^2} = 0.00001700893 \cdot 10^{-60} \quad (*)$	$1 ni'uxa - \frac{L Q \Theta}{T^2} = 10^{-60} = 58792.66 \frac{m CK}{s^2}$

$1 \text{ m s CK} = 861.4887 \cdot 10^{60}$	$1 \text{ xa-LTQ}\Theta = 10^{60} = 0.001160781 \text{ m s CK}$
$1 \text{ m}^2 \text{ CK} = 28736.17 \cdot 10^{50}$	$1 \text{ xa-L}^2\text{Q}\Theta = 10^{60} = 347993.5 \text{ m}^2 \text{ CK} \quad (*)$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}} = 77.66726 \cdot 10^{10}$	$1 \text{ pa-} \frac{L^2 Q \Theta}{T} = 10^{10} = 0.01287544 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ CK}}{\text{s}^2} = 0.2099168 \cdot 10^{-30} \quad (*)$	$1 \text{ ni'uci-} \frac{L^2 Q \Theta}{T^2} = 10^{-30} = 4.763793 \frac{\text{m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{ m}^2 \text{ s CK} = 0.001063212 \cdot 10^{100}$	$1 \text{ pano-L}^2\text{TQ}\Theta = 10^{100} = 940.5464 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{CK}}{\text{m}} = 152.8686 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{Q \Theta}{L} = 10^{-50} = 0.006541565 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m s}} = 0.4131687 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{Q \Theta}{LT} = 10^{-90} = 2.420319 \frac{\text{CK}}{\text{m s}}$
$1 \frac{\text{CK}}{\text{m s}^2} = 0.001116700 \cdot 10^{-130} \quad (*)$	$1 \text{ ni'upaci-} \frac{Q \Theta}{LT^2} = 10^{-130} = 895.4956 \frac{\text{CK}}{\text{m s}^2}$
$1 \frac{\text{s CK}}{\text{m}} = 56559.98 \cdot 10^{-10}$	$1 \frac{TQ\Theta}{L} = 1 = 176803.5 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.01238649 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q \Theta}{L^2} = 10^{-80} = 80.73314 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 0.00003347783 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{Q \Theta}{L^2 T} = 10^{-120} = 29870.52 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 904.8287 \cdot 10^{-170}$	$1 \text{ ni'upaze-} \frac{Q \Theta}{L^2 T^2} = 10^{-170} = 0.001105182 \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^2} = 4.582886 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{TQ\Theta}{L^2} = 10^{-40} = 0.2182031 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 10036.40 \cdot 10^{-120} \quad (*)$	$1 \text{ ni'upare-} \frac{Q \Theta}{L^3} = 10^{-120} = 0.00009963732 \frac{\text{CK}}{\text{m}^3} \quad (*)$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 27.12608 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{Q \Theta}{L^3 T} = 10^{-160} = 0.03686489 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.07331557 \cdot 10^{-200}$	$1 \text{ ni'ureno-} \frac{Q \Theta}{L^3 T^2} = 10^{-200} = 13.63967 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^3} = 0.0003713375 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{TQ\Theta}{L^3} = 10^{-70} = 2692.968 \frac{\text{s CK}}{\text{m}^3}$
$1 \text{ kg CK} = 43457.31 \cdot 10^{-10}$	$1 MQ\Theta = 1 = 230110.9 \text{ kg CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 117.4551 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MQ\Theta}{T} = 10^{-50} = 0.008513890 \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 0.3174542 \cdot 10^{-90}$	$1 \text{ ni'uso-} \frac{MQ\Theta}{T^2} = 10^{-90} = 3.150061 \frac{\text{kg CK}}{\text{s}^2} \quad (*)$
$1 \text{ kg s CK} = 0.001607880 \cdot 10^{40}$	$1 \text{ vo-MTQ}\Theta = 10^{40} = 621.9368 \text{ kg s CK}$
$1 \text{ kg m CK} = 0.05363312 \cdot 10^{30}$	$1 \text{ ci-MLQ}\Theta = 10^{30} = 18.64520 \text{ kg m CK}$
$1 \frac{\text{kg m CK}}{\text{s}} = 0.0001449580 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{MLQ\Theta}{T} = 10^{-10} = 6898.550 \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}^2} = 3917.881 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{MLQ\Theta}{T^2} = 10^{-60} = 0.0002552400 \frac{\text{kg m CK}}{\text{s}^2} \quad (*)$
$1 \text{ kg m s CK} = 19.84376 \cdot 10^{70}$	$1 \text{ ze-MLTQ}\Theta = 10^{70} = 0.05039368 \text{ kg m s CK}$
$1 \text{ kg m}^2 \text{ CK} = 661.9165 \cdot 10^{60}$	$1 \text{ xa-ML}^2\text{Q}\Theta = 10^{60} = 0.001510764 \text{ kg m}^2 \text{ CK}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} = 1.789008 \cdot 10^{20} \quad (*)$	$1 \text{ re-} \frac{ML^2Q\Theta}{T} = 10^{20} = 0.5589689 \frac{\text{kg m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} = 0.004835278 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} = 10^{-20} = 206.8133 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{ kg m}^2 \text{ s CK} = 244903.0 \cdot 10^{100}$	$1 \text{ papa-ML}^2\text{TQ}\Theta = 10^{110} = 40832.49 \text{ kg m}^2 \text{ s CK}$
$1 \frac{\text{kg CK}}{\text{m}} = 3.521216 \cdot 10^{-40}$	$1 \text{ ni'ovo-} \frac{MQ\Theta}{L} = 10^{-40} = 0.2839928 \frac{\text{kg CK}}{\text{m}} \quad (*)$
$1 \frac{\text{kg CK}}{\text{m s}} = 0.009517038 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{MQ\Theta}{LT} = 10^{-80} = 105.0747 \frac{\text{kg CK}}{\text{m s}}$
$1 \frac{\text{kg CK}}{\text{m s}^2} = 0.00002572237 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{MQ\Theta}{LT^2} = 10^{-120} = 38876.67 \frac{\text{kg CK}}{\text{m s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}} = 1302.817 \cdot 10^0$	$1 \frac{MTQ\Theta}{L} = 1 = 0.0007675672 \frac{\text{kg s CK}}{\text{m}}$
$1 \frac{\text{kg CK}}{\text{m}^2} = 0.0002853136 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{MQ\Theta}{L^2} = 10^{-70} = 3504.915 \frac{\text{kg CK}}{\text{m}^2}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} = 7711.371 \cdot 10^{-120}$	$1 \text{ ni'upare-} \frac{MQ\Theta}{L^2 T} = 10^{-120} = 0.0001296786 \frac{\text{kg CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} = 20.84206 \cdot 10^{-160}$	$1 \text{ ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} = 10^{-160} = 0.04797989 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^2} = 0.1055634 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} = 10^{-30} = 9.472980 \frac{\text{kg s CK}}{\text{m}^2}$
$1 \frac{\text{kg CK}}{\text{m}^3} = 231.1811 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{MQ\Theta}{L^3} = 10^{-110} = 0.004325613 \frac{\text{kg CK}}{\text{m}^3}$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} = 0.6248294 \cdot 10^{-150}$	$1 \text{ ni'upamu-} \frac{MQ\Theta}{L^3 T} = 10^{-150} = 1.600437 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*)$
$1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} = 0.001688770 \cdot 10^{-190}$	$1 \text{ ni'upaso-} \frac{MQ\Theta}{L^3 T^2} = 10^{-190} = 592.1469 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}^3} = 85534.87 \cdot 10^{-70}$	$1 \text{ ni'uxa-} \frac{MTQ\Theta}{L^3} = 10^{-60} = 116911.4 \frac{\text{kg s CK}}{\text{m}^3}$

### 11.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\text{Proton mass} = 38.52762 \cdot 10^{-20}$$

$$\text{Electron mass} = 0.02098280 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.08542454 \cdot 10^0$$

$$1 \text{ ni'ure-} M = 10^{-20} = 0.02595541 m_p$$

$$1 \text{ ni'ure-} M = 10^{-20} = 47.65809 m_e$$

$$1 Q = 1 = 11.70624 e$$

$\text{\AA}^{31} = 12341.56 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.00008102701 \text{\AA}$
Bohr radius <sup>32</sup> = $6530.874 \cdot 10^{20}$	$1 \text{ re-}L = 10^{20} = 0.0001531189 a_0$
Fine structure constant <sup>33</sup> = $0.007297353 \cdot 10^0$	$1 = 1 = 137.0360 \alpha$
Rydberg Energy <sup>34</sup> = $5586.811 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.0001789930 Ry \quad (*)$
$ \psi_{100}(0) ^2^{35} = 0.01142710 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{1}{L^3} = 10^{-70} = 87.51124 \rho_{\max}$
eV = $410.6231 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{ML^2}{T^2} = 10^{-30} = 0.002435323 \text{ eV}$
$\hbar^{36} = 1.000000 \quad (***)$	$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$
$\lambda_{\text{yellow}} = 0.007096399 \cdot 10^{30} \quad (*)$	$1 \text{ ci-}L = 10^{30} = 140.9165 \cdot \lambda_{\text{yellow}}$
$k_{\text{yellow}}^{37} = 885.4047 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 0.001129427 \cdot k_{\text{yellow}}$
$k_{\text{X-Ray}}^{38} = 4829.820 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 0.0002070471 \cdot k_{\text{X-Ray}}$
Earth g = $0.02036495 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{ML}{T^2} = 10^{-40} = 49.10396 \cdot \text{Earth g}$
cm = $123.4156 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.008102701 \text{ cm}$
min = $22199.45 \cdot 10^{40} \quad (*)$	$1 \text{ vo-}T = 10^{40} = 0.00004504617 \text{ min}$
hour = $0.0001331967 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 7507.695 \text{ h}$
Liter = $0.1879795 \cdot 10^{100}$	$1 \text{ pano-}L^3 = 10^{100} = 5.319728 l$
Area of a soccer field = $108.7523 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.009195205 A$
$100 \text{ m}^2^{39} = 1.523142 \cdot 10^{70}$	$1 \text{ ze-}L^2 = 10^{70} = 0.6565376 \cdot 100 \text{ m}^2$
km/h = $9.265669 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.1079253 \text{ km/h}$
mi/h = $14.91165 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.06706166 \text{ mi/h}$
inch <sup>40</sup> = $313.4757 \cdot 10^{30}$	$1 \text{ ci-}L = 10^{30} = 0.003190040 \text{ in} \quad (*)$
mile = $0.001986128 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 503.4923 \text{ mi}$
pound = $0.01044817 \cdot 10^{10}$	$1 \text{ pa-}M = 10^{10} = 95.71057 \text{ pound}$
horsepower = $51.65427 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{ML^2}{T^3} = 10^{-50} = 0.01935948 \text{ horsepower}$
kcal = $0.00001073038 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 93193.33 \text{ kcal}$
kWh = $0.009226467 \cdot 10^0$	$1 \frac{ML^2}{T^2} = 1 = 108.3838 \text{ kWh}$
Typical household electric field = $2.991547 \cdot 10^{-60} \quad (*)$	$1 \text{ ni'uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 0.3342752 E_H$
<i>Earthmagneticfield</i> = $5604.701 \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{M}{T Q} = 10^{-60} = 0.0001784217 \cdot \text{Earthmagneticfield}$
Height of an average man <sup>41</sup> = $21844.57 \cdot 10^{30}$	$1 \text{ vo-}L = 10^{40} = 457779.7 \bar{h}$
Mass of an average man = $1.612399 \cdot 10^{10} \quad (*)$	$1 \text{ pa-}M = 10^{10} = 0.6201941 \bar{m}$
Age of the Universe = $0.002451914 \cdot 10^{60}$	$1 \text{ xa-}T = 10^{60} = 407.8447 t_U$
Size of the observable Universe = $10.86058 \cdot 10^{60}$	$1 \text{ xa-}L = 10^{60} = 0.09207615 l_U$
Average density of the Universe = $12131.07 \cdot 10^{-130}$	$1 \text{ ni'upare-} \frac{M}{L^3} = 10^{-120} = 824329.8 \rho_U$
Earth mass = $1375.606 \cdot 10^{30}$	$1 \text{ ci-}M = 10^{30} = 0.0007269522 m_E$
Sun mass <sup>42</sup> = $0.04581331 \cdot 10^{40}$	$1 \text{ vo-}M = 10^{40} = 21.82772 m_S$
Year = $1.167578 \cdot 10^{50}$	$1 \text{ mu-}T = 10^{50} = 0.8564738 y$
Speed of Light = $1.000000 \quad (***)$	$1 \frac{L}{T} = 1 = 1.000000 c \quad (***)$
Parsec = $3.808236 \cdot 10^{50}$	$1 \text{ mu-}L = 10^{50} = 0.2625888 \text{ pc}$
Astronomical unit = $184627.2 \cdot 10^{40}$	$1 \text{ mu-}L = 10^{50} = 54163.21 \text{ au}$
Earth radius = $7.862810 \cdot 10^{40}$	$1 \text{ vo-}L = 10^{40} = 0.1271810 r_E$

<sup>31</sup>Length in atomic and solid state physics,  $1/10 \text{ nm}$ <sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$ <sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$ <sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)<sup>37</sup> $\frac{\pi}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval<sup>39</sup>Size of a home<sup>40</sup>36 in = 1 yd = 3 ft<sup>41</sup>in developed countries<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

$$\text{Distance Earth-Moon} = 474.4097 \cdot 10^{40}$$

$$\text{Momentum of someone walking}^{43} = 1002.684 \cdot 10^0 \quad (*)$$

$$\text{Stefan-Boltzmann constant} = 0.1644934 \cdot 10^0$$

$$\text{mol} = 6022.141 \cdot 10^{20}$$

$$\text{Standard temperature}^{44} = 9.665347 \cdot 10^{-30}$$

$$\text{Room - standard temperature}^{45} = 0.7076952 \cdot 10^{-30}$$

$$\text{atm} = 13814.62 \cdot 10^{-110}$$

$$c_s = 11441.25 \cdot 10^{-10}$$

$$\mu_0 = 12.56637 \cdot 10^0$$

$$G = 0.03978874 \cdot 10^0$$

$$1 \text{ vo-}L = 10^{40} = 0.002107883 d_M$$

$$1 \frac{ML}{T} = 1 = 0.0009973230 \cdot \text{Momentum of someone walking}$$

$$1 \frac{M}{T^3 \Theta^4} = 1 = 6.079271 \frac{\pi^2}{60} = \sigma$$

$$1 \text{ re-} = 10^{20} = 0.0001660539 \text{ mol}$$

$$1 \text{ ni'uci-} \Theta = 10^{-30} = 0.1034624 T_0$$

$$1 \text{ ni'uci-} \Theta = 10^{-30} = 1.413038 \Theta_R$$

$$1 \text{ ni'upano-} \frac{M}{LT^2} = 10^{-100} = 723870.7 \text{ atm}$$

$$1 \frac{L}{T} = 1 = 874030.5 \cdot c_s$$

$$1 \frac{ML}{Q^2} = 1 = 0.07957747 \cdot \mu_0$$

$$1 \frac{L^3}{MT^2} = 1 = 25.13274 \cdot G$$

### Extensive list of SI units

$1 = 1.000000$	(***)
$1 \frac{1}{\text{s}} = 0.002702770 \cdot 10^{-40}$	
$1 \frac{1}{\text{s}^2} = 73049.67 \cdot 10^{-90}$	
$1 \text{ s} = 369.9908 \cdot 10^{40}$	(*)
$1 \text{ m} = 12341.56 \cdot 10^{30}$	
$1 \frac{\text{m}}{\text{s}} = 33.35641 \cdot 10^{-10}$	
$1 \frac{\text{m}}{\text{s}^2} = 0.09015471 \cdot 10^{-50}$	
$1 \text{ m s} = 0.0004566265 \cdot 10^{80}$	
$1 \text{ m}^2 = 0.01523142 \cdot 10^{70}$	
$1 \frac{\text{m}^2}{\text{s}} = 411670.2 \cdot 10^{20}$	
$1 \frac{\text{m}^2}{\text{s}^2} = 1112.650 \cdot 10^{-20}$	
$1 \text{ m}^2 \text{ s} = 5.635484 \cdot 10^{110}$	
$1 \frac{1}{\text{m}} = 810270.1 \cdot 10^{-40}$	
$1 \frac{1}{\text{m s}} = 2189.974 \cdot 10^{-80}$	
$1 \frac{1}{\text{m s}^2} = 5.918996 \cdot 10^{-120}$	(*)
$1 \frac{\text{s}}{\text{m}} = 0.02997925 \cdot 10^{10}$	(*)
$1 \frac{1}{\text{m}^2} = 65.65376 \cdot 10^{-70}$	
$1 \frac{1}{\text{m}^2 \text{s}} = 0.1774470 \cdot 10^{-110}$	
$1 \frac{1}{\text{m}^2 \text{s}^2} = 0.0004795986 \cdot 10^{-150}$	
$1 \frac{\text{s}}{\text{m}^2} = 24291.29 \cdot 10^{-30}$	
$1 \frac{1}{\text{m}^3} = 0.005319728 \cdot 10^{-100}$	
$1 \frac{1}{\text{m}^3 \text{s}} = 0.00001437800 \cdot 10^{-140}$	(*)
$1 \frac{1}{\text{m}^3 \text{s}^2} = 388.6044 \cdot 10^{-190}$	
$1 \frac{\text{s}}{\text{m}^3} = 1.968250 \cdot 10^{-60}$	
$1 \text{ kg} = 0.02303427 \cdot 10^{10}$	
$1 \frac{\text{kg}}{\text{s}} = 622563.2 \cdot 10^{-40}$	
$1 \frac{\text{kg}}{\text{s}^2} = 1682.645 \cdot 10^{-80}$	
$1 \text{ kg s} = 8.522465 \cdot 10^{50}$	
$1 \text{ kg m} = 284.2788 \cdot 10^{40}$	
$1 \frac{\text{kg m}}{\text{s}} = 0.7683404 \cdot 10^0$	
$1 \frac{\text{kg m}}{\text{s}^2} = 0.002076647 \cdot 10^{-40}$	
$1 \text{ kg m s} = 105180.5 \cdot 10^{80}$	
$1 \text{ kg m}^2 = 0.0003508445 \cdot 10^{80}$	
$1 \frac{\text{kg m}^2}{\text{s}} = 9482.522 \cdot 10^{30}$	

$1 = 1 = 1.000000$	(***)
$1 \text{ ni'uvo-} \frac{1}{T} = 10^{-40} = 369.9908 \frac{1}{\text{s}}$	(*)
$1 \text{ ni'ubi-} \frac{1}{T^2} = 10^{-80} = 136893.2 \frac{1}{\text{s}^2}$	
$1 \text{ vo-} T = 10^{40} = 0.002702770 \text{ s}$	
$1 \text{ vo-} L = 10^{40} = 810270.1 \text{ m}$	
$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.02997925 \frac{\text{m}}{\text{s}}$	(*)
$1 \text{ ni'umu-} \frac{L}{T^2} = 10^{-50} = 11.09204 \frac{\text{m}}{\text{s}^2}$	
$1 \text{ bi-} LT = 10^{80} = 2189.974 \text{ ms}$	
$1 \text{ ze-} L^2 = 10^{70} = 65.65376 \text{ m}^2$	
$1 \text{ ci-} \frac{L^2}{T} = 10^{30} = 24291.29 \frac{\text{m}^2}{\text{s}}$	
$1 \text{ ni'ure-} \frac{L^2}{T^2} = 10^{-20} = 0.0008987552 \frac{\text{m}^2}{\text{s}^2}$	
$1 \text{ papa-} L^2 T = 10^{110} = 0.1774470 \text{ m}^2 \text{s}$	
$1 \text{ ni'uci-} \frac{1}{L} = 10^{-30} = 12341.56 \frac{1}{\text{m}}$	
$1 \text{ ni'ubi-} \frac{1}{LT} = 10^{-80} = 0.0004566265 \frac{1}{\text{m s}}$	
$1 \text{ ni'upare-} \frac{1}{LT^2} = 10^{-120} = 0.1689476 \frac{1}{\text{m s}^2}$	
$1 \text{ pa-} \frac{T}{L} = 10^{10} = 33.35641 \frac{\text{s}}{\text{m}}$	
$1 \text{ ni'uze-} \frac{1}{L^2} = 10^{-70} = 0.01523142 \frac{1}{\text{m}^2}$	
$1 \text{ ni'upapa-} \frac{1}{L^2 T} = 10^{-110} = 5.635484 \frac{1}{\text{m}^2 \text{s}}$	
$1 \text{ ni'upamu-} \frac{1}{L^2 T^2} = 10^{-150} = 2085.077 \frac{1}{\text{m}^2 \text{s}^2}$	
$1 \text{ ni'ure-} \frac{T}{L^2} = 10^{-20} = 411670.2 \frac{\text{s}}{\text{m}^2}$	
$1 \text{ ni'upano-} \frac{1}{L^3} = 10^{-100} = 187.9795 \frac{1}{\text{m}^3}$	
$1 \text{ ni'upavo-} \frac{1}{L^3 T} = 10^{-140} = 69550.69 \frac{1}{\text{m}^3 \text{s}}$	
$1 \text{ ni'upaso-} \frac{1}{L^3 T^2} = 10^{-190} = 0.002573311 \frac{1}{\text{m}^3 \text{s}^2}$	
$1 \text{ ni'uxa-} \frac{T}{L^3} = 10^{-60} = 0.5080654 \frac{\text{s}}{\text{m}^3}$	
$1 \text{ pa-} M = 10^{10} = 43.41358 \text{ kg}$	
$1 \text{ ni'uci-} \frac{M}{T} = 10^{-30} = 16062.63 \frac{\text{kg}}{\text{s}}$	
$1 \text{ ni'ubi-} \frac{M}{T^2} = 10^{-80} = 0.0005943023 \frac{\text{kg}}{\text{s}^2}$	
$1 \text{ mu-} MT = 10^{50} = 0.1173369 \text{ kg s}$	
$1 \text{ vo-} ML = 10^{40} = 0.003517673 \text{ kg m}$	
$1 \frac{ML}{T} = 1 = 1.301507 \frac{\text{kg m}}{\text{s}}$	
$1 \text{ ni'uvo-} \frac{ML}{T^2} = 10^{-40} = 481.5454 \frac{\text{kg m}}{\text{s}^2}$	
$1 \text{ so-} ML T = 10^{90} = 95074.61 \text{ kg m s}$	
$1 \text{ bi-} ML^2 = 10^{80} = 2850.265 \text{ kg m}^2$	
$1 \text{ ci-} \frac{ML^2}{T} = 10^{30} = 0.0001054572 \frac{\text{kg m}^2}{\text{s}}$	

<sup>43</sup>p<sup>44</sup>0°C measured from absolute zero<sup>45</sup>20 °C

$1 \frac{\text{kg m}^2}{\text{s}^2} = 25.62908 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{ML^2}{T^2} = 10^{-10} = 0.03901818 \frac{\text{kg m}^2}{\text{s}^2}$
$1 \text{kg m}^2 \text{s} = 0.1298092 \cdot 10^{120}$	$1 \text{pare-} ML^2 T = 10^{120} = 7.703612 \text{ kg m}^2 \text{s}$
$1 \frac{\text{kg}}{\text{m}} = 18663.98 \cdot 10^{-30}$	$1 \text{ni}'\text{ure-} \frac{M}{L} = 10^{-20} = 535791.5 \frac{\text{kg}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m s}} = 50.44444 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{M}{LT} = 10^{-70} = 0.01982379 \frac{\text{kg}}{\text{m s}}$
$1 \frac{\text{kg}}{\text{m s}^2} = 0.1363397 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{M}{LT^2} = 10^{-110} = 7.334620 \frac{\text{kg}}{\text{m s}^2}$
$1 \frac{\text{kg s}}{\text{m}} = 0.0006905499 \cdot 10^{20} \quad (*)$	$1 \text{re-} \frac{MT}{L} = 10^{20} = 1448.121 \frac{\text{kg s}}{\text{m}}$
$1 \frac{\text{kg}}{\text{m}^2} = 1.512286 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{M}{L^2} = 10^{-60} = 0.6612505 \frac{\text{kg}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.004087362 \cdot 10^{-100}$	$1 \text{ni}'\text{upano-} \frac{M}{L^2 T} = 10^{-100} = 244.6566 \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.00001104720 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M}{L^2 T^2} = 10^{-140} = 90520.67 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 559.5319 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{MT}{L^3} = 10^{-20} = 0.001787208 \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.0001225360 \cdot 10^{-90}$	$1 \text{ni}'\text{uso-} \frac{M}{L^3} = 10^{-90} = 8160.865 \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 3311.867 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M}{L^3 T} = 10^{-140} = 0.0003019445 \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 8.951216 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi-} \frac{M}{L^3 T^2} = 10^{-180} = 0.1117167 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s}}{\text{m}^3} = 0.04533720 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{MT}{L^3} = 10^{-50} = 22.05694 \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{1}{\text{C}} = 187.5546 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{1}{Q} = 10^{-20} = 0.005331781 \frac{1}{\text{C}}$
$1 \frac{1}{\text{sC}} = 0.5069170 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{1}{TQ} = 10^{-60} = 1.972710 \frac{1}{\text{sC}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 0.001370080 \cdot 10^{-100} \quad (*)$	$1 \text{ni}'\text{upano-} \frac{1}{T^2 Q} = 10^{-100} = 729.8843 \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{C}} = 69393.47 \cdot 10^{20}$	$1 \text{re-} \frac{T}{Q} = 10^{20} = 0.00001441058 \frac{\text{s}}{\text{C}}$
$1 \frac{\text{m}}{\text{C}} = 0.0002314717 \cdot 10^{20}$	$1 \text{re-} \frac{L}{Q} = 10^{20} = 4320.182 \frac{\text{m}}{\text{C}}$
$1 \frac{\text{m}}{\text{sC}} = 6256.148 \cdot 10^{-30}$	$1 \text{ni}'\text{uci-} \frac{L}{TQ} = 10^{-30} = 0.0001598428 \frac{\text{m}}{\text{sC}}$
$1 \frac{\text{m}}{\text{s}^2 \text{C}} = 16.90893 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{L}{T^2 Q} = 10^{-70} = 0.05914035 \frac{\text{m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s}}{\text{C}} = 0.08564239 \cdot 10^{60}$	$1 \text{xa-} \frac{LT}{Q} = 10^{60} = 11.67646 \frac{\text{m s}}{\text{C}}$
$1 \frac{\text{m}^2}{\text{C}} = 2.856723 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2}{Q} = 10^{50} = 0.3500515 \frac{\text{m}^2}{\text{C}} \quad (*)$
$1 \frac{\text{m}^2}{\text{sC}} = 0.007721065 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2}{TQ} = 10^{10} = 129.5158 \frac{\text{m}^2}{\text{sC}}$
$1 \frac{\text{m}^2}{\text{s}^2 \text{C}} = 208682.6 \cdot 10^{-40}$	$1 \text{ni}'\text{uci-} \frac{L^2}{T^2 Q} = 10^{-30} = 47919.65 \frac{\text{m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s}}{\text{C}} = 1056.961 \cdot 10^{90}$	$1 \text{so-} \frac{L^2 T}{Q} = 10^{90} = 0.0009461087 \frac{\text{m}^2 \text{s}}{\text{C}}$
$1 \frac{1}{\text{mC}} = 0.01519699 \cdot 10^{-50} \quad (*)$	$1 \text{ni}'\text{umu-} \frac{1}{LQ} = 10^{-50} = 65.80251 \frac{1}{\text{mC}}$
$1 \frac{1}{\text{msC}} = 410739.7 \cdot 10^{-100}$	$1 \text{ni}'\text{uso-} \frac{1}{LTQ} = 10^{-90} = 24346.32 \frac{1}{\text{msC}}$
$1 \frac{1}{\text{m}^2 \text{C}} = 1110.135 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{1}{LT^2 Q} = 10^{-140} = 0.0009007914 \frac{1}{\text{ms}^2 \text{C}} \quad (*)$
$1 \frac{\text{s}}{\text{mC}} = 5.622746 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{T}{LQ} = 10^{-10} = 0.1778491 \frac{\text{s}}{\text{mC}}$
$1 \frac{1}{\text{m}^2 \text{C}} = 12313.67 \cdot 10^{-90}$	$1 \text{ni}'\text{ubi-} \frac{1}{L^2 Q} = 10^{-80} = 812105.8 \frac{1}{\text{m}^2 \text{C}}$
$1 \frac{1}{\text{m}^2 \text{sC}} = 33.28101 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci-} \frac{1}{L^2 TQ} = 10^{-130} = 0.03004717 \frac{1}{\text{m}^2 \text{sC}} \quad (*)$
$1 \frac{1}{\text{m}^2 \text{s}^2 \text{C}} = 0.08995092 \cdot 10^{-170} \quad (*)$	$1 \text{ni}'\text{upaze-} \frac{1}{L^2 T^2 Q} = 10^{-170} = 11.11717 \frac{1}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^2 \text{C}} = 0.0004555943 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{T}{L^2 Q} = 10^{-40} = 2194.935 \frac{\text{s}}{\text{m}^2 \text{C}}$
$1 \frac{1}{\text{m}^3 \text{C}} = 0.9977395 \cdot 10^{-120} \quad (*)$	$1 \text{ni}'\text{upare-} \frac{1}{L^3 Q} = 10^{-120} = 1.002266 \frac{1}{\text{m}^3 \text{C}} \quad (*)$
$1 \frac{1}{\text{m}^3 \text{sC}} = 0.002696661 \cdot 10^{-160}$	$1 \text{ni}'\text{upaxa-} \frac{1}{L^3 TQ} = 10^{-160} = 370.8290 \frac{1}{\text{m}^3 \text{sC}}$
$1 \frac{1}{\text{m}^3 \text{s}^2 \text{C}} = 72884.54 \cdot 10^{-210}$	$1 \text{ni}'\text{uren-} \frac{1}{L^3 T^2 Q} = 10^{-200} = 137203.3 \frac{1}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s}}{\text{m}^3 \text{C}} = 369.1544 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{T}{L^3 Q} = 10^{-80} = 0.002708894 \frac{\text{s}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{C}} = 4.320182 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{M}{Q} = 10^{-10} = 0.2314717 \frac{\text{kg}}{\text{C}}$
$1 \frac{\text{kg}}{\text{sC}} = 0.01167646 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{M}{TQ} = 10^{-50} = 85.64239 \frac{\text{kg}}{\text{sC}}$
$1 \frac{\text{kg}}{\text{s}^2 \text{C}} = 315587.9 \cdot 10^{-100}$	$1 \text{ni}'\text{uso-} \frac{M}{T^2 Q} = 10^{-90} = 31686.89 \frac{\text{kg}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{C}} = 1598.428 \cdot 10^{30}$	$1 \text{ci-} \frac{MT}{Q} = 10^{30} = 0.0006256148 \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{C}} = 53317.81 \cdot 10^{20}$	$1 \text{re-} \frac{ML}{Q} = 10^{20} = 0.00001875546 \frac{\text{kg m}}{\text{C}}$
$1 \frac{\text{kg m}}{\text{sC}} = 144.1058 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{ML}{TQ} = 10^{-20} = 0.006939347 \frac{\text{kg m}}{\text{sC}}$
$1 \frac{\text{kg m}}{\text{s}^2 \text{C}} = 0.3894848 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{ML}{T^2 Q} = 10^{-60} = 2.567494 \frac{\text{kg m}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg ms}}{\text{C}} = 0.001972710 \cdot 10^{70}$	$1 \text{ze-} \frac{MLT}{Q} = 10^{70} = 506.9170 \frac{\text{kg ms}}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 0.06580251 \cdot 10^{60}$	$1 \text{xa-} \frac{ML^2}{Q} = 10^{60} = 15.19699 \frac{\text{kg m}^2}{\text{C}} \quad (*)$
$1 \frac{\text{kg m}^2}{\text{sC}} = 0.0001778491 \cdot 10^{20}$	$1 \text{re-} \frac{ML^2}{TQ} = 10^{20} = 5622.746 \frac{\text{kg m}^2}{\text{sC}}$

$1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} = 4806.851 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{ML^2}{T^2 Q} = 10^{-30} = 0.0002080364 \frac{\text{kg m}^2}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{C}} = 24.34632 \cdot 10^{100}$	$1 \text{pano-} \frac{ML^2 T}{Q} = 10^{100} = 0.04107397 \frac{\text{kg m}^2 \text{s}}{\text{C}}$
$1 \frac{\text{kg}}{\text{m C}} = 0.0003500515 \cdot 10^{-40}$ (*)	$1 \text{ni'uvo-} \frac{M}{L Q} = 10^{-40} = 2856.723 \frac{\text{kg}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m s C}} = 9461.087 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{M}{LTQ} = 10^{-90} = 0.0001056961 \frac{\text{kg}}{\text{m s C}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{C}} = 25.57114 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{M}{LT^2 Q} = 10^{-130} = 0.03910658 \frac{\text{kg}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m C}} = 0.1295158 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 7.721065 \frac{\text{kg s}}{\text{m C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{C}} = 283.6362 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{M}{L^2 Q} = 10^{-80} = 0.003525643 \frac{\text{kg}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s C}} = 0.7666036 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{M}{L^2 T Q} = 10^{-120} = 1.304455 \frac{\text{kg}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} = 0.002071953 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{M}{L^2 T^2 Q} = 10^{-160} = 482.6364 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{C}} = 104942.8 \cdot 10^{-40}$	$1 \text{ni'uci-} \frac{MT}{L^2 Q} = 10^{-30} = 95290.01 \frac{\text{kg s}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{C}} = 0.02298220 \cdot 10^{-110}$	$1 \text{ni'upapa-} \frac{M}{L^3 Q} = 10^{-110} = 43.51194 \frac{\text{kg}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s C}} = 621156.0 \cdot 10^{-160}$	$1 \text{ni'upamu-} \frac{M}{L^3 T Q} = 10^{-150} = 16099.02 \frac{\text{kg}}{\text{m}^3 \text{s C}}$ (*)
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} = 1678.842 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{M}{L^3 T^2 Q} = 10^{-200} = 0.0005956487 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{C}} = 8.503201 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT}{L^3 Q} = 10^{-70} = 0.1176028 \frac{\text{kg s}}{\text{m}^3 \text{C}}$
$1 \text{C} = 0.005331781 \cdot 10^{20}$	$1 \text{re-} Q = 10^{20} = 187.5546 \text{ C}$
$1 \frac{\text{C}}{\text{s}} = 0.00001441058 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{T} = 10^{-20} = 69393.47 \frac{\text{C}}{\text{s}}$
$1 \frac{\text{C}}{\text{s}^2} = 389.4848 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{Q}{T^2} = 10^{-70} = 0.002567494 \frac{\text{C}}{\text{s}^2}$
$1 \text{s C} = 1.972710 \cdot 10^{60}$	$1 \text{xa-} T Q = 10^{60} = 0.5069170 \text{ s C}$
$1 \text{m C} = 65.80251 \cdot 10^{50}$	$1 \text{mu-} L Q = 10^{50} = 0.01519699 \text{ m C}$ (*)
$1 \frac{\text{m C}}{\text{s}} = 0.1778491 \cdot 10^{10}$	$1 \text{pa-} \frac{LQ}{T} = 10^{10} = 5.622746 \frac{\text{m C}}{\text{s}}$
$1 \frac{\text{m C}}{\text{s}^2} = 0.0004806851 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{LQ}{T^2} = 10^{-30} = 2080.364 \frac{\text{m C}}{\text{s}^2}$
$1 \text{m s C} = 24346.32 \cdot 10^{90}$	$1 \text{pano-} LTQ = 10^{100} = 410739.7 \text{ m s C}$
$1 \text{m}^2 \text{C} = 812105.8 \cdot 10^{80}$	$1 \text{so-} L^2 Q = 10^{90} = 12313.67 \text{ m}^2 \text{C}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}} = 2194.935 \cdot 10^{40}$	$1 \text{vo-} \frac{L^2 Q}{T} = 10^{40} = 0.0004555943 \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 5.932406$	$1 \frac{L^2 Q}{T^2} = 1 = 0.1685657 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m}^2 \text{s C} = 0.03004717 \cdot 10^{130}$ (*)	$1 \text{paci-} L^2 T Q = 10^{130} = 33.28101 \text{ m}^2 \text{s C}$
$1 \frac{\text{C}}{\text{m}} = 4320.182 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{Q}{L} = 10^{-20} = 0.0002314717 \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m s}} = 11.67646 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{Q}{LT} = 10^{-60} = 0.08564239 \frac{\text{C}}{\text{m s}}$
$1 \frac{\text{C}}{\text{m s}^2} = 0.03155879 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q}{LT^2} = 10^{-100} = 31.68689 \frac{\text{C}}{\text{m s}^2}$
$1 \frac{\text{C}}{\text{m}} = 0.0001598428 \cdot 10^{30}$	$1 \text{ci-} \frac{TQ}{L} = 10^{30} = 6256.148 \frac{\text{s C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}^2} = 0.3500515 \cdot 10^{-50}$ (*)	$1 \text{ni'umu-} \frac{Q}{L^2} = 10^{-50} = 2.856723 \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0009461087 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{Q}{L^2 T} = 10^{-90} = 1056.961 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 25571.14 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{Q}{L^2 T^2} = 10^{-140} = 0.00003910658 \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^2} = 129.5158 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.007721065 \frac{\text{s C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^3} = 0.00002836362 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{Q}{L^3} = 10^{-80} = 35256.43 \frac{\text{C}}{\text{m}^3}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 766.6036 \cdot 10^{-130}$	$1 \text{ni'upaci-} \frac{Q}{L^3 T} = 10^{-130} = 0.001304455 \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 2.071953 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{Q}{L^3 T^2} = 10^{-170} = 0.4826364 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^3} = 0.01049428 \cdot 10^{-40}$	$1 \text{ni'ovo-} \frac{TQ}{L^3} = 10^{-40} = 95.29001 \frac{\text{s C}}{\text{m}^3}$ (*)
$1 \text{kg C} = 0.0001228136 \cdot 10^{30}$	$1 \text{ci-} MQ = 10^{30} = 8142.418 \text{ kg C}$
$1 \frac{\text{kg C}}{\text{s}} = 3319.371 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{MQ}{T} = 10^{-20} = 0.0003012619 \frac{\text{kg C}}{\text{s}}$
$1 \frac{\text{kg C}}{\text{s}^2} = 8.971496 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{MQ}{T^2} = 10^{-60} = 0.1114641 \frac{\text{kg C}}{\text{s}^2}$
$1 \text{kg s C} = 0.04543992 \cdot 10^{70}$ (*)	$1 \text{ze-} MTQ = 10^{70} = 22.00708 \text{ kg s C}$ (*)
$1 \text{kg m C} = 1.515712 \cdot 10^{60}$	$1 \text{xa-} MLQ = 10^{60} = 0.6597558 \text{ kg m C}$
$1 \frac{\text{kg m C}}{\text{s}} = 0.004096622 \cdot 10^{20}$	$1 \text{re-} \frac{MLQ}{T} = 10^{20} = 244.1035 \frac{\text{kg m C}}{\text{s}}$
$1 \frac{\text{kg m C}}{\text{s}^2} = 0.00001107223 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{MLQ}{T^2} = 10^{-20} = 90316.05 \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{kg m s C} = 560.7996 \cdot 10^{100}$ (*)	$1 \text{pano-} MLTQ = 10^{100} = 0.001783168 \text{ kg m s C}$
$1 \text{kg m}^2 \text{C} = 18706.26 \cdot 10^{90}$	$1 \text{pano-} ML^2 Q = 10^{100} = 534580.4 \text{ kg m}^2 \text{C}$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}} = 50.55872 \cdot 10^{50}$	$1 \text{mu-} \frac{ML^2 Q}{T} = 10^{50} = 0.01977898 \frac{\text{kg m}^2 \text{C}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{C}}{\text{s}^2} = 0.1366486 \cdot 10^{10}$	$1 \text{pa-} \frac{ML^2 Q}{T^2} = 10^{10} = 7.318040 \frac{\text{kg m}^2 \text{C}}{\text{s}^2}$

$1 \text{ kg m}^2 \text{ s C} = 0.0006921144 \cdot 10^{140}$	$1 \frac{\text{kg C}}{\text{m}} = 99.51223 \cdot 10^{-10}$ (*)
$1 \frac{\text{kg C}}{\text{m s}} = 0.2689587 \cdot 10^{-50}$	$1 \frac{\text{kg C}}{\text{m s}^2} = 0.0007269335 \cdot 10^{-90}$
$1 \frac{\text{kg s C}}{\text{m}} = 36818.61 \cdot 10^{30}$	$1 \frac{\text{kg C}}{\text{m}^2} = 0.008063178 \cdot 10^{-40}$
$1 \frac{\text{kg C}}{\text{m}^2} = 0.00002179292 \cdot 10^{-80}$	$1 \frac{\text{kg C}}{\text{m}^2 \text{s}} = 589.0125 \cdot 10^{-130}$
$1 \frac{\text{kg s C}}{\text{m}^2} = 2.983302$	$1 \frac{\text{kg C}}{\text{m}^3} = 6533.352 \cdot 10^{-80}$
$1 \frac{\text{kg C}}{\text{m}^3} = 17.65815 \cdot 10^{-120}$	$1 \frac{\text{kg C}}{\text{m}^3 \text{s}^2} = 0.04772592 \cdot 10^{-160}$
$1 \frac{\text{kg s C}}{\text{m}^3} = 0.0002417280 \cdot 10^{-30}$	$1 \frac{1}{\text{K}} = 28.26076 \cdot 10^{30}$
$1 \frac{1}{\text{s K}} = 0.07638233 \cdot 10^{-10}$	$1 \frac{1}{\text{s}^2 \text{K}} = 0.0002064439 \cdot 10^{-50}$
$1 \frac{1}{\text{s}^2 \text{K}} = 10456.22 \cdot 10^{70}$	$1 \frac{1}{\text{K}} = 348781.9 \cdot 10^{60}$
$1 \frac{1}{\text{K}} = 942.6773 \cdot 10^{20}$	$1 \frac{1}{\text{s K}} = 2.547840 \cdot 10^{-20}$
$1 \frac{1}{\text{s}^2 \text{K}} = 0.01290461 \cdot 10^{110}$	$1 \frac{1}{\text{K}} = 0.4304514 \cdot 10^{100}$
$1 \frac{1}{\text{s}^2 \text{K}} = 0.001163411 \cdot 10^{60}$	$1 \frac{1}{\text{s}^2 \text{K}} = 31444.33 \cdot 10^{10}$
$1 \frac{1}{\text{s}^2 \text{K}} = 159.2630 \cdot 10^{140}$	$1 \frac{1}{\text{K}} = 0.002289885 \cdot 10^0$
$1 \frac{1}{\text{s}^2 \text{K}} = 61890.32 \cdot 10^{-50}$	$1 \frac{1}{\text{s}^2 \text{K}} = 167.2753 \cdot 10^{-90}$
$1 \frac{1}{\text{s}^2 \text{K}} = 0.8472361 \cdot 10^{40}$	$1 \frac{1}{\text{m K}} = 0.8472361 \cdot 10^{40}$
$1 \frac{1}{\text{s}^2 \text{K}} = 1855.425 \cdot 10^{-40}$	$1 \frac{1}{\text{m}^2 \text{K}} = 5.014787 \cdot 10^{-80}$
$1 \frac{1}{\text{s}^2 \text{K}} = 0.01355382 \cdot 10^{-120}$	$1 \frac{1}{\text{m}^2 \text{s}^2 \text{K}} = 686490.1 \cdot 10^0$
$1 \frac{1}{\text{s}^2 \text{K}} = 0.1503395 \cdot 10^{-70}$	$1 \frac{1}{\text{m}^3 \text{K}} = 0.0004063332 \cdot 10^{-110}$
$1 \frac{1}{\text{s}^2 \text{K}} = 10982.25 \cdot 10^{-160}$	$1 \frac{1}{\text{m}^3 \text{s}^2 \text{K}} = 55.62424 \cdot 10^{-30}$
$1 \frac{\text{kg}}{\text{K}} = 0.6509657 \cdot 10^{40}$	$1 \frac{\text{kg}}{\text{K}} = 0.001759411 \cdot 10^0$
$1 \frac{\text{kg}}{\text{K}} = 47552.83 \cdot 10^{-50}$	$1 \frac{\text{kg}}{\text{s}^2 \text{K}} = 240.8513 \cdot 10^{80}$
$1 \frac{\text{kg}}{\text{K}} = 8033.935 \cdot 10^{70}$	$1 \frac{\text{kg m}}{\text{K}} = 21.71388 \cdot 10^{30}$
$1 \frac{\text{kg}}{\text{K}} = 0.05868763 \cdot 10^{-10}$	$1 \frac{\text{kg m}}{\text{s}^2 \text{K}} = 0.0002972482 \cdot 10^{120}$
$1 \frac{\text{kg m s}}{\text{K}} = 0.009915132 \cdot 10^{110}$ (*)	$1 \frac{\text{kg m}^2}{\text{K}} = 267983.2 \cdot 10^{60}$
$1 \frac{\text{kg m}^2}{\text{K}} = 724.2971 \cdot 10^{20}$	$1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} = 3.668507 \cdot 10^{150}$
$1 \frac{\text{kg m}^2 \text{s}}{\text{K}} = 527458.1 \cdot 10^0$	

$1 \text{ pavo-}ML^2TQ = 10^{140} = 1444.848 \text{ kg m}^2 \text{ s C}$	$1 \text{ ni'upa-} \frac{MQ}{L} = 10^{-10} = 0.01004902 \frac{\text{kg C}}{\text{m}}$ (*)
$1 \text{ ni'umu-} \frac{MQ}{LT} = 10^{-50} = 3.718043 \frac{\text{kg C}}{\text{m s}}$	$1 \text{ ni'uso-} \frac{MQ}{LT^2} = 10^{-90} = 1375.642 \frac{\text{kg C}}{\text{m s}^2}$
$1 \text{ vo-} \frac{MTQ}{L} = 10^{40} = 271601.8 \frac{\text{kg s C}}{\text{m}}$	$1 \text{ ni'uvo-} \frac{MQ}{L^2} = 10^{-40} = 124.0206 \frac{\text{kg C}}{\text{m}^2}$
$1 \text{ ni'ubi-} \frac{MQ}{L^3} = 10^{-80} = 45886.47 \frac{\text{kg C}}{\text{m}^2 \text{s}}$	$1 \text{ ni'upaci-} \frac{MQ}{L^2 T^2} = 10^{-130} = 0.001697757 \frac{\text{kg C}}{\text{m}^2 \text{s}^2}$
$1 \frac{MTQ}{L^2} = 1 = 0.3351991 \frac{\text{kg s C}}{\text{m}^2}$ (*)	$1 \text{ ni'upare-} \frac{MQ}{L^3 T} = 10^{-120} = 0.05663107 \frac{\text{kg C}}{\text{m}^3 \text{s}}$
$1 \text{ ni'upaxa-} \frac{MQ}{L^3 T^2} = 10^{-160} = 20.95297 \frac{\text{kg C}}{\text{m}^3 \text{s}^2}$	$1 \text{ ni'uci-} \frac{MTQ}{L^3} = 10^{-30} = 4136.881 \frac{\text{kg s C}}{\text{m}^3}$
$1 \text{ ci-} \frac{1}{\Theta} = 10^{30} = 0.03538476 \frac{1}{\text{K}}$	$1 \text{ ni'ure-} \frac{L}{T^2 \Theta} = 10^{-20} = 0.3924893 \frac{\text{m}}{\text{s}^2 \text{K}}$
$1 \text{ ni'upa-} \frac{1}{T \Theta} = 10^{-10} = 13.09203 \frac{1}{\text{s K}}$	$1 \text{ papa-} \frac{LT}{\Theta} = 10^{110} = 77.49170 \frac{\text{m s}}{\text{K}}$
$1 \text{ ni'umu-} \frac{1}{T^2 \Theta} = 10^{-50} = 4843.932 \frac{1}{\text{s}^2 \text{K}}$	$1 \text{ pano-} \frac{L^2}{\Theta} = 10^{100} = 2.323143 \frac{\text{m}^2}{\text{K}}$
$1 \text{ bi-} \frac{T}{\Theta} = 10^{80} = 956368.7 \frac{\text{s}}{\text{K}}$	$1 \text{ xa-} \frac{L^2}{\Theta} = 10^{60} = 859.5413 \frac{\text{m}^2}{\text{s K}}$
$1 \text{ ze-} \frac{L}{\Theta} = 10^{70} = 28671.21 \frac{\text{m}}{\text{K}}$	$1 \text{ re-} \frac{L^2}{T^2 \Theta} = 10^{20} = 318022.3 \frac{\text{m}^2}{\text{s}^2 \text{K}}$
$1 \text{ re-} \frac{L}{T \Theta} = 10^{20} = 0.001060808 \frac{\text{m}}{\text{s K}}$	$1 \text{ pavo-} \frac{L^2 T}{\Theta} = 10^{140} = 0.006278921 \frac{\text{m}^2 \text{s}}{\text{K}}$
$1 \text{ ni'ure-} \frac{L}{T^2 \Theta} = 10^{-20} = 0.3924893 \frac{\text{m}}{\text{s}^2 \text{K}}$	$1 \frac{1}{L \Theta} = 1 = 436.7032 \frac{1}{\text{m K}}$
$1 \text{ ni'uso-} \frac{1}{L T^2 \Theta} = 10^{-90} = 0.005978169 \frac{1}{\text{m s}^2 \text{K}}$	$1 \text{ ni'uvo-} \frac{1}{L T \Theta} = 10^{-40} = 161576.2 \frac{1}{\text{m s K}}$
$1 \text{ vo-} \frac{T}{L \Theta} = 10^{40} = 1.180308 \frac{\text{s}}{\text{m K}}$	$1 \text{ ni'uso-} \frac{1}{L^2 T \Theta} = 10^{-90} = 0.005978169 \frac{1}{\text{m s}^2 \text{K}}$
$1 \text{ ni'uo-} \frac{1}{L^2 \Theta} = 10^{-40} = 0.0005389601 \frac{1}{\text{m}^2 \text{K}}$	$1 \text{ vo-} \frac{T}{L \Theta} = 10^{40} = 1.180308 \frac{\text{s}}{\text{m K}}$
$1 \text{ ni'ubi-} \frac{1}{L^2 T \Theta} = 10^{-80} = 0.1994103 \frac{1}{\text{m}^2 \text{s K}}$ (*)	$1 \text{ ni'upare-} \frac{1}{L^2 T^2 \Theta} = 10^{-120} = 73.77995 \frac{1}{\text{m}^2 \text{s}^2 \text{K}}$ (*)
$1 \text{ ni'upapa-} \frac{1}{L^3 \Theta} = 10^{-110} = 2461.034 \frac{1}{\text{m}^3 \text{K}}$	$1 \text{ pa-} \frac{T}{L^2 \Theta} = 10^{10} = 14566.85 \frac{\text{s}}{\text{m}^2 \text{K}}$
$1 \text{ ni'upaxa-} \frac{1}{L^3 T^2 \Theta} = 10^{-160} = 0.00009105600 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$ (*)	$1 \text{ ni'uze-} \frac{1}{L^3 \Theta} = 10^{-70} = 6.651610 \frac{1}{\text{m}^3 \text{K}}$
$1 \text{ ni'uci-} \frac{1}{L^3 \Theta} = 10^{-30} = 0.01797777 \frac{\text{s}}{\text{m}^3 \text{K}}$	$1 \text{ ni'upapa-} \frac{1}{L^3 T \Theta} = 10^{-110} = 2461.034 \frac{1}{\text{m}^3 \text{s K}}$
$1 \text{ vo-} \frac{M}{\Theta} = 10^{40} = 1.536179 \frac{\text{kg}}{\text{K}}$	$1 \text{ ni'upaxa-} \frac{1}{L^3 T^2 \Theta} = 10^{-160} = 0.00009105600 \frac{1}{\text{m}^3 \text{s}^2 \text{K}}$ (*)
$1 \frac{M}{T \Theta} = 1 = 568.3721 \frac{\text{kg}}{\text{s K}}$	$1 \text{ ni'uo-} \frac{ML}{\Theta} = 10^{40} = 1.536179 \frac{\text{kg}}{\text{K}}$
$1 \text{ ni'uvo-} \frac{M}{T^2 \Theta} = 10^{-40} = 210292.4 \frac{\text{kg}}{\text{s}^2 \text{K}}$	$1 \text{ bi-} \frac{MT}{\Theta} = 10^{80} = 0.004151939 \frac{\text{kg s}}{\text{K}}$
$1 \text{ bi-} \frac{MT}{\Theta} = 10^{80} = 0.004151939 \frac{\text{kg s}}{\text{K}}$	$1 \text{ ze-} \frac{ML}{\Theta} = 10^{70} = 0.0001244720 \frac{\text{kg m}}{\text{K}}$
$1 \text{ ze-} \frac{ML}{\Theta} = 10^{70} = 0.0001244720 \frac{\text{kg m}}{\text{K}}$	$1 \text{ ci-} \frac{ML}{T \Theta} = 10^{30} = 0.04605349 \frac{\text{kg m}}{\text{s K}}$
$1 \text{ ci-} \frac{ML}{T \Theta} = 10^{30} = 0.04605349 \frac{\text{kg m}}{\text{s K}}$	$1 \text{ ni'upa-} \frac{ML}{T^2 \Theta} = 10^{-10} = 17.03937 \frac{\text{kg m}}{\text{s}^2 \text{K}}$
$1 \text{ ni'upa-} \frac{ML}{T^2 \Theta} = 10^{-10} = 17.03937 \frac{\text{kg m}}{\text{s}^2 \text{K}}$	$1 \text{ pare-} \frac{MLT}{\Theta} = 10^{120} = 3364.192 \frac{\text{kg m s}}{\text{K}}$
$1 \text{ pare-} \frac{MLT}{\Theta} = 10^{120} = 3364.192 \frac{\text{kg m s}}{\text{K}}$	$1 \text{ papa-} \frac{ML^2}{\Theta} = 10^{110} = 100.8559 \frac{\text{kg m}^2}{\text{K}}$ (*)
$1 \text{ papa-} \frac{ML^2}{\Theta} = 10^{110} = 100.8559 \frac{\text{kg m}^2}{\text{K}}$	$1 \text{ ze-} \frac{ML^2}{T \Theta} = 10^{70} = 37315.77 \frac{\text{kg m}^2}{\text{s K}}$
$1 \text{ ze-} \frac{ML^2}{T \Theta} = 10^{70} = 37315.77 \frac{\text{kg m}^2}{\text{s K}}$	$1 \text{ re-} \frac{ML^2}{T^2 \Theta} = 10^{20} = 0.001380649 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$
$1 \text{ re-} \frac{ML^2}{T^2 \Theta} = 10^{20} = 0.001380649 \frac{\text{kg m}^2}{\text{s}^2 \text{K}}$	$1 \text{ pamu-} \frac{ML^2 T}{\Theta} = 10^{150} = 0.2725904 \frac{\text{kg m}^2 \text{s}}{\text{K}}$
$1 \text{ pamu-} \frac{ML^2 T}{\Theta} = 10^{150} = 0.2725904 \frac{\text{kg m}^2 \text{s}}{\text{K}}$	$1 \text{ pa-} \frac{M}{L \Theta} = 10^{10} = 18958.85 \frac{\text{kg}}{\text{m K}}$

$1 \frac{\text{kg}}{\text{m s K}} = 1425.598 \cdot 10^{-40}$	$1 \text{ni}'\text{u}\text{vo}-\frac{M}{LT\Theta} = 10^{-40} = 0.0007014601 \frac{\text{kg}}{\text{m s K}}$
$1 \frac{\text{kg}}{\text{m s}^2 \text{K}} = 3.853064 \cdot 10^{-80}$	$1 \text{ni}'\text{u}\text{bi}-\frac{M}{LT^2\Theta} = 10^{-80} = 0.2595337 \frac{\text{kg}}{\text{m s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m K}} = 0.01951546 \cdot 10^{50}$	$1 \text{mu}-\frac{MT}{L\Theta} = 10^{50} = 51.24142 \frac{\text{kg s}}{\text{m K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{K}} = 42.73835 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{M}{L^2\Theta} = 10^{-30} = 0.02339819 \frac{\text{kg}}{\text{m}^2 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s K}} = 0.1155119 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^2T\Theta} = 10^{-70} = 8.657114 \frac{\text{kg}}{\text{m}^2 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} = 0.0003122022 \cdot 10^{-110}$	$1 \text{ni}'\text{upa}\text{pa}-\frac{M}{L^2T^2\Theta} = 10^{-110} = 3203.052 \frac{\text{kg s}}{\text{m}^2 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^2 \text{K}} = 15812.80 \cdot 10^{10}$	$1 \text{re}-\frac{MT}{L^2\Theta} = 10^{20} = 632399.3 \frac{\text{kg s}}{\text{m}^2 \text{K}} (*)$
$1 \frac{\text{kg}}{\text{m}^3 \text{K}} = 0.003462961 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M}{L^3\Theta} = 10^{-60} = 288.7702 \frac{\text{kg}}{\text{m}^3 \text{K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s K}} = 93595.87 \cdot 10^{-110}$	$1 \text{ni}'\text{upano}-\frac{M}{L^3T\Theta} = 10^{-100} = 106842.3 \frac{\text{kg}}{\text{m}^3 \text{s K}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}} = 252.9681 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{M}{L^3T^2\Theta} = 10^{-150} = 0.003953067 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{K}}$
$1 \frac{\text{kg s}}{\text{m}^3 \text{K}} = 1.281264 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^3\Theta} = 10^{-20} = 0.7804796 \frac{\text{kg s}}{\text{m}^3 \text{K}}$
$1 \text{K} = 0.03538476 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\Theta = 10^{-30} = 28.26076 \text{ K}$
$1 \frac{\text{K}}{\text{s}} = 956368.7 \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{\Theta}{T} = 10^{-70} = 10456.22 \frac{\text{K}}{\text{s}}$
$1 \frac{\text{K}}{\text{s}^2} = 2584.845 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{\Theta}{T^2} = 10^{-120} = 0.0003868704 \frac{\text{K}}{\text{s}^2}$
$1 \text{s K} = 13.09203 \cdot 10^{10}$	$1 \text{pa}-T\Theta = 10^{10} = 0.07638233 \text{ s K}$
$1 \text{m K} = 436.7032 \cdot 10^0$	$1 L\Theta = 1 = 0.002289885 \text{ m K}$
$1 \frac{\text{m K}}{\text{s}} = 1.180308 \cdot 10^{-40}$	$1 \text{ni}'\text{u}\text{vo}-\frac{L\Theta}{T} = 10^{-40} = 0.8472361 \frac{\text{m K}}{\text{s}}$
$1 \frac{\text{m K}}{\text{s}^2} = 0.003190103 \cdot 10^{-80}$	$1 \text{ni}'\text{u}\text{bi}-\frac{L\Theta}{T^2} = 10^{-80} = 313.4695 \frac{\text{m K}}{\text{s}^2}$
$1 \text{m s K} = 161576.2 \cdot 10^{40}$	$1 \text{mu}-LT\Theta = 10^{50} = 61890.32 \text{ m s K}$
$1 \text{m}^2 \text{K} = 0.0005389601 \cdot 10^{40}$	$1 \text{vo}-L^2\Theta = 10^{40} = 1855.425 \text{ m}^2 \text{K}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}} = 14566.85 \cdot 10^{-10}$	$1 \frac{L^2\Theta}{T} = 1 = 686490.1 \frac{\text{m}^2 \text{K}}{\text{s}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2} = 39.37085 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L^2\Theta}{T^2} = 10^{-50} = 0.02539950 \frac{\text{m}^2 \text{K}}{\text{s}^2} (*)$
$1 \text{m}^2 \text{s K} = 0.1994103 \cdot 10^{80} (*)$	$1 \text{bi}-L^2T\Theta = 10^{80} = 5.014787 \text{ m}^2 \text{s K}$
$1 \frac{\text{K}}{\text{m}} = 28671.21 \cdot 10^{-70}$	$1 \text{ni}'\text{uxa}-\frac{\Theta}{L} = 10^{-60} = 348781.9 \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m s}} = 77.49170 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa}-\frac{\Theta}{LT} = 10^{-110} = 0.01290461 \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m s}^2} = 0.2094422 \cdot 10^{-150}$	$1 \text{ni}'\text{upamu}-\frac{\Theta}{LT^2} = 10^{-150} = 4.774586 \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{s K}}{\text{m}} = 0.001060808 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{T\Theta}{L} = 10^{-20} = 942.6773 \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}^2} = 2.323143 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{\Theta}{L^2} = 10^{-100} = 0.4304514 \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 0.006278921 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{\Theta}{L^2T} = 10^{-140} = 159.2630 \frac{\text{K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 0.00001697048 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{\Theta}{L^2T^2} = 10^{-180} = 58925.86 \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 859.5413 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{T\Theta}{L^2} = 10^{-60} = 0.001163411 \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^3} = 0.0001882373 \cdot 10^{-130}$	$1 \text{ni}'\text{upaci}-\frac{\Theta}{L^3} = 10^{-130} = 5312.443 \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 5087.622 \cdot 10^{-180}$	$1 \text{ni}'\text{upabi}-\frac{\Theta}{L^3T} = 10^{-180} = 0.0001965555 \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 13.75067 \cdot 10^{-220}$	$1 \text{ni}'\text{urere}-\frac{\Theta}{L^3T^2} = 10^{-220} = 0.07272372 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.06964606 \cdot 10^{-90}$	$1 \text{ni}'\text{uso}-\frac{T\Theta}{L^3} = 10^{-90} = 14.35831 \frac{\text{s K}}{\text{m}^3}$
$1 \text{kg K} = 0.0008150619 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-M\Theta = 10^{-20} = 1226.901 \text{ kg K}$
$1 \frac{\text{kg K}}{\text{s}} = 22029.25 \cdot 10^{-70}$	$1 \text{ni}'\text{uxa}-\frac{M\Theta}{T} = 10^{-60} = 453941.9 \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}^2} = 59.54000 \cdot 10^{-110} (**)$	$1 \text{ni}'\text{upapa}-\frac{M\Theta}{T^2} = 10^{-110} = 0.01679543 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{kg s K} = 0.3015654 \cdot 10^{20}$	$1 \text{re}-MT\Theta = 10^{20} = 3.316031 \text{ kg s K}$
$1 \text{kg m K} = 10.05914 \cdot 10^{10}$	$1 \text{pa}-ML\Theta = 10^{10} = 0.09941209 \text{ kg m K} (*)$
$1 \frac{\text{kg m K}}{\text{s}} = 0.02718754 \cdot 10^{-30}$	$1 \text{ni}'\text{uci}-\frac{ML\Theta}{T} = 10^{-30} = 36.78156 \frac{\text{kg m K}}{\text{s}}$
$1 \frac{\text{kg m K}}{\text{s}^2} = 734816.7 \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{ML\Theta}{T^2} = 10^{-70} = 13608.84 \frac{\text{kg m K}}{\text{s}^2}$
$1 \text{kg m s K} = 3721.788 \cdot 10^{50}$	$1 \text{mu}-MLT\Theta = 10^{50} = 0.0002686880 \text{ kg m s K}$
$1 \text{kg m}^2 \text{K} = 124145.5 \cdot 10^{40}$	$1 \text{mu}-ML^2\Theta = 10^{50} = 80550.65 \text{ kg m}^2 \text{K}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}} = 335.5367 \cdot 10^0$	$1 \frac{ML^2\Theta}{T} = 1 = 0.002980300 \frac{\text{kg m}^2 \text{K}}{\text{s}} (*)$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} = 0.9068787 \cdot 10^{-40}$	$1 \text{ni}'\text{u}\text{vo}-\frac{ML^2\Theta}{T^2} = 10^{-40} = 1.102683 \frac{\text{kg m}^2 \text{K}}{\text{s}^2}$
$1 \text{kg m}^2 \text{s K} = 0.004593269 \cdot 10^{90}$	$1 \text{so}-ML^2T\Theta = 10^{90} = 217.7099 \text{ kg m}^2 \text{s K} (*)$
$1 \frac{\text{kg K}}{\text{m}} = 660.4203 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{M\Theta}{L} = 10^{-60} = 0.001514187 \frac{\text{kg K}}{\text{m}}$
$1 \frac{\text{kg K}}{\text{m s}} = 1.784964 \cdot 10^{-100}$	$1 \text{ni}'\text{upano}-\frac{M\Theta}{LT} = 10^{-100} = 0.5602353 \frac{\text{kg K}}{\text{m s}}$
$1 \frac{\text{kg K}}{\text{m s}^2} = 0.004824348 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo}-\frac{M\Theta}{LT^2} = 10^{-140} = 207.2819 \frac{\text{kg K}}{\text{m s}^2}$

$1 \frac{\text{kg s K}}{\text{m}} = 244349.4 \cdot 10^{-20}$	$1 \frac{\text{ni}'\text{upa}-\frac{MT\Theta}{L}}{\text{m}} = 10^{-10} = 40925.00 \frac{\text{kg s K}}{\text{m}}$ (*)
$1 \frac{\text{kg K}}{\text{m}^2} = 0.05351188 \cdot 10^{-90}$	$1 \frac{\text{ni}'\text{uso}-\frac{M\Theta}{L^2}}{\text{m}^2} = 10^{-90} = 18.68744 \frac{\text{kg K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}} = 0.0001446303 \cdot 10^{-130}$	$1 \frac{\text{ni}'\text{upaci}-\frac{M\Theta}{L^2 T}}{\text{m}^2 \text{s}} = 10^{-130} = 6914.180 \frac{\text{kg K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} = 3909.025 \cdot 10^{-180}$	$1 \frac{\text{ni}'\text{upabi}-\frac{M\Theta}{L^2 T^2}}{\text{m}^2 \text{s}^2} = 10^{-180} = 0.0002558183 \frac{\text{kg K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^2} = 19.79890 \cdot 10^{-50}$	$1 \frac{\text{ni}'\text{umu}-\frac{MT\Theta}{L^2}}{\text{m}^2} = 10^{-50} = 0.05050785 \frac{\text{kg s K}}{\text{m}^2}$
$1 \frac{\text{kg K}}{\text{m}^3} = 43359.08 \cdot 10^{-130}$	$1 \frac{\text{ni}'\text{upare}-\frac{M\Theta}{L^3}}{\text{m}^3} = 10^{-120} = 230632.2 \frac{\text{kg K}}{\text{m}^3}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 117.1896 \cdot 10^{-170}$	$1 \frac{\text{ni}'\text{upaze}-\frac{M\Theta}{L^3 T}}{\text{m}^3 \text{s}} = 10^{-170} = 0.008533179 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg s K}}{\text{m}^3 \text{s}^2} = 0.3167366 \cdot 10^{-210}$	$1 \frac{\text{ni}'\text{urepa}-\frac{M\Theta}{L^3 T^2}}{\text{m}^3 \text{s}^2} = 10^{-210} = 3.157197 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 0.001604246 \cdot 10^{-80}$	$1 \frac{\text{ni}'\text{ubi}-\frac{MT\Theta}{L^3}}{\text{m}^3} = 10^{-80} = 623.3458 \frac{\text{kg s K}}{\text{m}^3}$
<hr/>	<hr/>
$1 \frac{\text{K}}{\text{C}} = 6.636574 \cdot 10^{-50}$	$1 \frac{\text{ni}'\text{umu}-\frac{\Theta}{Q}}{\text{C}} = 10^{-50} = 0.1506801 \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.01793714 \cdot 10^{-90}$	$1 \frac{\text{ni}'\text{uso}-\frac{\Theta}{T Q}}{\text{s C}} = 10^{-90} = 55.75026 \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 484799.5 \cdot 10^{-140}$ (*)	$1 \frac{\text{ni}'\text{upaci}-\frac{\Theta}{T^2 Q}}{\text{s}^2 \text{C}} = 10^{-130} = 20627.08 \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 2455.471 \cdot 10^{-10}$	$1 \frac{\text{ni}'\text{upa}-\frac{T\Theta}{Q}}{\text{C}} = 10^{-10} = 0.0004072538 \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 81905.70 \cdot 10^{-20}$	$1 \frac{\text{ni}'\text{ure}-\frac{L\Theta}{Q}}{\text{C}} = 10^{-20} = 0.00001220916 \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{s C}} = 221.3723 \cdot 10^{-60}$	$1 \frac{\text{ni}'\text{uxa}-\frac{L\Theta}{T Q}}{\text{s C}} = 10^{-60} = 0.004517277 \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 0.5983184 \cdot 10^{-100}$	$1 \frac{\text{ni}'\text{upano}-\frac{L\Theta}{T^2 Q}}{\text{s}^2 \text{C}} = 10^{-100} = 1.671351 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 0.003030435 \cdot 10^{30}$	$1 \frac{\text{ci}-\frac{LT\Theta}{Q}}{\text{C}} = 10^{30} = 329.9856 \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 0.1010844 \cdot 10^{20}$	$1 \frac{\text{re}-\frac{L^2 \Theta}{Q}}{\text{C}} = 10^{20} = 9.892719 \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.0002732080 \cdot 10^{-20}$	$1 \frac{\text{ni}'\text{ure}-\frac{L^2 \Theta}{T Q}}{\text{s C}} = 10^{-20} = 3660.215 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 7384.185 \cdot 10^{-70}$	$1 \frac{\text{ni}'\text{uze}-\frac{L^2 \Theta}{T^2 Q}}{\text{s}^2 \text{C}} = 10^{-70} = 0.0001354246 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 37.40031 \cdot 10^{60}$ (*)	$1 \frac{\text{xa}-\frac{L^2 T\Theta}{Q}}{\text{C}} = 10^{60} = 0.02673775 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.0005377418 \cdot 10^{-80}$	$1 \frac{\text{ni}'\text{ubi}-\frac{\Theta}{L Q}}{\text{m C}} = 10^{-80} = 1859.629 \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m s C}} = 14533.92 \cdot 10^{-130}$	$1 \frac{\text{ni}'\text{upare}-\frac{\Theta}{L T Q}}{\text{m s C}} = 10^{-120} = 688045.4 \frac{\text{K}}{\text{m s C}}$
$1 \frac{\text{K}}{\text{m s}^2 \text{C}} = 39.28186 \cdot 10^{-170}$	$1 \frac{\text{ni}'\text{upaze}-\frac{\Theta}{L T^2 Q}}{\text{m s}^2 \text{C}} = 10^{-170} = 0.02545704 \frac{\text{K}}{\text{m s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m C}} = 0.1989595 \cdot 10^{-40}$	$1 \frac{\text{ni}'\text{uvo}-\frac{T\Theta}{L Q}}{\text{m C}} = 10^{-40} = 5.026149 \frac{\text{s K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{C}} = 435.7161 \cdot 10^{-120}$	$1 \frac{\text{ni}'\text{upare}-\frac{\Theta}{L^2 Q}}{\text{m}^2 \text{C}} = 10^{-120} = 0.002295072 \frac{\text{K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s C}} = 1.177640 \cdot 10^{-160}$	$1 \frac{\text{ni}'\text{upaxa}-\frac{\Theta}{L^2 T Q}}{\text{m}^2 \text{s C}} = 10^{-160} = 0.8491556 \frac{\text{K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}} = 0.003182891 \cdot 10^{-200}$	$1 \frac{\text{ni}'\text{ureno}-\frac{\Theta}{L^2 T^2 Q}}{\text{m}^2 \text{s}^2 \text{C}} = 10^{-200} = 314.1797 \frac{\text{K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^2 \text{C}} = 161210.9 \cdot 10^{-80}$	$1 \frac{\text{ni}'\text{uze}-\frac{T\Theta}{L^2 Q}}{\text{m}^2 \text{C}} = 10^{-70} = 62030.53 \frac{\text{s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{C}} = 0.03530477 \cdot 10^{-150}$	$1 \frac{\text{ni}'\text{upamu}-\frac{\Theta}{L^3 Q}}{\text{m}^3 \text{C}} = 10^{-150} = 28.32478 \frac{\text{K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s C}} = 954206.9 \cdot 10^{-200}$	$1 \frac{\text{ni}'\text{upaso}-\frac{\Theta}{L^3 T Q}}{\text{m}^3 \text{s C}} = 10^{-190} = 10479.91 \frac{\text{K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}} = 2579.002 \cdot 10^{-240}$ (*)	$1 \frac{\text{ni}'\text{urevo}-\frac{\Theta}{L^3 T^2 Q}}{\text{m}^3 \text{s}^2 \text{C}} = 10^{-240} = 0.0003877469 \frac{\text{K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{s K}}{\text{m}^3 \text{C}} = 13.06244 \cdot 10^{-110}$	$1 \frac{\text{ni}'\text{upapa}-\frac{T\Theta}{L^3 Q}}{\text{m}^3 \text{C}} = 10^{-110} = 0.07655538 \frac{\text{s K}}{\text{m}^3 \text{C}}$
<hr/>	<hr/>
$1 \frac{\text{kg K}}{\text{C}} = 0.1528686 \cdot 10^{-40}$	$1 \frac{\text{ni}'\text{uvo}-\frac{M\Theta}{Q}}{\text{C}} = 10^{-40} = 6.541565 \frac{\text{kg K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{s C}} = 0.0004131687 \cdot 10^{-80}$	$1 \frac{\text{ni}'\text{ubi}-\frac{M\Theta}{T Q}}{\text{s C}} = 10^{-80} = 2420.319 \frac{\text{kg K}}{\text{s C}}$
$1 \frac{\text{kg K}}{\text{s}^2 \text{C}} = 11167.00 \cdot 10^{-130}$ (*)	$1 \frac{\text{ni}'\text{upare}-\frac{M\Theta}{L^2 Q}}{\text{s}^2 \text{C}} = 10^{-120} = 895495.6 \frac{\text{kg K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{C}} = 56.55998 \cdot 10^0$ (*)	$1 \frac{\text{M}\frac{MT\Theta}{Q}}{\text{C}} = 1 = 0.01768035 \frac{\text{kg s K}}{\text{C}}$
$1 \frac{\text{kg m K}}{\text{C}} = 1886.638 \cdot 10^{-10}$	$1 \frac{\text{ni}'\text{upa}-\frac{ML\Theta}{Q}}{\text{C}} = 10^{-10} = 0.0005300435 \frac{\text{kg m K}}{\text{C}}$ (*)
$1 \frac{\text{kg m K}}{\text{s C}} = 5.099148 \cdot 10^{-50}$ (*)	$1 \frac{\text{ni}'\text{umu}-\frac{ML\Theta}{T Q}}{\text{s C}} = 10^{-50} = 0.1961112 \frac{\text{kg m K}}{\text{s C}}$
$1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} = 0.01378183 \cdot 10^{-90}$	$1 \frac{\text{ni}'\text{uso}-\frac{ML\Theta}{L^2 Q}}{\text{s}^2 \text{C}} = 10^{-90} = 72.55933 \frac{\text{kg m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m s K}}{\text{C}} = 0.00006980385 \cdot 10^{40}$	$1 \frac{\text{vo}-\frac{MLT\Theta}{Q}}{\text{C}} = 10^{40} = 14325.86 \frac{\text{kg m s K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{C}} = 0.002328406 \cdot 10^{30}$	$1 \frac{\text{ci}-\frac{ML^2 \Theta}{Q}}{\text{C}} = 10^{30} = 429.4784 \frac{\text{kg m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s C}} = 62931.46 \cdot 10^{-20}$	$1 \frac{\text{ni}'\text{ure}-\frac{ML^2 \Theta}{T Q}}{\text{s C}} = 10^{-20} = 0.00001589030 \frac{\text{kg m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} = 170.0893 \cdot 10^{-60}$	$1 \frac{\text{ni}'\text{uxa}-\frac{ML^2 \Theta}{T^2 Q}}{\text{s}^2 \text{C}} = 10^{-60} = 0.005879266 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} = 0.8614887 \cdot 10^{70}$	$1 \frac{\text{ze}-\frac{ML^2 T\Theta}{Q}}{\text{C}} = 10^{70} = 1.160781 \frac{\text{kg m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{kg K}}{\text{m C}} = 123864.9 \cdot 10^{-80}$	$1 \frac{\text{ni}'\text{uze}-\frac{M\Theta}{L Q}}{\text{m C}} = 10^{-70} = 80733.14 \frac{\text{kg K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m s C}} = 334.7783 \cdot 10^{-120}$	$1 \frac{\text{ni}'\text{upare}-\frac{M\Theta}{L T Q}}{\text{m s C}} = 10^{-120} = 0.002987052 \frac{\text{kg K}}{\text{m s C}}$
$1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} = 0.9048287 \cdot 10^{-160}$	$1 \frac{\text{ni}'\text{upaxa}-\frac{M\Theta}{L T^2 Q}}{\text{m s}^2 \text{C}} = 10^{-160} = 1.105182 \frac{\text{kg K}}{\text{m s}^2 \text{C}}$

$1 \frac{\text{kg s K}}{\text{m C}} = 0.004582886 \cdot 10^{-30}$	$1 \text{ni'uci-} \frac{MT\Theta}{LQ} = 10^{-30} = 218.2031 \frac{\text{kg s K}}{\text{m C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{C}} = 10.03640 \cdot 10^{-110}$	$1 \text{ni'upapa-} \frac{M\Theta}{L^2 Q} = 10^{-110} = 0.09963732 \frac{\text{kg K}}{\text{m}^2 \text{C}}$ (*)
$1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} = 0.02712608 \cdot 10^{-150}$	$1 \text{ni'upamu-} \frac{M\Theta}{L^2 T Q} = 10^{-150} = 36.86489 \frac{\text{kg K}}{\text{m}^2 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} = 733155.7 \cdot 10^{-200}$	$1 \text{ni'upaso-} \frac{M\Theta}{L^2 T^2 Q} = 10^{-190} = 13639.67 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} = 3713.375 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{MT\Theta}{L^2 Q} = 10^{-70} = 0.0002692968 \frac{\text{kg s K}}{\text{m}^2 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{C}} = 0.0008132195 \cdot 10^{-140}$	$1 \text{ni'upavo-} \frac{M\Theta}{L^3 Q} = 10^{-140} = 1229.680 \frac{\text{kg K}}{\text{m}^3 \text{C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s C}} = 21979.45 \cdot 10^{-190}$	$1 \text{ni'upabi-} \frac{M\Theta}{L^3 T Q} = 10^{-180} = 454970.4 \frac{\text{kg K}}{\text{m}^3 \text{s C}}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}} = 59.40541 \cdot 10^{-230}$	$1 \text{ni'ureci-} \frac{M\Theta}{L^3 T^2 Q} = 10^{-230} = 0.01683348 \frac{\text{kg K}}{\text{m}^3 \text{s}^2 \text{C}}$
$1 \frac{\text{kg s K}}{\text{m}^3 \text{C}} = 0.3008837 \cdot 10^{-100}$ (*)	$1 \text{ni'upano-} \frac{MT\Theta}{L^3 Q} = 10^{-100} = 3.323543 \frac{\text{kg s K}}{\text{m}^3 \text{C}}$
$1 \text{CK} = 0.0001886638 \cdot 10^{-10}$	$1 \text{ni'upa-} Q\Theta = 10^{-10} = 5300.435 \text{ CK}$ (*)
$1 \frac{\text{CK}}{\text{s}} = 5099.148 \cdot 10^{-60}$ (*)	$1 \text{ni'uxa-} \frac{Q\Theta}{T} = 10^{-60} = 0.0001961112 \frac{\text{CK}}{\text{s}}$
$1 \frac{\text{CK}}{\text{s}^2} = 13.78183 \cdot 10^{-100}$	$1 \text{ni'upano-} \frac{Q\Theta}{T^2} = 10^{-100} = 0.07255933 \frac{\text{CK}}{\text{s}^2}$
$1 \text{s CK} = 0.06980385 \cdot 10^{30}$	$1 \text{ci-TQ}\Theta = 10^{30} = 14.32586 \text{ s CK}$
$1 \text{m CK} = 2.328406 \cdot 10^{20}$	$1 \text{re-LQ}\Theta = 10^{20} = 0.4294784 \text{ m CK}$
$1 \frac{\text{m CK}}{\text{s}} = 0.006293146 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{LQ\Theta}{T} = 10^{-20} = 158.9030 \frac{\text{m CK}}{\text{s}}$
$1 \frac{\text{m CK}}{\text{s}^2} = 0.00001700893 \cdot 10^{-60}$ (*)	$1 \text{ni'uxa-} \frac{LQ\Theta}{T^2} = 10^{-60} = 58792.66 \frac{\text{m CK}}{\text{s}^2}$
$1 \text{m s CK} = 861.4887 \cdot 10^{60}$	$1 \text{xa-LTQ}\Theta = 10^{60} = 0.001160781 \text{ m s CK}$
$1 \text{m}^2 \text{CK} = 28736.17 \cdot 10^{50}$	$1 \text{xa-L}^2 \text{Q}\Theta = 10^{60} = 347993.5 \text{ m}^2 \text{ CK}$ (*)
$1 \frac{\text{m}^2 \text{CK}}{\text{s}} = 77.66726 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2 Q\Theta}{T} = 10^{10} = 0.01287544 \frac{\text{m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{m}^2 \text{CK}}{\text{s}^2} = 0.2099168 \cdot 10^{-30}$ (*)	$1 \text{ni'uci-} \frac{L^2 Q\Theta}{T^2} = 10^{-30} = 4.763793 \frac{\text{m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{m}^2 \text{s CK} = 0.001063212 \cdot 10^{100}$	$1 \text{pano-} L^2 T Q\Theta = 10^{100} = 940.5464 \text{ m}^2 \text{ s CK}$
$1 \frac{\text{CK}}{\text{m}} = 152.8686 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{Q\Theta}{L} = 10^{-50} = 0.006541565 \frac{\text{CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m s}} = 0.4131687 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{Q\Theta}{LT} = 10^{-90} = 2.420319 \frac{\text{CK}}{\text{m s}}$
$1 \frac{\text{CK}}{\text{m s}^2} = 0.001116700 \cdot 10^{-130}$ (*)	$1 \text{ni'upaci-} \frac{Q\Theta}{LT^2} = 10^{-130} = 895.4956 \frac{\text{CK}}{\text{m s}^2}$
$1 \frac{\text{CK}}{\text{m}} = 56559.98 \cdot 10^{-10}$	$1 \frac{TQ\Theta}{L} = 1 = 176803.5 \frac{\text{s CK}}{\text{m}}$
$1 \frac{\text{CK}}{\text{m}^2} = 0.01238649 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{Q\Theta}{L^2} = 10^{-80} = 80.73314 \frac{\text{CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}} = 0.00003347783 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{Q\Theta}{L^2 T} = 10^{-120} = 29870.52 \frac{\text{CK}}{\text{m}^2 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} = 904.8287 \cdot 10^{-170}$	$1 \text{ni'upaze-} \frac{Q\Theta}{L^2 T^2} = 10^{-170} = 0.001105182 \frac{\text{CK}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^2} = 4.582886 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{TQ\Theta}{L^2} = 10^{-40} = 0.2182031 \frac{\text{s CK}}{\text{m}^2}$
$1 \frac{\text{CK}}{\text{m}^3} = 10036.40 \cdot 10^{-120}$ (*)	$1 \text{ni'upare-} \frac{Q\Theta}{L^3} = 10^{-120} = 0.00009963732 \frac{\text{CK}}{\text{m}^3}$ (*)
$1 \frac{\text{CK}}{\text{m}^3 \text{s}} = 27.12608 \cdot 10^{-160}$	$1 \text{ni'upaxa-} \frac{Q\Theta}{L^3 T} = 10^{-160} = 0.03686489 \frac{\text{CK}}{\text{m}^3 \text{s}}$
$1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} = 0.07331557 \cdot 10^{-200}$	$1 \text{ni'ureno-} \frac{Q\Theta}{L^3 T^2} = 10^{-200} = 13.63967 \frac{\text{CK}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{s CK}}{\text{m}^3} = 0.0003713375 \cdot 10^{-70}$	$1 \text{ni'uze-} \frac{TQ\Theta}{L^3} = 10^{-70} = 2692.968 \frac{\text{s CK}}{\text{m}^3}$
$1 \text{kg CK} = 43457.31 \cdot 10^{-10}$	$1 MQ\Theta = 1 = 230110.9 \text{ kg CK}$
$1 \frac{\text{kg CK}}{\text{s}} = 117.4551 \cdot 10^{-50}$	$1 \text{ni'umu-} \frac{MQ\Theta}{T} = 10^{-50} = 0.008513890 \frac{\text{kg CK}}{\text{s}}$
$1 \frac{\text{kg CK}}{\text{s}^2} = 0.3174542 \cdot 10^{-90}$	$1 \text{ni'uso-} \frac{MQ\Theta}{T^2} = 10^{-90} = 3.150061 \frac{\text{kg CK}}{\text{s}^2}$ (*)
$1 \text{kg s CK} = 0.001607880 \cdot 10^{40}$	$1 \text{vo-MTQ}\Theta = 10^{40} = 621.9368 \text{ kg s CK}$
$1 \text{kg m CK} = 0.05363312 \cdot 10^{30}$	$1 \text{ci-MLQ}\Theta = 10^{30} = 18.64520 \text{ kg m CK}$
$1 \frac{\text{kg m CK}}{\text{s}} = 0.0001449580 \cdot 10^{-10}$	$1 \text{ni'upa-} \frac{MLQ\Theta}{T} = 10^{-10} = 6898.550 \frac{\text{kg m CK}}{\text{s}}$
$1 \frac{\text{kg m CK}}{\text{s}^2} = 3917.881 \cdot 10^{-60}$	$1 \text{ni'uxa-} \frac{MLQ\Theta}{T^2} = 10^{-60} = 0.0002552400 \frac{\text{kg m CK}}{\text{s}^2}$ (*)
$1 \text{kg m s CK} = 19.84376 \cdot 10^{70}$	$1 \text{ze-MLTQ}\Theta = 10^{70} = 0.05039368 \text{ kg m s CK}$
$1 \text{kg m}^2 \text{CK} = 661.9165 \cdot 10^{60}$	$1 \text{xa-ML}^2 \text{Q}\Theta = 10^{60} = 0.001510764 \text{ kg m}^2 \text{ CK}$
$1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} = 1.789008 \cdot 10^{20}$ (*)	$1 \text{re-} \frac{ML^2 Q\Theta}{T} = 10^{20} = 0.5589689 \frac{\text{kg m}^2 \text{ CK}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} = 0.004835278 \cdot 10^{-20}$	$1 \text{ni'ure-} \frac{ML^2 Q\Theta}{T^2} = 10^{-20} = 206.8133 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2}$
$1 \text{kg m}^2 \text{s CK} = 244903.0 \cdot 10^{100}$	$1 \text{papa-} ML^2 T Q\Theta = 10^{110} = 40832.49 \text{ kg m}^2 \text{ s CK}$
$1 \frac{\text{kg CK}}{\text{m}} = 3.521216 \cdot 10^{-40}$	$1 \text{ni'uvu-} \frac{MQ\Theta}{L} = 10^{-40} = 0.2839928 \frac{\text{kg CK}}{\text{m}}$ (*)
$1 \frac{\text{kg CK}}{\text{m s}} = 0.009517038 \cdot 10^{-80}$	$1 \text{ni'ubi-} \frac{MQ\Theta}{LT} = 10^{-80} = 105.0747 \frac{\text{kg CK}}{\text{m s}}$
$1 \frac{\text{kg CK}}{\text{m s}^2} = 0.00002572237 \cdot 10^{-120}$	$1 \text{ni'upare-} \frac{MQ\Theta}{LT^2} = 10^{-120} = 38876.67 \frac{\text{kg CK}}{\text{m s}^2}$
$1 \frac{\text{kg s CK}}{\text{m}} = 1302.817 \cdot 10^{0}$	$1 \frac{MTQ\Theta}{L} = 1 = 0.0007675672 \frac{\text{kg s CK}}{\text{m}}$

$$\begin{aligned}
 1 \frac{\text{kg CK}}{\text{m}^2} &= 0.0002853136 \cdot 10^{-70} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 7711.371 \cdot 10^{-120} \\
 1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 20.84206 \cdot 10^{-160} \\
 1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.1055634 \cdot 10^{-30} \\
 1 \frac{\text{kg CK}}{\text{m}^3} &= 231.1811 \cdot 10^{-110} \\
 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.6248294 \cdot 10^{-150} \\
 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.001688770 \cdot 10^{-190} \\
 1 \frac{\text{kg s CK}}{\text{m}^3} &= 85534.87 \cdot 10^{-70}
 \end{aligned}$$

$$\begin{aligned}
 1 \text{ ni'uze-} \frac{MQ\Theta}{L^2} &= 10^{-70} = 3504.915 \frac{\text{kg CK}}{\text{m}^2} \\
 1 \text{ ni'upare-} \frac{MQ\Theta}{L^2 T} &= 10^{-120} = 0.0001296786 \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
 1 \text{ ni'upaxa-} \frac{MQ\Theta}{L^2 T^2} &= 10^{-160} = 0.04797989 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
 1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 9.472980 \frac{\text{kg s CK}}{\text{m}^2} \\
 1 \text{ ni'upapa-} \frac{MQ\Theta}{L^3} &= 10^{-110} = 0.004325613 \frac{\text{kg CK}}{\text{m}^3} \\
 1 \text{ ni'upamu-} \frac{MQ\Theta}{L^3 T} &= 10^{-150} = 1.600437 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \quad (*) \\
 1 \text{ ni'upaso-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-190} = 592.1469 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
 1 \text{ ni'uxa-} \frac{MTQ\Theta}{L^3} &= 10^{-60} = 116911.4 \frac{\text{kg s CK}}{\text{m}^3}
 \end{aligned}$$

## 12 Base 12 - ??

### 12.1 Only Exponents That End With Zero will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\text{Proton mass} = A310815 \cdot 10^{-20}$$

$$\text{Electron mass} = 97A0.7B2 \cdot 10^{-20}$$

$$\text{Elementary charge} = 0.1037444 \cdot 10^0$$

$$\text{\AA}^1 = 0.0229B024 \cdot 10^{20}$$

$$\text{Bohr radius}^2 = 0.01224278 \cdot 10^{20}$$

$$\text{Fine structure constant}^3 = 0.01073994 \cdot 10^0$$

$$\text{Rydberg Energy}^4 = 0.53B5689 \cdot 10^{-20}$$

$$|\psi^{100}(0)|^5 = 238295.A \cdot 10^{-60}$$

$$\text{eV} = 0.0484A823 \cdot 10^{-20}$$

$$\hbar^6 = 1.000000 \quad (***)$$

$$\lambda_{\text{yellow}} = 75.32446 \cdot 10^{20}$$

$$k_{\text{yellow}}^7 = 0.0A176614 \cdot 10^{-20}$$

$$k_{\text{X-Ray}}^8 = 0.0008B1A386 \cdot 10^{-10}$$

$$\text{Earth g} = 0.0025B2225 \cdot 10^{-30}$$

$$\text{cm} = 62A4B7.6 \cdot 10^{20}$$

$$\text{min} = 1312B8.9 \cdot 10^{30}$$

$$\text{hour} = 0.000006362A7A \cdot 10^{40}$$

$$\text{Liter} = 0.0000B865831 \cdot 10^{80}$$

$$\text{Area of a soccer field} = 0.000006569195 \cdot 10^{60}$$

$$84 \text{ m}^2^9 = 110520.2 \cdot 10^{50}$$

$$\text{km/h} = 4945.445 \cdot 10^{-10}$$

$$\text{mi/h} = 783B.462 \cdot 10^{-10}$$

$$\text{inch}^{10} = 13A1B7B \cdot 10^{20}$$

$$\text{mile} = 0.04050601 \cdot 10^{30}$$

$$\text{pound} = 0.00002ABA7B2 \cdot 10^{10}$$

$$\text{horsepower} = 1A80.506 \cdot 10^{-40}$$

$$\text{kcal} = 0.00002805A4B \cdot 10^0$$

$$\text{kWh} = 0.013B3A10 \cdot 10^0$$

$$\text{Typical household electric field} = 81672.2A \cdot 10^{-50}$$

$$\text{Earthmagneticfield} = 0.000089920B8 \cdot 10^{-40}$$

$$1 \text{ ni'upa-} M = 10^{-10} = 12056B.2 m_p$$

$$1 \text{ ni'ure-} M = 10^{-20} = 0.00012B0131 m_e$$

$$1 Q = 1 = B.858467 e$$

$$1 \text{ re-} L = 10^{20} = 54.4B730 \text{ \AA}$$

$$1 \text{ re-} L = 10^{20} = A1.88428 a_0$$

$$1 = 1 = B5.05226 \alpha$$

$$1 \text{ ni'ure-} \frac{ML^2}{T^2} = 10^{-20} = 2.302876 Ry$$

$$1 \text{ ni'uxa-} \frac{1}{L^3} = 10^{-60} = 0.00000524B771 \rho_{\max}$$

$$1 \text{ ni'ure-} \frac{ML^2}{T^2} = 10^{-20} = 26.773B1 \text{ eV}$$

$$1 \frac{ML^2}{T} = 1 = 1.000000 \cdot \hbar \quad (***)$$

$$1 \text{ re-} L = 10^{20} = 0.01743630 \cdot \lambda_{\text{yellow}}$$

$$1 \text{ ni'ure-} \frac{1}{L} = 10^{-20} = 12.25A04 \cdot k_{\text{yellow}}$$

$$1 \text{ ni'upa-} \frac{1}{L} = 10^{-10} = 1416.207 \cdot k_{\text{X-Ray}}$$

$$1 \text{ ni'uci-} \frac{ML}{T^2} = 10^{-30} = 498.9359 \cdot \text{Earth g}$$

$$1 \text{ re-} L = 10^{20} = 0.000001B0B74A \text{ cm}$$

$$1 \text{ vo-} T = 10^{40} = 964A693. \text{ min}$$

$$1 \text{ vo-} T = 10^{40} = 1AA6AB.5 \text{ h}$$

$$1 \text{ bi-} L^3 = 10^{80} = 10366.70 l$$

$$1 \text{ xa-} L^2 = 10^{60} = 1A3413.2 A$$

$$1 \text{ xa-} L^2 = 10^{60} = B06828A. \cdot 84 \text{ m}^2$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.0002615337 \text{ km/h}$$

$$1 \text{ ni'upa-} \frac{L}{T} = 10^{-10} = 0.0001687084 \text{ mi/h}$$

$$1 \text{ ci-} L = 10^{30} = 910616.2 \text{ in}$$

$$1 \text{ ci-} L = 10^{30} = 2B.83027 \text{ mi}$$

$$1 \text{ pa-} M = 10^{10} = 41474.61 \text{ pound}$$

$$1 \text{ ni'uvu-} \frac{ML^2}{T^3} = 10^{-40} = 0.0006428578 \text{ horsepower}$$

$$1 \frac{ML^2}{T^2} = 1 = 45B21.40 \text{ kcal}$$

$$1 \frac{ML^2}{T^2} = 1 = 90.47334 \text{ kWh}$$

$$1 \text{ ni'umu-} \frac{ML}{T^2Q} = 10^{-50} = 0.00001586999 E_H$$

$$1 \text{ ni'uvu-} \frac{M}{TQ} = 10^{-40} = 14408.49 \cdot \text{Earthmagneticfield}$$

<sup>1</sup>Length in atomic and solid state physics,  $1/\text{A nm}$

<sup>2</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>3</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>4</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>6</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>7</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>8</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>9</sup>Size of a home

<sup>10</sup>30 in = 1 yd = 3 ft

Height of an average man<sup>11</sup> =  $0.00007803736 \cdot 10^{30}$

Mass of an average man =  $0.00315BA82 \cdot 10^{10}$

Age of the Universe =  $168634.6 \cdot 10^{40}$

Size of the observable Universe =  $0.0003BB63A4 \cdot 10^{50}$  (\*)

Average density of the Universe =  $228B.7BA \cdot 10^{-A0}$

Earth mass =  $5965A06 \cdot 10^{20}$

Sun mass<sup>12</sup> =  $0.790A827 \cdot 10^{30}$

Year =  $0.027B1233 \cdot 10^{40}$

Speed of Light =  $1.000000$  (\*\*\*)

Parsec =  $0.08816537 \cdot 10^{40}$

Astronomical unit =  $A5748A.2 \cdot 10^{30}$

Earth radius =  $92.B2093 \cdot 10^{30}$

Distance Earth-Moon =  $3A59.156 \cdot 10^{30}$

Momentum of someone walking<sup>13</sup> =  $6B6.8263 \cdot 10^0$

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$

mol =  $0.01110B95 \cdot 10^{20}$

Standard temperature<sup>14</sup> =  $0.0013B23A9 \cdot 10^{-20}$

Room - standard temperature<sup>15</sup> =  $0.00011BBA6A \cdot 10^{-20}$  (\*)

atm =  $0.00964B039 \cdot 10^{-80}$

$c_s$  =  $0.0000034BB524 \cdot 10^0$  (\*)

1 ci- $L$  =  $10^{30} = 1693B.62\bar{h}$

1 pa- $M$  =  $10^{10} = 3A0.B7A4\bar{m}$

1 vo- $T$  =  $10^{40} = 0.000007843260 t_U$

1 mu- $L$  =  $10^{50} = 3004.319 l_U$  (\*)

1 ni'ujauau- $\frac{M}{L^3}$  =  $10^{-A0} = 0.0005472B33 \rho_U$

1 ci- $M$  =  $10^{30} = 20A229.1 m_E$

1 ci- $M$  =  $10^{30} = 1.669591 m_S$

1 vo- $T$  =  $10^{40} = 46.16353$  y

1  $\frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)

1 vo- $L$  =  $10^{40} = 14.7180 A$  pc

1 vo- $L$  =  $10^{40} = 1190A83.$  au

1 ci- $L$  =  $10^{30} = 0.0136B15A r_E$

1 ci- $L$  =  $10^{30} = 0.000312163B d_M$

1  $\frac{ML}{T} = 1 = 0.001881BA8 \cdot$  Momentum of someone walking<sup>13</sup>

1  $\frac{M}{T^3\Theta^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$

1 re- =  $10^{20} = B0.01120$  mol

1 ni'ure- $\Theta$  =  $10^{-20} = 905.5704 T_0$

1 ni'ure- $\Theta$  =  $10^{-20} = A352.922 \Theta_R$

1 ni'ubi- $\frac{M}{LT^2} = 10^{-80} = 131.2B00$  atm (\*)

1  $\frac{L}{T} = 1 = 36197A.6 \cdot c_s$

1  $\frac{ML}{Q^2} = 1 = 0.0B561508 \cdot \mu_0$

1  $\frac{L^3}{MT^2} = 1 = 21.17146 \cdot G$

### Extensive list of SI units

1 m =  $0.001889B98 \cdot 10^0$

1 =  $1.000000$  (\*\*\*)

1 k =  $6B4.0000 \cdot 10^0$  (\*\*)

1 m $\frac{1}{s}$  =  $6A4582.A \cdot 10^{-40}$

1  $\frac{1}{s}$  =  $0.0003B8049A \cdot 10^{-30}$

1 k $\frac{1}{s}$  =  $0.2370556 \cdot 10^{-30}$

1 m $\frac{1}{s^2}$  =  $233.2802 \cdot 10^{-70}$

1  $\frac{1}{s^2}$  =  $139446.4 \cdot 10^{-70}$

1 k $\frac{1}{s^2}$  =  $0.00009170491 \cdot 10^{-60}$

1 ms =  $5.278098 \cdot 10^{30}$

1 s =  $302B.B43 \cdot 10^{30}$

1 ks =  $0.0000018B8976 \cdot 10^{40}$

1 mm =  $75A11.B5 \cdot 10^{20}$

1 m =  $0.000043BA94A \cdot 10^{30}$

1 km =  $0.02610768 \cdot 10^{30}$

1 m $\frac{m}{s}$  =  $25.8A836 \cdot 10^{-10}$

1  $\frac{m}{s}$  =  $15264.AB \cdot 10^{-10}$

1 k $\frac{m}{s}$  =  $0.00009B63212 \cdot 10^0$

1 m $\frac{m}{s^2}$  =  $0.009A18968 \cdot 10^{-40}$

1 =  $1 = 6B4.0000 m$  (\*\*)

1 =  $1 = 1.000000$  (\*\*\*)

1 =  $1 = 0.001889B98 k$

1 ni'uvu- $\frac{1}{T} = 10^{-40} = 0.0000018B8976 m\frac{m}{s}$

1 ni'uci- $\frac{1}{T} = 10^{-30} = 302B.B43 \frac{1}{s}$

1 ni'uci- $\frac{1}{T} = 10^{-30} = 5.278098 k\frac{1}{s}$

1 ni'uze- $\frac{1}{T^2} = 10^{-70} = 0.0053452B5 m\frac{1}{s^2}$

1 ni'uxa- $\frac{1}{T^2} = 10^{-60} = 9160512. \frac{1}{s^2}$

1 ni'uxa- $\frac{1}{T^2} = 10^{-60} = 13927.A1 k\frac{1}{s^2}$

1 ci-T =  $10^{30} = 0.2370556 m s$

1 ci-T =  $10^{30} = 0.0003B8049A s$

1 vo-T =  $10^{40} = 6A4582.A k s$

1 re-L =  $10^{20} = 0.00001729820 m m$

1 ci-L =  $10^{30} = 292A0.12 m$

1 ci-L =  $10^{30} = 49.52280 k m$

1 ni'upa- $\frac{L}{T} = 10^{-10} = 0.04A127A8 m\frac{m}{s}$

1 ni'upa- $\frac{L}{T} = 10^{-10} = 0.00008449701 \frac{m}{s}$

1  $\frac{L}{T} = 1 = 1255A8.5 k\frac{m}{s}$

1 ni'uvu- $\frac{L}{T^2} = 10^{-40} = 127.6202 m\frac{m}{s^2}$

<sup>11</sup>in developed countries

<sup>12</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>13</sup>p

<sup>14</sup>0°C measured from absolute zero

<sup>15</sup>18 °C

$1\frac{m}{s^2} = 5.845450 \cdot 10^{-40}$	$1 ni' uvo - \frac{L}{T^2} = 10^{-40} = 0.2133560 \frac{m}{s^2}$
$1k\frac{m}{s^2} = 3369.674 \cdot 10^{-40}$	$1 ni' uvo - \frac{L}{T^2} = 10^{-40} = 0.0003780B99 k\frac{m}{s^2}$
$1 m\text{ ms} = 0.0001A74874 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 644A.521 m\text{ ms}$
$1 m\text{ s} = 0.1110811 \cdot 10^{60}$	$1 xa-LT = 10^{60} = B.00424B m\text{ s} \quad (*)$
$1 k\text{ ms} = 76.A8025 \cdot 10^{60}$	$1 xa-LT = 10^{60} = 0.01701910 k\text{ ms}$
$1 m\text{ m}^2 = 2.852BB2 \cdot 10^{50} \quad (*)$	$1 mu-L^2 = 10^{50} = 0.453316A m\text{ m}^2$
$1 m^2 = 1693.156 \cdot 10^{50}$	$1 mu-L^2 = 10^{50} = 0.000780786A m^2$
$1 k\text{ m}^2 = AA4381.9 \cdot 10^{50}$	$1 xa-L^2 = 10^{60} = 11309A6. k\text{ m}^2$
$1 m\frac{m^2}{s} = 0.000A8A3392 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 114B.0B7 m\frac{m^2}{s}$
$1 \frac{m^2}{s} = 0.626A042 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 1.B20AA8 \frac{m^2}{s}$
$1 k\frac{m^2}{s} = 371.A179 \cdot 10^{20}$	$1 re-\frac{L^2}{T} = 10^{20} = 0.003406214 k\frac{m^2}{s}$
$1 m\frac{m^2}{s^2} = 367A61.9 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 m\frac{m^2}{s^2}$
$1 \frac{m^2}{s^2} = 0.0002082840 \cdot 10^{-10}$	$1 ni' upa - \frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{m^2}{s^2} \quad (*)$
$1 k\frac{m^2}{s^2} = 0.1235146 \cdot 10^{-10}$	$1 ni' upa - \frac{L^2}{T^2} = 10^{-10} = A.0B6589 k\frac{m^2}{s^2}$
$1 m\text{ m}^2\text{ s} = 81BA.197 \cdot 10^{80}$	$1 bi-L^2T = 10^{80} = 0.0001577528 m\text{ m}^2\text{ s}$
$1 m^2\text{ s} = 488571A. \cdot 10^{80}$	$1 so-L^2T = 10^{90} = 265818.8 m^2\text{ s}$
$1 k\text{ m}^2\text{ s} = 0.002899564 \cdot 10^{90}$	$1 so-L^2T = 10^{90} = 447.A867 k\text{ m}^2\text{ s}$
$1 m\frac{1}{m} = 49.52280 \cdot 10^{-30}$	$1 ni' uci - \frac{1}{L} = 10^{-30} = 0.02610768 m\frac{1}{m}$
$1 \frac{1}{m} = 292A0.12 \cdot 10^{-30}$	$1 ni' uci - \frac{1}{L} = 10^{-30} = 0.000043B494A \frac{1}{m}$
$1 k\frac{1}{m} = 0.00001729820 \cdot 10^{-20}$	$1 ni' ure - \frac{1}{L} = 10^{-20} = 75A11.B5 k\frac{1}{m}$
$1 m\frac{1}{ms} = 0.01701910 \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 76.A8025 m\frac{1}{ms}$
$1 \frac{1}{ms} = B.00424B \cdot 10^{-60} \quad (*)$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 0.1110811 \frac{1}{ms}$
$1 k\frac{1}{ms} = 644A.521 \cdot 10^{-60}$	$1 ni' uxa - \frac{1}{LT} = 10^{-60} = 0.0001A74874 k\frac{1}{ms}$
$1 m\frac{1}{ms^2} = 6363747. \cdot 10^{-40}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 1AA683.9 m\frac{1}{ms^2}$
$1 \frac{1}{ms^2} = 0.003785913 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 336.528B \frac{1}{ms^2}$
$1 k\frac{1}{ms^2} = 2.13627B \cdot 10^{-90}$	$1 ni' uso - \frac{1}{LT^2} = 10^{-90} = 0.5839A96 k\frac{1}{ms^2}$
$1 m\frac{s}{m} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 m\frac{s}{m}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 k\frac{s}{m} = 0.04A127A8 \cdot 10^{10}$	$1 pa-\frac{T}{L} = 10^{10} = 25.8A836 k\frac{s}{m}$
$1 m\frac{1}{m^2} = 11309A6. \cdot 10^{-60}$	$1 ni' umu - \frac{1}{L^2} = 10^{-50} = AA4381.9 m\frac{1}{m^2}$
$1 \frac{1}{m^2} = 0.000780786A \cdot 10^{-50}$	$1 ni' umu - \frac{1}{L^2} = 10^{-50} = 1693.156 \frac{1}{m^2}$
$1 k\frac{1}{m^2} = 0.453316A \cdot 10^{-50}$	$1 ni' umu - \frac{1}{L^2} = 10^{-50} = 2.852BB2 k\frac{1}{m^2} \quad (*)$
$1 m\frac{1}{m^2}s = 447.A867 \cdot 10^{-90}$	$1 ni' uso - \frac{1}{L^2T} = 10^{-90} = 0.002899564 m\frac{1}{m^2s}$
$1 \frac{1}{m^2s} = 265818.8 \cdot 10^{-90}$	$1 ni' ubi - \frac{1}{L^2T} = 10^{-80} = 488571A. \frac{1}{m^2s}$
$1 k\frac{1}{m^2s} = 0.0001577528 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^2T} = 10^{-80} = 81BA.197 k\frac{1}{m^2s}$
$1 m\frac{1}{m^2s^2} = 0.15521B9 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2T^2} = 10^{-100} = 8.316822 m\frac{1}{m^2s^2}$
$1 \frac{1}{m^2s^2} = A1.07851 \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2T^2} = 10^{-100} = 0.0123367A \frac{1}{m^2s^2}$
$1 k\frac{1}{m^2s^2} = 5A079.5A \cdot 10^{-100}$	$1 ni' upano - \frac{1}{L^2T^2} = 10^{-100} = 0.0000207BBB8 k\frac{1}{m^2s^2}$
$1 m\frac{s}{m^2} = 0.003406214 \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 371.A179 m\frac{s}{m^2}$
$1 \frac{s}{m^2} = 1.B20AA8 \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 0.626A042 \frac{s}{m^2}$
$1 k\frac{s}{m^2} = 114B.0B7 \cdot 10^{-20}$	$1 ni' ure - \frac{T}{L^2} = 10^{-20} = 0.000A8A3392 k\frac{s}{m^2}$
$1 m\frac{1}{m^3} = 0.030869B5 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 3B.09689 m\frac{1}{m^3}$
$1 \frac{1}{m^3} = 19.2B611 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 0.0693B760 \frac{1}{m^3}$
$1 k\frac{1}{m^3} = 10366.70 \cdot 10^{-80}$	$1 ni' ubi - \frac{1}{L^3} = 10^{-80} = 0.0000B865831 k\frac{1}{m^3}$
$1 m\frac{1}{m^3}s = 0.0000101A183 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{1}{L^3T} = 10^{-B0} = BA218.06 m\frac{1}{m^3s}$
$1 \frac{1}{m^3s} = 0.00704990B \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{1}{L^3T} = 10^{-B0} = 185.8260 \frac{1}{m^3s}$
$1 k\frac{1}{m^3s} = 4.0A1510 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{1}{L^3T} = 10^{-B0} = 0.2B46608 k\frac{1}{m^3s}$
$1 m\frac{1}{m^3s^2} = 4034.432 \cdot 10^{-130}$	$1 ni' upaci - \frac{1}{L^3T^2} = 10^{-130} = 0.0002B95AA8 m\frac{1}{m^3s^2}$
$1 \frac{1}{m^3s^2} = 0.0000023B3430 \cdot 10^{-120}$	$1 ni' upare - \frac{1}{L^3T^2} = 10^{-120} = 51A1B5.6 \frac{1}{m^3s^2}$
$1 k\frac{1}{m^3s^2} = 0.0014203B6 \cdot 10^{-120}$	$1 ni' upare - \frac{1}{L^3T^2} = 10^{-120} = 8AA.55A7 k\frac{1}{m^3s^2}$

$1\text{m}\frac{\text{s}}{\text{m}^3} = 92.AA572 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{T}{L^3} = 10^{-50} = 0.0136B768\text{ m}\frac{\text{s}}{\text{m}^3}$
$1\text{k}\frac{\text{s}}{\text{m}^3} = 54222.02 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{T}{L^3} = 10^{-50} = 0.000022B0BA\text{ A}\frac{\text{s}}{\text{m}^3}$
$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.00003118588 \cdot 10^{-40}$	$1\text{ni}'\text{uovo}-\frac{T}{L^3} = 10^{-40} = 3A635.37\text{ k}\frac{\text{s}}{\text{m}^3}$
$1\text{m kg} = B1372.7A \cdot 10^0$	$1 M = 1 = 0.000010B6856\text{ m kg}$
$1\text{kg} = 0.00006518419 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 1A497.BA\text{ kg}$
$1\text{k kg} = 0.03878535 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 32.85B4A\text{ k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 38.16419 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 0.0331AB42\text{ m}\frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 21653.49 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 0.00005780121\text{ }\frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 0.00001294083 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{T} = 10^{-20} = 98B19.74\text{ k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 0.01273642 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 9A.36180\text{ m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 8.553A12 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 0.1504ABB\frac{\text{kg}}{\text{s}^2} \quad (*)$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 4A85.741 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 0.0002552780\text{ k}\frac{\text{kg}}{\text{s}^2}$
$1\text{m kg s} = 0.00029680B7 \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 435B.497\text{ m kg s}$
$1\text{kg s} = 0.1750414 \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 7.4B9989\text{ kg s}$
$1\text{k kg s} = B2.A306A \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 0.01099232\text{ k kg s}$
$1\text{m kg m} = 4.016594 \cdot 10^{30}$	$1\text{ci-}ML = 10^{30} = 0.2BAA214\text{ m kg m}$
$1\text{kg m} = 23A2.842 \cdot 10^{30}$	$1\text{ci-}ML = 10^{30} = 0.0005206092\text{ kg m}$
$1\text{k kg m} = 0.000001415007 \cdot 10^{40} \quad (*)$	$1\text{vo-}ML = 10^{40} = 8B2608.B\text{ k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 0.0013B2304 \cdot 10^0$	$1\frac{ML}{T} = 1 = 905.60B3\text{ m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.9278381 \cdot 10^0$	$1\frac{ML}{T} = 1 = 1.375006\frac{\text{kg m}}{\text{s}} \quad (*)$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 540.4102 \cdot 10^0$	$1\frac{ML}{T} = 1 = 0.0022BA340\text{ k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 533599.0 \cdot 10^{-40}$	$1\text{ni}'\text{uovo}-\frac{ML}{T^2} = 10^{-40} = 0.000002337716\text{ m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 0.0003076245 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{ML}{T^2} = 10^{-30} = 3B21.964\frac{\text{kg m}}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 0.1924245 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{ML}{T^2} = 10^{-30} = 6.963814\text{ k}\frac{\text{kg m}}{\text{s}^2}$
$1\text{m kg m s} = 10147.74 \cdot 10^{60}$	$1\text{xa-}MLT = 10^{60} = 0.0000BA76357\text{ m kg m s}$
$1\text{kg m s} = 7017626.. \cdot 10^{60}$	$1\text{ze-}MLT = 10^{70} = 186561.B\text{ kg m s}$
$1\text{k kg m s} = 0.004083366 \cdot 10^{70}$	$1\text{ze-}MLT = 10^{70} = 2B5.A700\text{ k kg m s} \quad (*)$
$1\text{m kg m}^2 = 0.0001546326 \cdot 10^{60}$	$1\text{xa-}ML^2 = 10^{60} = 8353.89B\text{ m kg m}^2$
$1\text{kg m}^2 = 0.0A080A36 \cdot 10^{60}$	$1\text{xa-}ML^2 = 10^{60} = 12.3A060\text{ kg m}^2$
$1\text{k kg m}^2 = 59.A0075 \cdot 10^{60} \quad (*)$	$1\text{xa-}ML^2 = 10^{60} = 0.0208B260\text{ k kg m}^2$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 59041.89 \cdot 10^{20}$	$1\text{re-}\frac{ML^2}{T} = 10^{20} = 0.00002104911\text{ m}\frac{\text{kg m}^2}{\text{s}}$
$1\frac{\text{kg m}^2}{\text{s}} = 0.000033B4494 \cdot 10^{30}$	$1\text{ci-}\frac{ML^2}{T} = 10^{30} = 37310.30\frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.01B14B26 \cdot 10^{30}$	$1\text{ci-}\frac{ML^2}{T} = 10^{30} = 62.8B8B8\text{ k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 1A.A2693 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.06375313\text{ m}\frac{\text{kg m}^2}{\text{s}^2}$
$1\frac{\text{kg m}^2}{\text{s}^2} = 11283.18 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.0000AA80781\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 0.0000077A005A \cdot 10^0 \quad (*)$	$1\frac{ML^2}{T^2} = 1 = 169971.A\text{ k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2 s = 0.445AA32 \cdot 10^{90}$	$1\text{so-}ML^2T = 10^{90} = 2.8B0460\text{ m kg m}^2 s$
$1\text{kg m}^2 s = 264.6407 \cdot 10^{90}$	$1\text{so-}ML^2T = 10^{90} = 0.0048A7450\text{ kg m}^2 s$
$1\text{k kg m}^2 s = 156B54.1 \cdot 10^{90}$	$1\text{jauau-}ML^2T = 10^{40} = 8236826.\text{ k kg m}^2 s$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.002692477 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 481.B8A6\text{ m}\frac{\text{kg}}{\text{m}}$
$1\frac{\text{kg}}{\text{m}} = 1.597A6A \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 0.8107745\text{ kg}\frac{\text{m}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = A37.8889 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 0.0011B85A4\text{ k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = A22761.1 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{LT} = 10^{-60} = 0.000001217B56\text{ m}\frac{\text{kg}}{\text{ms}}$
$1\frac{\text{kg}}{\text{m s}} = 0.0005A88A98 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{LT} = 10^{-50} = 2052.16A\frac{\text{kg}}{\text{ms}}$
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.34B2058 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{LT} = 10^{-50} = 3.6273B5\text{ k}\frac{\text{kg}}{\text{ms}}$
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 345.6130 \cdot 10^{-90}$	$1\text{ni}'\text{uso}-\frac{M}{LT^2} = 10^{-90} = 0.003686274\text{ m}\frac{\text{kg}}{\text{ms}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 1B4B70.8 \cdot 10^{-90}$	$1\text{ni}'\text{ubi}-\frac{M}{LT^2} = 10^{-80} = 61976B0..\frac{\text{kg}}{\text{ms}^2}$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 0.0001167198 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{LT^2} = 10^{-80} = A764.551\text{ k}\frac{\text{kg}}{\text{ms}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 7.8B33A0 \cdot 10^{10}$	$1\text{pa-}\frac{MT}{L} = 10^{10} = 0.1671422\text{ m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 4594.B88 \cdot 10^{10}$	$1\text{pa-}\frac{MT}{L} = 10^{10} = 0.000281655B\frac{\text{kg s}}{\text{m}}$

$1k \frac{kg\cdot s}{m} = 0.000002716069 \cdot 10^{20}$	$1 re - \frac{MT}{L} = 10^{20} = 476262.9 k \frac{kg\cdot s}{m}$
$1m \frac{kg}{m^2} = 71.26907 \cdot 10^{-50}$	$1 ni'umu - \frac{M}{L^2} = 10^{-50} = 0.01834122 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 41391.6A \cdot 10^{-50}$	$1 ni'umu - \frac{M}{L^2} = 10^{-50} = 0.00002B05B1B \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 0.0000246554B \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{L^2} = 10^{-40} = 50674.4A k \frac{kg}{m^2}$
$1m \frac{kg}{m^2\cdot s} = 0.02426102 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{L^2T} = 10^{-80} = 51.31058 m \frac{kg}{m^2\cdot s}$
$1 \frac{kg}{m^2\cdot s} = 14.3A8B1 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{L^2T} = 10^{-80} = 0.089A290A \frac{kg}{m^2\cdot s}$
$1k \frac{kg}{m^2\cdot s} = 9544.735 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{L^2T} = 10^{-80} = 0.000132AB59 k \frac{kg}{m^2\cdot s}$
$1m \frac{kg}{m^2\cdot s^2} = 9408545 \cdot 10^{-100}$	$1 ni'uvaiei - \frac{M}{L^2T^2} = 10^{-B0} = 135067.5 m \frac{kg}{m^2\cdot s^2}$
$1 \frac{kg}{m^2\cdot s^2} = 0.0054A227B \cdot 10^{-B0}$	$1 ni'uvaiei - \frac{M}{L^2T^2} = 10^{-B0} = 227.9143 \frac{kg}{m^2\cdot s^2}$
$1k \frac{kg}{m^2\cdot s^2} = 3.164092 \cdot 10^{-B0}$	$1 ni'uvaiei - \frac{M}{L^2T^2} = 10^{-B0} = 0.3A06645 k \frac{kg}{m^2\cdot s^2}$
$1m \frac{kg}{m^2} = 1954B6.3 \cdot 10^{-20}$	$1 ni'ure - \frac{MT}{L^2} = 10^{-20} = 0.000006867B60 m \frac{kg}{m^2}$
$1 \frac{kg}{m^2} = 0.000104B714 \cdot 10^{-10}$	$1 ni'upa - \frac{MT}{L^2} = 10^{-10} = B724.88A \frac{kg}{m^2}$
$1k \frac{kg}{m^2} = 0.07225A08 \cdot 10^{-10}$	$1 ni'upa - \frac{MT}{L^2} = 10^{-10} = 18.06536 k \frac{kg}{m^2}$
$1m \frac{kg}{m^3} = 178020A \cdot 10^{-80}$	$1 ni'uze - \frac{M}{L^3} = 10^{-70} = 73A385.5 m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 0.000B46BA46 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{L^3} = 10^{-70} = 1079.A19 \frac{kg}{m^3}$
$1k \frac{kg}{m^3} = 0.6705A48 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{L^3} = 10^{-70} = 1.9A4195 k \frac{kg}{m^3}$
$1m \frac{kg}{m^3\cdot s} = 661.6816 \cdot 10^{-B0}$	$1 ni'uvaiei - \frac{M}{L^3T} = 10^{-B0} = 0.001A14A37 m \frac{kg}{m^3\cdot s}$
$1 \frac{kg}{m^3\cdot s} = 392698.5 \cdot 10^{-B0}$	$1 ni'ujauau - \frac{M}{L^3T} = 10^{-A0} = 3227527. \frac{kg}{m^3\cdot s}$
$1k \frac{kg}{m^3\cdot s} = 0.000221B9B4 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{M}{L^3T} = 10^{-A0} = 5605.B28 k \frac{kg}{m^3\cdot s}$
$1m \frac{kg}{m^3\cdot s^2} = 0.21A4498 \cdot 10^{-120}$	$1 ni'upare - \frac{M}{L^3T^2} = 10^{-120} = 5.6989AB m \frac{kg}{m^3\cdot s^2}$
$1 \frac{kg}{m^3\cdot s^2} = 12B.73A8 \cdot 10^{-120}$	$1 ni'upare - \frac{M}{L^3T^2} = 10^{-120} = 0.009754954 \frac{kg}{m^3\cdot s^2}$
$1k \frac{kg}{m^3\cdot s^2} = 87B36.44 \cdot 10^{-120}$	$1 ni'upare - \frac{M}{L^3T^2} = 10^{-120} = 0.00001475B77 k \frac{kg}{m^3\cdot s^2}$
$1m \frac{kg}{m^3} = 0.004B4B524 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3} = 10^{-40} = 251.023A m \frac{kg}{m^3}$
$1 \frac{kg}{m^3} = 2.A47089 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3} = 10^{-40} = 0.4231247 \frac{kg}{m^3}$
$1k \frac{kg}{m^3} = 17A9.245 \cdot 10^{-40}$	$1 ni'uvo - \frac{MT}{L^3} = 10^{-40} = 0.00072A1A66 k \frac{kg}{m^3}$
$1m \frac{1}{C} = 72350.00 \cdot 10^{-20} \quad (*)$	$1 ni'ure - \frac{1}{Q} = 10^{-20} = 0.00001803A21 m \frac{1}{C}$
$1 \frac{1}{C} = 0.000041B2488 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{Q} = 10^{-10} = 2A733.57 \frac{1}{C}$
$1k \frac{1}{C} = 0.024A9135 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{Q} = 10^{-10} = 4B.97159 k \frac{1}{C}$
$1m \frac{1}{s\cdot C} = 24.69190 \cdot 10^{-50}$	$1 ni'umu - \frac{1}{TQ} = 10^{-50} = 0.0505B64A m \frac{1}{s\cdot C}$
$1 \frac{1}{s\cdot C} = 14643.62 \cdot 10^{-50}$	$1 ni'umu - \frac{1}{TQ} = 10^{-50} = 0.00008865644 \frac{1}{s\cdot C}$
$1k \frac{1}{s\cdot C} = 0.000009695988 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{TQ} = 10^{-40} = 130786.0 k \frac{1}{s\cdot C}$
$1m \frac{1}{s^2\cdot C} = 0.009557351 \cdot 10^{-80}$	$1 ni'ubi - \frac{1}{T^2Q} = 10^{-80} = 132.8B9A m \frac{1}{s^2\cdot C}$
$1 \frac{1}{s^2\cdot C} = 5.57B731 \cdot 10^{-80}$	$1 ni'ubi - \frac{1}{T^2Q} = 10^{-80} = 0.223958A \frac{1}{s^2\cdot C}$
$1k \frac{1}{s^2\cdot C} = 31BB.BB1 \cdot 10^{-80} \quad (*)$	$1 ni'ubi - \frac{1}{T^2Q} = 10^{-80} = 0.0003958275 k \frac{1}{s^2\cdot C}$
$1m \frac{s}{C} = 0.0001987957 \cdot 10^{20}$	$1 re - \frac{T}{Q} = 10^{20} = 6767.B56 m \frac{s}{C}$
$1 \frac{s}{C} = 0.106A091 \cdot 10^{20}$	$1 re - \frac{T}{Q} = 10^{20} = B.557A82 \frac{s}{C}$
$1k \frac{s}{C} = 73.35A70 \cdot 10^{20}$	$1 re - \frac{T}{Q} = 10^{20} = 0.01796737 k \frac{s}{C}$
$1m \frac{m}{C} = 2.71A0B1 \cdot 10^{10}$	$1 pa - \frac{L}{Q} = 10^{10} = 0.4757407 m \frac{m}{C}$
$1 \frac{m}{C} = 1604.139 \cdot 10^{10}$	$1 pa - \frac{L}{Q} = 10^{10} = 0.0007BA2151 \frac{m}{C}$
$1k \frac{m}{C} = A52465.3 \cdot 10^{10}$	$1 re - \frac{L}{Q} = 10^{20} = 1197609. k \frac{m}{C}$
$1m \frac{m}{s\cdot C} = 0.000A3908A1 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{TQ} = 10^{-20} = 11B6.820 m \frac{m}{s\cdot C}$
$1 \frac{m}{s\cdot C} = 0.5B74B15 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{TQ} = 10^{-20} = 2.016558 \frac{m}{s\cdot C}$
$1k \frac{m}{s\cdot C} = 355.4166 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{TQ} = 10^{-20} = 0.003583A3A k \frac{m}{s\cdot C}$
$1m \frac{m}{s^2\cdot C} = 34B740.A \cdot 10^{-60}$	$1 ni'uxa - \frac{L}{T^2Q} = 10^{-60} = 0.000003621A50 m \frac{m}{s^2\cdot C}$
$1 \frac{m}{s^2\cdot C} = 0.0001B85B77 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2Q} = 10^{-50} = 60A7.789 \frac{m}{s^2\cdot C}$
$1k \frac{m}{s^2\cdot C} = 0.1187815 \cdot 10^{-50}$	$1 ni'umu - \frac{L}{T^2Q} = 10^{-50} = A.5B4581 k \frac{m}{s^2\cdot C}$
$1m \frac{ms}{C} = 7A13.673 \cdot 10^{40}$	$1 vo - \frac{LT}{Q} = 10^{40} = 0.0001644140 m \frac{ms}{C}$
$1 \frac{ms}{C} = 46563BA \cdot 10^{40}$	$1 mu - \frac{LT}{Q} = 10^{50} = 278903.6 \frac{ms}{C}$
$1k \frac{ms}{C} = 0.002762478 \cdot 10^{50}$	$1 mu - \frac{LT}{Q} = 10^{50} = 469.B336 k \frac{ms}{C}$

$1 \text{m} \frac{\text{m}^2}{\text{C}} = 0.0000B2B8613 \cdot 10^{40}$	$1 \text{vo} \frac{L^2}{Q} = 10^{40} = 10976.46 \text{m} \frac{\text{m}^2}{\text{C}}$
$1 \frac{\text{m}^2}{\text{C}} = 0.06613B90 \cdot 10^{40}$	$1 \text{vo} \frac{L^2}{Q} = 10^{40} = 1A.15756 \frac{\text{m}^2}{\text{C}}$
$1 \text{k} \frac{\text{m}^2}{\text{C}} = 39.252B7 \cdot 10^{40}$	$1 \text{vo} \frac{L^2}{Q} = 10^{40} = 0.03228908 \text{k} \frac{\text{m}^2}{\text{C}}$
$1 \text{m} \frac{\text{m}^2}{\text{sC}} = 38822.7A \cdot 10^0$	$1 \frac{L^2}{TQ} = 1 = 0.00003280B39 \text{m} \frac{\text{m}^2}{\text{sC}}$
$1 \frac{\text{m}^2}{\text{sC}} = 0.000021A3611 \cdot 10^{10}$	$1 \text{pa} \frac{L^2}{TQ} = 10^{10} = 569B1.72 \frac{\text{m}^2}{\text{sC}}$
$1 \text{k} \frac{\text{m}^2}{\text{sC}} = 0.012B6983 \cdot 10^{10}$	$1 \text{pa} \frac{L^2}{TQ} = 10^{10} = 97.58936 \text{k} \frac{\text{m}^2}{\text{sC}}$
$1 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}} = 12.95B7A \cdot 10^{-30}$	$1 \text{ni'uci} \frac{L^2}{T^2Q} = 10^{-30} = 0.0989A812 \text{m} \frac{\text{m}^2}{\text{s}^2\text{C}}$
$1 \frac{\text{m}^2}{\text{s}^2\text{C}} = 8687.56B \cdot 10^{-30}$	$1 \text{ni'uci} \frac{L^2}{T^2Q} = 10^{-30} = 0.000149A570 \frac{\text{m}^2}{\text{s}^2\text{C}}$
$1 \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}} = 0.000004B53A61 \cdot 10^{-20}$	$1 \text{ni'ure} \frac{L^2}{T^2Q} = 10^{-20} = 250A02.A \text{k} \frac{\text{m}^2}{\text{s}^2\text{C}}$
$1 \text{m} \frac{\text{m}^2\text{s}}{\text{C}} = 0.29B89A2 \cdot 10^{70}$	$1 \text{ze} \frac{L^2T}{Q} = 10^{70} = 4.2A3416 \text{m} \frac{\text{m}^2\text{s}}{\text{C}}$
$1 \frac{\text{m}^2\text{s}}{\text{C}} = 177.B5B1 \cdot 10^{70}$	$1 \text{ze} \frac{L^2T}{Q} = 10^{70} = 0.0073A68A4 \frac{\text{m}^2\text{s}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2\text{s}}{\text{C}} = B4671.95 \cdot 10^{70}$	$1 \text{ze} \frac{L^2T}{Q} = 10^{70} = 0.0000107A348 \text{k} \frac{\text{m}^2\text{s}}{\text{C}}$
$1 \text{m} \frac{1}{\text{mC}} = 0.0017AB934 \cdot 10^{-40}$	$1 \text{ni'uvo} \frac{1}{LQ} = 10^{-40} = 729.2789 \text{m} \frac{1}{\text{mC}}$
$1 \frac{1}{\text{mC}} = 0.B637115 \cdot 10^{-40}$	$1 \text{ni'uvo} \frac{1}{LQ} = 10^{-40} = 1.05B28B \frac{1}{\text{mC}}$
$1 \text{k} \frac{1}{\text{mC}} = 680.4B31 \cdot 10^{-40}$	$1 \text{ni'uvo} \frac{1}{LQ} = 10^{-40} = 0.001971098 \text{k} \frac{1}{\text{mC}}$
$1 \text{m} \frac{1}{\text{msC}} = 671412.5 \cdot 10^{-80}$	$1 \text{ni'ubi} \frac{1}{LTQ} = 10^{-80} = 0.0000019A13A2 \text{m} \frac{1}{\text{msC}}$
$1 \frac{1}{\text{msC}} = 0.0003994798 \cdot 10^{-70}$	$1 \text{ni'uze} \frac{1}{LTQ} = 10^{-70} = 318B.145 \frac{1}{\text{msC}}$
$1 \text{k} \frac{1}{\text{msC}} = 0.225B236 \cdot 10^{-70}$	$1 \text{ni'uze} \frac{1}{LTQ} = 10^{-70} = 5.527A64 \text{k} \frac{1}{\text{msC}}$
$1 \text{m} \frac{1}{\text{ms}^2\text{C}} = 222.3273 \cdot 10^{-B0}$	$1 \text{ni'uvaiei} \frac{1}{LT^2Q} = 10^{-B0} = 0.0055B9485 \text{m} \frac{1}{\text{ms}^2\text{C}}$
$1 \frac{1}{\text{ms}^2\text{C}} = 131A50.1 \cdot 10^{-B0}$	$1 \text{ni'ujauau} \frac{1}{LT^2Q} = 10^{-A0} = 96024A4. \frac{1}{\text{ms}^2\text{C}}$
$1 \text{k} \frac{1}{\text{ms}^2\text{C}} = 0.0000892B812 \cdot 10^{-A0}$	$1 \text{ni'ujauau} \frac{1}{LT^2Q} = 10^{-A0} = 14503.01 \text{k} \frac{1}{\text{ms}^2\text{C}}$
$1 \text{m} \frac{s}{\text{mC}} = 5.01AB87 \cdot 10^{-10}$	$1 \text{ni'upa} \frac{T}{LQ} = 10^{-10} = 0.248824B \text{m} \frac{s}{\text{mC}}$
$1 \frac{s}{\text{mC}} = 2A99.368 \cdot 10^{-10}$	$1 \text{ni'upa} \frac{T}{LQ} = 10^{-10} = 0.0004177431 \frac{s}{\text{mC}}$
$1 \text{k} \frac{s}{\text{mC}} = 0.000001819268 \cdot 10^0$	$1 \frac{T}{LQ} = 1 = 719276.7 \text{k} \frac{s}{\text{mC}}$
$1 \text{m} \frac{1}{\text{m}^2\text{C}} = 47.1A997 \cdot 10^{-70}$	$1 \text{ni'uze} \frac{1}{L^2Q} = 10^{-70} = 0.0273B280 \text{m} \frac{1}{\text{m}^2\text{C}}$
$1 \frac{1}{\text{m}^2\text{C}} = 27B06.54 \cdot 10^{-70}$	$1 \text{ni'uze} \frac{1}{L^2Q} = 10^{-70} = 0.00004617485 \frac{1}{\text{m}^2\text{C}}$
$1 \text{k} \frac{1}{\text{m}^2\text{C}} = 0.00001658049 \cdot 10^{-60}$	$1 \text{ni'uxa} \frac{1}{L^2Q} = 10^{-60} = 79665.2B \text{k} \frac{1}{\text{m}^2\text{C}}$
$1 \text{m} \frac{1}{\text{m}^2\text{sC}} = 0.01631459 \cdot 10^{-A0}$	$1 \text{ni'ujauau} \frac{1}{L^2TQ} = 10^{-A0} = 7A.77614 \text{m} \frac{1}{\text{m}^2\text{sC}}$
$1 \frac{1}{\text{m}^2\text{sC}} = A.697653 \cdot 10^{-A0}$	$1 \text{ni'ujauau} \frac{1}{L^2TQ} = 10^{-A0} = 0.1176440 \frac{1}{\text{m}^2\text{sC}}$
$1 \text{k} \frac{1}{\text{m}^2\text{sC}} = 6146.A40 \cdot 10^{-A0}$	$1 \text{ni'ujauau} \frac{1}{L^2TQ} = 10^{-A0} = 0.0001B66B64 \text{k} \frac{1}{\text{m}^2\text{sC}}$
$1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}} = 6065096. \cdot 10^{-120}$	$1 \text{ni'upapa} \frac{1}{L^2T^2Q} = 10^{-110} = 1B9A60.1 \text{m} \frac{1}{\text{m}^2\text{s}^2\text{C}}$
$1 \frac{1}{\text{m}^2\text{s}^2\text{C}} = 0.0035B8722 \cdot 10^{-110}$	$1 \text{ni'upapa} \frac{1}{L^2T^2Q} = 10^{-110} = 351.BAA5 \frac{1}{\text{m}^2\text{s}^2\text{C}}$
$1 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}} = 2.036046 \cdot 10^{-110}$	$1 \text{ni'upapa} \frac{1}{L^2T^2Q} = 10^{-110} = 0.5B17507 \text{k} \frac{1}{\text{m}^2\text{s}^2\text{C}}$
$1 \text{m} \frac{s}{\text{m}^2\text{C}} = 11A758.2 \cdot 10^{-40}$	$1 \text{ni'uvo} \frac{T}{L^2Q} = 10^{-40} = 0.00000A454760 \text{m} \frac{s}{\text{m}^2\text{C}}$
$1 \frac{s}{\text{m}^2\text{C}} = 0.00008051291 \cdot 10^{-30}$	$1 \text{ni'uci} \frac{T}{L^2Q} = 10^{-30} = 15B06.A1 \frac{s}{\text{m}^2\text{C}}$
$1 \text{k} \frac{s}{\text{m}^2\text{C}} = 0.04797526 \cdot 10^{-30}$	$1 \text{ni'uci} \frac{T}{L^2Q} = 10^{-30} = 26.B7285 \text{k} \frac{s}{\text{m}^2\text{C}}$
$1 \text{m} \frac{1}{\text{m}^3\text{C}} = 1089309. \cdot 10^{-A0}$	$1 \text{ni'uso} \frac{1}{L^3Q} = 10^{-90} = B38955.4 \text{m} \frac{1}{\text{m}^3\text{C}}$
$1 \frac{1}{\text{m}^3\text{C}} = 0.000744AB35 \cdot 10^{-90}$	$1 \text{ni'uso} \frac{1}{L^3Q} = 10^{-90} = 1766.666 \frac{1}{\text{m}^3\text{C}}$
$1 \text{k} \frac{1}{\text{m}^3\text{C}} = 0.431B538 \cdot 10^{-90}$	$1 \text{ni'uso} \frac{1}{L^3Q} = 10^{-90} = 2.99364B \text{k} \frac{1}{\text{m}^3\text{C}}$
$1 \text{m} \frac{1}{\text{m}^3\text{sC}} = 426.A636 \cdot 10^{-110}$	$1 \text{ni'upapa} \frac{1}{L^3TQ} = 10^{-110} = 0.002A202B5 \text{m} \frac{1}{\text{m}^3\text{sC}}$
$1 \frac{1}{\text{m}^3\text{sC}} = 253251.0 \cdot 10^{-110}$	$1 \text{ni'upano} \frac{1}{L^3TQ} = 10^{-100} = 4B06227. \frac{1}{\text{m}^3\text{sC}}$
$1 \text{k} \frac{1}{\text{m}^3\text{sC}} = 0.00014B2AA0 \cdot 10^{-100}$	$1 \text{ni'upano} \frac{1}{L^3TQ} = 10^{-100} = 8603.937 \text{k} \frac{1}{\text{m}^3\text{sC}}$
$1 \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}} = 0.148A960 \cdot 10^{-140}$	$1 \text{ni'upavo} \frac{1}{L^3T^2Q} = 10^{-140} = 8.72710A \text{m} \frac{1}{\text{m}^3\text{s}^2\text{C}}$
$1 \frac{1}{\text{m}^3\text{s}^2\text{C}} = 98.31735 \cdot 10^{-140}$	$1 \text{ni'upavo} \frac{1}{L^3T^2Q} = 10^{-140} = 0.012A4350 \frac{1}{\text{m}^3\text{s}^2\text{C}}$
$1 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}} = 57345.1B \cdot 10^{-140}$	$1 \text{ni'upavo} \frac{1}{L^3T^2Q} = 10^{-140} = 0.000021824B4 \text{k} \frac{1}{\text{m}^3\text{s}^2\text{C}}$
$1 \text{m} \frac{s}{\text{m}^3\text{C}} = 0.003255A9B \cdot 10^{-60}$	$1 \text{ni'uxa} \frac{T}{L^3Q} = 10^{-60} = 38B.2352 \text{m} \frac{s}{\text{m}^3\text{C}}$
$1 \frac{s}{\text{m}^3\text{C}} = 1.A3097A \cdot 10^{-60}$	$1 \text{ni'uxa} \frac{T}{L^3Q} = 10^{-60} = 0.65787A2 \frac{s}{\text{m}^3\text{C}}$

$1k \frac{s}{m^3 C} = 10A6.770 \cdot 10^{-60}$	$1 ni'uxa - \frac{T}{L^3 Q} = 10^{-60} = 0.000B220205 k \frac{s}{m^3 C}$
$1m \frac{kg}{C} = 3.A28146 \cdot 10^{-10}$	$1 ni'upa - \frac{M}{Q} = 10^{-10} = 0.3147361 m \frac{kg}{C}$
$1 \frac{kg}{C} = 228B.B02 \cdot 10^{-10}$	$1 ni'upa - \frac{M}{Q} = 10^{-10} = 0.00054723B4 \frac{kg}{C}$
$1k \frac{kg}{C} = 0.000001359152 \cdot 10^0$	$1 \frac{M}{Q} = 1 = 937651.1 k \frac{kg}{C}$
$1m \frac{kg}{s^2 C} = 0.001337514 \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{TQ} = 10^{-40} = 94B.1A3B m \frac{kg}{s^2 C}$
$1 \frac{kg}{s^2 C} = 0.8A316A1 \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{TQ} = 10^{-40} = 1.43185B \frac{kg}{s^2 C}$
$1k \frac{kg}{s^2 C} = 515.B0AA \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{TQ} = 10^{-40} = 0.00241257A k \frac{kg}{s^2 C}$
$1m \frac{kg}{s^2 C} = 509501.6 \cdot 10^{-80}$	$1 ni'ubi - \frac{M}{T^2 Q} = 10^{-80} = 0.0000024517A4 m \frac{kg}{s^2 C}$
$1 \frac{kg}{s^2 C} = 0.0002B21496 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{T^2 Q} = 10^{-70} = 4115.A05 \frac{kg}{s^2 C}$
$1k \frac{kg}{s^2 C} = 0.1843448 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{T^2 Q} = 10^{-70} = 7.0A770A k \frac{kg}{s^2 C}$
$1m \frac{kg s}{C} = B776.97B \cdot 10^{20}$	$1 re - \frac{MT}{Q} = 10^{20} = 0.00010460A7 m \frac{kg s}{C}$
$1 \frac{kg s}{C} = 6897A71. \cdot 10^{20}$	$1 ci - \frac{MT}{Q} = 10^{30} = 194750.B \frac{kg s}{C}$
$1k \frac{kg s}{C} = 0.003A9188B \cdot 10^{30}$	$1 ci - \frac{MT}{Q} = 10^{30} = 30B.52B1 k \frac{kg s}{C}$
$1m \frac{kg m}{C} = 0.0001483259 \cdot 10^{20}$	$1 re - \frac{ML}{Q} = 10^{20} = 8765.BBB m \frac{kg m}{C} \quad (**)$
$1 \frac{kg m}{C} = 0.097A8B26 \cdot 10^{20}$	$1 re - \frac{ML}{Q} = 10^{20} = 12.AB059 \frac{kg m}{C}$
$1k \frac{kg m}{C} = 57.09B46 \cdot 10^{20}$	$1 re - \frac{ML}{Q} = 10^{20} = 0.02192103 k \frac{kg m}{C}$
$1m \frac{kg m}{s^2 C} = 56367.67 \cdot 10^{-20}$	$1 ni'ure - \frac{ML}{TQ} = 10^{-20} = 0.0000220941B m \frac{kg m}{s^2 C}$
$1 \frac{kg m}{s^2 C} = 0.00003244805 \cdot 10^{-10}$	$1 ni'upa - \frac{ML}{TQ} = 10^{-10} = 39059.49 \frac{kg m}{s^2 C}$
$1k \frac{kg m}{s^2 C} = 0.01A25192 \cdot 10^{-10}$	$1 ni'upa - \frac{ML}{TQ} = 10^{-10} = 65.9B524 k \frac{kg m}{s^2 C}$
$1m \frac{kg m}{s^2 C} = 19.B4367 \cdot 10^{-50}$	$1 ni'umu - \frac{ML}{T^2 Q} = 10^{-50} = 0.0668A150 m \frac{kg m}{s^2 C}$
$1 \frac{kg m}{s^2 C} = 1084A.60 \cdot 10^{-50}$	$1 ni'umu - \frac{ML}{T^2 Q} = 10^{-50} = 0.0000B408326 \frac{kg m}{s^2 C}$
$1k \frac{kg m}{s^2 C} = 0.000007424630 \cdot 10^{-40}$	$1 ni'uvo - \frac{ML}{T^2 Q} = 10^{-40} = 177135.3 k \frac{kg m}{s^2 C}$
$1m \frac{kg m s}{C} = 0.424B741 \cdot 10^{50}$	$1 mu - \frac{MLT}{Q} = 10^{50} = 2.A33937 m \frac{kg m s}{C}$
$1 \frac{kg m s}{C} = 252.11B7 \cdot 10^{50}$	$1 mu - \frac{MLT}{Q} = 10^{50} = 0.004B29029 \frac{kg m s}{C}$
$1k \frac{kg m s}{C} = 14A729.0 \cdot 10^{50}$	$1 xa - \frac{MLT}{Q} = 10^{60} = 864218A. k \frac{kg m s}{C}$
$1m \frac{kg m^2}{C} = 6038.253 \cdot 10^{40}$	$1 vo - \frac{ML^2}{Q} = 10^{40} = 0.0001BA93B3 m \frac{kg m^2}{C}$
$1 \frac{kg m^2}{C} = 35A16B7. \cdot 10^{40}$	$1 mu - \frac{ML^2}{Q} = 10^{50} = 353674.7 \frac{kg m^2}{C}$
$1k \frac{kg m^2}{C} = 0.002027039 \cdot 10^{50}$	$1 mu - \frac{ML^2}{Q} = 10^{50} = 5B4.3901 k \frac{kg m^2}{C}$
$1m \frac{kg m^2}{s^2 C} = 1.BB2A01 \cdot 10^{10} \quad (*)$	$1 pa - \frac{ML^2}{TQ} = 10^{10} = 0.60236A4 m \frac{kg m^2}{s^2 C}$
$1 \frac{kg m^2}{s^2 C} = 11A2.842 \cdot 10^{10}$	$1 pa - \frac{ML^2}{TQ} = 10^{10} = 0.000A48B66A \frac{kg m^2}{s^2 C}$
$1k \frac{kg m^2}{s^2 C} = 802407.6 \cdot 10^{10}$	$1 re - \frac{ML^2}{TQ} = 10^{20} = 15B6901. k \frac{kg m^2}{s^2 C}$
$1m \frac{kg m^2}{s^2 C} = 0.0007B10485 \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2}{T^2 Q} = 10^{-20} = 1620.AB7 m \frac{kg m^2}{s^2 C}$
$1 \frac{kg m^2}{s^2 C} = 0.4703A08 \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2}{T^2 Q} = 10^{-20} = 2.74A03B \frac{kg m^2}{s^2 C}$
$1k \frac{kg m^2}{s^2 C} = 27A.167A \cdot 10^{-20}$	$1 ni'ure - \frac{ML^2}{T^2 Q} = 10^{-20} = 0.004632090 k \frac{kg m^2}{s^2 C}$
$1m \frac{kg m^2 s}{C} = 0.00001625126 \cdot 10^{80}$	$1 bi - \frac{ML^2 T}{Q} = 10^{80} = 7AB26.2B m \frac{kg m^2 s}{C}$
$1 \frac{kg m^2 s}{C} = 0.00A64A107 \cdot 10^{80}$	$1 bi - \frac{ML^2 T}{Q} = 10^{80} = 118.067B \frac{kg m^2 s}{C}$
$1k \frac{kg m^2 s}{C} = 6.119747 \cdot 10^{80}$	$1 bi - \frac{ML^2 T}{Q} = 10^{80} = 0.1B757B5 k \frac{kg m^2 s}{C}$
$1m \frac{kg}{m C} = A8033.8A \cdot 10^{-40}$	$1 ni'uvo - \frac{M}{LQ} = 10^{-40} = 0.0000115B799 m \frac{kg}{m C}$
$1 \frac{kg}{m C} = 0.000062106BB \cdot 10^{-30} \quad (*)$	$1 ni'uci - \frac{M}{LQ} = 10^{-30} = 1B3A7.66 \frac{kg}{m C}$
$1k \frac{kg}{m C} = 0.036A5B47 \cdot 10^{-30}$	$1 ni'uci - \frac{M}{LQ} = 10^{-30} = 34.37863 k \frac{kg}{m C}$
$1m \frac{kg}{ms C} = 36.46953 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{LTQ} = 10^{-70} = 0.03493475 m \frac{kg}{ms C}$
$1 \frac{kg}{ms C} = 20638.57 \cdot 10^{-70}$	$1 ni'uze - \frac{M}{LTQ} = 10^{-70} = 0.00005A55905 \frac{kg}{ms C}$
$1k \frac{kg}{ms C} = 0.00001223989 \cdot 10^{-60}$	$1 ni'uxa - \frac{M}{LTQ} = 10^{-60} = A18BA.40 k \frac{kg}{ms C}$
$1m \frac{kg}{ms^2 C} = 0.01204306 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{M}{LT^2 Q} = 10^{-A0} = A3.20361 m \frac{kg}{ms^2 C}$
$1 \frac{kg}{ms^2 C} = 8.151657 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{M}{LT^2 Q} = 10^{-A0} = 0.158A039 \frac{kg}{ms^2 C}$
$1k \frac{kg}{ms^2 C} = 4846.B43 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{M}{LT^2 Q} = 10^{-A0} = 0.0002679435 k \frac{kg}{ms^2 C}$
$1m \frac{kg s}{m C} = 0.0002828952 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 4575.094 m \frac{kg s}{m C}$

$$\begin{aligned}
1 \frac{\text{kg s}}{\text{m C}} &= 0.1679782 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= A9.6233A \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 0.002566BB1 \cdot 10^{-60} \quad (*) \\
1 \frac{\text{kg}}{\text{m}^2 \text{C}} &= 1.51246A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} &= 9A8.BA47 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 994692.A \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.00057B1842 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} &= 0.3338853 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 32A.355A \cdot 10^{-110} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 1A5A14.1 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.0001101AA8 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 7.5315B2 \cdot 10^{-30} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 437A.446 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} &= 0.0000025A8739 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 69.A0B82 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^3 \text{C}} &= 3B440.11 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} &= 0.0000234A920 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 0.02311333 \cdot 10^{-100} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 13.81821 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} &= 90A6.410 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 8B75768. \cdot 10^{-140} \\
1 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 0.005234652 \cdot 10^{-130} \\
1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} &= 3.006160 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 187280.B \cdot 10^{-60} \\
1 \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.0000BB09A8A \cdot 10^{-50} \quad (*) \\
1 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}} &= 0.06A96486 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 \frac{MT}{LQ} &= 1 = 7.87A001 \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 0.011412B9 \text{k} \frac{\text{kg s}}{\text{m C}} \\
1 \text{n}'uxa \frac{M}{L^2 Q} &= 10^{-60} = 4A5.9152 \text{m} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n}'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.850783B \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n}'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.00126753B \text{k} \frac{\text{kg}}{\text{m}^2 \text{C}} \\
1 \text{n}'ujauau \frac{M}{L^2 TQ} &= 10^{-A0} = 0.000001287A65 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{n}'uso \frac{M}{L^2 TQ} &= 10^{-90} = 2153.196 \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{n}'uso \frac{M}{L^2 TQ} &= 10^{-90} = 3.7B5B08 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s C}} \\
1 \text{n}'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.003857895 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n}'upano \frac{M}{L^2 T^2 Q} &= 10^{-100} = 64A1795. \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n}'upano \frac{M}{L^2 T^2 Q} &= 10^{-100} = B095.536 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 \text{n}'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.1743862 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n}'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.00029551B4 \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n}'ure \frac{MT}{L^2 Q} &= 10^{-20} = 499808.1 \text{k} \frac{\text{kg s}}{\text{m}^2 \text{C}} \\
1 \text{n}'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.01914571 \text{m} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n}'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.00003059B12 \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n}'ubi \frac{M}{L^3 Q} &= 10^{-80} = 53069.47 \text{k} \frac{\text{kg}}{\text{m}^3 \text{C}} \\
1 \text{n}'upano \frac{M}{L^3 TQ} &= 10^{-100} = 53.94790 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{n}'upano \frac{M}{L^3 TQ} &= 10^{-100} = 0.09227099 \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{n}'upano \frac{M}{L^3 TQ} &= 10^{-100} = 0.00013A5526 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s C}} \\
1 \text{n}'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 140810.0 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n}'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 238.B343 \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n}'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 0.3BB3A15 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2 \text{C}} \\
1 \text{n}'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.000006BA6142 \text{m} \frac{\text{kg s}}{\text{m}^3 \text{C}} \\
1 \text{n}'umu \frac{MT}{L^3 Q} &= 10^{-50} = 100B2.B9 \frac{\text{kg s}}{\text{m}^3 \text{C}} \quad (*) \\
1 \text{n}'umu \frac{MT}{L^3 Q} &= 10^{-50} = 18.A5507 \text{k} \frac{\text{kg s}}{\text{m}^3 \text{C}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m C} &= 4B.97159 \cdot 10^{10} \\
1 \text{C} &= 2A733.57 \cdot 10^{10} \\
1 \text{k C} &= 0.00001803A21 \cdot 10^{20} \\
1 \text{m} \frac{\text{C}}{\text{s}} &= 0.01796737 \cdot 10^{-20} \\
1 \frac{\text{C}}{\text{s}} &= B.557A82 \cdot 10^{-20} \\
1 \text{k} \frac{\text{C}}{\text{s}} &= 6767.B56 \cdot 10^{-20} \\
1 \text{m} \frac{\text{C}}{\text{s}^2} &= 6677AB4. \cdot 10^{-60} \\
1 \frac{\text{C}}{\text{s}^2} &= 0.003961234 \cdot 10^{-50} \\
1 \text{k} \frac{\text{C}}{\text{s}^2} &= 2.240432 \cdot 10^{-50} \\
1 \text{m s C} &= 130786.0 \cdot 10^{40} \\
1 \text{s C} &= 0.00008865644 \cdot 10^{50} \\
1 \text{k s C} &= 0.0505B64A \cdot 10^{50} \\
1 \text{m m C} &= 0.001971098 \cdot 10^{40} \\
1 \text{m C} &= 1.05B28B \cdot 10^{40} \\
1 \text{k m C} &= 729.2789 \cdot 10^{40} \\
1 \text{m} \frac{\text{m C}}{\text{s}} &= 719276.7 \cdot 10^0 \\
1 \frac{\text{m C}}{\text{s}} &= 0.0004177431 \cdot 10^{10} \\
1 \text{k} \frac{\text{m C}}{\text{s}} &= 0.248824B \cdot 10^{10} \\
1 \text{m} \frac{\text{m C}}{\text{s}^2} &= 244.8639 \cdot 10^{-30} \\
1 \frac{\text{m C}}{\text{s}^2} &= 145206.6 \cdot 10^{-30} \\
1 \text{k} \frac{\text{m C}}{\text{s}^2} &= 0.00009612A53 \cdot 10^{-20} \\
1 \text{m m s C} &= 5.527A64 \cdot 10^{70} \\
1 \text{m s C} &= 318B.145 \cdot 10^{70}
\end{aligned}$$

$$\begin{aligned}
1 \text{pa-Q} &= 10^{10} = 0.024A9135 \text{m C} \\
1 \text{pa-Q} &= 10^{10} = 0.000041B2488 \text{C} \\
1 \text{re-Q} &= 10^{20} = 72350.00 \text{k C} \quad (*) \\
1 \text{n}'ure \frac{Q}{T} &= 10^{-20} = 73.35A70 \text{m} \frac{\text{C}}{\text{s}} \\
1 \text{n}'ure \frac{Q}{T} &= 10^{-20} = 0.106A091 \frac{\text{C}}{\text{s}} \\
1 \text{n}'ure \frac{Q}{T} &= 10^{-20} = 0.0001987957 \text{k} \frac{\text{C}}{\text{s}} \\
1 \text{n}'umu \frac{Q}{T^2} &= 10^{-50} = 19B831.6 \text{m} \frac{\text{C}}{\text{s}^2} \\
1 \text{n}'umu \frac{Q}{T^2} &= 10^{-50} = 31B.7A14 \frac{\text{C}}{\text{s}^2} \\
1 \text{n}'umu \frac{Q}{T^2} &= 10^{-50} = 0.5574522 \text{k} \frac{\text{C}}{\text{s}^2} \\
1 \text{vo-TQ} &= 10^{40} = 0.000009695988 \text{m s C} \\
1 \text{mu-TQ} &= 10^{50} = 14643.62 \text{s C} \\
1 \text{mu-TQ} &= 10^{50} = 24.69190 \text{k s C} \\
1 \text{vo-LQ} &= 10^{40} = 680.4B31 \text{m m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.B637115 \text{m C} \\
1 \text{vo-LQ} &= 10^{40} = 0.0017AB934 \text{k m C} \\
1 \frac{LQ}{T} &= 1 = 0.000001819268 \text{m} \frac{\text{m C}}{\text{s}} \\
1 \text{pa} \frac{LQ}{T} &= 10^{10} = 2A99.368 \frac{\text{m C}}{\text{s}} \\
1 \text{pa} \frac{LQ}{T} &= 10^{10} = 5.01AB87 \text{k} \frac{\text{m C}}{\text{s}} \\
1 \text{n}'uci \frac{LQ}{T^2} &= 10^{-30} = 0.0050A3BA9 \text{m} \frac{\text{m C}}{\text{s}^2} \\
1 \text{n}'ure \frac{LQ}{T^2} &= 10^{-20} = 8920216. \frac{\text{m C}}{\text{s}^2} \\
1 \text{n}'ure \frac{LQ}{T^2} &= 10^{-20} = 13189.18 \text{k} \frac{\text{m C}}{\text{s}^2} \\
1 \text{ze-LTQ} &= 10^{70} = 0.225B236 \text{m m s C} \\
1 \text{ze-LTQ} &= 10^{70} = 0.0003994798 \text{m s C}
\end{aligned}$$

$1 \text{k m s C} = 0.0000019A13A2 \cdot 10^{80}$	$1 \text{ bi-LTQ} = 10^{80} = 671412.5 \text{ k m s C}$
$1 \text{m m}^2 \text{C} = 79665.2B \cdot 10^{60}$	$1 \text{ xa-L}^2\text{Q} = 10^{60} = 0.00001658049 \text{ m m}^2 \text{C}$
$1 \text{m}^2 \text{C} = 0.00004617485 \cdot 10^{70}$	$1 \text{ ze-L}^2\text{Q} = 10^{70} = 27B06.54 \text{ m}^2 \text{C}$
$1 \text{k m}^2 \text{C} = 0.0273B280 \cdot 10^{70}$	$1 \text{ ze-L}^2\text{Q} = 10^{70} = 47.1A997 \text{ k m}^2 \text{C}$
$1 \text{m}^{\frac{2}{s}} \text{C} = 26.B7285 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2\text{Q}}{T} = 10^{30} = 0.04797526 \text{ m}^{\frac{m^2}{s}} \text{C}$
$1 \text{m}^{\frac{2}{s^2}} \text{C} = 15B06.A1 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2\text{Q}}{T} = 10^{30} = 0.00008051291 \text{ m}^{\frac{m^2}{s^2}} \text{C}$
$1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}} = 0.00000A4454760 \cdot 10^{40}$	$1 \text{ vo-} \frac{L^2\text{Q}}{T} = 10^{40} = 11A758.2 \text{ k} \frac{\text{m}^2 \text{C}}{\text{s}}$
$1 \text{m} \frac{\text{m}^2 \text{C}}{\text{s}^2} = 0.00A3020A0 \cdot 10^0$	$1 \frac{L^2\text{Q}}{T^2} = 1 = 120.6956 \text{ m}^{\frac{m^2 \text{C}}{s^2}}$
$1 \frac{\text{m}^2 \text{C}}{\text{s}^2} = 5.B23245$	$1 \frac{L^2\text{Q}}{T^2} = 1 = 0.2033465 \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2} = 3524.4A6 \cdot 10^0$	$1 \frac{L^2\text{Q}}{T^2} = 1 = 0.00035B401A \text{k} \frac{\text{m}^2 \text{C}}{\text{s}^2}$
$1 \text{m m}^2 \text{s C} = 0.0001B66B64 \cdot 10^{A0}$	$1 \text{jauau-L}^2\text{TQ} = 10^{A0} = 6146.A40 \text{ m m}^2 \text{s C}$
$1 \text{m}^2 \text{s C} = 0.1176440 \cdot 10^{A0}$	$1 \text{jauau-L}^2\text{TQ} = 10^{A0} = A.697653 \text{ m}^2 \text{s C}$
$1 \text{k m}^2 \text{s C} = 7A.77614 \cdot 10^{A0}$	$1 \text{jauau-L}^2\text{TQ} = 10^{A0} = 0.01631459 \text{ k m}^2 \text{s C}$
$1 \text{m} \frac{\text{C}}{\text{m}} = 1197609. \cdot 10^{-20}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = A52465.3 \text{ m}^{\frac{C}{m}}$
$1 \frac{\text{C}}{\text{m}} = 0.0007BA2151 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = 1604.139 \frac{C}{m}$
$1 \text{k} \frac{\text{C}}{\text{m}} = 0.4757407 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = 2.71A0B1 \text{k} \frac{C}{m}$
$1 \text{m} \frac{\text{C}}{\text{ms}} = 469.B336 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{Q}{LT} = 10^{-50} = 0.002762478 \text{ m}^{\frac{C}{ms}}$
$1 \frac{\text{C}}{\text{ms}} = 278903.6 \cdot 10^{-50}$	$1 \text{ ni'uvo-} \frac{Q}{LT} = 10^{-40} = 46563BA. \frac{C}{ms}$
$1 \text{k} \frac{\text{C}}{\text{ms}} = 0.0001644140 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{Q}{LT} = 10^{-40} = 7A13.673 \text{k} \frac{C}{ms}$
$1 \text{m} \frac{\text{C}}{\text{ms}^2} = 0.1619775 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 7.B2569B \text{ m}^{\frac{C}{ms^2}}$
$1 \frac{\text{C}}{\text{ms}^2} = A6.062AB \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 0.01186217 \frac{C}{ms^2}$
$1 \text{k} \frac{\text{C}}{\text{ms}^2} = 60B37.42 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 0.00001B83468 \text{k} \frac{C}{ms^2}$
$1 \text{m} \frac{\text{sC}}{\text{m}} = 0.003583A3A \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 355.4166 \text{ m}^{\frac{sC}{m}}$
$1 \frac{\text{sC}}{\text{m}} = 2.016558 \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 0.5B74B15 \frac{sC}{m}$
$1 \text{k} \frac{\text{sC}}{\text{m}} = 11B6.820 \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 0.000A3908A1 \text{k} \frac{sC}{m}$
$1 \text{m} \frac{\text{C}}{\text{m}^2} = 0.03228908 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{Q}{L^2} = 10^{-40} = 39.252B7 \text{ m}^{\frac{C}{m^2}}$
$1 \frac{\text{C}}{\text{m}^2} = 1A.15756 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{Q}{L^2} = 10^{-40} = 0.06613B90 \frac{C}{m^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2} = 10976.46 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{Q}{L^2} = 10^{-40} = 0.0000B2B8613 \text{k} \frac{C}{m^2}$
$1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0000107A348 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = B4671.95 \text{ m}^{\frac{C}{m^2 \text{s}}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0073A68A4 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = 177.B5B1 \frac{C}{m^2 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} = 4.2A3416 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = 0.29B89A2 \text{k} \frac{C}{m^2 \text{s}}$
$1 \text{m} \frac{\text{C}}{\text{m}^2 \text{s}^2} = 4232.B26 \cdot 10^{-B0}$	$1 \text{ ni'uvaiei-} \frac{Q}{L^2T^2} = 10^{-B0} = 0.0002A45A5A \text{ m}^{\frac{C}{m^2 \text{s}^2}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 0.000002511246 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} = 10^{-A0} = 4B4946.B \frac{C}{m^2 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} = 0.0014A037A \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} = 10^{-A0} = 867.82B0 \text{k} \frac{C}{m^2 \text{s}^2}$
$1 \text{m} \frac{\text{sC}}{\text{m}^2} = 97.58936 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.012B6983 \text{ m}^{\frac{sC}{m^2}}$
$1 \frac{\text{sC}}{\text{m}^2} = 569B1.72 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.000021A3611 \frac{sC}{m^2}$
$1 \text{k} \frac{\text{sC}}{\text{m}^2} = 0.00003280B39 \cdot 10^0$	$1 \frac{TQ}{L^2} = 1 = 38822.7A \text{k} \frac{sC}{m^2}$
$1 \text{m} \frac{\text{C}}{\text{m}^3} = 89A.64B3 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^3} = 10^{-70} = 0.00143A21B \text{ m}^{\frac{C}{m^3}}$
$1 \frac{\text{C}}{\text{m}^3} = 51331A.4 \cdot 10^{-70}$	$1 \text{ ni'uxa-} \frac{Q}{L^3} = 10^{-60} = 242513B. \frac{C}{m^3}$
$1 \text{k} \frac{\text{C}}{\text{m}^3} = 0.0002B55BAB \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{Q}{L^3} = 10^{-60} = 4089.723 \text{k} \frac{C}{m^3}$
$1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}} = 0.2B07182 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 4.137518 \text{ m}^{\frac{C}{m^3 \text{s}}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 183.4970 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 0.00712398B \frac{C}{m^3 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} = B8A33.A7 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 0.00001032694 \text{k} \frac{C}{m^3 \text{s}}$
$1 \text{m} \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0000B729651 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 104B1.B7 \text{ m}^{\frac{C}{m^3 \text{s}^2}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0686A8A7 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 19.54277 \frac{C}{m^3 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} = 3A.76670 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 0.0310853A \text{k} \frac{C}{m^3 \text{s}^2}$
$1 \text{m} \frac{\text{sC}}{\text{m}^3} = 227A049. \cdot 10^{-40}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 549BB9.6 \text{ m}^{\frac{sC}{m^3}} \quad (*)$
$1 \frac{\text{sC}}{\text{m}^3} = 0.001351101 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 940.46B3 \frac{sC}{m^3}$
$1 \text{k} \frac{\text{sC}}{\text{m}^3} = 0.8B1423A \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 1.417112 \text{k} \frac{sC}{m^3}$
$1 \text{m kg C} = 0.002805012 \cdot 10^{20}$	$1 \text{ re-MQ} = 10^{20} = 45B.3685 \text{ m kg C}$

$1 \text{ kg C} = 1.665694 \cdot 10^{20}$	$1 \text{ re-}MQ = 10^{20} = 0.7926411 \text{ kg C}$
$1 \text{k kg C} = A88.A789 \cdot 10^{20}$	$1 \text{ re-}MQ = 10^{20} = 0.001150998 \text{ k kg C}$
$1 \text{m} \frac{\text{kg C}}{\text{s}} = A730B7.0 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MQ}{T} = 10^{-20} = 0.00000116B431 \text{ m} \frac{\text{kg C}}{\text{s}}$
$1 \frac{\text{kg C}}{\text{s}} = 0.0006178885 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{MQ}{T} = 10^{-10} = 1B56.A2A \frac{\text{kg C}}{\text{s}}$
$1 \text{k} \frac{\text{kg C}}{\text{s}} = 0.3674BB1 \cdot 10^{-10} \quad (*)$	$1 \text{ ni'upa-} \frac{MQ}{T} = 10^{-10} = 3.4667A9 \text{ k} \frac{\text{kg C}}{\text{s}}$
$1 \text{m} \frac{\text{kg C}}{\text{s}^2} = 361.6312 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{MQ}{T^2} = 10^{-50} = 0.0035028A7 \text{ m} \frac{\text{kg C}}{\text{s}^2}$
$1 \frac{\text{kg C}}{\text{s}^2} = 204669.6 \cdot 10^{-50}$	$1 \text{ ni'uvo-} \frac{MQ}{T^2} = 10^{-40} = 5AA6A1B. \frac{\text{kg C}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg C}}{\text{s}^2} = 0.00012136B2 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{MQ}{T^2} = 10^{-40} = A259.521 \text{ k} \frac{\text{kg C}}{\text{s}^2}$
$1 \text{m kg s C} = 8.092B99 \cdot 10^{50}$	$1 \text{ mu-}MTQ = 10^{50} = 0.15A3433 \text{ m kg s C}$
$1 \text{kg s C} = 4800.289 \cdot 10^{50} \quad (*)$	$1 \text{ mu-}MTQ = 10^{50} = 0.00026A3378 \text{ kg s C}$
$1 \text{k kg s C} = 0.00000284A96B \cdot 10^{60}$	$1 \text{ xa-}MTQ = 10^{60} = 453A04.1 \text{ k kg s C}$
$1 \text{m kg m C} = B6965.55 \cdot 10^{40}$	$1 \text{ vo-}MLQ = 10^{40} = 0.0000105497A \text{ m kg m C}$
$1 \text{kg m C} = 0.0000683A29A \cdot 10^{50}$	$1 \text{ mu-}MLQ = 10^{50} = 1961B.72 \text{ kg m C}$
$1 \text{k kg m C} = 0.03A5950B \cdot 10^{50}$	$1 \text{ mu-}MLQ = 10^{50} = 31.21352 \text{ k kg m C}$
$1 \text{m} \frac{\text{kg m C}}{\text{s}} = 39.B4335 \cdot 10^{10}$	$1 \text{ pa-} \frac{MLQ}{T} = 10^{10} = 0.03173860 \text{ m} \frac{\text{kg m C}}{\text{s}}$
$1 \frac{\text{kg m C}}{\text{s}} = 2270A.42 \cdot 10^{10}$	$1 \text{ pa-} \frac{MLQ}{T} = 10^{10} = 0.000054BA416 \frac{\text{kg m C}}{\text{s}}$
$1 \text{k} \frac{\text{kg m C}}{\text{s}} = 0.0000134793A \cdot 10^{20}$	$1 \text{ re-} \frac{MLQ}{T} = 10^{20} = 94372.75 \text{ k} \frac{\text{kg m C}}{\text{s}}$
$1 \text{m} \frac{\text{kg m C}}{\text{s}^2} = 0.013262A2 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MLQ}{T^2} = 10^{-20} = 95.73949 \text{ m} \frac{\text{kg m C}}{\text{s}^2}$
$1 \frac{\text{kg m C}}{\text{s}^2} = 8.975B94 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MLQ}{T^2} = 10^{-20} = 0.1443986 \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg m C}}{\text{s}^2} = 5116.0A6 \cdot 10^{-20}$	$1 \text{ ni'ure-} \frac{MLQ}{T^2} = 10^{-20} = 0.0002432A07 \text{ k} \frac{\text{kg m C}}{\text{s}^2}$
$1 \text{m kg m s C} = 0.0002AB3316 \cdot 10^{80}$	$1 \text{ bi-}MLTQ = 10^{80} = 4155.A03 \text{ m kg m s C}$
$1 \text{kg m s C} = 0.1827738 \cdot 10^{80}$	$1 \text{ bi-}MLTQ = 10^{80} = 7.156646 \text{ kg m s C}$
$1 \text{k kg m s C} = B8.4B611 \cdot 10^{80}$	$1 \text{ bi-}MLTQ = 10^{80} = 0.01038183 \text{ k kg m s C}$
$1 \text{m kg m}^2 \text{ C} = 4.2141AA \cdot 10^{70}$	$1 \text{ ze-}ML^2Q = 10^{70} = 0.2A595B5 \text{ m kg m}^2 \text{ C}$
$1 \text{kg m}^2 \text{ C} = 2500.027 \cdot 10^{70} \quad (*)$	$1 \text{ ze-}ML^2Q = 10^{70} = 0.0004B70464 \text{ kg m}^2 \text{ C}$
$1 \text{k kg m}^2 \text{ C} = 0.000001494816 \cdot 10^{80}$	$1 \text{ bi-}ML^2Q = 10^{80} = 86B6A8.6 \text{ k kg m}^2 \text{ C}$
$1 \text{m} \frac{\text{kg m}^2 \text{ C}}{\text{s}} = 0.0014709A4 \cdot 10^{40}$	$1 \text{ vo-} \frac{ML^2Q}{T} = 10^{40} = 881.B947 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}}$
$1 \frac{\text{kg m}^2 \text{ C}}{\text{s}} = 0.972505B \cdot 10^{40}$	$1 \text{ vo-} \frac{ML^2Q}{T} = 10^{40} = 1.2BBB76 \frac{\text{kg m}^2 \text{ C}}{\text{s}} \quad (**)$
$1 \text{k} \frac{\text{kg m}^2 \text{ C}}{\text{s}} = 568.0181 \cdot 10^{40}$	$1 \text{ vo-} \frac{ML^2Q}{T} = 10^{40} = 0.0021B0514 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}}$
$1 \text{m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} = 55A95A.1 \cdot 10^0$	$1 \frac{ML^2Q}{T^2} = 1 = 0.000002227B46 \text{ m} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2}$
$1 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} = 0.0003217727 \cdot 10^{10}$	$1 \text{ pa-} \frac{ML^2Q}{T^2} = 10^{10} = 3938.A08 \frac{\text{kg m}^2 \text{ C}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2} = 0.1A0A015 \cdot 10^{10}$	$1 \text{ pa-} \frac{ML^2Q}{T^2} = 10^{10} = 6.636B06 \text{ k} \frac{\text{kg m}^2 \text{ C}}{\text{s}^2}$
$1 \text{m kg m}^2 \text{ s C} = 10746.71 \cdot 10^{40}$	$1 \text{jauau-}ML^2TQ = 10^{40} = 0.0000B4B9261 \text{ m kg m}^2 \text{ s C}$
$1 \text{kg m}^2 \text{ s C} = 7372B10. \cdot 10^{40}$	$1 \text{ vaiei-}ML^2TQ = 10^{B0} = 178851.B \text{ kg m}^2 \text{ s C}$
$1 \text{k kg m}^2 \text{ s C} = 0.004284377 \cdot 10^{B0}$	$1 \text{ vaiei-}ML^2TQ = 10^{B0} = 2A1.031B \text{ k kg m}^2 \text{ s C}$
$1 \text{m} \frac{\text{kg C}}{\text{m}} = 74.88685 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{MQ}{L} = 10^{-10} = 0.017585B5 \text{ m} \frac{\text{kg C}}{\text{m}}$
$1 \frac{\text{kg C}}{\text{m}} = 4341A.13 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{MQ}{L} = 10^{-10} = 0.0000297A204 \frac{\text{kg C}}{\text{m}}$
$1 \text{k} \frac{\text{kg C}}{\text{m}} = 0.00002586A16 \cdot 10^0$	$1 \frac{MQ}{L} = 1 = 4A1A2.1B \frac{\text{kg C}}{\text{m}}$
$1 \text{m} \frac{\text{kg C}}{\text{m}^2} = 0.02545637 \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{MQ}{LT} = 10^{-40} = 4A.9B9B2 \text{ m} \frac{\text{kg C}}{\text{m s}}$
$1 \frac{\text{kg C}}{\text{m}^2} = 14.BB785 \cdot 10^{-40} \quad (*)$	$1 \text{ ni'uvo-} \frac{MQ}{LT} = 10^{-40} = 0.0857B39A \frac{\text{kg C}}{\text{m s}}$
$1 \text{k} \frac{\text{kg C}}{\text{m}^2} = 9A05.61A \cdot 10^{-40}$	$1 \text{ ni'uvo-} \frac{MQ}{LT} = 10^{-40} = 0.000127808B \frac{\text{kg C}}{\text{m s}}$
$1 \text{m} \frac{\text{kg C}}{\text{m}^2} = 988171B. \cdot 10^{-80}$	$1 \text{ ni'uze-} \frac{MQ}{LT^2} = 10^{-70} = 129878.7 \text{ m} \frac{\text{kg C}}{\text{m s}^2}$
$1 \frac{\text{kg C}}{\text{m}^2} = 0.005763191 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{MQ}{LT^2} = 10^{-70} = 217.125A \frac{\text{kg C}}{\text{m s}^2}$
$1 \text{k} \frac{\text{kg C}}{\text{m}^2} = 3.30A9A2 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{MQ}{LT^2} = 10^{-70} = 0.3828055 \text{ k} \frac{\text{kg C}}{\text{m s}^2}$
$1 \text{m} \frac{\text{kg s C}}{\text{m}} = 1A4035.6 \cdot 10^{20}$	$1 \text{ re-} \frac{MTQ}{L} = 10^{20} = 0.000006544898 \text{ m} \frac{\text{kg s C}}{\text{m}}$
$1 \frac{\text{kg s C}}{\text{m}} = 0.00010B1340 \cdot 10^{30}$	$1 \text{ ci-} \frac{MTQ}{L} = 10^{30} = B183.230 \frac{\text{kg s C}}{\text{m}}$
$1 \text{k} \frac{\text{kg s C}}{\text{m}} = 0.0759165A \cdot 10^{30}$	$1 \text{ ci-} \frac{MTQ}{L} = 10^{30} = 17.30207 \text{ k} \frac{\text{kg s C}}{\text{m}}$
$1 \text{m} \frac{\text{kg C}}{\text{m}^2} = 1858ABA. \cdot 10^{-40}$	$1 \text{ ni'uci-} \frac{MQ}{L^2} = 10^{-30} = 7046A1.3 \text{ m} \frac{\text{kg C}}{\text{m}^2}$
$1 \frac{\text{kg C}}{\text{m}^2} = 0.000BA266B7 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{MQ}{L^2} = 10^{-30} = 1019.87A \frac{\text{kg C}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg C}}{\text{m}^2} = 0.6A37044 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{MQ}{L^2} = 10^{-30} = 1.8BB628 \text{ k} \frac{\text{kg C}}{\text{m}^2} \quad (*)$

$1m \frac{kg\ C}{m^2 s} = 694.2525 \cdot 10^{-70}$	$1 ni'uze \frac{MQ}{L^2 T} = 10^{-70} = 0.00192A936 m \frac{kg\ C}{m^2 s}$
$1 \frac{kg\ C}{m^2 s} = 3B0B22.A \cdot 10^{-70}$	$1 ni'uxa \frac{MQ}{L^2 T} = 10^{-60} = 308568B. \frac{kg\ C}{m^2 s}$
$1k \frac{kg\ C}{m^2 s} = 0.000232B182 \cdot 10^{-60}$	$1 ni'uxa \frac{MQ}{L^2 T} = 10^{-60} = 5351.54B k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 0.22B1B08 \cdot 10^{-A0}$	$1 ni'ujauau \frac{MQ}{L^2 T^2} = 10^{-A0} = 5.41BB51 m \frac{kg\ C}{m^2 s^2} (*)$
$1 \frac{kg\ C}{m^2 s^2} = 137.0201 \cdot 10^{-A0}$	$1 ni'ujauau \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.0092A6779 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 90285.B6 \cdot 10^{-A0}$	$1 ni'ujauau \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.000013B7242 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.0051A4111 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 23B.2481 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 2.B9718B$	$1 \frac{MTQ}{L^2} = 1 = 0.4032832 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 1887.375 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.0006B4A959 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.0488767A \cdot 10^{-60}$	$1 ni'uxa \frac{MQ}{L^3} = 10^{-60} = 26.57112 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 28.9A716 \cdot 10^{-60}$	$1 ni'uxa \frac{MQ}{L^3} = 10^{-60} = 0.04478A89 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 16BB3.6A \cdot 10^{-60} (*)$	$1 ni'uxa \frac{MQ}{L^3} = 10^{-60} = 0.000076B7951 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 0.0000169392B \cdot 10^{-90}$	$1 ni'uso \frac{MQ}{L^3 T} = 10^{-90} = 78046.52 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.00AA48220 \cdot 10^{-90}$	$1 ni'uso \frac{MQ}{L^3 T} = 10^{-90} = 113.0447 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 6.355A18 \cdot 10^{-90}$	$1 ni'uso \frac{MQ}{L^3 T} = 10^{-90} = 0.1AA97A4 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 6270.72B \cdot 10^{-110}$	$1 ni'upapa \frac{MQ}{L^3 T^2} = 10^{-110} = 0.0001B20136 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 0.00000371B764 \cdot 10^{-100}$	$1 ni'upano \frac{MQ}{L^3 T^2} = 10^{-100} = 340496.3 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 0.0020B900B \cdot 10^{-100} (*)$	$1 ni'upano \frac{MQ}{L^3 T^2} = 10^{-100} = 592.1691 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 123.406A \cdot 10^{-30}$	$1 ni'uci \frac{MTQ}{L^3} = 10^{-30} = 0.00A103633 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 831A1.32 \cdot 10^{-30}$	$1 ni'uci \frac{MTQ}{L^3} = 10^{-30} = 0.00001551691 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 0.00004946961 \cdot 10^{-20}$	$1 ni'ure \frac{MTQ}{L^3} = 10^{-20} = 26146.38 k \frac{kg\ s\ C}{m^3}$
$1m \frac{1}{K} = 257.5B3A \cdot 10^{20}$	$1 re \frac{1}{\Theta} = 10^{20} = 0.004A3B606 m \frac{1}{K}$
$1 \frac{1}{K} = 151887.4 \cdot 10^{20}$	$1 re \frac{1}{\Theta} = 10^{20} = 0.000008496413 \frac{1}{K}$
$1k \frac{1}{K} = 0.00009B07A54 \cdot 10^{30}$	$1 ci \frac{1}{\Theta} = 10^{30} = 12620.95 k \frac{1}{K}$
$1m \frac{1}{s\ K} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{s\ K}$
$1 \frac{1}{s\ K} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{s\ K}$
$1k \frac{1}{s\ K} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{s\ K}$
$1m \frac{1}{s^2\ K} = 0.000032B5A34 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{T^2\Theta} = 10^{-40} = 38433.65 m \frac{1}{s^2\ K}$
$1 \frac{1}{s^2\ K} = 0.01A66541 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{T^2\Theta} = 10^{-40} = 64.792B4 \frac{1}{s^2\ K}$
$1k \frac{1}{s^2\ K} = 11.06891 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{T^2\Theta} = 10^{-40} = 0.0B054439 k \frac{1}{s^2\ K}$
$1m \frac{s}{K} = 755A6A.4 \cdot 10^{50}$	$1 xa \frac{T}{\Theta} = 10^{60} = 1738679. m \frac{s}{K}$
$1 \frac{s}{K} = 0.0004395610 \cdot 10^{60}$	$1 xa \frac{T}{\Theta} = 10^{60} = 2944.96A \frac{s}{K}$
$1k \frac{s}{K} = 0.25B782B \cdot 10^{60}$	$1 xa \frac{T}{\Theta} = 10^{60} = 4.97A834 k \frac{s}{K}$
$1m \frac{m}{K} = 0.00A842905 \cdot 10^{50}$	$1 mu \frac{L}{\Theta} = 10^{50} = 115.67B4 m \frac{m}{K}$
$1 \frac{m}{K} = 6.234055 \cdot 10^{50}$	$1 mu \frac{L}{\Theta} = 10^{50} = 0.1B32011 \frac{m}{K}$
$1k \frac{m}{K} = 36B9.A06 \cdot 10^{50}$	$1 mu \frac{L}{\Theta} = 10^{50} = 0.0003424991 k \frac{m}{K}$
$1m \frac{m}{s\ K} = 0.00000365A5AA \cdot 10^{20}$	$1 re \frac{L}{T\Theta} = 10^{20} = 348039.3 m \frac{m}{s\ K}$
$1 \frac{m}{s\ K} = 0.002070964 \cdot 10^{20}$	$1 re \frac{L}{T\Theta} = 10^{20} = 5A3.3864 \frac{m}{s\ K}$
$1k \frac{m}{s\ K} = 1.2290A2 \cdot 10^{20}$	$1 re \frac{L}{T\Theta} = 10^{20} = 0.A152A3A k \frac{m}{s\ K}$
$1m \frac{m}{s^2\ K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2\ K}$
$1 \frac{m}{s^2\ K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2\ K}$
$1k \frac{m}{s^2\ K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2\ K}$
$1m \frac{ms}{K} = 28.3888B \cdot 10^{80}$	$1 bi \frac{LT}{\Theta} = 10^{80} = 0.045592B6 m \frac{ms}{K}$
$1 \frac{ms}{K} = 16846.74 \cdot 10^{80}$	$1 bi \frac{LT}{\Theta} = 10^{80} = 0.0000784B907 \frac{ms}{K}$
$1k \frac{ms}{K} = A9A2332 \cdot 10^{80}$	$1 so \frac{LT}{\Theta} = 10^{90} = 113839.7 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 3A412B.1 \cdot 10^{70}$	$1 bi \frac{L^2}{\Theta} = 10^{80} = 3135583. m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.00022999B7 \cdot 10^{80}$	$1 bi \frac{L^2}{\Theta} = 10^{80} = 5452.550 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.1362A33 \cdot 10^{80}$	$1 bi \frac{L^2}{\Theta} = 10^{80} = 9.3411B7 k \frac{m^2}{K}$
$1m \frac{m^2}{s\ K} = 134.111B \cdot 10^{40}$	$1 vo \frac{L^2}{T\Theta} = 10^{40} = 0.009478152 m \frac{m^2}{s\ K}$
$1 \frac{m^2}{s\ K} = 8A64B.45 \cdot 10^{40}$	$1 vo \frac{L^2}{T\Theta} = 10^{40} = 0.00001427845 \frac{m^2}{s\ K}$

$1k \frac{m^2}{s^2 K} = 0.00005179A44 \cdot 10^{50}$	$1 mu \frac{L^2}{T\Theta} = 10^{50} = 24041.02 k \frac{m^2}{s^2 K}$
$1m \frac{m^2}{s^2 K} = 0.050B3652 \cdot 10^{10}$	$1 pa \frac{L^2}{T^2\Theta} = 10^{10} = 24.43193 m \frac{m^2}{s^2 K}$
$1 \frac{m^2}{s^2 K} = 2B.32528 \cdot 10^{10}$	$1 pa \frac{L^2}{T^2\Theta} = 10^{10} = 0.040BB81A \frac{m^2}{s^2 K} (*)$
$1k \frac{m}{s^2 K} = 184AA.AB \cdot 10^{10}$	$1 pa \frac{L^2}{T^2\Theta} = 10^{10} = 0.00007080269 k \frac{m^2}{s^2 K}$
$1m \frac{m^2 s}{K} = 0.000B7BA670 \cdot 10^{B0}$	$1 vaiei \frac{L^2 T}{\Theta} = 10^{B0} = 1041.5BB m \frac{m^2 s}{K} (*)$
$1 \frac{m^2 s}{K} = 0.69019B0 \cdot 10^{B0}$	$1 vaiei \frac{L^2 T}{\Theta} = 10^{B0} = 1.93B629 \frac{m^2 s}{K}$
$1k \frac{m^2 s}{K} = 3AA.7083 \cdot 10^{B0}$	$1 vaiei \frac{L^2 T}{\Theta} = 10^{B0} = 0.0030A3703 k \frac{m^2 s}{K}$
$1m \frac{1}{m s K} = 0.000006A07374 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 19087B.3 m \frac{1}{m K}$
$1 \frac{1}{m K} = 0.003B59685 \cdot 10^0$	$1 \frac{1}{L\Theta} = 1 = 304.8532 \frac{1}{m K}$
$1k \frac{1}{m K} = 2.358B07$	$1 \frac{1}{L\Theta} = 1 = 0.52A758B k \frac{1}{m K}$
$1m \frac{1}{m s K} = 231B.390 \cdot 10^{-40}$	$1 ni'uvu \frac{1}{LT\Theta} = 10^{-40} = 0.00053750 A1 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 13875A8. \cdot 10^{-40}$	$1 ni'uci \frac{1}{LT\Theta} = 10^{-30} = 91B23B.5 \frac{1}{m s K}$
$1k \frac{1}{m s K} = 0.000911A830 \cdot 10^{-30}$	$1 ni'uci \frac{1}{LT\Theta} = 10^{-30} = 139B.699 k \frac{1}{m s K}$
$1m \frac{1}{m s^2 K} = 0.8BA9618 \cdot 10^{-70}$	$1 ni'uze \frac{1}{LT^2\Theta} = 10^{-70} = 1.402195 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 525.3748 \cdot 10^{-70}$	$1 ni'uze \frac{1}{LT^2\Theta} = 10^{-70} = 0.002381036 \frac{1}{m s^2 K}$
$1k \frac{1}{m s^2 K} = 301759.3 \cdot 10^{-70}$	$1 ni'uxa \frac{1}{LT^2\Theta} = 10^{-60} = 3B9A157. k \frac{1}{m s^2 K}$
$1m \frac{s}{m K} = 0.0187A383 \cdot 10^{30}$	$1 ci \frac{T}{L\Theta} = 10^{30} = 6B.7B13A m \frac{s}{m K}$
$1 \frac{s}{m K} = B.B52AB4 \cdot 10^{30}$	$1 ci \frac{T}{L\Theta} = 10^{30} = 0.100694B \frac{s}{m K} (*)$
$1k \frac{s}{m K} = 6B01.0A8 \cdot 10^{30}$	$1 ci \frac{T}{L\Theta} = 10^{30} = 0.0001899859 k \frac{s}{m K}$
$1m \frac{1}{m^2 K} = 0.16B3074 \cdot 10^{-30}$	$1 ni'uci \frac{1}{L^2\Theta} = 10^{-30} = 7.72B494 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = AB.61A2B \cdot 10^{-30}$	$1 ni'uci \frac{1}{L^2\Theta} = 10^{-30} = 0.011180A7 \frac{1}{m^2 K}$
$1k \frac{1}{m^2 K} = 64134.A5 \cdot 10^{-30}$	$1 ni'uci \frac{1}{L^2\Theta} = 10^{-30} = 0.00001A85605 k \frac{1}{m^2 K}$
$1m \frac{1}{m^2 s K} = 0.00006329105 \cdot 10^{-60}$	$1 ni'uxa \frac{1}{L^2 T\Theta} = 10^{-60} = 1AB77.63 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.03765192 \cdot 10^{-60}$	$1 ni'uxa \frac{1}{L^2 T\Theta} = 10^{-60} = 33.836B5 \frac{1}{m^2 s K}$
$1k \frac{1}{m^2 s K} = 21.23B8B \cdot 10^{-60}$	$1 ni'uxa \frac{1}{L^2 T\Theta} = 10^{-60} = 0.05870631 k \frac{1}{m^2 s K}$
$1m \frac{1}{m^2 s^2 K} = 20AA1.B4 \cdot 10^{-A0}$	$1 ni'ujauau \frac{1}{L^2 T^2\Theta} = 10^{-A0} = 0.0000594782B m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.0000124B3AA \cdot 10^{-90}$	$1 ni'uso \frac{1}{L^2 T^2\Theta} = 10^{-90} = 9BA97.75 \frac{1}{m^2 s^2 K}$
$1k \frac{1}{m^2 s^2 K} = 0.00840BB93 \cdot 10^{-90} (*)$	$1 ni'uso \frac{1}{L^2 T^2\Theta} = 10^{-90} = 153.2302 k \frac{1}{m^2 s^2 K}$
$1m \frac{s}{m^2 K} = 492.5A6B \cdot 10^0$	$1 \frac{T}{L^2\Theta} = 1 = 0.002625780 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 291336.1 \cdot 10^0$	$1 \frac{T}{L^2\Theta} = 1 = 0.000004424214 \frac{s}{m^2 K}$
$1k \frac{s}{m^2 K} = 0.000171AA24 \cdot 10^{10}$	$1 pa \frac{T}{L^2\Theta} = 10^{10} = 7623.B51 k \frac{s}{m^2 K}$
$1m \frac{1}{m^3 K} = 4455.088 \cdot 10^{-60}$	$1 ni'uxa \frac{1}{L^3\Theta} = 10^{-60} = 0.00028B4019 m \frac{1}{m^3 K}$
$1 \frac{1}{m^3 K} = 2642B98. \cdot 10^{-60}$	$1 ni'umu \frac{1}{L^3\Theta} = 10^{-50} = 48B17A.0 \frac{1}{m^3 K}$
$1k \frac{1}{m^3 K} = 0.001569608 \cdot 10^{-50}$	$1 ni'umu \frac{1}{L^3\Theta} = 10^{-50} = 824.5665 k \frac{1}{m^3 K}$
$1m \frac{1}{m^3 s K} = 1.544423 \cdot 10^{-90}$	$1 ni'uso \frac{1}{L^3 T\Theta} = 10^{-90} = 0.8362880 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = A06.B651 \cdot 10^{-90}$	$1 ni'uso \frac{1}{L^3 T\Theta} = 10^{-90} = 0.00123B75A \frac{1}{m^3 s K}$
$1k \frac{1}{m^3 s K} = 599441.3 \cdot 10^{-90}$	$1 ni'ubi \frac{1}{L^3 T\Theta} = 10^{-80} = 2091B38. k \frac{1}{m^3 s K}$
$1m \frac{1}{m^3 s^2 K} = 0.00058B8635 \cdot 10^{-100}$	$1 ni'upano \frac{1}{L^3 T^2\Theta} = 10^{-100} = 2107.634 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.33ABBA3 \cdot 10^{-100} (*)$	$1 ni'upano \frac{1}{L^3 T^2\Theta} = 10^{-100} = 3.735972 \frac{1}{m^3 s^2 K}$
$1k \frac{1}{m^3 s^2 K} = 1B1.2470 \cdot 10^{-100}$	$1 ni'upano \frac{1}{L^3 T^2\Theta} = 10^{-100} = 0.00629800B k \frac{1}{m^3 s^2 K}$
$1m \frac{s}{m^3 K} = 0.00001125437 \cdot 10^{-20}$	$1 ni'ure \frac{T}{L^3\Theta} = 10^{-20} = AAA54.59 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.007783A64 \cdot 10^{-20}$	$1 ni'ure \frac{T}{L^3\Theta} = 10^{-20} = 16A.1898 \frac{s}{m^3 K}$
$1k \frac{s}{m^3 K} = 4.509171 \cdot 10^{-20}$	$1 ni'ure \frac{T}{L^3\Theta} = 10^{-20} = 0.28693BA k \frac{s}{m^3 K}$
$1m \frac{kg}{K} = 0.013A5345 \cdot 10^{30}$	$1 ci \frac{M}{\Theta} = 10^{30} = 90.A7486 m \frac{kg}{K}$
$1 \frac{kg}{K} = 9.226005 \cdot 10^{30} (*)$	$1 ci \frac{M}{\Theta} = 10^{30} = 0.13819BB \frac{kg}{K} (*)$
$1k \frac{kg}{K} = 5394.043 \cdot 10^{30}$	$1 ci \frac{M}{\Theta} = 10^{30} = 0.0002311650 k \frac{kg}{K}$
$1m \frac{kg}{s K} = 0.00000530620B \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 234B04.1 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 0.0030596A5 \cdot 10^0$	$1 \frac{M}{T\Theta} = 1 = 3B4.4570 \frac{kg}{s K}$
$1k \frac{kg}{s K} = 1.914318$	$1 \frac{M}{T\Theta} = 1 = 0.69A1920 k \frac{kg}{s K}$
$1m \frac{kg}{s^2 K} = 18A5.277 \cdot 10^{-40}$	$1 ni'uvu \frac{M}{T^2\Theta} = 10^{-40} = 0.0006A97239 m \frac{kg}{s^2 K}$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{s}^2 \text{K}} &= 100B16B \cdot 10^{-40} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} &= 0.0006BA5376 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 3B.B3469 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= 238B0.18 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 0.00001407B18 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 589133.4 \cdot 10^{50} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.0003395AA1 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 0.1B03B00 \cdot 10^{60} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.07650603 \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 44.3B01A \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 26346.59 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 0.001538596 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 0.A024AA4 \cdot 10^{90} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 596.8889 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 20.9AA67 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 12449.67 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 8392779 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.008275066 \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 4.90A245 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 2903.A9A \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 62BB0.05 \cdot 10^{B0} \quad (*) \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0000374950B \cdot 10^{100} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.02114693 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 37B.55B7 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2152AA.1 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.000128789B \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 0.1267378 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 85.06874 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 4A586.79 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.000049975B8 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.02954A0A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 17.43633 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00000A18A827 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.005A550A5 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 3.492BA8 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3437.3A3 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 1B3A4A1. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.00115B62B \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.141152 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 787.9132 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 457466.9 \cdot 10^{-90}
\end{aligned}
\begin{aligned}
1 \text{ni'uci-} \frac{M}{T^2 \Theta} &= 10^{-30} = BB0B33.A \frac{\text{kg}}{\text{s}^2 \text{K}} \quad (*) \\
1 \text{ni'uci-} \frac{M}{T^2 \Theta} &= 10^{-30} = 1872.A57 \text{k} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.03006581 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{xa-} \frac{MT}{\Theta} &= 10^{60} = 0.00005235179 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze-} \frac{MT}{\Theta} &= 10^{70} = 8B768.05 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 2116AAB. \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 3751.585 \frac{\text{kg m}}{\text{K}} \\
1 \text{xa-} \frac{ML}{\Theta} &= 10^{60} = 6.306008 \text{k} \frac{\text{kg m}}{\text{K}} \quad (*) \\
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re-} \frac{ML}{T \Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci-} \frac{ML}{T \Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 17.13B53 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.0290345B \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa-} \frac{ML}{T^2 \Theta} &= 10^{-10} = 0.00004909355 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 839.BB52 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 1.246179 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so-} \frac{MLT}{\Theta} &= 10^{90} = 0.0020A1244 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.05973280 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi-} \frac{ML^2}{\Theta} &= 10^{80} = 0.0000A034165 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so-} \frac{ML^2}{\Theta} &= 10^{90} = 153A12.2 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 156.3221 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.2634082 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu-} \frac{ML^2}{T \Theta} &= 10^{50} = 0.000443A218 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re-} \frac{ML^2}{T^2 \Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{vai ei-} \frac{ML^2 T}{\Theta} &= 10^{B0} = 0.00001B06097 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 33997.51 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano-} \frac{ML^2 T}{\Theta} &= 10^{100} = 58.9783A \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L \Theta} &= 1 = 0.003339100 \text{m} \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \frac{M}{L \Theta} &= 1 = 0.0000057B2428 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa-} \frac{M}{L \Theta} &= 10^{10} = 9947.AA2 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci-} \frac{M}{LT \Theta} &= 10^{-30} = 9.A9101A \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.01512667 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci-} \frac{M}{LT \Theta} &= 10^{-30} = 0.00002567342 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 25A8A.94 \text{m} \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 43.7AA45 \frac{\text{kg}}{\text{s}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{LT^2 \Theta} &= 10^{-60} = 0.07532434 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo-} \frac{MT}{L \Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 1223B4.6 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 206.3B38 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure-} \frac{M}{L^2 \Theta} &= 10^{-20} = 0.3647243 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa-} \frac{M}{L^2 T \Theta} &= 10^{-60} = 0.00036A6443 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2 T \Theta} &= 10^{-50} = 621137.0 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu-} \frac{M}{L^2 T \Theta} &= 10^{-50} = A80.466B \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 0.A963641 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso-} \frac{M}{L^2 T^2 \Theta} &= 10^{-90} = 0.0016799A1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'ubi-} \frac{M}{L^2 T^2 \Theta} &= 10^{-80} = 2829120. \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}}
\end{aligned}$$

$1m \frac{kg\ s}{m^2 K} = 0.02679089 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 48.475 A8 m \frac{kg\ s}{m^2 K}$
$1k \frac{kg\ s}{m^2 K} = 15.89 A31 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.08152592 \frac{kg\ s}{m^2 K}$
$1k \frac{kg\ s}{m^2 K} = A31 B.128 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0001204480 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.2412249 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 5.15 B805 m \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 143.1674 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.008 A3271 B \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 94 B09.2 A \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.000013376 A8 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s K} = 0.00009375419 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 13593.29 m \frac{kg}{m^3 s K}$
$1 \frac{kg}{m^3 s K} = 0.05471856 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 22.90215 \frac{kg}{m^3 s K}$
$1k \frac{kg}{m^3 s K} = 31.46 B21 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 0.03 A28689 k \frac{kg}{m^3 s K}$
$1m \frac{kg}{m^3 s^2 K} = 30 B4 A.78 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.00003 A9221 B m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = 0.00001947272 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 68987. B6 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 0.01045 B55 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = B7.781 A2 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 70 A.6929 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.00184368 B m \frac{kg\ s}{m^3 K}$
$1 \frac{kg}{m^3 K} = 411544.1 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000002 B218 A6 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.000245146 A \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = 5095.721 k \frac{kg\ s}{m^3 K}$
$1m K = 12620.95 \cdot 10^{-30}$	$1 ni'uci \cdot \Theta = 10^{-30} = 0.00009 B07 A54 m\ K$
$1K = 0.000008496413 \cdot 10^{-20}$	$1 ni'ure \cdot \Theta = 10^{-20} = 151887.4 K$
$1k K = 0.004 A3 B606 \cdot 10^{-20}$	$1 ni'ure \cdot \Theta = 10^{-20} = 257.5 B3 A k\ K$
$1m \frac{K}{s} = 4.97 A834 \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.25 B782 B m \frac{K}{s}$
$1 \frac{K}{s} = 2944.96 A \cdot 10^{-60}$	$1 ni'uxa \frac{\Theta}{T} = 10^{-60} = 0.0004395610 \frac{K}{s}$
$1k \frac{K}{s} = 1738679. \cdot 10^{-60}$	$1 ni'umu \frac{\Theta}{T} = 10^{-50} = 755 A6 A.4 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.001710608 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 766.4 A05 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0. B066 A0 B \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 1.10537 A \frac{K}{s^2}$
$1k \frac{K}{s^2} = 648.5760 \cdot 10^{-90}$	$1 ni'uso \frac{\Theta}{T^2} = 10^{-90} = 0.001 A63 B95 k \frac{K}{s^2}$
$1m s\ K = 0.000037 A1810 \cdot 10^{10}$	$1 pa \cdot T \Theta = 10^{10} = 334 B3.30 m\ s\ K$
$1s K = 0.021458 B6 \cdot 10^{10}$	$1 pa \cdot T \Theta = 10^{10} = 58.12 A50 s\ K$
$1k s\ K = 12.8252 A \cdot 10^{10}$	$1 pa \cdot T \Theta = 10^{10} = 0.09982326 k\ s\ K$
$1m m\ K = 0.52 A758 B \cdot 10^0$	$1 L \Theta = 1 = 2.358 B07 m\ m\ K$
$1m K = 304.8532 \cdot 10^0$	$1 L \Theta = 1 = 0.003 B59685 m\ K$
$1k m\ K = 19087 B.3 \cdot 10^0$	$1 L \Theta = 1 = 0.000006 A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0001899859 \cdot 10^{-30}$	$1 ni'uci \frac{L \Theta}{T} = 10^{-30} = 6 B01.0 A8 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.100694 B \cdot 10^{-30}$ (*)	$1 ni'uci \frac{L \Theta}{T} = 10^{-30} = B.B52 A B4 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 6 B.7 B13 A \cdot 10^{-30}$	$1 ni'uci \frac{L \Theta}{T} = 10^{-30} = 0.0187 A383 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 6 A843.06 \cdot 10^{-70}$	$1 ni'uze \frac{L \Theta}{T^2} = 10^{-70} = 0.000018 A8 B A6 m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.00003 B A3425 \cdot 10^{-60}$	$1 ni'uxa \frac{L \Theta}{T^2} = 10^{-60} = 30136.4 A \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.02384072 \cdot 10^{-60}$	$1 ni'uxa \frac{L \Theta}{T^2} = 10^{-60} = 52.48964 k \frac{m\ K}{s^2}$
$1m m\ s\ K = 139 B.699 \cdot 10^{30}$	$1 ci \cdot LT \Theta = 10^{30} = 0.000911 A830 m\ m\ s\ K$
$1m s\ K = 91 B23 B.5 \cdot 10^{30}$	$1 vo \cdot LT \Theta = 10^{40} = 13875 A8. m\ s\ K$
$1k m\ s\ K = 0.00053750 A1 \cdot 10^{40}$	$1 vo \cdot LT \Theta = 10^{40} = 231 B.390 k\ m\ s\ K$
$1m m^2 K = 0.00001 A85605 \cdot 10^{30}$	$1 ci \cdot L^2 \Theta = 10^{30} = 64134. A5 m\ m^2 K$
$1m^2 K = 0.011180 A7 \cdot 10^{30}$	$1 ci \cdot L^2 \Theta = 10^{30} = AB.61 A2 B\ m^2 K$
$1k m^2 K = 7.72 B494 \cdot 10^{30}$	$1 ci \cdot L^2 \Theta = 10^{30} = 0.16 B3074 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623. B51 \cdot 10^{-10}$	$1 ni'upa \frac{L^2 \Theta}{T} = 10^{-10} = 0.000171 A A24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2 \Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2 \Theta}{T} = 1 = 492.5 A6 B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 2.5 A3607 \cdot 10^{-40}$	$1 ni'uv \frac{L^2 \Theta}{T^2} = 10^{-40} = 0.49 A5 B33 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 1534.180 \cdot 10^{-40}$	$1 ni'uv \frac{L^2 \Theta}{T^2} = 10^{-40} = 0.000840106 A \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 9 BBA8 B.0 \cdot 10^{-40}$ (*)	$1 ni'uv \frac{L^2 \Theta}{T^2} = 10^{-40} = 0.000001249901 k \frac{m^2 K}{s^2}$
$1m m^2 s\ K = 0.05870631 \cdot 10^{60}$	$1 xa \cdot L^2 T \Theta = 10^{60} = 21.23 B8 B m\ m^2 s\ K$
$1m^2 s\ K = 33.836 B5 \cdot 10^{60}$	$1 xa \cdot L^2 T \Theta = 10^{60} = 0.03765192 m^2 s\ K$

$1 \text{k m}^2 \text{s K} = 1AB77.63 \cdot 10^{60}$	$1 \text{xa-}L^2T\Theta = 10^{60} = 0.00006329105 \text{k m}^2 \text{s K}$
$1 \text{m} \frac{\text{K}}{\text{m}} = 0.0003424991 \cdot 10^{-50}$	$1 \text{ni'}\text{umu-} \frac{\Theta}{L} = 10^{-50} = 36B9.A06 \text{m} \frac{\text{K}}{\text{m}}$
$1 \frac{\text{K}}{\text{m}} = 0.1B32011 \cdot 10^{-50}$	$1 \text{ni'}\text{umu-} \frac{\Theta}{L} = 10^{-50} = 6.234055 \frac{\text{K}}{\text{m}}$
$1 \text{k} \frac{\text{K}}{\text{m}} = 115.67B4 \cdot 10^{-50}$	$1 \text{ni'}\text{umu-} \frac{\Theta}{L} = 10^{-50} = 0.00A842905 \text{k} \frac{\text{K}}{\text{m}}$
$1 \text{m} \frac{\text{K}}{\text{m s}} = 113839.7 \cdot 10^{-90}$	$1 \text{ni'}\text{ubi-} \frac{\Theta}{LT} = 10^{-80} = A9A2332. \text{m} \frac{\text{K}}{\text{m s}}$
$1 \frac{\text{K}}{\text{m s}} = 0.0000784B907 \cdot 10^{-80}$	$1 \text{ni'}\text{ubi-} \frac{\Theta}{LT} = 10^{-80} = 16846.74 \frac{\text{K}}{\text{m s}}$
$1 \text{k} \frac{\text{K}}{\text{m s}} = 0.045592B6 \cdot 10^{-80}$	$1 \text{ni'}\text{ubi-} \frac{\Theta}{LT} = 10^{-80} = 28.3888B \text{k} \frac{\text{K}}{\text{m s}}$
$1 \text{m} \frac{\text{K}}{\text{m s}^2} = 44.A4593 \cdot 10^{-100}$	$1 \text{ni'}\text{upano-} \frac{\Theta}{LT^2} = 10^{-100} = 0.02882B94 \text{m} \frac{\text{K}}{\text{m s}^2}$
$1 \frac{\text{K}}{\text{m s}^2} = 26714.55 \cdot 10^{-100}$	$1 \text{ni'}\text{upano-} \frac{\Theta}{LT^2} = 10^{-100} = 0.000048597B8 \frac{\text{K}}{\text{m s}^2}$
$1 \text{k} \frac{\text{K}}{\text{m s}^2} = 0.000015854A3 \cdot 10^{-B0}$	$1 \text{ni'}\text{uvaiei-} \frac{\Theta}{LT^2} = 10^{-B0} = 8172B.80 \text{k} \frac{\text{K}}{\text{m s}^2}$
$1 \text{m} \frac{\text{s K}}{\text{m}} = 0.A152A3A \cdot 10^{-20}$	$1 \text{ni'}\text{ure-} \frac{T\Theta}{L} = 10^{-20} = 1.2290A2 \text{m} \frac{\text{s K}}{\text{m}}$
$1 \frac{\text{s K}}{\text{m}} = 5A3.3864 \cdot 10^{-20}$	$1 \text{ni'}\text{ure-} \frac{T\Theta}{L} = 10^{-20} = 0.002070964 \frac{\text{s K}}{\text{m}}$
$1 \text{k} \frac{\text{s K}}{\text{m}} = 348039.3 \cdot 10^{-20}$	$1 \text{ni'}\text{ure-} \frac{T\Theta}{L} = 10^{-20} = 0.00000365A5AA \text{k} \frac{\text{s K}}{\text{m}}$
$1 \text{m} \frac{\text{K}}{\text{m}^2} = 9.3411B7 \cdot 10^{-80}$	$1 \text{ni'}\text{ubi-} \frac{\Theta}{L^2} = 10^{-80} = 0.1362A33 \text{m} \frac{\text{K}}{\text{m}^2}$
$1 \frac{\text{K}}{\text{m}^2} = 5452.550 \cdot 10^{-80}$	$1 \text{ni'}\text{ubi-} \frac{\Theta}{L^2} = 10^{-80} = 0.00022999B7 \frac{\text{K}}{\text{m}^2}$
$1 \text{k} \frac{\text{K}}{\text{m}^2} = 3135583. \cdot 10^{-80}$	$1 \text{ni'}\text{uze-} \frac{\Theta}{L^2} = 10^{-70} = 3A412B.1 \text{k} \frac{\text{K}}{\text{m}^2}$
$1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}} = 0.0030A3703 \cdot 10^{-B0}$	$1 \text{ni'}\text{uvaiei-} \frac{\Theta}{L^2T} = 10^{-B0} = 3AA.7083 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}} = 1.93B629 \cdot 10^{-B0}$	$1 \text{ni'}\text{uvaiei-} \frac{\Theta}{L^2T} = 10^{-B0} = 0.69019B0 \frac{\text{K}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}} = 1041.5BB \cdot 10^{-B0} \quad (*)$	$1 \text{ni'}\text{uvaiei-} \frac{\Theta}{L^2T} = 10^{-B0} = 0.000B7BA670 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2} = 0.000001025018 \cdot 10^{-120}$	$1 \text{ni'}\text{upare-} \frac{\Theta}{L^2T^2} = 10^{-120} = B97573.7 \text{m} \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{K}}{\text{m}^2 \text{s}^2} = 0.0007089578 \cdot 10^{-120}$	$1 \text{ni'}\text{upare-} \frac{\Theta}{L^2T^2} = 10^{-120} = 1848.81A \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2} = 0.4105052 \cdot 10^{-120}$	$1 \text{ni'}\text{upare-} \frac{\Theta}{L^2T^2} = 10^{-120} = 2.B2A6BA \text{k} \frac{\text{K}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{s K}}{\text{m}^2} = 24041.02 \cdot 10^{-50}$	$1 \text{ni'}\text{umu-} \frac{\Theta}{L^2} = 10^{-50} = 0.00005179A44 \text{m} \frac{\text{s K}}{\text{m}^2}$
$1 \frac{\text{s K}}{\text{m}^2} = 0.00001427845 \cdot 10^{-40}$	$1 \text{ni'}\text{uvo-} \frac{T\Theta}{L^2} = 10^{-40} = 8A64B.45 \frac{\text{s K}}{\text{m}^2}$
$1 \text{k} \frac{\text{s K}}{\text{m}^2} = 0.009478152 \cdot 10^{-40}$	$1 \text{ni'}\text{uvo-} \frac{T\Theta}{L^2} = 10^{-40} = 134.111B \text{k} \frac{\text{s K}}{\text{m}^2}$
$1 \text{m} \frac{\text{K}}{\text{m}^3} = 218468.B \cdot 10^{-B0}$	$1 \text{ni'}\text{ujauau-} \frac{\Theta}{L^3} = 10^{-A0} = 572A976. \text{m} \frac{\text{K}}{\text{m}^3}$
$1 \frac{\text{K}}{\text{m}^3} = 0.00012A5642 \cdot 10^{-A0}$	$1 \text{ni'}\text{ujauau-} \frac{\Theta}{L^3} = 10^{-A0} = 9823.A70 \frac{\text{K}}{\text{m}^3}$
$1 \text{k} \frac{\text{K}}{\text{m}^3} = 0.0873388B \cdot 10^{-A0}$	$1 \text{ni'}\text{ujauau-} \frac{\Theta}{L^3} = 10^{-A0} = 14.89484 \text{k} \frac{\text{K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}} = 86.10394 \cdot 10^{-120}$	$1 \text{ni'}\text{upare-} \frac{\Theta}{L^3T} = 10^{-120} = 0.014B159B \text{m} \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}} = 4B0B1.63 \cdot 10^{-120}$	$1 \text{ni'}\text{upare-} \frac{\Theta}{L^3T} = 10^{-120} = 0.0000252BB86 \frac{\text{K}}{\text{m}^3 \text{s}} \quad (*)$
$1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}} = 0.00002A23133 \cdot 10^{-110}$	$1 \text{ni'}\text{upapa-} \frac{\Theta}{L^3T} = 10^{-110} = 42663.63 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2} = 0.02996440 \cdot 10^{-150}$	$1 \text{ni'}\text{upamu-} \frac{\Theta}{L^3T^2} = 10^{-150} = 43.171B5 \text{m} \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{K}}{\text{m}^3 \text{s}^2} = 17.68221 \cdot 10^{-150}$	$1 \text{ni'}\text{upamu-} \frac{\Theta}{L^3T^2} = 10^{-150} = 0.07443665 \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2} = B398.993 \cdot 10^{-150}$	$1 \text{ni'}\text{upamu-} \frac{\Theta}{L^3T^2} = 10^{-150} = 0.0001088235 \text{k} \frac{\text{K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{s K}}{\text{m}^3} = 0.00065767BA \cdot 10^{-70}$	$1 \text{ni'}\text{uze-} \frac{\Theta}{L^3} = 10^{-70} = 1A31.45B \text{m} \frac{\text{s K}}{\text{m}^3}$
$1 \frac{\text{s K}}{\text{m}^3} = 0.38B1176 \cdot 10^{-70}$	$1 \text{ni'}\text{uze-} \frac{\Theta}{L^3} = 10^{-70} = 3.256A79 \frac{\text{s K}}{\text{m}^3}$
$1 \text{k} \frac{\text{s K}}{\text{m}^3} = 21B.B867 \cdot 10^{-70}$	$1 \text{ni'}\text{uze-} \frac{\Theta}{L^3} = 10^{-70} = 0.005657244 \text{k} \frac{\text{s K}}{\text{m}^3}$
$1 \text{m kg K} = 0.7937A3B \cdot 10^{-20}$	$1 \text{ni'}\text{ure-} M\Theta = 10^{-20} = 1.662A66 \text{m kg K}$
$1 \text{kg K} = 45B.B470 \cdot 10^{-20}$	$1 \text{ni'}\text{ure-} M\Theta = 10^{-20} = 0.002800449 \text{kg K} \quad (*)$
$1 \text{k kg K} = 272B78.6 \cdot 10^{-20}$	$1 \text{ni'}\text{ure-} M\Theta = 10^{-20} = 0.00000473730B \text{k kg K}$
$1 \text{m} \frac{\text{kg K}}{\text{s}} = 0.00026A7942 \cdot 10^{-50}$	$1 \text{ni'}\text{umu-} \frac{M\Theta}{T} = 10^{-50} = 47B4.143 \text{m} \frac{\text{kg K}}{\text{s}}$
$1 \frac{\text{kg K}}{\text{s}} = 0.15A5B43 \cdot 10^{-50}$	$1 \text{ni'}\text{umu-} \frac{M\Theta}{T} = 10^{-50} = 8.080B67 \frac{\text{kg K}}{\text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{s}} = A4.16762 \cdot 10^{-50}$	$1 \text{ni'}\text{umu-} \frac{M\Theta}{T} = 10^{-50} = 0.011B0751 \text{k} \frac{\text{kg K}}{\text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{s}^2} = A2847.26 \cdot 10^{-90}$	$1 \text{ni'}\text{uso-} \frac{M\Theta}{T^2} = 10^{-90} = 0.0000120BBB1 \text{m} \frac{\text{kg K}}{\text{s}^2}$
$1 \frac{\text{kg K}}{\text{s}^2} = 0.00005B00A75 \cdot 10^{-80} \quad (*)$	$1 \text{ni'}\text{ubi-} \frac{M\Theta}{T^2} = 10^{-80} = 20404.58 \frac{\text{kg K}}{\text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{s}^2} = 0.03511219 \cdot 10^{-80}$	$1 \text{ni'}\text{ubi-} \frac{M\Theta}{T^2} = 10^{-80} = 36.07681 \text{k} \frac{\text{kg K}}{\text{s}^2}$
$1 \text{m kg s K} = 1B5A.30B \cdot 10^{10}$	$1 \text{pa-} MT\Theta = 10^{10} = 0.000616A07A \text{m kg s K}$
$1 \text{kg s K} = 0.0000011713A8 \cdot 10^{20}$	$1 \text{re-} MT\Theta = 10^{20} = A71663.9 \text{kg s K}$
$1 \text{k kg s K} = 0.0007A48644 \cdot 10^{20}$	$1 \text{re-} MT\Theta = 10^{20} = 1638.181 \text{k kg s K}$
$1 \text{m kg m K} = 0.00002983073 \cdot 10^{10}$	$1 \text{pa-} ML\Theta = 10^{10} = 43364.9A \text{m kg m K}$
$1 \text{k m K} = 0.0175B3A2 \cdot 10^{10}$	$1 \text{pa-} ML\Theta = 10^{10} = 74.77852 \text{kg m K}$

$$\begin{aligned}
1 \text{k kg m K} &= B.34734B \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}} &= B19A.6B4 \cdot 10^{-30} \\
1 \frac{\text{kg m K}}{\text{s}} &= 0.000006553B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.003899817 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 3.837360 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 2177.878 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 12A04B4 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.4039834 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 23B.6536 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 142214.9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.00013BB313 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.0930AA30 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 54.34346 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 308AA77 \cdot 10^{60} \\
1 \text{kg m}^2 \text{s K} &= 0.001931A32 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 1.037AA7 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 19651.06 \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.0000105673B \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.0072666A5 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 7.166B16 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= 4161.013 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 2479701 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.00243A047 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 1.447B80 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 959.8841 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.0000550792B \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.031791B6 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 19.952B7 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.0004B7902B \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.2A625B8 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 17B.8542 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 178B35.B \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.0000B5150B2 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.06742671 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 66.52A19 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 39484.51 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.00002232755 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 1.302189 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 883.2A83 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 504120.B \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 11.924A1 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 7B72.837 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 473AA03. \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.004683012 \cdot 10^{-110}
\end{aligned}
\begin{aligned}
1 \text{pa-ML}\Theta &= 10^{10} = 0.1091B82 \text{k kg m K} \\
1 \text{ni'uci-} \frac{ML\Theta}{T} &= 10^{-30} = 0.00010AB4A4 \text{m} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 1A3907.5 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure-} \frac{ML\Theta}{T} &= 10^{-20} = 326.81A1 \text{k} \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.3300A8A \text{m} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uxa-} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.0005749BB1 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'umu-} \frac{ML\Theta}{T^2} &= 10^{-50} = 9857B5.9 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-ML}^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 2.B91B5B \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.005197163 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.000008A95837 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 9005.006 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 13.68260 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci-} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.022A70B7 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 3B0444.6 \text{m kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 693.2790 \text{kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 0.B85220A \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu-} \frac{M\Theta}{L} &= 10^{-50} = 0.0000682A71B \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = B67A4.15 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'uvo-} \frac{M\Theta}{L} &= 10^{-40} = 17B.71A1 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.182481A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi-} \frac{M\Theta}{LT} &= 10^{-80} = 0.0002AAA246 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uze-} \frac{M\Theta}{LT} &= 10^{-70} = 503932.A \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uviae-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 510.2665 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uviae-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.8953196 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uviae-} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.001322459 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 22690.14 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 39.A9749 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa-} \frac{MT\Theta}{L} &= 10^{-10} = 0.06739500 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 24B7.995 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 4.208A93 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze-} \frac{M\Theta}{L^2} &= 10^{-70} = 0.007260B84 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 7362291. \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 10728.7A \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^2T} &= 10^{-A0} = 19.93A08 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.01A044A1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare-} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.00003209AB6 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^2T^2} &= 10^{-110} = 55948.B6 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.9710422 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.00146A503 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvvo-} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.000002477893 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.04562B21 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau-} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000160A959 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{M\Theta}{L^3} &= 10^{-90} = 272975.6 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upapa-} \frac{M\Theta}{L^3T} &= 10^{-110} = 277.2096 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1 \frac{\text{kg K}}{\text{m}^3 \text{s}} = 2.779368 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{M\Theta}{L^3 T} = 10^{-110} = 0.4672620 \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} = 1639.3A9 \cdot 10^{-110}$	$1 \text{ni}'\text{upapa-} \frac{M\Theta}{L^3 T} = 10^{-110} = 0.0007A42511 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.000001612B14 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^3 T^2} = 10^{-140} = 7B54A2.4 \text{ m} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.000A5877A2 \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^3 T^2} = 10^{-140} = 118B.312 \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2} = 0.609079A \cdot 10^{-140}$	$1 \text{ni}'\text{upavo-} \frac{M\Theta}{L^3 T^2} = 10^{-140} = 1.B901AA \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s K}}{\text{m}^3} = 35705.48 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{MT\Theta}{L^3} = 10^{-70} = 0.000035675A2 \text{ m} \frac{\text{kg s K}}{\text{m}^3}$
$1 \frac{\text{kg s K}}{\text{m}^3} = 0.00002009655 \cdot 10^{-60}$ (*)	$1 \text{ni}'\text{uxa-} \frac{MT\Theta}{L^3} = 10^{-60} = 5B975.71 \frac{\text{kg K}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s K}}{\text{m}^3} = 0.011B162A \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{MT\Theta}{L^3} = 10^{-60} = A4.0A720 \text{k} \frac{\text{kg s K}}{\text{m}^3}$
$1 \text{m} \frac{\text{K}}{\text{C}} = 0.5048B9B \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{\Theta}{Q} = 10^{-40} = 2.474039 \text{ m} \frac{\text{K}}{\text{C}}$
$1 \frac{\text{K}}{\text{C}} = 2AB.4B8A \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{\Theta}{Q} = 10^{-40} = 0.0041534A4 \frac{\text{K}}{\text{C}}$
$1 \text{k} \frac{\text{K}}{\text{C}} = 182872.A \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{\Theta}{Q} = 10^{-40} = 0.0000071523B9 \text{k} \frac{\text{K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{s C}} = 0.00017BB047 \cdot 10^{-70}$ (*)	$1 \text{ni}'\text{uze-} \frac{\Theta}{TQ} = 10^{-70} = 7251.94A \text{ m} \frac{\text{K}}{\text{s C}}$
$1 \frac{\text{K}}{\text{s C}} = 0.0B6A133A \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{\Theta}{TQ} = 10^{-70} = 10.54239 \frac{\text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{K}}{\text{s C}} = 68.42225 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{\Theta}{TQ} = 10^{-70} = 0.01960AAB \text{k} \frac{\text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{K}}{\text{s}^2 \text{C}} = 67509.A7 \cdot 10^{-B0}$	$1 \text{ni}'\text{uviae-} \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.00001991030 \text{ m} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{K}}{\text{s}^2 \text{C}} = 0.000039B6648 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau-} \frac{\Theta}{T^2 Q} = 10^{-A0} = 3171A.3A \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}} = 0.02272204 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau-} \frac{\Theta}{T^2 Q} = 10^{-A0} = 54.B7198 \text{k} \frac{\text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{s K}}{\text{C}} = 1325.3A6 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{T\Theta}{Q} = 10^{-10} = 0.000957A74A \text{ m} \frac{\text{s K}}{\text{C}}$
$1 \frac{\text{s K}}{\text{C}} = 896B76.A \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 1444962. \frac{\text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{s K}}{\text{C}} = 0.0005112493 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 2434.656 \text{k} \frac{\text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{C}} = 0.0000199809A \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{L\Theta}{Q} = 10^{-10} = 672B1.A6 \text{ m} \frac{\text{m K}}{\text{C}}$
$1 \frac{\text{m K}}{\text{C}} = 0.01075204 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{L\Theta}{Q} = 10^{-10} = B4.B258A \frac{\text{m K}}{\text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{C}} = 7.377291 \cdot 10^{-10}$	$1 \text{ni}'\text{upa-} \frac{L\Theta}{Q} = 10^{-10} = 0.1787564 \text{k} \frac{\text{m K}}{\text{C}}$
$1 \text{m} \frac{\text{m K}}{\text{s C}} = 7275.941 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L\Theta}{TQ} = 10^{-50} = 0.00017B46A2 \text{ m} \frac{\text{m K}}{\text{s C}}$
$1 \frac{\text{m K}}{\text{s C}} = 0.000004216756 \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{L\Theta}{TQ} = 10^{-40} = 2A5797.6 \frac{\text{m K}}{\text{s C}}$
$1 \text{k} \frac{\text{m K}}{\text{s C}} = 0.00250153A \cdot 10^{-40}$	$1 \text{ni}'\text{uvo-} \frac{L\Theta}{TQ} = 10^{-40} = 4B6.9549 \text{k} \frac{\text{m K}}{\text{s C}}$
$1 \text{m} \frac{\text{m K}}{\text{s}^2 \text{C}} = 2.481363 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.5031574 \text{ m} \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m K}}{\text{s}^2 \text{C}} = 1471.779 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.00088167B7 \frac{\text{m K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}} = 972A85.4 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi-} \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.0000012BB294 \text{k} \frac{\text{m K}}{\text{s}^2 \text{C}}$ (*)
$1 \text{m} \frac{\text{m s K}}{\text{C}} = 0.055A5637 \cdot 10^{20}$	$1 \text{re-} \frac{LT\Theta}{Q} = 10^{20} = 22.29637 \text{ m} \frac{\text{m s K}}{\text{C}}$
$1 \frac{\text{m s K}}{\text{C}} = 32.15385 \cdot 10^{20}$	$1 \text{re-} \frac{LT\Theta}{Q} = 10^{20} = 0.0393B692 \frac{\text{m s K}}{\text{C}}$
$1 \text{k} \frac{\text{m s K}}{\text{C}} = 1A088.24 \cdot 10^{20}$	$1 \text{re-} \frac{LT\Theta}{Q} = 10^{20} = 0.0000663B768 \text{k} \frac{\text{m s K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{C}} = 7A5.8903 \cdot 10^{10}$	$1 \text{pa-} \frac{L^2\Theta}{Q} = 10^{10} = 0.001635931 \text{ m} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{C}} = 468115.4 \cdot 10^{10}$	$1 \text{re-} \frac{L^2\Theta}{Q} = 10^{20} = 27731A8. \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}} = 0.0002778254 \cdot 10^{20}$	$1 \text{re-} \frac{L^2\Theta}{Q} = 10^{20} = 4674.497 \text{k} \frac{\text{m}^2 \text{K}}{\text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s C}} = 0.2733832 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 4.73012A \text{ m} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s C}} = 161.2374 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 0.007B58190 \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}} = A5833.92 \cdot 10^{-20}$	$1 \text{ni}'\text{ure-} \frac{L^2\Theta}{TQ} = 10^{-20} = 0.0000118B897 \text{k} \frac{\text{m}^2 \text{K}}{\text{s C}}$
$1 \text{m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.0000A42A847 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 11AA9.99 \text{ m} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 0.05BA94B6 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 20.04A52 \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}} = 35.73685 \cdot 10^{-50}$	$1 \text{ni}'\text{umu-} \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 0.03564470 \text{k} \frac{\text{m}^2 \text{K}}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{\text{m}^2 \text{s K}}{\text{C}} = 1B94932. \cdot 10^{40}$	$1 \text{mu-} \frac{L^2T\Theta}{Q} = 10^{50} = 607A65.6 \text{ m} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.001191B18 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2T\Theta}{Q} = 10^{50} = A56.7324 \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}} = 0.7B6B483 \cdot 10^{50}$	$1 \text{mu-} \frac{L^2T\Theta}{Q} = 10^{50} = 1.60B4B8 \text{k} \frac{\text{m}^2 \text{s K}}{\text{C}}$
$1 \text{m} \frac{\text{K}}{\text{m C}} = 11B33.A6 \cdot 10^{-70}$	$1 \text{ni}'\text{uze-} \frac{\Theta}{LQ} = 10^{-70} = 0.0000A3B6668 \text{ m} \frac{\text{K}}{\text{m C}}$
$1 \frac{\text{K}}{\text{m C}} = 0.0000080978A9 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{\Theta}{LQ} = 10^{-60} = 15A258.B \frac{\text{K}}{\text{m C}}$
$1 \text{k} \frac{\text{K}}{\text{m C}} = 0.004802B91 \cdot 10^{-60}$	$1 \text{ni}'\text{uxa-} \frac{\Theta}{LQ} = 10^{-60} = 26A.1954 \text{k} \frac{\text{K}}{\text{m C}}$
$1 \text{m} \frac{\text{K}}{\text{m s C}} = 4.745BBA \cdot 10^{-A0}$ (*)	$1 \text{ni}'\text{ujauau-} \frac{\Theta}{LTQ} = 10^{-A0} = 0.27256B8 \text{ m} \frac{\text{K}}{\text{m s C}}$

$$\begin{aligned}
1 \frac{\text{K}}{\text{msC}} &= 2806.6BB \cdot 10^{-A0} \quad (*) \\
1 \text{k} \frac{\text{K}}{\text{msC}} &= 1666587 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} &= 0.00163B842 \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{ms}^2\text{C}} &= 0.4737279 \cdot 10^{-110} \\
1 \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} &= 618.0418 \cdot 10^{-110} \\
1 \text{m} \frac{\text{sK}}{\text{mC}} &= 0.00003613885 \cdot 10^{-30} \\
1 \frac{\text{sK}}{\text{mC}} &= 0.02045125 \cdot 10^{-30} \\
1 \text{k} \frac{\text{sK}}{\text{mC}} &= 12.12890 \cdot 10^{-30} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{C}} &= 0.0003273787 \cdot 10^{-90} \\
1 \frac{\text{K}}{\text{m}^2\text{C}} &= 0.1A41477 \cdot 10^{-90} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{C}} &= 10B.1AB6 \cdot 10^{-90} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} &= 109455.2 \cdot 10^{-110} \\
1 \frac{\text{K}}{\text{m}^2\text{sC}} &= 0.00007490B06 \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} &= 0.04344448 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 42.93145 \cdot 10^{-140} \\
1 \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 2546B.76 \cdot 10^{-140} \\
1 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} &= 0.00001500589 \cdot 10^{-130} \quad (*) \\
1 \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} &= 0.98766B9 \cdot 10^{-60} \\
1 \frac{\text{sK}}{\text{m}^2\text{C}} &= 575.B105 \cdot 10^{-60} \\
1 \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} &= 330857.B \cdot 10^{-60} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} &= 8.AB2528 \cdot 10^{-100} \\
1 \frac{\text{K}}{\text{m}^3\text{C}} &= 51A7.16B \cdot 10^{-100} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{C}} &= 2B98AA3 \cdot 10^{-100} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} &= 0.002B49570 \cdot 10^{-130} \\
1 \frac{\text{K}}{\text{m}^3\text{sC}} &= 1.859B0A \cdot 10^{-130} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} &= BA3.16A2 \cdot 10^{-130} \\
1 \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= B87555.0 \cdot 10^{-170} \\
1 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 0.0006946523 \cdot 10^{-160} \\
1 \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} &= 0.3B11600 \cdot 10^{-160} \quad (*) \\
1 \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} &= 22B03.76 \cdot 10^{-90} \\
1 \frac{\text{sK}}{\text{m}^3\text{C}} &= 0.0000136B292 \cdot 10^{-80} \\
1 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} &= 0.009021BA5 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kgK}}{\text{C}} &= 0.00002843008 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kgK}}{\text{C}} &= 0.01688225 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kgK}}{\text{C}} &= A.A035B4 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kgK}}{\text{sC}} &= A863.828 \cdot 10^{-70} \\
1 \frac{\text{kgK}}{\text{sC}} &= 0.000006246571 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kgK}}{\text{sC}} &= 0.00370622A \cdot 10^{-60} \\
1 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} &= 3.6668B4 \cdot 10^{-A0} \\
1 \frac{\text{kgK}}{\text{s}^2\text{C}} &= 2075.6A1 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kgK}}{\text{s}^2\text{C}} &= 122BA02 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg sK}}{\text{C}} &= 0.08189B22 \cdot 10^0 \\
1 \frac{\text{kg sK}}{\text{C}} &= 48.68778 \cdot 10^0 \\
1 \text{k} \frac{\text{kg sK}}{\text{C}} &= 28893.B8 \cdot 10^0 \\
1 \text{m} \frac{\text{kg mK}}{\text{C}} &= B82.18A9 \cdot 10^{-10} \\
1 \frac{\text{kg mK}}{\text{C}} &= 691569.1 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg mK}}{\text{C}} &= 0.0003AB41B7 \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ujauau-} \frac{\Theta}{LTQ} &= 10^{-A0} = 0.00045B0AA9 \frac{\text{K}}{\text{msC}} \\
1 \text{ni'uso-} \frac{\Theta}{LTQ} &= 10^{-90} = 792191.6 \text{k} \frac{\text{K}}{\text{msC}} \\
1 \text{ni'upapa-} \frac{\Theta}{LT^2Q} &= 10^{-110} = 7A3.2276 \text{m} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni'upapa-} \frac{\Theta}{LT^2Q} &= 10^{-110} = 1.16A830 \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni'upapa-} \frac{\Theta}{LT^2Q} &= 10^{-110} = 0.001B5584A \text{k} \frac{\text{K}}{\text{ms}^2\text{C}} \\
1 \text{ni'uci-} \frac{T\Theta}{LQ} &= 10^{-30} = 35052.5A \text{m} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni'uci-} \frac{T\Theta}{LQ} &= 10^{-30} = 5A.AB13B \frac{\text{sK}}{\text{mC}} \\
1 \text{ni'uci-} \frac{T\Theta}{LQ} &= 10^{-30} = 0.0A264970 \text{k} \frac{\text{sK}}{\text{mC}} \\
1 \text{ni'uso-} \frac{\Theta}{L^2Q} &= 10^{-90} = 3890.B98 \text{m} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni'uso-} \frac{\Theta}{L^2Q} &= 10^{-90} = 6.540B22 \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni'uso-} \frac{\Theta}{L^2Q} &= 10^{-90} = 0.00B178750 \text{k} \frac{\text{K}}{\text{m}^2\text{C}} \\
1 \text{ni'upano-} \frac{\Theta}{L^2TQ} &= 10^{-100} = B325030. \text{m} \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{ni'upano-} \frac{\Theta}{L^2TQ} &= 10^{-100} = 17576.57 \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{ni'upano-} \frac{\Theta}{L^2TQ} &= 10^{-100} = 29.78623 \text{k} \frac{\text{K}}{\text{m}^2\text{sC}} \\
1 \text{ni'upavo-} \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.02A05009 \text{m} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upavo-} \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.00004A98B2B \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'upaci-} \frac{\Theta}{L^2T^2Q} &= 10^{-130} = 85763.A6 \text{k} \frac{\text{K}}{\text{m}^2\text{s}^2\text{C}} \\
1 \text{ni'uxa-} \frac{T\Theta}{L^2Q} &= 10^{-60} = 1.29964A \text{m} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni'uxa-} \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.0021728B6 \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni'uxa-} \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00000382A846 \text{k} \frac{\text{sK}}{\text{m}^2\text{C}} \\
1 \text{ni'upano-} \frac{\Theta}{L^3Q} &= 10^{-100} = 0.141AB89 \text{m} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni'upano-} \frac{\Theta}{L^3Q} &= 10^{-100} = 0.00023B1025 \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni'uviae-} \frac{\Theta}{L^3Q} &= 10^{-B0} = 403039.7 \text{k} \frac{\text{K}}{\text{m}^3\text{C}} \\
1 \text{ni'upaci-} \frac{\Theta}{L^3TQ} &= 10^{-130} = 409.9408 \text{m} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni'upaci-} \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.7042843 \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni'upaci-} \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.00101915B \text{k} \frac{\text{K}}{\text{m}^3\text{sC}} \\
1 \text{ni'upaxa-} \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 103562A. \text{m} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upaxa-} \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 1929.892 \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'upaxa-} \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 3.083912 \text{k} \frac{\text{K}}{\text{m}^3\text{s}^2\text{C}} \\
1 \text{ni'uso-} \frac{\Theta}{L^3Q} &= 10^{-90} = 0.0000542398B \text{m} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni'ubi-} \frac{T\Theta}{L^3Q} &= 10^{-80} = 92B13.82 \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni'ubi-} \frac{T\Theta}{L^3Q} &= 10^{-80} = 13B.81A6 \text{k} \frac{\text{sK}}{\text{m}^3\text{C}} \\
1 \text{ni'uci-} \frac{M\Theta}{Q} &= 10^{-30} = 454AA.56 \text{m} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni'uci-} \frac{M\Theta}{Q} &= 10^{-30} = 78.359B0 \frac{\text{kgK}}{\text{C}} \\
1 \text{ni'uci-} \frac{M\Theta}{Q} &= 10^{-30} = 0.113589A \text{k} \frac{\text{kgK}}{\text{C}} \\
1 \text{ni'uze-} \frac{M\Theta}{TQ} &= 10^{-70} = 0.0001154073 \text{m} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni'uxa-} \frac{M\Theta}{TQ} &= 10^{-60} = 1B295B.3 \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni'uxa-} \frac{M\Theta}{TQ} &= 10^{-60} = 341.9022 \text{k} \frac{\text{kgK}}{\text{sC}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.3474512 \text{m} \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \text{ni'ujauau-} \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.0005A220B3 \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \text{ni'uso-} \frac{M\Theta}{T^2Q} &= 10^{-90} = A13337.7 \text{k} \frac{\text{kgK}}{\text{s}^2\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 15.81B78 \text{m} \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0266752A \frac{\text{kg sK}}{\text{C}} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.00004496286 \text{k} \frac{\text{kg sK}}{\text{C}} \\
1 \text{ni'upa-} \frac{ML\Theta}{Q} &= 10^{-10} = 0.00103B131 \text{m} \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 193746B. \frac{\text{kg mK}}{\text{C}} \\
1 \frac{ML\Theta}{Q} &= 1 = 3098.527 \text{k} \frac{\text{kg mK}}{\text{C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.3A4A2B4 \cdot 10^{-40} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 22A.3059 \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 1365A5.4 \cdot 10^{-40} \\
1m \frac{kg \cdot m \cdot K}{s^2 C} &= 0.00013440B0 \cdot 10^{-70} \\
1 \frac{kg \cdot m \cdot K}{s^2 C} &= 0.08A81785 \cdot 10^{-70} \\
1k \frac{kg \cdot m \cdot K}{s^2 C} &= 51.89A0A \cdot 10^{-70} \\
1m \frac{kg \cdot m \cdot s \cdot K}{C} &= 2B35517. \cdot 10^{20} \\
1 \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.001850784 \cdot 10^{30} \\
1k \frac{kg \cdot m \cdot s \cdot K}{C} &= 0.B999150 \cdot 10^{30} \\
1m \frac{kg \cdot m^2 \cdot K}{C} &= 0.04274141 \cdot 10^{20} \\
1 \frac{kg \cdot m^2 \cdot K}{C} &= 25.357A8 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot K}{C} &= 14B49.35 \cdot 10^{20} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.00001490784 \cdot 10^{-10} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.009842551 \cdot 10^{-10} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 5.73BA44 \cdot 10^{-10} \\
1m \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 5668.136 \cdot 10^{-50} \\
1 \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.000003262438 \cdot 10^{-40} \\
1k \frac{kg \cdot m^2 \cdot K}{s^2 C} &= 0.001A35847 \cdot 10^{-40} \\
1m \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 108.A7B4 \cdot 10^{50} \\
1 \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 74588.60 \cdot 10^{50} \\
1k \frac{kg \cdot m^2 \cdot s \cdot K}{C} &= 0.00004325118 \cdot 10^{60} \\
1m \frac{kg \cdot K}{m \cdot C} &= 0.7573B56 \cdot 10^{-60} \\
1 \frac{kg \cdot K}{m \cdot C} &= 43A.3697 \cdot 10^{-60} \\
1k \frac{kg \cdot K}{m \cdot C} &= 260161.3 \cdot 10^{-60} \\
1m \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.000257B846 \cdot 10^{-90} \\
1 \frac{kg \cdot K}{m \cdot s \cdot C} &= 0.152006A \cdot 10^{-90} \quad (*) \\
1k \frac{kg \cdot K}{m \cdot s \cdot C} &= 9B.26BB6 \cdot 10^{-90} \quad (*) \\
1m \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 99A11.64 \cdot 10^{-110} \\
1 \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.0000582411B \cdot 10^{-100} \\
1k \frac{kg \cdot K}{m \cdot s^2 \cdot C} &= 0.03356B15 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot K}{m \cdot C} &= 1A68.437 \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.000001107A06 \cdot 10^{-20} \\
1k \frac{kg \cdot s \cdot K}{m \cdot C} &= 0.000767A50A \cdot 10^{-20} \\
1m \frac{kg \cdot K}{m^2 \cdot C} &= 18823.A0 \cdot 10^{-90} \\
1 \frac{kg \cdot K}{m^2 \cdot C} &= 0.00000BB76936 \cdot 10^{-80} \quad (*) \\
1k \frac{kg \cdot K}{m^2 \cdot C} &= 0.006B15246 \cdot 10^{-80} \\
1m \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 6.A1B2A6 \cdot 10^{-100} \\
1 \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 3B66.947 \cdot 10^{-100} \\
1k \frac{kg \cdot K}{m^2 \cdot s \cdot C} &= 2362312. \cdot 10^{-100} \\
1m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 0.002324709 \cdot 10^{-130} \\
1 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 1.38A665 \cdot 10^{-130} \\
1k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} &= 913.7A84 \cdot 10^{-130} \\
1m \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.00005258AB8 \cdot 10^{-50} \\
1 \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 0.0301A66A \cdot 10^{-50} \\
1k \frac{kg \cdot s \cdot K}{m^2 \cdot C} &= 18.B1070 \cdot 10^{-50} \\
1m \frac{kg \cdot K}{m^3 \cdot C} &= 0.0004934BB1 \cdot 10^{-B0} \quad (*) \\
1 \frac{kg \cdot K}{m^3 \cdot C} &= 0.2919882 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni'uv - \frac{ML\Theta}{TQ} &= 10^{-40} = 3.12A2A8 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'uv - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.005441B51 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'uv - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.000009323694 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 945A.328 m \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 14.24674 \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ni'uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 0.023BA793 k \frac{kg \cdot m \cdot K}{s^2 C} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 40B763.5 m \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 707.5049 \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 1.02278A k \frac{kg \cdot m \cdot s \cdot K}{C} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 2A.18582 m \frac{kg \cdot m^2 \cdot K}{C} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.04ABB7BB \frac{kg \cdot m^2 \cdot K}{C} \quad (*) \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.000085B4618 k \frac{kg \cdot m^2 \cdot K}{C} \\
1 ni'upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 87178.3B m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 12A.2789 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.217B6B1 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'umu - \frac{ML^2\Theta}{T^2 Q} &= 10^{-50} = 0.00021B6804 m \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'uv - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 38A450.6 \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 ni'uv - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 656.3734 k \frac{kg \cdot m^2 \cdot K}{s^2 C} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.00B376576 m \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.0000176447A \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 298B9.80 k \frac{kg \cdot m^2 \cdot s \cdot K}{C} \\
1 ni'uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 1.734985 m \frac{kg \cdot K}{m \cdot C} \\
1 ni'uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.00293A3A9 \frac{kg \cdot K}{m \cdot C} \\
1 ni'uxa - \frac{M\Theta}{LQ} &= 10^{-60} = 0.00000496B608 k \frac{kg \cdot K}{m \cdot C} \\
1 ni'uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 4A30.231 m \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 8.47A958 \frac{kg \cdot K}{m \cdot s \cdot C} \\
1 ni'uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 0.0125B2BB k \frac{kg \cdot K}{m \cdot s \cdot C} \quad (*) \\
1 ni'upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.0000127B708 m \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 21409.A8 \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 37.95203 k \frac{kg \cdot K}{m \cdot s^2 \cdot C} \\
1 ni'uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.00064728B3 m \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'ure - \frac{MT\Theta}{LQ} &= 10^{-20} = B04516.3 \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'ure - \frac{MT\Theta}{LQ} &= 10^{-20} = 1708.976 k \frac{kg \cdot s \cdot K}{m \cdot C} \\
1 ni'uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.00006B66A6B m \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 100454.4 \frac{kg \cdot K}{m^2 \cdot C} \quad (*) \\
1 ni'ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 189.5803 k \frac{kg \cdot K}{m^2 \cdot C} \\
1 ni'upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.19046AB m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0003041468 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'uvaiei - \frac{M\Theta}{L^2 TQ} &= 10^{-B0} = 529734.3 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 536.4890 m \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 0.9195007 \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \quad (*) \\
1 ni'upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 0.0013985B6 k \frac{kg \cdot K}{m^2 \cdot s^2 \cdot C} \\
1 ni'umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 237A8.17 m \frac{kg \cdot s \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 3B.96097 \frac{kg \cdot s \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 0.06A70265 k \frac{kg \cdot s \cdot K}{m^2 \cdot s \cdot C} \\
1 ni'uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 261B.942 m \frac{kg \cdot K}{m^3 \cdot C} \\
1 ni'uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 4.416073 \frac{kg \cdot K}{m^3 \cdot C}
\end{aligned}$$

$1k \frac{kg\ K}{m^3 C} = 172.26 A3 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{M\Theta}{L^3 Q} = 10^{-B0} = 0.00760 A557 k \frac{kg\ K}{m^3 C}$
$1m \frac{kg\ K}{m^3 s\ C} = 16 B689.1 \cdot 10^{-130}$	$1 ni' upare - \frac{M\Theta}{L^3 TQ} = 10^{-120} = 7715846. m \frac{kg\ K}{m^3 s\ C}$
$1 \frac{kg\ K}{m^3 s\ C} = 0.0000 AB83497 \cdot 10^{-120}$	$1 ni' upare - \frac{M\Theta}{L^3 TQ} = 10^{-120} = 11156.36 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.06426234 \cdot 10^{-120}$	$1 ni' upare - \frac{M\Theta}{L^3 TQ} = 10^{-120} = 1 A.81122 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 63.3 B849 \cdot 10^{-160}$	$1 ni' upaxa - \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.01 AB3208 m \frac{kg\ K}{m^3 s^2 C}$
$1 \frac{kg\ K}{m^3 s^2 C} = 37717.30 \cdot 10^{-160}$	$1 ni' upaxa - \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.00003377 A68 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.00002128 A58 \cdot 10^{-150}$	$1 ni' upamu - \frac{M\Theta}{L^3 T^2 Q} = 10^{-150} = 585 B2.72 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 1.25066 B \cdot 10^{-80}$	$1 ni' ubi - \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.9 B9 B572 m \frac{kg\ s\ K}{m^3 C}$
$1 \frac{kg\ s\ K}{m^3 C} = 841.8583 \cdot 10^{-80}$	$1 ni' ubi - \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.001530954 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 49 B522.2 \cdot 10^{-80}$	$1 ni' ubi - \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.000002599867 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 0.00035 A351 B \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 3534.95 A m CK$
$1 CK = 0.202811 A \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 5.B40721 CK$
$1k CK = 120.26 A8 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.00 A333070 k CK$
$1m \frac{CK}{s} = 11 A338.4 \cdot 10^{-50}$	$1 ni' uvo - \frac{Q\Theta}{T} = 10^{-40} = A486052. m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.00008028379 \cdot 10^{-40}$	$1 ni' uvo - \frac{Q\Theta}{T} = 10^{-40} = 15 B5 B.5 A \frac{CK}{s}$
$1k \frac{CK}{s} = 0.04782840 \cdot 10^{-40}$	$1 ni' uvo - \frac{Q\Theta}{T} = 10^{-40} = 27.0464 B k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 47.0632 A \cdot 10^{-80}$	$1 ni' ubi - \frac{Q\Theta}{T^2} = 10^{-80} = 0.02748781 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 27 A2 B.66 \cdot 10^{-80}$	$1 ni' ubi - \frac{Q\Theta}{T^2} = 10^{-80} = 0.0000462 B7 B9 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 0.000016525 AA \cdot 10^{-70}$	$1 ni' uze - \frac{Q\Theta}{T^2} = 10^{-70} = 798 A6.83 k \frac{CK}{s^2}$
$1m s CK = 0.A653811 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 1.17 BB4 B m s CK (*)$
$1 s CK = 612.0 A22 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.001 B74752 s CK$
$1k s CK = 364186.8 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00000349832 A k s CK$
$1m m CK = 13142.76 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.00009641207 m m CK$
$1 m CK = 0.0000088 B4766 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 1456 B9.9 m CK$
$1k m CK = 0.005089898 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 245.508 A k m CK$
$1m \frac{m CK}{s} = 5.004 B1 A \cdot 10^{-20} (*)$	$1 ni' ure - \frac{LQ\Theta}{T} = 10^{-20} = 0.2494 A03 m \frac{m CK}{s}$
$1 \frac{m CK}{s} = 248 A.A29 \cdot 10^{-20}$	$1 ni' ure - \frac{LQ\Theta}{T} = 10^{-20} = 0.000418 A338 \frac{m CK}{s}$
$1k \frac{m CK}{s} = 1813205. \cdot 10^{-20}$	$1 ni' upa - \frac{LQ\Theta}{T} = 10^{-10} = 71 B44 B.4 k \frac{m CK}{s}$
$1m \frac{m CK}{s^2} = 0.0017 A5971 \cdot 10^{-50}$	$1 ni' umu - \frac{LQ\Theta}{T^2} = 10^{-50} = 72 B.4889 m \frac{m CK}{s^2}$
$1 \frac{m CK}{s^2} = 0.B601732 \cdot 10^{-50}$	$1 ni' umu - \frac{LQ\Theta}{T^2} = 10^{-50} = 1.062 B9 A \frac{m CK}{s^2}$
$1k \frac{m CK}{s^2} = 67 A.4 B1 A \cdot 10^{-50}$	$1 ni' umu - \frac{LQ\Theta}{T^2} = 10^{-50} = 0.001977684 k \frac{m CK}{s^2}$
$1m m s CK = 0.00003979 B13 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 31 A27.19 m m s CK$
$1 m s CK = 0.02250432 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 55.4 A767 m s CK$
$1k m s CK = 13.35717 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.09503483 k m s CK$
$1m m^2 CK = 0.55588 B9 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 2.248332 m m^2 CK$
$1 m^2 CK = 31 A.8550 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 0.003972 A53 m^2 CK$
$1k m^2 CK = 19 B180.4 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 0.000006697675 k m^2 CK$
$1m \frac{m^2 CK}{s} = 0.0001981334 \cdot 10^{10}$	$1 pa - \frac{L^2 Q\Theta}{T} = 10^{10} = 6787. A53 m^2 CK$
$1 \frac{m^2 CK}{s} = 0.1066361 \cdot 10^{10}$	$1 pa - \frac{L^2 Q\Theta}{T} = 10^{10} = B.591270 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 73.13843 \cdot 10^{10}$	$1 pa - \frac{L^2 Q\Theta}{T} = 10^{10} = 0.017 A0686 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 72131.48 \cdot 10^{-30}$	$1 ni' uci - \frac{L^2 Q\Theta}{T^2} = 10^{-30} = 0.00001809 A50 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 0.0000419 B4 B8 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2 Q\Theta}{T^2} = 10^{-20} = 2 A818.38 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 0.024 A0532 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2 Q\Theta}{T^2} = 10^{-20} = 4 B.B1124 k \frac{m^2 CK}{s^2}$
$1m m^2 s CK = 1459.647 \cdot 10^{70}$	$1 ze-L^2 TQ\Theta = 10^{70} = 0.00088 A04 A4 m m^2 s CK$
$1 m^2 s CK = 9656 A4.0 \cdot 10^{70}$	$1 bi-L^2 TQ\Theta = 10^{80} = 1311 A71. m^2 s CK$
$1k m^2 s CK = 0.000562 A839 \cdot 10^{80}$	$1 bi-L^2 TQ\Theta = 10^{80} = 2210.577 k m^2 s CK$
$1 \frac{CK}{m} = 9.7 B2081 \cdot 10^{-40}$	$1 ni' uvo - \frac{Q\Theta}{L} = 10^{-40} = 0.12 A A46 B m \frac{CK}{m}$
$1 \frac{CK}{m} = 5710. AB4 \cdot 10^{-40}$	$1 ni' uvo - \frac{Q\Theta}{L} = 10^{-40} = 0.0002190 B44 \frac{CK}{m}$
$1k \frac{CK}{m} = 329 A980. \cdot 10^{-40}$	$1 ni' uci - \frac{Q\Theta}{L} = 10^{-30} = 386108.7 k \frac{CK}{m}$

$$\begin{aligned}
1m \frac{CK}{ms} &= 0.003246447 \cdot 10^{-70} \\
1 \frac{CK}{ms} &= 1.426165 \cdot 10^{-70} \\
1k \frac{CK}{ms} &= 10A2.928 \cdot 10^{-70} \\
1m \frac{CK}{ms^2} &= 0.00000108552A \cdot 10^{-A0} \\
1 \frac{CK}{ms^2} &= 0.0007428504 \cdot 10^{-A0} \\
1k \frac{CK}{ms^2} &= 0.4308117 \cdot 10^{-A0} \\
1m \frac{sCK}{m} &= 25225.54 \cdot 10^{-10} \\
1 \frac{sCK}{m} &= 0.000014A7B86 \cdot 10^0 \\
1k \frac{sCK}{m} &= 0.009934875 \cdot 10^0 \\
1m \frac{CK}{m^2} &= 229112.5 \cdot 10^{-70} \\
1 \frac{CK}{m^2} &= 0.0001359978 \cdot 10^{-60} \\
1k \frac{CK}{m^2} &= 0.08B648B5 \cdot 10^{-60} \\
1m \frac{CK}{m^2 s} &= 8A.36325 \cdot 10^{-A0} \\
1 \frac{CK}{m^2 s} &= 51619.63 \cdot 10^{-A0} \\
1k \frac{CK}{m^2 s} &= 0.00002B72055 \cdot 10^{-90} \\
1m \frac{CK}{m^2 s^2} &= 0.02B22B55 \cdot 10^{-110} \\
1 \frac{CK}{m^2 s^2} &= 18.44322 \cdot 10^{-110} \\
1k \frac{CK}{m^2 s^2} &= B94A.B53 \cdot 10^{-110} \\
1m \frac{sCK}{m^2} &= 0.000689B555 \cdot 10^{-30} \\
1 \frac{sCK}{m^2} &= 0.3A93966 \cdot 10^{-30} \\
1k \frac{sCK}{m^2} &= 230.A043 \cdot 10^{-30} \\
1m \frac{CK}{m^3} &= 0.006213A35 \cdot 10^{-90} \\
1 \frac{CK}{m^3} &= 3.6A7A15 \cdot 10^{-90} \\
1k \frac{CK}{m^3} &= 2099.B97 \cdot 10^{-90} \\
1m \frac{CK}{m^3 s} &= 0.000002064958 \cdot 10^{-100} \\
1 \frac{CK}{m^3 s} &= 0.001224531 \cdot 10^{-100} \\
1k \frac{CK}{m^3 s} &= 0.82715A2 \cdot 10^{-100} \\
1m \frac{CK}{m^3 s^2} &= 815.5A18 \cdot 10^{-140} \\
1 \frac{CK}{m^3 s^2} &= 484953.1 \cdot 10^{-140} \\
1k \frac{CK}{m^3 s^2} &= 0.0002877AA6 \cdot 10^{-130} \\
1m \frac{sCK}{m^3} &= 16.7A56A \cdot 10^{-60} \\
1 \frac{sCK}{m^3} &= A968.002 \cdot 10^{-60} \quad (*) \\
1k \frac{sCK}{m^3} &= 62B8369. \cdot 10^{-60} \\
1m kg CK &= 1A50A.B9 \cdot 10^{-10} \\
1kg CK &= 0.000010B8703 \cdot 10^0 \\
1k kg CK &= 0.00761434B \cdot 10^0 \\
1m \frac{kg CK}{s} &= 7.50A874 \cdot 10^{-40} \\
1 \frac{kg CK}{s} &= 4366.A52 \cdot 10^{-40} \\
1k \frac{kg CK}{s} &= 259B785. \cdot 10^{-40} \\
1m \frac{kg CK}{s^2} &= 0.00255A168 \cdot 10^{-70} \\
1 \frac{kg CK}{s^2} &= 1.509302 \cdot 10^{-70} \\
1k \frac{kg CK}{s^2} &= 9A6.02AB \cdot 10^{-70} \\
1m kg s CK &= 0.00005789AB5 \cdot 10^{30} \\
1kg s CK &= 0.03324761 \cdot 10^{30} \\
1k kg s CK &= 1A.82695 \cdot 10^{30} \\
1m kg m CK &= 0.8119836 \cdot 10^{20} \\
1kg m CK &= 482.7A77 \cdot 10^{20} \\
1k kg m CK &= 286515.2 \cdot 10^{20} \\
1m \frac{kg m CK}{s} &= 0.000281B150 \cdot 10^{-10} \\
1 \frac{kg m CK}{s} &= 0.1674066 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 ni'uze \frac{Q\Theta}{LT} &= 10^{-70} = 390.3962 m \frac{CK}{ms} \\
1 ni'uze \frac{Q\Theta}{LT} &= 10^{-70} = 0.6597 BB2 \frac{CK}{ms} \quad (*) \\
1 ni'uze \frac{Q\Theta}{LT} &= 10^{-70} = 0.000B254603 k \frac{CK}{ms} \\
1 ni'ujauau \frac{Q\Theta}{LT^2} &= 10^{-A0} = B40230.A m \frac{CK}{ms^2} \\
1 ni'ujauau \frac{Q\Theta}{LT^2} &= 10^{-A0} = 1770.507 \frac{CK}{ms^2} \\
1 ni'ujauau \frac{Q\Theta}{LT^2} &= 10^{-A0} = 2.9A1830 k \frac{CK}{ms^2} \\
1 ni'upa \frac{TQ\Theta}{L} &= 10^{-10} = 0.00004B2649B m \frac{sCK}{m} \\
1 \frac{TQ\Theta}{L} &= 1 = 86397.58 \frac{sCK}{m} \\
1 \frac{TQ\Theta}{L} &= 1 = 128.9785 k \frac{sCK}{m} \\
1 ni'uxa \frac{Q\Theta}{L^2} &= 10^{-60} = 546B584. m \frac{CK}{m^2} \\
1 ni'uxa \frac{Q\Theta}{L^2} &= 10^{-60} = 9371.5AA \frac{CK}{m^2} \\
1 ni'uxa \frac{Q\Theta}{L^2} &= 10^{-60} = 14.0A010 k \frac{CK}{m^2} \\
1 ni'ujauau \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.01430BA6 m \frac{CK}{m^2 s} \\
1 ni'ujauau \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.00002411291 \frac{CK}{m^2 s} \\
1 ni'uso \frac{Q\Theta}{L^2T} &= 10^{-90} = 40661.A7 k \frac{CK}{m^2 s} \\
1 ni'upapa \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 41.137BB m \frac{CK}{m^2 s^2} \quad (*) \\
1 ni'upapa \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.070A3A09 \frac{CK}{m^2 s^2} \\
1 ni'upapa \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.00010277A7 k \frac{CK}{m^2 s^2} \\
1 ni'uci \frac{TQ\Theta}{L^2} &= 10^{-30} = 1946.58B m \frac{sCK}{m^2} \\
1 ni'uci \frac{TQ\Theta}{L^2} &= 10^{-30} = 3.0B373B \frac{sCK}{m^2} \\
1 ni'uci \frac{TQ\Theta}{L^2} &= 10^{-30} = 0.0053A0354 k \frac{sCK}{m^2} \\
1 ni'uso \frac{Q\Theta}{L^3} &= 10^{-90} = 1B3.9722 m \frac{CK}{m^3} \\
1 ni'uso \frac{Q\Theta}{L^3} &= 10^{-90} = 0.3435B1A \frac{CK}{m^3} \\
1 ni'uso \frac{Q\Theta}{L^3} &= 10^{-90} = 0.0005975899 k \frac{CK}{m^3} \\
1 ni'upano \frac{Q\Theta}{L^3T} &= 10^{-100} = 5A5278.2 m \frac{CK}{m^3 s} \\
1 ni'upano \frac{Q\Theta}{L^3T} &= 10^{-100} = A18.6594 \frac{CK}{m^3 s} \\
1 ni'upano \frac{Q\Theta}{L^3T} &= 10^{-100} = 1.563991 k \frac{CK}{m^3 s} \\
1 ni'upavo \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.0015892AB m \frac{CK}{m^3 s^2} \\
1 ni'upavo \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.000002678005 \frac{CK}{m^3 s^2} \\
1 ni'upaci \frac{Q\Theta}{L^3T^2} &= 10^{-130} = 44B3.B36 k \frac{CK}{m^3 s^2} \\
1 ni'uxa \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.07875AA6 m \frac{sCK}{m^3} \\
1 ni'uxa \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.00011407AA \frac{sCK}{m^3} \\
1 ni'umu \frac{TQ\Theta}{L^3} &= 10^{-50} = 1B06A9.4 k \frac{sCK}{m^3} \\
1 ni'upa \cdot MQ\Theta &= 10^{-10} = 0.00006509202 m kg CK \\
1 MQ\Theta &= 1 = B11BA.A5 kg CK \\
1 MQ\Theta &= 1 = 172.13B7 k kg CK \\
1 ni'uvu \frac{MQ\Theta}{T} &= 10^{-40} = 0.1749642 m \frac{kg CK}{s} \\
1 ni'uvu \frac{MQ\Theta}{T} &= 10^{-40} = 0.0002963275 \frac{kg CK}{s} \\
1 ni'uci \frac{MQ\Theta}{T} &= 10^{-30} = 49B152.4 k \frac{kg CK}{s} \\
1 ni'uze \frac{MQ\Theta}{T^2} &= 10^{-70} = 4A7.2847 m \frac{kg CK}{s^2} \\
1 ni'uze \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.85320A3 \frac{kg CK}{s^2} \\
1 ni'uze \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.00126B99A k \frac{kg CK}{s^2} \\
1 ci \cdot MTQ\Theta &= 10^{30} = 21616.BB m kg s CK \quad (*) \\
1 ci \cdot MTQ\Theta &= 10^{30} = 38.0BB50 kg s CK \quad (*) \\
1 ci \cdot MTQ\Theta &= 10^{30} = 0.06421316 k kg s CK \\
1 re \cdot MLQ\Theta &= 10^{20} = 1.595374 m kg m CK \\
1 re \cdot MLQ\Theta &= 10^{20} = 0.002689B17 kg m CK \\
1 re \cdot MLQ\Theta &= 10^{20} = 0.000004514006 k kg m CK \\
1 ni'upa \frac{MLQ\Theta}{T} &= 10^{-10} = 4589.225 m \frac{kg m CK}{s} \\
1 ni'upa \frac{MLQ\Theta}{T} &= 10^{-10} = 7.8A1A29 \frac{kg m CK}{s}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m CK}}{\text{s}} &= A9.2B511 \cdot 10^{-10} \\
1m \frac{\text{kg m CK}}{\text{s}^2} &= A790A.A6 \cdot 10^{-50} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.000061B2436 \cdot 10^{-40} \\
1k \frac{\text{kg m CK}}{\text{s}^2} &= 0.03695106 \cdot 10^{-40} \\
1m \text{ kg m s CK} &= 2055.811 \cdot 10^{50} \\
1 \text{ kg m s CK} &= 0.00000121A00A \cdot 10^{60} \quad (*) \\
1k \text{ kg m s CK} &= 0.000823499B \cdot 10^{60} \\
1m \text{ kg m}^2 \text{ CK} &= 0.00002B0B019 \cdot 10^{50} \\
1 \text{ kg m}^2 \text{ CK} &= 0.01837058 \cdot 10^{50} \\
1k \text{ kg m}^2 \text{ CK} &= B.8B6A77 \cdot 10^{50} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= B740.B03 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} &= 0.000006877786 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 0.003A7B84A \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 3.A162B9 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 2283.A88 \cdot 10^{-20} \\
1k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} &= 1354586. \cdot 10^{-20} \\
1m \text{ kg m}^2 \text{ s CK} &= 0.089B6139 \cdot 10^{80} \\
1 \text{ kg m}^2 \text{ s CK} &= 51.39B11 \cdot 10^{80} \\
1k \text{ kg m}^2 \text{ s CK} &= 2B59A.B0 \cdot 10^{80} \\
1m \frac{\text{kg CK}}{\text{m}} &= 0.0005213090 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.2BB3472 \cdot 10^{-30} \quad (*) \\
1k \frac{\text{kg CK}}{\text{m}} &= 189.701B \cdot 10^{-30} \\
1m \frac{\text{kg CK}}{\text{m s}} &= 18685A.B \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 0.0000BA92B87 \cdot 10^{-60} \\
1k \frac{\text{kg CK}}{\text{m s}} &= 0.06A75680 \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m s}^2} &= 69.8050A \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 3B319.73 \cdot 10^{-A0} \\
1k \frac{\text{kg CK}}{\text{m s}^2} &= 0.00002342660 \cdot 10^{-90} \\
1m \frac{\text{kg s CK}}{\text{m}} &= 1.377328 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 906.9987 \cdot 10^0 \\
1k \frac{\text{kg s CK}}{\text{m}} &= 529B41.6 \cdot 10^0 \\
1m \frac{\text{kg CK}}{\text{m}^2} &= 12.40151 \cdot 10^{-60} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 8366.1AB \cdot 10^{-60} \\
1k \frac{\text{kg CK}}{\text{m}^2} &= 4973293. \cdot 10^{-60} \\
1m \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.0048B3751 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 2.8B5197 \cdot 10^{-90} \\
1k \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 170A.052 \cdot 10^{-90} \\
1m \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.0000016A2475 \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.000AAA9A87 \cdot 10^{-100} \\
1k \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.6390605 \cdot 10^{-100} \\
1m \frac{\text{kg s CK}}{\text{m}^2} &= 37373.66 \cdot 10^{-30} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.0000210847B \cdot 10^{-20} \\
1k \frac{\text{kg s CK}}{\text{m}^2} &= 0.01260230 \cdot 10^{-20} \\
1m \frac{\text{kg CK}}{\text{m}^3} &= 3384B4.A \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.0001AB8506 \cdot 10^{-80} \\
1k \frac{\text{kg CK}}{\text{m}^3} &= 0.1136718 \cdot 10^{-80} \\
1m \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 111.863B \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 77326.71 \cdot 10^{-100} \\
1k \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.00004499785 \cdot 10^{-B0} \\
1m \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.04425B8B \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 \text{ ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.01145313 k \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ ni'umu-} \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.00001163860 m \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'uvo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 1B457.82 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ ni'uvo-} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 34.479AB k \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ mu-} MLTQ\Theta &= 10^{50} = 0.0005A7A79A m \text{ kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = A21196.B \text{ kg m s CK} \\
1 \text{ xa-} MLTQ\Theta &= 10^{60} = 156B.942 k \text{ kg m s CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 4131B.9B \text{ m kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 71.164A7 \text{ kg m}^2 \text{ CK} \\
1 \text{ mu-} ML^2Q\Theta &= 10^{50} = 0.1031264 k \text{ kg m}^2 \text{ CK} \\
1 \text{ pa-} \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.0001049964 m \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 1951A2.8 \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ re-} \frac{ML^2Q\Theta}{T} &= 10^{20} = 310.4428 k \frac{\text{kg m}^2 \text{ CK}}{\text{s}} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.3156644 m \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'ure-} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00054898B8 \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ ni'upa-} \frac{ML^2Q\Theta}{T^2} &= 10^{-10} = 93A3B9.2 k \frac{\text{kg m}^2 \text{ CK}}{\text{s}^2} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 14.38465 m \text{ kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.02421BB7 \text{ kg m}^2 \text{ s CK} \\
1 \text{ bi-} ML^2TQ\Theta &= 10^{80} = 0.00004084276 k \text{ kg m}^2 \text{ s CK} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 239A.7B0 m \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 4.00B612 \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{ ni'uci-} \frac{MQ\Theta}{L} &= 10^{-30} = 0.006B0B9A4 k \frac{\text{kg CK}}{\text{m}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 70073B0. m \frac{\text{kg CK}}{\text{m s}} \quad (*) \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 1012A.67 \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{LT} &= 10^{-60} = 18.AB841 k \frac{\text{kg CK}}{\text{m s}} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.0191A991 m \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ ni'ujauau-} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00003068A87 \frac{\text{kg CK}}{\text{m s}^2} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{LT^2} &= 10^{-90} = 53218.99 k \frac{\text{kg CK}}{\text{m s}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.9264336 m \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0013ABB3A \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00000236058B k \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0A067457 m \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ ni'uxa-} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00015438BB \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ ni'umu-} \frac{MQ\Theta}{L^2} &= 10^{-50} = 25BB69.8 k \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 264.1B29 m \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.44532BA \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ ni'uso-} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.0007674685 k \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 778086.6 m \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 1124.A9B \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 1.A98914 k \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ ni'uci-} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.000033AA73A m \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 58B61.85 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ure-} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 9B.1B351 k \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 3763789. m \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = 6326.5A5 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'ubi-} \frac{MQ\Theta}{L^3} &= 10^{-80} = A.9B7102 k \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.00AB59391 m \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upano-} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000016B2492 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'uvaiei-} \frac{MQ\Theta}{L^3T} &= 10^{-B0} = 28872.6A k \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ ni'upaci-} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 29.12196 m \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned} 1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 26.26822 \cdot 10^{-130} \\ 1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 15599.0A \cdot 10^{-130} \\ 1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.0009BB1938 \cdot 10^{-50} \quad (*) \\ 1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.594A0BB \cdot 10^{-50} \quad (*) \\ 1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 341.B743 \cdot 10^{-50} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.04923AA6 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.0000829B790 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 124A.9B2 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 2.0A9376 \frac{\text{kg s CK}}{\text{m}^3} \\ 1 \text{ni}'\text{umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 0.00370349B \text{k} \frac{\text{kg s CK}}{\text{m}^3} \end{aligned}$$

## 12.2 All Exponents will be used and displayed as Divided By Base And Italic

Interesting variables for comparison:

$$\begin{aligned} \text{Proton mass} &= A310815 \cdot 10^{-20} \\ \text{Electron mass} &= 97A0.7B2 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.1037444 \cdot 10^0 \\ \text{\AA}^{16} &= 0.0229B024 \cdot 10^{20} \\ \text{Bohr radius}^{17} &= 0.01224278 \cdot 10^{20} \\ \text{Fine structure constant}^{18} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{19} &= 0.53B5689 \cdot 10^{-20} \\ |\psi^{100}(0)|^2^{20} &= 238295.A \cdot 10^{-60} \\ \text{eV} &= 0.0484A823 \cdot 10^{-20} \\ \hbar^{21} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 75.32446 \cdot 10^{20} \\ k_{\text{yellow}}^{22} &= 0.0A176614 \cdot 10^{-20} \\ k_{\text{X-Ray}}^{23} &= 0.0008B1A386 \cdot 10^{-10} \end{aligned}$$

$$\begin{aligned} 1 \text{ni}'\text{upa-} M &= 10^{-10} = 12056B.2 m_p \\ 1 \text{ni}'\text{ure-} M &= 10^{-20} = 0.00012B0131 m_e \\ 1 Q &= 1 = B.858467 e \\ 1 \text{re-} L &= 10^{20} = 54.4B730 \text{\AA} \\ 1 \text{re-} L &= 10^{20} = A1.88428 a_0 \\ 1 &= 1 = B5.05226 \alpha \\ 1 \text{ni}'\text{ure-} \frac{ML^2}{T^2} &= 10^{-20} = 2.302876 Ry \\ 1 \text{ni}'\text{uxa-} \frac{1}{L^3} &= 10^{-60} = 0.00000524B771 \rho_{\max} \\ 1 \text{ni}'\text{ure-} \frac{ML^2}{T^2} &= 10^{-20} = 26.773B1 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re-} L &= 10^{20} = 0.01743630 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni}'\text{ure-} \frac{1}{L} &= 10^{-20} = 12.25A04 \cdot k_{\text{yellow}} \\ 1 \text{ni}'\text{upa-} \frac{1}{L} &= 10^{-10} = 1416.207 \cdot k_{\text{X-Ray}} \end{aligned}$$

$$\begin{aligned} \text{Earth g} &= 0.0025B2225 \cdot 10^{-30} \\ \text{cm} &= 62A4B7.6 \cdot 10^{20} \\ \text{min} &= 1312B8.9 \cdot 10^{30} \\ \text{hour} &= 0.000006362A7A \cdot 10^{40} \\ \text{Liter} &= 0.0000B865831 \cdot 10^{80} \\ \text{Area of a soccer field} &= 0.000006569195 \cdot 10^{60} \\ 84 \text{m}^2^{24} &= 110520.2 \cdot 10^{50} \\ \text{km/h} &= 4945.445 \cdot 10^{-10} \\ \text{mi/h} &= 783B.462 \cdot 10^{-10} \\ \text{inch}^{25} &= 13A1B7B \cdot 10^{20} \\ \text{mile} &= 0.04050601 \cdot 10^{30} \\ \text{pound} &= 0.00002ABA7B2 \cdot 10^{10} \\ \text{horsepower} &= 1A80.506 \cdot 10^{-40} \\ \text{kcal} &= 0.00002805A4B \cdot 10^0 \\ \text{kWh} &= 0.013B3A10 \cdot 10^0 \\ \text{Typical household electric field} &= 81672.2A \cdot 10^{-50} \\ \text{Earthmagneticfield} &= 0.000089920B8 \cdot 10^{-40} \\ \text{Height of an average man}^{26} &= 0.00007803736 \cdot 10^{30} \\ 1 \text{ni}'\text{uci-} \frac{ML}{T^2} &= 10^{-30} = 498.9359 \cdot \text{Earth g} \\ 1 \text{re-} L &= 10^{20} = 0.000001B0B74A \text{cm} \\ 1 \text{vo-} T &= 10^{40} = 964A693. \text{min} \\ 1 \text{vo-} T &= 10^{40} = 1AA6AB.5 \text{ h} \\ 1 \text{bi-} L^3 &= 10^{80} = 10366.70 l \\ 1 \text{xa-} L^2 &= 10^{60} = 1A3413.2 A \\ 1 \text{xa-} L^2 &= 10^{60} = B06828A \cdot 84 \text{m}^2 \\ 1 \text{ni}'\text{upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{km/h} \\ 1 \text{ni}'\text{upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{mi/h} \\ 1 \text{ci-} L &= 10^{30} = 910616.2 \text{ in} \\ 1 \text{ci-} L &= 10^{30} = 2B.83027 \text{ mi} \\ 1 \text{pa-} M &= 10^{10} = 41474.61 \text{ pound} \\ 1 \text{ni}'\text{uvo-} \frac{ML^2}{T^3} &= 10^{-40} = 0.0006428578 \text{horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 45B21.40 \text{kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 90.47334 \text{kWh} \\ 1 \text{ni}'\text{umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.00001586999 E_H \\ 1 \text{ni}'\text{uvo-} \frac{M}{T Q} &= 10^{-40} = 14408.49 \cdot \text{Earthmagneticfield} \\ 1 \text{ci-} L &= 10^{30} = 1693B.62 \bar{h} \end{aligned}$$

<sup>16</sup>Length in atomic and solid state physics, 1/A nm

<sup>17</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>18</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>19</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>21</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>22</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>23</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>24</sup>Size of a home

<sup>25</sup>30 in = 1 yd = 3 ft

<sup>26</sup>in developed countries

Mass of an average man =  $0.00315BA82 \cdot 10^{10}$

$1 \text{ pa-}M = 10^{10} = 3A0.B7A4 \bar{m}$

Age of the Universe =  $168634.6 \cdot 10^{40}$

$1 \text{ vo-}T = 10^{40} = 0.000007843260 t_U$

Size of the observable Universe =  $0.0003BB63A4 \cdot 10^{50}$  (\*)

$1 \text{ mu-}L = 10^{50} = 3004.319 l_U$  (\*)

Average density of the Universe =  $228B.7BA \cdot 10^{-A0}$

$1 \text{ ni'}ujauau \frac{M}{L^3} = 10^{-A0} = 0.0005472B33 \rho_U$

Earth mass =  $5965A06. \cdot 10^{20}$

$1 \text{ ci-}M = 10^{30} = 20A229.1 m_E$

Sun mass<sup>27</sup> =  $0.790A827 \cdot 10^{30}$

$1 \text{ ci-}M = 10^{30} = 1.669591 m_S$

Year =  $0.027B1233 \cdot 10^{40}$

$1 \text{ vo-}T = 10^{40} = 46.16353 \text{ y}$

Speed of Light =  $1.000000$  (\*\*\*)

$1 \frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)

Parsec =  $0.08816537 \cdot 10^{40}$

$1 \text{ vo-}L = 10^{40} = 14.7180 A \text{ pc}$

Astronomical unit =  $A5748A.2 \cdot 10^{30}$

$1 \text{ vo-}L = 10^{40} = 1190A83. \text{ au}$

Earth radius =  $92.B2093 \cdot 10^{30}$

$1 \text{ ci-}L = 10^{30} = 0.0136B15A r_E$

Distance Earth-Moon =  $3A59.156 \cdot 10^{30}$

$1 \text{ ci-}L = 10^{30} = 0.000312163B d_M$

Momentum of someone walking<sup>28</sup> =  $6B6.8263 \cdot 10^0$

$1 \frac{ML}{T} = 1 = 0.001881BA8 \cdot \text{Momentum of someone walking}$

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$

$1 \frac{M}{T^3 \Theta^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$

mol =  $0.01110B95 \cdot 10^{20}$

$1 \text{ re-} = 10^{20} = B0.01120 \text{ mol}$

Standard temperature<sup>29</sup> =  $0.0013B23A9 \cdot 10^{-20}$

$1 \text{ ni'}ure-\Theta = 10^{-20} = 905.5704 T_0$

Room - standard temperature<sup>30</sup> =  $0.00011BBA6A \cdot 10^{-20}$  (\*)

$1 \text{ ni'}ure-\Theta = 10^{-20} = A352.922 \Theta_R$

atm =  $0.00964B039 \cdot 10^{-80}$

$1 \text{ ni'}ubi-\frac{M}{LT^2} = 10^{-80} = 131.2B00 \text{ atm}$  (\*)

$c_s = 0.0000034BB524 \cdot 10^0$  (\*)

$1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$

$\mu_0 = 10.69683 \cdot 10^0$

$1 \frac{ML}{Q^2} = 1 = 0.0B561508 \cdot \mu_0$

$G = 0.05890864 \cdot 10^0$

$1 \frac{L^3}{MT^2} = 1 = 21.17146 \cdot G$

### Extensive list of SI units

$1 \text{ m} = 0.001889B98 \cdot 10^0$

$1 = 1 = 6B4.0000 \text{ m}$  (\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 \text{ k} = 6B4.0000 \cdot 10^0$  (\*\*)

$1 = 1 = 0.001889B98 \text{ k}$

$1 \text{ m s}^{\frac{1}{s}} = 6A4582.A \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{1}{T} = 10^{-40} = 0.0000018B8976 \text{ m s}^{\frac{1}{s}}$

$1 \text{ s}^{\frac{1}{s}} = 0.0003B8049A \cdot 10^{-30}$

$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 302B.B43 \text{ s}^{\frac{1}{s}}$

$1 \text{ k s}^{\frac{1}{s}} = 0.2370556 \cdot 10^{-30}$

$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 5.278098 \text{ k s}^{\frac{1}{s}}$

$1 \text{ m s}^{\frac{1}{s^2}} = 233.2802 \cdot 10^{-70}$

$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0053452B5 \text{ m s}^{\frac{1}{s^2}}$

$1 \text{ s}^{\frac{1}{s^2}} = 139446.4 \cdot 10^{-70}$

$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 9160512. \frac{1}{s^2}$

$1 \text{ k s}^{\frac{1}{s^2}} = 0.00009170491 \cdot 10^{-60}$

$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 13927.A1 \text{ k s}^{\frac{1}{s^2}}$

$1 \text{ m s} = 5.278098 \cdot 10^{30}$

$1 \text{ ci-T} = 10^{30} = 0.2370556 \text{ m s}$

$1 \text{ s} = 302B.B43 \cdot 10^{30}$

$1 \text{ ci-T} = 10^{30} = 0.0003B8049A \text{ s}$

$1 \text{ k s} = 0.0000018B8976 \cdot 10^{40}$

$1 \text{ vo-T} = 10^{40} = 6A4582.A \text{ k s}$

$1 \text{ m m} = 75A11.B5 \cdot 10^{20}$

$1 \text{ re-L} = 10^{20} = 0.00001729820 \text{ m m}$

$1 \text{ m} = 0.000043BA94A \cdot 10^{30}$

$1 \text{ ci-L} = 10^{30} = 292A0.12 \text{ m}$

$1 \text{ k m} = 0.02610768 \cdot 10^{30}$

$1 \text{ ci-L} = 10^{30} = 49.52280 \text{ k m}$

$1 \text{ m s}^{\frac{m}{s}} = 25.8A836 \cdot 10^{-10}$

$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.04A127A8 \text{ m s}^{\frac{m}{s}}$

$1 \text{ s}^{\frac{m}{s}} = 15264.AB \cdot 10^{-10}$

$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.00008449701 \text{ s}^{\frac{m}{s}}$

$1 \text{ k m}^{\frac{m}{s}} = 0.000009B63212 \cdot 10^0$

$1 \frac{L}{T} = 1 = 1255A8.5 \text{ k s}^{\frac{m}{s}}$

$1 \text{ m s}^{\frac{m}{s^2}} = 0.009A18968 \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 127.6202 \text{ m s}^{\frac{m}{s^2}}$

$1 \text{ s}^{\frac{m}{s^2}} = 5.845450 \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.2133560 \text{ m s}^{\frac{m}{s^2}}$

$1 \text{ k m}^{\frac{m}{s^2}} = 3369.674 \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.0003780B99 \text{ k s}^{\frac{m}{s^2}}$

<sup>27</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>28</sup>p

<sup>29</sup>0°C measured from absolute zero

<sup>30</sup>18 °C

$1 \text{m m s} = 0.0001A74874 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 644A.521 \text{m m s}$
$1 \text{m s} = 0.1110811 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = B.00424B \text{ m s} \quad (*)$
$1 \text{k m s} = 76.A8025 \cdot 10^{60}$	$1 \text{xa-LT} = 10^{60} = 0.01701910 \text{ k m s}$
$1 \text{m m}^2 = 2.852BB2 \cdot 10^{50} \quad (*)$	$1 \text{mu-L}^2 = 10^{50} = 0.453316A \text{ m m}^2$
$1 \text{m}^2 = 1693.156 \cdot 10^{50}$	$1 \text{mu-L}^2 = 10^{50} = 0.000780786A \text{ m}^2$
$1 \text{k m}^2 = AA4381.9 \cdot 10^{50}$	$1 \text{xa-L}^2 = 10^{60} = 11309A6. \text{km}^2$
$1 \text{m}^{\frac{m}{s}} = 0.000A8A3392 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 114B.0B7 \text{ m}^{\frac{m}{s}}$
$1 \frac{\text{m}^2}{\text{s}} = 0.626A042 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 1.B20AA8 \frac{\text{m}^2}{\text{s}}$
$1 \text{k m}^{\frac{m}{s}} = 371.A179 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.003406214 \text{ k}^{\frac{\text{m}}{\text{s}}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{\text{m}^2}{\text{s}^2}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k m}^{\frac{m}{s^2}} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k}^{\frac{\text{m}^2}{\text{s}^2}}$
$1 \text{m m}^2 \text{s} = 81BA.197 \cdot 10^{80}$	$1 \text{bi-L}^2 T = 10^{80} = 0.0001577528 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 488571A. \cdot 10^{80}$	$1 \text{so-L}^2 T = 10^{90} = 265818.8 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.002899564 \cdot 10^{90}$	$1 \text{so-L}^2 T = 10^{90} = 447.A867 \text{ km}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 49.52280 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.02610768 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 292A0.12 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.000043BA94A \frac{1}{\text{m}}$
$1 \text{k}^{\frac{1}{m}} = 0.00001729820 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{1}{L} = 10^{-20} = 75A11.B5 \text{ k}^{\frac{1}{\text{m}}}$
$1 \text{m}^{\frac{1}{m}} = 0.01701910 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 76.A8025 \text{ m}^{\frac{1}{\text{ms}}}$
$1 \frac{1}{\text{m s}} = B.00424B \cdot 10^{-60} \quad (*)$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.1110811 \frac{1}{\text{m s}}$
$1 \text{k}^{\frac{1}{\text{m s}}} = 644A.521 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.0001A74874 \text{ k}^{\frac{1}{\text{ms}}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 6363747. \cdot 10^{-A0}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 1AA683.9 \text{ m}^{\frac{1}{\text{ms}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.003785913 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 336.528B \frac{1}{\text{ms}^2}$
$1 \text{k}^{\frac{1}{\text{m s}^2}} = 2.13627B \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 0.5839A96 \text{ k}^{\frac{1}{\text{ms}^2}}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m}^{\frac{s}{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 \text{k}^{\frac{s}{m}} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k}^{\frac{s}{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 11309A6. \cdot 10^{-60}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = AA4381.9 \text{ m}^{\frac{1}{m^2}}$
$1 \frac{1}{\text{m}^2} = 0.000780786A \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 1693.156 \frac{1}{m^2}$
$1 \text{k}^{\frac{1}{\text{m}^2}} = 0.453316A \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 2.852BB2 \text{ k}^{\frac{1}{\text{m}^2}} \quad (*)$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 447.A867 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{L^2 T} = 10^{-90} = 0.002899564 \text{ m}^{\frac{1}{\text{m}^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 265818.8 \cdot 10^{-90}$	$1 \text{ni'ubi-}\frac{1}{L^2 T} = 10^{-80} = 488571A. \frac{1}{\text{m}^2 s}$
$1 \text{k}^{\frac{1}{\text{m}^2 s}} = 0.0001577528 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^2 T} = 10^{-80} = 81BA.197 \text{ k}^{\frac{1}{\text{m}^2 s}}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.15521B9 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 8.316822 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = A1.07851 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.0123367A \frac{1}{\text{m}^2 s^2}$
$1 \text{k}^{\frac{1}{\text{m}^2 s^2}} = 5A079.5A \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.0000207BBB8 \text{ k}^{\frac{1}{\text{m}^2 s^2}}$
$1 \text{m}^{\frac{s}{m^2}} = 0.003406214 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 371.A179 \text{ m}^{\frac{s}{m^2}}$
$1 \frac{s}{m^2} = 1.B20AA8 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.626A042 \frac{s}{m^2}$
$1 \text{k}^{\frac{s}{m^2}} = 114B.0B7 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.000A8A3392 \text{ k}^{\frac{s}{m^2}}$
$1 \text{m}^{\frac{1}{m^3}} = 0.030869B5 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 3B.09689 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 19.2B611 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.0693B760 \frac{1}{m^3}$
$1 \text{k}^{\frac{1}{\text{m}^3}} = 10366.70 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.0000B865831 \text{ k}^{\frac{1}{m^3}}$
$1 \text{m}^{\frac{1}{m^3 s}} = 0.0000101A183 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = BA218.06 \text{ m}^{\frac{1}{m^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.00704990B \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 185.8260 \frac{1}{m^3 s}$
$1 \text{k}^{\frac{1}{\text{m}^3 s}} = 4.0A1510 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 0.2B46608 \text{ k}^{\frac{1}{m^3 s}}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 4034.432 \cdot 10^{-130}$	$1 \text{ni'upaci-}\frac{1}{L^3 T^2} = 10^{-130} = 0.0002B95AA \text{ B m}^{\frac{1}{\text{m}^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 0.0000023B3430 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 51A1B5.6 \frac{1}{\text{m}^3 s^2}$
$1 \text{k}^{\frac{1}{\text{m}^3 s^2}} = 0.0014203B6 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 8AA.55A7 \text{ k}^{\frac{1}{\text{m}^3 s^2}}$
$1 \text{m}^{\frac{s}{m^3}} = 92.AA572 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.0136B768 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 54222.02 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.000022B0BA \text{ A m}^{\frac{s}{m^3}}$

$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.00003118588 \cdot 10^{-40}$	$1\text{ni}'\text{uvo}-\frac{T}{L^3} = 10^{-40} = 3A635.37\text{k}\frac{\text{s}}{\text{m}^3}$
$1\text{m kg} = B1372.7A \cdot 10^0$	$1M = 1 = 0.000010B6856\text{m kg}$
$1\text{kg} = 0.00006518419 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 1A497.BA\text{kg}$
$1\text{k kg} = 0.03878535 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 32.85B4A\text{k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 38.16419 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 0.0331AB42\text{m}\frac{\text{kg}}{\text{s}}$
$1\frac{\text{kg}}{\text{s}} = 21653.49 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 0.00005780121\frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 0.00001294083 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{T} = 10^{-20} = 98B19.74\text{k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 0.01273642 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 9A.36180\text{m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 8.553A12 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 0.1504ABB\frac{\text{kg}}{\text{s}^2} (*)$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 4A85.741 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 0.0002552780\text{k}\frac{\text{kg}}{\text{s}^2}$
$1\text{m kg s} = 0.00029680B7 \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 435B.497\text{m kg s}$
$1\text{kg s} = 0.1750414 \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 7.4B9989\text{kg s}$
$1\text{k kg s} = B2.A306A \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 0.01099232\text{k kg s}$
$1\text{m kg m} = 4.016594 \cdot 10^{30}$	$1\text{ci-}ML = 10^{30} = 0.2BAAC214\text{m kg m}$
$1\text{kg m} = 23A2.842 \cdot 10^{30}$	$1\text{ci-}ML = 10^{30} = 0.0005206092\text{kg m}$
$1\text{k kg m} = 0.000001415007 \cdot 10^{40} (*)$	$1\text{vo-}ML = 10^{40} = 8B2608.B\text{k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 0.0013B2304 \cdot 10^0$	$1\frac{ML}{T} = 1 = 905.60B3\text{m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.9278381 \cdot 10^0$	$1\frac{ML}{T} = 1 = 1.375006\frac{\text{kg m}}{\text{s}} (*)$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 540.4102 \cdot 10^0$	$1\frac{ML}{T} = 1 = 0.0022BA340\text{k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 533599.0 \cdot 10^{-40}$	$1\text{ni}'\text{uvo}-\frac{ML}{T^2} = 10^{-40} = 0.000002337716\text{m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 0.0003076245 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{ML}{T^2} = 10^{-30} = 3B21.964\frac{\text{kg m}}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 0.1924245 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{ML}{T^2} = 10^{-30} = 6.963814\text{k}\frac{\text{kg m}}{\text{s}^2}$
$1\text{m kg m s} = 10147.74 \cdot 10^{60}$	$1\text{xa-}MLT = 10^{60} = 0.0000BA76357\text{m kg m s}$
$1\text{kg m s} = 7017626 \cdot 10^{60}$	$1\text{ze-}MLT = 10^{70} = 186561.B\text{kg m s}$
$1\text{k kg m s} = 0.004083366 \cdot 10^{70}$	$1\text{ze-}MLT = 10^{70} = 2B5.A700\text{k kg m s} (*)$
$1\text{m kg m}^2 = 0.0001546326 \cdot 10^{60}$	$1\text{xa-}ML^2 = 10^{60} = 8353.89B\text{m kg m}^2$
$1\text{kg m}^2 = 0.0A080A36 \cdot 10^{60}$	$1\text{xa-}ML^2 = 10^{60} = 12.3A060\text{kg m}^2$
$1\text{k kg m}^2 = 59.A0075 \cdot 10^{60} (*)$	$1\text{xa-}ML^2 = 10^{60} = 0.0208B260\text{k kg m}^2$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 59041.89 \cdot 10^{20}$	$1\text{re-}\frac{ML^2}{T} = 10^{20} = 0.00002104911\text{m}\frac{\text{kg m}^2}{\text{s}}$
$1\frac{\text{kg m}^2}{\text{s}} = 0.000033B4494 \cdot 10^{30}$	$1\text{ci-}\frac{ML^2}{T} = 10^{30} = 37310.30\frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.01B14B26 \cdot 10^{30}$	$1\text{ci-}\frac{ML^2}{T} = 10^{30} = 62.8B8B8\text{k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 1A.A2693 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.06375313\text{m}\frac{\text{kg m}^2}{\text{s}^2}$
$1\frac{\text{kg m}^2}{\text{s}^2} = 11283.18 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.0000AA80781\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 0.0000077A005A \cdot 10^0 (*)$	$1\frac{ML^2}{T^2} = 1 = 169971.A\text{k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2\text{s} = 0.445AA32 \cdot 10^{90}$	$1\text{so-}ML^2T = 10^{90} = 2.8B0460\text{m kg m}^2\text{s}$
$1\text{kg m}^2\text{s} = 264.6407 \cdot 10^{90}$	$1\text{so-}ML^2T = 10^{90} = 0.0048A7450\text{kg m}^2\text{s}$
$1\text{k kg m}^2\text{s} = 156B54.1 \cdot 10^{90}$	$1\text{jauau-}ML^2T = 10^{A0} = 8236826.\text{k kg m}^2\text{s}$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.002692477 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 481.B8A6\text{m}\frac{\text{kg}}{\text{m}}$
$1\frac{\text{kg}}{\text{m}} = 1.597A6A \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 0.8107745\frac{\text{kg}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = A37.8889 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 0.0011B85A4\text{k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = A22761.1 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{LT} = 10^{-60} = 0.000001217B56\text{m}\frac{\text{kg}}{\text{m s}}$
$1\frac{\text{kg}}{\text{m s}} = 0.0005A88A98 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{LT} = 10^{-50} = 2052.16A\frac{\text{kg}}{\text{m s}}$
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.34B2058 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{LT} = 10^{-50} = 3.6273B5\frac{\text{kg}}{\text{m s}}$
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 345.6130 \cdot 10^{-90}$	$1\text{ni}'\text{uso}-\frac{M}{LT^2} = 10^{-90} = 0.003686274\text{m}\frac{\text{kg}}{\text{m s}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 1B4B70.8 \cdot 10^{-90}$	$1\text{ni}'\text{ubi}-\frac{M}{LT^2} = 10^{-80} = 61976B0.\frac{\text{kg}}{\text{m s}^2}$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 0.0001167198 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{LT^2} = 10^{-80} = A764.551\text{k}\frac{\text{kg}}{\text{m s}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 7.8B33A0 \cdot 10^{10}$	$1\text{pa-}\frac{MT}{L} = 10^{10} = 0.1671422\text{m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 4594.B88 \cdot 10^{10}$	$1\text{pa-}\frac{MT}{L} = 10^{10} = 0.000281655B\frac{\text{kg s}}{\text{m}}$
$1\text{k}\frac{\text{kg s}}{\text{m}} = 0.000002716069 \cdot 10^{20}$	$1\text{re-}\frac{MT}{L} = 10^{20} = 476262.9\text{k}\frac{\text{kg s}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m}^2} = 71.26907 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.01834122\text{m}\frac{\text{kg}}{\text{m}^2}$

$1 \frac{\text{kg}}{\text{m}^2} = 41391.6A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00002B05B1B \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 0.0000246554B \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{M}{L^2} = 10^{-40} = 50674.4A \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.02426102 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 51.31058 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 14.3A8B1 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.089A290A \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 9544.735 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.000132AB59 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 9408545. \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 135067.5 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.0054A227B \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 227.9143 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 3.164092 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 0.3A06645 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 1954B6.3 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.000006867B60 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 0.000104B714 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = B724.88A \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.07225A08 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 18.06536 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 178020A. \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 73A385.5 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.000B46BA46 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 1079.A19 \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.6705A48 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 1.9A4195 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 661.6816 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.001A14A37 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 392698.5 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = 3227527. \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.000221B9B4 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = 5605.B28 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.21A4498 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 5.6989AB \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 12B.73A8 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.009754954 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 87B36.44 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.00001475B77 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.004B4B524 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 251.023A \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 2.447089 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.4231247 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 17A9.245 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.00072A1A66 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 72350.00 \cdot 10^{-20} \quad (*)$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00001803A21 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 0.000041B2488 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 2A733.57 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.024A9135 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 4B.97159 \text{k} \frac{1}{\text{C}}$
$1 \text{m} \frac{1}{\text{s C}} = 24.69190 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0505B64A \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 14643.62 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.00008865644 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 0.000009695988 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{TQ} = 10^{-40} = 130786.0 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.009557351 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 132.8B9A \text{m} \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 5.57B731 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.223958A \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 31BB.BB1 \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.0003958275 \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.0001987957 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 6767.B56 \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 0.106A091 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = B.557A82 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 73.35A70 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.01796737 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 2.71A0B1 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.4757407 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 1604.139 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.0007BA2151 \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = A52465.3 \cdot 10^{10}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 1197609. \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.000A3908A1 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 11B6.820 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 0.5B74B15 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 2.016558 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = 355.4166 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.003583A3A \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 34B740.A \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2 Q} = 10^{-60} = 0.000003621A50 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 0.0001B85B77 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 60A7.789 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.1187815 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = A.5B4581 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 7A13.673 \cdot 10^{40}$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.0001644140 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 46563BA. \cdot 10^{40}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 278903.6 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 0.002762478 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 469.B336 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 0.0000B2B8613 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 10976.46 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 0.06613B90 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 1A.15756 \frac{m^2}{\text{C}}$

$$\begin{aligned}
1k \frac{m^2}{C} &= 39.252B7 \cdot 10^{40} \\
1m \frac{m^2}{sC} &= 38822.7A \cdot 10^0 \\
1 \frac{m^2}{sC} &= 0.000021A3611 \cdot 10^{10} \\
1k \frac{m^2}{sC} &= 0.012B6983 \cdot 10^{10} \\
1m \frac{m^2}{s^2C} &= 12.95B7A \cdot 10^{-30} \\
1 \frac{m^2}{s^2C} &= 8687.56B \cdot 10^{-30} \\
1k \frac{m^2}{s^2C} &= 0.000004B53A61 \cdot 10^{-20} \\
1m \frac{m^2s}{C} &= 0.29B89A2 \cdot 10^{70} \\
1 \frac{m^2s}{C} &= 177.B5B1 \cdot 10^{70} \\
1k \frac{m^2s}{C} &= B4671.95 \cdot 10^{70} \\
1m \frac{1}{mC} &= 0.0017AB934 \cdot 10^{-40} \\
1 \frac{1}{mC} &= 0.B637115 \cdot 10^{-40} \\
1k \frac{1}{mC} &= 680.4B31 \cdot 10^{-40} \\
1m \frac{1}{msC} &= 671412.5 \cdot 10^{-80} \\
1 \frac{1}{msC} &= 0.0003994798 \cdot 10^{-70} \\
1k \frac{1}{msC} &= 0.225B236 \cdot 10^{-70} \\
1m \frac{1}{ms^2C} &= 222.3273 \cdot 10^{-B0} \\
1 \frac{1}{ms^2C} &= 131A50.1 \cdot 10^{-B0} \\
1k \frac{1}{ms^2C} &= 0.0000892B812 \cdot 10^{-A0} \\
1m \frac{s}{mC} &= 5.01AB87 \cdot 10^{-10} \\
1 \frac{s}{mC} &= 2A99.368 \cdot 10^{-10} \\
1k \frac{s}{mC} &= 0.000001819268 \cdot 10^0 \\
1m \frac{1}{m^2C} &= 47.1A997 \cdot 10^{-70} \\
1 \frac{1}{m^2C} &= 27B06.54 \cdot 10^{-70} \\
1k \frac{1}{m^2C} &= 0.00001658049 \cdot 10^{-60} \\
1m \frac{1}{m^2sC} &= 0.01631459 \cdot 10^{-A0} \\
1 \frac{1}{m^2sC} &= A.697653 \cdot 10^{-A0} \\
1k \frac{1}{m^2sC} &= 6146.A40 \cdot 10^{-A0} \\
1m \frac{1}{m^2s^2C} &= 6065096. \cdot 10^{-120} \\
1 \frac{1}{m^2s^2C} &= 0.0035B8722 \cdot 10^{-110} \\
1k \frac{1}{m^2s^2C} &= 2.036046 \cdot 10^{-110} \\
1m \frac{s}{m^2C} &= 11A758.2 \cdot 10^{-40} \\
1 \frac{s}{m^2C} &= 0.00008051291 \cdot 10^{-30} \\
1k \frac{s}{m^2C} &= 0.04797526 \cdot 10^{-30} \\
1m \frac{1}{m^3C} &= 1089309. \cdot 10^{-A0} \\
1 \frac{1}{m^3C} &= 0.000744AB35 \cdot 10^{-90} \\
1k \frac{1}{m^3C} &= 0.431B538 \cdot 10^{-90} \\
1m \frac{1}{m^3sC} &= 426.A636 \cdot 10^{-110} \\
1 \frac{1}{m^3sC} &= 253251.0 \cdot 10^{-110} \\
1k \frac{1}{m^3sC} &= 0.00014B2AA0 \cdot 10^{-100} \\
1m \frac{1}{m^3s^2C} &= 0.148A960 \cdot 10^{-140} \\
1 \frac{1}{m^3s^2C} &= 98.31735 \cdot 10^{-140} \\
1k \frac{1}{m^3s^2C} &= 57345.1B \cdot 10^{-140} \\
1m \frac{s}{m^3C} &= 0.003255A9B \cdot 10^{-60} \\
1 \frac{s}{m^3C} &= 1.A3097A \cdot 10^{-60} \\
1k \frac{s}{m^3C} &= 10A6.770 \cdot 10^{-60} \\
1m \frac{kg}{C} &= 3.A28146 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 vo \frac{L^2}{Q} &= 10^{40} = 0.03228908 k \frac{m^2}{C} \\
1 \frac{L^2}{TQ} &= 1 = 0.00003280 B39 m \frac{m^2}{sC} \\
1 pa \frac{L^2}{TQ} &= 10^{10} = 569B1.72 \frac{m^2}{sC} \\
1 pa \frac{L^2}{TQ} &= 10^{10} = 97.58936 k \frac{m^2}{sC} \\
1 ni'uci \frac{L^2}{T^2Q} &= 10^{-30} = 0.0989A812 m \frac{m^2}{s^2C} \\
1 ni'uci \frac{L^2}{T^2Q} &= 10^{-30} = 0.000149A570 \frac{m^2}{s^2C} \\
1 ni'ure \frac{L^2}{T^2Q} &= 10^{-20} = 250A02.A k \frac{m^2}{s^2C} \\
1 ze \frac{L^2T}{Q} &= 10^{70} = 4.2A3416 m \frac{m^2s}{C} \\
1 ze \frac{L^2T}{Q} &= 10^{70} = 0.0073A68A4 \frac{m^2s}{C} \\
1 ze \frac{L^2T}{Q} &= 10^{70} = 0.0000107A348 k \frac{m^2s}{C} \\
1 ni'uvo \frac{1}{LQ} &= 10^{-40} = 729.2789 m \frac{1}{mC} \\
1 ni'uvo \frac{1}{LQ} &= 10^{-40} = 1.05B28B \frac{1}{mC} \\
1 ni'uvo \frac{1}{LQ} &= 10^{-40} = 0.001971098 k \frac{1}{mC} \\
1 ni'ubi \frac{1}{LTQ} &= 10^{-80} = 0.0000019A13A2 m \frac{1}{msC} \\
1 ni'uze \frac{1}{LTQ} &= 10^{-70} = 318B.145 \frac{1}{msC} \\
1 ni'uze \frac{1}{LTQ} &= 10^{-70} = 5.527A64 k \frac{1}{msC} \\
1 ni'uvaiei \frac{1}{LT^2Q} &= 10^{-B0} = 0.0055B9485 m \frac{1}{ms^2C} \\
1 ni'ujauau \frac{1}{LT^2Q} &= 10^{-A0} = 96024A4. \frac{1}{ms^2C} \\
1 ni'ujauau \frac{1}{LT^2Q} &= 10^{-A0} = 14503.01 k \frac{1}{ms^2C} \\
1 ni'upa \frac{T}{LQ} &= 10^{-10} = 0.248824B m \frac{s}{mC} \\
1 ni'upa \frac{T}{LQ} &= 10^{-10} = 0.0004177431 \frac{s}{mC} \\
1 \frac{T}{LQ} &= 1 = 719276.7 k \frac{s}{mC} \\
1 ni'uze \frac{1}{L^2Q} &= 10^{-70} = 0.0273B280 m \frac{1}{m^2C} \\
1 ni'uze \frac{1}{L^2Q} &= 10^{-70} = 0.00004617485 \frac{1}{m^2C} \\
1 ni'uxa \frac{1}{L^2Q} &= 10^{-60} = 79665.2B k \frac{1}{m^2C} \\
1 ni'ujauau \frac{1}{L^2TQ} &= 10^{-A0} = 7A.77614 m \frac{1}{m^2sC} \\
1 ni'ujauau \frac{1}{L^2TQ} &= 10^{-A0} = 0.1176440 \frac{1}{m^2sC} \\
1 ni'ujauau \frac{1}{L^2TQ} &= 10^{-A0} = 0.0001B66B64 k \frac{1}{m^2sC} \\
1 ni'upapa \frac{1}{L^2T^2Q} &= 10^{-110} = 1B9A60.1 m \frac{1}{m^2s^2C} \\
1 ni'upapa \frac{1}{L^2T^2Q} &= 10^{-110} = 351.BAA5 \frac{1}{m^2s^2C} \\
1 ni'upapa \frac{1}{L^2T^2Q} &= 10^{-110} = 0.5B17507 k \frac{1}{m^2s^2C} \\
1 ni'uvo \frac{T}{L^2Q} &= 10^{-40} = 0.00000A454760 m \frac{s}{m^2C} \\
1 ni'uci \frac{T}{L^2Q} &= 10^{-30} = 15B06.A1 \frac{s}{m^2C} \\
1 ni'uci \frac{T}{L^2Q} &= 10^{-30} = 26.B7285 k \frac{s}{m^2C} \\
1 ni'uso \frac{1}{L^3Q} &= 10^{-90} = B38955.4 m \frac{1}{m^3C} \\
1 ni'uso \frac{1}{L^3Q} &= 10^{-90} = 1766.666 \frac{1}{m^3C} \\
1 ni'uso \frac{1}{L^3Q} &= 10^{-90} = 2.99364B k \frac{1}{m^3C} \\
1 ni'upapa \frac{1}{L^3TQ} &= 10^{-110} = 0.002A202B5 m \frac{1}{m^3sC} \\
1 ni'upano \frac{1}{L^3TQ} &= 10^{-100} = 4B06227. \frac{1}{m^3sC} \\
1 ni'upano \frac{1}{L^3TQ} &= 10^{-100} = 8603.937 k \frac{1}{m^3sC} \\
1 ni'upavo \frac{1}{L^3T^2Q} &= 10^{-140} = 8.72710A m \frac{1}{m^3s^2C} \\
1 ni'upavo \frac{1}{L^3T^2Q} &= 10^{-140} = 0.012A4350 \frac{1}{m^3s^2C} \\
1 ni'upavo \frac{1}{L^3T^2Q} &= 10^{-140} = 0.000021824B4 k \frac{1}{m^3s^2C} \\
1 ni'uxa \frac{T}{L^3Q} &= 10^{-60} = 38B.2352 m \frac{s}{m^3C} \\
1 ni'uxa \frac{T}{L^3Q} &= 10^{-60} = 0.65787A2 \frac{s}{m^3C} \\
1 ni'uxa \frac{T}{L^3Q} &= 10^{-60} = 0.000B220205 k \frac{s}{m^3C} \\
1 ni'upa \frac{M}{Q} &= 10^{-10} = 0.3147361 m \frac{kg}{C}
\end{aligned}$$

$$\begin{aligned}
1 \frac{\text{kg}}{\text{C}} &= 228B.B02 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg}}{\text{C}} &= 0.000001359152 \cdot 10^0 \\
1 \text{m} \frac{\text{kg}}{\text{s C}} &= 0.001337514 \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{s C}} &= 0.8A316A1 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg}}{\text{s C}} &= 515.B0AA \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 509501.6 \cdot 10^{-80} \\
1 \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.0002B21496 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} &= 0.1843448 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg s}}{\text{C}} &= B776.97B \cdot 10^{20} \\
1 \frac{\text{kg s}}{\text{C}} &= 6897A71 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg s}}{\text{C}} &= 0.003A9188B \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{C}} &= 0.0001483259 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{C}} &= 0.097A8B26 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{C}} &= 57.09B46 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}}{\text{s C}} &= 56367.67 \cdot 10^{-20} \\
1 \frac{\text{kg m}}{\text{s C}} &= 0.00003244805 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}}{\text{s C}} &= 0.01A25192 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 19.B4367 \cdot 10^{-50} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 1084A.60 \cdot 10^{-50} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} &= 0.000007424630 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg m s}}{\text{C}} &= 0.424B741 \cdot 10^{50} \\
1 \frac{\text{kg m s}}{\text{C}} &= 252.11B7 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m s}}{\text{C}} &= 14A729.0 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{C}} &= 6038.253 \cdot 10^{40} \\
1 \frac{\text{kg m}^2}{\text{C}} &= 35A16B7 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg m}^2}{\text{C}} &= 0.002027039 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s C}} &= 1.BB2A01 \cdot 10^{10} \quad (*) \\
1 \frac{\text{kg m}^2}{\text{s C}} &= 11A2.842 \cdot 10^{10} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s C}} &= 802407.6 \cdot 10^{10} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.0007B10485 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 0.4703A08 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} &= 27A.167A \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.00001625126 \cdot 10^{80} \\
1 \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 0.00A64A107 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} &= 6.119747 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg}}{\text{m C}} &= A8033.8A \cdot 10^{-40} \\
1 \frac{\text{kg}}{\text{m C}} &= 0.000062106BB \cdot 10^{-30} \quad (*) \\
1 \text{k} \frac{\text{kg}}{\text{m C}} &= 0.036A5B47 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s C}} &= 36.46953 \cdot 10^{-70} \\
1 \frac{\text{kg}}{\text{m s C}} &= 20638.57 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg}}{\text{m s C}} &= 0.00001223989 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 0.01204306 \cdot 10^{-A0} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 8.151657 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} &= 4846.B43 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg s}}{\text{m C}} &= 0.0002828952 \cdot 10^0 \\
1 \frac{\text{kg s}}{\text{m C}} &= 0.1679782 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s}}{\text{m C}} &= A9.6233A \cdot 10^0
\end{aligned}$$

$$\begin{aligned}
1 \text{ni}'\text{upa} \frac{M}{Q} &= 10^{-10} = 0.00054723B4 \frac{\text{kg}}{\text{C}} \\
1 \frac{M}{Q} &= 1 = 937651.1 \text{k} \frac{\text{kg}}{\text{C}} \\
1 \text{ni}'\text{uvo} \frac{M}{TQ} &= 10^{-40} = 94B.1A3B \text{m} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{uvo} \frac{M}{TQ} &= 10^{-40} = 1.43185B \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubo} \frac{M}{TQ} &= 10^{-40} = 0.00241257A \text{k} \frac{\text{kg}}{\text{s C}} \\
1 \text{ni}'\text{ubi} \frac{M}{T^2 Q} &= 10^{-80} = 0.0000024517A4 \text{m} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze} \frac{M}{T^2 Q} &= 10^{-70} = 4115.A05 \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{uze} \frac{M}{T^2 Q} &= 10^{-70} = 7.0A770A \text{k} \frac{\text{kg}}{\text{s}^2 \text{C}} \\
1 \text{re} \frac{MT}{Q} &= 10^{20} = 0.00010460A7 \text{m} \frac{\text{kg s}}{\text{C}} \\
1 \text{ci} \frac{MT}{Q} &= 10^{30} = 194750.B \frac{\text{kg s}}{\text{C}} \\
1 \text{ci} \frac{MT}{Q} &= 10^{30} = 30B.52B1 \text{k} \frac{\text{kg s}}{\text{C}} \\
1 \text{re} \frac{ML}{Q} &= 10^{20} = 8765.BBB \text{m} \frac{\text{kg m}}{\text{C}} \quad (***) \\
1 \text{re} \frac{ML}{Q} &= 10^{20} = 12.AB059 \frac{\text{kg m}}{\text{C}} \\
1 \text{re} \frac{ML}{Q} &= 10^{20} = 0.02192103 \text{k} \frac{\text{kg m}}{\text{C}} \\
1 \text{ni}'\text{ure} \frac{ML}{TQ} &= 10^{-20} = 0.0000220941B \text{m} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{upa} \frac{ML}{TQ} &= 10^{-10} = 39059.49 \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{upa} \frac{ML}{TQ} &= 10^{-10} = 65.9B524 \text{k} \frac{\text{kg m}}{\text{s C}} \\
1 \text{ni}'\text{umu} \frac{ML}{T^2 Q} &= 10^{-50} = 0.0668A150 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{umu} \frac{ML}{T^2 Q} &= 10^{-50} = 0.0000B408326 \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ubo} \frac{ML}{T^2 Q} &= 10^{-40} = 177135.3 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{C}} \\
1 \text{mu} \frac{MLT}{Q} &= 10^{50} = 2.A33937 \text{m} \frac{\text{kg m s}}{\text{C}} \\
1 \text{mu} \frac{MLT}{Q} &= 10^{50} = 0.004B29029 \frac{\text{kg m s}}{\text{C}} \\
1 \text{xa} \frac{MLT}{Q} &= 10^{60} = 864218A. \text{k} \frac{\text{kg m s}}{\text{C}} \\
1 \text{vo} \frac{ML^2}{Q} &= 10^{40} = 0.0001BA93B3 \text{m} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu} \frac{ML^2}{Q} &= 10^{50} = 353674.7 \frac{\text{kg m}^2}{\text{C}} \\
1 \text{mu} \frac{ML^2}{Q} &= 10^{50} = 5B4.3901 \text{k} \frac{\text{kg m}^2}{\text{C}} \\
1 \text{pa} \frac{ML^2}{TQ} &= 10^{10} = 0.60236A4 \text{m} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{pa} \frac{ML^2}{TQ} &= 10^{10} = 0.000A48B66A \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{re} \frac{ML^2}{TQ} &= 10^{20} = 15B6901. \text{k} \frac{\text{kg m}^2}{\text{s C}} \\
1 \text{ni}'\text{ure} \frac{ML^2}{T^2 Q} &= 10^{-20} = 1620.AB7 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ure} \frac{ML^2}{T^2 Q} &= 10^{-20} = 2.74A03B \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{ni}'\text{ure} \frac{ML^2}{T^2 Q} &= 10^{-20} = 0.004632090 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{C}} \\
1 \text{bi} \frac{ML^2 T}{Q} &= 10^{80} = 7AB26.2B \text{m} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi} \frac{ML^2 T}{Q} &= 10^{80} = 118.067B \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{bi} \frac{ML^2 T}{Q} &= 10^{80} = 0.1B757B5 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{C}} \\
1 \text{ni}'\text{ubo} \frac{ML^2 T}{LQ} &= 10^{-40} = 0.0000115B799 \text{m} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uci} \frac{M}{LQ} &= 10^{-30} = 1B3A7.66 \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uci} \frac{M}{LQ} &= 10^{-30} = 34.37863 \text{k} \frac{\text{kg}}{\text{m C}} \\
1 \text{ni}'\text{uze} \frac{M}{LTQ} &= 10^{-70} = 0.03493475 \text{m} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{uze} \frac{M}{LTQ} &= 10^{-70} = 0.00005A55905 \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{uxa} \frac{M}{LTQ} &= 10^{-60} = A18BA.40 \text{k} \frac{\text{kg}}{\text{m s C}} \\
1 \text{ni}'\text{ujauau} \frac{M}{LT^2 Q} &= 10^{-A0} = A3.20361 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{ujauau} \frac{M}{LT^2 Q} &= 10^{-A0} = 0.158A039 \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \text{ni}'\text{ujauau} \frac{M}{LT^2 Q} &= 10^{-A0} = 0.0002679435 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{C}} \\
1 \frac{MT}{LQ} &= 1 = 4575.094 \text{m} \frac{\text{kg s}}{\text{m C}} \\
1 \frac{MT}{LQ} &= 1 = 7.87A001 \frac{\text{kg s}}{\text{m C}} \quad (*) \\
1 \frac{MT}{LQ} &= 1 = 0.011412B9 \text{k} \frac{\text{kg s}}{\text{m C}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg}{m^2 C} &= 0.002566 BB1 \cdot 10^{-60} \quad (*) \\
1 \frac{kg}{m^2 C} &= 1.51246 A \cdot 10^{-60} \\
1k \frac{kg}{m^2 C} &= 9A8.BA47 \cdot 10^{-60} \\
1m \frac{kg}{m^2 s^2 C} &= 994692.A \cdot 10^{-A0} \\
1 \frac{kg}{m^2 s^2 C} &= 0.00057 B1842 \cdot 10^{-90} \\
1k \frac{kg}{m^2 s^2 C} &= 0.3338853 \cdot 10^{-90} \\
1m \frac{kg}{m^2 s^2 C} &= 32A.355A \cdot 10^{-110} \\
1 \frac{kg}{m^2 s^2 C} &= 1A5A14.1 \cdot 10^{-110} \\
1k \frac{kg}{m^2 s^2 C} &= 0.0001101 AA8 \cdot 10^{-100} \\
1m \frac{kg s}{m^2 C} &= 7.5315 B2 \cdot 10^{-30} \\
1 \frac{kg s}{m^2 C} &= 437A.446 \cdot 10^{-30} \\
1k \frac{kg s}{m^2 C} &= 0.0000025 A8739 \cdot 10^{-20} \\
1m \frac{kg}{m^3 C} &= 69.A0B82 \cdot 10^{-90} \\
1 \frac{kg}{m^3 C} &= 3B440.11 \cdot 10^{-90} \\
1k \frac{kg}{m^3 C} &= 0.0000234 A920 \cdot 10^{-80} \\
1m \frac{kg}{m^3 s^2 C} &= 0.02311333 \cdot 10^{-100} \\
1 \frac{kg}{m^3 s^2 C} &= 13.81821 \cdot 10^{-100} \\
1k \frac{kg}{m^3 s^2 C} &= 90A6.410 \cdot 10^{-100} \\
1m \frac{kg}{m^3 s^2 C} &= 8B75768. \cdot 10^{-140} \\
1 \frac{kg}{m^3 s^2 C} &= 0.005234652 \cdot 10^{-130} \\
1k \frac{kg}{m^3 s^2 C} &= 3.006160 \cdot 10^{-130} \quad (*) \\
1m \frac{kg s}{m^3 C} &= 187280.B \cdot 10^{-60} \\
1 \frac{kg s}{m^3 C} &= 0.0000BB09A8A \cdot 10^{-50} \quad (*) \\
1k \frac{kg s}{m^3 C} &= 0.06A96486 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1 ni'uxa \frac{M}{L^2 Q} &= 10^{-60} = 4A5.9152 m \frac{kg}{m^2 C} \\
1 ni'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.850783 B \frac{kg}{m^2 C} \\
1 ni'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.00126753 B k \frac{kg}{m^2 C} \\
1 ni'ujauau \frac{M}{L^2 T Q} &= 10^{-A0} = 0.000001287 A65 m \frac{kg}{m^2 s^2 C} \\
1 ni'uso \frac{M}{L^2 T Q} &= 10^{-90} = 2153.196 \frac{kg}{m^2 s^2 C} \\
1 ni'uso \frac{M}{L^2 T Q} &= 10^{-90} = 3.7B5 B08 k \frac{kg}{m^2 s^2 C} \\
1 ni'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.003857895 m \frac{kg}{m^2 s^2 C} \\
1 ni'upano \frac{M}{L^2 T^2 Q} &= 10^{-100} = 64A1795. \frac{kg}{m^2 s^2 C} \\
1 ni'upano \frac{M}{L^2 T^2 Q} &= 10^{-100} = B095.536 k \frac{kg}{m^2 s^2 C} \\
1 ni'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.1743862 m \frac{kg s}{m^2 C} \\
1 ni'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.00029551 B4 \frac{kg s}{m^2 C} \\
1 ni'ure \frac{MT}{L^2 Q} &= 10^{-20} = 499808.1 k \frac{kg s}{m^2 C} \\
1 ni'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.01914571 m \frac{kg}{m^3 C} \\
1 ni'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.00003059 B12 \frac{kg}{m^3 C} \\
1 ni'ubi \frac{M}{L^3 Q} &= 10^{-80} = 53069.47 k \frac{kg}{m^3 C} \\
1 ni'upano \frac{M}{L^3 T Q} &= 10^{-100} = 53.94790 m \frac{kg}{m^3 s C} \\
1 ni'upano \frac{M}{L^3 T Q} &= 10^{-100} = 0.09227099 \frac{kg}{m^3 s C} \\
1 ni'upano \frac{M}{L^3 T Q} &= 10^{-100} = 0.00013 A5526 k \frac{kg}{m^3 s C} \\
1 ni'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 140810.0 m \frac{kg}{m^3 s^2 C} \\
1 ni'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 238.B343 \frac{kg}{m^3 s^2 C} \\
1 ni'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 0.3BB3A15 k \frac{kg}{m^3 s^2 C} \\
1 ni'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.000006 B A6142 m \frac{kg s}{m^3 C} \\
1 ni'umu \frac{MT}{L^3 Q} &= 10^{-50} = 100B2.B9 \frac{kg s}{m^3 C} \quad (*) \\
1 ni'umu \frac{MT}{L^3 Q} &= 10^{-50} = 18.A5507 k \frac{kg s}{m^3 C}
\end{aligned}$$

$$\begin{aligned}
1m C &= 4B.97159 \cdot 10^{10} \\
1 C &= 2A733.57 \cdot 10^{10} \\
1k C &= 0.00001803 A21 \cdot 10^{20} \\
1m \frac{C}{s} &= 0.01796737 \cdot 10^{-20} \\
1 \frac{C}{s} &= B.557A82 \cdot 10^{-20} \\
1k \frac{C}{s} &= 6767.B56 \cdot 10^{-20} \\
1m \frac{C}{s^2} &= 6677AB4. \cdot 10^{-60} \\
1 \frac{C}{s^2} &= 0.003961234 \cdot 10^{-50} \\
1k \frac{C}{s^2} &= 2.240432 \cdot 10^{-50} \\
1m s C &= 130786.0 \cdot 10^{40} \\
1 s C &= 0.00008865644 \cdot 10^{50} \\
1k s C &= 0.0505 B64A \cdot 10^{50} \\
1m m C &= 0.001971098 \cdot 10^{40} \\
1 m C &= 1.05B28B \cdot 10^{40} \\
1k m C &= 729.2789 \cdot 10^{40} \\
1m \frac{m C}{s} &= 719276.7 \cdot 10^0 \\
1 \frac{m C}{s} &= 0.0004177431 \cdot 10^{10} \\
1k \frac{m C}{s} &= 0.248824 B \cdot 10^{10} \\
1m \frac{m C}{s^2} &= 244.8639 \cdot 10^{-30} \\
1 \frac{m C}{s^2} &= 145206.6 \cdot 10^{-30} \\
1k \frac{m C}{s^2} &= 0.00009612 A53 \cdot 10^{-20} \\
1m m s C &= 5.527A64 \cdot 10^{70} \\
1 m s C &= 318B.145 \cdot 10^{70} \\
1k m s C &= 0.0000019 A13A2 \cdot 10^{80} \\
1m m^2 C &= 79665.2B \cdot 10^{60}
\end{aligned}$$

$$\begin{aligned}
1 pa-Q &= 10^{10} = 0.024 A9135 m C \\
1 pa-Q &= 10^{10} = 0.000041 B2488 C \\
1 re-Q &= 10^{20} = 72350.00 k C \quad (*) \\
1 ni'ure \frac{Q}{T} &= 10^{-20} = 73.35 A70 m \frac{C}{s} \\
1 ni'ure \frac{Q}{T} &= 10^{-20} = 0.106 A091 \frac{C}{s} \\
1 ni'ure \frac{Q}{T} &= 10^{-20} = 0.0001987957 k \frac{C}{s} \\
1 ni'umu \frac{Q}{T^2} &= 10^{-50} = 19B831.6 m \frac{C}{s^2} \\
1 ni'umu \frac{Q}{T^2} &= 10^{-50} = 31B.7A14 \frac{C}{s^2} \\
1 ni'umu \frac{Q}{T^2} &= 10^{-50} = 0.5574522 k \frac{C}{s^2} \\
1 vo-T Q &= 10^{40} = 0.000009695988 m s C \\
1 mu-T Q &= 10^{50} = 14643.62 s C \\
1 mu-T Q &= 10^{50} = 24.69190 k s C \\
1 vo-L Q &= 10^{40} = 680.4B31 m m C \\
1 vo-L Q &= 10^{40} = 0. B637115 m C \\
1 vo-L Q &= 10^{40} = 0.0017 AB934 k m C \\
1 \frac{LQ}{T} &= 1 = 0.000001819268 m \frac{m}{s} \\
1 pa \frac{LQ}{T} &= 10^{10} = 2A99.368 \frac{m C}{s} \\
1 pa \frac{LQ}{T} &= 10^{10} = 5.01 A B87 k \frac{m C}{s} \\
1 ni'uci \frac{LQ}{T^2} &= 10^{-30} = 0.0050 A3BA9 m \frac{m}{s^2} \\
1 ni'ure \frac{LQ}{T^2} &= 10^{-20} = 8920216. \frac{m C}{s^2} \\
1 ni'ure \frac{LQ}{T^2} &= 10^{-20} = 13189.18 k \frac{m C}{s^2} \\
1 ze-L T Q &= 10^{70} = 0.225 B236 m m s C \\
1 ze-L T Q &= 10^{70} = 0.0003994798 m s C \\
1 bi-L T Q &= 10^{80} = 671412.5 k m s C \\
1 xa-L^2 Q &= 10^{60} = 0.00001658049 m m^2 C
\end{aligned}$$

$1 \text{ m}^2 \text{ C} = 0.00004617485 \cdot 10^{70}$	$1 \text{ ze-}L^2Q = 10^{70} = 27B06.54 \text{ m}^2 \text{ C}$
$1 \text{ k m}^2 \text{ C} = 0.0273B280 \cdot 10^{70}$	$1 \text{ ze-}L^2Q = 10^{70} = 47.1A997 \text{ k m}^2 \text{ C}$
$1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} = 26.B7285 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2Q}{T} = 10^{30} = 0.04797526 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ C}}{\text{s}} = 15B06.A1 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2Q}{T} = 10^{30} = 0.00008051291 \text{ } \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} = 0.00000A454760 \cdot 10^{40}$	$1 \text{ vo-} \frac{L^2Q}{T} = 10^{40} = 11A758.2 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} = 0.00A3020A0 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 120.6956 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2}$
$1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} = 5.B23245$	$1 \frac{L^2Q}{T^2} = 1 = 0.2033465 \frac{\text{m}^2 \text{ C}}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} = 3524.4A6 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 0.00035B401A \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2}$
$1 \text{ m m}^2 \text{ s C} = 0.0001B66B64 \cdot 10^{A0}$	$1 \text{ jauau-}L^2TQ = 10^{A0} = 6146.A40 \text{ m m}^2 \text{ s C}$
$1 \text{ m}^2 \text{ s C} = 0.1176440 \cdot 10^{A0}$	$1 \text{ jauau-}L^2TQ = 10^{A0} = A.697653 \text{ m}^2 \text{ s C}$
$1 \text{k m}^2 \text{ s C} = 7A.77614 \cdot 10^{A0}$	$1 \text{ jauau-}L^2TQ = 10^{A0} = 0.01631459 \text{ k m}^2 \text{ s C}$
$1 \text{ m} \frac{\text{C}}{\text{m}} = 1197609. \cdot 10^{-20}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = A52465.3 \text{ m} \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}} = 0.0007BA2151 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = 1604.139 \frac{\text{C}}{\text{m}}$
$1 \text{k} \frac{\text{C}}{\text{m}} = 0.4757407 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = 2.71A0B1 \text{ k} \frac{\text{C}}{\text{m}}$
$1 \text{ m} \frac{\text{C}}{\text{m s}} = 469.B336 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{Q}{LT} = 10^{-50} = 0.002762478 \text{ m} \frac{\text{C}}{\text{m s}}$
$1 \frac{\text{C}}{\text{m s}} = 278903.6 \cdot 10^{-50}$	$1 \text{ ni'uvvo-} \frac{Q}{LT} = 10^{-40} = 46563BA. \frac{\text{C}}{\text{m s}}$
$1 \text{k} \frac{\text{C}}{\text{m s}} = 0.0001644140 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{LT} = 10^{-40} = 7A13.673 \text{ k} \frac{\text{C}}{\text{m s}}$
$1 \text{ m} \frac{\text{C}}{\text{m s}^2} = 0.1619775 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 7.B2569B \text{ m} \frac{\text{C}}{\text{m s}^2}$
$1 \frac{\text{C}}{\text{m s}^2} = A6.062AB \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 0.01186217 \frac{\text{C}}{\text{m s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m s}^2} = 60B37.42 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 0.00001B83468 \text{ k} \frac{\text{C}}{\text{m s}^2}$
$1 \text{ m} \frac{\text{s C}}{\text{m}} = 0.003583A3A \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 355.4166 \text{ m} \frac{\text{s C}}{\text{m}}$
$1 \frac{\text{s C}}{\text{m}} = 2.016558 \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 0.5B74B15 \frac{\text{s C}}{\text{m}}$
$1 \text{k} \frac{\text{s C}}{\text{m}} = 11B6.820 \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 0.000A3908A1 \text{ k} \frac{\text{s C}}{\text{m}}$
$1 \text{ m} \frac{\text{C}}{\text{m}^2} = 0.03228908 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{L^2} = 10^{-40} = 39.252B7 \text{ m} \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2} = 1A.15756 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{L^2} = 10^{-40} = 0.06613B90 \frac{\text{C}}{\text{m}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2} = 10976.46 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{L^2} = 10^{-40} = 0.0000B2B8613 \text{ k} \frac{\text{C}}{\text{m}^2}$
$1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0000107A348 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = B4671.95 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0073A68A4 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = 177.B5B1 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} = 4.2A3416 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = 0.29B89A2 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} = 4232.B26 \cdot 10^{-B0}$	$1 \text{ ni'uvaiei-} \frac{Q}{L^2T^2} = 10^{-B0} = 0.0002A45A5A \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 0.000002511246 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} = 10^{-A0} = 4B4946.B \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} = 0.0014A037A \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} = 10^{-A0} = 867.82B0 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \text{ m} \frac{\text{s C}}{\text{m}^2} = 97.58936 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.012B6983 \text{ m} \frac{\text{s C}}{\text{m}^2}$
$1 \frac{\text{s C}}{\text{m}^2} = 569B1.72 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.000021A3611 \frac{\text{s C}}{\text{m}^2}$
$1 \text{k} \frac{\text{s C}}{\text{m}^2} = 0.00003280B39 \cdot 10^0$	$1 \frac{TQ}{L^2} = 1 = 38822.7A \text{ k} \frac{\text{s C}}{\text{m}^2}$
$1 \text{ m} \frac{\text{C}}{\text{m}^3} = 89A.64B3 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^3} = 10^{-70} = 0.00143A21B \text{ m} \frac{\text{C}}{\text{m}^3}$
$1 \frac{\text{C}}{\text{m}^3} = 51331A.4 \cdot 10^{-70}$	$1 \text{ ni'uxa-} \frac{Q}{L^3} = 10^{-60} = 242513B. \frac{\text{C}}{\text{m}^3}$
$1 \text{k} \frac{\text{C}}{\text{m}^3} = 0.0002B55BAB \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{Q}{L^3} = 10^{-60} = 4089.723 \text{ k} \frac{\text{C}}{\text{m}^3}$
$1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} = 0.2B07182 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 4.137518 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 183.4970 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 0.00712398B \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} = B8A33.A7 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 0.00001032694 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0000B729651 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 104B1.B7 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0686A8A7 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 19.54277 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} = 3A.76670 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 0.0310853A \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \text{ m} \frac{\text{s C}}{\text{m}^3} = 227A049. \cdot 10^{-40}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 549BB9.6 \text{ m} \frac{\text{s C}}{\text{m}^3} \quad (*)$
$1 \frac{\text{s C}}{\text{m}^3} = 0.001351101 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 940.46B3 \frac{\text{s C}}{\text{m}^3}$
$1 \text{k} \frac{\text{s C}}{\text{m}^3} = 0.8B1423A \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 1.417112 \text{ k} \frac{\text{s C}}{\text{m}^3}$
$1 \text{ m kg C} = 0.002805012 \cdot 10^{20}$	$1 \text{ re-} MQ = 10^{20} = 45B.3685 \text{ m kg C}$
$1 \text{ kg C} = 1.665694 \cdot 10^{20}$	$1 \text{ re-} MQ = 10^{20} = 0.7926411 \text{ kg C}$
$1 \text{k kg C} = A88.A789 \cdot 10^{20}$	$1 \text{ re-} MQ = 10^{20} = 0.001150998 \text{ k kg C}$

$$\begin{aligned}
1m \frac{kg \cdot C}{s} &= A730B7.0 \cdot 10^{-20} \\
1 \frac{kg \cdot C}{s} &= 0.0006178885 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{s} &= 0.3674BB1 \cdot 10^{-10} \quad (*) \\
1m \frac{kg \cdot C}{s^2} &= 361.6312 \cdot 10^{-50} \\
1 \frac{kg \cdot C}{s^2} &= 204669.6 \cdot 10^{-50} \\
1k \frac{kg \cdot C}{s^2} &= 0.00012136B2 \cdot 10^{-40} \\
1m kg \cdot s \cdot C &= 8.092B99 \cdot 10^{50} \\
1 kg \cdot s \cdot C &= 4800.289 \cdot 10^{50} \quad (*) \\
1k kg \cdot s \cdot C &= 0.00000284A96B \cdot 10^{60} \\
1m kg \cdot m \cdot C &= B6965.55 \cdot 10^{40} \\
1 kg \cdot m \cdot C &= 0.0000683A29A \cdot 10^{50} \\
1k kg \cdot m \cdot C &= 0.03A5950B \cdot 10^{50} \\
1m \frac{kg \cdot m \cdot C}{s} &= 39.B4335 \cdot 10^{10} \\
1 \frac{kg \cdot m \cdot C}{s} &= 2270A.42 \cdot 10^{10} \\
1k \frac{kg \cdot m \cdot C}{s} &= 0.0000134793A \cdot 10^{20} \\
1m \frac{kg \cdot m \cdot C}{s^2} &= 0.013262A2 \cdot 10^{-20} \\
1 \frac{kg \cdot m \cdot C}{s^2} &= 8.975B94 \cdot 10^{-20} \\
1k \frac{kg \cdot m \cdot C}{s^2} &= 5116.0A6 \cdot 10^{-20} \\
1m kg \cdot m \cdot s \cdot C &= 0.0002AB3316 \cdot 10^{80} \\
1 kg \cdot m \cdot s \cdot C &= 0.1827738 \cdot 10^{80} \\
1k kg \cdot m \cdot s \cdot C &= B8.4B611 \cdot 10^{80} \\
1m kg \cdot m^2 \cdot C &= 4.2141AA \cdot 10^{70} \\
1 kg \cdot m^2 \cdot C &= 2500.027 \cdot 10^{70} \quad (*) \\
1k kg \cdot m^2 \cdot C &= 0.000001494816 \cdot 10^{80} \\
1m \frac{kg \cdot m^2 \cdot C}{s} &= 0.0014709A4 \cdot 10^{40} \\
1 \frac{kg \cdot m^2 \cdot C}{s} &= 0.972505B \cdot 10^{40} \\
1k \frac{kg \cdot m^2 \cdot C}{s} &= 568.0181 \cdot 10^{40} \\
1m \frac{kg \cdot m^2 \cdot C}{s^2} &= 55A95A.1 \cdot 10^0 \\
1 \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.0003217727 \cdot 10^{10} \\
1k \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.1A0A015 \cdot 10^{10} \\
1m kg \cdot m^2 \cdot s \cdot C &= 10746.71 \cdot 10^{A0} \\
1 kg \cdot m^2 \cdot s \cdot C &= 7372B10. \cdot 10^{A0} \\
1k kg \cdot m^2 \cdot s \cdot C &= 0.004284377 \cdot 10^{B0} \\
1m \frac{kg \cdot C}{m} &= 74.88685 \cdot 10^{-10} \\
1 \frac{kg \cdot C}{m} &= 4341A.13 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{m} &= 0.00002586A16 \cdot 10^0 \\
1m \frac{kg \cdot C}{m \cdot s} &= 0.02545637 \cdot 10^{-40} \\
1 \frac{kg \cdot C}{m \cdot s} &= 14.BB785 \cdot 10^{-40} \quad (*) \\
1k \frac{kg \cdot C}{m \cdot s} &= 9A05.61A \cdot 10^{-40} \\
1m \frac{kg \cdot C}{m \cdot s^2} &= 988171B. \cdot 10^{-80} \\
1 \frac{kg \cdot C}{m \cdot s^2} &= 0.005763191 \cdot 10^{-70} \\
1k \frac{kg \cdot C}{m \cdot s^2} &= 3.30A9A2 \cdot 10^{-70} \\
1m \frac{kg \cdot s \cdot C}{m} &= 1A4035.6 \cdot 10^{20} \\
1 \frac{kg \cdot s \cdot C}{m} &= 0.00010B1340 \cdot 10^{30} \\
1k \frac{kg \cdot s \cdot C}{m} &= 0.0759165A \cdot 10^{30} \\
1m \frac{kg \cdot C}{m^2} &= 1858ABA. \cdot 10^{-40} \\
1 \frac{kg \cdot C}{m^2} &= 0.000BA266B7 \cdot 10^{-30} \\
1k \frac{kg \cdot C}{m^2} &= 0.6A37044 \cdot 10^{-30} \\
1m \frac{kg \cdot C}{m^2 \cdot s} &= 694.2525 \cdot 10^{-70} \\
1 \frac{kg \cdot C}{m^2 \cdot s} &= 3B0B22.A \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 ni'ure \frac{MQ}{T} &= 10^{-20} = 0.00000116B431 m \frac{kg \cdot C}{s} \\
1 ni'upa \frac{MQ}{T} &= 10^{-10} = 1B56.A2A \frac{kg \cdot C}{s} \\
1 ni'upa \frac{MQ}{T} &= 10^{-10} = 3.4667A9 k \frac{kg \cdot C}{s} \\
1 ni'umu \frac{MQ}{T^2} &= 10^{-50} = 0.0035028A7 m \frac{kg \cdot C}{s^2} \\
1 ni'uvo \frac{MQ}{T^2} &= 10^{-40} = 5AA6A1B. \frac{kg \cdot C}{s^2} \\
1 ni'uvo \frac{MQ}{T^2} &= 10^{-40} = A259.521 k \frac{kg \cdot C}{s^2} \\
1 mu \cdot MTQ &= 10^{50} = 0.15A3433 m \cdot kg \cdot s \cdot C \\
1 mu \cdot MTQ &= 10^{50} = 0.00026A3378 kg \cdot s \cdot C \\
1 xa \cdot MTQ &= 10^{60} = 453A04.1 k \cdot kg \cdot s \cdot C \\
1 vo \cdot MLQ &= 10^{40} = 0.0000105497A m \cdot kg \cdot m \cdot C \\
1 mu \cdot MLQ &= 10^{50} = 1961B.72 kg \cdot m \cdot C \\
1 mu \cdot MLQ &= 10^{50} = 31.21352 k \cdot kg \cdot m \cdot C \\
1 pa \cdot \frac{MLQ}{T} &= 10^{10} = 0.03173860 m \frac{kg \cdot m \cdot C}{s} \\
1 pa \cdot \frac{MLQ}{T} &= 10^{10} = 0.000054BA416 \frac{kg \cdot m \cdot C}{s} \\
1 re \cdot \frac{MLQ}{T} &= 10^{20} = 94372.75 k \frac{kg \cdot m \cdot C}{s} \\
1 ni'ure \frac{MLQ}{T^2} &= 10^{-20} = 95.73949 m \frac{kg \cdot m \cdot C}{s^2} \\
1 ni'ure \frac{MLQ}{T^2} &= 10^{-20} = 0.1443986 \frac{kg \cdot m \cdot C}{s^2} \\
1 ni'ure \frac{MLQ}{T^2} &= 10^{-20} = 0.0002432A07 k \frac{kg \cdot m \cdot C}{s^2} \\
1 bi \cdot MLTQ &= 10^{80} = 4155.A03 m \cdot kg \cdot m \cdot s \cdot C \\
1 bi \cdot MLTQ &= 10^{80} = 7.156646 kg \cdot m \cdot s \cdot C \\
1 bi \cdot MLTQ &= 10^{80} = 0.01038183 k \cdot kg \cdot m \cdot s \cdot C \\
1 ze \cdot ML^2Q &= 10^{70} = 0.2A595B5 m \cdot kg \cdot m^2 \cdot C \\
1 ze \cdot ML^2Q &= 10^{70} = 0.0004B70464 kg \cdot m^2 \cdot C \\
1 bi \cdot ML^2Q &= 10^{80} = 86B6A8.6 k \cdot kg \cdot m^2 \cdot C \\
1 vo \cdot \frac{ML^2Q}{T} &= 10^{40} = 881.B947 m \frac{kg \cdot m^2 \cdot C}{s} \\
1 vo \cdot \frac{ML^2Q}{T} &= 10^{40} = 1.2BBB76 \frac{kg \cdot m^2 \cdot C}{s} \quad (**) \\
1 vo \cdot \frac{ML^2Q}{T} &= 10^{40} = 0.0021B0514 k \frac{kg \cdot m^2 \cdot C}{s} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.000002227B46 m \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 pa \cdot \frac{ML^2Q}{T^2} &= 10^{10} = 3938.A08 \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 pa \cdot \frac{ML^2Q}{T^2} &= 10^{10} = 6.636B06 k \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 jauau \cdot ML^2TQ &= 10^{A0} = 0.0000B4B9261 m \cdot kg \cdot m^2 \cdot s \cdot C \\
1 vaiei \cdot ML^2TQ &= 10^{B0} = 178851.B kg \cdot m^2 \cdot s \cdot C \\
1 vaiei \cdot ML^2TQ &= 10^{B0} = 2A1.031B k \cdot kg \cdot m^2 \cdot s \cdot C \\
1 ni'upa \cdot \frac{MQ}{L} &= 10^{-10} = 0.017585B5 m \frac{kg \cdot C}{m} \\
1 ni'upa \cdot \frac{MQ}{L} &= 10^{-10} = 0.0000297A204 \frac{kg \cdot C}{m} \\
1 \frac{MQ}{L} &= 1 = 4A1A2.1B k \frac{kg \cdot C}{m} \\
1 ni'uvo \cdot \frac{MQ}{LT} &= 10^{-40} = 4A.9B9B2 m \frac{kg \cdot C}{ms} \\
1 ni'uvo \cdot \frac{MQ}{LT} &= 10^{-40} = 0.0857B39A \frac{kg \cdot C}{ms} \\
1 ni'uvo \cdot \frac{MQ}{LT} &= 10^{-40} = 0.000127808B k \frac{kg \cdot C}{ms} \\
1 ni'uze \cdot \frac{MQ}{LT^2} &= 10^{-70} = 129878.7 m \frac{kg \cdot C}{ms^2} \\
1 ni'uze \cdot \frac{MQ}{LT^2} &= 10^{-70} = 217.125A \frac{kg \cdot C}{ms^2} \\
1 ni'uze \cdot \frac{MQ}{LT^2} &= 10^{-70} = 0.3828055 k \frac{kg \cdot C}{ms^2} \\
1 re \cdot \frac{MTQ}{L} &= 10^{20} = 0.000006544898 m \frac{kg \cdot s \cdot C}{m} \\
1 ci \cdot \frac{MTQ}{L} &= 10^{30} = B183.230 \frac{kg \cdot s \cdot C}{m} \\
1 ci \cdot \frac{MTQ}{L} &= 10^{30} = 17.30207 k \frac{kg \cdot s \cdot C}{m} \\
1 ni'uci \cdot \frac{MQ}{L^2} &= 10^{-30} = 7046A1.3 m \frac{kg \cdot C}{m^2} \\
1 ni'uci \cdot \frac{MQ}{L^2} &= 10^{-30} = 1019.87A \frac{kg \cdot C}{m^2} \\
1 ni'uci \cdot \frac{MQ}{L^2} &= 10^{-30} = 1.8BB628 k \frac{kg \cdot C}{m^2} \quad (*) \\
1 ni'uze \cdot \frac{MQ}{L^2T} &= 10^{-70} = 0.00192A936 m \frac{kg \cdot C}{m^2 \cdot s} \\
1 ni'uxa \cdot \frac{MQ}{L^2T} &= 10^{-60} = 308568B. \frac{kg \cdot C}{m^2 \cdot s}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 0.000232B182 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 5351.54B k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 0.22B1B08 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 5.41BB51 m \frac{kg\ C}{m^2 s^2}$ (*)
$1 \frac{kg\ C}{m^2 s^2} = 137.0201 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.0092A6779 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 90285.B6 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.000013B7242 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.0051A4111 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 23B.2481 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 2.B9718B$	$1 \frac{MTQ}{L^2} = 1 = 0.4032832 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 1887.375 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.0006B4A959 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.0488767A \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 26.57112 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 28.9A716 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.04478A89 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 16BB3.6A \cdot 10^{-60}$ (*)	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.000076B7951 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 0.0000169392B \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 78046.52 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.00AA48220 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 113.0447 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 6.355A18 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 0.1AA97A4 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 6270.72B \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.0001B20136 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 0.00000371B764 \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 340496.3 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 0.0020B900B \cdot 10^{-100}$ (*)	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 592.1691 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 123.406A \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.00A103633 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 831A1.32 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.00001551691 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 0.00004946961 \cdot 10^{-20}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 26146.38 k \frac{kg\ s\ C}{m^3}$
<hr/>	
$1m \frac{1}{K} = 257.5B3A \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.004A3B606 m \frac{1}{K}$
$1 \frac{1}{K} = 151887.4 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000008496413 \frac{1}{K}$
$1k \frac{1}{K} = 0.00009B07A54 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = 12620.95 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{sK}$
$1 \frac{1}{sK} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{sK}$
$1k \frac{1}{sK} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{sK}$
$1m \frac{1}{s^2 K} = 0.000032B5A34 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 38433.65 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 0.01A66541 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 64.792B4 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 11.06891 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.0B054439 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 755A6A.4 \cdot 10^{50}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 1738679. m \frac{s}{K}$
$1 \frac{s}{K} = 0.0004395610 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 2944.96A \frac{s}{K}$
$1k \frac{s}{K} = 0.25B782B \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 4.97A834 k \frac{s}{K}$
$1m \frac{m}{K} = 0.00A842905 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 115.67B4 m \frac{m}{K}$
$1 \frac{m}{K} = 6.234055 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.1B32011 \frac{m}{K}$
$1k \frac{m}{K} = 36B9.A06 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.0003424991 k \frac{m}{K}$
$1m \frac{m}{sK} = 0.00000365A5AA \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 348039.3 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.002070964 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 5A3.3864 \frac{m}{sK}$
$1k \frac{m}{sK} = 1.2290A2 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.A152A3A k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 28.3888B \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.045592B6 m \frac{ms}{K}$
$1 \frac{ms}{K} = 16846.74 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.0000784B907 \frac{ms}{K}$
$1k \frac{ms}{K} = A9A2332 \cdot 10^{80}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 113839.7 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 3A412B.1 \cdot 10^{70}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 3135583. m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.00022999B7 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 5452.550 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.1362A33 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 9.3411B7 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 134.111B \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.009478152 m \frac{m^2}{sK}$
$1 \frac{m^2}{sK} = 8A64B.45 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00001427845 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.00005179A44 \cdot 10^{50}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 24041.02 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 0.050B3652 \cdot 10^{10}$	$1 pa - \frac{L^2}{T^2\Theta} = 10^{10} = 24.43193 m \frac{m^2}{s^2 K}$

$1 \frac{m^2}{s^2 K} = 2B.32528 \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.040BB81A \frac{m^2}{s^2 K}$ (*)
$1k \frac{m^2}{s^2 K} = 184AA.AB \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.00007080269 k \frac{m^2}{s^2 K}$
$1m \frac{m^2 s}{K} = 0.000B7BA670 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 1041.5BB m \frac{m^2 s}{K}$ (*)
$1 \frac{m^2 s}{K} = 0.69019B0 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 1.93B629 \frac{m^2 s}{K}$
$1k \frac{m^2 s}{K} = 3AA.7083 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 0.0030A3703 k \frac{m^2 s}{K}$
$1m \frac{1}{m K} = 0.000006A07374 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 19087B.3 m \frac{1}{m K}$
$1 \frac{1}{m K} = 0.003B59685 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 304.8532 \frac{1}{m K}$
$1k \frac{1}{m K} = 2.358B07$	$1 \frac{1}{L \Theta} = 1 = 0.52A758B k \frac{1}{m K}$
$1m \frac{1}{m s K} = 231B.390 \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{1}{LT \Theta} = 10^{-40} = 0.00053750 A1 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 13875A8. \cdot 10^{-40}$	$1 ni' uci \cdot \frac{1}{LT \Theta} = 10^{-30} = 91B23B.5 \frac{1}{m s K}$
$1k \frac{1}{m s K} = 0.000911A830 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{LT \Theta} = 10^{-30} = 139B.699 k \frac{1}{m s K}$
$1m \frac{1}{m s^2 K} = 0.8BA9618 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{1}{LT^2 \Theta} = 10^{-70} = 1.402195 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 525.3748 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{1}{LT^2 \Theta} = 10^{-70} = 0.002381036 \frac{1}{m s^2 K}$
$1k \frac{1}{m s^2 K} = 301759.3 \cdot 10^{-70}$	$1 ni' uxu \cdot \frac{1}{LT^2 \Theta} = 10^{-60} = 3B9A157. k \frac{1}{m s^2 K}$
$1m \frac{s}{m K} = 0.0187A383 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 6B.7B13A m \frac{s}{m K}$
$1 \frac{s}{m K} = B.B52AB4 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 0.100694B \frac{s}{m K}$ (*)
$1k \frac{s}{m K} = 6B01.0A8 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 0.0001899859 k \frac{s}{m K}$
$1m \frac{1}{m^2 K} = 0.16B3074 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 7.72B494 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = AB.61A2B \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 0.011180A7 \frac{1}{m^2 K}$
$1k \frac{1}{m^2 K} = 64134.A5 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 0.00001A85605 k \frac{1}{m^2 K}$
$1m \frac{1}{m^2 s K} = 0.00006329105 \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 1AB77.63 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.03765192 \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 33.836B5 \frac{1}{m^2 s K}$
$1k \frac{1}{m^2 s K} = 21.23B8B \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 0.05870631 k \frac{1}{m^2 s K}$
$1m \frac{1}{m^2 s^2 K} = 20AA1.B4 \cdot 10^{-A0}$	$1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-A0} = 0.0000594782 B m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.0000124B3AA \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-90} = 9BA97.75 \frac{1}{m^2 s^2 K}$
$1k \frac{1}{m^2 s^2 K} = 0.00840BB93 \cdot 10^{-90}$ (*)	$1 ni' uso \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-90} = 153.2302 k \frac{1}{m^2 s^2 K}$
$1m \frac{s}{m^2 K} = 492.5A6B \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.002625780 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 291336.1 \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.000004424214 \frac{s}{m^2 K}$
$1k \frac{s}{m^2 K} = 0.000171AA24 \cdot 10^{10}$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 7623.B51 k \frac{s}{m^2 K}$
$1m \frac{1}{m^3 K} = 4455.088 \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^3 \Theta} = 10^{-60} = 0.00028B4019 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 K} = 2642B98. \cdot 10^{-60}$	$1 ni' umu \cdot \frac{1}{L^3 \Theta} = 10^{-50} = 48B17A.0 \frac{1}{m^3 K}$
$1k \frac{1}{m^3 K} = 0.001569608 \cdot 10^{-50}$	$1 ni' umu \cdot \frac{1}{L^3 \Theta} = 10^{-50} = 824.5665 k \frac{1}{m^3 K}$
$1m \frac{1}{m^3 s K} = 1.544423 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^3 T \Theta} = 10^{-90} = 0.8362880 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = A06.B651 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^3 T \Theta} = 10^{-90} = 0.00123B75A \frac{1}{m^3 s K}$
$1k \frac{1}{m^3 s K} = 599441.3 \cdot 10^{-90}$	$1 ni' ubi \cdot \frac{1}{L^3 T \Theta} = 10^{-80} = 2091B38. k \frac{1}{m^3 s K}$
$1m \frac{1}{m^3 s^2 K} = 0.00058B8635 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 2107.634 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.33ABBA3 \cdot 10^{-100}$ (*)	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 3.735972 \frac{1}{m^3 s^2 K}$
$1k \frac{1}{m^3 s^2 K} = 1B1.2470 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 0.00629800 B k \frac{1}{m^3 s^2 K}$
$1m \frac{s}{m^3 K} = 0.00001125437 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = AAA54.59 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.007783A64 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = 16A.1898 \frac{s}{m^3 K}$
$1k \frac{s}{m^3 K} = 4.509171 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = 0.28693BA k \frac{s}{m^3 K}$
$1m \frac{kg}{K} = 0.013A5345 \cdot 10^{30}$	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 90.A7486 m \frac{kg}{K}$
$1 \frac{kg}{K} = 9.226005 \cdot 10^{30}$ (*)	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 0.13819BB \frac{kg}{K}$ (*)
$1k \frac{kg}{K} = 5394.043 \cdot 10^{30}$	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 0.0002311650 k \frac{kg}{K}$
$1m \frac{kg}{s K} = 0.00000530620B \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 234B04.1 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 0.0030596A5 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 3B4.4570 \frac{kg}{s K}$
$1k \frac{kg}{s K} = 1.914318$	$1 \frac{M}{T \Theta} = 1 = 0.69A1920 k \frac{kg}{s K}$
$1m \frac{kg}{s^2 K} = 18A5.277 \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{M}{T^2 \Theta} = 10^{-40} = 0.0006A97239 m \frac{kg}{s^2 K}$
$1 \frac{kg}{s^2 K} = 100B16B. \cdot 10^{-40}$ (*)	$1 ni' uci \cdot \frac{M}{T^2 \Theta} = 10^{-30} = BB0B33.A \frac{kg}{s^2 K}$ (*)
$1k \frac{kg}{s^2 K} = 0.0006BA5376 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{M}{T^2 \Theta} = 10^{-30} = 1872.A57 k \frac{kg}{s^2 K}$

$$\begin{aligned}
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 3B.B3469 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= 238B0.18 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 0.00001407B18 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 589133.4 \cdot 10^{50} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.0003395AA1 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 0.1B03B00 \cdot 10^{60} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.07650603 \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 44.3B01A \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 26346.59 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 0.001538596 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 0.A024AA4 \cdot 10^{90} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 596.8889 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 20.9AA67 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 12449.67 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 8392779.. \cdot 10^{80} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.008275066 \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 4.90A245 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 2903.A9A \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 62BB0.05 \cdot 10^{B0} \quad (*) \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0000374950B \cdot 10^{100} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.02114693 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 37B.55B7 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2152AA.1 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.000128789B \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 0.1267378 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 85.06874 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 4A586.79 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.000049975B8 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.02954A0A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 17.43633 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00000A18A827 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.005A550A5 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 3.492BA8 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3437.3A3 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 1B3A4A1.. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.00115B62B \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.141152 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 787.9132 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 457466.9 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.02679089 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 15.89A31 \cdot 10^{10}
\end{aligned}
\begin{aligned}
1 \text{x} \text{a} \frac{MT}{\Theta} &= 10^{60} = 0.03006581 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{x} \text{a} \frac{MT}{\Theta} &= 10^{60} = 0.00005235179 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze} \frac{MT}{\Theta} &= 10^{70} = 8B768.05 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{x} \text{a} \frac{ML}{\Theta} &= 10^{60} = 2116AAB. \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{x} \text{a} \frac{ML}{\Theta} &= 10^{60} = 3751.585 \frac{\text{kg m}}{\text{K}} \\
1 \text{x} \text{a} \frac{ML}{\Theta} &= 10^{60} = 6.306008 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa} \frac{ML}{T^2\Theta} &= 10^{-10} = 17.13B53 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.0290345B \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.00004909355 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so} \frac{MLT}{\Theta} &= 10^{90} = 839.BB52 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so} \frac{MLT}{\Theta} &= 10^{90} = 1.246179 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so} \frac{MLT}{\Theta} &= 10^{90} = 0.0020A1244 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi} \frac{ML^2}{\Theta} &= 10^{80} = 0.05973280 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi} \frac{ML^2}{\Theta} &= 10^{80} = 0.0000A034165 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so} \frac{ML^2}{\Theta} &= 10^{90} = 153A12.2 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu} \frac{ML^2}{T\Theta} &= 10^{50} = 156.3221 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu} \frac{ML^2}{T\Theta} &= 10^{50} = 0.2634082 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu} \frac{ML^2}{T\Theta} &= 10^{50} = 0.000443A218 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{vaiei} \frac{ML^2 T}{\Theta} &= 10^{B0} = 0.00001B06097 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano} \frac{ML^2 T}{\Theta} &= 10^{100} = 33997.51 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano} \frac{ML^2 T}{\Theta} &= 10^{100} = 58.9783A \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.003339100 \text{m} \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \frac{M}{L\Theta} &= 1 = 0.0000057B2428 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 9947.AA2 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci} \frac{M}{LT\Theta} &= 10^{-30} = 9.A9101A \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci} \frac{M}{LT\Theta} &= 10^{-30} = 0.01512667 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci} \frac{M}{LT\Theta} &= 10^{-30} = 0.00002567342 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa} \frac{M}{LT^2\Theta} &= 10^{-60} = 25A8A.94 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa} \frac{M}{LT^2\Theta} &= 10^{-60} = 43.7AA45 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa} \frac{M}{LT^2\Theta} &= 10^{-60} = 0.07532434 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure} \frac{M}{L^2\Theta} &= 10^{-20} = 1223B4.6 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure} \frac{M}{L^2\Theta} &= 10^{-20} = 206.3B38 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure} \frac{M}{L^2\Theta} &= 10^{-20} = 0.3647243 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.00036A6443 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu} \frac{M}{L^2T\Theta} &= 10^{-50} = 621137.0 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu} \frac{M}{L^2T\Theta} &= 10^{-50} = A80.466B \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.A963641 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.0016799A1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'ubi} \frac{M}{L^2T^2\Theta} &= 10^{-80} = 2829120. \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa} \frac{MT}{L^2\Theta} &= 10^{10} = 48.475A8 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa} \frac{MT}{L^2\Theta} &= 10^{10} = 0.08152592 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = A31B.128 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0001204480 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.2412249 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 5.15B805 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 143.1674 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.008A3271B \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 94B09.2A \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.000013376A8 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s\ K} = 0.00009375419 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 \Theta} = 10^{-80} = 13593.29 m \frac{kg}{m^3 s\ K}$
$1 \frac{kg}{m^3 s\ K} = 0.05471856 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 22.90215 \frac{kg}{m^3 s\ K}$
$1k \frac{kg}{m^3 s\ K} = 31.46B21 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 0.03A28689 k \frac{kg}{m^3 s\ K}$
$1m \frac{kg}{m^3 s^2 K} = 30B4A.78 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.00003A9221B m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = 0.00001947272 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 68987.B6 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 0.01045B55 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = B7.781A2 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 70A.6929 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.00184368B m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 411544.1 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000002B218A6 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.000245146A \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = 5095.721 k \frac{kg\ s}{m^3 K}$
$1m K = 12620.95 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.00009B07A54 m\ K$
$1 K = 0.000008496413 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 151887.4 K$
$1k K = 0.004A3B606 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 257.5B3A k\ K$
$1m \frac{K}{s} = 4.97A834 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.25B782B m \frac{K}{s}$
$1 \frac{K}{s} = 2944.96A \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0004395610 \frac{K}{s}$
$1k \frac{K}{s} = 1738679. \cdot 10^{-60}$	$1 ni'umu-\frac{\Theta}{T} = 10^{-50} = 755A6A.4 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.001710608 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 766.4A05 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.B066A0B \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 1.10537A \frac{K}{s^2}$
$1k \frac{K}{s^2} = 648.5760 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.001A63B95 k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1mm\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1m K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1km\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0001899859 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 6B01.0A8 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.100694B \cdot 10^{-30} \quad (*)$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = B.B52AB4 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 6B.7B13A \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.0187A383 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 6A843.06 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.000018A8BA6 m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.00003BA3425 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 30136.4A \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.02384072 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 52.48964 k \frac{m\ K}{s^2}$
$1mm\ s\ K = 139B.699 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.000911A830 m\ m\ s\ K$
$1ms\ K = 91B23B.5 \cdot 10^{30}$	$1 vo-LT\Theta = 10^{40} = 13875A8. m\ s\ K$
$1km\ s\ K = 0.00053750A1 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 231B.390 k\ m\ s\ K$
$1mm\ m^2 K = 0.00001A85605 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 64134.A5 m\ m^2 K$
$1m^2 K = 0.011180A7 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = AB.61A2B m^2 K$
$1km^2 K = 7.72B494 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.16B3074 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 2.5A3607 \cdot 10^{-40}$	$1 ni'uvvo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.49A5B33 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 1534.180 \cdot 10^{-40}$	$1 ni'uvvo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000840106A \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 9BBA8B.0 \cdot 10^{-40} \quad (*)$	$1 ni'uvvo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000001249901 k \frac{m^2 K}{s^2}$
$1mm^2 s\ K = 0.05870631 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 21.23B8B m\ m^2 s\ K$
$1m^2 s\ K = 33.836B5 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.03765192 m^2 s\ K$
$1km^2 s\ K = 1AB77.63 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00006329105 k\ m^2 s\ K$
$1m \frac{K}{m} = 0.0003424991 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 36B9.A06 m \frac{K}{m}$

$1 \frac{K}{m} = 0.1B32011 \cdot 10^{-50}$	$1 ni'umu \frac{\Theta}{L} = 10^{-50} = 6.234055 \frac{K}{m}$
$1 k \frac{K}{m} = 115.67B4 \cdot 10^{-50}$	$1 ni'umu \frac{\Theta}{L} = 10^{-50} = 0.00A842905 k \frac{K}{m}$
$1 m \frac{K}{ms} = 113839.7 \cdot 10^{-90}$	$1 ni'ubi \frac{\Theta}{LT} = 10^{-80} = A9A2332. m \frac{K}{ms}$
$1 \frac{K}{ms} = 0.0000784B907 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{LT} = 10^{-80} = 16846.74 \frac{K}{ms}$
$1 k \frac{K}{ms} = 0.045592B6 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{LT} = 10^{-80} = 28.3888B k \frac{K}{ms}$
$1 m \frac{K}{ms^2} = 44.A4593 \cdot 10^{-100}$	$1 ni'upano \frac{\Theta}{LT^2} = 10^{-100} = 0.02882B94 m \frac{K}{ms^2}$
$1 \frac{K}{ms^2} = 26714.55 \cdot 10^{-100}$	$1 ni'upano \frac{\Theta}{LT^2} = 10^{-100} = 0.000048597B8 \frac{K}{ms^2}$
$1 k \frac{K}{ms^2} = 0.000015854A3 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{\Theta}{LT^2} = 10^{-B0} = 8172B.80 k \frac{K}{ms^2}$
$1 m \frac{sK}{m} = 0.A152A3A \cdot 10^{-20}$	$1 ni'ure \frac{T\Theta}{L} = 10^{-20} = 1.2290A2 m \frac{sK}{m}$
$1 \frac{sK}{m} = 5A3.3864 \cdot 10^{-20}$	$1 ni'ure \frac{T\Theta}{L} = 10^{-20} = 0.002070964 \frac{sK}{m}$
$1 k \frac{sK}{m} = 348039.3 \cdot 10^{-20}$	$1 ni'ure \frac{T\Theta}{L} = 10^{-20} = 0.00000365A5AA k \frac{sK}{m}$
$1 m \frac{K}{m^2} = 9.3411B7 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{L^2} = 10^{-80} = 0.1362A33 m \frac{K}{m^2}$
$1 \frac{K}{m^2} = 5452.550 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{L^2} = 10^{-80} = 0.00022999B7 \frac{K}{m^2}$
$1 k \frac{K}{m^2} = 3135583. \cdot 10^{-80}$	$1 ni'uze \frac{\Theta}{L^2} = 10^{-70} = 3A412B.1 k \frac{K}{m^2}$
$1 m \frac{K}{m^2 s} = 0.0030A3703 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{\Theta}{L^2 T} = 10^{-B0} = 3AA.7083 m \frac{K}{m^2 s}$
$1 \frac{K}{m^2 s} = 1.93B629 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{\Theta}{L^2 T} = 10^{-B0} = 0.69019B0 \frac{K}{m^2 s}$
$1 k \frac{K}{m^2 s} = 1041.5BB \cdot 10^{-B0} (*)$	$1 ni'uvaiei \frac{\Theta}{L^2 T} = 10^{-B0} = 0.000B7BA670 k \frac{K}{m^2 s}$
$1 m \frac{K}{m^2 s^2} = 0.000001025018 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^2 T^2} = 10^{-120} = B97573.7 m \frac{K}{m^2 s^2}$
$1 \frac{K}{m^2 s^2} = 0.0007089578 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^2 T^2} = 10^{-120} = 1848.81A \frac{K}{m^2 s^2}$
$1 k \frac{K}{m^2 s^2} = 0.4105052 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^2 T^2} = 10^{-120} = 2.B2A6BA k \frac{K}{m^2 s^2}$
$1 m \frac{sK}{m^2} = 24041.02 \cdot 10^{-50}$	$1 ni'umu \frac{\Theta}{L^2} = 10^{-50} = 0.00005179A44 m \frac{sK}{m^2}$
$1 \frac{sK}{m^2} = 0.00001427845 \cdot 10^{-40}$	$1 ni'uv \frac{T\Theta}{L^2} = 10^{-40} = 8A64B.45 \frac{sK}{m^2}$
$1 k \frac{sK}{m^2} = 0.009478152 \cdot 10^{-40}$	$1 ni'uv \frac{T\Theta}{L^2} = 10^{-40} = 134.111B k \frac{sK}{m^2}$
$1 m \frac{K}{m^3} = 218468.B \cdot 10^{-B0}$	$1 ni'ujauau \frac{\Theta}{L^3} = 10^{-A0} = 572A976. m \frac{K}{m^3}$
$1 \frac{K}{m^3} = 0.00012A5642 \cdot 10^{-A0}$	$1 ni'ujauau \frac{\Theta}{L^3} = 10^{-A0} = 9823.A70 \frac{K}{m^3}$
$1 k \frac{K}{m^3} = 0.0873388B \cdot 10^{-A0}$	$1 ni'ujauau \frac{\Theta}{L^3} = 10^{-A0} = 14.89484 k \frac{K}{m^3}$
$1 m \frac{K}{m^3 s} = 86.10394 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^3 T} = 10^{-120} = 0.014B159B m \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s} = 4B0B1.63 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^3 T} = 10^{-120} = 0.0000252BB86 \frac{K}{m^3 s} (*)$
$1 k \frac{K}{m^3 s} = 0.00002A23133 \cdot 10^{-110}$	$1 ni'upapa \frac{\Theta}{L^3 T} = 10^{-110} = 42663.63 k \frac{K}{m^3 s}$
$1 m \frac{K}{m^3 s^2} = 0.02996440 \cdot 10^{-150}$	$1 ni'upamu \frac{\Theta}{L^3 T^2} = 10^{-150} = 43.171B5 m \frac{K}{m^3 s^2}$
$1 \frac{K}{m^3 s^2} = 17.68221 \cdot 10^{-150}$	$1 ni'upamu \frac{\Theta}{L^3 T^2} = 10^{-150} = 0.07443665 \frac{K}{m^3 s^2}$
$1 k \frac{K}{m^3 s^2} = B398.993 \cdot 10^{-150}$	$1 ni'upamu \frac{\Theta}{L^3 T^2} = 10^{-150} = 0.0001088235 k \frac{K}{m^3 s^2}$
$1 m \frac{sK}{m^3} = 0.00065767BA \cdot 10^{-70}$	$1 ni'uze \frac{\Theta}{L^3} = 10^{-70} = 1A31.45B m \frac{sK}{m^3}$
$1 \frac{sK}{m^3} = 0.38B1176 \cdot 10^{-70}$	$1 ni'uze \frac{\Theta}{L^3} = 10^{-70} = 3.256A79 \frac{sK}{m^3}$
$1 k \frac{sK}{m^3} = 21B.B867 \cdot 10^{-70}$	$1 ni'uze \frac{\Theta}{L^3} = 10^{-70} = 0.005657244 k \frac{sK}{m^3}$
$1 m kg K = 0.7937A3B \cdot 10^{-20}$	$1 ni'ure-M\Theta = 10^{-20} = 1.662A66 m kg K$
$1 kg K = 45B.B470 \cdot 10^{-20}$	$1 ni'ure-M\Theta = 10^{-20} = 0.002800449 kg K (*)$
$1 k kg K = 272B78.6 \cdot 10^{-20}$	$1 ni'ure-M\Theta = 10^{-20} = 0.00000473730B k kg K$
$1 m \frac{kg K}{s} = 0.00026A7942 \cdot 10^{-50}$	$1 ni'umu \frac{M\Theta}{T} = 10^{-50} = 47B4.143 m \frac{kg K}{s}$
$1 \frac{kg K}{s} = 0.15A5B43 \cdot 10^{-50}$	$1 ni'umu \frac{M\Theta}{T} = 10^{-50} = 8.080B67 \frac{kg K}{s}$
$1 k \frac{kg K}{s} = A4.16762 \cdot 10^{-50}$	$1 ni'umu \frac{M\Theta}{T} = 10^{-50} = 0.011B0751 k \frac{kg K}{s}$
$1 m \frac{kg K}{s^2} = A2847.26 \cdot 10^{-90}$	$1 ni'uso \frac{M\Theta}{T^2} = 10^{-90} = 0.0000120BBB1 m \frac{kg K}{s^2} (**)$
$1 \frac{kg K}{s^2} = 0.00005B00A75 \cdot 10^{-80} (*)$	$1 ni'ubi \frac{M\Theta}{T^2} = 10^{-80} = 20404.58 \frac{kg K}{s^2}$
$1 k \frac{kg K}{s^2} = 0.03511219 \cdot 10^{-80}$	$1 ni'ubi \frac{M\Theta}{T^2} = 10^{-80} = 36.07681 k \frac{kg K}{s^2}$
$1 m kg s K = 1B5A.30B \cdot 10^{10}$	$1 pa-MT\Theta = 10^{10} = 0.000616A07A m kg s K$
$1 kg s K = 0.0000011713A8 \cdot 10^{20}$	$1 re-MT\Theta = 10^{20} = A71663.9 kg s K$
$1 k kg s K = 0.0007A48644 \cdot 10^{20}$	$1 re-MT\Theta = 10^{20} = 1638.181 k kg s K$
$1 m kg m K = 0.00002983073 \cdot 10^{10}$	$1 pa-ML\Theta = 10^{10} = 43364.9A m kg m K$
$1 kg m K = 0.0175B3A2 \cdot 10^{10}$	$1 pa-ML\Theta = 10^{10} = 74.77852 kg m K$
$1 k kg m K = B.34734B \cdot 10^{10}$	$1 pa-ML\Theta = 10^{10} = 0.1091B82 k kg m K$
$1 m \frac{kg m K}{s} = B19A.6B4 \cdot 10^{-30}$	$1 ni'uci \frac{ML\Theta}{T} = 10^{-30} = 0.00010AB4A4 m \frac{kg m K}{s}$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.000006553B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.003899817 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 3.837360 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 2177.878 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 12A04B4 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{k kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{k kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.4039834 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 23B.6536 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 142214.9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.00013BB313 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.0930AA30 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 54.34346 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 308AA77 \cdot 10^{60} \\
1 \text{kg m}^2 \text{s K} &= 0.001931A32 \cdot 10^{70} \\
1 \text{k kg m}^2 \text{s K} &= 1.037AA7 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 19651.06 \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.0000105673B \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.0072666A5 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 7.166B16 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= 4161.013 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 2479701 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.00243A047 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 1.447B80 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 959.8841 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.0000550792B \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.031791B6 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 19.952B7 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.0004B7902B \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.2A625B8 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 17B.8542 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 178B35.B \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.0000B5150B2 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.06742671 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 66.52A19 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 39484.51 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.00002232755 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 1.302189 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 883.2A83 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 504120.B \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 11.924A1 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 7B72.837 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 473AA03. \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.004683012 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 2.779368 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 1639.3A9 \cdot 10^{-110}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'ure} \frac{ML\Theta}{T} &= 10^{-20} = 1A3907.5 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure} \frac{ML\Theta}{T^2} &= 10^{-20} = 326.81A1 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.3300A8A \text{m} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uxa} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.0005749BB1 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'umu} \frac{ML\Theta}{T^2} &= 10^{-50} = 9857B5.9 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-ML}^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 2.B91B5B \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.005197163 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.000008A95837 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 9005.006 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uci} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 13.68260 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.022A70B7 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 3B0444.6 \text{m kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 693.2790 \text{kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 0.B85220A \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu} \frac{M\Theta}{L} &= 10^{-50} = 0.0000682A71B \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo} \frac{M\Theta}{L} &= 10^{-40} = B67A4.15 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo} \frac{M\Theta}{L} &= 10^{-40} = 17B.71A1 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi} \frac{M\Theta}{LT} &= 10^{-80} = 0.182481A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi} \frac{M\Theta}{LT} &= 10^{-80} = 0.0002AAA246 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uze} \frac{M\Theta}{LT} &= 10^{-70} = 503932.A \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei} \frac{M\Theta}{LT^2} &= 10^{-B0} = 510.2665 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.8953196 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.001322459 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'upa} \frac{MT\Theta}{L} &= 10^{-10} = 22690.14 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa} \frac{MT\Theta}{L} &= 10^{-10} = 39.A9749 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa} \frac{MT\Theta}{L} &= 10^{-10} = 0.06739500 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uze} \frac{M\Theta}{L^2} &= 10^{-70} = 24B7.995 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze} \frac{M\Theta}{L^2} &= 10^{-70} = 4.208A93 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze} \frac{M\Theta}{L^2} &= 10^{-70} = 0.007260B84 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^2T} &= 10^{-A0} = 7362291. \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^2T} &= 10^{-A0} = 10728.7A \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^2T} &= 10^{-A0} = 19.93A08 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.01A044A1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.00003209AB6 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa} \frac{M\Theta}{L^2T^2} &= 10^{-110} = 55948.B6 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvivo} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.9710422 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvivo} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.00146A503 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvivo} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.000002477893 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.0A562B21 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000160A959 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uso} \frac{M\Theta}{L^3} &= 10^{-90} = 272975.6 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upapa} \frac{M\Theta}{L^3T} &= 10^{-110} = 277.2096 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa} \frac{M\Theta}{L^3T} &= 10^{-110} = 0.4672620 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa} \frac{M\Theta}{L^3T} &= 10^{-110} = 0.0007A42511 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 0.000001612B14 \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{L^3 T^2} = 10^{-140} = 7B54A2.4 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.000A5877A2 \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{L^3 T^2} = 10^{-140} = 118B.312 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.609079A \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{L^3 T^2} = 10^{-140} = 1.B901AA k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 35705.48 \cdot 10^{-70}$	$1 ni' uze - \frac{MT\Theta}{L^3} = 10^{-70} = 0.000035675A2 m \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.00002009655 \cdot 10^{-60}$ (*)	$1 ni' uxa - \frac{MT\Theta}{L^3} = 10^{-60} = 5B975.71 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.011B162A \cdot 10^{-60}$	$1 ni' uxa - \frac{MT\Theta}{L^3} = 10^{-60} = A4.0A720 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.5048B9B \cdot 10^{-40}$	$1 ni' uvo - \frac{\Theta}{Q} = 10^{-40} = 2.474039 m \frac{K}{C}$
$1 \frac{K}{C} = 2AB.4B8A \cdot 10^{-40}$	$1 ni' uvo - \frac{\Theta}{Q} = 10^{-40} = 0.0041534A4 \frac{K}{C}$
$1k \frac{K}{C} = 182872.A \cdot 10^{-40}$	$1 ni' uvo - \frac{\Theta}{Q} = 10^{-40} = 0.0000071523B9 k \frac{K}{C}$
$1m \frac{K}{sC} = 0.00017BB047 \cdot 10^{-70}$ (*)	$1 ni' uze - \frac{\Theta}{TQ} = 10^{-70} = 7251.94A m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.0B6A133A \cdot 10^{-70}$	$1 ni' uze - \frac{\Theta}{TQ} = 10^{-70} = 10.54239 \frac{K}{sC}$
$1k \frac{K}{sC} = 68.42225 \cdot 10^{-70}$	$1 ni' uze - \frac{\Theta}{TQ} = 10^{-70} = 0.01960AAB k \frac{K}{sC}$
$1m \frac{K}{s^2C} = 67509.A7 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.00001991030 m \frac{K}{s^2C}$
$1 \frac{K}{s^2C} = 0.000039B6648 \cdot 10^{-A0}$	$1 ni' ujauau - \frac{\Theta}{T^2 Q} = 10^{-A0} = 3171A.3A \frac{K}{s^2C}$
$1k \frac{K}{s^2C} = 0.02272204 \cdot 10^{-A0}$	$1 ni' ujauau - \frac{\Theta}{T^2 Q} = 10^{-A0} = 54.B7198 k \frac{K}{s^2C}$
$1m \frac{s\ K}{C} = 1325.3A6 \cdot 10^{-10}$	$1 ni' upa - \frac{T\Theta}{Q} = 10^{-10} = 0.000957A74A m \frac{s\ K}{C}$
$1 \frac{s\ K}{C} = 896B76.A \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 1444962. \frac{s\ K}{C}$
$1k \frac{s\ K}{C} = 0.0005112493 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 2434.656 k \frac{s\ K}{C}$
$1m \frac{m\ K}{C} = 0.0000199809A \cdot 10^{-10}$	$1 ni' upa - \frac{L\Theta}{Q} = 10^{-10} = 672B1.A6 m \frac{m\ K}{C}$
$1 \frac{m\ K}{C} = 0.01075204 \cdot 10^{-10}$	$1 ni' upa - \frac{L\Theta}{Q} = 10^{-10} = B4.B258A \frac{m\ K}{C}$
$1k \frac{m\ K}{C} = 7.377291 \cdot 10^{-10}$	$1 ni' upa - \frac{L\Theta}{Q} = 10^{-10} = 0.1787564 k \frac{m\ K}{C}$
$1m \frac{m\ K}{sC} = 7275.941 \cdot 10^{-50}$	$1 ni' umu - \frac{L\Theta}{TQ} = 10^{-50} = 0.00017B46A2 m \frac{m\ K}{sC}$
$1 \frac{m\ K}{sC} = 0.000004216756 \cdot 10^{-40}$	$1 ni' uvo - \frac{L\Theta}{TQ} = 10^{-40} = 2A5797.6 \frac{m\ K}{sC}$
$1k \frac{m\ K}{sC} = 0.00250153A \cdot 10^{-40}$	$1 ni' uvo - \frac{L\Theta}{TQ} = 10^{-40} = 4B6.9549 k \frac{m\ K}{sC}$
$1m \frac{m\ K}{s^2C} = 2.481363 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.5031574 m \frac{m\ K}{s^2C}$
$1 \frac{m\ K}{s^2C} = 1471.779 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.00088167B7 \frac{m\ K}{s^2C}$
$1k \frac{m\ K}{s^2C} = 972A85.4 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.0000012BB294 k \frac{m\ K}{s^2C}$ (*)
$1m \frac{ms\ K}{C} = 0.055A5637 \cdot 10^{20}$	$1 re - \frac{LT\Theta}{Q} = 10^{20} = 22.29637 m \frac{ms\ K}{C}$
$1 \frac{ms\ K}{C} = 32.15385 \cdot 10^{20}$	$1 re - \frac{LT\Theta}{Q} = 10^{20} = 0.0393B692 \frac{ms\ K}{C}$
$1k \frac{ms\ K}{C} = 1A088.24 \cdot 10^{20}$	$1 re - \frac{LT\Theta}{Q} = 10^{20} = 0.0000663B768 k \frac{ms\ K}{C}$
$1m \frac{m^2\ K}{C} = 7A5.8903 \cdot 10^{10}$	$1 pa - \frac{L^2\Theta}{Q} = 10^{10} = 0.001635931 m \frac{m^2\ K}{C}$
$1 \frac{m^2\ K}{C} = 468115.4 \cdot 10^{10}$	$1 re - \frac{L^2\Theta}{Q} = 10^{20} = 27731A8. \frac{m^2\ K}{C}$
$1k \frac{m^2\ K}{C} = 0.0002778254 \cdot 10^{20}$	$1 re - \frac{L^2\Theta}{Q} = 10^{20} = 4674.497 k \frac{m^2\ K}{C}$
$1m \frac{m^2\ K}{sC} = 0.2733832 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2\Theta}{TQ} = 10^{-20} = 4.73012A m \frac{m^2\ K}{sC}$
$1 \frac{m^2\ K}{sC} = 161.2374 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2\Theta}{TQ} = 10^{-20} = 0.007B58190 \frac{m^2\ K}{sC}$
$1k \frac{m^2\ K}{sC} = A5833.92 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2\Theta}{TQ} = 10^{-20} = 0.0000118B897 k \frac{m^2\ K}{sC}$
$1m \frac{m^2\ K}{s^2C} = 0.0000A42A847 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 11AA9.99 m \frac{m^2\ K}{s^2C}$
$1 \frac{m^2\ K}{s^2C} = 0.05BA94B6 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 20.04A52 \frac{m^2\ K}{s^2C}$
$1k \frac{m^2\ K}{s^2C} = 35.73685 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 0.03564470 k \frac{m^2\ K}{s^2C}$
$1m \frac{m^2\ s\ K}{C} = 1B94932. \cdot 10^{40}$	$1 mu - \frac{L^2T\Theta}{Q} = 10^{50} = 607A65.6 m \frac{m^2\ s\ K}{C}$
$1 \frac{m^2\ s\ K}{C} = 0.001191B18 \cdot 10^{50}$	$1 mu - \frac{L^2T\Theta}{Q} = 10^{50} = A56.7324 \frac{m^2\ s\ K}{C}$
$1k \frac{m^2\ s\ K}{C} = 0.7B6B483 \cdot 10^{50}$	$1 mu - \frac{L^2T\Theta}{Q} = 10^{50} = 1.60B4B8 k \frac{m^2\ s\ K}{C}$
$1m \frac{K}{mC} = 11B33.A6 \cdot 10^{-70}$	$1 ni' uze - \frac{\Theta}{LQ} = 10^{-70} = 0.0000A3B6668 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.0000080978A9 \cdot 10^{-60}$	$1 ni' uxa - \frac{\Theta}{LQ} = 10^{-60} = 15A258. B \frac{K}{mC}$
$1k \frac{K}{mC} = 0.004802B91 \cdot 10^{-60}$	$1 ni' uxa - \frac{\Theta}{LQ} = 10^{-60} = 26A.1954 k \frac{K}{mC}$
$1m \frac{K}{msC} = 4.745BBA \cdot 10^{-A0}$ (*)	$1 ni' ujauau - \frac{\Theta}{LTQ} = 10^{-A0} = 0.27256B8 m \frac{K}{msC}$
$1 \frac{K}{msC} = 2806.6BB \cdot 10^{-A0}$ (*)	$1 ni' ujauau - \frac{\Theta}{LTQ} = 10^{-A0} = 0.00045B0AA9 \frac{K}{msC}$
$1k \frac{K}{msC} = 1666587. \cdot 10^{-A0}$	$1 ni' uso - \frac{\Theta}{LTQ} = 10^{-90} = 792191.6 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 0.00163B842 \cdot 10^{-110} \\
1 \frac{K}{ms^2C} &= 0.4737279 \cdot 10^{-110} \\
1k \frac{K}{ms^2C} &= 618.0418 \cdot 10^{-110} \\
1m \frac{sK}{mC} &= 0.00003613885 \cdot 10^{-30} \\
1 \frac{sK}{mC} &= 0.02045125 \cdot 10^{-30} \\
1k \frac{sK}{mC} &= 12.12890 \cdot 10^{-30} \\
1m \frac{K}{m^2C} &= 0.0003273787 \cdot 10^{-90} \\
1 \frac{K}{m^2C} &= 0.1A41477 \cdot 10^{-90} \\
1k \frac{K}{m^2C} &= 10B.1AB6 \cdot 10^{-90} \\
1m \frac{K}{m^2sC} &= 109455.2 \cdot 10^{-110} \\
1 \frac{K}{m^2sC} &= 0.00007490B06 \cdot 10^{-100} \\
1k \frac{K}{m^2sC} &= 0.04344448 \cdot 10^{-100} \\
1m \frac{K}{m^2s^2C} &= 42.93145 \cdot 10^{-140} \\
1 \frac{K}{m^2s^2C} &= 2546B.76 \cdot 10^{-140} \\
1k \frac{K}{m^2s^2C} &= 0.00001500589 \cdot 10^{-130} \quad (*) \\
1m \frac{sK}{m^2C} &= 0.98766B9 \cdot 10^{-60} \\
1 \frac{sK}{m^2C} &= 575.B105 \cdot 10^{-60} \\
1k \frac{sK}{m^2C} &= 330857.B \cdot 10^{-60} \\
1m \frac{K}{m^3C} &= 8.AB2528 \cdot 10^{-100} \\
1 \frac{K}{m^3C} &= 51A7.16B \cdot 10^{-100} \\
1k \frac{K}{m^3C} &= 2B98AA3. \cdot 10^{-100} \\
1m \frac{K}{m^3sC} &= 0.002B49570 \cdot 10^{-130} \\
1 \frac{K}{m^3sC} &= 1.859B0A \cdot 10^{-130} \\
1k \frac{K}{m^3sC} &= BA3.16A2 \cdot 10^{-130} \\
1m \frac{K}{m^3s^2C} &= B87555.0 \cdot 10^{-170} \\
1 \frac{K}{m^3s^2C} &= 0.0006946523 \cdot 10^{-160} \\
1k \frac{K}{m^3s^2C} &= 0.3B11600 \cdot 10^{-160} \quad (*) \\
1m \frac{sK}{m^3C} &= 22B03.76 \cdot 10^{-90} \\
1 \frac{sK}{m^3C} &= 0.0000136B292 \cdot 10^{-80} \\
1k \frac{sK}{m^3C} &= 0.009021BA5 \cdot 10^{-80} \\
1m \frac{kgK}{C} &= 0.00002843008 \cdot 10^{-30} \quad (*) \\
1 \frac{kgK}{C} &= 0.01688225 \cdot 10^{-30} \\
1k \frac{kgK}{C} &= A.A035B4 \cdot 10^{-30} \\
1m \frac{kgK}{sC} &= A863.828 \cdot 10^{-70} \\
1 \frac{kgK}{sC} &= 0.000006246571 \cdot 10^{-60} \\
1k \frac{kgK}{sC} &= 0.00370622A \cdot 10^{-60} \\
1m \frac{kgK}{s^2C} &= 3.6668B4 \cdot 10^{-A0} \\
1 \frac{kgK}{s^2C} &= 2075.6A1 \cdot 10^{-A0} \\
1k \frac{kgK}{s^2C} &= 122BA02. \cdot 10^{-A0} \\
1m \frac{kg sK}{C} &= 0.08189B22 \cdot 10^0 \\
1 \frac{kg sK}{C} &= 48.68778 \cdot 10^0 \\
1k \frac{kg sK}{C} &= 28893.B8 \cdot 10^0 \\
1m \frac{kg mK}{C} &= B82.18A9 \cdot 10^{-10} \\
1 \frac{kg mK}{C} &= 691569.1 \cdot 10^{-10} \\
1k \frac{kg mK}{C} &= 0.0003AB41B7 \cdot 10^0 \\
1m \frac{kg mK}{sC} &= 0.3A4A2B4 \cdot 10^{-40} \\
1 \frac{kg mK}{sC} &= 22A.3059 \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 7A3.2276 m \frac{K}{ms^2C} \\
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 1.16A830 \frac{K}{ms^2C} \\
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 0.001B5584A k \frac{K}{ms^2C} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 35052.5A m \frac{sK}{mC} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 5A.AB13B \frac{sK}{mC} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 0.0A264970 k \frac{sK}{mC} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 3890.B98 m \frac{K}{m^2C} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 6.540B22 \frac{K}{m^2C} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 0.00B178750 k \frac{K}{m^2C} \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = B325030. m \frac{K}{m^2sC} \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = 17576.57 \frac{K}{m^2sC} \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = 29.78623 k \frac{K}{m^2sC} \\
1 ni'upavo \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.02A05009 m \frac{K}{m^2s^2C} \\
1 ni'upavo \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.00004A98B2B \frac{K}{m^2s^2C} \\
1 ni'upaci \frac{\Theta}{L^2T^2Q} &= 10^{-130} = 85763.A6 k \frac{K}{m^2s^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 1.29964A m \frac{sK}{m^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.0021728B6 \frac{sK}{m^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00000382A846 k \frac{sK}{m^2C} \\
1 ni'upano \frac{\Theta}{L^3Q} &= 10^{-100} = 0.141AB89 m \frac{K}{m^3C} \\
1 ni'upano \frac{\Theta}{L^3Q} &= 10^{-100} = 0.00023B1025 \frac{K}{m^3C} \\
1 ni'uvaiei \frac{\Theta}{L^3Q} &= 10^{-B0} = 403039.7 k \frac{K}{m^3C} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 409.9408 m \frac{K}{m^3sC} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.7042843 \frac{K}{m^3sC} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.00101915B k \frac{K}{m^3sC} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 103562A. m \frac{K}{m^3s^2C} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 1929.892 \frac{K}{m^3s^2C} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 3.083912 k \frac{K}{m^3s^2C} \\
1 ni'uso \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.0000542398B m \frac{sK}{m^3C} \\
1 ni'ubi \frac{T\Theta}{L^3Q} &= 10^{-80} = 92B13.82 \frac{sK}{m^3C} \\
1 ni'ubi \frac{T\Theta}{L^3Q} &= 10^{-80} = 13B.81A6 k \frac{sK}{m^3C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 454AA.56 m \frac{kgK}{C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 78.359B0 \frac{kgK}{C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 0.113589A k \frac{kgK}{C} \\
1 ni'uze \frac{M\Theta}{TQ} &= 10^{-70} = 0.0001154073 m \frac{kgK}{sC} \\
1 ni'uxa \frac{M\Theta}{TQ} &= 10^{-60} = 1B295B.3 \frac{kgK}{sC} \\
1 ni'uxa \frac{M\Theta}{TQ} &= 10^{-60} = 341.9022 k \frac{kgK}{sC} \\
1 ni'ujauau \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.3474512 m \frac{kgK}{s^2C} \\
1 ni'ujauau \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.0005A220B3 \frac{kgK}{s^2C} \\
1 ni'uso \frac{M\Theta}{T^2Q} &= 10^{-90} = A13337.7 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 15.81B78 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0266752A \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.00004496286 k \frac{kg sK}{C} \\
1 ni'upa \frac{ML\Theta}{Q} &= 10^{-10} = 0.00103B131 m \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 193746B. \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 3098.527 k \frac{kg mK}{C} \\
1 ni'uvo \frac{ML\Theta}{TQ} &= 10^{-40} = 3.12A2A8 m \frac{kg mK}{sC} \\
1 ni'uvo \frac{ML\Theta}{TQ} &= 10^{-40} = 0.005441B51 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 1365A5.4 \cdot 10^{-40} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.00013440B0 \cdot 10^{-70} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.08A81785 \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 51.89A0A \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 2B35517 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.001850784 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.B999150 \cdot 10^{30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.04274141 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 25.357A8 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14B49.35 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.00001490784 \cdot 10^{-10} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.009842551 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 5.73BA44 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 5668.136 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.000003262438 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.001A35847 \cdot 10^{-40} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 108.A7B4 \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 74588.60 \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.00004325118 \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.7573B56 \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 43A.3697 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 260161.3 \cdot 10^{-60} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.000257B846 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.152006A \cdot 10^{-90} \quad (*) \\
1k \frac{\text{kg K}}{\text{m s C}} &= 9B.26BB6 \cdot 10^{-90} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 99A11.64 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.0000582411B \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.03356B15 \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 1A68.437 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 0.000001107A06 \cdot 10^{-20} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.000767A50A \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 18823.A0 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.00000BB76936 \cdot 10^{-80} \quad (*) \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.006B15246 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 6.A1B2A6 \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 3B66.947 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 2362312 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.002324709 \cdot 10^{-130} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 1.38A665 \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 913.7A84 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.00005258AB8 \cdot 10^{-50} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.0301A66A \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 18.B1070 \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0004934BB1 \cdot 10^{-B0} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.2919882 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 172.26A3 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.000009323694 k \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 945A.328 m \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 14.24674 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 0.023BA793 k \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 40B763.5 m \frac{\text{kg m s K}}{\text{C}} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 707.5049 \frac{\text{kg m s K}}{\text{C}} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 1.02278A k \frac{\text{kg m s K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 2A.18582 m \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.04ABB7BB \frac{\text{kg m}^2 \text{K}}{\text{C}} \quad (*) \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.000085B4618 k \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 87178.3B m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 12A.2789 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.217B6B1 k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' umu - \frac{ML^2\Theta}{TQ} &= 10^{-50} = 0.00021B6804 m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 38A450.6 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 656.3734 k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.00B376576 m \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.0000176447A \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 298B9.80 k \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 ni' uxu - \frac{M\Theta}{LQ} &= 10^{-60} = 1.734985 m \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uxu - \frac{M\Theta}{LQ} &= 10^{-60} = 0.00293A3A9 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uxu - \frac{M\Theta}{LQ} &= 10^{-60} = 0.00000496B608 k \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 4A30.231 m \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 8.47A958 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 0.0125B2BB k \frac{\text{kg K}}{\text{m}^2 \text{C}} \quad (*) \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.0000127B708 m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 21409.A8 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 37.95203 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.00064728B3 m \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = B04516.3 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = 1708.976 k \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.00006B66A6B m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 100454.4 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 189.5803 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.19046AB m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0003041468 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^2 TQ} &= 10^{-B0} = 529734.3 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 536.4890 m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 0.9195007 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 0.0013985B6 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 237A8.17 m \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 3B.96097 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 0.06A70265 k \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 261B.942 m \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 4.416073 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 0.00760A557 k \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 16B689.1 \cdot 10^{-130}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 7715846. m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 0.0000AB83497 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 11156.36 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.06426234 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 1A.81122 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 63.3B849 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.01AB3208 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 37717.30 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.00003377 A68 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.00002128A58 \cdot 10^{-150}$	$1 ni' upamu- \frac{M\Theta}{L^3 T^2 Q} = 10^{-150} = 585B2.72 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 1.25066B \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.9B9B572 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 841.8583 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.001530954 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 49B522.2 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.000002599867 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 0.00035A351B \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 3534.95 A m CK$
$1 CK = 0.202811A \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 5.B40721 CK$
$1k CK = 120.26A8 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.00A333070 k CK$
$1m \frac{CK}{s} = 11A338.4 \cdot 10^{-50}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = A486052. m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.00008028379 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 15B5B.5A \frac{CK}{s}$
$1k \frac{CK}{s} = 0.04782840 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 27.0464B k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 47.0632A \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.02748781 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 27A2B.66 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.0000462B7B9 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 0.000016525AA \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{T^2} = 10^{-70} = 798A6.83 k \frac{CK}{s^2}$
$1m s CK = 0.A653811 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 1.17BB4B m s CK (*)$
$1s CK = 612.0A22 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.001B74752 s CK$
$1ks CK = 364186.8 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00000349832 A k s CK$
$1mm CK = 13142.76 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.00009641207 m m CK$
$1m CK = 0.0000088B4766 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 1456B9.9 m CK$
$1km CK = 0.005089898 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 245.508 A km CK$
$1m \frac{m\ CK}{s} = 5.004B1A \cdot 10^{-20} (*)$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.2494A03 m \frac{m\ CK}{s}$
$1 \frac{m\ CK}{s} = 2A8A.A29 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.000418A338 \frac{m\ CK}{s}$
$1k \frac{m\ CK}{s} = 1813205. \cdot 10^{-20}$	$1 ni' upa- \frac{LQ\Theta}{T} = 10^{-10} = 71B44B.4 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 0.0017A5971 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 72B.4889 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 0.B601732 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 1.062B9A \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = 67A.4B1A \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.001977684 k \frac{m\ CK}{s^2}$
$1m ms CK = 0.00003979B13 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 31A27.19 m ms CK$
$1ms CK = 0.02250432 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 55.4A767 ms CK$
$1km s CK = 13.35717 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.09503483 km s CK$
$1mm^2 CK = 0.55588B9 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 2.248332 m m^2 CK$
$1m^2 CK = 31A.8550 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 0.003972A53 m^2 CK$
$1km^2 CK = 19B180.4 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 0.000006697675 km^2 CK$
$1m \frac{m^2 CK}{s} = 0.0001981334 \cdot 10^{10}$	$1 pa- \frac{L^2 Q\Theta}{T} = 10^{10} = 6787.A53 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 0.1066361 \cdot 10^{10}$	$1 pa- \frac{L^2 Q\Theta}{T} = 10^{10} = B.591270 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 73.13843 \cdot 10^{10}$	$1 pa- \frac{L^2 Q\Theta}{T} = 10^{10} = 0.017A0686 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 72131.48 \cdot 10^{-30}$	$1 ni' uci- \frac{L^2 Q\Theta}{T^2} = 10^{-30} = 0.00001809A50 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 0.0000419B4B8 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2 Q\Theta}{T^2} = 10^{-20} = 2A818.38 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 0.024A0532 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2 Q\Theta}{T^2} = 10^{-20} = 4B.B1124 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 1459.647 \cdot 10^{70}$	$1 ze-L^2 TQ\Theta = 10^{70} = 0.00088A04AA m m^2 s CK$
$1m^2 s CK = 9656A4.0 \cdot 10^{70}$	$1 bi-L^2 TQ\Theta = 10^{80} = 1311A71. m^2 s CK$
$1km^2 s CK = 0.000562A839 \cdot 10^{80}$	$1 bi-L^2 TQ\Theta = 10^{80} = 2210.577 km^2 s CK$
$1m \frac{CK}{m} = 9.7B2081 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.12AA46B m \frac{CK}{m}$
$1 \frac{CK}{m} = 5710.AB4 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.0002190B44 \frac{CK}{m}$
$1k \frac{CK}{m} = 329A980. \cdot 10^{-40}$	$1 ni' uci- \frac{Q\Theta}{L} = 10^{-30} = 386108.7 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 0.003246447 \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{LT} = 10^{-70} = 390.3962 m \frac{CK}{ms}$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 1.426165 \cdot 10^{-70} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 10A2.928 \cdot 10^{-70} \\
1 \text{m} \frac{\text{CK}}{\text{ms}^2} &= 0.00000108552A \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{ms}^2} &= 0.0007428504 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{ms}^2} &= 0.4308117 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{sCK}}{\text{m}} &= 25225.54 \cdot 10^{-10} \\
1 \frac{\text{sCK}}{\text{m}} &= 0.000014A7B86 \cdot 10^0 \\
1 \text{k} \frac{\text{sCK}}{\text{m}} &= 0.009934875 \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 229112.5 \cdot 10^{-70} \\
1 \frac{\text{CK}}{\text{m}^2} &= 0.0001359978 \cdot 10^{-60} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.08B648B5 \cdot 10^{-60} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 8A.36325 \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 51619.63 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.00002B72055 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.02B22B55 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 18.44322 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= B94A.B53 \cdot 10^{-110} \\
1 \text{m} \frac{\text{sCK}}{\text{m}^2} &= 0.000689B555 \cdot 10^{-30} \\
1 \frac{\text{sCK}}{\text{m}^2} &= 0.3A93966 \cdot 10^{-30} \\
1 \text{k} \frac{\text{sCK}}{\text{m}^2} &= 230.A043 \cdot 10^{-30} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.006213A35 \cdot 10^{-90} \\
1 \frac{\text{CK}}{\text{m}^3} &= 3.6A7A15 \cdot 10^{-90} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 2099.B97 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.000002064958 \cdot 10^{-100} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.001224531 \cdot 10^{-100} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.82715A2 \cdot 10^{-100} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 815.5A18 \cdot 10^{-140} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 484953.1 \cdot 10^{-140} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.0002877AA6 \cdot 10^{-130} \\
1 \text{m} \frac{\text{sCK}}{\text{m}^3} &= 16.7A56A \cdot 10^{-60} \\
1 \frac{\text{sCK}}{\text{m}^3} &= A968.002 \cdot 10^{-60} \quad (*) \\
1 \text{k} \frac{\text{sCK}}{\text{m}^3} &= 62B8369. \cdot 10^{-60} \\
1 \text{m kg CK} &= 1A50A.B9 \cdot 10^{-10} \\
1 \text{kg CK} &= 0.000010B8703 \cdot 10^0 \\
1 \text{kg kg CK} &= 0.00761434B \cdot 10^0 \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 7.50A874 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{s}} &= 4366.A52 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 259B785. \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.00255A168 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 1.509302 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 9A6.02AB \cdot 10^{-70} \\
1 \text{m kg s CK} &= 0.00005789AB5 \cdot 10^{30} \\
1 \text{kg s CK} &= 0.03324761 \cdot 10^{30} \\
1 \text{k kg s CK} &= 1A.82695 \cdot 10^{30} \\
1 \text{m kg m CK} &= 0.8119836 \cdot 10^{20} \\
1 \text{kg m CK} &= 482.7A77 \cdot 10^{20} \\
1 \text{k kg m CK} &= 286515.2 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 0.000281B150 \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.1674066 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= A9.2B511 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 0.6597BB2 \frac{\text{CK}}{\text{ms}} \quad (*) \\
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 0.000B254603 \text{k} \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = B40230.A \text{m} \frac{\text{CK}}{\text{ms}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 1770.507 \frac{\text{CK}}{\text{ms}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 2.9A1830 \text{k} \frac{\text{CK}}{\text{ms}^2} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 0.00004B2649B \text{m} \frac{\text{sCK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 86397.58 \frac{\text{sCK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 128.9785 \text{k} \frac{\text{sCK}}{\text{m}} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 546B584. \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 9371.5AA \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 14.0A010 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.01430BA6 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.00002411291 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^2T} &= 10^{-90} = 40661.A7 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 41.137BB \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.070A3A09 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.00010277A7 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 1946.58B \text{m} \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 3.0B373B \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 0.0053A0354 \text{k} \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 1B3.9722 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 0.3435B1A \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 0.0005975899 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 5A5278.2 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = A18.6594 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 1.563991 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.0015892AB \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.000002678005 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upaci-} \frac{Q\Theta}{L^3T^2} &= 10^{-130} = 44B3.B36 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.07875AA6 \text{m} \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.00011407AA \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'umu-} \frac{TQ\Theta}{L^3} &= 10^{-50} = 1B06A9.4 \text{k} \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'upa-} MQ\Theta &= 10^{-10} = 0.00006509202 \text{m kg CK} \\
1 MQ\Theta &= 1 = B11BA.A5 \text{kg CK} \\
1 MQ\Theta &= 1 = 172.13B7 \text{k kg CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.1749642 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.0002963275 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{MQ\Theta}{T} &= 10^{-30} = 49B152.4 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 4A7.2847 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.85320A3 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.00126B99A \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 21616.BB \text{m kg s CK} \quad (*) \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 38.0BB50 \text{kg s CK} \quad (*) \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 0.06421316 \text{k kg s CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 1.595374 \text{m kg m CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 0.002689B17 \text{kg m CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 0.000004514006 \text{k kg m CK} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 4589.225 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 7.8A1A29 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.01145313 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1 \text{m} \frac{\text{kg m CK}}{\text{s}^2} &= A790A.A6 \cdot 10^{-50} \\
1 \frac{\text{kg m CK}}{\text{s}^2} &= 0.000061B2436 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}^2} &= 0.03695106 \cdot 10^{-40} \\
1 \text{m kg m s CK} &= 2055.811 \cdot 10^{50} \\
1 \text{kg m s CK} &= 0.00000121A00A \cdot 10^{60} \quad (*) \\
1 \text{k kg m s CK} &= 0.000823499B \cdot 10^{60} \\
1 \text{m kg m}^2 \text{CK} &= 0.00002B0B019 \cdot 10^{50} \\
1 \text{kg m}^2 \text{CK} &= 0.01837058 \cdot 10^{50} \\
1 \text{k kg m}^2 \text{CK} &= B.8B6A77 \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= B740.B03 \cdot 10^{10} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.000006877786 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} &= 0.003A7B84A \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 3.A162B9 \cdot 10^{-20} \\
1 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 2283.A88 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} &= 1354586 \cdot 10^{-20} \\
1 \text{m kg m}^2 \text{s CK} &= 0.089B6139 \cdot 10^{80} \\
1 \text{kg m}^2 \text{s CK} &= 51.39B11 \cdot 10^{80} \\
1 \text{k kg m}^2 \text{s CK} &= 2B59A.B0 \cdot 10^{80} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}} &= 0.0005213090 \cdot 10^{-30} \\
1 \frac{\text{kg CK}}{\text{m}} &= 0.2BB3472 \cdot 10^{-30} \quad (*) \\
1 \text{k} \frac{\text{kg CK}}{\text{m}} &= 189.701B \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}} &= 18685A.B \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{m s}} &= 0.0000BA92B87 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}} &= 0.06A75680 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg CK}}{\text{m s}^2} &= 69.8050A \cdot 10^{-A0} \\
1 \frac{\text{kg CK}}{\text{m s}^2} &= 3B319.73 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg CK}}{\text{m s}^2} &= 0.00002342660 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}} &= 1.377328 \\
1 \frac{\text{kg s CK}}{\text{m}} &= 906.9987 \cdot 10^0 \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}} &= 529B41.6 \cdot 10^0 \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2} &= 12.40151 \cdot 10^{-60} \\
1 \frac{\text{kg CK}}{\text{m}^2} &= 8366.1AB \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2} &= 4973293 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 0.0048B3751 \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 2.8B5197 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} &= 170A.052 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.0000016A2475 \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.000AAA9A87 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} &= 0.6390605 \cdot 10^{-100} \\
1 \text{m} \frac{\text{kg s CK}}{\text{m}^2} &= 37373.66 \cdot 10^{-30} \\
1 \frac{\text{kg s CK}}{\text{m}^2} &= 0.0000210847B \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg s CK}}{\text{m}^2} &= 0.01260230 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3} &= 3384B4.A \cdot 10^{-90} \\
1 \frac{\text{kg CK}}{\text{m}^3} &= 0.0001AB8506 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3} &= 0.1136718 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 111.863B \cdot 10^{-100} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 77326.71 \cdot 10^{-100} \\
1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} &= 0.00004499785 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 0.04425B8B \cdot 10^{-130} \\
1 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 26.26822 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'umu} \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.00001163860 \text{m} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'uvo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 1B457.82 \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{ni'uvo} \frac{MLQ\Theta}{T^2} &= 10^{-40} = 34.479AB \text{k} \frac{\text{kg m CK}}{\text{s}^2} \\
1 \text{mu-MLTQ}\Theta &= 10^{50} = 0.0005A7A79A \text{m kg m s CK} \\
1 \text{xa-MLTQ}\Theta &= 10^{60} = A21196.B \text{ kg m s CK} \\
1 \text{xa-MLTQ}\Theta &= 10^{60} = 156B.942 \text{k kg m s CK} \\
1 \text{mu-ML}^2\text{Q}\Theta &= 10^{50} = 4131B.9B \text{ m kg m}^2 \text{CK} \\
1 \text{mu-ML}^2\text{Q}\Theta &= 10^{50} = 71.164A7 \text{ kg m}^2 \text{CK} \\
1 \text{mu-ML}^2\text{Q}\Theta &= 10^{50} = 0.1031264 \text{k kg m}^2 \text{CK} \\
1 \text{pa} \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.0001049964 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{re} \frac{ML^2Q\Theta}{T} &= 10^{20} = 1951A2.8 \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{re} \frac{ML^2Q\Theta}{T} &= 10^{20} = 310.4428 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}} \\
1 \text{ni'ure} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.3156644 \text{m} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'ure} \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00054898B8 \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{ni'upa} \frac{ML^2Q\Theta}{T^2} &= 10^{-10} = 93A3B9.2 \text{k} \frac{\text{kg m}^2 \text{CK}}{\text{s}^2} \\
1 \text{bi-ML}^2\text{TQ}\Theta &= 10^{80} = 14.38465 \text{m kg m}^2 \text{s CK} \\
1 \text{bi-ML}^2\text{TQ}\Theta &= 10^{80} = 0.02421BB7 \text{ kg m}^2 \text{s CK} \\
1 \text{bi-ML}^2\text{TQ}\Theta &= 10^{80} = 0.00004084276 \text{k kg m}^2 \text{s CK} \\
1 \text{ni'uci} \frac{MQ\Theta}{L} &= 10^{-30} = 239A.7B0 \text{m} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'uci} \frac{MQ\Theta}{L} &= 10^{-30} = 4.00B612 \frac{\text{kg CK}}{\text{m}} \quad (*) \\
1 \text{ni'uci} \frac{MQ\Theta}{L} &= 10^{-30} = 0.006B0B9A4 \text{k} \frac{\text{kg CK}}{\text{m}} \\
1 \text{ni'uxa} \frac{MQ\Theta}{LT} &= 10^{-60} = 70073B0. \text{m} \frac{\text{kg CK}}{\text{ms}} \quad (*) \\
1 \text{ni'uxa} \frac{MQ\Theta}{LT} &= 10^{-60} = 1012A.67 \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni'uxa} \frac{MQ\Theta}{LT} &= 10^{-60} = 18.AB841 \text{k} \frac{\text{kg CK}}{\text{ms}} \\
1 \text{ni'ujauau} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.0191A991 \text{m} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ni'ujauau} \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00003068A87 \frac{\text{kg CK}}{\text{ms}^2} \\
1 \text{ni'uso} \frac{MQ\Theta}{LT^2} &= 10^{-90} = 53218.99 \text{k} \frac{\text{kg CK}}{\text{ms}^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.9264336 \text{m} \frac{\text{kg s CK}}{\text{m}} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0013ABB3A \frac{\text{kg s CK}}{\text{m}} \quad (*) \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00000236058B \text{k} \frac{\text{kg s CK}}{\text{m}} \\
1 \text{ni'uxa} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0A067457 \text{m} \frac{\text{kg CK}}{\text{m}^2} \\
1 \text{ni'uxa} \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00015438BB \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'umu} \frac{MQ\Theta}{L^2} &= 10^{-50} = 25BB69.8 \text{k} \frac{\text{kg CK}}{\text{m}^2} \quad (*) \\
1 \text{ni'uso} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 264.1B29 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uso} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.44532BA \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uso} \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.0007674685 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upano} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 778086.6 \text{m} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upano} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 1124.A9B \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upano} \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 1.A98914 \text{k} \frac{\text{kg CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uci} \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.000033AA73A \text{m} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'ure} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 58B61.85 \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'ure} \frac{MTQ\Theta}{L^2} &= 10^{-20} = 9B.1B351 \text{k} \frac{\text{kg s CK}}{\text{m}^2} \\
1 \text{ni'ubi} \frac{MQ\Theta}{L^3} &= 10^{-80} = 3763789. \text{m} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ubi} \frac{MQ\Theta}{L^3} &= 10^{-80} = 6326.5A45 \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'ubi} \frac{MQ\Theta}{L^3} &= 10^{-80} = A.9B7102 \text{k} \frac{\text{kg CK}}{\text{m}^3} \\
1 \text{ni'upano} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.00AB59391 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano} \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000016B2492 \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 28872.6A \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upaci} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 29.12196 \text{m} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upaci} \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 0.04923AA6 \frac{\text{kg CK}}{\text{m}^3 \text{s}^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 15599.0 A \cdot 10^{-130} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.0009 BB 1938 \cdot 10^{-50} \quad (*) \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.594 A 0 BB \cdot 10^{-50} \quad (*) \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 341.B 743 \cdot 10^{-50}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upaci-} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.0000829 B 790 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 124 A.9 B 2 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 2.0 A 9376 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu-} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 0.00370349 B \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$

## 12.3 Only Exponents That End With Zero will be used and displayed as Divided By Base In Lojban Numbering

Interesting variables for comparison:

$$\begin{aligned}\text{Proton mass} &= A 310815 \cdot 10^{-20} \\ \text{Electron mass} &= 97 A 0.7 B 2 \cdot 10^{-20} \\ \text{Elementary charge} &= 0.1037444 \cdot 10^0 \\ \text{\AA}^{31} &= 0.0229 B 024 \cdot 10^{20} \\ \text{Bohr radius}^{32} &= 0.01224278 \cdot 10^{20} \\ \text{Fine structure constant}^{33} &= 0.01073994 \cdot 10^0 \\ \text{Rydberg Energy}^{34} &= 0.53 B 5689 \cdot 10^{-20} \\ |\psi^{100}(0)|^2^{35} &= 238295.A \cdot 10^{-60} \\ \text{eV} &= 0.0484 A 823 \cdot 10^{-20} \\ \hbar^{36} &= 1.000000 \quad (***) \\ \lambda_{\text{yellow}} &= 75.32446 \cdot 10^{20} \\ k_{\text{yellow}}^{37} &= 0.0 A 176614 \cdot 10^{-20} \\ k_{\text{X-Ray}}^{38} &= 0.0008 B 1 A 386 \cdot 10^{-10}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upa-} M &= 10^{-10} = 12056 B.2 m_p \\ 1 \text{ni'ure-} M &= 10^{-20} = 0.00012 B 0131 m_e \\ 1 Q &= 1 = B.858467 e \\ 1 \text{re-} L &= 10^{20} = 54.4 B 730 \text{\AA} \\ 1 \text{re-} L &= 10^{20} = A 1.88428 a_0 \\ 1 &= 1 = B 5.05226 \alpha \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 2.302876 Ry \\ 1 \text{ni'uxa-} \frac{1}{L^3} &= 10^{-60} = 0.00000524 B 771 \rho_{\max} \\ 1 \text{ni'ure-} \frac{ML^2}{T^2} &= 10^{-20} = 26.773 B 1 \text{eV} \\ 1 \frac{ML^2}{T} &= 1 = 1.000000 \cdot \hbar \quad (***) \\ 1 \text{re-} L &= 10^{20} = 0.01743630 \cdot \lambda_{\text{yellow}} \\ 1 \text{ni'ure-} \frac{1}{L} &= 10^{-20} = 12.25 A 04 \cdot k_{\text{yellow}} \\ 1 \text{ni'upa-} \frac{1}{L} &= 10^{-10} = 1416.207 \cdot k_{\text{X-Ray}}\end{aligned}$$

$$\begin{aligned}\text{Earth g} &= 0.0025 B 2225 \cdot 10^{-30} \\ \text{cm} &= 62 A 4 B 7.6 \cdot 10^{20} \\ \text{min} &= 1312 B 8.9 \cdot 10^{30} \\ \text{hour} &= 0.000006362 A 7 A \cdot 10^{40} \\ \text{Liter} &= 0.0000 B 865831 \cdot 10^{80} \\ \text{Area of a soccer field} &= 0.000006569195 \cdot 10^{60} \\ 84 \text{m}^2^{39} &= 110520.2 \cdot 10^{50} \\ \text{km/h} &= 4945.445 \cdot 10^{-10} \\ \text{mi/h} &= 783 B.462 \cdot 10^{-10} \\ \text{inch}^{40} &= 13 A 1 B 7 B \cdot 10^{20} \\ \text{mile} &= 0.04050601 \cdot 10^{30} \\ \text{pound} &= 0.00002 A B A 7 B 2 \cdot 10^{10} \\ \text{horsepower} &= 1 A 80.506 \cdot 10^{-40} \\ \text{kcal} &= 0.00002805 A 4 B \cdot 10^0 \\ \text{kWh} &= 0.013 B 3 A 10 \cdot 10^0 \\ \text{Typical household electric field} &= 81672.2 A \cdot 10^{-50} \\ \text{Earth magnetic field} &= 0.000089920 B 8 \cdot 10^{-40} \\ \text{Height of an average man}^{41} &= 0.00007803736 \cdot 10^{30}\end{aligned}$$

$$\begin{aligned}1 \text{ni'uci-} \frac{ML}{T^2} &= 10^{-30} = 498.9359 \cdot \text{Earth g} \\ 1 \text{re-} L &= 10^{20} = 0.000001 B 0 B 74 A \text{ cm} \\ 1 \text{vo-} T &= 10^{40} = 964 A 693. \text{ min} \\ 1 \text{vo-} T &= 10^{40} = 1 A A 6 A B.5 \text{ h} \\ 1 \text{bi-} L^3 &= 10^{80} = 10366.70 l \\ 1 \text{xa-} L^2 &= 10^{60} = 1 A 3413.2 A \\ 1 \text{xa-} L^2 &= 10^{60} = B 06828 A. \cdot 84 \text{ m}^2 \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0002615337 \text{ km/h} \\ 1 \text{ni'upa-} \frac{L}{T} &= 10^{-10} = 0.0001687084 \text{ mi/h} \\ 1 \text{ci-} L &= 10^{30} = 910616.2 \text{ in} \\ 1 \text{ci-} L &= 10^{30} = 2 B.83027 \text{ mi} \\ 1 \text{pa-} M &= 10^{10} = 41474.61 \text{ pound} \\ 1 \text{ni'uvu-} \frac{ML^2}{T^3} &= 10^{-40} = 0.0006428578 \text{ horsepower} \\ 1 \frac{ML^2}{T^2} &= 1 = 45 B 21.40 \text{ kcal} \\ 1 \frac{ML^2}{T^2} &= 1 = 90.47334 \text{ kWh} \\ 1 \text{ni'umu-} \frac{ML}{T^2 Q} &= 10^{-50} = 0.00001586999 E_H \\ 1 \text{ni'uvu-} \frac{M}{T Q} &= 10^{-40} = 14408.49 \cdot \text{Earth magnetic field} \\ 1 \text{ci-} L &= 10^{30} = 1693 B.62 \bar{h}\end{aligned}$$

<sup>31</sup>Length in atomic and solid state physics, 1/A nm

<sup>32</sup>Characteristic Length in the hydrogen atom.  $a_0 = \frac{1}{m_e \alpha}$

<sup>33</sup>Fundamental constant describing strength of electromagnetism.  $\alpha = k_{\text{Coulomb}} e^2$

<sup>34</sup>Ry =  $\frac{m_e \alpha^2}{2}$ . Lowest energy state in hydrogen is -Ry

<sup>35</sup>Quantum of angular momentum, Ratio between frequency (space/time) and momentum (momentum/Energy)

<sup>37</sup> $\frac{\tau}{\lambda} = k = \omega = p = E$  (In natural units - i.e. in these units)

<sup>38</sup>Geometric mean of upper and lower end of the X-Ray interval

<sup>39</sup>Size of a home

<sup>40</sup>30 in = 1 yd = 3 ft

<sup>41</sup>in developed countries

Mass of an average man =  $0.00315BA82 \cdot 10^{10}$

$1 \text{ pa-}M = 10^{10} = 3A0.B7A4 \bar{m}$

Age of the Universe =  $168634.6 \cdot 10^{40}$

$1 \text{ vo-}T = 10^{40} = 0.000007843260 t_U$

Size of the observable Universe =  $0.0003BB63A4 \cdot 10^{50}$  (\*)

$1 \text{ mu-}L = 10^{50} = 3004.319 l_U$  (\*)

Average density of the Universe =  $228B.7BA \cdot 10^{-A0}$

$1 \text{ ni'}ujauau \frac{M}{L^3} = 10^{-A0} = 0.0005472B33 \rho_U$

Earth mass =  $5965A06. \cdot 10^{20}$

$1 \text{ ci-}M = 10^{30} = 20A229.1 m_E$

Sun mass<sup>42</sup> =  $0.790A827 \cdot 10^{30}$

$1 \text{ ci-}M = 10^{30} = 1.669591 m_S$

Year =  $0.027B1233 \cdot 10^{40}$

$1 \text{ vo-}T = 10^{40} = 46.16353 \text{ y}$

Speed of Light =  $1.000000$  (\*\*\*)

$1 \frac{L}{T} = 1 = 1.000000 c$  (\*\*\*)

Parsec =  $0.08816537 \cdot 10^{40}$

$1 \text{ vo-}L = 10^{40} = 14.7180 A \text{ pc}$

Astronomical unit =  $A5748A.2 \cdot 10^{30}$

$1 \text{ vo-}L = 10^{40} = 1190A83. \text{ au}$

Earth radius =  $92.B2093 \cdot 10^{30}$

$1 \text{ ci-}L = 10^{30} = 0.0136B15A r_E$

Distance Earth-Moon =  $3A59.156 \cdot 10^{30}$

$1 \text{ ci-}L = 10^{30} = 0.000312163B d_M$

Momentum of someone walking<sup>43</sup> =  $6B6.8263 \cdot 10^0$

$1 \frac{ML}{T} = 1 = 0.001881BA8 \cdot \text{Momentum of someone walking}$

Stefan-Boltzmann constant =  $0.1B82B28 \cdot 10^0$

$1 \frac{M}{T^3 \Theta^4} = 1 = 6.0B4B92 \frac{\pi^2}{50} = \sigma$

mol =  $0.01110B95 \cdot 10^{20}$

$1 \text{ re-} = 10^{20} = B0.01120 \text{ mol}$

Standard temperature<sup>44</sup> =  $0.0013B23A9 \cdot 10^{-20}$

$1 \text{ ni'}ure-\Theta = 10^{-20} = 905.5704 T_0$

Room - standard temperature<sup>45</sup> =  $0.00011BBA6A \cdot 10^{-20}$  (\*)

$1 \text{ ni'}ure-\Theta = 10^{-20} = A352.922 \Theta_R$

atm =  $0.00964B039 \cdot 10^{-80}$

$1 \text{ ni'}ubi-\frac{M}{LT^2} = 10^{-80} = 131.2B00 \text{ atm}$  (\*)

$c_s = 0.0000034BB524 \cdot 10^0$  (\*)

$1 \frac{L}{T} = 1 = 36197A.6 \cdot c_s$

$\mu_0 = 10.69683 \cdot 10^0$

$1 \frac{ML}{Q^2} = 1 = 0.0B561508 \cdot \mu_0$

$G = 0.05890864 \cdot 10^0$

$1 \frac{L^3}{MT^2} = 1 = 21.17146 \cdot G$

### Extensive list of SI units

$1 \text{ m} = 0.001889B98 \cdot 10^0$

$1 = 1 = 6B4.0000 \text{ m}$  (\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 = 1 = 1.000000$  (\*\*\*)

$1 \text{ k} = 6B4.0000 \cdot 10^0$  (\*\*)

$1 = 1 = 0.001889B98 \text{ k}$

$1 \text{ m s}^{\frac{1}{s}} = 6A4582.A \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{1}{T} = 10^{-40} = 0.0000018B8976 \text{ m s}^{\frac{1}{s}}$

$1 \text{ s}^{\frac{1}{s}} = 0.0003B8049A \cdot 10^{-30}$

$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 302B.B43 \text{ s}^{\frac{1}{s}}$

$1 \text{ k s}^{\frac{1}{s}} = 0.2370556 \cdot 10^{-30}$

$1 \text{ ni'}uci-\frac{1}{T} = 10^{-30} = 5.278098 \text{ k s}^{\frac{1}{s}}$

$1 \text{ m s}^{\frac{1}{s^2}} = 233.2802 \cdot 10^{-70}$

$1 \text{ ni'}uze-\frac{1}{T^2} = 10^{-70} = 0.0053452B5 \text{ m s}^{\frac{1}{s^2}}$

$1 \text{ s}^{\frac{1}{s^2}} = 139446.4 \cdot 10^{-70}$

$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 9160512. \frac{1}{s^2}$

$1 \text{ k s}^{\frac{1}{s^2}} = 0.00009170491 \cdot 10^{-60}$

$1 \text{ ni'}uxa-\frac{1}{T^2} = 10^{-60} = 13927.A1 \text{ k s}^{\frac{1}{s^2}}$

$1 \text{ m s} = 5.278098 \cdot 10^{30}$

$1 \text{ ci-T} = 10^{30} = 0.2370556 \text{ m s}$

$1 \text{ s} = 302B.B43 \cdot 10^{30}$

$1 \text{ ci-T} = 10^{30} = 0.0003B8049A \text{ s}$

$1 \text{ k s} = 0.0000018B8976 \cdot 10^{40}$

$1 \text{ vo-T} = 10^{40} = 6A4582.A \text{ k s}$

$1 \text{ m m} = 75A11.B5 \cdot 10^{20}$

$1 \text{ re-L} = 10^{20} = 0.00001729820 \text{ m m}$

$1 \text{ m} = 0.000043BA94A \cdot 10^{30}$

$1 \text{ ci-L} = 10^{30} = 292A0.12 \text{ m}$

$1 \text{ k m} = 0.02610768 \cdot 10^{30}$

$1 \text{ ci-L} = 10^{30} = 49.52280 \text{ k m}$

$1 \text{ m s}^{\frac{m}{s}} = 25.8A836 \cdot 10^{-10}$

$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.04A127A8 \text{ m s}^{\frac{m}{s}}$

$1 \text{ s}^{\frac{m}{s}} = 15264.AB \cdot 10^{-10}$

$1 \text{ ni'}upa-\frac{L}{T} = 10^{-10} = 0.00008449701 \text{ s}^{\frac{m}{s}}$

$1 \text{ k m}^{\frac{m}{s}} = 0.000009B63212 \cdot 10^0$

$1 \frac{L}{T} = 1 = 1255A8.5 \text{ k s}^{\frac{m}{s}}$

$1 \text{ m s}^{\frac{m}{s^2}} = 0.009A18968 \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 127.6202 \text{ m s}^{\frac{m}{s^2}}$

$1 \text{ s}^{\frac{m}{s^2}} = 5.845450 \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.2133560 \text{ m s}^{\frac{m}{s^2}}$

$1 \text{ k m}^{\frac{m}{s^2}} = 3369.674 \cdot 10^{-40}$

$1 \text{ ni'}uvo-\frac{L}{T^2} = 10^{-40} = 0.0003780B99 \text{ k s}^{\frac{m}{s^2}}$

<sup>42</sup>The Schwarzschild radius of a mass  $M$  is  $2GM$

<sup>43</sup>p

<sup>44</sup>0°C measured from absolute zero

<sup>45</sup>18 °C

$1 \text{m m s} = 0.0001A74874 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 644A.521 \text{m m s}$
$1 \text{m s} = 0.1110811 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = B.00424B \text{ m s} \quad (*)$
$1 \text{k m s} = 76.A8025 \cdot 10^{60}$	$1 \text{xa-}LT = 10^{60} = 0.01701910 \text{ k m s}$
$1 \text{m m}^2 = 2.852BB2 \cdot 10^{50} \quad (*)$	$1 \text{mu-}L^2 = 10^{50} = 0.453316A \text{ m m}^2$
$1 \text{m}^2 = 1693.156 \cdot 10^{50}$	$1 \text{mu-}L^2 = 10^{50} = 0.000780786A \text{ m}^2$
$1 \text{k m}^2 = AA4381.9 \cdot 10^{50}$	$1 \text{xa-}L^2 = 10^{60} = 11309A6. \text{km}^2$
$1 \text{m}^{\frac{m}{s}} = 0.000A8A3392 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 114B.0B7 \text{ m}^{\frac{m}{s}}$
$1 \frac{\text{m}^2}{\text{s}} = 0.626A042 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 1.B20AA8 \frac{\text{m}^2}{\text{s}}$
$1 \text{k m}^{\frac{m}{s}} = 371.A179 \cdot 10^{20}$	$1 \text{re-}\frac{L^2}{T} = 10^{20} = 0.003406214 \text{ k}^{\frac{\text{m}}{\text{s}}}$
$1 \text{m}^{\frac{m}{s^2}} = 367A61.9 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{L^2}{T^2} = 10^{-20} = 0.0000034614B5 \text{ m}^{\frac{\text{m}^2}{\text{s}^2}}$
$1 \frac{\text{m}^2}{\text{s}^2} = 0.0002082840 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = 5A00.179 \frac{\text{m}^2}{\text{s}^2} \quad (*)$
$1 \text{k m}^{\frac{m}{s^2}} = 0.1235146 \cdot 10^{-10}$	$1 \text{ni'upa-}\frac{L^2}{T^2} = 10^{-10} = A.0B6589 \text{ k}^{\frac{\text{m}^2}{\text{s}^2}}$
$1 \text{m m}^2 \text{s} = 81BA.197 \cdot 10^{80}$	$1 \text{bi-}L^2T = 10^{80} = 0.0001577528 \text{ m m}^2 \text{s}$
$1 \text{m}^2 \text{s} = 488571A. \cdot 10^{80}$	$1 \text{so-}L^2T = 10^{90} = 265818.8 \text{ m}^2 \text{s}$
$1 \text{k m}^2 \text{s} = 0.002899564 \cdot 10^{90}$	$1 \text{so-}L^2T = 10^{90} = 447.A867 \text{ km}^2 \text{s}$
$1 \text{m}^{\frac{1}{m}} = 49.52280 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.02610768 \text{ m}^{\frac{1}{m}}$
$1 \frac{1}{\text{m}} = 292A0.12 \cdot 10^{-30}$	$1 \text{ni'uci-}\frac{1}{L} = 10^{-30} = 0.000043BA94A \frac{1}{\text{m}}$
$1 \text{k}^{\frac{1}{m}} = 0.00001729820 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{1}{L} = 10^{-20} = 75A11.B5 \text{ k}^{\frac{1}{\text{m}}}$
$1 \text{m}^{\frac{1}{m}} = 0.01701910 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 76.A8025 \text{ m}^{\frac{1}{\text{ms}}}$
$1 \frac{1}{\text{m s}} = B.00424B \cdot 10^{-60} \quad (*)$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.1110811 \frac{1}{\text{m s}}$
$1 \text{k}^{\frac{1}{\text{m s}}} = 644A.521 \cdot 10^{-60}$	$1 \text{ni'uxa-}\frac{1}{LT} = 10^{-60} = 0.0001A74874 \text{ k}^{\frac{1}{\text{ms}}}$
$1 \text{m}^{\frac{1}{\text{m s}^2}} = 6363747. \cdot 10^{-A0}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 1AA683.9 \text{ m}^{\frac{1}{\text{ms}^2}}$
$1 \frac{1}{\text{m s}^2} = 0.003785913 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 336.528B \frac{1}{\text{ms}^2}$
$1 \text{k}^{\frac{1}{\text{m s}^2}} = 2.13627B \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{LT^2} = 10^{-90} = 0.5839A96 \text{ k}^{\frac{1}{\text{ms}^2}}$
$1 \text{m}^{\frac{s}{m}} = 1255A8.5 \cdot 10^0$	$1 \frac{T}{L} = 1 = 0.000009B63212 \text{ m}^{\frac{s}{m}}$
$1 \frac{s}{m} = 0.00008449701 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 15264.AB \frac{s}{m}$
$1 \text{k}^{\frac{s}{m}} = 0.04A127A8 \cdot 10^{10}$	$1 \text{pa-}\frac{T}{L} = 10^{10} = 25.8A836 \text{ k}^{\frac{s}{m}}$
$1 \text{m}^{\frac{1}{m^2}} = 11309A6. \cdot 10^{-60}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = AA4381.9 \text{ m}^{\frac{1}{m^2}}$
$1 \frac{1}{\text{m}^2} = 0.000780786A \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 1693.156 \frac{1}{m^2}$
$1 \text{k}^{\frac{1}{\text{m}^2}} = 0.453316A \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{1}{L^2} = 10^{-50} = 2.852BB2 \text{ k}^{\frac{1}{m^2}} \quad (*)$
$1 \text{m}^{\frac{1}{\text{m}^2 s}} = 447.A867 \cdot 10^{-90}$	$1 \text{ni'uso-}\frac{1}{L^2 T} = 10^{-90} = 0.002899564 \text{ m}^{\frac{1}{m^2 s}}$
$1 \frac{1}{\text{m}^2 s} = 265818.8 \cdot 10^{-90}$	$1 \text{ni'ubi-}\frac{1}{L^2 T} = 10^{-80} = 488571A. \frac{1}{\text{m}^2 s}$
$1 \text{k}^{\frac{1}{\text{m}^2 s}} = 0.0001577528 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^2 T} = 10^{-80} = 81BA.197 \text{ k}^{\frac{1}{\text{m}^2 s}}$
$1 \text{m}^{\frac{1}{\text{m}^2 s^2}} = 0.15521B9 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 8.316822 \text{ m}^{\frac{1}{\text{m}^2 s^2}}$
$1 \frac{1}{\text{m}^2 s^2} = A1.07851 \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.0123367A \frac{1}{\text{m}^2 s^2}$
$1 \text{k}^{\frac{1}{\text{m}^2 s^2}} = 5A079.5A \cdot 10^{-100}$	$1 \text{ni'upano-}\frac{1}{L^2 T^2} = 10^{-100} = 0.0000207BBB8 \text{ k}^{\frac{1}{\text{m}^2 s^2}}$
$1 \text{m}^{\frac{s}{m^2}} = 0.003406214 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 371.A179 \text{ m}^{\frac{s}{m^2}}$
$1 \frac{s}{m^2} = 1.B20AA8 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.626A042 \frac{s}{m^2}$
$1 \text{k}^{\frac{s}{m^2}} = 114B.0B7 \cdot 10^{-20}$	$1 \text{ni'ure-}\frac{T}{L^2} = 10^{-20} = 0.000A8A3392 \text{ k}^{\frac{s}{m^2}}$
$1 \text{m}^{\frac{1}{m^3}} = 0.030869B5 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 3B.09689 \text{ m}^{\frac{1}{m^3}}$
$1 \frac{1}{\text{m}^3} = 19.2B611 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.0693B760 \frac{1}{m^3}$
$1 \text{k}^{\frac{1}{\text{m}^3}} = 10366.70 \cdot 10^{-80}$	$1 \text{ni'ubi-}\frac{1}{L^3} = 10^{-80} = 0.0000B865831 \text{ k}^{\frac{1}{m^3}}$
$1 \text{m}^{\frac{1}{m^3 s}} = 0.0000101A183 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = BA218.06 \text{ m}^{\frac{1}{m^3 s}}$
$1 \frac{1}{\text{m}^3 s} = 0.00704990B \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 185.8260 \frac{1}{m^3 s}$
$1 \text{k}^{\frac{1}{\text{m}^3 s}} = 4.0A1510 \cdot 10^{-B0}$	$1 \text{ni'uvaiei-}\frac{1}{L^3 T} = 10^{-B0} = 0.2B46608 \text{ k}^{\frac{1}{m^3 s}}$
$1 \text{m}^{\frac{1}{m^3 s^2}} = 4034.432 \cdot 10^{-130}$	$1 \text{ni'upaci-}\frac{1}{L^3 T^2} = 10^{-130} = 0.0002B95AA \text{ B m}^{\frac{1}{m^3 s^2}}$
$1 \frac{1}{\text{m}^3 s^2} = 0.0000023B3430 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 51A1B5.6 \frac{1}{m^3 s^2}$
$1 \text{k}^{\frac{1}{\text{m}^3 s^2}} = 0.0014203B6 \cdot 10^{-120}$	$1 \text{ni'upare-}\frac{1}{L^3 T^2} = 10^{-120} = 8AA.55A7 \text{ k}^{\frac{1}{m^3 s^2}}$
$1 \text{m}^{\frac{s}{m^3}} = 92.AA572 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.0136B768 \text{ m}^{\frac{s}{m^3}}$
$1 \frac{s}{m^3} = 54222.02 \cdot 10^{-50}$	$1 \text{ni'umu-}\frac{T}{L^3} = 10^{-50} = 0.000022B0BA \text{ A m}^{\frac{s}{m^3}}$

$1\text{k}\frac{\text{s}}{\text{m}^3} = 0.00003118588 \cdot 10^{-40}$	$1\text{ni}'\text{uvo}-\frac{T}{L^3} = 10^{-40} = 3A635.37\text{k}\frac{\text{s}}{\text{m}^3}$
$1\text{m kg} = B1372.7A \cdot 10^0$	$1 M = 1 = 0.000010B6856\text{ m kg}$
$1\text{kg} = 0.00006518419 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 1A497.BA\text{ kg}$
$1\text{kg kg} = 0.03878535 \cdot 10^{10}$	$1\text{pa-}M = 10^{10} = 32.85B4A\text{ k kg}$
$1\text{m}\frac{\text{kg}}{\text{s}} = 38.16419 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 0.0331AB42\text{ m}\frac{\text{kg}}{\text{s}}$
$1\frac{\text{kg}}{\text{s}} = 21653.49 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{M}{T} = 10^{-30} = 0.00005780121\frac{\text{kg}}{\text{s}}$
$1\text{k}\frac{\text{kg}}{\text{s}} = 0.00001294083 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{T} = 10^{-20} = 98B19.74\text{k}\frac{\text{kg}}{\text{s}}$
$1\text{m}\frac{\text{kg}}{\text{s}^2} = 0.01273642 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 9A.36180\text{ m}\frac{\text{kg}}{\text{s}^2}$
$1\frac{\text{kg}}{\text{s}^2} = 8.553A12 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 0.1504ABB\frac{\text{kg}}{\text{s}^2} (*)$
$1\text{k}\frac{\text{kg}}{\text{s}^2} = 4A85.741 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{T^2} = 10^{-60} = 0.0002552780\text{k}\frac{\text{kg}}{\text{s}^2}$
$1\text{m kg s} = 0.00029680B7 \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 435B.497\text{ m kg s}$
$1\text{kg s} = 0.1750414 \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 7.4B9989\text{ kg s}$
$1\text{k kg s} = B2.A306A \cdot 10^{40}$	$1\text{vo-}MT = 10^{40} = 0.01099232\text{k kg s}$
$1\text{m kg m} = 4.016594 \cdot 10^{30}$	$1\text{ci-}ML = 10^{30} = 0.2BAAC214\text{ m kg m}$
$1\text{kg m} = 23A2.842 \cdot 10^{30}$	$1\text{ci-}ML = 10^{30} = 0.0005206092\text{ kg m}$
$1\text{k kg m} = 0.000001415007 \cdot 10^{40} (*)$	$1\text{vo-}ML = 10^{40} = 8B2608.B\text{ k kg m}$
$1\text{m}\frac{\text{kg m}}{\text{s}} = 0.0013B2304 \cdot 10^0$	$1\frac{ML}{T} = 1 = 905.60B3\text{ m}\frac{\text{kg m}}{\text{s}}$
$1\frac{\text{kg m}}{\text{s}} = 0.9278381 \cdot 10^0$	$1\frac{ML}{T} = 1 = 1.375006\frac{\text{kg m}}{\text{s}} (*)$
$1\text{k}\frac{\text{kg m}}{\text{s}} = 540.4102 \cdot 10^0$	$1\frac{ML}{T} = 1 = 0.0022BA340\text{k}\frac{\text{kg m}}{\text{s}}$
$1\text{m}\frac{\text{kg m}}{\text{s}^2} = 533599.0 \cdot 10^{-40}$	$1\text{ni}'\text{uvo}-\frac{ML}{T^2} = 10^{-40} = 0.000002337716\text{ m}\frac{\text{kg m}}{\text{s}^2}$
$1\frac{\text{kg m}}{\text{s}^2} = 0.0003076245 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{ML}{T^2} = 10^{-30} = 3B21.964\frac{\text{kg m}}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}}{\text{s}^2} = 0.1924245 \cdot 10^{-30}$	$1\text{ni}'\text{uci}-\frac{ML}{T^2} = 10^{-30} = 6.963814\text{k}\frac{\text{kg m}}{\text{s}^2}$
$1\text{m kg m s} = 10147.74 \cdot 10^{60}$	$1\text{xa-}MLT = 10^{60} = 0.0000BA76357\text{ m kg m s}$
$1\text{kg m s} = 7017626. \cdot 10^{60}$	$1\text{ze-}MLT = 10^{70} = 186561.B\text{ kg m s}$
$1\text{k kg m s} = 0.004083366 \cdot 10^{70}$	$1\text{ze-}MLT = 10^{70} = 2B5.A700\text{ k kg m s} (*)$
$1\text{m kg m}^2 = 0.0001546326 \cdot 10^{60}$	$1\text{xa-}ML^2 = 10^{60} = 8353.89B\text{ m kg m}^2$
$1\text{kg m}^2 = 0.0A080A36 \cdot 10^{60}$	$1\text{xa-}ML^2 = 10^{60} = 12.3A060\text{ kg m}^2$
$1\text{k kg m}^2 = 59.A0075 \cdot 10^{60} (*)$	$1\text{xa-}ML^2 = 10^{60} = 0.0208B260\text{ k kg m}^2$
$1\text{m}\frac{\text{kg m}^2}{\text{s}} = 59041.89 \cdot 10^{20}$	$1\text{re-}\frac{ML^2}{T} = 10^{20} = 0.00002104911\text{ m}\frac{\text{kg m}^2}{\text{s}}$
$1\frac{\text{kg m}^2}{\text{s}} = 0.000033B4494 \cdot 10^{30}$	$1\text{ci-}\frac{ML^2}{T} = 10^{30} = 37310.30\frac{\text{kg m}^2}{\text{s}}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}} = 0.01B14B26 \cdot 10^{30}$	$1\text{ci-}\frac{ML^2}{T} = 10^{30} = 62.8B8B8\text{k}\frac{\text{kg m}^2}{\text{s}}$
$1\text{m}\frac{\text{kg m}^2}{\text{s}^2} = 1A.A2693 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.06375313\text{ m}\frac{\text{kg m}^2}{\text{s}^2}$
$1\frac{\text{kg m}^2}{\text{s}^2} = 11283.18 \cdot 10^{-10}$	$1\text{ni}'\text{upa}-\frac{ML^2}{T^2} = 10^{-10} = 0.0000AA80781\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{k}\frac{\text{kg m}^2}{\text{s}^2} = 0.0000077A005A \cdot 10^0 (*)$	$1\frac{ML^2}{T^2} = 1 = 169971.A\text{k}\frac{\text{kg m}^2}{\text{s}^2}$
$1\text{m kg m}^2\text{s} = 0.445AA32 \cdot 10^{90}$	$1\text{so-}ML^2T = 10^{90} = 2.8B0460\text{ m kg m}^2\text{s}$
$1\text{kg m}^2\text{s} = 264.6407 \cdot 10^{90}$	$1\text{so-}ML^2T = 10^{90} = 0.0048A7450\text{ kg m}^2\text{s}$
$1\text{k kg m}^2\text{s} = 156B54.1 \cdot 10^{90}$	$1\text{jauau-}ML^2T = 10^{A0} = 8236826.\text{k kg m}^2\text{s}$
$1\text{m}\frac{\text{kg}}{\text{m}} = 0.002692477 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 481.B8A6\text{ m}\frac{\text{kg}}{\text{m}}$
$1\frac{\text{kg}}{\text{m}} = 1.597A6A \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 0.8107745\frac{\text{kg}}{\text{m}}$
$1\text{k}\frac{\text{kg}}{\text{m}} = A37.8889 \cdot 10^{-20}$	$1\text{ni}'\text{ure}-\frac{M}{L} = 10^{-20} = 0.0011B85A4\text{k}\frac{\text{kg}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m s}} = A22761.1 \cdot 10^{-60}$	$1\text{ni}'\text{uxa}-\frac{M}{LT} = 10^{-60} = 0.000001217B56\text{ m}\frac{\text{kg}}{\text{m s}}$
$1\frac{\text{kg}}{\text{m s}} = 0.0005A88A98 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{LT} = 10^{-50} = 2052.16A\frac{\text{kg}}{\text{m s}}$
$1\text{k}\frac{\text{kg}}{\text{m s}} = 0.34B2058 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{LT} = 10^{-50} = 3.6273B5\text{k}\frac{\text{kg}}{\text{m s}}$
$1\text{m}\frac{\text{kg}}{\text{m s}^2} = 345.6130 \cdot 10^{-90}$	$1\text{ni}'\text{uso}-\frac{M}{LT^2} = 10^{-90} = 0.003686274\text{ m}\frac{\text{kg}}{\text{m s}^2}$
$1\frac{\text{kg}}{\text{m s}^2} = 1B4B70.8 \cdot 10^{-90}$	$1\text{ni}'\text{ubi}-\frac{M}{LT^2} = 10^{-80} = 61976B0.\frac{\text{kg}}{\text{m s}^2}$
$1\text{k}\frac{\text{kg}}{\text{m s}^2} = 0.0001167198 \cdot 10^{-80}$	$1\text{ni}'\text{ubi}-\frac{M}{LT^2} = 10^{-80} = A764.551\text{k}\frac{\text{kg}}{\text{m s}^2}$
$1\text{m}\frac{\text{kg s}}{\text{m}} = 7.8B33A0 \cdot 10^{10}$	$1\text{pa-}\frac{MT}{L} = 10^{10} = 0.1671422\text{ m}\frac{\text{kg s}}{\text{m}}$
$1\frac{\text{kg s}}{\text{m}} = 4594.B88 \cdot 10^{10}$	$1\text{pa-}\frac{MT}{L} = 10^{10} = 0.000281655B\frac{\text{kg s}}{\text{m}}$
$1\text{k}\frac{\text{kg s}}{\text{m}} = 0.000002716069 \cdot 10^{20}$	$1\text{re-}\frac{MT}{L} = 10^{20} = 476262.9\text{k}\frac{\text{kg s}}{\text{m}}$
$1\text{m}\frac{\text{kg}}{\text{m}^2} = 71.26907 \cdot 10^{-50}$	$1\text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.01834122\text{ m}\frac{\text{kg}}{\text{m}^2}$

$1 \frac{\text{kg}}{\text{m}^2} = 41391.6A \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{M}{L^2} = 10^{-50} = 0.00002B05B1B \frac{\text{kg}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2} = 0.0000246554B \cdot 10^{-40}$	$1 \text{ni}'\text{uvo}-\frac{M}{L^2} = 10^{-40} = 50674.4A \text{k} \frac{\text{kg}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}} = 0.02426102 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 51.31058 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}} = 14.3A8B1 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.089A290A \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}} = 9544.735 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{M}{L^2 T} = 10^{-80} = 0.000132AB59 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 9408545. \cdot 10^{-100}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 135067.5 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 0.0054A227B \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 227.9143 \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2} = 3.164092 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^2 T^2} = 10^{-B0} = 0.3A06645 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^2} = 1954B6.3 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{MT}{L^2} = 10^{-20} = 0.000006867B60 \text{m} \frac{\text{kg s}}{\text{m}^2}$
$1 \frac{\text{kg s}}{\text{m}^2} = 0.000104B714 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = B724.88A \frac{\text{kg s}}{\text{m}^2}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^2} = 0.07225A08 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{MT}{L^2} = 10^{-10} = 18.06536 \text{k} \frac{\text{kg s}}{\text{m}^2}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3} = 178020A. \cdot 10^{-80}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 73A385.5 \text{m} \frac{\text{kg}}{\text{m}^3}$
$1 \frac{\text{kg}}{\text{m}^3} = 0.000B46BA46 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 1079.A19 \frac{\text{kg}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3} = 0.6705A48 \cdot 10^{-70}$	$1 \text{ni}'\text{uze}-\frac{M}{L^3} = 10^{-70} = 1.9A4195 \text{k} \frac{\text{kg}}{\text{m}^3}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}} = 661.6816 \cdot 10^{-B0}$	$1 \text{ni}'\text{uvaiei}-\frac{M}{L^3 T} = 10^{-B0} = 0.001A14A37 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}} = 392698.5 \cdot 10^{-B0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = 3227527. \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}} = 0.000221B9B4 \cdot 10^{-A0}$	$1 \text{ni}'\text{ujauau}-\frac{M}{L^3 T} = 10^{-A0} = 5605.B28 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}}$
$1 \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 0.21A4498 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 5.6989AB \text{m} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 12B.73A8 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.009754954 \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2} = 87B36.44 \cdot 10^{-120}$	$1 \text{ni}'\text{upare}-\frac{M}{L^3 T^2} = 10^{-120} = 0.00001475B77 \text{k} \frac{\text{kg}}{\text{m}^3 \text{s}^2}$
$1 \text{m} \frac{\text{kg s}}{\text{m}^3} = 0.004B4B524 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 251.023A \text{m} \frac{\text{kg s}}{\text{m}^3}$
$1 \frac{\text{kg s}}{\text{m}^3} = 2.447089 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.4231247 \frac{\text{kg s}}{\text{m}^3}$
$1 \text{k} \frac{\text{kg s}}{\text{m}^3} = 17A9.245 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{MT}{L^3} = 10^{-40} = 0.00072A1A66 \text{k} \frac{\text{kg s}}{\text{m}^3}$
$1 \text{m} \frac{1}{\text{C}} = 72350.00 \cdot 10^{-20} \quad (*)$	$1 \text{ni}'\text{ure}-\frac{1}{Q} = 10^{-20} = 0.00001803A21 \text{m} \frac{1}{\text{C}}$
$1 \frac{1}{\text{C}} = 0.000041B2488 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 2A733.57 \frac{1}{\text{C}}$
$1 \text{k} \frac{1}{\text{C}} = 0.024A9135 \cdot 10^{-10}$	$1 \text{ni}'\text{upa}-\frac{1}{Q} = 10^{-10} = 4B.97159 \text{k} \frac{1}{\text{C}}$
$1 \text{m} \frac{1}{\text{s C}} = 24.69190 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.0505B64A \text{m} \frac{1}{\text{s C}}$
$1 \frac{1}{\text{s C}} = 14643.62 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{1}{TQ} = 10^{-50} = 0.00008865644 \frac{1}{\text{s C}}$
$1 \text{k} \frac{1}{\text{s C}} = 0.000009695988 \cdot 10^{-40}$	$1 \text{ni}'\text{ubo}-\frac{1}{TQ} = 10^{-40} = 130786.0 \text{k} \frac{1}{\text{s C}}$
$1 \text{m} \frac{1}{\text{s}^2 \text{C}} = 0.009557351 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 132.8B9A \text{m} \frac{1}{\text{s}^2 \text{C}}$
$1 \frac{1}{\text{s}^2 \text{C}} = 5.57B731 \cdot 10^{-80}$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.223958A \frac{1}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{1}{\text{s}^2 \text{C}} = 31BB.BB1 \cdot 10^{-80} \quad (*)$	$1 \text{ni}'\text{ubi}-\frac{1}{T^2 Q} = 10^{-80} = 0.0003958275 \text{k} \frac{1}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{s}{\text{C}} = 0.0001987957 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 6767.B56 \text{m} \frac{s}{\text{C}}$
$1 \frac{s}{\text{C}} = 0.106A091 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = B.557A82 \frac{s}{\text{C}}$
$1 \text{k} \frac{s}{\text{C}} = 73.35A70 \cdot 10^{20}$	$1 \text{re}-\frac{T}{Q} = 10^{20} = 0.01796737 \text{k} \frac{s}{\text{C}}$
$1 \text{m} \frac{m}{\text{C}} = 2.71A0B1 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.4757407 \text{m} \frac{m}{\text{C}}$
$1 \frac{m}{\text{C}} = 1604.139 \cdot 10^{10}$	$1 \text{pa}-\frac{L}{Q} = 10^{10} = 0.0007BA2151 \frac{m}{\text{C}}$
$1 \text{k} \frac{m}{\text{C}} = A52465.3 \cdot 10^{10}$	$1 \text{re}-\frac{L}{Q} = 10^{20} = 1197609. \text{k} \frac{m}{\text{C}}$
$1 \text{m} \frac{m}{\text{s C}} = 0.000A3908A1 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 11B6.820 \text{m} \frac{m}{\text{s C}}$
$1 \frac{m}{\text{s C}} = 0.5B74B15 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 2.016558 \frac{m}{\text{s C}}$
$1 \text{k} \frac{m}{\text{s C}} = 355.4166 \cdot 10^{-20}$	$1 \text{ni}'\text{ure}-\frac{L}{TQ} = 10^{-20} = 0.003583A3A \text{k} \frac{m}{\text{s C}}$
$1 \text{m} \frac{m}{\text{s}^2 \text{C}} = 34B740.A \cdot 10^{-60}$	$1 \text{ni}'\text{uxa}-\frac{L}{T^2 Q} = 10^{-60} = 0.000003621A50 \text{m} \frac{m}{\text{s}^2 \text{C}}$
$1 \frac{m}{\text{s}^2 \text{C}} = 0.0001B85B77 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = 60A7.789 \frac{m}{\text{s}^2 \text{C}}$
$1 \text{k} \frac{m}{\text{s}^2 \text{C}} = 0.1187815 \cdot 10^{-50}$	$1 \text{ni}'\text{umu}-\frac{L}{T^2 Q} = 10^{-50} = A.5B4581 \text{k} \frac{m}{\text{s}^2 \text{C}}$
$1 \text{m} \frac{ms}{\text{C}} = 7A13.673 \cdot 10^{40}$	$1 \text{vo}-\frac{LT}{Q} = 10^{40} = 0.0001644140 \text{m} \frac{ms}{\text{C}}$
$1 \frac{ms}{\text{C}} = 46563BA. \cdot 10^{40}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 278903.6 \frac{ms}{\text{C}}$
$1 \text{k} \frac{ms}{\text{C}} = 0.002762478 \cdot 10^{50}$	$1 \text{mu}-\frac{LT}{Q} = 10^{50} = 469.B336 \text{k} \frac{ms}{\text{C}}$
$1 \text{m} \frac{m^2}{\text{C}} = 0.0000B2B8613 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 10976.46 \text{m} \frac{m^2}{\text{C}}$
$1 \frac{m^2}{\text{C}} = 0.06613B90 \cdot 10^{40}$	$1 \text{vo}-\frac{L^2}{Q} = 10^{40} = 1A.15756 \frac{m^2}{\text{C}}$

$1k \frac{m^2}{C} = 39.252B7 \cdot 10^{40}$	$1 vo \frac{L^2}{Q} = 10^{40} = 0.03228908 k \frac{m^2}{C}$
$1m \frac{m^2}{sC} = 38822.7A \cdot 10^0$	$1 \frac{L^2}{TQ} = 1 = 0.00003280B39 m \frac{m^2}{sC}$
$1 \frac{m^2}{sC} = 0.000021A3611 \cdot 10^{10}$	$1 pa \frac{L^2}{TQ} = 10^{10} = 569B1.72 \frac{m^2}{sC}$
$1k \frac{m^2}{sC} = 0.012B6983 \cdot 10^{10}$	$1 pa \frac{L^2}{TQ} = 10^{10} = 97.58936 k \frac{m^2}{sC}$
$1m \frac{m^2}{s^2C} = 12.95B7A \cdot 10^{-30}$	$1 ni'uci \frac{L^2}{T^2Q} = 10^{-30} = 0.0989A812 m \frac{m^2}{s^2C}$
$1 \frac{m^2}{s^2C} = 8687.56B \cdot 10^{-30}$	$1 ni'uci \frac{L^2}{T^2Q} = 10^{-30} = 0.000149A570 \frac{m^2}{s^2C}$
$1k \frac{m^2}{s^2C} = 0.000004B53A61 \cdot 10^{-20}$	$1 ni'ure \frac{L^2}{T^2Q} = 10^{-20} = 250A02.A k \frac{m^2}{s^2C}$
$1m \frac{m^2 s}{C} = 0.29B89A2 \cdot 10^{70}$	$1 ze \frac{L^2 T}{Q} = 10^{70} = 4.2A3416 m \frac{m^2 s}{C}$
$1 \frac{m^2 s}{C} = 177.B5B1 \cdot 10^{70}$	$1 ze \frac{L^2 T}{Q} = 10^{70} = 0.0073A68A4 \frac{m^2 s}{C}$
$1k \frac{m^2 s}{C} = B4671.95 \cdot 10^{70}$	$1 ze \frac{L^2 T}{Q} = 10^{70} = 0.0000107A348 k \frac{m^2 s}{C}$
$1m \frac{1}{mC} = 0.0017AB934 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{LQ} = 10^{-40} = 729.2789 m \frac{1}{mC}$
$1 \frac{1}{mC} = 0.B637115 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{LQ} = 10^{-40} = 1.05B28B \frac{1}{mC}$
$1k \frac{1}{mC} = 680.4B31 \cdot 10^{-40}$	$1 ni'uvo \frac{1}{LQ} = 10^{-40} = 0.001971098 k \frac{1}{mC}$
$1m \frac{1}{msC} = 671412.5 \cdot 10^{-80}$	$1 ni'ubi \frac{1}{LTQ} = 10^{-80} = 0.0000019A13A2 m \frac{1}{msC}$
$1 \frac{1}{msC} = 0.0003994798 \cdot 10^{-70}$	$1 ni'uze \frac{1}{LTQ} = 10^{-70} = 318B.145 \frac{1}{msC}$
$1k \frac{1}{msC} = 0.225B236 \cdot 10^{-70}$	$1 ni'uze \frac{1}{LTQ} = 10^{-70} = 5.527A64 k \frac{1}{msC}$
$1m \frac{1}{ms^2C} = 222.3273 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{1}{LT^2Q} = 10^{-B0} = 0.0055B9485 m \frac{1}{ms^2C}$
$1 \frac{1}{ms^2C} = 131A50.1 \cdot 10^{-B0}$	$1 ni'ujauau \frac{1}{LT^2Q} = 10^{-A0} = 96024A4. \frac{1}{ms^2C}$
$1k \frac{1}{ms^2C} = 0.0000892B812 \cdot 10^{-A0}$	$1 ni'ujauau \frac{1}{LT^2Q} = 10^{-A0} = 14503.01 k \frac{1}{ms^2C}$
$1m \frac{s}{mC} = 5.01AB87 \cdot 10^{-10}$	$1 ni'upa \frac{T}{LQ} = 10^{-10} = 0.248824B m \frac{s}{mC}$
$1 \frac{s}{mC} = 2A99.368 \cdot 10^{-10}$	$1 ni'upa \frac{T}{LQ} = 10^{-10} = 0.0004177431 \frac{s}{mC}$
$1k \frac{s}{mC} = 0.000001819268 \cdot 10^0$	$1 \frac{T}{LQ} = 1 = 719276.7 k \frac{s}{mC}$
$1m \frac{1}{m^2C} = 47.1A997 \cdot 10^{-70}$	$1 ni'uze \frac{1}{L^2Q} = 10^{-70} = 0.0273B280 m \frac{1}{m^2C}$
$1 \frac{1}{m^2C} = 27B06.54 \cdot 10^{-70}$	$1 ni'uze \frac{1}{L^2Q} = 10^{-70} = 0.00004617485 \frac{1}{m^2C}$
$1k \frac{1}{m^2C} = 0.00001658049 \cdot 10^{-60}$	$1 ni'uxa \frac{1}{L^2Q} = 10^{-60} = 79665.2B k \frac{1}{m^2C}$
$1m \frac{1}{m^2sC} = 0.01631459 \cdot 10^{-A0}$	$1 ni'ujauau \frac{1}{L^2TQ} = 10^{-A0} = 7A.77614 m \frac{1}{m^2sC}$
$1 \frac{1}{m^2sC} = A.697653 \cdot 10^{-A0}$	$1 ni'ujauau \frac{1}{L^2TQ} = 10^{-A0} = 0.1176440 \frac{1}{m^2sC}$
$1k \frac{1}{m^2sC} = 6146.A40 \cdot 10^{-A0}$	$1 ni'ujauau \frac{1}{L^2TQ} = 10^{-A0} = 0.0001B66B64 k \frac{1}{m^2sC}$
$1m \frac{1}{m^2s^2C} = 6065096. \cdot 10^{-120}$	$1 ni'upapa \frac{1}{L^2T^2Q} = 10^{-110} = 1B9A60.1 m \frac{1}{m^2s^2C}$
$1 \frac{1}{m^2s^2C} = 0.0035B8722 \cdot 10^{-110}$	$1 ni'upapa \frac{1}{L^2T^2Q} = 10^{-110} = 351.BAA5 \frac{1}{m^2s^2C}$
$1k \frac{1}{m^2s^2C} = 2.036046 \cdot 10^{-110}$	$1 ni'upapa \frac{1}{L^2T^2Q} = 10^{-110} = 0.5B17507 k \frac{1}{m^2s^2C}$
$1m \frac{s}{m^2C} = 11A758.2 \cdot 10^{-40}$	$1 ni'uvo \frac{T}{L^2Q} = 10^{-40} = 0.00000A454760 m \frac{s}{m^2C}$
$1 \frac{s}{m^2C} = 0.00008051291 \cdot 10^{-30}$	$1 ni'uci \frac{T}{L^2Q} = 10^{-30} = 15B06.A1 \frac{s}{m^2C}$
$1k \frac{s}{m^2C} = 0.04797526 \cdot 10^{-30}$	$1 ni'uci \frac{T}{L^2Q} = 10^{-30} = 26.B7285 k \frac{s}{m^2C}$
$1m \frac{1}{m^3C} = 1089309. \cdot 10^{-A0}$	$1 ni'uso \frac{1}{L^3Q} = 10^{-90} = B38955.4 m \frac{1}{m^3C}$
$1 \frac{1}{m^3C} = 0.000744AB35 \cdot 10^{-90}$	$1 ni'uso \frac{1}{L^3Q} = 10^{-90} = 1766.666 \frac{1}{m^3C}$
$1k \frac{1}{m^3C} = 0.431B538 \cdot 10^{-90}$	$1 ni'uso \frac{1}{L^3Q} = 10^{-90} = 2.99364B k \frac{1}{m^3C}$
$1m \frac{1}{m^3sC} = 426.A636 \cdot 10^{-110}$	$1 ni'upapa \frac{1}{L^3TQ} = 10^{-110} = 0.002A202B5 m \frac{1}{m^3sC}$
$1 \frac{1}{m^3sC} = 253251.0 \cdot 10^{-110}$	$1 ni'upano \frac{1}{L^3TQ} = 10^{-100} = 4B06227. \frac{1}{m^3sC}$
$1k \frac{1}{m^3sC} = 0.00014B2AA0 \cdot 10^{-100}$	$1 ni'upano \frac{1}{L^3TQ} = 10^{-100} = 8603.937 k \frac{1}{m^3sC}$
$1m \frac{1}{m^3s^2C} = 0.148A960 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{L^3T^2Q} = 10^{-140} = 8.72710A m \frac{1}{m^3s^2C}$
$1 \frac{1}{m^3s^2C} = 98.31735 \cdot 10^{-140}$	$1 ni'upavo \frac{1}{L^3T^2Q} = 10^{-140} = 0.012A4350 \frac{1}{m^3s^2C}$
$1k \frac{1}{m^3s^2C} = 57345.1B \cdot 10^{-140}$	$1 ni'upavo \frac{1}{L^3T^2Q} = 10^{-140} = 0.000021824B4 k \frac{1}{m^3s^2C}$
$1m \frac{s}{m^3C} = 0.003255A9B \cdot 10^{-60}$	$1 ni'uxa \frac{T}{L^3Q} = 10^{-60} = 38B.2352 m \frac{s}{m^3C}$
$1 \frac{s}{m^3C} = 1.A3097A \cdot 10^{-60}$	$1 ni'uxa \frac{T}{L^3Q} = 10^{-60} = 0.65787A2 \frac{s}{m^3C}$
$1k \frac{s}{m^3C} = 10A6.770 \cdot 10^{-60}$	$1 ni'uxa \frac{T}{L^3Q} = 10^{-60} = 0.000B220205 k \frac{s}{m^3C}$
$1m \frac{kg}{C} = 3.A28146 \cdot 10^{-10}$	$1 ni'upa \frac{M}{Q} = 10^{-10} = 0.3147361 m \frac{kg}{C}$

$1 \frac{\text{kg}}{\text{C}} = 228B.B02 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa} \frac{M}{Q} = 10^{-10} = 0.00054723B4 \frac{\text{kg}}{\text{C}}$
$1 \mathbf{k} \frac{\text{kg}}{\text{C}} = 0.000001359152 \cdot 10^0$	$1 \frac{M}{Q} = 1 = 937651.1 \mathbf{k} \frac{\text{kg}}{\text{C}}$
$1 \mathbf{m} \frac{\text{kg}}{\text{sC}} = 0.001337514 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo} \frac{M}{TQ} = 10^{-40} = 94B.1A3B \mathbf{m} \frac{\text{kg}}{\text{sC}}$
$1 \frac{\text{kg}}{\text{sC}} = 0.8A316A1 \cdot 10^{-40}$	$1 \text{ ni}'\text{uvo} \frac{M}{TQ} = 10^{-40} = 1.43185B \frac{\text{kg}}{\text{sC}}$
$1 \mathbf{k} \frac{\text{kg}}{\text{sC}} = 515.B0AA \cdot 10^{-40}$	$1 \text{ ni}'\text{ubo} \frac{M}{TQ} = 10^{-40} = 0.00241257A \mathbf{k} \frac{\text{kg}}{\text{sC}}$
$1 \mathbf{m} \frac{\text{kg}}{\text{s}^2\text{C}} = 509501.6 \cdot 10^{-80}$	$1 \text{ ni}'\text{ubi} \frac{M}{T^2Q} = 10^{-80} = 0.0000024517A4 \mathbf{m} \frac{\text{kg}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg}}{\text{s}^2\text{C}} = 0.0002B21496 \cdot 10^{-70}$	$1 \text{ ni}'\text{uze} \frac{M}{T^2Q} = 10^{-70} = 4115.A05 \frac{\text{kg}}{\text{s}^2\text{C}}$
$1 \mathbf{k} \frac{\text{kg}}{\text{s}^2\text{C}} = 0.1843448 \cdot 10^{-70}$	$1 \text{ ni}'\text{uze} \frac{M}{T^2Q} = 10^{-70} = 7.0A770A \mathbf{k} \frac{\text{kg}}{\text{s}^2\text{C}}$
$1 \mathbf{m} \frac{\text{kg s}}{\text{C}} = B776.97B \cdot 10^{20}$	$1 \text{ re-} \frac{MT}{Q} = 10^{20} = 0.00010460A7 \mathbf{m} \frac{\text{kg s}}{\text{C}}$
$1 \frac{\text{kg s}}{\text{C}} = 6897A71 \cdot 10^{20}$	$1 \text{ ci-} \frac{MT}{Q} = 10^{30} = 194750.B \frac{\text{kg s}}{\text{C}}$
$1 \mathbf{k} \frac{\text{kg s}}{\text{C}} = 0.003A9188B \cdot 10^{30}$	$1 \text{ ci-} \frac{MT}{Q} = 10^{30} = 30B.52B1 \mathbf{k} \frac{\text{kg s}}{\text{C}}$
$1 \mathbf{m} \frac{\text{kg m}}{\text{C}} = 0.0001483259 \cdot 10^{20}$	$1 \text{ re-} \frac{ML}{Q} = 10^{20} = 8765.BBB \mathbf{m} \frac{\text{kg m}}{\text{C}} \quad (**)$
$1 \frac{\text{kg m}}{\text{C}} = 0.097A8B26 \cdot 10^{20}$	$1 \text{ re-} \frac{ML}{Q} = 10^{20} = 12.AB059 \frac{\text{kg m}}{\text{C}}$
$1 \mathbf{k} \frac{\text{kg m}}{\text{C}} = 57.09B46 \cdot 10^{20}$	$1 \text{ re-} \frac{ML}{Q} = 10^{20} = 0.02192103 \mathbf{k} \frac{\text{kg m}}{\text{C}}$
$1 \mathbf{m} \frac{\text{kg m}}{\text{sC}} = 56367.67 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure} \frac{ML}{TQ} = 10^{-20} = 0.0000220941B \mathbf{m} \frac{\text{kg m}}{\text{sC}}$
$1 \frac{\text{kg m}}{\text{sC}} = 0.00003244805 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa} \frac{ML}{TQ} = 10^{-10} = 39059.49 \frac{\text{kg m}}{\text{sC}}$
$1 \mathbf{k} \frac{\text{kg m}}{\text{sC}} = 0.01A25192 \cdot 10^{-10}$	$1 \text{ ni}'\text{upa} \frac{ML}{TQ} = 10^{-10} = 65.9B524 \mathbf{k} \frac{\text{kg m}}{\text{sC}}$
$1 \mathbf{m} \frac{\text{kg m}}{\text{s}^2\text{C}} = 19.B4367 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu} \frac{ML}{T^2Q} = 10^{-50} = 0.0668A150 \mathbf{m} \frac{\text{kg m}}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m}}{\text{s}^2\text{C}} = 1084A.60 \cdot 10^{-50}$	$1 \text{ ni}'\text{umu} \frac{ML}{T^2Q} = 10^{-50} = 0.0000B408326 \frac{\text{kg m}}{\text{s}^2\text{C}}$
$1 \mathbf{k} \frac{\text{kg m}}{\text{s}^2\text{C}} = 0.000007424630 \cdot 10^{-40}$	$1 \text{ ni}'\text{uve} \frac{ML}{T^2Q} = 10^{-40} = 177135.3 \mathbf{k} \frac{\text{kg m}}{\text{s}^2\text{C}}$
$1 \mathbf{m} \frac{\text{kg ms}}{\text{C}} = 0.424B741 \cdot 10^{50}$	$1 \text{ mu-} \frac{MLT}{Q} = 10^{50} = 2.A33937 \mathbf{m} \frac{\text{kg ms}}{\text{C}}$
$1 \frac{\text{kg ms}}{\text{C}} = 252.11B7 \cdot 10^{50}$	$1 \text{ mu-} \frac{MLT}{Q} = 10^{50} = 0.004B29029 \frac{\text{kg ms}}{\text{C}}$
$1 \mathbf{k} \frac{\text{kg ms}}{\text{C}} = 14A729.0 \cdot 10^{50}$	$1 \text{ xa-} \frac{MLT}{Q} = 10^{60} = 864218A. \mathbf{k} \frac{\text{kg ms}}{\text{C}}$
$1 \mathbf{m} \frac{\text{kg m}^2}{\text{C}} = 6038.253 \cdot 10^{40}$	$1 \text{ vo-} \frac{ML^2}{Q} = 10^{40} = 0.0001BA93B3 \mathbf{m} \frac{\text{kg m}^2}{\text{C}}$
$1 \frac{\text{kg m}^2}{\text{C}} = 35A16B7 \cdot 10^{40}$	$1 \text{ mu-} \frac{ML^2}{Q} = 10^{50} = 353674.7 \frac{\text{kg m}^2}{\text{C}}$
$1 \mathbf{k} \frac{\text{kg m}^2}{\text{C}} = 0.002027039 \cdot 10^{50}$	$1 \text{ mu-} \frac{ML^2}{Q} = 10^{50} = 5B4.3901 \mathbf{k} \frac{\text{kg m}^2}{\text{C}}$
$1 \mathbf{m} \frac{\text{kg m}^2}{\text{sC}} = 1.BB2A01 \cdot 10^{10} \quad (*)$	$1 \text{ pa-} \frac{ML^2}{TQ} = 10^{10} = 0.60236A4 \mathbf{m} \frac{\text{kg m}^2}{\text{sC}}$
$1 \frac{\text{kg m}^2}{\text{sC}} = 11A2.842 \cdot 10^{10}$	$1 \text{ pa-} \frac{ML^2}{TQ} = 10^{10} = 0.000A48B66A \frac{\text{kg m}^2}{\text{sC}}$
$1 \mathbf{k} \frac{\text{kg m}^2}{\text{sC}} = 802407.6 \cdot 10^{10}$	$1 \text{ re-} \frac{ML^2}{TQ} = 10^{20} = 15B6901. \mathbf{k} \frac{\text{kg m}^2}{\text{sC}}$
$1 \mathbf{m} \frac{\text{kg m}^2}{\text{s}^2\text{C}} = 0.0007B10485 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure} \frac{ML^2}{T^2Q} = 10^{-20} = 1620.AB7 \mathbf{m} \frac{\text{kg m}^2}{\text{s}^2\text{C}}$
$1 \frac{\text{kg m}^2}{\text{s}^2\text{C}} = 0.4703A08 \cdot 10^{-20}$	$1 \text{ ni}'\text{ure} \frac{ML^2}{T^2Q} = 10^{-20} = 2.74A03B \frac{\text{kg m}^2}{\text{s}^2\text{C}}$
$1 \mathbf{k} \frac{\text{kg m}^2}{\text{s}^2\text{C}} = 27A.167A \cdot 10^{-20}$	$1 \text{ ni}'\text{ure} \frac{ML^2}{T^2Q} = 10^{-20} = 0.004632090 \mathbf{k} \frac{\text{kg m}^2}{\text{s}^2\text{C}}$
$1 \mathbf{m} \frac{\text{kg m}^2\text{s}}{\text{C}} = 0.00001625126 \cdot 10^{80}$	$1 \text{ bi-} \frac{ML^2T}{Q} = 10^{80} = 7AB26.2B \mathbf{m} \frac{\text{kg m}^2\text{s}}{\text{C}}$
$1 \frac{\text{kg m}^2\text{s}}{\text{C}} = 0.00A64A107 \cdot 10^{80}$	$1 \text{ bi-} \frac{ML^2T}{Q} = 10^{80} = 118.067B \frac{\text{kg m}^2\text{s}}{\text{C}}$
$1 \mathbf{k} \frac{\text{kg m}^2\text{s}}{\text{C}} = 6.119747 \cdot 10^{80}$	$1 \text{ bi-} \frac{ML^2T}{Q} = 10^{80} = 0.1B757B5 \mathbf{k} \frac{\text{kg m}^2\text{s}}{\text{C}}$
$1 \mathbf{m} \frac{\text{kg}}{\text{mC}} = A8033.8A \cdot 10^{-40}$	$1 \text{ ni}'\text{uve} \frac{M}{LQ} = 10^{-40} = 0.0000115B799 \mathbf{m} \frac{\text{kg}}{\text{mC}}$
$1 \frac{\text{kg}}{\text{mC}} = 0.000062106BB \cdot 10^{-30} \quad (*)$	$1 \text{ ni}'\text{uci-} \frac{M}{LQ} = 10^{-30} = 1B3A7.66 \frac{\text{kg}}{\text{mC}}$
$1 \mathbf{k} \frac{\text{kg}}{\text{mC}} = 0.036A5B47 \cdot 10^{-30}$	$1 \text{ ni}'\text{uci-} \frac{M}{LQ} = 10^{-30} = 34.37863 \mathbf{k} \frac{\text{kg}}{\text{mC}}$
$1 \mathbf{m} \frac{\text{kg}}{\text{msC}} = 36.46953 \cdot 10^{-70}$	$1 \text{ ni}'\text{uze} \frac{M}{LTQ} = 10^{-70} = 0.03493475 \mathbf{m} \frac{\text{kg}}{\text{msC}}$
$1 \frac{\text{kg}}{\text{msC}} = 20638.57 \cdot 10^{-70}$	$1 \text{ ni}'\text{uze} \frac{M}{LTQ} = 10^{-70} = 0.00005A55905 \frac{\text{kg}}{\text{msC}}$
$1 \mathbf{k} \frac{\text{kg}}{\text{msC}} = 0.00001223989 \cdot 10^{-60}$	$1 \text{ ni}'\text{uxa-} \frac{M}{LTQ} = 10^{-60} = A18BA.40 \mathbf{k} \frac{\text{kg}}{\text{msC}}$
$1 \mathbf{m} \frac{\text{kg}}{\text{ms}^2\text{C}} = 0.01204306 \cdot 10^{-A0}$	$1 \text{ ni}'\text{ujauau-} \frac{M}{LT^2Q} = 10^{-A0} = A3.20361 \mathbf{m} \frac{\text{kg}}{\text{ms}^2\text{C}}$
$1 \frac{\text{kg}}{\text{ms}^2\text{C}} = 8.151657 \cdot 10^{-A0}$	$1 \text{ ni}'\text{ujauau-} \frac{M}{LT^2Q} = 10^{-A0} = 0.158A039 \frac{\text{kg}}{\text{ms}^2\text{C}}$
$1 \mathbf{k} \frac{\text{kg}}{\text{ms}^2\text{C}} = 4846.B43 \cdot 10^{-A0}$	$1 \text{ ni}'\text{ujauau-} \frac{M}{LT^2Q} = 10^{-A0} = 0.0002679435 \mathbf{k} \frac{\text{kg}}{\text{ms}^2\text{C}}$
$1 \mathbf{m} \frac{\text{kg s}}{\text{mC}} = 0.0002828952 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 4575.094 \mathbf{m} \frac{\text{kg s}}{\text{mC}}$
$1 \frac{\text{kg s}}{\text{mC}} = 0.1679782 \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 7.87A001 \frac{\text{kg s}}{\text{mC}} \quad (*)$
$1 \mathbf{k} \frac{\text{kg s}}{\text{mC}} = A9.6233A \cdot 10^0$	$1 \frac{MT}{LQ} = 1 = 0.011412B9 \mathbf{k} \frac{\text{kg s}}{\text{mC}}$

$$\begin{aligned}
1m \frac{kg}{m^2 C} &= 0.002566 BB1 \cdot 10^{-60} \quad (*) \\
1 \frac{kg}{m^2 C} &= 1.51246 A \cdot 10^{-60} \\
1k \frac{kg}{m^2 C} &= 9A8.BA47 \cdot 10^{-60} \\
1m \frac{kg}{m^2 s^2 C} &= 994692.A \cdot 10^{-A0} \\
1 \frac{kg}{m^2 s^2 C} &= 0.00057 B1842 \cdot 10^{-90} \\
1k \frac{kg}{m^2 s^2 C} &= 0.3338853 \cdot 10^{-90} \\
1m \frac{kg}{m^2 s^2 C} &= 32A.355A \cdot 10^{-110} \\
1 \frac{kg}{m^2 s^2 C} &= 1A5A14.1 \cdot 10^{-110} \\
1k \frac{kg}{m^2 s^2 C} &= 0.0001101 AA8 \cdot 10^{-100} \\
1m \frac{kg s}{m^2 C} &= 7.5315 B2 \cdot 10^{-30} \\
1 \frac{kg s}{m^2 C} &= 437A.446 \cdot 10^{-30} \\
1k \frac{kg s}{m^2 C} &= 0.0000025 A8739 \cdot 10^{-20} \\
1m \frac{kg}{m^3 C} &= 69.A0B82 \cdot 10^{-90} \\
1 \frac{kg}{m^3 C} &= 3B440.11 \cdot 10^{-90} \\
1k \frac{kg}{m^3 C} &= 0.0000234 A920 \cdot 10^{-80} \\
1m \frac{kg}{m^3 s^2 C} &= 0.02311333 \cdot 10^{-100} \\
1 \frac{kg}{m^3 s^2 C} &= 13.81821 \cdot 10^{-100} \\
1k \frac{kg}{m^3 s^2 C} &= 90A6.410 \cdot 10^{-100} \\
1m \frac{kg}{m^3 s^2 C} &= 8B75768. \cdot 10^{-140} \\
1 \frac{kg}{m^3 s^2 C} &= 0.005234652 \cdot 10^{-130} \\
1k \frac{kg}{m^3 s^2 C} &= 3.006160 \cdot 10^{-130} \quad (*) \\
1m \frac{kg s}{m^3 C} &= 187280.B \cdot 10^{-60} \\
1 \frac{kg s}{m^3 C} &= 0.0000BB09A8A \cdot 10^{-50} \quad (*) \\
1k \frac{kg s}{m^3 C} &= 0.06A96486 \cdot 10^{-50}
\end{aligned}$$

$$\begin{aligned}
1m C &= 4B.97159 \cdot 10^{10} \\
1 C &= 2A733.57 \cdot 10^{10} \\
1k C &= 0.00001803 A21 \cdot 10^{20} \\
1m \frac{C}{s} &= 0.01796737 \cdot 10^{-20} \\
1 \frac{C}{s} &= B.557A82 \cdot 10^{-20} \\
1k \frac{C}{s} &= 6767.B56 \cdot 10^{-20} \\
1m \frac{C}{s^2} &= 6677AB4. \cdot 10^{-60} \\
1 \frac{C}{s^2} &= 0.003961234 \cdot 10^{-50} \\
1k \frac{C}{s^2} &= 2.240432 \cdot 10^{-50} \\
1m s C &= 130786.0 \cdot 10^{40} \\
1 s C &= 0.00008865644 \cdot 10^{50} \\
1k s C &= 0.0505B64A \cdot 10^{50} \\
1m m C &= 0.001971098 \cdot 10^{40} \\
1 m C &= 1.05B28B \cdot 10^{40} \\
1k m C &= 729.2789 \cdot 10^{40} \\
1m \frac{m C}{s} &= 719276.7 \cdot 10^0 \\
1 \frac{m C}{s} &= 0.0004177431 \cdot 10^{10} \\
1k \frac{m C}{s} &= 0.248824B \cdot 10^{10} \\
1m \frac{m C}{s^2} &= 244.8639 \cdot 10^{-30} \\
1 \frac{m C}{s^2} &= 145206.6 \cdot 10^{-30} \\
1k \frac{m C}{s^2} &= 0.00009612 A53 \cdot 10^{-20} \\
1m m s C &= 5.527A64 \cdot 10^{70} \\
1 m s C &= 318B.145 \cdot 10^{70} \\
1k m s C &= 0.0000019 A13A2 \cdot 10^{80} \\
1m m^2 C &= 79665.2B \cdot 10^{60}
\end{aligned}$$

$$\begin{aligned}
1 ni'uxa \frac{M}{L^2 Q} &= 10^{-60} = 4A5.9152 m \frac{kg}{m^2 C} \\
1 ni'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.850783 B \frac{kg}{m^2 C} \\
1 ni'uxa \frac{M}{L^2 Q} &= 10^{-60} = 0.00126753 B k \frac{kg}{m^2 C} \\
1 ni'ujauau \frac{M}{L^2 T Q} &= 10^{-A0} = 0.000001287 A65 m \frac{kg}{m^2 s^2 C} \\
1 ni'uso \frac{M}{L^2 T Q} &= 10^{-90} = 2153.196 \frac{kg}{m^2 s^2 C} \\
1 ni'uso \frac{M}{L^2 T Q} &= 10^{-90} = 3.7B5 B08 k \frac{kg}{m^2 s^2 C} \\
1 ni'upapa \frac{M}{L^2 T^2 Q} &= 10^{-110} = 0.003857895 m \frac{kg}{m^2 s^2 C} \\
1 ni'upano \frac{M}{L^2 T^2 Q} &= 10^{-100} = 64A1795. \frac{kg}{m^2 s^2 C} \\
1 ni'upano \frac{M}{L^2 T^2 Q} &= 10^{-100} = B095.536 k \frac{kg}{m^2 s^2 C} \\
1 ni'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.1743862 m \frac{kg s}{m^2 C} \\
1 ni'uci \frac{MT}{L^2 Q} &= 10^{-30} = 0.00029551 B4 \frac{kg s}{m^2 C} \\
1 ni'ure \frac{MT}{L^2 Q} &= 10^{-20} = 499808.1 k \frac{kg s}{m^2 C} \\
1 ni'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.01914571 m \frac{kg}{m^3 C} \\
1 ni'uso \frac{M}{L^3 Q} &= 10^{-90} = 0.00003059 B12 \frac{kg}{m^3 C} \\
1 ni'ubi \frac{M}{L^3 Q} &= 10^{-80} = 53069.47 k \frac{kg}{m^3 C} \\
1 ni'upano \frac{M}{L^3 T Q} &= 10^{-100} = 53.94790 m \frac{kg}{m^3 s C} \\
1 ni'upano \frac{M}{L^3 T Q} &= 10^{-100} = 0.09227099 \frac{kg}{m^3 s C} \\
1 ni'upano \frac{M}{L^3 T Q} &= 10^{-100} = 0.00013 A5526 k \frac{kg}{m^3 s C} \\
1 ni'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 140810.0 m \frac{kg}{m^3 s^2 C} \\
1 ni'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 238.B343 \frac{kg}{m^3 s^2 C} \\
1 ni'upaci \frac{M}{L^3 T^2 Q} &= 10^{-130} = 0.3BB3A15 k \frac{kg}{m^3 s^2 C} \\
1 ni'uxa \frac{MT}{L^3 Q} &= 10^{-60} = 0.000006 B A6142 m \frac{kg s}{m^3 C} \\
1 ni'umu \frac{MT}{L^3 Q} &= 10^{-50} = 100B2.B9 \frac{kg s}{m^3 C} \quad (*) \\
1 ni'umu \frac{MT}{L^3 Q} &= 10^{-50} = 18.A5507 k \frac{kg s}{m^3 C}
\end{aligned}$$

$$\begin{aligned}
1 pa-Q &= 10^{10} = 0.024 A9135 m C \\
1 pa-Q &= 10^{10} = 0.000041 B2488 C \\
1 re-Q &= 10^{20} = 72350.00 k C \quad (*) \\
1 ni'ure \frac{Q}{T} &= 10^{-20} = 73.35 A70 m \frac{C}{s} \\
1 ni'ure \frac{Q}{T} &= 10^{-20} = 0.106 A091 \frac{C}{s} \\
1 ni'ure \frac{Q}{T} &= 10^{-20} = 0.0001987957 k \frac{C}{s} \\
1 ni'umu \frac{Q}{T^2} &= 10^{-50} = 19 B831.6 m \frac{C}{s^2} \\
1 ni'umu \frac{Q}{T^2} &= 10^{-50} = 31 B.7A14 \frac{C}{s^2} \\
1 ni'umu \frac{Q}{T^2} &= 10^{-50} = 0.5574522 k \frac{C}{s^2} \\
1 vo-T Q &= 10^{40} = 0.000009695988 m s C \\
1 mu-T Q &= 10^{50} = 14643.62 s C \\
1 mu-T Q &= 10^{50} = 24.69190 k s C \\
1 vo-L Q &= 10^{40} = 680.4B31 m m C \\
1 vo-L Q &= 10^{40} = 0. B637115 m C \\
1 vo-L Q &= 10^{40} = 0.0017 AB934 k m C \\
1 \frac{LQ}{T} &= 1 = 0.000001819268 m \frac{m}{s} \\
1 pa \frac{LQ}{T} &= 10^{10} = 2A99.368 \frac{m C}{s} \\
1 pa \frac{LQ}{T} &= 10^{10} = 5.01 A B87 k \frac{m C}{s} \\
1 ni'uci \frac{LQ}{T^2} &= 10^{-30} = 0.0050 A3 B A9 m \frac{m}{s^2} \\
1 ni'ure \frac{LQ}{T^2} &= 10^{-20} = 8920216. \frac{m C}{s^2} \\
1 ni'ure \frac{LQ}{T^2} &= 10^{-20} = 13189.18 k \frac{m C}{s^2} \\
1 ze-L T Q &= 10^{70} = 0.225 B236 m m s C \\
1 ze-L T Q &= 10^{70} = 0.0003994798 m s C \\
1 bi-L T Q &= 10^{80} = 671412.5 k m s C \\
1 xa-L^2 Q &= 10^{60} = 0.00001658049 m m^2 C
\end{aligned}$$

$1 \text{ m}^2 \text{ C} = 0.00004617485 \cdot 10^{70}$	$1 \text{ ze-}L^2Q = 10^{70} = 27B06.54 \text{ m}^2 \text{ C}$
$1 \text{ k m}^2 \text{ C} = 0.0273B280 \cdot 10^{70}$	$1 \text{ ze-}L^2Q = 10^{70} = 47.1A997 \text{ k m}^2 \text{ C}$
$1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}} = 26.B7285 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2Q}{T} = 10^{30} = 0.04797526 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1 \frac{\text{m}^2 \text{ C}}{\text{s}} = 15B06.A1 \cdot 10^{30}$	$1 \text{ ci-} \frac{L^2Q}{T} = 10^{30} = 0.00008051291 \text{ } \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}} = 0.00000A454760 \cdot 10^{40}$	$1 \text{ vo-} \frac{L^2Q}{T} = 10^{40} = 11A758.2 \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}}$
$1 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2} = 0.00A3020A0 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 120.6956 \text{ m} \frac{\text{m}^2 \text{ C}}{\text{s}^2}$
$1 \frac{\text{m}^2 \text{ C}}{\text{s}^2} = 5.B23245$	$1 \frac{L^2Q}{T^2} = 1 = 0.2033465 \frac{\text{m}^2 \text{ C}}{\text{s}^2}$
$1 \text{k} \frac{\text{m}^2 \text{ C}}{\text{s}^2} = 3524.4A6 \cdot 10^0$	$1 \frac{L^2Q}{T^2} = 1 = 0.00035B401A \text{ k} \frac{\text{m}^2 \text{ C}}{\text{s}^2}$
$1 \text{ m m}^2 \text{ s C} = 0.0001B66B64 \cdot 10^{A0}$	$1 \text{ jauau-}L^2TQ = 10^{A0} = 6146.A40 \text{ m m}^2 \text{ s C}$
$1 \text{ m}^2 \text{ s C} = 0.1176440 \cdot 10^{A0}$	$1 \text{ jauau-}L^2TQ = 10^{A0} = A.697653 \text{ m}^2 \text{ s C}$
$1 \text{k m}^2 \text{ s C} = 7A.77614 \cdot 10^{A0}$	$1 \text{ jauau-}L^2TQ = 10^{A0} = 0.01631459 \text{ k m}^2 \text{ s C}$
$1 \text{ m} \frac{\text{C}}{\text{m}} = 1197609. \cdot 10^{-20}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = A52465.3 \text{ m} \frac{\text{C}}{\text{m}}$
$1 \frac{\text{C}}{\text{m}} = 0.0007BA2151 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = 1604.139 \frac{\text{C}}{\text{m}}$
$1 \text{k} \frac{\text{C}}{\text{m}} = 0.4757407 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{Q}{L} = 10^{-10} = 2.71A0B1 \text{ k} \frac{\text{C}}{\text{m}}$
$1 \text{ m} \frac{\text{C}}{\text{m s}} = 469.B336 \cdot 10^{-50}$	$1 \text{ ni'umu-} \frac{Q}{LT} = 10^{-50} = 0.002762478 \text{ m} \frac{\text{C}}{\text{m s}}$
$1 \frac{\text{C}}{\text{m s}} = 278903.6 \cdot 10^{-50}$	$1 \text{ ni'uvvo-} \frac{Q}{LT} = 10^{-40} = 46563BA. \frac{\text{C}}{\text{m s}}$
$1 \text{k} \frac{\text{C}}{\text{m s}} = 0.0001644140 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{LT} = 10^{-40} = 7A13.673 \text{ k} \frac{\text{C}}{\text{m s}}$
$1 \text{ m} \frac{\text{C}}{\text{m s}^2} = 0.1619775 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 7.B2569B \text{ m} \frac{\text{C}}{\text{m s}^2}$
$1 \frac{\text{C}}{\text{m s}^2} = A6.062AB \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 0.01186217 \frac{\text{C}}{\text{m s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m s}^2} = 60B37.42 \cdot 10^{-80}$	$1 \text{ ni'ubi-} \frac{Q}{LT^2} = 10^{-80} = 0.00001B83468 \text{ k} \frac{\text{C}}{\text{m s}^2}$
$1 \text{ m} \frac{\text{s C}}{\text{m}} = 0.003583A3A \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 355.4166 \text{ m} \frac{\text{s C}}{\text{m}}$
$1 \frac{\text{s C}}{\text{m}} = 2.016558 \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 0.5B74B15 \frac{\text{s C}}{\text{m}}$
$1 \text{k} \frac{\text{s C}}{\text{m}} = 11B6.820 \cdot 10^{20}$	$1 \text{ re-} \frac{TQ}{L} = 10^{20} = 0.000A3908A1 \text{ k} \frac{\text{s C}}{\text{m}}$
$1 \text{ m} \frac{\text{C}}{\text{m}^2} = 0.03228908 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{L^2} = 10^{-40} = 39.252B7 \text{ m} \frac{\text{C}}{\text{m}^2}$
$1 \frac{\text{C}}{\text{m}^2} = 1A.15756 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{L^2} = 10^{-40} = 0.06613B90 \frac{\text{C}}{\text{m}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2} = 10976.46 \cdot 10^{-40}$	$1 \text{ ni'uvvo-} \frac{Q}{L^2} = 10^{-40} = 0.0000B2B8613 \text{ k} \frac{\text{C}}{\text{m}^2}$
$1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0000107A348 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = B4671.95 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}} = 0.0073A68A4 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = 177.B5B1 \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}} = 4.2A3416 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^2T} = 10^{-70} = 0.29B89A2 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}}$
$1 \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2} = 4232.B26 \cdot 10^{-B0}$	$1 \text{ ni'uvaiei-} \frac{Q}{L^2T^2} = 10^{-B0} = 0.0002A45A5A \text{ m} \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^2 \text{s}^2} = 0.000002511246 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} = 10^{-A0} = 4B4946.B \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^2 \text{s}^2} = 0.0014A037A \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^2T^2} = 10^{-A0} = 867.82B0 \text{ k} \frac{\text{C}}{\text{m}^2 \text{s}^2}$
$1 \text{ m} \frac{\text{s C}}{\text{m}^2} = 97.58936 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.012B6983 \text{ m} \frac{\text{s C}}{\text{m}^2}$
$1 \frac{\text{s C}}{\text{m}^2} = 569B1.72 \cdot 10^{-10}$	$1 \text{ ni'upa-} \frac{TQ}{L^2} = 10^{-10} = 0.000021A3611 \frac{\text{s C}}{\text{m}^2}$
$1 \text{k} \frac{\text{s C}}{\text{m}^2} = 0.00003280B39 \cdot 10^0$	$1 \frac{TQ}{L^2} = 1 = 38822.7A \text{ k} \frac{\text{s C}}{\text{m}^2}$
$1 \text{ m} \frac{\text{C}}{\text{m}^3} = 89A.64B3 \cdot 10^{-70}$	$1 \text{ ni'uze-} \frac{Q}{L^3} = 10^{-70} = 0.00143A21B \text{ m} \frac{\text{C}}{\text{m}^3}$
$1 \frac{\text{C}}{\text{m}^3} = 51331A.4 \cdot 10^{-70}$	$1 \text{ ni'uxa-} \frac{Q}{L^3} = 10^{-60} = 242513B. \frac{\text{C}}{\text{m}^3}$
$1 \text{k} \frac{\text{C}}{\text{m}^3} = 0.0002B55BAB \cdot 10^{-60}$	$1 \text{ ni'uxa-} \frac{Q}{L^3} = 10^{-60} = 4089.723 \text{ k} \frac{\text{C}}{\text{m}^3}$
$1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}} = 0.2B07182 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 4.137518 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}} = 183.4970 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 0.00712398B \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}} = B8A33.A7 \cdot 10^{-A0}$	$1 \text{ ni'ujauau-} \frac{Q}{L^3T} = 10^{-A0} = 0.00001032694 \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}}$
$1 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0000B729651 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 104B1.B7 \text{ m} \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \frac{\text{C}}{\text{m}^3 \text{s}^2} = 0.0686A8A7 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 19.54277 \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \text{k} \frac{\text{C}}{\text{m}^3 \text{s}^2} = 3A.76670 \cdot 10^{-110}$	$1 \text{ ni'upapa-} \frac{Q}{L^3T^2} = 10^{-110} = 0.0310853A \text{ k} \frac{\text{C}}{\text{m}^3 \text{s}^2}$
$1 \text{ m} \frac{\text{s C}}{\text{m}^3} = 227A049. \cdot 10^{-40}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 549BB9.6 \text{ m} \frac{\text{s C}}{\text{m}^3} \quad (*)$
$1 \frac{\text{s C}}{\text{m}^3} = 0.001351101 \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 940.46B3 \frac{\text{s C}}{\text{m}^3}$
$1 \text{k} \frac{\text{s C}}{\text{m}^3} = 0.8B1423A \cdot 10^{-30}$	$1 \text{ ni'uci-} \frac{TQ}{L^3} = 10^{-30} = 1.417112 \text{ k} \frac{\text{s C}}{\text{m}^3}$
$1 \text{ m kg C} = 0.002805012 \cdot 10^{20}$	$1 \text{ re-} MQ = 10^{20} = 45B.3685 \text{ m kg C}$
$1 \text{ kg C} = 1.665694 \cdot 10^{20}$	$1 \text{ re-} MQ = 10^{20} = 0.7926411 \text{ kg C}$
$1 \text{k kg C} = A88.A789 \cdot 10^{20}$	$1 \text{ re-} MQ = 10^{20} = 0.001150998 \text{ k kg C}$

$$\begin{aligned}
1m \frac{kg \cdot C}{s} &= A730B7.0 \cdot 10^{-20} \\
1 \frac{kg \cdot C}{s} &= 0.0006178885 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{s} &= 0.3674BB1 \cdot 10^{-10} \quad (*) \\
1m \frac{kg \cdot C}{s^2} &= 361.6312 \cdot 10^{-50} \\
1 \frac{kg \cdot C}{s^2} &= 204669.6 \cdot 10^{-50} \\
1k \frac{kg \cdot C}{s^2} &= 0.00012136B2 \cdot 10^{-40} \\
1m kg \cdot s \cdot C &= 8.092B99 \cdot 10^{50} \\
1 kg \cdot s \cdot C &= 4800.289 \cdot 10^{50} \quad (*) \\
1k kg \cdot s \cdot C &= 0.00000284A96B \cdot 10^{60} \\
1m kg \cdot m \cdot C &= B6965.55 \cdot 10^{40} \\
1 kg \cdot m \cdot C &= 0.0000683A29A \cdot 10^{50} \\
1k kg \cdot m \cdot C &= 0.03A5950B \cdot 10^{50} \\
1m \frac{kg \cdot m \cdot C}{s} &= 39.B4335 \cdot 10^{10} \\
1 \frac{kg \cdot m \cdot C}{s} &= 2270A.42 \cdot 10^{10} \\
1k \frac{kg \cdot m \cdot C}{s} &= 0.0000134793A \cdot 10^{20} \\
1m \frac{kg \cdot m \cdot C}{s^2} &= 0.013262A2 \cdot 10^{-20} \\
1 \frac{kg \cdot m \cdot C}{s^2} &= 8.975B94 \cdot 10^{-20} \\
1k \frac{kg \cdot m \cdot C}{s^2} &= 5116.0A6 \cdot 10^{-20} \\
1m kg \cdot m \cdot s \cdot C &= 0.0002AB3316 \cdot 10^{80} \\
1 kg \cdot m \cdot s \cdot C &= 0.1827738 \cdot 10^{80} \\
1k kg \cdot m \cdot s \cdot C &= B8.4B611 \cdot 10^{80} \\
1m kg \cdot m^2 \cdot C &= 4.2141AA \cdot 10^{70} \\
1 kg \cdot m^2 \cdot C &= 2500.027 \cdot 10^{70} \quad (*) \\
1k kg \cdot m^2 \cdot C &= 0.000001494816 \cdot 10^{80} \\
1m \frac{kg \cdot m^2 \cdot C}{s} &= 0.0014709A4 \cdot 10^{40} \\
1 \frac{kg \cdot m^2 \cdot C}{s} &= 0.972505B \cdot 10^{40} \\
1k \frac{kg \cdot m^2 \cdot C}{s} &= 568.0181 \cdot 10^{40} \\
1m \frac{kg \cdot m^2 \cdot C}{s^2} &= 55A95A.1 \cdot 10^0 \\
1 \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.0003217727 \cdot 10^{10} \\
1k \frac{kg \cdot m^2 \cdot C}{s^2} &= 0.1A0A015 \cdot 10^{10} \\
1m kg \cdot m^2 \cdot s \cdot C &= 10746.71 \cdot 10^{40} \\
1 kg \cdot m^2 \cdot s \cdot C &= 7372B10. \cdot 10^{40} \\
1k kg \cdot m^2 \cdot s \cdot C &= 0.004284377 \cdot 10^{B0} \\
1m \frac{kg \cdot C}{m} &= 74.88685 \cdot 10^{-10} \\
1 \frac{kg \cdot C}{m} &= 4341A.13 \cdot 10^{-10} \\
1k \frac{kg \cdot C}{m} &= 0.00002586A16 \cdot 10^0 \\
1m \frac{kg \cdot C}{m \cdot s} &= 0.02545637 \cdot 10^{-40} \\
1 \frac{kg \cdot C}{m \cdot s} &= 14.BB785 \cdot 10^{-40} \quad (*) \\
1k \frac{kg \cdot C}{m \cdot s} &= 9A05.61A \cdot 10^{-40} \\
1m \frac{kg \cdot C}{m \cdot s^2} &= 988171B. \cdot 10^{-80} \\
1 \frac{kg \cdot C}{m \cdot s^2} &= 0.005763191 \cdot 10^{-70} \\
1k \frac{kg \cdot C}{m \cdot s^2} &= 3.30A9A2 \cdot 10^{-70} \\
1m \frac{kg \cdot s \cdot C}{m} &= 1A4035.6 \cdot 10^{20} \\
1 \frac{kg \cdot s \cdot C}{m} &= 0.00010B1340 \cdot 10^{30} \\
1k \frac{kg \cdot s \cdot C}{m} &= 0.0759165A \cdot 10^{30} \\
1m \frac{kg \cdot C}{m^2} &= 1858ABA. \cdot 10^{-40} \\
1 \frac{kg \cdot C}{m^2} &= 0.000BA266B7 \cdot 10^{-30} \\
1k \frac{kg \cdot C}{m^2} &= 0.6A37044 \cdot 10^{-30} \\
1m \frac{kg \cdot C}{m^2 \cdot s} &= 694.2525 \cdot 10^{-70} \\
1 \frac{kg \cdot C}{m^2 \cdot s} &= 3B0B22.A \cdot 10^{-70}
\end{aligned}$$

$$\begin{aligned}
1 ni'ure \frac{MQ}{T} &= 10^{-20} = 0.00000116B431 m \frac{kg \cdot C}{s} \\
1 ni'upa \frac{MQ}{T} &= 10^{-10} = 1B56.A2A \frac{kg \cdot C}{s} \\
1 ni'upa \frac{MQ}{T} &= 10^{-10} = 3.4667A9 k \frac{kg \cdot C}{s} \\
1 ni'umu \frac{MQ}{T^2} &= 10^{-50} = 0.0035028A7 m \frac{kg \cdot C}{s^2} \\
1 ni'uvo \frac{MQ}{T^2} &= 10^{-40} = 5AA6A1B. \frac{kg \cdot C}{s^2} \\
1 ni'uvo \frac{MQ}{T^2} &= 10^{-40} = A259.521 k \frac{kg \cdot C}{s^2} \\
1 mu \cdot MTQ &= 10^{50} = 0.15A3433 m \cdot kg \cdot s \cdot C \\
1 mu \cdot MTQ &= 10^{50} = 0.00026A3378 kg \cdot s \cdot C \\
1 xa \cdot MTQ &= 10^{60} = 453A04.1 k \cdot kg \cdot s \cdot C \\
1 vo \cdot MLQ &= 10^{40} = 0.0000105497A m \cdot kg \cdot m \cdot C \\
1 mu \cdot MLQ &= 10^{50} = 1961B.72 kg \cdot m \cdot C \\
1 mu \cdot MLQ &= 10^{50} = 31.21352 k \cdot kg \cdot m \cdot C \\
1 pa \cdot \frac{MLQ}{T} &= 10^{10} = 0.03173860 m \frac{kg \cdot m \cdot C}{s} \\
1 pa \cdot \frac{MLQ}{T} &= 10^{10} = 0.000054BA416 \frac{kg \cdot m \cdot C}{s} \\
1 re \cdot \frac{MLQ}{T} &= 10^{20} = 94372.75 k \frac{kg \cdot m \cdot C}{s} \\
1 ni'ure \frac{MLQ}{T^2} &= 10^{-20} = 95.73949 m \frac{kg \cdot m \cdot C}{s^2} \\
1 ni'ure \frac{MLQ}{T^2} &= 10^{-20} = 0.1443986 \frac{kg \cdot m \cdot C}{s^2} \\
1 ni'ure \frac{MLQ}{T^2} &= 10^{-20} = 0.0002432A07 k \frac{kg \cdot m \cdot C}{s^2} \\
1 bi \cdot MLTQ &= 10^{80} = 4155.A03 m \cdot kg \cdot m \cdot s \cdot C \\
1 bi \cdot MLTQ &= 10^{80} = 7.156646 kg \cdot m \cdot s \cdot C \\
1 bi \cdot MLTQ &= 10^{80} = 0.01038183 k \cdot kg \cdot m \cdot s \cdot C \\
1 ze \cdot ML^2Q &= 10^{70} = 0.2A595B5 m \cdot kg \cdot m^2 \cdot C \\
1 ze \cdot ML^2Q &= 10^{70} = 0.0004B70464 kg \cdot m^2 \cdot C \\
1 bi \cdot ML^2Q &= 10^{80} = 86B6A8.6 k \cdot kg \cdot m^2 \cdot C \\
1 vo \cdot \frac{ML^2Q}{T} &= 10^{40} = 881.B947 m \frac{kg \cdot m^2 \cdot C}{s} \\
1 vo \cdot \frac{ML^2Q}{T} &= 10^{40} = 1.2BBB76 \frac{kg \cdot m^2 \cdot C}{s} \quad (**) \\
1 vo \cdot \frac{ML^2Q}{T} &= 10^{40} = 0.0021B0514 k \frac{kg \cdot m^2 \cdot C}{s} \\
1 \frac{ML^2Q}{T^2} &= 1 = 0.000002227B46 m \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 pa \cdot \frac{ML^2Q}{T^2} &= 10^{10} = 3938.A08 \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 pa \cdot \frac{ML^2Q}{T^2} &= 10^{10} = 6.636B06 k \frac{kg \cdot m^2 \cdot C}{s^2} \\
1 jauau \cdot ML^2TQ &= 10^{A0} = 0.0000B4B9261 m \cdot kg \cdot m^2 \cdot s \cdot C \\
1 vaiei \cdot ML^2TQ &= 10^{B0} = 178851.B kg \cdot m^2 \cdot s \cdot C \\
1 vaiei \cdot ML^2TQ &= 10^{B0} = 2A1.031B k \cdot kg \cdot m^2 \cdot s \cdot C \\
1 ni'upa \cdot \frac{MQ}{L} &= 10^{-10} = 0.017585B5 m \frac{kg \cdot C}{m} \\
1 ni'upa \cdot \frac{MQ}{L} &= 10^{-10} = 0.0000297A204 \frac{kg \cdot C}{m} \\
1 \frac{MQ}{L} &= 1 = 4A1A2.1B k \frac{kg \cdot C}{m} \\
1 ni'uvo \cdot \frac{MQ}{LT} &= 10^{-40} = 4A.9B9B2 m \frac{kg \cdot C}{ms} \\
1 ni'uvo \cdot \frac{MQ}{LT} &= 10^{-40} = 0.0857B39A \frac{kg \cdot C}{ms} \\
1 ni'uvo \cdot \frac{MQ}{LT} &= 10^{-40} = 0.000127808B k \frac{kg \cdot C}{ms} \\
1 ni'uze \cdot \frac{MQ}{LT^2} &= 10^{-70} = 129878.7 m \frac{kg \cdot C}{ms^2} \\
1 ni'uze \cdot \frac{MQ}{LT^2} &= 10^{-70} = 217.125A \frac{kg \cdot C}{ms^2} \\
1 ni'uze \cdot \frac{MQ}{LT^2} &= 10^{-70} = 0.3828055 k \frac{kg \cdot C}{ms^2} \\
1 re \cdot \frac{MTQ}{L} &= 10^{20} = 0.000006544898 m \frac{kg \cdot s \cdot C}{m} \\
1 ci \cdot \frac{MTQ}{L} &= 10^{30} = B183.230 \frac{kg \cdot s \cdot C}{m} \\
1 ci \cdot \frac{MTQ}{L} &= 10^{30} = 17.30207 k \frac{kg \cdot s \cdot C}{m} \\
1 ni'uci \cdot \frac{MQ}{L^2} &= 10^{-30} = 7046A1.3 m \frac{kg \cdot C}{m^2} \\
1 ni'uci \cdot \frac{MQ}{L^2} &= 10^{-30} = 1019.87A \frac{kg \cdot C}{m^2} \\
1 ni'uci \cdot \frac{MQ}{L^2} &= 10^{-30} = 1.8BB628 k \frac{kg \cdot C}{m^2} \quad (*) \\
1 ni'uze \cdot \frac{MQ}{L^2T} &= 10^{-70} = 0.00192A936 m \frac{kg \cdot C}{m^2 \cdot s} \\
1 ni'uxa \cdot \frac{MQ}{L^2T} &= 10^{-60} = 308568B. \frac{kg \cdot C}{m^2 \cdot s}
\end{aligned}$$

$1k \frac{kg\ C}{m^2 s} = 0.000232B182 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^2 T} = 10^{-60} = 5351.54B k \frac{kg\ C}{m^2 s}$
$1m \frac{kg\ C}{m^2 s^2} = 0.22B1B08 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 5.41BB51 m \frac{kg\ C}{m^2 s^2}$ (*)
$1 \frac{kg\ C}{m^2 s^2} = 137.0201 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.0092A6779 \frac{kg\ C}{m^2 s^2}$
$1k \frac{kg\ C}{m^2 s^2} = 90285.B6 \cdot 10^{-A0}$	$1 ni'ujauau - \frac{MQ}{L^2 T^2} = 10^{-A0} = 0.000013B7242 k \frac{kg\ C}{m^2 s^2}$
$1m \frac{kg\ s\ C}{m^2} = 0.0051A4111 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 23B.2481 m \frac{kg\ s\ C}{m^2}$
$1 \frac{kg\ s\ C}{m^2} = 2.B9718B$	$1 \frac{MTQ}{L^2} = 1 = 0.4032832 \frac{kg\ s\ C}{m^2}$
$1k \frac{kg\ s\ C}{m^2} = 1887.375 \cdot 10^0$	$1 \frac{MTQ}{L^2} = 1 = 0.0006B4A959 k \frac{kg\ s\ C}{m^2}$
$1m \frac{kg\ C}{m^3} = 0.0488767A \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 26.57112 m \frac{kg\ C}{m^3}$
$1 \frac{kg\ C}{m^3} = 28.9A716 \cdot 10^{-60}$	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.04478A89 \frac{kg\ C}{m^3}$
$1k \frac{kg\ C}{m^3} = 16BB3.6A \cdot 10^{-60}$ (*)	$1 ni'uxa - \frac{MQ}{L^3} = 10^{-60} = 0.000076B7951 k \frac{kg\ C}{m^3}$
$1m \frac{kg\ C}{m^3 s} = 0.0000169392B \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 78046.52 m \frac{kg\ C}{m^3 s}$
$1 \frac{kg\ C}{m^3 s} = 0.00AA48220 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 113.0447 \frac{kg\ C}{m^3 s}$
$1k \frac{kg\ C}{m^3 s} = 6.355A18 \cdot 10^{-90}$	$1 ni'uso - \frac{MQ}{L^3 T} = 10^{-90} = 0.1AA97A4 k \frac{kg\ C}{m^3 s}$
$1m \frac{kg\ C}{m^3 s^2} = 6270.72B \cdot 10^{-110}$	$1 ni'upapa - \frac{MQ}{L^3 T^2} = 10^{-110} = 0.0001B20136 m \frac{kg\ C}{m^3 s^2}$
$1 \frac{kg\ C}{m^3 s^2} = 0.00000371B764 \cdot 10^{-100}$	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 340496.3 \frac{kg\ C}{m^3 s^2}$
$1k \frac{kg\ C}{m^3 s^2} = 0.0020B900B \cdot 10^{-100}$ (*)	$1 ni'upano - \frac{MQ}{L^3 T^2} = 10^{-100} = 592.1691 k \frac{kg\ C}{m^3 s^2}$
$1m \frac{kg\ s\ C}{m^3} = 123.406A \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.00A103633 m \frac{kg\ s\ C}{m^3}$
$1 \frac{kg\ s\ C}{m^3} = 831A1.32 \cdot 10^{-30}$	$1 ni'uci - \frac{MTQ}{L^3} = 10^{-30} = 0.00001551691 \frac{kg\ s\ C}{m^3}$
$1k \frac{kg\ s\ C}{m^3} = 0.00004946961 \cdot 10^{-20}$	$1 ni'ure - \frac{MTQ}{L^3} = 10^{-20} = 26146.38 k \frac{kg\ s\ C}{m^3}$
<hr/>	
$1m \frac{1}{K} = 257.5B3A \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.004A3B606 m \frac{1}{K}$
$1 \frac{1}{K} = 151887.4 \cdot 10^{20}$	$1 re - \frac{1}{\Theta} = 10^{20} = 0.000008496413 \frac{1}{K}$
$1k \frac{1}{K} = 0.00009B07A54 \cdot 10^{30}$	$1 ci - \frac{1}{\Theta} = 10^{30} = 12620.95 k \frac{1}{K}$
$1m \frac{1}{sK} = 0.09982326 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 12.8252A m \frac{1}{sK}$
$1 \frac{1}{sK} = 58.12A50 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.021458B6 \frac{1}{sK}$
$1k \frac{1}{sK} = 334B3.30 \cdot 10^{-10}$	$1 ni'upa - \frac{1}{T\Theta} = 10^{-10} = 0.000037A1810 k \frac{1}{sK}$
$1m \frac{1}{s^2 K} = 0.000032B5A34 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 38433.65 m \frac{1}{s^2 K}$
$1 \frac{1}{s^2 K} = 0.01A66541 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 64.792B4 \frac{1}{s^2 K}$
$1k \frac{1}{s^2 K} = 11.06891 \cdot 10^{-40}$	$1 ni'uvo - \frac{1}{T^2\Theta} = 10^{-40} = 0.0B054439 k \frac{1}{s^2 K}$
$1m \frac{s}{K} = 755A6A.4 \cdot 10^{50}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 1738679. m \frac{s}{K}$
$1 \frac{s}{K} = 0.0004395610 \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 2944.96A \frac{s}{K}$
$1k \frac{s}{K} = 0.25B782B \cdot 10^{60}$	$1 xa - \frac{T}{\Theta} = 10^{60} = 4.97A834 k \frac{s}{K}$
$1m \frac{m}{K} = 0.00A842905 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 115.67B4 m \frac{m}{K}$
$1 \frac{m}{K} = 6.234055 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.1B32011 \frac{m}{K}$
$1k \frac{m}{K} = 36B9.A06 \cdot 10^{50}$	$1 mu - \frac{L}{\Theta} = 10^{50} = 0.0003424991 k \frac{m}{K}$
$1m \frac{m}{sK} = 0.00000365A5AA \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 348039.3 m \frac{m}{sK}$
$1 \frac{m}{sK} = 0.002070964 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 5A3.3864 \frac{m}{sK}$
$1k \frac{m}{sK} = 1.2290A2 \cdot 10^{20}$	$1 re - \frac{L}{T\Theta} = 10^{20} = 0.A152A3A k \frac{m}{sK}$
$1m \frac{m}{s^2 K} = 1209.552 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000A2A2924 m \frac{m}{s^2 K}$
$1 \frac{m}{s^2 K} = 818178.7 \cdot 10^{-20}$	$1 ni'ure - \frac{L}{T^2\Theta} = 10^{-20} = 0.000001583579 \frac{m}{s^2 K}$
$1k \frac{m}{s^2 K} = 0.0004863A0B \cdot 10^{-10}$	$1 ni'upa - \frac{L}{T^2\Theta} = 10^{-10} = 266A.042 k \frac{m}{s^2 K}$
$1m \frac{ms}{K} = 28.3888B \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.045592B6 m \frac{ms}{K}$
$1 \frac{ms}{K} = 16846.74 \cdot 10^{80}$	$1 bi - \frac{LT}{\Theta} = 10^{80} = 0.0000784B907 \frac{ms}{K}$
$1k \frac{ms}{K} = A9A2332 \cdot 10^{80}$	$1 so - \frac{LT}{\Theta} = 10^{90} = 113839.7 k \frac{ms}{K}$
$1m \frac{m^2}{K} = 3A412B.1 \cdot 10^{70}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 3135583. m \frac{m^2}{K}$
$1 \frac{m^2}{K} = 0.00022999B7 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 5452.550 \frac{m^2}{K}$
$1k \frac{m^2}{K} = 0.1362A33 \cdot 10^{80}$	$1 bi - \frac{L^2}{\Theta} = 10^{80} = 9.3411B7 k \frac{m^2}{K}$
$1m \frac{m^2}{sK} = 134.111B \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.009478152 m \frac{m^2}{sK}$
$1 \frac{m^2}{sK} = 8A64B.45 \cdot 10^{40}$	$1 vo - \frac{L^2}{T\Theta} = 10^{40} = 0.00001427845 \frac{m^2}{sK}$
$1k \frac{m^2}{sK} = 0.00005179A44 \cdot 10^{50}$	$1 mu - \frac{L^2}{T\Theta} = 10^{50} = 24041.02 k \frac{m^2}{sK}$
$1m \frac{m^2}{s^2 K} = 0.050B3652 \cdot 10^{10}$	$1 pa - \frac{L^2}{T^2\Theta} = 10^{10} = 24.43193 m \frac{m^2}{s^2 K}$

$1 \frac{m^2}{s^2 K} = 2B.32528 \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.040BB81A \frac{m^2}{s^2 K}$ (*)
$1k \frac{m^2}{s^2 K} = 184AA.AB \cdot 10^{10}$	$1 pa \cdot \frac{L^2}{T^2 \Theta} = 10^{10} = 0.00007080269 k \frac{m^2}{s^2 K}$
$1m \frac{m^2 s}{K} = 0.000B7BA670 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 1041.5BB m \frac{m^2 s}{K}$ (*)
$1 \frac{m^2 s}{K} = 0.69019B0 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 1.93B629 \frac{m^2 s}{K}$
$1k \frac{m^2 s}{K} = 3AA.7083 \cdot 10^{B0}$	$1 vaiei \cdot \frac{L^2 T}{\Theta} = 10^{B0} = 0.0030A3703 k \frac{m^2 s}{K}$
$1m \frac{1}{m s K} = 0.000006A07374 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 19087B.3 m \frac{1}{m K}$
$1 \frac{1}{m K} = 0.003B59685 \cdot 10^0$	$1 \frac{1}{L \Theta} = 1 = 304.8532 \frac{1}{m K}$
$1k \frac{1}{m K} = 2.358B07$	$1 \frac{1}{L \Theta} = 1 = 0.52A758B k \frac{1}{m K}$
$1m \frac{1}{m s K} = 231B.390 \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{1}{LT \Theta} = 10^{-40} = 0.00053750 A1 m \frac{1}{m s K}$
$1 \frac{1}{m s K} = 13875A8. \cdot 10^{-40}$	$1 ni' uci \cdot \frac{1}{LT \Theta} = 10^{-30} = 91B23B.5 \frac{1}{m s K}$
$1k \frac{1}{m s K} = 0.000911A830 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{LT \Theta} = 10^{-30} = 139B.699 k \frac{1}{m s K}$
$1m \frac{1}{m s^2 K} = 0.8BA9618 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{1}{LT^2 \Theta} = 10^{-70} = 1.402195 m \frac{1}{m s^2 K}$
$1 \frac{1}{m s^2 K} = 525.3748 \cdot 10^{-70}$	$1 ni' uze \cdot \frac{1}{LT^2 \Theta} = 10^{-70} = 0.002381036 \frac{1}{m s^2 K}$
$1k \frac{1}{m s^2 K} = 301759.3 \cdot 10^{-70}$	$1 ni' uxu \cdot \frac{1}{LT^2 \Theta} = 10^{-60} = 3B9A157. k \frac{1}{m s^2 K}$
$1m \frac{s}{m K} = 0.0187A383 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 6B.7B13A m \frac{s}{m K}$
$1 \frac{s}{m K} = B.B52AB4 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 0.100694B \frac{s}{m K}$ (*)
$1k \frac{s}{m K} = 6B01.0A8 \cdot 10^{30}$	$1 ci \cdot \frac{T}{L \Theta} = 10^{30} = 0.0001899859 k \frac{s}{m K}$
$1m \frac{1}{m^2 K} = 0.16B3074 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 7.72B494 m \frac{1}{m^2 K}$
$1 \frac{1}{m^2 K} = AB.61A2B \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 0.011180A7 \frac{1}{m^2 K}$
$1k \frac{1}{m^2 K} = 64134.A5 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{1}{L^2 \Theta} = 10^{-30} = 0.00001A85605 k \frac{1}{m^2 K}$
$1m \frac{1}{m^2 s K} = 0.00006329105 \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 1AB77.63 m \frac{1}{m^2 s K}$
$1 \frac{1}{m^2 s K} = 0.03765192 \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 33.836B5 \frac{1}{m^2 s K}$
$1k \frac{1}{m^2 s K} = 21.23B8B \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^2 T \Theta} = 10^{-60} = 0.05870631 k \frac{1}{m^2 s K}$
$1m \frac{1}{m^2 s^2 K} = 20AA1.B4 \cdot 10^{-A0}$	$1 ni' ujauau \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-A0} = 0.0000594782 B m \frac{1}{m^2 s^2 K}$
$1 \frac{1}{m^2 s^2 K} = 0.0000124B3AA \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-90} = 9BA97.75 \frac{1}{m^2 s^2 K}$
$1k \frac{1}{m^2 s^2 K} = 0.00840BB93 \cdot 10^{-90}$ (*)	$1 ni' uso \cdot \frac{1}{L^2 T^2 \Theta} = 10^{-90} = 153.2302 k \frac{1}{m^2 s^2 K}$
$1m \frac{s}{m^2 K} = 492.5A6B \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.002625780 m \frac{s}{m^2 K}$
$1 \frac{s}{m^2 K} = 291336.1 \cdot 10^0$	$1 \frac{T}{L^2 \Theta} = 1 = 0.000004424214 \frac{s}{m^2 K}$
$1k \frac{s}{m^2 K} = 0.000171AA24 \cdot 10^{10}$	$1 pa \cdot \frac{T}{L^2 \Theta} = 10^{10} = 7623.B51 k \frac{s}{m^2 K}$
$1m \frac{1}{m^3 K} = 4455.088 \cdot 10^{-60}$	$1 ni' uxu \cdot \frac{1}{L^3 \Theta} = 10^{-60} = 0.00028B4019 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 K} = 2642B98. \cdot 10^{-60}$	$1 ni' umu \cdot \frac{1}{L^3 \Theta} = 10^{-50} = 48B17A.0 \frac{1}{m^3 K}$
$1k \frac{1}{m^3 K} = 0.001569608 \cdot 10^{-50}$	$1 ni' umu \cdot \frac{1}{L^3 \Theta} = 10^{-50} = 824.5665 k \frac{1}{m^3 K}$
$1m \frac{1}{m^3 s K} = 1.544423 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^3 T \Theta} = 10^{-90} = 0.8362880 m \frac{1}{m^3 s K}$
$1 \frac{1}{m^3 s K} = A06.B651 \cdot 10^{-90}$	$1 ni' uso \cdot \frac{1}{L^3 T \Theta} = 10^{-90} = 0.00123B75A \frac{1}{m^3 s K}$
$1k \frac{1}{m^3 s K} = 599441.3 \cdot 10^{-90}$	$1 ni' ubi \cdot \frac{1}{L^3 T \Theta} = 10^{-80} = 2091B38. k \frac{1}{m^3 s K}$
$1m \frac{1}{m^3 s^2 K} = 0.00058B8635 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 2107.634 m \frac{1}{m^3 s^2 K}$
$1 \frac{1}{m^3 s^2 K} = 0.33ABBA3 \cdot 10^{-100}$ (*)	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 3.735972 \frac{1}{m^3 s^2 K}$
$1k \frac{1}{m^3 s^2 K} = 1B1.2470 \cdot 10^{-100}$	$1 ni' upano \cdot \frac{1}{L^3 T^2 \Theta} = 10^{-100} = 0.00629800 B k \frac{1}{m^3 s^2 K}$
$1m \frac{s}{m^3 K} = 0.00001125437 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = AAA54.59 m \frac{s}{m^3 K}$
$1 \frac{s}{m^3 K} = 0.007783A64 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = 16A.1898 \frac{s}{m^3 K}$
$1k \frac{s}{m^3 K} = 4.509171 \cdot 10^{-20}$	$1 ni' ure \cdot \frac{T}{L^3 \Theta} = 10^{-20} = 0.28693BA k \frac{s}{m^3 K}$
$1m \frac{kg}{K} = 0.013A5345 \cdot 10^{30}$	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 90.A7486 m \frac{kg}{K}$
$1 \frac{kg}{K} = 9.226005 \cdot 10^{30}$ (*)	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 0.13819BB \frac{kg}{K}$ (*)
$1k \frac{kg}{K} = 5394.043 \cdot 10^{30}$	$1 ci \cdot \frac{M}{\Theta} = 10^{30} = 0.0002311650 k \frac{kg}{K}$
$1m \frac{kg}{s K} = 0.00000530620B \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 234B04.1 m \frac{kg}{s K}$
$1 \frac{kg}{s K} = 0.0030596A5 \cdot 10^0$	$1 \frac{M}{T \Theta} = 1 = 3B4.4570 \frac{kg}{s K}$
$1k \frac{kg}{s K} = 1.914318$	$1 \frac{M}{T \Theta} = 1 = 0.69A1920 k \frac{kg}{s K}$
$1m \frac{kg}{s^2 K} = 18A5.277 \cdot 10^{-40}$	$1 ni' uvo \cdot \frac{M}{T^2 \Theta} = 10^{-40} = 0.0006A97239 m \frac{kg}{s^2 K}$
$1 \frac{kg}{s^2 K} = 100B16B. \cdot 10^{-40}$ (*)	$1 ni' uci \cdot \frac{M}{T^2 \Theta} = 10^{-30} = BB0B33.A \frac{kg}{s^2 K}$ (*)
$1k \frac{kg}{s^2 K} = 0.0006BA5376 \cdot 10^{-30}$	$1 ni' uci \cdot \frac{M}{T^2 \Theta} = 10^{-30} = 1872.A57 k \frac{kg}{s^2 K}$

$$\begin{aligned}
1 \text{m} \frac{\text{kg s}}{\text{K}} &= 3B.B3469 \cdot 10^{60} \\
1 \frac{\text{kg s}}{\text{K}} &= 238B0.18 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg s}}{\text{K}} &= 0.00001407B18 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg m}}{\text{K}} &= 589133.4 \cdot 10^{50} \\
1 \frac{\text{kg m}}{\text{K}} &= 0.0003395AA1 \cdot 10^{60} \\
1 \text{k} \frac{\text{kg m}}{\text{K}} &= 0.1B03B00 \cdot 10^{60} \quad (*) \\
1 \text{m} \frac{\text{kg m}}{\text{s K}} &= 1A9.1844 \cdot 10^{20} \\
1 \frac{\text{kg m}}{\text{s K}} &= 112099.5 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}}{\text{s K}} &= 0.000077583B2 \cdot 10^{30} \\
1 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 0.07650603 \cdot 10^{-10} \\
1 \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 44.3B01A \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} &= 26346.59 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg m s}}{\text{K}} &= 0.001538596 \cdot 10^{90} \\
1 \frac{\text{kg m s}}{\text{K}} &= 0.A024AA4 \cdot 10^{90} \\
1 \text{k} \frac{\text{kg m s}}{\text{K}} &= 596.8889 \cdot 10^{90} \\
1 \text{m} \frac{\text{kg m}^2}{\text{K}} &= 20.9AA67 \cdot 10^{80} \\
1 \frac{\text{kg m}^2}{\text{K}} &= 12449.67 \cdot 10^{80} \\
1 \text{k} \frac{\text{kg m}^2}{\text{K}} &= 8392779.. \cdot 10^{80} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s K}} &= 0.008275066 \cdot 10^{50} \\
1 \frac{\text{kg m}^2}{\text{s K}} &= 4.90A245 \cdot 10^{50} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s K}} &= 2903.A9A \cdot 10^{50} \\
1 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.000002879101 \cdot 10^{20} \\
1 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.0016A8650 \cdot 10^{20} \\
1 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} &= 0.AB2472A \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 62BB0.05 \cdot 10^{B0} \quad (*) \\
1 \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.0000374950B \cdot 10^{100} \\
1 \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} &= 0.02114693 \cdot 10^{100} \\
1 \text{m} \frac{\text{kg}}{\text{m K}} &= 37B.55B7 \cdot 10^0 \\
1 \frac{\text{kg}}{\text{m K}} &= 2152AA.1 \cdot 10^0 \\
1 \text{k} \frac{\text{kg}}{\text{m K}} &= 0.000128789B \cdot 10^{10} \\
1 \text{m} \frac{\text{kg}}{\text{m s K}} &= 0.1267378 \cdot 10^{-30} \\
1 \frac{\text{kg}}{\text{m s K}} &= 85.06874 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg}}{\text{m s K}} &= 4A586.79 \cdot 10^{-30} \\
1 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.000049975B8 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 0.02954A0A \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} &= 17.43633 \cdot 10^{-60} \\
1 \text{m} \frac{\text{kg s}}{\text{m K}} &= B0941A.9 \cdot 10^{30} \\
1 \frac{\text{kg s}}{\text{m K}} &= 0.00064A0AA6 \cdot 10^{40} \\
1 \text{k} \frac{\text{kg s}}{\text{m K}} &= 0.3857376 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.00000A18A827 \cdot 10^{-20} \\
1 \frac{\text{kg}}{\text{m}^2 \text{K}} &= 0.005A550A5 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} &= 3.492BA8 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 3437.3A3 \cdot 10^{-60} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 1B3A4A1.. \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} &= 0.00115B62B \cdot 10^{-50} \\
1 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 1.141152 \cdot 10^{-90} \\
1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 787.9132 \cdot 10^{-90} \\
1 \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} &= 457466.9 \cdot 10^{-90} \\
1 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 0.02679089 \cdot 10^{10} \\
1 \frac{\text{kg s}}{\text{m}^2 \text{K}} &= 15.89A31 \cdot 10^{10}
\end{aligned}
\begin{aligned}
1 \text{x} \text{a} \frac{MT}{\Theta} &= 10^{60} = 0.03006581 \text{m} \frac{\text{kg s}}{\text{K}} \quad (*) \\
1 \text{x} \text{a} \frac{MT}{\Theta} &= 10^{60} = 0.00005235179 \frac{\text{kg s}}{\text{K}} \\
1 \text{ze} \frac{MT}{\Theta} &= 10^{70} = 8B768.05 \text{k} \frac{\text{kg s}}{\text{K}} \\
1 \text{x} \text{a} \frac{ML}{\Theta} &= 10^{60} = 2116AAB. \text{m} \frac{\text{kg m}}{\text{K}} \\
1 \text{x} \text{a} \frac{ML}{\Theta} &= 10^{60} = 3751.585 \frac{\text{kg m}}{\text{K}} \\
1 \text{x} \text{a} \frac{ML}{\Theta} &= 10^{60} = 6.306008 \text{k} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re} \frac{ML}{T\Theta} &= 10^{20} = 0.0063B0013 \text{m} \frac{\text{kg m}}{\text{s K}} \quad (*) \\
1 \text{re} \frac{ML}{T\Theta} &= 10^{20} = 0.00000AB22617 \frac{\text{kg m}}{\text{s K}} \\
1 \text{ci} \frac{ML}{T\Theta} &= 10^{30} = 16A82.98 \text{k} \frac{\text{kg m}}{\text{s K}} \\
1 \text{ni'upa} \frac{ML}{T^2\Theta} &= 10^{-10} = 17.13B53 \text{m} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.0290345B \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{ni'upa} \frac{ML}{T^2\Theta} &= 10^{-10} = 0.00004909355 \text{k} \frac{\text{kg m}}{\text{s}^2 \text{K}} \\
1 \text{so} \frac{MLT}{\Theta} &= 10^{90} = 839.BB52 \text{m} \frac{\text{kg m s}}{\text{K}} \quad (*) \\
1 \text{so} \frac{MLT}{\Theta} &= 10^{90} = 1.246179 \frac{\text{kg m s}}{\text{K}} \\
1 \text{so} \frac{MLT}{\Theta} &= 10^{90} = 0.0020A1244 \text{k} \frac{\text{kg m s}}{\text{K}} \\
1 \text{bi} \frac{ML^2}{\Theta} &= 10^{80} = 0.05973280 \text{m} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{bi} \frac{ML^2}{\Theta} &= 10^{80} = 0.0000A034165 \frac{\text{kg m}^2}{\text{K}} \\
1 \text{so} \frac{ML^2}{\Theta} &= 10^{90} = 153A12.2 \text{k} \frac{\text{kg m}^2}{\text{K}} \\
1 \text{mu} \frac{ML^2}{T\Theta} &= 10^{50} = 156.3221 \text{m} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu} \frac{ML^2}{T\Theta} &= 10^{50} = 0.2634082 \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{mu} \frac{ML^2}{T\Theta} &= 10^{50} = 0.000443A218 \text{k} \frac{\text{kg m}^2}{\text{s K}} \\
1 \text{re} \frac{ML^2}{T^2\Theta} &= 10^{20} = 44B204.5 \text{m} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re} \frac{ML^2}{T^2\Theta} &= 10^{20} = 775.6A52 \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{re} \frac{ML^2}{T^2\Theta} &= 10^{20} = 1.120732 \text{k} \frac{\text{kg m}^2}{\text{s}^2 \text{K}} \\
1 \text{vaiei} \frac{ML^2 T}{\Theta} &= 10^{B0} = 0.00001B06097 \text{m} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano} \frac{ML^2 T}{\Theta} &= 10^{100} = 33997.51 \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \text{pano} \frac{ML^2 T}{\Theta} &= 10^{100} = 58.9783A \text{k} \frac{\text{kg m}^2 \text{s}}{\text{K}} \\
1 \frac{M}{L\Theta} &= 1 = 0.003339100 \text{m} \frac{\text{kg}}{\text{m K}} \quad (*) \\
1 \frac{M}{L\Theta} &= 1 = 0.0000057B2428 \frac{\text{kg}}{\text{m K}} \\
1 \text{pa} \frac{M}{L\Theta} &= 10^{10} = 9947.AA2 \text{k} \frac{\text{kg}}{\text{m K}} \\
1 \text{ni'uci} \frac{M}{LT\Theta} &= 10^{-30} = 9.A9101A \text{m} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci} \frac{M}{LT\Theta} &= 10^{-30} = 0.01512667 \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uci} \frac{M}{LT\Theta} &= 10^{-30} = 0.00002567342 \text{k} \frac{\text{kg}}{\text{m s K}} \\
1 \text{ni'uxa} \frac{M}{LT^2\Theta} &= 10^{-60} = 25A8A.94 \text{m} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa} \frac{M}{LT^2\Theta} &= 10^{-60} = 43.7AA45 \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{ni'uxa} \frac{M}{LT^2\Theta} &= 10^{-60} = 0.07532434 \text{k} \frac{\text{kg}}{\text{m s}^2 \text{K}} \\
1 \text{vo} \frac{MT}{L\Theta} &= 10^{40} = 1102049. \text{m} \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo} \frac{MT}{L\Theta} &= 10^{40} = 1A5A.3B5 \frac{\text{kg s}}{\text{m K}} \\
1 \text{vo} \frac{MT}{L\Theta} &= 10^{40} = 3.2A39BB \text{k} \frac{\text{kg s}}{\text{m K}} \quad (*) \\
1 \text{ni'ure} \frac{M}{L^2\Theta} &= 10^{-20} = 1223B4.6 \text{m} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure} \frac{M}{L^2\Theta} &= 10^{-20} = 206.3B38 \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'ure} \frac{M}{L^2\Theta} &= 10^{-20} = 0.3647243 \text{k} \frac{\text{kg}}{\text{m}^2 \text{K}} \\
1 \text{ni'uxa} \frac{M}{L^2T\Theta} &= 10^{-60} = 0.00036A6443 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu} \frac{M}{L^2T\Theta} &= 10^{-50} = 621137.0 \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'umu} \frac{M}{L^2T\Theta} &= 10^{-50} = A80.466B \text{k} \frac{\text{kg}}{\text{m}^2 \text{s K}} \\
1 \text{ni'uso} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.A963641 \text{m} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'uso} \frac{M}{L^2T^2\Theta} &= 10^{-90} = 0.0016799A1 \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{ni'ubi} \frac{M}{L^2T^2\Theta} &= 10^{-80} = 2829120. \text{k} \frac{\text{kg}}{\text{m}^2 \text{s}^2 \text{K}} \\
1 \text{pa} \frac{MT}{L^2\Theta} &= 10^{10} = 48.475A8 \text{m} \frac{\text{kg s}}{\text{m}^2 \text{K}} \\
1 \text{pa} \frac{MT}{L^2\Theta} &= 10^{10} = 0.08152592 \frac{\text{kg s}}{\text{m}^2 \text{K}}
\end{aligned}$$

$1k \frac{kg\ s}{m^2 K} = A31B.128 \cdot 10^{10}$	$1 pa \frac{MT}{L^2 \Theta} = 10^{10} = 0.0001204480 k \frac{kg\ s}{m^2 K}$
$1m \frac{kg}{m^3 K} = 0.2412249 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 5.15B805 m \frac{kg}{m^3 K}$
$1 \frac{kg}{m^3 K} = 143.1674 \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.008A3271B \frac{kg}{m^3 K}$
$1k \frac{kg}{m^3 K} = 94B09.2A \cdot 10^{-50}$	$1 ni'umu \frac{M}{L^3 \Theta} = 10^{-50} = 0.000013376A8 k \frac{kg}{m^3 K}$
$1m \frac{kg}{m^3 s\ K} = 0.00009375419 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 \Theta} = 10^{-80} = 13593.29 m \frac{kg}{m^3 s\ K}$
$1 \frac{kg}{m^3 s\ K} = 0.05471856 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 22.90215 \frac{kg}{m^3 s\ K}$
$1k \frac{kg}{m^3 s\ K} = 31.46B21 \cdot 10^{-80}$	$1 ni'ubi \frac{M}{L^3 T \Theta} = 10^{-80} = 0.03A28689 k \frac{kg}{m^3 s\ K}$
$1m \frac{kg}{m^3 s^2 K} = 30B4A.78 \cdot 10^{-100}$	$1 ni'upano \frac{M}{L^3 T^2 \Theta} = 10^{-100} = 0.00003A9221B m \frac{kg}{m^3 s^2 K}$
$1 \frac{kg}{m^3 s^2 K} = 0.00001947272 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = 68987.B6 \frac{kg}{m^3 s^2 K}$
$1k \frac{kg}{m^3 s^2 K} = 0.01045B55 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{M}{L^3 T^2 \Theta} = 10^{-B0} = B7.781A2 k \frac{kg}{m^3 s^2 K}$
$1m \frac{kg}{m^3 K} = 70A.6929 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.00184368B m \frac{kg\ s}{m^3 K}$
$1 \frac{kg\ s}{m^3 K} = 411544.1 \cdot 10^{-20}$	$1 ni'ure \frac{MT}{L^3 \Theta} = 10^{-20} = 0.000002B218A6 \frac{kg\ s}{m^3 K}$
$1k \frac{kg\ s}{m^3 K} = 0.000245146A \cdot 10^{-10}$	$1 ni'upa \frac{MT}{L^3 \Theta} = 10^{-10} = 5095.721 k \frac{kg\ s}{m^3 K}$
$1m K = 12620.95 \cdot 10^{-30}$	$1 ni'uci-\Theta = 10^{-30} = 0.00009B07A54 m\ K$
$1 K = 0.000008496413 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 151887.4 K$
$1k K = 0.004A3B606 \cdot 10^{-20}$	$1 ni'ure-\Theta = 10^{-20} = 257.5B3A k\ K$
$1m \frac{K}{s} = 4.97A834 \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.25B782B m \frac{K}{s}$
$1 \frac{K}{s} = 2944.96A \cdot 10^{-60}$	$1 ni'uxa-\frac{\Theta}{T} = 10^{-60} = 0.0004395610 \frac{K}{s}$
$1k \frac{K}{s} = 1738679. \cdot 10^{-60}$	$1 ni'umu-\frac{\Theta}{T} = 10^{-50} = 755A6A.4 k \frac{K}{s}$
$1m \frac{K}{s^2} = 0.001710608 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 766.4A05 m \frac{K}{s^2}$
$1 \frac{K}{s^2} = 0.B066A0B \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 1.10537A \frac{K}{s^2}$
$1k \frac{K}{s^2} = 648.5760 \cdot 10^{-90}$	$1 ni'uso-\frac{\Theta}{T^2} = 10^{-90} = 0.001A63B95 k \frac{K}{s^2}$
$1m s\ K = 0.000037A1810 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 334B3.30 m\ s\ K$
$1s K = 0.021458B6 \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 58.12A50 s\ K$
$1ks\ K = 12.8252A \cdot 10^{10}$	$1 pa-T\Theta = 10^{10} = 0.09982326 k\ s\ K$
$1mm\ K = 0.52A758B \cdot 10^0$	$1 L\Theta = 1 = 2.358B07 m\ m\ K$
$1m K = 304.8532 \cdot 10^0$	$1 L\Theta = 1 = 0.003B59685 m\ K$
$1km\ K = 19087B.3 \cdot 10^0$	$1 L\Theta = 1 = 0.000006A07374 k\ m\ K$
$1m \frac{m\ K}{s} = 0.0001899859 \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 6B01.0A8 m \frac{m\ K}{s}$
$1 \frac{m\ K}{s} = 0.100694B \cdot 10^{-30} \quad (*)$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = B.B52AB4 \frac{m\ K}{s}$
$1k \frac{m\ K}{s} = 6B.7B13A \cdot 10^{-30}$	$1 ni'uci-\frac{L\Theta}{T} = 10^{-30} = 0.0187A383 k \frac{m\ K}{s}$
$1m \frac{m\ K}{s^2} = 6A843.06 \cdot 10^{-70}$	$1 ni'uze-\frac{L\Theta}{T^2} = 10^{-70} = 0.000018A8BA6 m \frac{m\ K}{s^2}$
$1 \frac{m\ K}{s^2} = 0.00003BA3425 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 30136.4A \frac{m\ K}{s^2}$
$1k \frac{m\ K}{s^2} = 0.02384072 \cdot 10^{-60}$	$1 ni'uxa-\frac{L\Theta}{T^2} = 10^{-60} = 52.48964 k \frac{m\ K}{s^2}$
$1mm\ s\ K = 139B.699 \cdot 10^{30}$	$1 ci-LT\Theta = 10^{30} = 0.000911A830 m\ m\ s\ K$
$1ms\ K = 91B23B.5 \cdot 10^{30}$	$1 vo-LT\Theta = 10^{40} = 13875A8. m\ s\ K$
$1km\ s\ K = 0.00053750A1 \cdot 10^{40}$	$1 vo-LT\Theta = 10^{40} = 231B.390 k\ m\ s\ K$
$1mm\ m^2 K = 0.00001A85605 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 64134.A5 m\ m^2 K$
$1m^2 K = 0.011180A7 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = AB.61A2B m^2 K$
$1km^2 K = 7.72B494 \cdot 10^{30}$	$1 ci-L^2\Theta = 10^{30} = 0.16B3074 k\ m^2 K$
$1m \frac{m^2 K}{s} = 7623.B51 \cdot 10^{-10}$	$1 ni'upa-\frac{L^2\Theta}{T} = 10^{-10} = 0.000171AA24 m \frac{m^2 K}{s}$
$1 \frac{m^2 K}{s} = 0.000004424214 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 291336.1 \frac{m^2 K}{s}$
$1k \frac{m^2 K}{s} = 0.002625780 \cdot 10^0$	$1 \frac{L^2\Theta}{T} = 1 = 492.5A6B k \frac{m^2 K}{s}$
$1m \frac{m^2 K}{s^2} = 2.5A3607 \cdot 10^{-40}$	$1 ni'uvvo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.49A5B33 m \frac{m^2 K}{s^2}$
$1 \frac{m^2 K}{s^2} = 1534.180 \cdot 10^{-40}$	$1 ni'uvvo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000840106A \frac{m^2 K}{s^2}$
$1k \frac{m^2 K}{s^2} = 9BBA8B.0 \cdot 10^{-40} \quad (*)$	$1 ni'uvvo-\frac{L^2\Theta}{T^2} = 10^{-40} = 0.000001249901 k \frac{m^2 K}{s^2}$
$1mm^2 s\ K = 0.05870631 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 21.23B8B m\ m^2 s\ K$
$1m^2 s\ K = 33.836B5 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.03765192 m^2 s\ K$
$1km^2 s\ K = 1AB77.63 \cdot 10^{60}$	$1 xa-L^2T\Theta = 10^{60} = 0.00006329105 k\ m^2 s\ K$
$1m \frac{K}{m} = 0.0003424991 \cdot 10^{-50}$	$1 ni'umu-\frac{\Theta}{L} = 10^{-50} = 36B9.A06 m \frac{K}{m}$

$1 \frac{K}{m} = 0.1B32011 \cdot 10^{-50}$	$1 ni'umu \frac{\Theta}{L} = 10^{-50} = 6.234055 \frac{K}{m}$
$1 k \frac{K}{m} = 115.67B4 \cdot 10^{-50}$	$1 ni'umu \frac{\Theta}{L} = 10^{-50} = 0.00A842905 k \frac{K}{m}$
$1 m \frac{K}{ms} = 113839.7 \cdot 10^{-90}$	$1 ni'ubi \frac{\Theta}{LT} = 10^{-80} = A9A2332. m \frac{K}{ms}$
$1 \frac{K}{ms} = 0.0000784B907 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{LT} = 10^{-80} = 16846.74 \frac{K}{ms}$
$1 k \frac{K}{ms} = 0.045592B6 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{LT} = 10^{-80} = 28.3888B k \frac{K}{ms}$
$1 m \frac{K}{ms^2} = 44.A4593 \cdot 10^{-100}$	$1 ni'upano \frac{\Theta}{LT^2} = 10^{-100} = 0.02882B94 m \frac{K}{ms^2}$
$1 \frac{K}{ms^2} = 26714.55 \cdot 10^{-100}$	$1 ni'upano \frac{\Theta}{LT^2} = 10^{-100} = 0.000048597B8 \frac{K}{ms^2}$
$1 k \frac{K}{ms^2} = 0.000015854A3 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{\Theta}{LT^2} = 10^{-B0} = 8172B.80 k \frac{K}{ms^2}$
$1 m \frac{sK}{m} = 0.A152A3A \cdot 10^{-20}$	$1 ni'ure \frac{T\Theta}{L} = 10^{-20} = 1.2290A2 m \frac{sK}{m}$
$1 \frac{sK}{m} = 5A3.3864 \cdot 10^{-20}$	$1 ni'ure \frac{T\Theta}{L} = 10^{-20} = 0.002070964 \frac{sK}{m}$
$1 k \frac{sK}{m} = 348039.3 \cdot 10^{-20}$	$1 ni'ure \frac{T\Theta}{L} = 10^{-20} = 0.00000365A5AA k \frac{sK}{m}$
$1 m \frac{K}{m^2} = 9.3411B7 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{L^2} = 10^{-80} = 0.1362A33 m \frac{K}{m^2}$
$1 \frac{K}{m^2} = 5452.550 \cdot 10^{-80}$	$1 ni'ubi \frac{\Theta}{L^2} = 10^{-80} = 0.00022999B7 \frac{K}{m^2}$
$1 k \frac{K}{m^2} = 3135583. \cdot 10^{-80}$	$1 ni'uze \frac{\Theta}{L^2} = 10^{-70} = 3A412B.1 k \frac{K}{m^2}$
$1 m \frac{K}{m^2 s} = 0.0030A3703 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{\Theta}{L^2 T} = 10^{-B0} = 3AA.7083 m \frac{K}{m^2 s}$
$1 \frac{K}{m^2 s} = 1.93B629 \cdot 10^{-B0}$	$1 ni'uvaiei \frac{\Theta}{L^2 T} = 10^{-B0} = 0.69019B0 \frac{K}{m^2 s}$
$1 k \frac{K}{m^2 s} = 1041.5BB \cdot 10^{-B0} (*)$	$1 ni'uvaiei \frac{\Theta}{L^2 T} = 10^{-B0} = 0.000B7BA670 k \frac{K}{m^2 s}$
$1 m \frac{K}{m^2 s^2} = 0.000001025018 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^2 T^2} = 10^{-120} = B97573.7 m \frac{K}{m^2 s^2}$
$1 \frac{K}{m^2 s^2} = 0.0007089578 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^2 T^2} = 10^{-120} = 1848.81A \frac{K}{m^2 s^2}$
$1 k \frac{K}{m^2 s^2} = 0.4105052 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^2 T^2} = 10^{-120} = 2.B2A6BA k \frac{K}{m^2 s^2}$
$1 m \frac{sK}{m^2} = 24041.02 \cdot 10^{-50}$	$1 ni'umu \frac{\Theta}{L^2} = 10^{-50} = 0.00005179A44 m \frac{sK}{m^2}$
$1 \frac{sK}{m^2} = 0.00001427845 \cdot 10^{-40}$	$1 ni'uv \frac{T\Theta}{L^2} = 10^{-40} = 8A64B.45 \frac{sK}{m^2}$
$1 k \frac{sK}{m^2} = 0.009478152 \cdot 10^{-40}$	$1 ni'uv \frac{T\Theta}{L^2} = 10^{-40} = 134.111B k \frac{sK}{m^2}$
$1 m \frac{K}{m^3} = 218468.B \cdot 10^{-B0}$	$1 ni'ujauau \frac{\Theta}{L^3} = 10^{-A0} = 572A976. m \frac{K}{m^3}$
$1 \frac{K}{m^3} = 0.00012A5642 \cdot 10^{-A0}$	$1 ni'ujauau \frac{\Theta}{L^3} = 10^{-A0} = 9823.A70 \frac{K}{m^3}$
$1 k \frac{K}{m^3} = 0.0873388B \cdot 10^{-A0}$	$1 ni'ujauau \frac{\Theta}{L^3} = 10^{-A0} = 14.89484 k \frac{K}{m^3}$
$1 m \frac{K}{m^3 s} = 86.10394 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^3 T} = 10^{-120} = 0.014B159B m \frac{K}{m^3 s}$
$1 \frac{K}{m^3 s} = 4B0B1.63 \cdot 10^{-120}$	$1 ni'upare \frac{\Theta}{L^3 T} = 10^{-120} = 0.0000252BB86 \frac{K}{m^3 s} (*)$
$1 k \frac{K}{m^3 s} = 0.00002A23133 \cdot 10^{-110}$	$1 ni'upapa \frac{\Theta}{L^3 T} = 10^{-110} = 42663.63 k \frac{K}{m^3 s}$
$1 m \frac{K}{m^3 s^2} = 0.02996440 \cdot 10^{-150}$	$1 ni'upamu \frac{\Theta}{L^3 T^2} = 10^{-150} = 43.171B5 m \frac{K}{m^3 s^2}$
$1 \frac{K}{m^3 s^2} = 17.68221 \cdot 10^{-150}$	$1 ni'upamu \frac{\Theta}{L^3 T^2} = 10^{-150} = 0.07443665 \frac{K}{m^3 s^2}$
$1 k \frac{K}{m^3 s^2} = B398.993 \cdot 10^{-150}$	$1 ni'upamu \frac{\Theta}{L^3 T^2} = 10^{-150} = 0.0001088235 k \frac{K}{m^3 s^2}$
$1 m \frac{sK}{m^3} = 0.00065767BA \cdot 10^{-70}$	$1 ni'uze \frac{\Theta}{L^3} = 10^{-70} = 1A31.45B m \frac{sK}{m^3}$
$1 \frac{sK}{m^3} = 0.38B1176 \cdot 10^{-70}$	$1 ni'uze \frac{\Theta}{L^3} = 10^{-70} = 3.256A79 \frac{sK}{m^3}$
$1 k \frac{sK}{m^3} = 21B.B867 \cdot 10^{-70}$	$1 ni'uze \frac{\Theta}{L^3} = 10^{-70} = 0.005657244 k \frac{sK}{m^3}$
$1 m kg K = 0.7937A3B \cdot 10^{-20}$	$1 ni'ure-M\Theta = 10^{-20} = 1.662A66 m kg K$
$1 kg K = 45B.B470 \cdot 10^{-20}$	$1 ni'ure-M\Theta = 10^{-20} = 0.002800449 kg K (*)$
$1 k kg K = 272B78.6 \cdot 10^{-20}$	$1 ni'ure-M\Theta = 10^{-20} = 0.00000473730B k kg K$
$1 m \frac{kg K}{s} = 0.00026A7942 \cdot 10^{-50}$	$1 ni'umu \frac{M\Theta}{T} = 10^{-50} = 47B4.143 m \frac{kg K}{s}$
$1 \frac{kg K}{s} = 0.15A5B43 \cdot 10^{-50}$	$1 ni'umu \frac{M\Theta}{T} = 10^{-50} = 8.080B67 \frac{kg K}{s}$
$1 k \frac{kg K}{s} = A4.16762 \cdot 10^{-50}$	$1 ni'umu \frac{M\Theta}{T} = 10^{-50} = 0.011B0751 k \frac{kg K}{s}$
$1 m \frac{kg K}{s^2} = A2847.26 \cdot 10^{-90}$	$1 ni'uso \frac{M\Theta}{T^2} = 10^{-90} = 0.0000120BBB1 m \frac{kg K}{s^2} (**)$
$1 \frac{kg K}{s^2} = 0.00005B00A75 \cdot 10^{-80} (*)$	$1 ni'ubi \frac{M\Theta}{T^2} = 10^{-80} = 20404.58 \frac{kg K}{s^2}$
$1 k \frac{kg K}{s^2} = 0.03511219 \cdot 10^{-80}$	$1 ni'ubi \frac{M\Theta}{T^2} = 10^{-80} = 36.07681 k \frac{kg K}{s^2}$
$1 m kg s K = 1B5A.30B \cdot 10^{10}$	$1 pa-MT\Theta = 10^{10} = 0.000616A07A m kg s K$
$1 kg s K = 0.0000011713A8 \cdot 10^{20}$	$1 re-MT\Theta = 10^{20} = A71663.9 kg s K$
$1 k kg s K = 0.0007A48644 \cdot 10^{20}$	$1 re-MT\Theta = 10^{20} = 1638.181 k kg s K$
$1 m kg m K = 0.00002983073 \cdot 10^{10}$	$1 pa-ML\Theta = 10^{10} = 43364.9A m kg m K$
$1 kg m K = 0.0175B3A2 \cdot 10^{10}$	$1 pa-ML\Theta = 10^{10} = 74.77852 kg m K$
$1 k kg m K = B.34734B \cdot 10^{10}$	$1 pa-ML\Theta = 10^{10} = 0.1091B82 k kg m K$
$1 m \frac{kg m K}{s} = B19A.6B4 \cdot 10^{-30}$	$1 ni'uci \frac{ML\Theta}{T} = 10^{-30} = 0.00010AB4A4 m \frac{kg m K}{s}$

$$\begin{aligned}
1 \frac{\text{kg m K}}{\text{s}} &= 0.000006553B56 \cdot 10^{-20} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}} &= 0.003899817 \cdot 10^{-20} \\
1 \text{m} \frac{\text{kg m K}}{\text{s}^2} &= 3.837360 \cdot 10^{-60} \\
1 \frac{\text{kg m K}}{\text{s}^2} &= 2177.878 \cdot 10^{-60} \\
1 \text{k} \frac{\text{kg m K}}{\text{s}^2} &= 12A04B4 \cdot 10^{-60} \\
1 \text{m kg m s K} &= 0.08592093 \cdot 10^{40} \\
1 \text{kg m s K} &= 4A.A8440 \cdot 10^{40} \\
1 \text{kg m s K} &= 2A0B7.49 \cdot 10^{40} \\
1 \text{m kg m}^2 \text{K} &= 101B.598 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 70570B.9 \cdot 10^{30} \\
1 \text{kg m}^2 \text{K} &= 0.00040A69A1 \cdot 10^{40} \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 0.4039834 \cdot 10^0 \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 23B.6536 \cdot 10^0 \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} &= 142214.9 \cdot 10^0 \\
1 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.00013BB313 \cdot 10^{-30} \quad (*) \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 0.0930AA30 \cdot 10^{-30} \\
1 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} &= 54.34346 \cdot 10^{-30} \\
1 \text{m kg m}^2 \text{s K} &= 308AA77 \cdot 10^{60} \\
1 \text{kg m}^2 \text{s K} &= 0.001931A32 \cdot 10^{70} \\
1 \text{kg m}^2 \text{s K} &= 1.037AA7 \cdot 10^{70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}} &= 19651.06 \cdot 10^{-50} \\
1 \frac{\text{kg K}}{\text{m}} &= 0.0000105673B \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg K}}{\text{m}} &= 0.0072666A5 \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}} &= 7.166B16 \cdot 10^{-80} \\
1 \frac{\text{kg K}}{\text{m s}} &= 4161.013 \cdot 10^{-80} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}} &= 2479701 \cdot 10^{-80} \\
1 \text{m} \frac{\text{kg K}}{\text{m s}^2} &= 0.00243A047 \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m s}^2} &= 1.447B80 \cdot 10^{-B0} \\
1 \text{k} \frac{\text{kg K}}{\text{m s}^2} &= 959.8841 \cdot 10^{-B0} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}} &= 0.0000550792B \cdot 10^{-10} \\
1 \frac{\text{kg s K}}{\text{m}} &= 0.031791B6 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}} &= 19.952B7 \cdot 10^{-10} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2} &= 0.0004B7902B \cdot 10^{-70} \\
1 \frac{\text{kg K}}{\text{m}^2} &= 0.2A625B8 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2} &= 17B.8542 \cdot 10^{-70} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 178B35.B \cdot 10^{-B0} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.0000B5150B2 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} &= 0.06742671 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 66.52A19 \cdot 10^{-120} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 39484.51 \cdot 10^{-120} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} &= 0.00002232755 \cdot 10^{-110} \\
1 \text{m} \frac{\text{kg s K}}{\text{m}^2} &= 1.302189 \cdot 10^{-40} \\
1 \frac{\text{kg s K}}{\text{m}^2} &= 883.2A83 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg s K}}{\text{m}^2} &= 504120.B \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3} &= 11.924A1 \cdot 10^{-A0} \\
1 \frac{\text{kg K}}{\text{m}^3} &= 7B72.837 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3} &= 473AA03. \cdot 10^{-A0} \\
1 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 0.004683012 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 2.779368 \cdot 10^{-110} \\
1 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}} &= 1639.3A9 \cdot 10^{-110}
\end{aligned}
\begin{aligned}
1 \text{ni'ure} \frac{ML\Theta}{T} &= 10^{-20} = 1A3907.5 \frac{\text{kg m K}}{\text{s}} \\
1 \text{ni'ure} \frac{ML\Theta}{T^2} &= 10^{-20} = 326.81A1 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{ni'uxa} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.3300A8A \text{m} \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uxa} \frac{ML\Theta}{T^2} &= 10^{-60} = 0.0005749BB1 \frac{\text{kg m K}}{\text{s}^2} \quad (*) \\
1 \text{ni'umu} \frac{ML\Theta}{T^2} &= 10^{-50} = 9857B5.9 \text{k} \frac{\text{kg m K}}{\text{s}^2} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 14.B9219 \text{m kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.02541329 \text{kg m s K} \\
1 \text{vo-MLT}\Theta &= 10^{40} = 0.00004285322 \text{k kg m s K} \\
1 \text{ci-ML}^2\Theta &= 10^{30} = 0.000BA09B83 \text{m kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 1855B47. \text{kg m}^2 \text{K} \\
1 \text{vo-ML}^2\Theta &= 10^{40} = 2B42.722 \text{k kg m}^2 \text{K} \\
1 \frac{ML^2\Theta}{T} &= 1 = 2.B91B5B \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.005197163 \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \frac{ML^2\Theta}{T} &= 1 = 0.000008A95837 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}} \\
1 \text{ni'uci} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 9005.006 \text{m} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \quad (*) \\
1 \text{ni'uci} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 13.68260 \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ni'uci} \frac{ML^2\Theta}{T^2} &= 10^{-30} = 0.022A70B7 \text{k} \frac{\text{kg m}^2 \text{K}}{\text{s}^2} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 3B0444.6 \text{m kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 693.2790 \text{kg m}^2 \text{s K} \\
1 \text{ze-ML}^2T\Theta &= 10^{70} = 0.B85220A \text{k kg m}^2 \text{s K} \\
1 \text{ni'umu} \frac{M\Theta}{L} &= 10^{-50} = 0.0000682A71B \text{m} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo} \frac{M\Theta}{L} &= 10^{-40} = B67A4.15 \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubo} \frac{M\Theta}{L} &= 10^{-40} = 17B.71A1 \text{k} \frac{\text{kg K}}{\text{m}} \\
1 \text{ni'ubi} \frac{M\Theta}{LT} &= 10^{-80} = 0.182481A \text{m} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'ubi} \frac{M\Theta}{LT} &= 10^{-80} = 0.0002AAA246 \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uze} \frac{M\Theta}{LT} &= 10^{-70} = 503932.A \text{k} \frac{\text{kg K}}{\text{m s}} \\
1 \text{ni'uvaiei} \frac{M\Theta}{LT^2} &= 10^{-B0} = 510.2665 \text{m} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.8953196 \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'uvaiei} \frac{M\Theta}{LT^2} &= 10^{-B0} = 0.001322459 \text{k} \frac{\text{kg K}}{\text{m s}^2} \\
1 \text{ni'upa} \frac{MT\Theta}{L} &= 10^{-10} = 22690.14 \text{m} \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa} \frac{MT\Theta}{L} &= 10^{-10} = 39.A9749 \frac{\text{kg s K}}{\text{m}} \\
1 \text{ni'upa} \frac{MT\Theta}{L} &= 10^{-10} = 0.06739500 \text{k} \frac{\text{kg s K}}{\text{m}} \quad (*) \\
1 \text{ni'uze} \frac{M\Theta}{L^2} &= 10^{-70} = 24B7.995 \text{m} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze} \frac{M\Theta}{L^2} &= 10^{-70} = 4.208A93 \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'uze} \frac{M\Theta}{L^2} &= 10^{-70} = 0.007260B84 \text{k} \frac{\text{kg K}}{\text{m}^2} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^2T} &= 10^{-A0} = 7362291. \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^2T} &= 10^{-A0} = 10728.7A \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^2T} &= 10^{-A0} = 19.93A08 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}} \\
1 \text{ni'upare} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.01A044A1 \text{m} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upare} \frac{M\Theta}{L^2T^2} &= 10^{-120} = 0.00003209AB6 \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa} \frac{M\Theta}{L^2T^2} &= 10^{-110} = 55948.B6 \text{k} \frac{\text{kg K}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uvivo} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.9710422 \text{m} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvivo} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.00146A503 \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'uvivo} \frac{MT\Theta}{L^2} &= 10^{-40} = 0.000002477893 \text{k} \frac{\text{kg s K}}{\text{m}^2} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.0A562B21 \text{m} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'ujauau} \frac{M\Theta}{L^3} &= 10^{-A0} = 0.000160A959 \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'uso} \frac{M\Theta}{L^3} &= 10^{-90} = 272975.6 \text{k} \frac{\text{kg K}}{\text{m}^3} \\
1 \text{ni'upapa} \frac{M\Theta}{L^3T} &= 10^{-110} = 277.2096 \text{m} \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa} \frac{M\Theta}{L^3T} &= 10^{-110} = 0.4672620 \frac{\text{kg K}}{\text{m}^3 \text{s}} \\
1 \text{ni'upapa} \frac{M\Theta}{L^3T} &= 10^{-110} = 0.0007A42511 \text{k} \frac{\text{kg K}}{\text{m}^3 \text{s}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s^2} = 0.000001612B14 \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{L^3 T^2} = 10^{-140} = 7B54A2.4 m \frac{kg\ K}{m^3 s^2}$
$1 \frac{kg\ K}{m^3 s^2} = 0.000A5877A2 \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{L^3 T^2} = 10^{-140} = 118B.312 \frac{kg\ K}{m^3 s^2}$
$1k \frac{kg\ K}{m^3 s^2} = 0.609079A \cdot 10^{-140}$	$1 ni' upavo - \frac{M\Theta}{L^3 T^2} = 10^{-140} = 1.B901AA k \frac{kg\ K}{m^3 s^2}$
$1m \frac{kg\ s\ K}{m^3} = 35705.48 \cdot 10^{-70}$	$1 ni' uze - \frac{MT\Theta}{L^3} = 10^{-70} = 0.000035675A2 m \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.00002009655 \cdot 10^{-60}$ (*)	$1 ni' uxa - \frac{MT\Theta}{L^3} = 10^{-60} = 5B975.71 \frac{kg\ s\ K}{m^3}$
$1k \frac{kg\ s\ K}{m^3} = 0.011B162A \cdot 10^{-60}$	$1 ni' uxa - \frac{MT\Theta}{L^3} = 10^{-60} = A4.0A720 k \frac{kg\ s\ K}{m^3}$
$1m \frac{K}{C} = 0.5048B9B \cdot 10^{-40}$	$1 ni' uvo - \frac{\Theta}{Q} = 10^{-40} = 2.474039 m \frac{K}{C}$
$1 \frac{K}{C} = 2AB.4B8A \cdot 10^{-40}$	$1 ni' uvo - \frac{\Theta}{Q} = 10^{-40} = 0.0041534A4 \frac{K}{C}$
$1k \frac{K}{C} = 182872.A \cdot 10^{-40}$	$1 ni' uvo - \frac{\Theta}{Q} = 10^{-40} = 0.0000071523B9 k \frac{K}{C}$
$1m \frac{K}{sC} = 0.00017BB047 \cdot 10^{-70}$ (*)	$1 ni' uze - \frac{\Theta}{TQ} = 10^{-70} = 7251.94A m \frac{K}{sC}$
$1 \frac{K}{sC} = 0.0B6A133A \cdot 10^{-70}$	$1 ni' uze - \frac{\Theta}{TQ} = 10^{-70} = 10.54239 \frac{K}{sC}$
$1k \frac{K}{sC} = 68.42225 \cdot 10^{-70}$	$1 ni' uze - \frac{\Theta}{TQ} = 10^{-70} = 0.01960AAB k \frac{K}{sC}$
$1m \frac{K}{s^2C} = 67509.A7 \cdot 10^{-B0}$	$1 ni' uvaiei - \frac{\Theta}{T^2 Q} = 10^{-B0} = 0.00001991030 m \frac{K}{s^2C}$
$1 \frac{K}{s^2C} = 0.000039B6648 \cdot 10^{-A0}$	$1 ni' ujauau - \frac{\Theta}{T^2 Q} = 10^{-A0} = 3171A.3A \frac{K}{s^2C}$
$1k \frac{K}{s^2C} = 0.02272204 \cdot 10^{-A0}$	$1 ni' ujauau - \frac{\Theta}{T^2 Q} = 10^{-A0} = 54.B7198 k \frac{K}{s^2C}$
$1m \frac{s\ K}{C} = 1325.3A6 \cdot 10^{-10}$	$1 ni' upa - \frac{T\Theta}{Q} = 10^{-10} = 0.000957A74A m \frac{s\ K}{C}$
$1 \frac{s\ K}{C} = 896B76.A \cdot 10^{-10}$	$1 \frac{T\Theta}{Q} = 1 = 1444962. \frac{s\ K}{C}$
$1k \frac{s\ K}{C} = 0.0005112493 \cdot 10^0$	$1 \frac{T\Theta}{Q} = 1 = 2434.656 k \frac{s\ K}{C}$
$1m \frac{m\ K}{C} = 0.0000199809A \cdot 10^{-10}$	$1 ni' upa - \frac{L\Theta}{Q} = 10^{-10} = 672B1.A6 m \frac{m\ K}{C}$
$1 \frac{m\ K}{C} = 0.01075204 \cdot 10^{-10}$	$1 ni' upa - \frac{L\Theta}{Q} = 10^{-10} = B4.B258A \frac{m\ K}{C}$
$1k \frac{m\ K}{C} = 7.377291 \cdot 10^{-10}$	$1 ni' upa - \frac{L\Theta}{Q} = 10^{-10} = 0.1787564 k \frac{m\ K}{C}$
$1m \frac{m\ K}{sC} = 7275.941 \cdot 10^{-50}$	$1 ni' umu - \frac{L\Theta}{TQ} = 10^{-50} = 0.00017B46A2 m \frac{m\ K}{sC}$
$1 \frac{m\ K}{sC} = 0.000004216756 \cdot 10^{-40}$	$1 ni' uvo - \frac{L\Theta}{TQ} = 10^{-40} = 2A5797.6 \frac{m\ K}{sC}$
$1k \frac{m\ K}{sC} = 0.00250153A \cdot 10^{-40}$	$1 ni' uvo - \frac{L\Theta}{TQ} = 10^{-40} = 4B6.9549 k \frac{m\ K}{sC}$
$1m \frac{m\ K}{s^2C} = 2.481363 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.5031574 m \frac{m\ K}{s^2C}$
$1 \frac{m\ K}{s^2C} = 1471.779 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.00088167B7 \frac{m\ K}{s^2C}$
$1k \frac{m\ K}{s^2C} = 972A85.4 \cdot 10^{-80}$	$1 ni' ubi - \frac{L\Theta}{T^2 Q} = 10^{-80} = 0.0000012BB294 k \frac{m\ K}{s^2C}$ (*)
$1m \frac{ms\ K}{C} = 0.055A5637 \cdot 10^{20}$	$1 re - \frac{LT\Theta}{Q} = 10^{20} = 22.29637 m \frac{ms\ K}{C}$
$1 \frac{ms\ K}{C} = 32.15385 \cdot 10^{20}$	$1 re - \frac{LT\Theta}{Q} = 10^{20} = 0.0393B692 \frac{ms\ K}{C}$
$1k \frac{ms\ K}{C} = 1A088.24 \cdot 10^{20}$	$1 re - \frac{LT\Theta}{Q} = 10^{20} = 0.0000663B768 k \frac{ms\ K}{C}$
$1m \frac{m^2\ K}{C} = 7A5.8903 \cdot 10^{10}$	$1 pa - \frac{L^2\Theta}{Q} = 10^{10} = 0.001635931 m \frac{m^2\ K}{C}$
$1 \frac{m^2\ K}{C} = 468115.4 \cdot 10^{10}$	$1 re - \frac{L^2\Theta}{Q} = 10^{20} = 27731A8. \frac{m^2\ K}{C}$
$1k \frac{m^2\ K}{C} = 0.0002778254 \cdot 10^{20}$	$1 re - \frac{L^2\Theta}{Q} = 10^{20} = 4674.497 k \frac{m^2\ K}{C}$
$1m \frac{m^2\ K}{sC} = 0.2733832 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2\Theta}{TQ} = 10^{-20} = 4.73012A m \frac{m^2\ K}{sC}$
$1 \frac{m^2\ K}{sC} = 161.2374 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2\Theta}{TQ} = 10^{-20} = 0.007B58190 \frac{m^2\ K}{sC}$
$1k \frac{m^2\ K}{sC} = A5833.92 \cdot 10^{-20}$	$1 ni' ure - \frac{L^2\Theta}{TQ} = 10^{-20} = 0.0000118B897 k \frac{m^2\ K}{sC}$
$1m \frac{m^2\ K}{s^2C} = 0.0000A42A847 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 11AA9.99 m \frac{m^2\ K}{s^2C}$
$1 \frac{m^2\ K}{s^2C} = 0.05BA94B6 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 20.04A52 \frac{m^2\ K}{s^2C}$
$1k \frac{m^2\ K}{s^2C} = 35.73685 \cdot 10^{-50}$	$1 ni' umu - \frac{L^2\Theta}{T^2 Q} = 10^{-50} = 0.03564470 k \frac{m^2\ K}{s^2C}$
$1m \frac{m^2\ s\ K}{C} = 1B94932. \cdot 10^{40}$	$1 mu - \frac{L^2T\Theta}{Q} = 10^{50} = 607A65.6 m \frac{m^2\ s\ K}{C}$
$1 \frac{m^2\ s\ K}{C} = 0.001191B18 \cdot 10^{50}$	$1 mu - \frac{L^2T\Theta}{Q} = 10^{50} = A56.7324 \frac{m^2\ s\ K}{C}$
$1k \frac{m^2\ s\ K}{C} = 0.7B6B483 \cdot 10^{50}$	$1 mu - \frac{L^2T\Theta}{Q} = 10^{50} = 1.60B4B8 k \frac{m^2\ s\ K}{C}$
$1m \frac{K}{mC} = 11B33.A6 \cdot 10^{-70}$	$1 ni' uze - \frac{\Theta}{LQ} = 10^{-70} = 0.0000A3B6668 m \frac{K}{mC}$
$1 \frac{K}{mC} = 0.0000080978A9 \cdot 10^{-60}$	$1 ni' uxa - \frac{\Theta}{LQ} = 10^{-60} = 15A258. B \frac{K}{mC}$
$1k \frac{K}{mC} = 0.004802B91 \cdot 10^{-60}$	$1 ni' uxa - \frac{\Theta}{LQ} = 10^{-60} = 26A.1954 k \frac{K}{mC}$
$1m \frac{K}{msC} = 4.745BBA \cdot 10^{-A0}$ (*)	$1 ni' ujauau - \frac{\Theta}{LTQ} = 10^{-A0} = 0.27256B8 m \frac{K}{msC}$
$1 \frac{K}{msC} = 2806.6BB \cdot 10^{-A0}$ (*)	$1 ni' ujauau - \frac{\Theta}{LTQ} = 10^{-A0} = 0.00045B0AA9 \frac{K}{msC}$
$1k \frac{K}{msC} = 1666587. \cdot 10^{-A0}$	$1 ni' uso - \frac{\Theta}{LTQ} = 10^{-90} = 792191.6 k \frac{K}{msC}$

$$\begin{aligned}
1m \frac{K}{ms^2C} &= 0.00163B842 \cdot 10^{-110} \\
1 \frac{K}{ms^2C} &= 0.4737279 \cdot 10^{-110} \\
1k \frac{K}{ms^2C} &= 618.0418 \cdot 10^{-110} \\
1m \frac{sK}{mC} &= 0.00003613885 \cdot 10^{-30} \\
1 \frac{sK}{mC} &= 0.02045125 \cdot 10^{-30} \\
1k \frac{sK}{mC} &= 12.12890 \cdot 10^{-30} \\
1m \frac{K}{m^2C} &= 0.0003273787 \cdot 10^{-90} \\
1 \frac{K}{m^2C} &= 0.1A41477 \cdot 10^{-90} \\
1k \frac{K}{m^2C} &= 10B.1AB6 \cdot 10^{-90} \\
1m \frac{K}{m^2sC} &= 109455.2 \cdot 10^{-110} \\
1 \frac{K}{m^2sC} &= 0.00007490B06 \cdot 10^{-100} \\
1k \frac{K}{m^2sC} &= 0.04344448 \cdot 10^{-100} \\
1m \frac{K}{m^2s^2C} &= 42.93145 \cdot 10^{-140} \\
1 \frac{K}{m^2s^2C} &= 2546B.76 \cdot 10^{-140} \\
1k \frac{K}{m^2s^2C} &= 0.00001500589 \cdot 10^{-130} \quad (*) \\
1m \frac{sK}{m^2C} &= 0.98766B9 \cdot 10^{-60} \\
1 \frac{sK}{m^2C} &= 575.B105 \cdot 10^{-60} \\
1k \frac{sK}{m^2C} &= 330857.B \cdot 10^{-60} \\
1m \frac{K}{m^3C} &= 8.AB2528 \cdot 10^{-100} \\
1 \frac{K}{m^3C} &= 51A7.16B \cdot 10^{-100} \\
1k \frac{K}{m^3C} &= 2B98AA3. \cdot 10^{-100} \\
1m \frac{K}{m^3sC} &= 0.002B49570 \cdot 10^{-130} \\
1 \frac{K}{m^3sC} &= 1.859B0A \cdot 10^{-130} \\
1k \frac{K}{m^3sC} &= BA3.16A2 \cdot 10^{-130} \\
1m \frac{K}{m^3s^2C} &= B87555.0 \cdot 10^{-170} \\
1 \frac{K}{m^3s^2C} &= 0.0006946523 \cdot 10^{-160} \\
1k \frac{K}{m^3s^2C} &= 0.3B11600 \cdot 10^{-160} \quad (*) \\
1m \frac{sK}{m^3C} &= 22B03.76 \cdot 10^{-90} \\
1 \frac{sK}{m^3C} &= 0.0000136B292 \cdot 10^{-80} \\
1k \frac{sK}{m^3C} &= 0.009021BA5 \cdot 10^{-80} \\
1m \frac{kgK}{C} &= 0.00002843008 \cdot 10^{-30} \quad (*) \\
1 \frac{kgK}{C} &= 0.01688225 \cdot 10^{-30} \\
1k \frac{kgK}{C} &= A.A035B4 \cdot 10^{-30} \\
1m \frac{kgK}{sC} &= A863.828 \cdot 10^{-70} \\
1 \frac{kgK}{sC} &= 0.000006246571 \cdot 10^{-60} \\
1k \frac{kgK}{sC} &= 0.00370622A \cdot 10^{-60} \\
1m \frac{kgK}{s^2C} &= 3.6668B4 \cdot 10^{-A0} \\
1 \frac{kgK}{s^2C} &= 2075.6A1 \cdot 10^{-A0} \\
1k \frac{kgK}{s^2C} &= 122BA02. \cdot 10^{-A0} \\
1m \frac{kg sK}{C} &= 0.08189B22 \cdot 10^0 \\
1 \frac{kg sK}{C} &= 48.68778 \cdot 10^0 \\
1k \frac{kg sK}{C} &= 28893.B8 \cdot 10^0 \\
1m \frac{kg mK}{C} &= B82.18A9 \cdot 10^{-10} \\
1 \frac{kg mK}{C} &= 691569.1 \cdot 10^{-10} \\
1k \frac{kg mK}{C} &= 0.0003AB41B7 \cdot 10^0 \\
1m \frac{kg mK}{sC} &= 0.3A4A2B4 \cdot 10^{-40} \\
1 \frac{kg mK}{sC} &= 22A.3059 \cdot 10^{-40}
\end{aligned}$$

$$\begin{aligned}
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 7A3.2276 m \frac{K}{ms^2C} \\
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 1.16A830 \frac{K}{ms^2C} \\
1 ni'upapa \frac{\Theta}{LT^2Q} &= 10^{-110} = 0.001B5584A k \frac{K}{ms^2C} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 35052.5A m \frac{sK}{mC} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 5A.AB13B \frac{sK}{mC} \\
1 ni'uci \frac{T\Theta}{LQ} &= 10^{-30} = 0.0A264970 k \frac{sK}{mC} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 3890.B98 m \frac{K}{m^2C} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 6.540B22 \frac{K}{m^2C} \\
1 ni'uso \frac{\Theta}{L^2Q} &= 10^{-90} = 0.00B178750 k \frac{K}{m^2C} \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = B325030. m \frac{K}{m^2sC} \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = 17576.57 \frac{K}{m^2sC} \\
1 ni'upano \frac{\Theta}{L^2TQ} &= 10^{-100} = 29.78623 k \frac{K}{m^2sC} \\
1 ni'upavo \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.02A05009 m \frac{K}{m^2s^2C} \\
1 ni'upavo \frac{\Theta}{L^2T^2Q} &= 10^{-140} = 0.00004A98B2B \frac{K}{m^2s^2C} \\
1 ni'upaci \frac{\Theta}{L^2T^2Q} &= 10^{-130} = 85763.A6 k \frac{K}{m^2s^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 1.29964A m \frac{sK}{m^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.0021728B6 \frac{sK}{m^2C} \\
1 ni'uxa \frac{T\Theta}{L^2Q} &= 10^{-60} = 0.00000382A846 k \frac{sK}{m^2C} \\
1 ni'upano \frac{\Theta}{L^3Q} &= 10^{-100} = 0.141AB89 m \frac{K}{m^3C} \\
1 ni'upano \frac{\Theta}{L^3Q} &= 10^{-100} = 0.00023B1025 \frac{K}{m^3C} \\
1 ni'uvaiei \frac{\Theta}{L^3Q} &= 10^{-B0} = 403039.7 k \frac{K}{m^3C} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 409.9408 m \frac{K}{m^3sC} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.7042843 \frac{K}{m^3sC} \\
1 ni'upaci \frac{\Theta}{L^3TQ} &= 10^{-130} = 0.00101915B k \frac{K}{m^3sC} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 103562A. m \frac{K}{m^3s^2C} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 1929.892 \frac{K}{m^3s^2C} \\
1 ni'upaxa \frac{\Theta}{L^3T^2Q} &= 10^{-160} = 3.083912 k \frac{K}{m^3s^2C} \\
1 ni'uso \frac{T\Theta}{L^3Q} &= 10^{-90} = 0.0000542398B m \frac{sK}{m^3C} \\
1 ni'ubi \frac{T\Theta}{L^3Q} &= 10^{-80} = 92B13.82 \frac{sK}{m^3C} \\
1 ni'ubi \frac{T\Theta}{L^3Q} &= 10^{-80} = 13B.81A6 k \frac{sK}{m^3C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 454AA.56 m \frac{kgK}{C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 78.359B0 \frac{kgK}{C} \\
1 ni'uci \frac{M\Theta}{Q} &= 10^{-30} = 0.113589A k \frac{kgK}{C} \\
1 ni'uze \frac{M\Theta}{TQ} &= 10^{-70} = 0.0001154073 m \frac{kgK}{sC} \\
1 ni'uxa \frac{M\Theta}{TQ} &= 10^{-60} = 1B295B.3 \frac{kgK}{sC} \\
1 ni'uxa \frac{M\Theta}{TQ} &= 10^{-60} = 341.9022 k \frac{kgK}{sC} \\
1 ni'ujauau \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.3474512 m \frac{kgK}{s^2C} \\
1 ni'ujauau \frac{M\Theta}{T^2Q} &= 10^{-A0} = 0.0005A220B3 \frac{kgK}{s^2C} \\
1 ni'uso \frac{M\Theta}{T^2Q} &= 10^{-90} = A13337.7 k \frac{kgK}{s^2C} \\
1 \frac{MT\Theta}{Q} &= 1 = 15.81B78 m \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.0266752A \frac{kg sK}{C} \\
1 \frac{MT\Theta}{Q} &= 1 = 0.00004496286 k \frac{kg sK}{C} \\
1 ni'upa \frac{ML\Theta}{Q} &= 10^{-10} = 0.00103B131 m \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 193746B. \frac{kg mK}{C} \\
1 \frac{ML\Theta}{Q} &= 1 = 3098.527 k \frac{kg mK}{C} \\
1 ni'uvvo \frac{ML\Theta}{TQ} &= 10^{-40} = 3.12A2A8 m \frac{kg mK}{sC} \\
1 ni'uvvo \frac{ML\Theta}{TQ} &= 10^{-40} = 0.005441B51 \frac{kg mK}{sC}
\end{aligned}$$

$$\begin{aligned}
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 1365A5.4 \cdot 10^{-40} \\
1m \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.00013440B0 \cdot 10^{-70} \\
1 \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 0.08A81785 \cdot 10^{-70} \\
1k \frac{\text{kg m K}}{\text{s}^2 \text{C}} &= 51.89A0A \cdot 10^{-70} \\
1m \frac{\text{kg m s K}}{\text{C}} &= 2B35517 \cdot 10^{20} \\
1 \frac{\text{kg m s K}}{\text{C}} &= 0.001850784 \cdot 10^{30} \\
1k \frac{\text{kg m s K}}{\text{C}} &= 0.B999150 \cdot 10^{30} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 0.04274141 \cdot 10^{20} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 25.357A8 \cdot 10^{20} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{C}} &= 14B49.35 \cdot 10^{20} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.00001490784 \cdot 10^{-10} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.009842551 \cdot 10^{-10} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 5.73BA44 \cdot 10^{-10} \\
1m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 5668.136 \cdot 10^{-50} \\
1 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.000003262438 \cdot 10^{-40} \\
1k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} &= 0.001A35847 \cdot 10^{-40} \\
1m \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 108.A7B4 \cdot 10^{50} \\
1 \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 74588.60 \cdot 10^{50} \\
1k \frac{\text{kg m}^2 \text{s K}}{\text{C}} &= 0.00004325118 \cdot 10^{60} \\
1m \frac{\text{kg K}}{\text{m C}} &= 0.7573B56 \cdot 10^{-60} \\
1 \frac{\text{kg K}}{\text{m C}} &= 43A.3697 \cdot 10^{-60} \\
1k \frac{\text{kg K}}{\text{m C}} &= 260161.3 \cdot 10^{-60} \\
1m \frac{\text{kg K}}{\text{m s C}} &= 0.000257B846 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m s C}} &= 0.152006A \cdot 10^{-90} \quad (*) \\
1k \frac{\text{kg K}}{\text{m s C}} &= 9B.26BB6 \cdot 10^{-90} \quad (*) \\
1m \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 99A11.64 \cdot 10^{-110} \\
1 \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.0000582411B \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m s}^2 \text{C}} &= 0.03356B15 \cdot 10^{-100} \\
1m \frac{\text{kg s K}}{\text{m C}} &= 1A68.437 \cdot 10^{-30} \\
1 \frac{\text{kg s K}}{\text{m C}} &= 0.000001107A06 \cdot 10^{-20} \\
1k \frac{\text{kg s K}}{\text{m C}} &= 0.000767A50A \cdot 10^{-20} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 18823.A0 \cdot 10^{-90} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.00000BB76936 \cdot 10^{-80} \quad (*) \\
1k \frac{\text{kg K}}{\text{m}^2 \text{C}} &= 0.006B15246 \cdot 10^{-80} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 6.A1B2A6 \cdot 10^{-100} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 3B66.947 \cdot 10^{-100} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s C}} &= 2362312 \cdot 10^{-100} \\
1m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 0.002324709 \cdot 10^{-130} \\
1 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 1.38A665 \cdot 10^{-130} \\
1k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} &= 913.7A84 \cdot 10^{-130} \\
1m \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.00005258AB8 \cdot 10^{-50} \\
1 \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 0.0301A66A \cdot 10^{-50} \\
1k \frac{\text{kg s K}}{\text{m}^2 \text{C}} &= 18.B1070 \cdot 10^{-50} \\
1m \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.0004934BB1 \cdot 10^{-B0} \quad (*) \\
1 \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 0.2919882 \cdot 10^{-B0} \\
1k \frac{\text{kg K}}{\text{m}^3 \text{C}} &= 172.26A3 \cdot 10^{-B0}
\end{aligned}$$

$$\begin{aligned}
1 ni' uvo - \frac{ML\Theta}{TQ} &= 10^{-40} = 0.000009323694 k \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 945A.328 m \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 14.24674 \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ni' uze - \frac{ML\Theta}{T^2 Q} &= 10^{-70} = 0.023BA793 k \frac{\text{kg m K}}{\text{s}^2 \text{C}} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 40B763.5 m \frac{\text{kg m s K}}{\text{C}} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 707.5049 \frac{\text{kg m s K}}{\text{C}} \\
1 ci - \frac{MLT\Theta}{Q} &= 10^{30} = 1.02278A k \frac{\text{kg m s K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 2A.18582 m \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.04ABB7BB \frac{\text{kg m}^2 \text{K}}{\text{C}} \quad (*) \\
1 re - \frac{ML^2\Theta}{Q} &= 10^{20} = 0.000085B4618 k \frac{\text{kg m}^2 \text{K}}{\text{C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 87178.3B m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 12A.2789 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' upa - \frac{ML^2\Theta}{TQ} &= 10^{-10} = 0.217B6B1 k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' umu - \frac{ML^2\Theta}{TQ} &= 10^{-50} = 0.00021B6804 m \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 38A450.6 \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 ni' uvo - \frac{ML^2\Theta}{T^2 Q} &= 10^{-40} = 656.3734 k \frac{\text{kg m}^2 \text{K}}{\text{s}^2 \text{C}} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.00B376576 m \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 mu - \frac{ML^2T\Theta}{Q} &= 10^{50} = 0.0000176447A \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 xa - \frac{ML^2T\Theta}{Q} &= 10^{60} = 298B9.80 k \frac{\text{kg m}^2 \text{s K}}{\text{C}} \\
1 ni' uxu - \frac{M\Theta}{LQ} &= 10^{-60} = 1.734985 m \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uxu - \frac{M\Theta}{LQ} &= 10^{-60} = 0.00293A3A9 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uxu - \frac{M\Theta}{LQ} &= 10^{-60} = 0.00000496B608 k \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 4A30.231 m \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 8.47A958 \frac{\text{kg K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{LTQ} &= 10^{-90} = 0.0125B2BB k \frac{\text{kg K}}{\text{m}^2 \text{C}} \quad (*) \\
1 ni' upapa - \frac{M\Theta}{LT^2 Q} &= 10^{-110} = 0.0000127B708 m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 21409.A8 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{LT^2 Q} &= 10^{-100} = 37.95203 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' uci - \frac{MT\Theta}{LQ} &= 10^{-30} = 0.00064728B3 m \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = B04516.3 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' ure - \frac{MT\Theta}{LQ} &= 10^{-20} = 1708.976 k \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' uso - \frac{M\Theta}{L^2 Q} &= 10^{-90} = 0.00006B66A6B m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 100454.4 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 ni' ubi - \frac{M\Theta}{L^2 Q} &= 10^{-80} = 189.5803 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.19046AB m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upano - \frac{M\Theta}{L^2 TQ} &= 10^{-100} = 0.0003041468 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^2 TQ} &= 10^{-B0} = 529734.3 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 536.4890 m \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 0.9195007 \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \quad (*) \\
1 ni' upaci - \frac{M\Theta}{L^2 T^2 Q} &= 10^{-130} = 0.0013985B6 k \frac{\text{kg K}}{\text{m}^2 \text{s}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 237A8.17 m \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 3B.96097 \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' umu - \frac{MT\Theta}{L^2 Q} &= 10^{-50} = 0.06A70265 k \frac{\text{kg s K}}{\text{m}^2 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 261B.942 m \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 4.416073 \frac{\text{kg K}}{\text{m}^3 \text{C}} \\
1 ni' uvaiei - \frac{M\Theta}{L^3 Q} &= 10^{-B0} = 0.00760A557 k \frac{\text{kg K}}{\text{m}^3 \text{C}}
\end{aligned}$$

$1m \frac{kg\ K}{m^3 s\ C} = 16B689.1 \cdot 10^{-130}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 7715846. m \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s\ C} = 0.0000AB83497 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 11156.36 \frac{kg\ K}{m^3 s\ C}$
$1k \frac{kg\ K}{m^3 s\ C} = 0.06426234 \cdot 10^{-120}$	$1 ni' upare- \frac{M\Theta}{L^3 T Q} = 10^{-120} = 1A.81122 k \frac{kg\ K}{m^3 s\ C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 63.3B849 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.01AB3208 m \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ K}{m^3 s^2 C} = 37717.30 \cdot 10^{-160}$	$1 ni' upaxa- \frac{M\Theta}{L^3 T^2 Q} = 10^{-160} = 0.00003377 A68 \frac{kg\ K}{m^3 s^2 C}$
$1k \frac{kg\ K}{m^3 s^2 C} = 0.00002128A58 \cdot 10^{-150}$	$1 ni' upamu- \frac{M\Theta}{L^3 T^2 Q} = 10^{-150} = 585B2.72 k \frac{kg\ K}{m^3 s^2 C}$
$1m \frac{kg\ s\ K}{m^3 C} = 1.25066B \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.9B9B572 m \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 841.8583 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.001530954 \frac{kg\ s\ K}{m^3 C}$
$1k \frac{kg\ s\ K}{m^3 C} = 49B522.2 \cdot 10^{-80}$	$1 ni' ubi- \frac{MT\Theta}{L^3 Q} = 10^{-80} = 0.000002599867 k \frac{kg\ s\ K}{m^3 C}$
$1m CK = 0.00035A351B \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 3534.95 A m CK$
$1 CK = 0.202811A \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 5.B40721 CK$
$1k CK = 120.26A8 \cdot 10^{-10}$	$1 ni' upa-Q\Theta = 10^{-10} = 0.00A333070 k CK$
$1m \frac{CK}{s} = 11A338.4 \cdot 10^{-50}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = A486052. m \frac{CK}{s}$
$1 \frac{CK}{s} = 0.00008028379 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 15B5B.5A \frac{CK}{s}$
$1k \frac{CK}{s} = 0.04782840 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{T} = 10^{-40} = 27.0464B k \frac{CK}{s}$
$1m \frac{CK}{s^2} = 47.0632A \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.02748781 m \frac{CK}{s^2}$
$1 \frac{CK}{s^2} = 27A2B.66 \cdot 10^{-80}$	$1 ni' ubi- \frac{Q\Theta}{T^2} = 10^{-80} = 0.0000462B7B9 \frac{CK}{s^2}$
$1k \frac{CK}{s^2} = 0.000016525AA \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{T^2} = 10^{-70} = 798A6.83 k \frac{CK}{s^2}$
$1m s CK = 0.A653811 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 1.17BB4B m s CK (*)$
$1s CK = 612.0A22 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.001B74752 s CK$
$1ks CK = 364186.8 \cdot 10^{20}$	$1 re-TQ\Theta = 10^{20} = 0.00000349832 A k s CK$
$1mm CK = 13142.76 \cdot 10^{10}$	$1 pa-LQ\Theta = 10^{10} = 0.00009641207 m m CK$
$1m CK = 0.0000088B4766 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 1456B9.9 m CK$
$1km CK = 0.005089898 \cdot 10^{20}$	$1 re-LQ\Theta = 10^{20} = 245.508 A km CK$
$1m \frac{m\ CK}{s} = 5.004B1A \cdot 10^{-20} (*)$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.2494A03 m \frac{m\ CK}{s}$
$1 \frac{m\ CK}{s} = 2A8A.A29 \cdot 10^{-20}$	$1 ni' ure- \frac{LQ\Theta}{T} = 10^{-20} = 0.000418A338 \frac{m\ CK}{s}$
$1k \frac{m\ CK}{s} = 1813205. \cdot 10^{-20}$	$1 ni' upa- \frac{LQ\Theta}{T} = 10^{-10} = 71B44B.4 k \frac{m\ CK}{s}$
$1m \frac{m\ CK}{s^2} = 0.0017A5971 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 72B.4889 m \frac{m\ CK}{s^2}$
$1 \frac{m\ CK}{s^2} = 0.B601732 \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 1.062B9A \frac{m\ CK}{s^2}$
$1k \frac{m\ CK}{s^2} = 67A.4B1A \cdot 10^{-50}$	$1 ni' umu- \frac{LQ\Theta}{T^2} = 10^{-50} = 0.001977684 k \frac{m\ CK}{s^2}$
$1m ms CK = 0.00003979B13 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 31A27.19 m ms CK$
$1ms CK = 0.02250432 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 55.4A767 ms CK$
$1km s CK = 13.35717 \cdot 10^{50}$	$1 mu-LTQ\Theta = 10^{50} = 0.09503483 km s CK$
$1mm^2 CK = 0.55588B9 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 2.248332 m m^2 CK$
$1m^2 CK = 31A.8550 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 0.003972A53 m^2 CK$
$1km^2 CK = 19B180.4 \cdot 10^{40}$	$1 vo-L^2 Q\Theta = 10^{40} = 0.000006697675 km^2 CK$
$1m \frac{m^2 CK}{s} = 0.0001981334 \cdot 10^{10}$	$1 pa- \frac{L^2 Q\Theta}{T} = 10^{10} = 6787.A53 m \frac{m^2 CK}{s}$
$1 \frac{m^2 CK}{s} = 0.10666361 \cdot 10^{10}$	$1 pa- \frac{L^2 Q\Theta}{T} = 10^{10} = B.591270 \frac{m^2 CK}{s}$
$1k \frac{m^2 CK}{s} = 73.13843 \cdot 10^{10}$	$1 pa- \frac{L^2 Q\Theta}{T} = 10^{10} = 0.017A0686 k \frac{m^2 CK}{s}$
$1m \frac{m^2 CK}{s^2} = 72131.48 \cdot 10^{-30}$	$1 ni' uci- \frac{L^2 Q\Theta}{T^2} = 10^{-30} = 0.00001809A50 m \frac{m^2 CK}{s^2}$
$1 \frac{m^2 CK}{s^2} = 0.0000419B4B8 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2 Q\Theta}{T^2} = 10^{-20} = 2A818.38 \frac{m^2 CK}{s^2}$
$1k \frac{m^2 CK}{s^2} = 0.024A0532 \cdot 10^{-20}$	$1 ni' ure- \frac{L^2 Q\Theta}{T^2} = 10^{-20} = 4B.B1124 k \frac{m^2 CK}{s^2}$
$1mm^2 s CK = 1459.647 \cdot 10^{70}$	$1 ze-L^2 TQ\Theta = 10^{70} = 0.00088A04AA m m^2 s CK$
$1m^2 s CK = 9656A4.0 \cdot 10^{70}$	$1 bi-L^2 TQ\Theta = 10^{80} = 1311A71. m^2 s CK$
$1km^2 s CK = 0.000562A839 \cdot 10^{80}$	$1 bi-L^2 TQ\Theta = 10^{80} = 2210.577 km^2 s CK$
$1m \frac{CK}{m} = 9.7B2081 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.12AA46B m \frac{CK}{m}$
$1 \frac{CK}{m} = 5710.AB4 \cdot 10^{-40}$	$1 ni' uvo- \frac{Q\Theta}{L} = 10^{-40} = 0.0002190B44 \frac{CK}{m}$
$1k \frac{CK}{m} = 329A980. \cdot 10^{-40}$	$1 ni' uci- \frac{Q\Theta}{L} = 10^{-30} = 386108.7 k \frac{CK}{m}$
$1m \frac{CK}{ms} = 0.003246447 \cdot 10^{-70}$	$1 ni' uze- \frac{Q\Theta}{LT} = 10^{-70} = 390.3962 m \frac{CK}{ms}$

$$\begin{aligned}
1 \frac{\text{CK}}{\text{ms}} &= 1.426165 \cdot 10^{-70} \\
1 \text{k} \frac{\text{CK}}{\text{ms}} &= 10A2.928 \cdot 10^{-70} \\
1 \text{m} \frac{\text{CK}}{\text{ms}^2} &= 0.00000108552A \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{ms}^2} &= 0.0007428504 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{ms}^2} &= 0.4308117 \cdot 10^{-A0} \\
1 \text{m} \frac{\text{sCK}}{\text{m}} &= 25225.54 \cdot 10^{-10} \\
1 \frac{\text{sCK}}{\text{m}} &= 0.000014A7B86 \cdot 10^0 \\
1 \text{k} \frac{\text{sCK}}{\text{m}} &= 0.009934875 \cdot 10^0 \\
1 \text{m} \frac{\text{CK}}{\text{m}^2} &= 229112.5 \cdot 10^{-70} \\
1 \frac{\text{CK}}{\text{m}^2} &= 0.0001359978 \cdot 10^{-60} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2} &= 0.08B648B5 \cdot 10^{-60} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 8A.36325 \cdot 10^{-A0} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}} &= 51619.63 \cdot 10^{-A0} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} &= 0.00002B72055 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 0.02B22B55 \cdot 10^{-110} \\
1 \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= 18.44322 \cdot 10^{-110} \\
1 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} &= B94A.B53 \cdot 10^{-110} \\
1 \text{m} \frac{\text{sCK}}{\text{m}^2} &= 0.000689B555 \cdot 10^{-30} \\
1 \frac{\text{sCK}}{\text{m}^2} &= 0.3A93966 \cdot 10^{-30} \\
1 \text{k} \frac{\text{sCK}}{\text{m}^2} &= 230.A043 \cdot 10^{-30} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3} &= 0.006213A35 \cdot 10^{-90} \\
1 \frac{\text{CK}}{\text{m}^3} &= 3.6A7A15 \cdot 10^{-90} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3} &= 2099.B97 \cdot 10^{-90} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.000002064958 \cdot 10^{-100} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.001224531 \cdot 10^{-100} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} &= 0.82715A2 \cdot 10^{-100} \\
1 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 815.5A18 \cdot 10^{-140} \\
1 \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 484953.1 \cdot 10^{-140} \\
1 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} &= 0.0002877AA6 \cdot 10^{-130} \\
1 \text{m} \frac{\text{sCK}}{\text{m}^3} &= 16.7A56A \cdot 10^{-60} \\
1 \frac{\text{sCK}}{\text{m}^3} &= A968.002 \cdot 10^{-60} \quad (*) \\
1 \text{k} \frac{\text{sCK}}{\text{m}^3} &= 62B8369. \cdot 10^{-60} \\
1 \text{m kg CK} &= 1A50A.B9 \cdot 10^{-10} \\
1 \text{kg CK} &= 0.000010B8703 \cdot 10^0 \\
1 \text{kg kg CK} &= 0.00761434B \cdot 10^0 \\
1 \text{m} \frac{\text{kg CK}}{\text{s}} &= 7.50A874 \cdot 10^{-40} \\
1 \frac{\text{kg CK}}{\text{s}} &= 4366.A52 \cdot 10^{-40} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}} &= 259B785. \cdot 10^{-40} \\
1 \text{m} \frac{\text{kg CK}}{\text{s}^2} &= 0.00255A168 \cdot 10^{-70} \\
1 \frac{\text{kg CK}}{\text{s}^2} &= 1.509302 \cdot 10^{-70} \\
1 \text{k} \frac{\text{kg CK}}{\text{s}^2} &= 9A6.02AB \cdot 10^{-70} \\
1 \text{m kg s CK} &= 0.00005789AB5 \cdot 10^{30} \\
1 \text{kg s CK} &= 0.03324761 \cdot 10^{30} \\
1 \text{k kg s CK} &= 1A.82695 \cdot 10^{30} \\
1 \text{m kg m CK} &= 0.8119836 \cdot 10^{20} \\
1 \text{kg m CK} &= 482.7A77 \cdot 10^{20} \\
1 \text{k kg m CK} &= 286515.2 \cdot 10^{20} \\
1 \text{m} \frac{\text{kg m CK}}{\text{s}} &= 0.000281B150 \cdot 10^{-10} \\
1 \frac{\text{kg m CK}}{\text{s}} &= 0.1674066 \cdot 10^{-10} \\
1 \text{k} \frac{\text{kg m CK}}{\text{s}} &= A9.2B511 \cdot 10^{-10}
\end{aligned}$$

$$\begin{aligned}
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 0.6597BB2 \frac{\text{CK}}{\text{ms}} \quad (*) \\
1 \text{ni'uze-} \frac{Q\Theta}{LT} &= 10^{-70} = 0.000B254603 \text{k} \frac{\text{CK}}{\text{ms}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = B40230.A \text{m} \frac{\text{CK}}{\text{ms}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 1770.507 \frac{\text{CK}}{\text{ms}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{LT^2} &= 10^{-A0} = 2.9A1830 \text{k} \frac{\text{CK}}{\text{ms}^2} \\
1 \text{ni'upa-} \frac{TQ\Theta}{L} &= 10^{-10} = 0.00004B2649B \text{m} \frac{\text{sCK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 86397.58 \frac{\text{sCK}}{\text{m}} \\
1 \frac{TQ\Theta}{L} &= 1 = 128.9785 \text{k} \frac{\text{sCK}}{\text{m}} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 546B584. \text{m} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 9371.5AA \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'uxa-} \frac{Q\Theta}{L^2} &= 10^{-60} = 14.0A010 \text{k} \frac{\text{CK}}{\text{m}^2} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.01430BA6 \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'ujauau-} \frac{Q\Theta}{L^2T} &= 10^{-A0} = 0.00002411291 \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^2T} &= 10^{-90} = 40661.A7 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 41.137BB \text{m} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \quad (*) \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.070A3A09 \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'upapa-} \frac{Q\Theta}{L^2T^2} &= 10^{-110} = 0.00010277A7 \text{k} \frac{\text{CK}}{\text{m}^2 \text{s}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 1946.58B \text{m} \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 3.0B373B \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uci-} \frac{TQ\Theta}{L^2} &= 10^{-30} = 0.0053A0354 \text{k} \frac{\text{sCK}}{\text{m}^2} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 1B3.9722 \text{m} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 0.3435B1A \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'uso-} \frac{Q\Theta}{L^3} &= 10^{-90} = 0.0005975899 \text{k} \frac{\text{CK}}{\text{m}^3} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 5A5278.2 \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = A18.6594 \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upano-} \frac{Q\Theta}{L^3T} &= 10^{-100} = 1.563991 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.0015892AB \text{m} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upavo-} \frac{Q\Theta}{L^3T^2} &= 10^{-140} = 0.000002678005 \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'upaci-} \frac{Q\Theta}{L^3T^2} &= 10^{-130} = 44B3.B36 \text{k} \frac{\text{CK}}{\text{m}^3 \text{s}^2} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.07875AA6 \text{m} \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'uxa-} \frac{TQ\Theta}{L^3} &= 10^{-60} = 0.00011407AA \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'umu-} \frac{TQ\Theta}{L^3} &= 10^{-50} = 1B06A9.4 \text{k} \frac{\text{sCK}}{\text{m}^3} \\
1 \text{ni'upa-} MQ\Theta &= 10^{-10} = 0.00006509202 \text{m kg CK} \\
1 MQ\Theta &= 1 = B11BA.A5 \text{kg CK} \\
1 MQ\Theta &= 1 = 172.13B7 \text{k kg CK} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.1749642 \text{m} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uvo-} \frac{MQ\Theta}{T} &= 10^{-40} = 0.0002963275 \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uci-} \frac{MQ\Theta}{T} &= 10^{-30} = 49B152.4 \text{k} \frac{\text{kg CK}}{\text{s}} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 4A7.2847 \text{m} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.85320A3 \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ni'uze-} \frac{MQ\Theta}{T^2} &= 10^{-70} = 0.00126B99A \text{k} \frac{\text{kg CK}}{\text{s}^2} \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 21616.BB \text{m kg s CK} \quad (*) \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 38.0BB50 \text{kg s CK} \quad (*) \\
1 \text{ci-MTQ}\Theta &= 10^{30} = 0.06421316 \text{k kg s CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 1.595374 \text{m kg m CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 0.002689B17 \text{kg m CK} \\
1 \text{re-MLQ}\Theta &= 10^{20} = 0.000004514006 \text{k kg m CK} \quad (*) \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 4589.225 \text{m} \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 7.8A1A29 \frac{\text{kg m CK}}{\text{s}} \\
1 \text{ni'upa-} \frac{MLQ\Theta}{T} &= 10^{-10} = 0.01145313 \text{k} \frac{\text{kg m CK}}{\text{s}}
\end{aligned}$$

$$\begin{aligned}
1m \frac{kg \cdot m \cdot C \cdot K}{s^2} &= A790A.A6 \cdot 10^{-50} \\
1 \frac{kg \cdot m \cdot C \cdot K}{s^2} &= 0.000061B2436 \cdot 10^{-40} \\
1k \frac{kg \cdot m \cdot C \cdot K}{s^2} &= 0.03695106 \cdot 10^{-40} \\
1m kg \cdot m \cdot s \cdot C \cdot K &= 2055.811 \cdot 10^{50} \\
1 kg \cdot m \cdot s \cdot C \cdot K &= 0.00000121A00A \cdot 10^{60} \quad (*) \\
1k kg \cdot m \cdot s \cdot C \cdot K &= 0.000823499B \cdot 10^{60} \\
1m kg \cdot m^2 \cdot C \cdot K &= 0.00002B0B019 \cdot 10^{50} \\
1 kg \cdot m^2 \cdot C \cdot K &= 0.01837058 \cdot 10^{50} \\
1k kg \cdot m^2 \cdot C \cdot K &= B.8B6A77 \cdot 10^{50} \\
1m \frac{kg \cdot m^2 \cdot C \cdot K}{s} &= B740.B03 \cdot 10^{10} \\
1 \frac{kg \cdot m^2 \cdot C \cdot K}{s} &= 0.000006877786 \cdot 10^{20} \\
1k \frac{kg \cdot m^2 \cdot C \cdot K}{s} &= 0.003A7B84A \cdot 10^{20} \\
1m \frac{kg \cdot m^2 \cdot C \cdot K}{s^2} &= 3.A162B9 \cdot 10^{-20} \\
1 \frac{kg \cdot m^2 \cdot C \cdot K}{s^2} &= 2283.A88 \cdot 10^{-20} \\
1k \frac{kg \cdot m^2 \cdot C \cdot K}{s^2} &= 1354586. \cdot 10^{-20} \\
1m kg \cdot m^2 \cdot s \cdot C \cdot K &= 0.089B6139 \cdot 10^{80} \\
1 kg \cdot m^2 \cdot s \cdot C \cdot K &= 51.39B11 \cdot 10^{80} \\
1k kg \cdot m^2 \cdot s \cdot C \cdot K &= 2B59A.B0 \cdot 10^{80} \\
1m \frac{kg \cdot C \cdot K}{m} &= 0.0005213090 \cdot 10^{-30} \\
1 \frac{kg \cdot C \cdot K}{m} &= 0.2BB3472 \cdot 10^{-30} \quad (*) \\
1k \frac{kg \cdot C \cdot K}{m} &= 189.701B \cdot 10^{-30} \\
1m \frac{kg \cdot C \cdot K}{m \cdot s} &= 18685A.B \cdot 10^{-70} \\
1 \frac{kg \cdot C \cdot K}{m \cdot s} &= 0.0000BA92B87 \cdot 10^{-60} \\
1k \frac{kg \cdot C \cdot K}{m \cdot s} &= 0.06A75680 \cdot 10^{-60} \\
1m \frac{kg \cdot C \cdot K}{m \cdot s^2} &= 69.8050A \cdot 10^{-A0} \\
1 \frac{kg \cdot C \cdot K}{m \cdot s^2} &= 3B319.73 \cdot 10^{-A0} \\
1k \frac{kg \cdot C \cdot K}{m \cdot s^2} &= 0.00002342660 \cdot 10^{-90} \\
1m \frac{kg \cdot s \cdot C \cdot K}{m} &= 1.377328 \\
1 \frac{kg \cdot s \cdot C \cdot K}{m} &= 906.9987 \cdot 10^0 \\
1k \frac{kg \cdot s \cdot C \cdot K}{m} &= 529B41.6 \cdot 10^0 \\
1m \frac{kg \cdot C \cdot K}{m^2} &= 12.40151 \cdot 10^{-60} \\
1 \frac{kg \cdot C \cdot K}{m^2} &= 8366.1AB \cdot 10^{-60} \\
1k \frac{kg \cdot C \cdot K}{m^2} &= 4973293. \cdot 10^{-60} \\
1m \frac{kg \cdot C \cdot K}{m^2 \cdot s} &= 0.0048B3751 \cdot 10^{-90} \\
1 \frac{kg \cdot C \cdot K}{m^2 \cdot s} &= 2.8B5197 \cdot 10^{-90} \\
1k \frac{kg \cdot C \cdot K}{m^2 \cdot s} &= 170A.052 \cdot 10^{-90} \\
1m \frac{kg \cdot C \cdot K}{m^2 \cdot s^2} &= 0.0000016A2475 \cdot 10^{-100} \\
1 \frac{kg \cdot C \cdot K}{m^2 \cdot s^2} &= 0.000AAA9A87 \cdot 10^{-100} \\
1k \frac{kg \cdot C \cdot K}{m^2 \cdot s^2} &= 0.6390605 \cdot 10^{-100} \\
1m \frac{kg \cdot s \cdot C \cdot K}{m^2} &= 37373.66 \cdot 10^{-30} \\
1 \frac{kg \cdot s \cdot C \cdot K}{m^2} &= 0.0000210847B \cdot 10^{-20} \\
1k \frac{kg \cdot s \cdot C \cdot K}{m^2} &= 0.01260230 \cdot 10^{-20} \\
1m \frac{kg \cdot C \cdot K}{m^3} &= 3384B4.A \cdot 10^{-90} \\
1 \frac{kg \cdot C \cdot K}{m^3} &= 0.0001AB8506 \cdot 10^{-80} \\
1k \frac{kg \cdot C \cdot K}{m^3} &= 0.1136718 \cdot 10^{-80} \\
1m \frac{kg \cdot C \cdot K}{m^3 \cdot s} &= 111.863B \cdot 10^{-100} \\
1 \frac{kg \cdot C \cdot K}{m^3 \cdot s} &= 77326.71 \cdot 10^{-100} \\
1k \frac{kg \cdot C \cdot K}{m^3 \cdot s} &= 0.00004499785 \cdot 10^{-B0} \\
1m \frac{kg \cdot C \cdot K}{m^3 \cdot s^2} &= 0.04425B8B \cdot 10^{-130} \\
1 \frac{kg \cdot C \cdot K}{m^3 \cdot s^2} &= 26.26822 \cdot 10^{-130}
\end{aligned}$$

$$\begin{aligned}
1 ni'umu \frac{MLQ\Theta}{T^2} &= 10^{-50} = 0.00001163860 m \frac{kg \cdot m \cdot C \cdot K}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 1B457.82 \frac{kg \cdot m \cdot C \cdot K}{s^2} \\
1 ni'uvo \frac{MLQ\Theta}{T^2} &= 10^{-40} = 34.479AB k \frac{kg \cdot m \cdot C \cdot K}{s^2} \\
1 mu \cdot MLTQ\Theta &= 10^{50} = 0.0005A7A79A m \cdot kg \cdot m \cdot s \cdot C \cdot K \\
1 xa \cdot MLTQ\Theta &= 10^{60} = A21196.B kg \cdot m \cdot s \cdot C \cdot K \\
1 xa \cdot MLTQ\Theta &= 10^{60} = 156B.942 k \cdot kg \cdot m \cdot s \cdot C \cdot K \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 4131B.9B m \cdot kg \cdot m^2 \cdot C \cdot K \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 71.164A7 kg \cdot m^2 \cdot C \cdot K \\
1 mu \cdot ML^2Q\Theta &= 10^{50} = 0.1031264 k \cdot kg \cdot m^2 \cdot C \cdot K \\
1 pa \frac{ML^2Q\Theta}{T} &= 10^{10} = 0.0001049964 m \frac{kg \cdot m^2 \cdot C \cdot K}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 1951A2.8 \frac{kg \cdot m^2 \cdot C \cdot K}{s} \\
1 re \frac{ML^2Q\Theta}{T} &= 10^{20} = 310.4428 k \frac{kg \cdot m^2 \cdot C \cdot K}{s} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.3156644 m \frac{kg \cdot m^2 \cdot C \cdot K}{s^2} \\
1 ni'ure \frac{ML^2Q\Theta}{T^2} &= 10^{-20} = 0.00054898B8 \frac{kg \cdot m^2 \cdot C \cdot K}{s^2} \\
1 ni'upa \frac{ML^2Q\Theta}{T^2} &= 10^{-10} = 93A3B9.2 k \frac{kg \cdot m^2 \cdot C \cdot K}{s^2} \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 14.38465 m \cdot kg \cdot m^2 \cdot s \cdot C \cdot K \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.02421BB7 kg \cdot m^2 \cdot s \cdot C \cdot K \\
1 bi \cdot ML^2TQ\Theta &= 10^{80} = 0.00004084276 k \cdot kg \cdot m^2 \cdot s \cdot C \cdot K \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 239A.7B0 m \frac{kg \cdot C \cdot K}{m} \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 4.00B612 \frac{kg \cdot C \cdot K}{m} \quad (*) \\
1 ni'uci \frac{MQ\Theta}{L} &= 10^{-30} = 0.006B0B9A4 k \frac{kg \cdot C \cdot K}{m} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 70073B0. m \frac{kg \cdot C \cdot K}{ms} \quad (*) \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 1012A.67 \frac{kg \cdot C \cdot K}{ms} \\
1 ni'uxa \frac{MQ\Theta}{LT} &= 10^{-60} = 18.AB841 k \frac{kg \cdot C \cdot K}{ms} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.0191A991 m \frac{kg \cdot C \cdot K}{ms^2} \\
1 ni'ujauau \frac{MQ\Theta}{LT^2} &= 10^{-A0} = 0.00003068A87 \frac{kg \cdot C \cdot K}{ms^2} \\
1 ni'uso \frac{MQ\Theta}{LT^2} &= 10^{-90} = 53218.99 k \frac{kg \cdot C \cdot K}{ms^2} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.9264336 m \frac{kg \cdot s \cdot C \cdot K}{m} \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.0013ABB3A \frac{kg \cdot s \cdot C \cdot K}{m} \quad (*) \\
1 \frac{MTQ\Theta}{L} &= 1 = 0.00000236058B k \frac{kg \cdot s \cdot C \cdot K}{m} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.0A067457 m \frac{kg \cdot C \cdot K}{m^2} \\
1 ni'uxa \frac{MQ\Theta}{L^2} &= 10^{-60} = 0.00015438BB \frac{kg \cdot C \cdot K}{m^2} \quad (*) \\
1 ni'umu \frac{MQ\Theta}{L^2} &= 10^{-50} = 25BB69.8 k \frac{kg \cdot C \cdot K}{m^2} \quad (*) \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 264.1B29 m \frac{kg \cdot C \cdot K}{m^2 \cdot s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.44532BA \frac{kg \cdot C \cdot K}{m^2 \cdot s} \\
1 ni'uso \frac{MQ\Theta}{L^2T} &= 10^{-90} = 0.0007674685 k \frac{kg \cdot C \cdot K}{m^2 \cdot s} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 778086.6 m \frac{kg \cdot C \cdot K}{m^2 \cdot s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 1124.A9B \frac{kg \cdot C \cdot K}{m^2 \cdot s^2} \\
1 ni'upano \frac{MQ\Theta}{L^2T^2} &= 10^{-100} = 1.A98914 k \frac{kg \cdot C \cdot K}{m^2 \cdot s^2} \\
1 ni'uci \frac{MTQ\Theta}{L^2} &= 10^{-30} = 0.000033AA73A m \frac{kg \cdot s \cdot C \cdot K}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 58B61.85 \frac{kg \cdot s \cdot C \cdot K}{m^2} \\
1 ni'ure \frac{MTQ\Theta}{L^2} &= 10^{-20} = 9B.1B351 k \frac{kg \cdot s \cdot C \cdot K}{m^2} \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 3763789. m \frac{kg \cdot C \cdot K}{m^3} \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = 6326.5A45 \frac{kg \cdot C \cdot K}{m^3} \\
1 ni'ubi \frac{MQ\Theta}{L^3} &= 10^{-80} = A.9B7102 k \frac{kg \cdot C \cdot K}{m^3} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.00AB59391 m \frac{kg \cdot C \cdot K}{m^3 \cdot s} \\
1 ni'upano \frac{MQ\Theta}{L^3T} &= 10^{-100} = 0.000016B2492 \frac{kg \cdot C \cdot K}{m^3 \cdot s} \\
1 ni'upano \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 28872.6A k \frac{kg \cdot C \cdot K}{m^3 \cdot s} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 29.12196 m \frac{kg \cdot C \cdot K}{m^3 \cdot s^2} \\
1 ni'upaci \frac{MQ\Theta}{L^3T^2} &= 10^{-130} = 0.04923AA6 \frac{kg \cdot C \cdot K}{m^3 \cdot s^2}
\end{aligned}$$

$$\begin{aligned}1 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} &= 15599.0A \cdot 10^{-130} \\1 \text{m} \frac{\text{kg s CK}}{\text{m}^3} &= 0.0009BB1938 \cdot 10^{-50} \quad (*) \\1 \frac{\text{kg s CK}}{\text{m}^3} &= 0.594A0BB \cdot 10^{-50} \quad (*) \\1 \text{k} \frac{\text{kg s CK}}{\text{m}^3} &= 341.B743 \cdot 10^{-50}\end{aligned}$$

$$\begin{aligned}1 \text{ni'upaci} \frac{MQ\Theta}{L^3 T^2} &= 10^{-130} = 0.0000829B790 \text{k} \frac{\text{kg CK}}{\text{m}^3 \text{s}^2} \\1 \text{ni'umu} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 124A.9B2 \text{m} \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 2.0A9376 \frac{\text{kg s CK}}{\text{m}^3} \\1 \text{ni'umu} \frac{MTQ\Theta}{L^3} &= 10^{-50} = 0.00370349B \text{k} \frac{\text{kg s CK}}{\text{m}^3}\end{aligned}$$