



Creating and viewing reports to tune your configuration

Cloud Manager

Ben Cammett
June 09, 2021

This PDF was generated from https://docs.netapp.com/us-en/occm/task_sync_managing_reports.html on September 09, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- Creating and viewing reports to tune your configuration 1
 - Creating reports 1
 - Viewing report errors 1
 - Deleting reports 2

Creating and viewing reports to tune your configuration

Create and view reports to get information that you can use with the help of NetApp personnel to tune a data broker's configuration and improve performance.

Each report provides in-depth details about a path in a sync relationship. For example, the report for a file system shows how many directories and files there are, the distribution of file size, how deep and wide the directories are, and more.

Creating reports

Each time that you create a report, Cloud Sync scans the path and then compiles the details into a report.

Steps

1. Click **Sync > Reports**.

The paths (source or target) in each of your sync relationships display in a table.

2. In the **Reports Actions** column, go to a specific path and click **Create**, or click the action menu and select **Create New**.
3. When the report is ready, click action menu and select **View**.

Here's a sample report for a file system path.

And here's a sample report for object storage.

Viewing report errors








The Paths table identifies whether any errors are present in the most recent report. An error identifies an issue that Cloud Sync faced when scanning the path.

For example, a report might contain permission denied errors. This type of error can affect Cloud Sync's ability to scan the entire set of files and directories.

After you view the list of errors, you can then address the issues and run the report again.

Steps

1. Click **Sync > Reports**.
2. In the **Errors** column, identify whether any errors are present in a report.
3. If errors are present, click the arrow next to the number of errors.

20 Paths								
Path	Reports #	Last Report Date	Last Scan Duration	Last Report Status	Errors	Reports Actions		
 nfs://1.1.1.1/data1/success	2 Reports	Apr 12, 2021 11:34 AM	Less than a minute	✓ Completed	None	...		
 nfs://4.4.4.4/data1/success	2 Reports	Apr 19, 2021 3:21 PM	Less than a minute	✓ Completed	None	...		
 s3://phoebe/failed	1 Report	Apr 20, 2021 3:30 PM	Less than a minute	❌ Failed	None	...		
 s3://phoebe	2 Reports	Apr 19, 2021 1:23 PM	Less than a minute	✓ Completed	1 	...		
 s3://large	1 Report	Apr 20, 2021 3:30 PM	Less than a minute	✓ Completed	1 	...		

4. Use the information in the error to correct the issue.

After you resolve the issue, the error shouldn't appear the next time that you run the report.

Deleting reports

You might delete a report if it contained an error that you fixed, or if the report is related to a sync relationship that you removed.

Steps

1. Click **Sync > Reports**.
2. In the **Reports Actions** column, click the action menu for a path and select **Delete last report** or **Delete all reports**.
3. Confirm that you want to delete the report or reports.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.