

Sequence Labeling for Gait Analysis using LSTM

10-701 Project Presentation


Pablo Iturralde

Yin Zhong

Jakob Bauer

April 27, 2015

Introduction



from <http://biodesign.seas.harvard.edu/soft-exosuits>

Goal: Accurately detect gait events (heel strike, toe off) in video-based motion capture data of human walking gait


Introduction

- ▶ **Problem:** Sequence labeling
 - ▶ Input: 3D locus of 18 motion capture markers ($54 \times N$ reals)
 - ▶ Output: $\{\text{Left}, \text{Right}\} \times \{\text{Heel Strike}, \text{Toe Off}\}$ ($4 \times N$ bools)
- ▶ **Dataset:**
 - ▶ 10 healthy subjects \times 3 trials \times 50 s @ 100 Hz
 - ▶ Ground truth from force plates on treadmills

Our Approach

- ▶ Objectives:
 1. Gross mis-predictions should be avoided even with the presence of input noise
 2. Number of manually-picked parameters (window size, threshold, filter cutoff, etc.) should be minimal
 3. Algorithm that generalizes to healthy and pathological subjects, treadmill and over-ground walking
- ▶ Proposed solution: LSTM-based RNN
 - ▶ Shown to work with timeseries data in sequence labeling and prediction tasks
 - ▶ Can possibly learn and exploit temporal correlations of data

Network architecture



Implementation


- ▶ Torch/Lua on 1 AWS EC2 GPU instance (g2.2xlarge)
- ▶ Start with LSTM code example by de Freitas
 - ▶ Adapted to our problem setup
 - ▶ Parameter tweaking to achieve convergence
 - ▶ Improved results through adaptive gradients, mini-batch, regularization.
- ▶ N-fold cross-validation to evaluate performance
- ▶ Further work:
 - ▶ Explore alternative network configurations
 - ▶ Assess time/space invariance
 - ▶ Generalize to stroke subjects and over-ground trials

Results


	true deviation		absolute deviation	
	mean	std	mean	std
Foot velocity	4.16	3.74	4.84	2.80
Feed-forward NN	0.07	1.48	0.85	1.21
LSTM	0.10	3.87	2.35	3.08

Table 1: Comparison of results for $N = 30$, $T = 25$ s. Measured in frames ($T_s = 0.01$ s).

Results



(a) Feed-forward NN



(b) LSTM

Figure 1: True deviations, $N = 30$, $T = 25$ s.

Thank you for your attention!

Human Gait Cycle




Figure 2: Gait events [Rueterbories et al., 2010]