# THE DERIVATIVE

## THE DERIVATIVE

#### **DEFINITION**

The derivative of f at x equals

$$\lim_{h o 0}rac{f(x+h)-f(x)}{h}$$

provided the limit exists.

# **DERIVATIVE NOTATION**

The derivative may be written as any of

$\frac{df}{dx}$	
$\frac{d}{dx}$	f
f'	
$oldsymbol{\dot{f}}$	

#### **EXAMPLE**

Show that

$$\frac{d}{dx}x = 1$$

#### **EXAMPLE**

Show that

$$rac{d}{dx}x^2 = 2x$$

# **SECANT LINE**

## SECANT LINE

#### **DEFINITION**

The secant line for f(x) between  $x_1, x_2$  is the straight line though the points in the plane,  $(x_1, f(x_1))$  and  $(x_2, f(x_2))$ .

## **DIFFERENCES**

#### **DEFINITION**

$$\Delta x = x_2 - x_1$$
.

$$\Delta f = f(x_2) - f(x_1).$$

# DIFFERENCE QUOTIENT

#### **DEFINITION**

The quantity  $\frac{\Delta f}{\Delta x}$  is called the difference quotient.

# SECANT LINE SLOPE

#### **LEMMA**

The slope of the secant line is

$$rac{\Delta f}{\Delta x} = rac{f(x_2) - f(x_1)}{x_2 - x_1}.$$

#### **EXAMPLE**

Let  $f(x)=x^2$  and let  $x_1=2, x_2=3.$  The secant line has equation

$$y = 5x - 6$$

## TANGENT LINE

#### **DEFINITION**

The tangent line at x is the line through the point in the plane, (x, f(x)) with slope f'(x).

### TANGENT LINE SLOPE

#### LEMMA

$$f'(x_1) = \lim_{x_2 o x_1}rac{f(x_2)-f(x_1)}{x_2-x_1} = \lim_{\Delta x o 0}rac{\Delta f}{\Delta x}.$$

# TANGENT LINE AND SECANT LINE

#### **THEOREM**

The tangent line at x is the limit of the secant lines as  $x_2 o x_1.$ 

#### **EXAMPLE**

 $\overline{\mathsf{Let}\, f(x) = x^2}\, \mathsf{and}\, \mathsf{let}\, x_1 = 2.$ 

Secant line has slope

$$4 + \Delta x$$
.

Tangent line has slope 4

# DIFFERENTIABILITY IMPLIES CONTINUITY

# DIFFERENTIABILITY IMPLIES CONTINUITY

#### **THEOREM**

If f is differentiable at  $x_0$ , then f is also continuous at  $x_0$ .

$$f(x)-f(x_0)=rac{\Delta f}{\Delta x}\Delta x o 0.$$