




Fiji Islands



1. Timeline of blood surveys and MDAs carried out under PacELF



2. ICT Prevalence and % Treated in the Fiji Islands under PacELF



Blood Surveys

| Date | Method of Test | Target | Sampling method | No. of examined | No. of Positives | Positive rate (%) | Remarks | Reference |
|-----------------|----------------|-----------------------------|-------------------|-----------------|------------------|-------------------|---------|--------------|
| 1997, 2000-2001 | ICT | Rotuma (97), Whole area | convenient sample | 5983 | 993 | 16.60 | | DIS(2001) |
| 2002 | ICT | Sentinel Site (48 villages) | convenient sample | 3214 | 452 | 14.06 | Pre-MDA | Draft report |
| 2002 | MF | Sentinel Site (48 villages) | convenient sample | 3214 | 203 | 6.32 | Pre-MDA | Draft report |

MDAs

| Date | MDA | Total Population | Registered Population | % Registered | Treated population | % Treated / Total | % Treated / Registered | Reference |
|------|---------|------------------|-----------------------|--------------|--------------------|-------------------|------------------------|------------------|
| 2002 | 1st MDA | 776173 | 575486 | 74.14 | 546922 | 70.46 | 95.04 | AM5 presentation |
| 2003 | 2nd MDA | | | | | | | |

3. History of Filariasis Activities in Fiji in the 1900's before PacELF

| Year | Activity | Area | MF Prevalence | Symptomatic cases | Control Programme | Reference: |
|-----------|---|---|------------------|---|---|---|
| 1904 | Clinical survey | | | Filariasis is especially prevalent in Fiji | | BOISSIERE, quoted in Sasa (1976) |
| 1905 | MF survey | Colonial Hospital from 15 different provinces | 25.7% (156/608) | | | LYNCH, quoted in Sasa (1976) |
| 1912 | MF & Clinical survey | | 27.1% (358/1320) | General: 43.5% (574/1320) | | BAHR, quoted in Sasa (1976) |
| 1912 | MF & Clinical survey | Bau | 12.5% (/) | Elephantiasis: 0% (/) | | BAHR, quoted in Sasa (1976) |
| 1912 | MF & Clinical survey | Loma Loma | 32.8% (/) | Elephantiasis: 1.8% (/) | | BAHR, quoted in Sasa (1976) |
| 1912 | MF & Clinical survey | Oneata | 22.5% (/) | Elephantiasis: 1.5% (/) | | BAHR, quoted in Sasa (1976) |
| 1912 | MF & Clinical survey | Lakeba | 36.5% (/) | Elephantiasis: 8.7% (/) | | BAHR, quoted in Sasa (1976) |
| 1925 | MF survey | | 27.6% (/) | | | PacELF Meeting Report (1999), quoted by Travis |
| 1929 | MF survey | Rotuma | 28.7% (/171) | | | LAMBERT, quoted in Sasa (1976) |
| 1946 | MF survey | Rotuma | 28.7% (/1938) | | | AMOS, quoted by Iyenger (1959, 1965), quoted in Sasa (1976) |
| Pre-1949 | Vector Control and Village Sanitation | Countrywide | | Elephantiasis: 0.9% (511/57888) | Cutting grass and elimination of breeding sites | Symes (1956), quoted MoH Plan (1996) |
| 1950's | MDA | | | | Experimental use of Hetrazan | Symes (1956), quoted MoH Plan (1996) |
| 1954-1956 | MF survey | Countrywide (8 areas) | 19.8% (357/1804) | | | Symes (1956), quoted MoH plan (1996), Table 2 |
| 1954-1956 | MF survey | Countrywide (Vitilevu, Taveuni, Savusavu, Labasa) | 19.5% (385/1976) | | | Symes (1956), quoted MoH plan (1996), Table 3 |
| 1954-1956 | MF & Clinical survey | Countrywide (Vitilevu, Taveuni, Savusavu, Labasa) | 18.2% (389/2142) | Elephantiasis: 3.4% (72/2142) Scrotum: 0.9% (20/2142) Fever with lymphagitis 5.4% (116/2142) Enlargement of lymph: 5.2% (112/2142) | | Symes (1956), quoted MoH plan (1996), Table 8 |
| 1954-1956 | Clinical survey | Countrywide (Vitilevu, Taveuni, Savusavu, Labasa) | | Hydrocele: 1.1% (20/1748) Filaria Fever: 6.6% (116/1748) Enlargement of lymph nodes: 6.3% (110/1748) | | Symes (1956), quoted MoH plan (1996), Table 2 |
| 1956 | MF (Knotts concentration) and Clinical survey | Countrywide | 14.2% (/57888) | Elephantiasis: 0.9% (511/57888) | | NELSON & CRUIKSHANK, quoted in Sasa (1976) |
| 1961 | MDA | Rewa | | | Pilot DEC MDA – 6mg/kg per dose, 6doses at weekly intervals per course, 2courses per person | BURNETT & MATAIKA, quoted in Sasa (1976) |
| 1968 | Clinical Survey | Northern Division | | Elephantiasis: 0.6% (88/13437) Enlarged lymph glands: 17.8% (2354/13228) | | Symes (1956), quoted MoH plan (1996), Table 7 |

3. History of Filariasis Activities in Fiji in the 1900's before PacELF (continued)


| Year | Activity | Area | MF Prevalence | Symptomatic cases | Control Programme | Reference: |
|-----------|-----------|-------------------|---------------------|-------------------|--|---|
| 1968 | MF survey | Taveuni/ Koro | 23.1% (219/947) | | | MoH plan (1996), Table 2, PacELF |
| 1968 | MF survey | Savusavu | 18.8% (250/1324) | | | MoH plan (1996), Table 2, PacELF |
| 1968 | MF survey | Rotuma | 29.4% (155/528) | | | MoH plan (1996), Table 2, PacELF |
| 1968-1969 | MF survey | Northern Division | 13.5% (667/4945) | | | MACNAMARA (1969), quoted MoH plan (1996), Table 4 |
| 1968-1969 | MDA | Countrywide | | | Hetrazan | MoH plan (1996), PacELF |
| 1969 | MF survey | Macuata/Bua | 7.6% (109/1437) | | | MoH plan (1996), Table 2, PacELF |
| 1969 | MF survey | Lau | 13.8% (136/984) | | | MoH plan (1996), Table 2, PacELF |
| 1969-1975 | MDA | Countrywide | | | DEC MDA for 2yrs in each area. 5mg/kg weekly for 6 weeks then monthly for 22 months. Total dosage-140mg/kg | REPORT OF WHO/SPC SENIMAR, quoted in Sasa (1976) |
| 1970 | MF survey | Kadavu | 11.85% (46/388) | | | MoH plan (1996), Table 2, PacELF |
| 1970 | MF survey | Lomaiviti | 18.5% (167/902) | | | MoH plan (1996), Table 2, PacELF |
| 1972 | MF survey | Rotuma | 2.8% (58/2015) | | | MoH plan (1996), Table 2, PacELF |
| 1973 | MF survey | Kadavu | 0.06% (2/3124) | | | MoH plan (1996), Table 2, PacELF |
| 1974 | MF survey | Taveuni/ Koro | 0.5% (6/1103) | | | MoH plan (1996), Table 2, PacELF |
| 1974 | MF survey | Savusavu | 0.85% (3/349) | | | MoH plan (1996), Table 2, PacELF |
| 1974 | MF survey | Lau | 0.2% (20/7499) | | | MoH plan (1996), Table 2, PacELF |
| 1974 | MF survey | Rotuma | 3.9% (92/2347) | | | MoH plan (1996), Table 2, PacELF |
| 1974 | MF survey | Lomaiviti | 0.3% (11/3686) | | | MoH plan (1996), Table 2, PacELF |
| 1979 | MF survey | Savusavu | 1.5% (32/721) | | | MoH plan (1996), Table 2, PacELF |
| 1980 | MF survey | Lau | 4.4% (32/721) | | | MoH plan (1996), Table 2, PacELF |
| 1982 | MF survey | Kadavu | 5.8% (91/1561) | | | MoH plan (1996), Table 2, PacELF |
| 1983 | MF survey | Lau | 6.8% (262/3843) | | | MoH plan (1996), Table 2, PacELF |
| 1983 | MF survey | Rotuma | 21.1% (363/1718) | | | MoH plan (1996), Table 2, PacELF |
| 1983 | MF survey | Lomaiviti | 5.7% (137/2394) | | | MoH plan (1996), Table 2, PacELF |
| 1984 | MF survey | Lau | 8.09% (189/2447) | | | MoH plan (1996), Table 2, PacELF |

3. History of Filariasis Activities in Fiji in the 1900's before PacELF (continued)

| Year | Activity | Area | MF Prevalence | Symptomatic cases | Control Programme | Reference: |
|-----------|-----------------|--------------------|-------------------|--|---|--|
| 1984-1991 | MDA | Pilot area | | | Pilot project comparing 2 different DEC regimens carried out. First area: DEC (6mg/kg) weight given annually X 5yrs, Second area: DEC (5mg/kg) weekly X 6 then monthly X 22, Third area: Control area | MoH plan (1996), PacELF |
| 1985 | MF survey | Kadavu | 6.9% (324/4686) | | | MATAIKA et al (1998), Bulletin of WHO, 1998, 76 (6): 575-579 |
| 1985 | MF survey | Kadavu | 6.3% (366/5792) | | | MoH plan (1996), Table 2, PacELF |
| 1985 | MF survey | Savusavu (Nagigi) | 9.2% (17/184) | | | MoH plan (1996), Table 2, PacELF |
| 1985-1986 | Clinical Survey | Kadavu & Lomaiviti | | Elephantiasis: 0.5% (28/5601) Hydrocele: 2.1% (119/5601) Filaria Fever: 2.3% (131/5601) Enlargement of Epitrochlear: 14.5% (814/5601) Enlarged inguinal nodes: 41% (2300/5601) | | MoH plan (1996), Table 9, PacELF |
| 1986 | MF survey | Lomaiviti | 11.6% (534/4611) | | | MoH plan (1996), Table 2, PacELF |
| 1986-1988 | MDA | Lomaiviti | | | DEC | MoH plan (1996), Table 2, PacELF |
| 1986-1990 | MDA | Kadavu | | | 5 annual treatment of single dose DEC (6mg/kg) | MATAIKA et al (1998), Bulletin of WHO, 1998, 76 (6): 575-579 |
| 1987 | MF survey | Kadavu | 4.1% (132/3257) | | | MATAIKA et al (1998), Bulletin of WHO, 1998, 76 (6): 575-579 |
| 1988 | MF survey | Kadavu | 2.3% (64/2819) | | | MATAIKA et al (1998), Bulletin of WHO, 1998, 76 (6): 575-579 |
| 1988 | MF survey | Rotuma | 11.07% (253/2284) | | | MoH plan (1996), Table 2, PacELF |
| 1989 | MF survey | Kadavu | 1.6% (48/2967) | | | MATAIKA et al (1998), Bulletin of WHO, 1998, 76 (6): 575-579 |
| 1989 | MF survey | Lomaiviti | 0.6% (17/2654) | | | MoH plan (1996), Table 2, PacELF |
| 1990 | MF survey | Kadavu | 1.3% (38/2830) | | | MATAIKA et al (1998), Bulletin of WHO, 1998, 76 (6): 575-579 |

3. History of Filariasis Activities in Fiji in the 1900's before PacELF (continued)

| Year | Activity | Area | MF Prevalence | Symptomatic cases | Control Programme | Reference: |
|-----------|-----------------|---------------------------|-------------------|--|--------------------------------------|--|
| 1990 | Clinical survey | Kadavu & Lomaiviti | | Elephantiasis: 0.5% (29/5601) Hydrocele: 1.8% (103/5601) Filaria Fever: 0.6% (34/5601) Enlargement of Epitrochlear: 6.0% (333/5601) Enlarged inguinal nodes: 28.8% (1617/5601) | | MoH plan (1996), Table 9, PacELF |
| 1990-1991 | MF survey | Kadavu | 0.7% (18/2611) | | | MATAIKA et al (1998), Bulletin of WHO, 1998, 76 (6): 575-579 |
| 1991 | MF survey | Savusavu | 3.4% (61/1811) | | | MoH plan (1996), Table 2, PacELF |
| 1991 | MF survey | Macuata | 0.64% (11/1728) | | | MoH plan (1996), Table 2, PacELF |
| 1991 | MF survey | Lomaiviti | 0.8% (23/2704) | | | MoH plan (1996), Table 2, PacELF |
| 1991-1995 | MF survey | Countrywide | 5.1% (1663/31877) | | | MoH plan (1996), Table 1, PacELF |
| 1991-1993 | MF survey | Countrywide, Indians only | 0% (0/825) | | | MoH plan (1996), Table 1, PacELF |
| 1991-1995 | Clinical survey | Countrywide | | Elephantiasis: 0.2% (37/18253), Hydrocele: 0.9% (168/18253), Lymph node enlargement: 16.1% (2939/18253) | | MoH plan (1996), Table 6, PacELF |
| 1993 | MF survey | Rotuma | 15.7% (292/1854) | | | MoH plan (1996), Table 2, PacELF |
| 1994 | MF survey | Kadavu | 1.5% (6/392) | | | MoH plan (1996), Table 2, PacELF |
| 1994-1995 | MF survey | Lau | 5.07% (175/3449) | | | MoH plan (1996), Table 2, PacELF |
| 1996 | MDA | Eastern Division | | | DEC (6mg/kg) & Ivermectin (200ug/kg) | MoH plan (1996), PacELF |

**PacELF Country Blood Survey Data****FIJI****(2001)****BS-1. Summary****Method: ICT**

| | | | |
|-------------------------|----------|----------------|--------------------------------------|
| Total Population | : | 775,077 | (National Cencus 1996) |
| Total Examined | : | 5,983 | (01 Jan. 1997 - 02 Nov. 2001) |
| Total positives | : | 993 | |
| % Examined | : | 0.77 % | |
| % Positives | : | 16.60 % | |

Comment :
None

Printed : 10 Nov 2003 11:13 AM

I. Input your data in blank cells.

Click here ▼ and choose your country name from the list below.

Country : Area:

Enter an area name if you wish to analyze areas separately, otherwise leave blank.

Survey Period

From To

Method of Test

 Enter the method (ICT, MF, Og4C3, etc.)

No. of Examined, Positives

| Age group | No. of Examined | | | No. of Positives | | | Total | |
|-----------|-----------------|--------|---------|------------------|--------|---------|----------|-----------|
| | Male | Female | Unknown | Male | Female | Unknown | Examined | Positives |
| 0-4 | 67 | 73 | | 4 | 6 | | 140 | 10 |
| 5-9 | 398 | 320 | | 37 | 26 | | 718 | 63 |
| 10-14 | 552 | 549 | | 64 | 53 | | 1,101 | 117 |
| 15-19 | 496 | 680 | | 69 | 56 | | 1,176 | 125 |
| 20-24 | 156 | 157 | | 40 | 14 | | 313 | 54 |
| 25-29 | 109 | 176 | | 31 | 22 | | 285 | 53 |
| 30-34 | 148 | 169 | | 41 | 30 | | 317 | 71 |
| 35-39 | 176 | 216 | | 49 | 37 | | 392 | 86 |
| 40-44 | 144 | 180 | | 47 | 24 | | 324 | 71 |
| 45-49 | 128 | 164 | | 48 | 22 | | 292 | 70 |
| 50-54 | 121 | 133 | | 43 | 28 | | 254 | 71 |
| 55-59 | 86 | 108 | | 33 | 19 | | 194 | 52 |
| 60over | 199 | 241 | | 78 | 62 | | 440 | 140 |
| unknown | 17 | 20 | | 4 | 6 | | 37 | 10 |
| TOTAL | 2,797 | 3,186 | 0 | 588 | 405 | 0 | 5,983 | 993 |

Year of National Census

No. of Population

| Age group | Male | Female | Total |
|-----------|---------|---------|---------|
| 0-4 | 48,563 | 45,651 | 94,214 |
| 5-9 | 44,937 | 42,158 | 87,095 |
| 10-14 | 47,709 | 45,146 | 92,855 |
| 15-19 | 42,829 | 40,853 | 83,682 |
| 20-24 | 34,444 | 32,511 | 66,955 |
| 25-29 | 31,283 | 30,377 | 61,660 |
| 30-34 | 30,727 | 30,114 | 60,841 |
| 35-39 | 28,525 | 27,254 | 55,779 |
| 40-44 | 22,341 | 21,839 | 44,180 |
| 45-49 | 18,482 | 18,599 | 37,081 |
| 50-54 | 14,286 | 14,397 | 28,683 |
| 55-59 | 10,857 | 11,388 | 22,245 |
| 60over | 18,948 | 20,859 | 39,807 |
| TOTAL | 393,931 | 381,146 | 775,077 |

Comments : Check up input data please.

Printed : 10 Nov 2003 11:13 AM

II. Input your blood survey data by Area in blank cells.

01/Jan./1997 - 02/Nov./2001

FIJI

| | Area | No. of Examined | No. of Positives | Population |
|-------|-----------------|-----------------|------------------|------------|
| 1 | Beqa | 307 | 129 | 1,241 |
| 2 | Yanuca | 77 | 27 | 259 |
| 3 | Vatulele | 525 | 1 | 1,017 |
| 4 | Nadi | 505 | 6 | 73,929 |
| 5 | Rakiraki | 510 | 90 | 29,819 |
| 6 | Ovalau/Moturiki | 551 | 64 | 10,591 |
| 7 | Kadavu | 602 | 73 | 11,441 |
| 8 | Vanuabalavu | 711 | 146 | 3,615 |
| 9 | Lakeba | 589 | 134 | 9,132 |
| 10 | Bua | 512 | 73 | 18,628 |
| 11 | Macuata | 440 | 4 | 93,508 |
| 12 | Taveuni | 491 | 136 | 14,400 |
| 13 | Rotuma | 163 | 110 | 2,483 |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |
| TOTAL | | 5,983 | 993 | 270,063 |


Check up the input data please.

Printed : 10 Nov 2003 11:13 AM

BS-3. Population (1996) and Samples (01/Jan./1997 - 02/Nov./2001)
by Age in FIJI

| Age group | Total examined | %Total examined | Total population | %Total population |
|--------------|-------------------|--------------------|---------------------|----------------------|
| 0-4 | 140 | 2.35 | 94,214 | 12.16 |
| 5-9 | 718 | 12.08 | 87,095 | 11.24 |
| 10-14 | 1,101 | 18.52 | 92,855 | 11.98 |
| 15-19 | 1,176 | 19.78 | 83,682 | 10.80 |
| 20-24 | 313 | 5.26 | 66,955 | 8.84 |
| 25-29 | 285 | 4.79 | 61,660 | 7.96 |
| 30-34 | 317 | 5.33 | 60,841 | 7.85 |
| 35-39 | 392 | 6.59 | 55,779 | 7.20 |
| 40-44 | 324 | 5.45 | 44,180 | 5.70 |
| 45-49 | 292 | 4.91 | 37,081 | 4.78 |
| 50-54 | 254 | 4.27 | 28,683 | 3.70 |
| 55-59 | 194 | 3.26 | 22,245 | 2.87 |
| 60over | 440 | 7.40 | 39,807 | 5.14 |
| TOTAL | 5,946 | 100.00 | 775,077 | 100.00 |


Population and Samples by Age




BS-2. Population by Age in FIJI
(1996)

| Age group | Male population | %Male population | Female population | %Female population | Total population | %Total population |
|--------------|--------------------|---------------------|----------------------|-----------------------|---------------------|----------------------|
| 0-4 | 48,563 | 12.33 | 45,651 | 11.98 | 94,214 | 12.16 |
| 5-9 | 44,937 | 11.41 | 42,158 | 11.06 | 87,095 | 11.24 |
| 10-14 | 47,709 | 12.11 | 45,146 | 11.84 | 92,855 | 11.98 |
| 15-19 | 42,829 | 10.87 | 40,853 | 10.72 | 83,682 | 10.80 |
| 20-24 | 34,444 | 8.74 | 32,511 | 8.53 | 66,955 | 8.84 |
| 25-29 | 31,283 | 7.94 | 30,377 | 7.97 | 61,660 | 7.96 |
| 30-34 | 30,727 | 7.80 | 30,114 | 7.90 | 60,841 | 7.85 |
| 35-39 | 28,525 | 7.24 | 27,254 | 7.15 | 55,779 | 7.20 |
| 40-44 | 22,341 | 5.67 | 21,839 | 5.73 | 44,180 | 5.70 |
| 45-49 | 18,482 | 4.69 | 18,599 | 4.88 | 37,081 | 4.78 |
| 50-54 | 14,286 | 3.63 | 14,397 | 3.78 | 28,683 | 3.70 |
| 55-59 | 10,857 | 2.76 | 11,388 | 2.99 | 22,245 | 2.87 |
| 60over | 18,948 | 4.81 | 20,859 | 5.47 | 39,807 | 5.14 |
| TOTAL | 393,931 | 100.00 | 381,146 | 100.00 | 775,077 | 100.00 |

Demographic pattern



Demographic Pattern with Polynomial Trend Line




BS-4.Positive Rate (01/Jan./1997 - 02/Nov./2001)
by Age & Sex in FIJI


ICT

| Age group | Male | | Female | | Total | |
|--------------|--------------|------------|--------------|------------|--------------|--------------|
| | examined | positives | examined | positives | examined | positives |
| 0-4 | 67 | 4 | 73 | 6 | 140 | 10 |
| 5-9 | 398 | 37 | 320 | 26 | 718 | 63 |
| 10-14 | 552 | 64 | 549 | 53 | 1,101 | 117 |
| 15-19 | 496 | 69 | 680 | 56 | 1,176 | 125 |
| 20-24 | 156 | 40 | 157 | 14 | 313 | 54 |
| 25-29 | 109 | 31 | 176 | 22 | 285 | 53 |
| 30-34 | 148 | 41 | 169 | 30 | 317 | 71 |
| 35-39 | 176 | 49 | 216 | 37 | 392 | 86 |
| 40-44 | 144 | 47 | 180 | 24 | 324 | 71 |
| 45-49 | 128 | 48 | 164 | 22 | 292 | 70 |
| 50-54 | 121 | 43 | 133 | 28 | 254 | 71 |
| 55-59 | 86 | 33 | 108 | 19 | 194 | 52 |
| 60over | 199 | 78 | 241 | 62 | 440 | 140 |
| TOTAL | 2,780 | 584 | 3,166 | 399 | 5,946 | 983 |
| | | | | | 12.60 | 16.53 |

%positives by Age & Sex




Age infection profile

BS-5. Population (1996) and Samples (01/Jan./1997 - 02/Nov./2001)
by Area in FIJI

| Area | No. of Examined | % Examined | No. of Population | % Population |
|-------------------|-----------------|---------------|-------------------|---------------|
| 1 Boga | 507 | 5.13 | 1,241 | 0.46 |
| 2 Yanuca | 77 | 1.29 | 269 | 0.10 |
| 3 Vatulele | 525 | 8.77 | 1,017 | 0.38 |
| 4 Nadi | 505 | 8.44 | 73,929 | 27.37 |
| 5 Rakiraki | 510 | 8.52 | 29,819 | 11.04 |
| 6 Ovalau/Moturiki | 551 | 9.21 | 10,591 | 3.92 |
| 7 Kadavu | 602 | 10.06 | 11,441 | 4.24 |
| 8 Vanua Balavu | 711 | 11.88 | 3,615 | 1.34 |
| 9 Lakeba | 569 | 9.84 | 9,132 | 3.38 |
| 10 Bua | 512 | 8.56 | 18,628 | 6.90 |
| 11 Macuata | 440 | 7.35 | 93,508 | 34.62 |
| 12 Tavuni | 491 | 8.21 | 14,400 | 5.33 |
| 13 Rotuma | 163 | 2.72 | 2,483 | 0.92 |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |
| TOTAL | 5,983 | 100.00 | 270,063 | 100.00 |

Population and Samples by Area





ICI

BS-6. Positive Rate (01/Jan./1997 - 02/Nov./2001)
by Area in FIJI

| Area | No. of Examined | No. of Positives | % Positives |
|-------------------|--------------------|---------------------|-------------|
| 1 Beqa | 307 | 129 | 42.02 |
| 2 Yanuca | 77 | 27 | 35.06 |
| 3 Vatulele | 528 | 1 | 0.19 |
| 4 Nadi | 505 | 6 | 1.19 |
| 5 Rakiraki | 510 | 80 | 17.65 |
| 6 Ovalau/Moturiki | 551 | 64 | 11.62 |
| 7 Kadavu | 602 | 73 | 12.13 |
| 8 Vanuabalavu | 711 | 146 | 20.53 |
| 9 Lakeba | 589 | 134 | 22.75 |
| 10 Bua | 512 | 73 | 14.26 |
| 11 Macuata | 440 | 4 | 0.91 |
| 12 Tavuni | 491 | 136 | 27.70 |
| 13 Rotuma | 163 | 110 | 67.48 |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |
| 27 | | | |
| 28 | | | |
| 29 | | | |
| 30 TOTAL | 5,983 | 993 | 16.60 |

% Positives by Area



**PacELF Country Blood Survey Data****FIJI****(2002)****BS-1. Summary****Method: ICT**

| | | | |
|-------------------------|----------|----------------|---------------------------------|
| Total Population | : | 775,077 | (National Cencus 1996) |
| Total Examined | : | 3,214 | (2002 - 2002) |
| Total positives | : | 452 | |
| % Examined | : | 0.41 % | |
| % Positives | : | 14.06 % | |

*Comment :**None*

Printed : 10 Nov 2003 11:17 AM

I. Input your data in blank cells.

Click here ▼ and choose your country name from the list below.

Country : Area : Enter an area name if you wish to analyze areas separately, otherwise leave blank.

| Survey Period | | | | | | | | |
|-----------------------------------|-----------------|--------------|-----------|------------------|------------|---|--------------|------------|
| Day | | | Month | | | Year | | |
| From | | | 2002 | | | Method of Test | | |
| To | | | 2002 | | | ICT Enter the method (ICT, MF, Og4C3, etc.) | | |
| No. of Examined, Positives | | | | | | | | |
| Age group | No. of Examined | | | No. of Positives | | | Total | |
| | Male | Female | Unknown | Male | Female | Unknown | Examined | Positives |
| 0-4 | 33 | 20 | | 0 | 0 | | 53 | 0 |
| 5-9 | 67 | 76 | | 6 | 6 | | 143 | 12 |
| 10-14 | 179 | 187 | | 14 | 5 | | 366 | 19 |
| 15-19 | 144 | 164 | | 12 | 12 | | 308 | 24 |
| 20-24 | 91 | 156 | | 19 | 19 | | 247 | 38 |
| 25-29 | 84 | 125 | | 18 | 16 | | 209 | 34 |
| 30-34 | 88 | 154 | | 22 | 12 | | 242 | 34 |
| 35-39 | 123 | 176 | | 33 | 21 | | 299 | 54 |
| 40-44 | 112 | 129 | | 26 | 22 | | 241 | 48 |
| 45-49 | 87 | 123 | | 20 | 18 | | 210 | 38 |
| 50-54 | 73 | 96 | | 19 | 13 | | 169 | 32 |
| 55-59 | 75 | 94 | | 18 | 14 | | 169 | 32 |
| 60over | 196 | 214 | | 49 | 38 | | 410 | 87 |
| unknown | 16 | 46 | 86 | 0 | 0 | | 148 | 0 |
| TOTAL | 1,368 | 1,760 | 86 | 256 | 196 | 0 | 3,214 | 452 |

Year of National Census

1996

No. of Population

| Age group | Male | Female | Total |
|--------------|----------------|----------------|----------------|
| 0-4 | 48,563 | 45,651 | 94,214 |
| 5-9 | 44,937 | 42,158 | 87,095 |
| 10-14 | 47,709 | 45,146 | 92,855 |
| 15-19 | 42,829 | 40,853 | 83,682 |
| 20-24 | 34,444 | 32,511 | 66,955 |
| 25-29 | 31,283 | 30,377 | 61,660 |
| 30-34 | 30,727 | 30,114 | 60,841 |
| 35-39 | 28,525 | 27,254 | 55,779 |
| 40-44 | 22,341 | 21,839 | 44,180 |
| 45-49 | 18,482 | 18,599 | 37,081 |
| 50-54 | 14,286 | 14,397 | 28,683 |
| 55-59 | 10,857 | 11,388 | 22,245 |
| 60over | 18,948 | 20,859 | 39,807 |
| TOTAL | 393,931 | 381,146 | 775,077 |

Comments : Check up input data please.

Printed : 10 Nov 2003 11:16 AM

II. Input your blood survey data by Area in blank cells.

//2002 - //2002

FIJI

| | Area | No. of Examined | No. of Positives | Population |
|--------------|---------------------------|-----------------|------------------|------------|
| 1 | Lakeba Subdivision (15) | 757 | 165 | |
| 2 | Lomaloma Subdivision (1) | 67 | 24 | |
| 3 | Nadi Subdivision (8) | 583 | 12 | |
| 4 | Naitasiri Subdivision (4) | 248 | 65 | |
| 5 | Rewa Subdivision (21) | 1,559 | 186 | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |
| TOTAL | | 3,214 | 452 | 0 |


Check up the input data please.

Printed : 10 Nov 2003 11:16 AM


BS-2. Population by Age in FIJI
(1996)

| Age group | Male population | %Male population | Female population | %Female population | Total population | %Total population |
|--------------|--------------------|---------------------|----------------------|-----------------------|---------------------|----------------------|
| 0-4 | 48,563 | 12.33 | 45,651 | 11.98 | 94,214 | 12.16 |
| 5-9 | 44,937 | 11.41 | 42,158 | 11.06 | 87,095 | 11.24 |
| 10-14 | 47,709 | 12.11 | 45,146 | 11.84 | 92,855 | 11.98 |
| 15-19 | 42,829 | 10.87 | 40,853 | 10.72 | 83,682 | 10.80 |
| 20-24 | 34,444 | 8.74 | 32,511 | 8.53 | 66,955 | 8.64 |
| 25-29 | 31,283 | 7.94 | 30,377 | 7.97 | 61,660 | 7.96 |
| 30-34 | 30,727 | 7.80 | 30,114 | 7.90 | 60,841 | 7.85 |
| 35-39 | 28,525 | 7.24 | 27,254 | 7.15 | 55,779 | 7.20 |
| 40-44 | 22,341 | 5.67 | 21,839 | 5.73 | 44,180 | 5.70 |
| 45-49 | 18,482 | 4.69 | 18,599 | 4.88 | 37,081 | 4.78 |
| 50-54 | 14,286 | 3.63 | 14,397 | 3.78 | 28,683 | 3.70 |
| 55-59 | 10,857 | 2.76 | 11,388 | 2.99 | 22,245 | 2.87 |
| 60over | 18,948 | 4.81 | 20,859 | 5.47 | 39,807 | 5.14 |
| TOTAL | 393,931 | 100.00 | 381,146 | 100.00 | 775,077 | 100.00 |

Demographic pattern




Demographic Pattern with Polynomial Trend Line

BS-3. Population (1996) and Samples (//2002 - //2002)
by Age in FIJI

| Age group | Total examined | %Total examined | Total population | %Total population |
|--------------|-------------------|--------------------|---------------------|----------------------|
| 0-4 | 53 | 1.73 | 94,214 | 12.16 |
| 5-9 | 143 | 4.66 | 87,095 | 11.24 |
| 10-14 | 366 | 11.94 | 92,855 | 11.98 |
| 15-19 | 308 | 10.05 | 83,682 | 10.80 |
| 20-24 | 247 | 8.06 | 66,955 | 8.64 |
| 25-29 | 209 | 6.82 | 61,660 | 7.96 |
| 30-34 | 242 | 7.89 | 60,841 | 7.85 |
| 35-39 | 299 | 9.75 | 55,779 | 7.20 |
| 40-44 | 241 | 7.86 | 44,180 | 5.70 |
| 45-49 | 210 | 6.85 | 37,081 | 4.78 |
| 50-54 | 169 | 5.51 | 28,683 | 3.70 |
| 55-59 | 169 | 5.51 | 22,245 | 2.87 |
| 60over | 410 | 13.37 | 39,807 | 5.14 |
| TOTAL | 3,066 | 100.00 | 775,077 | 100.00 |


Population and Samples by Age



BS-5. Population (1996) and Samples (//2002 - //2002) by Area in FIJI

| Area | No. of | | % | No. of Population | | % Population |
|-----------------------------|----------|--------|---|-------------------|------|--------------|
| | Examined | % | | Examined | % | |
| 1 Lakoba Subdivision (15) | 757 | 23.55 | | | | |
| 2 Lomaloma Subdivision (1) | 67 | 2.08 | | | | |
| 3 Nadi Subdivision (8) | 583 | 18.14 | | | | |
| 4 Naitasiri Subdivision (4) | 248 | 7.72 | | | | |
| 5 Rewa Subdivision (21) | 1,559 | 48.51 | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |
| 23 | | | | | | |
| 24 | | | | | | |
| 25 | | | | | | |
| 26 | | | | | | |
| 27 | | | | | | |
| 28 | | | | | | |
| 29 | | | | | | |
| 30 | | | | | | |
| TOTAL | 3,214 | 100.00 | | 0 | 0.00 | |

Population and Samples by Area




ICT


BS-4. Positive Rate (//2002 - //2002) by Age & Sex in FIJI

| Age group | Male | | % | Female | | % | Total | | % |
|-----------|----------|-----------|-------|----------|-----------|-------|----------|-----------|-------|
| | examined | positives | | examined | positives | | examined | positives | |
| 0-4 | 33 | 0 | 0.00 | 20 | 0 | 0.00 | 53 | 0 | 0.00 |
| 5-9 | 67 | 6 | 8.96 | 76 | 6 | 7.89 | 143 | 12 | 8.39 |
| 10-14 | 179 | 14 | 7.82 | 187 | 5 | 2.67 | 366 | 19 | 5.19 |
| 15-19 | 144 | 12 | 8.33 | 164 | 12 | 7.32 | 308 | 24 | 7.79 |
| 20-24 | 91 | 19 | 20.88 | 156 | 19 | 12.18 | 247 | 38 | 15.38 |
| 25-29 | 84 | 18 | 21.43 | 125 | 16 | 12.80 | 209 | 34 | 16.27 |
| 30-34 | 88 | 22 | 25.00 | 154 | 12 | 7.79 | 242 | 34 | 14.05 |
| 35-39 | 123 | 33 | 26.83 | 176 | 21 | 11.93 | 299 | 54 | 18.06 |
| 40-44 | 112 | 26 | 23.21 | 129 | 22 | 17.05 | 241 | 48 | 19.92 |
| 45-49 | 87 | 20 | 22.99 | 123 | 18 | 14.63 | 210 | 38 | 18.10 |
| 50-54 | 73 | 19 | 26.03 | 96 | 13 | 13.54 | 169 | 32 | 18.93 |
| 55-59 | 75 | 18 | 24.00 | 94 | 14 | 14.89 | 169 | 32 | 18.93 |
| 60over | 196 | 49 | 25.00 | 214 | 38 | 17.76 | 410 | 87 | 21.22 |
| TOTAL | 1,352 | 256 | 18.93 | 1,714 | 196 | 11.44 | 3,066 | 452 | 14.74 |

%positives by Age & Sex




Age infection profile



BS-6. Positive Rate (//2002 - //2002)
by Area in FIJI

ICI

| Area | No. of Examined | No. of Positives | % Positives |
|----------------------------|--------------------|---------------------|-------------|
| 1 Lakaba Subdivision (15) | 757 | 155 | 21.80 |
| 2 Lomlonia Subdivision (1) | 67 | 24 | 35.82 |
| 3 Nadi Subdivision (8) | 583 | 12 | 2.06 |
| 4 Natasiri Subdivision (4) | 248 | 65 | 26.21 |
| 5 Rewa Subdivision (21) | 1559 | 186 | 11.93 |
| 6 | | | |
| 7 | | | |
| 8 | | | |
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |
| 27 | | | |
| 28 | | | |
| 29 | | | |
| 30 TOTAL | 3,214 | 452 | 14.06 |



**PacELF Country Blood Survey Data****FIJI****(2002)****BS-1. Summary****Method: MF**

| | | | |
|-------------------------|----------|----------------|--------------------------|
| Total Population | : | 775,077 | (National Cencus 1996) |
| Total Examined | : | 3,214 | (2002 - 2002) |
| Total positives | : | 203 | |
| % Examined | : | 0.41 % | |
| % Positives | : | 6.32 % | |

*Comment :**None*

Printed : 10 Nov 2003 11:20 AM

I. Input your data in blank cells.

Click here ▼ and choose your country name from the list below.

Country : Area: Enter an area name if you wish to analyze areas separately, otherwise leave blank.

Survey Period

Day Month Year

From To

Method of Test

 Enter the method (ICT, MF, Og4C3, etc.)

No. of Examined, Positives

| Age group | No. of Examined | | | No. of Positives | | | Total | |
|-----------|-----------------|--------|---------|------------------|--------|---------|----------|-----------|
| | Male | Female | Unknown | Male | Female | Unknown | Examined | Positives |
| 0-4 | 33 | 20 | | 0 | 0 | | 53 | 0 |
| 5-9 | 67 | 76 | | 1 | 0 | | 143 | 1 |
| 10-14 | 179 | 187 | | 10 | 3 | | 366 | 13 |
| 15-19 | 144 | 164 | | 6 | 3 | | 308 | 9 |
| 20-24 | 91 | 156 | | 8 | 8 | | 247 | 16 |
| 25-29 | 84 | 125 | | 8 | 5 | | 209 | 13 |
| 30-34 | 88 | 154 | | 12 | 2 | | 242 | 14 |
| 35-39 | 123 | 176 | | 19 | 5 | | 299 | 24 |
| 40-44 | 112 | 129 | | 15 | 6 | | 241 | 21 |
| 45-49 | 87 | 123 | | 14 | 4 | | 210 | 18 |
| 50-54 | 73 | 96 | | 14 | 6 | | 169 | 20 |
| 55-59 | 75 | 94 | | 10 | 7 | | 169 | 17 |
| 60over | 196 | 214 | | 22 | 14 | | 410 | 36 |
| unknown | 16 | 46 | 86 | 0 | 0 | 1 | 148 | 1 |
| TOTAL | 1,368 | 1,760 | 86 | 139 | 63 | 1 | 3,214 | 203 |

Year of National Census

No. of Population

| Age group | Male | Female | Total |
|-----------|---------|---------|---------|
| 0-4 | 48,563 | 45,651 | 94,214 |
| 5-9 | 44,937 | 42,158 | 87,095 |
| 10-14 | 47,709 | 45,146 | 92,855 |
| 15-19 | 42,829 | 40,853 | 83,682 |
| 20-24 | 34,444 | 32,511 | 66,955 |
| 25-29 | 31,283 | 30,377 | 61,660 |
| 30-34 | 30,727 | 30,114 | 60,841 |
| 35-39 | 28,525 | 27,254 | 55,779 |
| 40-44 | 22,341 | 21,839 | 44,180 |
| 45-49 | 18,482 | 18,599 | 37,081 |
| 50-54 | 14,286 | 14,397 | 28,683 |
| 55-59 | 10,857 | 11,388 | 22,245 |
| 60over | 18,948 | 20,859 | 39,807 |
| TOTAL | 393,931 | 381,146 | 775,077 |

Comments : Check up input data please.

Printed : 10 Nov 2003 11:20 AM

II. Input your blood survey data by Area in blank cells.

//2002 - //2002

FIJI

| | Area | No. of Examined | No. of Positives | Population |
|-------|---------------------------|-----------------|------------------|------------|
| 1 | Lakeba Subdivision (15) | 757 | 53 | |
| 2 | Lomaloma Subdivision (1) | 67 | 3 | |
| 3 | Nadi Subdivision (8) | 583 | 1 | |
| 4 | Naitasiri Subdivision (4) | 248 | 23 | |
| 5 | Rewa Subdivision (21) | 1,559 | 123 | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |
| TOTAL | | 3,214 | 203 | 0 |


Check up the input data please.

Printed : 10 Nov 2003 11:20 AM


BS-2. Population by Age in FIJI (1996)

| Age group | Male population | %Male population | Female population | %Female population | Total population | %Total population |
|--------------|--------------------|---------------------|----------------------|-----------------------|---------------------|----------------------|
| 0-4 | 48,563 | 12.33 | 45,651 | 11.98 | 94,214 | 12.16 |
| 5-9 | 44,937 | 11.41 | 42,158 | 11.06 | 87,095 | 11.24 |
| 10-14 | 47,709 | 12.11 | 45,146 | 11.84 | 92,855 | 11.98 |
| 15-19 | 42,829 | 10.87 | 40,853 | 10.72 | 83,682 | 10.80 |
| 20-24 | 34,444 | 8.74 | 32,511 | 8.53 | 66,955 | 8.64 |
| 25-29 | 31,283 | 7.94 | 30,377 | 7.97 | 61,660 | 7.96 |
| 30-34 | 30,727 | 7.80 | 30,114 | 7.90 | 60,841 | 7.85 |
| 35-39 | 28,525 | 7.24 | 27,254 | 7.15 | 55,779 | 7.20 |
| 40-44 | 22,341 | 5.67 | 21,839 | 5.73 | 44,180 | 5.70 |
| 45-49 | 18,482 | 4.69 | 18,599 | 4.88 | 37,081 | 4.78 |
| 50-54 | 14,286 | 3.63 | 14,397 | 3.78 | 28,683 | 3.70 |
| 55-59 | 10,857 | 2.76 | 11,388 | 2.99 | 22,245 | 2.87 |
| 60over | 18,948 | 4.81 | 20,859 | 5.47 | 39,807 | 5.14 |
| TOTAL | 393,931 | 100.00 | 381,146 | 100.00 | 775,077 | 100.00 |

Demographic pattern




Demographic Pattern with Polynomial Trend Line



BS-3. Population (1996) and Samples (//2002 - //2002) by Age in FIJI

| Age group | Total examined | %Total examined | Total population | %Total population |
|--------------|-------------------|--------------------|---------------------|----------------------|
| 0-4 | 53 | 1.73 | 94,214 | 12.16 |
| 5-9 | 143 | 4.66 | 87,095 | 11.24 |
| 10-14 | 366 | 11.94 | 92,855 | 11.98 |
| 15-19 | 308 | 10.05 | 83,682 | 10.80 |
| 20-24 | 247 | 8.06 | 66,955 | 8.64 |
| 25-29 | 209 | 6.82 | 61,660 | 7.96 |
| 30-34 | 242 | 7.89 | 60,841 | 7.85 |
| 35-39 | 299 | 9.75 | 55,779 | 7.20 |
| 40-44 | 241 | 7.86 | 44,180 | 5.70 |
| 45-49 | 210 | 6.85 | 37,081 | 4.78 |
| 50-54 | 169 | 5.51 | 28,683 | 3.70 |
| 55-59 | 169 | 5.51 | 22,245 | 2.87 |
| 60over | 410 | 13.37 | 39,807 | 5.14 |
| TOTAL | 3,066 | 100.00 | 775,077 | 100.00 |


Population and Samples by Age




BS-4.Positive Rate (//2002 - //2002)
 by Age & Sex in FIJI

| Age group | Male | | Female | | Total | |
|-----------|----------|-------|----------|------|----------|------|
| | examined | % | examined | % | examined | % |
| 0-4 | 33 | 0.00 | 20 | 0.00 | 53 | 0.00 |
| 5-9 | 67 | 1.49 | 76 | 0.00 | 143 | 0.70 |
| 10-14 | 179 | 5.59 | 187 | 3.16 | 366 | 13 |
| 15-19 | 144 | 4.17 | 164 | 3.18 | 308 | 9 |
| 20-24 | 91 | 8.79 | 156 | 5.13 | 247 | 16 |
| 25-29 | 84 | 9.52 | 125 | 4.00 | 209 | 13 |
| 30-34 | 88 | 13.64 | 154 | 2.13 | 242 | 14 |
| 35-39 | 123 | 15.45 | 176 | 5.28 | 299 | 24 |
| 40-44 | 112 | 13.39 | 129 | 4.65 | 241 | 21 |
| 45-49 | 87 | 16.09 | 123 | 3.25 | 210 | 18 |
| 50-54 | 73 | 19.18 | 96 | 6.25 | 169 | 20 |
| 55-59 | 75 | 13.33 | 94 | 7.45 | 169 | 17 |
| 60over | 196 | 11.22 | 214 | 6.54 | 410 | 36 |
| TOTAL | 1,352 | 10.28 | 1,714 | 3.68 | 3,066 | 202 |

%positives by Age & Sex




Age infection profile



BS-5. Population (1996) and Samples (//2002 - //2002)
 by Area in FIJI


| Area | No. of Examined | % Examined | No. of Population | % Population |
|----------------------------|-----------------|------------|-------------------|--------------|
| 1 Lakeba Subdivision (15) | 757 | 23.55 | | |
| 2 Lomoloma Subdivision (1) | 67 | 2.08 | | |
| 3 Nadi Subdivision (8) | 583 | 18.14 | | |
| 4 Natasiri Subdivision (4) | 248 | 7.72 | | |
| 5 Rewa Subdivision (21) | 1,559 | 48.51 | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |
| TOTAL | 3,214 | 100.00 | 0 | 0.00 |

Population and Samples by Area



BS-6. Positive Rate (//2002 - //2002)
by Area in FIJI MF

| Area | No. of Examined | No. of Positives | % Positives |
|----------------------------|--------------------|---------------------|-------------|
| 1 Lakemba Subdivision (15) | 757 | 53 | 7.00 |
| 2 Lomaloma Subdivision (1) | 67 | 3 | 4.48 |
| 3 Nadi Subdivision (8) | 883 | 1 | 0.17 |
| 4 Natasin Subdivision (4) | 248 | 23 | 9.27 |
| 5 Rewa Subdivision (21) | 1559 | 123 | 7.89 |
| 6 | | | |
| 7 | | | |
| 8 | | | |
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |
| 27 | | | |
| 28 | | | |
| 29 | | | |
| 30 TOTAL | 3,214 | 203 | 6.32 |



PacELF Country MDA data

**FIJI****(2002)****MDA-1. Summary****Total Treated : 546,922****Treatment Coverage****% Distribution : 70.46 %**

(Total Treated / Total Population of National Census X 100)

% Self-reported : 95.04 %

(Total Treated / Total Registered X 100)

Total Population : 776,173**Total Registered : 575,486 (//2002 - //2002)****% Registered : 74.14 %**

(Total Registered / Total Population of National Census X 100)

% Drug consumed**Albendazole : 0.00 %**

(Total Number of Tablet / Total Population X 100)

Comment :*Note: Total population 776,173 (MDA Census/MoH).*

Click ▼ here and choose your country name from the list below.

Population (National Census)

Male population

Total population 776,173

MDA period :

| | | |
|----|--|------|
| To | | 2002 |
|----|--|------|

* If your age groups are different, please explain in the comment section below.

| Age group | No. of Registered | | | No. of Treated | | | Total | |
|--------------|-------------------|--------|---------|----------------|--------|---------|------------|---------|
| | Male | Female | Unknown | Male | Female | Unknown | Registered | Treated |
| 0 - 4 | | | | | | | 0 | 0 |
| 5 - 9 | | | | | | | 0 | 0 |
| 10 - 19 | | | | | | | 0 | 0 |
| 20 - 29 | | | | | | | 0 | 0 |
| 30 - 39 | | | | | | | 0 | 0 |
| 40 - 49 | | | | | | | 0 | 0 |
| 50 - 59 | | | | | | | 0 | 0 |
| 60 over | | | | | | | 0 | 0 |
| unknown | | | 575,486 | | | 546,922 | 575,486 | 546,922 |
| TOTAL | 0 | 0 | 575,486 | 0 | 0 | 546,922 | 575,486 | 546,922 |

Printed : 11 Nov 2003 9:03 AM

FIJI

//2002 - //2002

| | Area | No. of Population | No. of Registered | No. of Treated | No. of Tablets consumed | | Why No Treated? | | | | | | No. of No Treated | % Treated/ Pop. | % Treated/ Reg. |
|-------|--------------|-------------------|-------------------|----------------|-------------------------|-----|-----------------|------|--------|-----|--------|--------|-------------------|-----------------|-----------------|
| | | | | | Alb | DEC | Preg. | Sick | Infant | Old | Absent | Others | | | |
| 1 | Fiji Islands | 776,173 | 575,486 | 546,922 | | | | | | | | | 28,564 | 70.46 | 95.04 |
| 2 | | | | | | | | | | | | | 0 | - | - |
| 3 | | | | | | | | | | | | | 0 | - | - |
| 4 | | | | | | | | | | | | | 0 | - | - |
| 5 | | | | | | | | | | | | | 0 | - | - |
| 6 | | | | | | | | | | | | | 0 | - | - |
| 7 | | | | | | | | | | | | | 0 | - | - |
| 8 | | | | | | | | | | | | | 0 | - | - |
| 9 | | | | | | | | | | | | | 0 | - | - |
| 10 | | | | | | | | | | | | | 0 | - | - |
| 11 | | | | | | | | | | | | | 0 | - | - |
| 12 | | | | | | | | | | | | | 0 | - | - |
| 13 | | | | | | | | | | | | | 0 | - | - |
| 14 | | | | | | | | | | | | | 0 | - | - |
| 15 | | | | | | | | | | | | | 0 | - | - |
| 16 | | | | | | | | | | | | | 0 | - | - |
| 17 | | | | | | | | | | | | | 0 | - | - |
| 18 | | | | | | | | | | | | | 0 | - | - |
| 19 | | | | | | | | | | | | | 0 | - | - |
| 20 | | | | | | | | | | | | | 0 | - | - |
| 21 | | | | | | | | | | | | | 0 | - | - |
| 22 | | | | | | | | | | | | | 0 | - | - |
| 23 | | | | | | | | | | | | | 0 | - | - |
| 24 | | | | | | | | | | | | | 0 | - | - |
| 25 | | | | | | | | | | | | | 0 | - | - |
| 26 | | | | | | | | | | | | | 0 | - | - |
| 27 | | | | | | | | | | | | | 0 | - | - |
| 28 | | | | | | | | | | | | | 0 | - | - |
| 29 | | | | | | | | | | | | | 0 | - | - |
| 30 | | | | | | | | | | | | | 0 | - | - |
| TOTAL | | 776,173 | 575,486 | 546,922 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28,564 | 70.46 | 95.04 |

Printed : 11 Nov 2003 9:03 AM