

Supplementary figure 2.330

```
$ ffq -l 2 GSM3665016 -o metadata.json
```

```
{
  "GSM3665016": {
    "accession": "GSM3665016",
    "supplementary_files": [
      {
        "filename": "GSM3665016_CS_PBL_barcodes.tsv.gz",
        "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3665nnn/GSM3665016/suppl/GSM3665016_CS_PBL_barcodes.tsv.gz",
        "size": "8148"
      },
      {
        "filename": "GSM3665016_CS_PBL_genes.tsv.gz",
        "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3665nnn/GSM3665016/suppl/GSM3665016_CS_PBL_genes.tsv.gz",
        "size": "257279"
      },
      {
        "filename": "GSM3665016_CS_PBL_matrix.mtx.gz",
        "url": "ftp.ncbi.nlm.nih.gov/geo/samples/GSM3665nnn/GSM3665016/suppl/GSM3665016_CS_PBL_matrix.mtx.gz",
        "size": "7346347"
      }
    ],
    "platform": {
      "accession": "GPL18573",
      "title": "Illumina NextSeq 500 (Homo sapiens)"
    },
    "sample": {
      "SRS4474995": {
        "accession": "SRS4474995",
        "title": "scRNA data of peripheral blood mononuclear cells from healthy donor_sample 1_CS",
        "organism": "Homo sapiens",
        "attributes": {
          "source_name": "peripheral blood",
          "subject status": "healthy donor",
          "tissue": "whole blood",
          "cell type": "peripheral blood mononuclear cells (PBMCs)",
          "ENA-SPOT-COUNT": "253331105",
          "ENA-BASE-COUNT": "24826448290",
          "ENA-FIRST-PUBLIC": "2019-03-13",
          "ENA-LAST-UPDATE": "2019-03-13"
        }
      },
      "experiment": "SRX5506684"
    }
  }
}
```