## Answers - Surface of revolution (page ??)

1. 
$$y = x$$

$$y'=1$$

$$A = 2\pi \int_{1}^{2} x\sqrt{1+1^{2}} \, dx$$

$$A = 2\sqrt{2}\pi \int_1^2 x \, dx$$

$$A = 2\sqrt{2}\pi \left[\frac{x^2}{2}\right]_1^2$$

$$A = 3\pi\sqrt{2}$$

2. 
$$y = (x-1)^3$$

$$y' = 3(x-1)^2$$

$$A = 2\pi \int_{1}^{3} (x-1)^{3} \sqrt{1+9(x-1)^{4}} \, dx$$

Use the substitution  $u = 1 + 9(x - 1)^4$ 

$$du = 36(x-1)^3 dx$$

Recalculate the boundaries:

$$u = 1 + 9(3 - 1)^4 = 145$$

$$u = 1 + 9(1 - 1)^4 = 1$$

So, the integral becomes:

$$A = \frac{\pi}{18} \int_{1}^{145} u^{\frac{1}{2}} du$$

$$A = \frac{\pi}{18} \left[ \frac{2}{3} u^{\frac{3}{2}} \right]_{1}^{1} 45 = 203.04$$

3. 
$$y = \sqrt[3]{x}$$

Since it is rotated about the y-axis we make x the subject

$$x = y^3$$

$$x' = 3y^2$$

$$A = 2\pi \int_2^4 y^3 \sqrt{1 + 9y^4} \, dy$$

Use the substitution  $u = 1 + 9y^4$ 

$$du = 36y^3 \, dy$$

$$\frac{du}{36} = y^3 \, dy$$

Recalculate the boundaries:

$$u = 1 + 9(2)^4 = 145$$

$$u = 1 + 9(4)^4 = 2305$$

The integral becomes:

$$A = \frac{\pi}{18} \int_{145}^{2305} u^{\frac{1}{2}} du$$

$$A = \frac{\pi}{18} \left[ \frac{2}{3} u^{\frac{3}{2}} \right]_{145}^{2305} = 12673.18$$

4.  $y = x^2$  rotated about the y-axis between y = 1 and y = 9Since it is rotated about the y-axis, make x the subject.

$$x = y^{\frac{1}{2}}$$

$$x' = \frac{1}{2}y^{-\frac{1}{2}}$$

$$A = 2\pi \int_{1}^{9} \sqrt{y} \sqrt{1 + \frac{1}{4y}} \, dy$$

$$A = 2\pi \int_{1}^{9} \sqrt{y + \frac{1}{4}} \, dy$$

$$A = 2\pi \left[ \frac{2}{3} (y + \frac{1}{4})^{\frac{3}{2}} \right]_{1}^{9}$$

$$A = \frac{4\pi}{3} \left[ (y + \frac{1}{4})^{\frac{3}{2}} \right]_{1}^{9}$$

- $A = \frac{4\pi}{3} \left[ \left( \frac{37}{4} \right)^{\frac{3}{2}} \left( \frac{5}{4} \right)^{\frac{3}{2}} \right] = 111.988$
- 5. Rotated about the y axis so make x the subject.

$$t = 9 - y^2$$
$$x = \sqrt{9 - y^2}$$
$$x' = \frac{-y}{\sqrt{9 - y^2}}$$

Get the boundaries in terms y:

$$y = \sqrt{9 - 5} = 2$$

$$y = \sqrt{9 - 1} = 2\sqrt{2}$$

$$A = 2\pi \int_{2}^{2\sqrt{2}} \sqrt{9 - y^{2}} \sqrt{1 + \frac{y^{2}}{9 - y^{2}}} dy$$

$$A = 2\pi \int_{2}^{2\sqrt{2}} \sqrt{(9 - y^{2}) + y^{2}} dy$$

$$A = 2\pi \int_{2}^{2\sqrt{2}} 3 dy$$

$$A = 2\pi \left[3y\right]_{2}^{2\sqrt{2}}$$

$$A = 2\pi [6\sqrt{2} - 6] = 12\pi(\sqrt{2} - 1)$$

6.  $f(x) = x^3 + \frac{1}{12x}$  from x = 1 to x = 3 is rotated 360° about the x-axis.  $f'(x) = 3x^2 - \frac{1}{12x^2}$ 

$$A = 2\pi \int_{1}^{3} (x^{3} + \frac{1}{12x}) \sqrt{1 + (3x^{2} - \frac{1}{12x^{2}})^{2}} dx$$

$$A = 2\pi \int_{1}^{3} (x^{3} + \frac{1}{12x}) \sqrt{1 + 9x^{4} - \frac{1}{2} + \frac{1}{144x^{4}}} dx$$

$$A = 2\pi \int_{1}^{3} (x^{3} + \frac{1}{12x}) \sqrt{9x^{4} + \frac{1}{2} + \frac{1}{144x^{4}}} dx$$

$$A = 2\pi \int_{1}^{3} (x^{3} + \frac{1}{12x}) \sqrt{(3x^{2} + \frac{1}{12x^{2}})^{2}} dx$$

$$A = 2\pi \int_{1}^{3} (x^{3} + \frac{1}{12x}) (3x^{2} + \frac{1}{12x^{2}}) dx$$

$$A = 2\pi \int_{1}^{3} 3x^{5} + \frac{x}{12} + \frac{x}{12} + \frac{1}{144x^{3}} dx$$

$$A = 2\pi \int_{1}^{3} 3x^{5} + \frac{x}{3} + \frac{1}{144}x^{-3} dx$$

$$A = 2\pi \left[ \frac{x^{6}}{2} + \frac{x^{2}}{6} - \frac{1}{288x^{2}} \right]_{1}^{3} = 2295.5$$