

## Answers - Integration by parts (page ??)

1.  $\int x \cos x \, dx$

$$u = x$$

$$du = dx$$

$$dv = \cos x$$

$$v = \sin x$$

$$\begin{aligned}\int x \cos x \, dx &= x \sin x - \int \sin x \, dx \\ &= x \sin x + \cos x + c\end{aligned}$$

2.  $\int 3xe^{3x} \, dx$

$$u = 3x$$

$$du = 3 \, dx$$

$$dv = e^{3x}$$

$$v = \frac{e^{3x}}{3}$$

$$\begin{aligned}\int 3xe^{3x} \, dx &= 3x \frac{e^{3x}}{3} - \int \frac{e^{3x}}{3} \times 3 \, dx \\ &= xe^{3x} - \int e^{3x} \, dx \\ &= xe^{3x} - \frac{e^{3x}}{3} + c\end{aligned}$$

3.  $\int \ln x \, dx$

Rewrite as  $\int 1 \times \ln x \, dx$

$$u = \ln x$$

$$du = \frac{1}{x} \, dx$$

$$dv = 1$$

$$v = x$$

$$\begin{aligned}\int \ln x \, dx &= x \ln x - \int x \times \frac{1}{x} \, dx \\ &= x \ln x - \int 1 \, dx \\ &= x \ln x - x + c\end{aligned}$$

4.  $\int x^2 \sin 2x \, dx$

$$u = x^2$$

$$du = 2x \, dx$$

$$dv = \sin 2x$$

$$v = -\frac{\cos 2x}{2}$$

$$\begin{aligned}\int x^2 \sin 2x \, dx &= \frac{-x^2 \cos 2x}{2} - \int -x \cos 2x \, dx \\ &= \frac{-x^2 \cos 2x}{2} + \int x \cos 2x \, dx\end{aligned}$$

Need to use integration by parts a second time:

$$\int x \cos 2x \, dx$$

$$u = x$$

$$du = dx$$

$$dv = \cos 2x$$

$$v = \frac{\sin 2x}{2}$$

$$\int x \cos 2x \, dx = \frac{x \sin 2x}{2} - \int \frac{\sin 2x}{2} \, dx = \frac{x \sin 2x}{2} + \frac{\cos 2x}{4}$$

So the full integral is:

$$\int x^2 \sin 2x \, dx = \frac{-x^2 \cos 2x}{2} + \frac{x \sin 2x}{2} + \frac{\cos 2x}{4} + c$$

5.  $\int e^x \sin x \, dx$

$$u = \sin x$$

$$du = \cos x \, dx$$

$$dv = e^x$$

$$v = e^x$$

$$\int e^x \sin x \, dx = e^x \sin x - \int e^x \cos x \, dx$$

We need to use integration by parts for the second term:

$$u = \cos x$$

$$du = -\sin x \, dx$$

$$dv = e^x$$

$$v = e^x$$

$$\int e^x \cos x \, dx = e^x \cos x - \int -e^x \sin x \, dx = e^x \cos x + \int e^x \sin x \, dx$$

Substituting into the original integral:

$$\begin{aligned} \int e^x \sin x \, dx &= e^x \sin x - (e^x \cos x + \int e^x \sin x \, dx) \\ &= e^x \sin x - e^x \cos x - \int e^x \sin x \, dx \end{aligned}$$

Rearranging and solving:

$$2 \int e^x \sin x \, dx = e^x \sin x - e^x \cos x$$

$$\int e^x \sin x \, dx = \frac{e^x \sin x - e^x \cos x}{2} + c$$

6.  $\int x^5 \sqrt{x^3 + 1} \, dx$

This is a particularly difficult integral, and requires us to look at the square root carefully. Since there is an  $x^3$  term inside the root, having an  $x^2$  term multiplying it would make it easier to integrate.

Therefore, we will choose the following:

$$u = x^3$$

$$du = 3x^2 \, dx$$

$$dv = x^2 \sqrt{x^3 + 1}$$

Integrating by substitution:

$$\int x^2 \sqrt{x^3 + 1} \, dx$$

$$u = x^3 + 1$$

$$du = 3x^2 \, dx$$

$$\int \frac{1}{3} u^{\frac{1}{2}} \, du = \frac{2}{9} u^{\frac{3}{2}} = \frac{2}{9} (x^3 + 1)^{\frac{3}{2}}$$

So, the integration by parts of the original function looks like this:

$$\begin{aligned} \int x^5 \sqrt{x^3 + 1} \, dx &= x^3 \times \frac{2}{9} (x^3 + 1)^{\frac{3}{2}} - \int \frac{2}{3} x^2 (x^3 + 1)^{\frac{3}{2}} \, dx \\ &= \frac{2x^3}{9} (x^3 + 1)^{\frac{3}{2}} - \frac{4}{45} (x^3 + 1)^{\frac{5}{2}} + c \end{aligned}$$