

Sequences and Series

Useful formulae

- $a_n = a_1 + d(n - 1)$
- $a_n = a_0 + nd$
- $a_n = a_1 r^{n-1}$
- $a_n = a_0 r^n$
- $\sum_{i=1}^n a_1 + d(i - 1) = S_n = n \left(\frac{a_1 + a_n}{2} \right)$
- $\sum_{i=1}^n a_1 r^{i-1} = S_n = \frac{a(1 - r^n)}{1 - r}$

Practice with arithmetic and geometric sequences

Write a formula for the n th term of each sequence below.

1. $a_1 = 2, 5, 8, 11, \dots$
2. $a_1 = -9, -13, -15, -17, \dots$
3. $a_1 = \frac{5}{2}, \frac{17}{6}, \frac{19}{6}, \frac{7}{2}, \dots$
4. $a_1 = -3, 6, -12, 24, \dots$
5. $a_1 = 9, 6, 4, \frac{8}{3}, \dots$
6. $a_1 = 0.1, 0.01, 0.001, \dots$

For each of the sequences 1-6 find the term

$$a_{10}$$

For each of the sequences 1-6 find the sum

$$\sum_{n=1}^{12} a_n$$

For each of the sequences 1-6 find the sum

$$\sum_{n=5}^{10} a_n$$

For the convergent geometric sequences determine

$$\sum_{n=1}^{\infty} a_n$$

For the convergent geometric sequences determine the first index k for which

$$\sum_{n=1}^k a_n > \frac{1}{2} \sum_{n=1}^{\infty} a_n$$

For sequence 1, solve the equation

$$\sum_{n=1}^k a_n = 348$$

For sequence 2, solve the equation

$$\sum_{n=k}^{2k} a_n = -1520$$

If a geometric sequence has $a_2 = 10$ and $a_{10} = 400$ find the common ratio and the term a_{20}

If an arithmetic sequence has $a_{10} = 50$ and $a_{25} = 170$, write a formula for a_n and the sum of the first 12 terms, starting with a_1

Take it to the limit

Evaluate the following infinite limits of sequences.

1. $\lim_{n \rightarrow \infty} \frac{n^2 + 2n - 1}{3n^2 - 4}$

2. $\lim_{n \rightarrow \infty} \frac{n^3 + 2n - 1}{3n^4 - 4}$

3. $\lim_{n \rightarrow \infty} \frac{\sqrt{n^2 + 2}}{2n + 1}$

4. $\lim_{n \rightarrow \infty} \frac{n!}{2^n 3^n}$

5. $\lim_{n \rightarrow \infty} \tan\left(\frac{\pi}{2} - \frac{1}{n}\right)$

6. $\lim_{n \rightarrow \infty} \tan\left(\frac{\pi}{2} + \frac{1}{n}\right)$

7. $\lim_{n \rightarrow \infty} \sqrt{\sin \frac{\pi}{4} + \frac{2}{n+1}}$

8. $\lim_{n \rightarrow \infty} \frac{f_{n+1}}{f_n}$ where f_n is the n th Fibonacci number (this is most likely a calculator or computer question) ## Sums of powers

The sums $\sum_{k=1}^n k$, $\sum_{k=1}^n k^2$, $\sum_{k=1}^n k^3$ and in general $\sum_{k=1}^n k^p$ fascinated mathematicians for centuries. We will derive some of these formulas in this section.

First, the following formulas you should be able to verify on your own

- $\sum_{k=1}^n 1 = n$
- $\sum_{k=1}^n k = \frac{n(n+1)}{2}$

The next is not obvious

- $\sum_{k=1}^n k(k+1) = \frac{n(n+1)(n+2)}{6}$

But by inferring the pattern in the last 3 formula you should be able to complete

- $\sum_{k=1}^n k(k+1)(k+2) =$

(These formulas involving “falling and rising factorials” are easily established using a branch of mathematics called *discrete calculus*)

Now your job is to find the equations for $\sum_{k=1}^n k^2$ and $\sum_{k=1}^n k^3$ by manipulating the above formulas.

Though messy, this procedure can be continued to find $\sum_{k=1}^n k^p$ for any p . These lead to the famous *Bernoulli Numbers*.

Sums of Cubes

We share a “proof without words” relating the formulas for $\sum_{k=1}^n k$ and $\sum_{k=1}^n k^3$, a.k.a. Nichomachus’ Theorem. Can you see the connection to the formula? Or can you figure out the formula from the picture?




Figure 1: Nichomachus’ Theorem

Shape Numbers


The sequence of the sum of the first k integers is $1, 2, 4, 6, 10, 15, \dots$ are called the *triangular numbers*. This is because they can be shown to count the number of dots in increasingly large equilateral triangles. The sequence of sums of the triangular numbers is called the *tetrahedral numbers*. Can you find a formula for them?

There are also the more familiar *square numbers* and. What interesting formulas can you find with them?

And, of course, other shapes. Interesting ones to consider are the *hexagonal numbers* (and do they relate to the triangular numbers?) and the *pentagonal numbers* which have a nice closed form formula.

Pascal’s Triangle

The familiar Pascal’s triangle is probably most associated with binomial expansions $(x + y)^n$ but it encodes a host of other interesting patterns. Look in the triangle below for the triangular and tetrahedral numbers? Can you explain why they are here? Can you find a formula that describes them?



It is well known that the sums of the rows of Pascal's Triangle yield powers of two (check it out: $1+4+6+4+1 = 2^4$). Somewhat less well known is that a similar type of sum of Pascal's Triangle yields the Fibonacci numbers: $1, 1, 2, 3, 5, 8, 13, \dots$. Can you find it?