2019 Tampa Bay Water Quality Assessments


A Tampa Bay Estuary Program Initiative to Maintain and Restore the Bay's Seagrass Resources



Historic results:										
	OTB	НВ	MTB	LTB						
1975	red	red	yellow	yellow						
1976	red	red	yellow	yellow						
1977	red	red	red	red						
1978	red	red	red	yellow						
1979	red	red	red	red						
1980	red	red	red	red						
1981	red	red	red	red						
1982	red	red red		red						
1983	red	yellow	red	red						
1984	red	green	red	yellow						
1985	red	red	red	yellow						
1986	red	yellow	yellow	green						
1987	yellow	yellow	yellow	green						
1988	green	green	green	green						
1989	red	yellow	yellow	yellow						
1990	yellow	green	yellow	green						
1991	green	yellow	green	yellow						
1992	green	green	green	yellow						
1993	yellow	green	green	yellow						
1994	yellow	yellow	yellow	red						
1995	red	yellow	yellow	yellow						
1996	yellow	green	green	green						
1997	green	green	yellow	green						
1998	red	yellow	red	red						
1999	yellow	green	green	yellow						
2000	green	green	green	yellow						
2001 2002	yellow	green	yellow	yellow						
2002	yellow red	green	green	green						
2003	yellow	green	green	green yellow						
2004	•	green	green	yellow						
2005	green	green	green	green						
2007	green green	green green	green	green						
2008	vellow	green	green green	yellow						
2009	yellow	yellow	green	green						
2010	green	green	green	green						
2011	red	green	vellow	green						
2012	green	green	green	green						
2013	green	green	green	green						
2014	green	green	green	green						
2015	yellow	green	yellow	green						
2016	vellow	green	green	green						
2017	yellow	green	green	green						
2018	yellow	green	green	green						
2019	yellow	green	green	green						
	J	3	8 ,	0						

Background

Light availability to seagrass is the guiding paradigm for TBEP's Nitrogen Management Strategy. Because excessive nitrogen loads to the bay generally lead to increased algae blooms (higher chlorophyll-a levels) (Figure 1) and reduce light penetration to seagrass, an evaluation method was developed to assess whether load reduction strategies are achieving desired water quality results (i.e. reduced chlorophylla concentrations and increased water clarity).



Decision Support Approach

Year to year algae abundance (measured as chlorophyll-a concentrations) and visible light penetration through the water column (depth of secchi disk visibility) have been identified as critical water quality indicators in Tampa Bay. Tracking the attainment of bay segment specific targets for these indicators provides the framework for developing and initiating bay management actions. TBEP management actions adopted in response to the annually-assessed decision support results are shown to the right.

Green	projects. Report data via annual progress reports and Baywide Environmental Monitoring Report.
Yellow	"Caution" Review monitoring data and nitrogen loading estimates. Begin/continue TAC and Management Board development of specific management recommendations.
Red	"On Alert" Finalize development and implement appropriate management actions to get back on track.


"Stay the Course" Continue planned

2019 Decision Matrix Results


Water quality (chlorophyll-a and light penetration) remained supportive of seagrass in Hillsborough Bay (HB), Middle Tampa Bay (MTB), and Lower Tampa Bay (LTB)(Table 1, Figure 3). The nuisance alga, Pyrodinium bahamense, was again reported in Old Tampa Bay (OTB) during the Summer and Fall 2019, contributing to a small magnitude chlorophyll-a exceedance. In all bay segments, separate algal bloom events contributed to individual stations exceeding the bay segment chlorophyll-a targets (Figure 4). However, effective light penetration was supportive of seagrass in all bay segments (Table 1).

Table 1: Observed water quality indicators & recommended management outcomes for 2019.

Bay seg- ment	Chl-a (ug/L)		Effective Light Pen- etration (m ⁻¹)		
	2019	target	2019	target	outcome
ОТВ	10.09	8.5	0.74	0.83	yellow
HB	11.10	13.2	0.94	1.58	green
MTB	5.87	7.4	0.57	0.83	green
LTB	4.02	4.6	0.60	0.63	green



Historic chlorophyll-a annual averages for the four bay segments



Chlorophyll attainment outcomes by site

Figure 2: Decision matrix results for 1975 to 2019.