2019 Tampa Bay Water Quality Assessments

A Tampa Bay Estuary Program Initiative to Maintain and Restore the Bay's Seagrass Resources



Historic results:

Historic results:										
OTB		ΗB	MŢB	LŢB						
1975-	red	red	yellow	yellow						
1976-	red	red	yellow	yellow						
1977 -	red	red	red	red						
1978-	red	red	red	yellow						
1979-	red	red	red	red						
1980-	red	red	red	red						
1981-	red	red	red	red						
1982-	red	red	red	red						
1983-	red	yellow	red	red						
1984	red	green	red	yellow						
1985-	red	red	red	yellow						
1986-	red	yellow	yellow	green						
1987-	yellow	yellow	yellow	green						
1988-	green	green green		green						
1989-	red	yellow	yellow	yellow						
1990-	yellow	green	yellow	green						
1991-	green	yellow	green	yellow						
1992-	green	green	green	yellow						
1993	yellow	green	green	yellow						
1994-	yellow	yellow	yellow	red						
1995-	red	yellow	yellow	yellow						
1996-	yellow	green	green	green						
1997-	green	green	yellow	green						
1998-	red	yellow	red	red						
1999-	yellow	green	green	yellow						
2000-	green	green	green	yellow						
2001	yellow	green	yellow	yellow						
2002	yellow	green	green	green						
2003	red	green	green	green						
2004	yellow	green	green	yellow						
2005		green	green	yellow						
2006		green	green	green						
2007	green	green	green	green						
2008	yellow	green	green	yellow						
2009 · 2010 ·		yellow	green	green						
2010	green red	green green	green yellow	green						
2011				green						
2012		green	green green	green						
2013		green green	green	green green						
2014			yellow							
2015		green green	green	green green						
2010		green	green	green						
2017	yellow	green	green	green						
2019										
7017]	yenow	green	green	green						

Background

Light availability to seagrass is the guiding paradigm for TBEP's Nitrogen Management Strategy. Because excessive nitrogen loads to the bay generally lead to increased algae blooms (higher chlorophyll-a levels) (Figure 1) and reduce light penetration to seagrass, an evaluation method was developed to assess whether load reduction strategies are achieving desired water quality results (i.e. reduced chlorophyll-a concentrations and increased water clarity).



Decision Support Approach

Year to year algae abundance (measured as chlorophyll-a concentrations) and visible light penetration through the water column (depth of secchi disk visibility) have been identified as critical water quality indicators in Tampa Bay. Tracking the attainment of bay segment specific targets for these indicators provides the framework for developing and initiating bay management actions. TBEP management actions adopted in response to the annually-assessed decision support results are shown to the right.

J	Green	ota, the course continue planned
)-		projects. Report data via annual progress
k		reports and Baywide Environmental
		Monitoring Report.
l-		"Caution" Review monitoring data and
ıt	Yellow	nitrogen loading estimates. Begin/continue
s		TAC and Management Board development
g		of specific management recommendations.
s ;- d	Red	"On Alert" Finalize development and implement appropriate management actions to get back on track.

"Stay the Course" Continue planned

2019 Decision Matrix Results

Water quality (chlorophyll-a and light penetration) remained supportive of seagrass in Hillsborough Bay (HB), Middle Tampa Bay (MTB), and Lower Tampa Bay (LTB)(Table 1, Figure 3). The nuisance alga, *Pyrodinium bahamense*, was again reported in Old Tampa Bay (OTB) during the Summer and Fall 2019, contributing to a large magnitude and duration (5 yrs) chlorophyll-a exceedance. However, effective light penetration was observed to be supportive of seagrass in all bay segments (Table 1).

Table 1: Observed water quality indicators & recommended management outcomes for 2019.

Bay seg- ment	Chl-a (ug/L)		Li et	Effective Light Pen- etration (m^{-1})			
	2019	target	20	19	target		outcome
OTB	10.09	8.5	0.7	4	0.83		yellow
HB	11.10	13.2	0.9	4	1.58		green
MTB	5.87	7.4	0.5	7	0.83		green
LTB	4.02	4.6	0.6	0	0.63		green




Figure 3: Historic chlorophyll-a annual averages for the four bay segments.




Figure 4: Chlorophyll attainment outcomes by site for 2019.

Figure 2: Decision matrix results for 1975 to 2019.

Acknowledgments: Continuing water quality monitoring support provided by the Environmental Protection Commission of Hillsborough County.

Consulting support provided by Janicki Environmental, Inc. Full methods in Janicki, A., Wade, D., Pribble, R.J. 2000. TBEP Technical Report #0400.