

Python API Summary

Version 2024.09, September 2024



Copyright and Proprietary Information Notice

© 2024 Synopsys, Inc. This Synopsys software and all associated documentation are proprietary to Synopsys, Inc. and may only be used pursuant to the terms and conditions of a written license agreement with Synopsys, Inc. All other use, reproduction, modification, or distribution of the Synopsys software or the associated documentation is strictly prohibited.

Destination Control Statement

All technical data contained in this publication is subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader's responsibility to determine the applicable regulations and to comply with them.

Disclaimer

SYNOPSYS, INC., AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Trademarks

Synopsys and certain Synopsys product names are trademarks of Synopsys, as set forth at <https://www.synopsys.com/company/legal/trademarks-brands.html>. All other product or company names may be trademarks of their respective owners.

Free and Open-Source Licensing Notices

If applicable, Free and Open-Source Software (FOSS) licensing notices are available in the product installation.

Third-Party Links

Any links to third-party websites included in this document are for your convenience only. Synopsys does not endorse and is not responsible for such websites and their practices, including privacy practices, availability, and content.

www.synopsys.com

Contents


1. Class Organization	4
------------------------------	----------

2. Class Methods	6
Design Classes	6
Shape and Instance Classes	6
Basic Geometric Classes	11
Technology Classes	12
Point List Geometry Operations	13
Connectivity Classes	13
Connectivity Reference Classes	14
Utility Classes	14

3. Global Functions	17
----------------------------	-----------

1

Class Organization



Technology Classes

Grid, Layer, LayerMaterial, PhysicalRule, RuleProperty, ShapeFilter, Tech

Connectivity Classes

BundleNet, BundleTerm, BusNet, BusTerm, InstPin, InstTerm, Net, Pin, RouteTarget, ShapeRef, SignalType, Term, TermType, Topology

Basic Geometric Classes

Box, Direction, Font, GapStyle, Location, Orientation, PathStyle, Point, Range, Segment, Transform

Utility Classes

AttrDict, CDF, cFloat, CrossOver, DPL,, DrcSummary, Fill, Grid, Log, Marker, NameMapper, Numeric, OrderedDict, ParamArray, ParamDictSpec, ParamSpecArray, PointList, PropSet, SnapType, Unique, ViaParam

2

Class Methods

Design Classes

Dlo

exists(), findComp(), findCompRef(), findPin(), findTerm(), getBBox(), getCellType(), getComps(), getLeafComps(), getLib(), getLpps(), getName(), getParams(), getPins(), getProps(), getTermOrder(), getTerms(), getViewType(), isSubMaster(), isSuperMaster(), save(), saveAs(), setCustomLocation(), setTermOrder()

DloGen

addPin(), addTerm(), currentDloGen(), dbu2uu(), dbu2uuArea(), fgAnd(), fgDeriveLayer(), fgNot(), fgOr(), fgSize(), fgXor(), getComp(), getInsts(), getNets(), getShapes(), makeCompName(), makeGrouping(), makeNetName(), makePinName(), makePinNameSpecNum(), makeTermName(), mirrorX(), mirrorY(), moveBy(), moveTo(), moveTowards(), rotate90(), rotate180(), rotate270(), setOrigin(), transform(), uu2dbu(), uu2dbuArea(), withNewDlo()

PyCell author provided methods:

defineParamSpecs(), genLayout(), genTopology(), setupParams(), sizeDevices()

Lib

attachTechLib(), close(), create(), definePcell(), getName(), getPath(), getProps(), getTech(), getTechFilePath(), getTechLibName(), installTechFile(), loadPcells(), open(), updatePcell()

Shape and Instance Classes

PhysicalComponent

abut(), alignEdge(), alignEdgeToPoint(), alignLocation(), alignLocationToPoint(), clone(), destroy(), find(), fgAbut(), fgAddEnclosingPolygon(), fgAnd(), fgDeriveLayer(), fgEnclose(), fgExtend(), fgFill(), fgMerge(), fgMinSpacing(), fgNot(), fgOr(), fgPlace(), fgSize(), fgXor(), getBBox(), getCompOwner(), getDlo(), getLocationPoint(), getName(), getProps(),

`getSpacing()`, `keepRelativePosition()`, `makeArray()`, `mirrorX()`, `mirrorY()`, `moveBy()`,
`moveTo()`, `moveTowards()`, `overlaps()`, `place()`, `rotate90()`, `rotate180()`, `rotate270()`,
`setCustomLocation()`, `setName()`, `snap()`, `snapX()`, `snapY()`, `snapTowards()`, `transform()`

Instance

`clone()`, `find()`, `findInstPin()`, `findInstTerm()`, `flatten()`, `getBit()`, `getCompRefs()`,
`getDefaultParams()`, `getDloName()`, `getInstPins()`, `getInstTerms()`, `getMaster()`,
`getName()`, `getNumBits()`, `getOrientation()`, `getOrigin()`, `getParams()`, `getParamSpecs()`,
`getTransform()`, `instPin()`, `setConnectivity()`, `setMaster()`, `setName()`, `setOrientation()`,
`setOrigin()`, `setParams()`, `setTransform()`

VectorInstance

`clone()`, `find()`, `flatten()`, `getBaseName()`, `getBit()`, `getCompRefs()`, `getNumBits()`,
`getStartIndex()`, `getStopIndex()`, `setBaseName()`, `setIndexRange()`

InstanceArray

`clone()`, `find()`, `flatten()`, `getCompRefs()`, `getDX()`, `getDY()`, `getMemberBBox()`,
`getMemberRefs()`, `getMemberTransform()`, `getNumCols()`, `getNumRows()`, `setDX()`,
`setDY()`, `setName()`, `setNumCols()`, `setNumRows()`

Contact

`clone()`, `getLayer1()`, `getLayer2()`, `getLayers()`, `getNumCuts()`, `getNumHVCuts()`,
`getRefBox()`, `setMinCuts()`, `stretch()`, `stretchTo()`, `stretchToCoord()`

AbutContact

`clone()`, `setAbutViaSpaceFactor()`

ArrayInstContact

`clone()`

ContactRing

`chop()`, `clone()`, `getContact()`

Grouping

`find()`, `add()`, `clone()`, `destroy()`, `flatten()`, `getBBox()`, `getComp()`, `getComps()`,
`getLeafComps()`, `getName()`, `isPersistent()`, `makePersistent()`, `mirrorX()`, `mirrorY()`,
`moveBy()`, `moveTo()`, `moveTowards()`, `remove()`, `rotate90()`, `rotate180()`, `rotate270()`,
`setName()`, `transform()`, `ungroup()`

CompoundComponent

clone(), destroy(), flatten(), isLocked(), lock(), mirrorX(), mirrorY(), moveBy(), moveTo(), moveTowards(), rotate90(), rotate180(), rotate270(), snap(), snapX(), snapY(), snapTowards(), transform(), ungroup(), unlock()

Bar

addContact(), clearContacts(), clone(), extendTo(), getContacts(), getDirection(), getLayer(), getRect(), getRoutePathIntersectBox(), stretchTo(), stretchToCoord(), trim()

DeviceContact

clone(), getLayer1(), getLayer2(), getNumHVCuts(), getRect1(), getRect2(), getViaBBox(), getViaLayer(), stretch(), stretchToCoord(), stretchToPoint()

MultiPath

clone(), createEnclosureSubpath(), createOffsetSubpath(), createSubrectangles(), genJustifyPathPoints(), getChoppedSubpathPointLists(), getMasterPathName(), getSubpathPoints(), mirrorX(), mirrorY(), moveBy(), moveTo(), moveTowards(), rotate90(), rotate180(), rotate270(), snap(), setChopBoxes(), setChoppable(), snapX(), snapY(), snapTowards(), transform()

RoutePath

Connect(), CShape(), FlightLine(), LShape(), StraightLine(), StraightLineToBar(), ZShape(), checkLayerWidth(), clone(), findAdjacentInterconnectLayer(), getLayer()

PRBoundary

find(), getBBox(), getEdgeNames(), getNumEdges(), getPoints(), setEdges()

Shape Classes

getBBox(), getColorMask(), getLayer(), getName(), getNet(), getPin(), setColorMask(), setLayer(), setName(), setNet()

Arc

Arc(), clone(), getEllipseBBox(), getStartAngle(), getStopAngle(), setEllipseBBox(), setStartAngle(), setStopAngle()

Donut

Donut(), clone(), getCenter(), getEndAngle(), getHoleBBox(), getHoleRadius(), getRadius(), getStartAngle(), setAngles(), setCenter(), setEndAngle(), setHoleRadius(), setRadius(), setStartAngle()

Dot

Dot(), clone(), getHeight(), getOrigin(), getWidth(), setHeight(), setOrigin(), setWidth()

Ellipse

Ellipse(), clone(), genPolygonPoints(), getEndAngle(), getStartAngle(), setAngles(), setBBox(), setEndAngle(), setStartAngle()

Line

Line(), clone(), getNumPoints(), getPoints(), setPoints()

Path

Path(), clone(), getBeginExt(), getBoundary(), getEdgeLength(), getEndExt(), getNumPoints(), getPoints(), getStyle(), getWidth(), isOrthogonal(), setBeginExt(), setEndExt(), setPoints(), setStyle(), setWidth()

PathSeg

PathSeg(), clone(), getBoundary(), getPoints(), getWidth(), isOrthogonal(), setPoints(), setWidth()

Polygon

Polygon(), clone(), getEdgeLength(), getNumPoints(), getPoints(), isOrthogonal(), setPoints(), subdivide()

Rect

Rect(), clone(), expand(), expandDir(), expandToGrid(), fillBBoxWithRects(), fillDiagBoxWithDiagRects(), fillDiagBoxWithRects(), getBottom(), getCoord(), getHeight(), getLeft(), getRight(), getTop(), getWidth(), setBBox(), setBottom(), setCoord(), setLeft(), setRight(), setTop()

Text

Text(), clone(), getAlignment(), getHeight(), getOrientation(), getOrigin(), getText(), hasOverbar(), isDrafting(), isVisible(), setAlignment(), setDrafting(), setHeight(), setOrientation(), setOrigin(), setOverbar(), setText(), setVisible()

AttrDisplay

getAttribute(), getObject()

Via

getBBox(), getColorMask(), getLayer1(), getLayer2(), getMaster(), getName(), getNet(), getOrientation(), getOrigin(), getTransform(), getViaDefName(), setColorMask(), setName(), setNet(), setOrientation(), setOrigin(), setTransform()

StdVia

getCutLayer(), getImplantLayer1(), getImplantLayer2(), getParams(), setParams()

CustomVia

getParams(), setParams()

ViaDef

getName(), getLayer1(), getLayer2()

StdViaDef

getImplantLayer1(), getImplantLayer2(), getParams()

CustomViaDef

getLibName(), getCellName(), getViewName(), getParams()

PhysicalCompRef

abut(), alignEdge(), alignEdgeToCoord(), alignEdgeToPoint(), alignLocation(), alignLocationToPoint(), getBBox(), getLocationPoint(), getName(), getParentPathName(), getParentPathTransform(), getPathName(), getProps(), getSpacing(), getTopInst(), keepRelativePosition(), mirrorX(), mirrorY(), moveBy(), moveTo(), moveTowards(), overlaps(), place(), rotate90(), rotate180(), rotate270(), snap(), snapTowards(), snapX(), snapY(), transform()

GroupingRef

getCompRefs()

InstanceRef

getCompRefs(), getMaster(), getParams()

InstanceArrayRef

getMemberRefs()

VectorInstanceRef

getCompRefs()

ShapeRef

getBBox(), getInst(), getInstPin(), getLayer(), getName(), getNetRef(), getPinRef(), getTransform()

TextRef

getText()

Basic Geometric Classes

Point

areColinearPoints(), copy(), getCoord(), getSpacing(), getX(), getY(), isBetween(), invalid(), isValid(), place(), set(), setCoord(), setX(), setY(), snap(), snapX(), snapY(), snapTowards(), toDiagAxes(), toOrthogAxes(), transform()

Range

alignEdge(), alignEdgeToCoord(), compareTrueCenter(), contains(), containsCoord(), expand(), expandDir(), findAlignEdgeOffset(), fitSubranges(), fix(), getCenter(), getCoord(), getLeft(), getRight(), getWidth(), hasNoWidth(), init(), intersect(), isInverted(), isNormal(), limit(), merge(), mergeCoord(), moveBy(), overlaps(), removeRegion(), set(), setCenter(), setCoord(), setDimension(), setLeft(), setRight(), setWidth()

Segment

addOffsets(), contains(), containsPoint(), extrapIntersect(), genJustifySegment(), getDeltaX(), getDeltaY(), getDir(), getHead(), getPosition(), getTail(), hasIntersection(), intersect(), isCoincident(), isHorizontal(), isOrthogonal(), isParallel(), isVertical(), moveBy(), reverse(), set(), setHead(), setTail(), transform()

Box

abut(), alignEdge(), alignEdgeToCoord(), alignEdgeToPoint(), alignLocation(), alignLocationToPoint(), centerLeft(), centerRight(), centerCenter(), contains(), containsPoint(), expand(), expandDir(), expandForMinArea(), expandForMinWidth(), expandToGrid(), fix(), getArea(), getBottom(), getCenter(), getCenterX(), getCenterY(), getCoord(), getDimension(), getHeight(), getLeft(), getLocationPoint(), getPoints(), getRange(), getRangeX(), getRangeY(), getRight(), getSpacing(), getTop(), getWidth(), hasNoArea(), init(), intersect(), isInverted(), isNormal(), limit(), lowerCenter(), lowerLeft(), lowerRight(), merge(), mergePoint(), mirrorX(), mirrorY(), moveBy(), moveTo(), moveTowards(), overlaps(), place(), removeRegion(), rotate90(), rotate180(), rotate270(), set(), setBottom(), setCenter(), setCenterX(), setCenterY(), setCoord(), setDimension(), setHeight(), setLeft(), setLocationPoint(), setRange(), setRangeX(), setRangeY(), setRight(), setTop(), setWidth(), snap(), snapX(), snapY(), snapTowards(), transform(), upperCenter(), upperLeft(), upperRight()

Direction

containsComponent(), extend(), getJustifiedDir(), getMembers(), getPrimaryDirs(), is1Dimension(), isHalfLine(), isFullLine(), isPrimary(), isXDir(), isYDir(), mapXDirToYDir(), mapYDirToXDir(), mirrorX(), mirrorY(), opposite(), perpendicular(), rotate90(), rotate180(), rotate270(), transform()

Location

mirrorX(), mirrorY(), rotate90(), rotate180(), rotate270(), transform()

Orientation

concat(), getRelativeOrient()

Transform

concat(), invert(), mirrorX(), mirrorY(), rotate90(), rotate180(), rotate270()

Technology Classes

Layer

getAttrs(), getGridResolution(), getLayerAbove(), getLayerBelow(), getLayerName(),
getLayerNumber(), getMaterial(), getPurposeName(), getPurposeNumber(),
getRoutingDir(), isAbove(), isMaskLayer()

LayerMaterial

include()

ShapeFilter

exclude(), excludeTexts(), include(), isIncluded()

DeviceContext

getLayers(), getName(), getRuleSubstitutions(), isEmpty()

Ruleset

getAncestor(), getName()

Tech

conditionalRuleExists(), dbu2uu(), dbu2uuArea(), deviceContextExists(),
electricalRuleExists(), get(), getActiveDeviceContext(), getActiveRuleset(),
getCustomViaDef(), getCustomViaDefNames(), getDeviceContexts(), getElectricalRule(),
getGridResolution(), getIntermediateLayers(), getLayer(), getMaskColorNames(),
getMosfetParams(), getOxideParams(), getPhysicalRule(), getRulesets(),
getSantanaLayerNames(), getSantanaPurposeNames(), getStdViaDef(),
getStdViaDefNames(), getTechParams(), getUserUnits(), getValidLayers(), id(), name(),
physicalRuleExists(), revision(), rulesetExists(), uu2dbu(), uu2dbuArea(), version()

Point List Geometry Operations

Point List Geometry Methods

poAnd(), poInside(), poNot(), poOr(), poOutside(), poSize(), poStraddle(), poXor()

Collection

addPointLists(), addPointListsByObjects(), createPointListsToShapes(), getPointLists()

Connectivity Classes

Net

addShape(), destroy(), find(), findCreate(), getBit(), getName(), getNumBits(), getShapes(), getSignalType(), getInstPins(), getInstTerms(), getPins(), getTerm(), getVias(), isGlobal(), removeShape(), setGlobal(), setName(), setNetOverride(), setSignalType()

BusNet

find(), getBaseName(), getBit(), getIndexStep(), getNumBits(), getStartIndex(), getStopIndex(), setBaseName(), setIndexRange()

BundleNet

find(), getMember(), getMembers(), getName(), getNumMembers(), getRepeat()

Pin

addInstPin(), addShape(), destroy(), find(), getAccessDir(), getAuthorPrefLayer(), getBBox(), getLayers(), getName(), getNet(), getPrefLayer(), getPrefLayerPropName(), getShapes(), getTerm(), getTopLayer(), removeShape(), setAccessDir(), setAuthorPrefLayer(), setName(), setTerm()

Term

destroy(), find(), findCreate(), getBit(), getMustJoinTerms(), getName(), getNet(), getNumBits(), getPins(), getTermType(), setMustJoin(), setName(), setNetOverride(), setTermType()

BusTerm

find(), getBaseName(), getBit(), getIndexStep(), getNumBits(), getStartIndex(), getStopIndex(), setBaseName(), setIndexRange()

BundleTerm

find(), getMember(), getMembers(), getName(), getNumMembers()

InstPin

find(), getAuthorPrefLayer(), getBBox(), getInst(), getInstTerm(), getLayers(), getNet(), getPinAccessDir(), getPinName(), getPrefLayer(), getShapeRefs(), getTermName(), getTermType(), getTopLayer()

InstTerm

find(), findInstPin(), getBit(), getInst(), getInstPins(), getMustJoinInstTerms(), getNet(), getNumBits(), getTermName(), getTermType(), setNet()

Topology

getName(), setName()

RouteTarget

getBBox(), getChosenAccessDir(), getChosenAccessPoint(), getChosenBox(), getChosenLayer(), getLayers(), getName(), getPrefLayer(), getRoutePathIntersectBox(), getRoutePathLayer(), hasLayer(), isSingleBox(), isValid(), needsContact()

Connectivity Reference Classes

BlockObjectRef

getProps()

NetRef

getBit(), getName(), getNumBits(), getPinRefs(), getShapeRefs(), getSignalType(), getTermRef(), getViaRefs(), isGlobal()

TermRef

getName(), getNetRef(), getPinRefs(), getTermType()

PinRef

getAccessDir(), getName(), getNetRef(), getShapeRefs(), getTermRef()

Utility Classes

ParamArray

add(), get(), has_key(), iteritems(), iterkeys(), itervalues(), remove(), reset(), set(), setFromSpecs(), update()

ParamSpecArray

`add()`, `has_key()`, `iteritems()`, `iterkeys()`, `intervalues()`, `verify()`

ViaParam

`hasDefault()`, `items()`, `iteritems()`, `keys()`, `iterkeys()`, `setDefault()`

PropSet

`clear()`, `empty()`, `get()`, `getProp()`, `has_key()`, `items()`, `iteritems()`, `iterkeys()`, `intervalues()`, `keys()`, `update()`, `values()`

PointList

`addOffsets()`, `compress()`, `containsPoint()`, `copy()`, `deepcopy()`, `genJustifyPoints()`, `getArea()`, `getBBBox()`, `hasExtraPoints()`, `isOrthogonal()`, `isSelfIntersecting()`, `mirrorX()`, `mirrorY()`, `moveBy()`, `moveTo()`, `moveTowards()`, `onEdge()`, `rotate90()`, `rotate180()`, `rotate270()`, `transform()`

Log

`debug()`, `error()`, `info()`, `test()`, `warning()`

Unique

`Name()`

NameMapper

`map()`

Grid

`getSize()`, `getSnapType()`, `getXSize()`, `getYSize()`, `setSize()`, `setSnapType()`, `setXSize()`, `setYSize()`, `snap()`, `snapX()`, `snapY()`

SnapType

`snap()`, `ceil()`, `floor()`, `round()`, `round_ceil()`, `trunc()`

Fill

`fillPhysCompWithInstArrays()`,
`fillPhysCompWithLargeArraysOfInstArrays()`,`fillPhysCompWithLargeArraysOfRects()`,
`fillPhysCompWithRects()`

Numeric

`scaleFormat()`

CDF

`forCell()`

AttrDict

`clear()`, `get()`, `has_key()`, `items()`, `iteritems()`, `iterkeys()`, `itervalues()`, `keys()`, `pop()`, `popitem()`, `setdefault()`, `update()`, `values()`

OrderedDict

`clear()`, `copy()`, `index()`, `insert()`, `items()`, `iteritems()`, `iterkeys()`, `itervalues()`, `keys()`, `pop()`, `popitem()`, `rename()`, `reverse()`, `setdefault()`, `setitems()`, `setkeys()`, `setvalues()`, `sort()`, `update()`, `values()`

ParamDictSpec

`match()`, `optional()`, `required()`

CrossOver

`genPath1Polygon()`, `genPath2Polygon()`, `getDistance()`, `getPath1Extends()`, `getPath1Points()`, `getPath2Extends()`, `getPath2Points()`, `getSpace()`, `getWidth1()`, `getWidth2()`, `getWidth45()`, `set()`

Marker

`addObject()`, `clone()`, `getBBox()`, `getMsg()`, `getObjects()`, `getPoints()`, `getSeverity()`, `getShortMsg()`, `getTool()`, `isClosed()`, `isVisible()`, `setIsClosed()`, `setIsVisible()`, `setMsg()`, `setPoints()`, `setSeverity()`, `setShortMsg()`, `setTool()`, `removeObject()`

DrcSummary

`checkedRules()`, `errorNumber()`, `getRuleList()`, `totalErrorNumber()`

AppDef

`destroy()`, `get()`, `set()`

3

Global Functions

`fgDrc()`, `stretchHandle()`, `stretchHandleCustom()`, `autoAbutment()`