## 1. Business Problem

## 1.1 Problem Description

Netflix is all about connecting people to the movies they love. To help customers find those movies, they developed world-class movie recommendation system: CinematchSM. Its job is to predict whether someone will enjoy a movie based on how much they liked or disliked other movies. Netflix use those predictions to make personal movie recommendations based on each customer's unique tastes. And while **Cinematch** is doing pretty well, it can always be made better.

Now there are a lot of interesting alternative approaches to how Cinematch works that netflix haven't tried. Some are described in the literature, some aren't. We're curious whether any of these can beat Cinematch by making better predictions. Because, frankly, if there is a much better approach it could make a big difference to our customers and our business.

Credits: https://www.netflixprize.com/rules.html

## 1.2 Problem Statement

Netflix provided a lot of anonymous rating data, and a prediction accuracy bar that is 10% better than what Cinematch can do on the same training data set. (Accuracy is a measurement of how closely predicted ratings of movies match subsequent actual ratings.)

## 1.3 Sources

- https://www.netflixprize.com/rules.html
- https://www.kaggle.com/netflix-inc/netflix-prize-data
- Netflix blog: https://medium.com/netflix-techblog/netflix-recommendations-beyond-the-5-stars-part-1-55838468f429 (very nice blog)
- surprise library: http://surpriselib.com/ (we use many models from this library)
- surprise library doc: http://surprise.readthedocs.io/en/stable/getting\_started.html (we use many models from this library)
- installing surprise: https://github.com/NicolasHug/Surprise#installation
- Research paper: http://courses.ischool.berkeley.edu/i290-dm/s11/SECURE/a1-koren.pdf (most of our work was inspired by this paper)
- SVD Decomposition : https://www.youtube.com/watch?v=P5mlg91as1c

## 1.4 Real world/Business Objectives and constraints

## Objectives:

- 1. Predict the rating that a user would give to a movie that he ahs not yet rated.
- 2. Minimize the difference between predicted and actual rating (RMSE and MAPE)

## Constraints:

1. Some form of interpretability.

## 2. Machine Learning Problem

## 2.1 Data

## 2.1.1 Data Overview

Get the data from: https://www.kaggle.com/netflix-inc/netflix-prize-data/data

#### Data files :

- combined\_data\_1.txt
- combined\_data\_2.txt
- combined\_data\_3.txt
- combined\_data\_4.txt
- movie\_titles.csv

The first line of each file [combined\_data\_1.txt, combined\_data\_2.txt, combined\_data\_3.txt, combined\_data\_4.txt] contains the movie id followed by a colon. Each subsequent line in the file corresponds to a rating from a customer and its date in the following format:

CustomerID, Rating, Date

MovieIDs range from 1 to 17770 sequentially. CustomerIDs range from 1 to 2649429, with gaps. There are 480189 users. Ratings are on a five star (integral) scale from 1 to 5. Dates have the format YYYY-MM-DD.

## 2.1.2 Example Data point

1: 1488844,3,2005-09-06 822109,5,2005-05-13 885013,4,2005-10-19 30878,4,2005-12-26 823519,3,2004-05-03 893988,3,2005-11-17 124105,4,2004-08-05 1248029,3,2004-04-22 1842128, 4, 2004-05-09 2238063,3,2005-05-11 1503895, 4, 2005-05-19 2207774,5,2005-06-06 2590061,3,2004-08-12 2442,3,2004-04-14 543865,4,2004-05-28 1209119,4,2004-03-23 804919,4,2004-06-10 1086807,3,2004-12-28 1711859, 4, 2005-05-08 372233,5,2005-11-23 1080361,3,2005-03-28 1245640,3,2005-12-19 558634,4,2004-12-14 2165002,4,2004-04-06 1181550,3,2004-02-01 1227322,4,2004-02-06 427928,4,2004-02-26 814701,5,2005-09-29 808731,4,2005-10-31 662870,5,2005-08-24 337541,5,2005-03-23 786312,3,2004-11-16 1133214,4,2004-03-07 1537427,4,2004-03-29

1209954,5,2005-05-09

```
2381599,3,2005-09-12
525356,2,2004-07-11
1910569, 4, 2004-04-12
2263586,4,2004-08-20
2421815, 2, 2004-02-26
1009622,1,2005-01-19
1481961,2,2005-05-24
401047,4,2005-06-03
2179073,3,2004-08-29
1434636,3,2004-05-01
93986,5,2005-10-06
1308744,5,2005-10-29
2647871,4,2005-12-30
1905581,5,2005-08-16
2508819,3,2004-05-18
1578279,1,2005-05-19
1159695, 4, 2005-02-15
2588432,3,2005-03-31
2423091,3,2005-09-12
470232,4,2004-04-08
2148699, 2, 2004-06-05
1342007,3,2004-07-16
466135,4,2004-07-13
2472440,3,2005-08-13
1283744,3,2004-04-17
1927580,4,2004-11-08
716874,5,2005-05-06
4326,4,2005-10-29
```

## 2.2 Mapping the real world problem to a Machine Learning Problem

## 2.2.1 Type of Machine Learning Problem

```
For a given movie and user we need to predict the rating would be given by him/her to the movie.
```

The given problem is a Recommendation problem It can also seen as a Regression problem

## 2.2.2 Performance metric

- Mean Absolute Percentage Error: https://en.wikipedia.org/wiki/Mean\_absolute\_percentage\_error
- Root Mean Square Error: https://en.wikipedia.org/wiki/Root-mean-square\_deviation

## 2.2.3 Machine Learning Objective and Constraints

- 1. Minimize RMSE.
- 2. Try to provide some interpretability.

#### In [1]:

```
# this is just to know how much time will it take to run this entire ipython notebook
from datetime import datetime
# globalstart = datetime.now()
import pandas as pd
import numpy as np
import matplotlib
matplotlib.use('nbagg')

import matplotlib.pyplot as plt
plt.rcParams.update({'figure.max_open_warning': 0})
```

```
import seaborn as sns
sns.set_style('whitegrid')
import os
from scipy import sparse
from scipy.sparse import csr_matrix

from sklearn.decomposition import TruncatedSVD
from sklearn.metrics.pairwise import cosine_similarity
import random
```

## 3. Exploratory Data Analysis

## 3.1 Preprocessing

## 3.1.1 Converting / Merging whole data to required format: u\_i, m\_j, r\_ij

In [2]:

```
start = datetime.now()
if not os.path.isfile('data.csv'):
    # Create a file 'data.csv' before reading it
    # Read all the files in netflix and store them in one big file('data.csv')
   \# We re reading from each of the four files and appendig each rating to a global file
'train.csv'
   data = open('data.csv', mode='w')
    row = list()
    files=['data_folder/combined_data_1.txt','data_folder/combined_data_2.txt',
           'data_folder/combined_data_3.txt', 'data_folder/combined_data_4.txt']
    for file in files:
        print("Reading ratings from {}...".format(file))
       with open (file) as f:
            for line in f:
                del row[:] # you don't have to do this.
                line = line.strip()
                if line.endswith(':'):
                    # All below are ratings for this movie, until another movie appears.
                   movie id = line.replace(':', '')
                else:
                   row = [x for x in line.split(',')]
                    row.insert(0, movie_id)
                   data.write(','.join(row))
                   data.write('\n')
       print("Done.\n")
    data.close()
print('Time taken :', datetime.now() - start)
```

Time taken : 0:00:00

## In [2]:

creating the dataframe from data.csv file.. Done.

```
Sorting the dataframe by date..
Done..
In [3]:
df.head()
Out[3]:
        movie
                user rating
                               date
20393918 3870 510180
                        2 1999-11-11
68725149 12473 510180
                        5 1999-11-11
                        5 1999-11-11
 6901473
         1367 510180
45316022
         8079 510180
                        2 1999-11-11
48101611
                        2 1999-11-11
         8651 510180
In [5]:
df.info()
<class 'pandas.core.frame.DataFrame'>
Int64Index: 100466512 entries, 20393918 to 41955157
Data columns (total 4 columns):
movie
         int64
user
         int64
rating
          int64
          datetime64[ns]
dtypes: datetime64[ns](1), int64(3)
memory usage: 3.7 GB
In [6]:
df.describe()['rating']
Out[6]:
count
         1.004665e+08
         3.604271e+00
mean
         1.085224e+00
         1.000000e+00
min
25%
         3.000000e+00
50%
         4.000000e+00
         4.000000e+00
75%
         5.000000e+00
max
Name: rating, dtype: float64
3.1.2 Checking for NaN values
In [7]:
# just to make sure that all Nan containing rows are deleted..
print("No of Nan values in our dataframe : ", sum(df.isnull().any()))
No of Nan values in our dataframe : 0
```

## 3.1.3 Removing Duplicates

```
In [8]:
```

```
dup_bool = df.duplicated(['movie','user','rating'])
dups = sum(dup_bool) # by considering all columns..( including timestamp)
print("There are {} duplicate rating entries in the data..".format(dups))
```

There are 0 duplicate rating entries in the data..

## 3.1.4 Basic Statistics (#Ratings, #Users, and #Movies)

```
In [9]:
```

```
print("Total data ")
print("-"*50)
print("\nTotal no of ratings :",df.shape[0])
print("Total No of Users :", len(np.unique(df.user)))
print("Total No of movies :", len(np.unique(df.movie)))
Total data
```

Total no of ratings : 100466512 Total No of Users : 480189 Total No of movies : 17768

## 3.2 Spliting data into Train and Test(80:20)

```
In [3]:
```

```
if not os.path.isfile('train.csv'):
    # create the dataframe and store it in the disk for offline purposes..
    df.iloc[:int(df.shape[0]*0.80)].to_csv("train.csv", index=False)

if not os.path.isfile('test.csv'):
    # create the dataframe and store it in the disk for offline purposes..
    df.iloc[int(df.shape[0]*0.80):].to_csv("test.csv", index=False)

train_df = pd.read_csv("train.csv", parse_dates=['date'])
test_df = pd.read_csv("test.csv")
```

## 3.2.1 Basic Statistics in Train data (#Ratings, #Users, and #Movies)

In [5]:

```
# movies = train_df.movie.value_counts()
# users = train_df.user.value_counts()
print("Training data ")
print("-"*50)
print("\nTotal no of ratings :",train_df.shape[0])
print("Total No of Users :", len(np.unique(train_df.user)))
print("Total No of movies :", len(np.unique(train_df.movie)))
```

Training data

-----

Total no of ratings : 80373209 Total No of Users : 405037 Total No of movies : 17423

## 3.2.2 Basic Statistics in Test data (#Ratings, #Users, and #Movies)

```
In [12]:
```

```
print("Test data ")
print("-"*50)
print("\nTotal no of ratings :",test_df.shape[0])
print("Total No of Users :", len(np.unique(test_df.user)))
print("Total No of movies :", len(np.unique(test_df.movie)))
```

```
Test data

Total no of ratings: 20093303
Total No of Users: 349324
Total No of movies: 17755
```

## 3.3 Exploratory Data Analysis on Train data

## In [13]:

```
# method to make y-axis more readable
def human(num, units = 'M'):
    units = units.lower()
    num = float(num)
    if units == 'k':
        return str(num/10**3) + " K"
    elif units == 'm':
        return str(num/10**6) + " M"
    elif units == 'b':
        return str(num/10**9) + " B"
```

## 3.3.1 Distribution of ratings

## In [14]:

```
fig, ax = plt.subplots()
plt.title('Distribution of ratings over Training dataset', fontsize=15)
sns.countplot(train_df.rating)
ax.set_yticklabels([human(item, 'M') for item in ax.get_yticks()])
ax.set_ylabel('No. of Ratings(Millions)')
plt.show()
```



Add new column (week day) to the data set for analysis.

```
# It is used to skip the warning ''SettingWithCopyWarning''..
pd.options.mode.chained_assignment = None # default='warn'

train_df['day_of_week'] = train_df.date.dt.weekday_name

train_df.tail()
```


## Out[4]:

		movie	user	rating	date	day_of_week
	80373204	14571	2560486	4	2005-08-08	Monday
	80373205	12441	1386805	3	2005-08-08	Monday
	80373206	11662	1451574	5	2005-08-08	Monday
	80373207	5695	155636	4	2005-08-08	Monday
	80373208	5549	233262	5	2005-08-08	Monday

## 3.3.2 Number of Ratings per a month

#### In [0]:

```
ax = train_df.resample('m', on='date')['rating'].count().plot()
ax.set_title('No of ratings per month (Training data)')
plt.xlabel('Month')
plt.ylabel('No of ratings(per month)')
ax.set_yticklabels([human(item, 'M') for item in ax.get_yticks()])
plt.show()
```




## 3.3.3 Analysis on the Ratings given by user

## In [7]:

```
no_of_rated_movies_per_user = train_df.groupby(by='user')['rating'].count().sort_values(ascending=F
alse)
no_of_rated_movies_per_user.head()
```

```
Out[7]:
user
         17109
305344
2439493
          15894
387418
          15399
1639792
           9765
1461435
           9447
Name: rating, dtype: int64
In [18]:
no of rated movies per user.shape
Out[18]:
(405037,)
In [0]:
fig = plt.figure(figsize=plt.figaspect(.5))
ax1 = plt.subplot(121)
sns.kdeplot(no_of_rated_movies_per_user, shade=True, ax=ax1)
plt.xlabel('No of ratings by user')
plt.title("PDF")
ax2 = plt.subplot(122)
sns.kdeplot(no_of_rated_movies_per_user, shade=True, cumulative=True,ax=ax2)
plt.xlabel('No of ratings by user')
plt.title('CDF')
```



#### In [0]:

plt.show()

```
{\tt no\_of\_rated\_movies\_per\_user.describe()}
```

## Out[0]:

count	405041.000000
mean	198.459921
std	290.793238
min	1.000000
25%	34.000000
50%	89.000000
75%	245 000000

```
max 17112.000000
Name: rating, dtype: float64
```


There, is something interesting going on with the quantiles..

## In [0]:

```
quantiles = no_of_rated_movies_per_user.quantile(np.arange(0,1.01,0.01), interpolation='higher')
```

#### In [0]:

```
plt.title("Quantiles and their Values")
quantiles.plot()
# quantiles with 0.05 difference
plt.scatter(x=quantiles.index[::5], y=quantiles.values[::5], c='orange', label="quantiles with 0.05
intervals")
# quantiles with 0.25 difference
plt.scatter(x=quantiles.index[::25], y=quantiles.values[::25], c='m', label = "quantiles with 0.25
intervals")
plt.ylabel('No of ratings by user')
plt.xlabel('Value at the quantile')
plt.legend(loc='best')
# annotate the 25th, 50th, 75th and 100th percentile values....
for x,y in zip(quantiles.index[::25], quantiles[::25]):
    plt.annotate(s="({} , {})".format(x,y), xy=(x,y), xytext=(x-0.05, y+500)
                , fontweight='bold')
plt.show()
```



## In [0]:

```
quantiles[::5]
```

#### Out[0]:

```
0.00 1
0.05 7
```

```
U. TU
           エン
0.15
          21
0.20
          27
0.25
          34
0.30
          41
0.35
          50
0.40
           60
          73
0.45
0.50
          89
         109
0.55
         133
0.60
0.65
         163
0.70
         199
0.75
         245
0.80
         307
0.85
         392
0.90
         520
0.95
          749
1.00
       17112
Name: rating, dtype: int64
```

how many ratings at the last 5% of all ratings??

```
In [19]:
```

```
print('\n No of ratings at last 5 percentile : {}\n'.format(sum(no_of_rated_movies_per_user>= 749)
) )
```


No of ratings at last 5 percentile : 20292

## 3.3.4 Analysis of ratings of a movie given by a user

```
In [0]:
```

```
no_of_ratings_per_movie = train_df.groupby(by='movie')
['rating'].count().sort_values(ascending=False)

fig = plt.figure(figsize=plt.figaspect(.5))
ax = plt.gca()
plt.plot(no_of_ratings_per_movie.values)
plt.title('# RATINGS per Movie')
plt.xlabel('Movie')
plt.ylabel('No of Users who rated a movie')
ax.set_xticklabels([])
```




- . It is very skewed.. just like nunmber of ratings given per user.
  - There are some movies (which are very popular) which are rated by huge number of users.
  - But most of the movies(like 90%) got some hundereds of ratings.

## 3.3.5 Number of ratings on each day of the week

## In [0]:


```
fig, ax = plt.subplots()
sns.countplot(x='day_of_week', data=train_df, ax=ax)
plt.title('No of ratings on each day...')
plt.ylabel('Total no of ratings')
plt.xlabel('')
ax.set_yticklabels([human(item, 'M') for item in ax.get_yticks()])
plt.show()
```


## No of ratings on each day...



## In [0]:

```
start = datetime.now()
fig = plt.figure(figsize=plt.figaspect(.45))
sns.boxplot(y='rating', x='day_of_week', data=train_df)
plt.show()
print(datetime.now() - start)
```





0:01:10.003761

```
In [0]:
```

```
avg_week_df = train_df.groupby(by=['day_of_week'])['rating'].mean()
print(" AVerage ratings")
print("-"*30)
print(avg_week_df)
print("\n")
```

AVerage ratings

-----

day\_of\_week
Friday 3.585274
Monday 3.577250
Saturday 3.591791
Sunday 3.594144
Thursday 3.582463
Tuesday 3.574438
Wednesday 3.583751

Name: rating, dtype: float64

## 3.3.6 Creating sparse matrix from data frame

## 3.3.6.1 Creating sparse matrix from train data frame

```
In [5]:
```

```
start = datetime.now()
if os.path.isfile('train_sparse_matrix.npz'):
    print("It is present in your pwd, getting it from disk....")
    # just get it from the disk instead of computing it
    train_sparse_matrix = sparse.load_npz('train_sparse_matrix.npz')
   print("DONE..")
else:
   print("We are creating sparse_matrix from the dataframe..")
    # create sparse matrix and store it for after usage.
    # csr_matrix(data_values, (row_index, col_index), shape_of_matrix)
    # It should be in such a way that, MATRIX[row, col] = data
    train sparse matrix = sparse.csr matrix((train df.rating.values, (train df.user.values,
                                               train df.movie.values)),)
    print('Done. It\'s shape is : (user, movie) : ',train sparse matrix.shape)
    print('Saving it into disk for furthur usage..')
    # save it into disk
    sparse.save npz("train sparse matrix.npz", train sparse matrix)
    print('Done..\n')
print(datetime.now() - start)
```

It is present in your pwd, getting it from disk....
DONE..
0:00:10.892720

#### The Sparsity of Train Sparse Matrix

```
In [6]:
```

```
us,mv = train_sparse_matrix.shape
elem = train_sparse_matrix.count_nonzero()
print("Sparsity Of Train matrix : {} % ".format( (1-(elem/(us*mv))) * 100) )
```

Sparsity Of Train matrix : 99.82929470519252 %

## 3.3.6.2 Creating sparse matrix from test data frame

#### In [7]:

```
start = datetime.now()
if os.path.isfile('test sparse matrix.npz'):
    print("It is present in your pwd, getting it from disk....")
    # just get it from the disk instead of computing it
   test sparse matrix = sparse.load npz('test sparse matrix.npz')
   print("DONE..")
else:
   print("We are creating sparse matrix from the dataframe..")
    # create sparse matrix and store it for after usage.
   # csr_matrix(data_values, (row_index, col_index), shape_of_matrix)
   # It should be in such a way that, MATRIX[row, col] = data
    test sparse matrix = sparse.csr matrix((test df.rating.values, (test df.user.values,
                                               test df.movie.values)))
   print('Done. It\'s shape is : (user, movie) : ',test sparse matrix.shape)
   print('Saving it into disk for furthur usage..')
    # save it into disk
    sparse.save npz("test sparse matrix.npz", test sparse matrix)
    print('Done..\n')
print(datetime.now() - start)
```

It is present in your pwd, getting it from disk....
DONE..
0:00:02.501327

## The Sparsity of Test data Matrix

```
In [8]:
```

```
us,mv = test_sparse_matrix.shape
elem = test_sparse_matrix.count_nonzero()
print("Sparsity Of Test matrix : {} % ".format( (1-(elem/(us*mv))) * 100) )
```

Sparsity Of Test matrix : 99.95732367470521  $\mbox{\%}$ 

## 3.3.7 Finding Global average of all movie ratings, Average rating per user, and Average rating per movie

```
In [9]:
```

```
# get the user averages in dictionary (key: user_id/movie_id, value: avg rating)

def get_average_ratings(sparse_matrix, of_users):

# average ratings of user/axes
ax = 1 if of_users else 0 # 1 - User axes,0 - Movie axes

# ".A1" is for converting Column_Matrix to 1-D numpy array
sum_of_ratings = sparse_matrix.sum(axis=ax).A1
```

#### 3.3.7.1 finding global average of all movie ratings

```
In [10]:
```

```
train_averages = dict()
# get the global average of ratings in our train set.
train_global_average = train_sparse_matrix.sum()/train_sparse_matrix.count_nonzero()
train_averages['global'] = train_global_average
train_averages
```

#### Out[10]:

```
{'global': 3.5828355441176925}
```

#### 3.3.7.2 finding average rating per user

#### In [11]:

```
train_averages['user'] = get_average_ratings(train_sparse_matrix, of_users=True)
print('\nAverage rating of user 10 :',train_averages['user'][10])
```

Average rating of user 10 : 3.3564356435643563

## 3.3.7.3 finding average rating per movie

```
In [12]:
```


```
train_averages['movie'] = get_average_ratings(train_sparse_matrix, of_users=False)
print('\n AVerage rating of movie 15 :',train_averages['movie'][15])
```

AVerage rating of movie 15 : 3.3038461538461537

## 3.3.7.4 PDF's & CDF's of Avg.Ratings of Users & Movies (In Train Data)

#### In [0]:

## Avg Ratings per User and per Movie



0:00:35.003443

## 3.3.8 Cold Start problem

## 3.3.8.1 Cold Start problem with Users

## In [28]:

```
total_users = len(np.unique(df.user))
users_train = len(train_averages['user'])
new_users = total_users - users_train

print('\nTotal number of Users :', total_users)
print('\nNumber of Users in Train data :', users_train)
print("\nNo of Users that didn't appear in train data: {}({} %) \n ".format(new_users,
np.round((new_users/total_users)*100, 2)))
```

```
Total number of Users : 480189

Number of Users in Train data : 405037

No of Users that didn't appear in train data: 75152(15.65 %)
```

We might have to handle **new users** ( 75148) who didn't appear in train data.

## 3.3.8.2 Cold Start problem with Movies

```
In [29]:
```

```
total_movies = len(np.unique(df.movie))
```

```
movies_train = len(train_averages['movie'])
new_movies = total_movies - movies_train

print('\nTotal number of Movies :', total_movies)
print('\nNumber of Users in Train data :', movies_train)
print("\nNo of Movies that didn't appear in train data: {}({} %) \n ".format(new_movies,

np.round((new_movies/total_movies)*100, 2)))

Total number of Movies : 17768

Number of Users in Train data : 17423

No of Movies that didn't appear in train data: 345(1.94 %)
```

We might have to handle 346 movies (small comparatively) in test data

## 3.4 Computing Similarity matrices

## 3.4.1 Computing User-User Similarity matrix

- 1. Calculating User User Similarity\_Matrix is **not very easy**(unless you have huge Computing Power and lots of time) because of number of. usersbeing lare.
  - You can try if you want to. Your system could crash or the program stops with Memory Error

## 3.4.1.1 Trying with all dimensions (17k dimensions per user)

In [0]:

```
from sklearn.metrics.pairwise import cosine similarity
def compute user similarity(sparse matrix, compute for few=False, top = 100, verbose=False, verb fo
r n rows = 20,
                            draw time taken=True):
   no of users, = sparse matrix.shape
    # get the indices of non zero rows(users) from our sparse matrix
   row_ind, col_ind = sparse_matrix.nonzero()
   row_ind = sorted(set(row_ind)) # we don't have to
   time taken = list() # time taken for finding similar users for an user..
   # we create rows, cols, and data lists.., which can be used to create sparse matrices
   rows, cols, data = list(), list(), list()
   if verbose: print("Computing top",top,"similarities for each user..")
   start = datetime.now()
   temp = 0
   for row in row_ind[:top] if compute_for_few else row ind:
       temp = temp+1
       prev = datetime.now()
       # get the similarity row for this user with all other users
       sim = cosine_similarity(sparse_matrix.getrow(row), sparse_matrix).ravel()
       # We will get only the top ''top'' most similar users and ignore rest of them..
       top sim ind = sim.argsort()[-top:]
       top_sim_val = sim[top_sim_ind]
        # add them to our rows, cols and data
       rows.extend([row]*top)
       cols.extend(top sim ind)
       data.extend(top sim val)
        time taken.append(datetime.now().timestamp() - prev.timestamp())
```

#### In [0]:

```
Computing top 100 similarities for each user..

computing done for 20 users [ time elapsed : 0:03:20.300488 ]


computing done for 40 users [ time elapsed : 0:06:38.518391 ]

computing done for 60 users [ time elapsed : 0:09:53.143126 ]

computing done for 80 users [ time elapsed : 0:13:10.080447 ]

computing done for 100 users [ time elapsed : 0:16:24.711032 ]

Creating Sparse matrix from the computed similarities
```



Time taken : 0:16:33.618931

.....<u>.</u>

- We have **405,041 users** in out training set and computing similarities between them..( **17K dimensional vector..**) is time consuming..
- From above plot, It took roughly 8.88 sec for computing similar users for one user
- We have 405,041 users with us in training set.
- $405041 \times 8.88 = 3596764.08 \text{sec} = 59946.068 \text{ min}$ 
  - Even if we run on 4 cores parallelly (a typical system now a days), It will still take almost 10 and 1/2 days.

IDEA: Instead, we will try to reduce the dimentsions using SVD, so that it might speed up the process...

#### In [0]:

```
from datetime import datetime
from sklearn.decomposition import TruncatedSVD

start = datetime.now()

# initilaize the algorithm with some parameters..

# All of them are default except n_components. n_itr is for Randomized SVD solver.
netflix_svd = TruncatedSVD(n_components=500, algorithm='randomized', random_state=15)
trunc_svd = netflix_svd.fit_transform(train_sparse_matrix)

print(datetime.now()-start)
```

0:29:07.069783

#### Here.


- \sum \longleftarrow (netflix\_svd.singular\_values\_)
- \bigvee^T \longleftarrow (netflix\_svd.components\_)
- \bigcup is not returned. instead **Projection\_of\_X** onto the new vectorspace is returned.
- It uses randomized svd internally, which returns All 3 of them saperately. Use that instead..

## In [0]:

```
expl_var = np.cumsum(netflix_svd.explained_variance_ratio_)
```

#### In [0]:

```
fig, (ax1, ax2) = plt.subplots(nrows=1, ncols=2, figsize=plt.figaspect(.5))
ax1.set_ylabel("Variance Explained", fontsize=15)
ax1.set xlabel("# Latent Facors", fontsize=15)
ax1.plot(expl_var)
# annote some (latentfactors, expl_var) to make it clear
ind = [1, 2, 4, 8, 20, 60, 100, 200, 300, 400, 500]
ax1.scatter(x = [i-1 for i in ind], y = expl var[[i-1 for i in ind]], c='#ff3300')
for i in ind:
    ax1.annotate(s = "({}, {}))".format(i, np.round(expl var[i-1], 2)), xy=(i-1, expl var[i-1]),
               xytext = (i+20, expl var[i-1] - 0.01), fontweight='bold')
change_in_expl_var = [expl_var[i+1] - expl_var[i] for i in range(len(expl_var)-1)]
ax2.plot(change_in_expl_var)
ax2.set ylabel("Gain in Var Expl with One Additional LF", fontsize=10)
ax2.yaxis.set label position("right")
ax2.set xlabel("# Latent Facors", fontsize=20)
plt.show()
```



## In [0]:

```
for i in ind:
    print("({{}}, {{}})".format(i, np.round(expl_var[i-1], 2)))

(1, 0.23)
(2, 0.26)
(4, 0.3)
(8, 0.34)
(20, 0.38)
(60, 0.44)
(100, 0.47)
(200, 0.53)
(300, 0.57)
(400, 0.61)
(500, 0.64)
```


I think 500 dimensions is good enough


- By just taking (20 to 30) latent factors, explained variance that we could get is 20 %.
- To take it to 60%, we have to take almost 400 latent factors. It is not fare.
- It basically is the gain of variance explained, if we add one additional latent factor to it.
- By adding one by one latent factore too it, the \_gain in expained variance with that addition is decreasing. (Obviously, because they are sorted that way).
- LHS Graph:
  - x --- ( No of latent factos ),
  - y --- ( The variance explained by taking x latent factors)
- More decrease in the line (RHS graph) :
  - We are getting more expained variance than before.
- . Less decrease in that line (RHS graph) :
  - We are not getting benifitted from adding latent factor furthur. This is what is shown in the plots.
- RHS Graph:
  - x --- ( No of latent factors ),
  - y --- ( Gain n Expl\_Var by taking one additional latent factor)

## In [0]:

```
# Let's project our Original U_M matrix into into 500 Dimensional space...
start = datetime.now()
trunc_matrix = train_sparse_matrix.dot(netflix_svd.components_.T)
print(datetime.now() - start)
```

```
0:00:45.670265
In [0]:
type(trunc_matrix), trunc_matrix.shape
Out[0]:
(numpy.ndarray, (2649430, 500))
 • Let's convert this to actual sparse matrix and store it for future purposes
In [0]:
if not os.path.isfile('trunc sparse matrix.npz'):
    # create that sparse sparse matrix
    trunc sparse matrix = sparse.csr matrix(trunc matrix)
    # Save this truncated sparse matrix for later usage..
    sparse.save_npz('trunc_sparse_matrix', trunc_sparse_matrix)
else:
    trunc sparse matrix = sparse.load npz('trunc sparse matrix.npz')
In [0]:
trunc sparse matrix.shape
Out[0]:
(2649430, 500)
In [0]:
start = datetime.now()
trunc_u_u_sim_matrix, _ = compute_user_similarity(trunc_sparse_matrix, compute_for_few=True, top=50
, verbose=True,
                                                     verb for n rows=10)
print("-"*50)
print("time:", datetime.now() -start)
Computing top 50 similarities for each user..
computing done for 10 users [ time elapsed: 0:02:09.746324 ]
computing done for 20 users [ time elapsed : 0:04:16.017768
computing done for 30 users [ time elapsed : 0:06:20.861163
computing done for 40 users [ time elapsed : 0:08:24.933316 computing done for 50 users [ time elapsed : 0:10:28.861485
Creating Sparse matrix from the computed similarities
```





-----

time: 0:10:52.658092

#### : This is taking more time for each user than Original one.

- from above plot, It took almost 12.18 for computing simlilar users for one user
- We have 405041 users with us in training set.
- { 405041 \times 12.18 ==== 4933399.38 \sec } ==== 82223.323 \min ==== 1370.388716667 \text{ hours} ==== 57.099529861 \text{ days}...
  - Even we run on 4 cores parallelly (a typical system now a days), It will still take almost (14 15) days.
- . Why did this happen...??
  - Just think about it. It's not that difficult.

-----get it ??)-----( sparse & dense.....get it ??)-----

## Is there any other way to compute user user similarity..??

-An alternative is to compute similar users for a particular user, whenenver required (ie., Run time)

```
- We maintain a binary Vector for users, which tells us whether we already computed or
not...
- ***If not*** :
    - Compute top (let's just say, 1000) most similar users for this given user, and add
this to our datastructure, so that we can just access it(similar users) without recomputing
it again.
   _
- ***If It is already Computed***:
    - Just get it directly from our datastructure, which has that information.
   - In production time, We might have to recompute similarities, if it is computed a long
time ago. Because user preferences changes over time. If we could maintain some kind of
Timer, which when expires, we have to update it ( recompute it ).
- ***Which datastructure to use:***
    - It is purely implementation dependant.
    - One simple method is to maintain a **Dictionary Of Dictionaries**.
       - **key :** userid
        - value : Again a dictionary
           - __key__ : _Similar User
             value__: _Similarity Value_
```

## 3.4.2 Computing Movie-Movie Similarity matrix

## In [30]:

```
start = datetime.now()
if not os.path.isfile('m_m_sim_sparse.npz'):
    print("It seems you don't have that file. Computing movie_movie similarity...")
    start = datetime.now()
    m_m_sim_sparse = cosine_similarity(X=train_sparse_matrix.T, dense_output=False)
    print("Done..")
# start = this sparse matrix is disk before using it. For future purposes
```

```
print("Saving it to disk without the need of re-computing it again.. ")
    sparse.save_npz("m_m_sim_sparse.npz", m_m_sim_sparse)
    print("Done..")
else:
    print("It is there, We will get it.")
    m m sim sparse = sparse.load npz("m m sim sparse.npz")
    print("Done ...")
print("It's a ",m_m_sim_sparse.shape," dimensional matrix")
print(datetime.now() - start)
It is there, We will get it.
It's a (17771, 17771) dimensional matrix
0:01:06.317013
In [31]:
m m sim sparse.shape
Out[31]:
(17771, 17771)
 . Even though we have similarity measure of each movie, with all other movies, We generally don't care much about least similar
    movies.
 • Most of the times, only top xxx similar items matters. It may be 10 or 100.
 • We take only those top similar movie ratings and store them in a saperate dictionary.
In [32]:
movie ids = np.unique(m m sim sparse.nonzero()[1])
In [33]:
start = datetime.now()
similar movies = dict()
for movie in movie ids:
    # get the top similar movies and store them in the dictionary
    sim movies = m m sim sparse[movie].toarray().ravel().argsort()[::-1][1:]
    similar movies[movie] = sim movies[:100]
print(datetime.now() - start)
# just testing similar movies for movie 15
similar movies[15]
0:04:00.214319
Out[33]:
array([ 8279, 8013, 16528, 5927, 13105, 12049, 4424, 10193, 4549,
        17590, 3755,
                        590, 14059, 15144, 15054, 9584, 9071, 6349,
                3973, 1720, 5370, 16309, 9376, 15301, 7407, 5720, 778, 5452,
        16402,
                                                       6116, 4706,
                                                                       2818,
         2534, 15301,
                                                        5500, 17710,
               7328, 16331, 13213, 15331, 15188, 1416, 15984,
        17139,
        10597, 6426, 8323, 9566, 12979, 14308, 7068, 9802, 13013,
          376, 8003, 3338, 15390, 10199, 9688, 16455, 11730, 4513,
         598, 12762, 2187, 509, 5865, 9166, 17115, 1942, 16334, 7282, 17584, 4376, 8988, 2716, 8873, 5921, 14679, 11947, 1981, 4649, 565, 12954, 10788, 10220, 10963, 9427, 1690,
         7282, 17584,
        11981,
         5107, 7859, 5969, 1510, 2429, 13931, 7845,
                                                               847, 6410,
         9840], dtype=int64)
```

# Store this sparse matrix in disk before using it. For luture purposes.

9 A 9 Finding west similar wavies rising similarity westriv

#### 5.4.5 Finding most similar movies using similarity matrix

#### Does Similarity really works as the way we expected ...?

Let's pick some random movie and check for its similar movies....

## In [17]:

Tokenization took: 31.86 ms
Type conversion took: 77.53 ms
Parser memory cleanup took: 0.00 ms

#### Out[17]:

	year_of_release	title
movie_id		
1	2003.0	Dinosaur Planet
2	2004.0	Isle of Man TT 2004 Review
3	1997.0	Character
4	1994.0	Paula Abdul's Get Up & Dance
5	2004.0	The Rise and Fall of ECW

## Similar Movies for 'Vampire Journals'

#### In [35]:

```
mv_id = 67
print("\nMovie ---->", movie_titles.loc[mv_id].values[1])
print("\nIt has {} Ratings from users.".format(train_sparse_matrix[:, mv_id].getnnz()))
print("\nWe have {} movies which are similar to this and we will get only top most..".format(m_m_s im_sparse[:, mv_id].getnnz()))
```

Movie ----> Vampire Journals

It has 270 Ratings from users.


We have 17282 movies which are similar to this  $\,$  and we will get only top most..

## In [36]:

## In [37]:

```
plt.plot(similarities[sim_indices], label='All the ratings')
plt.plot(similarities[sim_indices[:100]], label='top 100 similar movies')
plt.title("Similar Movies of {} (movie_id)".format(mv_id), fontsize=20)
```

```
plt.xlabel("Movies (Not Movie_Ids)", fontsize=15)
plt.ylabel("Cosine Similarity", fontsize=15)
plt.legend()
plt.show()
```



## Top 10 similar movies

## In [0]:

movie\_titles.loc[sim\_indices[:10]]

## Out[0]:

	year_of_release	title
movie_id		
323	1999.0	Modern Vampires
4044	1998.0	Subspecies 4: Bloodstorm
1688	1993.0	To Sleep With a Vampire
13962	2001.0	Dracula: The Dark Prince
12053	1993.0	Dracula Rising
16279	2002.0	Vampires: Los Muertos
4667	1996.0	Vampirella
1900	1997.0	Club Vampire
13873	2001.0	The Breed
15867	2003.0	Dracula II: Ascension

## 4. Machine Learning Models

In [13]:

```
def get sample sparse matrix(sparse matrix, no users, no movies, path, verbose = True):
       It will get it from the ''path'' if it is present or It will create
       and store the sampled sparse matrix in the path specified.
   # get (row, col) and (rating) tuple from sparse matrix...
   row ind, col ind, ratings = sparse.find(sparse matrix)
   users = np.unique(row ind)
   movies = np.unique(col ind)
   print("Original Matrix : (users, movies) -- ({} {})".format(len(users), len(movies)))
   print("Original Matrix : Ratings -- {}\n".format(len(ratings)))
   # It just to make sure to get same sample everytime we run this program..
   # and pick without replacement....
   np.random.seed(15)
   sample users = np.random.choice(users, no users, replace=False)
   sample movies = np.random.choice(movies, no movies, replace=False)
   # get the boolean mask or these sampled items in originl row/col inds..
   mask = np.logical and( np.isin(row ind, sample users),
                     np.isin(col ind, sample movies) )
   sample sparse matrix = sparse.csr matrix((ratings[mask], (row ind[mask], col ind[mask])),
                                             shape=(max(sample users)+1, max(sample movies)+1))
   if verbose:
       print("Sampled Matrix : (users, movies) -- ({} {})".format(len(sample_users), len(sample_mc
       print("Sampled Matrix : Ratings --", format(ratings[mask].shape[0]))
   print('Saving it into disk for furthur usage..')
   # save it into disk
   sparse.save npz(path, sample sparse matrix)
   if verbose:
           print('Done..\n')
   return sample sparse matrix
4
```

## 4.1 Sampling Data

0.00.00 ((3335

## 4.1.1 Build sample train data from the train data

```
In [14]:
start = datetime.now()
path = "sample_train_sparse_matrix_25k.npz"
if os.path.isfile(path):
    print("It is present in your pwd, getting it from disk....")
    # just get it from the disk instead of computing it
    sample train sparse matrix = sparse.load npz(path)
   print("DONE..")
else:
   # get 25k users and 3k movies from available data
   sample_train_sparse_matrix = get_sample_sparse_matrix(train_sparse_matrix, no_users=25000, no_m
ovies=3000,
                                             path = path)
print(datetime.now() - start)
It is present in your pwd, getting it from disk....
DONE..
```

## 4.1.2 Build sample test data from the test data

```
In [15]:
start = datetime.now()
path = "sample test sparse matrix 5k.npz"
if os.path.isfile(path):
   print("It is present in your pwd, getting it from disk....")
    # just get it from the disk instead of computing it
   sample_test_sparse_matrix = sparse.load_npz(path)
   print("DONE..")
    # get 5k users and 500 movies from available data
    sample test sparse matrix = get sample sparse matrix(test sparse matrix, no users=5000, no movi
es=500,
                                                 path = path)
print(datetime.now() - start)
It is present in your pwd, getting it from disk....
DONE..
0:00:00.235735
```

# 4.2 Finding Global Average of all movie ratings, Average rating per User, and Average rating per Movie (from sampled train)

```
In [16]:
sample_train_averages = dict()
```

## 4.2.1 Finding Global Average of all movie ratings

```
In [17]:
```

```
# get the global average of ratings in our train set.
global_average = sample_train_sparse_matrix.sum()/sample_train_sparse_matrix.count_nonzero()
sample_train_averages['global'] = global_average
sample_train_averages
Out[17]:
{'global': 3.565610168509437}
```

## 4.2.2 Finding Average rating per User

```
In [18]:
```

## 4.2.3 Finding Average rating per Movie

```
In [19]:
```

```
sample_train_averages['movie'] = get_average_ratings(sample_train_sparse_matrix, of_users=False)
print('\n AVerage rating of movie 3290 :',sample_train_averages['movie'][3290])
```

## 4.3 Featurizing data

```
In [20]:
```

```
print('\n No of ratings in Our Sampled train matrix is : {}\n'.format(sample_train_sparse_matrix.c
ount_nonzero()))
print('\n No of ratings in Our Sampled test matrix is : {}\n'.format(sample_test_sparse_matrix.cou
nt_nonzero()))
No of ratings in Our Sampled train matrix is : 949205
```

## 4.3.1 Featurizing data for regression problem

No of ratings in Our Sampled test matrix is : 8732

#### 4.3.1.1 Featurizing train data

```
In [21]:
```

```
# get users, movies and ratings from our samples train sparse matrix
sample_train_users, sample_train_movies, sample_train_ratings =
sparse.find(sample_train_sparse_matrix)
```

#### In [22]:

```
# It took me almost 10 hours to prepare this train dataset.#
####################################
start = datetime.now()
if os.path.isfile('reg_train_25k.csv'):
   print("File already exists you don't have to prepare again..." )
   print('preparing {} tuples for the dataset..\n'.format(len(sample train ratings)))
   with open('reg_train_25k.csv', mode='w') as reg_data_file:
       count = 0
       for (user, movie, rating) in zip(sample_train_users, sample_train_movies,
sample train ratings):
           st = datetime.now()
           print(user, movie)
                        ----- Ratings of "movie" by similar users of "user" ------
           # compute the similar Users of the "user"
           user_sim = cosine_similarity(sample_train_sparse_matrix[user],
sample_train_sparse_matrix).ravel()
           top_sim_users = user_sim.argsort()[::-1][1:] # we are ignoring 'The User' from its simi
lar users.
           # get the ratings of most similar users for this movie
           top_ratings = sample_train_sparse_matrix[top_sim_users, movie].toarray().ravel()
           # we will make it's length "5" by adding movie averages to
           top sim users ratings = list(top ratings[top ratings != 0][:5])
           top sim users ratings.extend([sample train averages['movie'][movie]]*(5 -
len(top sim users ratings)))
           print(top sim users ratings, end=" ")
           #----- Ratings by "user" to similar movies of "movie" ------
           # compute the similar movies of the "movie"
           movie sim = cosine similarity(sample train sparse matrix[:,movie].T,
sample train sparse matrix.T).ravel()
           top_sim_movies = movie_sim.argsort()[::-1][1:] # we are ignoring 'The User' from its si
milar users.
           # get the ratings of most similar movie rated by this user..
           top ratings = sample train sparse matrix[user, top sim movies].toarray().ravel()
```

```
# we will make it's length "5" by adding user averages to.
           top_sim_movies_ratings = list(top_ratings[top_ratings != 0][:5])
           top sim movies ratings.extend([sample train averages['user']
[user]]*(5-len(top sim movies ratings)))
           print(top_sim_movies_ratings, end=" : -- ")
       #
           #-----#
           row = list()
           row.append(user)
           row.append(movie)
           # Now add the other features to this data...
           row.append(sample_train_averages['global']) # first feature
           # next 5 features are similar users "movie" ratings
           row.extend(top_sim_users_ratings)
           # next 5 features are "user" ratings for similar movies
           row.extend(top sim movies ratings)
           # Avg_user rating
           row.append(sample train averages['user'][user])
           # Avg_movie rating
           row.append(sample train averages['movie'][movie])
           # finalley, The actual Rating of this user-movie pair...
           row.append(rating)
           count = count + 1
           # add rows to the file opened..
           reg_data_file.write(','.join(map(str, row)))
           reg data file.write('\n')
           if (count) %10000 == 0:
              # print(','.join(map(str, row)))
               print("Done for {} rows---- {}".format(count, datetime.now() - start))
print(datetime.now() - start)
```

File already exists you don't have to prepare again...

## Reading from the file to make a Train\_dataframe

```
In [23]:
```

0:00:00.015294

Out[23]:

	user	movie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	UAvg	MAvg	rating
0	108484	10	3.56561	3.0	3.0	2.0	2.0	1.0	3.0	3.0	3.0	3.0	3.0	3.041420	3.1875	3
1	258010	10	3.56561	3.0	5.0	4.0	2.0	4.0	3.0	3.0	3.0	3.0	1.0	3.000000	3.1875	2
2	387170	10	3.56561	4.0	5.0	3.0	4.0	4.0	1.0	5.0	1.0	4.0	5.0	3.214286	3.1875	5
3	690939	10	3.56561	3.0	2.0	3.0	3.0	3.0	4.0	4.0	2.0	3.0	3.0	3.101695	3.1875	3
4	832048	10	3.56561	2.0	5.0	4.0	3.0	3.0	4.0	4.0	4.0	4.0	4.0	3.809524	3.1875	3

- GAvg : Average rating of all the ratings
- Similar users rating of this movie:
  - sur1, sur2, sur3, sur4, sur5 (top 5 similar users who rated that movie..)
- Similar movies rated by this user:
  - smr1, smr2, smr3, smr4, smr5 ( top 5 similar movies rated by this movie.. )
- UAvg : User's Average rating
- MANA . Averege retine of this movie

. wavg : Average rating of this movie

try:

• rating : Rating of this movie by this user.

```
4.3.1.2 Featurizing test data
In [24]:
# get users, movies and ratings from the Sampled Test
sample test users, sample test movies, sample test ratings = sparse.find(sample test sparse matrix
In [25]:
sample_train_averages['global']
Out[25]:
3.565610168509437
In [26]:
start = datetime.now()
if os.path.isfile('reg test 5k.csv'):
   print("It is already created...")
else:
    print('preparing {} tuples for the dataset..\n'.format(len(sample test ratings)))
    with open('reg_test_5k.csv', mode='w') as reg_data_file:
        count = 0
        for (user, movie, rating) in zip(sample_test_users, sample_test_movies,
sample test ratings):
            st = datetime.now()
        #----- Ratings of "movie" by similar users of "user" -----
            #print(user, movie)
            try:
                # compute the similar Users of the "user"
               user_sim = cosine_similarity(sample_train_sparse_matrix[user],
sample_train_sparse_matrix).ravel()
                top sim users = user sim.argsort()[::-1][1:] # we are ignoring 'The User' from its
similar users.
                # get the ratings of most similar users for this movie
                top_ratings = sample_train_sparse_matrix[top_sim_users, movie].toarray().ravel()
                \# we will make it's length "5" by adding movie averages to .
                top sim users ratings = list(top ratings[top ratings != 0][:5])
                top_sim_users_ratings.extend([sample_train_averages['movie'][movie]]*(5 -
len(top_sim_users_ratings)))
                # print(top sim users ratings, end="--")
            except (IndexError, KeyError):
                # It is a new User or new Movie or there are no ratings for given user for top sim:
lar movies...
                ######### Cold STart Problem ########
                top sim users ratings.extend([sample train averages['global']] * (5 -
len(top_sim_users_ratings)))
               #print(top_sim_users_ratings)
            except:
               print(user, movie)
                # we just want KeyErrors to be resolved. Not every Exception...
                raise
```

----- Ratings by "user" to similar movies of "movie" -----

movie sim = cosine similarity(sample train sparse matrix[:,movie].T,

# compute the similar movies of the "movie"

```
sample_train_sparse_matrix.T).ravel()
               top_sim_movies = movie_sim.argsort()[::-1][1:] # we are ignoring 'The User' from it
s similar users.
                # get the ratings of most similar movie rated by this user..
                top ratings = sample train sparse matrix[user, top sim movies].toarray().ravel()
                # we will make it's length "5" by adding user averages to.
                top sim movies ratings = list(top ratings[top ratings != 0][:5])
               top sim movies ratings.extend([sample train averages['user']
[user]]*(5-len(top_sim_movies_ratings)))
               #print(top_sim_movies_ratings)
           except (IndexError, KeyError):
                #print(top_sim_movies_ratings, end=" : -- ")
top sim movies ratings.extend([sample train averages['global']]*(5-len(top sim movies ratings)))
               #print(top sim movies ratings)
           except :
               raise
                        -----prepare the row to be stores in a file------#
            row = list()
            # add usser and movie name first
           row.append(user)
            row.append(movie)
           row.append(sample_train_averages['global']) # first feature
            #print(row)
            # next 5 features are similar users "movie" ratings
           row.extend(top sim users ratings)
            #print(row)
            # next 5 features are "user" ratings for similar movies
           row.extend(top sim movies ratings)
            #print(row)
            # Avg_user rating
            try:
               row.append(sample train averages['user'][user])
            except KeyError:
               row.append(sample train averages['global'])
            except:
               raise
            #print(row)
            # Avg_movie rating
               row.append(sample train averages['movie'][movie])
           except KeyError:
               row.append(sample train averages['global'])
            except:
               raise
            #print(row)
            # finalley, The actual Rating of this user-movie pair...
            row.append(rating)
            #print(row)
           count = count + 1
            # add rows to the file opened..
           reg_data_file.write(','.join(map(str, row)))
            #print(','.join(map(str, row)))
            reg_data_file.write('\n')
           if (count) %1000 == 0:
               #print(','.join(map(str, row)))
               print("Done for {} rows---- {}".format(count, datetime.now() - start))
   print("",datetime.now() - start)
4
```

It is already created...

#### Reading from the file to make a test dataframe

	user	movie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	I
0	98579	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.53
1	875956	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.53
2	1772930	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.53
3	28572	111	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.53
4												1		<b>P</b>

- GAvg: Average rating of all the ratings
- . Similar users rating of this movie:
  - sur1, sur2, sur3, sur4, sur5 (top 5 simiular users who rated that movie..)
- Similar movies rated by this user:
  - smr1, smr2, smr3, smr4, smr5 ( top 5 simiular movies rated by this movie.. )
- UAvg : User AVerage rating
- MAvg : Average rating of this movie
- rating : Rating of this movie by this user.

## 4.3.2 Transforming data for Surprise models

```
In [28]:
```

```
from surprise import Reader, Dataset
```

#### 4.3.2.1 Transforming train data

- We can't give raw data (movie, user, rating) to train the model in Surprise library.
- They have a saperate format for TRAIN and TEST data, which will be useful for training the models like SVD, KNNBaseLineOnly....etc..,in Surprise.
- We can form the trainset from a file, or from a Pandas DataFrame.
   <a href="http://surprise.readthedocs.io/en/stable/getting\_started.html#load-dom-dataframe-py">http://surprise.readthedocs.io/en/stable/getting\_started.html#load-dom-dataframe-py</a>

## In [29]:

```
# It is to specify how to read the dataframe.
# for our dataframe, we don't have to specify anything extra..
reader = Reader(rating_scale=(1,5))
# create the traindata from the dataframe...
train_data = Dataset.load_from_df(reg_train_25k[['user', 'movie', 'rating']], reader)
# build the trainset from traindata.., It is of dataset format from surprise library..
trainset = train_data.build_full_trainset()
```

#### 4.3.2.2 Transforming test data

• Testset is just a list of (user, movie, rating) tuples. (Order in the tuple is impotant)

```
In [30]:
```

```
testset = list(zip(reg_test_5k.user.values, reg_test_5k.movie.values, reg_test_5k.rating.values))
testset[:3]
```

```
Out[30]:
[(98579, 71, 4), (875956, 71, 4), (1772930, 71, 5)]
```

## 4.4 Applying Machine Learning models

- Global dictionary that stores rmse and mape for all the models....
  - It stores the metrics in a dictionary of dictionaries

```
keys: model names(string)
value: dict(key: metric, value: value)
```

## In [31]:

```
models evaluation train = dict()
models_evaluation_test = dict()
models evaluation train, models evaluation test
Out[31]:
```

({}, {})

## Utility functions for running regression models

#### In [32]:

```
# to get rmse and mape given actual and predicted ratings..
def get error metrics(y true, y pred):
   rmse = np.sqrt(np.mean([ (y true[i] - y pred[i])**2 for i in range(len(y pred)) ]))
   mape = np.mean(np.abs( (y_true - y_pred)/y_true )) * 100
   return rmse, mape
def run_xgboost(algo, x_train, y_train, x_test, y_test, verbose=True):
   It will return train_results and test_results
   # dictionaries for storing train and test results
   train_results = dict()
   test results = dict()
   # fit the model
   print('Training the model..')
   start =datetime.now()
   algo.fit(x_train, y_train, eval_metric = 'rmse')
   print('Done. Time taken : {}\n'.format(datetime.now()-start))
   print('Done \n')
   \ensuremath{\text{\#}} from the trained model, get the predictions....
   print('Evaluating the model with TRAIN data...')
   start =datetime.now()
   y_train_pred = algo.predict(x_train)
   # get the rmse and mape of train data...
   rmse_train, mape_train = get_error_metrics(y_train.values, y_train_pred)
    # store the results in train results dictionary..
   train results = {'rmse': rmse train,
                   'mape' : mape train,
```

```
'predictions' : y train pred}
# get the test data predictions and compute rmse and mape
print('Evaluating Test data')
y test pred = algo.predict(x test)
rmse_test, mape_test = get_error_metrics(y_true=y_test.values, y_pred=y_test_pred)
# store them in our test results dictionary.
test_results = {'rmse': rmse_test,
               'mape' : mape_test,
              'predictions':y_test_pred}
if verbose:
  print('\nTEST DATA')
   print('-'*30)
   print('RMSE : ', rmse test)
   print('MAPE : ', mape test)
# return these train and test results...
return train results, test results
```

#### **Utility functions for Surprise modes**

#### In [33]:

```
# it is just to makesure that all of our algorithms should produce same results
# everytime they run...
my seed = 15
random.seed(my_seed)
np.random.seed (my seed)
# get (actual list , predicted list) ratings given list
# of predictions (prediction is a class in Surprise).
def get ratings(predictions):
   actual = np.array([pred.r_ui for pred in predictions])
   pred = np.array([pred.est for pred in predictions])
   return actual, pred
# get ''rmse'' and ''mape'' , given list of prediction objecs
def get errors(predictions, print them=False):
   actual, pred = get ratings(predictions)
   rmse = np.sqrt(np.mean((pred - actual)**2))
   mape = np.mean(np.abs(pred - actual)/actual)
   return rmse, mape*100
# It will return predicted ratings, rmse and mape of both train and test data #
def run surprise(algo, trainset, testset, verbose=True):
      return train dict, test dict
      It returns two dictionaries, one for train and the other is for test
     Each of them have 3 key-value pairs, which specify ''rmse'', ''mape'', and ''predicted rat
ings".
   start = datetime.now()
   # dictionaries that stores metrics for train and test..
   train = dict()
   test = dict()
   # train the algorithm with the trainset
   st = datetime.now()
   print('Training the model...')
   algo.fit(trainset)
```

```
print('Done. time taken : {} \n'.format(datetime.now()-st))
# ------#
st = datetime.now()
print('Evaluating the model with train data..')
# get the train predictions (list of prediction class inside Surprise)
train preds = algo.test(trainset.build testset())
# get predicted ratings from the train predictions..
train actual ratings, train pred ratings = get ratings(train preds)
# get ''rmse'' and ''mape'' from the train predictions.
train rmse, train mape = get errors(train preds)
print('time taken : {}'.format(datetime.now()-st))
if verbose:
   print('-'*15)
   print('Train Data')
   print('-'*15)
   print("RMSE : {}\n\nMAPE : {}\n".format(train_rmse, train mape))
#store them in the train dictionary
if verbose:
   print('adding train results in the dictionary..')
train['rmse'] = train rmse
train['mape'] = train mape
train['predictions'] = train pred ratings
#-----#
st = datetime.now()
print('\nEvaluating for test data...')
# get the predictions( list of prediction classes) of test data
test_preds = algo.test(testset)
# get the predicted ratings from the list of predictions
test actual ratings, test pred ratings = get ratings(test preds)
# get error metrics from the predicted and actual ratings
test rmse, test mape = get errors(test preds)
print('time taken : {}'.format(datetime.now()-st))
if verbose:
   print('-'*15)
   print('Test Data')
   print('-'*15)
   print("RMSE : {}\n\nMAPE : {}\n".format(test_rmse, test_mape))
# store them in test dictionary
if verbose:
   print('storing the test results in test dictionary...')
test['rmse'] = test_rmse
test['mape'] = test mape
test['predictions'] = test pred ratings
print('\n'+'-'*45)
print('Total time taken to run this algorithm :', datetime.now() - start)
# return two dictionaries train and test
return train, test
```

## 4.4.1 XGBoost with initial 13 features

```
In [34]:
```

```
import xgboost as xgb

In [45]:
# prepare Train data
```

```
# prepare Train data
x_train = reg_train_25k.drop(['user','movie','rating'], axis=1)
y_train = reg_train_25k['rating']

# Prepare Test data
x_test = reg_test_5k.drop(['user','movie','rating'], axis=1)
y_test = reg_test_5k['rating']

# from surprise.model selection import GridSearchCV
```

```
start = datetime.now()
parameters = {'max_depth': [3, 5, 7, 9], 'learning_rate' : [0.001,0.01,0.1], 'n_estimators': [100,1
50,250,300]}
model = xgb.XGBRegressor(silent=False, n jobs=-1, random state=15)
grid = GridSearchCV (model, parameters, cv= 3)
grid.fit(x train, y train)
print("Model with best parameters :\n",grid.best_estimator_)
print("Total time taken: ", datetime.now() - start)
[13:31:09] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:31:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:14] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:16] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:20] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:28] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

 $\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\$ 

FutureWarning: Series.base is deprecated and will be removed in a future version

from sklearn.model selection import GridSearchCV

```
[13:31:35] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:41] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:47] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:31:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:02] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:32:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal programs \python 37 lib site-packages \xgboost \core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:17] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

if getattr(data, 'base', None) is not None and \

```
[13:32:20] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:26] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:32] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:38] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:32:58] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:33:07] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:33:19] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:33:30] WARNING: C:/Jenkins/workspace/xgboost-
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:33:42] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:33:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:33:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:33:59] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:34:07] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:34:16] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:34:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:34:38] WARNING: C:/Jenkins/workspace/xgboost-
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:34:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:35:07] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:35:24] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:35:40] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:35:58] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:36:06] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:36:14] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:36:22] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
```

if getattr(data, 'base', None) is not None and \

```
[13:36:33] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:36:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:36:57] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:37:16] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:37:35] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:37:55] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:38:19] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:|
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:38:42] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

[13:39:05] WARNING: C:/Jenkins/workspace/xgboost-

```
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:08] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:10] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:13] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:17] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:21] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:25] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:32] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[13:39:38] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:39:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:39:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:02] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:10] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:14] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:22] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:28] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:

```
if getattr(data, 'base', None) is not None and \
[13:40:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:40] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:40:51] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:41:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:41:12] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:41:24] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:41:37] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:41:49] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

FutureWarning: Series.base is deprecated and will be removed in a future version

```
[13:41:55] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:42:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:42:07] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python 37 lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:42:16] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:42:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:42:34] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:42:49] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:43:04] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

[13:43:19] WARNING: C:/Jenkins/workspace/xgboost-

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:43:37] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:43:55] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:44:12] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:44:20] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python | 37 | lib| site-packages| xgboost| core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:44:28] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:44:36] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:44:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:45:00] WARNING: C:/Jenkins/workspace/xgboost-
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:45:12] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:45:32] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:45:51] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:46:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:46:36] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:47:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:47:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:47:27] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
```

FutureWarning: Series.base is deprecated and will be removed in a future version

```
if getattr(data, 'base', None) is not None and \
[13:47:29] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:47:32] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:47:36] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:47:40] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:47:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:47:50] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:47:56] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:48:02] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

```
[13:48:10] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:48:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[13:48:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python | 37 | lib| site-packages| xgboost| core.py: 587: | lib| site-packages| xgboost| xgb
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:48:29] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:48:33] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:48:37] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[13:48:43] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[13:48:49] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:48:56] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
```

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:49:05] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python 37 lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:49:15] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:49:25] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:49:36] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:49:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:50:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:50:06] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:50:12] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:

```
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:50:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:50:26] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:50:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:50:43] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:50:56] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:51:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:51:23] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:51:38] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

```
[13:51:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:52:10] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:52:18] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:52:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[13:52:32] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:52:43] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:52:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:53:05] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

[13:53:22] WARNING: C:/Jenkins/workspace/xgboost-


```
win64_release_U.9U/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:53:40] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:53:57] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:54:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[13:54:38] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:588:
FutureWarning: Series.base is deprecated and will be removed in a future version
 data.base is not None and isinstance(data, np.ndarray) \
[13:54:58] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
Model with best parameters :
XGBRegressor(base score=0.5, booster='gbtree', colsample bylevel=1,
             colsample bynode=1, colsample bytree=1, gamma=0,
             importance type='gain', learning rate=0.1, max delta step=0,
             max_depth=3, min_child_weight=1, missing=None, n_estimators=150,
             n jobs=-1, nthread=None, objective='reg:linear', random state=15,
             reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
             silent=False, subsample=1, verbosity=1)
Total time taken: 0:23:55.374125
In [46]:
# initialize Our first XGBoost model...
first xgb = xgb.XGBRegressor(max depth=3, n estimators=150,learning rate=0.1, n jobs=-1,random stat
e=15, silent=False)
train results, test results = run xgboost(first xgb, x train, y train, x test, y test)
# store the results in models evaluations dictionaries
models evaluation train['first algo'] = train results
models_evaluation_test['first_algo'] = test_results
```

xgb.plot importance(first xgb)

plt.show()

RMSE : 1.1102797303142948 MAPE : 34.64474752925337



# 4.4.2 Suprise BaselineModel

In [35]:

from surprise import BaselineOnly

# Predicted\_rating : ( baseline prediction )

 $\label{lem:http://surprise.readthedocs.io/en/stable/basic_algorithms.html \# surprise.prediction_algorithm seline_only. BaselineOnly$ 

- \pmb \mu : Average of all trainings in training data.
- \pmb b\_u : User bias
- \pmb b i : Item bias (movie biases)

# **Optimization function (Least Squares Problem)**

 $-\ \mathtt{http://surprise.readthedocs.io/en/stable/prediction\_algorithms.html\#baselines-estimates-configuration}$ 

## In [49]:

```
# options are to specify.., how to compute those user and item biases
bsl_options = {'method': 'sgd',
              'learning_rate': .001
bsl_algo = BaselineOnly(bsl_options=bsl_options)
# run this algorithm.., It will return the train and test results..
bsl_train_results, bsl_test_results = run_surprise(bsl_algo, trainset, testset, verbose=True)
# Just store these error metrics in our models evaluation datastructure
models evaluation train['bsl algo'] = bsl train results
models evaluation test['bsl algo'] = bsl test results
Training the model...
Estimating biases using sgd...
Done. time taken : 0:00:00.884916
Evaluating the model with train data..
time taken : 0:00:02.311926
Train Data
RMSE: 0.9466696057973027
MAPE : 29.800281396597406
adding train results in the dictionary..
Evaluating for test data...
time taken : 0:00:00.140589
Test Data
RMSE: 1.1068668681797256
MAPE: 35.88213942079885
storing the test results in test dictionary...
_____
Total time taken to run this algorithm: 0:00:03.337431
```

# 4.4.3 XGBoost with initial 13 features + Surprise Baseline predictor

# **Updating Train Data**

```
In [50]:
```

Out[50]:

```
# add our baseline_predicted value as our feature..
reg_train_25k['bslpr'] = models_evaluation_train['bsl_algo']['predictions']
reg_train_25k.head(2)
```

	user	movie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	UAvg	MAvg	rating	bslpr
0	108484	10	3.56561	3.0	3.0	2.0	2.0	1.0	3.0	3.0	3.0	3.0	3.0	3.04142	3.1875	3	3.22168
1	258010	10	3 56561	3.0	5.0	4.0	2.0	4.0	3.0	3.0	3.0	3.0	1.0	3 00000	3 1875	2	2 71783

# **Updating Test Data**

```
In [51]:
```

```
# add that baseline predicted ratings with Surprise to the test data as well
reg_test_5k['bslpr'] = models_evaluation_test['bsl_algo']['predictions']
reg_test_5k.head(2)
```

## Out[51]:

	user	movie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	U
(	98579	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533
1	875956	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533
4														Þ

# In [52]:

```
# prepare train data
x_train = reg_train_25k.drop(['user', 'movie', 'rating'], axis=1)
y_train = reg_train_25k['rating']

# Prepare Test data
x_test = reg_test_5k.drop(['user', 'movie', 'rating'], axis=1)
y_test = reg_test_5k['rating']

parameters = {'max_depth': [3, 5, 7], 'n_estimators': [75, 100, 125, 150, 200]}
model = xgb.XGBRegressor(silent=False, n_jobs=-1, random_state=15)

grid = GridSearchCV(model, parameters, cv= 3)
grid.fit(x_train, y_train)

print("Model with best parameters :\n",grid.best_estimator_)
```

[14:09:42] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \
```

[14:09:45] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[14:09:49] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[14:09:52] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[14:09:56] WARNING: C:/Jenkins/workspace/xgboost-win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

```
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:04] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:14] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[14:10:19] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[14:10:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:31] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:36] WARNING: C:/Jenkins/workspace/xgboost-
win64 release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[14:10:51] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:10:59] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:11:03] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:11:08] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:11:12] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[14:11:18] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:11:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
```

FutureWarning: Series.base is deprecated and will be removed in a future version

if getattr/data 'hase' None) is not None and \

II yetatti (uata, base, none, is not none and ) [14:11:30] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:11:37] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:11:45] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:11:53] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:12:01] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:12:10] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:12:18] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:12:30] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version

if getattr(data, 'base', None) is not None and \

[14.12.41] WARNING. C./UEHATHS/WOLKSPACE/AGDOOSCwin64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of req:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:12:53] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:12:59] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:13:05] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:13:11] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:\users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:13:19] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [14:13:27] WARNING: C:/Jenkins/workspace/xgboost-

[14:13:27] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[14:13:35] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[14:13:45] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:13:55] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:14:04] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:14:15] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:14:27] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:14:38] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[14:14:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[14:15:10] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:588:
FutureWarning: Series.base is deprecated and will be removed in a future version
 data.base is not None and isinstance(data, np.ndarray) \
[14:15:28] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
```

rea:sawarederror.

## In [53]:

```
# initialize Our first XGBoost model...
xgb_bsl = xgb.XGBRegressor(silent=False, n_jobs=13, random_state=15,max_depth=3, n_estimators=150)
train_results, test_results = run_xgboost(xgb_bsl, x_train, y_train, x_test, y_test)

# store the results in models_evaluations dictionaries
models_evaluation_train['xgb_bsl'] = train_results
models_evaluation_test['xgb_bsl'] = test_results

xgb.plot_importance(xgb_bsl)
plt.show()
```

Training the model..

[14:20:40] WARNING: C:/Jenkins/workspace/xgboost-

win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

Done. Time taken : 0:00:08.717702


Done

Evaluating the model with TRAIN data... Evaluating Test data

TEST DATA

\_\_\_\_\_

RMSE : 1.109475531381761 MAPE : 34.68219313126044



from surprise import KNNBaseline

- KNN BASELINE
  - http://surprise.readthedocs.io/en/stable/knn inspired.html#surprise.prediction algorithms.knns.KNNBaseline
- PEARSON BASELINE SIMILARITY
  - http://surprise.readthedocs.io/en/stable/similarities.html#surprise.similarities.pearson baseline
- SHRINKAGE
  - 2.2 Neighborhood Models in <a href="http://courses.ischool.berkeley.edu/i290-dm/s11/SECURE/a1-koren.pdf">http://courses.ischool.berkeley.edu/i290-dm/s11/SECURE/a1-koren.pdf</a>
- predicted Rating : ( based on User-User similarity )

 $\label{limits_vin N^k_i(u)} $$ \left(u, v\right) \cdot \left(r_{vi} - b_{vi}\right) {\sum_{u \in V(u)} + \frac{v \in N^k_i(u)}{\sum_{u \in V(u)} + \frac{v}{u}} + \frac{v \in N^k_i(u)}{\sum_{u \in V(u)} + \frac{v}{u}} \right) $$ \left(u, v\right) \cdot \left(r_{vi} - b_{vi}\right) {\sum_{u \in V(u)} + \frac{v}{u}} \left(u, v\right) \cdot \left(r_{vi} - b_{vi}\right) $$ \left(u, v\right) \cdot \left(u, v\right) \cdot \left(u, v\right) \cdot \left(u, v\right) \right) $$ (u, v) \cdot \left(u, v\right) \cdot \left(u, v\right) \cdot \left(u, v\right) \cdot \left(u, v\right) \right) $$ (u, v) \cdot \left(u, v\right) \cdot \left($ 

- \pmb{b {ui}} Baseline prediction of (user,movie) rating
- \pmb {N i^k (u)} Set of K similar users (neighbours) of user (u) who rated movie(i)
- sim (u, v) Similarity between users u and v
  - Generally, it will be cosine similarity or Pearson correlation coefficient.
  - But we use shrunk Pearson-baseline correlation coefficient, which is based on the pearsonBaseline similarity ( we take base line predictions instead of mean rating of user/item)
- Predicted rating ( based on Item Item similarity ): \begin{align} \hat{r}\_{ui} = b\_{ui} + \frac{ \sum\\limits\_{j \in N^k\_u(i)}\\text{sim}(i, j) \cdot (r\_{uj} b\_{uj})} {\sum\\limits\_{j \in N^k\_u(j)} \\text{sim}(i, j)} \end{align}
  - Notations follows same as above (user user based predicted rating)

# 4.4.4.1 Surprise KNNBaseline with user user similarities

```
In [37]:
\# we specify , how to compute similarities and what to consider with \operatorname{sim} options to our algorithm
sim options = {'user based' : True,
               'name': 'pearson baseline',
               'shrinkage': 100,
               'min support': 2
              }
# we keep other parameters like regularization parameter and learning rate as default values.
bsl options = {'method': 'sgd'}
knn bsl u = KNNBaseline(k=40, sim options = sim options, bsl options = bsl options)
knn bsl u train results, knn bsl u test results = run surprise(knn bsl u, trainset, testset,
verbose=True)
# Just store these error metrics in our models evaluation datastructure
models evaluation_train['knn_bsl_u'] = knn_bsl_u_train_results
models evaluation test['knn bsl u'] = knn bsl u test results
Training the model...
Estimating biases using sgd...
Computing the pearson baseline similarity matrix...
Done computing similarity matrix.
Done. time taken : 0:06:58.438712
Evaluating the model with train data..
time taken : 0:03:44.911408
______
Train Data
RMSE: 0.20465486961965632
MAPE: 5.2926291053294285
```

```
adding train results in the dictionary..
Evaluating for test data...
time taken : 0:00:00.140634
Test Data
RMSE : 1.1062258983373172
MAPE: 35.843622693847486
storing the test results in test dictionary...
______
Total time taken to run this algorithm: 0:10:43.553610
```

## 4.4.4.2 Surprise KNNBaseline with movie movie similarities

```
In [38]:
```

```
# we specify , how to compute similarities and what to consider with sim options to our algorithm
# 'user based' : Fals => this considers the similarities of movies instead of users
sim options = {'user based' : False,
               'name': 'pearson_baseline',
               'shrinkage': 100,
               'min_support': 2
# we keep other parameters like regularization parameter and learning rate as default values.
bsl options = {'method': 'sgd'}
knn bsl m = KNNBaseline(k=40, sim options = sim options, bsl options = bsl options)
knn bsl m train results, knn bsl m test results = run surprise(knn bsl m, trainset, testset,
verbose=True)
# Just store these error metrics in our models_evaluation datastructure
models evaluation train['knn bsl m'] = knn bsl m train results
models_evaluation_test['knn_bsl_m'] = knn_bsl_m_test_results
Training the model...
Estimating biases using sgd...
Computing the pearson baseline similarity matrix...
Done computing similarity matrix.
Done. time taken : 0:00:01.062286
Evaluating the model with train data..
time taken : 0:00:04.905104
Train Data
RMSE: 0.14845390380462486
MAPE: 3.325102792550637
adding train results in the dictionary..
Evaluating for test data...
time taken : 0:00:00.156209
Test Data
RMSE : 1.1062258983373172
MAPE : 35.843622693847486
storing the test results in test dictionary...
Total time taken to run this algorithm: 0:00:06.123599
```

# 4.4.5 XGBoost with initial 13 features + Surprise Baseline predictor + KNNBaseline predictor

- First we will run XGBoost with predictions from both KNN's (that uses User\_User and Item\_Item similarities along with our previous features.
- • Then we will run XGBoost with just predictions form both knn models and preditions from our baseline model.

#### **Preparing Train data**

```
In [39]:
```

```
# add the predicted values from both knns to this dataframe
reg_train_25k['knn_bsl_u'] = models_evaluation_train['knn_bsl_u']['predictions']
reg_train_25k['knn_bsl_m'] = models_evaluation_train['knn_bsl_m']['predictions']
reg_train_25k.head(2)
```

## Out[39]:

	user	movie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	UAvg	MAvg	rating	knn_bsl_u	knn_bsl
C	108484	10	3.56561	3.0	3.0	2.0	2.0	1.0	3.0	3.0	3.0	3.0	3.0	3.04142	3.1875	3	2.982159	2.987
1	258010	10	3.56561	3.0	5.0	4.0	2.0	4.0	3.0	3.0	3.0	3.0	1.0	3.00000	3.1875	2	2.072658	2.134
4																		Þ

# **Preparing Test data**

```
In [40]:
```

```
reg_test_5k['knn_bsl_u'] = models_evaluation_test['knn_bsl_u']['predictions']
reg_test_5k['knn_bsl_m'] = models_evaluation_test['knn_bsl_m']['predictions']
reg_test_5k.head(2)
```

# Out[40]:

	user	movie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	U
0	98579	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533
1	875956	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533
4												▶		

# In [42]:

```
# prepare the train data....
x_train = reg_train_25k.drop(['user', 'movie', 'rating'], axis=1)
y_train = reg_train_25k['rating']

# prepare the train data....
x_test = reg_test_5k.drop(['user', 'movie', 'rating'], axis=1)
y_test = reg_test_5k['rating']

from sklearn.model_selection import GridSearchCV

parameters = {'max_depth': [3, 5, 7], 'n_estimators': [75, 100, 125, 150, 200]}
model = xgb.XGBRegressor(silent=False, n_jobs=-1, random_state=15)

grid = GridSearchCV(model, parameters, cv= 3)
grid.fit(x_train, y_train)

print("Model with best parameters :\n",grid.best_estimator_)

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \
```

```
[18:20:41] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:20:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:20:46] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:20:47] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:20:49] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:20:51] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:20:52] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:20:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

[18:20:57] WARNING: C:/Jenkins/workspace/xgboost-

reg:squarederror.

reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:20:59] WARNING: C:/Jenkins/workspace/xgboostwin64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer| appdata| local| programs| python | 37 | lib| site-packages| xgboost| core.py: 587: | lib| site-packages| xgboost| xgb$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:21:01] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:21:04] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:21:07] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:21:11] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:21:16] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:21:21] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:21:23] WARNING: C:/Jenkins/workspace/xgboost-

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

```
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[18:21:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:21:28] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:21:31] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[18:21:35] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:21:38] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[18:21:42] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python | 37 | lib| site-packages| xgboost| core.py: 587: | lib| site-packages| xgboost| xgb
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[18:21:46] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
[18:21:50] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
   if getattr(data, 'base', None) is not None and \
```

```
[18:21:55] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:22:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:22:05] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:22:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:22:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:22:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:22:28] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:22:31] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[18:22:35] WARNING: C:/Jenkins/workspace/xgboost-

```
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[18:22:39] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:22:44] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:22:48] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:22:54] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:22:59] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:23:05] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:23:12] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \


[18:23:18] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:23:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:23:35] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:23:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
\verb|c:\users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 588: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 data.base is not None and isinstance(data, np.ndarray) \
[18:23:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
Model with best parameters :
 XGBRegressor(base score=0.5, booster='gbtree', colsample bylevel=1,
             colsample_bynode=1, colsample_bytree=1, gamma=0,
             importance type='gain', learning rate=0.1, max delta step=0,
             max depth=3, min child weight=1, missing=None, n estimators=150,
             n jobs=-1, nthread=None, objective='reg:linear', random state=15,
             reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
             silent=False, subsample=1, verbosity=1)
In [43]:
# declare the model
xgb knn bsl = xgb.XGBRegressor(max depth=3,n estimators=150, n jobs=-1, random state=15, silent= Fa
1se)
train results, test results = run xgboost(xgb knn bsl, x train, y train, x test, y test)
# store the results in models evaluations dictionaries
models evaluation train['xgb knn bsl'] = train results
models evaluation test['xgb knn bsl'] = test results
xgb.plot_importance(xgb_knn_bsl)
plt.show()
Training the model..
[18:44:16] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
Done. Time taken : 0:00:03.748229
Done
Evaluating the model with TRAIN data...
Evaluating Test data
```

TEST DATA

-----

RMSE : 1.1086548261239282 MAPE : 34.70449393101186



# 4.4.6 Matrix Factorization Techniques

## 4.4.6.1 SVD Matrix Factorization User Movie intractions

```
In [44]:
```

from surprise import SVD

http://surprise.readthedocs.io/en/stable/matrix\_factorization.html#surprise.prediction\_algorithms.matrix\_factorization.SVD

# - Predicted Rating :

- $\$  \large \hat r\_{ui} = \mu + b\_u + b\_i + q\_i^Tp\_u \$
  - $\protect\$  Representation of item(movie) in latent factor space
  - $\protect\$   $\protect\$  Representation of user in new latent factor space
- A BASIC MATRIX FACTORIZATION MODEL in https://datajobs.com/data-science-repo/Recommender-Systems-[Netflix].pdf

# - Optimization problem with user item interactions and regularization (to avoid overfitting)

```
- \sum_{r_{ui}} \ R_{train} \ \left(r_{ui} - \hat{r}_{ui} \right)^2 +
```

 $\label{lem:lembda} $$ \lambda = \int_{-\infty}^{\infty} |q_i|^2 + ||q_i|^2 + ||p_u||^2 \$ 

In [45]:

```
# initiallize the model
svd = SVD(n_factors=100, biased=True, random_state=15, verbose=True)
```

```
svd_train_results, svd_test_results = run_surprise(svd, trainset, testset, verbose=True)
# Just store these error metrics in our models evaluation datastructure
models evaluation train['svd'] = svd train results
models evaluation test['svd'] = svd test results
Training the model...
Processing epoch 0
Processing epoch 1
Processing epoch 2
Processing epoch 3
Processing epoch 4
Processing epoch 5
Processing epoch 6
Processing epoch 7
Processing epoch 8
Processing epoch 9
Processing epoch 10
Processing epoch 11
Processing epoch 12
Processing epoch 13
Processing epoch 14
Processing epoch 15
Processing epoch 16
Processing epoch 17
Processing epoch 18
Processing epoch 19
Done. time taken: 0:00:04.960183
Evaluating the model with train data..
time taken : 0:00:00.795968
_____
Train Data
RMSE : 0.661592772751271
MAPE: 20.213424313887362
adding train results in the dictionary..
Evaluating for test data...
time taken : 0:00:00.125311
Test Data
RMSE : 1.106320180429475
MAPE : 35.84788515011446
storing the test results in test dictionary...
Total time taken to run this algorithm: 0:00:05.881462
```

# 4.4.6.2 SVD Matrix Factorization with implicit feedback from user ( user rated movies )

```
In [46]:
```

```
from surprise import SVDpp
```

• ----> 2.5 Implicit Feedback in http://courses.ischool.berkeley.edu/i290-dm/s11/SECURE/a1-koren.pdf

# - Predicted Rating :

```
- \ \large \hat{r}_{ui} = \mu + b_u + b_i + q_i^T \left(p_u + b_i)
|I_u|^{-\frac{1}{2}} \sum_{j=1}^{y_j\neq 0}
```

1 1 (1 ) (1 ( **6 H**)

- \pmb{| u} --- the set of all items rated by user u
- \pmb{y j} --- Our new set of item factors that capture implicit ratings.

Total time taken to run this algorithm: 0:00:33.599221

# - Optimization problem with user item interactions and regularization (to avoid overfitting)

```
\label{lembda} $$ \left( b_i^2 + b_u^2 + ||q_i||^2 + ||p_u||^2 + ||y_j||^2 \right) $$ (a) $$ (b_i^2 + b_u^2 + ||q_i||^2 + ||p_u||^2 + ||y_j||^2 \right) $$ (b) $$ (b) $$ (b) $$ (b) $$ (b) $$ (b) $$ (c) $$
In [47]:
# initiallize the model
svdpp = SVDpp(n factors=50, random state=15, verbose=True)
 svdpp_train_results, svdpp_test_results = run_surprise(svdpp, trainset, testset, verbose=True)
 # Just store these error metrics in our models evaluation datastructure
models_evaluation_train['svdpp'] = svdpp_train_results
models evaluation_test['svdpp'] = svdpp_test_results
Training the model...
  processing epoch 0
  processing epoch 1
  processing epoch 2
  processing epoch 3
  processing epoch 4
  processing epoch 5
  processing epoch 6
  processing epoch
   processing epoch 8
  processing epoch 9
  processing epoch 10
  processing epoch 11
  processing epoch 12
  processing epoch 13
  processing epoch 14
  processing epoch 15
  processing epoch 16
  processing epoch 17
  processing epoch 18
  processing epoch 19
Done. time taken: 0:00:31.311163
Evaluating the model with train data..
time taken: 0:00:02.220865
 ______
Train Data
RMSE: 0.5724808205873929
MAPE: 16.9515867497325
adding train results in the dictionary..
Evaluating for test data...
time taken: 0:00:00.067141
Test Data
RMSE: 1.1065034140300611
MAPE: 35.8495893370779
storing the test results in test dictionary...
```

# 4.4.7 XgBoost with 13 features + Surprise Baseline + Surprise KNNbaseline + MF Techniques

#### **Preparing Train data**

```
In [48]:
```

```
# add the predicted values from both knns to this dataframe
reg_train_25k['svd'] = models_evaluation_train['svd']['predictions']
reg_train_25k['svdpp'] = models_evaluation_train['svdpp']['predictions']
reg_train_25k.head(2)
```

#### Out[48]:

	use	r mo	ovie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	UAvg	MAvg	rating	knn_bsl_u	knn_bsl
	<b>0</b> 10848	4	10	3.56561	3.0	3.0	2.0	2.0	1.0	3.0	3.0	3.0	3.0	3.0	3.04142	3.1875	3	2.982159	2.987
	<b>1</b> 25801	)	10	3.56561	3.0	5.0	4.0	2.0	4.0	3.0	3.0	3.0	3.0	1.0	3.00000	3.1875	2	2.072658	2.134
4																			Þ

#### **Preparing Test data**

#### In [49]:

```
reg_test_5k['svd'] = models_evaluation_test['svd']['predictions']
reg_test_5k['svdpp'] = models_evaluation_test['svdpp']['predictions']
reg_test_5k.head(2)
```

#### Out[49]:

	user	movie	GAvg	sur1	sur2	sur3	sur4	sur5	smr1	smr2	smr3	smr4	smr5	U
(	98579	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533
•	875956	71	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533996	3.533
4														Þ

#### In [50]:

```
# prepare x_train and y_train
x_train = reg_train_25k.drop(['user', 'movie', 'rating',], axis=1)
y_train = reg_train_25k['rating']

# prepare test data
x_test = reg_test_5k.drop(['user', 'movie', 'rating'], axis=1)
y_test = reg_test_5k['rating']

parameters = {'max_depth': [3, 5, 7, 9], 'n_estimators': [75, 100, 125, 150, 200], 'random_state': [10, 15, 20, 25]}
model = xgb.XGBRegressor(silent=False, n_jobs=-1)

grid = GridSearchCV(model, parameters, cv= 3)
grid.fit(x_train, y_train)

print("Model with best parameters :\n",grid.best_estimator_)
```

[18:51:00] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[18:51:01] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:03] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:04] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:06] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:08] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:51:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:51:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:|
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:51:12] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:14] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
```

if getattr(data. 'base'. None) is not None and \

```
[18:51:16] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:17] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:51:19] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:23] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:26] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:28] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:51:31] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

[18:51:33] WARNING: C:/Jenkins/workspace/xdboost-

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

reg:squarederror.

[18:51:36] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:51:39] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:51:41] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:51:44] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:51:47] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:51:49] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:51:52] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:51:56] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:51:59] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:02] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:05] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:52:08] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:14] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:

```
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:52:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:27] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:31] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:35] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:52:39] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:43] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:52:47] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:52:50] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

```
[18:52:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:52:58] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:02] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:05] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:53:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:23] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:28] WARNING: C:/Jenkins/workspace/xgboost-
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

```
0,20,010,02,0201.0,10g100010n_02,02,000,101, 10g,111001 10 non depitodddd in idiol oi
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:53:33] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:38] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:43] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:53:58] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:03] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

[18:54:08] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:

FutureWarning: Series.base is deprecated and will be removed in a future version

if getattr(data, 'base', None) is not None and \

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:16] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:18] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:54:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:54:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:54:27] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:30] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:33] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:

FutureWarning: Series.base is deprecated and will be removed in a future version

```
if getattr(data, 'base', None) is not None and \
[18:54:36] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:54:39] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:42] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:54:52] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:54:56] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
```

if getattr(data, 'base', None) is not None and \

```
[18:55:03] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:07] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:15] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:19] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:23] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:27] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:55:30] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

[18:55:34] WARNING: C:/Jenkins/workspace/xgboost-

reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:55:39] WARNING: C:/Jenkins/workspace/xgboostwin64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:55:44] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:55:49] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:55:53] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:55:58] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:56:03] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.  $\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\$ FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \ [18:56:08] WARNING: C:/Jenkins/workspace/xgboostwin64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror. c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587: FutureWarning: Series.base is deprecated and will be removed in a future version if getattr(data, 'base', None) is not None and \

c:\users\acer\appdata\local\programs\pvthon\pvthon37\lib\site-packages\xgboost\core.pv:587:

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

[18:56:12] WARNING: C:/Jenkins/workspace/xgboost-

reg:squarederror.

```
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:56:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:56:22] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:56:27] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:56:32] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:56:37] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:56:43] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:56:49] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:56:54] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

```
[18:57:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:57:06] WARNING: C:/Jenkins/workspace/xgboost-
win64 release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:57:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:57:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:57:22] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:57:28] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:57:34] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:57:40] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[18:57:47] WARNING: C:/Jenkins/workspace/xgboost-

```
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

[18:57:54] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:58:02] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:58:10] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:58:17] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:58:24] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[18:58:32] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:58:39] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[18:58:47] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:58:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:59:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:59:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:59:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:21] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:29] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

 $\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\$ 

FutureWarning: Series.base is deprecated and will be removed in a future version

```
[18:59:33] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:37] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:41] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:49] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[18:59:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal programs \python 37 lib site-packages \xgboost \core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[18:59:57] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:00:03] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

if getattr(data, 'base', None) is not None and \

```
[19:00:08] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:00:14] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:00:19] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:00:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:00:30] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:00:35] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:00:40] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:00:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:00:51] WARNING: C:/Jenkins/workspace/xgboost-
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:00:56] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:01:02] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:08] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:15] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:28] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:41] WARNING: C:/Jenkins/workspace/xgboost-
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:01:55] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:02:02] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:02:08] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:02:15] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:02:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:02:29] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:02:37] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
```

if getattr(data, 'base', None) is not None and \

```
[19:02:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:02:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:03:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:03:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:03:18] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:03:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:03:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:|
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:03:42] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

[19:03:49] WARNING: C:/Jenkins/workspace/xgboost-

win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[19:03:57] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
if getattr(data, 'base', None) is not None and \

[19:04:08] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[19:04:19] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[19:04:31] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[19:04:43] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[19:04:54] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[19:05:04] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \

[19:05:15] WARNING: C:/Jenkins/workspace/xgboost-win64\_release\_0.90/src/objective/regression\_obj.cu:152: reg:linear is now deprecated in favor of reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:05:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:05:36] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:05:47] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:05:57] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:08] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:23] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:

```
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:06:29] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:39] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:06:50] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:06:55] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:07:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:07:06] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
```

FutureWarning: Series.base is deprecated and will be removed in a future version

if getattr(data, 'base', None) is not None and \

```
[19:07:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:07:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:07:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:07:32] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:07:39] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:07:46] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:07:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:08:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

[19:08:07] WARNING: C:/Jenkins/workspace/xgboost-

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:08:14] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:08:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:08:28] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:08:35] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:08:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:08:52] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:09:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

[19:09:09] WARNING: C:/Jenkins/workspace/xgboost-

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:09:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:09:27] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:09:35] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:09:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:09:52] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:10:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:10:10] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:10:19] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
```

FutureWarning: Series.base is deprecated and will be removed in a future version

```
if getattr(data, 'base', None) is not None and \
[19:10:29] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:10:40] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:10:50] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:11:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:11:10] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37| lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:11:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:11:31] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:11:41] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

```
[19:11:51] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:12:02] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:12:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:12:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:12:39] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:12:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:13:07] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:13:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:13:34] WARNING: C:/Jenkins/workspace/xgboost-
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

reg:squarederror.


```
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:13:49] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:14:03] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:14:17] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:14:30] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:14:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:14:58] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:588:
FutureWarning: Series.base is deprecated and will be removed in a future version
 data.base is not None and isinstance(data, np.ndarray) \
[19:15:11] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
Model with best parameters :
 XGBRegressor(base score=0.5, booster='gbtree', colsample bylevel=1,
             colsample bynode=1, colsample bytree=1, gamma=0,
             importance_type='gain', learning_rate=0.1, max_delta_step=0,
             \verb|max_depth=3|, \verb|min_child_weight=1|, \verb|missing=None|, \verb|n_estimators=150|, \\
             n_jobs=-1, nthread=None, objective='reg:linear', random_state=10,
             reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
```

silent=False, subsample=1, verbosity=1)

```
In [51]:
```

MAPE: 34.648545199012844

```
xgb final = xgb.XGBRegressor(max depth=3, n estimators=150, n jobs=-1, random state=10, silent=Fals
train results, test results = run xgboost(xgb final, x train, y train, x test, y test)
# store the results in models_evaluations dictionaries
models evaluation train['xgb final'] = train results
models_evaluation_test['xgb_final'] = test_results
xgb.plot_importance(xgb_final)
plt.show()
Training the model..
[19:19:52] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
Done. Time taken : 0:00:04.524002
Done
Evaluating the model with TRAIN data...
Evaluating Test data
TEST DATA
RMSE : 1.1103670546725044
```



# 4.4.8 XgBoost with Surprise Baseline + Surprise KNNbaseline + MF Techniques

# In [52]:

```
# prepare train data
x_train = reg_train_25k[['knn_bsl_u', 'knn_bsl_m', 'svd', 'svdpp']]
y_train = reg_train_25k['rating']

# test data
x_test = reg_test_5k[['knn_bsl_u', 'knn_bsl_m', 'svd', 'svdpp']]
y_test = reg_test_5k['rating']
```

```
parameters = {'max_qeptn': [3, 5, 7,9], 'n_estimators': [75, 100, 125, 150, 200]}
model = xgb.XGBRegressor(silent=False, n jobs=-1)
grid = GridSearchCV(model, parameters, cv= 3)
grid.fit(x train, y train)
print("Model with best parameters :\n",grid.best estimator )
[19:21:23] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:24] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:21:26] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:28] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:29] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:30] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:32] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
```

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:36] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:38] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:40] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:21:42] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:51] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:

FutureWarning. Series hase is deprecated and will be removed in a future version

```
if getattr(data, 'base', None) is not None and \
[19:21:53] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:55] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:21:57] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:00] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:03] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:06] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
```

```
[19:22:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:22:21] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:25] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:29] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:22:40] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:45] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:48] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of

[19:22:51] WARNING: C:/Jenkins/workspace/xgboost-

reg:squarederror.

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:22:58] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \\programs \\python \\37 \\lib \\site-packages \\xgboost \\core.py: 587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:23:05] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:|
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:09] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:23:13] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:18] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:23] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
```

```
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:29] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:23:34] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:41] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:48] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:54] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:23:58] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:24:01] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:24:05] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
```

c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:

FutureWarning: Series.base is deprecated and will be removed in a future version

if getattr(data, 'base', None) is not None and \


```
[19:24:10] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:24:14] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:\users| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:24:19] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:24:26] WARNING: C:/Jenkins/workspace/xgboost-
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal \programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:24:32] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:24:37] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:24:44] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:24:51] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
```

goodeet (aaca, babe, none, to not none and

[19.24.58] WARNING. C./.Tenkins/worksnace/yohoost-

```
win64_release_0.90/src/objective/regression_obj.cu:152: reg:linear is now deprecated in favor of
req:squarederror.
c:\users\acer\appdata\local\programs\python\python37\lib\site-packages\xgboost\core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
[19:25:07] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:587:
FutureWarning: Series.base is deprecated and will be removed in a future version
  if getattr(data, 'base', None) is not None and \
[19:25:17] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
\verb|c:|users|| acer \appdata \ocal programs \python \python 37 \lib\site-packages \xgboost \core.py: 587: \\
FutureWarning: Series.base is deprecated and will be removed in a future version
 if getattr(data, 'base', None) is not None and \
\verb|c:\users| acer| appdata| local| programs| python| 37 | lib| site-packages| xgboost| core.py:588:
FutureWarning: Series.base is deprecated and will be removed in a future version
 data.base is not None and isinstance(data, np.ndarray) \
[19:25:26] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
Model with best parameters :
 XGBRegressor(base score=0.5, booster='gbtree', colsample bylevel=1,
             colsample_bynode=1, colsample_bytree=1, gamma=0,
             importance_type='gain', learning_rate=0.1, max_delta_step=0,
             max depth=3, min child weight=1, missing=None, n estimators=75,
             n jobs=-1, nthread=None, objective='req:linear', random state=0,
             reg alpha=0, reg lambda=1, scale pos weight=1, seed=None,
             silent=False, subsample=1, verbosity=1)
In [53]:
xgb_all_models = xgb.XGBRegressor(max_depth=3, n_estimators=75, n_jobs=-1, random_state=15)
train_results, test_results = run_xgboost(xgb_all_models, x_train, y_train, x_test, y_test)
# store the results in models evaluations dictionaries
models evaluation train['xgb all models'] = train results
models evaluation test['xgb all models'] = test results
xgb.plot importance(xgb all models)
plt.show()
Training the model..
[19:27:24] WARNING: C:/Jenkins/workspace/xgboost-
win64 release 0.90/src/objective/regression obj.cu:152: reg:linear is now deprecated in favor of
reg:squarederror.
Done. Time taken: 0:00:01.483960
Done
Evaluating the model with TRAIN data...
Evaluating Test data
TEST DATA
RMSE : 1.107479476196299
MAPE: 35.90285072951558
```

[13.27.30] WARMING, C./OCHALHS/WOLASPACE/AGDOOSE



# 4.5 Comparision between all models

#### In [54]:

```
# Saving our TEST_RESULTS into a dataframe so that you don't have to run it again
pd.DataFrame(models_evaluation_test).to_csv('small_sample_results.csv')
models = pd.read_csv('small_sample_results.csv', index_col=0)
models.loc['rmse'].sort_values()
```

# Out[54]:

```
knn_bsl_u1.1062258983373172knn_bsl_m1.1062258983373172svd1.106320180429475svdpp1.1065034140300611xgb_all_models1.107479476196299xgb_knn_bsl1.1086548261239282xgb_final1.1103670546725044Name: rmse, dtype: object
```

# **Conclusions**

- 1. We have used 25k users and 3k movies for Train data.
- 2. We used max\_depth and n\_estimators as best hyperparameters
- 3. After doing hyperparameter tuning, RMSE values of all models changed even with best values for hyperparameters.

#### In [ ]: