



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 259

Issued: 7:00 AM, Thursday, 06 November 2025

Valid until: 7:00 AM, Friday, 07 November 2025

**SYNOPSIS:** At 3:00 AM today, the center of the eye of Typhoon "TINO" {KALMAEGI} was estimated based on all available data at 255 km North of Pag-asa Island, Kalayaan, Palawan (13.3°N, 113.9°E) with maximum sustained winds of 155 km/h near the center and gustiness of up to 190 km/h. It is moving West Northwestward at 35 km/h. Northeast Monsoon affecting Extreme Northern Luzon.

### TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

#### TROPICAL STORM {FUNG WONG}

LOCATION: 1,735 KM EAST OF NORTHEASTERN MINDANAO (9.6°N, 141.3°E)

MAXIMUM SUSTAINED WINDS: 65 KM/H NEAR THE CENTER

GUSTINESS: UP TO 80 KM/H

MOVEMENT: NORTHWESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Kalayaan Islands	Rains with gusty winds	<b>Gusty Winds</b>	24 – 32	23 – 30	70 – 98	> 12
Zamboanga Peninsula, Aurora, Quezon, the rest of Palawan, Basilan, and Tawi-Tawi	Cloudy skies with scattered rainshowers and thunderstorms	<b>Zamboanga Peninsula, Basilan, and Tawi-Tawi-</b> Light to moderate from northeast to northwest; <b>Aurora, Quezon, and the rest of Palawan-</b> Moderate to strong from southwest to southeast	23 – 32	21 – 30	65 – 97	8 – 12
Batanes	Cloudy skies with rains	Moderate to strong from northeast	23 – 28	22 – 27	60 – 96	4 – 8
Cagayan	Cloudy skies with scattered rains and isolated thunderstorms	Moderate to strong from northeast	25 – 32	23 – 31	60 – 96	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to northwest	25 – 33	23 – 32	60 – 95	0 – 4

### AREAS AFFECTED BY THE WEATHER SYSTEMS

#### TY TINO, TROUGH OF TY TINO, NORTHEAST MONSOON, SHEARLINE, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Cover harvested crops and seeds with waterproof materials.
- Secure greenhouses, trellises, net houses, and seedling trays.
- Avoid pesticide or fertilizer application—winds and rain will wash them away.
- Reinforce storage houses, drying sheds, nurseries, and livestock shelters.
- Clear canals, dikes, and drainage systems before rain intensifies.
- Monitor water levels in rice paddies and fishponds; open drainage if water rises dangerously.
- Avoid crossing flooded areas to check fields—wait until the weather calms.



## FARM ADVISORY

### SOIL MOISTURE CONDITION

(October 21 – 31, 2025)

### ENSO ALERT SYSTEM STATUS

(updated: 29 October 2025)

#### LA NIÑA ALERT



<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outline.pdf>

Farmers are advised to harvest mature crops early to prevent damage and minimize losses. It is important to reinforce storage houses, fences, and drying facilities to protect produce and equipment from heavy rainfall and strong winds. Continuous drainage in vegetable plots should be maintained to avoid waterlogging and root damage. Incorporating organic matter and compost into the soil helps improve its structure, enhance fertility, and reduce erosion. Regular monitoring of pests and diseases such as fungal infections, bacterial blight, snails, and rats should be intensified, as these are more prevalent in wet conditions. Practicing intercropping or relay cropping can also help maximize land use and reduce overall losses. Lastly, implementing crop rotation after harvest prevents disease buildup and promotes long-term soil health.

#### Legend

DRY (0-75mm)  
MOIST (76mm-150mm)  
WET (>150mm)

**Wet** – Ilocos Norte, Cagayan Valley, Baguio City, Zambales, Bulacan, Aurora, Bataan, Tarlac, National Capital Region, CALABARZON, MIMAROPA, most of Bicol Region, Western Visayas, Central Visayas, Eastern Visayas, Zamboanga Peninsula, most of Northern Mindanao, Davao del Norte, SOCCSKSARGEN, Caraga Region, and BARM

**Moist** – The rest of Ilocos Region, Cagayan, La Trinidad, Subic, Pampanga.

*Nueva Ecija, Albay, and Misamis Oriental*

**Dry** – Tarlac, and Davao del Sur

## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

**Gale Warning is raised over the western of Southern (Kalayaan Islands) . Sea travel risky, especially for small seacrafts.**

Moderate to rough seas will prevail over the seaboard of **Luzon** and the **rest of the country** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

### DAILY EXTREMES

### MONTHLY EXTREMES

Maximum Temperature	36.2°C (Gen Santos City, 2009)	Maximum Temperature	38.5 °C (NAIA, 2005)
Minimum Temperature	12.0 °C (Baguio City, 1911)	Minimum Temperature	9.2 °C (Baguio City, 1989)
Rainfall	359.7mm (Tayabas, 1981)	Rainfall	698.7 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: HGDE/ JOT

VERIFIED BY: MEVT



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 259

Inilabas ng: 7:00 AM, Huwebes, 06 Nobyembre 2025

May bisa hanggang: 7:00 AM, Biyernes, 07 Nobyembre 2025

**SYNOPSIS:** Kaninang 3:00 AM, ang sentro ng Typhoon "TINO" {KALMAEGI} ay tinatayang nasa 255 km Hilaga ng isla ng Pag-asa, Kalayaan, Palawan (13.3°N, 113.9°E) na may taglay na lakas na 155 km/h malapit sa gitna at may pagbugso ng hangin na aabot sa 190 km/h. Ito ay kumikilos pa-kanluran-hilagang kanluran sa bilis na 35 km/h.

### TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

#### TROPICAL STORM {FUNG WONG}

LOKASYON: 1,735 KM SILANGAN NG KATIMUGANG MINDANAO (9.6°N, 141.3°E)

TAGLAY NA HANGIN: 65 KM/H

PAGBUGSO: UP TO 80 KM/H

PAGKILOS: HILAGANG KANLURAN SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKA BASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Kalayaan Islands	Maulan na may pagbugso ng hangin	Pabugso-bugsong hangin	24 – 32	23 – 30	70 – 98	> 12
Zamboanga Peninsula, Aurora, Quezon, the rest of Palawan, Basilan, and Tawi-Tawi	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Zamboanga Peninsula, Basilan, and Tawi-Tawi-</b> mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran;  <b>Aurora, Quezon, and the rest of Palawan-</b> mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran	23 – 32	21 – 30	65 – 97	8 – 12
Batanes	Maulap na kalangitan na may pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	23 – 28	22 – 27	60 – 96	4 – 8
Cagayan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula hilagang silangan	25 – 32	23 – 31	60 – 96	4 – 8
Metro Manila and the rest of the country	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran	25 – 33	23 – 32	60 – 95	0 – 4

### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

#### TY TINO, TROUGH OF TY TINO, AMIHAN, SHEARLINE PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Takpan ang mga na-ani na pananim at mga binhi gamit ang mga waterproof na materyales.
- Siguraduhing matibay at nakasara ang mga greenhouse, trellis, net house, at mga tray ng punla.
- Iwasang maglagay ng pesticide o pataba dahil madaling mahuhugas ng malakas na hangin at ulan.




- Palakasin at ayusin ang mga imbakan, drying sheds, nurseries, at kulungan ng hayop.
- Linisin ang mga kanal, pilapil, at drainage system bago lumakas ang ulan.
- Bantayan ang antas ng tubig sa palayan at palaisdaan; buksan ang drainage kapag delikado nang tumaas ang tubig.
- Iwasang tumawid sa baha para tingnan ang bukid—hintaying kumalma ang panahon.

## PAYONG PANGSAKAHAN

### KALAGAYAN NG LUPANG SAKAHAN (Oktubre 21 –31, 2025)

### ENSO ALERT SYSTEM STATUS (mula noong 29 Oktubre 2025)



**Basa** – Ilocos Norte, Cagayan Valley, Baguio City, Zambales, Bulacan, Aurora, Bataan, Tarlac, National Capital Region, CALABARZON, MIMAROPA, karamihan sa lugar ng Rehiyon ng Bicol, Western Visayas, Central Visayas, Eastern Visayas, Zamboanga Peninsula, karamihan sa lugar ng Northern Mindanao, Davao del Norte, SOCCSKSARGEN, Rehiyon ng Caraga, at BARMM

**Katamtaman** – natitirang lugar sa

Rehiyon ng Ilocos, Cagayan, La Trinidad, Subic, Pampanga, Nueva Ecija, Albay, at Misamis Oriental

**Tuyo** – Tarlac, at Davao del Sur

### LA NIÑA ALERT



<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Dapat tiyakin ng mga magsasaka na may maayos na daluyan ng tubig sa kanilang bukirin upang maiwasan ang matagal na pagkababad ng tubig sa lupa, sa pamamagitan ng paggawa ng mga kanal at pagtataas ng taniman na makapoprotekta sa ugat ng mga pananim laban sa pagkabulok. Agarang anihin ang mga hinog na pananim bago pa man dumating ang malakas na ulan upang maiwasan ang pagkalugi at ilipat ang mga makinarya at kagamitang pansakahan sa mataas at ligtas na lugar. Kailangang regular na subaybayan ng mga magsasaka ang mga ulat-panahon at abiso mula sa PAGASA at Department of Agriculture, at magsagawa ng mga pamamaraan sa pangangalaga ng lupa at pag-iipon ng tubig-ulan upang epektibong mapamahalaan ang sobrang dami ng ulan.

## PAYO SA MGA MANGINGISDA

### GALE WARNING AT KONDISYON NG KARAGATAN

**Nakataas ang Gale Warning sa baybayin ng katimugang Luzon (mga isla ng Kalayaan). Dahil dito, mapanganib ang paglalayag, lalo na para sa maliliit na sasakyang pandagat.**

Katamtaman hanggang sa maaalon na karagatan ang iiral sa **baybayin ng Luzon** at banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging magingat, ugaliing magdala ng mga gamit pangkagipitan, magbanstay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

### DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.2°C (Gen Santos City, 2009)	Maximum Temperature	38.5 °C (NAIA, 2005)
Pinakamababang Temperatura	12.0 °C (Baguio City, 1911)	Minimum Temperature	9.2 °C (Baguio City, 1989)
Pinakamaraming Ulan	359.7mm (Tayabas, 1981)	Rainfall	698.7 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: **HGDE / JOT**

BINIGYANG PANSIN NI: **MEVT**



Republic of the Philippines  
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**  
**Philippine Atmospheric, Geophysical and**  
**Astronomical Services Administration**  
**(PAGASA)**

