



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 224

Issued: 7:00 AM, Thursday, 25 September 2025

Valid until: 7:00 AM, Friday, 26 September 2025

SYNOPSIS: At 3:00 AM today, the center of Severe Tropical Storm "OPONG" {BUALOI} was estimated based on all available data at 465 km East of Guiuan, Eastern Samar (10.8°N, 130.0°E), with maximum sustained winds of 110 km/h near the center and gustiness up to 135 km/h. It is moving West Northwestward at 20 km/h. Southwest Monsoon affecting the western section of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Catanduanes, Sorsogon, Eastern Samar, Northern Samar, and Samar	Stormy	Catanduanes and Sorsogon – Moderate to Strong from Northeast to Northwest; Eastern Samar, Northern Samar, and Samar – Moderate to Strong from Northwest to Southwest	24 – 31	22 – 29	70 - 100	>12
The rest of Bicol Region, Quezon including Polillo Islands, Rizal, Laguna, Batangas, Marinduque, Oriental Mindoro, Romblon, Aklan, Capiz, Biliran, Leyte, Southern Leyte, Dinagat Islands, and Surigao del Norte	Rains with gusty winds	Natitirang bahagi sa Rehiyon ng Bicol, Quezon including Polillo Islands and Rizal – Moderate to Strong from Northeast to Northwest; Laguna, Batangas, Marinduque, Oriental Mindoro, Romblon – Moderate from Southwest to Southeast; Aklan, and Capiz – Light to Moderate from Southwest to West; Biliran, Leyte, Southern Leyte, Dinagat Islands, and Surigao del Norte – Moderate to Strong from Northwest to Southwest	23 – 32	21 – 30	70 – 100	>12
Zambales, Bataan, and Occidental Mindoro	Occasional rains	Moderate from Southwest to Southeast	23 – 30	21 – 28	65 – 99	8 – 12



Central Visayas, Isabela, Aurora, and the rest of Caraga	Cloudy skies with scattered rains and thunderstorms	Central Visayas - Light to Moderate from Southwest to West; Isabela, Aurora – Moderate to Strong from Northeast to Northwest; the rest of Caraga – Moderate to Strong from Northwest to Southwest	23 – 32	21 – 30	60 – 98	8 – 12
Metro Manila, rest of Western Visayas, Negros Island Region, rest of Central Luzon, Zamboanga Peninsula, Northern Mindanao, Palawan, and Cavite	Cloudy skies with scattered rains and thunderstorms	Metro Manila, rest of Central Luzon, Palawan, and Cavite – Moderate from Southwest to Southeast; rest of Western Visayas, Negros Island Region, Zamboanga Peninsula, Northern Mindanao – Light to Moderate from Southwest to West;	22 – 32	20 – 30	60 – 98	4 – 8
The rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Moderate from Southwest to Southeast;	22 – 31	15 – 29	50 – 97	0 – 4
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to Moderate from Southwest to West	23 – 33	21 – 30	50 – 97	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS




STS OPONG, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Check irrigation systems before heavy rains to ensure they are not clogged or damaged, preventing overflows.
- Avoid applying fertilizers or pesticides right before heavy rains, as runoff can waste inputs and pollute water sources.
- Use organic matter or compost to enrich soil and improve water retention.
- Harvest during dry weather whenever possible to maintain product quality and avoid excess moisture.
- Handle produce carefully to reduce bruising, cuts, or damage that can shorten shelf life.
- Dry grains (e.g., rice, corn) immediately after harvest using solar dryers or mechanical dryers to prevent mold and aflatoxin buildup.
- Use elevated, well-ventilated storage facilities to protect harvested crops from pests, rodents, and flooding.
- Stack sacks and crates properly with enough space for air circulation; avoid direct contact with floors or walls by using wooden pallets.
- Store fertilizers, pesticides, and chemicals separately from harvested crops to prevent contamination.
- Use waterproof tarpaulins or covered vans when transporting produce to protect them from rain and excess moisture.

FARM ADVISORY

SOIL MOISTURE CONDITION

(September 1 – 10, 2025)



Wet – Ilocos Region, Cagayan Valley, Cordillera Administrative Region, most parts of Central Luzon, National Capital Region, CALABARZON, MIMAROPA, most parts of Bicol Region, Western Visayas, most parts of Central Visayas, Eastern Visayas, Zamboanga del Norte, Northern Mindanao, Davao del Norte, Caraga Region, and BARMM

Moist – Most parts of Bulacan, Zamboanga del Sur and Davao del Sur

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 24 September 2025)

LA NIÑA WATCH



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Farmers should clean and strengthen canals, dikes, and furrows to prevent flooding. Plant early-maturing and flood-tolerant crops to lessen losses during heavy rains. Apply fertilizer only when the weather is clear to avoid wastage. Practice crop rotation and intercropping to keep the soil healthy. Stake or tie tall crops like corn, beans, ampalaya, and tomato to stop them from falling. Watch out for pests and diseases that spread in wet fields, and harvest mature crops early before strong rains.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas will prevail over **the eastern seaboard of the country**. **Moderate seas will prevail over the rest of Luzon** while slight to moderate seas will be experienced over the **rest Visayas and Mindanao**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.1 °C (Tuguegarao City, 1915)	Maximum Temperature	38.9 °C (Tuguegarao City, 1963)
Minimum Temperature	13.8 °C (Baguio City, 1907 & 1935)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	255.8 mm (Subic Bay, 2022)	Rainfall	799.8 mm (Baguio City, 1911)
PREPARED/UPLOADED BY: NRE / ARL		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 224

Inilabas ng: 7:00 AM, Huwebes, 25 Setyembre 2025 May bisa hanggang: 7:00 AM, Biyernes, 26 Setyembre 2025

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Severe Tropical Storm "OPONG" {BUALOI} ay tinatayang nasa layong 465 km silangan ng Guiuan, Eastern Samar (10.8°N, 130.0°E) na may lakas ng hangin na 110 km/h malapit sa gitna at pagbugso na umaabot sa 135 km/h. Ito ay kumikilos patungo sa kanluran hilagang-kanluran sa bilis na 20 km/h. Habagat ang nakakaapekto sa kanlurang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababang Bukirin	Mababa ng Bukirin		
Catanduanes, Sorsogon, Eastern Samar, Northern Samar, at Samar	Masungit na panahon	Catanduanes at Sorsogon – katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran; Eastern Samar, Northern Samar, at Samar – katamtaman hanggang sa malakas hilagang kanluran hanggang timog kanluran	24 – 31	22 – 29	70 - 100	>12
Natitirang bahagi sa Rehiyon ng Bicol, Quezon kasama nag Polillo Islands, Rizal, Laguna, Batangas, Marinduque, Oriental Mindoro, Romblon, Aklan, Capiz, Biliran, Leyte, Southern Leyte, Dinagat Islands, at Surigao del Norte	Maulan na may pagbugso ng hangin	Natitirang bahagi sa Rehiyon ng Bicol, Quezon kasama ang isla ng Polillo at Rizal – katamtaman hanggang sa malakas hilagang silangan hanggang hilagang kanluran; Laguna, Batangas, Marinduque, Oriental Mindoro, at Romblon – katamtaman mula timog kanluran hanggang timog silangan; Aklan, Capiz – mahina hanggang sa katamtaman mula timog kanluran hanggang kanluran;	23 – 32	21 – 30	70 – 100	>12



		Biliran, Leyte, Southern Leyte, Dinagat Islands, at Surigao del Norte – katamtaman hanggang sa malakas hilagang kanluran hanggang timog kanluran				
Zambales, Bataan, at Occidental Mindoro	Paminsan-minsang pag-ulan	katamtaman mula timog kanluran hanggang timog silangan	23 – 30	21 – 28	65 – 99	8 – 12
Gitnang Kabisayaan, Isabela, Aurora, at natitirang bahagi ng Caraga	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Gitnang Kabisayaan - mahina hanggang sa katamtaman mula timog kanluran hanggang kanluran ; Isabela, Aurora – katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran; Natitirang bahagi ng Caraga – katamtaman hanggang sa malakas hilagang kanluran hanggang timog kanluran	23 – 32	21 – 30	60 – 98	8 - 12
Metro Manila, natitirang bahagi sa Kanlurang Kabisayaan, Negros Island Region, natitirang bahagi sa Gitnang Luzon, Zamboanga Peninsula, Hilagang Mindanao, Palawan, at Cavite	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Metro Manila, natitirang bahagi ng Gitnang Luzon, Palawan, at Cavite – katamtaman mula timog kanluran hanggang timog silangan; Natitirang bahagi sa Kanlurang Kabisayaan, Negros Island Region, Zamboanga Peninsula, Hilagang Mindanao – mahina hanggang sa katamtaman mula	22 – 32	20 – 30	60 – 98	4 – 8



		timog kanluran hanggang kanluran ;				
Natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	katamtaman mula timog kanluran hanggang timog silangan	22 – 31	15 – 29	50 – 97	0 – 4
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	mahina hanggang sa katamtaman mula timog kanluran hanggang kanluran	23 – 33	21 – 30	50 – 97	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

STS OPONG, HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Suriin ang mga sistema ng irigasyon bago ang malalakas na ulan upang matiyak na hindi ito barado o sira, at maiwasan ang sobrang pag-apaw.
- Iwasang maglagay ng pataba o pestisidyo bago ang malalakas na ulan, dahil maaaring tangayin lamang ito at makapagdulot ng polusyon sa mga daluyan ng tubig.
- Gumamit ng organikong pataba o kompost upang mapayaman ang lupa at mapanatili ang tamang halumigmig.
- Mag-ani sa tuyo o maaraw na panahon hangga't maaari upang mapanatili ang kalidad ng produkto at maiwasan ang sobrang halumigmig.
- Hawakan nang maingat ang mga ani upang maiwasan ang pagkadurog, pagkagargas, o pagkasira na nakababawas sa tagal ng imbakan.
- Patuyuin agad ang mga butil (hal. palay, mais) pagkatapos anihin gamit ang solar dryer o mechanical dryer upang maiwasan ang amag at aflatoxin.
- Gumamit ng mataas at maaliwalas na imbakan upang maprotektahan ang mga ani laban sa peste, daga, at pagbaha.
- Ayusin nang maayos ang pagkakapatong ng mga sako at kahon at maglaan ng espasyo para sa sirkulasyon ng hangin; gumamit ng papag upang hindi direktang nakalapat sa sahig o dingding.
- Itabi nang hiwalay ang mga pataba, pestisidyo, at kemikal mula sa mga inaning produkto upang maiwasan ang kontaminasyon.
- Gumamit ng waterproof na tolda o saradong van sa pagdadala ng ani upang maprotektahan ito laban sa ulan at sobrang halumigmig.



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Setyembre 1 – 10, 2025)	ENSO ALERT SYSTEM STATUS (mula noong 24 Setyembre 2025)
<p>Basa –Rehiyon ng Ilocos, Lambak ng Cagayan, Cordillera Administrative Region, malaking bahagi ng Gitnang Luzon, National Capital Region, CALABARZON, MIMAROPA, malaking bahagi sa Rehiyon ng Bicol, Kanlurang Kabisayaan,, malaking bahagi sa Gitnang Kabisayaan, Silangang Kabisayaan, Zamboanga del Norte, Hilagang Mindanao, Davao del Norte, Rehiyon ng Caraga, at BARMM</p> <p>Katamtaman – malaking bahagi ng Bulacan, Zamboanga del Sur at Davao del Sur</p> <p>Tuyo – Natitirang bahagi ng bansa</p>	<p>LA NIÑA WATCH</p> <p>https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring</p> <p>Dapat linisin at patibayin ng mga magsasaka ang mga kanal, pilapil, at tudling upang maiwasan ang pagbaha. Mainam ding magtanim ng mga pananim na maagang mahinog at matibay sa baha upang mabawasan ang pagkalugi sa malalakas na ulan. Mag-abono lamang kapag maliwanag ang panahon upang hindi masayang, at isagawa ang crop rotation at intercropping upang mapanatiling mataba at malusog ang lupa. Talian o suportahan ang matatangkad na pananim gaya ng mais, sitaw, ampalaya, at kamatis upang hindi mabuwal. Bukod dito, magbantay laban sa mga peste at sakit na mabilis kumalat sa basang bukirin, at anihin agad ang mga hinog na pananim bago pa man dumating ang malalakas na pag-ulan.</p>

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning
Katamtaman hanggang sa maalon na karagatan ang iiral sa mga baybayin sa silangang ng bansa. Katamtamang pag-alon ang mararanasan sa natitirang baybayin ng Luzon samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa natitirang Kabisayaan at Mindanao . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.1 °C (Tuguegarao City, 1915)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1963)
Pinakamababang Temperatura	13.8 °C (Baguio City, 1907 & 1935)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	255.8 mm (Subic Bay, 2022)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL		BINIGYANG PANSIN NI: MEVT	