



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 219

Issued: 7:00 AM, Friday, 19 September 2025

Valid until: 7:00 AM, Saturday, 20 September 2025

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "NANDO" {RAGASA} was estimated based on all available data at 1,085 km East of Central Luzon (16.1°N, 132.3°E) with maximum sustained winds of 75 km/h near the center and gustiness of up to 90 km/h. It is moving West Northwestward at 15 km/h. Southwest Monsoon affecting the western section of the country.

TROPICAL CYCLONE OUTSIDE PARAS OF 3:00 AM TODAY

TROPICAL STORM MITAG (2517) (FORMERLY "MIRASOL")

LOCATION: 545 KM WEST NORTHWEST OF ITBAYAT, BATANES (21.7°N, 116.7°E)

MAXIMUM SUSTAINED WINDS: 75 KM/H NEAR THE CENTER

GUSTINESS: UP TO 90 KM/H

MOVEMENT: NORTHWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Cordillera Administrative Region, Zambales, and Bataan	Cloudy skies with scattered rains and thunderstorms	Moderate from southwest to south	22 – 31	14 – 29	65 – 98	4 – 8
Metro Manila, Bicol Region, CALABARZON, MIMAROPA, Western Visayas, Negros Island Region, Zamboanga Peninsula, and the rest of Central Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Bicol Region, CALABARZON, MIMAROPA, and the rest of Central Luzon – Moderate from southwest to south Metro Manila – Light to moderate from south to southeast Western Visayas, Negros Island Region, and Zamboanga Peninsula – Light to moderate from south to southwest	24 – 33	21 – 30	60 – 96	0 – 6
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Luzon – Light to moderate from south to southeast Rest of Visayas and Mindanao – Light to moderate from south to southwest	23– 33	20 – 31	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Inspect canals, dikes, and irrigation systems to make sure water flows properly and to prevent flooding during




continuous rains.

- Time fertilizer and pesticide application only during clear weather to avoid wastage and runoff.
- Harvest crops like rice, corn, and vegetables early once they are mature, before stronger rains arrive.
- Dry harvested grains immediately using solar or mechanical dryers to prevent spoilage, molds, and aflatoxin.
- Store produce properly in elevated, well-ventilated areas to protect against pests, rodents, and flooding.
- Reinforce and maintain farm equipment so it is ready for use despite muddy or wet conditions.
- Plan transport ahead of time, using covered vans or waterproof tarpaulins, to ensure harvested crops reach markets safely.
- Practice crop rotation and soil conservation (mulching, contour farming) to keep the land fertile and resilient against heavy rains.
- Monitor fields regularly for pests and diseases that spread quickly in wet conditions.
- Support tall crops like corn, beans, ampalaya, and tomato with stakes to prevent lodging during storms.

FARM ADVISORY

SOIL MOISTURE CONDITION

(September 1 – 10, 2025)



Wet – Ilocos Region, Cagayan Valley, Cordillera Administrative Region, most parts of Central Luzon, National Capital Region, CALABARZON, MIMAROPA, most parts of Bicol Region, Western Visayas, most parts of Central Visayas, Eastern Visayas, Zamboanga del Norte, Northern Mindanao, Davao del Norte, Caraga Region, and BARMM

Moist – Most parts of Bulacan, Zamboanga del Sur and Davao del Sur

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 15 September 2025)

LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Farmers should ensure proper maintenance of farm equipment, drying facilities, and storage areas to prevent post-harvest losses. Secure transport arrangements in advance to guarantee that produce reaches the market even during bad weather. In addition, practice soil conservation measures such as contour farming and mulching, and prepare drainage systems to manage excess rainwater. Harvest mature crops early before heavy rains arrive to reduce losses and secure the food supply.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning raised.

Moderate seas will prevail over **Central Luzon, Southern Luzon, and the western section of Northern Luzon** while slight to moderate seas will prevail over **the rest of archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.0 °C (Infanta, 2010)	Maximum Temperature	38.9 °C (Tuguegarao City, 1963)
Minimum Temperature	13.0 °C (Baguio City, 1998)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	375.5 mm (Aparri, 1981)	Rainfall	799.8 mm (Baguio City, 1911)
PREPARED/UPLOADED BY: MGA /HGDE		VERIFIED BY: RAMF	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 219

Inilabas ng: 7:00 AM, Biyernes, 19 Setyembre 2025

May bisa hanggang: 7:00 AM, Sabado, 20 Setyembre 2025

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Storm “NANDO” ay tinatayang nasa 1,085 km silangan ng Gitnang Luzon (16.1°N, 132.3°E) na may taglay na lakas ng hangin na 75 km/h malapit sa gitna at pagbugso ng hangin na umaabot sa 90 km/h. Ito ay kumikilos patungo sa kanluran-hilagang kanluran sa bilis na 15 km/h. Habagat ang nakakaapekto sa kanlurang bahagi ng bansa.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL STORM MITAG (DATING “MIRASOL”)

LOKASYON: 545 KM KANLURAN HILAGANG KANLURAN NG ITBAYAT, BATANES (21.7°N, 116.7°E)

TAGLAY NA LAKAS NA UMAABOT SA 75 KM/H MALAPIT SA GITNA

PAGBUGSO 90 KM/H

PAGKILOS: PA-HILAGANG SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos, Cordillera Administrative Region, Zambales, at Bataan	Maulan na may pagbugso ng hangin	Katamtaman mula timog-kanluran hanggang timog	22 – 31	14 – 29	65 – 98	4 – 8
Metro Manila, Rehiyon ng Bicol, CALABARZON, MIMAROPA, Kanlurang Kabisayaan, Negros Island Region, Zamboanga Peninsula, at natitirang bahagi ng Gitnang Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Rehiyon ng Bicol, CALABARZON, MIMAROPA, at natitirang bahagi ng Gitnang Luzon – Katamtaman mula timog-kanluran hanggang timog Metro Manila – Mahina hanggang sa katamtaman mula timog hanggang timog-silangan Kanlurang Kabisayaan, Negros Island Region, at Zamboanga Peninsula – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	24 – 33	21 – 30	60 – 96	0 – 6
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog hanggang timog-silangan Natitirang bahagi ng Kabisayaan at Mindanao –	23– 33	20 – 31	50 – 96	0 – 4



Mahina hanggang sa
katamtaman mula timog
hanggang timog-kanluran


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Suriin ang mga kanal, dike, at sistema ng irigasyon upang matiyak ang maayos na daloy ng tubig at maiwasan ang pagbaha sa panahon ng tuloy-tuloy na ulan.
- Mag-abono at mag-spray ng pestisidyo lamang kapag maliwanag ang panahon upang maiwasan ang pag-aaksaya at pag-agos ng kemikal sa tubig.
- Anihin agad ang mga pananim tulad ng palay, mais, at gulay kapag hinog na bago dumating ang malalakas na ulan.
- Patuyuin kaagad ang mga butil gamit ang solar dryer o mechanical dryer upang maiwasan ang pagkasira, amag, at aflatoxin.
- Itago nang maayos ang ani sa mataas at maaliwalas na imbakan upang maprotektahan laban sa peste, daga, at pagbaha.
- Ayusin at panatilihin nasa kondisyon ang mga gamit sa bukid upang magamit agad kahit sa maputik o basang kalagayan.
- Magplano ng transportasyon nang maaga, gumamit ng covered vans o waterproof tarpaulin upang masigurong ligtas na makarating sa pamilihan ang ani.
- Magsagawa ng crop rotation at soil conservation (mulching, contour farming) upang mapanatiling mataba at matibay ang lupa laban sa malalakas na ulan.
- Regular na mag-monitor ng bukirin upang maagapan ang mga peste at sakit na mabilis kumalat sa basang kondisyon.
- Suportahan o itali ang matatangkad na pananim gaya ng mais, sitaw, ampalaya, at kamatis upang hindi mabuwal kapag may bagyo.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Setyembre 1 – 10, 2025)



Basa –Rehiyon ng Ilocos, Lambak ng Cagayan, Cordillera Administrative Region, malaking bahagi ng Githang Luzon, National Capital Region, CALABARZON, MIMAROPA, malaking bahagi sa Rehiyon ng Bicol, Kanlurang Kabisayaan,, malaking bahagi sa Gitnang Kabisayaan, Silangang Kabisayaan, Zamboanga del Norte, Hilagang Mindanao, Davao del Norte, Rehiyon ng Caraga, at BARMM

Katamtaman – malaking bahagi ng Bulacan, Zamboanga del Sur at Davao del Sur

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 15 Setyembre 2025)

LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Dapat tiyakin ng mga magsasaka ang maayos na pagkukumpuni at pagpapanatili ng mga gamit sa bukid, pasilidad sa pagpapatuyo, at imbakan upang maiwasan ang pagkalugi pagkatapos ng anihan. Maagang maghanda ng transportasyon upang masiguro na maihahatid ang ani sa pamilihan kahit sa panahon ng masamang panahon. Bukod dito, isagawa ang mga pamamaraang nakatutulong sa pangangalaga ng lupa gaya ng contour farming at mulching, at ihanda ang mga kanal at daluyan ng tubig upang makontrol ang sobrang ulan. Anihin agad ang mga hinog na pananim bago dumating ang malalakas na pag-ulan upang mabawasan ang pagkalugi at matiyak ang suplay ng pagkain.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtamang pag-alon ng karagatan ang iiral sa **Gitnang Luzon, Katimugang Luzon, at kanlurang bahagi ng Hilagang Luzon** samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.0 °C (Infanta, 2010)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1963)
Pinakamababang Temperatura	13.0 °C (Baguio City, 1998)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	375.5 mm (Aparri, 1981)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA/ HGDE**

BINIGYANG PANSIN NI: **RAMF**