



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 163

Issued: 7:00 AM, Tuesday, 15 July 2025

Valid until: 7:00 AM, Wednesday, 16 July 2025

SYNOPSIS: Southwest Monsoon affecting the country.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 1,925 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (26.8°N, 139.6°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER

GUSTINESS: UP TO 70 KM/H

MOVEMENT: NORTHWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Western Visayas, Negros Island Region, Central Visayas, Zamboanga Peninsula, Northern Mindanao, Caraga, Davao Region, Occidental Mindoro, Romblon, Palawan, and Southern Leyte	Cloudy skies with scattered rains and thunderstorms	Light to moderate from southwest to west	23 – 33	21 – 31	65 – 99	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Extreme Northern Luzon – Moderate from southwest; Rest of the country – Light to moderate from southwest to west	22 – 35	14 – 32	55 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Use waterproof coverings or tarpaulins to protect harvested produce and drying grains.
- Boost soil health by applying organic matter to support plant resilience against excess moisture.
- Check livestock health regularly for signs of stress or illness due to wet and humid conditions.
- Practice integrated pest management (IPM) as pest and disease outbreaks may increase during prolonged wet conditions.
- Clear canals and ditches to maintain unimpeded water flow and prevent localized flooding.
- Trim overhanging branches and remove debris around farms that may fall or be blown during strong winds.
- Use flood-tolerant or early-maturing crop varieties if your area is frequently affected by heavy rains.



FARM ADVISORY

SOIL MOISTURE CONDITION

(June 21 – 30, 2025)



Wet – Ilocos Region, Basco, rest of Cordillera Administrative Region, Aurora, Bataan, Olongapo City, Zambales, Nueva Ecija, Cavite, Quezon, Palawan, Camarines Norte, Albay, Catanduanes, Western Visayas, Siquijor, rest of Central Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, Surigao del Sur, and BARM

Moist – Itbayat, Calayan, Aparri, Baguio, Metro Manila, Tarlac, Mindoro Provinces, Sorsogon, Tagbilaran City, Southern Leyte, Davao del Sur, and Surigao del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 03 July 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Take precautionary measures to minimize the impact of heavy rains and possible flooding. Reinforce your farm structures—such as trellises, drying sheds, and animal shelters—to withstand strong winds and rain. Schedule your planting and harvesting during fair weather to prevent crop damage. Maintain proper drainage in your rice fields and vegetable plots to avoid waterlogging. If flooding is likely in your area, move your livestock to higher and safer ground. Check your storage areas for seeds, fertilizers, and animal feeds, and keep them elevated and protected from water to prevent spoilage.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate seas will be experienced over **the Extreme Northern Luzon**. Meanwhile, slight to moderate seas will prevail over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.0 °C (Tuguegarao City, 1988)	Maximum Temperature	41.0°C (Tuguegarao City, 1915)
Minimum Temperature	13.2 °C (Calayan, 2013)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	483.9 mm (Laoag City, 2008)	Rainfall	1085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: MGA/ JOT

VERIFIED BY: MEVT



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 163

Inilabas ng: 7:00 AM, Martes, 15 Hulyo 2025

May bisa hanggang: 7:00 AM, Miyerkules, 16 Hulyo 2025

SYNOPSIS: Habagat ang nakakaapekto sa bansa.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 1,925 KM SILANGAN HILAGANG SILANGAN NG DULONG HILAGANG LUZON (26.8°N, 139.6°E)

MALAKAS NA HANGIN: 55 KM/H MALAPIT SA GITNA

PAGBUGSO NG HANGIN: AABOT SA 70 KM/H

PAGKILOS: PATUNGONG HILAGANG SA BILIS NA 20KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mabab ang Bukirin	Mataas na Bukirin		
Kanlurang Kabisayaan, Rehiyon ng Negros, Gitnang Kabisayaan, Zamboanga Peninsula, Hilagang Mindanao, Caraga, Rehiyon ng Davao, Occidental Mindoro, Romblon, Palawan, at Katimugang Leyte	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	23 – 33	21 – 31	65 – 99	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Dulong Hilagang Luzon – Katamtaman mula timog-kanluran; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	22 – 35	14 – 32	55 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN


- Gumamit ng mga waterproof na pantakip o trapal upang maprotektahan ang ani at pinatutuyong butil.
- Palakasin ang kalusugan ng lupa sa pamamagitan ng paglalagay ng organikong pataba upang makatulong sa tibay ng pananim laban sa labis na moisture.
- Regular na suriin ang kalusugan ng mga alagang hayop para sa mga senyales ng stress o sakit dulot ng basa at maalinsangang panahon.
- Isagawa ang integrated pest management (IPM) dahil maaaring tumaas ang bilang ng peste at sakit sa panahon ng matagalang pag-ulan.
- Liniisin ang mga kanal at alulod upang mapanatili ang maayos na daloy ng tubig at maiwasan ang pagbaha sa bukid.
- Putulin ang mga sanga ng puno na nakalaylay at alisin ang mga kalat sa paligid ng bukirin na maaaring mabagsak o liparin ng malakas na hangin.
- Gumamit ng mga binhing tolerante sa baha o yaong maagang mamunga kung madalas bahain ang inyong lugar.



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Hunyo 21 – 30, 2025)

ENSO ALERT SYSTEM STATUS (mula noong 03 Hulyo 2025)



Basa – Rehiyon ng Ilocos, Basco, natitirang bahagi ng Rehiyon ng Cordillera, Aurora, Bataan, Olongapo City, Zambales, Nueva Ecija, Cavite, Quezon, Palawan, Camarines Norte, Albay, Catanduanes, Kanlurang Kabisayaan, Siquijor, natitirang bahagi ng Gitnang Kabisayaan, Silangang Kabisayaan, Zamboanga Peninsula, Hilagang Mindanao, Davao del Norte, Surigao del Sur, at BARMM

Katamtaman – Itbayat, Calayan, Aparri, Baguio, Metro Manila, Tarlac, Probinsiya ng Mindoro, Sorsogon, Tagbilaran City, Southern Leyte, Davao del Sur, at Surigao del Norte

Tuyo – Natitirang bahagi ng bansa

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Magsagawa ng mga kaukulang pag-iingat upang mabawasan ang epekto ng malalakas na ulan at posibleng pagbaha. Palakasin at kumpunihin ang mga istruktura sa bukid gaya ng trellis, drying sheds, at kulungan ng hayop upang kayanin ang malalakas na hangin at ulan. Iiskedyul nang maayos ang pagtatanim at pag-aani sa mga panahong maganda ang panahon upang maiwasan ang pinsala sa ani. Panatilihin maayos ang daluyan ng tubig sa mga palayan at gulayan upang hindi mababad o malubog sa tubig. Ilipat ang mga alagang hayop sa mas mataas at ligtas na lugar kung may banta ng pagbaha. Suriin ang mga imbakan ng binhi, pataba, at pakain—siguraduhing nakaangat at ligtas sa tubig upang maiwasan ang pagkasira.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman na pag-alon ng karagatan ang mararanasan sa **Dulong Hilagang Luzon**. Samantala, banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral **sa natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.0 °C (Tuguegarao City, 1988)	Pinakamataas na Temperatura	41.0°C (Tuguegarao City, 1915)
Pinakamababang Temperatura	13.2 °C (Calayan, 2013)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	483.9 mm (Laoag City, 2008)	Pinakamaraming Ulan	1085.8 mm (Baguio City, 2001)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / JOT**

BINIGYANG PANSIN NI: **MEVT**