



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 199

Issued: 7:00 AM, Wednesday, 27 August 2025

Valid until: 7:00 AM, Thursday, 28 August 2025

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data in the vicinity of Patnanungan, Quezon (14.8°N, 122.2°E). Meanwhile, another Low Pressure Area was estimated based on all available data at 200 km West of Dagupan City, Pangasinan (15.9°N, 118.5°E). Southwest Monsoon affecting Southern Luzon, Visayas, and Mindanao.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila, Ilocos Region, Cagayan Valley, Cordillera Administrative Region, Central Luzon, and CALABARZON	Cloudy skies with scattered rains and thunderstorms	Metro Manila, Cavite, Laguna, Batangas - Moderate to strong from west to southwest; Rest of Luzon – Moderate from southwest to southeast	22 – 33	14 – 29	70 - 99	6 – 12
Visayas, MIMAROPA, Bicol Region, Zamboanga Peninsula, and Northern Mindanao	Cloudy skies with scattered rains and thunderstorms	MIMAROPA - Moderate to strong from west to southwest; Bicol Region – Moderate from southwest to southeast; Visayas, Zamboanga Peninsula, and Northern Mindanao – Light to moderate from southwest	23 – 32	21 – 30	60 - 99	4 – 8
The rest of the Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southwest	23 – 32	21 – 31	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

LPA, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Ensure canals, dikes, and furrows are clear to prevent waterlogging and root rot.
- Support tall and vining crops (e.g., tomato, string beans, ampalaya) to prevent lodging.
- Delay or reduce fertilizer application during heavy rains to avoid nutrient leaching.
- If possible, harvest mature crops ahead of continuous heavy rains to minimize losses.
- Store seeds in dry, airtight containers to prevent damage from moisture.
- Cut weak or excess branches to prevent breakage from strong winds and saturated soils.
- Monitor for fungal infections and pests that thrive in wet conditions.
- Keep machinery and tools in sheltered areas to prevent rust and damage.
- Check and maintain irrigation pumps, canals, and drainage structures.



FARM ADVISORY	
SOIL MOISTURE CONDITION (August 11 – 20, 2025)	ENSO ALERT SYSTEM STATUS (updated: 26 August 2025)
 <p>Wet – Most parts of Ilocos Region, northern part of Cagayan Valley, most parts of Cordillera Administrative Region, National Capital Region, Zambales, Bataan, Pampanga, Nueva Ecija, Aurora, Cavite, Rizal, Quezon, MIMAROPA, most parts of Bicol Region, most of Western Visayas, Negros Oriental, most parts of Eastern Visayas, Capiz, Leyte, Zamboanga del Norte, Northern Mindanao, Davao del Sur, Surigao del Sur, and Maguindanao</p> <p>Moist – Rest of Cagayan Valley, rest of Central Luzon, Laguna, Batangas, Negros Occidental, Cebu, rest of Zamboanga Peninsula, rest of Davao Region, and SOCCSKSARGEN</p> <p>Dry – Rest of the country</p>	<p>LA NIÑA WATCH</p>  <p>https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring</p> <p>Farmers should clean and strengthen canals, dikes, and furrows to prevent flooding. Plant early-maturing and flood-tolerant crops to lessen losses during heavy rains. Apply fertilizer only when the weather is clear to avoid wastage. Practice crop rotation and intercropping to keep the soil healthy. Stake or tie tall crops like corn, beans, ampalaya, and tomato to stop them from falling. Watch out for pests and diseases that spread in wet fields, and harvest mature crops early before strong rains.</p>

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
<p>No Gale Warning is raised.</p> <p>Moderate to rough seas will prevail over the western section of Southern Luzon while the rest of Luzon will have moderate seas. The rest of the archipelago will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.</p>

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.3 °C (Tuguegarao, 1960)	Maximum Temperature	39.4 °C (Tuguegarao City, 1960)
Minimum Temperature	14.0 °C (Baguio City, 1930)	Minimum Temperature	12.8 °C (Baguio City, 2005, 1936 & 1913)
Rainfall	364.9 mm (Laoag City, 2011)	Rainfall	969.8 mm (Baguio City, 2008)

PREPARED/UPLOADED BY: MTR/ MAM	VERIFIED BY: MEVT
---------------------------------------	--------------------------



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 199

Inilabas ng: 7:00 AM, Miyerkules, 27 Agosto 2025 May bisa hanggang: 7:00 AM, Huwebes, 28 Agosto 2025

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area ay tinatayang nasa paligid ng Patnanungan, Quezon (14.8°N, 122.2°E). Samantala, ang isang Low Pressure Area ay tinatayang nasa 200 km kanluran ng Dagupan City, Pangasinan (15.9°N, 118.5°E). Habagat ang nakakaapekto sa Katimugang Luzon, Kabisayaan, at Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababang Bukirin	Mababa ng Bukirin		
Metro Manila, Rehiyon ng Ilocos, Lambak ng Cagayan, Rehiyon ng Cordillera, Gitnang Luzon, at CALABARZON	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Metro Manila, Cavite, Laguna, Batangas – Katamtaman hanggang malakas mula sa kanluran hanggang timog-kanluran; Natitirang bahagi ng Luzon – Katamtaman mula timog-kanluran hanggang timog-silangan;	22 – 33	14 – 29	70 - 99	6 – 12
Kabisayaan, MIMAROPA, Rehiyon ng Bicol, Zamboanga Peninsula, at Hilagang Mindanao	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	MIMAROPA – Katamtaman hanggang malakas mula sa kanluran hanggang timog-kanluran; Rehiyon ng Bicol – Katamtaman mula timog-kanluran hanggang timog-silangan; Kabisayaan, Zamboanga Peninsula, at Hilagang Mindanao – Mahina hanggang katamtaman mula sa timog-kanluran	23 – 32	21 – 30	60 - 99	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang katamtaman mula sa timog-kanluran	23 – 32	21 – 31	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

LPA, HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Siguraduhing malinis ang mga kanal, pilapil, at tudling upang maiwasan ang pagbabad ng lupa at pagkabulok ng ugat.
- Suportahan ang matatangkad at gumagapang na tanim (hal. kamatis, sitaw, ampalaya) upang hindi




mabuwal.

- Ipagpaliban o bawasan ang paglalagay ng pataba kapag malakas ang ulan upang maiwasan ang pagkalunod ng sustansya sa lupa.
- Kung maaari, anihin agad ang mga hinog na pananim bago pa magtuloy-tuloy ang malakas na ulan upang mabawasan ang pagkalugi.
- Itago ang mga binhi sa tuyo at selyadong lalagyan upang hindi masira dahil sa kahalumigmigan.
- Putulin ang mahihinang o sobrang sanga upang hindi mabali sa malakas na hangin at basang lupa.
- Magbantay sa mga sakit na dulot ng fungus at peste na mabilis kumalat sa basang kondisyon.
- Ilagay ang mga makinarya at kagamitan sa ligtas at may bubong na lugar upang hindi kalawangin o masira.
- Suriin at panatiliing maayos ang mga bomba sa irigasyon, mga kanal, at istrukturang pang-drainage.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Agosto 11 – 20, 2025)



Basa – karamihan sa lugar sa Rehiyon ng Ilocos, hilagang bahagi sa Lambak ng Cagayan, karamihan sa lugar sa Cordillera Administrative Region, National Capital Region, Zambales, Bataan, Pampanga, Nueva Ecija, Aurora, Cavite, Rizal, Quezon, MIMAROPA, karamihan sa lugar sa Rehiyon ng Bicol, karamihan sa lugar sa Kanlurang Kabisayaan, Negros Oriental, karamihan sa lugar sa Silangang Kabisayaan, Capiz, Leyte, Zamboanga del Norte, Hilagang Mindanao, Davao del Sur, Surigao del Sur, at Maguindanao

Katamtaman – natitirang bahagi sa Lambak ng Cagayan, natitirang bahagii sa Gitnang Luzon, Laguna, Batangas, Negros Occidental, Cebu, natitirang bahagi sa Zamboanga Peninsula, natitirang bahagi sa Rehiyon ng Davao, at SOCCSKSARGEN

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 26 Agosto 2025)

LA NIÑA WATCH



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Dapat linisin at patibayin ng mga magsasaka ang mga kanal, pilapil, at tudling upang maiwasan ang pagbaha. Magtanim ng maagang mahinog at matibay sa baha na pananim upang mabawasan ang pagkalugi sa malakas na ulan. Mag-abono lamang kapag maliwanag ang panahon upang hindi masayang. Isagawa ang crop rotation at intercropping upang manatiling mataba at malusog ang lupa. Talian o suportahan ang matatangkad na pananim tulad ng mais, sitaw, ampalaya, at kamatis upang hindi mabuwal. Magbantay laban sa mga peste at sakit na mabilis kumalat sa basang bukirin, at anihin agad ang mga hinog na pananim bago dumating ang malakas na ulan.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang maalon na karagatan ang mararanasan **sa kanlurang bahagi ng Katimugang Luzon**, habang **ang natitirang bahagi ng Luzon** ay magkakaroon ng katamtamang pag-alon ng karagatan. Samantala, ang **natitirang bahagi ng kapuluan** ay makararanas ng banayad hanggang katamtamang karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.3 °C (Tuguegarao, 1960)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao City, 1960)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1930)	Pinakamababang Temperatura	12.8 °C (Baguio City, 2005, 1936 & 1913)
Pinakamaraming Ulan	364.9 mm (Laoag City, 2011)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR/ MAM**

BINIGYANG PANSIN NI: **MEVT**