



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 129

Issued: 7:00 AM, Wednesday, 04 June 2025

Valid until: 7:00 AM Thursday, 05 June 2025

SYNOPSIS: Southwest Monsoon affecting Luzon. Intertropical Convergence Zone (ITCZ) affecting southern Mindanao.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Batanes, Babuyan Islands, Abra, Zambales, Bataan, Palawan, Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Davao Occidental, Davao del Sur, and Davao Oriental	Cloudy skies with scattered rains and thunderstorms	Ilocos Region, Batanes, Babuyan Islands, Abra, Zambales, Bataan, and Palawan – Moderate from southwest; Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Davao Occidental, Davao del Sur, and Davao Oriental – Light to moderate from southwest to south	23 – 34	20 – 32	70 – 99	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	The northern and western sections of Luzon – Moderate from southwest; The rest of the country – Light to moderate from southwest to south	23 – 37	15 – 33	50 – 98	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, ITCZ, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Align planting schedules with updated weather forecasts to maximize water availability and avoid drought or flood periods.
- Clean canals, dikes, and drainage paths to prevent water from building up, which can damage plant roots and reduce harvest.
- Strengthen seedbeds and cover young plants with plastic or other protection to shield them from heavy rain.
- Store seeds, fertilizers, and harvested crops in dry, raised, and covered places to avoid spoilage.
- Apply fertilizer during dry weather to prevent it from being washed away; it's better to apply it in parts rather than all at once.
- Check and repair greenhouses, trellises, animal shelters, and storage areas for any damage caused by wind or rain.



FARM ADVISORY

SOIL MOISTURE CONDITION

(May 11 – 20, 2025)




Wet – Benguet, Baler, Infanta, Tayabas, Calapan, Albay, Catanduanes, Sorsogon, Capiz, most of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Norte, Surigao del Sur, at BARMM
Moist – Aparri, Baguio, Pangasinan, Iba, Casiguran, NCR, Alabat, Cavite, Southern Palawan, Camarines Norte, Iloilo, Southern Leyte, and Bukidnon
Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 28 May 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate seas will prevail over the **northern and western sections of Luzon** while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.7 °C (Tuguegarao City, 1983)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Minimum Temperature	14.0 °C (Baguio City; 1988)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	392.4 mm (Laoag City; 1953)	Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: **MTR / HGDE**

VERIFIED BY: **MGA**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 129

Inilabas ng: 7:00 AM, Miyerkules, 04 Hunyo 2025 May bisa hanggang: 7:00 AM, Huwebes, 05 Hunyo 2025

SYNOPSIS: Habagat ang nakakaapekto sa Luzon. Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa katimugan ng Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos, Batanes, mga Isla ng Babuyan, Abra, Zambales, Bataan, Palawan, Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Davao Occidental, Davao del Sur, at Davao Oriental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Rehiyon ng Ilocos, Batanes, mga Isla ng Babuyan, Abra, Zambales, Bataan, at Palawan – Katamtaman mula timog-kanluran; Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Davao Occidental, Davao del Sur, at Davao Oriental – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog	23 – 34	20– 32	70 – 99	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Hilaga at kanlurang bahagi ng Luzon – Katamtaman mula timog-kanluran; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog	23– 37	15 – 33	50 – 98	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, ITCZ, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN


- Itugma ang iskedyul ng pagtanim sa mga pinakabagong ulat ng panahon upang mapakinabangan ang tubig at maiwasan ang tagtuyot o pagbaha.
- Linisin ang mga kanal, dike, at mga daanan ng tubig upang maiwasan ang pag-ipon ng tubig na maaaring makasira sa ugat ng halaman at magpababa ng ani.
- Palakasin ang mga seedbed at takpan ang mga batang tanim ng plastik o ibang proteksyon upang maprotektahan mula sa malakas na ulan.
- Itabi ang mga binhi, pataba, at aning pananim sa mga tuyong lugar na mataas at may takip upang maiwasan ang pagkasira.
- Maglagay ng pataba tuwing tuyong panahon upang maiwasan ang pagkalaba nito; mas mainam na ipamahagi ito ng paunti-unti kaysa sabay-sabay.
- Suriin at ayusin ang mga greenhouse, trellis, kulungan ng hayop, at mga imbakan para sa anumang pinsala dulot ng hangin o ulan.



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Mayo 11 – 20, 2025)



Basa – Benguet, Baler, Infanta, Tayabas, Calapan, Albay, Catanduanes, Sorsogon, Capiz, karamihang bahagi ng Silangang Kabisayan, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Norte, Surigao del Sur, at BARMM
Katamtaman – Aparri, Baguio, Pangasinan, Iba, Casiguran, NCR, Alabat, Cavite, Southern Palawan, Camarines Norte, Iloilo, Katimugang Leyte, at Bukidnon
Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS

(mula noong 28 Mayo 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman na karagatan ang iiral sa **hilaga at kanlurang bahagi ng Luzon**. Samantala, ang **natitirang bahagi ng kapuluan** ay makakaranas ng banayad hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.7 °C (Tuguegarao City, 1983)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Pinakamababang Temperatura	14.0 °C (Baguio City; 1988)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	392.4 mm (Laoag City; 1953)	Rainfall	533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / HGDE**

BINIGYANG PANSIN NI: **MGA**