



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 25 – 276

Issued: 7:00 AM, Wednesday, 26 November 2025

Valid until: 7:00 AM, Thursday, 27 November 2025

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "VERBENA" {KOTO} was estimated based on all available data at 120 km West of Coron, Palawan (11.9°N, 119.1°E) with maximum sustained winds of 85 km/h near the center and gustiness of up to 105 km/h. It is moving West Northwestward at 25 km/h. Shear Line affecting the eastern sections of Northern and Central Luzon. Northeast Monsoon affecting the rest of Northern and Central Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Palawan	Rains with gusty winds	Gusty winds	24 – 29	22 – 28	70 – 98	> 12
Metro Manila, Zambales, Bataan, Cavite, Laguna, Batangas, Rizal, Aklan, Antique, and the rest of MIMAROPA	Cloudy skies with scattered rains and thunderstorms	Zambales and Bataan –Strong from northeast; Metro Manila, Cavite, Laguna, Batangas, Rizal, the rest of MIMAROPA – Moderate to strong from southeast to east	22 – 32	21 – 30	60 – 98	4 – 8
Cordillera Administrative Region, Cagayan, Isabela, Quirino, Nueva Vizcaya, Quezon, and the rest of Central Luzon	Cloudy skies with scattered rains and isolated thunderstorms	Cordillera Administrative Region, Cagayan, Isabela, Quirino, Nueva Vizcaya, and the rest of Central Luzon –Strong from northeast; Quezon – Moderate to strong from southeast to east	22 – 30	14 – 27	60 – 98	4 – 8
Ilocos Region and Batanes	Cloudy skies with rains	Strong from northeast	22 – 29	19 – 28	60 – 98	2 – 6
Mindanao, Bicol Region, and the rest of Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Bicol Region – Moderate to strong from southeast to east; Mindanao, and the rest of Visayas – Light to moderate from southwest to southeast	22 – 33	21 – 31	50 – 96	0 – 4



AREAS AFFECTED BY THE WEATHER SYSTEMS


TC VERBENA AND ITS TROUGH, NORTHEAST MONSOON, SHEARLINE, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Suspend outdoor farm activities once strong winds and continuous rain begin to reduce the risk of slips, falling branches, and accidents.
- Stay indoors as much as possible, especially during peak winds or heavy rainfall. Quick checks outside are acceptable only if conditions are safe.
- Monitor weather updates from PAGASA, your LGU, and local DRRM. Pay close attention to flood advisories, landslide warnings, and other related advisories.
- Avoid crossing shallow floods or muddy areas, especially near canals, dikes, and slopes, as these may become slippery or unstable.
- Do not operate electrical machinery (pumps, dryers, mills) during lightning or heavy rain to prevent short circuits and electrocution.
- Cover or properly store farm tools and equipment to protect them from rusting and water damage.
- Check small dikes to ensure they are not overflowing. If needed, open alternate outlets to manage water flow safely.
- Secure seedling areas by closing plastic sheets or nets to prevent seedlings from being submerged or damaged by heavy rain.
- Elevate sacks of fertilizer, feeds, and harvested produce above ground level to protect them from moisture and potential flooding.

FARM ADVISORY

SOIL MOISTURE CONDITION

(November 11 – 20, 2025)



Wet – Dagupan, La Union, Most parts of Cagayan Valley, Cordillera Administrative Region, Zambales, Bulacan, Aurora, Tarlac, National Capital Region, CALABARZON, MIMAROPA, most parts of Bicol Region, Western Visayas, Central Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte,

SOCCSKSARGEN, Caraga Region, and BARMM

Moist – Most of Ilocos Region, Cagayan, Benguet, Pampanga, Nueva Ecija, Olongapo City, Bataan, Albay, Misamis Oriental, Davao del Norte

Dry – Some parts of Tarlac and Pampanga, Vigan and Laoag City

ENSO ALERT SYSTEM STATUS

(updated: 05 November 2025)



LA NIÑA ALERT

<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Conduct regular field monitoring since pests (e.g., stem borers, leaf folders) and diseases (e.g., blast, bacterial leaf blight) thrive in humid and wet conditions. Use biological and mechanical control methods before resorting to chemical sprays. Remove and properly dispose of infected plant debris to prevent the spread of diseases. Construct drainage furrows or contour canals in sloping areas to control runoff and reduce the risk of landslides. For vegetable production, use raised beds or ridges to improve drainage and promote healthy root growth. Dry grains and seeds properly under covered or mechanical dryers to prevent mold formation. Store harvested produce in elevated and well-ventilated areas to protect them from moisture and pest infestation. Before the onset of heavy rains, inspect storage facilities for any leaks or damage to ensure product safety and quality.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale warning is raised over the northern seaboard of Northern Luzon (Batanes and Babuyan Islands), the western seaboard of Southern Luzon (Palawan {El Nido, Taytay, Araceli, Dumarang} including Kalayaan, Cuyo, Calamian, and Cagayancillo Islands), the eastern seaboard of Northern Luzon (Mainland Cagayan), and the northern and western seaboard of Northern Luzon (Ilocos Norte, Ilocos Sur, La Union, and Pangasinan).

Rough seas will prevail over **Northern and Central Luzon** while moderate to rough seas will be experienced over **the eastern section of Southern Luzon**. Meanwhile, **Mindanao and the eastern and central sections of Visayas** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		DAILY EXTREMES	
Maximum Temperature	36.5 °C (General Santos, 1997)	Maximum Temperature	38.5 °C (NAIA, 2005)
Minimum Temperature	10.2 °C (Baguio City, 1929)	Minimum Temperature	9.2 °C (Baguio City, 1989)
Rainfall	235.6 mm (Cuyo, 1976)	Rainfall	698.7 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: **MTR/ HGDE**

VERIFIED BY: **MGA**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 25 – 276

Inilabas ng: 7:00 AM, Miyerkules, 26 Nobyembre 2025 May bisa hanggang: 7:00 AM, Huwebes, 27 Nobyembre 2025

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Depression "VERBENA" {KOTO} ay tinatayang nasa 120 km kanluran ng Coron, Palawan (11.9°N, 119.1°E) na may taglay na lakas ng hangin na 85 km/h malapit sa sentro at pagbugso na umaabot sa 105 km/h. Ito ay kumikilos patungo sa kanluran hilagang kanluran sa bilis na 25 km/h. Shearline ang nakakaapekto sa silangang bahagi ng Hilagang at Gitnang Luzon. Amihan ang nakakaapekto sa natitirang bahagi ng Hilagang at Gitnang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Palawan	Maulap na may pagbugso ng hangin	Pagbugso-bugsong hangin	24 – 29	22 – 28	70 – 98	> 12
Metro Manila, Zambales, Bataan, Cavite, Laguna, Batangas, Rizal, Aklan, Antique, at natitirang bahagi ng MIMAROPA	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Zambales at Bataan – Malakas mula hilagang silangan; Metro Manila, Cavite, Laguna, Batangas, Rizal, Aklan, Antique, at natitirang bahagi ng MIMAROPA – Katamtaman hanggang sa malakas mula timog-silangan hanggang silangan	22 – 32	21 – 30	60 – 98	4 – 8
Rehiyon ng Cordillera, Cagayan, Isabela, Quirino, Nueva Vizcaya, Quezon, at natitirang bahagi ng Gitnang Luzon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Rehiyon ng Cordillera, Cagayan, Isabela, Quirino, Nueva Vizcaya at natitirang bahagi ng Gitnang Luzon – Malakas mula hilagang silangan; Quezon – Katamtaman hanggang sa malakas mula timog-silangan hanggang silangan	22 – 30	14 – 27	60 – 98	4 – 8
Rehiyon ng Ilocos at Batanes	Maulap na kalangitan na may pag-ulan	Malakas mula hilagang silangan	22 – 29	19 – 28	60 – 98	2 – 6
Mindanao, Rehiyon ng Bicol, at natitirang bahagi ng Kabisayan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Rehiyon ng Bicol – Katamtaman hanggang sa malakas mula timog-silangan hanggang silangan; Mindanao at natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog-silangan	22 – 33	21 – 31	50 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


TC VERBENA AT ANG TROUGH NITO, AMIHAN, SHEARLINE, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itigil ang mga gawaing pangbukid kapag nagsimula ang tuloy-tuloy na ulan at malakas na hangin upang maiwasan ang pagdulas, pagbagsak ng sanga, at aksidente.
- Manatili sa loob ng bahay o silungan lalo na sa oras ng malalakas na bugso ng hangin at malakas na ulan. Maaari lamang lumabas para sa mabilis na pagsuri kung ligtas ang kondisyon.
- Patuloy na subaybayan ang mga ulat ng panahon mula sa PAGASA, inyong LGU, at lokal na DRRM. Bigyang-pansin ang mga abiso tungkol sa pagbaha, pagguho ng lupa, at mga iba pang abiso.
- Iwasang tumawid sa mababaw na baha o maputik na bahagi ng bukid, lalo na malapit sa kanal, pilapil, at matarik na lugar dahil madulas at maaaring bumigay ang lupa.
- Huwag gumamit ng mga kagamitang de-kuryente tulad ng water pump, dryer, at gilingan kapag may kidlat o malakas na ulan upang maiwasan ang short circuit at pagkakuryente.
- Takpan at itago nang maayos ang mga kasangkapan at gamit sa bukid upang hindi kalawangin at masira dahil sa ulan.
- Suriin ang maliliit na pilapil upang matiyak na hindi sila umaapaw. Kung kinakailangan, buksan ang alternatibong labasan ng tubig upang maiwasan ang sobrang pagbaha sa taniman.
- Siguraduhing protektado ang mga punlaan sa pamamagitan ng pagsasara ng plastic sheets o net upang hindi malubog o masira ng malakas na ulan ang mga punla.
- Itaas ang mga sako ng pataba, pakain, at ani upang hindi mabasa o masira sakaling magkaroon ng pagtaas ng tubig.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(November 11 – 20, 2025)



Basa – Dagupan, La Union, Malaking bahagi ng Cagayan Valley, Cordillera Administrative Region, Zambales, Bulacan, Aurora, Tarlac, National Capital Region, CALABARZON, MIMAROPA, Malaking bahagi ng Bicol Region, Western Visayas, Central Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, SOCCSKSARGEN, Caraga Region, at

BARMM

Katamtaman – Malaking bahagi ng Rehiyon ng Ilocos, Cagayan, Benguet, Pampanga, Nueva Ecija, Olongapo City, Bataan, Albay, Misamis Oriental, Davao del Norte

Tuyo – Ilang bahagi ng Tarlac at Pampanga, Vigan at Laoag City

ENSO ALERT SYSTEM STATUS

(mula noong 05 Nobyembre 2025)



LA NIÑA ALERT

<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Magsagawa ng regular na pagmamanman sa bukid dahil ang mga peste (halimbawa: stem borers, leaf folders) at mga sakit ng halaman (halimbawa: blast, bacterial leaf blight) ay madaling kumalat sa mahalumigmig at basang kondisyon. Gumamit muna ng mga biological at mechanical na pamamaraan ng pagpuksa bago gumamit ng mga kemikal na pestisidyo. Alisin at maayos na itapon ang mga nahawaang bahagi ng halaman upang maiwasan ang pagkalat ng sakit. Magpatayo ng mga kanal o contour canal sa mga bahaging mabundok o may dalisdis upang makontrol ang daloy ng tubig at maiwasan ang pagguho ng lupa. Para sa mga gulay, gumamit ng raised bed o pilapil upang mapabuti ang daloy ng tubig at mas mapangalagaan ang ugat ng mga tanim. Patuyuin nang maayos ang mga butil at binhi sa ilalim ng bubong o gamit ang mechanical dryer upang maiwasan ang pagkakaroon ng amag. Itago ang mga ani sa mataas at maaliwalas na lugar upang hindi mabasa at mapinsala ng mga peste. Bago dumating ang malalakas na pag-ulan, suriin ang mga imbakan kung may tagas o sira upang mapanatili ang kaligtasan at kalidad ng produkto.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang gale warning sa hilagang baybayin ng Hilagang Luzon (Batanes at mga Isla ng Babuyan Islands), sa kanlurang baybayin ng Katimugang Luzon (Palawan {El Nido, Taytay, Araceli, Dumaran} kabilang ang Kalayaan, Cuyo, Calamian at Cagayancillo Islands), sa silangang baybayin ng Hilagang Luzon (Kalupaan ng Cagayan), at sa hilagang at kanlurang baybayin ng Hilagang Luzon (Ilocos Norte, Ilocos Sur, La Union at Pangasinan).

Magiging maalon ang karagatan sa **Hilagang at Gitnang Luzon** habang katamtaman hanggang maalon ang magiging kondisyon ng dagat sa **silangang bahagi ng Katimugang Luzon**. Sa **Mindanao at silangan at gitnang bahagi ng Kabisayaan** ay inaasahan ang banayad hanggang sa katamtaman na pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.5 °C (General Santos, 1997)	Pinakamataas na Temperatura	38.5 °C (NAIA, 2005)
Pinakamababang Temperatura	10.2 °C (Baguio City, 1929)	Pinakamababang Temperatura	9.2 °C (Baguio City, 1989)
Pinakamaraming Ulan	235.6 mm (Cuyo, 1976)	Pinakamaraming Ulan	698.7 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: MTR/ HGDE	BINIGYANG PANSIN NI: MGA
--	---------------------------------