



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 172

Issued: 7:00 AM, Friday, 25 July 2025

Valid until: 7:00 AM, Saturday, 26 July 2025

SYNOPSIS: At 3:00 AM today, the center of the eye of Typhoon "EMONG" {CO-MAY} was estimated over the coastal waters of Bacnotan, La Union (16.7°N, 120.2°E), with maximum sustained winds of 120 km/h near the center and gustiness of up to 165 km/h. It is moving Northeastward at 20 km/h. Southwest Monsoon affecting Central and Southern Luzon, Visayas, and Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL STORM FRANCISCO (FORMERLY "DANTE")	TROPICAL STORM KROSA
LOCATION: 740 KM NORTH NORTHEAST OF ITBAYAT, BATANES (26.9°N, 124.7°E)	LOCATION: 2,030 KM EAST OF SOUTHEASTERN LUZON (16.1°N, 142.9°E)
MAXIMUM SUSTAINED WINDS: 65 KM/H NEAR THE CENTER	MAXIMUM SUSTAINED WINDS: 65 KM/H NEAR THE CENTER
GUSTINESS: UP TO 80 KM/H	GUSTINESS: UP TO 80 KM/H
MOVEMENT: WEST NORTHWESTWARD AT 35 KM/H	MOVEMENT: NORTHWESTWARD AT 10 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Cordillera Administrative Region, Batanes, Cagayan, and Isabela	Stormy	Stormy	24 – 33	15 – 30	75 – 100	>12
The rest of Cagayan Valley, Zambales, Tarlac, Aurora, and Nueva Ecija	Rains with gusty winds	Gusty winds	23 – 31	21 – 28	75 – 100	>12
Metro Manila, CALABARZON, the rest of Central Luzon, and Occidental Mindoro	Monsoon Rains	Cavite, Batangas, Bataan, and Occidental Mindoro – Strong from west to southwest; Metro Manila, Laguna, Quezon, Rizal, and the rest of Central Luzon – Moderate to strong from southwest	23 – 32	21 – 30	70 – 100	>12
Western Visayas, the rest of MIMAROPA, Camarines Norte, Camarines Sur, and Albay	Occasional rains	Moderate to strong from southwest	23 – 30	21 – 28	65 – 98	8 – 12
The rest of Visayas and the rest of Bicol Region	Cloudy skies with scattered rains and thunderstorms	Rest of Bicol Region – Moderate to strong from southwest; Rest of Visayas – Moderate from southwest	23 – 33	20 – 30	60 – 98	8 – 12




Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Moderate from southwest	23 – 35	20 – 28	50 – 96	0 – 6
-----------------	--	-------------------------	---------	---------	---------	-------

FARM ADVISORY

SOIL MOISTURE CONDITION

(July 11 – 20, 2025)

Wet – Ilocos Region, most of Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, most parts of CALABARZON, most parts of Camarines Norte, Albay, Catanduanes, Sorsogon, Western Visayas, Negros Oriental, Northern most of Eastern Visayas, Zamboanga Peninsula, Bukidnon, Davao Region, and BARMM




Moist – Romblon, Camarines Norte, Catanduanes, Sorsogon, Siquijor, Negros Oriental, Northern Samar, Samar, rest of Zamboanga Sibugay, rest of Northern Mindanao, and Surigao del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 03 July 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Take precautionary measures to minimize the impact of heavy rains and possible flooding. Reinforce your farm structures—such as trellises, drying sheds, and animal shelters—to withstand strong winds and rain. Schedule your planting and harvesting during fair weather to prevent crop damage. Maintain proper drainage in your rice fields and vegetable plots to avoid waterlogging. If flooding is likely in your area, move your livestock to higher and safer ground. Check your storage areas for seeds, fertilizers, and animal feeds, and keep them elevated and protected from water to prevent spoilage.

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, TY EMONG, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Regularly clean and maintain drainage canals, dikes, and waterways to ensure smooth water flow and prevent flooding in low-lying areas.
- Plant on raised beds or use plastic mulch to prevent root rot and soil erosion.
- Install rain shelters or simple roofing over sensitive crops.
- Control the spread of fungal diseases such as leaf blight and mildew early.
- Prune excess branches and support young trees to protect them from wind damage.
- Monitor the weather conditions before transporting produce to avoid delays and risks on the road.
- Use covered vans or waterproof tarpaulins to protect harvested crops from rain and moisture.
- Avoid cleaning or repairing drainage canals, dikes, and waterways during landslide threats to prevent accidents. Perform these activities only when the weather and area are confirmed safe.
- Ensure farm equipments are safely stored. Move livestock to higher ground or secure shelters to protect them from flooding and strong winds.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning was raised over the western seaboard of Northern and Central Luzon (the western coast of Ilocos Norte {Burgos, Pasuquin, Bacarra, Laoag City, Paoay, Currimao, Pinili, and Badoc}, Ilocos Sur, La Union, Pangasinan, and Zambales), **the northern and eastern seaboard of Northern Luzon** (Batanes, Cagayan including Babuyan Islands, Isabela, and the northern coast of Ilocos Norte {Burgos, Bangui, and Pagudpud}), **and the western seaboard of Central and Southern Luzon** (Bataan and the northwestern coast of Occidental Mindoro {Paluan} including Lubang Islands).

Rough seas will be experienced over the **western seaboard of Central and Southern Luzon**, while moderate to rough seas will be experienced over the **rest of the seaboard of Central and Southern Luzon, and the western seaboard of Visayas**. Moderate seas will prevail over **the rest of the country**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.2 °C (Tuguegarao City, 1951)	Maximum Temperature	41.0°C (Tuguegarao City, 1915)
Minimum Temperature	13.3 °C (Baguio City, 1907)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	536.3 mm (Baguio City, 1980)	Rainfall	1085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: **RAAM / HGDE**

VERIFIED BY: **MGA**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 172

Inilabas ng: 7:00 AM, Biyernes, 25 Hulyo 2025

May bisa hanggang: 7:00 AM, Sabado, 26 Hulyo 2025

SYNOPSIS: Kaninang 3:00 AM ang sentro ng Typhoon "EMONG" {CO-MAY} ay tinatayang nasa karagatan ng Bacnotan, La Union (16.7°N, 120.2°E) na may taglay na lakas ng hangin na 120 km/h malapit sa gitna at pagbugso na umaabot sa 165 km/h. Ito ay kumikilos patungong hilagang silangan sa bilis na 20 km/h. Habagat ang nakakaapekto sa Gitna at Katimugang Luzon, Kabisayaan at Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG OF 3:00 AM

TROPICAL STORM FRANCISCO (DATING "DANTE")	TROPICAL STORM KROSA
LOKASYON: 740 KM HILAGA HILAGANG SILANGAN NG ITBAYAT, BATANES (26.9°N, 124.7°E)	LOKASYON: 2,030 KM SILANGAN NG TIMOG-SILANGANG LUZON (16.1°N, 142.9°E)
LAKAS NG HANGIN: 65 KM/H MALAPIT SA GITNA	LAKAS NG HANGIN: 65 KM/H MALAPIT SA GITNA
PAGBUGSO NG HANGIN: UMAABOT SA 80 KM/H	PAGBUGSO NG HANGIN: UMAABOT SA 80 KM/H
PAGKILOS: KANLURAN HILAGANG KANLURAN SA BILIS NA 35 KM/H	PAGKILOS: HILAGANG KANLURAN SA BILIS NA 10 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos, Cordillera Administrative Region, Batanes, Cagayan, at Isabela	Masungit na panahon	Masungit na panahon	24 – 33	15 – 30	75 – 100	>12
Natitirang bahagi ng Lambak ng Cagayan, Zambales, Tarlac, Aurora, at Nueva Ecija	Maulan na may pagbugso ng hangin	Pagbugso ng hangin	23 – 31	21 – 28	75 – 100	>12
Metro Manila, CALABARZON, natitirang bahagi ng Gitnang Luzon, at Occidental Mindoro	Pag-ulan dulot ng Habagat	Cavite, Batangas, Bataan, at Occidental Mindoro – Malakas mula kanluran hanggang timog-kanluran; Metro Manila, Laguna, Quezon, Rizal, at natitirang bahagi ng Gitnang Luzon – Katamtaman hanggang sa malakas mula timog-kanluran	23 – 32	21 – 30	70 – 100	>12
Kanlurang Kabisayaan, natitirang bahagi ng MIMAROPA, Camarines Norte, Camarines Sur, at Albay	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 30	21 – 28	65 – 98	8 – 12




Natitirang bahagi ng Kabisayaan at natitirang bahagi ng Rehiyon ng Bicol	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Natitirang bahagi ng Rehiyon ng Bicol – Katamtaman hanggang sa malakas mula timog-kanluran; Natitirang bahagi ng Kabisayaan – Katamtaman mula timog-kanluran	23 – 33	20 – 30	60 – 98	8 – 12
Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Katamtaman mula timog-kanluran	23 – 35	20 – 28	50 – 96	0 – 6

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Hulyo 11 – 20, 2025)

Basa – Rehiyon ng Ilocos Region, karamihan sa bahagi ng Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, karamihan sa bahagi ng



Legend
 DRY (0-75mm)
 MOIST (76mm-150mm)
 WET (>150mm)

CALABARZON, karamihan sa bahagi ng MIMAROPA, Camarines Norte, Albay, Catanduanes, Sorsogon, Kanlurang Kabisayaan, Negros Oriental, Silangang Kabisayaan, Zamboanga Peninsula, Bukidnon, Rehiyon ng Davao, at BARMM

Katamtaman – Isabela, Infanta, Romblon, Camarines Sur, Masbate, Misamis Oriental, Surigao del Norte at Surigao del Sur

Tuyo – Natitirang

bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 03 Hulyo 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Magsagawa ng mga kaukulang pag-iingat upang mabawasan ang epekto ng malalakas na ulan at posibleng pagbaha. Palakas in at kumpunihin ang mga istruktura sa bukid gaya ng trellis, drying sheds, at kulungan ng hayop upang kayanin ang malalakas na hangin at ulan. Iiskedyul nang maayos ang pagtatanim at pag-aani sa mga panahong maganda ang panahon upang maiwasan ang pinsala sa ani. Panatilihin maayos ang daluyan ng tubig sa mga palayan at gulayan upang hindi mababad o malubog sa tubig. Ilipat ang mga alagang hayop sa mas mataas at ligtas na lugar kung may banta ng pagbaha. Suriin ang mga imbakan ng binhi, pataba, at pakain—siguraduhing nakaangat at ligtas sa tubig upang maiwasan ang pagkasira.



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, TY EMONG, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na linisin at ayusin ang mga kanal, pilapil, at daluyan ng tubig upang matiyak ang maayos na agos ng tubig at maiwasan ang pagbaha sa mabababang lugar.
- Magtanim sa raised beds o gumamit ng plastic mulch upang makaiwas sa root rot at erosion.
- Maglagay ng rain shelters o simpleng bubong sa mga maselan na pananim.
- Agapan ang pagkalat ng fungal diseases tulad ng leaf blight at mildew.
- Putulin ang sobrang sanga at bigyan ng suporta ang mga batang puno upang hindi mapinsala ng hangin.
- I-monitor ang lagay ng panahon bago bumiyahe ng ani o produkto upang maiwasan ang abala at panganib sa daan.
- Gumamit ng covered vans o waterproof na tolda upang maprotektahan ang ani laban sa ulan at pagkabasa.
- Iwasan ang paglilinis o pagsasaayos ng mga kanal, pilapil, at daluyan ng tubig habang may banta ng pagguho ng lupa upang maiwasan ang aksidente. Gawin lamang ang mga ito kapag ligtas na ang panahon at ang lugar ay kumpirmadong walang panganib.
- Siguraduhing maayos na nakaimbak ang mga kagamitan pangsaka. Ilipat ang mga alagang hayop sa mas mataas na lugar o sa mga ligtas na silungan upang maprotektahan sila mula sa pagbaha at malakas na hangin.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa **kanlurang baybayin ng Hilaga at Gitnang Luzon** (kanlurang baybayin ng Ilocos Norte {Burgos, Pasuquin, Bacarra, Laoag City, Paoay, Currimao, Pinili, and Badoc}, Ilocos Sur, La Union, Pangasinan, at Zambales), **hilaga at silangang mga baybayin ng Hilagang Luzon** (Batanes, Cagayan kasama ang mga Isla ng Babuyan, Isabela, at hilagang baybayin ng Ilocos Norte {Burgos, Bangui, at Pagudpud}), **at kanlurang baybayin ng Gitna at Katimugang Luzon** (Bataan at hilagang kanlurang baybayin ng Occidental Mindoro {Paluan} kasama ang mga Isla ng Lubang).

Maalon na karagatan ang mararanasaan sa **kanlurang baybayin ng Gitna at Katimugang Luzon**, samantalang katamtaman hanggang sa maalon na karagatan ang inaasahan sa **mga natitirang mga baybayin ng Gitna at Katimugang Luzon, at kanlurang baybayin ng Kabisayaan**. Katamtamang pag-alon ng karagatan ang iiral sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.2 °C (Tuguegarao City, 1951)	Pinakamataas na Temperatura	41.0°C (Tuguegarao City, 1915)
Pinakamababang Temperatura	13.3 °C (Baguio City, 1907)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	536.3 mm (Baguio City, 1980)	Pinakamaraming Ulan	1085.8 mm (Baguio City, 2001)

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / HGDE**

BINIGYANG PANSIN NI: **MGA**