



**FARM WEATHER FORECAST AND ADVISORIES**  
**FWFA: NO. 26 – 026**

**Issued: 7:00 AM, Tuesday, 03 February 2026**

**Valid until: 7:00 AM, Wednesday, 04 February 2026**

**SYNOPSIS: Shear Line affecting the eastern sections of Visayas and Mindanao. Northeast Monsoon affecting Luzon.**



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Visayas, Caraga, Davao Region, and Misamis Oriental</b>	Cloudy skies with scattered rains and isolated thunderstorms	Moderate to strong from northeast	24 – 33	23 – 30	60 – 98	4 – 8
<b>Batanes and Babuyan Islands</b>	Cloudy skies with light rains	Moderate to strong from northeast	19 – 24	18 – 23	55 – 97	4 – 6
<b>The rest of Mindanao</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to north	22 – 33	18 – 32	50 – 96	0 – 4
<b>Metro Manila and the rest of Luzon</b>	Partly cloudy to cloudy skies with isolated light rains	<b>Rest of Northern Luzon, and the eastern sections of Central and Southern Luzon --</b> moderate to strong from northeast;  <b>Metro Manila and rest of Luzon –</b> light to moderate from northeast to north.	20 – 32	11 – 26	50 – 96	0 – 4

**AREAS AFFECTED BY THE WEATHER SYSTEMS**

**SHEARLINE, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS**

- Protect iron machinery from rust by storing it in dry, covered areas. Disconnect electrical equipment in low-lying areas to prevent accidents.
- Strengthen greenhouses, nurseries, and trellises to withstand the strong winds.
- Apply fertilizers on dry soil and avoid application immediately before heavy rains to prevent nutrient leaching. Consider split doses or slow-release formulations to ensure plants receive nutrients over time.
- Control weeds early, as they compete for nutrients more aggressively during wet periods. Apply pesticides only on calm, dry days at recommended dosages to protect beneficial insects.
- Harvest mature or near-mature crops (rice, corn, vegetables) as soon as possible if heavy rainfall is forecast to prevent lodging and spoilage.
- Secure nurseries, trellises, and greenhouses against strong winds. Use stakes for tall plants like corn and tomatoes to prevent them from falling over.
- Dry harvested grains immediately using solar or mechanical dryers to prevent the growth of molds and fungi.
- Apply mulch or rice straw around the roots of the plants. This acts as an insulator that retains ground heat even when the air temperature is extremely cold.
- Cover sensitive crops (such as potatoes and cabbage) with plastic sheets, garden nets, or thin cloth at night. Ensure the cover does not directly touch the leaves to create a layer of "air insulation."



FARM ADVISORY			
SOIL MOISTURE CONDITION (January 21-31, 2026)		ENSO ALERT SYSTEM STATUS (Updated as of 21 January 2026)	
			
<p><b>Wet</b> – Calayan, Quezon, Bicol Region, Capiz, Eastern Visayas, Davao del Norte, Surigao del Norte</p> <p><b>Moist</b> – Aparri, Aurora, Oriental Mindoro, Romblon, Palawan, Rest of Western Visayas, Negros Island Region, Bukidnon, Agusan del Norte, Lanao del Sur</p> <p><b>Dry</b> – The rest of the country</p>		<p><b>LA NIÑA</b></p> <p><a href="https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring">https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring</a></p> <p>Ensure good field drainage by using raised beds and properly leveled fields, and regularly inspect canals, bunds, and embankments to prevent flooding. Secure nurseries, trellises, and windbreaks to protect crops from strong winds and heavy rains. Harvest mature and near-mature crops early when prolonged rainfall is forecast. Dry and store harvested produce using covered, elevated, and well-ventilated facilities to avoid spoilage. Monitor crops closely for pest and disease outbreaks, particularly fungal infections during wet conditions, and apply control measures when weather permits. Coordinate with the Municipal/City Agriculture Office and regularly follow DOST-PAGASA advisories for timely updates and guidance.</p>	

FISHING ADVISORY			
GALE WARNING AND SEA CONDITION			
<p><b>Gale Warning was raised over the northern seaboard of Northern Luzon (Batanes and Babuyan Islands {Babuyan Is., Calayan Is., and Dalupiri Is.}).</b></p> <p>Moderate to rough seas <b>will prevail over Northern Luzon, the eastern sections of Central and Southern Luzon, Visayas, and Mindanao while the rest of the country will have slight to moderate seas.</b> Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.</p>			

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	36.8 °C (Gen. Santos City, 1983)	Maximum Temperature	38.4 °C (Tuguegarao, 1961)
Minimum Temperature	8.3 °C (Baguio City, 1962)	Minimum Temperature	6.7 °C (Baguio City, 1963)
Rainfall	244.6 mm (Casiguran, 2000)	Rainfall	472.9 mm (Surigao City, 1974)

PREPARED/UPLOADED BY: HGDE / ARL	VERIFIED BY: NRE
----------------------------------	------------------



**TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN**  
**FWFA: NO. 26 – 026**

**Inilabas ng: 7:00 AM, Martes, 03 Pebrero 2026**

**May bisa hanggang: 7:00 AM, Miyerkules, 04 Pebrero 2026**

**SYNOPSIS: Shearline ang nakakaapekto sa silangang bahagi ng Kabisayaan at Mindanao. Amihan ang nakakaapekto sa Luzon.**

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
<b>Kabisayaan, Caraga, Rehiyon ng Davao, at Misamis Oriental</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula hilagang silangan	24 – 33	23 – 30	60 – 98	4 – 8
<b>Batanes at Babuyan Islands</b>	Maulap na kalangitan na may mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	19 – 24	18 – 23	55 – 97	4 – 6
<b>Natitirang bahagi ng Mindanao</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	KMahina hanggang sa ktamtaman mula hilagang silangan hanggang hilaga	22 – 33	18 – 32	50 – 96	0 – 4
<b>Metro Manila at natitirang bahagi ng Luzon</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	<b>Natitirang bahagi ng Hilagang Luzon, at silangang bahagi ng Gitna at Katimugang Luzon</b> -- katamtaman hanggang sa malakas mula hilagang silangan;  <b>Metro Manila and rest of Luzon</b> -- mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang.	20 – 32	11 – 26	50 – 96	0 – 4


**SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS**

**SHEARLINE, AMIHAN, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN**

- Protektahan ang mga kagamitang mula sa kalawang sa pamamagitan ng pag-imbak nito sa tuyo at nakatakip na lugar. Tanggalin sa saksakan ang mga de-kuryenteng kagamitan sa mga mabababang lugar upang maiwasan ang mga aksidente.
- Patibayin ang mga greenhouse, nursery, at balag (trellis) upang makayanan ang malalakas na hangin.
- Mag-apply ng abono sa tuyong lupa at iwasang mag-apply kaagad bago ang malalakas na ulan upang maiwasan ang pagkawala ng sustansya (nutrient leaching). Isaalang-alang ang "split doses" o "slow-release formulations" upang masiguro na natatanggap ng mga halaman ang sustansya sa paglipas ng panahon.
- Kontrolin ang mga damo nang maaga, dahil mas agresibo silang nakikipagkumpitensya para sa sustansya kapag maulan. Mag-spray lamang ng pesticide sa kalmado at tuyong araw, sa inirerekomendang dosis, upang protektahan ang mga kapaki-pakinabang na insekto.
- Anihin agad ang mga hinog na o malapit nang mahinog na pananim (palay, mais, gulay) kung may banta ng malakas na ulan upang maiwasan ang pagkasira at pagkatumba ng halaman (lodging).
- Patuyuin kaagad ang mga inaning butil gamit ang solar o mekanikal na dryers upang maiwasan ang pagtubo ng amag (molds) at fungi.
- I-secure ang mga nursery, balag, at greenhouse laban sa malalakas na hangin. Gumamit ng mga suhay (stakes) para sa matataas na halaman tulad ng mais at kamatis upang hindi sila matumba.
- Maglagay ng dayami o mulch sa paligid ng mga ugat. Ito ay nagsisilbing insulator na nagpapanatili ng init sa loob ng lupa kahit napakalamig ng hangin.



- Takpan ang mga sensitibong pananim (tulad ng patatas at repolyo) gamit ang plastic sheets, garden nets, o telang manipis sa gabi. Siguraduhing hindi direktang nakadikit ang takip sa mga dahon upang magkaroon ng "air insulation."



PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
<p><b>Nakataas ang Gale Warning sa hilagang bayabyin ng Hilagang Luzon (Batanes at Babuyan Islands {Babuyan Is., Calayan Is., and Dalupiri Is.}).</b></p> <p>Katamtaman hanggang sa maalon na karagatan ang iiral sa <b>Hilagang Luzon, silangang bahagi ng Central at Katimugang Luzon, Kabisayaan, at Mindanao</b> samantala ang <b>natitirang bahagi ng bansa</b> ay makakaranas ng mahina hanggang sa katamtamang pag-alon ng karagatan.. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.</p>

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.8 °C (Gen. Santos City, 1983)	Pinakamataas na Temperatura	38.4 °C (Tuguegarao, 1961)
Pinakamababang Temperatura	8.3 °C (Baguio City, 1962)	Pinakamababang Temperatura	6.7 °C (Baguio City, 1963)
Pinakamaraming Ulan	244.6 mm (Casiguran, 2000)	Pinakamaraming Ulan	472.9 mm (Surigao City, 1974)
INIHANDA HANDA/INI-UPLOAD NINA: <b>HGDE / ARL</b>		BINIGYANG PANSIN NI: <b>NRE</b>	