



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 25 – 277

Issued: 7:00 AM, Thursday, 27 November 2025

Valid until: 7:00 AM, Friday, 28 November 2025

SYNOPSIS: Severe Tropical Storm "VERBENA" {KOTO} affecting the western section of Southern Luzon. Shear Line affecting the eastern section of Northern Luzon. Northeast Monsoon affecting the rest of Northern Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

SEVERE TROPICAL STORM KOTO (2527)

LOCATION: 230 KM NORTH OF PAG-ASA ISLAND, KALAYAAN, PALAWAN (13.2°N, 114.6°E)

MAXIMUM SUSTAINED WINDS: 110 KM/H

GUSTINESS: UP TO 135 KM/H

MOVEMENT: WEST NORTHWESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Kalayaan Islands	Rains with gusty winds	Gusty winds	24 – 31	23– 30	70 – 99	> 12
The rest of Palawan	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from southwest to southeast	24 – 31	23– 30	65 – 98	4 – 8
Apayao, Kalinga, Mountain Province, Ifugao, Mainland Cagayan, and Isabela	Cloudy skies with scattered rains and isolated thunderstorms	Moderate to strong from northeast;	22 – 27	19 – 27	60 – 98	4 – 8
Ilocos Region, the rest of Cordillera Administrative Region, and the rest of Cagayan Valley	Cloudy skies with rains	Moderate to strong from northeast;	22 – 31	14 – 28	60 – 98	2 – 6
Aurora and Quezon	Cloudy skies with scattered rains and thunderstorms	Moderate from southeast to east;	24 – 28	20 – 27	55 – 98	0 – 4
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Western section of Southern Luzon – Moderate to strong from southwest to southeast; Rest of Luzon – Moderate from southeast to east; Visayas and Mindanao – Light to moderate from southeast to east	23 – 34	21 – 31	50 – 96	0 – 4




AREAS AFFECTED BY THE WEATHER SYSTEMS

TC VERBENA AND ITS TROUGH, NORTHEAST MONSOON, SHEARLINE, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Suspend outdoor farm activities once strong winds and continuous rain begin to reduce the risk of slips, falling branches, and accidents.
- Stay indoors as much as possible, especially during peak winds or heavy rainfall. Quick checks outside are acceptable only if conditions are safe.
- Monitor weather updates from PAGASA, your LGU, and local DRRM. Pay close attention to flood advisories, landslide warnings, and other related advisories.
- Avoid crossing shallow floods or muddy areas, especially near canals, dikes, and slopes, as these may become slippery or unstable.
- Do not operate electrical machinery (pumps, dryers, mills) during lightning or heavy rain to prevent short circuits and electrocution.
- Cover or properly store farm tools and equipment to protect them from rusting and water damage.
- Check small dikes to ensure they are not overflowing. If needed, open alternate outlets to manage water flow safely.
- Secure seedling areas by closing plastic sheets or nets to prevent seedlings from being submerged or damaged by heavy rain.
- Elevate sacks of fertilizer, feeds, and harvested produce above ground level to protect them from moisture and potential flooding.

FARM ADVISORY

SOIL MOISTURE CONDITION (November 11 – 20, 2025)



Wet – Dagupan, La Union, Most parts of Cagayan Valley, Cordillera Administrative Region, Zambales, Bulacan, Aurora, Tarlac, National Capital Region, CALABARZON, MIMAROPA, most parts of Bicol Region, Western Visayas, Central Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte,

SOCCSKSARGEN, Caraga Region, and BARMM

Moist – Most of Ilocos Region, Cagayan, Benguet, Pampanga, Nueva Ecija, Olongapo City, Bataan, Albay, Misamis Oriental, Davao del Norte

Dry – Some parts of Tarlac and Pampanga, Vigan and Laoag City

ENSO ALERT SYSTEM STATUS (updated: 26 November 2025)



LA NIÑA ALERT

<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Conduct regular field monitoring since pests (e.g., stem borers, leaf folders) and diseases (e.g., blast, bacterial leaf blight) thrive in humid and wet conditions. Use biological and mechanical control methods before resorting to chemical sprays. Remove and properly dispose of infected plant debris to prevent the spread of diseases. Construct drainage furrows or contour canals in sloping areas to control runoff and reduce the risk of landslides. For vegetable production, use raised beds or ridges to improve drainage and promote healthy root growth. Dry grains and seeds properly under covered or mechanical dryers to prevent mold formation. Store harvested produce in elevated and well-ventilated areas to protect them from moisture and pest infestation. Before the onset of heavy rains, inspect storage facilities for any leaks or damage to ensure product safety and quality.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale warning is raised over the northern and western seaboard of Northern Luzon (Batanes, Babuyan Islands, Ilocos Norte, and Ilocos Sur), the western seaboard of Southern Luzon (Kalayaan Islands), the northern and eastern seaboard of Northern Luzon (Mainland Cagayan), and the western seaboard of Northern Luzon (The western coast of Pangasinan {Bolinao, Bani, Agno}).

Moderate to rough seas will prevail over **Northern Luzon and western section of Southern Luzon** while moderate seas will be experienced over **the rest of Luzon. Meanwhile, Visayas and Mindanao** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		DAILY EXTREMES	
Maximum Temperature	35.8 °C (San Jose, 1989)	Maximum Temperature	38.5 °C (NAIA, 2005)
Minimum Temperature	10.7 °C (Baguio City, 1929)	Minimum Temperature	9.2 °C (Baguio City, 1989)
Rainfall	483.8 mm (Daet, 1964)	Rainfall	698.7 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: **MGA/ HGDE**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 25 – 277

Inilabas ng: 7:00 AM, Huwebes, 27 Nobyembre 2025

May bisa hanggang: 7:00 AM, Biyernes, 28 Nobyembre 2025

SYNOPSIS: Severe Tropical Storm "VERBENA" {KOTO} ang nakakaapekto sa kanlurang bahagi ng Katimugang Luzon. Shearline ang nakakaapekto sa silangang bahagi ng Hilagang Luzon. Amihan ang nakakaapekto sa natitirang bahagi ng Hilagang Luzon.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

SEVERE TROPICAL STORM {KOTO}


LOKASYON: 230 KM HILAGA NG PAG-ASA ISLAND, KALAYAN, PALAWAN (13.2°N, 114.6°E)

TAGLAY NA HANGIN: 110 KM/H

PAGBUGSO: UP TO 135 KM/H

PAGKILOS: PA-KANLURAN HILAGANG KANLURAN SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Kalayaan Islands	Maulan na may pagbugso ng hangin	Pabugso-bugsong hangin	24 – 31	23– 30	70 – 99	> 12
Natitirang bahagi ng Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog-silangan	24 – 31	23– 30	65 – 98	4 – 8
Apayao, Kalinga, Mountain Province, Ifugao, Kalupaan ng Cagayan, at Isabela	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula hilagang silangan	22 – 27	19 – 27	60 – 98	4 – 8
Rehiyon ng Ilocos, natitirang bahagi ng Cordillera Administrative Region, at natitirang bahagi ng Lambak ng Cagayan	Maulap na kalangitan na may pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	22 – 31	14 – 28	60 – 98	2 – 6
Aurora at Quezon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-silangan hanggang silangan;	24 – 28	20 – 27	55 – 98	0 – 4
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulo-pulong pag-ulan o pagkidlat-pagkulong	Kanlurang bahagi ng Katimugang Luzon – Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog-silangan; Natitirang bahagi ng Luzon – Katamtaman hanggang sa malakas mula timog-silangan hanggang silangan; Metro Manila at natitirang bahagi ng	23 – 34	21 – 31	50 – 96	0 – 4



		bansa – Mahina hanggang sa katamtaman mula timog-silangan hanggang silangan				
--	--	--	--	--	--	--


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TC VERBENA AT ANG TROUGH NITO, AMIHAN, SHEARLINE, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itigil ang mga gawaing pangbukid kapag nagsimula ang tuloy-tuloy na ulan at malakas na hangin upang maiwasan ang pagdulas, pagbagsak ng sanga, at aksidente.
- Manatili sa loob ng bahay o silungan lalo na sa oras ng malalakas na bugso ng hangin at malakas na ulan. Maaari lamang lumabas para sa mabilis na pagsuri kung ligtas ang kondisyon.
- Patuloy na subaybayan ang mga ulat ng panahon mula sa PAGASA, inyong LGU, at lokal na DRRM. Bigyang-pansin ang mga abiso tungkol sa pagbaha, pagguho ng lupa, at mga iba pang abiso.
- Iwasang tumawid sa mababaw na baha o maputik na bahagi ng bukid, lalo na malapit sa kanal, pilapil, at matarik na lugar dahil madulas at maaaring bumigay ang lupa.
- Huwag gumamit ng mga kagamitang de-kuryente tulad ng water pump, dryer, at gilingan kapag may kidlat o malakas na ulan upang maiwasan ang short circuit at pagkakuryente.
- Takpan at itago nang maayos ang mga kasangkapan at gamit sa bukid upang hindi kalawangin at masira dahil sa ulan.
- Suriin ang maliliit na pilapil upang matiyak na hindi sila umaapaw. Kung kinakailangan, buksan ang alternatibong labasan ng tubig upang maiwasan ang sobrang pagbaha sa taniman.
- Siguraduhing protektado ang mga punlaan sa pamamagitan ng pagsasara ng plastic sheets o net upang hindi malubog o masira ng malakas na ulan ang mga punla.
- Itaas ang mga sako ng pataba, pakain, at ani upang hindi mabasa o masira sakaling magkaroon ng pagtaas ng tubig.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (November 11 – 20, 2025)



Basa – Dagupan, La Union, Malaking bahagi ng Cagayan Valley, Cordillera Administrative Region, Zambales, Bulacan, Aurora, Tarlac, National Capital Region, CALABARZON, MIMAROPA, Malaking bahagi ng Bicol Region, Western Visayas, Central Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, SOCCSKSARGEN, Caraga Region, at

BARMM

Katamtaman – Malaking bahagi ng Rehiyon ng Ilocos, Cagayan, Benguet, Pampanga, Nueva Ecija, Olongapo City, Bataan, Albay, Misamis Oriental, Davao del Norte

ENSO ALERT SYSTEM STATUS (mula noong 26 Nobyembre 2025)



LA NIÑA ALERT

<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Magsagawa ng regular na pagmamanman sa bukid dahil ang mga peste (halimbawa: stem borers, leaf folders) at mga sakit ng halaman (halimbawa: blast, bacterial leaf blight) ay madaling kumalat sa mahalumigmig at basang kondisyon. Gumamit muna ng mga biological at mechanical na pamamaraan ng pagpuksa bago gumamit ng mga kemikal na pestisidyo. Alisin at maayos na itapon ang mga nahawaang bahagi ng halaman upang maiwasan ang pagkalat ng sakit. Magpatayo ng mga kanal o contour canal sa mga bahaging mabundok o may dalisdas upang makontrol ang daloy ng tubig at maiwasan ang pagguho ng lupa. Para sa mga gulay, gumamit ng raised bed o pilapil upang mapabuti ang daloy ng tubig at mas mapangalagaan ang ugat ng mga tanim. Patuyuin nang maayos ang mga butil at binhi sa ilalim ng bubong o gamit ang mechanical dryer upang maiwasan ang pagkakaroon ng amag. Itago ang mga ani sa mataas at maaliwalas na lugar upang hindi mabasa at mapinsala ng mga peste. Bago dumating ang malalakas na pag-ulan, suriin ang mga imbakan kung may tagas o sira upang mapanatili ang kaligtasan at kalidad ng produkto.



Tuyo – Ilang bahagi ng **Tarlac at Pampanga, Vigan at Laoag City**

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang gale warning sa hilaga at kanlurang baybayin ng Hilagang Luzon (Batanes, Babuyan Islands, Ilocos Norte, at Ilocos Sur), kanlurang baybayin ng Katimugang Luzon (Kalayaan Islands), hilaga at silangang baybayin ng Hilagang Luzon (kalupaan ng Cagayan), at kanlurang baybayin ng Hilagang Northern Luzon (kanlurang baybayin ng Pangasinan {Bolinao, Bani, Agno).

Katamtaman hanggang sa maalon ang karagatan sa **Hilagang Luzon at kanlurang bahagi ng Katimugang Luzon** habang katamtamang alon ang magiging kondisyon ng dagat sa **natitirang bahagi ng Luzon**. Sa **Kabisayaan at Mindanao** ay inaasahan ang banayad hanggang sa katamtaman na pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	35.8 °C (San Jose, 1989)	Pinakamataas na Temperatura	38.5 °C (NAIA, 2005)
Pinakamababang Temperatura	10.7 °C (Baguio City, 1929)	Pinakamababang Temperatura	9.2 °C (Baguio City, 1989)
Pinakamaraming Ulan	483.8 mm (Daet, 1964)	Pinakamaraming Ulan	698.7 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: MGA/ HGDE

BINIGYANG PANSIN NI: MEVT