



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 136

Issued: 7:00 AM, Friday, 13 June 2025

Valid until: 7:00 AM Saturday, 14 June 2025

**SYNOPSIS: Southwest Monsoon affecting the western section of Northern Luzon.**

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Batanes</b>	Cloudy skies with rains and thunderstorms	Moderate to strong from southwest to south	24 – 31	23 – 29	70 – 99	4 – 8
<b>Ilocos Region and Babuyan Islands</b>	Cloudy skies with rains and thunderstorms	Moderate to strong from southwest to south	23 – 34	20 – 32	65 – 98	4 – 8
<b>Surigao del Sur and Davao Oriental</b>	Cloudy skies with rains and thunderstorms	Light to moderate from east to southeast	25 – 33	23 – 31	55 – 98	0 – 6
<b>Metro Manila and the rest of the country</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	<b>Rest of the northern section of Northern Luzon</b> – Moderate to strong from southwest to south;  <b>Rest of Luzon</b> – Light to moderate from southeast to south;  <b>Visayas and rest of Mindanao</b> – Light to moderate from east to southeast	23 – 34	15 – 31	50 – 97	0 – 4

### AREAS AFFECTED BY THE WEATHER SYSTEMS

#### **SOUTHWEST MONSOON, TROUGH OF LPA, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS**

- Align planting schedules with updated weather forecasts to maximize water availability and avoid drought or flood periods.
- Clean canals, dikes, and drainage paths to prevent water from building up, which can damage plant roots and reduce harvest.
- Strengthen seedbeds and cover young plants with plastic or other protection to shield them from heavy rain.
- Store seeds, fertilizers, and harvested crops in dry, raised, and covered places to avoid spoilage.
- Apply fertilizer during dry weather to prevent it from being washed away; it's better to apply it in parts rather than all at once.
- Check and repair greenhouses, trellises, animal shelters, and storage areas for any damage caused by wind or rain.




## FARM ADVISORY

### SOIL MOISTURE CONDITION

(June 1 – 10, 2025)

### ENSO ALERT SYSTEM STATUS

(updated: 04 June 2025)




**Wet** – Ilocos Norte, Basco, Cordillera Administrative Region, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, Mindoro, Northern Palawan, Albay, Catanduanes, Western Visayas, Siquijor, rest of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Sur, and BARMM

**Moist** – Itbayat, Aparri, Calayan, Nueva Ecija, Rizal, Aborlan, Cuyo, Romblon, Camarines Norte, Camarines Sur, Masbate, Sorsogon,

rest of Central Visayas, Southern Leyte, Zamboanga del Sur, Misamis Oriental, Davao del Sur, and Surigao del Norte

**Dry** – Rest of the country

### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.

## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

**No Gale Warning is raised.**

Moderate to rough seas will prevail over the **northern and western seaboards of Northern Luzon** while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

### DAILY EXTREMES

### MONTHLY EXTREMES

Maximum Temperature	39.6 °C (Tuguegarao City, 1914 and 1918)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Minimum Temperature	14.1 °C (Baguio City, 1908)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	175.8 mm (Catbalogan, 1990)	Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: **RAAM / MAM**

VERIFIED BY: **NRE**



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 136

Inilabas ng: 7:00 AM, Biyernes, 13 Hunyo 2025

May bisa hanggang: 7:00 AM, Sabado, 14 Hunyo 2025

**SYNOPSIS:** Habagat ang nakakaapekto sa kanlurang bahagi ng Hilagang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
<b>Batanes</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog	24 – 31	23 – 29	70 – 99	4 – 8
<b>Rehiyon ng Ilocos at mga Isla ng Babuyan</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog	23 – 34	20 – 32	65 – 98	4 – 8
<b>Surigao del Sur at Davao Oriental</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan	25 – 33	23 – 31	55 – 98	0 – 6
<b>Metro Manila at natitirang bahagi ng bansa</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	<b>Natitira sa hilagang bahagi ng Hilagang Luzon –</b> Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog;  <b>Natitirang bahagi ng Luzon –</b> Mahina hanggang sa katamtaman mula timog-silangan hanggang timog;  <b>Kabisayaan at natitirang bahagi ng bansa –</b> Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan	23 – 34	15 – 31	50 – 97	0 – 4




### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

#### HABAGAT, TROUGH NG LPA, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itugma ang iskedyul ng pagtanim sa mga pinakabagong ulat ng panahon upang mapakinabangan ang tubig at maiwasan ang tagtuyot o pagbaha.
- Linisin ang mga kanal, dike, at mga daanan ng tubig upang maiwasan ang pag-ipon ng tubig na maaaring makasira sa ugat ng halaman at magpababa ng ani.
- Palakasin ang mga seedbed at takpan ang mga batang tanim ng plastik o ibang proteksyon upang maprotektahan mula sa malakas na ulan.
- Itabi ang mga binhi, pataba, at aning pananim sa mga tuyong lugar na mataas at may takip upang maiwasan ang pagkasira.
- Maglagay ng pataba tuwing tuyong panahon upang maiwasan ang pagkalaba nito; mas mainam na ipamahagi ito ng paunti-unti kaysa sabay-sabay.
- Suriin at ayusin ang mga greenhouse, trellis, kulungan ng hayop, at mga imbakan para sa anumang pinsala dulot ng hangin o ulan.

### PAYONG PANGSAKAHAN

#### KALAGAYAN NG LUPANG SAKAHAN (Hunyo 1 – 10, 2025)



**Basa – Ilocos Norte, Basco, Cordillera Administrative Region, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, Mindoro, Northern Palawan, Albay, Catanduanes, Western Visayas, Siquijor, rest of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Sur, and BARMM**

**Katamtaman –**  
**Itbayat, Aparri,**

**Calayan, Nueva Ecija, Rizal, Aborlan, Cuyo, Romblon, Camarines Norte, Camarines Sur, Masbate, Sorsogon, rest of Central Visayas, Southern Leyte, Zamboanga del Sur, Misamis Oriental, Davao del Sur, and Surigao del Norte**

**Tuyo – Natitirang bahagi ng bansa**

#### ENSO ALERT SYSTEM STATUS

(mula noong 04 Hunyo 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.

### PAYO SA MGA MANGINGISDA

#### GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang iiral sa **hilaga at kanlurang mga baybayin ng Hilagang Luzon**. Samantala, ang **natitirang bahagi ng kapuluan** ay makakaranas ng banayad hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines  
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**  
**Philippine Atmospheric, Geophysical and**  
**Astronomical Services Administration**  
**(PAGASA)**



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.6 °C (Tuguegarao City, 1914 at 1918)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Pinakamababang Temperatura	14.1 °C (Baguio City, 1908)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	175.8 mm (Catbalogan, 1990)	Rainfall	533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: <b>RAAM / MAM</b>	BINIGYANG PANSIN NI: <b>NRE</b>
---	---------------------------------