



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 151

Issued: 7:00 AM, Tuesday, 01 July 2025

Valid until: 7:00 AM, Wednesday, 02 July 2025

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 650 km East of Infanta, Quezon (14.7°N, 127.7°E). Southwest Monsoon affecting Visayas, Mindanao, Central Luzon, and Southern Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Bicol Region, Isabela, Quirino, Aurora, and Quezon	Cloudy skies with scattered rains and thunderstorms	Isabela, Quirino, and Aurora – Light to moderate from southwest to southeast; Bicol Region and Quezon – Light to moderate from southwest to west	22 – 33	20 – 31	70 – 99	4 – 8
Metro Manila, Visayas, MIMAROPA, Zamboanga Peninsula, Northern Mindanao, Caraga, and the rest of Central Luzon and CALABARZON	Cloudy skies with scattered rains and thunderstorms	Rest of Central Luzon – Light to moderate from southwest to southeast; Metro Manila, Visayas, MIMAROPA, Zamboanga Peninsula, Northern Mindanao, Caraga, and CALABARZON – Light to moderate from southwest to west	23 – 33	20 – 31	70 – 98	4 – 8
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southwest to west	22 – 33	13 – 33	55 – 97	0 – 6



The rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Northern Luzon – Light to moderate from southwest to southeast; Rest of Luzon – Light to moderate from southwest to west	22 – 35	13 – 33	55 – 97	0 – 4
--------------------------	--	---	---------	---------	---------	-------

AREAS AFFECTED BY THE WEATHER SYSTEMS


TROUGH OF LPA, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Align planting schedules with updated weather forecasts to maximize water availability and avoid drought or flood periods.
- Clean canals, dikes, and drainage paths to prevent water from building up, which can damage plant roots and reduce harvest.
- Strengthen seedbeds and cover young plants with plastic or other protection to shield them from heavy rain.
- Store seeds, fertilizers, and harvested crops in dry, raised, and covered places to avoid spoilage.
- Apply fertilizer during dry weather to prevent it from being washed away; it's better to apply it in parts rather than all at once.
- Check and repair greenhouses, trellises, animal shelters, and storage areas for any damage caused by wind or rain.

FARM ADVISORY

SOIL MOISTURE CONDITION

(June 11 – 20, 2025)



Legend
 DRY (0-75mm)
 MOIST (76mm-150mm)
 WET (>150mm)

Wet – Ilocos Region, Basco, Cordillera Administrative Region, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, Mindoro Provinces, Northern Palawan, Albay, Catanduanes, Western Visayas, Siquijor, Negros Oriental, Eastern Visayas, Zamboanga del Norte, Northern Mindanao, Davao del Norte, Surigao del Sur, and BARM

Moist – Itbayat, Calayan, Nueva Ecija, Rizal, Laguna, Cavite, Rest of Palawan, Romblon, Camarines Norte, Masbate, Sorsogon, rest of Central Visayas, Southern Leyte, Zamboanga del Sur, Davao del Sur, and Surigao del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 25 June 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will prevail over the **entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.0°C (Tuguegarao City, 1983)	Maximum Temperature	41.0°C (Tuguegarao City, 1915)
Minimum Temperature	12.6 °C (Malaybalay, 1962)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	262.6 mm (Iba, Zambales 1984)	Rainfall	1085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: **NRE / ARL**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 151

Inilabas ng: 7:00 AM, Martes, 01 Hulyo 2025

May bisa hanggang: 7:00 AM, Miyerkules, 02 Hulyo 2025

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area ay tinatayang nasa 650 km silangan ng infanta, Quezon (14.7°N, 127.7°E). Habagat ang nakakaapekto sa Kabisayaan, Mindanao, Gitnang Luzon, at Katimugang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mabab ang Bukirin	Mataas na Bukirin		
Rehiyon ng Bicol, Isabela, Quirino, Aurora, at Quezon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Isabela, Quirino, at Aurora - Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog silangan; Rehiyon ng Bicol at Quezon – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	22 – 33	20 – 31	70 – 99	4 – 8
Metro Manila, Kabisayaan, MIMAROPA, Zamboanga Peninsula, Northern Mindanao, Caraga, natitirang bahagi ng Gintang Luzon at CALABARZON	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Natitirang bahagi ng Gintang Luzon – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog silangan; Metro Manila, Kabisayaan, MIMAROPA, Zamboanga Peninsula, Northern Mindanao, Caraga, at CALABARZON – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	23 – 33	20 – 31	70 – 98	4 – 8
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	22 – 33	13 – 33	55 – 97	0 – 6



Natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Natitirang bahagi ng Hilagang Luzon – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog silangan Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	22 – 35	13 – 33	55 – 97	0 – 4
-----------------------------------	--	---	---------	---------	---------	-------


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TROUGH NG LPA, HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itugma ang iskedyul ng pagtatanim sa mga pinakabagong ulat ng panahon upang mapakinabangan ang tubig at maiwasan ang tagtuyot o pagbaha.
- Linisin ang mga kanal, dike, at mga daanan ng tubig upang maiwasan ang pag-ipon ng tubig na maaaring makasira sa ugat ng halaman at magpababa ng ani.
- Palakasin ang mga seedbed at takpan ang mga batang tanim ng plastik o ibang proteksyon upang maprotektahan mula sa malakas na ulan.
- Itabi ang mga binhi, pataba, at aning pananim sa mga tuyong lugar na mataas at may takip upang maiwasan ang pagkasira.
- Maglagay ng pataba tuwing tuyong panahon upang maiwasan ang pagkalaba nito; mas mainam na ipamahagi ito ng paunti-unti kaysa sabay-sabay.
- Suriin at ayusin ang mga greenhouse, trellis, kulungan ng hayop, at mga imbakan para sa anumang pinsala dulot ng hangin o ulan.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Hunyo 1 – 10, 2025)



Basa – Rehiyon ng Ilocos, Basco, Rehiyon ng Cordillera, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, mga probinsya ng Mindoro, Hilagang Palawan, Albay, Catanduanes, Kanlurang Kabisayaan, Siquijor, Negros Oriental, Silangang Kabisayaan, Zamboanga del Norte, Hilagang Mindanao, Davao del Norte, Surigao del Sur, at BARM

Katamtaman – Itbayat, Calayan, Nueva Ecija, Rizal, Laguna, Cavite, natitirang bahagi ng Palawan, Romblon, Camarines Norte, Masbate, Sorsogon, natitirang bahagi ng Gitnang Kabisayaan, Katimugang Leyte, Zamboanga del Sur, Davao

ENSO ALERT SYSTEM STATUS (mula noong 25 Hunyo 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang



del Sur, at Surigao del Norte

Tuyo – Natitirang bahagi ng bansa

makagawa ng matalino at napapanahong desisyon sa pagsasaka.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.0°C (Tuguegarao City, 1983)	Pinakamataas na Temperatura	41.0°C (Tuguegarao City, 1915)
Pinakamababang Temperatura	12.6 °C (Malaybalay, 1962)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	262.6 mm (Iba, Zambales 1984)	Pinakamaraming Ulan	1085.8 mm (Baguio City, 2001)

INIHANDA HANDA/INI-UPLOAD NINA: **NRE / ARL**

BINIGYANG PANSIN NI: **MEVT**