



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 070

Issued: 7:00 AM, Monday, 24 March 2025

Valid until: 7:00 AM, Tuesday, 25 March 2025

**SYNOPSIS:** Intertropical Convergence Zone (ITCZ) affecting southern Mindanao. Northeast Monsoon affecting Northern Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Davao Region, Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Bicol Region, Western Visayas, Northern Samar, Eastern Samar, Samar, Romblon, and Palawan</b>	Cloudy skies with scattered rains and thunderstorms	<b>Davao Region, Bicol Region, Northern Samar, Eastern Samar, Samar</b> – Moderate from east to northeast; <b>Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Western Visayas, Romblon, Palawan</b> – Light to moderate from east to northeast	23 – 33	21 – 31	60 – 98	4 – 8
<b>Ilocos Region, Cordillera Administrative Region, and Cagayan Valley</b>	Partly cloudy to cloudy skies with isolated light rains	<b>Cagayan Valley</b> – Moderate from east to northeast; <b>Ilocos Region, Cordillera Administrative Region</b> – Light to moderate from east to northeast	21 – 32	13 – 30	55 – 96	0 – 6
<b>Metro Manila and the rest of the country</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	<b>The eastern section of the country</b> – Moderate from east to northeast; <b>The rest of the country</b> – Light to moderate from east to northeast	22 – 34	20 – 32	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
<b>ITCZ, EASTERLIES, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS</b> <ul style="list-style-type: none"> <li>Adjust irrigation schedules to reduce water loss from evaporation.</li> <li>Improve air circulation to prevent plant diseases caused by high humidity.</li> <li>Avoid excessive watering to minimize the risk of fungal infections.</li> <li>Avoid fieldwork during severe weather, as sudden heavy rains and lightning may occur.</li> <li>Harvest mature crops in advance if heavy rainfall is expected to</li> </ul>	<p>The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature</p> <p><a href="https://www.pagasa.dost.gov.ph/climate/climate-heat-index">https://www.pagasa.dost.gov.ph/climate/climate-heat-index</a></p>




prevent losses.

- Ensure proper drying and storage of produce to prevent moisture buildup and mold formation.
- Clear blockages in canals and dikes to maintain proper drainage and prevent waterlogging.

## FARM ADVISORY

### SOIL MOISTURE CONDITION

(March 1 – 10, 2025)



**Wet** – Aurora, most parts of Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Eastern Visayas, and rest of Caraga

**Moist** – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, and BARMM

**Dry** – Rest of the country

### ENSO ALERT SYSTEM STATUS

(updated: 18 March 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Clear and maintain drainage canals, ditches, and waterways to prevent waterlogging and root rot. Excessive rain can leach nutrients from the soil. Apply slow-release or organic fertilizers to maintain soil fertility. Avoid applying fertilizers before heavy rains to prevent nutrient loss. Inspect and repair farmhouses, storage facilities, and greenhouses to prevent damage from prolonged wet conditions.

## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

No Gale Warning raised.

Moderate seas will be experienced over **the eastern section of the country** while slight to moderate seas will prevail over **the rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

### DAILY EXTREMES

### MONTHLY EXTREMES

Maximum Temperature	38.9 °C (Tuguegarao City, 1961)	Maximum Temperature	40.0 °C (Tuguegarao City, 1978)
Minimum Temperature	10.5 °C (Baguio City, 1971)	Minimum Temperature	7.4 °C (Baguio City, 1963)
Rainfall	316.9 mm (Daet, 1980)	Rainfall	401.0 mm (Casiguran, 1971)

PREPARED/UPLOADED BY: MTR / RVDD

VERIFIED BY: MEVT



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 070

Inilabas ng: 7:00 AM, Lunes, 24 Marso 2025

May bisa hanggang: 7:00 AM Martes, 22 Marso 2025

**SYNOPSIS:** Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa katimugan ng Mindanao. Amihan ang nakakaapekto sa Hilagang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Rehiyon ng Davao, Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Rehiyon ng Bicol, Kanlurang Kabisayaan, Hilagang Samar, Silangang Samar, Samar, Romblon, at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Rehiyon ng Davao, Rehiyon ng Bicol, Hilagang Samar, Silangang Samar, Samar</b> –Katamtaman mula silangan hanggang hilagang silangan;  <b>Zamboanga Peninsula, SOCCSKSARGEN, BARMM, Kanlurang Kabisayaan, Romblon, Palawan</b> – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 33	21 – 31	60 – 98	4 – 8
Rehiyon ng Ilocos, Rehiyon ng Cordillera, Lambak ng Cagayan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	<b>Lambak ng Cagayan</b> – Katamtaman mula silangan hanggang hilagang silangan;  <b>Rehiyon ng Ilocos, Rehiyon ng Cordillera</b> – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	21 – 32	13 – 30	55 – 96	0 – 6
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	<b>Silangang bahagi ng bansa</b> –Katamtaman mula silangan hanggang hilagang silangan;  <b>Natitirang bahagi ng bansa</b> – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 34	20 – 32	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
<b>ITCZ, EASTERLIES, AMIHAN, AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN</b> <ul style="list-style-type: none"><li>Ayusin ang iskedyul ng patubig upang mabawasan ang pagkawala ng tubig dahil sa pagsingaw.</li><li>Pagbutihin ang daloy ng hangin sa pananim upang maiwasan ang sakit dulot ng mataas na halumigmig.</li><li>Iwasan ang sobrang pagdidilig upang hindi magkaroon ng amag at iba pang impeksyon sa halaman.</li><li>Iwasan ang pagtatrabaho sa bukid kapag may</li></ul>	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. <a href="https://www.pagasa.dost.gov.ph/climate/climate-heat-index">https://www.pagasa.dost.gov.ph/climate/climate-heat-index</a>




matinding panahon, dahil maaaring biglang bumuhos ang malakas na ulan at may kasamang pagkidlat.

- Anihin nang maaga ang hinog na pananim kung inaasahan ang malakas na ulan upang maiwasan ang pagkalugi.
- Siguraduhing maayos ang pagpapatuyo at imbakan ng ani upang maiwasan ang sobrang kahalumigmigan at pagkakaroon ng amag.
- Linisin ang mga kanal at pilapil upang mapanatili ang maayos na daloy ng tubig at maiwasan ang pagbaha sa sakahan.

## PAYONG PANGSAKAHAN

### KALAGAYAN NG LUPANG SAKAHAN (Marso 1 – 10, 2025)



**Basa** – Aurora, malaking bahagi ng Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Silangang Kabisayaan, at natitirang bahagi ng Caraga

**Katamtaman** – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, at BARMM

**Tuyo** – Natitirang bahagi ng bansa

### ENSO ALERT SYSTEM STATUS

(mula noong 19 Marso 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Linisin at panatiliing maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pagbaha at pagkabulok ng ugat ng pananim. Ang sobrang ulan ay maaaring magtangay ng mahahalagang sustansya mula sa lupa. Maglagay ng slow-release o organikong pataba upang mapanatili ang fertility ng lupa. Iwasan ang paglalagay ng pataba bago ang malalakas na pag-ulan upang maiwasan ang pagkawala ng sustansya. Suriin at kumpunihin ang mga bahay-sakahan, imbakan, at greenhouse upang maiwasan ang pinsala mula sa matagalang pag-ulan.

## PAYO SA MGA MANGINGISDA

### GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman na karagatan ang inaasahan sa **silangang bahagi ng bansa** samantala, banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral **sa natitirang baybayin ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

### DAGDAG KAALAMAN

#### DAILY EXTREMES

Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1961)
Pinakamababang Temperatura	10.5 °C (Baguio City, 1971)
Pinakamaraming Ulan	316.9 mm (Daet, 1980)

#### MONTHLY EXTREMES

Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1978)
Pinakamababang Temperatura	7.4 °C (Baguio City, 1963)
Pinakamaraming Ulan	401.0 mm (Casiguran, 1971)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / RVDD**

BINIGYANG PANSIN NI: **MEVT**