



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 074

Issued: 7:00 AM, Friday, 28 March 2025

Valid until: 7:00 AM, Saturday, 29 March 2025


SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 95 km East of Hinatuan, Surigao del Sur (8.3°N, 127.2°E).

| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (°C) | | RH% | LEAF WETNESS (HRS) |
|--|--|--|------------------|---------|---------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Caraga, Eastern Visayas, Albay, Sorsogon, Masbate, and Catanduanes | Cloudy skies with scattered rains and thunderstorms | Light to moderate from east to northeast | 23 – 33 | 21 – 30 | 70 – 98 | 4 – 8 |
| Metro Manila and the rest of the country | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | The rest of Southern Luzon and Mindanao – Light to moderate from east to northeast; | 22 – 36 | 14 – 31 | 55 – 96 | 0 – 4 |
| | | Extreme Northern Luzon – Light to moderate from southeast to south; | | | | |
| | | Rest of the country – Light to moderate from east to southeast | | | | |

FARM ADVISORY

SOIL MOISTURE CONDITION

(March 11 – 20, 2025)



Wet – Aurora, most parts of Quezon, Albay, Catanduanes, Sorsogon, Eastern Visayas, Davao del Norte, Surigao del Norte, Surigao del Sur, Marawi

Moist – Calayan, Aparri, Nueva Vizcaya, Tayabas, Oriental Mindoro, Romblon, Palawan, Camarines Norte, Camarines Sur, Masbate, Zamboanga del Norte, SOCCSKSARGEN, rest of Caraga, Rest of BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 18 March 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Clear and maintain drainage canals, ditches, and waterways to prevent waterlogging and root rot. Excessive rain can leach nutrients from the soil. Apply slow-release or organic fertilizers to maintain soil fertility. Avoid applying fertilizers before heavy rains to prevent nutrient loss. Inspect and repair farmhouses, storage facilities, and greenhouses to prevent damage from prolonged wet conditions.



| AREAS AFFECTED BY THE WEATHER SYSTEMS | HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST) |
|--|---|
| LPA, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none">• Apply organic matter such as compost or mulch to improve soil fertility and moisture retention.• Rotate crops to prevent soil depletion and reduce pest and disease buildup.• Avoid excessive fertilizer application to prevent nutrient leaching and water contamination.• Utilize rainwater harvesting techniques to supplement irrigation.• Process surplus harvests (e.g., drying, fermenting, or preserving) to extend shelf life and reduce waste. | The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature https://www.pagasa.dost.gov.ph/climate/climate-heat-index |

| FISHING ADVISORY |
|--|
| GALE WARNING AND SEA CONDITION |
| No Gale Warning is raised. Slight to moderate seas will prevail over the entire archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA. |

| ADDITIONAL INFORMATION | | | |
|--|---------------------------------|--------------------------|---------------------------------|
| DAILY EXTREMES | | MONTHLY EXTREMES | |
| Maximum Temperature | 39.4 °C (Tuguegarao City, 1969) | Maximum Temperature | 40.0 °C (Tuguegarao City, 1978) |
| Minimum Temperature | 12.2 °C (Baguio City, 1961) | Minimum Temperature | 7.4 °C (Baguio City, 1963) |
| Rainfall | 228.3 mm (Infanta, 1982) | Rainfall | 401.0 mm (Casiguran, 1971) |
| PREPARED/UPLOADED BY: MGA / MAM | | VERIFIED BY: MEVT | |



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 074

Inilabas ng: 7:00 AM, Biyernes, 28 Marso 2025


May bisa hanggang: 7:00 AM Sabado, 29 Marso 2025

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa 95 km silangan ng Hinatuan, Surigao del Sur (8.3°N, 127.2°E).

| LUGAR NG PAGTAYA | LAGAY NG PANAHOON PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABA SA NG DAHON (ORAS) |
|--|---|---|-------------------|-------------------|---------|----------------------------|
| | | | Mababa ng Bukirin | Mataas na Bukirin | | |
| Caraga, Silangang Kabisayaan, Albay, Sorsogon, Masbate, at Catanduanes | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong | Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan | 23 – 33 | 21 – 30 | 70 – 98 | 4 – 8 |
| Metro manila at natitirang bahagi ng bansa | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong | Natitirang bahagi ng Katimugang Luzon at Mindanao – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan; Dulong Hilagang Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan | 22 – 36 | 14 – 31 | 55 – 96 | 0 – 4 |

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Marso 11 – 20, 2025)



Basa – Aurora, malaking bahagi ng Quezon, Albay, Catanduanes, Sorsogon, Eastern Visayas, Davao del Norte, Surigao del Norte, Surigao del Sur, Marawi

Katamtaman – Calayan, Aparri, Nueva Vizcaya, Tayabas, Oriental Mindoro, Romblon, Palawan, Camarines Norte, Camarines Sur, Masbate, Zamboanga del Norte, SOCCSKSARGEN, natitirang bahagi ng Caraga, natitirang bahagi ng BARMM

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 18 Marso 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Linisin at panatiliing maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pagbaha at pagkabulok ng ugat ng pananim. Ang sobrang ulan ay maaaring magtangay ng mahahalagang sustansya mula sa lupa. Maglagay ng slow-release o organikong pataba upang mapanatili ang fertility ng lupa. Iwasan ang paglalagay ng pataba bago ang malalakas na pag-ulan upang maiwasan ang pagkawala ng sustansya. Suriin at kumpunihin ang mga bahay-sakahan, imbakán, at greenhouse upang maiwasan ang pinsala mula sa matagalang pag-ulan.



| SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS | HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST) |
|---|---|
| LPA, EASTERLIES, AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN <ul style="list-style-type: none">• Maglagay ng organikong materyales tulad ng compost o mulch upang mapabuti ang fertility ng lupa at mapanatili ang moisture.• Magpalit-palit ng pananim upang maiwasan ang pagkaubos ng sustansya sa lupa at mabawasan ang pagdami ng peste at sakit.• Iwasan ang labis na paggamit ng pataba upang maiwasan ang pagkatagas ng sustansya at polusyon sa tubig.• Gumamit ng mga teknik sa pag-iipon ng tubig-ulan upang madagdagan ang suplay para sa irigasyon.• Iproseso ang mga sobrang ani (hal. pagpapatuyo, pagbuburo, o pagpepreserba) upang mapahaba ang shelf life at mabawasan ang pag-aaksaya. | <p>Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma nang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart.</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p> |

| PAYO SA MGA MANGINGISDA |
|---|
| GALE WARNING AT KONDISYON NG KARAGATAN |
| <p>Walang nakataas na Gale Warning.</p> <p>Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa buong kapuluan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.</p> |

| DAGDAG KAALAMAN | | | |
|--|---------------------------------|----------------------------------|---------------------------------|
| DAILY EXTREMES | | MONTHLY EXTREMES | |
| Pinakamataas na Temperatura | 39.4 °C (Tuguegarao City, 1969) | Pinakamataas na Temperatura | 40.0 °C (Tuguegarao City, 1978) |
| Pinakamababang Temperatura | 12.2 °C (Baguio City, 1961) | Pinakamababang Temperatura | 7.4 °C (Baguio City, 1963) |
| Pinakamaraming Ulan | 228.3 mm (Infanta, 1982) | Pinakamaraming Ulan | 401.0 mm (Casiguran, 1971) |
| INIHANDA HANDA/INI-UPLOAD NINA: MGA / MAM | | BINIGYANG PANSIN NI: MEVT | |