



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 225

Issued: 7:00 AM, Friday, 26 September 2025

Valid until: 7:00 AM, Saturday, 27 September 2025

SYNOPSIS: At 3:00 AM today, the center of Severe Tropical Storm "OPONG" {BUALOI} was estimated based on all available data in the vicinity of San Isidro, Northern Samar (12.3°N, 124.4°E), with maximum sustained winds of 110 km/h near the center and gustiness up to 150 km/h. It is moving West Northwestward at 30 km/h. Southwest Monsoon affecting Palawan and the western sections of Visayas and Mindanao.

| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (°C) | | RH% | LEAF WETNESS (HRS) |
|---|------------------------|--|------------------|---------|----------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Metro Manila, Eastern Visayas, Bicol Region, CALABARZON, Bataan, Bulacan, Aklan, Capiz, Antique, Iloilo, Cebu, the northern portion of Palawan, Occidental Mindoro, Oriental Mindoro, Marinduque, and Romblon | Stormy | Stormy winds | 23 – 30 | 21 – 28 | 75 - 100 | >12 |
| The rest of Central Luzon, Isabela, Quirino, Nueva Vizcaya, Mountain Province, Ifugao, Benguet, Ilocos Sur, La Union, Pangasinan, Negros Occidental, Bohol, Surigao del Norte, and Dinagat Islands | Rains with gusty winds | Gusty winds | 22 – 32 | 16 – 30 | 70 –100 | >12 |
| Zamboanga Peninsula, Northern Mindanao, the rest of Caraga, the rest of Visayas, and the rest of Palawan | Occasional rains | Zamboanga Peninsula, Northern Mindanao, the rest of Caraga, and the rest of Visayas – Moderate to strong from southwest; Rest of Palawan – Moderate to strong from east to northeast; | 22 – 32 | 21 – 29 | 65 – 99 | 8 – 12 |



| | | | | | | |
|-----------------------------|--|--|---------|---------|---------|--------|
| The rest of Luzon | Cloudy skies with scattered rains and thunderstorms | Moderate to strong from east to northeast; | 23 – 32 | 21 – 30 | 60 – 98 | 8 - 12 |
| The rest of Mindanao | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | Moderate to strong from southwest; | 23 – 32 | 20 – 30 | 50 – 97 | 4 – 8 |

AREAS AFFECTED BY THE WEATHER SYSTEMS


STS OPONG, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Check irrigation systems before heavy rains to ensure they are not clogged or damaged, preventing overflows.
- Avoid applying fertilizers or pesticides right before heavy rains, as runoff can waste inputs and pollute water sources.
- Use organic matter or compost to enrich soil and improve water retention.
- Harvest during dry weather whenever possible to maintain product quality and avoid excess moisture.
- Handle produce carefully to reduce bruising, cuts, or damage that can shorten shelf life.
- Dry grains (e.g., rice, corn) immediately after harvest using solar dryers or mechanical dryers to prevent mold and aflatoxin buildup.
- Use elevated, well-ventilated storage facilities to protect harvested crops from pests, rodents, and flooding.
- Stack sacks and crates properly with enough space for air circulation; avoid direct contact with floors or walls by using wooden pallets.
- Store fertilizers, pesticides, and chemicals separately from harvested crops to prevent contamination.
- Use waterproof tarpaulins or covered vans when transporting produce to protect them from rain and excess moisture.

FARM ADVISORY

SOIL MOISTURE CONDITION

(September 11 – 20, 2025)



Wet – Ilocos Norte, Ilocos Sur, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, CALABARZON, MIMAROPA, Bicol Region, Western Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, Caraga Region, and BARMM

Moist – Rest of Ilocos Region and most parts of Central Visayas

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 24 September 2025)

LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Farmers should clean and strengthen canals, dikes, and furrows to prevent flooding. Plant early-maturing and flood-tolerant crops to lessen losses during heavy rains. Apply fertilizer only when the weather is clear to avoid wastage. Practice crop rotation and intercropping to keep the soil healthy. Stake or tie tall crops like corn, beans, ampalaya, and tomato to stop them from falling. Watch out for pests and diseases that spread in wet fields, and harvest mature crops early before strong rains.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning was raised over **the southern seaboard of Southern Luzon and the eastern seaboard of Visayas** (Northern Samar, Eastern Samar, the western coast of Samar {Santa Rita, Talalora, Daram, Villareal, Zumarraga, Pinabacdao, Calbiga, San Sebastian, Paranas, Motiong, Jiabong, City of Catbalogan, Tarangnan, Pagsanghan, Gandara, Santa Margarita, Calbayog City}, Biliran, the northern coast of Leyte {Babatngon, San Miguel, Barugo, Carigara, Capoocan, Leyte, Calubian}, Sorsogon, Albay, the southwestern coast of Camarines Sur {Bato, Balatan, Bula, Minalabac, San Fernando, Pasacao, Libmanan, Sipocot, Lupi, Ragay, Del Gallego}, Masbate including Ticao and Burias Islands, Occidental Mindoro, Oriental Mindoro, Romblon, the southern coast of Quezon {Tagkawayan, Guinayangan, Buenavista, San Narciso, San Andres, San Francisco, Mulanay, Catanauan, General Luna, Macalelon, Pitogo, Unisan, Agdangan, Padre Burgos, Pagbilao, Lucena City, Sariaya}, the southern coast of Batangas {San Juan, Lobo, Batangas City, Mabini, Tingloy, Bauan, San Luis, Taal, Lemery, Calaca, Balayan, Calatagan}) and **the western seaboard of Central Luzon, the eastern and western seaboard of Southern Luzon, and the central and western seaboard of Visayas** (Zambales, Bataan, Metro Manila, the northern coast of Quezon {Calauag, Lopez, Gumaca, Quezon, Alabat, Perez, Plaridel, Atimonan, Mauban, Real, Infanta, General Nakar} including Polillo Islands, Cavite, the western coast of Batangas {Lian, Nasugbu}, Catanduanes, the northern coast of Camarines Sur {Sagñay, Tigaon, San Jose, Presentacion, Caramoan, Garchitorena, Lagonoy, Tinambac, Siruma, Calabanga, Cabusao, Sipocot}, Camarines Norte, Aklan, Capiz, Antique, Iloilo, Negros Occidental, the northern coast of Cebu {Medellin, Daanbantayan, City of Bogu, San Remigio, Tabogon, Borbon, Tabuelan, Sogod, Catmon} including Bantayan and Camotes Islands, and the western coast of Leyte {San Isidro, Tabango, Villaba, Matag-Ob, Palompon, Isabel, Merida, Ormoc City, Albueria, City of Baybay, Inopacan, Hindang, Hilongos, Bato, Matalom}, Calamian Islands, and Cuyo Islands).

Moderate to rough seas will prevail over **the rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

| DAILY EXTREMES | | MONTHLY EXTREMES | |
|---------------------|---------------------------------|---------------------|---------------------------------|
| Maximum Temperature | 37.8 °C (Tuguegarao City, 1915) | Maximum Temperature | 38.9 °C (Tuguegarao City, 1963) |
| Minimum Temperature | 11.4 °C (Baguio City, 2012) | Minimum Temperature | 12.6 °C (Baguio City, 1990) |
| Rainfall | 455 mm (Science Garden, 2009) | Rainfall | 799.8 mm (Baguio City, 1911) |

PREPARED/UPLOADED BY: **MGA / RVDD**

VERIFIED BY: **RAMF**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 225

Inilabas ng: 7:00 AM, Biyernes, 26 Setyembre 2025 May bisa hanggang: 7:00 AM, Sabado, 27 Setyembre 2025

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Severe Tropical Storm "OPONG" {BUALOI} ay tinatayang nasa paligid ng San Isidro, Northern Samar (12.3°N, 124.4°E) na may lakas ng hangin na 110 km/h malapit sa gitna at pagbugso na umaabot sa 150 km/h. Ito ay kumikilos patungo sa kanluran hilagang-kanluran sa bilis na 30 km/h. Habagat ang nakakaapekto sa Palawan at kanlurang bahagi ng Kabisayaan at Mindanao.

| LUGAR NG PAGTAYA | LAGAY NG PANAHON PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABA SA NG DAHON (ORAS) |
|---|--------------------------------------|---|---------------------|-------------------------|----------|-------------------------------------|
| | | | Mababang Bukirin | Mababa ng Bukirin | | |
| Metro Manila, Silangang Kabisayaan, Rehiyon ng Bicol, CALABARZON, Bataan, Bulacan, Aklan, Capiz, Antique, Iloilo, Cebu, hilagang bahagi ng Palawan, Occidental Mindoro, Oriental Mindoro, Marinduque, at Romblon | Masungit na panahon | Masungit na panahon | 23 – 30 | 21 – 28 | 75 - 100 | >12 |
| Natitirang bahagi ng Gitnang Luzon, Isabela, Quirino, Nueva Vizcaya, Mountain Province, Ifugao, Benguet, Ilocos Sur, La Union, Pangasinan, Negros Occidental, Bohol, Surigao del Norte, at mga isla ng Dinagat | Maulan na may pagbugso ng hangin | Pabugso-bugsong hangin | 22 – 32 | 16 – 30 | 70 – 100 | >12 |
| Zamboanga Peninsula, Hilagang Mindanao, natitirang bahagi ng Caraga, natitirang bahagi ng Kabisayaan, at natitirang bahagi ng Palawan | Paminsan-minsang pag-ulan | Zamboanga Peninsula, Hilagang Mindanao, natitirang bahagi ng Caraga, at natitirang bahagi ng Kabisayaan – Katamtaman hanggang sa malakas mula timog- kanluran; Natitirang bahagi ng Palawan – Katamtaman hanggang sa | 22 – 32 | 21 – 29 | 65 – 99 | 8 – 12 |



| | | | | | | |
|--------------------------------------|---|--|---------|---------|---------|--------|
| | | malakas mula silangan hanggang hilagang silangan; | | | | |
| Natitirang bahagi ng Luzon | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong | Katamtaman hanggang sa malakas mula silangan hanggang hilagang silangan; | 23 – 32 | 21 – 30 | 60 – 98 | 8 - 12 |
| Natitirang bahagi ng Mindanao | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong | Katamtaman hanggang sa malakas mula timog-kanluran; | 23 – 32 | 20 – 30 | 50 – 97 | 4 – 8 |

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

STS OPONG, HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Suriin ang mga sistema ng irigasyon bago ang malalakas na ulan upang matiyak na hindi ito barado o sira, at maiwasan ang sobrang pag-apaw.
- Iwasang maglagay ng pataba o pestisidyo bago ang malalakas na ulan, dahil maaaring tangayin lamang ito at makapagdulot ng polusyon sa mga daluyan ng tubig.
- Gumamit ng organikong pataba o kompost upang mapayaman ang lupa at mapanatili ang tamang halumigmig.
- Mag-ani sa tuyo o maaraw na panahon hangga't maaari upang mapanatili ang kalidad ng produkto at maiwasan ang sobrang halumigmig.
- Hawakan nang maingat ang mga ani upang maiwasan ang pagkadurog, pagkagassgas, o pagkasira na nakababawas sa tagal ng imbakan.
- Patuyuin agad ang mga butil (hal. palay, mais) pagkatapos anihin gamit ang solar dryer o mechanical dryer upang maiwasan ang amag at aflatoxin.
- Gumamit ng mataas at maaliwalas na imbakan upang maprotektahan ang mga ani laban sa peste, daga, at pagbaha.
- Ayusin nang maayos ang pagkakapatong ng mga sako at kahon at maglaan ng espasyo para sa sirkulasyon ng hangin; gumamit ng papag upang hindi direktang nakalapat sa sahig o dingding.
- Itabi nang hiwalay ang mga pataba, pestisidyo, at kemikal mula sa mga inaning produkto upang maiwasan ang kontaminasyon.
- Gumamit ng waterproof na tolda o saradong van sa pagdadala ng ani upang maprotektahan ito laban sa ulan at sobrang halumigmig.



| PAYONG PANGSAKAHAN | |
|---|--|
| KALAGAYAN NG LUPANG SAKAHAN (Setyembre 11 – 20, 2025) | ENSO ALERT SYSTEM STATUS (mula noong 24 Setyembre 2025) |
| <p>Basa – Ilocos Norte, Ilocos Sur, Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, CALABARZON, MIMAROPA, Rehiyon ng Bicol, Kanlurang Kabisayaan, Silangang Kabisayaan, Zamboanga Peninsula, Hilagang Mindanao, Davao del Norte, Rehiyon ng Caraga, at BARMM</p> <p>Katamtaman – Natitirang bahagi ng Rehiyon ng Ilocos at malaking bahagi ng Gitnang Kabisayaan</p> <p>Tuyo – Natitirang bahagi ng bansa</p> | <p>LA NIÑA ALERT</p> <p>https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring</p> <p>Dapat linisin at patibayin ng mga magsasaka ang mga kanal, pilapil, at tudling upang maiwasan ang pagbaha. Mainam ding magtanim ng mga pananim na maagang mahinog at matibay sa baha upang mabawasan ang pagkalugi sa malalakas na ulan. Mag-abono lamang kapag maliwanag ang panahon upang hindi masayang, at isagawa ang crop rotation at intercropping upang mapanatiling mataba at malusog ang lupa. Talian o suportahan ang matatangkad na pananim gaya ng mais, sitaw, ampalaya, at kamatis upang hindi mabuwal. Bukod dito, magbantay laban sa mga peste at sakit na mabilis kumalat sa basang bukirin, at anihin agad ang mga hinog na pananim bago pa man dumating ang malalakas na pag-ulan.</p> |

| PAYO SA MGA MANGINGISDA |
|--|
| GALE WARNING AT KONDISYON NG KARAGATAN |
| <p>Nakataas ang Gale Warning sa katimugang baybayin ng Katimugang Luzon at silangang baybayin ng Kabisayaan (Hilagang Samar, Silangang Samar, kanlurang baybayin ng Samar {Santa Rita, Talalora, Daram, Villareal, Zumarraga, Pinabacdao, Calbiga, San Sebastian, Paranas, Motiong, Jiabong, City of Catbalogan, Tarangnan, Pagsanghan, Gandara, Santa Margarita, Calbayog City}, Biliran, hilagang baybayin ng Leyte {Babatngon, San Miguel, Barugo, Carigara, Capoocan, Leyte, Calubian}, Sorsogon, Albay, timog-kanlurang baybayin ng Camarines Sur {Bato, Balatan, Bula, Minalabac, San Fernando, Pasacao, Libmanan, Sipocot, Lupi, Ragay, Del Gallego}, Masbate kasama ang mga isla ng Ticao at Burias, Occidental Mindoro, Oriental Mindoro, Romblon, katimugang baybayin ng Quezon {Tagawayan, Guinayangan, Buenavista, San Narciso, San Andres, San Francisco, Mulanay, Catanaun, General Luna, Macalelon, Pitogo, Unisan, Agdangan, Padre Burgos, Pagbilao, Lucena City, Sariaya}, katimugang baybayin ng Batangas {San Juan, Lobo, Batangas City, Mabini, Tingloy, Bauan, San Luis, Taal, Lemery, Calaca, Balayan, Calatagan}) at kanlurang baybayin ng Gitnang Luzon, Silangan at kanlurang baybayin ng Katimugang Luzon, at gitna at kanlurang baybayin ng Kabisayaan (Zambales, Bataan, Metro Manila, hilagang baybayin ng Quezon {Calauag, Lopez, Gumaca, Quezon, Alabat, Perez, Plaridel, Atimonan, Mauban, Real, Infanta, General Nakar} kasama ang mga isla ng Polillo, Cavite, kanlurang baybayin ng Batangas {Lian, Nasugbu}, Catanduanes, hilagang baybayin ng Camarines Sur {Sagñay, Tigaon, San Jose, Presentacion, Caramoan, Garchitorena, Lagonoy, Tinambac, Siruma, Calabanga, Cabusao, Sipocot}, Camarines Norte, Aklan,</p> |



Capiz, Antique, Iloilo, Negros Occidental, hilagang baybayin ng Cebu {Medellin, Daanbantayan, City of Bogu, San Remigio, Tabogon, Borbon, Tabuelan, Sogod, Catmon} kasama ang Bantayan at Camotes Islands, at kanlurang baybayin ng Leyte {San Isidro, Tabango, Villaba, Matag-Ob, Palompon, Isabel, Merida, Ormoc City, Albueria, City of Baybay, Inopacan, Hindang, Hilongos, Bato, Matalom}, Calamian Islands, at Cuyo Islands)

Katamtaman hanggang sa maalon na karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

| DAGDAG KAALAMAN | | | |
|---|---------------------------------|----------------------------------|---------------------------------|
| DAILY EXTREMES | | MONTHLY EXTREMES | |
| Pinakamataas na Temperatura | 37.8 °C (Tuguegarao City, 1915) | Pinakamataas na Temperatura | 38.9 °C (Tuguegarao City, 1963) |
| Pinakamababang Temperatura | 11.4 °C (Baguio City, 2012) | Pinakamababang Temperatura | 12.6 °C (Baguio City, 1990) |
| Pinakamaraming Ulan | 455 mm (Science Garden, 2009) | Pinakamaraming Ulan | 799.8 mm (Baguio City, 1911) |
| INIHANDA HANDA/INI-UPLOAD NINA: MGA / RVDD | | BINIGYANG PANSIN NI: RAMF | |