



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 067

Issued: 7:00 AM, Thursday, 20 March 2025

Valid until: 7:00 AM, Friday, 21 March 2025


SYNOPSIS: Northeast Monsoon affecting Luzon. Shear Line affecting the eastern section of Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Visayas, Caraga, Sorsogon, and Masbate	Cloudy skies with scattered rains and isolated thunderstorms	Eastern Visayas, Sorsogon, and Masbate – Strong from northeast; Caraga and rest of Visayas – Light to moderate from northeast	24 – 33	22 – 30	70 – 98	8 – 12
Cagayan Valley, Apayao, Aurora, Quezon, and the rest of Bicol Region	Cloudy skies with rains	Strong from northeast	19 – 30	18 – 26	65 – 98	4 – 8
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated light rains	Ilocos Region and Cordillera Administrative Region – Strong from northeast; Rest of Luzon – Moderate to strong from northeast	22 – 34	14 – 28	55 – 97	0 – 4
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast	22 – 34	21 – 32	45 – 96	0 – 4

FARM ADVISORY

SOIL MOISTURE CONDITION

(March 1 – 10, 2025)



Wet – Aurora, most parts of Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Eastern Visayas, and rest of Caraga

Moist – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, and BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(as of 06 March 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Clear and maintain drainage canals, ditches, and waterways to prevent waterlogging and root rot. Excessive rain can leach nutrients from the soil. Apply slow-release or organic fertilizers to maintain soil fertility. Avoid applying fertilizers before heavy rains to prevent nutrient loss. Inspect and repair farmhouses, storage facilities, and greenhouses to prevent damage from prolonged wet conditions.



AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
NORTHEAST MONSOON, SHEAR LINE, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none">• Apply organic matter such as compost or mulch to improve soil fertility and moisture retention.• Rotate crops to prevent soil depletion and reduce pest and disease buildup.• Avoid excessive fertilizer application to prevent nutrient leaching and water contamination.• Utilize rainwater harvesting techniques to supplement irrigation.• Process surplus harvests (e.g., drying, fermenting, or preserving) to extend shelf life and reduce waste.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature https://www.pagasa.dost.gov.ph/climate/climate-heat-index

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
Gale Warning is raised over the eastern seaboard s of Southern Luzon and Visayas (the northern and eastern coasts of Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}, the eastern coast of Albay {Rapu-Rapu}, the eastern coast of Sorsogon {Prieto Diaz, Gubat, Barcelona, Bulusan}, the northern and eastern coasts of Northern Samar {Biri, San Jose, Bobon, Catarman, Mondragon, San Roque, Pambujan, Laoang, Palapag, Mapanas, Gamay, Lapinig} and the eastern coast of Eastern Samar {Arteche, San Policarpo, Oras, Dolores, Can-avid, Taft, Sulat, San Julian, and City of Borongan}, and the western seaboard of Northern Luzon (the western coast of Ilocos Norte {Paguin, Bacarra, Laoag City, Paoay, Currimao, Pinili, Badoc}). Rough seas will be experienced over the seaboard s of Northern Luzon and the eastern sections of Southern Luzon and Visayas while moderate to rough seas are expected over the remaining seaboard s of Luzon . Slight to moderate seas will prevail over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.9 °C (Tuguegarao City, 1961)	Maximum Temperature	40.0 °C (Tuguegarao City, 1978)
Minimum Temperature	11.0 °C (Baguio City, 1971)	Minimum Temperature	7.4 °C (Baguio City, 1963)
Rainfall	172.0 mm (Catarman, 2012)	Rainfall	401.0 mm (Casiguran, 1971)
PREPARED/UPLOADED BY: RAAM / JOT		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 067

Inilabas ng: 7:00 AM, Huwebes, 20 Marso 2025

May bisa hanggang: 7:00 AM Biyernes, 21 Marso 2025

SYNOPSIS: Amihan ang nakakaapekto sa Luzon. Shear Line ang nakakaapekto sa silangang bahagi ng Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Kabisayaan, Caraga, Sorsogon, at Masbate	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulu-pulong pagkidlat-pagkulong	Silangang Kabisayaan, Sorsogon, at Masbate – Malakas mula hilagang silangan; Caraga at natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula hilagang silangan	24 – 33	22 – 30	70 – 98	8 – 12
Lambak ng Cagayan, Apayao, Aurora, Quezon, at natitirang bahagi ng Rehiyon ng Bicol	Maulap na kalangitan na may pag-ulan	Malakas mula hilagang silangan	19 – 30	18 – 26	65 – 98	4 – 8
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Rehiyon ng Ilocos at Cordillera Administrative Region – Malakas mula hilagang silangan; Natitirang bahagi ng Luzon – Katamtaman hanggang sa malakas mula hilagang silangan	22 – 34	14 – 28	55 – 97	0 – 4
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	22 – 34	21 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
AMIHAN, SHEAR LINE, EASTERLIES, AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN <ul style="list-style-type: none">Maglagay ng organikong materyales tulad ng compost o mulch upang mapabuti ang fertility ng lupa at mapanatili ang moisture.Magpalit-palit ng pananim upang maiwasan ang pagkaubos ng sustansya sa lupa at mabawasan ang pagdami ng peste at sakit.Iwasan ang labis na paggamit ng pataba upang maiwasan ang pagkatagas ng sustansya at polusyon sa tubig.Gumamit ng mga teknik sa pag-iipon ng tubig-ulan upang madagdagan ang suplay para sa irigasyon.Iproseso ang mga sobrang ani (hal. pagpapatuyo,	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akmang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index




pagbuburo, o pagpepreserba) upang mapahaba ang shelf life at mabawasan ang pag-aaksaya.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Marso 1 – 10, 2025)



Basa – Aurora, malaking bahagi ng Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Silangang Kabisayaan, at natitirang bahagi ng Caraga


Katamtaman – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, at BARMM

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS

(mula noong 06 Marso 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Linisin at panatiliing maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pagbaha at pagkabulok ng ugat ng pananim. Ang sobrang ulan ay maaaring magtangay ng mahahalagang sustansya mula sa lupa. Maglagay ng slow-release o organikong pataba upang mapanatili ang fertility ng lupa. Iwasan ang paglalagay ng pataba bago ang malalakas na pag-ulan upang maiwasan ang pagkawala ng sustansya. Suriin at kumpunihin ang mga bahay-sakahan, imbakan, at greenhouse upang maiwasan ang pinsala mula sa matagalang pag-ulan.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa **silangang baybayin ng Katimugang Luzon at Kabisayaan (hilaga at silangang mga baybayin ng Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}, silangang baybayin ng Albay {Rapu-Rapu}, silangang baybayin ng Sorsogon {Prieto Diaz, Gubat, Barcelona, Bulusan}, at hilaga at silangang mga baybayin ng Northern Samar {Biri, San Jose, Bobon, Catarman, Mondragon, San Roque, Pambujan, Laoang, Palapag, Mapanas, Gamay, Lapinig} at silangang baybayin ng Eastern Samar {Arteche, San Policarpo, Oras, Dolores, Can-avid, Taft, Sulat, San Julian, and City of Borongan}, at kanlurang baybayin ng Hilagang Luzon (kanlurang baybayin ng Ilocos Norte {Pasquin, Bacarra, Laoag City, Paoay, Currimao, Pinili, Badoc}.**

Maalon na karagatan ang mararanasan sa **mga baybayin ng Hilagnag Luzon at silangang bahagi ng Katimugang Luzon at Kabisayaan** samantalang katamtaman hanggang sa maalon na karagatan ang inaasahan sa **natitirang baybayin ng Luzon**. Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **natitirang baybayin ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1961)
Pinakamababang Temperatura	11.0 °C (Baguio City, 1971)
Pinakamaraming Ulan	172.0 mm (Catarman, 2012)

MONTHLY EXTREMES

Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1978)
Pinakamababang Temperatura	7.4 °C (Baguio City, 1963)
Pinakamaraming Ulan	401.0 mm (Casiguran, 1971)

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / JOT**

BINIGYANG PANSIN NI: **MEVT**