



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 065

Issued: 7:00 AM, Tuesday, 18 March 2025

Valid until: 7:00 AM, Wednesday, 19 March 2025

**SYNOPSIS:** Northeast Monsoon affecting Luzon. Easterlies affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Zamboanga Peninsula, Basilan, Sulu, and Tawi-Tawi</b>	Cloudy skies with scattered rains and thunderstorms	Light to moderate from northeast	23 – 33	21 – 30	70 – 98	0 – 4
<b>Cagayan Valley, Aurora, and Quezon</b>	Cloudy skies with rains	<b>Cagayan Valley</b> – Strong to gale from northeast  <b>Aurora and Quezon</b> – Moderate to strong from northeast	19 – 30	17 – 28	65 – 98	2 – 6
<b>Metro Manila and the rest of Luzon</b>	Partly cloudy to cloudy skies with isolated light rains	<b>The rest of Northern Luzon</b> – Strong to gale from northeast; <b>The rest of Central Luzon and the rest of the eastern section of Southern Luzon</b> – Moderate to strong from northeast; <b>Metro Manila and the rest of Luzon</b> – Light to moderate from northeast	20 – 35	13 – 31	55 – 96	0 – 6
<b>The rest of the country</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast	22 – 35	20 – 32	55 – 96	0 – 4


AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
<b>NORTHEAST MONSOON, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS</b> <ul style="list-style-type: none"><li>Retain soil moisture by applying rice straw or organic materials to reduce evaporation.</li><li>Irrigate efficiently by watering crops early in the morning or late in the afternoon. Use drip irrigation to minimize water loss.</li><li>Provide shade by installing shade nets or intercropping with taller plants to protect heat-sensitive crops.</li><li>Prevent heat stress by maintaining adequate but not excessive soil moisture.</li><li>Ensure worker safety by setting up shaded or ventilated resting areas.</li><li>Monitor for heat-related illnesses such as dizziness, nausea, excessive sweating, or confusion, and take immediate action to cool down.</li></ul>	<p>The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature</p> <p><a href="https://www.pagasa.dost.gov.ph/climate/climate-heat-index">https://www.pagasa.dost.gov.ph/climate/climate-heat-index</a></p>



## FARM ADVISORY

### SOIL MOISTURE CONDITION

(March 1 – 10, 2025)



**Wet** – Aurora, most parts of Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Eastern Visayas, and rest of Caraga


**Moist** – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, and BARMM

**Dry** – Rest of the country

### ENSO ALERT SYSTEM STATUS

(as of 06 March 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Clear and maintain drainage canals, ditches, and waterways to prevent waterlogging and root rot. Excessive rain can leach nutrients from the soil. Apply slow-release or organic fertilizers to maintain soil fertility. Avoid applying fertilizers before heavy rains to prevent nutrient loss. Inspect and repair farmhouses, storage facilities, and greenhouses to prevent damage from prolonged wet conditions.

## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

Gale Warning is raised over **the northern and western seaboard of Northern Luzon (Ilocos Norte and Ilocos Sur {Sinait, Cabugao, San Juan, and Magsingal})**.

Rough to very rough seas are expected over **Northern Luzon** while moderate to rough seas will be experienced over **Central Luzon and the eastern section of Southern Luzon**. Slight to moderate seas will prevail over **the rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

### DAILY EXTREMES

Maximum Temperature	38.0 °C (General Santos City, 2016)
Minimum Temperature	11.7 °C (Baguio City, 1971)
Rainfall	238.2 mm (Borongan, 2012)

### MONTHLY EXTREMES

Maximum Temperature	40.0 °C (Tuguegarao City, 1978)
Minimum Temperature	7.4 °C (Baguio City, 1963)
Rainfall	401.0 mm (Casiguran, 1971)

PREPARED/UPLOADED BY: **NRE / ARL**

VERIFIED BY: **MEVT**



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 065

Inilabas ng: 7:00 AM, Martes, 18 Marso 2025

May bisa hanggang: 7:00 AM Miyerkules, 19 Marso 2025

**SYNOPSIS:** Amihan ang nakakaapekto sa Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
<b>Zamboanga Peninsula, Basilan, Sulu, at Tawi-Tawi</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	23 – 33	21 – 30	70 – 98	0 – 4
<b>Lambak ng Cagayan, Aurora, at Quezon</b>	Maulap na kalangitan na may pag-ulan	<b>Lambak ng Cagayan</b> – Malakas hanggang sa pinakamalakas mula hilagang silangan; <b>Aurora at Quezon</b> – Katamtaman hanggang malakas mula hilagang silangan	19 – 30	17 – 28	65 – 98	2 – 6
<b>Metro Manila at natitirang bahagi ng Luzon</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	<b>Natitirang bahagi ng Hilagang Luzon</b> – Malakas hanggang sa pinakamalakas mula hilagang silangan; <b>Natitirang bahagi ng Gitnang Luzon at natitirang bahagi sa silangan ng Katimugang Luzon</b> – Katamtaman hanggang malakas mula hilagang silangan; <b>Metro Manila at natitirang bahagi ng Luzon</b> – Mahina hanggang sa katamtaman mula hilagang silangan	20 – 35	13 – 31	55 – 96	0 – 6
<b>Natitirang bahagi ng bansa</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	22 – 35	20 – 32	55 – 96	0 – 4

### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

### HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)

#### AMIHAN, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Panatiliing basa ang lupa sa pamamagitan ng paglalagay ng dayami ng palay o organikong materyales upang mabawasan ang mabilis na pagkatuyo.
- Magtubig sa tamang oras sa umaga o hapon upang maiwasan ang matinding pagsingaw ng tubig. Gumamit ng drip irrigation para sa mas matipid at epektibong patubig.
- Magbigay ng lilim sa pamamagitan ng paglalagay ng shade nets o

Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart.

<https://www.pagasa.dost.gov.ph/climate/climate->




pagtanim ng mas matataas na halaman sa tabi ng mas sensitibong pananim.

- Iwasan ang sobrang tubig ngunit panatiliing sapat ang kahalumigmigan upang hindi ma-stress ang mga pananim sa matinding init.
- Siguruhing ligtas ang mga manggagawa sa pamamagitan ng pagbibigay ng mga lilim o maaliwalas na pahingahan.
- Maging alerto sa mga senyales ng init na sakit tulad ng pagkahilo, pagduduwal, labis na pagpapawis, o pagkalito, at agad na magsagawa ng hakbang upang mapalamig ang katawan.

heat-index

## PAYONG PANGSAKAHAN

### KALAGAYAN NG LUPANG SAKAHAN (Marso 1 – 10, 2025)



**Basa** – Aurora, malaking bahagi ng Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Silangang Kabisayaan, at natitirang bahagi ng Caraga

**Katamtaman** – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, at BARMM

**Tuyo** – Natitirang bahagi ng bansa

### ENSO ALERT SYSTEM STATUS (mula noong 06 Marso 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Linisin at panatiliing maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pagbaha at pagkabulok ng ugat ng pananim. Ang sobrang ulan ay maaaring magtangay ng mahahalagang sustansya mula sa lupa. Maglagay ng slow-release o organikong pataba upang mapanatili ang fertility ng lupa. Iwasan ang paglalagay ng pataba bago ang malalakas na pag-ulan upang maiwasan ang pagkawala ng sustansya. Suriin at kumpunihin ang mga bahay-sakahan, imbakan, at greenhouse upang maiwasan ang pinsala mula sa matagalang pag-ulan.

## PAYO SA MGA MANGINGISDA

### GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa hilagang at kanlurang baybayin ng Hilagang Luzon (Ilocos Norte at Ilocos Sur {Sinait, Cabugao, San Juan, at Magsingal}).

Maalon hanggang sa napakaalon ang inaasahan sa **Hilagang Luzon** habang katamtaman na karagatan ang inaasahan sa **Gitnang Luzon at sa silangang bahagi ng Katimugang Luzon**. Samantala, banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **natitirang baybayin ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

### DAGDAG KAALAMAN

#### DAILY EXTREMES

Pinakamataas na Temperatura	38.0 °C (General Santos City, 2016)
Pinakamababang Temperatura	11.7 °C (Baguio City, 1971)
Pinakamaraming Ulan	238.2 mm (Borongan, 2012)

#### MONTHLY EXTREMES

Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1978)
Pinakamababang Temperatura	7.4 °C (Baguio City, 1963)
Pinakamaraming Ulan	401.0 mm (Casiguran, 1971)

INIHANDA HANDA/INI-UPLOAD NINA: **NRE / ARL**

BINIGYANG PANSIN NI: **MEVT**