



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 088

Issued: 7:00 AM, Monday, 14 April 2025

Valid until: 7:00 AM, Tuesday, 15 April 2025


SYNOPSIS: Frontal System affecting Extreme Northern Luzon. Easterlies affecting the rest of the country.

| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (°C) | | RH% | LEAF WETNESS (HRS) |
|---|--|---|------------------|---------|---------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Batanes, Cagayan, and Apayao | Cloudy skies with light rains | Batanes – Moderate from north to northeast; Cagayan and Apayao – Light to moderate from southeast to northeast | 21 – 36 | 19 – 33 | 65 – 98 | 2 – 6 |
| Zamboanga Peninsula, Basilan, Sulu, and TawiTawi | Cloudy skies with scattered rains and thunderstorms | Light to moderate from east to northeast | 22 – 35 | 20 – 33 | 65 – 98 | 0 – 4 |
| Metro Manila and the rest of the country | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | Rest of Northern Luzon and Central Luzon – Light to moderate from southeast to northeast; Rest of the country – Light to moderate from east to northeast | 23 – 37 | 14 – 34 | 55 – 96 | 0 – 4 |

FARM ADVISORY

SOIL MOISTURE CONDITION

(March 21 – 31, 2025)



Wet – Aurora, most parts of Bulacan, Alabat Infanta, Tayabas, Aborlan, Camarines Norte, Albay, Sorsogon, Catanduanes, Mambusao, Eastern Visayas, Bukidnon, Davao del Norte, and Lanao del Sur

Moist – Mulanay, Oriental Mindoro, Northern and Central parts of Palawan, Camarines Sur, Masbate, Siquijor, Zamboanga del Norte, and Maguindanao

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 04 April 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Maintain proper drainage in lowland farms to prevent waterlogging. In rainfed areas, store excess water in farm reservoirs for use during drier months. Adopt integrated pest management (IPM) to prevent infestations, especially for rice, corn, and vegetables. Use covered storage areas to prevent moisture-related grain losses. Improve soil moisture retention through organic mulching and conservation farming techniques.



| AREAS AFFECTED BY THE WEATHER SYSTEMS | HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST) |
|---|--|
| FRONTAL SYSTEM, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none">Inspect crops regularly for pests and diseases and address outbreaks immediately.Adjust irrigation frequency based on weather, soil type, and crop needs.Avoid over-irrigation to prevent root rot. Water plants early morning for better absorption.Inspect and clean drainage channels regularly to prevent blockages.Harvest crops on dry days to avoid spoilage, fungal infections, and loss of market value.Handle produce carefully during transport to prevent damage and contamination. | <p>The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p> |

| FISHING ADVISORY |
|---|
| GALE WARNING AND SEA CONDITION |
| No Gale Warning is raised. |
| Moderate seas will prevail over Batanes, Cagayan and Apayao while slight to moderate seas will prevail over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA. |

| ADDITIONAL INFORMATION | | | |
|---|--------------------------------|--------------------------|---------------------------------|
| DAILY EXTREMES | | MONTHLY EXTREMES | |
| Maximum Temperature | 41.6°C (Tuguegarao City, 1915) | Maximum Temperature | 42.2 °C (Tuguegarao City, 1963) |
| Minimum Temperature | 10.6 °C (Baguio City, 1907) | Minimum Temperature | 9.6 °C (Baguio City, 1907) |
| Rainfall | 218.0 mm (Virac Radar, 1996) | Rainfall | 495.2 mm (Virac Radar, 2009) |
| PREPARED/UPLOADED BY: NRE / RVDD | | VERIFIED BY: MEVT | |



TAYA NG PANAHAON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 088

Inilabas ng: 7:00 AM, Luness, 14 Abril 2025

May bisa hanggang: 7:00 AM Martes, 15 Abril 2025

SYNOPSIS: Frontal system ang nakakaapekto sa dulong Hilagang Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

| LUGAR NG PAGTAYA | LAGAY NG PANAHAON PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABA SA NG DAHON (ORAS) |
|--|---|--|-------------------|-------------------|---------|----------------------------|
| | | | Mababa ng Bukirin | Mataas na Bukirin | | |
| Batanes, Cagayan, at Apayao | Maulap na kalangitan na may pag-ulan | Batanes – Katamtaman mula hilaga hanggang hilagang silangan; Cagayan at Apayao – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan | 21 – 36 | 19 – 33 | 65 – 98 | 2 – 6 |
| Zamboanga Peninsula, Basilan, Sulu, at TawiTawi | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong | Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan | 22 – 35 | 20 – 33 | 65 – 98 | 0 – 4 |
| Metro Manila at natitirang bahagi ng bansa | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong | Natitirang bahagi ng Hilaga Luzon at Gitnang Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan ; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan | 23 – 37 | 14 – 34 | 55 – 96 | 0 – 4 |




PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Marso 21 – 31, 2025)

ENSO ALERT SYSTEM STATUS (mula noong 04 Abril 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



Basa – Aurora, karamihan ng lugar sa Bulacan, Alabat Infanta, Tayabas, Aborlan, Camarines Norte, Albay, Sorsogon, Catanduanes, Mambusao, Slangang Kabisayaan, Bukidnon, Davao del Norte, and Lanao del Sur

Katamtaman – Mulanay, Oriental Mindoro, Hialga at Gitnang bahagi ng Palawan, Camarines Sur, Masbate, Siquijor, Zamboanga del Norte, and Maguindanao

Tuyo – Natitirang bahagi ng bansa



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Panatiliing maayos ang daluyan ng tubig sa mabababang bukirin upang maiwasan ang pagbaha. Sa mga sakahan na umaasa sa ulan, ipunin ang sobrang tubig sa imbakan upang magamit sa panahon ng tagtuyot. Gumamit ng integrated pest management (IPM) upang maiwasan ang peste, lalo na sa palay, mais, at gulay. Mag-imbak ng ani sa nakasara at maayos na imbakan upang maiwasan ang pagkasira dahil sa moisture. Pahasayin ang pagpapanatili ng tubig sa lupa sa pamamagitan ng organikong pagmamalts at konserbasyong pamamaraan ng pagsasaka.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)

FRONTAL SYSTEM, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim para sa peste at sakit at agad na tugunan ang anumang paglaganap.
- Ayusin ang dalas ng patubig batay sa panahon, uri ng lupa, at pangangailangan ng pananim.
- Iwasan ang labis na patubig upang maiwasan ang pagkabulok ng ugat. Patubigan ang mga halaman nang maaga sa umaga para sa mas epektibong pagsipsip.
- Regular na suriin at linisin ang mga kanal ng irigasyon upang maiwasan ang bara.
- Anihin ang mga pananim sa tuyo at maaliwalas na panahon upang maiwasan ang pagkasira, amag, at pagbagsak ng halaga sa merkado.
- Hawakan nang maingat ang ani sa transportasyon upang maiwasan ang pinsala at kontaminasyon.

Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart.

<https://www.pagasa.dost.gov.ph/climate/climate-heat-index>



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtamang pag-alon ng karagatan ang iiral sa Batanes, Cagayan at Apayao samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa natitirang bahagi ng **kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

| DAILY EXTREMES | | MONTHLY EXTREMES | |
|-----------------------------|--------------------------------|-----------------------------|---------------------------------|
| Pinakamataas na Temperatura | 41.6°C (Tuguegarao City, 1915) | Pinakamataas na Temperatura | 42.2 °C (Tuguegarao City, 1963) |
| Pinakamababang Temperatura | 10.6 °C (Baguio City, 1907) | Pinakamababang Temperatura | 9.6 °C (Baguio City, 1907) |
| Pinakamaraming Ulan | 218.0 mm (Virac Radar, 1996) | Pinakamaraming Ulan | 495.2 mm (Virac Radar, 2009) |

| | | | |
|---|--|----------------------------------|--|
| INIHANDA HANDA/INI-UPLOAD NINA: NRE / RVDD | | BINIGYANG PANSIN NI: MEVT | |
|---|--|----------------------------------|--|