



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 032

Issued: 7:00 AM, Tuesday, 10 February 2026

Valid until: 7:00 AM, Wednesday, 11 February 2026

SYNOPSIS: Shear Line affecting Visayas. Northeast Monsoon affecting Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Visayas, Albay, Sorsogon, Masbate, and Dinagat Islands	Cloudy skies with scattered rains and isolated thunderstorms	Eastern section of Visayas, Albay, Sorsogon, and Masbate – strong to gale from northeast; Dinagat Islands – moderate to strong from northeast; Rest of Visayas – light to moderate from northeast	24 – 29	22 – 26	60 – 98	4 – 8
Cagayan Valley, Cordillera Administrative Region, Central Luzon, the rest of Bicol Region, and Quezon	Cloudy skies with light rains	Eastern section of Central Luzon, rest of Bicol Region, and Quezon – strong to gale from northeast; Cagayan Valley, Cordillera Administrative Region, rest of Central Luzon – moderate to strong from northeast	24 – 32	11 – 23	60 – 98	4 – 8
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated light rains	Rest eastern section of Southern Luzon – strong to gale from northeast; Metro Manila and rest of Luzon – moderate to strong from northeast	24 – 31	19 – 23	50 – 96	0 – 6
The rest of the Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of eastern section of Mindanao – moderate to strong from northeast; Rest of Mindanao – light to moderate from northeast	22 – 32	20 – 29	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEARLINE, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Ensure that farm canals, ditches, and drainage systems are clear of debris to allow the free flow of water and prevent waterlogging in crop fields.
- Delay land preparation, planting, fertilizer application, and pesticide spraying in areas experiencing moderate to heavy rainfall to avoid crop damage and nutrient loss.
- Secure seedlings, nursery trays, and newly transplanted crops by providing temporary covers or proper spacing




to reduce damage from excessive moisture.

- Harvest mature crops, vegetables, and fruits ahead of prolonged rainfall to minimize post-harvest losses and deterioration of produce quality.
- Strengthen and support tall or vine crops such as corn, banana, tomato, and climbing vegetables to prevent lodging due to strong winds and saturated soil.

FARM ADVISORY

SOIL MOISTURE CONDITION (January 21-31, 2026)




Wet – Calayan, Quezon, Bicol Region, Capiz, Eastern Visayas, Davao del Norte, Surigao del Norte

Moist – Aparri, Aurora, Oriental Mindoro, Romblon, Palawan, Rest of Western Visayas, Negros Island Region, Bukidnon, Agusan del Norte, Lanao del Sur

Dry – The rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 21 January 2026)



LA NIÑA

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Ensure good field drainage by using raised beds and properly leveled fields, and regularly inspect canals, bunds, and embankments to prevent flooding. Secure nurseries, trellises, and windbreaks to protect crops from strong winds and heavy rains. Harvest mature and near-mature crops early when prolonged rainfall is forecast. Dry and store harvested produce using covered, elevated, and well-ventilated facilities to avoid spoilage. Monitor crops closely for pest and disease outbreaks, particularly fungal infections during wet conditions, and apply control measures when weather permits. Coordinate with the Municipal/City Agriculture Office and regularly follow DOST-PAGASA advisories for timely updates and guidance.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning was raised over **the eastern seaboard of Southern Luzon and Visayas** (The eastern coast of Albay {Tiwi, Malinao, City of Tabaco, Malilipot, Bacacay, Rapu-Rapu, Santo Domingo, Legazpi City, Manito}, the eastern coast of Sorsogon {City of Sorsogon, Prieto Diaz, Gubat, Barcelona, Bulusan, Santa Magdalena, Matnog}, the northern and eastern coasts of Northern Samar {Allen, Lavezares, Rosario, Biri, San Jose, Bobon, Catarman, Mondragon, San Roque, Pambujan, Laoang, Palapag, Mapanas, Gamay, Lapinig}, and the eastern coast of Eastern Samar {Arteche, San Policarpo, Oras, Dolores, Can-Avid, Taft, Sulat, San Julian, City of Borongan, Maydolong, Balangkayan, Llorente, Hernani, General Macarthur, Quinapondan, Salcedo, Mercedes, Guiuan}) and **the eastern seaboard of Southern Luzon** (The northern coast of Quezon {General Nakar} including the northern and eastern coasts of Polillo Islands {Panukulan, the northeastern coast of Burdeos, and the northern coast of Patnanungan}, Camarines Norte, the northern coast of Camarines Sur {Tinambac, Siruma, Lagonoy, Garchitorena, Caramoan, Presentacion, San Jose, Tigaon, Sagñay, Sipocot, Cabusao, Calabanga} and Catanduanes)

Rough to very rough seas will prevail over **the eastern sections of Central and Southern Luzon and Visayas**, moderate to rough seas will prevail over **the rest of Luzon and the eastern section of Mindanao**, while **the rest of the country will have slight to moderate seas**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	36.5 °C (Gen. Santos City, 1979)	Maximum Temperature	38.4 °C (Tuguegarao, 1961)
Minimum Temperature	10.5 °C (Baguio City, 1980)	Minimum Temperature	6.7 °C (Baguio City, 1963)
Rainfall	242.0 mm (Catbalogan, 2000)	Rainfall	472.9 mm (Surigao City, 1974)
PREPARED/UPLOADED BY: HGDE / ARL		VERIFIED BY: MGA	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 032

Inilabas ng: 7:00 AM, Martes, 10 Pebrero 2026

May bisa hanggang: 7:00 AM, Miyerkules, 11 Pebrero 2026

SYNOPSIS: Shear line ang nakaaapekto sa Kabisayaan. Amihan ang nakaaapekto sa Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Kabisayaan, Albay, Sorsogon, Masbate, at Dinagat Islands	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Silangang bahagi ng Kabisayaan, Albay, Sorsogon, at Masbate – malakas hanggang sa napakalakas mula hilagang silangan; Dinagat Islands – katamtaman hanggang sa malakas mula hilagang silangan; Natitirang bahagi ng Kabisayaan – mahina hanggang sa katamtamang hangin mula hilagang silangan.	24 – 29	22 – 26	60 – 98	4 – 8
Cagayan Valley, Cordillera Administrative Region, Central Luzon, natitirang bahagi ng rehiyon ng Bicol, at Quezon	Maulap na kalangitan na may mahinang pag-ulan	Silangang bahagi ng Central Luzon, natitirang bahagi ng rehiyon ng Bicol, at Quezon – malakas hanggang sa napakalakas mula hilagang silangan; Cagayan Valley, Cordillera Administrative Region, at natitirang bahagi ng Central Luzon – katamtaman hanggang sa malakas mula hilagang silangan.	24 – 32	11 – 23	60 – 98	4 – 8
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Natitirang silangang bahagi ng Southern Luzon – malakas hanggang sa napakalakas mula hilagang silangan; Metro Manila at natitirang bahagi ng Luzon – katamtaman hanggang sa malakas mula hilagang silangan.	24 – 31	19 – 23	50 – 96	0 – 6
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan	Natitirang bahagi ng silangang bahagi ng Mindanao – katamtaman hanggang sa malakas	22 – 32	20 – 29	50 – 96	0 – 4



	o pagkidlat-pagkulong	mula hilagang silangan;				
		Natitirang bahagi ng Mindanao – mahina hanggang sa katamtamang hangin mula hilagang silangan.				


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

SHEARLINE, AMIHAN, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Siguraduhing malinis at walang bara ang mga kanal, alulod, at daluyan ng tubig sa sakahan upang maging maayos ang daloy ng tubig at maiwasan ang pagbabad ng tubig sa mga taniman.
- Ipagpaliban ang paghahanda ng lupa, pagtatanim, paglalagay ng pataba, at pag-iispray ng pestisidyo sa mga lugar na nakararanas ng katamtaman hanggang malakas na pag-ulan upang maiwasan ang pagkasira ng pananim at pagkatangay ng sustansiya ng lupa.
- Siguraduhing maayos ang pagkakalagay ng mga punla, seedling trays, at mga bagong lipat na tanim sa pamamagitan ng pagbibigay ng pansamantalang panakip o tamang agwat upang mabawasan ang pinsalang dulot ng labis na kahalumigmigan.
- Anihin na ang mga hinog nang pananim, gulay, at prutas bago pa tumagal ang pag-ulan upang mabawasan ang pagkalugi pagkatapos ng anihan at ang pagkasira ng kalidad ng ani.
- Patibayin at suportahan ang mga matataas at gumagapang na pananim tulad ng mais, saging, kamatis, at mga gumagapang na gulay upang maiwasan ang pagbuwal dulot ng malalakas na hangin at lambot ng lupa dahil sa ulan.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Enero 21-31, 2026)




Basa – Calayan, Quezon, Bicol Region, Capiz, Eastern Visayas, Davao del Norte, Surigao del Norte

Katamtaman – Aparri, Aurora, Oriental Mindoro, Romblon, Palawan, iba pang bahagi ng Western Visayas, Negros Island Region, Bukidnon, Agusan del Norte, Lanao del Sur

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 21 Enero 2026)



LA NIÑA

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Siguraduhin ang maayos na daloy ng tubig sa taniman sa pamamagitan ng raised beds at tamang pag-level ng lupa, at regular na inspeksyunin ang mga kanal, pilapil, at embankment upang maiwasan ang pagbaha. I-secure ang mga nursery, trellis, at windbreaks para protektahan ang pananim mula sa malakas na hangin at matinding ulan. Anihin nang maaga ang mga hinog o malapit nang hinog na pananim kapag inaasahan ang matagal na pag-ulan. Patuyuin at itago ang ani sa mabubungad, mataas, at maayos na bentiladong lugar upang maiwasan ang pagkasira. Subaybayan ang pananim laban sa peste at sakit, lalo na ang fungal infections sa basa at mahalumigmig na panahon, at agad na gumawa ng angkop na kontrol kapag pinahihintulutan ng panahon. Makipag-ugnayan sa Municipal/City Agriculture Office at regular na sundan ang DOST-PAGASA advisories para sa pinakabagong impormasyon at gabay.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa **mga silangang baybayin ng Southern Luzon at Kabisayaan** (silangang baybayin ng Albay {Tiwi, Malinao, City of Tabaco, Malilipot, Bacacay, Rapu-Rapu, Santo Domingo, Legazpi City, Manito}, silangang baybayin ng Sorsogon {City of Sorsogon, Prieto Diaz, Gubat, Barcelona, Bulusan, Santa Magdalena, Matnog}, hilaga at silangang baybayin ng Northern Samar {Allen, Lavezares, Rosario, Biri, San Jose, Bobon, Catarman, Mondragon, San Roque, Pambujan, Laoang, Palapag, Mapanas, Gamay, Lapinig}, at silangang baybayin ng Eastern Samar {Arteche, San Policarpo, Oras, Dolores, Can-Avid, Taft, Sulat, San Julian, City of Borongan, Maydolong, Balangkayan, Llorente, Hernani, General Macarthur, Quinapondan, Salcedo, Mercedes, Guiuan}) at **mga silangang baybayin ng Southern Luzon** (hilagang baybayin ng Quezon {General Nakar} kabilang ang hilaga at silangang baybayin ng Polillo Islands {Panukulan, hilagang silangang baybayin ng Burdeos, at hilagang baybayin ng Patnanungan}, Camarines Norte, hilagang baybayin ng Camarines Sur {Tinambac, Siruma, Lagonoy, Garchitorena, Caramoan, Presentacion, San Jose, Tigaon, Sagñay, Sipocot, Cabusao, Calabanga} at Catanduanes).

Maalon hanggang sa napakaalon na karagatan ang iiral sa **silangang bahagi ng Central at Southern Luzon at Kabisayaan**, katamtaman hanggang sa maalon na karagatan ang iiral sa **natitirang bahagi ng Luzon at silangang bahagi ng Mindanao**, samantala ang **natitirang bahagi ng bansa** ay makakaranas ng mahina hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

Pinakamataas na Temperatura	36.5 °C (Gen. Santos City, 1979)
Pinakamababang Temperatura	10.5 °C (Baguio City, 1980)
Pinakamaraming Ulan	242.0 mm (Catbalogan, 2000)

MONTHLY EXTREMES

Pinakamataas na Temperatura	38.4 °C (Tuguegarao, 1961)
Pinakamababang Temperatura	6.7 °C (Baguio City, 1963)
Pinakamaraming Ulan	472.9 mm (Surigao City, 1974)

INIHANDA HANDA/INI-UPLOAD NINA: **HGDE / ARL**

BINIGYANG PANSIN NI: **MGA**