



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 024

Issued: 7:00 AM, Wednesday, 29 January 2025

Valid until: 7:00 AM, Thursday, 30 January 2025

SYNOPSIS: Shear Line affecting Visayas. Northeast Monsoon affecting Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Bicol Region, Eastern Visayas, Central Visayas, and Dinagat Islands	Cloudy skies with scattered rains and isolated thunderstorms	Bicol Region, Eastern Visayas – Moderate to strong from northeast; Central Visayas, and Dinagat Islands – Light to moderate from northeast	23 – 29	21 – 28	70 – 98	4 – 8
The rest of Mindanao	Cloudy skies with scattered rains and thunderstorms	Light to moderate from northeast	23 – 33	21 – 30	70 – 98	4 – 8
Cagayan Valley, Cordillera Administrative Region, and Aurora	Cloudy skies with light rains	Strong to gale from northeast	16 – 28	12 – 24	65 – 98	0 – 6
Palawan and the rest of Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast	22 – 33	21 – 30	60 – 96	0 – 4
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with light rains	The western section of Central Luzon and Quezon – Moderate to strong from northeast; Metro Manila and the rest of Luzon – Light to moderate from northeast	23 – 32	20 – 29	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

NORTHEAST MONSOON, SHEARLINE, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Water plants early or late to reduce evaporation and conserve moisture.
- Apply mulch to maintain soil moisture effectively.
- Cover cold-sensitive crops with cloth or plastic on cold nights.
- Store harvested crops in cool, dry places to avoid spoilage.
- Cover vehicles transporting produce with tarps to protect against rain or cold.
- Implement IPM strategies including regular monitoring, crop rotation, and eco-friendly pest control.




FARM ADVISORY

SOIL MOISTURE CONDITION

(January 11 – 20, 2024)

ENSO ALERT SYSTEM STATUS

(as of 22 January 2025)



Wet – Batanes, Baler, Quezon, Oriental Mindoro, Romblon, Bicol Region, Capiz, Tagbilaran City, Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Cagayan Valley, Laguna, Rizal, Palawan, Casiguran, Siquijor, Negros Oriental, Bohol, Zamboanga del Sur, and Davao del Sur

Dry – Rest of the country

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



Reinforce embankments, build terraces, or plant ground cover to prevent soil erosion from heavy rains and stabilize the soil. Adjust irrigation schedules during heavy rainfall to avoid over-irrigation and flooding in already saturated fields. Collect and store runoff water in ponds for irrigation use during dry periods. Minimize fieldwork during heavy rains to prevent soil compaction, exposure to wet conditions, and accidents. Use appropriate rain gear and equipment for safety if necessary.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over the **northern and western seaboards of Northern Luzon (Ilocos Norte and Ilocos Sur), the northern and eastern seaboards of Northern Luzon (Batanes, Cagayan including Babuyan Islands, and Isabela, the eastern seaboards of Central and Southern Luzon (Aurora {Dinalungan, Casiguran, and Dilasag} and Northern Quezon {General Nakar} including the northern and eastern coasts of Polillo Islands {Northern Patnanungan, Northeastern Burdeos, and Northern and Eastern Jomalig})**.

Moderate to rough seas will be experienced over **the western section of Central Luzon and the rest of the eastern section of Southern Luzon and the eastern section of Visayas** while slight to moderate seas are expected over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	36.2 °C (Cagayan De Oro, 1992)	Maximum Temperature	37.7 °C (Ambulong, 1977)
Minimum Temperature	8.7 °C (Baguio City, 1982)	Minimum Temperature	6.3 °C (Baguio City, 1961)
Rainfall	322.6 mm (Catarman, 1989)	Rainfall	427.8 mm (Borongan, 2011)

PREPARED/UPLOADED BY: **MTR / JOT**

VERIFIED BY: **MGA**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 024

Inilabas ng: 7:00 AM, Miyerkules, 29 Enero 2025

May bisa hanggang: 7:00 AM, Huwebes, 30 Enero 2025

SYNOPSIS: Shear Line na nakaapekto sa Kabisayaan. Amihan ang nakaapekto sa Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Rehiyon ng Bicol, Silangang Kabisayaan, Gitnang Kabisayaan, at mga Isla ng Dinagat	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Rehiyon ng Bicol, Silangang Kabisayaan– Katamtaman hanggang sa malakas mula sa hilagang silangan; Gitnang Kabisayaan at mga Isla ng Dinagat – Mahina hanggang katamtaman mula hilagang silangan	23 – 29	21 – 28	70 – 98	4 – 8
Natitirang Bahagi ng Mindanao	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	23 – 33	21 – 30	70 – 98	4 – 8
Lambak ng Cagayan, Rehiyon ng Cordillera, at Aurora	Maulap na kalangitan na may mahinang pag-ulan	Malakas hanggang mas malakas mula hilagang silangan	16 – 28	12 – 24	65 – 98	0 – 6
Palawan at ang natitirang bahagi ng Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	22 – 33	21 – 30	60 – 96	0 – 4
Metro Manila at ang natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may mahinang pag-ulan	Kanlurang bahagi ng Gitnang Luzon at Quezon – Katamtaman hanggang sa malakas mula sa hilagang silangan; Metro Manila at ang natitirang bahagi ng Luzon – Mahina hanggang katamtaman mula hilagang silangan	23 – 32	20 – 29	50 – 96	0 – 4




SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

AMIHAN, SHEARLINE, EASTERLIES, AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Magdilig ng maaga o hapon upang mabawasan ang pagsingaw at mapanatili ang kahalumigmigan ng lupa.
- Maglagay ng mulch upang epektibong mapanatili ang kahalumigmigan ng lupa.
- Takpan ang mga halaman na sensitibo sa lamig gamit ang tela o plastik tuwing malamig ang gabi.
- Itago ang mga aning pananim sa malamig at tuyo na lugar upang maiwasan ang pagkasira.
- Takpan ang mga sasakyan na nagdadala ng mga ani gamit ang tarp o plastik upang protektahan mula sa ulan o malamig na hangin.
- Magpatupad ng mga estratehiya ng IPM tulad ng regular na pagmamanman, pagpapalit-palit ng pananim, at mga eco-friendly na paggamot para sa epektibong pamamahala ng mga peste.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Enero 11 – 20, 2024)




Basa – Batanes, Baler, Quezon, Oriental Mindoro, Romblon, Bicol Region, Capiz, Tagbilaran City, Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman Lambak ng Cagayan, Laguna, Rizal, Palawan, Casiguran, Siquijor, Negros Oriental, Bohol, Zamboanga del Sur, at Davao del Sur

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (as of 22 Enero 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Patibayin ang mga embankment, gumawa ng mga terrace, o magtanim ng ground cover upang maiwasan ang pagguho ng lupa dulot ng malalakas na ulan at mapatatag ang lupa. Ayusin ang iskedyl ng irigasyon tuwing malalakas ang ulan upang maiwasan ang sobrang irigasyon at pagbaha sa mga bukirin na sobrang basa na. Kolektahin at itabi ang tubig na dumadaloy mula sa ulan sa mga imbakan para magamit sa irigasyon sa tuwing tagtuyot. Bawasan ang mga gawain sa bukirin tuwing malalakas ang ulan upang maiwasan ang pag-compaction ng lupa, sobrang pagkabasa ng kondisyon, at aksidente. Gumamit ng tamang rain gear at kagamitan para sa kaligtasan kung kinakailangan.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas na Gale Warning sa hilagang at kanlurang baybayin ng Hilagang Luzon (Ilocos Norte at Ilocos Sur), ang hilaga at silangang baybayin ng Hilagang Luzon (Batanes, Cagayan kabilang ang mga Isla ng Babuyan, at Isabela), ang silangang baybayin ng Gitnang at Katimugang Luzon (Aurora {Dinalungan, Casiguran, at Dilasag} at Hilagang Quezon {General Nakar} kabilang ang hilaga at silangang baybayin ng mga Isla ng Polillo {Hilagang Patnanungan, Hilagang silangang Burdeos, at Hilaga at Silangang Jomalig}).



Katamtaman hanggang sa maalon na karagatan ang mararanasan sa kanlurang bahagi ng Gitnang Luzon at ang natitirang bahagi ng silangang bahagi ng Katimugang Luzon at ang silangang bahagi ng Kabisayaan samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang inaasahan sa natitirang baybayin ng bansa. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.2 °C (Cagayan De Oro, 1992)	Maximum Temperature	37.7 °C (Ambulong; 1977)
Pinakamababang Temperatura	8.7 °C (Baguio City, 1982)	Minimum Temperature	6.3 °C (Baguio City; 1961)
Pinakamaraming Ulan	322.6 mm (Catarman, 1989)	Rainfall	427.8 mm (Borongan; 2011)
INIHANDA HANDA/INI-UPLOAD NINA: MTR / JOT		BINIGYANG PANSIN NI: MGA	