



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 135

Issued: 7:00 AM, Thursday, 12 June 2025

Valid until: 7:00 AM Friday, 13 June 2025

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 235 km East of Calayan, Cagayan (19.2°N, 123.7°E). Southwest Monsoon affecting Luzon, Visayas, and the western section of Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL STORM WUTIP (2501)

LOCATION: 1,025 KM WEST OF NORTHEASTERN LUZON (16.4°N, 110.8°E)

MAXIMUM SUSTAINED WINDS: 65 KM/H NEAR THE CENTER

GUSTINESS: UP TO 80 KM/H

MOVEMENT: NORTHWESTWARD AT 10 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Pangasinan, Zambales, Bataan, and Occidental Mindoro	Monsoon Rains	Moderate to strong from southwest	23 – 31	21 – 29	65 – 99	4 – 8
Metro Manila, La Union, Benguet, Tarlac, Pampanga, Bulacan, Cavite, Batangas, Palawan, and Antique	Occasional rains	Metro Manila, La Union, and Palawan – Moderate to strong from southwest; Benguet, Tarlac, Pampanga, Bulacan, Cavite, Batangas, and Antique – Light to moderate from south to southwest;	23 – 34	14 – 31	55 – 98	4 – 8
Batanes and Cagayan, the rest of Luzon and Visayas, Zamboanga Peninsula, Dinagat Islands, and Surigao del Norte	Cloudy skies with scattered rains and thunderstorms	Batanes, Cagayan, the rest of Luzon and Visayas – Light to moderate from south to southwest; Zamboanga Peninsula, Dinagat Islands, and Surigao del Norte – Light to moderate from southeast to south	24 – 33	18 – 31	50 – 96	4 – 8



The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southeast to south	22 – 32	20 – 31	50 – 96	0 – 4
-----------------------------	--	---	---------	---------	---------	-------


AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, LPA, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Align planting schedules with updated weather forecasts to maximize water availability and avoid drought or flood periods.
- Clean canals, dikes, and drainage paths to prevent water from building up, which can damage plant roots and reduce harvest.
- Strengthen seedbeds and cover young plants with plastic or other protection to shield them from heavy rain.
- Store seeds, fertilizers, and harvested crops in dry, raised, and covered places to avoid spoilage.
- Apply fertilizer during dry weather to prevent it from being washed away; it's better to apply it in parts rather than all at once.
- Check and repair greenhouses, trellises, animal shelters, and storage areas for any damage caused by wind or rain.

FARM ADVISORY

SOIL MOISTURE CONDITION (May 21 – 31, 2025)




Wet – Ilocos Norte, Ilocos Sur, extreme part of Cagayan Valley, Zambales, Aurora, Bataan, CAR, Quezon, Oriental Mindoro, Albay, Catanduanes, Sorsogon, Panay Island, Siquijor, Eastern Samar, Northern Samar, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Sur, and BARMM

Moist – Cagayan, rest of Ilocos Region, rest of Central Luzon, NCR, Coron Island, Aborlan, Camarines Norte, Negros Oriental, Bohol, Southern Leyte, some parts of Northern Mindanao, some parts of Davao Region, and Surigao del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS (updated: 04 June 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas will prevail over the **northern and western sections of Luzon** while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.0 °C (Tuguegarao City, 1983)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Minimum Temperature	14.5 °C (Baguio City, 1923)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	178.1 mm (Iba, Zambales, 1970)	Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: **NRE / HGDE**

VERIFIED BY: **MTR**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 135

Inilabas ng: 7:00 AM, Huwebes, 12 Hunyo 2025

May bisa hanggang: 7:00 AM, Biyernes, 13 Hunyo 2025

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area ay tinatayang nasa 235 km silangan ng Calayan, Cagayan (19.2°N, 123.7°E). Habagat ang nakakaapekto sa Luzon, Kabisayaan at kanlurang bahagi ng Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL STORM WUTIP (2501)

LOKASYON: 1,025 KM KANLURAN NG HILAGANG LUZON (16.4°N, 110.8°E)

MALAKAS NA HANGIN: 65 KM/H MALAPIT SA GITNA

PAGBUGSO NG HANGIN: AABOT SA 80 KM/H

PAGKILOS: HILAGANG-KANLURAN SA BILIS NA 10 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukiran	Mataas na Bukirin		
Pangasinan, Zambales, Bataan, at Occidental Mindoro	Pag-ulan dulot ng Habagat	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 31	21 – 29	65 – 99	4 – 8
Metro Manila, La Union, Benguet, Tarlac, Pampanga, Bulacan, Cavite, Batangas, Palawan, at Antique	Paminsan-minsang pag-ulan	Metro Manila, La Union, at Palawan – Katamtaman hanggang sa malakas mula timog-kanluran; Benguet, Tarlac, Pampanga, Bulacan, Cavite, Batangas, and Antique – Mahina hanggang sa katamtaman mula timog hanggang timog kanluran;	23 – 34	14 – 31	55 – 98	4 – 8
Batanes, Cagayan, natitirang bahagi ng Luzon at Kabisayaan, Zamboanga Peninsula, mga Isla ng Dinagat, at Surigao del Norte	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Batanes, Cagayan, natitirang bahagi ng Luzon at Kabisayaan – Mahina hanggang sa katamtaman mula timog hanggang timog kanluran; Zamboanga Peninsula, mga isla ng Dinagat, at Surigao del Norte – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog	24 – 33	18 – 31	50 – 96	4 – 8



Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog-silangan hanggang timog	22 – 32	20 – 31	50 – 96	0 – 4
--------------------------------------	---	--	---------	---------	---------	-------


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, LPA, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itugma ang iskedyul ng pagtanim sa mga pinakabagong ulat ng panahon upang mapakinabangan ang tubig at maiwasan ang tagtuyot o pagbaha.
- Linisin ang mga kanal, dike, at mga daanan ng tubig upang maiwasan ang pag-apon ng tubig na maaaring makasira sa ugat ng halaman at magpababa ng ani.
- Palakas ang mga seedbed at takpan ang mga batang tanim ng plastik o ibang proteksyon upang maprotektahan mula sa malakas na ulan.
- Itabi ang mga binhi, pataba, at aning pananim sa mga tuyong lugar na mataas at may takip upang maiwasan ang pagkasira.
- Maglagay ng pataba tuwing tuyong panahon upang maiwasan ang pagkalaba nito; mas mainam na ipamahagi ito ng paunti-unti kaysa sabay-sabay.
- Suriin at ayusin ang mga greenhouse, trellis, kulungan ng hayop, at mga imbakan para sa anumang pinsala dulot ng hangin o ulan.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Mayo 21 – 31, 2025)



ENSO ALERT SYSTEM STATUS (mula noong 04 Hunyo 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang



Katamtaman – *Cagayan, natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Gitnang Luzon, NCR, Isla ng Coron, Aborlan, Camarines Norte, Negros Oriental, Bohol, Southern Leyte, ilang bahagi ng Hilagang Mindanao, ilang bahagi ng Rehiyon ng Davao, at Surigao del Norte*

Tuyo – *Natitirang bahagi ng bansa*

paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang iiral sa **hilaga at kanlurang baybayin ng Luzon**. Samantala, ang **natitirang bahagi ng kapuluan** ay makakaranas ng banayad hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1983)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Pinakamababang Temperatura	14.5 °C (Baguio City, 1923)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	178.1 mm (Iba, Zambales, 1970)	Rainfall	533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: **NRE / HGDE**

BINIGYANG PANSIN NI: **MTR**