



**FARM WEATHER FORECAST AND ADVISORIES**  
**FWFA: NO. 26 – 016**

**Issued: 7:00 AM, Thursday, 22 January 2026**

**Valid until: 7:00 AM, Friday, 23 January 2026**

**SYNOPSIS:** At 3:00 AM today, the Low Pressure Area (formerly "ADA") was estimated based on all available data at 1,155 km East of Southeastern Luzon (13.6°N, 134.9°E). Northeast Monsoon affecting Luzon and Visayas.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Cordillera Administrative Region, Cagayan Valley, Caraga, Aurora, Quezon, Marinduque, Oriental Mindoro, Camarines Norte, Camarines Sur, Northern Samar, and Eastern Samar</b>	Cloudy skies with light rains	<b>Cordillera Administrative Region, Cagayan Valley, Caraga, Aurora, Quezon, Camarines Norte, Camarines Sur, Northern Samar, and Eastern Samar</b> – Strong to Gale from northeast;  <b>Marinduque and Oriental Mindoro</b> – Moderate to strong from northeast	19 – 30	13 – 26	60 – 98	4 – 8
<b>Metro Manila, the rest of Luzon, the rest of Visayas, and Northern Mindanao</b>	Partly cloudy to cloudy skies with isolated light rains	<b>Ilocos Region</b> – Strong to Gale from northeast;  <b>Metro Manila, the rest of Luzon, and the rest of Visayas</b> – Moderate to strong from northeast  <b>Northern Mindanao</b> – Light to moderate from northeast to north	22 – 32	20 – 29	55 – 97	2 – 6
<b>The rest of Mindanao</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to north	23 – 35	21 – 32	50 – 96	0 – 4

**AREAS AFFECTED BY THE WEATHER SYSTEMS**

**NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS**

- Monitor daily weather forecasts and advisories from DOST-PAGASA.
- Clear and maintain irrigation canals, drainage ditches, and waterways to prevent flooding.
- Strengthen nurseries, greenhouses, seedbeds, and trellises; relocate seedlings to safer areas if possible.
- Adjust planting, spraying, and harvesting schedules based on expected rainfall.
- Store harvested crops and farm inputs in elevated, dry, and covered areas.
- Avoid fertilizer application and pesticide spraying during heavy rainfall.
- Ensure the safety of farmers and farm workers by suspending field activities during severe weather.



FARM ADVISORY	
SOIL MOISTURE CONDITION (January 1-10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 21 January 2026)
 <p><b>Wet</b> – Calayan, Aparri, Quezon City, Quezon, most of MIMAROPA, most of Bicol Region, most of Western Visayas, NIR, most of Central Visayas, most of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Caraga and Lanao del Sur</p> <p><b>Moist</b> – Rest of Cagayan Valley, Benguet, Aurora, rest of CALABARZON, Camarines Sur, Iloilo City, Cebu, Southern Leyte, rest of Zamboanga Peninsula, Rest of Northern Mindanao, rest of BARMM</p> <p><b>Dry</b> – Occidental Mindoro, Davao del Sur and rest of the country</p>	 <p><b>LA NIÑA</b></p> <p><a href="https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring">https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring</a></p> <p>Promote the use of raised beds, contour farming, and proper field levelling to improve drainage and prevent waterlogging during prolonged rainfall events. Reinforce bunds and levees around rice fields and low-lying farms to reduce overflowing from nearby rivers and canals. Install windbreaks to protect sensitive crops from strong winds. Harvest mature and near-mature crops when heavy rains are expected to minimize losses and ensure better post-harvest quality. Protect harvested produce with dryers, covered drying areas, or elevated racks. Conduct regular inspections of storage facilities, ensuring all produce, seeds, and feeds are kept dry, elevated, and well-ventilated to prevent mold and spoilage. Implement schedule-based pest and disease scouting, particularly for fungal infections that commonly occur after continuous rains, and apply appropriate control measures immediately. Coordinate closely with the Municipal/City Agriculture Office for updates and emergency support related to agricultural impacts in your area. Regularly follow the official PAGASA accounts on social media or visit their website for the latest weather updates and advisories specific to your area.</p>

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
<p><b>Gale Warning was raised over the northern seaboard of Northern Luzon, the eastern seaboard of Luzon, Visayas, and Mindanao</b> (Batanes, Cagayan including Babuyan Islands, Isabela, Aurora, the northern coast of Quezon {General Nakar} including the northern and eastern coasts of Polillo Islands {northern coasts of Panukulan, northeastern coast of Burdeos, northern and eastern coasts of Patnanungan, northern and eastern coasts of Jomalig}, the northern and eastern coasts of Camarines Norte {Capalonga, Jose Panganiban, Paracale, Vinzons, Talisay, Daet, Mercedes, Basud}, the northern and eastern coasts of Camarines Sur {Siruma, Tinambac, Lagonoy, Garchitorena, Caramoan}, the northern and eastern coasts of Catanduanes {Pandan, Bagamanoc, Viga, Panganiban, Baras, Gigmoto, Bato}, the eastern coast of Albay {Rapu-Rapu}, and Sorsogon {Prieto Diaz, Gubat, Barcelona, Bulusan}, the northern and eastern coast of Northern Samar {Catarman, Mondragon, Pambujan, San Roque, Laoang, Palapag, Mapanas, Gamay, Lapinig}, Eastern Samar, and Surigao del Norte {Siargao and Bucas Grande Islands}) and <b>the western seaboard of northern Luzon</b> (Ilocos Norte, and Ilocos Sur {Santiago, San Esteban, Santa Maria, Narvacan, Caoayan, Santa, City of Vigan, San Vicente, Santo Domingo, Magsingal, San Juan, Cabugao, Sinait, Santa Catalina})</p> <p>Rough to very rough seas will prevail over the <b>Northern Luzon and the eastern sections of Central Luzon, Southern Luzon, Visayas, and Mindanao</b> while the <b>rest of the country</b> will have moderate to rough seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.</p>

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	36.6 °C (General Santos City, 2016)	Maximum	37.7 °C (Ambulong, 1977)



		Temperature	
Minimum Temperature	8.6 °C (Baguio City, 1961)	Minimum Temperature	6.3 °C (Baguio City, 1961)
Rainfall	248.0 mm (Hinatuan City, 1986)	Rainfall	427.8 mm (Borongan 2011)

PREPARED/UPLOADED BY: NRE / ARL	VERIFIED BY: MEVT
---------------------------------	-------------------

**TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN**  
**FWFA: NO. 26 – 016**

Inilabas ng: 7:00 AM Huwebes, 22 Enero 2026

May bisa hanggang: 7:00 AM, Biyernes, 23 Enero 2026

**SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (dating "ADA") ay tinatayang nasa 1,155 km silangan ng Katimugang Luzon (13.6°, 134.9°E. Amihan ang nakakaapekto sa Luzon at Kabisayaan**

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
<b>Cordillera Administrative Region, Cagayan Valley, Caraga, Aurora, Quezon, Marinduque, Oriental Mindoro, Camarines Norte, Camarines Sur, Northern Samar, at Eastern Samar</b>	Maulap na kalangitan na may mahinang pag-ulan	<b>Cordillera Administrative Region, Cagayan Valley, Caraga, Aurora, Quezon, Camarines Norte, Camarines Sur, Northern Samar, at Eastern Samar</b> Malakas hanggang sa mas malakas mula hilagang silangan;  <b>Marinduque at Oriental Mindoro –</b> Katamtaman hanggang sa malakas mula hilagang silangan	19 – 30	13 – 26	60 – 98	4 – 8
<b>Metro Manila, natitirang bahagi ng Luzon, natitirang bahagi ng Kabisayaan, at Northern Mindanao</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	<b>Rehiyon ng Ilocos –</b> Malakas hanggang sa mas malakas mula hilagang silangan  <b>Metro Manila, natitirang bahagi ng Luzon, at natitirang bahagi ng Kabisayaan –</b> Katamtaman hanggang sa malakas mula hilagang silangan  <b>Northern Mindanao –</b> Mahina hanggang sa katamtaman mula hilagang silangan	22 – 32	20 – 29	55 – 97	2 – 6



<b>Natitirang bahagi ng Mindanao</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	hanggang hilagang Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang	23 – 35	21 – 32	50 – 96	0 – 4
--------------------------------------	---	--	---------	---------	---------	-------


### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

#### AMIHAN, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Subaybayan araw-araw ang mga ulat at babala sa panahon mula sa PAGASA.
- Linisin at panatilihin ang mga kanal ng irigasyon, daluyan ng tubig, at mga estero upang maiwasan ang pagbaha.
- Patibayin ang mga punlaan, greenhouse, seedbed, at trellis; ilipat sa mas ligtas na lugar ang mga punla kung maaari.
- Ilayon ang iskedyul ng pagtatanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar.
- Iwasan ang paglalagay ng pataba at pag-spray ng pestisidyo sa panahon ng malakas na ulan.
- Unahin ang kaligtasan ng mga magsasaka at manggagawang bukid sa pamamagitan ng pansamantalang pagtigil ng gawain sa bukid kapag masama ang panahon.

### PAYONG PANGSAKAHAN

#### KALAGAYAN NG LUPANG SAKAHAN (Enero 1-10, 2026)




**Basa** – Calayan, Aparri, Lungsod Quezon, Quezon, karamihan ng MIMAROPA, karamihan ng Rehiyon ng Bicol, karamihan ng Kanlurang Visayas, NIR, karamihan ng Gitnang Visayas, karamihan ng Silangang Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Caraga, at Lanao del Sur

**Katamtaman** – Natitirang bahagi ng Lambak ng

Cagayan, Benguet, Aurora, natitirang bahagi ng CALABARZON, Camarines Sur, Lungsod ng Iloilo, Cebu, Southern Leyte, natitirang bahagi ng Tangway ng Zamboanga, natitirang bahagi ng Hilagang Mindanao, at natitirang bahagi ng BARMM

**Tuyo** – Occidental Mindoro, Davao del Sur, at iba pang

#### ENSO ALERT SYSTEM STATUS (mula noong 21 Enero 2026)



**LA NIÑA**

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Magpatupad ng paggamit ng raised beds, contour farming, at tamang pag-level ng bukirin upang at mapabuti ang daloy ng tubig at maiwasan ang waterlogging sa panahon ng tuloy-tuloy na pag-ulan. Palakasin ang mga pilapil at levees sa mga palayan at mabababang sakahan upang mabawasan ang panganib ng pag-apaw ng ilog at kanal. Mag-install ng windbreaks upang maprotektahan ang sensitibong pananim laban sa malalakas na hangin. Anihin ang mga hinog at halos hinog na pananim bago dumating ang malalakas na ulan upang mabawasan ang pagkalugi at matiyak ang maayos na kalidad pagkatapos ng anihan. Protektahan ang mga inaning produkto gamit ang mga dryer, may takip na patuyuan, o nakataas na patungan. Magsagawa ng regular na inspeksyon sa mga storage facilities, at siguraduhing ang lahat ng ani, binhi, at feeds ay nakalagay sa tuyo, mataas, at maaliwalas na lugar upang maiwasan ang pagbuo ng amag at pagkasira. Ipatatupad ang nakaiskedyul na pest at disease scouting, lalo na para sa mga fungal infections na karaniwang lumalabas



<i>bahagi ng bansa</i>	pagkatapos ng tuloy-tuloy na ulan, at agad na mag-apply ng angkop na kontrol. Makipag-ugnayan nang malapit sa Municipal/City Agriculture Office para sa updates at emergency support na may kinalaman sa epekto ng masamang panahon sa agrikultura sa inyong lugar. Regular na sundan ang opisyal na accounts ng PAGASA sa social media o bisitahin ang kanilang website para sa pinakabagong ulat at advisory tungkol sa lagay ng panahon sa inyong lugar.
------------------------	---

#### PAYO SA MGA MANGINGISDA

##### GALE WARNING AT KONDISYON NG KARAGATAN

**Nakataas ang Gale Warning sa hilagang baybayin ng Hilagang Luzon, silangang baybayin ng Luzon, Kabisayaan, at Mindanao** (Batanes, Cagayan kasama ang Babuyan Islands, Isabela, Aurora, hilagang baybayin ng Quezon {General Nakar} kasama ang hilaga at silangang baybayin ng Polillo Islands {hilagang baybayin ng Panukulan, hilagang-silangang baybayin ng Burdeos, hilaga at silangang baybayin ng Patnanungan, hilaga at silangang baybayin ng Jomalig}, hilaga at silangang baybayin ng Camarines Norte {Capalonga, Jose Panganiban, Paracale, Vinzons, Talisay, Daet, Mercedes, Basud}, hilaga at silangang baybayin ng Camarines Sur {Siruma, Tinambac, Lagonoy, Garchitorea, Caramoan}, hilaga at silangang baybayin ng Catanduanes {Pandan, Bagamanoc, Viga, Panganiban, Baras, Gigmoto, Bato}, hilaga at silangang baybayin ng Albay {Rapu-Rapu}, at Sorsogon {Prieto Diaz, Gubat, Barcelona, Bulusan}, hilaga at silangang baybayin ng Northern Samar {Catarman, Mondragon, Pambujan, San Roque, Laoang, Palapag, Mapanas, Gamay, Lapinig}, Eastern Samar, at Surigao del Norte {Siargao at Bucas Grande Islands}) at sa **kanlurang baybayin ng Hilagang Luzon** (Ilocos Norte, at Ilocos Sur {Santiago, San Esteban, Santa Maria, Narvacan, Caoayan, Santa, City of Vigan, San Vicente, Santo Domingo, Magsingal, San Juan, Cabugao, Sinait, Santa Catalina})

**Maalon hanggang napaka-alon na karagatan ang inaasahan sa Hilagang Luzon at sa silangang bahagi ng Gitna Luzon, Katimugang Luzon, Kabisayaan, at Mindanao** samantala ang **natitirang bahagi ng** bansa ay makakaranas ng **katamtaman hanggang maalon na karagatan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

#### DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.6 °C (General Santos City, 2016)	Pinakamataas na Temperatura	37.7 °C (Ambulong, 1977)
Pinakamababang Temperatura	8.6 °C (Baguio City, 1961)	Pinakamababang Temperatura	6.3 °C (Baguio City, 1961)
Pinakamaraming Ulan	248.0 mm (Hinatuan City, 1986)	Pinakamaraming Ulan	427.8 mm (Borongan 2011)
INIHANDA HANDA/INI-UPLOAD NINA: <b>NRE / ARL</b>		BINIGYANG PANSIN NI: <b>MEVT</b>	