



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 035

Issued: 7:00 AM, Friday, 13 February 2026

Valid until: 7:00 AM, Saturday, 14 February 2026

SYNOPSIS: Shear Line affecting the eastern section of Southern Luzon. Northeast Monsoon affecting the rest of Luzon. Easterlies affecting the rest of the country.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Bicol Region, Isabela, Quirino, Aurora, Quezon, Rizal, Laguna, Batangas, Oriental Mindoro, Marinduque, and Romblon	Cloudy skies with scattered rains and isolated thunderstorms	Moderate from northeast	21 – 29	19 – 28	70 – 98	4 – 8
Visayas, Northern Mindanao, Caraga, Davao Region, and SOCCSKSARGEN	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	22 – 33	20 – 31	60 – 98	4 – 8
The rest of Cagayan Valley, Apayao, Kalinga, Mountain Province, and Ifugao	Cloudy skies with light rains	Moderate from northeast	21 – 29	15 – 27	60 – 98	4 – 8
Metro Manila, Ilocos Region, Central Luzon, the rest of Cordillera Administrative Region, and the rest of CALABARZON	Partly cloudy to cloudy skies with isolated light rains	Ilocos Region, the rest of Cordillera Administrative Region – Moderate from northeast; Metro Manila, rest of Central Luzon and CALABARZON – Light to moderate from east to northeast	20 – 33	13 – 30	50 – 96	0 – 6
The rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from east to northeast	22 – 33	21 – 31	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEARLINE, EASTERLIES, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Suspend field operations (spraying, fertilizing, harvesting) during thunderstorms and lightning.
- Ensure the safety of workers; avoid open fields and tall trees.
- Inspect crops after the storm for lodging and damage; immediately repair trellises.
- Check irrigation and drainage lines for possible damage.
- Secure seedbeds, greenhouse covers, and trellises against cold and strong winds.
- Prepare windbreaks for vegetables and seedlings.
- Adjust irrigation by reducing watering, as evapotranspiration is slower.
- Monitor vegetables (lettuce, pechay, cabbage) for cold stress and use mulch when necessary.



FARM ADVISORY			
SOIL MOISTURE CONDITION (February 1-10, 2026)		ENSO ALERT SYSTEM STATUS (Updated as of 06 February 2026)	
			
<p>Wet – Leyte, Southern Leyte, Eastern Samar, Bohol, Cebu, Aklan, Antique, Polillo Island, Camarines Norte, Agusan del Norte, Surigao del Sur, and Surigao del Norte</p> <p>Moist – Samar, Catanduanes, Capiz, Iloilo, Misamis Oriental, and Agusan del Sur</p> <p>Dry – The rest of the country</p>		<p>LA NIÑA</p> <p>https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring</p> <p>Ensure good field drainage by using raised beds and properly leveled fields, and regularly inspect canals, bunds, and embankments to prevent flooding. Secure nurseries, trellises, and windbreaks to protect crops from strong winds and heavy rains. Harvest mature and near-mature crops early when prolonged rainfall is forecast. Dry and store harvested produce using covered, elevated, and well-ventilated facilities to avoid spoilage. Monitor crops closely for pest and disease outbreaks, particularly fungal infections during wet conditions, and apply control measures when weather permits. Coordinate with the Municipal/City Agriculture Office and regularly follow DOST-PAGASA advisories for timely updates and guidance.</p>	
FISHING ADVISORY			
GALE WARNING AND SEA CONDITION			
<p>No Gale Warning was raised.</p> <p>Moderate seas will prevail over Northern Luzon and the eastern sections of Central and Southern Luzon, while the rest of the archipelago will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.</p>			
ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	36.7 °C (Gen. Santos City, 1983)	Maximum Temperature	38.4 °C (Tuguegarao, 1961)
Minimum Temperature	8.0 °C (Baguio City, 2017)	Minimum Temperature	6.7 °C (Baguio City, 1963)
Rainfall	433 mm (Borongan, 2018)	Rainfall	472.9 mm (Surigao City, 1974)
PREPARED/UPLOADED BY: MTR / JOT		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 035

Inilabas ng: 7:00 AM, Biyernes, 13 Pebrero 2026

May bisa hanggang: 7:00 AM, Sabado, 14 Pebrero 2026

SYNOPSIS: Shearline ang nakakaapekto sa silangang bahagi ng Southern Luzon. Amihan ang nakakaapekto sa natitirang bahagi ng Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Bicol Region, Isabela, Quirino, Aurora, Quezon, Rizal, Laguna, Batangas, Oriental Mindoro, Marinduque, at Romblon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Katamtaman mula hilagang silangan	21 – 29	19 – 28	70 – 98	4 – 8
Visayas, Northern Mindanao, Caraga, Davao Region, at SOCCSKSARGEN	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 33	20 – 31	60 – 98	4 – 8
Natitirang bahagi ng Cagayan Valley, Apayao, Kalinga, Mountain Province, at Ifugao	Maulap na kalangitan na may mahinang pag-ulan	Katamtaman mula hilagang silangan	21 – 29	15– 27	60 – 98	4 – 8
Metro Manila, Ilocos Region, Central Luzon, natitirang bahagi ng Cordillera Administrative Region, at natitirang bahagi ng CALABARZON	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Ilocos Region, natitirang bahagi ng Cordillera Administrative Region Katamtaman mula hilagang Silangan; Metro Manila, natitirang bahagi ng Central Luzon at CALABARZON – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	20 – 33	13 – 30	50 – 96	0 – 6
Natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 33	21 – 31	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

SHEARLINE, EASTERLIES, AMIHAN, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itigil ang field operations (spraying, fertilizing, harvesting) kapag may kulog at kidlat.
- Siguruhing ligtas ang manggagawa; iwasan ang bukas na bukid at matataas na puno.
- Suriin ang taniman pagkatapos ng bagyo para sa lodging at pinsala; ayusin agad ang trellis.
- I-check ang irrigation at drainage lines para sa posibleng sira.
- I-secure ang seedbeds, greenhouse covers, at trellises laban sa malamig at malakas na hangin.
- Maghanda ng windbreaks para sa gulay at punla.



- I-adjust ang irrigation: bawasan ang patubig dahil mas mabagal ang evapotranspiration.
- Bantayan ang cold stress sa gulay (lettuce, pechay, repolyo); gumamit ng mulch.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN


(Pebrero 1-10, 2026)



Basa – Leyte, Southern Leyte, Eastern Samar, Bohol, Cebu, Aklan, Antique, Polillo Island, Camarines Norte, Agusan del Norte, Surigao del Sur, at Surigao del Norte
Katamtaman – Samar, Catanduanes, Capiz, Iloilo, Misamis Oriental, at Agusan del Sur
Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS

(mula noong 06 Pebrero 2026)



<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Siguraduhin ang maayos na daloy ng tubig sa taniman sa pamamagitan ng raised beds at tamang pag-level ng lupa, at regular na inspeksyunin ang mga kanal, pilapil, at embankment upang maiwasan ang pagbaha. I-secure ang mga nursery, trellis, at windbreaks para protektahan ang pananim mula sa malakas na hangin at matinding ulan. Aniin nang maaga ang mga hinog o malapit nang hinog na pananim kapag inaasahan ang matagal na pag-ulan. Patuyuin at itago ang ani sa mabubungad, mataas, at maayos na bentiladong lugar upang maiwasan ang pagkasira. Subaybayan ang pananim laban sa peste at sakit, lalo na ang fungal infections sa basa at mahalumigmig na panahon, at agad na gumawa ng angkop na kontrol kapag pinahihintulutan ng panahon. Makipag-ugnayan sa Municipal/City Agriculture Office at regular na sundan ang DOST-PAGASA advisories para sa pinakabagong impormasyon at gabay.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Inaasahan ang **katamtamang kalagayan ng dagat** sa **Hilagang Luzon** at sa **silangang bahagi ng Central at Southern Luzon**, habang ang **natitirang bahagi ng kapuluan** ay makararanas ng **banayad hanggang katamtamang alon**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

Pinakamataas na Temperatura	36.7 °C (Gen. Santos City, 1983)
Pinakamababang Temperatura	8.0 °C (Baguio City, 2017)
Pinakamaraming Ulan	433 mm (Borongan, 2018)

MONTHLY EXTREMES

Pinakamataas na Temperatura	38.4 °C (Tuguegarao, 1961)
Pinakamababang Temperatura	6.7 °C (Baguio City, 1963)
Pinakamaraming Ulan	472.9 mm (Surigao City, 1974)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / JOT**

BINIGYANG PANSIN NI: **MEVT**