



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 034

Issued: 7:00 AM, Thursday, 12 February 2026

Valid until: 7:00 AM, Friday, 13 February 2026

SYNOPSIS: Shear Line affecting the eastern sections of Southern Luzon and Visayas. Northeast Monsoon affecting the rest of Luzon.

| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (0C) | | RH% | LEAF WETNESS (HRS) |
|--|--|---|------------------|---------|---------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Bicol Region, Western Visayas, Quezon, Oriental Mindoro, Marinduque, Romblon, Negros Occidental, Northern Samar, Eastern Samar, Samar, Biliran, and Leyte | Cloudy skies with scattered rains or isolated thunderstorms | Bicol Region, Quezon, Northern Samar, Eastern Samar, Samar, Biliran, and Leyte – Moderate to strong from northeast; Western Visayas, Oriental Mindoro, Marinduque, Romblon, and Negros Occidental – Light to moderate from east to northeast | 22 – 31 | 20 – 29 | 60 – 98 | 4 – 8 |
| Caraga, Davao Region, and Southern Leyte | Cloudy skies with scattered rains and thunderstorms | Southern Leyte – Moderate to strong from northeast; Caraga and Davao Region – Light to moderate from east to northeast | 22 – 33 | 20 – 31 | 60 – 98 | 2 – 6 |
| Cagayan Valley, Apayao, Kalinga, Mountain Province, Ifugao, and Aurora | Cloudy skies with light rains | Moderate to strong from northeast | 21 – 30 | 15 – 27 | 60 – 98 | 4 – 8 |
| Metro Manila, Ilocos Region, the rest of Cordillera Administrative Region, the rest of Central Luzon, and the rest of CALABARZON | Partly cloudy to cloudy skies with isolated light rains | Ilocos Region and the rest of Cordillera Administrative Region – Moderate to strong from northeast; Metro Manila, the rest of Central Luzon, and the rest of CALABARZON – Light to moderate from east to northeast | 21 – 32 | 13 – 28 | 50 – 96 | 2 – 6 |
| The rest of the country | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | Light to moderate from east to northeast | 21 – 35 | 19 – 32 | 50 – 96 | 0 – 4 |

AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEARLINE, NORTHEAST MONSOON, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Ensure that farm canals, ditches, and drainage systems are clear of debris to allow the free flow of water and prevent waterlogging in crop fields.



- Delay land preparation, planting, fertilizer application, and pesticide spraying in areas experiencing moderate to heavy rainfall to avoid crop damage and nutrient loss.
- Secure seedlings, nursery trays, and newly transplanted crops by providing temporary covers or proper spacing to reduce damage from excessive moisture.
- Harvest mature crops, vegetables, and fruits ahead of prolonged rainfall to minimize post-harvest losses and deterioration of produce quality.
- Strengthen and support tall or vine crops such as corn, banana, tomato, and climbing vegetables to prevent lodging due to strong winds and saturated soil.

FARM ADVISORY

SOIL MOISTURE CONDITION

(February 1-10, 2026)



Wet – Leyte, Southern Leyte, Eastern Samar, Bohol, Cebu, Aklan, Antique, Polillo island, Camarines Norte, Agusan del Norte, Surigao del Sur, and Surigao del Norte

Moist – Samar, Catanduanes, Capiz Iloilo, Misamis Oriental, and Agusan del Sur

Dry – The rest of the country

ENSO ALERT SYSTEM STATUS

(Updated as of 06 February 2026)



LA NIÑA

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Ensure good field drainage by using raised beds and properly leveled fields, and regularly inspect canals, bunds, and embankments to prevent flooding. Secure nurseries, trellises, and windbreaks to protect crops from strong winds and heavy rains. Harvest mature and near-mature crops early when prolonged rainfall is forecast. Dry and store harvested produce using covered, elevated, and well-ventilated facilities to avoid spoilage. Monitor crops closely for pest and disease outbreaks, particularly fungal infections during wet conditions, and apply control measures when weather permits. Coordinate with the Municipal/City Agriculture Office and regularly follow DOST-PAGASA advisories for timely updates and guidance.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning was raised.

Moderate to strong seas will prevail over the **Northern Luzon and the eastern sections of Central Luzon, Southern Luzon, and Visayas, while the rest of the country will have slight to moderate seas.** Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

| | |
|---------------------|---------------------------------|
| Maximum Temperature | 38.4 °C (Tuguegarao City, 1961) |
| Minimum Temperature | 9.4 °C (Baguio City, 2017) |
| Rainfall | 472.9 mm (Surigao City, 1974) |

MONTHLY EXTREMES

| | |
|---------------------|-------------------------------|
| Maximum Temperature | 38.4 °C (Tuguegarao, 1961) |
| Minimum Temperature | 6.7 °C (Baguio City, 1963) |
| Rainfall | 472.9 mm (Surigao City, 1974) |

PREPARED/UPLOADED BY: NRE / ARL

VERIFIED BY: MEVT



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 033

Inilabas ng: 7:00 AM, Huwebes, 12 Pebrero 2026

May bisa hanggang: 7:00 AM, Biyernes, 13 Pebrero 2026

SYNOPSIS: Shear line ang nakaaapekto sa Katimugang Luzon at Kabisayaan. Amihan ang nakaaapekto sa natitirang bahagi ng Luzon.

| LUGAR NG PAGTAYA | LAGAY NG PANAHOON PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABASA NG DAHON (ORAS) |
|---|--|--|------------------|-------------------|---------|---------------------------|
| | | | Mababang Bukirin | Mataas na Bukirin | | |
| Rehiyon ng Bicol, Western Visayas, Quezon, Oriental Mindoro, Marinduque, Romblon, Negros Occidental, Northern Samar, Eastern Samar, Samar, Biliran, at Leyte | Maulap na kalangitan na may kalata-kalat nap ag-ulan o pulu-pulong pagkidlat-pagkulong | Rehiyon ng Bicol, Quezon, Northern Samar, Eastern Samar, Samar, Biliran, at Leyte – katamtaman hanggang sa malakas mula hilagang silangan; Western Visayas, Oriental Mindoro, Marinduque, Romblon, at Negros Occidental – mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan. | 22 – 31 | 20 – 29 | 60 – 98 | 4 – 8 |
| Caraga, Davao Region, at Southern Leyte | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong | Southern Leyte – katamtaman hanggang sa malakas mula hilagang silangan; Caraga at Davao Region – mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan. | 22 – 33 | 20 – 31 | 60 – 98 | 2 – 6 |
| Cagayan Valley, Apayao, Kalinga, Mountain Province, Ifugao, at Aurora | Maulap na kalangitan na may mahinang pag-ulan | katamtaman hanggang sa malakas mula hilagang silangan | 21 – 30 | 15 – 27 | 60 – 98 | 4 – 8 |
| Metro Manila, Rehiyon ng Ilocos, natitirang bahagi ng Cordillera Administrative Region, natitirang bahagi ng Central Luzon, at sa natitirang bahagi ng CALABARZON | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan | Rehiyon ng Ilocos at sa natitirang bahagi ng Cordillera Administrative Region – katamtaman hanggang sa malakas mula hilagang silangan; Metro Manila, natitirang bahagi ng Central Luzon, at sa natitirang bahagi ng CALABARZON – mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan | 21 – 32 | 13 – 28 | 50 – 96 | 2 – 6 |



| | | | | | | |
|-----------------------------------|---|--|---------|---------|---------|-------|
| Natitirang bahagi ng bansa | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong | mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan | 21 – 35 | 19 – 32 | 50 – 96 | 0 – 4 |
|-----------------------------------|---|--|---------|---------|---------|-------|


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

SHEARLINE, AMIHAN, EASTERLIES AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Siguraduhing malinis at walang bara ang mga kanal, alulod, at daluyan ng tubig sa sakahan upang maging maayos ang daloy ng tubig at maiwasan ang pagbabad ng tubig sa mga taniman.
- Ipagpaliban ang paghahanda ng lupa, pagtanim, paglalagay ng pataba, at pag-iispray ng pestisidyo sa mga lugar na nakararanas ng katamtaman hanggang malakas na pag-ulan upang maiwasan ang pagkasira ng pananim at pagkatangay ng sustansiya ng lupa.
- Siguraduhing maayos ang pagkakalagay ng mga punla, seedling trays, at mga bagong lipat na tanim sa pamamagitan ng pagbibigay ng pansamantalang panakip o tamang agwat upang mabawasan ang pinsalang dulot ng labis na kahalumigmigan.
- Anihin na ang mga hinog nang pananim, gulay, at prutas bago pa tumagal ang pag-ulan upang mabawasan ang pagkalugi pagkatapos ng anihan at ang pagkasira ng kalidad ng ani.
- Patibayin at suportahan ang mga matataas at gumagapang na pananim tulad ng mais, saging, kamatis, at mga gumagapang na gulay upang maiwasan ang pagbuwal dulot ng malalakas na hangin at lambot ng lupa dahil sa ulan.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Pebrero 1-10, 2026)



Tuyo – Natitirang bahagi ng bansa

Basa – Leyte, Southern Leyte, Eastern Samar, Bohol, Cebu, Aklan, Antique, Pollilo island, Camarines Norte, Agusan del Norte, Surigao del Sur, at Surigao del Norte

Katamtaman – Samar, Catanduanes, Capiz Iloilo, Misamis Oriental, at Agusan del Sur

ENSO ALERT SYSTEM STATUS (mula noong 06 Pebrero 2026)



LA NIÑA

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Siguraduhin ang maayos na daloy ng tubig sa taniman sa pamamagitan ng raised beds at tamang pag-level ng lupa, at regular na inspeksyunin ang mga kanal, pilapil, at embankment upang maiwasan ang pagbaha. I-secure ang mga nursery, trellis, at windbreaks para protektahan ang pananim mula sa malakas na hangin at matinding ulan. Anihin nang maaga ang mga hinog o malapit nang hinog na pananim kapag inaasahan ang matagal na pag-ulan. Patuyuin at itago ang ani sa mabubungad, mataas, at maayos na bentiladong lugar upang maiwasan ang pagkasira. Subaybayan ang pananim laban sa peste at sakit, lalo na ang fungal infections sa basa at mahalumigmig na panahon, at agad na gumawa ng angkop na kontrol kapag pinahihintulutan ng panahon. Makipag-ugnayan sa Municipal/City Agriculture Office at regular na sundan ang DOST-PAGASA advisories para sa pinakabagong impormasyon at gabay.

PAYO SA MGA MANGINGISDA



GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang iiral sa Hilagang Luzon, at sa **silangang bahagi ng Gitnang Luzon, Katimugang Luzon, at Kabisayaan**, samantala ang **natitirang bahagi ng bansa** ay makakaranas ng mahina hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

| DAILY EXTREMES | | MONTHLY EXTREMES | |
|--|---------------------------------|----------------------------------|-------------------------------|
| Pinakamataas na Temperatura | 38.4 °C (Tuguegarao City, 1961) | Pinakamataas na Temperatura | 38.4 °C (Tuguegarao, 1961) |
| Pinakamababang Temperatura | 9.4 °C (Baguio City, 2017) | Pinakamababang Temperatura | 6.7 °C (Baguio City, 1963) |
| Pinakamaraming Ulan | 472.9 mm (Surigao City, 1974) | Pinakamaraming Ulan | 472.9 mm (Surigao City, 1974) |
| INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL | | BINIGYANG PANSIN NI: MEVT | |