



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 229

Issued: 7:00 AM, Wednesday, 01 October 2025

Valid until: 7:00 AM, Thursday, 02 October 2025


SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 1,080 km East of Southeastern Luzon (14.1°N 133.0°E). Easterlies affecting the country.

| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (°C) | | RH% | LEAF WETNESS (HRS) |
|--|--|--|------------------|---------|---------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Bicol Region, Eastern Visayas, Central Visayas, Caraga, Northern Mindanao, Aurora, and Quezon | Cloudy skies with scattered rainshowers and thunderstorms | Bicol Region, Aurora, and Quezon – Light to moderate from southeast to east; Eastern Visayas, Central Visayas, Caraga, Northern Mindanao – Light to moderate from southeast | 24 – 32 | 21 – 31 | 50 – 98 | 2 – 6 |
| The rest of the country | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | The rest of Luzon – Light to moderate from southeast to east; The rest of Visayas and Mindanao – Light to moderate from southeast | 24 – 33 | 14 – 31 | 45 – 96 | 0 – 4 |

FARM ADVISORY

SOIL MOISTURE CONDITION

(September 11 – 20, 2025)



Wet – Ilocos Norte, Ilocos Sur, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, CALABARZON, MIMAROPA, Bicol Region, Western Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, Caraga Region, and BARMM

Moist – Rest of Ilocos Region and most parts of Central Visayas

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 24 September 2025)

LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Farmers are advised to monitor water levels in irrigated fields to prevent excessive flooding that may cause lodging, and for upland rice and corn, improve drainage canals and dikes to avoid waterlogging. Fertilizer application should be scheduled during dry intervals to maximize effectiveness. For vegetables, strengthen trellises and supports for climbing crops such as ampalaya, string beans, and cucumber. Additionally, clean and reinforce canals, dikes, and drainage systems before heavy rains, and store seeds, fertilizers, and other farm inputs in waterproof containers placed in elevated areas.



AREAS AFFECTED BY THE WEATHER SYSTEMS

EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Monitor rice fields and vegetable plots for waterlogging and maintain proper drainage to prevent crop damage.
- Apply fertilizers and pesticides only during dry breaks; avoid doing so during rainy periods.
- Conduct regular crop inspections for pests and fungal diseases common in wet conditions and apply timely control measures.
- Reinforce trellises and supports for climbing vegetables to reduce the risk of lodging.
- Prune excess branches of fruit trees to minimize wind damage and improve airflow.
- Clear and strengthen canals, dikes, and drainage systems to reduce the risk of flooding.
- Harvest mature crops early when heavy rains are anticipated to prevent losses.
- Use mulching to protect soil, reduce erosion, and maintain root stability.
- Keep emergency seeds and planting materials in dry, elevated, and secure storage.
- Stay updated with PAGASA advisories and LGU warnings for timely farm decisions.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will prevail over **the entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

| DAILY EXTREMES | | MONTHLY EXTREMES | |
|---------------------|---------------------------------|---------------------|---------------------------------|
| Maximum Temperature | 36.6 °C (Tuguegarao City, 1959) | Maximum Temperature | 38.5 °C (Tuguegarao City, 1987) |
| Minimum Temperature | 13.6 °C (Baguio City, 1923) | Minimum Temperature | 11.3 °C (Baguio City, 1913) |
| Rainfall | 246.8 mm (Infanta, 2008) | Rainfall | 994.6 mm (Baguio City, 1998) |

PREPARED/UPLOADED BY: **MTR / RVDD**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 229

Inilabas ng: 7:00 AM, Miyerkules, 01 Oktubre 2025

May bisa hanggang: 7:00 AM, Huwebes, 02 Oktubre 2025


SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa 1,080 km silangan ng Timog-silangang Luzon (14.1°N 133.0°E). Easterlies ang nakakaapekto sa bansa.

| LUGAR NG PAGTAYA | LAGAY NG PANAHOON PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABA SA NG DAHON (ORAS) |
|--|---|--|------------------|-------------------|---------|----------------------------|
| | | | Mababang Bukirin | Mababa ng Bukirin | | |
| Rehiyon ng Bicol, Silangang Kabisayaan, Gitnang Kabisayaan, Caraga, Hilagang Mindanao, Aurora, at Quezon | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong | Rehiyon ng Bicol, Aurora, at Quezon – Mahina hanggang sa katamtaman mula timog-silangan hanggang silangan; Silangang Kabisayaan, Gitnang Kabisayaan, Caraga, Hilagang Mindanao – Mahina hanggang sa katamtaman mula timog-silangan | 24 – 32 | 21 – 31 | 50 – 98 | 2 – 6 |
| Natitirang bahagi ng bansa | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong | Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang silangan; Kabisayaan at Mindanao – Mahina hanggang sa katamtaman mula timog-silangan | 24 – 33 | 14 – 31 | 45 – 96 | 0 – 4 |



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Setyembre 11 – 20, 2025)



Basa – Ilocos Norte, Ilocos Sur, Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, CALABARZON, MIMAROPA, Rehiyon ng Bicol, Kanlurang Kabisayaan, Silangang Kabisayaan, Zamboanga Peninsula, Hilagang Mindanao, Davao del Norte, Rehiyon ng Caraga, at BARMM


Katamtaman – Natitirang bahagi ng Rehiyon ng Ilocos at

malaking bahagi ng Gitnang Kabisayaan

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 24 Setyembre 2025)

LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Pinapayuhan ang mga magsasaka na bantayan ang lebel ng tubig sa mga palayang may irigasyon upang maiwasan ang labis na pagbaha na maaaring magdulot ng pagkakadapa ng pananim. Para naman sa upland rice at mais, ayusin at palakasin ang mga kanal at pilapil upang maiwasan ang pagbaha o pagkakababad sa tubig. Dapat ding itakda ang paglalagay ng pataba sa mga panahon ng tuyo upang maging mas epektibo. Para sa gulayan, palakasin ang mga tukod at balag ng mga gumagapang na pananim gaya ng ampalaya, sitaw, at pipino. Dagdag pa rito, linisin at patibayin ang mga kanal, pilapil, at daluyan ng tubig bago dumating ang malalakas na pag-ulan, at itago ang mga binhi, pataba, at iba pang gamit-pansaka sa mga lalagyang hindi pinapasok ng tubig at ilagay sa matataas na lugar.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Bantayan ang mga palayan at gulayan laban sa sobrang pagbababad ng tubig at panatiliing maayos ang daluyan upang maiwasan ang pinsala.
- Maglagay ng pataba at pestisidyo lamang sa tuyo; iwasan ito kapag umuulan.
- Regular na suriin ang mga pananim upang agad matukoy at malunasan ang peste at sakit na madalas lumalaganap sa basa at mahalumigmig na kondisyon.
- Palakasin ang tukod at balag ng mga gumagapang na gulay upang hindi mabuwal.
- Putulin ang sobrang sanga ng mga punongkahoy upang mabawasan ang pinsala mula sa hangin at mapabuti ang sirkulasyon.
- Linisin at patibayin ang mga kanal, pilapil, at daluyan ng tubig upang makaiwas sa pagbaha.
- Aniin agad ang mga hinog na pananim bago dumating ang malalakas na ulan upang maiwasan ang pagkalugi.
- Gumamit ng mulching upang maprotektahan ang lupa, maiwasan ang pagguho, at mapanatiling matatag ang mga ugat.
- Itago ang mga binhi at gamit sa pagtatanim sa tuyo, mataas, at ligtas na lugar.
- Sundin ang mga abiso ng PAGASA at babala ng LGU para sa tamang desisyon sa pagsasaka.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtaman na karagatan ang mararanasan sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

| DAILY EXTREMES | | MONTHLY EXTREMES | |
|---------------------|---------------------------------|---------------------|---------------------------------|
| Maximum Temperature | 36.6 °C (Tuguegarao City, 1959) | Maximum Temperature | 38.5 °C (Tuguegarao City, 1987) |
| Minimum Temperature | 13.6 °C (Baguio City, 1923) | Minimum Temperature | 11.3 °C (Baguio City, 1913) |
| Rainfall | 246.8 mm (Infanta, 2008) | Rainfall | 994.6 mm (Baguio City, 1998) |

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / RVDD**

BINIGYANG PANSIN NI: **MEVT**