



WEEKEND/SPECIAL FARM WEATHER OUTLOOK WSFWO: NO. 24 – 254

Issued: 4:00 PM, Friday, 01 November 2024

Valid until: 8:00 AM, Monday, 04 November 2024

Today(01 November), the trough of KONG-REY {formerly "LEON"} may bring mostly cloudy skies with scattered rains and isolated thunderstorms over **Zambales, Bataan, Occidental Mindoro, and Palawan**. The **rest of the country** will have partly cloudy to cloudy skies with isolated rain showers or thunderstorms.


Tomorrow until Sunday (02-03 November), the **whole archipelago** will experience partly cloudy skies with higher chance of thunderstorms over the eastern section due to *Easterlies*.

On Monday (04 November), the *Northeasterly (NE) windflow* may bring cloudy skies with light rains over **Batanes, Babuyan Islands, and Ilocos Norte**. Meanwhile, **Cagayan, Apayao, and Isabel** may have cloudy skies with scattered rains and isolated thunderstorms due to *Shearline*. The **rest of the country** may experience partly cloudy to cloudy skies apart from isolated rainshowers or thunderstorms due to *Easterlies*.

FORECAST AREA	TEMPERATURE		RH (%)	LEAF WETNESS (HRS)
	LOWLAND	UPLAND		
LUZON	22 – 35	15 – 31	50 – 97	0 – 6
VISAYAS	23 – 36	22 – 33	45 – 96	0 – 4
MINDANAO	22 – 36	20 – 32	45 – 96	0 – 4

FARM ADVISORY

SOIL MOISTURE CONDITION (October 11 – 31, 2024)



Wet – Ilocos Sur, Batanes, Isabel, Nueva Vizcaya, Cordillera Administrative Region, Aurora, Iba, Nueva Ecija, Bataan, Bulacan, National Capital Region, CALABARZON, Oriental Mindoro, Romblon, Northern Palawan, Bicol Region, Western Visayas, Cebu, most of Eastern Visayas, Northern Mindanao, Davao Region and Lanao del Sur

Moist – Most of Ilocos Region, Cagayan, rest of Central Luzon, Occidental Mindoro, rest of Central Visayas, Maasin,

Zamboanga del Sur, Agusan del Norte, Surigao del Sur and Maguindanao

Dry – rest of the country

ENSO ALERT SYSTEM STATUS (as of 23 October 2024)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Wet conditions can increase the incidence of pests and diseases. Monitor crops regularly for signs of fungal infections, blights, and pest infestations. Apply mulch to retain soil moisture and prevent erosion during heavy rains. Cut back on irrigation schedules to avoid over-saturating the soil. Prepare drying facilities for harvested crops to prevent spoilage due to high moisture levels. Inspect and repair farm buildings, storage facilities, and equipment to withstand heavy rain and strong winds. After heavy rains, there is usually a surge in weed growth. Immediate weeding is essential to reduce competition for nutrients.



AREAS AFFECTED BY THE WEATHER SYSTEMS


TROUGH OF “KONG-REY”, EASTERLIES, NORTHEASTERLY, WINDFLOW, SHEARLINE, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Wet weather promotes fungal development and can cause damage to stored farm products, reduce the quality, viability and market price of the grains. Thus, it is advised to keep barns and crop storage rooms in good, dry, and well-ventilated condition.
- Mulching helps protect the soil from erosion caused by wind and rain. It reduces the impact of raindrops on the soil surface and slows down water runoff, allowing more water to infiltrate the soil.
- Use controlled irrigation systems that allow precise water application to avoid oversaturation. Implement systems to capture and store rainwater for controlled use, reducing surface water accumulation.

FISHING ADVISORY

RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin

No. 276 updated 23 October 2024)



All types of shellfish and *Acetes* sp. or alamang gathered from coastal waters of **Dumanquillas Bay in Zamboanga del Sur**; coastal waters of **Daram Island, Zumarraga Island, Irong-Irong Bay, Carigara Bay in Leyte**; **Biliran Island in Biliran Province** and coastal waters of **Tungawan in Zamboanga Sibugay Province**; **Lianga Bay in Surigao Del Sur**, and **Cambatutay Bay in Samar** and coastal waters of **Leyte in Leyte** are not safe for human consumption and positive for red tide toxin.

Fishermen are advised to avoid fishing, buying, selling, and eating any kind of shellfish and alamang in the said areas. Fish, squids, shrimps, and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

PREPARED/UPLOADED BY: **NRE / JOT**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN FWFA: NO. 24 – 254

Inilabas ng: 4:00 PM, Biyernes, 01 Nobyembre 2024

May bisa hanggang: 8:00 am, Lunes, 04 Nobyembre 2024

Ngayong araw (01 Nobyembre), magdadala ng maulap na kalangitan na may kalat-kalat at pulu-pulong pag-ulan at pagkidlat-pagkulong ang *trough ng bagyong Kong-Rey* {dating “LEON”} sa **Zambales, Bataan, Occidental Mindoro, at Palawan**. Ang natitirang bahagi ng bansa ay magkakaroon ng bahagyang maulap hanggang sa maulap na kalangitan na may mga pulu-pulong pag-ulan o pagkidlat-pagkulong.

Bukas at sa Linggo (02 – 03 Nobyembre), magkakaroon ng bahagyang maulap na kalangitan sa **buong kapuluan** na may mataas na posibilidad ng pag-ulan o pagkidlat-pagkulong sa **silangang bahagi** dahil sa *Easterlies*.


Sa Lunes (04 Nobyembre), magdadala ng ng maulap na kalangitan na may mahinang pag-ulan ang *Northeasterly windflow* sa **Batanes, Babuyan Islands, at Ilocos Norte**, Samantala, maulap na kalangitan na may kalat-kalat at pulu-pulong pag-ulan at pagkidlat-pagkulong ang mararanasan sa **Cagayan, Apayao, at Isabela** dahil sa *Shearline*. Ang **natitirang bahagi ng bansa** ay magkakaroon ng bahagyang maulap hanggang sa maulap na kalangitan maliban sa mga pulu-pulong pag-ulan o pagkidlat-pagkulong dulot ng *Easterlies*.

LUGAR NG PAGTAYA	TEMPERATURA (°C)		RH (%)	PAGKABASA NG DAHON (ORAS)
	Mababang Bukirin	Mataas na Bukirin		
LUZON	22 – 35	15 – 31	50 – 97	0 – 6
VISAYAS	23 – 36	22 – 33	45 – 96	0 – 4
MINDANAO	22 – 36	20 – 32	45 – 96	0 – 4

PAYONG PANSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

Oktubre 11 – 20, 2024)



Basa – Ilocos Sur, Batanes, Isabela, Nueva Vizcaya, Cordillera Administrative Region, Aurora, Iba, Nueva Ecija, Bataan, Bulacan, National Capital Region, CALABARZON, Oriental Mindoro, Romblon, Northern Palawan, Bicol Region, Western Visayas, Cebu, karamihan sa Eastern Visayas, Northern Mindanao, Davao Region at Lanao del Sur


Katamtaman – karamihan sa Ilocos Region, Cagayan, natitirang bahagi ng Central Luzon, Occidental Mindoro, natitirang bahagi ng Central Visayas, Maasin, Zamboanga del Sur, Agusan del Norte, Surigao del Sur at Maguindanao

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS

(simula 23 Oktubre 2024)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Maghanda para sa mas maulan na kondisyon. Siyasatin ang drainage upang maiwasan ang pagbaha at bantayan ang paglaganap ng peste at sakit. Gumamit ng mga uri ng pananim na may resistensya at isalang-alang ang staggered planting. Ang pagtaas ng kahalumigmigan ay maaaring makaapekto sa paglaganap ng peste at sakit. Ang regular na pagmonitor sa mga bukid at agarang pagtugon ay kinakailangan.



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


TROUGH OF "KONG-REY", EASTERLIES, NORTHEASTERLY, WINDFLOW, SHEARLINE PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Ang tuluy-tuloy na pag-ulan ay maaaring magpalaganap ng fungi sa mga nakaimbak na ani, makaapekto sa kalidad ng mga butil, pagkabulok at maaring magresulta sa mababang bentahan sa merkado. Kaya pinapayuhang ayusin at siyasatin ang mga imbakan at sigaruduhing tuyo, malinis, at maaliwalas ang mga ito.
- Ang mulching ay nakakatulong na protektahan ang lupa mula sa erosyon na dulot ng hangin at ulan. Pinapababa nito ang epekto ng patak ng ulan sa ibabaw ng lupa at pinapabagal ang pag-ayos ng tubig, na nagpapahintulot na mas maraming tubig ang makapasok sa lupa.
- Gumamit ng mga sistemang kontroladong irigasyon na nagpapahintulot ng eksaktong aplikasyon ng tubig upang maiwasan ang sobrang pagkatubig. Gumawa ng paraan upang makolekta at maiimbak ang tubig-ulan para sa maingat na paggamit, na nagpapababa ng pag-apon ng tubig sa lupa.

PAYO SA MGA MANGINGISDA

RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin

No. 26 updated 16 Oktubre 2024)



Lahat ng uri ng kabibe at alamang na mahuhuli sa baybayin ng Dumanquillas sa Zamboanga del Sur; baybayin ng Daram Island, Zumarraga Island, Irong-Irong Bay, Carigara Bay sa Leyte; Biliran Island sa Biliran Province at baybayin ng Tungawan sa probinsya ng Zamboanga Sibugay; Lianga Bay sa Surigao Del Sur, at Camatutay Bay sa Samar at baybayin ng Leyte sa Leyte ay hindi ligtas kainin at positibo sa red tide.

Paalala sa mga mangingisda na umiwas muna na kumuha, bumili, magtinda, at kumain ng anumang uri ng kabibe at alamang sa mga nabanggit na lugar. Ang mga isda, pusit, hipon, at alimasag ay pwedeng kainin kapag ang mga ito ay sariwa, nahugasan nang mabuti, at ang mga laman-loob kagaya ng hasang at bituka ay natanggal bago iluto.

PREPARED/UPLOADED BY: NRE / JOT

VERIFIED BY: MEVT