



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 029

Issued: 7:00 AM, Friday, 06 February 2026

Valid until: 7:00 AM, Saturday, 07 February 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "BASYANG" {PENHA} was estimated based on all available data in the vicinity of Kitcharao, Agusan del Norte (9.4°N, 125.6°E) with maximum sustained winds of 65 km/h near the center and gustiness of up to 90 km/h. It is moving West Northwestward at 25 km/h. Northeast Monsoon affecting Northern and Central Luzon.



| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (0C) | | RH% | LEAF WETNESS (HRS) |
|--|--|---|------------------|---------|---------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Central Visayas, Negros Island Region, Northern Mindanao, and Caraga | Stormy | Stormy | 22 – 30 | 19 – 28 | 70 – 98 | >12 |
| The rest of Visayas, Zamboanga Peninsula, Lanao del Sur, Masbate, Romblon, Oriental Mindoro, Occidental Mindoro, and Palawan | Rains with gusty winds | Gusty winds | 21 – 31 | 20 – 29 | 65 – 98 | >12 |
| Bicol Region, the rest of Mindanao, Quezon, and Marinduque | Cloudy skies with scattered rainshowers and thunderstorms | Bicol Region, Quezon, and Marinduque – Moderate to strong from northeast to north; The rest of Mindanao – Moderate to strong from northwest to southwest | 23 – 30 | 19 – 29 | 60 – 98 | 4 – 8 |
| Metro Manila, Cavite, Laguna, Batangas, and Rizal | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | Moderate to strong from northeast to north | 20 – 31 | 19 – 30 | 50 – 96 | 4 – 8 |
| The rest of Luzon | Partly cloudy to cloudy skies with isolated light rains | The eastern section of Luzon – Moderate to strong from northeast; The rest of Luzon – Light to moderate from northeast to east | 18 – 32 | 11 – 31 | 45 – 96 | 0 – 6 |

AREAS AFFECTED BY THE WEATHER SYSTEMS

TS BASYANG, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Prepare for possible flooding and waterlogging in low-lying farms due to moderate to heavy rains; ensure drainage systems are clear and functional.
- Avoid fertilizer and pesticide application during continuous rainfall to prevent nutrient loss and runoff.
- Monitor crops for lodging (flattening of rice and corn) and provide support when it is safe to do so.
- Transfer harvested produce, seeds, fertilizers, and farm equipment to safe and dry locations.
- Ensure livestock are kept in elevated, secure areas with adequate feed and clean drinking water.
- Exercise caution in flood- and landslide-prone areas; avoid farm activities during strong winds and heavy rainfall.
- After the rains, conduct immediate damage assessment, clear debris and clogged canals, and prepare for replanting or gap filling if needed.
- Continuously monitor official weather advisories and coordinate with local agricultural offices for further guidance.



| FARM ADVISORY | | | |
|--|----------------------------------|---|----------------------------|
| SOIL MOISTURE CONDITION (January 21-31, 2026) | | ENSO ALERT SYSTEM STATUS (Updated as of 21 January 2026) | |
|  | |  | |
| <p>Wet – Calayan, Quezon, Bicol Region, Capiz, Eastern Visayas, Davao del Norte, Surigao del Norte</p> <p>Moist – Aparri, Aurora, Oriental Mindoro, Romblon, Palawan, Rest of Western Visayas, Negros Island Region, Bukidnon, Agusan del Norte, Lanao del Sur</p> <p>Dry – The rest of the country</p> | | <p>LA NIÑA</p> <p>https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring</p> <p>Ensure good field drainage by using raised beds and properly leveled fields, and regularly inspect canals, bunds, and embankments to prevent flooding. Secure nurseries, trellises, and windbreaks to protect crops from strong winds and heavy rains. Harvest mature and near-mature crops early when prolonged rainfall is forecast. Dry and store harvested produce using covered, elevated, and well-ventilated facilities to avoid spoilage. Monitor crops closely for pest and disease outbreaks, particularly fungal infections during wet conditions, and apply control measures when weather permits. Coordinate with the Municipal/City Agriculture Office and regularly follow DOST-PAGASA advisories for timely updates and guidance.</p> | |
| FISHING ADVISORY | | | |
| GALE WARNING AND SEA CONDITION | | | |
| <p>Gale Warning was raised over the eastern seaboard of Mindanao (Dinagat Islands, Surigao del Sur, and Surigao del Norte including Siargao–Bucas Grande Islands); The seaboard of Visayas and the northern seaboard of Mindanao (the southern coast of Negros Occidental {Cauayan, City of Sipalay, Hinoba-an}, the southern coast of Negros Oriental {Sibulan, Dumaguete City, Bacong, Dauin, Zamboanguita, Siaton}, the southern coast of Cebu {Alcoy, Boljoon, Oslob, Santander}, Siquijor, the southern coast of Bohol {Panglao, Dauis, Tagbilaran City, Baclayon, Alburquerque, Loay, Lila, Dimiao, Valencia, Garcia Hernandez, Jagna, Duero, Guindulman, Anda}, Southern Leyte, Camiguin, Agusan del Norte, Misamis Oriental, Lanao del Norte {Kapatagan, Lala, Baroy, Tubod, Kolambugan, Maigo, Bacolod, Kauswagan, Linamon, Iligan City}, and Misamis Occidental); The eastern seaboard of Visayas (Eastern Samar); The eastern seaboard of Visayas (the northern and eastern coasts of Northern Samar {Pambujan, Laoang, Palapag, Mapanas, Gamay, and Lapinig}).</p> <p>Moderate to rough seas will prevail over Southern Luzon and rest of Mindanao, while the rest of the Luzon will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.</p> | | | |
| ADDITIONAL INFORMATION | | | |
| DAILY EXTREMES | | MONTHLY EXTREMES | |
| Maximum Temperature | 37.2 °C (Gen. Santos City, 2016) | Maximum Temperature | 38.4 °C (Tuguegarao, 1961) |
| Minimum Temperature | 9.2 °C (Baguio City, 1971) | Minimum | 6.7 °C (Baguio City, 1963) |



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



| | | | |
|----------|--------------------------------|-------------|-------------------------------|
| Rainfall | 316.4 mm (Hinatuan City, 2009) | Temperature | |
| | | Rainfall | 472.9 mm (Surigao City, 1974) |

PREPARED/UPLOADED BY: **MTR / JOT**

VERIFIED BY: **MEVT**

TAYA NG PANAHOH AT MGA PAYONG PANSAKAHAN

FWFA: NO. 26 – 029

Inilabas ng: 7:00 AM, Biyernes, 06 Pebrero 2026

May bisa hanggang: 7:00 AM, Sabado, 07 Pebrero 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Storm (TS) "BASYANG" ay tinatayang nasa paligid ng Kitcharao, Agusan del Norte (9.4°N, 125.6°E) na may taglay na lakas ng hangin na 65 km/h malapit sa gitna at pagbugso na umaabot sa 90 km/h. Ito ay kumikilos patungo sa kanluran hilagang-kanluran sa bilis na 25 km/h. Amihan ang nakakaapekto sa Hilaga at Central Luzon.

| LUGAR NG PAGTAYA | LAGAY NG PANAHOH PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABASA NG DAHON (ORAS) |
|---|---|---|------------------|-------------------|---------|---------------------------|
| | | | Mababang Bukirin | Mataas na Bukirin | | |
| Central Visayas, Negros Island Region, Northern Mindanao, at Caraga | Masungit na panahon | Masungit na panahon | 22 – 30 | 19 – 28 | 70 – 98 | >12 |
| Natitirang bahagi Visayas, Zamboanga Peninsula, Lanao del Sur, Masbate, Romblon, Oriental Mindoro, Occidental Mindoro, at Palawan | Maulan na may pagbugso ng hangin | Pagbugso ng hangin | 21 – 31 | 20 – 29 | 65 – 98 | >12 |
| Bicol Region, natitirang bahagi ng Mindanao, Quezon, at Marinduque | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong | Bicol Region, Quezon, at Marinduque natitirang bahagi ng Mindanao– Katamtaman hanggang sa malakas mula hilagang kanluran hanggang timog-kanluran | 23 – 30 | 19 – 29 | 60 – 98 | 4 – 8 |
| Metro Manila, Cavite, Laguna, Batangas, and Rizal | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong | Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilaga | 20 – 31 | 19 – 30 | 50 – 96 | 4 – 8 |
| Natitirang bahagi ng Luzon | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan | Silangang bahagi ng Luzon – Katamtaman hanggang sa malakas mula hilagang silangan; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang-silangan hanggang silangan | 18 – 32 | 11 – 31 | 45 – 96 | 0 – 6 |

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TS BASYANG, AMIHAN, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

• Maghanda sa posibleng pagbaha at pagbabad ng tubig (waterlogging) sa mga mabababang taniman dahil sa




katamtaman hanggang malakas na pag-ulan; tiyaking malinis at maayos ang mga daluyan ng tubig.

- Iwasan ang paglalagay ng pataba at pestisidyo habang tuluy-tuloy ang ulan upang hindi masayang at maiwasan ang pag-agos ng kemikal.
- Bantayan ang mga pananim laban sa pagkakatumaba (lodging) ng palay at mais at magsagawa ng pagsuporta kung ligtas nang gawin.
- Ilipat sa ligtas at tuyong lugar ang mga ani, binhi, pataba, at kagamitang pansaka.
- Siguraduhing ang mga alagang hayop ay nasa mataas at ligtas na lugar, may sapat na pagkain at malinis na inumin.
- Mag-ingat sa mga bahaging madaling bahain at gumuho; iwasan ang pagtatrabaho sa bukid kapag may malakas na hangin at ulan.
- Pagkatapos ng ulan, magsagawa ng agarang pagsusuri ng pinsala, linisin ang mga baradong kanal, at maghanda para sa replanting o gap filling kung kinakailangan.
- Patuloy na subaybayan ang mga opisyal na abiso sa panahon at makipag-ugnayan sa lokal na tanggapan ng agrikultura para sa karagdagang gabay.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Enero 21-31, 2026)




Basa – Calayan, Quezon, Bicol Region, Capiz, Eastern Visayas, Davao del Norte, Surigao del Norte

Katamtaman – Aparri, Aurora, Oriental Mindoro, Romblon, Palawan, iba pang bahagi ng Western Visayas, Negros Island Region, Bukidnon, Agusan del Norte, Lanao del Sur

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 21 Enero 2026)



<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Siguraduhin ang maayos na daloy ng tubig sa taniman sa pamamagitan ng raised beds at tamang pag-level ng lupa, at regular na inspeksyunin ang mga kanal, pilapil, at embankment upang maiwasan ang pagbaha. I-secure ang mga nursery, trellis, at windbreaks para protektahan ang pananim mula sa malakas na hangin at matinding ulan. Aniin nang maaga ang mga hinog o malapit nang hinog na pananim kapag inaasahan ang matagal na pag-ulan. Patuyuin at itago ang ani sa mabubungad, mataas, at maayos na bentiladong lugar upang maiwasan ang pagkasira. Subaybayan ang pananim laban sa peste at sakit, lalo na ang fungal infections sa basa at mahalumigmig na panahon, at agad na gumawa ng angkop na kontrol kapag pinahihintulutan ng panahon. Makipag-ugnayan sa Municipal/City Agriculture Office at regular na sundan ang DOST-PAGASA advisories para sa pinakabagong impormasyon at gabay.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa silangang baybayin ng Mindanao (Dinagat Islands, Surigao del Sur, at Surigao del Norte kabilang ang Siargao–Bucas Grande Islands); sa mga baybayin ng Visayas at hilagang baybayin ng Mindanao (ang timog baybayin ng Negros Occidental {Cauayan, Lungsod ng Sipalay, Hinoba-an}, ang timog baybayin ng Negros Oriental {Sibulan, Lungsod ng Dumaguete, Bacong, Dauin, Zamboanguita, Siaton}, ang timog baybayin ng Cebu {Alcoy, Boljoon, Oslob, Santander}, Siquijor, ang timog baybayin ng Bohol {Panglao, Dauis, Lungsod ng Tagbilaran, Baclayon, Albuquerque, Loay, Lila, Dimiao, Valencia, Garcia Hernandez, Jagna, Duero, Guindulman, Anda}, Southern Leyte, Camiguin, Agusan del Norte, Misamis Oriental, Lanao del



Norte {Kapatagan, Lala, Baroy, Tubod, Kolambugan, Maigo, Bacolod, Kauswagan, Linamon, Lungsod ng Iligan}, at Misamis Occidental); sa silangang baybayin ng Visayas (Eastern Samar); at sa silangang baybayin ng Visayas (ang hilaga at silangang baybayin ng Northern Samar {Pambujan, Laoang, Palapag, Mapanas, Gamay, at Lapinig}).

Katamtaman hanggang sa maalon na karagatan ang iiral sa **Southern Luzon at natitirang bahagi ng Miindanao** samantala ang **natitirang bahagi ng Luzon** ay makakaranas ng mahina hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

| DAGDAG KAALAMAN | | | |
|--|----------------------------------|----------------------------------|-------------------------------|
| DAILY EXTREMES | | MONTHLY EXTREMES | |
| Pinakamataas na Temperatura | 37.2 °C (Gen. Santos City, 2016) | Pinakamataas na Temperatura | 38.4 °C (Tuguegarao, 1961) |
| Pinakamababang Temperatura | 9.2 °C (Baguio City, 1971) | Pinakamababang Temperatura | 6.7 °C (Baguio City, 1963) |
| Pinakamaraming Ulan | 316.4 mm (Hinatuan City, 2009) | Pinakamaraming Ulan | 472.9 mm (Surigao City, 1974) |
| INIHANDA HANDA/INI-UPLOAD NINA: MTR / JOT | | BINIGYANG PANSIN NI: MEVT | |