



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 009

Issued: 7:00 AM, Wednesday, 14 January 2026

Valid until: 7:00 AM, Thursday, 15 January 2026

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 755 km East of Davao City (7.0°N, 132.5°E). Northeast Monsoon affecting Northern Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Eastern Visayas, Davao Region, Caraga, Camiguin, Misamis Oriental, and Bukidnon	Cloudy skies with rains and thunderstorms	Eastern Visayas – Moderate to strong from northeast; Davao Region, and Caraga – Moderate to strong from northeast to north; Camiguin, Misamis Oriental, and Bukidnon – Light to moderate from northeast to north	24 – 32	22 – 29	70 – 98	8 – 12
Cagayan, Isabela, and Aurora	Cloudy skies with rains	Moderate to strong from northeast	21 – 29	19 – 25	65 – 98	4 – 8
Cordillera Administrative Region and the rest of Cagayan Valley	Cloudy skies with light rains	Moderate to strong from northeast	20 – 31	14 – 24	60 – 98	0 – 6
Ilocos Region, and the rest of Central Luzon	Partly cloudy to cloudy skies with isolated light rains	Moderate to strong from northeast	24 – 32	21 – 30	55 – 96	0 – 4
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Metro Manila, rest of Luzon and Visayas – Moderate to strong from northeast; Rest of eastern section of Mindanao – Moderate to strong from northeast to north; Rest of the country – Light to moderate from northeast to north	24 – 35	21 – 32	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

TROUGH OF LPA, NORTHEAST MONSOON, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Monitor daily weather forecasts and advisories from DOST-PAGASA.
- Adjust planting, spraying, and harvesting schedules based on expected rainfall.
- Ensure proper field drainage to prevent waterlogging and root rot.
- Store harvested crops and farm inputs in elevated, dry, and covered areas.
- Apply mulch to reduce soil erosion and maintain soil moisture balance.
- Conduct regular field inspections for lodging, stem rot, and nutrient deficiencies.
- Remove and destroy infected plant parts to limit disease spread.



- Apply pest and disease control measures during dry windows.
- Clean and service farm tools, sprayers, and machinery after use.

FARM ADVISORY

SOIL MOISTURE CONDITION (January 1-10, 2026)




Wet – Calayan, Aparri, Quezon City, Quezon, most of MIMAROPA, most of Bicol Region, most of Western Visayas, NIR, most of Central Visayas, most of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Caraga and Lanao del Sur

Moist – Rest of Cagayan Valley, Benguet, Aurora, rest of CALABARZON, Camarines Sur, Iloilo City, Cebu, Southern Leyte, rest of Zamboanga Peninsula, Rest of Northern Mindanao, rest of BARMM

Dry – Occidental Mindoro, Davao del Sur and rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 7 January 2026)



LA NIÑA

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Promote the use of raised beds, contour farming, and proper field levelling to improve drainage and prevent waterlogging during prolonged rainfall events. Reinforce bunds and levees around rice fields and low-lying farms to reduce overflowing from nearby rivers and canals. Install windbreaks to protect sensitive crops from strong winds. Harvest mature and near-mature crops when heavy rains are expected to minimize losses and ensure better post-harvest quality. Protect harvested produce with dryers, covered drying areas, or elevated racks. Conduct regular inspections of storage facilities, ensuring all produce, seeds, and feeds are kept dry, elevated, and well-ventilated to prevent mold and spoilage. Implement schedule-based pest and disease scouting, particularly for fungal infections that commonly occur after continuous rains, and apply appropriate control measures immediately. Coordinate closely with the Municipal/City Agriculture Office for updates and emergency support related to agricultural impacts in your area. Regularly follow the official PAGASA accounts on social media or visit their website for the latest weather updates and advisories specific to your area.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas will prevail over **Northern Luzon and the eastern section of Central Luzon, Southern Luzon, Visayas, and eastern section of Mindanao** while slight to moderate seas will prevail over **the rest of the country**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	36.8 °C (General Santos City, 1988)
Minimum Temperature	7.5 °C (Baguio City, 2009)
Rainfall	2200 mm (Tacloban City, 2018)

MONTHLY EXTREMES

Maximum Temperature	37.7 °C (Ambulong, 1977)
Minimum Temperature	6.3 °C (Baguio City, 1961)
Rainfall	427.8 mm (Borongan 2011)

PREPARED/UPLOADED BY: **MGA / HGDE**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 009

Inilabas ng: 7:00 AM Miyerkules, 14 Enero 2026

May bisa hanggang: 7:00 AM, Huwebes, 15 Enero 2026

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang 755 km silangan ng Davao City (7.0°N, 132.5°E). Amihan ang nakakaapekto sa Hilagang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Eastern Visayas, Rehiyon ng Davao, Caraga, Camiguin, Misamis Oriental, at Bukidnon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Eastern Visayas – Katamtaman hanggang sa malakas mula hilagang silangan; Rehiyon ng Davao, at Caraga – Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilaga; Camiguin, Misamis Oriental, at Bukidnon – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga	20 – 29	19 – 25	70 – 98	4 – 8
Cagayan, Isabela, at Aurora	Maulap na kalangitan na may pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	25 – 32	22 – 30	70 – 98	4 – 8
Cordillera Administrative Region at natitirang bahagi ng Lambak ng Cagayan	Maulap na kalangitan na may mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	20 – 31	13 – 23	60 – 98	0 – 6
Rehiyon ng Ilocos, at natitirang bahagi ng Gitnang Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	24 – 32	22 – 30	55 – 96	0 – 4
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Metro Manila, natitirang bahagi ng Luzon, at Kabisayaan – Katamtaman hanggang sa malakas mula hilagang silangan; Natitirang silangang bahagi ng Mindanao – Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilaga; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula hilagang silangan	24 – 32	20 – 30	50 – 96	0 – 4



	hanggang hilaga				
--	-----------------	--	--	--	--

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TROUGH NG LPA, AMIHAN, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Subaybayan araw-araw ang mga ulat at babala sa panahon mula sa PAGASA.
- layon ang iskedyul ng pagtatanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar.
- Maglagay ng mulch upang mabawasan ang pagguho ng lupa at mapanatili ang tamang halumigmig ng lupa.
- Magsagawa ng regular na pag-iinspeksyon sa bukid para sa pagkadapa ng pananim, pagkabulok ng tangkay, at kakulangan sa sustansya.
- Tanggalin at sirain ang mga apektadong bahagi ng halaman upang maiwasan ang pagkalat ng sakit.
- Isagawa ang pest at disease control sa mga panahong tuyo o walang ulan.
- Linisin at i-maintain ang mga kagamitang pansakahan, sprayer, at makinarya pagkatapos gamitin.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Enero 1-10, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 7 Enero 2026)
<p>Basa – Calayan, Aparri, Lungsod Quezon, Quezon, karamihan ng MIMAROPA, karamihan ng Rehiyon ng Bicol, karamihan ng Kanlurang Visayas, NIR, karamihan ng Gitnang Visayas, karamihan ng Silangang Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Caraga, at Lanao del Sur</p> <p>Katamtaman – Natitirang bahagi ng Lambak ng Cagayan, Benguet, Aurora, natitirang bahagi ng CALABARZON, Camarines Sur, Lungsod ng Iloilo, Cebu, Southern Leyte, natitirang bahagi ng Tangway ng Zamboanga, natitirang bahagi ng Hilagang Mindanao, at natitirang bahagi ng BARMM</p> <p>Tuyo – Occidental Mindoro, Davao del Sur, at iba pang bahagi ng bansa</p>	<p>LA NIÑA</p> <p>https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring</p> <p>Magpatupad ng paggamit ng raised beds, contour farming, at tamang pag-level ng bukirin upang at mapabuti ang daloy ng tubig at maiwasan ang waterlogging sa panahon ng tuloy-tuloy na pag-ulan. Palakasin ang mga pilapil at levees sa mga sakalayan at mabababang sakahan upang mabawasan ang panganib ng pag-apaw ng ilog at kanal. Mag-install ng windbreaks upang maprotektahan ang sensitibong pananim laban sa malalakas na hangin. Anihin ang mga hinog at halos hinog na pananim bago dumating ang malalakas na ulan upang mabawasan ang pagkalugi at matiyak ang maayos na kalidad pagkatapos ng anihan. Protektahan ang mga inaning produkto gamit ang mga dryer, may takip na patuyuan, o nakataas na patungan. Magsagawa ng regular na inspeksyon sa mga storage facilities, at siguraduhing ang lahat ng ani, binhi, at feeds ay nakalagay sa tuyo, mataas, at maaliwalas na lugar upang maiwasan ang pagbuo ng amag at pagkasira. Ipapatupad ang nakaiskedyul na pest at disease scouting, lalo na para sa mga fungal infections na karaniwang lumalabas pagkatapos ng tuloy-tuloy na ulan, at agad na mag-apply ng angkop na kontrol. Makipag-ugnayan nang malapit sa Municipal/City Agriculture Office para sa updates at emergency support na may kinalaman sa epekto ng masamang panahon sa agrikultura sa inyong lugar. Regular na sundan ang opisyal na accounts ng PAGASA sa social media o bisitahin ang kanilang website para sa pinakabagong ulat at advisory tungkol sa lagay ng panahon sa inyong lugar.</p>



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang iiral sa **Hilagang Luzon at silangang bahagi ng Gitnang Luzon, Katimugang Luzon, Kabisayaan, at silangang bahagi ng Mindanao**, samantala, banayad hanggang sa katamtamang alon naman ang inaasahan sa **natitirang bahagi ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	36.8 °C (General Santos City, 1988)	Pinakamataas na Temperatura	37.7 °C (Ambulong, 1977)
Pinakamababang Temperatura	7.5 °C (Baguio City, 2009)	Pinakamababang Temperatura	6.3 °C (Baguio City, 1961)
Pinakamaraming Ulan	2200 mm (Tacloban City, 2018)	Pinakamaraming Ulan	427.8 mm (Borongan 2011)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / HGDE**

BINIGYANG PANSIN NI: **MEVT**