



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 048

Issued: 7:00 AM, Wednesday, 26 February 2025

Valid until: 7:00 AM, Thursday, 27 February 2025

SYNOPSIS: Shear Line affecting the eastern section of Visayas. Northeast Monsoon affecting Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Eastern Visayas, Northern Mindanao, and Caraga	Cloudy skies with scattered rainshowers and isolated thunderstorms	Eastern Visayas – Strong from northeast; Northern Mindanao, and Caraga – Moderate to strong from northeast	22 – 31	21 – 29	70 – 98	4 – 8
The rest of Visayas and Mindanao	Cloudy skies with scattered rainshowers and thunderstorms	The rest of Visayas and Davao Region – Moderate to strong from northeast; Rest of Mindanao – Light to moderate from northeast	22 – 32	20 – 30	60 – 98	4 – 6
Cagayan Valley, Cordillera Administrative Region, Aurora, and Quezon	Cloudy skies with rains	Strong from northeast	19 – 30	14 – 28	55 – 98	4 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated light rains	Ilocos Region – Strong from northeast; Rest of Luzon – Moderate to strong from northeast	22 – 35	20 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEARLINE, NORTHEAST MONSOON, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Apply mulch to maintain soil moisture effectively.
- Cover cold-sensitive crops with cloth or plastic on cold nights.
- Store harvested crops in cool, dry places to avoid spoilage.
- Cover vehicles transporting produce with tarps to protect against rain or cold.
- Implement IPM strategies including regular monitoring, crop rotation, and eco-friendly pest control.



FARM ADVISORY

SOIL MOISTURE CONDITION

(February 11 – 20, 2025)



Wet – Batanes, Aparri, Calayan, Aurora, Bulacan, Quezon, Oriental Mindoro, Romblon, Central portions of Palawan, Bicol Region, Capiz, Eastern Visayas, Zamboanga del Norte, Surigao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Nueva Viscaya, Tarlac, Laguna, Bohol, Bukidnon, and Davao Region

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(as of 05 February 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Enhance farm resilience by building drainage canals to prevent waterlogging and applying fungicides or biocontrol agents to manage fungal diseases. Prune fruit trees to reduce wind damage and store tools and machinery in covered areas to prevent deterioration. Regularly inspect crops for stress, pests, or diseases and apply necessary treatments. Repair damaged irrigation channels and dikes to prepare for future rainfall. To reduce post-harvest losses and increase income, process perishable products into value-added goods such as dried fruits, pickled vegetables, or flour.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over **the eastern seaboard of Visayas** (the northern and eastern coasts of Northern Samar {Laoang, Palapag, Mapanas, Gamay, and Lapinig}, **the eastern coast of Eastern Samar** (Arteche, San Policarpo, and Oras) **and the eastern seaboard of Southern Luzon** (the northern and eastern coasts of Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, and Bato}.

Rough seas is expected over **Northern Luzon and the eastern sections of Southern Luzon and Visayas** while moderate to rough seas will be experienced over **the rest of Luzon and Visayas, and the northern and eastern sections of Mindanao**. Slight to moderate seas will prevail over the **rest of Mindanao**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	37.0 °C (General Santos City; 1988)
Minimum Temperature	10.6 °C (Baguio City, 1968)
Rainfall	152.0 mm (Alabat, 1989)

MONTHLY EXTREMES

Maximum Temperature	38.4 °C (Tuguegarao, 1961)
Minimum Temperature	6.7 °C (Baguio City, 1963)
Rainfall	472.9 mm (Surigao City, 1974)

PREPARED/UPLOADED BY: **MTR/ JOT**

VERIFIED BY: **NRE**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 048

Inilabas ng: 7:00 AM, Miyerkules, 26 Pebrero 205 May bisa hanggang: 7:00 AM, Huwebes, 27 Pebrero 2025

SYNOPSIS: Shearline ang nakakaapekto sa silangang bahagi ng Kabisayaan. Amihan ang nakakaapekto sa Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Silangang Kabisayaan, Hilagang Mindanao, at Caraga	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulog	Silangang Kabisayaan – Malakas mula hilagang silangan; Hilagang Mindanao at Caraga – Katamtaman hanggang sa malakas mula hilagang silangan	22 – 31	21 – 29	70 – 98	4 – 8
Natitirang bahagi ng Kabisayaan at Mindanao	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Natitirang bahagi ng Kabisayaan at Rehiyon ng Davao – Malakas hanggang sa napakalakas mula hilagang silangan; Natitirang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula hilagang silangan	22 – 32	20 – 30	60 – 98	4 – 6
Lambak ng Cagayan, Rehiyon ng Cordillera, Aurora, at Quezon	Maulap na kalangitan na may pag-ulan	Malakas mula hilagang silangan	19 – 30	14 – 28	55 – 98	4 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Rehiyon ng Ilocos – Malakas mula hilagang silangan; Natitirang bahagi ng Luzon – Katamtaman hanggang sa malakas mula hilagang silangan	22 – 35	20 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


AMIHAN, EASTERLIES AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Maglagay ng mulch upang epektibong mapanatili ang kahalumigmigan ng lupa.
- Takpan ang mga halaman na sensitibo sa lamig gamit ang tela o plastik tuwing malamig ang gabi.
- Itago ang mga aning pananim sa malamig at tuyo na lugar upang maiwasan ang pagkasira.
- Takpan ang mga sasakyan na nagdadala ng mga ani gamit ang tarp o plastik upang protektahan mula sa ulan o malamig na hangin.
- Magpatupad ng mga estratehiya ng IPM tulad ng regular na pagmamanman, pagpapalit-palit ng pananim, at mga eco-friendly na paggamot para sa epektibong pamamahala ng mga peste.



PAYONG PANGSAKAHAN3

KALAGAYAN NG LUPANG SAKAHAN (Pebrero 11 – 20, 2025)




Basa – Batanes, Aparri, Calayan, Aurora, Bulacan, Quezon, Oriental Mindoro, Romblon, gitnang bahagi ng Palawan, Rehiyon ng Bicol, Capiz, Silangang Kabisayaan, Zamboanga del Norte, Surigao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman – Nueva Viscaya, Tarlac, Laguna, Bohol, Bukidnon, at Davao Region

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 05 Pebrero 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Palakasin ang katatagan ng sakahan sa pamamagitan ng paggawa ng mga kanal para maiwasan ang pagbara ng tubig at paglalagay ng fungicide o biocontrol agents upang mapigilan ang paglaganap ng fungal diseases. Putulan ang mga punong namumunga upang mabawasan ang pinsala mula sa malakas na hangin at itago nang maayos ang mga kagamitan at makinarya upang maiwasan ang pagkasira. Regular na suriin ang mga pananim para sa stress, peste, o sakit at agad na ipatupad ang angkop na lunas. Kumpunihin ang mga sirang kanal ng irigasyon at pilapil upang mapaghandaan ang mga susunod na pag-ulan. Upang mabawasan ang pagkalugi matapos ang anihaan at mapataas ang kita, iproseso ang mga nabubulok na produkto bilang pinatuyong prutas, atsara, o harina.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa **silangang baybayin ng Kabisayaan** (hilagang at silangang baybayin ng Hilagang Samar {Laoang, Palapag, Mapanas, Gamay, at Lapinig}, ang silangang baybayin ng Silangang Samar (Arteche, San Policarpo, at Oras), **at ang silangang baybayin ng Timog Luzon** (hilagang at silangang baybayin ng Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, at Bato}).

Maalon na karagatan ang inaasahan sa **Hilagang Luzon at silangang bahagi ng Katimugang Luzon at Kabisayaan** samantalang katamtaman hanggang sa maalon na karagatan ang mararanasan sa **natitirang bahagi ng Luzon at Kabisayaan, at sa hilagang at silangang bahagi ng Mindanao**. Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **natitirang bahagi ng Mindanao**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.0 °C (General Santos City; 1988)	Pinakamataas na Temperatura	38.4 °C (Tuguegarao, 1961)
Pinakamababang Temperatura	10.6 °C (Baguio City, 1968)	Pinakamababang Temperatura	6.7 °C (Baguio City, 1963)
Pinakamaraming Ulan	152.0 mm (Alabat, 1989)	Pinakamaraming Ulan	472.9 mm (Surigao City, 1974)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR/ JOT**

BINIGYANG PANSIN NI: **NRE**