



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 168

Issued: 7:00 AM, Monday, 21 July 2025

Valid until: 7:00 AM, Tuesday, 22 July 2025

**SYNOPSIS:** At 3:00 AM today, a Low Pressure Area (LPA) was estimated based on all available data at 1,140 km East of Southeastern Luzon (13.2°N, 134.5°E). Southwest Monsoon affecting the country.

**TROPICAL CYCLONE OUTSIDE PARAS OF 3:00 AM TODAY**

**SEVERE TROPICAL STORM WIPHA {formerly "CRISING"} (2506)**

**LOCATION:** 1,160 KM WEST OF EXTREME NORTHERN LUZON (21.6°N, 110.7°E)

**MAXIMUM SUSTAINED WINDS:** 95 KM/H NEAR THE CENTER

**GUSTINESS:** UP TO 130 KM/H

**MOVEMENT:** WESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Zambales, Bataan, and Occidental Mindoro</b>	Monsoon Rains	Moderate to strong from southwest to south	22 – 30	21 – 29	70 – 98	>12
<b>Metro Manila, Ilocos Region, Benguet, Tarlac, Pampanga, Bulacan, Cavite, Laguna, Batangas, Rizal, and Oriental Mindoro</b>	Occasional rains	<b>Metro Manila, Ilocos Region, Benguet, Cavite, Laguna, Batangas, Rizal, and Oriental Mindoro</b> – Moderate to strong from southwest to south; <b>Tarlac, Pampanga, Bulacan</b> – Moderate to strong from southwest	23 – 32	15 – 30	65 – 98	6 – 12
<b>Visayas, the rest of Luzon, Zamboanga Peninsula, and Northern Mindanao</b>	Cloudy skies with scattered rainshowers and thunderstorms	<b>Rest of Luzon</b> – Moderate to strong from southwest; <b>Visayas, Zamboanga Peninsula, and Northern Mindanao</b> – Light to moderate from southwest	23 – 32	22 – 31	65 – 98	4 – 8
<b>The rest of the country</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southwest	23 – 34	21 – 32	55 – 96	0 – 4



### AREAS AFFECTED BY THE WEATHER SYSTEMS


#### SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Regularly clean and maintain drainage canals, dikes, and waterways to ensure smooth water flow and prevent flooding in low-lying areas.
- Plant on raised beds or use plastic mulch to prevent root rot and soil erosion.
- Install rain shelters or simple roofing over sensitive crops.
- Control the spread of fungal diseases such as leaf blight and mildew early.
- Prune excess branches and support young trees to protect them from wind damage.
- Monitor the weather conditions before transporting produce to avoid delays and risks on the road.
- Use covered vans or waterproof tarpaulins to protect harvested crops from rain and moisture.
- Avoid cleaning or repairing drainage canals, dikes, and waterways during landslide threats to prevent accidents. Perform these activities only when the weather and area are confirmed safe.

### FARM ADVISORY

#### SOIL MOISTURE CONDITION

(July 1 – 10, 2025)



Sur, and BARMM

**Moist** – Romblon, Camarines Norte, Catanduanes, Sorsogon, Siquijor, Negros Oriental, Northern Samar, Samar, rest of Zamboanga Sibugay, rest of Northern Mindanao, and Surigao del Norte

**Dry** – Rest of the country

**Wet** – Ilocos Region, extreme portion of Cagayan Valley, most parts of Central Luzon, Cordillera Administrative Region, National Capital Region, Rizal, most parts of Quezon, Mindoro provinces, Palawan, Marinduque, Albay, Western Visayas, Negros Occidental, Leyte, Eastern Samar, Southern Leyte, Biliran, Zamboanga del Norte, Bukidnon, Davao Region, Surigao del

#### ENSO ALERT SYSTEM STATUS

(updated: 03 July 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Take precautionary measures to minimize the impact of heavy rains and possible flooding. Reinforce your farm structures—such as trellises, drying sheds, and animal shelters—to withstand strong winds and rain. Schedule your planting and harvesting during fair weather to prevent crop damage. Maintain proper drainage in your rice fields and vegetable plots to avoid waterlogging. If flooding is likely in your area, move your livestock to higher and safer ground. Check your storage areas for seeds, fertilizers, and animal feeds, and keep them elevated and protected from water to prevent spoilage.

### FISHING ADVISORY

#### GALE WARNING AND SEA CONDITION

**Gale Warning is raised over ((the western coast of Pangasinan {Bolinao, Bani, Agno, Burgos, Dasol, Infanta}, Zambales, and Lubang Islands)).**

Moderate to rough seas will be experienced over **Luzon**, while **the rest of the country** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.



Republic of the Philippines  
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**  
**Philippine Atmospheric, Geophysical and**  
**Astronomical Services Administration**  
**(PAGASA)**



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.2 °C (Tuguegarao City, 1960)	Maximum Temperature	41.0°C (Tuguegarao City, 1915)
Minimum Temperature	14.4 °C (Baguio City, 2012)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	195.1 mm (Sinait, 1971)	Rainfall	1085.8 mm (Baguio City, 2001)
PREPARED/UPLOADED BY: <b>MTR/ RVDD</b>		VERIFIED BY: <b>MEVT</b>	

5



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 168

Inilabas ng: 7:00 AM, Lunes, 21 Hulyo 2025

May bisa hanggang: 7:00 AM, Martes, 22 Hulyo 2025

**SYNOPSIS:** Kaniangng 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa 310 km 1,140 km silangan ng timog-silangang Luzon (13.2°N, 134.5°E). Habagat ang nakaaapekto sa bansa.

**TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM**

**SEVERE TROPICAL STORM WIPHA {formerly "CRISING"} (2506)**

**LOKASYON:** 1,160 KM KANLURAN NG DULONG HILAGANG LUZON (21.6°N, 110.7°E)

**TAGLAY NA HANGIN:** 95 KM/H MALAPIT SA GITNA

**PAGBUGSO NG HANGIN:** UMAABOT SA 130 KM/H

**PAGKILOS:** KANLURAN SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
<b>Zambales, Bataan, at Occidental Mindoro</b>	Pag-ulan dulot ng Habagat	Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog	22 – 30	21 – 29	70 – 98	>12
<b>Metro Manila, Rehiyon ng Ilocos, Benguet, Tarlac, Pampanga, Bulacan, Cavite, Laguna, Batangas, Rizal, at Oriental Mindoro</b>	Paminsan-minsang pag-ulan	<b>Metro Manila, Rehiyon ng Ilocos, Benguet, Cavite, Laguna, Batangas, Rizal, at Oriental Mindoro</b> – Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog; <b>Tarlac, Pampanga, Bulacan</b> – Katamtaman hanggang sa malakas mula timog-kanluran	23 – 32	15 – 30	65 – 98	6 – 12
<b>Kabisayaan, natitirang bahagi ng Luzon, Zamboanga Peninsula, at Hilagang Mindanao</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Natitirang bahagi ng Luzon</b> – Katamtaman hanggang sa malakas mula timog-kanluran; <b>Kabisayaan, Zamboanga Peninsula, at Hilagang Mindanao</b> – Mahina hanggang katamtaman mula timog-kanluran	23 – 32	22 – 31	65 – 98	4 – 8
<b>Natitirang bahagi ng bansa</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang katamtaman mula timog-kanluran	23 – 34	21 – 32	55 – 96	0 – 4




#### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

##### HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na linisin at ayusin ang mga kanal, pilapil, at daluyan ng tubig upang matiyak ang maayos na agos ng tubig at maiwasan ang pagbaha sa mabababang lugar.
- Magtanim sa raised beds o gumamit ng plastic mulch upang makaiwas sa root rot at erosion.
- Maglagay ng rain shelters o simpleng bubong sa mga maselan na pananim.
- Agapan ang pagkalat ng fungal diseases tulad ng leaf blight at mildew.
- Putulin ang sobrang sanga at bigyan ng suporta ang mga batang puno upang hindi mapinsala ng hangin.
- I-monitor ang lagay ng panahon bago bumiyahe ng ani o produkto upang maiwasan ang abala at panganib sa daan.
- Gumamit ng covered vans o waterproof na tolda upang maprotektahan ang ani laban sa ulan at pagkabasa.
- Iwasan ang paglilinis o pagsasaayos ng mga kanal, pilapil, at daluyan ng tubig habang may banta ng pagguho ng lupa upang maiwasan ang aksidente. Gawin lamang ang mga ito kapag ligtas na ang panahon at ang lugar ay kumpirmadong walang panganib.

#### PAYONG PANGSAKAHAN

##### KALAGAYAN NG LUPANG SAKAHAN (Hulyo 1 – 10, 2025)



**Basa** – Rehiyon ng Ilocos, dulong bahagi ng Lambak ng Cagayan, malaking bahagi ng Gitnang Luzon, Cordillera Administrative Region, National Capital Region, Rizal, malaking bahagi ng Quezon, mga probinsya ng Mindoro, Palawan, Marinduque, Albay, Kanlurang Kabisayaan, Negros Occidental, Leyte, Eastern Samar, Southern Leyte, Biliran, Zamboanga del Norte, Bukidnon, Davao Region, Surigao del Sur, at BARMM

**Katamtaman** – Romblon, Camarines Norte, Catanduanes, Sorsogon, Siquijor, Negros Oriental, Northern Samar, Samar, natitirang bahagi ng Zamboanga Sibugay, natitirang bahagi ng Hilagang Mindanao, at Surigao del Norte

**Tuyo** – Natitirang bahagi ng bansa

##### ENSO ALERT SYSTEM STATUS (mula noong 03 Hulyo 2025)

##### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Magsagawa ng mga kaukulang pag-iingat upang mabawasan ang epekto ng malalakas na ulan at posibleng pagbaha. Palakasin at kumpunihin ang mga istruktura sa bukid gaya ng trellis, drying sheds, at kulungan ng hayop upang kayanin ang malalakas na hangin at ulan. Iiskedyul nang maayos ang pagtanim at pag-aani sa mga panahong maganda ang panahon upang maiwasan ang pinsala sa ani. Panatilihin maayos ang daluyan ng tubig sa mga palayan at gulayan upang hindi mababad o malubog sa tubig. Ilipat ang mga alagang hayop sa mas mataas at ligtas na lugar kung may banta ng pagbaha. Suriin ang mga imbakan ng binhi, pataba, at pakain—siguraduhing nakaangat at ligtas sa tubig upang maiwasan ang pagkasira.



### PAYO SA MGA MANGINGISDA

#### GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning **sa kanlurang baybayin ng Pangasinan (Bolinao, Bani, Agno, Burgos, Dasol, Infanta), Zambales, at mga Isla ng Lubang.**

Katamtaman hanggang sa maalon na karagatan ang mararanasan sa **Luzon**, habang bahagya hanggang katamtaman naman ang pag-alon **sa natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

#### DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.2 °C (Tuguegarao City, 1960)	Pinakamataas na Temperatura	41.0°C (Tuguegarao City, 1915)
Pinakamababang Temperatura	14.4 °C (Baguio City, 2012)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	195.1 mm (Sinait, 1971)	Pinakamaraming Ulan	1085.8 mm (Baguio City, 2001)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR/ RVDD**

BINIGYANG PANSIN NI: **MEVT**