



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 066

Issued: 7:00 AM, Wednesday, 19 March 2025

Valid until: 7:00 AM, Thursday, 20 March 2025

SYNOPSIS: Northeast Monsoon affecting Luzon. Easterlies affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Caraga and Davao Region	Cloudy skies with scattered rains and thunderstorms	Light to moderate from northeast	23 – 32	20 – 30	70 – 98	0 – 4
Eastern Visayas, Sorsogon, Masbate, Aklan, and Capiz	Cloudy skies with scattered rains and isolated thunderstorms	Light to moderate from northeast	25 – 33	21 – 30	65 – 98	4 – 6
Cagayan Valley, Quezon, Aurora, Apayao, and the rest of Bicol Region	Cloudy skies with rains	Cagayan Valley – Strong from northeast Aurora, Quezon, Apayao, and the rest of Bicol Region – Moderate to strong from northeast	22 – 30	19 – 28	60 – 96	2 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated light rains	The rest of Northern Luzon – Strong from northeast; The rest of Central Luzon and the rest of the eastern section of Southern Luzon – Moderate to strong from northeast; Metro Manila and the rest of Luzon – Light to moderate from northeast	21 – 35	13 – 31	55 – 96	0 – 6
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast	24 – 34	21 – 31	55 – 98	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
NORTHEAST MONSOON, EASTERLIES, SHEARLINE THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none"> Retain soil moisture by applying rice straw or organic materials to reduce evaporation. Irrigate efficiently by watering crops early in the morning or late in the afternoon. Use drip irrigation to minimize water loss. Provide shade by installing shade nets or intercropping with taller plants to protect heat-sensitive crops. 	<p>The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p>




- Prevent heat stress by maintaining adequate but not excessive soil moisture.
- Ensure worker safety by setting up shaded or ventilated resting areas.
- Monitor for heat-related illnesses such as dizziness, nausea, excessive sweating, or confusion, and take immediate action to cool down.

FARM ADVISORY

SOIL MOISTURE CONDITION

(March 1 – 10, 2025)



Wet – Aurora, most parts of Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Eastern Visayas, and rest of Caraga


Moist – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, and BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(as of 06 March 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Clear and maintain drainage canals, ditches, and waterways to prevent waterlogging and root rot. Excessive rain can leach nutrients from the soil. Apply slow-release or organic fertilizers to maintain soil fertility. Avoid applying fertilizers before heavy rains to prevent nutrient loss. Inspect and repair farmhouses, storage facilities, and greenhouses to prevent damage from prolonged wet conditions.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over **the western seaboard of Northern Luzon (the western coast of Ilocos Norte {Paguin, Bacarra, Laoag City, Paoay, Currimao, Pinili, Badoc} and the western coast of Ilocos Sur {Sinait, Cabugao, San Juan, Magsingal})**

Rough seas are expected over **Northern Luzon** while moderate to rough seas will be experienced over **Central Luzon and the eastern section of Southern Luzon**. Slight to moderate seas will prevail over **the rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.9 °C (Tuguegarao City, 1961)	Maximum Temperature	40.0 °C (Tuguegarao City, 1978)
Minimum Temperature	10.8 °C (Baguio City, 1974)	Minimum Temperature	7.4 °C (Baguio City, 1963)
Rainfall	237.5 mm (Surigao City, 2011)	Rainfall	401.0 mm (Casiguran, 1971)

PREPARED/UPLOADED BY: MGA / ARL

VERIFIED BY: MEVT



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 066

Inilabas ng: 7:00 AM, Miyerkules, 19 Marso 2025

May bisa hanggang: 7:00 AM Huwebes, 20 Marso 2025

SYNOPSIS: Amihan ang nakakaapekto sa Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Caraga at Rehiyon ng Davao	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	23 – 32	20 – 30	70 – 98	0 – 4
Silangang Kabisayaan, Sorsogon, Masbate, Aklan, at Capi	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	25 – 33	21 – 30	65 – 98	4 – 6
Lambak ng Cagayan, Quezon, Aurora, Apayao, at natitirang bahagi ng Rehiyon ng Bicol	Maulap na kalangitan na may pag-ulan	Lambak ng Cagayan – Malakas mula hilagang silangan; Quezon, Aurora, Apayao, at natitirang bahagi ng Rehiyon ng Bicol – Katamtaman hanggang malakas mula hilagang silangan	22 – 30	19 – 28	60 – 96	2 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulo-pulong mahinang pag-ulan	Natitirang bahagi ng Hilagang Luzon – Malakas mula hilagang silangan; Natitirang bahagi ng Gitnang Luzon at natitirang bahagi sa silangan ng Katimugang Luzon – Katamtaman hanggang malakas mula hilagang silangan; Metro Manila at natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang silangan	21 – 35	13 – 31	55 – 96	0 – 6
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulo-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	24 – 34	21 – 31	55 – 98	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)



AMIHAN, EASTERLIES, SHEARLINE PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Panatiliing basa ang lupa sa pamamagitan ng paglalagay ng dayami ng palay o organikong materyales upang mabawasan ang

Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung



<ul style="list-style-type: none">mabilis na pagkatuyo.Magtubig sa tamang oras sa umaga o hapon upang maiwasan ang matinding pagsingaw ng tubig. Gumamit ng drip irrigation para sa mas matipid at epektibong patubig.Magbigay ng lilim sa pamamagitan ng paglalagay ng shade nets o pagtanim ng mas matataas na halaman sa tabi ng mas sensitibong pananim.Iwasan ang sobrang tubig ngunit panatiliing sapat ang kahalumigmigan upang hindi ma-stress ang mga pananim sa matinding init.Siguruhing ligtas ang mga manggagawa sa pamamagitan ng pagbibigay ng mga lilim o maaliwalas na pahingahan.Maging alerto sa mga senyales ng init na sakit tulad ng pagkahilo, pagduduwal, labis na pagpapawis, o pagkalito, at agad na magsagawa ng hakbang upang mapalamig ang katawan.	<p>isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart.</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p>
---	---

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Marso 1 – 10, 2025)	ENSO ALERT SYSTEM STATUS (mula noong 06 Marso 2025)
 <p>Basa – Aurora, malaking bahagi ng Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Silangang Kabisayaan, at natitirang bahagi ng Caraga</p> <p>Katamtaman – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, at BARMM</p> <p>Tuyo – Natitirang bahagi ng bansa</p>	<p>MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT</p>  <p>https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring</p> <p>Linisin at panatiliing maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pagbaha at pagkabulok ng ugat ng pananim. Ang sobrang ulan ay maaaring magtangay ng mahahalagang sustansya mula sa lupa. Maglagay ng slow-release o organikong pataba upang mapanatili ang fertility ng lupa. Iwasan ang paglalagay ng pataba bago ang malalakas na pag-ulan upang maiwasan ang pagkawala ng sustansya. Suriin at kumpunihin ang mga bahay-sakahan, imbakan, at greenhouse upang maiwasan ang pinsala mula sa matagalang pag-ulan.</p>

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
<p>Nakataas ang Gale Warning sa kanlurang baybayin ng Hilagang Luzon (kanlurang baybayin ng Ilocos Norte {Pasuquin, Bacarra, Laoag City, Paoay, Currimao, Pinili, Badoc} at kanlurang baybayin ng Ilocos Sur {Sinait, Cabugao, San Juan, Magsingal})</p> <p>Maalon na karagatan ang inaasahan sa Hilagang Luzon habang katamtaman hanggang sa maalon na karagatan ang inaasahan sa Gitnang Luzon at sa silangang bahagi ng Katimugang Luzon. Samantala, banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa natitirang baybayin ng bansa. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.</p>



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1961)	Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1978)
Pinakamababang Temperatura	10.8 °C (Baguio City, 1974)	Pinakamababang Temperatura	7.4 °C (Baguio City, 1963)
Pinakamaraming Ulan	237.5 mm (Surigao City, 2011)	Pinakamaraming Ulan	401.0 mm (Casiguran, 1971)
INIHANDA HANDA/INI-UPLOAD NINA: MGA / ARL		BINIGYANG PANSIN NI: MEVT	