



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 031

Issued: 7:00 AM, Thursday, 06 February 2025

Valid until: 7:00 AM, Friday, 07 February 2025

**SYNOPSIS: Shear Line affecting Visayas. Northeast Monsoon affecting Luzon.**

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Visayas, Catanduanes, Albay, Sorsogon, Masbate, Romblon, Dinagat Islands, and Surigao del Norte</b>	Cloudy skies with scattered rains and isolated thunderstorms	<b>Catanduanes, Albay, Sorsogon, and Masbate</b> – Strong from northeast;  <b>Eastern Visayas, Dinagat Islands, and Surigao del Norte</b> – Moderate to strong from east to northeast;  <b>Romblon and the rest of Visayas</b> – Light to moderate from northeast to north	22 – 32	19 – 29	70 – 98	4 – 8
<b>Cagayan Valley, Aurora, Quezon, and the rest of Bicol Region</b>	Cloudy skies with rains	Strong from northeast	18 – 30	19 – 26	60 – 98	0 – 6
<b>Davao Region and the rest of Caraga</b>	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from east to northeast	21 – 31	19 – 29	65 – 98	4 – 8
<b>Metro Manila and the rest of Luzon</b>	Partly cloudy to cloudy skies with isolated light rains	<b>Ilocos Region and Cordillera Administrative Region</b> – Strong from northeast;  <b>Metro Manila and the rest of Luzon</b> – Light to moderate from northeast to north	20 – 33	13 – 26	50 – 96	0 – 4
<b>The rest of Mindanao</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to north	22 – 33	19 – 31	45 – 96	0 – 4

### AREAS AFFECTED BY THE WEATHER SYSTEMS

#### **NORTHEAST MONSOON, SHEARLINE, ITCZ, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS**


- Inspect crops regularly for pests and diseases and address outbreaks immediately.
- Adjust irrigation frequency based on weather, soil type, and crop needs.
- Avoid over-irrigation to prevent root rot. Water plants early morning for better absorption.
- Inspect and clean drainage channels regularly to prevent blockages.
- Harvest crops on dry days to avoid spoilage, fungal infections, and loss of market value.
- Handle produce carefully during transport to prevent damage and contamination.



## FARM ADVISORY

### SOIL MOISTURE CONDITION

(January 21 – 31, 2025)



**Wet** – Batanes, Baler, Quezon, Romblon, Bicol Region, Capiz, Bohol, Eastern Visayas, Davao del Norte, Surigao del Norte, Surigao del Sur, and Lanao del Sur


**Moist** – Cagayan, Isabela, Casiguran, Laguna, Rizal, Oriental Mindoro, some portions of Palawan, Siquijor, Zamboanga Peninsula, Bukidnon, Davao del Sur, and Maguindanao

**Dry** – Rest of the country

### ENSO ALERT SYSTEM STATUS

(as of 22 January 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



Reinforce embankments, build terraces, or plant ground cover to prevent soil erosion from heavy rains and stabilize the soil. Adjust irrigation schedules during heavy rainfall to avoid over-irrigation and flooding in already saturated fields. Collect and store runoff water in ponds for irrigation use during dry periods. Minimize fieldwork during heavy rains to prevent soil compaction, exposure to wet conditions, and accidents. Use appropriate rain gear and equipment for safety if necessary.

## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

Gale Warning is raised over the eastern seaboard of Southern Luzon and Visayas (the northern and eastern coasts of Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}, the northern and eastern coasts of Northern Samar {Laoang, Palapag, Mapanas, Gamay}, and the eastern coast of Eastern Samar {Arteche, San Policarpo, Oras}).

Rough seas will be experienced over the northern and eastern seaboard of Luzon while moderate to rough seas are expected over the eastern seaboard of Visayas and Mindanao. Slight to moderate seas will prevail over the rest of the archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

### DAILY EXTREMES

### MONTHLY EXTREMES

Maximum Temperature	37.2 °C (General Santos City, 2016)	Maximum Temperature	38.4 °C (Tuguegarao, 1961)
Minimum Temperature	9.2 °C (Baguio City, 1971)	Minimum Temperature	6.7 °C (Baguio City, 1963)
Rainfall	316.4 mm (Hinatuan City, 2009)	Rainfall	472.9 mm (Surigao City, 1974)

PREPARED/UPLOADED BY: RAAM / JOT

VERIFIED BY: MEVT



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 031

Inilabas ng: 7:00 AM, Huwebes, 06 Pebrero 2025 May bisa hanggang: 7:00 AM Biyernes, 07 Pebrero 2025

**SYNOPSIS:** Shearline ang nakakaapekto sa Kabisayaan. Amihan ang nakakaapekto sa Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Kabisayaan, Catanduanes, Albay, Sorsogon, Masbate, Romblon, mga Isla ng Dinagat, at Surigao del Norte	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulu-pulong pagkidlat-pagkulong	<b>Catanduanes, Albay, Sorsogon, at Masbate</b> – Malakas mula hilagang silangan;  <b>Silangang Kabisayaan, mga Isla ng Dinagat, at Surigao del Norte</b> – Katamtaman hanggang sa malakas mula silangan hanggang hilagang silangan;  <b>Romblon at natitirang bahagi ng Kabisayaan</b> – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga	22 – 32	19 – 29	70 – 98	4 – 8
Lambak ng Cagayan, Aurora, Quezon, at natitirang bahagi ng Rehiyon ng Bicol	Maulap na kalangitan na may pag-ulan	Malakas mula hilagang silangan	18 – 30	19 – 26	60 – 98	0 – 6
Rehiyon ng Davao at natitirang bahagi ng Caraga	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula silangan hanggang hilagang silangan	21 – 31	19 – 29	65 – 98	4 – 8
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	<b>Rehiyon ng Ilocos at Cordillera Administrative Region</b> – Malakas mula hilagang silangan;  <b>Metro Manila at natitirang bahagi ng Luzon</b> – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga	20 – 33	13 – 26	50 – 96	0 – 4
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga	22 – 33	19 – 31	45 – 96	0 – 4




### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

#### AMIHAN, SHEARLINE, ITCZ, AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim para sa peste at sakit at agad na tugunan ang anumang paglaganap.
- Ayusin ang dalas ng patubig batay sa panahon, uri ng lupa, at pangangailangan ng pananim.
- Iwasan ang labis na patubig upang maiwasan ang pagkabulok ng ugat. Patubigan ang mga halaman nang maaga sa umaga para sa mas epektibong pagsipsip.
- Regular na suriin at linisin ang mga kanal ng irigasyon upang maiwasan ang bara.
- Anihin ang mga pananim sa tuyo at maaliwalas na panahon upang maiwasan ang pagkasira, amag, at pagbagsak ng halaga sa merkado.
- Hawakan nang maingat ang ani sa transportasyon upang maiwasan ang pinsala at kontaminasyon.

### PAYONG PANGSAKAHAN

#### KALAGAYAN NG LUPANG SAKAHAN (Enero 21 – 31, 2025)




**Basa** – Batanes, Baler, Quezon, Romblon, Rehiyon ng Bicol, Capiz, Bohol, Silangang Kabisayaan, Davao del Norte, Surigao del Norte, Surigao del Sur, at Lanao del Sur

**Katamtaman** – Cagayan, Isabela, Casiguran, Laguna, Rizal, Oriental Mindoro, ilang bahagi ng Palawan, Siquijor, Zamboanga Peninsula, Bukidnon, Davao del Sur, at Maguindanao

**Tuyo** – Natitirang bahagi ng bansa

#### ENSO ALERT SYSTEM STATUS (as of 22 Enero 2025)

##### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Patibayin ang mga embankment, gumawa ng mga terrace, o magtanim ng ground cover upang maiwasan ang pagguho ng lupa dulot ng malalakas na ulan at mapatatag ang lupa. Ayusin ang iskedyul ng irigasyon tuwing malalakas ang ulan upang maiwasan ang sobrang irigasyon at pagbaha sa mga bukirin na sobrang basa na. Kolektahin at itabi ang tubig na dumadaloy mula sa ulan sa mga imbakan para magamit sa irigasyon sa tuwing tagtuyot. Bawasan ang mga gawain sa bukirin tuwing malalakas ang ulan upang maiwasan ang pag-compaction ng lupa, sobrang pagkabasa ng kondisyon, at aksidente. Gumamit ng tamang rain gear at kagamitan para sa kaligtasan kung kinakailangan.

### PAYO SA MGA MANGINGISDA

#### GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa silangang baybayin ng Katimugang Luzon at Kabisayaan (hilaga at silangang mga baybayin ng Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}, hilaga at silangang mga baybayin ng Northern Samar {Laoang, Palapag, Mapanas, Gamay}, at silangang baybayin ng Eastern Samar {Arteche, San Policarpo, Oras}.

Maalon na karagatan ang mararanasan sa hilagang at silangang mga baybayin ng Luzon samantalang katamtaman hanggang sa maalon na karagatan ang inaasahan sa silangang baybayin ng Kabisayaan at Mindanao. Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa natitirang baybayin ng bansa. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaling magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa



DOST-PAGASA.

**DAGDAG KAALAMAN**

**DAILY EXTREMES**

**MONTHLY EXTREMES**

Pinakamataas na Temperatura	37.2 °C (General Santos City, 2016)	Pinakamataas na Temperatura	38.4 °C (Tuguegarao, 1961)
Pinakamababang Temperatura	9.2 °C (Baguio City, 1971)	Pinakamababang Temperatura	6.7 °C (Baguio City, 1963)
Pinakamaraming Ulan	316.4 mm (Hinatuan City, 2009)	Pinakamaraming Ulan	472.9 mm (Surigao City, 1974)

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / JOT**

BINIGYANG PANSIN NI: **MEVT**