


Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5690
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2211.38	31.50	1.54	33.04	54.00	20.96	Vertical	PASS
2	5728.63	65.86	14.91	80.77	-	-	Vertical	NA
3	9104.45	44.89	2.19	47.08	54.00	6.92	Vertical	PASS
4	17878.10	32.61	13.63	46.24	54.00	7.76	Vertical	PASS
5	2191.30	41.14	1.35	42.49	68.20	25.71	Vertical	PASS
6	5728.35	72.44	14.91	87.35	-	-	Vertical	NA
7	9104.07	47.33	2.18	49.51	74.00	24.49	Vertical	PASS
8	17985.43	39.50	13.58	53.08	74.00	20.92	Vertical	PASS

Project Information

Mode:	802.11ax(HE160) RU2x996	Band:	-
Bandwidth	-	Channel	5570
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2238.33	31.21	2.01	33.22	54.00	20.78	Horizontal	PASS
2	12072.32	35.94	5.32	41.26	54.00	12.74	Horizontal	PASS
3	17986.20	32.54	13.59	46.13	54.00	7.87	Horizontal	PASS
4	2226.23	39.11	1.80	40.91	74.00	33.09	Horizontal	PASS
5	11488.10	42.78	4.87	47.65	74.00	26.35	Horizontal	PASS
6	17861.61	38.81	13.84	52.65	74.00	21.35	Horizontal	PASS

Project Information

Mode:	802.11ax(HE160) RU2x996	Band:	-
Bandwidth	-	Channel	5570
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2284.80	31.10	1.86	32.96	54.00	21.04	Vertical	PASS
2	12407.36	35.05	6.11	41.16	54.00	12.84	Vertical	PASS
3	17845.13	32.17	13.78	45.95	54.00	8.05	Vertical	PASS
4	2227.88	38.50	1.83	40.33	74.00	33.67	Vertical	PASS
5	8911.63	47.54	1.92	49.46	68.20	18.74	Vertical	PASS
6	17978.92	39.34	13.49	52.83	74.00	21.17	Vertical	PASS

Project Information

Mode:	802.11ax(HE160) RU2x996	Band:	-
Bandwidth	-	Channel	5250
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2293.60	30.77	1.78	32.55	54.00	21.45	Horizontal	PASS
2	5176.98	30.62	13.91	44.53	-	-	Horizontal	NA
3	12384.36	35.14	5.94	41.08	54.00	12.92	Horizontal	PASS
4	17857.78	31.78	13.89	45.67	54.00	8.33	Horizontal	PASS
5	2336.50	38.66	2.03	40.69	74.00	33.31	Horizontal	PASS
6	5176.70	38.60	13.91	52.51	-	-	Horizontal	NA
7	6999.88	50.23	-1.70	48.53	68.20	19.67	Horizontal	PASS
8	17829.79	40.27	13.13	53.40	74.00	20.60	Horizontal	PASS

Project Information

Mode:	802.11ax(HE160) RU2x996	Band:	-
Bandwidth	-	Channel	5250
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2242.18	31.05	1.88	32.93	54.00	21.07	Vertical	PASS
2	5178.35	29.75	13.90	43.65	-	-	Vertical	NA
3	12388.58	35.86	6.03	41.89	54.00	12.11	Vertical	PASS
4	17986.20	32.82	13.59	46.41	54.00	7.59	Vertical	PASS
5	2197.08	43.57	1.32	44.89	68.20	23.31	Vertical	PASS
6	5176.98	37.10	13.91	51.01	-	-	Vertical	NA
7	6999.88	53.05	-1.70	51.35	68.20	16.85	Vertical	PASS
8	17848.96	38.36	13.95	52.31	74.00	21.69	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5180
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.19	27.66	12.32	39.98	54.00	14.02	Horizontal	PASS
2	5142.01	27.64	12.43	40.07	54.00	13.93	Horizontal	PASS
3	5148.39	27.55	12.47	40.02	54.00	13.98	Horizontal	PASS
4	5126.87	37.95	12.32	50.27	74.00	23.73	Horizontal	PASS
5	5142.01	38.47	12.43	50.90	74.00	23.10	Horizontal	PASS
6	5148.09	37.80	12.46	50.26	74.00	23.74	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5180
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.30	27.28	12.32	39.60	54.00	14.40	Vertical	PASS
2	5140.22	27.69	12.41	40.10	54.00	13.90	Vertical	PASS
3	5149.32	27.97	12.48	40.45	54.00	13.55	Vertical	PASS
4	5182.45	84.00	12.40	96.40	-	-	Vertical	NA
5	5127.17	38.84	12.32	51.16	74.00	22.84	Vertical	PASS
6	5139.24	38.27	12.41	50.68	74.00	23.32	Vertical	PASS
7	5149.70	39.51	12.48	51.99	74.00	22.01	Vertical	PASS
8	5182.49	91.78	12.40	104.18	-	-	Vertical	NA

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5320
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.61	29.05	12.68	41.73	54.00	12.27	Horizontal	PASS
2	5356.04	28.25	12.72	40.97	54.00	13.03	Horizontal	PASS
3	5361.34	28.20	12.75	40.95	54.00	13.05	Horizontal	PASS
4	5351.07	39.76	12.69	52.45	74.00	21.55	Horizontal	PASS
5	5356.24	38.44	12.72	51.16	74.00	22.84	Horizontal	PASS
6	5361.47	39.05	12.75	51.80	74.00	22.20	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5320
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.16	31.61	12.68	44.29	54.00	9.71	Vertical	PASS
2	5355.07	29.03	12.71	41.74	54.00	12.26	Vertical	PASS
3	5363.75	28.46	12.76	41.22	54.00	12.78	Vertical	PASS
4	5350.71	43.45	12.69	56.14	74.00	17.86	Vertical	PASS
5	5354.58	39.32	12.71	52.03	74.00	21.97	Vertical	PASS
6	5363.65	38.80	12.76	51.56	74.00	22.44	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5500
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.69	27.99	12.70	40.69	54.00	13.31	Horizontal	PASS
2	5456.81	27.96	12.75	40.71	54.00	13.29	Horizontal	PASS
3	5459.84	28.08	12.80	40.88	54.00	13.12	Horizontal	PASS
4	5456.24	39.06	12.74	51.80	74.00	22.20	Horizontal	PASS
5	5462.31	38.80	12.84	51.64	68.20	16.56	Horizontal	PASS
6	5469.48	40.07	12.96	53.03	68.20	15.17	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5500
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.98	28.17	12.67	40.84	54.00	13.16	Vertical	PASS
2	5455.73	28.21	12.73	40.94	54.00	13.06	Vertical	PASS
3	5458.49	28.16	12.78	40.94	54.00	13.06	Vertical	PASS
4	5457.17	38.61	12.75	51.36	74.00	22.64	Vertical	PASS
5	5461.95	39.32	12.83	52.15	68.20	16.05	Vertical	PASS
6	5469.15	42.40	12.95	55.35	68.20	12.85	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5700
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.66	43.43	13.36	56.79	68.20	11.41	Horizontal	PASS
2	5731.96	38.85	13.26	52.11	68.20	16.09	Horizontal	PASS
3	5737.99	38.47	13.16	51.63	68.20	16.57	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5700
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.84	46.62	13.36	59.98	68.20	8.22	Vertical	PASS
2	5730.07	41.02	13.29	54.31	68.20	13.89	Vertical	PASS
3	5736.46	38.79	13.18	51.97	68.20	16.23	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5745
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5745
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5825
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5825
IMEI:	30	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph

Project Information

Mode:	802.11ax	Band:	-
Bandwidth	-	Channel	5180
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.31	32.01	12.38	44.39	54.00	9.61	Horizontal	PASS
2	5141.81	31.98	12.43	44.41	54.00	9.59	Horizontal	PASS
3	5147.99	32.28	12.46	44.74	54.00	9.26	Horizontal	PASS
4	5135.96	42.64	12.38	55.02	74.00	18.98	Horizontal	PASS
5	5142.62	42.89	12.43	55.32	74.00	18.68	Horizontal	PASS
6	5147.21	42.32	12.46	54.78	74.00	19.22	Horizontal	PASS

Project Information

Mode:	802.11ax	Band:	-
Bandwidth	-	Channel	5180
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.45	31.91	12.39	44.30	54.00	9.70	Vertical	PASS
2	5142.56	32.05	12.43	44.48	54.00	9.52	Vertical	PASS
3	5149.00	32.55	12.48	45.03	54.00	8.97	Vertical	PASS
4	5137.75	42.49	12.39	54.88	74.00	19.12	Vertical	PASS
5	5142.85	42.96	12.43	55.39	74.00	18.61	Vertical	PASS
6	5147.37	43.14	12.46	55.60	74.00	18.40	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5320
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	30.90	12.68	43.58	54.00	10.42	Horizontal	PASS
2	5354.06	29.20	12.70	41.90	54.00	12.10	Horizontal	PASS
3	5360.11	28.46	12.74	41.20	54.00	12.80	Horizontal	PASS
4	5350.78	42.86	12.69	55.55	74.00	18.45	Horizontal	PASS
5	5355.39	39.51	12.71	52.22	74.00	21.78	Horizontal	PASS
6	5360.30	39.98	12.74	52.72	74.00	21.28	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5320
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.29	30.59	12.68	43.27	54.00	10.73	Vertical	PASS
2	5354.32	29.10	12.70	41.80	54.00	12.20	Vertical	PASS
3	5362.90	28.41	12.75	41.16	54.00	12.84	Vertical	PASS
4	5350.48	42.38	12.68	55.06	74.00	18.94	Vertical	PASS
5	5355.49	39.60	12.71	52.31	74.00	21.69	Vertical	PASS
6	5363.13	39.89	12.75	52.64	74.00	21.36	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5500
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.44	28.18	12.66	40.84	54.00	13.16	Horizontal	PASS
2	5455.40	28.19	12.73	40.92	54.00	13.08	Horizontal	PASS
3	5459.63	28.25	12.80	41.05	54.00	12.95	Horizontal	PASS
4	5456.24	38.44	12.74	51.18	74.00	22.82	Horizontal	PASS
5	5464.29	40.22	12.88	53.10	68.20	15.10	Horizontal	PASS
6	5469.06	45.49	12.94	58.43	68.20	9.77	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5500
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.39	28.06	12.69	40.75	54.00	13.25	Vertical	PASS
2	5456.30	28.03	12.74	40.77	54.00	13.23	Vertical	PASS
3	5458.49	28.33	12.78	41.11	54.00	12.89	Vertical	PASS
4	5456.90	38.49	12.75	51.24	74.00	22.76	Vertical	PASS
5	5463.72	40.84	12.86	53.70	68.20	14.50	Vertical	PASS
6	5469.24	45.76	12.96	58.72	68.20	9.48	Vertical	PASS

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5700
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.26	48.78	13.35	62.13	-	-	Horizontal	NA
2	5732.26	40.40	13.25	53.65	-	-	Horizontal	NA
3	5737.78	39.69	13.16	52.85	-	-	Horizontal	NA

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5700
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.42	48.58	13.36	61.94	-	-	Vertical	NA
2	5727.97	48.54	13.32	61.86	-	-	Vertical	NA
3	5735.65	38.73	13.20	51.93	-	-	Vertical	NA

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5745
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5745
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5825
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5825
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5190
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.10	28.38	12.39	40.77	54.00	13.23	Horizontal	PASS
2	5145.67	29.29	12.45	41.74	54.00	12.26	Horizontal	PASS
3	5149.28	30.08	12.48	42.56	54.00	11.44	Horizontal	PASS
4	5136.82	38.52	12.39	50.91	74.00	23.09	Horizontal	PASS
5	5144.73	40.24	12.44	52.68	74.00	21.32	Horizontal	PASS
6	5149.36	42.03	12.48	54.51	74.00	19.49	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5190
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.97	28.19	12.39	40.58	54.00	13.42	Vertical	PASS
2	5144.35	28.72	12.44	41.16	54.00	12.84	Vertical	PASS
3	5149.28	29.44	12.48	41.92	54.00	12.08	Vertical	PASS
4	5137.08	38.56	12.39	50.95	74.00	23.05	Vertical	PASS
5	5144.64	38.60	12.44	51.04	74.00	22.96	Vertical	PASS
6	5149.36	39.97	12.48	52.45	74.00	21.55	Vertical	PASS

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5310
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.76	34.41	12.69	47.10	54.00	6.90	Horizontal	PASS
2	5358.80	31.76	12.73	44.49	54.00	9.51	Horizontal	PASS
3	5366.54	30.49	12.78	43.27	54.00	10.73	Horizontal	PASS
4	5351.19	48.05	12.69	60.74	74.00	13.26	Horizontal	PASS
5	5359.99	43.62	12.74	56.36	74.00	17.64	Horizontal	PASS
6	5366.79	42.82	12.78	55.60	74.00	18.40	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5310
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.59	33.35	12.68	46.03	54.00	7.97	Vertical	PASS
2	5357.31	31.73	12.73	44.46	54.00	9.54	Vertical	PASS
3	5364.07	30.37	12.76	43.13	54.00	10.87	Vertical	PASS
4	5351.23	45.61	12.69	58.30	74.00	15.70	Vertical	PASS
5	5358.25	44.63	12.72	57.35	74.00	16.65	Vertical	PASS
6	5364.58	42.79	12.76	55.55	74.00	18.45	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5510
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.72	32.64	12.72	45.36	54.00	8.64	Horizontal	PASS
2	5458.24	34.28	12.77	47.05	54.00	6.95	Horizontal	PASS
3	5459.48	35.66	12.80	48.46	54.00	5.54	Horizontal	PASS
4	5459.68	49.57	12.80	62.37	74.00	11.63	Horizontal	PASS
5	5466.73	54.05	12.91	66.96	68.20	1.24	Horizontal	PASS
6	5469.45	54.13	12.96	67.09	68.20	1.11	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5510
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.12	31.40	12.69	44.09	54.00	9.91	Vertical	PASS
2	5456.60	33.08	12.75	45.83	54.00	8.17	Vertical	PASS
3	5459.48	34.92	12.80	47.72	54.00	6.28	Vertical	PASS
4	5459.28	45.25	12.79	58.04	74.00	15.96	Vertical	PASS
5	5465.85	53.11	12.90	66.01	68.20	2.19	Vertical	PASS
6	5469.45	54.31	12.96	67.27	68.20	0.93	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5670
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.54	41.15	13.33	54.48	68.20	13.72	Horizontal	PASS
2	5736.99	38.86	13.17	52.03	68.20	16.17	Horizontal	PASS
3	5743.40	39.21	13.07	52.28	68.20	15.92	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5670
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.99	40.12	13.35	53.47	68.20	14.73	Vertical	PASS
2	5736.39	39.25	13.18	52.43	68.20	15.77	Vertical	PASS
3	5745.85	39.90	13.03	52.93	68.20	15.27	Vertical	PASS

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5755
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5755
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5795
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5795
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph

Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5210
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.50	32.68	12.36	45.04	54.00	8.96	Horizontal	PASS
2	5142.26	33.26	12.43	45.69	54.00	8.31	Horizontal	PASS
3	5148.45	34.66	12.47	47.13	54.00	6.87	Horizontal	PASS
4	5132.44	43.27	12.36	55.63	74.00	18.37	Horizontal	PASS
5	5141.76	44.14	12.43	56.57	74.00	17.43	Horizontal	PASS
6	5147.95	45.52	12.46	57.98	74.00	16.02	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5210
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5133.57	32.14	12.36	44.50	54.00	9.50	Vertical	PASS
2	5140.45	32.83	12.41	45.24	54.00	8.76	Vertical	PASS
3	5146.45	34.11	12.46	46.57	54.00	7.43	Vertical	PASS
4	5133.13	42.89	12.36	55.25	74.00	18.75	Vertical	PASS
5	5139.38	42.66	12.41	55.07	74.00	18.93	Vertical	PASS
6	5148.89	44.98	12.48	57.46	74.00	16.54	Vertical	PASS

Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5290
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.43	35.80	12.70	48.50	54.00	5.50	Horizontal	PASS
2	5364.36	34.26	12.76	47.02	54.00	6.98	Horizontal	PASS
3	5370.96	33.58	12.80	46.38	54.00	7.62	Horizontal	PASS
4	5353.33	49.10	12.70	61.80	74.00	12.20	Horizontal	PASS
5	5362.33	47.37	12.76	60.13	74.00	13.87	Horizontal	PASS
6	5371.71	45.19	12.81	58.00	74.00	16.00	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5290
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.60	34.32	12.69	47.01	54.00	6.99	Vertical	PASS
2	5362.63	33.50	12.75	46.25	54.00	7.75	Vertical	PASS
3	5376.66	32.24	12.84	45.08	54.00	8.92	Vertical	PASS
4	5351.53	47.54	12.69	60.23	74.00	13.77	Vertical	PASS
5	5365.48	47.55	12.77	60.32	74.00	13.68	Vertical	PASS
6	5376.51	43.87	12.84	56.71	74.00	17.29	Vertical	PASS

Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5530
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5530
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph

Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5530
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.38	36.06	12.66	48.72	54.00	5.28	Horizontal	PASS
2	5454.44	37.08	12.72	49.80	54.00	4.20	Horizontal	PASS
3	5459.06	37.95	12.78	50.73	54.00	3.27	Horizontal	PASS
4	5458.46	50.44	12.78	63.22	74.00	10.78	Horizontal	PASS
5	5464.11	50.02	12.86	62.88	68.20	5.32	Horizontal	PASS
6	5467.65	51.01	12.93	63.94	68.20	4.26	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5530
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.72	36.35	12.70	49.05	54.00	4.95	Vertical	PASS
2	5456.78	37.49	12.75	50.24	54.00	3.76	Vertical	PASS
3	5459.48	37.30	12.80	50.10	54.00	3.90	Vertical	PASS
4	5458.10	49.71	12.77	62.48	74.00	11.52	Vertical	PASS
5	5463.33	50.01	12.86	62.87	68.20	5.33	Vertical	PASS
6	5467.23	51.96	12.92	64.88	68.20	3.32	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5610
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.93	40.50	13.31	53.81	68.20	14.39	Horizontal	PASS
2	5742.44	39.46	13.08	52.54	68.20	15.66	Horizontal	PASS
3	5747.57	39.51	13.00	52.51	68.20	15.69	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5610
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.65	40.53	13.29	53.82	68.20	14.38	Vertical	PASS
2	5738.38	39.93	13.15	53.08	68.20	15.12	Vertical	PASS
3	5749.55	39.28	12.97	52.25	68.20	15.95	Vertical	PASS


Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5775
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph



Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5775
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph



Project Information

Mode:	802.11ax(HE160) RU2x996	Band:	-
Bandwidth	-	Channel	5570
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5420.14	33.03	12.84	45.87	54.00	8.13	Horizontal	PASS
2	5437.29	34.58	12.72	47.30	54.00	6.70	Horizontal	PASS
3	5455.33	34.76	12.72	47.48	54.00	6.52	Horizontal	PASS
4	5424.86	44.12	12.81	56.93	74.00	17.07	Horizontal	PASS
5	5448.67	44.37	12.65	57.02	74.00	16.98	Horizontal	PASS
6	5462.68	46.83	12.85	59.68	68.20	8.52	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE160) RU2x996	Band:	-
Bandwidth	-	Channel	5570
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5411.21	32.08	12.89	44.97	54.00	9.03	Vertical	PASS
2	5436.59	34.73	12.73	47.46	54.00	6.54	Vertical	PASS
3	5454.28	34.07	12.71	46.78	54.00	7.22	Vertical	PASS
4	5433.79	44.16	12.75	56.91	74.00	17.09	Vertical	PASS
5	5447.62	43.50	12.66	56.16	74.00	17.84	Vertical	PASS
6	5465.48	44.97	12.89	57.86	68.20	10.34	Vertical	PASS

~The End~