


Project Information			
Mode:	ax(HE80)RU484 Left	Band:	-
Bandwidth	-	Channel	7025
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 19		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.65	31.15	2.41	33.56	54.00	20.44	Vertical	PASS
2	9367.05	40.92	2.25	43.17	54.00	10.83	Vertical	PASS
3	17997.67	32.85	14.02	46.87	54.00	7.13	Vertical	PASS
4	1945.00	39.00	1.73	40.73	68.20	27.47	Vertical	PASS
5	14322.88	40.86	9.31	50.17	68.20	18.03	Vertical	PASS
6	17844.33	39.22	13.87	53.09	74.00	20.91	Vertical	PASS

Project Information

Mode:	ax(HE80)RU996	Band:	-
Bandwidth	-	Channel	6865
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2280.30	31.65	2.00	33.65	54.00	20.35	Horizontal	PASS
2	6902.05	45.52	18.67	64.19	-	-	Horizontal	NA
3	11864.46	35.96	5.23	41.19	54.00	12.81	Horizontal	PASS
4	17862.00	33.15	13.81	46.96	54.00	7.04	Horizontal	PASS
5	1956.90	39.22	1.71	40.93	68.20	27.27	Horizontal	PASS
6	6901.70	53.50	18.67	72.17	-	-	Horizontal	NA
7	14662.89	40.96	9.84	50.80	68.20	17.40	Horizontal	PASS
8	17850.00	39.56	14.02	53.58	74.00	20.42	Horizontal	PASS

Project Information

Mode:	ax(HE80)RU996	Band:	-
Bandwidth	-	Channel	6865
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2267.35	31.01	2.05	33.06	54.00	20.94	Vertical	PASS
2	6899.25	54.35	18.67	73.02	-	-	Vertical	NA
3	9153.71	39.62	3.41	43.03	54.00	10.97	Vertical	PASS
4	17842.99	32.64	13.83	46.47	54.00	7.53	Vertical	PASS
5	2198.75	41.08	1.55	42.63	68.20	25.57	Vertical	PASS
6	6902.05	61.69	18.67	80.36	-	-	Vertical	NA
7	15236.24	41.13	9.19	50.32	68.20	17.88	Vertical	PASS
8	17852.66	39.47	13.98	53.45	74.00	20.55	Vertical	PASS

Project Information

Mode:	ax(HE80)RU996	Band:	-
Bandwidth	-	Channel	6545
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2251.25	31.21	2.12	33.33	54.00	20.67	Horizontal	PASS
2	6506.90	55.95	17.73	73.68	-	-	Horizontal	NA
3	11989.47	35.84	5.28	41.12	54.00	12.88	Horizontal	PASS
4	17992.00	32.14	13.98	46.12	54.00	7.88	Horizontal	PASS
5	1920.15	40.04	1.47	41.51	68.20	26.69	Horizontal	PASS
6	6506.55	62.53	17.73	80.26	-	-	Horizontal	NA
7	14675.89	41.11	9.49	50.60	68.20	17.60	Horizontal	PASS
8	17842.99	39.01	13.83	52.84	74.00	21.16	Horizontal	PASS

Project Information

Mode:	ax(HE80)RU996	Band:	-
Bandwidth	-	Channel	6545
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2353.10	30.82	2.48	33.30	54.00	20.70	Vertical	PASS
2	6507.25	64.39	17.73	82.12	-	-	Vertical	NA
3	11604.12	35.84	5.47	41.31	54.00	12.69	Vertical	PASS
4	17995.67	32.61	14.00	46.61	54.00	7.39	Vertical	PASS
5	1920.15	39.65	1.47	41.12	68.20	27.08	Vertical	PASS
6	6506.55	71.87	17.73	89.60	-	-	Vertical	NA
7	14350.55	41.24	9.62	50.86	68.20	17.34	Vertical	PASS
8	17847.33	39.01	13.94	52.95	74.00	21.05	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6025
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2284.15	31.39	2.16	33.55	54.00	20.45	Horizontal	PASS
2	12015.47	36.35	5.50	41.85	54.00	12.15	Horizontal	PASS
3	17843.99	32.56	13.86	46.42	54.00	7.58	Horizontal	PASS
4	1940.45	39.21	1.62	40.83	68.20	27.37	Horizontal	PASS
5	14665.89	40.94	9.76	50.70	68.20	17.50	Horizontal	PASS
6	17859.66	39.60	13.86	53.46	74.00	20.54	Horizontal	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6025
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2292.90	31.28	2.15	33.43	54.00	20.57	Vertical	PASS
2	12393.15	36.94	5.90	42.84	54.00	11.16	Vertical	PASS
3	17875.00	32.57	13.60	46.17	54.00	7.83	Vertical	PASS
4	1953.75	38.84	1.65	40.49	68.20	27.71	Vertical	PASS
5	14893.90	42.18	8.47	50.65	68.20	17.55	Vertical	PASS
6	17841.66	39.80	13.79	53.59	74.00	20.41	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6185
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2261.75	31.12	2.20	33.32	54.00	20.68	Horizontal	PASS
2	12043.80	35.67	5.66	41.33	54.00	12.67	Horizontal	PASS
3	17846.66	33.16	13.93	47.09	54.00	6.91	Horizontal	PASS
4	2458.10	41.62	2.73	44.35	68.20	23.85	Horizontal	PASS
5	14345.88	41.20	9.58	50.78	68.20	17.42	Horizontal	PASS
6	17860.00	39.27	13.85	53.12	74.00	20.88	Horizontal	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6185
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2300.25	31.54	2.13	33.67	-	-	Vertical	NA
2	12420.81	36.16	5.58	41.74	54.00	12.26	Vertical	PASS
3	17849.66	32.21	14.01	46.22	54.00	7.78	Vertical	PASS
4	2036.70	39.78	1.37	41.15	68.20	27.05	Vertical	PASS
5	14267.21	42.63	8.08	50.71	68.20	17.49	Vertical	PASS
6	17849.33	39.11	14.00	53.11	74.00	20.89	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6345
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2360.10	31.09	2.45	33.54	54.00	20.46	Horizontal	PASS
2	12040.13	36.40	5.64	42.04	54.00	11.96	Horizontal	PASS
3	17864.33	33.01	13.78	46.79	54.00	7.21	Horizontal	PASS
4	2046.85	39.55	1.43	40.98	68.20	27.22	Horizontal	PASS
5	15053.90	41.55	8.86	50.41	68.20	17.79	Horizontal	PASS
6	17845.99	39.75	13.91	53.66	74.00	20.34	Horizontal	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6345
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2334.90	31.24	2.37	33.61	54.00	20.39	Vertical	PASS
2	12404.48	35.12	5.94	41.06	54.00	12.94	Vertical	PASS
3	17858.66	32.77	13.88	46.65	54.00	7.35	Vertical	PASS
4	2038.10	39.56	1.39	40.95	68.20	27.25	Vertical	PASS
5	14367.21	42.17	9.06	51.23	68.20	16.97	Vertical	PASS
6	17921.66	40.64	13.38	54.02	74.00	19.98	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6665
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 19		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.35	31.01	2.29	33.30	54.00	20.70	Horizontal	PASS
2	12068.14	35.84	5.43	41.27	54.00	12.73	Horizontal	PASS
3	17855.33	32.75	13.93	46.68	54.00	7.32	Horizontal	PASS
4	2198.40	40.93	1.55	42.48	68.20	25.72	Horizontal	PASS
5	14334.54	41.43	9.45	50.88	68.20	17.32	Horizontal	PASS
6	17827.99	39.73	13.43	53.16	74.00	20.84	Horizontal	PASS

Project Information			
Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6665
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 19		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2322.65	31.86	2.17	34.03	54.00	19.97	Vertical	PASS
2	11596.12	35.67	5.52	41.19	54.00	12.81	Vertical	PASS
3	17985.00	32.50	13.92	46.42	54.00	7.58	Vertical	PASS
4	1924.00	39.69	1.52	41.21	68.20	26.99	Vertical	PASS
5	14363.88	41.26	9.17	50.43	68.20	17.77	Vertical	PASS
6	17939.00	39.63	13.55	53.18	74.00	20.82	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6985
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2296.05	31.43	1.97	33.40	54.00	20.60	Horizontal	PASS
2	12425.15	36.06	5.48	41.54	54.00	12.46	Horizontal	PASS
3	17848.99	32.41	13.99	46.40	54.00	7.60	Horizontal	PASS
4	1920.15	39.89	1.47	41.36	68.20	26.84	Horizontal	PASS
5	14365.55	41.54	9.11	50.65	68.20	17.55	Horizontal	PASS
6	17856.00	40.35	13.92	54.27	74.00	19.73	Horizontal	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6985
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2248.80	31.21	2.25	33.46	54.00	20.54	Vertical	PASS
2	6985.35	33.51	19.29	52.80	-	-	Vertical	NA
3	9313.71	39.80	3.01	42.81	54.00	11.19	Vertical	PASS
4	17995.33	32.22	14.00	46.22	54.00	7.78	Vertical	PASS
5	2193.85	41.62	1.57	43.19	68.20	25.01	Vertical	PASS
6	6985.00	39.31	19.29	58.60	-	-	Vertical	NA
7	14652.89	40.02	10.12	50.14	68.20	18.06	Vertical	PASS
8	17987.00	39.26	13.94	53.20	74.00	20.80	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Right	Band:	-
Bandwidth	-	Channel	6825
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2285.90	31.16	1.97	33.13	54.00	20.87	Horizontal	PASS
2	6902.75	43.90	18.68	62.58	-	-	Horizontal	NA
3	11993.80	35.54	5.33	40.87	54.00	13.13	Horizontal	PASS
4	17855.33	32.53	13.93	46.46	54.00	7.54	Horizontal	PASS
5	1945.35	39.30	1.75	41.05	68.20	27.15	Horizontal	PASS
6	6901.70	50.51	18.67	69.18	-	-	Horizontal	NA
7	14345.21	40.81	9.58	50.39	68.20	17.81	Horizontal	PASS
8	17930.33	39.79	13.46	53.25	74.00	20.75	Horizontal	PASS

Project Information

Mode:	ax(HE160)RU996 Right	Band:	-
Bandwidth	-	Channel	6825
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2328.95	30.99	2.25	33.24	54.00	20.76	Vertical	PASS
2	6900.30	52.36	18.67	71.03	-	-	Vertical	NA
3	12372.81	35.89	5.48	41.37	54.00	12.63	Vertical	PASS
4	17989.33	32.16	13.96	46.12	54.00	7.88	Vertical	PASS
5	1941.50	38.94	1.70	40.64	68.20	27.56	Vertical	PASS
6	6899.95	59.75	18.67	78.42	-	-	Vertical	NA
7	14334.88	40.97	9.46	50.43	68.20	17.77	Vertical	PASS
8	17856.00	39.11	13.92	53.03	74.00	20.97	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Right	Band:	-
Bandwidth	-	Channel	6505
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2245.65	31.17	2.13	33.30	54.00	20.70	Horizontal	PASS
2	6560.45	66.01	18.07	84.08	-	-	Horizontal	NA
3	11991.47	36.27	5.30	41.57	54.00	12.43	Horizontal	PASS
4	17861.66	33.08	13.82	46.90	54.00	7.10	Horizontal	PASS
5	1954.10	38.87	1.57	40.44	68.20	27.76	Horizontal	PASS
6	6547.15	72.83	18.12	90.95	-	-	Horizontal	NA
7	14354.21	40.81	9.50	50.31	68.20	17.89	Horizontal	PASS
8	17854.33	39.12	13.95	53.07	74.00	20.93	Horizontal	PASS

Project Information

Mode:	ax(HE160)RU996 Right	Band:	-
Bandwidth	-	Channel	6505
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.65	30.98	2.45	33.43	54.00	20.57	Vertical	PASS
2	6557.65	74.40	18.08	92.48	-	-	Vertical	NA
3	12036.13	35.78	5.62	41.40	54.00	12.60	Vertical	PASS
4	17861.66	32.65	13.82	46.47	54.00	7.53	Vertical	PASS
5	2163.05	39.06	1.53	40.59	68.20	27.61	Vertical	PASS
6	6562.20	83.43	18.05	101.48	-	-	Vertical	NA
7	14388.55	42.25	8.34	50.59	68.20	17.61	Vertical	PASS
8	17991.00	39.62	13.97	53.59	74.00	20.41	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5955
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5840.04	29.88	13.27	43.15	68.20	25.05	Horizontal	PASS
2	5870.03	29.90	13.44	43.34	68.20	24.86	Horizontal	PASS
3	5918.12	29.37	13.86	43.23	68.20	24.97	Horizontal	PASS
4	5840.88	39.49	13.27	52.76	88.20	35.44	Horizontal	PASS
5	5873.03	39.58	13.47	53.05	88.20	35.15	Horizontal	PASS
6	5917.87	38.90	13.86	52.76	88.20	35.44	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	5955
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.71	29.65	13.29	42.94	68.20	25.26	Vertical	PASS
2	5877.79	29.50	13.51	43.01	68.20	25.19	Vertical	PASS
3	5917.87	29.34	13.86	43.20	68.20	25.00	Vertical	PASS
4	5852.42	39.95	13.26	53.21	88.20	34.99	Vertical	PASS
5	5875.80	39.88	13.49	53.37	88.20	34.83	Vertical	PASS
6	5921.00	39.83	13.88	53.71	88.20	34.49	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	7115
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.98	29.59	16.18	45.77	68.20	22.43	Horizontal	PASS
2	7159.33	29.46	16.18	45.64	68.20	22.56	Horizontal	PASS
3	7215.87	29.74	16.98	46.72	68.20	21.48	Horizontal	PASS
4	7125.28	39.60	16.19	55.79	88.20	32.41	Horizontal	PASS
5	7155.72	39.43	16.11	55.54	88.20	32.66	Horizontal	PASS
6	7217.33	39.96	16.98	56.94	88.20	31.26	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	-	Channel	7115
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.28	33.07	16.19	49.26	68.20	18.94	Vertical	PASS
2	7165.60	29.12	16.30	45.42	68.20	22.78	Vertical	PASS
3	7214.92	29.55	16.98	46.53	68.20	21.67	Vertical	PASS
4	7125.70	42.84	16.18	59.02	88.20	29.18	Vertical	PASS
5	7161.40	39.01	16.22	55.23	88.20	32.97	Vertical	PASS
6	7212.91	39.41	16.98	56.39	88.20	31.81	Vertical	PASS

Project Information

Mode:	ax(HE20)RU242	Band:	-
Bandwidth	-	Channel	5955
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.61	29.76	13.33	43.09	68.20	25.11	Horizontal	PASS
2	5877.54	29.47	13.51	42.98	68.20	25.22	Horizontal	PASS
3	5923.47	29.90	13.90	43.80	68.20	24.40	Horizontal	PASS
4	5856.53	39.42	13.30	52.72	88.20	35.48	Horizontal	PASS
5	5876.31	39.35	13.50	52.85	88.20	35.35	Horizontal	PASS
6	5921.68	40.91	13.88	54.79	88.20	33.41	Horizontal	PASS

Project Information

Mode:	ax(HE20)RU242	Band:	-
Bandwidth	-	Channel	5955
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.91	29.72	13.29	43.01	68.20	25.19	Vertical	PASS
2	5882.55	29.50	13.56	43.06	68.20	25.14	Vertical	PASS
3	5923.55	30.56	13.90	44.46	68.20	23.74	Vertical	PASS
4	5853.76	39.94	13.28	53.22	88.20	34.98	Vertical	PASS
5	5879.69	39.61	13.53	53.14	88.20	35.06	Vertical	PASS
6	5923.52	41.39	13.90	55.29	88.20	32.91	Vertical	PASS

Project Information

Mode:	ax(HE20)RU242	Band:	-
Bandwidth	-	Channel	7115
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.22	34.76	16.19	50.95	68.20	17.25	Horizontal	PASS
2	7144.66	29.11	16.04	45.15	68.20	23.05	Horizontal	PASS
3	7191.62	29.28	16.80	46.08	68.20	22.12	Horizontal	PASS
4	7125.50	46.86	16.18	63.04	88.20	25.16	Horizontal	PASS
5	7148.16	39.59	16.01	55.60	88.20	32.60	Horizontal	PASS
6	7189.74	39.33	16.76	56.09	88.20	32.11	Horizontal	PASS

Project Information

Mode:	ax(HE20)RU242	Band:	-
Bandwidth	-	Channel	7115
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7125.16	43.76	16.19	59.95	68.20	8.25	Vertical	PASS
2	7144.49	29.42	16.04	45.46	68.20	22.74	Vertical	PASS
3	7190.03	29.38	16.77	46.15	68.20	22.05	Vertical	PASS
4	7125.16	56.63	16.19	72.82	88.20	15.38	Vertical	PASS
5	7144.85	39.26	16.04	55.30	88.20	32.90	Vertical	PASS
6	7188.34	39.12	16.73	55.85	88.20	32.35	Vertical	PASS

Project Information

Mode:	ax(HE40)RU484	Band:	-
Bandwidth	-	Channel	5965
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5868.02	29.47	13.42	42.89	68.20	25.31	Horizontal	PASS
2	5902.23	31.71	13.74	45.45	68.20	22.75	Horizontal	PASS
3	5922.62	41.83	13.90	55.73	68.20	12.47	Horizontal	PASS
4	5871.35	40.50	13.45	53.95	88.20	34.25	Horizontal	PASS
5	5898.42	41.83	13.71	55.54	88.20	32.66	Horizontal	PASS
6	5923.45	53.00	13.90	66.90	88.20	21.30	Horizontal	PASS

Project Information			
Mode:	ax(HE40)RU484	Band:	-
Bandwidth	-	Channel	5965
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.06	29.67	13.36	43.03	68.20	25.17	Vertical	PASS
2	5899.86	32.86	13.73	46.59	68.20	21.61	Vertical	PASS
3	5923.68	43.66	13.90	57.56	68.20	10.64	Vertical	PASS
4	5862.03	40.05	13.36	53.41	88.20	34.79	Vertical	PASS
5	5894.23	43.43	13.67	57.10	88.20	31.10	Vertical	PASS
6	5924.06	56.33	13.91	70.24	88.20	17.96	Vertical	PASS

Project Information

Mode:	ax(HE40)RU484	Band:	-
Bandwidth	-	Channel	7085
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7126.54	29.24	16.18	45.42	68.20	22.78	Horizontal	PASS
2	7163.44	29.28	16.25	45.53	68.20	22.67	Horizontal	PASS
3	7203.88	29.53	16.97	46.50	68.20	21.70	Horizontal	PASS
4	7133.95	39.22	16.13	55.35	88.20	32.85	Horizontal	PASS
5	7170.72	39.59	16.39	55.98	88.20	32.22	Horizontal	PASS
6	7209.96	39.14	16.97	56.11	88.20	32.09	Horizontal	PASS

Project Information

Mode:	ax(HE40)RU484	Band:	-
Bandwidth	-	Channel	7085
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7130.28	29.22	16.15	45.37	68.20	22.83	Vertical	PASS
2	7182.60	29.36	16.63	45.99	68.20	22.21	Vertical	PASS
3	7228.72	29.59	17.00	46.59	68.20	21.61	Vertical	PASS
4	7126.28	38.84	16.19	55.03	88.20	33.17	Vertical	PASS
5	7181.12	39.08	16.59	55.67	88.20	32.53	Vertical	PASS
6	7223.47	39.09	17.00	56.09	88.20	32.11	Vertical	PASS

Project Information			
Mode:	ax(HE80)RU996	Band:	-
Bandwidth	-	Channel	5985
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5889.13	42.58	13.62	56.20	68.20	12.00	Horizontal	PASS
2	5909.50	47.40	13.80	61.20	68.20	7.00	Horizontal	PASS
3	5921.78	50.57	13.88	64.45	68.20	3.75	Horizontal	PASS
4	5886.45	51.22	13.60	64.82	88.20	23.38	Horizontal	PASS
5	5907.62	57.37	13.79	71.16	88.20	17.04	Horizontal	PASS
6	5922.46	60.70	13.89	74.59	88.20	13.61	Horizontal	PASS

Project Information

Mode:	ax(HE80)RU996	Band:	-
Bandwidth	-	Channel	5985
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5886.17	41.79	13.59	55.38	68.20	12.82	Vertical	PASS
2	5909.06	48.19	13.80	61.99	68.20	6.21	Vertical	PASS
3	5919.10	49.69	13.87	63.56	68.20	4.64	Vertical	PASS
4	5883.09	51.96	13.56	65.52	88.20	22.68	Vertical	PASS
5	5909.18	59.31	13.80	73.11	88.20	15.09	Vertical	PASS
6	5920.22	60.78	13.88	74.66	88.20	13.54	Vertical	PASS

Project Information			
Mode:	ax(HE80)RU484 Left	Band:	-
Bandwidth	-	Channel	7025
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 19		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7128.96	29.19	16.16	45.35	68.20	22.85	Horizontal	PASS
2	7183.58	29.48	16.64	46.12	68.20	22.08	Horizontal	PASS
3	7238.29	29.52	17.02	46.54	68.20	21.66	Horizontal	PASS
4	7133.54	39.30	16.12	55.42	88.20	32.78	Horizontal	PASS
5	7183.63	39.83	16.64	56.47	88.20	31.73	Horizontal	PASS
6	7234.91	39.97	17.01	56.98	88.20	31.22	Horizontal	PASS

Project Information			
Mode:	ax(HE80)RU484 Left	Band:	-
Bandwidth	-	Channel	7025
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 19		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7135.15	29.31	16.11	45.42	68.20	22.78	Vertical	PASS
2	7189.66	29.10	16.76	45.86	68.20	22.34	Vertical	PASS
3	7231.32	29.39	17.00	46.39	68.20	21.81	Vertical	PASS
4	7126.83	39.45	16.18	55.63	88.20	32.57	Vertical	PASS
5	7184.56	39.54	16.67	56.21	88.20	31.99	Vertical	PASS
6	7227.68	39.46	17.00	56.46	88.20	31.74	Vertical	PASS

Project Information			
Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6025
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5849.98	33.10	13.24	46.34	68.20	21.86	Horizontal	PASS
2	5891.09	36.28	13.64	49.92	68.20	18.28	Horizontal	PASS
3	5919.49	34.87	13.87	48.74	68.20	19.46	Horizontal	PASS
4	5849.64	44.45	13.24	57.69	88.20	30.51	Horizontal	PASS
5	5891.04	46.31	13.64	59.95	88.20	28.25	Horizontal	PASS
6	5920.89	43.91	13.88	57.79	88.20	30.41	Horizontal	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6025
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.21	32.95	13.25	46.20	68.20	22.00	Vertical	PASS
2	5893.61	36.20	13.67	49.87	68.20	18.33	Vertical	PASS
3	5919.99	36.49	13.87	50.36	68.20	17.84	Vertical	PASS
4	5852.56	42.23	13.27	55.50	88.20	32.70	Vertical	PASS
5	5900.73	47.04	13.73	60.77	88.20	27.43	Vertical	PASS
6	5916.63	45.69	13.85	59.54	88.20	28.66	Vertical	PASS

Project Information

Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6985
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7133.59	29.15	16.12	45.27	68.20	22.93	Horizontal	PASS
2	7182.22	29.10	16.62	45.72	68.20	22.48	Horizontal	PASS
3	7234.39	29.44	17.01	46.45	68.20	21.75	Horizontal	PASS
4	7132.64	39.01	16.13	55.14	88.20	33.06	Horizontal	PASS
5	7178.82	39.65	16.56	56.21	88.20	31.99	Horizontal	PASS
6	7238.33	39.84	17.02	56.86	88.20	31.34	Horizontal	PASS

Project Information			
Mode:	ax(HE160)RU996 Left	Band:	-
Bandwidth	-	Channel	6985
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 18		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7127.95	29.16	16.17	45.33	68.20	22.87	Vertical	PASS
2	7194.67	29.31	16.86	46.17	68.20	22.03	Vertical	PASS
3	7231.74	29.44	17.00	46.44	68.20	21.76	Vertical	PASS
4	7137.54	38.83	16.09	54.92	88.20	33.28	Vertical	PASS
5	7190.32	39.20	16.77	55.97	88.20	32.23	Vertical	PASS
6	7229.22	39.09	17.00	56.09	88.20	32.11	Vertical	PASS

~The End~